



Note:  
All soundings are depths in feet below C.R.P.  
(Design flow of 30,000 c.f.s. at Sioux City.)

Location	Reading	Discharge	C.R.P.	Date
Nebr. City	9.3	138,000	+1.2	19 Sep. 68

NOTES:  
WESTON IS THE ORIGIN OF THE GRID COORDINATE SYSTEM.  
ALL AZIMUTHS ON THIS SHEET REFER TO TRUE SOUTH @ PERU  
GRID DIVERGENCE 0°31'09.3"  
ELEVATIONS REFER TO MEAN SEA LEVEL AS ZERO.  
0 1960 ADJUSTED MEANS.  
1960 MEANS SHOWN IN TITLE.  
SOUND CHANGE

THIS DRAWING HAS BEEN REDUCED TO ONE-HALF THE ORIGINAL SCALE.

Revised to show latest field data		DATE	DESCRIPTION	NAME	APPROVED
U. S. ARMY ENGINEER DISTRICT, OMAHA CORPS OF ENGINEERS OMAHA, NEBRASKA					
COMPILED BY: L.V.J.		MISSOURI RIVER			
DRAWN BY: L.V.J.		HYDROGRAPHIC SURVEY			
TRACED BY: L.V.J.		STRUCTURE 589.25 TO 585.10			
CHECKED BY: R.L.B.		NISHNABOTNA AND			
SUBMITTED BY: [Signature]		PERU BENDS			
APPROVED: [Signature]		DATE		19 SEPT 68	
APPROVED: [Signature]		SCALE 1 INCH = 400 FEET		DRAWING NUMBER	
COL. C.E. DISTRICT ENGINEER		400		MCC-18E68-15	