



GAGE DATA

Location	Reading	Discharge	C.R.P.	Date
Nebr. City	9.6	39,000	+1.5	4 Sep '68
Nebr. City	9.1	38,500	+1.0	5 Sep '68

Note: All soundings are depths in feet below C.R.P. (Design flow of 30,000 c.f.s. at Sioux City.)

NOTES

- WESTON IS THE ORIGIN OF THE GRID COORDINATE SYSTEM ALL AZIMUTHS ON THIS SHEET REFER TO TRUE SOUTH AT Δ S AS SHOWN
- ELEVATIONS REFER TO MEAN SEA LEVEL AS ZERO
- 0 1960 ADJUSTED MILEAGE
- 1890 MILEAGE SHOWN IN TITLE
- Δ BEND CHANGE

SCALE 1"=400 FEET
400' 0' 400' 800'

THIS DRAWING HAS BEEN REDUCED TO ONE-HALF THE ORIGINAL SCALE.

Revised to show latest field data

DATE	DESCRIPTION	MADE	APPR'D

REVISIONS

**U. S. ARMY ENGINEER DISTRICT, OMAHA
CORPS OF ENGINEERS
OMAHA, NEBRASKA**

COMPILED BY: M.E.B.
DRAWN BY: C.H.M.
TRACED BY: F.T.V.
CHECKED BY: G.C.S.

MISSOURI RIVER
HYDROGRAPHIC SURVEY
STRUCTURE 547.90 TO 545.12
LOWER COTTIE BENDS
UPPER ARROWS

DATE: 4 SEP 1968
APPROVED: *W.A. McE...* CHIEF, CIVIL DES. BRANCH

DRAWING NUMBER: **MCC-18E68-3**
SCALE AS SHOWN