



GAGE DATA

Location	Reading	Discharge	C.R.P.	Date
Decatur	6.4	32,500	-0.4	3 Oct. '68

Note:
All soundings are depths in feet below C.R.P.
(Design flow of 30,000 c.f.s. at Sioux City.)

- NOTES:**
- WESTON IS THE ORIGIN OF THE GRID COORDINATE SYSTEM.
 - ALL AZIMUTHS ON THIS SHEET REFER TO TRUE SOUTH AT A AS SHOWN.
 - GRID DIVERGENCE AS SHOWN.
 - ELEVATION REFER TO MEAN SEA LEVEL AS ZERO.
 - 0.00 ADJUSTED MILEAGE.
 - 1960 MILEAGE SHOWN IN TITLE.
 - BEND CHANGE

THIS DRAWING HAS BEEN REDUCED TO ONE-HALF THE ORIGINAL SCALE.

Revised to show latest field data

DATE	DESCRIPTION	NAME	APPROV

U.S. ARMY ENGINEER DISTRICT, OMAHA
CORPS OF ENGINEERS
OMAHA, NEBRASKA

MISSOURI RIVER
HYDROGRAPHIC SURVEY
STRUCTURE 724.46 TO 721.55
LOWER LITTLE SIOUX REACH AND
LITTLE SIOUX BEND

APPROVED: *Charles P. Hopp* DATE: 30 OCT 1968
CHIEF, ENGINEERING DIVISION

SCALE 1 INCH = 400 FEET
DRAWING NUMBER: MCC-18E68-60