



THURSTON COUNTY  
NEBRASKA

WOODBURY COUNTY

IOWA

GAGE DATA

Location	Reading	Discharge	C.R.P.	Date
Sioux City	3.2	31,500	-0.8	19 Sep '68
Sioux City	3.2	31,000	-0.8	20 Sep '68

Note:  
All soundings are depths in feet below C.R.P.  
(Design flow of 30,000 c.f.s. at Sioux City.)

- NOTES:**
- WESTON IS THE ORIGIN OF THE GRID COORDINATE SYSTEM.
  - ALL AZIMUTHS ON THIS SHEET REFER TO TRUE SOUTH AT Δ 394
  - GRID BENCHMARK OP-57-23-07
  - ELEVATIONS REFER TO MEAN SEA LEVEL AS ZERO.
  - 1980 ADJUSTED MILEAGE
  - 1899 MILEAGE SHOWN IN TITLE.
  - ◊ BEND CHANGE

Revised to show latest field data		DATE	APPROVED
U.S. ARMY ENGINEER DISTRICT, OMAHA CORPS OF ENGINEERS OMAHA, NEBRASKA			
COMPILED BY: A.J.P.	MISSOURI RIVER		
DRAWN BY: A.J.P.	HYDROGRAPHIC SURVEY		
TRACED BY: A.J.P.	STRUCTURE 779.01 TO 775.9		
CHECKED BY: G.C.S.	GLOVERS POINT BEND		
SUBMITTED BY: <i>W. J. ...</i>	APPROVED: <i>Charles L. Blipp</i> DATE 19 & 20 SEPT 1968		
CHIEF, CHANNEL STAB. SEC.	CHIEF, ENGINEERING DIVISION		
CHIEF, CIVIL ENG. BRANCH	SCALE 1 INCH = 400 FEET		
APPROVED: <i>19009</i>	DRAWING NUMBER		
COL, C.E. DISTRICT ENGINEER	MCC-18E68-76		

THIS DRAWING HAS BEEN REDUCED TO ONE-HALF THE ORIGINAL SCALE.