



GAGE DATA				
Location	Reading	Discharge	C.R.P.	Date
Sioux City	3.6	33,000	-0.4	17 Sep '68

Note:  
All soundings are depths in feet below C.R.P.  
(Design flow of 30,000 c.f.s. at Sioux City.)

Revised to show latest field data		DATE	DESCRIPTION	MADE	APPROV
U. S. ARMY ENGINEER DISTRICT, OMAHA CORPS OF ENGINEERS OMAHA, NEBRASKA					
MISSOURI RIVER HYDROGRAPHIC SURVEY STRUCTURE 797.16 TO 788.7 OMADI AND BROWERS BENDS					
COMPILED BY: A.J.P.	DRAWN BY: A.J.P.	TRACED BY: A.J.P.	CHECKED BY: G.C.S.	SUBMITTED BY: <i>W.C. Johnson</i> CHIEF, CHANNEL STAS. SEC.	
APPROVED: <i>W.C. Johnson</i> CHIEF, CIVIL DES. BRANCH		APPROVED: <i>Charles E. Bopp</i> CHIEF, ENGINEERING DIVISION		DATE: 17 SEPT 1968	
SCALE 1 INCH = 400 FEET				DRAWING NUMBER MCC-18E68-79	

**NOTES:**  
 ▲ WESTON IS THE ORIGIN OF THE GRID COORDINATE SYSTEM  
 ALL AZIMUTHS ON THIS SHEET REFER TO TRUE SOUTH AT Δ 306  
 GRID DIVERGENCE 0° 58' 36.1"  
 ELEVATIONS REFER TO MEAN SEA LEVEL AS ZERO  
 O 1000 ADJUSTED MILEAGE  
 1000 MILEAGE SHOWN IN TITLE  
 ◊ BEND CHANGE