General Land Office • Original Field Notes

Book Number

17

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

1

33

a

Field Notes

of the exterior boundaries of Town-ships Nos 5. 6. 7. 8. 9. 10. 11 & 12 North of Ranges Nos 1. 2. 3 & 4 East of the 6th Principal Meridian in the Ter-ritory of Nebraska, by

James Withrow

Deputy Surveyor

Under his Contract No 175 bearing date the 3rd day of July 1857.

Commenced July 17th 1857

Completed Sept 1st 1857

D

Names and duties of Assistants

George Moyer	Chainman
Augustus Reader	Chainman
Joel Walker	Cornerman
Frederick Kusher	Cornerman
John W. Park	Flagman
Henrick Frok	Flagman

C

d


I
II
III
IV
II^nd Par. N.
8
7
6
5
6th Principal Meridian
I^st Par. N.

c


III^rd Par. N.
I
II
III
IV
12
11
10
9
II^nd Par. N.

We do Each of us Severally Solemnly Affirm
that We Will well and truely perform the duties
of Flagman and Chainman According to the di-
rections given us. And We do further Solemnly
Affirm. in like Manner, that We Will faith-
fully Execute the duties of Chain Carriers that
We Will drive the Chain upon uneven ground
and plumb the tally pins, Whether by Sticking
or dropping the Same, that We Will report the
true distances to all Notable Objects, and the
true length of all lines that We assist in Mea-
suring, to the best of our Skill and ability.

Hamnick Frank
Augustus Redder
George Meyer
Seth Walker
Fredrick Rauscher
John W. Burke

Subscribed and Sworn to by the above named
persons before Me in the County of

h

Nebraska, this 16th day of July 1857
James Willmore
Deputy Surveyor

i.

h

1.

Beginning at the Established Corner to Town-
Ships No 5 North Ranges 1 and 2 East — the same
being the 1st Standard Parallel

Variation 12° East by my Transcit
as ascertained by Observation of the Polar Star

From said Township Corner I run and
measure East on the first Standard parallel
and at 39,78 Chains fell 7 Lks South of
Quarter Section Corner. Also from the
above described Township Corner I run
and measured West

Variation 12° East

At 39,27 Chains fell 9 Lks South of
Quarter Section Corner

Therefore to close the first Standard
parallel for one Mile, the same being half
a Mile East and half a Mile West of the
Corner to Townships 5 North Ranges 1 and
2 East I Must run at a Variation
of 12° East

From the Corner to Townships 5 North

Between Ranges 1 and 2 East S N ~~Principal Meridian~~
Ranges 1 and 2 East I run
North on a true line along the East boundary
of Sections 36
Variation 12,15 East
22 00 Ronnie bears NW and SE
40 00 Set a Granite Stone 12 in long 9 in wide and
5 in thick for quarter Section Corner
73 95 Ronnie bears East and West
80 00 Set a Granite Stone 12 in long 11 in wide
and 4 in thick for Corner to Sections 25
36 30 and 31
Savage rather broken Soil 2d rate

North between Sections 25 and 30
Variation 12,16 East
40 00 Set a Granite Stone 12 in long 9 in wide and
5 in thick for quarter Section Corner
45 85 Ronnie bears W NW and SE
80 00 Set a Granite Stone 16 in long 11 in wide and 5
in thick for Corner to Sections 19, 24 and 25
Savage rather broken Soil 2d rate

Between Ranges 1 and 2 E S N ~~Principal Meridian~~

North between Sections 19 and 24
Variation 12,20 East
10 Ronnie bears S E and N W
40 00 Set a Granite Stone 12 in long 9 in wide and
5 in thick for quarter Section Corner
54 20 Ronnie bears W NW and SE
80 00 Set a Granite Stone 14 in long 10 in wide and
5 in thick for Corner to Sections 18, 19, 13 and 24
Savage of South 2/3 of mile broken of heavy
1/3 rolling Soil 2 rate

North between Sections 13 and 18
Variation 12,16 East
40 00 Set a Granite Stone 10 in long 8 in wide and 5
in thick for quarter Section Corner
62 00 Ronnie bears East and West
78 80 Ronnie bears West and SE
80 00 Set a Granite Stone 14 in long 9 in wide and
5 in thick for Corner to Sections 12, 13, and 18
Savage broken Soil light 2 rate

Between Ranges 1 East & 2 East of the ~~Principal~~ Meridian

North between Sections 7 and 12
Variation 11,00 East

40 00 Set a Granite Stone 12 in long 9 in wide 5 in thick for quarter Section Corner
80 00 Set a Granite Stone 24 in long 12 in wide and 8 in thick for Corner to Sections 6, 7, 1 and 12
Surface of South ½ of mile level & North ½ rolling Soil 2d rate

---

North between Sections 1 and 6
Variation 11,5 East

40 00 Set a Granite Stone 12 in long 8 in wide and 6 in thick for quarter Section Corner
52 00 Branch 8 Links wide runs East
80 00 Set a granite Stone 20 in long 9 in wide and 8 in thick for Corner to Sections Townships 5 and 6 North Ranges 1 and 2 East
Surface of South ½ of mile rolling & North ½ broken Soil 2d rate

---

From the Corner to Townships 5 and 6

Between Townships 5 and 6 N. R. 1 & 2 E. of the Principal Meridian

North Ranges 1 and 2 East 1 mile
West on a Random line between Sections Townships 5 and 6 N. R. 1 E.
Variation 11,5 East

I Set Temporary Corner Stones at Every 40,00 and 80,00 Chains and at 5 Miles 79,19 Chains fell 111 Links South of Township Corner therefore the Correction will be 18½ Links North per mile, Friday July 17th 1857

18½

From the Corner to Townships 5 and 6 North Ranges 1 East and West 1 mile East on a true line between Sections 6 and 31
Variation 11,5 East

39 19 Set a Granite Stone 10 in long 9 in wide and 8 in thick for quarter Section Corner
79 19 Set a Granite Stone 18 in long 7 in wide and 5 in thick for Corner to Sections 5, 6, 31 and 32
Surface rolling Soil 2 rate

East on a true line between Sections 5 and 32

7

Between Townships 5 and 6 N R 6 E 6th Principal Meridian

Variation 11° 40' East

22 00 Brook 5 links wide runs North
39 00 Ravine bears S E Runs NW
40 00 Set a granite Stone 15 in long 7 in wide Runs 5 in thick for quarter Section Corner
80 00 Set a granite Stone Stone 15 in long 8 in wide Runs 5 in thick for corner to Sections 4, 5, 32 & 33 Runs West Surface of West ½ broken of East ½ rolling Soil 2nd rate

---

East on a true line between Sections 4 and 33

Variation 11° 40' East

14 25 Ravine bears N NW and S SE
40 00 Set a granite Stone 13 in long 8 in wide Runs 6 in thick for quarter Section Corner
80 00 Set a Granite Stone 22 in long 18 in wide Runs 16 in thick for Corner to Sections 3, 4, 33, and 34 Surface of West ½ of mile rolling of East ½ of mile broken Soil 2 rate

---

East on a true line between Sections 3 and 34

Variation 11° 40' East

Between Townships 5 and 6 N R 6 E 6th Principal Meridian

27 25 Ravine bears NW and SE
37 20 Ravine bears North and South
40 00 Set a granite Stone 14 in long 8 in wide Runs 6 in thick for quarter Section Corner
79 40 Ravine bears North & Runs NE & SW
80 00 Set a granite Stone 14 in long 12 in wide Runs 5 in thick for Corner to Sections 2, 3, 34 Runs West Surface rolling Soil 2 rate

---

East on a true line between Sections 2 and 35

Variation 11° 5' East

40 00 Set a granite Stone 12 in long 8 in wide Runs 7 in thick for quarter Section Corner
41 40 Ravine bears North Runs SW
78 50 Ravine bears North Runs SE
80 00 Set a granite Stone 14 in long 10 in wide Runs 4 in thick for Corner to Sections 1, 2, 35 Runs West Surface of West ½ of mile rock of East ½ broken Soil 2 rate

---

East on a true line between Sections 1 and 36

Variation 11° 54' East

8.8

9

Between Ranges 1 and 2 E Std ~~Principal Meridian~~

40 00 Set a Granite Stone 10 in long 9 in wide and 8 in thick for quarter Section Corner

80 00 The Corner to Townships 5 and 6 N Ranges 1 and 2 East

Surface rather broken Soil 2d rate

General Description

This Township has generally a Surface ranging between rolling and broken the Soil is 2 rate, Good for most farming purposes Their is a Scarcity of Water and Timber within its boundaries

---

From the Corner to Townships 5 and 6 North Ranges 1 and 2 East 5 chs

North on a true line between Sections 31 and 36

Variation 11°54 East

40 00 Set a Granite Stone 14 in long 10 in wide and 4 in thick for quarter Section Corner

80 00 Set a Granite Stone 20 in long 12 in wide and 10 in thick for Corner to Sections 25, 36, 30 and 31

10

9.

Between Ranges 1 and 2 E Std N ~~Principal Meridian~~

Surface of South ys rolling of North ys of same broken Soil 3d rate

---

North between Sections 25 and 30

Variation 12,00 East

3 55 Branch 6 links wide runs East

40 00 Set a Granite Stone 12 in long 9 in wide and 8 in thick for quarter Section Corner

65 70 Rabbit Ears NW and SE

80 00 Set a Granite Stone 14 in long 12 in wide and 5 in thick for Corner to Sections 19, 30, 24 and 25

Surface rather broken Soil 2d rate

North between Sections 19 and 24

Variation 11,14 East

40 00 Set a Granite Stone 12 in long 9 in wide and 5 in thick for quarter Section Corner

80 00 Set a Granite Stone 12 in long 11 in wide and 10 in thick for Corner to Sections 18, 19, 13 and 24

Surface rather broken Soil 2d rate

North between Sections 13 and 18

11

Between Ranges 1 East 2 & 3 E. of ~~Principal Meridian~~

Variation 11°,14 East

64 00 Runs East 6 Chains & 50 L

31 00 Brook 3 Links Wide runs East East

40 00 Set a Granite Stone 12 in Long 9 in Wide Chains in Thick for quarter Section Corner

80 00 Set a Granite Stone 12 in Long 10 in Wide 8 in Chains in Thick for Corner to Sections 12, 13, 7 Chains 18 Links for Iron Soil 2 Rocks

---

North between Sections 7 Chains 12

Variation 11°,14 East

40 00 Brook 3 Links Wide runs West

40 33 Set a Granite Stone 15 in Long 10 in Wide 4 in Chains for Subsp Corner to quarter Sections

41 15 The Same Brook 3 Links Wide runs N 10 E

57 25 Branch 8 Links Wide runs East

80 00 Set a Granite Stone 16 in Long 12 in Wide 4 in Chains for Corner to Sections 6, 7, 1 Chains 12 Links for Iron Soil 2 Rocks

---

North between Sections 1 Chains 6

Variation 11,4 East

12

Between Townships 6 North 7 W 6th Principal Meridian

21 90 Brook 4 Links Wide runs S E

40 00 Set a Granite Stone 14 in Long 10 in Wide 6 in Chains for quarter Section Corner

80 00 Set a Granite Stone 20 in Long 14 in Wide 4 in Chains for Corner to Townships 6 North 7 North Ranges 1 East 2 East

Saturday July 18th 1857

From the Corner to Townships 6 North 7 North Ranges 1 East 2 East 7 Chains West on a Random Line between Townships 6 North 7 North Ranges 1 East

Variation 11°5 East

I Set Temporary half Mile and Mile Stones at Every 40,00 and 80,00 Chains and at 5 Miles and 79,78 Chains fell 14 Links South of Township Corner, Therefore the Correction will be 2,78 Links North per Mile

---

From the Corner to Townships 6 North 7 North Ranges 1 East Runs West 7 Chains East on a Line Line between Sections 6 and 31

Variation 11,8 East

11.

12.

13

Between Townships 6 and 7 N R 6 & 6½ W of 6th Principal Meridian

39 78 Set a Granite Stone 12 in long 8 in Wide and 6 in Thick for quarter Section Corner

1765 Large Ravine bears North and South

79 78 Set a granite Stone 20 in long 12 in Wide and 8 in Thick for Corner to Sections 5, 6, 31 and 32 Surface generally broken Soil Second rate

---

East on a base line between Sections 5 and 32

Variation 17½ East

21 55 Ravine bears North and South

40 00 Set a granite Stone 12 in long 10 in Wide and 8 in Thick for quarter Section Corner

80 00 Set a granite Stone 14 in long 10 in Wide and 6 in Thick for Corner to Sections 4, 5, 32 and 33 Surface of West 10 Chains broken Soil 3rd rate of East 70 Chains rolling Soil 2nd rate

---

East on a base line between Sections 4 and 33

Variation 17½ East

35 90 Ravine bears North and South.

40 00 Set a granite Stone 10 in long 9 in Wide and 8 in Thick for quarter Section Corner

14

13.

Between Townships 6 and 7 N R 6 & 6½ W of 6th Principal Meridian

80 00 Set a granite Stone 14 in long 9 in Wide and 6 in Thick for Corner to Sections 3, 4, 33 and 34 Surface Gently rolling Soil 2nd rate

---

East on a base line between Sections 3 and 34

Variation 17½ East

40 00 Set a granite Stone 14 in long 10 in Wide and 8 in Thick for Quarter Section Corner

62 72 Brook 2 links Wide runs North

80 00 Set a granite Stone 14 in long 8 in Wide and 6 in Thick for Corner to Sections 2, 3, 34 and 35 Surface of West ½ of West half Second rate Soil of East ½ of West half broken 3rd rate Soil

---

East on a base line between Sections 2 and 35

Variation 17½ East

40 00 Set a granite Stone 12 in long 10 in Wide and 8 in Thick for quarter Section Corner

43 50 Brook 3 links Wide runs S E

80 00 Set a granite Stone 16 in long 14 in Wide and 3½ in Thick for Corner to Sections 1, 2, 35 and 36 Surface broken Soil 3rd rate

14

15

Between Ranges 1 East & 2 East of the 6th Principal Meridian

East on a line between Sections 1 & 36
Variation 15¼ East

18 16 Ravine bears North East and South
40 00 Set a Granite Stone 14 in long 10 in wide and 4 in thick for quarter Section Corner
12 00 Brook 4 links wide runs S 60 E
59 55 Brook 3 links wide runs South
80 00 The Corner to Townships 6 and 7 North Ranges 1 and 2 E
Surface broken Soil 2nd rate

General Description

This Township has a surface varying between rolling and hilly. The soil is generally 2nd rate There is but little water and no timber of consequence within the Township

---

From the Corner to Townships 6 and 7 North of Ranges 1 and 2 East - 1 mile

16

15.

Between Ranges 1 and 2 E of 6th Principal Meridian

North between Sections 31 and 36
Variation 14¼ East

12 15 Ravine bears East and West
25 75 Ravine bears East and West
38 50 Ravine bears N 70 E and S 70 W
40 00 Set a Granite Stone 12 in long 8 in wide and 6 in thick for quarter Section Corner
52 20 Large Ravine bears S 20 W and N 20 E
80 00 Set a Granite Stone 16 in long 9 in wide and 4 in thick for Corner to Sections 25, 36 30 and 31
Surface broken Soil 3rd rate

North between Sections 25 and 30
Variation 14¾ East

40 00 Set a Granite Stone 12 in long 10 in wide and 5 in thick for quarter Section Corner
74 00 Ravine bears East and West
80 00 Set a Granite Stone 14 in long 10 in wide and 4 in thick for Corner to Sections 24, 25, 19 and 30
Surface of South ¼ of Mile broken of North ¾ generally Soil 2nd rate

Between Ranges 1 and 2 West ~~of the Principal Meridian~~

North between Sections 19 and 24
Variation 11,1/8 East

10 00 Set a Granite Stone 18 in long 8 in wide and 5 in thick for quarter Section Corner

72 50 Large Burr Oaks bears N.W. and S.E.

80 00 Set a Granite Stone 16 in long 8 in wide and 4 in thick for Corners to Sections 18, 19, 13 and 24
Surface of South half mile Circle Sold 2 vols
of North 1/2 mile broken Sold 3 vols

North between Sections 13 and 18
Variation 11,1/8 East

10 00 Set a Granite Stone 14 in long 10 in wide and 4 1/2 in thick for quarter Section Corner

49 85 Burr Oak bears N.E. and S.W.

80 00 Set a Granite Stone 14 in long 10 in wide and 4 1/2 in thick for Corner to Sections 12, 13, 7 and 18
Surface rolling Sold 2 vols

Monday July 20th 1857

North between Sections 7 and 12
Variation 11,1/4 East

Between Townships 7 and 8 North of the Principal Meridian

30 10 Branch 6 links Wide Runs N 75 E

40 00 Set a Granite Stone 14 in long 8 in wide Runs S in Thick for quarter Section Corner

80 00 Set a Granite Stone 16 in long 10 in wide and 4 in thick for Corner to Sections 1, 12, 6 and 7
Surface chiefly level Sold 2 vols

North between Sections 1 and 6
Variation 11,1/2 East

40 00 Set a Granite Stone 14 in long 9 in wide Runs S in Thick for quarter Section Corner

69 25 Water Bottom bears East and West

80 00 Set a Granite Stone 14 in long 12 in wide and 3 1/2 in thick for Corner to Sections Townships 7 and 8 North Ranges 1 and 2 E
Surface rolling Sold 2 vols

From Corner to Townships 7 and 8 North Ranges 1 and 2 E. run
West on a Random Line between Sections Townships 7 and 8 North Ranges 1 East

Variation 11,1/4 East

19

Between Townships 7 and 8 N R 1 & 2 E Principal Meridian

I Set Temporary holy Stone, true Mile Corner
at 39.00 Chains and 80 Chains are at 1 Miles
And 78.53 Chains pass 1.34 Links North
of Township Corner, therefore the Correction
Will be 22½ Links South per Mile

From the Corner to Townships 7 and 8 North
Ranges 1 East and West I run
East on a true Line between Sections 31 and 6
Variation 11°5 East

38.53 Set a Granite Stone 12 in long 10 in wide and
6 in thick for quarter Section Corner
78.53 Set a Granite Stone 14 in long 11 in broad and 5
in thick for Corner to Sections 5, 6, 31 and 32
Surface rolling Soil 2nd rate

East on a true Line between Sections 5 and 32
Variation 11¾° East

29.80 Remarkable North and South
40.00 Set a Granite Stone 15 in long 9 in wide and 6 in
thick for quarter Section Corner
80.00 Grove a Planted Stone Set a post and mound

Between Townships 7 and 8 N R 1 & 2 E Principal Meridian

a Mound as per instructions for Corner
to Sections 4, 5, 32 and 33
Surface generally broken Soil 3rd rate

East on a true Line between Sections 4 and 33
Variation 11½ East

40.00 Grove a Planted Stone Set a post and mound
for quarter Section Corner
79.75 Creek 80 Links wide and North
80.05 Grove Same Course Enter Limbs pass bottom
80.32 Grove a Planted Stone Set a post and mound
as per instructions for Corner
to Sections 3, 4, 33 and 34 from which
an Elm 12 in. dia bears S 10 W 21 Links dist
an Ash 9 in dia bears N 85 W 14 Links dist
No other Trees convenient to mark
Surface of Line generally rolling
Soil 2nd Rate

From the true point for Section Corner
East on a true Line between Sections 3 and 34
Variation 11°30 East

Between Townships 7 and 8 N R 6 E 6th Principal Meridian

4 00 Leave timber bears North and South
19 90 Same Creek 30 links wide runs S E
31 25 Enter Timber bears North and South
34 65 The Same Creek 40 links wide runs North
and Leave Timber bears North and South
40 00 Leave a Chained Stake Set a post and rais
a Mound as per instructions for quarter Section Corner
52 50 Enter Timber bears S S E and N W
62 00 Same Creek 30 links wide runs S S W
65 10 Leave Timber bears N W and S S E
80 00 Leave a Chained Stake Set a post and raise
a Mound as per instructions for Corner to Sec
tions 2, 3, 34 and 35
Surface level 1st rate bottom not Subject to
Overflow

East on a true line line between Sections 2 and 35
Variation 14.25 East
11 20 The Same Creek 35 links wide runs W
40 00 Leave a Chained Stake Set a post and raise
a Mound for quarter Section Corner

Between Townships 7 and 8 N R 6 E 6th Principal Meridian

80 00 Leave a Chained Stake Set a post and
raise a Mound as per instructions for
quarter Section Corner to Sections 1, 2, 35 and
36
Surface level first rate bottom not Sub-
ject to Overflow

East on a true line between Sections 1 and 36
Variation 14.9 East
40 00 Leave a Chained Stake Set a post and
raise a Mound as per instructions for
quarter Section Corner
63 25 Creek 25 links wide at right angles runs
East line in Stream
75 20 Leave Creek 30 links wide runs at E
80 00 The Corner to Townships 7 and 8 North
Ranges 1 and 2 East
Surface level 1st rate bottom not Sub-
ject to Overflow Tuesday July 21st 1857

General Description
This Township of land is rather above
an average in quality It is good for-

Between Ranges 1 and 2 West 6th Principal Meridian

Mang Land, A Creek 30 Links wide runs along near its Northern boundary, its Banks are Clear and Pine and run With a Gentle Current, There is Some 2 vole Elm Birch Oak and Black Walnut along its Banks

---

From the Corner to Townships 7 and 8 North Ranges 1 and 2 East I run North on a base line between Sections 31 and 36

Variation 11½ East

14 90 Creek 35 Links wide runs S 90 E
32 00 Leave bottom bears East and West
40 00 Drove a Chained Stake Set a post and raised a Mound as per instructions for quarter Section Corner
80 00 Drove a Chained Stake Set a post and raised a Mound as per instructions for Corner to Sections 25, 26, 30 and 31
Surface of Land 2nd Chains level Soil 2 vole Fine bottom land Not Subject to Overflow balance of line rolling Soil 3 vole

Between Ranges 1 and 2 East N 6th Principal Meridian

North between Sections 25 and 30

Variation 11.0 East

40 00 Drove a Chained Stake Set a post and raised a Mound as per instructions for quarter Section Corner
80 00 Drove a Charred Stake Set a post and raised a Mound as per instructions for Corner to Sections 19, 20, 24 and 25
Surface rolling Soil 2 vole

North between Sections 19 and 24

Variation 11.0 East

40 00 Drove a Charred Stake Set a post and raised a Mound as per instructions for quarter Section Corner
80 00 Drove a Charred Stake Set a post and raised a Mound as per instructions for Corner to Sections 18, 19, 13 and 24
Surface rolling Soil 2 vole

North between Sections 13 and 18

Between Ranges 1 And 2 West of the ~~6th Principal Meridian~~ 6th

Variation 11,08 East

40 00 Done a Charred Stake Set a post and raised a Mound as per instructions for quarter Section Corner

80 00 Done a Charred Stake Set a post and raised a Mound as per instructions for Corner to Sections 12, 13, 7, And 18

Surface Rolling Soil 2nd rate

North between Sections 7 And 12

Variation 11,08 East

40 00 Done a Charred Stake Set a post and raised a Mound as per instructions for quarter Section Corner

80 00 Done a Charred Stake Set a post and raised a Mound as per instructions for Corner to Sections 6, 7, 1 And 12

Surface rolling Soil 2nd rate

North between Sections 1 And 6

Variation 11,08 East

40 00 Done a Charred Stake Set a post and raised

Between Ranges 1 And 2 West of the ~~6th Principal Meridian~~ 6th

A Mound as per instructions for quarter Section Corner

81 95 Intersect the 2nd Standard parallel 20 Links West of the Corner to Townships 9 North Ranges 1 And 2 East, And at the point of intersection I Done a Charred Stake Set a post and raised a Mound as per instructions for Closing Corner to Townships 8 North Ranges 1 And 2 East

Surface rolling Soil 2nd rate

Wednesday July 22nd 1857

General Description

This Township Contains a large portion of good farming land, it is rather Not Poorly Supplyed with Water, There is Some 2nd rate Burr Oak and Elm Timber in the ~~in it~~ South East Corner of the Township

27

Between Ranges 2 and 3 E. of the ~~Principal~~ 6th Meridian

Beginning at the Established Corner to Townships 5 North Ranges 2 and 3 East, the same being on the first Standard Parallel North East on the first Standard parallel

Variation 11,32 East

as ascertained by observation of the polar Star. At 40,04 Chains fell 8 Links South of quarter Section Corner

From the above described Township Corner I run West on the first parallel

Variation 11,32 East

At 40,00 Chains fell 10 Links North of quarter Section Corner

Therefore to adhere the first Standard parallel per one mile the same being half a mile East and half a mile West of the Township Corner as above described I must run at a Variation of 11,0 East

---

From the Corner to Townships 5 North Ranges 2 and 3 East I run

28

27.

Between Ranges 2 and 3 E. of the ~~Principal~~ 6th Meridian

North between Sections 31 and 36

Variation 11,32 East

1875 Enter bottom bears N 6 and E W

40 00 Set a Granite Stone 12 in long 8 in wide and 6 in thick for quarter Section Corner

80 00 Set a Granite Stone 20 in long 12 in wide and 8 in thick for corner to Sections 25, 36, 30 and 31

Surface of South 18 Chains broken 3 to 6 Dale of North 62 Chains Level 1 to 6 bottom not Subject to Overflow

---

North between Sections 25 and 30

Variation 11,32 East

5 85 Creek 12 Links wide runs N 75° E and Course

40 bottom bears East and West

80 00 Set a granite Stone 13 in long 8 in wide and 7 in thick for quarter Section Corner

69 27 Brook 3 Links wide runs East

72 65 Ravine bears S 22 E and NW

80 00 Set a granite Stone 14 in long 10 in wide and 6 in thick for Corner to Sections 19, 30 24 and 25

Between Ranges 2 and 3 East of the ~~Principal Meridian~~ 5 N

Surface of South 6 Chains level 1 vale
bottom of balance broken 2 vale upland

North between Sections 19 and 24
Variation 11,30 East

40 00 Set a granite Stone 12 in long 9 in wide and
6 in thick for quarter Section Corner
8 6 00 Set a Granite Stone 14 in long 8 in wide and 5 in
thick for Corner to Sections 18, 19, 13 and 24
Surface broken Soil 3 vale

North between Sections 13 and 18
Variation 11,30 East

6 90 Cross Creek 12 Links Wide runs East and Enter
bottom land bears East and West
40 00 Set a Granite Stone 14 in ~~thick~~ long 12 in wide and
6 in thick for quarter Section Corner
5 87 Leave bottom bears S 30 E and N W
80 00 Set a Granite Stone 14 in long 8 in wide and 5
in thick for Corner to Sections 12, 13, 7 and 18
Surface of bottom level 1 vale Soil not sub-
ject to overflow, Of upland rolling Soil 2 vale

Between Ranges 2 and 3 East of the ~~Principal Meridian~~ 5 N

North between Sections 7 and 12
Variation 11,30 East

29 83 Ronne bears East and West
40 00 Set a Granite Stone 12 in long 9 in wide and 6
in thick for quarter Section Corner
59 95 Ronne bears East and West
80 00 Set a Granite Stone 14 in long 8 in wide and 5
in thick for Corner to Sections 6, 7, 1 and 12
Surface broken Soil 3 vale

North between Sections 1 and 6
Variation 11,30 East

33 92 Brook 5 Links wide runs N S W
40 00 Set a granite Stone 15 in long 10 in wide and
7 in thick for quarter Section Corner
15 75 The Same brook 5 Links wide runs S E
68 60 The Same brook 4 Links wide runs N S W
80 00 Set a Granite Stone 20 in long 10 in wide and 6
in thick for Corner to Townships 5 and 6 North
Ranges 2 and 3 East
Surface broken Soil 3 vale

Between Townships 5 and 6 N R 2 E 6th P.M.

From the Corner to Townships 5 and 6 North Ranges 2 and 3 East Warn
West on a Random line between Townships 5 and 6 North Range 2 East
Variation 11°28 East
1 Set Temporary Half mile and mile & Tones at 20 chs 40,00 and 80,00 Chains and at 6 miles fell 65 Lins 5 Lees North of Townships Corner Therefore the Correction will be 11 Lins 5 South per mile Friday July 24th 1857

From the Corner to Townships 5 and 6 North Ranges 2 and 3 East Warn
East on a true line between Sections 6 and 31
Variation 11°53 East
22 20 Bonnie bears North and South
40 00 Set a granite Stone 12 in long 10 in Wide and 6 in Thick for quarter Section Corner
80 00 Set a granite Stone 12 in long 10 in Wide and 6 in Thick for Corner to Sections 5, 6, 31 and 32
Sunjo & other Indians Sold 2 Tale

Between Townships 5 and 6 N R 2 E 6th P.M.

East on a true line between Sections 5 and 32
Variation 11°28 East
24 25 Euler Timber bears North and S E
25 00 Branch 6 Links Wide runs N E
32 45 Lewe Timber bears N E and S W
40 00 Set a granite Stone 20 in long 18 in Wide and 10 in Thick for quarter Section Corner
43 90 Branch 6 Links Wide runs S 70 E
57 80 Same branch 6 Links Wide runs N E
68 80 Same Branch 6 Links Wide runs S E
80 00 Set a Granite 15 in long 8 in Wide and 5 in Thick for Corner to Sections 4, 5, 32 and 33
Sunjo & Indian Sold 2 Tale

East on a true line between Sections 4 and 33
Variation 11°24 East
40 00 Set a granite Stone 12 in long 10 in Wide and 8 in Thick for quarter Section Corner
40 76 Bonnie bears S E and N W
73 25 Euler Timber bears North and South
77 00 Lewe Timber bears North and South, and ~~East~~

Between Townships 5 and 6 N R 2 & 6 E Principal Meridian

Cross Branch 6 links wide runs N E

80 00 Set a granite Stone 16 in long 12 in wide and 3 in thick for corner to Sections 3, 4, 33 and 34 Surface broken and 2 vale

East on a true line between Sections 3 and 34
Variation 11¼ East

15 82 Branch 6 links wide runs S E
32 30 Ravine bears North and South
40 00 Set a granite Stone 13 in long 8 in wide and 6 in thick for quarter Section corner
80 00 Set a granite Stone 18 in long 12 in wide and 7 in thick for corner to Sections 2, 3, 34 and 35 Surface of west ½ of mile ~~quarter section~~ and of east ½ of mile Gently rolling and 2 vale

East on a true line between Sections 2 and 35
Variation 11¼ East

21 90 Ravine bears NW and SE
33 50 Cross Ravine bears SE and North and Sandy bottom bears North and South
40 00 Set a granite Stone 14 in long 7 in wide and 6 in thick for quarter Section corner

Between Townships 5 and 6 N R 2 & 6 E Principal Meridian

11 75 Enter Timber bears S E and NW
14 80 Branch 8 links wide runs South
45 60 Same branch 8 links wide runs N E
51 70 Same Branch 8 links wide runs S E
53 00 Leave timber bears and bottom bears North and South
71 10 Enter Timber bears North and South
73 00 Another branch 6 links wide runs S E
78 25 Leave timber bears North and South
80 00 Set granite Stone 14 in long 7 in wide and 6 in thick for corner to Sections 1, 2, 35 and 36 Surface of bottom land and not subject to overflow of surface rolling and 2 vale

East on a true line between Sections 1 and 36
Variation 11¼ East

40 00 Set a granite Stone 18 in long 8 in wide and 5 in thick for quarter Section corner
80 00 The corner to Townships 5 and 6 North Ranges 2 and 3 East
Surface rolling and 2 vale

Between Ranges 2 and 3 E & W of ~~Principal~~ Meridian

General Description

This Township Consists generally of Land of a good quality, It is well supplyed with pure running Water, and has also more than an average Ration of Timber on the Various Streams Consisting of Beech Birch and Elm

---

From the Corner to Townships 5 and 6 North Ranges 2 and 3 East Runs
North between Sections 31 and 36
Variation 11,30 East

10 00 Set a granite Stone 12 in long 10 in wide and 7 in thick for quarter Section Corner
80 00 Set a granite Stone 16 in long 10 in wide and 7 in thick for Corner to Sections 25, 36, 30 and 31 Surface of South 1/2 of land rolling Soil 2 nd rate of North 1/2 of land level Soil 1st rate

---

North between Sections 25 and 30
Variation 11,45 East

Between Ranges 2 and 3 E & W of ~~Principal~~ Meridian

60 00 Set a granite Stone 12 in long 9 in wide and 5 in thick for quarter Section Corner, no a Bears bearing S E and N W
60 00 Set a granite Stone 18 in long 12 in wide and 6 in thick for Corner to Sections 24, 25, 19 and 30 Surface Chiefly level Soil 1st rate

---

North between Sections 19 and 24
Variation 11,38 East

40 00 Set a granite Stone 18 in long 9 in wide and 5 in thick for quarter Section Corner
18 25 Bearing bears S E one link West
73 60 Bearing bears East one link N
80 00 Set a granite Stone 14 in long 10 in wide and 7 in thick for Corner to Sections 18, 19, 13 and 24 Surface of South 1/2 of land Chiefly Soil 2 nd rate Soil of North 1/2 of land broken Soil 3 rd rate

---

North between Sections 13 and 18
Variation 1,40 East

85 Bearing bears W 5 links and N 6
40 00 Set a granite Stone 14 in long 10 in wide and 4 in

Between Ranges 2 East & 3 West of the ~~Principal Meridian~~

Thick for quarter Section Corner
62.25 Brone 2 Lins Wide ans N 80 W
80.00 Set a granite Stone 14 in Long 9 in Wide And 5 in
Thick for Corner to Sections 12, 13, 7 And 18
Surface broken Soil 2 rate
Saturday July 25th 1857

North between Sections 7 And 12
Variation 17½ East
40.00 Set a granite Stone 14 in Long 10 in Wide Ans 5
in Thick for quarter Section Corner
80.00 Ranne bears East and West
80.00 Set a granite Stone 14 in Long 10 in Wide And 6
in Thick for Corner to Sections 6, 7, 1 And 12
Surface Level Soil 2 rate

North between Sections 1 And 6
Variation 17½ East
40.00 Set a granite Stone 15 in Long 8 in Wide And 5 in
Thick for quarter Section Corner
80.00 Set a granite Stone 22 in Long 16 in Wide And 7 in
Thick for Corner to Townships 6 And 7 North
Ranges 2 And 3 East

Between Townships 6 And 7 N R 2 & 3 W Principal Meridian

Surface rolling Soil 2 rate

From the Corner to Townships 6 And 7 North
Ranges 2 And 3 West Run
Variation 17½ East
West on a Random Line between Townships 6
And 7 North Range 2 East
Set temporary Corners at Every 40.00 And 80.00
Chains And at 5 Miles 78.39 Chains fell
51 Links South of Township Corner, Therefore
The Correction Mile be 8½ Links North per Mile

From the Corner to Townships 6 And 7 North
Ranges 1 And 2 East Run
East on a true Line between Sections 6 And 31
Variation 17½ East
38.39 Set a granite Stone 15 in Long 9 in Wide And 8
in Thick for quarter Section Corner
78.39 Set a granite Stone 12 in Long 9 in Wide And
8 in Thick for Corner to Sections 5, 6, 31 And 32
Surface rather broken Soil 2 rate

Between Townships 6 and 7 N. R. 26 W. Principal Meridian.

East on a true line between Sections 5 and 32.
Variation 11°6 East.

13 00 Ronne bears South and North
40 00 Set a Granite Stone 14 in. long 8 in. wide and 8 in. thick for quarter Section Corner
53 00 Ronne bears S. W. and N. E.
63 85 Large Ronne bears N. E. and S. W.
80 00 Set a Granite Stone 18 in. long 11 in. wide and 6 in. thick for Corner to Sections 4, 5, 32 and 33
Surface rather broken Soil 2nd rate

East on a true line between Sections 4 and 33.
Variation 11°6 East.

27 63 Ronne bears North and South
40 00 Set a Granite Stone 13 in. long 9 in. wide and 5 in. thick for quarter Section Corner
80 00 Set a Granite Stone 15 in. long 10 in. wide and 4½ in. thick for Corner to Sections 3, 4, 33 and 34
Surface rolling Soil 2nd rate

East on a true line between Sections 3 and 34

Between Townships 6 and 7 N. R. 26 W. Principal Meridian.

Variation 11°6 East.

40 00 Set a Granite Stone 14 in. long 10 in. wide and 4 in. thick for quarter Section Corner
44 20 Ronne bears N. 10° E. and S. 10° E.
76 00 Ronne bears North and South
80 00 Set a Granite Stone 16 in. long 10 in. wide and 8 in. thick for Corner to Sections 2, 3, 34 and 35
Surface rolling Soil 2nd rate

East on a true line between Sections 2 and 35.
Variation 11°6 East.

38 50 Ronne bears North and South
40 00 Set a granite Stone 14 in. long 12 in. wide and 10 in. thick for quarter Section Corner
78 80 Ronne bears North and South
80 00 Set a granite Stone 12 in. long 10 in. wide and 9 in. thick for Corner to Sections 1, 2, 35 and 36
Surface rolling Soil 2nd rate

East on a true line between Sections 1 and 36.
Variation 11°2 East.

39 35 Ronne bears North and South

Between Ranges 2 and 3 E & 7 & 8th Principal Meridian

10 00 Set a granite Stone 18 in long 12 in broad and 3 in thick for quarter Section Corner

80 00 The Corner to Townships 6 and 7 North Ranges 2 and 3 East

Surface rather broken Soil 2d rate

General Description

This Township Contains an average amount of good farming land. It is rather poorly watered, and Contains but little Timber

From the Corner to Townships 6 and 7 North Ranges 2 and 3 East I run North on a line this between Sections 31 and 36

Variation 11¼ East

25 50 Ronnie bears N W and East

40 00 Set a granite Stone 14 in long 10 in broad and 8 in thick for quarter Section Corner

47 90 Ronnie bears N 80 W and S 80 E

Between Ranges 2 and 3 E & 7 & 8th Principal Meridian

80 00 Set a granite Stone 12 in long 10 in broad and 9 in thick for Corner to Sections 25, 36, 30, and 31

Surface broken Soil 3d rate

North between Sections 25 and 30

Variation 11,25 East

10 00 Set a granite Stone 14 in long 12 in broad and 10 in thick for quarter Section Corner

W 80 00 Drove 6 Round Stone Set a post and raised a mound for Corner to Sections 24, 25, 19 and 30

Surface rolling Soil 2d rate

Monday July 27th 1857

North between Sections 19 and 24

Variation 11,25 East

22 00 Branch 6 links broad runs N E

26 40 Brook 4 links broad runs East

40 00 Drove 6 Round Stone Set a post and raised a Mound for quarter Section Corner

X 80 00 Drove 6 Round Stone Set a post and raised a Mound as per instructions for Corner to Sections 18, 19, 13 and 24

X Surface of South ½ of mile rather broken Soil 2d rate of North ½ of Mile gently rolling Soil 1st rate

Between Ranges 2 and 3 E 3rd 7th 6th Principal Meridian

North between Sections 13 and 18
Variation 11,2 East

1 98 Bonnie bears East and West
40 00 Drove a Planed Stake Set a post and raised a Mound as per instructions for quarter Section Corner
61 90 Bonnie bears N E & and S S W
80 00 Drove a Planed Stake Set a post and raised a Mound as per instructions for Corner to Sections 12, 13, 7, and 18
Surface generally rolling Soil 2nd rate

North between Sections 7 and 12
Variation 11,8

3 14 75 Bonnie bears West and N E
40 00 Drove a Planed Stake Set a post and raised a Mound as per instructions for quarter Section Corner
80 00 Drove a Planed Stake Set a post and raised a Mound as per instructions for Corner to Sections 6, 7, 1, and 12

Between Townships 7 and 8 N 2 3 6 Principal Meridian
Surface rather broken Soil 2nd rate

North between Sections 1 and 6
Variation 11,7 East

24 80 Enter bottom bears East and West
40 00 Drove a Planed Stake Set a post and raised a Mound as per instructions for quarter Section Corner
58 15 Cross a Creek 25 Links wide runs East, and Enter Timber bears East and West
63 23 The same Creek 30 Links wide runs N S. & Line in Creek
67 20 Leave Creek and Timber Creek runs South Timber bears West and S S E
80 00 Set a Drove a Planed Stake Set a post and raised a Mound as per instructions for Corner to Townships 7 and 8 North Ranges 2 and 3 East
Surface rather broken Soil 2nd rate

From The Corner to Townships 7 and 8 North Range 2 and 3 East 4 ins

Between Townships 7 and 8 North & 6th Principal Meridian

West on a Standard Line between Townships
7 and 8 North Range 2 East
Variation 11½ East
I Set temporary Half Mile and mile Cor-
ners at Every 40.00 And 80.00 Chains and
at 5 Miles And 77.85 Chains fell 89
Links South of Township Corner Therefore
the Correction would be 15 Links North
per Mile

From the Corner to Townships 7 and 8 North
Ranges 1 and 2 East Run
East on a true Line between Sections 6 And 31
Variation 11½ East

37.85 Drove a Chained Stake Set a post and
raised a Mound as per instructions for
quarter Section Corner
77.85 Drove a Chained Stake Set a post and
raised a Mound as per instructions for
Corner to Sections 5, 6, 31 and 32
Surface level & Flat bottom not subject

Between Townships 7 and 8 North 6th Principal Meridian
to overflow

East on a true Line between Sections 5 and 32
Variation 11,04 East

11.00 Leave bottom bears S & W and N E
30.63 Ravine bears North and South
39.85 Drove a Chained Stake Set a post and
raised a Mound as per instructions for
Witness Corner to quarter Section
40.00 Ravine bears North and South, At this
Point a Corner would not Stand
80.00 Drove a Chained Stake Set a post and raised
a Mound as per instructions for Corner to
Sections 4, 5, 32 and 33
Surface rolling Soil & Vale

East on a true Line between Sections 4 and 33
Variation 11,3 East

60.00 Drove a Chained Stake Set a post and
raised a Mound as per instructions for
quarter Section Corner

Between Townships 7 and 8 N R 6 E 6th Principal Meridian

50 04 Branch 6 links wide runs N 20 E
80 00 Drove a Chance Stake Set a post and
raised a Mound as per instructions
for Corner to Sections 3, 4, 33 and 34
Surface gently rolling Soil 2nd rate

East on a true line between Sections 3
and 34
Variation 11° 0' East
14 25 Enter bottom bears S 80 E and North
40 00 Drove a Chance Stake Set a post and
raised a Mound as per instructions for
Quarter Section Corner
80 00 Drove a Chance Stake Set a post and
raised a Mound as per instructions for
Corner to Sections 2, 3, 34 and 35
Surface rolling Soil 2nd rate out of bottom
of bottom level 1st rate Soil does not overflow

East on a true line between Sections 2 and 35
Variation 11° 0' East
4 25 Creek 40 links wide runs S E
10 05 Same Creek 40 links wide runs N E, and

Between Townships 7 and 8 N R 6 E 6th Principal Meridian

Enter Timber bears N E and South
17 20 Branch 10 links wide runs N E
21 20 Cross Creek 45 links wide runs S 20 E and
Leave Timber bears S E and North
28 60 Cross Creek 36 links wide runs N E and
Enter Timber bears N E and S W
39 18 Leave Timber bears N E and S W, and Enter Cedars and
Creek 45 links wide runs South
40 00 Drove a Chance Stake Set a post and raised
a Mound as per instructions for Quarter
Section Corner
69 70 Enter Timber bears North and South and
intersect Creek 30 links wide runs N E
74 50 Leave timber bears North and South
80 00 Drove a Chance Stake Set a post and
raised a Mound as per instructions for
Corner to Sections 1, 2, 35 and 36
Surface level 1st rate bottom not subject
to overflow

East on a true line between Sections 1 and 36
Variation 11° 0' East

Between Townships 7 and 8 N Rs 5 & 6 E Principal Meridian

36 15 Tulip Timber bears S E and N W

37 90 Leve Timber bears N W and S E and enters a Creek 30 Links wide runs S 65 E

40 00 Drove a Chained Stake Set a post and raised a Mound as per instructions for quarter Section Corner

45 85 Same Creek 30 Lin 25 Links wide runs N E

53 73 The Same Creek 35 Links wide runs S 60 E

80 00 The Corner to Townships 7 and 8 North Ranges 2 and 3 East

Surface Level 1st Rate bottom not generally Subject to Overflow Tuesday July 28th 1857

General Description

This Township Consists of Land Above an overage in quality. It is good Farming Land with generally a rolling Surface. There is a Stream of fine Clear Water running along its Northern boundary Along the banks of said Stream there is a Considerable quantity of 2nd Rate Bur Oak Timber

Between Ranges 2 and 3 E 8 N ~~to Principal Meridian~~

From the Corner to Townships 7 and 8 North Ranges 2 and 3 East I run North between Sections 31 and 36

Variation 11° East

3 00 Leve Bottom bears East and West

40 00 Drove a Chained Stake Set a post and raised a Mound as per instructions for quarter Section Corner

44 75 Ravine bears East and West

80 00 Set Drove a Chained Stake Set a post and raised a Mound as per instructions for Corner to Sections 25, 36, 30 and 31

Surface of South 1/4 of mile rather broken Soil 2 Rate of North 3/4 of mile gently rolling Soil 2nd Rate

North between Sections 25 and 30

Variation 11° 6 East

40 00 Drove a Chained Stake Set a post and raised a Mound as per instructions per Quarter Section Corner

B'tween Townships 2 & Ranges 2 and 3 West 6th Principal Meridian

80 00 Drove a Chained Stake Set a post and raised a Mound as per instructions for Corner to Sections 19, 30, 24 and 25
Surface level Soil 1st Rate Prairie

North between Sections 19 and 24
Variation 17° 5' East

40 00 Drove a Chained Stake Set a post and raised a mound as per instructions for quarter Section Corner

74 80 Bearing trees NW and SE

80 00 Drove a Chained Stake Set a post and raised a Mound as per instructions for Corner to Sections 18, 19, 13 and 24
Surface level Soil 1st Rate

North between Sections 13 and 18
Variation 17° 5' East

40 00 Drove a Chained Stake Set a post and raised a Mound as per instructions for quarter Section Corner

80 00 Drove a Chained Stake Set a post and

B'tween Ranges 2 and 3 West 6th Principal Meridian

raised a Mound as per instructions for Corner to Sections 12, 13, 7 and 18
Surface level Soil 1st Rate

North between Sections 7 and 12
Variation 17° 0' East

40 00 Drove a Chained Stake Set a post and raised a Mound as per instructions for quarter Section Corner

45 75 Bearing trees NE and SW

80 00 Drove a Chained Stake Set a post and raised a Mound as per instructions for Corner to Sections 6, 7, 1 and 12
Surface of South ½ of this Colony 2nd rate Soil, of North ½ Barren Soil 3rd rate

---

North between Sections 1 and 6
Variation 17° 0' East

31 00 Entered Bottom bears East and NW

40 00 Drove a Chained Stake Set a post and raised a Mound as per instructions for quarter Section Corner

56 30 Creek 12 Links Wide runs East

Between Ranges 2 and 3 E & S.B. ~~& Principal Meridian~~

80.66 Chains set the Second Standard Parallel
110 Links West of the Standard Corner to
Townships 9 North Ranges 2 and 3 E as.
And at the point of intersection Drove
a Charred Stake, Set a post and Mounded a
Mound as per instructions for Closing Corner
to Townships 8 North Ranges 2 and 3 East
Surface of bottom land 1st Rate Soil not
Subject to overflow of balance of Line
broken 3 rate Soil Wednesday July 29th 1857

General Description

This Township Consists of Land above an
Average in quality with a fine Surface
Varying between rolling and Level, It is
Good farming Land, well watered, and
has Some 2 rate Timber on the Small
Streams Chiefly Bern Oak and Elm

~~Principal~~ Meridian
Between Ranges 3 and 4 East of the ~~Principal Meridian~~
Beginning on the Second Standard Parallel.
at the Standard Corner to Townships 5. North
Ranges 3 and 4 East

Variation 12,44 East

by Mag Variation as ascertained by Observation
of the polar Star

From said Township Corner I run and
measured East on the ~~Second~~ first Standard Par-
allel and at 39,91 Chains fell 7 Links North
of quarter Section Corner. Also from the above
described Township Corner I run and measured
West on first Standard Parallel

Variation 12,44 East

At 40.00 Chains fell 3 Links South of quarter
Section Corner

Therefore to retrace the first Standard
parallel for one mile the same being half a
Mile East and half a Mile West of the Corner
to Townships 5 North Ranges 3 and 4 East
I must run at a Variation of 12,40 East

From the Corner to Townships 5 North Ranges 3 and 4

Between Ranges 3 and 4 East of the ~~Principal Meridian~~
East I run
North on the Range line between Sections 31 and 36

Variation 12,44 East

10.00 Drove a Stoned Stake Set a post and raised
a Mound as per instructions for quarter
Section Corner

80.00 Drove a Stoned Stake Set a post and raised
a Mound as per instructions for corner
to Sections 25, 36, 30 and 31
Surface of the ground Soil & stone

North between Sections 25 and 30

Variation 12,44 East

34.55 Range lines S 70 E and N 70 E

40.00 Drove a Stoned Stake and set a Mound with
post as per instructions for quarter Section
Corner

80.00 Drove a Stoned Stake set a post and raised
a Mound as per instructions for Corner to
Sections 19, 30, 24 and 25
Surface of the ground Soil & stone

1 Between Sections 18 and 24 ~~Incorrect Variation~~

North between Sections 19 and 24
Variation 19,49 East

15 00 Set a Stone Bollon Bears East and West
40 00 Brass Chained Stake Set a post and mound
mound as per instructions for quarter
Section Corner

3 80 00 Brass Chained Stake Set a post and mound
mound as per instructions for quarter
Corner to Sections 18, 19, 13, and 24

Surface of South 15 Chains broken 3 Rocks East
of South 65 Chains Lost 1 Rock Bollon
not Subject to overflow

North between Sections 13 and 18
Variation 12,00 East

6 60 Creek 20 links wide runs East Clear water
1 foot deep brisk current

6 80 Crop Same Course Leave Bollon Bears East
and West

40 00 Set a Granite Stone 12 in long 8 in wide and 6
in thick for quarter Section Corner

Between Corners 3 and 4 on S.B. ~~this part limits~~

53 00 Points bears East one link

80 00 Set a granite Stone 12 in long 9 in wide and 8 in thick for Cor. to Sections 12, 13, 7 and 18 Surface cut of bottom being rock rate of bottom land first rate Not subject to overflow

4

North between Sections 7 and 12.

Variation 11,40 East

2625 Points bears E. & W. one link N. & S.

40 00 Set Granite Stone 14 in long 6 in wide and 8 in thick for quarter Section Corner

2 3

6470 Points bears East and West

80 00 Set a granite Stone 15 in long 9 in wide and 8 in thick for Cor. to Sections 6, 7, 1 and 12 Surface rolling rock 2 rate

---

North between Sections 1 and 6

Variation 11,40 East

40 00 Grave a Chance Stake Set a post and mound a Mound as per instructions for quarter Section Corner

Between Townships 5 and 6 N.R. 5 & 6 Principal Meridian

4116 Brook 5 links Wide runs S.E.

80 00 Set a Granite Stone 16 in long 10 in Wide and 6 in Thick for Corner to Townships 5 and 6 North Ranges 5 & 6 and 4 East

Surface rolling Soil 2nd rate

Friday July 31st 1857

From the Corner to Townships 5 and 6 North Ranges 5 and 4 East I run West on a Random line between Sections Townships 5 and 6 North Range 5 East

Variation 17½ East

I set Temporary Posts 1 Mile and Mile Corners at Every 40,00 and 80,00 Chains and at 5 Miles and 79,96 Chains pile 10 links North of the Township Corner

Thence for the Correction will be 6¼ links South per Mile

From the Corner to Townships 5 and 6 North Ranges 2 and 3 East I run East on a true line between Section 6 and 31

Variation 11½ East

Between Townships 5 and 6 N.R. 5 & 6 Principal Meridian

40 00 Bearing North and South

39 96 Set a Granite Stone 14 in long 9 in Wide and 5 in Thick for Quarter Section Corner

79 96 Set a Granite Stone 18 in long 12 in Wide and 10 in Thick for Corner to Sections 5, 6, 31 and 32

Surface of West ½ of line rolling of East ½ level Soil 1st rate

---

East on a true line between Sections 5 and 32

Variation 11¾ East

40 00 Set a Granite Stone 13 in long 10 in Wide and 5 in Thick for Quarter Section Corner

46 04 Branch 5 links Wide runs S.E.

80 00 Set a Granite Stone 16 in long 10 in Wide and 8 in Thick for Corner to Sections 32, 33, 4 and 5

Surface level Soil 2nd rate

East on a true line between Sections 4 and 33

Variation 11½ East

40 00 Set a Granite Stone 14 in long 9 in Wide and 5 in Thick for Quarter Section Corner

80 00 Set a Granite Stone 14 in long 9 in Wide and 8 in

4

Between Townships 5 and 6 N R 3 & 4 E Principal Meridian

This for Corner to Sections 3, 4, 33 and 34
Surface level Soil 1st Rate

East on a true line between Sections 3 and 34
Variation 17½ East

40 00 Set a Granite Stone 14 ins long 9 ins wide and
5 ins thick for quarter Section Corner
64 90 Brook 3 Links wide runs S E
80 00 Set a Granite Stone 14 ins long 10 ins wide
and 6 ins thick for Corner to Sections 2, 3
34 and 35
Surface Generally rolling Soil 2d rate

East on a true line between Sections 2 and 35
Variation 17½ East

38 65 Rocky bears S E one link
40 00 Set a Granite Stone 14 ins long 10 ins wide and
6 ins thick for quarter Section Corner
80 00 Set a Granite Stone 14 ins long 8 ins wide and
5 ins thick for Corner to Sections 1, 2, 35 and 36
Surface Generally rolling Soil 2d rate

5

Between Townships 5 and 6 N R 4 & 5 E Principal Meridian

East on a true line between Sections 1 and 36
Variation 17½ East

40 00 Set a Granite Stone 14 ins long 8 ins wide and 5 ins
thick for quarter Section Corner
80 00 The Corner to Townships 5 and 6 North
Ranges 3 and 4 East
Surface rolling Soil 2 Rate

General Description

This Township Contains a large Amount
of good farming land the Surface is rolling
and Soil 2 Rate. It is well watered
and has a Considerable Amount of 2
Rate Burr Oak and Elm Timber, Scattered
over its Surface

From the Corner to Townships 5 and 6 North
Ranges 3 and 4 East. Run
East on a Random line between Townships
5 and 6 North Ranges 4 East

Between Townships 5 and 6 N R 4 E 6th Prin Chor. Meridian

Variation 11½ East (irregular)

I St Temporary Mile Corner at Every 40.00 and 80.00 Chains and at 86 miles fell 158 links North of Township Corner Whence the Correction Mile is 26½ links South per Mile Saturday August 1st 1857

From the Corner to Townships 5 and 6 North Ranges 4 and 5 East of 6th P.M.

West on a true line between Sections 1 and 36

Variation 12½ East

40 00 Bore a Charred Stake Set a post and raised a Mound as per instructions for quarter Section Corner

80 00 Bore a Charred Stake Set a post and raised a Mound as per instructions for Corner to Sections 1, 2, 35 and 36

Surface gently rolling, Soil 2nd rate

West on a true line between Sections 35 and 2

Variation 12,00 East

.50 Enter bottom bears North and South

Between Townships 5 and 6 N R 4 E 6th Prin. Chor. Meridian

10 46 Big Blue River 158 links wide 4 feet deep runs South

40 00 Bore a Charred Stake Set a post and raised a Mound as per instructions for quarter Section Corner

64 00 Flat Resins bears NW and SE

80 00 Bore a Charred Stake Set a post and raised a Mound as per instructions for Corner to Sections 2, 3, 34 and 35

Surface Mile 1st rate bottom and Slough set to Cottonwood

West on a true line between Sections 3 and 34

Variation 12,00 East

40 00 Bore a Charred Stake Set a post and raised a Mound as per instructions for quarter Section Corner

19 00 Leave Bottom bears North and South

80 00 Bore a Charred Stake Set a post and raised a Mound as per instructions for Corner to Sections 3, 4, 33 and 34

Surface rolling out of bottom Soil 2nd rate

Between Townships 5 and 6 N R 4 & 6 E Principal Meridian

of bottom land Soil 1 Vole not Subject to overflow

West on a true line between Sections 4 and 33
Variation 11° 4' E

5 00 Sulen bottom bears North and South
38 75 Runs 38 links and runs S 10 E
40 00 Drove a Chamfered Stake Set a post and raised a mound as per instructions for quarter Section Corner
58 00 Drove bottom bears North and South
80 00 Drove a Chamfered Stake Set a post and raised a Mound as per instructions for Corner to Sections 4, 5 32 and 33
Surface Gently rolling Soil 2 vole

West on a true line between Sections 5 and 32
Variation 11.41 East

40 00 Drove a Chamfered Stake Set a post and raised A Mound as per instructions for quarter Section Corner
65 15 Small Remo bears N. W. and S. E.

Between Townships 5 and 6 N R 4 & 6 E Principal Meridian

80 00 Drove a Chamfered Stake Set a post and raised a Mound as per instructions for Corner to Sections 5, 6, 31 and 32
Surface Gently rolling Soil 2 Vole

West on a true line between Sections 6 and 31
Variation 11 41 East

40 00 Drove a Chamfered Stake Set a post and raised a Mound as per instructions for quarter Section Corner
80 00 The Corner to Townships 5 and 6 North Ranges 3 and 4 East
Surface Gently rolling Soil 2 Vole

General Description

This Township Consists of land of a good quality having a large quantity of first vole bottom land Not Subject to overflow The upland is generally 2 vole, Big Blue River runs across the East part of the Township in a Southerly direction There is a Considerable quantity of

10

Between Ranges 3 and 4 E of 6 ~~Principal Meridian~~

good Timber within the Township on Blue River, and the other smaller Streams, Consisting of Burr Oak Elm and Cottonwood, Water of a good quality is abundant

---

From the Corner to Townships 5 and 6 North Ranges 3 and 4 East I run North between Sections 31 and 36 Variation 11½ East

40 00 Drove a Chained Stake Set a post and raised a Mound as per instructions for quarter Section Corner

80 00 Drove a Chained Stake Set a post and raised a Mound as per instructions for Corner to Sections 25, 36, 30 and 31 Surface rolling, Soil 2nd rate

---

North between Sections 25 and 30 Variation 12.8 East

32 50 Rocks bears East and West

40 00 Drove a Chained Stake Set a post and raised a Mound as per instructions for

Between Ranges 3 and 4 E of 6 ~~Principal Meridian~~

quarter Section Corner

80 00 Drove a Chained Stake Set a post and raised a Mound as per instructions for Corner to Sections 24, 25, 19 and 30 Surface Gently rolling Soil 2nd rate

---

North between Sections 19 and 24 Variation 12.4 East

33 50 Rocks bears East and West

40 00 Drove a Chained Stake Set a post and raised a Mound as per instructions for quarter Section Corner

80 00 Drove a Chained Stake Set a post and raised a Mound as per instructions for Corner to Sections 18, 19, 13 and 24 Surface Gently rolling Soil 2nd rate

---

North between Sections 13 and 18 Variations 12.4 East

13 50 Rocks bears East and West

40 00 Drove a Chained Stake Set a post and raised a Mound as per instructions

Between Ranges 3 and 4 E 7th ~~6th Principal Meridian~~

for quarter Section Corner

80 00 Drove a Stoned Stake Set a post and raised a Mound as per instructions for Corner to Sections 12, 13, 7 and 18

Surface rolling Soil 2nd rate

North between Sections 7 and 12

Variation 12,0' East

15 20 Brook 4 Links wide runs N E

19 00 Same Brook 4 Links wide runs N

22 25 The Same Brook 4 Links wide runs East

10 00 Drove a Stoned Stake Set a post and raised a Mound as per instructions for Quarter Section Corner

77 25 Brook 3 Links wide runs East

80 00 Drove a Stoned Stake Set a post and raised a Mound as per instructions for Corner to Sections 6, 7, 1 and 12

Surface rolling Soil 2nd rate

Monday August 3rd 1857

North between Sections 1 and 6

Variation 14,1 East

Between Townships 6 and 7 North 3 East Principal Meridian

40 00 Drove a Stoned Stake Set a post and raised a Mound as per instructions for quarter Section Corner

80 00 Drove a Stoned Stake Set a post and raised a Mound as per instructions for Corner to Townships 6 and 7 North Ranges 3 and 4 East

Surface Gently rolling Soil 2nd rate

From the Corner to Townships 6 and 7 North Ranges 3 and 4 East 1 run West on a Random line between Townships 6 and 7 North Ranges 3 East

Variation 11½ East

I Set Temporary half mile and mile Corners at Every 40,00 and 80,00 Chains and at 5 Miles and 78,51 Chains found 9 Links South of Township Corner, Therefore the Corner Stone will be 16 Links North per Scale

---

From the Corner to Townships 6 and 7 North Ranges 3 and 2 East 1 run

X.6969

Between Township 6 and 7 N R 3 E 6th Principal Meridian

East on a true line between Sections 6 and 31
Variation 11,2° East

38 51 Set a granite Stone 13 in long 9 in wide and 5 in thick for quarter Section Corner

78 51 Set a granite Stone 14 in long 8 in wide and 4 in thick for corner to Sections 5, 6, 31 and 32
Surface rolling soil 2nd rate

East on a true line between Sections 5 and 32
Variation 11,5° East

40 00 Set a granite Stone 14 in long 9 in wide and 6 in thick for quarter Section Corner

15 60 Ravine bears North and South

65 90 Ravine bears E. S. E. and West

80 00 Set a granite Stone 15 in long 9 in wide and 8 in thick for corner to Sections 4, 5, 32 and 33
Surface rolling soil 2nd rate

East on a true line between Sections 4 and 33
Variation 11,8° East

40 00 Set a granite Stone 15 in long 8 in wide and 7 in thick for quarter Section Corner

7070.

Between Township 6 and 7 N R 3 E 6th Principal Meridian

80 00 Set a granite Stone 14 in long 10 in wide and 4 in thick for corner to Sections 3, 4, 33 and 34
Surface rolling soil 2nd rate

East on a true line between Sections 3 and 34
Variation 11,2° East

1 45 Brook 3 links wide runs N E

16 00 Ravine bears N. N. W and S E

40 00 Set a granite Stone 14 in long 9 in wide and 5 in thick for quarter Section Corner

62 10 Brook 3 links wide runs N E

80 00 Iron a Chained Stake Set a post and mound 6 Mounds as per instructions for quarter Section Corner to Sections 2, 3, 34 and 35
Surface rolling soil 2nd rate

East on a true line between Sections 2 and 35
Variation 11,2° East

24 10 Brook 3 links wide runs South

40 00 Iron a Chained Stake Set a post and mound as per instructions for quarter Section Corner

71.71

Between Sections Townships 6 And 7 N R 3 & 4 Principal Meridian

18 80 Chains 3 Links Wide runs North
62 50 Same Course 3 Links Wide runs S E
80 00 Corner a Stoned Stake Set a post and raised a Mound as per instructions for Corner to Sections 1, 2, 35, And 36
Surface rolling Soil 2d rate

East on a true Line between Sections 1 And 36
Variation 11° 30' East
7 20 Passes leans North and South
40 00 Corner a Stoned Stake Set a post Corner raised a Mound as per instructions for quarter Section Corner
80 00 The Corner to Townships 6 And 7 North Ranges 3 And 4 East
Surface rolling Soil 2d rate

General Description
This Township Consists of land of good quality generally 2d rate It is well supplyed with Wood And Water, The timber is of low quality, Salt water is good

7 72.

Between Townships 6 And 7 N R 4 & 5 Principal Meridian

From the Corner to Townships 6 And 7 North Ranges 3 And 4 East 3 Chs
East on a Random Line between Townships 6 And 7 North Range 4 East
Variation 11° 30' East
1 Set Temporary Mound Stake And Pits Stones two posts at Every 40.00 And 80.00 Chains and at 6 Miles And 4.30 Chains fell to Cross North of Townships Corner Therefore the Correction Line be 6 3/4 Chs South And 4.30 Chs East per Mile
Thursday August 4th 1857

From the Corner to Townships 6 And 7 North Range 4 And 5 East 3 Chs
West on a true Line between Sections 1 And 36
Variation 11° 30' East
40 00 Corner a Stoned Stake Set a post And raised a Mound as per Instructions for quarter Section Corner
80 00 Corner a Stoned Stake Set a post And raised a Mound as per Instructions for Corner to Sec-

7373

Between Townships 6 and 7 N R 46 W 6th Principal Meridian

Lines 1, 2, 35 and 36

Surface generally rolling Soil 2nd rate

West on a true line between Sections 2 and 35

Variation 17¾° East

18 50 Cedar bottom bears North and South

40 00 Set a Granite Stone 14 in long 9 in wide and 8 in thick for quarter Section Corner

16 41 Big Blue River 2.50 Chs wide runs South 4 feet deep

80 00 Set a Granite Stone 12 in long 8 in wide and 6 in thick for corner to Sections 2, 3, 34 and 35

Surface of East ½ of line rolling 2nd rate timbered of West ½ of Mile level 1st rate bottom land

---

West on a true line between Sections 3 and 34

Variation 17½° East

40 00 Set a granite Stone 12 in long 8 in wide and 6 in thick for quarter Section Corner

63 38 Cedar bottom bears North and South

80 00 Set a granite Stone 10 in long 8 in wide and 7 in thick for Corner to Sections 3, 4, 33 and 34

7374

Between Townships 6 and 7 N R 4 & 6 W Principal Meridian

Surface of East 63.00 Chains level first rate bottom Not subject to Overflow. balance of line rolling 2nd rate upland

---

West on a true line between Sections 4 and 33

Variation 17½° East

40 00 Done a Chained Stake Set a post and raised a Mound as per instructions for quarter Section Corner

80 00 Done a Chained Stake Set a post and raised a Mound as per instructions for Corner to Sections 4, 5, 32, and 33

Surface level Soil 2nd rate

West on a true line between Sections 5 and 32

Variation 17½° East

40 00 Done a Chained Stake Set a post and raised a Mound as per instructions for quarter Sections Corner

79 50 Cedar bottom bears North and South

80 00 Set a granite Stone 15 in long 10 in wide and 8 in thick for Corner to Sections 5, 6, 31 and 32

Between Townships 6 and 7 S R 4 & 5 E Principal Meridian

Surface of East ½ of this Line of west ½ rolling Soil 2 Tole

West on a true Line between Sections 6 and 31
Variation 11½ East

23 00 Cuts Timber bears North and South
26 70 Leave Timber bears North and South and intersect a Creek 40 links wide runs South
40 00 Set a Granite Stone 12 in long 8 in wide and 6 in thick for quarter Section Corner
61 40 Leave Cotton bears North and South
84 30 The Corner to Townships 6 and 7 North Range 3 and 4 East
Surface rolling Soil 2 Tole

General Description

This Township Contains a large Amount of good farming Lands, With a Surface Generally rolling. This are Also a Considerable quantity of Level first rate bottom Lands Not Subject to frequent overflows Timber in Considerable quantities Exists on Blue River and the Smaller Streams

Between Range 3 and 4 E 3 & 4 Principal Meridian

Townships of Burr Oak Cotton wood and Elm

From the Corner to Townships 6 and 7 North Ranges 3 and 4 East Run
North between Sections 31 and 36
Variation 11½ East

40 00 Set a granite Stone 16 in long 8 in wide and 6 in thick for quarter Section Corner
54 60 Ronnie bears East and West
80 00 Set a granite Stone 16 in long 8 in wide and 8 in thick for Corner to Sections 25 36, 30 and 31
Surface rolling Soil 2 Tole

North between Sections 25 and 30
Variation 11,5 E East

16 25 Leave Prairie for Timber and Brush bearing S E and Timber N W and Timber bottom bearing the same
21 20 Creek 30 links wide runs S E
40 00 Set a granite Stone 12 in long 8 in wide and 6 in thick for quarter Section Corner
76 00 Leave bottom Land East and West

~~Between Ranges 3 and 4 East of the Principal Meridian~~

80 00 Set a Granite Stone 16 in long 12 in wide and 9 in thick for Corner to Sections 19, 30, 24 and 25 Surface of South 160 Chains rolling 2 rods upland, balance of line Chiefly level 1 rod bottom not subject to overflow

---

North between Sections 19 and 24
Variation 11¾° East

34 80 Rocks bear East and West
40 00 Set a granite Stone 12 in long 8 in wide and 6 in thick for quarter Section Corner
80 00 Set a Granite Stone 14 in long 9 in wide and 5 in thick for Corner to Sections 18, 19, 13, and 24 Surface Gently rolling land 2 rods

---

North between Sections 13 and 18
Variation 11½ East

42 50 Rocks bear East and West
40 00 Set a granite Stone 15 in long 8 in wide and 5 in thick for quarter Section Corner
80 00 Set a Granite Stone 12 in long 8 in wide and 5 in thick for Corner to Sections 12, 13, 7 and 18

Between Township 7 and 8 North of the Principal Meridian
Surface Gently rolling land 2 rods

North between Sections 7 and 1
Variation 11¾ East

40 00 Set a Granite Stone 12 in long 10 in wide and 7 in thick for quarter Section Corner
80 00 Set a Granite Stone 10 in long 9 in wide and 7 in thick for Corner to Sections 6, 7, 1 and 12
Surface Gently rolling land 2 rods

North between Sections 1 and 6
Variation 11¾ East

34 40 Large Rocks bear S E and N W
40 00 Set a granite Stone 12 in long 7 in wide and 6 in thick for quarter Section Corner
80 00 Set a Granite Stone 16 in long 10 in wide and 5 in thick for Corner to Townships 7 and 8 North Ranges 3 and 4 East
Surface broken land 3 rods

Wednesday August 5th 1857

From the Corner to Townships 7 and 8 North Ranges 3 and 4 East 1 mile.

7979

Between Townships 7 and 8 N R 3 & 4 E of the 4th Principal Meridian

Post on a random line between Townships 7 and 8 North Range 3 East

Variation 17½ East

I Set Temporary half Mile and Mile Corners at Mes 40.00 and 80.00 Chains and at 5 Miles and 78.07 Chains fell 98 Links South of Township Corner, Therefore the Correction will be 16 Links North per Mile

---

From the Corner to Townships 7 and 8 North Ranges 2 and 3 East run
East on a true line between Sections 6 and 31

Variation 11½ East

38 07 Drove a Chosen Stake Set a post and raised a Mound as per instructions for quarter Section Corner

1 78 07 Drove a Chosen Stake Set a post and raised a Mound as per instructions for Corner to Sections 5, 6, 31 and 32
Surface rather broken Soil 2nd Rate

East on a true line between Sections 5 and 32

Between Townships 7 and 8 R 3 & 4 E of the 4th Principal Meridian

Variation 11½ East

17 60 Ravine bears North and South
10 00 Drove a Chosen Stake Set a post and raised a Mound as per instructions for quarter Section Corner
64 55 Ravine bears North and South
77 90 Ravine bears North and South
80 00 Drove a Chosen Stake Set a post and raised a Mound as per instructions for Corner to Sections 4, 5, 32 and 33
Surface broken Soil 3rd Rate

East on a true line between Sections 4 and 33

Variation 11½ East

28 80 Ravine bears North and South
10 00 Drove a Chosen Stake Set a post and raised a Mound as per instructions for quarter Section Corner
52 40 Ravine bears North and South
80 00 Drove a Chosen Stake Set a post and raised a Mound as per instructions for corner to Sections 3, 4, 33 and 34

Between Townships 7 and 8 N. R 3 E 6th Principal Meridian

Surface rather broken Soil 2nd rate

East on a true line between Sections 3 and 34
Variation 11½ East

40 00 Drove a Chained Stake Set a post and raised a Mound as per instructions for Quarter Section Corner

80 00 Drove a Chained Stake Set a post and raised a Mound as per instructions for Corner to Sections 2, 3, 34 and 35
Surface Level Soil 1st rate

East on a true line between Sections 2 and 35
Variation 11½ East

40 00 Drove a Chained Stake Set a post and raised a Mound as per instructions for Quarter Section Corner

80 00 Drove a Chained Stake Set a post and raised a Mound as per instructions for Corner to Sections 1, 2, 35 and 36
Surface Level Soil 1st rate

Between Townships 7 and 8 N. R 3 & 4 E. of the 6th Principal Meridian

East on a true line between Sections 34 and 36
Variation 11½ East

40 00 Drove a Chained Stake Set a post and raised a Mound as per instructions for Quarter Section Corner

74 70 Ronnie Bears S E and NE

80 00 The Corner to Sections Townships 7 and 8 North Ranges 3 and 4 East
Surface Rolling Soil 2nd rate

Thursday August 6th 1857

General Description

The quality of land within the boundaries of this Township is above an average, it is Prettty well Supplyed with Water yet Timber is rather Scarce.

From the Corner to Townships 7 and 8 North Ranges 3 and 4 East 1 run
East on a Random line between Townships 7 and 8 North Ranges 4 East

83.83

Between Townships 7 and 8 North Ranges 4 and 5 West of the 6th Principal Meridian

Variation 17½ East

I Set Temporary Corners at Every 40,00 Chains
80,00 Chains and at 5 Miles And 76,94
Chains fell 113 Links South of Township
Corner. Therefore the Correction will be
306 Links West and 19 Links North for Mile

From the Corner to Townships 7 and 8 North
Ranges 4 and 5 East I run
West on a true line between Sections 1 and 36
Variation 17½ East

40 00 Set a Granite Stone 12 in long 6 in wide and 5
in thick for quarter Section Corner
55 35 Ravine bears North and South
80 00 Grove a Chance a Stake Set a post and
pits ed a Mound as per instructions for
Corner to Sections 1, 2, 35 and 36
Surface rolling Soil 2nd rate

West on a true line between Sections 2 and 35
Variation 17¼ East

40 00 Set a granite Stone 12 in long 6 in wide and 7 in

Between Townships 7 and 8 R 4 6 Principal Meridian

Thence for quarter Section Corner
66 15 Ravine bears E N E and South
80 00 Set a Granite Stone 16 in long 9 in wide and 4
in thick for Corner to Sections 2, 3, 34 and 35
Surface broken Soil Gravelly 3rd rate

Friday August 7th 1857

West on a true line between Sections 3 and 34
Variation 17¼ East

1 40 Enter bottom bears North and South
40 00 Grove Chance Stake Set a post and pits ed
a Mound as per instructions for quarter
Section Corner
47 47 Grove bottom bears North and South and
Grove 1st Enters 1st Big Blue River 243 links
Wide runs South
49 90 Grove left bank of Big Blue river and Enter
Low bottom Subject to overflow of from 2 to
4 feet, Bottom bears North and South
59 00 Grove low for high bottom bears North
and South
80 00 Grove a Chance Stake Set a post and pits ed
a Mound as per instructions for Corner to

Between Townships 7 and 8 N R 4 E 6th Principal Meridian

Sections 3, 4, 34 and 33
Surface Level first rate bottom to Shares of
Said bottom is Subject to overflow of from
2 to 4 feet balance of bottom. Not does not
often overflow

West on a true line between Sections 4 and 33
Variation 17¼ East

25 75 Level bottom bears N W and South
40 00 Drove a Round Stake Set a post and raised
a Mound as per instructions for Quarter
Section Corner
80 00 Drove a Round Stake Set a post and raised
a Mound as per instructions for Corner
to Sections 4, 5, 32, and 33
Surface out of bottom broken 3 rods up and
of bottom Level 1st rate Soil Not Subject
to overflow

West on a true line between Sections 5 and 32
Variation 17½ East

1 60 Rowing bears S 35 E and N W

Between Townships 7 and 8 N R 4 E 6th Principal Meridian

13 25 Same Rowing bears S W and N E
40 00 Drove a Round Stake Set a post and
raised a Mound as per instructions for
Quarter Section Corner
80 00 Drove a Round Stake Set a post and raised
a Mound as per instructions for Corner
to Sections 5, 6, 31 and 32
Surface Generally broken 2 and 3rd rate

West on a true line between Sections 6 and 31
Variation 17¾ East

16 15 Rowing bears N W and S E
40 00 Drove a Round Stake Set a post and
raised a Mound as per instructions for
Quarter Section Corner
76 94 The Corner to Townships 7 and 8 N Ranges 3 and
4 East
Surface broken Soil 2nd rate

General Description

This Township consists of land of about an
Average quality, A large Portion is so on

Between Ranges 3 and 4 E. of 6th Principal Meridian

Jammy Land Big Blue River runs through its centre in an East South East direction the bottoms along this Stream are good land generally above high water mark. There is a small portion of it with Elm and Cotton wood timber on both banes of Blue River

---

From the Corner to Townships 7 and 8 North Ranges 3 and 4 East I run

North on a true line between Sections 31 and 36

Variation 11,38 East

195 Bronze bears S W and N E

36 10 Bronze bears S W and N E

40 00 Drove a Chomed Stake Set a post and raised a Mound as per instructions for quarter Section Corner

1

80 00 Drove a Chomed Stake Set a post and raised a Mound as per instructions for Corner to Sections 25, 26, 30 and 31

Surface of South ½ of mile rolling of North ½ a level Soil 2 rate

Between Ranges 3 and 4 E. of 6th Principal Meridian

North between Sections 25 and 30

Variation 11,38 East

34 85 Bronze bears S E & and N W

40 00 Set a Granite Stone 14 inches by 9 in wide and 8 in thick for quarter Section Corner

2

80 00 Drove a Chomed Stake Set a post and raised a Mound as per instructions for Corner to Sections 19, 30, 24 and 25

Surface gently rolling Soil 2 rate

North between Sections 19 and 24

Variation 11,5 East

40 00 Drove a Chomed Stake Set a post and raised a Mound as per instructions for quarter Section Corner

3

80 00 Drove a Chomed Stake Set a post and raised a Mound as per instructions for Corner to Sections 18, 19, 13 and 24

Surface rolling Soil 2 rate

North between Sections 13 and 18

Between Ranges 3 and 4 East of the Principal Meridian

Variation 11,1/2 East

40 00 Down a Chained Stake Set a post and raised a Mound as per instructions for quarter Section Corner

80 00 Down a Chained Stake Set a post and raised a Mound as per instructions for Corner to Sections 12, 13, 7 and 18 Surface rolling Soil 2 Vale

---

North between Sections 7 and 12

Variation 11,0/6 East

30 00 Cedar bottom bears East and West

40 00 Down a Chained Stake Set a post and raised a Mound as per instructions for quarter Section Corner

76 82 Creek 50 links wide 4 feet deep Clear water and brisk Current runs East

80 00 Down a Chained Stake Set a post and raised a Mound as per instructions for Corner to Sections 6, 7, 1 and 12

Surface of South 30 Chains rolling Upland 2 Vale Soil, balance of line

Between Ranges 3 and 4 East of the Principal Meridian

Levie 1 Vale bottom not Subject to overflow

North between Sections 1 and 6

Variation 11,0/6 East

40 00 Down a Chained Stake Set a post and raised a Mound as per instructions for quarter Section Corner

58 00 Cedar bottom bears East and West

82 81 Intersect the Second Standard Parallel 7.77 Chains West of the Standard Corner to Township 9 North Ranges 3 and 4 East, and at the point of intersection down a Chained Stake Set a post and raised a Mound as per instructions for Closing Corner to Township 8 North Ranges 3 and 4 East

Surface of bottom Levie Soil 1 Vale, out of bottom rolling Soil 2 Vale, bottom does not overflow Wednesday August 8th 1857

General Description

Township No 8 North Range 3 East Contains much land of good quality, is well watered

to

B Seven Range 3 East 4 E. 18 N ~~to Principal Meridian~~

And has a Considerable quantity of Timber on Blue river and on a Creek 80 Chns Above which runs across the North End of the Township Timber Consists of Cotton wood Bur Oak and Elm

---

Township No 8 North Range 4 East Contains a large Amount of good farming land Generally Level it is well watered and has a Considerable Amount of Timber in the North Part of the Township Consisting of Bur Oak Elm and Cottonwood

Beginning at the Established Corner to Townships No 9. North of Ranges 1 and 2 East

Variation by My Transits 15½ East. as ascertained by observation of the polar Star

From said Townships Corner I run and measure East on the Second parallel, and at 40.05 Chains fell 6 Links Spike of quarter Section Corner. Also from the above described Townships Corner I run and measure West

Variation 15½ East

At 40.03 Chains fell 10 Links North of quarter Section Corner

Therefore to retrace the Second Standard parallel for One Mile, the same being half a mile East and half a mile West of the Corner to Townships North Ranges 1 and 2 East I must run at a Variation of 15¼° East

From the Corner to Townships 9 North Ranges 1 and 2 East I run

1893.

4

Between Ranges 1 and 2 E 5th N 6th P.M. Meridian

North on a true line between Sections 31 and 36

Variation 11° 32' East

40 00 Drove Chamfered Stake Set a post and raised a Mound for quarter Section Corner

63 75 Brook 6 links wide runs East

81 00 Drove a Chamfered Stake Set a post and raised a Mound as per instructions for corner to Sections 25, 36, 30 and 31

Surface of South ½ of Mile rolling of North ½ broken Soil 2nd rate

---

North between Sections 25 and 30

Variation 11° 33' East

6 50 Ravine bears East and West

40 00 Drove a Chamfered Stake and Set a post in Mound as per instructions for quarter Section Corner

67 86 Ravine bears N E and S W

80 00 Drove a Chamfered Stake Set a post and raised a Mound with Trench as per

1

2

5

1894.

Between Ranges 1 and 2 E 5th N 6th P.M. Meridian

instructions for Corner to Sections 19, 30, 24 and 25

Surface broken Soil 2nd rate

North between Sections 19 and 24

Variation 11° 33' East

4 70 Ravine bears West and N E

40 00 Drove a Chamfered Stake Set a post and raised a Mound as per instructions for quarter Section Corner

61 85 Enter bottom bears East and West

74 30 Ravine bears E and E and W S W

80 00 Drove Chamfered Stake Set a post and raised a Mound as per instructions for corner to Sections 18, 19, 13 and 24

Surface South of bottom land, broken Soil 2nd rate of bottom land first rate not subject to overflow

---

North between Sections 13 and 18

Variation 11° 30' East

3

6

Between Ranges 1 and 2 E of the 6th Principal Meridian

S 40 Grave 80 Links 6 Inches 2 feet deep runs East with Iron Cement

1300 Stone bottom bears East and West

40 00 Done Chamfered Stone Set a post and raised a Mound as per instructions for quarter Section Corner

4 80 00 Done 6 Chamfered Stone raised a Mound with Post as per instructions for Corner to Sections 7, 18, 12 and 13

Surface out of bottom rolling Soil 2 Vale

North between Sections 7 and 12

Variation 11°24' East

40 00 Done a Chamfered Stone Set a Post in Mound as per instructions for quarter Section Corner

5 80 00 Done a Chamfered Stone Set a post and raised a Mound as per instructions for Corner to Sections 6, 7, 1 and 12

Surface rolling Soil a light loam 2 Vale

Between Townships 9 and 10 N R 1 E 6th Principal Meridian

North between Sections 1 and 6

Variation 11°2' East

S 45 Range bears S W and E to E

10 20 Same Range bears E S E and W N W

40 00 Done a Chamfered Stone Set a post and raised a Mound as per instructions for quarter Section Corner

6 80 00 Done a Chamfered Stone Set a post and raised a Mound as per instructions for Corner to Sections Townships 9 and 10 North Ranges 1 and 2 East

Surface of South ½ of mile Links of North ½ of mile rolling Soil 2 Vale

---

From the Corner to Townships 9 and 10 North Ranges 1 and 2 East I run

West on a random line between Townships 9 and 10 North Ranges 1 and 2 East

Variation 11°24' East

I set Temporary post half mile and mile Post at Every 40.00 and 80.00 Chains and

At 5 miles 79.80 Chains intersected the 6th Prin-

Between Townships 9 and 10 North Range 1 East 6th Principal Meridian

Principal Meridian at Township Corner, Therefore
their will be no Corner Trees

Monday August 10th 1857

From the Corner to Townships 9 and 10 North
Ranges 1 East and West I run
East on a true line between Sections 6 and 31
Variation 11° 54' East

39 80 Drove a Planted Stone Set a post and
raised a Mound as per instructions for
quarter Section Corner

58 20 Enter timber bears North and South

58 20 Creek 40 links wide runs South

58 80 Leave Timber bears North and South

73 58 Cross Creek 40 links wide runs South and
Enter Timber bears North and South

77 08 Cross Same Creek 40 links wide runs S E
and Leave Timber bears N W and S E

79 80 Drove a Planted Stone Set a post and raised
a Mound as per instructions for Corner to
Sections 5. 6. 31 and 32

Between Townships 9 and 10 North Range 1 East 6th Principal Meridian

Surface level & Rolling bottom land not subject to overflow

East on a true line between Sections 5 and 32
Variation 11° 30' East

2 73 Cross Creek 48 links wide runs North

40 00 Drove a Planted Stone Set a post and raised a
Mound as per instructions for quarter Section
Corner

2 80 00 Drove a Planted Stone Set a post and raised a
Mound as per instructions for Corner to Sections
4. 5. 32 and 33

East on a true line between Sections 4 and 33
Variation 11° 30' East

35 20 Cross Creek 40 links wide runs S 60 E and Enter
Timber bears North and S E

40 00 Set a post for quarter Section Corner from which
a Hickory 12 in dia bears N 45 E 21 links dist
an Ash 9 in dia bears S 55 W 8 links dist

47 84 Leave Timber bears S 70 W and N 70 E and Cross
Creek 40 links wide runs N E

10

Between Townships 9 and 10 N R 1 & 6th Principal Meridian

57 20 Cross Creek 45 Links wide runs South

80 00 Leave a Chained Stake Set a post and raised a Mound as per Instructions for Corner to Sections 3, 4, 33 and 34

3 Surface Level & rolling Soil Tolerable Timber not Subject to Overflow

East on a Line Line between Sections 3 and 34
Variation 14° 15' East

37 00 Rocks bears North and South

1 00 Leave a Chained Stake Set a post and raised a Mound as per Instructions for quarter Section Corner

63 25 Rocks bears North and South

4 74 00 Leave Cottonwood bears S E and N W

80 00 Leave a Chained Stake Set a post and raised a Mound as per instructions for Corner to Sections 2, 3, 34 and 35

Surface Chiefly Bottom Land of good quality not Subject to Overflow

11

1880.

Between Townships 9 and 10 N R 1 & 6 Principal Meridian

East on a Line Line between Sections 2 and 35
Variation 14° 24' East

27 10 Rocks bears South and W. 1/2

40 00 Leave a Chained Stake Set a post and raised a Mound as per instructions for quarter Section Corner

5 77 70 Rocks bears North and South

80 00 Leave a Chained Stake Set a post and raised a Mound as per instructions for Corner to Sections 1, 2, 35 and 36

Surface rolling Soil & Tolerable

East on a Line Line between Sections 1 and 36
Variation 14° 24' East

25 80 Rocks bears North and South

40 00 Leave Chained Stake Set a post and raised a Mound as per instructions for quarter Section Corner

6 80 00 The Corner to Townships 9 and 10 North Ranges 1 and 2 East

Surface of West 1/2 of Mile known as East 1/2 of Mile

101. 101

12

Between Ranges 1 and 2 East of the Principal Meridian

Rolling Soil 2nd Rate

General Description.

This Township Contains a large portion of good farming Land. It is well watered and has some Second rate Bass Wood and Elm Timber on the Small Streams by which it is well watered of large Settlement and ought to be Subdivided

From the Corner to Townships 9 and 10 N. Ranges 1 and 2 East of the

North between Sections 31 and 36

Variation 11¼° East

1 30 Ravine bears East and West

40 00 Drove a Charred Stake Set a post and raised a Mound as per instructions for quarter Section Corner

56 40 Ravine bears East and West

72 00 Ravine bears East and West

80 00 Drove a Charred Stake Set a post and raised a Mound as per instructions for Corner to Sections

13

102. 102

Between Ranges 1 and 2 East of the Principal Meridian

30, 31, 25 and 36

Surface as other Township Soil 2nd Rate

North between Sections 25 and 30

Variation 11¼° East

40 00 Drove a Charred Stake Set a post and raised a Mound as per instructions for quarter Section Corner

54 60 Ravine bears S.E. and N.W.

70 00 Ravine bears East and West

80 00 Drove a Charred Stake Set a post and raised a Mound as per instructions for Corner to Sections 19, 30, 24 and 25

Surface broken Soil 2nd Rate

North between Sections 19 and 24

Variation 11¾° East

40 00 Drove a Charred Stake Set a post and raised a Mound as per instructions for quarter Section Corner

80 00 Drove a Charred Stake Set a post and raised a Mound as per instructions for Corner to Sections 18, 19, 13 and 24

103

Between Ranges 1 and 2 East of the ~~Principal Meridian~~

Surface of South ½ of this relling & North ½ Soil 2d Vole

North between Sections 13 and 18
Variation 17½ East

40 00 Drove a Charred Stake Set a post and raised a Mound for quarter Section Corner

80 00 Drove a Charred Stake Set a post and raised a Mound as per instructions for corner to Sections 12, 13, 7 and 18

Surface gently rolling Soil 2d vole

North between Sections 7 and 12
Variation 17.00 East

40 00 Drove a Charred Stake Set a post and raised a Mound as per instructions for quarter Section Corner

80 00 Drove a Charred Stake Set a post and raised a Mound as per instructions for corner to Sections 6, 7, 1 and 12

Surface gently rolling Soil 2d vole

1104.

Between Townships 10 and 11 N R 1 & 2 ~~Principal Meridian~~

North between Sections 1 and 6
Variation 16.00 East

40 00 Drove a Charred Stake Set a post and raised a Mound as per instructions for quarter Section Corner

80 00 Drove a Charred Stake Set a post and raised a Mound as per instructions for Corner to Townships 10 and 11 North Ranges 1 and 2 East

Surface gently rolling Soil 2 Vole

Saturday August 11th 1883

From the Corner to Townships 10 and 11 North Ranges 1 and 2 East I run West on a random line between Townships 10 and 11. I set temporary Stakes and mile posts at 80.00 Chains and 160.00 Chains

Variation 15½ East

At 5 Miles 78.24 Chains fell 46 Links North of Township Corner Therefore the Correction will be 7½ Links South per Mile

From the Corner to Townships 10 and 11

16

Between Township 10 and 11 N R 6 East of the Principal Meridian

North Range 1 East and West. I run East on a true line along the South boun dary of Section 31

Variation 11° 59 East

1848 Range lines North and South

3824 Drove a Charred Stake Set a post and raised a Mound as per instructions for quarter Section Corner

1 80 00

78 24 Drove a Charred Stake Set a post and raised a Mound as per instructions for Corner to Sections 5, 6, 31 and 32

Surface gently rolling Soil 2d rate

East on a true line between Sections 5 and 32

Variation 11° 59 East

2 40 00 Drove a Charred Stake Set a post and raised a Mound as per instructions for quarter Section Corner

80 00 Drove a Charred Stake raised a Mound North Post

17

Between Township 10 and 11 N R 6 East of the Principal Meridian

as per instructions for Corner to Sections 4, 5, 32 and 33

Surface generally level Soil 2 rate Timber

East on a true line between Sections 4 and 33

Variation 11° 59 East

40 00 Drove a Charred Stake Set a post and raised a Mound as per instructions for quarter Section Corner

3 80 00 Drove a Charred Stake Set a post and raised a Mound as per instructions for Corner to Sections 3, 4, 33 and 34

Surface level Soil a light loam 2d rate

East North between Sections 3 and 34 on a true line

Variation 12, 15 East

10 00 Drove a Charred Stake Set a post and raised a Mound as per instructions for quarter Section Corner

4 80 00 Drove a Charred Stake Set a post and raised a Mound as per instructions for Corner to Sections 2, 3, 34 and 35

1006

Between Townships 10 and 11 N. & 6 W. of the 5th Meridian

Surface Level & Soil 2d rate

Bush on a line line between Sections 2 and 35
Variation 12.08 East

7 85 Ranne Lines N. and S. on 8 and 6

40 00 Grove a Chained Stake & Stone post and scribed a Mound as per instructions for quarter Section Corner

5 80 00 Grove a Chained Stake scribed a Mound with Post as per instructions for Corner to Sections 1, 2, 35 and 36

Surface gently rolling Soil 2d rate

East on a line line between Sections 1 and 36
Variation 12.00 East

40 00 Grove a Chained Stake Set a post and scribed a Mound for quarter Section Corner

6 80 00 The Corner to Townships 10 and 11 North Ranges 1 and 2 East

Surface gently rolling Soil 2d rate

Between Ranges 1 and 2 East of the ~~Principal~~ Meridian

General Description

This Township presents a gently rolling surface, the Soil is good, being fully 2d rate There is a Stream of fine Clear water running a Deep its SW Course on the lines S of Section 1 There is a small portion of 2 rate Elm and Beech land Timber. There is no other water or timber within this Township

---

From the Corner to Townships 10 and 11 North Ranges 1 and 2 East of 6th
North on the Range line between Sections 31 and 36
Variation 12.00 East

40 00 Grove a Chained Stake Set a post and scribed a Mound as per instructions for quarter Section Corner

80 00 Grove a Chained Stake Set a post and scribed a Mound as per instructions for Corner to Sections 25, 36, 30 and 31

109-109

20

Between Ranges 1 and 2 East of the ~~Principal Meridian~~

Surface gently rolling Soil 2nd rate

North between Sections 25 and 30
Variation 12½ East

40 00 Bore a Charred Stake Set a post and raise a Mound as per instruction for quarter Section Corner

80 00 Bore a Charred Stake Set a post and raise a Mound as per instructions for Corner to Sections 19, 30, 24 and 25

Surface rolling Soil 2nd rate Timber

North between Sections 19 and 24
Variation 12¼ East

16 50 Bore a Charred Stake N 45 E and S 45 W

40 00 Bore a Charred Stake Set a post and raise a Mound as per instruction for quarter Section Corner

80 00 Bore a Charred Stake raise a Mound with Post as per instructions for Corner to Sections 19, 13 and 24

Surface gently rolling Soil 2nd rate

3

110 110

21

Between Ranges 1 and 2 East of the ~~Principal Meridian~~

North between Sections 13 and 18
Variation 11½ East

28 25 Bears East and West

40 00 Bore a Charred Stake Set a post and raise a Mound as per instructions for quarter Section Corner

80 00 Bore a Charred Stake Set a post and raise a Mound for Corner to Sections 7, 18, 12 and 13 as per instructions

Surface Gently rolling Soil 2nd rate

Wednesday August 12th 1857

North between Sections 7 and 12
Variation 11¾ East

40 00 Bore a Charred Stake Set a post and raise a Mound as per instructions for quarter Section Corner

80 00 Bore a Charred Stake and raise a Mound with post as per instructions for Corner Sections 6, 7, 1 and 12

Surface Very gently rolling Soil 2nd rate

4

5

Between Townships 11 and 12 North & Range 1 East of the Black Hills Meridian

North between Sections 1 and 6

Variation 11° 58' East

40 00 Drive a Charred Stake and raise a Mound with Pits as per instructions for quarter Section Corner

66 25 Cross Prairie Dog Creek West and Enter Bottom Land up the same

80 00 Drive a Charred Stake 2 feet a post and raised a Mound as per instructions for Corner to Townships 11 and 12 North Ranges 1 and 2 East

Surface of Soil Up & Hill rolling Land of fine soil of bottom Land Soil 2nd rate.

Surface of bottom land Soil 1st rate. And Not Subject to Overflow

---

From the Corner to Townships 11 and 12 North Ranges 1 and 2 East on a Random line between Townships 11 and 12

Variation 11° East

Between Townships 11 and 12 North & Ranges 1 East of the Black Hills Meridian

Run Temporary half mile and mile posts at every 40 chains and 80 chains and 40 links Miles And 77 86 Chains A fall 66 Links North of the Township Corner Therefore the Correction will be 11 Links South for miles

---

From the Corner to Townships 11 and 12 North Ranges 1 East and West Lines East on a true line between Sections 6 and 31

Variation 11° 46 East

37 86 Drive a Charred Stake 2 feet a post and raise a Mound as per instructions for quarter Section Corner

77 86 Drive a Charred Stake 2 feet a post and raised a Mound as per instructions for Corner to Sections 5, 6, 31 and 32

Surface first rate Soil first rate bottom Not Subject to overflow

---

East on a true line between Sections 5 and 32

Variation 11° 46 East

27 00 Leave bottom land Soil and Etc

32 80 Prairie Dog North and South

113

2

Between Townships 11 and 12 N R 1 E 6th Principal Meridian

40 00 Grove a Channel Stake Set a Post and raised a Mound as per instructions for quarter Section Corner

80 00 Grove a Spanned Stake Set a post corner raised a Mound as per instructions for Corner to Sections 4 5 32 and 33

Surface of East part of this Setting between of fine oak of Bottom, brown Soil & Vole, of Bottom Land 1st rate Soil, Not Surveyed to Creek

---

East on a true line between Sections 4 and 33

Variation 11° 36' East

10 75 Bears South one link

40 00 Grove a Channel Stake Set a post and raised a Mound as per instructions for quarter Section Corner

3 60 00 Grove a Channel Stake Set a post and raised a Mound as per instructions for Corner to Sections 3, 4, 33 and 34

Surface gently rolling Soil 2nd rate

25

114

Between Townships 11 and 12 N R 1 E 6th Principal Meridian

East on a true line between Sections 3 and 34

Variation 11° 36' East

23 40 Bears West one link

40 00 Grove a Channel Stake Set a post and raised a Mound as per instructions for quarter Section Corner

4 54 10 Bears North one South

80 00 Grove a Channel Stake raised a Mound with post as per instructions for quarter Section Corner to Sections 2, 3, 34 and 35

Surface broken Soil 2 rate

East on a true line between Sections 2 and 35

Variation 11° 36' East

29 00 Bears West one link

40 00 Grove a Channel Stake Set a post and raised a Mound as per instructions for quarter Section Corner

5 47 40 Bears North one South

80 00 Grove a Channel Stake Set a post and

Between Townships 11 and 12 North Ranges 1 & 2 West of the 6th Principal Meridian

Set a Mound for Corner to Sections 1 2 35 and 36 as per instructions
Surface broken Soil 3d rate

Post on a true line between Sections 1 and 36
Variation 17 30 East

5.25 Bears North and South
15.50 Bears North and South over Entire bottom Bears N 60 W and S 60 E
40.00 Set a Stone Set a post and raised a Mound as per instructions for quarter Section Corner
80.00 The Corner to Townships 11 and 12 North Ranges 1 and 2 East
Surface Chiefly first rate first rate bottom Not Subject to overflow

---

General Description

This Township Contains a large portion of good farming land it is rather broken along

Between Ranges 1 and 2 East of the ~~6th Principal Meridian~~

its Northern boundary, Says the Surveyor has a gently rolling surface. There is no timber or water within its boundaries Nor any Settlement

---

From the Corner to Townships 11 and 12 North Ranges 1 and 2 East. A post North on a true line between Sections 31 and 36
Variation 17 30 East

33.25 Crossed East 18 links wide 2 feet deep Elm tree and Stony Current runs East
40.00 Set a Stone Set a post and raised a Mound with Post as per instructions for quarter Section Corner
66.00 Bears bottom Bears East and West
80.00 Set a Stone Set a post and raised a Mound for Corner to Sections 25 30 36 and 31 as per instructions
Surface of South 66 chains land 1st rate bottom Not Subject to overflow balance of

117. 117

Between Ranges 1 and 2 E of 3rd North ~~Principal Meridian~~
Line rolling 2° to 6° Soil

North between Sections 25 and 30
Variation 13° 29' East

40 00 Drove a Charred Stake Set a post and
raised a Mound as per instructions for
quarter Section Corner

80 00 Drove a Charred Stake Set a post and
raised a Mound as per instructions
for quarter Section corner to Sections 24
25, 30 and 29
Surface rolling Soil 2nd rate

North between Sections 19 and 24
Variation 13° 29' East

20 70 Ravine bears East and West

40 00 Drove a Charred Stake Set a post and
raised a Mound as per instructions for
quarter Section Corner

80 00 Drove a Charred Stake raised a Mound with

118 118

Between Ranges 1 and 2 E of 3rd N ~~Principal Meridian~~
Post as per instructions for Corner to Sections
18, 19, 13 and 24
Surface rolling Soil 2nd rate

North between Sections 13 and 18
Variation 12° 29' East

40 00 Drove a Charred Stake Set a post and
raised a Mound as per instructions for
quarter Section Corner

80 00 Drove a Charred Stake Set a post and
raised a Mound as per instructions for
Corner to Sections 12, 13, 7 and 18
Surface gently rolling Soil 2nd rate

North between Sections 7 and 12
Variation 12° 26' East

40 00 Drove a Charred Stake Set a post and
raised a Mound as per instructions for
quarter Section Corner

48 10 Ravine bears NE and West

189-119

Between Ranges 1 and 2 East of the ~~Principal Meridian~~

57	70	Points Leans East and west
78	20	Points Leans East and west
80	00	Drove a Charred Stake Set a post and raised a Mound as per instructions for corner to Sections 1, 12, 6 and 7
		Surface rolling Soil 2nd rate

North between Sections 1 and 6

Variation 12, 14 East

30	30	Points Leans East and West
40	00	Drove Charred Stake Set a post and raised a Mound as per instructions for Quarter Section Corner
78	19	Intersect the 3rd Standard Parallel 2.10 chains West of the Established Corner to Townships 13 North Ranges 1 and 2 East and drove a Charred Stake Set a post and raised a Mound as per instructions, for Closing Corner to Townships 12 North Ranges 1 and 2 East

120 281

Between Ranges 1 and 2 East of the ~~Principal Meridian~~

Surface rolling Soil 2nd rate

Thursday August 13th 1857

General Description

This Township Contains a Large portion of Good farming lands generally 2nd rate. There is a Creek of fine running water Entering Into the South west, and leaving Near the South East Corner of the Township, there is Some 2nd rate Elm and Burr Oak Timber on both Sides of this Stream

Beginning at the Established Corner to
Townships No 9. North Ranges 2 West & East
Variation 11.0 East by My Transit
as ascertained by Observation of the Polar Star
From Said Township Corner I run and mea-
sured East on the Second Standard Parallel
Variation 11.0 East
and at 40.00 Chains fell 21 Lnks South of
quarter Section Corner, Also from the abo
discribed Townships Corner I run and mea-
sured West on Said parallel and at
40.04 Chains fell 21 Lnks North of quarter
Section Corner
Therefore to retrace the Second Stan-
dard Parallel for one Mile the Same
being half a Mile East and half a Mile
West of the Corner to Townships 5 North
Ranges 2 and 3 East, I must run at
a variation of 11¼ East

Between Ranges 2 and 3 E of 6th ~~Principal Meridian~~

From the Corner to Townships 9 North.

Ranges 2 and 3 E. 1 mile.

North on a true line between Sections 31 and 36

Variation 11°2 East

40 00 Grove a Chained Stake S&t a post and raised a Mound as per instructions for quarter Section Corner

81 80 Enter Cotton Lean East and West

80 00 Grove a Chained Stake S&t a post and raised a Mound as per instructions for Corner to Sections 25, 26, 30 and 31

Surface of South ½ of mile rolling 2nd rate

Soil of North ½ very gently rolling upland and level Cotton Soil 1st rate

---

North between Sections 25 and 30

Variation 11°2 East

22 20 Enter Timber Lean East and West

25 40 Leave Same Lean East and West and Cross Creek 60 Links Wide runs East.

Between Ranges 2 and 3 E of 6th ~~Principal Meridian~~

40 00 Grove a Chained Stake S&t a post and raised a Mound as per instructions for quarter Section Corner

40 00 Leave Cotton Lean East and West

72 00 Revine Lean S 5° W and N 5°

80 00 Grove a Chained Stake S&t a Post and raised a Mound as per instructions for Corner to Sections 24, 25, 19 and 30

Surface of South ½ Chain wide first rate Cotton not Subject to overflow of balance of mile rolling upland Soil 2nd rate

---

North between Sections 19 and 24

Variation 11°2 East

40 00 Grove a Chained Stake S&t a post and raised a Mound as per instructions for quarter Section Corner

80 00 Grove a Chained Stake S&t a post and raised a Mound as per instructions for Corner to Sections 13, 19, 18 and 24

Between Ranges 2 and 3 E 9 N 6th Principal Meridian

Surface rolling Soil 2nd rate

North between Sections 13 and 18
Variation 11°2 East

3 80 Bronze Bears East and West
16 40 Bronze Bears S E and N W
40 00 Grove a Charred Stake Set a post and
raised a Mound as per instructions for
quarter Section Corner
4 80 00 Grove a Charred Stake Set a post in Mound
as per instructions for corner to Sections
12, 13, 7 and 18
Surface rolling Soil 3rd rate

North between Sections 7 and 12
Variation 11°3 East

16 60 Bronze Bears East and NW
40 00 Grove a Charred Stake Set a post and
raised a Mound as per instructions for
5 quarter Section Corner

Between Townships 9 and 10 N R 2 E 6th Principal Meridian

80 00 Grove a Charred Stake Set a post and
raised a Mound as per instructions for
Corner to Sections 6, 7, 1 and 12
Surface rolling Soil 2nd rate

North between Sections 1 and 6
Variation 11°3 East

1 70 Bronze Bears S W and N E
23 10 Same Bronze Bears S E and N W
40 00 Grove a Charred Stake Set a post and
raised a Mound as per instructions for
6 quarter Section Corner
80 00 Grove a Charred Stake Set a post and
raised a Mound as per instructions for
Corner to Townships 9 and 10 North Ranges
2 and 3 East
Surface rolling Soil 3rd rate

From the Corner to Townships 9 and 10 North
Ranges 2 and 3 East 1 mile

B Tween Townships 9 and 10 North R 2 E 6th Principal Meridian
West on a Random line between Townships 9 and
10 North Ranges 2 East I Set Temporary
Variation 17° East
Sixty miles and Made Posts at Every 40.00
and 80.00 Chains and at 5 Miles And 79.35
Chains fell 14 Links North of the Corner to
Townships 9 and 10 North Ranges 1 and 2 East
Therefore the Correction will be 2 Links South
per Mile Saturday August 15 1857

From the Corner to Townships 9 and 10 North
Ranges 1 and 2 East I run
East on a true line between Sections 6 and 31
Variation 17¼ East

39.35 Drove a Stamped Stake Set a post and raised a Mound as per instructions for quarter Section Corner

79.35 Drove a Stamped Stake Set a post and raised a Mound as per instructions for Corner to Sections 5, 6, 31 and 32
Surface rolling Soil 2nd rate

B Tween Townships 9 and 10 N R 2 E 6th Principal Meridian
East on a true line between Sections 5 and 32
Variation 17.05 East

17.60 Branch 8 Links Wide runs South

40.00 Drove a Stamped Stake Set a post and raised a Mound as per instructions for quarter Section Corner

80.00 Drove a Stamped Stake Set a post and raised a Mound as per instructions for Corner to Sections 4, 5, 32 and 33
Surface gently rolling Soil 2nd rate

East on a true line between Sections 4 and 33
Variation 17.05 East

40.00 Drove a Stamped Stake Set a post and raised a Mound as per instructions for quarter Section Corner

80.00 Drove a Stamped Stake Set a post and raised a Mound as per instructions for Corner to Sections 3, 4, 33 and 34
Surface gently rolling Soil 2nd rate

Between Townships 9 and 10 N R 2 E 6th Principal Meridian

East on a true line between Sections 3 and 34
Variation 11° 05' East

40 00 Drove a Chained Stake Set a post and
raised a Mound as per instructions for
quarter Section Corner

4 80 00 Drove a Chained Stake Set a post and
raised a Mound as per instructions for
Corner to Sections 2, 3, 34 and 35
Surface Gently rolling Soil 2nd Rate

East on a true line between Sections 2 and 35
Variation 11° 03' East

28 20 Ranne bears North and South

38 20 Ranne bears S 10 E and N 10 W

40 00 Drove a Chained Stake Set a post and
raised a Mound as per instructions for
quarter Section Corner

5 80 00 Drove a Chained Stake Set a post and
raised a Mound as per instructions for
Corner to Sections 1, 2, 35 and 36

Between Townships 9 and 10 N R 2 E 6th Principal Meridian

Surface Gently rolling Soil 2nd Rate

East on a true line between Sections 1 and 36
Variation 11° 00' East

1 80 Ranne bears North and South

40 00 Drove a Chained Stake Set a post and
raised a Mound as per instructions for
quarter Section Corner

6 80 00 The Corner to Townships 9 and 10 North
Ranges 2 and 3 East
Surface rolling Soil 2nd Rate

General Description

This Township of land in point of Soil
and Surface is fully an average it is
serviceable for general farming purposes
It is well watered and has more than
an average portion of Timber on the
Small Streams which pass through it

Between Ranges 2 and 3 East of 10th ~~6th~~ Principal Meridian
Consisting of 2 Tole Bear Oak Elm and
Black Walnut

From the Corner to Townships 9 and 10 North
Ranges 2 and 3 East I run
North along the East boundary of Section 36
Variation 11,0 East
40 00 Drove a Charred Stake 8 by 8 by a post and
raised a Mound as per instructions for
quarter Section Corner
80 00 Drove a Charred Stake 8 by 8 by a post and
raised a Mound as per instructions for
Corner to Sections 25, 36, 30 and 31
Surface gently rolling Soil 2 Tole

North between Sections 25 and 30
Variation 10,5 East
40 00 Drove a Charred Stake 8 by 8 by a post and
raised a Mound as per instructions for
quarter Section Corner

Between Ranges 2 and 3 East of 10th ~~6th~~ Principal Meridian
69 20 Large Ranne bears E by N and S W
73 50 Same Ranne bears NW and S E
80 00 Drove a Charred Stake 8 by 8 by a post and
raised a Mound as per instructions for
Corner to Sections 24, 25, 19 and 30
Surface rolling Soil 2 Tole

North between Sections 19 and 24
Variation 10,5 East
36 90 Large Ranne bears N E and W S W
39 80 Hole of water in Ranne bears N E by E and S W
40 70 Drove a Charred Stake 8 by 8 by a post and
raised a Mound for Witness Corner as
per instructions for Same, The true point
for Corner being in a ravine
66 00 Ranne bears N E by E and West
80 00 Drove a Charred Stake 8 by 8 by a post and
raised a mound as per instructions for
Corner to Sections 18, 19, 13 and 24
Surface rolling Soil 2 Tole

Between Ranges 2 and 3 E Ind 6th Principal Meridian

North between Sections 13 and 18

Variation 10°,51 East

40 00 Drove a Charred Stake Set a post and raised a Mound as per instructions for quarter Section Corner

56 00 Corner bears East and West

80 00 Drove a Charred Stake Set a post and raised a Mound as per instructions for Corner to Sections 12, 13, 7 and 18

Surface Rolling Soil 2d Rate

Monday August 17th 1857

North between Sections 7 and 12

Variation 10°,5 East

21 16 Corner bears W 8 chs and N 66

40 00 Drove a Charred Stake Set a post and raised a Mound as per instructions for Quarter Section Corner

80 00 Drove a Charred Stake Set a post and raised a Mound as per instructions for Corner to Sections 6, 7, 1 and 12

Between Ranges 2 and 3 E Ind 6th Principal Meridian

Surface rolling Soil 2d Rate

North between Sections 1 and 6

Variation 10°,5 East

40 00 Drove a Charred Stake Set a post and raised a Mound as per instructions for quarter Section Corner

68 30 Corner bears East and West

80 00 Drove a Charred Stake Set a post and raised a Mound as per instructions for Corner to Sections Townships 10 and 11 North Ranges 2 and 3 East

Surface of South ½ of Mile rolling of North ½ broken Soil 2d Rate

---

From the Corner to Townships 10 and 11 North Ranges 2 and 3 East of the Meridian

West on a Random line between Townships 10 and 11 North Range 2 East

Variation 10.5 East

13434

Between Townships 10 And 11 N R 2 E 6th Principal Meridian

I Set Temporary Half Mile And Mile Corners at Every 40.00 And 80.00 Chains And at 5 Miles. 78.79 Chains fell 66 Lks S North of Township Corner Therefore the Correction Will be 11 Lks South per Mile

---

From the Corner to Townships 10 And 11 North Ranges 1 And 2 East I run East on a true Line between Sections 6 And 31

Variation 11°30 East

38 79 Drove a Chained Stake Set a post and raised a Mound as per instructions for Quarter Section Corner

78 79 Drove a Chained Stake Set a post and raised a Mound as per instructions for Corner to Sections 5, 6, 31 And 32

Surface gently rolling Soil 2nd rate

East on a true line between Sections 5 And 32

Variation 11,30 East

Between Townships 10 And 11 N R 2 E 6th Principal Meridian

40 00 Drove a Chained Stake Set a post and raised a Mound as per instructions for Quarter Section Corner

80 00 Drove a Chained Stake Set a post And raised a Mound as per instructions for Corner to Sections 4, 5, 32 And 33

Surface gently rolling Soil 2nd Rate

East on a true line between Sections 4 And 33

Variation 11°30 East

40 00 Drove a Chained Stake Set a post and raised a Mound as per instructions for Quarter Section Corner

3 80 00 Drove a Chained Stake Set a post and raised a Mound as per instructions for Corner to Sections 3, 4, 33 And 34

Surface rolling Soil 2nd Rate

East on a true line between Sections 3 And 34

Variation 11°30 East

Fridian

Between Townships 10 and 11 N R 2 & 6 Principal Me-

40 00 Drove a Chamfered Stake Set a post and raised a Mound as per instructions for quarter Section Corner

80 00 Drove a Chamfered Stake Set a post and raised a Mound as per instructions for Corner to Sections 2, 3, 34 and 35

Surface Gently rolling Soil & Stone

4

East on a true line between Sections 2 and 35

Variation 17 30 East

15 20 Ronne bears N 20 E and S W

21 00 Small Ronne bears North and South

20 00 Ronne bears North and South

10 00 Drove a Chamfered Stake Set a post and raised a Mound as per instructions for quarter Section Corner

5

80 00 Drove a Chamfered Stake Set a post and raised a Mound as per instructions for Corner to Sections 1, 2, 35 and 36

Surface generally rolling Soil & Stone

Between Townships 10 and 11 N R 2 & 6 Principal Meridian

East on a true line between Sections 1 and 36

Variation 17 35 East

24 60 Small Ronne bears North and South

10 00 Drove a Chamfered Stake Set a post and raised a Mound as per instructions for quarter Section Corner

6

68 70 Ronne bears S E and N W

80 00 The Corner to Townships 10 and 11 North Ranges 2 and 3 E

Surface rather broken or Rocky Soil & stone

General Description

The Land in this Township is generally of a good quality, it is well watered Yet but little timber It will admit of large Settlements

From the Corner to Townships 10 and 11 North Ranges 2 and 3 E I run

1388 33

Between Range 2 and 3 East of the 6th Principal Meridian

North between Sections 31 and 36
Variation 16.00 East

40 00 Drove a Charred Stake Set a post and raised a mound as per instructions for quarter Section Corner

80 00 Drove a Charred Stake Set a post and raised a mound as per instructions for Corner to Sections 25, 36, 30, and 31 Surface rolling Soil 2nd rate

---

North between Sections 25 and 30
Variation 16.40 East

31 75 Bearing trees East and West

40 00 Drove a Charred Stake Set a post and raised a mound as per instructions for quarter Section Corner

82 00 Enter bottom bears East and N.

80 00 Drove a Charred Stake Set a post and raised a mound as per instructions for Corner to Sections 24, 25, 19 and 30

(4)

139 139.

Between Range 2 and 3 East of the 6th Principal Meridian

Surface out of bottom rolling Soil 2nd rate of bottom land 1st rate not Subject to overflow

Tuesday August 18th 1857

North between Sections 19 and 24
Variation 16.40 East

9 40 Bearing trees E & W and N

40 00 Drove a Charred Stake Set a post and raised a Mound as per instructions for quarter Section Corner

3 40 60 Creek 15 links wide runs East

80 00 Drove a Charred Stake raised a mound with Post for Corner to Sections 18, 19, 13 and 24 Surface land 1st rate bottom not Subject to overflow

---

North between Sections 13 and 18
Variation 16.40 East

6 00 Grove bottom bears East and N.

34 00 Bearing trees S 8° W and East

40 00 Drove a Charred Stake Set a post and raised a mound as per instructions for quarter Section Corner

140.140

2

Between Ranges 2 and 3 East of the 6th Principal Meridian

51 20 Ronin bears East and West
56 75 Ronin bears S 4° and 18
80 00 Drove a Chamfered Stake Set a post and raised a Mound as per instructions for Corner to Sections 12, 13, 7 and 18
Surface rather broken Soil 2nd rate

North between Sections 7 and 12
Variation 12° 00 East
40 00 Drove a Chamfered Stake Set a post and raised a Mound as per instructions for quarter Section Corner
5
46 65 Enter bottom bears East and West
80 00 Drove a Chamfered Stake Set a post and raised a Mound as per instructions for Corner to Sections 6, 7, 1 and 12
Surface of bottom Soil 1st rate Soil out of bottom rolling Soil 2nd rate

---

North between Sections 1 and 6
Variation 12° 36 East
26 67 Creek 30 links Wide runs E & SE
40 00 Drove a Chamfered Stake Set a post and

3

141 141 1/2

Between Townships 11 and 12 North of the 6th Principal Meridian

raised a Mound as per instructions for quarter Section Corner
58 25 The Same Creek 30 links Wide runs West
62 80 The Same Creek 35 links Wide runs East
76 30 Drove bottom bears N 85 W and S 85
80 00 Drove a Chamfered Stake Set a post and raised a Mound as per instructions for Corner to Sections Townships 11 and 12 North Ranges 2 and 3 East
Surface Chiefly Civil post rate bottom Not Subject to Overflow

---

From the Corner to Townships 11 and 12 North Ranges 2 and 3 East A run West on a Random line between Townships 11 and 12 North Range 3 East
Variation 12° 00 East
I Set Temporary half Mile and Mile Posts at Every 40,00 and 80,00 Chains and at 5 Miles and 78,37 Chains fell 27 links North of Township Corner Therefore the Correction Will be 40 links South per Mile

6

142142

4

Between Townships 11 and 12 N R 2 & 6 Principal Meridian

From the Corner to Townships 11 and 12 North Ranges 1 and 2 East 4 run
East on a true line between Sections 6 and 31
Variation 17.40 East

38 87 Drove a Chained Stake Set a post and raised a Mound as per instructions per quarter Section Corner

78 37 Drove a Chained Stake Set a post and raised a Mound as per instructions per Corner to Sections 5, 6, 31 and 32
Surface level 1st rate bottom not subject to Overflow

East on a true line between Sections 5 and 32
Variation 17.5b East

40 00 Drove a Chained Stake Set a post and raised a Mound as per instructions for quarter Section Corner

80 00 Drove a Chained Stake Set a post and raised a Mound as per instructions per Corner to Sections 4, 5, 32 and 33

2

5

143143

Between Townships 11 and 12 N R 2 & 6 Principal Meridian

Surface level 1st rate bottom not subject to Overflow

East on a true line between Sections 4 and 33
Variation 17.5b East

18 50 Drove bottom bears S 70 W and N 70 E
40 00 Drove a Chained Stake Set a post and raised a Mound as per instructions for quarter Section Corner

72 00 Cross Creek 12 links wide runs S E and bottom bears S E and NW

3

80 00 Drove a Chained Stake Set a post and raised a Mound as per instructions for Corner to Sections 3, 4, 33 and 34
Surface of West 18 Chains level first rate bottom not subject to Overflow balance of line generally rolling 2nd rate upland

Wednesday August 19th 1857

East on a true line between Sections 3 and 34
Variation 17.0 East

40 00 Drove a Chained Stake Set a post and raised a Mound as per instructions for quarter Section

Between Townships 11 and 12 N R 2 E 6th Principal Meridian

Corner

77 00 Trees bottom Bears NW and SE

80 00 Drove a Chamfered Stake Set a post and raised a Mound as per instructions for Corner to Sections 2. 3. 34 and 35.

Surface Chiefly level 1 Hole bottom not Subject to overflow

East on a true line between Sections 2 and 35

Variation 12,4s East

40 00 Drove a Chamfered Stake Set a post and raised a Mound as per instructions for Quarter Section Corner

5 66 75 Enter bottom bears SE and NW

80 00 Drove a Chamfered Stake Set a post and raised a Mound as per instructions for Corner to Sections 1, 2, 35 and 36

Surface Except 15 chains of bottom on East end of line is rolling Soil 2 Role

---

East on a true line between Sections 1 and 36

Variation 12,3o East

Between Ranges 2 and 3 E of 6th Principal Meridian

40 00 Drove a Chamfered Stake Set a post and raised a Mound as per instructions for Quarter Section Corner Trees bears NW and SE

6 69 40 Bears 30 links Dista Trees South and Trees bot

80 00 The Corner to Townships 11 and 12 North Ranges 2 and 3 East

Surface Chiefly level bottom of good quality Not Subject to overflow

---

General Description

This Township Contains a large portion of good farming land Generally 2 role it is well watered, And has some 2 role Elm and Sum Bar Timber on the Streams

---

From the Corner to Townships 11 and 12 North Ranges 2 and 3 East 9 Chs North on a true line between Sections 31 and 36

Variation 12,4o East

40 00 Drove a Chamfered Stake Set a post and raised

146.46

Between Ranges 2 and 3 E & 12 N ~~6th Principal Meridian~~

a Mound as per instructions for quarter Section Corner

58 60 Ronnie bears S W and N E

80 00 Drove a Chamfered Stake Set a post and raised a Mound as per instructions for Corner to Sections 25, 36, 30 and 31

Surface rolling Soil 2nd rate

North between Sections 25 and 30

Variation 13° 00 East

32 60 Ronnie bears East and S 55 W

10 00 Drove a Chamfered Stake Set a post and raised a Mound as per instructions for quarter Section Corner

80 00 Drove a Chamfered Stake Set a post and raised a Mound as per instructions for Corner to Sections 24, 25, 19 and 30

Surface gently rolling Soil 2nd rate

North between Sections 19 and 24

Variation 12, 56 East

40 00 Drove a Chamfered Stake Set a post and

9

147.47

Between Ranges 2 and 3 E & 12 ~~N 6th Principal Meridian~~

raised a Mound as per instructions for quarter Section Corner

44 30 Ronnie bears East and West

80 00 Drove a Chamfered Stake Set a post and raised a Mound as per instructions for Corner to Sections 18, 19, 13 and 24

Surface rolling Soil 2nd rate

North between Sections 13 and 18

Variation 13, 05 East

33 00 Ronnie bears S W and N E

40 00 Drove a Chamfered Stake Set a post and raised a Mound As per instructions for Corner to Quarter Sections

80 00 Drove a Chamfered Stake Set a post and raised a Mound as per instructions for Corner to Sections 12, 13, 7 and 18

Surface rolling Soil 2nd rate

North between Sections 7 and 12

Variation 13, 05 East

5 15 Ronnie bears East and West

Between Ranges 2 and 3 E of the ~~Principal Meridian~~

19 00 Ronnie bears East and West

40 00 Drove a Charred Stake Set a post and raised a mound as per instructions for quarter Section Corner

5 80 00 Drove a Charred Stake Set a post and raised a mound as per instructions for Corner to Sections 1, 2, 6 and 7

Surface rolling Soil 2nd rate

North between Sections 1 and 6

Variation 13° 0' East

35 00 Ronnie bears S E and N W

40 00 Drove a Charred Stake and raised a Mound with Post as per instructions for quarter Section Corner

51 75 The Same Ronnie bears S 10 W and N E

79 11 Intersect the 3rd Standard Parallel 4.58 Chains West of the Corner to Townships 13 North Ranges 2 and 3 East and at the Point of intersection drove a Charred Stake Set a post and raised a Mound as per instructions for Closing Corner to

Between Ranges 2 and 3 E of the ~~Principal Meridian~~

Townships 12 North Ranges 2 and 3 East

Surface rolling Soil 2nd rate

Thursday August 30th 1877

General Description

This Township Contains a large amount of good farming Lands The Surface is generally rolling and Soil 2nd rate, Watered with Running Streams There is also Some 2nd rate Elm Basswood &c and Ash timber on the banks of said Streams

Between Ranges 3 and 4 E 3d Sixth Standard

Beginning at the Established Corner to Townships No 9 North of Ranges No 3 and 4 East of the 6th Principal Meridian

Variation as ascertained by observation of the Polar Star is 11° East

From said Township Corner I run due Westerly on the Second Standard Parallel

Variation 11° East

Over at 39.99 Chains fell 10 Links North of Quarter Section Corner, and from the above described Township Corner I run due Westerly measured West on said Parallel Over at 40.00 Chains fell 6 Links South of quarter Section Corner

Thence West on the Second Standard Parallel for one mile The same being 80 Chains East and 80 Chains West of the Corner to Townships No 9 North Ranges No 3 and 4 East, I must meet a Variation of 11° East

Between Ranges 3 and 4 E 3d 6th Principal Meridian

From the Corner to Townships 9 North Ranges 3 and 4 East I run

North between Sections 31 and 36

Variation 11° East

40 00 Set a Granite Stone 14 in long 12 in wide and 3½ in thick for Quarter Section Corner

81 00 Pointing Leaves East and West

80 00 Set a Granite Stone 16 in long 12 in wide and 5 in thick for Corner to Sections 25 26 30 and 31

Surface gently rolling Soil 2nd rate

North between Sections 25 and 30

Variation 11° East

54 00 Crossed Pine Lakes East and West 80 Ch

40 00 Set a Granite Stone 14 in long 10 in wide and 4 in thick for Quarter Section Corner

80 00 Set a Granite Stone 12 in long 8 in wide and 6 in thick for Corner to Sections 24 25 19 and 30

Surface gently rolling Soil 2nd rate

North between Sections 19 and 24

1582

14

Between Ranges 3 and 4 E of 6th Principal Meridian

Variation 11,15 East

24 30 Bearing bears N 80 E and West

10 00 Set a granite Stone 12 in long 8 in Wide and 6 in Thick for quarter Section Corner

58 30 Enter bottom bears East and West

68 84 Big Blue River 70 Links Wide runs S 75 E

80 00 Set a granite Stone 12 in long 10 in Wide and 6 in Thick for Corner to Sections 13, 24, 18 and 19 This Corner Stands in the Margine of bottom bearing Same bears East and W

Surface of bottom land but of bottom rolling Soil 2d rate

3

North between Sections 13 and 18

Variation 11,15 East

32 50 Bearing bears N 85 W one link East and Enter bottom bears S W and N E

40 00 Set a granite Stone 12 in long 8 in Wide and 6 in Thick for quarter Section Corner

80 00 Set a granite Stone 14 in long 12 in Wide and 4 in Thick for Corner to Sections 12, 13, 7 and 18

Surface of bottom land not Subject to overflow

4

15

1582/83.

Between Ranges 3 and 4 E of 6th Principal Meridian

Soil 1st rate, but of bottom rolling Soil 2 rate

North between Sections 7 and 12

Variation 11,15 East

34 20 Bearing bears W and S E and Same bottom The Same Bearing

40 00 Set a Stone Stone 18 in long 12 in Wide and 2 ft in Thick for quarter Section Corner

80 00 Set a Stone Stone 18 in long 10 in Wide and 6 in Thick for Corner to Sections 6, 7, 1 and 12 Surface rolling out of bottom Soil 2 rate of bottom land Soil 3 rate

5

North between Sections 1 and 6

Variation 11,15 East

31 25 Bearing bears S W and N E

40 00 Set a Stone Stone 17 in long 13 in Wide and 2 ft in Thick for quarter Section Corner

80 00 Set a Stone Stone 22 in long 12 in Wide and 4 in Thick for Corner to Townships 9 and 10 North Ranges 3 and 4 East Surface rolling Soil 3 rate

6

B Stowen Townships 9 North 10 W 3rd & 6th Principal Meridian

From the Corner to Townships 9 and 10 North
Ranges 3 and 4 East 3rd Mer
West on a Random line between Townships 9 and 10
Ranges 3 East

Variation 17½ East

West Temporary half Mile and Mile Corner at
Iron 40.00 and 80.00 Chains and at 5 Miles
78.92 Chains fell 3.18 Links South of Township
Corner therefore the Correction will be 53 Links
North per Mile Saturday August 22nd 1857

From the Corner to Township 9 and 10 North
Ranges 3 and 4 East 3rd Mer
East on a true line between Sections 6 and 31
Variation 17½ East

38.22 Drove a Charred Stake West & set a post and raised a Mound as per instructions for quarter Section Corner

78.92 Drove a Chained Stake West & set a post and raised a Mound as per instructions for Corner to Sections 5, 6, 31 and 32

B Stowen Townships 9 North 10 W 3rd & 6th Principal Meridian

Surface gently rolling Soil 2nd Rate

East on a true line between Sections 5 and 32
Variation 16½ East

40.00 Drove a Charred Stake West a post and raised a Mound as per instructions for quarter Section Corner

80.00 Drove a Chained Stake West a post and raised a Mound as per instructions for Corner to Sections 4, 5, 32 and 33

Surface rolling Soil 2nd Rate

East on a true line between Sections 4 and 33
Variation 16½ East

40.00 Drove a Charred Stake West & set a post and raised a Mound as per instructions for quarter Section Corner

80.00 Drove a Chained Stake West a post and raised a Mound as per instructions ~~for quarter Section~~ for Corner to sections 3, 4, 33 & 34

Surface rolling Soil 2nd Rate

Between Townships 9 and 10 N R 3 E 6th Principal Meridian

East on a Lines Line between Sections 3 and 34
Variation 17 40 East

10 00 Bears N 10 W and South
10 00 Drove a Stone Stake Set a post and raised a Mound as per instructions for quarter Section Corner
68 00 Bears North and South
80 00 Drove a Stone Stake Set a post and raised a Mound as per instructions for Corner to Sections 2, 3, 34 and 35
Surface gently rolling Soil 3rd rate

4

East on a Lines Line between Sections 2 and 35
Variation 16 40 East

38 75 Big Blue River 70 Links Wide runs South
39 65 Cross Stone Creek Sets Timber bears North and South
10 00 Set a Post for quarter Section Corner from which a Willow 10 in dia bears N 86 W 14 Links dist
An Ash 12 in dia bears S 80 E 11 Links dist
43 18 Big Blue River 65 Links Wide runs N E

5

Between Townships 9 and 10 N R 3 E 6th Principal Meridian

67 25 Bears Timber bears North and South, Creek Meanders Big Blue River 75 Links Wide runs South
78 00 Bears Cotton bears North and South
80 00 Set a Stone Stone 15 in long 12 in Wide and 3 in Thick for Corner to Sections 1, 2, 35 and 36 West of West of River Cotton Timber Soil 2nd rate, balance of Line Bottom land, one of first quality generally not Subject to Overflow, Timber on River is 2 quality of Elm Sycamore Ash Walnut and Cotton Wood, Underground Rock Coal Coal Seen

---

East on a Lines Line between Sections 1 and 36
Variation 16 44 East

10 00 Set a Stone Stone 14 in long 12 in Wide and 3 in Thick for quarter Section Corner
6 80 00 The Corner to Townships 9 and 10 North Ranges 3 and 4 East
Surface rolling Soil 2nd rate

General Description

This Township Country is Generally of a good

Township 9 North Range 10 West 6th Principal Meridian

quality both a Surface generally rolling, It is very timbered both in Surface and Soil. It is also well watered yet Sparcely timbered

---

From the Corner to Townships 9 and 10 North Ranges 3 and 4 East Down
East on a Random line between Townships 9 and 10 North Ranges 4 East

Variation 17½ East

Set Temporary Sandstone Mile and Note Corners at Every 40.00 and 80.00 Chains and at 6 miles 1.98 Chains fell 21 Links North of Township Corner Therefore the Correction will be 21.98 Links East and 3½ Links South per mile

Monday August 24th 1857

From the Corner to Townships 9 and 10 North Ranges 4th and 5 East Down
West on a true line between Sections Townships 9 and 10 North Ranges 4 East Sections 1 and 36

Variation 11.09 East

Township 9 North Range 4 East 6th Principal Meridian

17	80	Range Corner North and South
40	00	Set a Granite Stone 12 in long 10 in wide and 3 in thick for quarter Section Corner
80	00	Set a Granite Stone 12 in long 8 in wide and 6 in thick for Corner to Sections 1, 2, 35 and 36 Surface broken Soil & Stoney

---

West on a true line between Section 2 and 35
Variation 11.09 East

15	60	Range Corner to 2 and 35 and South
40	00	Set a Granite Stone 14 in long 9 in wide and 3 in thick for quarter Section Corner
2	66	25 Branch 6 links wide runs N 80
70	75	The same Branch 6 links wide runs S 80 E
80	00	Set a Granite Stone 18 in long 10 in wide and 3½ in thick for Corner to Sections 2, 3, 34 and 35 Surface broken Soil & Stones

---

West on a true line between Sections 3 and 34
Variation 11.09 East

1	30	Branch 6 links wide runs N 80
40	00	Set a Lime Stone 15 in long 10 in wide and 3½ in

6 Miles Townships 9 and 10 N R 4 E 6th Principal Meridian

Chain for quarter Section Corner

66 95 Bonne bear S 6 E and N W

80 00 Set a Lime Stone 14 in long 12 in wide and 3 in thick for Corner to Sections 3, 4, 33 and 34 Surface rather broken Soil 3d rate

3

West on a true line between Sections 4 and 33 Variation 11,30 East

40 00 Set a Lime Stone 15 in long 12 in wide and 3 in thick for quarter Section Corner

4 73 10 Bonne bear North and South

80 00 Set a Lime Stone 18 in long 14 in wide and 3 in thick for Corner to Sections 4, 5, 32 and 33 Surface rather broken Soil 3d rate

---

West on a true line between Sections 5 and 32 Variation 11,51 East

5 10 Bonne bear S 22 E and North

40 00 Set a Lime Stone 15 in long 12 in wide and 3 in thick for quarter Section Corner

5 80 00 Set a Lime Stone 20 in long 12 in wide and 3 in thick for Corner to Sections 5, 6, 31 and 32

6 Miles Range 3 East 4 6 9 10 N 6th Principal Meridian

Surface broken Soil 3d rate

North between Sections 6 and 31 on a true line Variation 11,00 East

31 90 Bonne bears S 22 W and N 15 E

40 00 Set a Lime Stone 15 in long 12 in wide and 3 in thick for quarter Section Corner

6 68 00 Bonne bears North and South

81 95 The Corner to Townships 9 and 10 North Range 3 and 4 East

Surface rolling Soil 2d rate

General Description

The Townships of land varies in Surface and Soil being alternately rolling and broken also 2 and 3 rate. There is but little water or timber within its limits

---

From the Corner to Townships 9 and 10 North Ranges 3 and 4 East 1 mile

North on a true line between Sections 31 and 36

Between Ranges 3 and 4 East of ~~the Principal Meridian~~
Variation 17½ East

1 40 00 Set a Granite Stone 12 in long 8 in Wide and 6 in Thick for quarter Section Corner
50 00 Set a Granite Stone 12 in long 9 in Wide and 8 in Thick for Corner to Sections 25, 36, 30 and 31
Surface Gently rolling Soil 2d rate

North between Sections 25 and 30
Variation 19¼ East

14 20 Large Bearing Trees East and West
40 00 Set a granite Stone 12 in long 9 in Wide and 6 in Thick for quarter Section Corner
2 80 00 Set a Lime Stone 18 in long 12 in Wide and 3 in Thick for corner to Sections 24 25 19 and 30
Surface of South ½ of Mile rolling & North ½ broken Soil 2d rate

---

North between Sections 19 and 24
Variation 19¼ East

40 00 Set a Lime Stone 15 in long 12 in Wide and 3 in Thick for quarter Section Corner
3 80 00 Set a Lime Stone 17 in long 12 in Wide and 3 in

~~Between Ranges 3 and 4 East of the Principal Meridian~~
Thick for corner to Sections 18, 19, 13 and 24
Surface Rolling Soil 2d rate

North between Sections 13 and 18
Variation 19½ East

4 40 00 Set a Lime Stone 15 in long 12 in Wide and 3 in Thick for quarter Section Corner
80 00 Set a Lime Stone 17 in long 12 in Wide and 3 in Thick for Corner to Sections 12, 13, 7 and 18
Surface Gently rolling Soil 2d rate

North between Sections 7 and 12
Variation 19½ East

40 00 Set a Lime Stone 16 in long 10 in Wide and ¾ in Thick for quarter Section Corner
5 57 75 Racine bears S W and N E
80 00 Set a Lime Stone 15 in long 11 in Wide and ¾ in Thick for Corner to Sections 6, 7, 1 and 12
Surface Generally Level Soil 2d Rate
Tuesday August 25th 1857

North between Sections 1 and 6
Variation 19½ East

Between Townships 10 and 11 N. R 3 & 4 E. Principal Meridian

40 00 Set a Stone 8 Inches 16 in long 10 in Ground and 3/4 in Iron for quarter Section Corner

80 00 Set a Stone Stone 20 in long 12 in Ground and Iron for Corner to Townships 10 and 11 North Ranges 3 and 4 East

Surface rolling Soil 2nd rate

From the Corner to Townships 10 and 11 North Ranges 3 and 4 East 1 mile

Set on a Random line between Townships 10 and 11 North Ranges 3 East

Variation 16° East

I Set Temporary Half Mile Angle Mile Corners at Every 40,00 and 80,00 Chains and at 5 Miles and 78,25 Chains fell 48 Links South of the Corner to Townships 10 and 11 North Ranges 3 and 3 East Therefore the Correction will be 8 Links North East per Mile

---

From the Corner to Townships 10 and 11 North Ranges 2 and 3 East 1 mile

East on a true line between Sections 6 and 31

Between Townships 10 and 11 N. R 3 & 4 E. Principal Meridian

Variation 16° East

16 60 Pointe bears N & and S & W

38 28 Grove a Chosen Stake Set a post and raised a Mound as per instructions for quarter Section Corner a Mound

78 28 Grove a Chosen Stake Set a post and raised a Mound as per instructions for Corner to Sections 5, 6, 31 and 32

Surface rolling Soil 2nd rate

East on a true line between Sections 5 and 32

Variation 16° East

40 00 Grove a Chosen Stake Set a post and raised a Mound as per instructions for quarter Section Corner

67 10 Pointe bears N 12 W and South

80 00 Grove a Chosen Stake Set a post and raised a mound as per instructions for Corner to Sections 4, 5, 32 and 33

Surface rolling Soil 2nd rate

East on a true line between Sections 4 and 33

Between Townships 10 and 11 N R 3 & 4 Principal Meridian

Variation 10° 32' East

26 50 Enter bottom bears S 30 E and N 30 W

10 00 Drove a Chamfered Stake S 81 a post and raised a Mound as per instructions for quarter Section Corner

80 00 Drove a Chamfered Stone Set a post and raised a Mound as per instructions for Corner to Sections 3, 4, 33 and 34 Surface of West 1/3 of Mile rolling 2nd rate Surface of East 2/3 of Line level 1st rate bottom not subject to overflow

3

East on a true Line between Sections 3 and 34

Variation 10° 32' East

34 80 Big Blue River 80 Links wide runs South

35 60 Cross Same and Enter Timber bears North and South

4 40 00 Set a post for quarter Section Corner from which An Elm 16 in dia bears S 89 W 33 Links dist An Elm 20 in dia bears N 77½ W 87 Links dist

14 50 Leave Timber bears North and South

53 00 Leave bottom bears North and South

Between Townships 10 and 11 N R 3 & 4 Principal Meridian

80 00 Set a Stone Stone 16 in long 14 in wide and 3 in thick for Corner to Sections 2, 3, 34 and 35 Surface of bottom level 1st rate not subject to overflow out of bottom rolling Soil 2nd rate Timber on River 2 Sale Elm and Cottonwood

---

East on a true Line between Sections 2 and 35

Variation 10° 38' East

12 10 Branch 4 Links wide runs South

10 00 Set a Stone Stone 20 in long 10 in wide and 3½ in thick for quarter Section Corner

5 72 80 Ravine bears N W and S E

80 00 Set a Stone Stone 22 in long 10 in wide and 3½ in thick for Corner to Sections 1, 2, 35 and 36 Surface bottom Timber Soil 2nd rate

---

East on a true Line between Sections 1 and 36

Variation 10° 38' East

40 00 Set a Stone Stone 16 in long 12 in wide and 3 in thick for quarter Section Corner

6 80 00 The Corner to Townships 10 and 11 North Ranges 3 and 4 East

Between Townships 10 and 11 N. Rg 6 E. Principal Meridian

Surface rather broken Soil 2d rate

General Description

This Township Consists of land of a good quality Suitable for most farming purposes it is well watered. Blue River runs across it from North to South, Their is Some 2 rate Cotton wood and Elm Timber along its banks

Medness Clay August 26th 1857

From the Corner to Townships 10 and 11 North Ranges 3 and 4 East 5th Mer.

East on a Random line between Townships 10 and 11 North Range 4 East

Variation 10¼ East

I Set Temporary half Mile and Mile Corners at every 40.00 and 80.00 Chains and at 6 Miles and 1.41 Chains fell 22 Links South of Township Corner, Therefore the Correction will be 141 Links East and 6 7/10 Links North per Mile

Between Townships 10 and 11 N. Rg 6 E. Principal Meridian

From the Corner to Townships 10 and 11 North Ranges 4 and 5 East 5th Mer.

West on a true line between Sections 1 and 36

Variation 10¼ East

40.00 Set a Granite Stone 12 in long 9 in wide and 7 in Thick for quarter Section Corner

55.80 Enter bottom bears S 75 E one link

80.00 Set a Lime Stone 12 in long 9 in wide and 8 in Thick for Corner to Sections 1, 2, 35 and 36

Surface of bottom level rate Soil first Rate Subject to overflow West of bottom very broken Soil 3d rate

West on a true line between Sections 2 and 35

Variation 10¼ East

33.90 Ravine bears N 60 E one link W

40.00 Set a Granite Stone 16 in long 6 in wide and 5 in Thick for quarter Section Corner

80.00 Set a Granite Stone 14 in long 8 in wide and 6 in Thick for Corner to Sections 2, 3, 34 and 35

Surface gravelly broken Soil Gravely 3d rate

Between Townships 10 and 11 N R 4 & 5 Principal Meridian

West on a true line between Sections 3 and 34
Variation 10,25 East

13 35 Bonne bears North and South
40 00 Set a Lime Stone 14 in long 12 in wide and 3 in thick for quarter Section Corner
41 75 Bonne bears North and South
61 55 Bonne bears North and South
80 00 Set a Lime Stone 18 in long 12 in wide and 3 in thick for corner to Sections 3, 4, 33 and 34
Surface broken Soil Gravelly and Poor

3

West on a true line between Sections 4 and 33
Variation 10,28 East

1 60 Bonne bears S W and N E
40 00 Set a Granite Stone 18 in long 9 in wide and 4 in thick for quarter Section Corner
46 85 Bonne bears S E and N W
73 35 Enter Timber bears S E and N W
80 00 Set a post for corner to Sections 4, 5, 32 and 33 from which a
Bur Oak 30 in dia bears S 83 W 190 links dist
Bur Oak 12 in dia bears S 47 E 36 links dist

4

Between Townships 10 and 11 N R 4 & 5 Principal Meridian

a Bur Oak 24 in dia bears N 10 W 45 links dist
a Bur Oak 11 in dia bears N 28 E 84 links dist
Surface very broken Soil & Vale Several Chains of good Timber on West End of line consisting of Bur Oak and Hickory

---

West on a true line between Sections 5 and 32
Variation 10,28 East

1 40 Leave Timber bears North and South
40 00 Set a Granite Stone 12 in long 8 in wide Quarter in Thick for quarter Section Corner
80 00 Set a granite Stone 14 in long 8 in wide and 5 in Thick for Corner to Sections 5, 6, 31 and 32
Surface broken Soil & Vale

5

West on a true line between Sections 6 and 31
Variation 10,5 East

40 00 Set a Lime Stone 18 in long 12 in wide and 3 in Thick for quarter Section Corner
73 70 Bonne bears North and E 20 E
80 41 The Corner to Townships 10 and 11 North Ranges 3 and 4 East

6

Between Ranges 3 and 4 East of 11th Principal Meridian

Surface rather broken Soil 2d rate

Thursday August 27th, 1857

General Description

This Township presents a variety of Surface and Soil the South and West parts are generally good farming lands The North is very broken and Poor It is well watered and has considerable of Timber on the Rivers and Branches. Consisting Chiefly of Bur Oak and Elm

From the Corner to Township 10 and 11 North Ranges 3 and 4 East Same North on a true line between Sections 31 and 36

Variation 10,47 East

8 40 Came to a Stone S E and West

40 00 Set a Granite Stone 14 in long 12 in Wide and 5 in Thick for quarter Section Corner

80 00 Set a Granite Stone 14 in long 12 in Wide and 5 in Thick for Corner to Sections 25 36, 30 and 31 Surface of South half of Mile rather broken of

Between Ranges 3 and 4 East of 11th Principal Meridian

North by rolling Soil 2d rate

North between Sections 25 and 30

Variation 10,30 East

40 00 Set a Granite Stone 16 in long 12 in Wide and 5 in Thick for quarter Section Corner

80 00 Set a Granite Stone 13 in long 11 in Wide and 6 in Thick for Corner to Sections 19, 30, 24 and 25

Surface rolling Soil 2d rate

North between Sections 19 and 24

Variation 10,30 East

40 00 Set a Granite Stone 17 in long 10 in Wide and 4 in Thick for quarter Section Corner

80 00 Set a Granite Stone 16 in long 14 in Wide and 3 in Thick for Corner to Sections 18, 19, 13 and 24

Surface rolling Soil 2d rate

North between Sections 13 and 18

Variation 10,30 E

12 75 Rapid Creek East and West

40 00 Set a Stone Stone 16 in long 14 in Wide and 3

Between Ranges 2 and 4 West of the ~~Principal~~ Meridian

in Third for greater Section Corner

60 00 Bearing East and East

80 00 Set a Limestone 20 in long 12 in wide and 24 in
Thick for Corner to Sections 12, 13, 7 and 18
Surface gently rolling Soil 2d Rate

North between Sections 7 and 12
Variation 9° 30' East

23 20 Bearing West 80 W and N E

40 00 Set a Limestone 18 in long 12 in wide and 4 in
Thick for greater Section Corner

5 75 00 Bearing West N E and S W

80 00 Set a Limestone 22 in long 10 in wide and 24
in Thick for Corner to Sections 6, 7, 1 and 12
Surface rolling Soil 2d Rate

North between Sections 1 and 6
Variation 9° 54 East

38 75 Bearing West N 80 W and S 80 E

40 00 Set a Limestone 18 in wide 12 in long 12 in
wide and Set in Thick for quarters Section Corner

6 80 00 Set a Limestone 22 in long 14 in wide and 4 in

Between Townships 11 and 12 North Ranges 3 & 4 West of the Principal Meridian

Thence for Corner to Townships 11 and 12 North
Ranges 3 and 4 West
Surface as other lines Soil 2d Rate

From the Corner to Townships 11 and 12 North
Ranges 3 and 4 East 1 mile
West on a Random Line between Townships
11 and 12 North Ranges 3 East
Variation 16 30 East (irregular)

1 Set Temporary log 4 miles and Mile Corner
at Every 40 00 and 80,00 Chains and at 5
Miles 78,67 Chains fell 77 Links North of Town-
ships Corner Therefore the Correction will
be 13 Links South per Mile

Sunday August 28th 1857

From the Corner to Townships 11 and 12 North
Ranges 2 and 3 East 1 mile
East on a true Line between Sections 6 and 31
Variation 12,41 East

38 67 Set a Granite Stone 12 in long 9 in wide and 8 in
Thick for quarter Section Corner

61 10 Bearing West North and South

Between Townships 11 and 12 N R 3 E 6th Principal Meridian

78 67 Gave a Chained Stake Set a post and raised a Mound for Corner to Sections 5, 6, 31 and 32 Surface Generally as the two last Set Light 3 Vols

---

East on a true line between Sections 5 and 32
Variation 11¾° East

3 10 Pine bears North and South
38 70 Pine bears North and South
10 00 Gave a Chained Stake Set a post and raised a Mound as per instructions for quarter Section Corner
50 00 Gave a Chained Stake Set a post and raised a Mound as per instructions for Corner to Sections 4, 5, 32 and 33 Surface rolling Soil 2 Vols

---

East on a true line between Sections 4 and 33
Variation 11¼° East

10 00 Gave a Chained Stake Set a post and raised a Mound as per instructions for quarter Section Corner

Between Townships 11 and 12 N R 3 E 6th Principal Meridian

77 75 Creek Bears 4 Links Wide Runs S 10 E and Enters it 8 Links and 8 Links from Mouth
80 00 Set a post for Corner to Sections 3, 4, 33, and 34 from which Ash 24 in dia bears N 78 75 Links dist
A Black Walnut 12 in dia bears N 17½ W 84 Links dist
A Burr Oak 14 in dia bears S 21½ W 86 Links dist
No Tree Convenient in Section 34 to Mark
Surface rolling Soil 2 Vols

East on a true line between Sections 3 and 34
Variation 10¾° East

2 00 Leave Ash bears S E and N W
14 90 Branch 10 Links Wide runs South
10 00 Set a Stone Stone 16 in long 12 in wide and 3 in thick for quarter Section Corner
63 30 Pine bears North and South 8 Ds
50 00 Set a Stone Stone 15 in long 9 in wide and 4 in thick for Corner to Sections 2, 3, 34 and 35 Surface rolling Soil 2 Vols

---

East on a true line between Sections 2 and 35
Variation 10½° East

1788

Between Townships 11 and 12 North Ranges 3 & 4 East of the 6th Principal Meridian

38 68 Pine trees North and South
10 00 Set a Granite Stone 12 in long 10 in wide and 9 in thick for quarter Section Corner
6 14 Pine trees S 80 and N 80
5 80 00 Set a Granite Stone 13 in long 10 in wide and 4 in thick for Corner to Sections 1, 2, 35 and 36
Surface gently rolling Soil 2d rate

East on a true line between Sections 1 and 36
Variation 10,00 East

10 00 Set a Stone Stone 16 in long 10 in wide and 5 in thick for quarter Section Corner
6 67 00 Pine trees North and S 12 W
80 00 The Corner to Townships 11 and 12 North Ranges 3 and 4 East
Surface rolling Soil 2d rate

General Description

This Township of land is generally of good quality averaging 2d rate, It is very uniform both in Surface and Soil It is well watered and has some Timber along the Small Streams

1789

Between Townships 11 and 12 North Ranges 3 & 4 East of the 6th Principal Meridian

Cons & Elm of Bass Oak and Elm of 2d Quality

From the Corner to Townships 11 and 12 North Ranges 3 and 4 East I run
East on a Random Line between Townships 11 and 12 North Ranges 4 East
Variation 10,30 East
I Set Temporary half Mile and Mile Corners at Every 10,00 and 80,00 Chains and at 5 Miles 78,28 Chains fell 48 Links North of Township Corner Therefore The Correction will be 1 72 Links West and 8 Links South per Mile
Monday August 31st 1857

From the Corner to Townships 11 and 12 North Ranges 4 and 5 East I run
West on a true line between Sections 1 and 36
Variation 10,00 East

40 00 Set a Granite Stone 14 in long 10 in wide and 6 in thick for quarter Section Corner
87 10 Pine trees 8 Links wide trees S 22 E
80 00 Set a Granite Stone 12 in long 10 in wide and 7 in thick for corner to Sections 1, 2, 35 and 36

1880

Between Townships 11 and 12 N R 4 & 6 W Principal Meridian

Surface broken Soil 2d Rate

West on a true line between Sections 2 and 35
Variation 10,0 East

40 00 Set a Granite Stone 12 in long 9 in wide and 7 in thick for quarter Section Corner

80 25 Romie bears North and South

2 80 00 Set a Granite Stone 14 in long 10 in wide and 9 in thick for corner to Sections 2, 3, 34 and 35
Surface very broken Soil 3d Rate

West on a true line between Sections 3 and 34
Variation 10,0 East

25 75 Romie bears North 6 and East W

40 00 Set a granite Stone 14 in long 8 in wide and 8 in thick for quarter Section Corner

3 80 00 Set a Granite Stone 15 in long 12 in wide and 8 in thick for corner to Sections 3, 4, 33 and 34
Surface broken Soil 3 Rate

West on a true line between Sections 4 and 33
Variation 10,0 East

1881.

Between Townships 11 and 12 N R 4 & 6 W Principal Meridian

15 80 Romie bears N & E and W

40 00 Set a Granite Stone 14 in long 10 in wide and 8 in thick for quarter Section Corner

4 80 00 Set a Lime Stone 14 in long 10 in wide and 3 ft in thick for corner to Sections 4, 5, 32 and 33
Surface broken Soil 2 Rate

West on a true line between Sections 5 and 32
Variation 10,0 East

40 00 Set a Granite 12 in long 9 in wide and 7 in thick for quarter Section Corner

51 70 Romie bears N 10 E and N 10 W

5 80 00 Set a Lime Stone 14 in long 12 in wide and 8 in thick for Corner to Sections 5, 6, 31 and 32
Surface Rolling Soil 2 rate

West on a true line between Sections 6 and 31
Variation 10,0 East

16 80 Romie bears North and South

40 00 Set a granite Stone 12 in long 10 in wide and 8 in thick for quarter Section Corner

6 52 60 Romie bears North and South

1822

Between Ranges 3 and 4 East N 6th Principal Meridian

1828 The Corner to Townships 11 and 12 North
Ranges 3 and 4 East
Surface rolling Soil 2nd rate

Corner of Description

This Township of Land is Very broken, and Soil generally Not better than Second and Third rate, It is well Supplyed with good running Water, Yet but little Timber

From the Corner to Townships 11 and 12
North Ranges 3 and 4 East Run
North on a line Run between Sections 31 and 36
Variation 10,30 East

40 00 Set a Granite Stone 14 in long 10 in Wide and 8 in Thick for quarter Section Corner

80 00 Set a Granite Stone 12 in long 10 in Wide and 8 in Thick for Corner to Sections 25, 36, 30 and 31
Surface rolling Soil 2 rate

1823.

Between Ranges 3 and 4 East N 6th Principal Meridian

North between Sections 25 and 30
Variation 10,30 East

40 00 Set a Granite Stone 12 in long 9 in Wide and 5 in Thick for quarter Section Corner

80 00 Set a Granite Stone 12 in long 10 in Wide and 8 in Thick for Corner to Sections 19, 30, 24 and 25
Surface Gently rolling Soil 2 rate

North between Sections 19 and 24
Variation 10,32 East

40 00 Set a Granite Stone 9 in long 8 in Wide and 7 in Thick for quarter Section Corner

80 00 Set a Granite Stone 12 in long 10 in Wide and 8 in Thick for Corner to Sections 18, 19, 13 and 24
Surface rolling Soil 2 rate

North between Sections 13 and 18
Variation 10,32 East

40 00 Set a Granite Stone 12 in long 9 in Wide and 8 in Thick for quarter Sections Corner

59 50 Large Ravine 40 rods East and West

Between Ranges 3 and 4 East of 6th Principal Meridian

80.00 Set a Granite Stone 20 in long 9 in Wide and 8 in Thick for Corner to Sections 12, 13, 7 and 18 Surface of North 1/2 of mile rolling Soil 2nd rate of South 1/2 of mile broken Soil 3rd rate

---

North between Sections 7 and 12
Variation 10.0 East

8.20 Rocks bears S 85 E and West
35.20 Rocks bears East and West
40.00 Set a Granite Stone 12 in long 10 in Wide and 10 in Thick for quarter Section Corner
64.48 Rocks bears S 75 E and N 70 W
80.00 Set a Granite Stone 12 in long 10 in Wide and 9 in Thick for Corner to Sections 6, 7, 1 and 12
Surface broken Soil 3rd rate

North between Sections 1 and 6
Variation 10.58 East

23.15 Rocks bears East and West
40.00 Set a Granite Stone 14 in long 7 in Wide and 6 in Thick for quarter Section Corner
42.20 Rocks bears S 6 W and N 6

Between Ranges 3 and 4 E of 12 N 6th Principal Meridian

80.81 Rocks E on the 3rd Standard Parallel 6.48 Chains West of the Corner to Townships 13 North Ranges 3 and 4 East, and at the Point of Intersection Drove a Charred Stake Set a Post and raised a Mound as per Instructions for Closing Corner to Townships 12 North Ranges 3 and 4 East
Surface Broken Soil 3rd rate

Tuesday September 1st 1857

General Descriptions

Township No 12 of Range No 3 Contains much Land of a good Quality generally 2nd rate And is well adapted to Most farming Purposes, It is well Supplyed with Water but little Timber

---

Township No 12 of Range No 4 has rather a broken Surface, Particularly on the Southern Boundary, There is however a Considerable Amount of good farming land well watered, within it Boundary It has but little Timber

We Hereby Certify that we appointed James Withrow deputy Surveyor in Surveying the Exterior boundaries of Townships Numbers 5. 6. 7. 8. 9. 10. 11 and 12 North of the Base line of Ranges 1. 2. 3 and 4 ~~of the~~ East of the 6th Principal Meridian, and that the said Townships have been in all respects to the best of my Knowledge and belief well and faithfully Surveyed and the boundary Monuments planted according to the instructions furnished by the Surveyor General

George Moyer.	Chainman
Augustus Reader	Chainman
Geo S Walker	Comeman
Fredrick Rausher	Comeman
John W. Park	Flagman
Henrich Frob	Flagman

Subscribed and Sworn to before me

The above named persons
before me a Justice of the Peace
for the County of Atchison in
the Territory of Kansas this the
8th day of September A. D. 1857.
Thos. L. Fortune Justice of the peace

I James Withrow Deputy Surveyor, do Solemnly
Swear that in pursuance of a Contract with
John Calhoun Surveyor of the public lands of
the United States in the Territories of Kansas and
Nebraska, bearing date the 3rd day of
July 1857, and in Strict Conformity to the
Laws of the United States and the instructions
given thereto by the said Surveyor General,
I have faithfully Surveyed the Exterior
boundaries of Townships Number 5, 6, 7, 8, 9
10, 11, and 12 North of the base line, of
Ranges 1, 2, 3 and 4 East of the 6th Principal
Meridian in the Territory of Nebraska, and
do further Solemnly Swear that the fore-
going are the true and Original field notes
of Such Survey James Withrow
Dep. Surveyor

Subscribed by said James Withrow
deputy Surveyor, and Sworn to before
me a Notary Public in and for Douglas
County Kansas Territory on this 7th
day of October 1857 David D. Mitchell
Notary Public

Douglas

Surveyor Generals Office
Lecompton K.T. Oct 29. 1857

The foregoing field notes of the survey of the exterior boundaries of Townships Nos 5. 6. 7. 8. 9. 10 11 & 12. North of Ranges 1. 2. 3 & 4 East of the Sixth Principal Meridian in the Territory of Nebraska executed by James Calhoun under his contract of 3d day of July 1857. in the months of July & August. having been critically examined the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved

J. Calhoun
Surveyor General

General Land Office • Original Field Notes

Book Number

17

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.