General Land Office • Original Field Notes

Book Number

30

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Vol. 2 R. 1 E.

T.5-8 N.

R. 1 E.

5-30 Note

of the

Subdivision lines of Townships
No 5 N. of Range No 1 East
of the 6th Principal Meridian
in the Territory of Nebraska.
as Surveyed by Thos H Doyle
Deputy Surveyor. under his Contract
No 204 dated. June 27th 1857.

Subdivision Commenced April 30th 1858
Subdivision Completed May. 6th 1858.

Names & duties of Assistants.

H. B. Rodgers Chainman
G. D. Robinson Chainman
Christopher C. Shepard, Sr. Chainman
D. L. Stuck Compassman

Township 5 N. Range 1 East

6	37	5	27	4	21	3	14	2	7	1
36		35		26		20		13		6
7	35	8	26	9	19	10	13	11	6	12
34		33		25		19		12		5
18	33	17	25	16	18	15	12	14	5	13
32		31		24		18		11		4
19	31	20	23	21	17	22	10	23	4	24
30		30		23		16		9		3
30	29	29	22	28	16	27	9	26	3	25
28		28		22		15		8		2
31	27	32	21	33	15	34	7	35	1	36

Township 5 N R 16 E 6th P.M.

I H. B. Rodrigue do solemnly swear that I will faithfully execute the duties of Chain Carrier, that I will level the chain upon uneven ground, and plumbing the tally pins, whether by stocking or dropping the same, that I will report the true distance to all notable objects, and the true length of all lines that I assist in measuring to the best of my skill and ability

H B Rodrigue

Subscribed and sworn to before me a Notary Public in and for Douglas County K.T. this 23rd day of April A.D. 1858.

David L. Mitchell
Notary Public

Township 5 N. R 1 E. 6th P. M.

Township 5 N. R 1 E. 6th P. M.

G 1

I G. J. Robinson do solemnly swear that I will faithfully execute the duties of Chain Carrier, that I will level the chain upon uneven ground, and plumb the tally pins, whether by stroking or dropping the same; that I will report the true distance to all notable objects and the true length of all lines that I assist in measuring, to the best of my skill and ability

G. J. Robinson

Subscribed and sworn to before me a Notary public in and for the County of Douglas K. T. this 23rd day of April A.D. 1858.

David D. Mitchell
Notary Public

4 F

H. Township 5 N. R 1 & 6 E. Pl.

Township 5 N R. 1 & 6 E Pl.

I Christopher C. Shepard do solemnly swear that I will well and truly perform the duties of Ageman according to instructions given me, and to the best of my Skill and ability

Christopher C Shepard

Subscribed and Sworn to before me a Notary public in and for Douglas County K. T. this 23rd day of April A.D. 1858,

David D. Mitchell
Notary Public

I D. L. Struck do solemnly swear that I will well and truly perform the duties of Compassman, according to instructions given me, and to the best of My skill and ability

D. L. Struck

Subscribed and sworn to before me a Notary public in and for Douglas County K.T. this 23rd day of April AD 1858. David D. Mitchell
" Notary Public

4 F

Township 5 N. R 1 E. 6th P.M.

		Page
	For the following see Blank Line on E. bdry sec 36 pg	47
N.	Bet secs 35 and 36	47
E.	Bet secs 25 and 36	48
N.	Bet secs 25 and 26	49
E.	Bet secs 24 and 25	49
N.	Between 23 and 24	50
E.	Between 13 and 24	50
	Surveyor Generals Approval	51

Township 5 N. R 1 E. 6th P. M.

Survey of

Preceding mines found at turn to page 47

North between Sect 13 & 14.

Variation 12° 10' East

40.00 Set Sandstone Boulder 17" long 8" wide 6" thick for quarter Sect Cor.

80.00 Set Sandstone Boulder 16" long 8" wide 4" thick for Cor to Sect 11. 12. 13. 14.

Rolling prairie Land. Soil 1st Rate.

East on Random line between Sect 12 & 13.

Variation 12° 30' East

40.00 Set temporary quarter Sect Cor.

80.61 Intended East boundary 59 link. North of Cor to Sect 12 & 13 from which Cross Iron

West on true line between Sect 12 & 13.

Variation 12° 5' East.

40.31 Set Sandstone boulder 16" long 12" wide. 6" thick for quarter Sect Cor.

80.61 The Cor to Sect 11. 12. 13. 14

Township 5 N. R 16 E. 6th P. M.

Rolling prairie Land. Soil 1st Rate.

North between Sect. 11 & 12.
Variation 12° 10' East

40 00 Set Sandstone boulder 16" long 9" wide 8" thick for quarter Sect Cor.

80 00 Set Sandstone boulder 15" long 12" wide 8" thick for Cor to Sects 1. 2. 11. 12

Rolling prairie Land. Soil 1st Rate

East on Random line between Sects 1 & 12
Variation 12° 30 East

40 00 Set temporary quarter Sect Cor.

80 27 Intersected East boundary 78 links North of Cor to Sects 1 & 12 from which Corner I mark
West on true line between Sects 1 & 12
Variation 11° 57' East

40 14 Set Sandstone boulder 15" long 10" wide 4" thick for quarter Sect Cor.

Township 5 N. R 16 E. 6th P. M.

80 27 Wit Cor to Sects 1. 2. 11 & 12.
Rolling prairie Land. Soil 1st Rate

North on Random line between Sects 1 & 2
Variation 12° 10' East

40 00 Set temporary quarter Sect Cor.

80 14 Intersected North boundary at Corner to Sects 1 & 2. from which Corner I mark
South on true line between Sects 1 & 2
Variation 12° 10' East

40 14 Set Sandstone boulder 16" long 8" wide 4" thick for quarter Sect Cor.

80 14 Wit Cor to Sects 1. 2. 11 & 12.
Rolling prairie Land. Soil 1st Rate
April 30th 1858

North between Sects 34 & 35
Variation 12° 30 East

40 00 Set Sandstone boulder 16" long 8" wide 4" thick for quarter Sect Cor.

80 00 Set Sandstone boulder 18" long 12" wide 6"

Township 5 N R 1 E of P. M.

Stake for Cor to Sects 26. 27. 34. 35
Rolling prairie Land. Soil 1st Rate

East on Random line between Sect 26 & 35
Variation 12° 30' East

10 46 a Creek 20 links wide runs S.W. its general Course is S.E. a few trees standing along its banks

40 00 Set temporary quarter Sect Cor.

80 94 Intersected N and S line 49 links North of Corner to Sects 25. 26. 35 & 36 from which Cor I mark
West on true line between Sect. 26 & 35
Variation 12° 9' East.

40 47 Set Sandstone boulder 16" long 8" wide 5 i thick for quarter Sect Cor.

80 94 The Cor to Sects ~~E~~ 26. 27. 34 & 35
Rolling prairie. Land. Soil 1st Rate
Timber on Creek Consists of a few Scrubby Elm. of no use but for fencing

Township 5 N R 1 E 6th P. M.

North between Sect 26 & 27.
Variation 12° East.

14.81 a Branch 10 links wide runs East. and at 3 chs joins another branch running South East.

40.00 Set Sandstone 16" long 8" wide 4" thick for quarter Sect Cor.

80.00 Set Sandstone 15" long 10" wide 8" thick for Cor to Sects 22. 23. 26. 27.
Rolling prairie Land. Soil 1st Rate.

East on Random line between Sects 23 & 26.
Variation 12° East

11.50 Creek 20 links wide runs South West. no timber on it.

40.00 Set temporary quarter Sect Cor.

80.14 Intersected N and S line at Corner to Sects 23. 24. 25. 26. from which Cor I mark
West on true line between Sect 23 & 26

Township 5 N R 1 E. 6th P. M.

Variation 12° East

40	07	Set Sandstone boulder 15" long 8" wide 6" thick for quarter Sect Cor.
80	14	The Cor to Sects 22. 23. 26 & 27. Rolling prairie Land. Soil 1st Rate.

North between Sect. 22 & 23.

Variation 12° 20' East.

6	78	a Creek 20 links wide runs S. E.
9	36	Same creek 20 links wide runs S. W.
14	84	Same Creek 20 links wide runs S. E.
29	02	Same Creek 20 links wide runs S. W.
36	20	Same Creek 20 links wide runs S. E.
40	00	Set Sandstone boulder 15" long 8" wide 4½" thick for quarter Sect Cor.
40	50	Same Creek 20 links wide runs S. W.
47	56	Same Creek 20 links wide runs S. E.
60	59	Same Creek 20 links wide runs S. W.
62	03	Same Creek 20 links wide runs S. E.
66	30	Same Creek 20 links wide runs West

Township 5 N R 1 E 6th P. M.

69.38	Same Creek 20 links wide runs S. E.
71.26	Same Creek 20 links wide runs S. W.
76.54	Same Creek 20 links wide runs S. E.
80.00	Set Sandstone boulder 16" long 8" wide 6" thick for Cor to Sect 14. 15. 22. 23. Level bottom Land. Soil 1st Rate. But much broken by the Crooked ness of the Creek. No timber on Creek.

East on Random line between Sect 14 & 23.

Variation 12° East.

40.00	Set temporary quarter Sect Cor.
80.53	Intended N and S line 11 links South of Cor to Sect 13. 14. 23. 24. from which Cor I run

West on true line between Sect 14 & 23.

Variation 12° 5' East.

40.27	Set Sandstone boulder 16" long 7" wide 5" thick for quarter Sect Cor.
80.53	The Cor to Sect 14. 15. 22. 23.

Township 5 N R 1 E. 6th P. M.

Rolling prairie Land. Soil 1st Rate.

North between Sects 14 & 15
Variation 12° East.

5 25 a Creek 15 links wide runs S.W.
40 00 Set Sandstone boulder 15" long 8" wide 4" thick for quarter Sect Cor.
63 50 Same Creek 8 links wide runs S.E.
65 50 Same Creek 8 links wide runs S.W.
80 00 Set Sandstone boulder 15" long 10" wide 4" thick for Cor to Sects 10. 11. 14. 15.
Mostly Rolling prairie Land. Soil 1st Rate.

East on Random line between Sects 11 & 14
Variation 12° East.

22 50 Creek 8 links wide runs S.W.
40 00 Set temporary quarter Sect Cor
80 26. Intersected N and S line 10 links South of Cor to Sects 11. 12. 13 & 14 from which Corner Pine

Township 5 N R 1 E. 6th P. M.

West on true line between Sects 11 & 14
Variation 12° 4' East.

40 13 Set Sandstone Boulder 16" long 8" wide 6" thick for quarter Sect Cor.
80 26 Mound Cor to Sects 10. 11. 14. 15.
Rolling prairie Land. Soil 1st Rate

North between Sects 10 & 11.
Variation 12° East.

40 00 Set Sandstone boulder 16" long 8" wide 4" thick for quarter Sect Cor.
80 00 Set Sandstone boulder 16" long 9" wide 8" thick for Cor to Sects 2. 3. 10 & 11
Rolling prairie Land. Soil 1st Rate

East on Random line between Sects 2 & 11.
Variation 12° East.

40 00 Set temporary quarter Sect Cor.
79 94 Intersected N and S line 20 links North of Cor to Sects 1. 2. 11 & 12 from

Township 5 N R 1 E 6th P. M.

		Which Corner from
		West on true line between Sects 2 & 11
		Variation 11° 51' East.
39	97	Set Sandstone boulder 11" long 10" wide 6"
		thick for quarter Sect Cor.
79	94	the Cor to Sects 2. 3. 10. 11.
		Rolling prairie Land. Soil 1st Rate.

		North on Random line between Sects 2 & 3
		Variation 12°. East.
40	00	Set tamping quarter Sect Cor.
80	29	Intersected North boundary 8 links
		East of former Sects 2 & 3. from
		which Corner 9 runs
		South on true line between Sects 2 & 3
		Variation 12° 3' East.
40	29	Set Sandstone boulder 16" long 8" wide 6"
		thick for quarter Sect Cor
80	29	the Cor to Sects 2. 3. 10. 11
		Rolling prairie Land. Soil 1st Rate.

Township 5 N R 1 E 6th P. M.

May 1st 1858.

		North between Sects 33 & 34.
		Variation 12° 30 East
40	00	Set Sandstone boulder 14" long 9" wide 4" thick
		for quarter Sect Cor.
80	00	Set Sandstone boulder 16" long 13" wide 3" thick
		for Cor to Sects 27. 28. 33 & 34.
		Rolling prairie Land. Soil 1st Rate

		East on Random line between Sects 27 & 34.
		Variation 12° East
24	00	Branch 8 links wide runs S. E.
26	60	Same Branch 8 links wide runs N. E.
27	30	Same Branch 8 links wide runs S. E.
34	70	Same Branch 8 links wide runs N. E.
40	00	Set tamping quarter Sect Cor.
52	50	Same Branch 8 links wide runs S. E.
55	50	Same Branch 8 links wide runs N. E.
80	02	Intersected N and S line 2 links North of

16

Township 5 N R 1 E. 6th P.M.

of lor to Sect. 26. 27. 34. 35 from which
Corner I mon
West on a true line between Sects 27 & 34
Variation 11° 59' East.

40 01 Set Sandstone boulder 17" long 9" wide 3"
thick for quarter Sect Cor.

80 02 the Cor to Sect. 27. 28. 33 & 34
Rolling prin Land. Soil 1st Rate.

North between Sect. 27 & 28
Variation 12° 30' East

8 00 Branch 8 link, wide mon E.

40 00 Set Sandstone boulder 15" long 8" wide 6"
thick for quarter Sect Cor.

80 00. Set Sandstone boulder 18" long 6" wide 4½"
thick for Cor to Sect. 21. 22. 27 & 28.
Rolling prin Land. Soil 1st Rate

East on a Random line between Sect 22 & 27.
Variation 12° East

17

Township 5 N R 1 E 6th P.M.

40 00 Set temporary quarter Sect Cor.

80 00 Intersected N and S line 35 links North
of lor to Sect 22. 23. 26 & 27. from which
Corner I mon
West on a true line between Sect 22 & 27
Variation 11° 45' East

40 00 Set Sandstone boulder 15" long 8" wide 4½" thick
for quarter Sect Cor.

80 00 the Cor to Sect 21. 22. 27. 28.
Rolling prin Land. Soil 1st Rate.

North between Sect 21 & 22.
Variation 12° 20' East

40 00 Set Sandstone 17" long 7" wide 5" thick for
quarter Sect Cor.

80 00 Set Sandstone ~~boulder~~ 15" long 12" wide 10" thick
for Cor to Sect 15. 16. 21 & 22.
Rolling prin Land. Soil 1st Rate

Township 5 N. R 1 E. 6th P. M.

East on Random line between Sects 15 & 22
Variation 12° East.

40 00 Set temporary quarter Sect Cor.
77 00 Creek 10 links wide runs S.W.
79 32 Intersected N and S line 21 links North of Comm to Sects 14. 15. 22. 23 from which Corner I run
West on true line between Sects 15 & 22
Variation 11° 51' East.
39.64 Set Sandstone 17" long 12" wide 6" thick for quarter Sect Cor.
79 32 the Cor to Sects 15. 16. 21 & 22 Rolling prairie Land. Soil 1st Rate

---

North between Sects 15 & 16.
Variation 12°.20 East
40 00 Set Sandstone 15" long 12" wide 4" thick for quarter Sect Cor.
80 00 Set Sandstone 17" long 12" wide 6" thick for Cor to Sects 9. 10. 15. 16.

Township 5 N. R 1 E. 6th P. M.

Rolling prairie Land. Soil 1st Rate

East on Random line between Sects 10 & 15
Variation 12° East.

40.00 Set temporary quarter Sect Cor.
70.10 a Creek 8 links wide runs South
74.20 Same Creek 8 links wide runs North
78.75 Same Creek 8 links wide runs South.
79.18 Intersected N and S line 52 links North of Cor to Sects 10. 11. 14 & 15. from which Corner I run
West on true line between Sects 10 & 15
Variation 11° 38' East.
39.59 Set Sandstone 16" long 12" wide 3" thick for quarter Sect Cor.
79.18 the Cor to Sects 9. 10. 15 & 16. Rolling prairie Land. Soil 1st Rate.

North between Sects 9 & 10
Variation 12°.30 East.

Township 5 N. R 1 E 6th P. Mer.

40	00	Set Sandstone 18" long 10" wide 3" thick for quarter Sect Cor.
80	00	Set Sandstone 20" long 10" wide 3" thick for Cor to Sects 3. 4. 9 & 10. Rolling prairie Land. Soil 1st Rate.

East on Random line between Sects 3 & 10
Variation 11° 40' East.

40	00	Set temporary quarter Sect Cor.
80	02	Intersected N and S line 36 links North of Cor to Sects 2. 3. 10 & 11 from which Corner Trees West on true line between Sects 3 & 10 Variation 11° 25' East.
40	01	Set Sandstone boulder 15" long 8" wide 5" thick for quarter Sect Cor.
80	02	the Cor to Sects 3. 4. 9 & 10 Rolling prairie Land. Soil 1st Rate.

Township 5 N. R 1 E. 6th P. Mer.

North on Random line between Sects 3 & 4
Variation 12° East.

40	00	Set temporary quarter Sect Cor.
79	40	Intersected North boundary 12 links West of Comn to Sects 3 & 4 from which Corner Trees South on true line between Sects 3 & 4 Variation 11° 55' East.
39	40	Set Sandstone boulder 16" long 8" wide 4" thick for quarter Sect Cor.
79	40	the Cor to Sects 3. 4. 9 & 10. Rolling prairie Land. Soil 1st Rate. May 2nd 1858.

North between Sects 32 & 33.
Variation 12° East.

40	00	Set Sandstone boulder 15" long 7" wide 5" thick for quarter Sect Cor.
80	00	Set Sandstone boulder 17" long 8" wide 5" thick for Cor to Sects 28. 29. 32. 33 Rolling prairie Land Soil 1st Rate

22

Township 5 N. R 1 E. 6th P. M.

East on Random line between Sect. 28 & 33
Variation 11° 45' East.

40.00 Set temporary quarter Sect Cor.

79.81 Intersected N and S line 6 Links South of Cor to Sects 27. 28. 33. & 34 from which Corner I run
West on true line between Sect. 28 & 33
Variation 11° 48' East.

39.91 Set Sandstone boulder 16" long 8" wide & thick for quarter Sect Cor.

79.81 the Cor to Sects 28. 29. 32 & 33
Rolling prairie Land. Soil 1st Rate.

North between Sect. 28 & 29.
Variation 12° 20' East

40.00 Set Sandstone boulder 17" long 6" wide 5" thick for quarter Sect Cor.

80.00 Set Sandstone 18" long 8" wide 4" thick for Cor to Sects 20. 21. 28 & 29
Rolling prairie Land. Soil 1st Rate.

23

Township 5 N. R 1 E. 6th P. M.

East on Random line between Sect. 21 & 28
Variation 11° 45' East.

40.00 Set temporary quarter Sect Cor.

41.00 Branch 8 Links wide runs S. Ea. water standing in pools

80.05 Intersected N and S line 11 Links West of Cor to Sect 21. 22. 27 & 28. from which Corner I run
West on true line between Sect 21 & 28
Variation 11° 40' East.

40.03 Set Sandstone 19" long 8" wide 4" thick for quarter Sect Cor.

80.05 the Cor to Sect. 20. 21. 28 & 29.
Rolling prairie Land. Soil 1st Rate

North between Sect. 20 & 21
Variation 12° 20' East.

40.00 Set Sandstone 18" long 7" wide 4" thick for quarter Sect Cor.

Township 5 N. R 1 E. 6th P. M.

80	00	Set Sandstone 15" long 8" wide 5" thick for Cor to Sects 16. 17. 20 & 21. Rolling prairie Land. Soil 1st Rate.
		East on Random line between Sects 16 & 21 Variation 11° 45' East
33	30	Branch 8 links wide runs S. E. (water standing in Pools.)
37	75	Same Branch 8 links wide runs N. E.
39	10	Same Branch 8 links wide runs S. E.
40	00	Set temporary quarter Sect Cor.
80	00	Intersected N and S line 9 links North of Cor to Sects 15. 16. 21 & 22. from which Corner I runs
		West on a true line between Sects 16 & 21 Variation 11° 41' East.
40	00	Set Light Sandstone boulder 16" long 9" wide 4" thick for quarter Sect Cor.
80	00	The Cor to Sects 16. 17. 20. 21. Rolling prairie Land. Soil 1st Rate

May 3rd 1858.

Township 5 N. R 1 E. 6th P. M.

		North between Sects 16 & 17. Variation 12° 20 East
40	00	Set a Sandstone 16" long 7" wide 5" thick for quarter Sect Cor.
81	00	Set Sandstone 17" long 10" wide 3" thick for Cor to Sects 8. 9. 16. 17. Rolling prairie Land. Soil 1st Rate.
		East on Random line between Sects 9 & 16. Variation 11° 45' East.
17	00	Branch 8 links wide runs S. E.
40	00	Set temporary quarter Sect Cor.
79	93	Intersected N and S line at Cor to Sects 9. 10 15 & 16. from which Corner I runs
		West on a true line between Sects 9 & 16. Variation 11° 45' East
39	97	Set Sandstone 16" long 8" wide 5" thick for quarter Sect Cor
79	93	the Cor to Sects 8. 9. 16. 17. Rolling prairie Land. Soil 1st Rate

Township 5 N. R 1 E. 6th P. Mer.

North between Sects 8 & 9.
Variation 12°. 20 East

40.00 Set Sandstone 16" long 9" wide 4" thick for quarter Sect Cor.

80.00 Set Sandstone 17" long 8" wide 4" thick for Cor to Sects 4. 5. 8. 9.

Rolling prairie Land. Soil 1st Rate

East on Random line between Sects 4 & 9
Variation 11° 40' East.

40.00 Set temporary quarter Sect Cor.

79.70 Intersected N and S line 9 links South of Cor to Sects 3. 4. 9. 10 from which Cor. Iron

West on true line between Sects 4 & 9
Variation 11° 44' East.

39.85 Set Sandstone 17" long 8" wide 4" thick for quarter Sect Cor.

79.70 The Cor. to Sects 3. 4. 9 & 10.

Rolling prairie Land. Soil 1st Rate

Township 5 N. R 1 E. 6th P. Mer.

North on Random line between Sects 4 & 5
Variation 12° East

40.00 Set temporary quarter Sect Cor.

79.15 Intersected North boundary 8 links East of Cor to Sects 4 & 5 from which Cor Iron

South on true line between Sect 4 & 5
Variation 12° 3' East.

39.15 Set Sandstone boneder 16" long 8" wide 5" thick for quarter Sect Cor.

79.15 the Cor to Sects 4. 5. 8. 9

Rolling prairie Land. Soil 1st Rate,
May 4th 1858

North between Sects 31 & 32.
Variation 12° East.

40.00 Set Sandstone 17" long 8" wide 4" thick for quarter Sect Cor.

80.00 Set Sandstone 15" long 8" wide 5" thick for Cor to Sects 29. 30. 31 & 32.

Rolling prairie Land. Soil 1st Rate

East on Random line between Sect. 29 & 32
Variation 11° 45 East

40.00 Set temporary quarter Sect Cor.
80.01 Intersected N and S line 108 link. South of Cor to Sect. 28. 29. 32 & 33 from which Corner I runn West on true line between Sect. 29 & 32. Variation 12° 31' East.
40.01 Set Sandstone 15" long 8" wide 5" thick for quarter Sect Cor.
80.01 The Cor to Sect 29. 30. 31 & 32 Rolling prairie Land. Soil 1st Rate

---

West on Random line between Sect. 30 & 31
Variation 12°. 30 East
40.00 Set temporary quarter Sect Cor.
72.00 a Creek 20 link. Wide runs South a few trees on this Creek.
80.19 Intersected West boundary at Corner to

Sect. 30 & 31. from which Corner I runn East on true line between Sect. 30 & 31
Variation 12°. 30 East
40.19 Set post in mound with trench and pits as per instructions for quarter Sect Cor.
80.19 The Cor to Sect 29. 30. 31 & 32. Rolling prairie & level Creek bottom Soil 1st Rate, Timber Cottonwood & Elm. good for nothing but firewood.

North between Sect 29 & 30
Variation 12°. 20 East
40.00 Set Sandstone 16 in long 10" wide 3½" thick for quarter Sect Cor.
80.00 Set Sandstone 16" long 10" wide 4" thick for Cor to Sects 19. 20. 29. & 30 Rolling prairie Land. Soil 1st Rate

Township 5 N. R 1 E. 6th P.M.

East on Random line between Sects 20 & 29
Variation 12° 30' East

40 00 Set temporary quarter Sect Cor.

79.62 Intersected N and S line 5 links North of Cor to Sects 20. 21. 28. 29. from which Corner Iron

West on true line between Sects 20 & 29
Variation 12° 28' East.

39.81 Set a Sandstone boulder 16" long 6" wide 6" thick for quarter Sect Cor.

79 62 The Cor to Sects 19. 20. 29. 30.
Rolling prairie Land. Soil 1st Rate

West on Random line between Sects 19 & 30
Variation 12° 30 East

40 00 Set temporary quarter Sect Cor.

80 42 Intersected West boundary 6 links North of Cor to Sects 19 & 30 from which Cor Iron Ear

East on true line between Sects 19 & 30

Township 5 N. R 1 E 6th P.M.

Variation 12° 33' East.

40.42 Set post in mound with trench and pits as per instructions for quarter Sect Cor.

80.42 The Cor to Sect 19. 20. 29. 30.
Rolling prairie Land. Soil 1st Rate.

North between Sects 19 & 20
Variation 12° 30 East

40.00 Set a Sandstone boulder 14" long 8" wide 5" thick for quarter Sect Cor.

80.00 Set Sandstone boulder 15" long 8" wide 6" thick for Cor to Sects 17. 18. 19. 20
Rolling prairie Land. Soil 1st Rate.

East on Random line between Sects 17 & 20
Variation 12° 30 East

40.00 Set temporary quarter Sect Cor.

79.91 Intersected N and S line 11 links North of

Township 5 N. R. 1 E 6th P.M.

Cor to Sects 16. 17. 20. 21. from which
Corner I run
West on true line between Sects 17 & 20
Variation 12° 25' East

39.96 Set Sandstone boulder 14" long 8" wide 5"
" thick for quarter Sect Cor.

79.91 The Cor to Sects 17. 18. 19. 20.
Rolling prairie Land. Soil 1st Rate.

West on Random line between Sects 18 & 19.
Variation 12°. 30 East

40 00 Set temporary quarter Sect Cor.

80 10 Intersected West boundary 11 links
North of Corner to Sects 18 & 19. from
which Corner I run
East on true line between Sect 18 & 19
Variation 12° 35' East.

40 10 Set post in mound mkd trees
and pits as per instructions for quarter
Sect Cor.

Township 5 N. R. 1 E. 6th P. M.

80.10 The Cor to Sects 17. 18. 19. 20.
Rolling prairie Land. Soil 1st Rate
May 5th 1858

North between Sects 17 & 18
Variation 12°20' East.

40.00 Set Sandstone boulder 15" long 10" wide 8"
thick for quarter Sect Cor.

80.00 Set Sandstone 14" long 12" wide 4" thick
for Cor to Sects 7. 8. 17. 18
Rolling prairie Land. Soil 1st Rate.

East on Random line between Sects 8 & 17
Variation 12°. 30° east

40.00 Set temporary quarter Sect Cor.

79.50 Intersected N and S line 21 links North
of Cor to Sects 8. 9. 16 & 17. from which
Corner I run
West on true line between Sects 8 & 17
Variation 12° 21' East

39.75 Set Sandstone boulder 14" long 8" wide 5" thick

Township 5 N. R. 1 E 6th P.M.

		for quarter Sect Cor.
79	50	The Cor to Sects 7. 8. 17 & 18
		Rolling prairie Land Soil 1st Rate.
		West on Random line between Sects 7 & 8.
		Variation 12° 30' East
40	00	Set temporary quarter Sect Cor.
64	50	Creek 20 links wide runs S. E. a few trees on its bank.
79	78	Intersected West boundary 6 links North of Cor to Sects 7 & 18. from which Corner I runs
		East on true line between Sects 7 & 18
		Variation 12° 33' East.
39	78	Set post in mound with trench and pits as per instructions for quarter Sect Cor.
79	78	The Cor to Sects ~~7 & 8~~ 7 & 8. 17 & 18

Township 5 N. R 1 E. 6th P.M.

		North between Sects 7 & 8.
		Variation 12. 30 East
40	00	Set Sandstone boulder 14" long 8" wide 5" thick for quarter Sect Cor.
80	00	Set Sandstone boulder 15" long 8" wide 5" thick for Cor to Sects 5. 6. 7 & 8
		Rolling prairie Land. Soil 1st Rate
		East on Random line between Sects 5 & 8
		Variation 12 20' East.
40	00	Set temporary quarter Sect Cor.
79	55	Intersected N and S line 6 links South of Cor to Sects 4. 5. 8. 9 from which Cor I runs
		West on true line between Sects 5 & 8
		Variation 12° 23' East
39	78	Set Sandstone boulder 16" long 8" wide 5" thick for quarter Sect Cor.
79	55	The Cor to Sects 5. 6. 7. 8
		Rolling prairie Land. Soil 1st Rate

Township 5 N. R 1 E. 6th P.M.

West on Random line between Sect. 6 & 7
Variation 12° 30' East

40 00 Set temporary quarter Sect Corner.
40 08 Crek 10 links wide runs South.
79.50 Intersected West boundary at Corner to Sects 6 & 7. from which Corner I run
East on true line between Sect. 6 & 7
Variation 12° 30 East
39.50 The point for Corner Stones so near the Crek. that I establish a Witness Corner 30 link. North of true Corner. by setting a Sandstone 18" long 10" wide 3" thick
79 50 The Cor to Sect. 5. 6. 7. 8.
Rolling prairie Land. Soil 1st Rate.

Township 5 N. R 1 E. 6th P.M.

North on Random line between Sect 5 & 6.
Variation 12° 45' East

40.00 Set temporary quarter Sect Cor.
64.00 Branch (head of Crek) 20 link wide runs S.W.
79.22 Intersected North boundary 6 links West of Cor to Sect 5 & 6. from which Corner I run
South on true line between Sect 5 & 6
Variation 12° 42' East.
39.22 Set Sandstone 13" long 8" wide 5" thick for quarter Sect Cor.
79.22 the Cor to Sect 5. 6. 7 & 8.
Rolling prairie Land. Soil 1st Rate
May 6th 1858.

38

Township 5 N R 1 E 6th P.M.

General Description

The quality of Land in this township is first rate, well adapted for Cultivation. it is gently rolling. it is pretty well watered by several Creeks.

Timber is scarce and inferior scarcely enough in the entire township to supply a quarter section of Land. Stone is scarce and consists of detached boulders of sandstone.

No settlements in the township

List of Names

Township 5 N R 1 E 6th P.M.

List of Names

A list of the names of the individuals employed to assist in running meaning or marking the lines and corners described in the foregoing field notes of Township 5 North of Range 1 East of the 6th Principal Meridian in Nebraska Territory, shewing the respective Capacities in which they acted

H B. Rodgers Chainman
G. D. Robinson Chainman
Christopher C. Sheppard Axeman
J. C. Stuck. Compassman

40

Township 5 N. R 1 E. 6th P. M.

We hereby certify that we assisted Thomas H Doyle Deputy Surveyor in subdividing Township No 5 North of Range No 1 East of the 6th Principal Meridian in Nebraska Territory and do further solemnly swear that said township has in all respects to the best of our knowledge and belief been well and faithfully surveyed, and the boundary monuments planted according to the instructions of the Surveyor General.

H B Purrington Chainman
G. J. Robinson Chainman
Chrystopher C Shepard Axeman
J. C. Stuck Compassman

Subscribed and sworn to before me.
a Notary Public in and for Douglas
County N.T. this 24th day of May A.D. 1858.

David D. Mitchell
Notary Public

Township 5 N. R 1 E. 6th P. Mer.

I Thomas H Doyle deputy Surveyor do solemnly swear that in pursuance of a Contract with Johnl Calhoun surveyor of the public lands of the United States in the Territories of Kansas and Nebraska bearing date June 27th 1857. and in strict Conformity to the Laws of the united States, and the instructions furnished by the said Surveyor General, I have faithfully surveyed the subdivision lines of Townships Number One. Two. three four (& five) North of Range No 1 East of the 6th Principal Meridian Nebraska Territory and do further solemnly swear that the foregoing are the true and orignal field notes of such survey.

Thomas H. Doyle

Deputy Surveyor

Subscribed by said Thos H Doyle Deputy.

Surveyor. and sworn to before
me a Justice of the peace for
the County of Jackson. State of.
Missouri this 26th day of June
1858.

(William A Strong
Justice of the Peace)

State of Missouri }
County of Jackson } ss I John J Gough
Clerk of the Kansas city court of
common Pleas in the county and
State aforesaid hereby certify that
William A. Strong whose name
is subscribed to the foregoing affidavit
is and was at the time of the taking
of the same an acting Justice of
the peace for said county duly
commissioned and qualified
and his official acts are entitled
to full faith & credit and I further

certify that his signature
is genuine
In Testimony whereof
I have hereunto set my
hand & affixed the seal
of said court at office
in the city of Kansas
this 26th day of June
A D 1858
John J Gough
Clerk

note pg 5

Township 5 N R 1 E. 6th P.M.

To obtain the proper adjustment of my Compass for subdividing this township I commence at the Corner to Townships 4 & 5 N. Ranges 1 & 2 East and run

North on a blank line along the East boundary of Section 36.

Variation 12°. 30 East.

39.86 To a point 15 links West of Quarter Sect Cor.
80.03 To a point 34 links West of Corner to Sects 25 & 36. To retrace this line or run parallel thereto my Compass must be adjusted to a Variation of 12°. 15' East

Subdivision Commenced April 30th 1858.

From the Corner to Sects 35 & 36 on the South boundary of the Township I run

North between Sects 35 & 36.

44 48

2

Township 5 N R 1 E. 6 P. Mer.

Chs.	Lks.	
		Variation 12°-15 East
40	00	Set Limestone 16" long 9" wide 4" thick for quarter Sect Cor.
80	00	Set Limestone 15" long 12" wide 3" thick for Cor to Sects 25. 26. 35 + 36.
		Rolling prairie Land. Soil 1st Rate.
		East on Random line between Sects 25 + 36
		Variation 12°-15 East
40	00	Set temporary quarter Sect Cor.
79	50	Intersected East boundary of township 6 links South of corner to Sects 25 + 36 from which Cor 3 ins West on true line between Sects 25 + 36
		Variation 12° 18' East
39	75	Set a Limestone 24" long 7" wide 3" thick for quarter Sect Cor.
79	50	The Cor to Sects 25. 26. 35 + 36.
		Rolling prairie Land. Soil 1st Rate

3

49

Township 5 N R 1 E. 6th P. M.

North between Sects 25 + 26

Variation 12°-40 East

40	00	Set Limestone 18" long 12" wide 6" thick for quarter Sect Cor.
80	00	Set a Sand Stone boulder 16" long 8" wide 5" thick for Cor to Sects 23. 24. 25. 26
		Rolling prairie Land. Soil 1st Rate.
		East on Random line between Sects 24 + 25
		Variation 12°-15 East
40	00	Set temporary quarter Sect Cor.
80	06	Intersected East boundary 50 links South of Cor to Sects 24 + 25 from which Cor 3 ins West on a true line between Sects 24 + 25
		Variation 12° 36' East.
40	03	Set Sandstone Boulder 18" long 12" wide 3" thick for quarter Sect Cor.
80	06	The Cor to Sects 23. 24. 25 + 26.
		Rolling prairie Land. Soil 1st Rate.

4 50 4

Township 5 N. R 1 E. 6th P. M.

North between Sects 23 & 24.
Variation 12° 30' East

40.00 Set Sandstone boulder 16" long 11" wide
5" thick for quarter Sect Cor
80.00 Set Sandstone boulder 17" long 6" wide
5" thick for Cor to Sects 13. 14. 23. 24
Rolling prairie land. Soil 1st Rate

East on Random line between Sects 13 & 24
Variation 12° 30 East

40.00. Set temporary quarter Sect Cor
80.75 Intended East boundary 40 links
North of Cor to Sects 13 & 24 from
which Cor 3 mm
Mast on true line between Sects 13 & 24
Variation 12° 13' East
40 38 Set Sandstone 16" long 10" wide 4" thick
for quarter Sect Cor.
80 75 The Cor to Sects 13. 14. 23 & 24.
Rolling prairie land. Soil 1st Rate.

57

Surveyor Generals office
Nebraska City N. T.
July 15. 1858

The foregoing field notes of the sub division lines of Townships no. one, two three, four & five, North of Range No. one East of the Sixth Principal Meridian in the Territory of Nebraska executed by Thomas A. Doyle under his contract No 204 dated the 27th day of June 1857 in the months of June & July 1857 and April & May 1858, having been critically examined and the necessary corrections and alterations made. the said field notes and the Surveys they describe are hereby approved.

J. Calhoun

Surveyor General.

52

Platte Co 2 /

No 199. Dated June 20. 1857.

1/53

55.

Field notes of the Survey of the Subdivision of lines in Township No 6 North of the Base line of Range No 1 East of the 6th Principal Meridian in Nebraska Territory, Surveyed by George M Dilford Deputy Surveyor under his contract Number 198 bearing date June the 20th 1857

Subdevision

Commenced August 27th 1857

Completed " 7th 1857

Surveyed & found correct

Oct 2d 1857 Vandzander

Names and duties of assistants

John J. Plummer Chainman

Talbert Mack "

Frederic Kuhn Marker

Samuel Cambel Flagman

Township 6 N. Range 1 East

6	29	5	21	4	16	3	11	2	6	1
	28		28		21		16		11	5
7	28	8	20	9	15	10	10	11	5	12
	27		26		20		15		10	4
18	26	17	19	16	14	15	9	14	4	13
	26		25		19		14		9	3
19	25	20	19	21	13	22	8	23	3	24
	24		24		18		13		8	3
30	23	29	18	28	13	27	7	26	2	25
	23		22		17		12		7	2
31	22	32	17	33	12	34	7	35	1	36

54 56

57

United States of America

State of Missouri } ss. John Plumm
mer S. Campbell F. Kuhn Robert
Mack and
do Solomonly Swear that we will
execute the duties of chainmen
carriers: that we will level the chain
upon unleaven ground and plumb
the tally pins whether by Sticken
or droping the same that we will
report the true distance to all
notable objects and the true length
of all lines that we assist in measur
ing to the best of our Skill and ability
& faithfully perform the duties of Appraisers and
Flagmen

John I Plumm
Robert Mack
Frederic Kuhn
Sam'l Campbell

Subscribed & Sworn to before me this
27 day of June A. D. 1857

B Wood Mayor
of the City of Weston
Missouri

and Sworn to before me

Township 6 N Range 1 East

To determine the proper adjustment of my compass for subdividing this Township. I commenced at the corner to Townships 5 & 6 N of R 1 & 2 East and run north, on a blank line along the Eastern Boundary of Section 36

Variation 11° 30' East

39.96 To a point 10 lks East of quarter Sec corner

79.92 To a point 16 lks East of corner to Sec 25 & 36

To retrace this line my compass ~~must~~ must be adjusted to a variation of 11°36' East

Subdivision commenced August 6th 1857

From the corner to Sec 35 & 36 on the South Boundary of Township 7 North between Sections 35 & 36.

Variation 11° 36' East

40.00 Set quartz Stone 12 inches long & 6 inches thick for quarter Sec corner

60 2/62

Township 6 N R 1 East

80.00	Set Limestone 18 in long 14 in wide 3 in thick for corner to Sec 25. 26. 35 & 36
	Surface gently rolling Soil 1st rate
	East on random line between Sections 25 & 36
	Variation 11° 30' East
40.00	Set Stone for temporary quarter Sec corner
80.16	Intersected East Boundary 10 lks North of corner to Sec 25 & 36 from which corner Bears West on true line between Sec 25 & 36
	Variation 11° 26' East
40.08	Set Limestone 16 in long 12 in wide 3 in thick for quarter Section Corner
80.16	The corner to Sec 25. 26. 35 & 36
	Surface gently rolling Soil 1st rate
	North between Sections 25 & 26
	Variation 11° 36 East
40.00	Set quartz Stone 16 in long 10 in wide 8 in thick for quarter Sec corner
75.00	Branch 5 lks wide course S. E.
80.00	Set Lim Stone 18 in long 14 in wide 3 in thick for corner to Sec 23. 24. 25 & 26

3/63

Township 6 N R 1 East

	Surface gently rolling Soil 1st rate
	East on random line between Sections 24 & 25
	Variation 11° 30' East
40.00	Set Stone for temporary quarter Sec corner
80.70	Intersected East Boundary 20 lks North of corner to Sec 24 & 25 from which corner Bears West on true line between Sec 24 & 25
	Variation 11° 22' East
40.35	Set quartz Stone 14 in long 10 in wide 10 in thick for quarter Sec corner
80.70	The corner to Sec 23. 24. 25 & 26
	Surface rolling Soil 1st rate
	North between Sections 23 & 24
	Variation 11 15 East
40.00	Set quartz Stone 16 in long 12 in wide 8 in thick for quarter Sec corner
80.00	Set Limestone 18 in long 14 in wide 3 in thick for corner to Sec 13. 14. 23 & 24
	Surface rolling Soil 2nd rate
	East on random line between Sections 13 & 24

60 4/64

Township 6 N R 1 East

Variation 11° 30' East

40.00 Set Stone for temporary quarter-Sec corner

80.50 Intersected East Boundary 65 lks North of corner to Sec 13 & 24 from which corner Bears West on true line between Sec 13 & 24

Variation 11° 02' East

40 25/25 Set quartz Stone 16 in long 8 in wide & in thick for quarter Sec corner

80.50 The corner to Sec 13. 14. 23 & 24

Surface rolling Soil 1st rate

North between Sections 13 & 14

Variation 11 East

40.00 Set quartz Stone 14 in long 12 in wide 8 in thick for quarter Sec corner

80.00 Set Sine Stone 18 in long 10 in wide 3 in thick for corner to Sec 11. 12. 13 & 14

Surface rolling Soil 1st rate

East on random line between Sections 12 & 13

Variation 11° East

40.00 Set Stone for temporary quarter Sec corner

5/65

Township 6 N R 1 East

80.70 Intersected East Boundary 11 lks North of corner to Sections 12 & 13 from which corner Bears West on true line between Sec 12 & 13

Variation 10° 56' East

40.35 Set quartz Stone 14 in long 8 in wide 8 in thick for quarter Sec corner

80.70 The corner to Sec 11. 12. 13 & 14

Surface rolling Soil 1st rate

North between Sections 11 & 12

Variation 10° 45' East

40.00 Set quartz Stone 16 in long 10 in wide 8 in thick for quarter Sec corner

80.00 Set Sine Stone 18 in long 13 in wide 3 in thick for corner to Sec 1. 2. 11 & 12

Surface rolling Soil 1st rate

East on random line between Sections 1 & 12

Variation 11 East

40.00 Set Stone for temporary quarter Sec corner

50.00 Branch 10 lks wide course S. E

80.20 Intersected East Boundary 10 lks North

60

Township 6 N R 1 East

	of corner to Sec 1 & 12 from which corner Bound post on true line between Sec 1 & 12
	Variation 16° 56' East
40.10	Set Lime Stone 17 in long 10 in wide 3 in thick for quarter Sec corner
80.20	The corner to Sec 1, 2, 11 & 12
	Surface rolling Soil 1st rate
	North on random line between Sections 1 & 12
	Variation 16° 45' East
40.00	Set Stone for temporary quarter Sec corner
54.00	Branch 8 lks wide course S. E
79.86	Intersected North Boundary 15 lks west of corner Sec 1 & 2 from which corner Bound South on true line between Sec 1 & 2
	Variation 16° 39' East
39.86	Set quartz Stone 14 in long 8 in wide 6 in thick for quarter Sec corner
79.86	The corners to Sec 1, 2, 11 & 12
	Surface rolling Soil 1st rate
	August 24th 1857

Township 6 N R 1 East

	North Between Sections 34 & 35
	Variation 11° 30' East
40.00	Set quartz Stone 16 in long 12 in wide 8 in thick for quarter Sec corner
80.00	Set Lime Stone 18 in long 14 in wide 4 in thick for corner to Sec 26, 27, 34 & 35
	Surface gently rolling Soil 1st rate
	East on random line between Sections 26 & 35
	Variation 11° 30' East
40.00	Set Stone for temporary quarter Sec corner
79.96	Intersected N & S line 30 lks north of corner to Sec 25, 26, 35 & 36 from which corner Bears West on true line between Sec 26 & 35
	Variation 11° 1/4 East
39.98	Set quartz Stone 18 in long 14 in wide 8 in thick for quarter Sec corner
79.96	The corner to Sec 26, 27, 34 & 35
	Surface rolling Soil 2nd rate
	North between Sections 26 & 27
	Variation 11° 30' East

Township 6 N Range 1 East

40.00	Set quartz Stone 16 in long 12 in wide 6 in thick for quarter Sec corner
80.00	Set Lime Stone 18 in long 14 in wide 3 in thick for corner to Sec 22. 23. 26 & 27 Surface rolling Soil 1st rate
	East on random line between Sections 23 & 26 Variation 11° 15' East
34.00	Branch 5 lks wide course S. E
40.00	Set Stone for temporary quarter Sec corner
80.20	Intersected N & S line 3 chs North of corner to Sec 23. 24. 25 & 26 from which corner Bears West on true line between Sec 23 & 26 Variation 11° 02' East
40.10	Set quartz Stone 15 in long 12 in wide 6 in thick for quarter Sec corner
80.20	The corner to Sec 22. 23. 26 & 27 Surface rolling Soil 1st rate
	North between Sections 22 & 23 Variation 11° 30' East
1.00	Branch 3 lks wide course East

Township 6 N Range 1 East

40.00	Set quartz Stone 12 in long 10 in wide 6 in thick for quarter Sec corner
80.00	Set Lime Stone 18 in long 15 in wide 3 in thick for corner to Sec 14. 15. 22 & 23 Surface gently rolling Soil 1st rate
	East on random line between Sections 14 & 23 Variation 11° 15' East
40.00	Set Stone for temporary quarter Sec corner
80.50	Intersected N & S line 50 lks North of corner to Sec 13. 14. 23 & 24 from which corner Bears West on true line between Sec 14 & 23 Variation 10° 54' East
40.25	Set quartz Stone 12 in long 16 in wide 8 in thick for quarter Sec corner
80.50	The corner to Sec 14. 15. 22 & 23 Surface rolling Soil 1st rate
	North between Sections 14 & 15 Variation 11° East
40.00	Set Lime Stone 16 in long 12 in wide 3 in thick for quarter Sec corner

60

10/70

Township 6 N Rl East

80.00	Set Linestone 18 in long 11 in wide 3 in thick for corner to Sec 10. 11. 14 & 15 Surface level Soil 1st rate
	Eastern random line between Sections 11 & 14 Variation 11° East
40.00	Set Stone for temporary quarter Sec corner
80.30	Intersected N & S line 1 links north of corner to Sec 11. 12. 13 & 14 from which corner B. Ins mark on true line between Sec 11 & 14 Variation 16° 56' East
40.15	Set quartz Stone 14 in long 12 in wide 8 in thick for quarter Sec corner
80.30	The corner to Sec 10. 11. 14 & 15 Surface rolling Soil 1st rate
	North between Sections 10 & 11 Variation 16° 45' East
40.00	Set quartz Stone 14 in long 12 in wide 8 in thick for quarter Sec corner
80.00	Set limestone 16 in long 12 in wide 3 in thick for corner to Sec 2. 3. 10 & 11

11/71

Township 6 N Rl East

Surface gently rolling Soil 1st rate

	Eastern random line between Sections 2 & 11 Variation 11 East
40.00	Set Stone for temporary quarter Sec corner
80.10	Intersected N & S line 1 link north of corner to Sec 1. 2. 11 & 12 from which corner B. Ins mark on true line between Sec 2 & 11 Variation 16° 3' East
40.05	Set quartz Stone 12 in long 10 in wide 8 in thick for quarter Sec corner
80.10	The corner to Sec 2. 3. 10 & 11 Surface rolling Soil 2nd rate
	North random line between Sections 2 & 3 Variation 16° 45' East
40.10	Set Stone for temporary quarter Sec corner
79.16	Intersected ~~B. Ins mark~~ 12 lks East of corner to Sec 2 & 3 from which corner B. Ins mark South on true line between Sec 2 & 3 Variation 16° 56' East
39.16	Set quartz Stone 14 in long 10 in wide 8 in

60

12/72

12

Township 6 N R 1 East

	thick for quarter Sec corner
77.16	The corner to Secs 2, 3, 10 & 11
	Surface rolling Soil 2nd rate
	August 3rd 1837
	North between Secs 1 & 35 & 33 & 34
	Variation 11° 15' East
40.00	Set quartz Stone 16 in long 11 in long 8 in thick
	for quarter Sec corner
80.00	Set Lime Stone 18 in long 10 in wide 3 in thick
	for corner to Secs 27, 28, 33 & 34
	Surface gently rolling Soil 1st rate
	East on random line between Sections 27 & 34
	Variation 11° 15' East
40.00	Set Stone for temporary quarter Sec corner
80.16	Intersected N & S line 15 lks North of corner to
	Secs 26, 27, 33 & 34 from which corner Bears
	West on true line between Secs 27 & 34
	Variation 11° 54' East
40.03	Set quartz Stone 9 in long 5 in wide 7 in thick
	for quarter Sec corner

13

13/73

Township 7 N R 1 East

80.16	The corner to Secs 27, 28, 33 & 34
	Surface rolling Soil 1st rate
	North between Sections 27 & 28
	Variation 11° 15' East
40.00	Set quartz Stone 16 in long 11 in wide 8 in thick
	for 1/4 Section corner
80.00	Set Limestone 18 in long 14 in wide 3 in thick
	for corner to Secs 21, 22, 27 & 28
	Surface rolling Soil 1st rate
	East on random line between Sections 27 & 27
	Variation 11° East
40.00	Set Stone for temporary quarter Sec corner
79.20	Intersected N & S line 15 lks North of corner to
	Secs 22, 23, 26 & 27 from which corner Bears
	West on true line between Secs 22 & 27
	Variation 10° 54' East
39.35	Set quartz Stone 16 in long 11 in wide 6 in thick
	for quarter Sec corner
79.90	The corner to Secs 21, 22, 27 & 28
	Surface rolling Soil 1st rate
	North between Sections 21 & 22

60

14
74

14

Township 6 N Rd East

Variation 11° 36' East

40.00	Set quartz Stone 12 in long 10 in wide 5 in thick for quarter Sec corner
80.00	Set Lime Stone 16 in long 10 in wide 5 in thick for corner to Sec 15, 16, 21 & 22 Surface level Soil 1st rate

Courses & distances between Sections 15 & 22

Variation 11° 00' East

40.00	Set Stone for temporary quarter Sec corner
72.62	Intersected N & South line 42 links North of corner to Sec 15 & 22 & 23 from which corner Bears West on the line between Sec 15 & 22

Variation 11° 25' East

32.81	Set quartz Stone 14 in long 9 in wide 6 in thick for quarter Sec corner
72.62	The corner to Sec 15, 16, 21 & 22 Surface level Soil 1st rate

North between Sections 15 & 16

Variation 11° East

40.00	Set quartz Stone 14 in long 10 in wide 6 in thick

15
75

Township 6 N Rd East

for quarter Sec corner

80.00	Set Lime Stone 18 in long 12 in wide 5 in thick for corner to Sec 9, 10, 15 & 16 Surface gently rolling Soil 1st rate

Courses & distances between Sections 10 & 15

Variation 11° East

40.00	Set Stone for temporary quarter Sec corner
77.50	Intersected N & S line 50 Lks North of corner to Sec 10 & 15 & 16 from which corner Bears West on the line between Sec 10 & 15

Variation 10° 15' East

32.65	Set quartz Stone 14 in long 10 in wide 5 in thick for quarter Sec corner
72.30	The corner to Sec 9, 10, 15 & 16 Surface gently rolling Soil 1st rate

North between Sections 9 & 10

Variation 11° East

40.00	Set quartz Stone 14 in long 10 in wide 6 in thick for quarter Section Corner
80.00	Set Lime Stone 16 in long 12 in wide 5 in

60

16/76

76

Township 60 N. 1 East

		1 Stick for corner to Sec 3, 34, 9 & 10
		Surface gently rolling Soil 1st rate
		East on random line between Sections 9 & 10
		Variation 11° East
40	10	Set Stone for temporary quarter Sec corner
72	20	Intersected W. Side line 35 Rds North of corner
		to Sec 2, 3, 10 & 11 from which corner Brs
		West on true line between Sec 3 & 10
		Variation 10° 45 East
32	10	Set quartz Stone 13 in long 9 in wide 7 in thick
		for quarter Sec corner
72	10	Pine corner to Sec 3, 4, 9 & 10
		Surface gently rolling Soil 1st rate
		North on random line between Sections 3 & 4
		Variation 11° 15' East
40	00	Set Stone for temporary quarter Sec corner
72	20	Intersected North & South Sides Each of
		Corner to Sec 3 & 4 from which corner Brs
		South on true line between Sec 3 & 4
		Variation 11° 36 East

77

17/77

Township 6 N. Rge 1 East

32	20	Set quartz Stone nine long 12 in wide 8 in
		thick for quarter Sec corner
72	20	Pine corner to Sec 3, 34, 9 & 10
		Surface gently rolling Soil 1st rate
		Augst 2 A.D. 1857
		North between Sections 32 & 33
		Variation 11° 30 East
80	00	Set quartz Stone nine long 10 in wide 6 in
		thick for quarter Sec corner
80	00	Set Pine Stone 16 in long 12 in wide 3 in thick
		for corner to Sec 28, 29, 32 & 33
		Surface gently rolling Soil 1st rate
		East on random line between Sections 28 & 33
		Variation 11° 30' East
40	00	Set Stone for temporary quarter Sec corner
72	60	Intersected W. Side line 70 Rds South of corner
		to Sec 29, 28, 33 & 32 from which corner Brs
		West on true line between Sec 28 & 33
		Variation 12° 0' East
32	80	Set quartz Stone 13 in long 10 in wide 8 in thick

60

18
78

78

Township 6 N R 1 East

72.60		The corner to Sec 25, 22, 32 & 33
		Surface level Soil 1st rate
		North between Sections 28 & 29
		Variation 11° 30' East
40.00		Set quartz Stone 16 in long 12 in wide 3 in thick for quarter Sec corner
80.00		Set Limestone 16 in long 12 in wide 3 in thick for corner to Sec 16, 17, 20 & 21
		Surface level Soil 1st rate
		Eastern random line between 16 & 21
		Variation 12° East
40.00		Set Stone for temporary quarter Sec corner
72.60		Intersected N & S line 32 lks South of corner to Sec 15, 16, 21 & 22 from which an Ash 8 in diam bears N 70 E dist 16 links
		Variation 12° 15' East
39.80		Set quartz Stone 12 in long 12 in wide 6 in thick for quarter Sec corner
72.60		The corner to Sec 16, 17, 20 & 21
		Surface gentle rolling Soil 1st rate

79

19
79

Township 6 N R 1 East

		North between Sections 20 & 21
		Variation 11° 15' East
40.00		Set quartz Stone 16 in long 12 in wide 3 in thick for quarter Sec corner
80.00		Set Limestone 16 in long 12 in wide 3 in thick for corner to Sec 16, 17, 20 & 21
		Surface level Soil 1st rate
		Eastern random line between 16 & 21
		Variation 12° East
40.00		Set Stone for temporary quarter Sec corner
72.60		Intersected N & S line 32 lks South of corner to Sec 15, 16, 21 & 22 from which an Ash 8 in diam bears N 70 E dist 16 links
		Variation 12° 15' East
39.80		Set quartz Stone 12 in long 12 in wide 6 in thick for quarter Sec corner
72.60		The corner to Sec 16, 17, 20 & 21
		Surface level Soil 1st rate
		North between Sections 16 & 17
		Variation 11° 15' East

60

20
80

20

Township 6 N Rge 1 East

11.00	Set quartz Stone 15 in long 11 in wide 8 in thick for quarter Sec corner	
80.00	Set Sine Stone 16 in long 14 in wide 3 in thick for corner to Sec 8, 9, 16 & 17 Surface Level Soil 1st rate	
	East on random line between Sections 9 & 16	
	Variation 12° East	
11.00	Set Stone for temporary quarter Sec corner	
78.72	Intersected N & S line 6 lks South of Corner to Sec 9, 10, 15 & 16 from which corner Bears West on true line between Sec 9 & 16	
	Variation 12° 08' East	
32.86	Set quartz Stone 13 in long 11 in wide 7 in thick for quarter Sec corner	
79.72	3 Trees marked Sec 8, 9, 16 & 17	
	Surface Level Soil 1st rate	
	North between Sections 8 & 9	
	Variation 12° East	
11.00	Set quartz Stone 11 in long 9 in wide 7 in thick for quarter Sec corner	

21

Township 6 N Rge 1 East

80.00	Set Sine Stone 16 in long 12 in wide 3 in thick for corner to Sec 4, 5, 8 & 9	
	Surface Level Soil 1st rate	
	East on random line between Sections 4 & 5	
	Variation 12° East	
11.00	Set Stone for temporary quarter Sec corner	
78.64	Intersected N & S line 6 lks South of Corner to Sec 3, 4, 9 & 10 from which corner Bears West on true line between Sec 4 & 9	15½
	Variation 12° 26' East	
33.80	Set quartz Stone Stone 14 in long 10 in wide 8 in thick for quarter Sec corner	
79.64	3 Trees Corner to Sec 4, 5, 8 & 9	
	Surface Level Soil 1st rate	
	North on random line between Sections 4 & 5	
	Variation 12° East	
11.00	Set Stone for temporary quarter Sec corner	
78.50	Intersected North Boundary 10 lks East of Corner to Sec 4 & 5 from which corner Bears South on true line between Sec 4 & 5	

21

81

Township 6 or N. 1 East

Variation 12° 17' East

58.50	Set quartz stone 14 in long 10 in wide & in thick for quarter Sec corner
79.50	The corner to Sec 21, 5, 8 & 9
	Surface level Soil 1st rate

August 5th to 18 3 7

North between Section 31 & 32

Variation 12 East

40.00	Set quartz stone 16 in long 12 in wide & in thick for quarter Sec corner
80.00	Set Lime Stone 16 in long 12 in wide 3 in thick for corner to Sec 29, 30, 31 & 32
	Surface gently rolling soil 1st rate

East on random line between Sections 29 & 32

Variation 12° East

40.00	Set Stone for temporary quarter Sec corner
80.16	Intersected N. S. line 13 Links North of corner to Sec 28, 29, 30 & 32 from which corner Bears North on true line between Sec 29, 32

Variation 11° 38' East

Township 6 or N. 1 East

40.08	Set quartz Stone 16 in long 12 in wide 6 in thick for quarter Sec corner
80.16	The corner to Sec 28, 29, 31 & 32
	Surface level Soil 1st rate

North on random line between Sections 30 & 31

Variation 12° East

40.00	Set Stone for temporary quarter Sec corner
79.44	Intersected North Boundary of Mexican Grant on which corner Bears East on true line between Sec 30 & 31

Variation 12° 07' East

39.44	Set quartz Stone 18 in long 10 in wide & in thick for quarter Sec corner
79.44	The corner to secs 29, 30, 31 & 32
	Surface level Soil 1st rate

North between Sections 29 & 30

Variation 12° East

40.00	Set quartz Stone 14 in long 10 in wide 10 in thick for quarter Sec corner
80.00	Set Lime Stone 14 in long 10 in wide 3 in thick for corner to Sec 19, 20, 29 & 30

60

24/84

24

Township 6 N R 1 East

	Surface level Soil 1st rate
	East on random line between Sections 20 & 29
	Variation 12° East
12.00	Set Stone for temporary quarter Sec corner
80.36	Intersected N & S line 4 lks north of corner
	to Sec 20, 21, 28 & 29 from which corner Bears
	West on true line between Sec 20 & 29
	Variation 11° 30' East
10.18	Set quartz Stone 13 in long 10 in wide 8 in
	thick for quarter Sec corner
80.36	The corner to Sec 19, 20, 29 & 30
	Surface level Soil 1st rate
	West on random line between Sections 19 & 30
	Variation 12° East
10.00	Set Stone for temporary quarter Sec corner
79.16	Intersected west Boundary 23 lks north of
	Corner to Sec 19 & 30 from which corner Bears
	East on true line between Sec 19 & 30
	Variation 12° 10' East
39.16	Set quartz Stone 12 in long 10 in wide 8 in

25

25/85

Township 6 N R 1 East

79.16	The corner to Sec 19, 20, 29 & 30
	Surface level Soil 1st rate
	North between Sections 19 & 20
	Variation 12° East
10.00	Set quartz Stone 13 in long 12 in wide 6 in
	thick for quarter Sec corner
80.00	Set Lime Stone 10 in long 12 in wide 3 in thick
	for corner to Sec 17, 18, 19 & 20
	Surface level Soil 1st rate
	East on random line between Sections 17 & 20
	Variation 12° East
10.00	Set Stone for temporary quarter Sec corner
80.75	Intersected N & S line 25 lks north of corner
	to Sec 16, 17, 20 & 21 from which corner Bears
	West on true line between Sec 17 & 20
	Variation 11° 30' East
10.57	Set quartz Stone 13 in long 10 in wide 7 in
	thick for quarter Sec corner
80.75	The corner to Sec 17, 18, 19 & 20
	Surface level Soil 1st rate

60

26/86

Township 6 N Rel East

West on random line between Sections 18 & 19

Variation 12° East

20.00	Set Stone for temporary quarter Sec corner
80.10	Intersected West Boundary of Sec 18 & 19 from which corner bears East on true line between Sec 18 & 19

Variation 12° 1' East

20.10	Set quarty Stone 12 in long 10 in wide & 3 in thick for quarter Sec corner
80.10	The corner to Sec 17, 18, 19 & 20 Surface Level Soil 1st rate

August 6th 1857

North between Sections 17 & 18

Variation 11° 15' East

20.00	Set quarty Stone 12 in long 12 in wide & 3 in thick for quarter Sec corner
80.00	Set quarty Stone 12 in long 10 in wide & 3 in thick for corner to Sec 7, 8, 17 & 18 Surface Level Soil 1st rate

East on random line between Sections 17 & 18

27/87

Township 6 N Rel East

Variation 12° East

20.00	Set Stone for temporary quarter Sec corner
78.00	Intersected West Boundary 5 links North of corner to Sec 8, 9, 16 & 17 from which corner bears East on true line between Sec 8 & 17

Variation 11° 3' East

32.35	Set quarty Stone 12 in long 10 in wide & 3 in thick for quarter Sec corner
78.20	The corner to Sec 7, 8, 17 & 18 Surface Level Soil 1st rate

East on random line between Sections 7 & 18

Variation 11° East

20.00	Set Stone for temporary quarter Sec corner
80.30	Intersected West Boundary 5 links North of corner to Sec 7 & 18 from which corner bears East on true line between Sec 7 & 18

Variation 11° 2' East

20.30	Set quarty Stone 12 in long 8 in wide & 3 in thick for quarter Sec corner
80.30	The corner to Sec 7, 8, 17 & 18

60

28/88

28.

Township 6 or No 1 East

Surface land Soil 1st rate

North between Sections 7 & 8

Variation 12° East

40.80	Set quartz Stone 18 in long 12 in wide 7 in thick for quarter Sec corner
80.80	Set quartz Stone 18 in long 12 in wide 6 in thick for corner to Sec 5. 6. 7 & 8

Surface land Soil 1st rate

East on random line between Sections 5 & 8

Variation 12° East

40.00	Set Stone for temporary quarter Section corner
72.55	Intersected west line of said north of corner to Sec 32. 5 & 8 from which corner Bears west on true line between Sec 5 & 8

Variation 12° 30' East

32.27	Set quartz Stone 13 in long 8 in wide 8 in thick for quarter Sec corner
72.55	The corner to Sec 5. 6. 7 & 8

Surface land Soil 1st rate

West on random line between Sections 6 & 7

29.

29/89

Township 6 or No 1 East

Variation 12° East

40.00	Set Stone for temporary quarter Sec corner
80.28	Enlarged at 80 2 links 18 L Esc north of corner to Sec 6 & 7 from which corner Bears East on true line between Sec 6 & 7

Variation 12° 08' East

40.28	Set quartz Stone 18 in long 12 in wide 6 in thick for corner to Sec corner
80.28	The corner to Sec 5. 6. 7 & 8

Surface land Soil 1st rate

North on random line between Sections 5 & 6

Variation 12° East

40.00	Set Stone for temporary quarter Sec corner
72.16	Intersected north Boundary 35 links East of corner to Sec 5 & 6 from which corner Bears South on true line between Sec 5 & 6

Variation 12° 30' East

32.16	Set quartz Stone 13 in long 10 in wide 8 in thick for quarter Sec corner
72.16	The corner to Sec 5. 6. 7 & 8

60

Township 6 S Rge 1 East

Surface level Soil 1st rate

August 7th 1856

General Description

The quality of the land in this Township is of the common average, and is well adapted for purposes of cultivation

Timber is of very inferior quality and scarce its quality is Elm and Cottonwood and confined to the Banks of the creeks

3/93

List of Names

A list of the names of the individuals employed to assist in running measuring, or marking the lines and corners described in the foregoing field notes of Township No 6 North of Base line of Range No 1 East of the 6th Principal Meridian, showing the respective capacities in which they acted

John S Plummer Chainman
Robert Mack "
Frederick Kuhn Marker
Samuel Cambel Flagman

92

Platted 3 3/93

Field notes of the Subdivision
of the Subdivision lines in
Township No 7 North of the
Base line of Range No 1 East
of the 6th Principal Meridian
in Nebraska Territory Surveyed
by George M. Gilford Deputy
Surveyor under his Contract
No 199 bearing date the 20th
day of June 1857.

Subdivision
Commenced September 8th 1857
Completed September 13th 1857

Land found correct
Oct 2d 1857 N Sandford

Names and duties of assistants

John S. Plumer Chainmen
Robert Mack "
Frederic Kuhn Marker
Samuel Cambel Flagman

Township 7 N. Range 1 East

6	29	5	20	4	14	3	9	2	4	1	
	28		28		20		14		9		3
7	27	8	19	9	14	10	8	11	3	12	
	27		26		19		13		8		3
18	26	17	18	16	13	15	7	14	2	13	
	25		24		18		12		7		2
19	24	20	18	21	12	22	6	23	1	24	
	23		23		17		11		6		1
30	22	29	17	28	11	27	6	26	1	25	
	22		21		16		10		5		1
31	21	32	16	33	10	34	5	35	1	36	

96

1

1/97

Township 7 N R 1 East
To determine the proper adjustment
of my compass in subdividing this
Township, I commenced at the
Corner to Township 6 & 7 N R 1 & 2
East and run
North on a blank Line along the
Eastern Boundary of Section 36
Variation 11½ East

39.52 The quarter Section Corner
79.88 The corner to Section 25 & 26
my compass being properly
adjusted. Subdivision commenced
September 8th 1857
From the corner to Sections 25 & 26
on the South Boundary of the
Township I run
+ North between Sections 35 & 36
Variation 11½ East
40.00 Set quarter Stone marked 1/4 in mide in
thick for quarter Section corner

1/98

9c 1

Township 7 N R 1 East

80.00 Set quartz Stone 7 in long 10 in wide 5 in thick for corner to Section 25. 26, 35 & 36
Surface rolling Soil 1st rate

East on random line between Sections 25 & 36
Variation 11° 00 East.

40.00 Set Stone for temporary quarter Section Corner

79.63 Intersected East Boundary 32 links north of corner to Sections 25 & 36 from which corner Bears East on true line between Section 25 & 36
Variation 10° 46' East

32.94 Set quartz Stone 14 in long 12 in wide 5 in thick for quarter Section corner

79.63 The corner to Sections 25. 26. 35 & 36
Surface gently rolling Soil 1st Rate

North between Sections 25 & 26
Variation 11° 15' East

40.00 Set quartz Stone 17 in long 10 in wide 5 in thick for quarter Section corner

80.00 Set quartz Stone 18 in long 12 in wide 4 in

2 1

1/99

Township 7 N R 1 East

the N for corner to Sections 23, 24, 25 & 26 Surface level Soil 1st Rate

East on random line between Sections 24 & 25
Variation 10° 45' East

40.00 Set Stone for temporary quarter Sec corner

80.06 Intersected ~~East~~ Boundary Stone 27 links North of corner to Sections 24 & 25 from which corner Bears East on true line between Sections 24 & 25
Variation 10° 33' East

40.03 Set quartz Stone 14 in long 12 in wide 3 in thick for quarter Section corner

80.06 The corner to Sections 23. 24. 25 & 26
Surface gently rolling Soil 1st rate

North between Sections 23 & 24
Variation 11° 15' East

40.00 Set quartz Stone 14 in long 12 in wide 4 in thick for quarter Section corner

80.00 Set quartz Stone 16 in long 12 in wide 4 in thick for corner to Sections 13. 14. 23 & 24
Surface gently rolling Soil 1st rate

2

Township 7 N R 1 East

East on random line between Sections 13 & 24

Variation 10° 45' East

40.00 Set Stone for temporary quarter Section corner
79.68 Intersected East Boundary 25 lks north of
corner to Sections 13 & 24 from which
Corner Bears
West on true line line between Sections 13 &
24 Variation 10° 34' East
39.84 Set quartz Stone 14 in long 10 in wide 4 in
thick for quarter Section corner
79.68 The corner to Sections 13. 14. 23 & 24
Surface rolling Soil 1st rate

North Between Sections 13 & 24

Variation 11° 15' East

40.00 Set quartz Stone 14 in long 10 in wide 4 in
thick for quarter Section corner
50.00 Branch 12 lks wide course N.E
80.00 Set quartz Stone 18 in long 10 in wide 4 in
thick for corner to Sections 11, 12, 13 & 14
Surface rolling Soil 1st rate

3

Township 7 N R 1 East

East on random line between Sections 12 & 13

Variation 10° 45' East

20.00 Branch 15 lks wide course N.E
40.00 Set Stone for temporary quarter Section corner
79.92 Intersected East Boundary 35 lks north of
Corner to Sec 12 & 13 from which corner Bears
West on true line between Sec 12 & 13

Variation 10° 34' East

39.96 Set Limestone 13 in long 12 in wide 4 in thick
for quarter Section corner
79.92 The corner to Sections 11, 12, 13 & 14
Surface rolling Soil 1st rate

North Between Sections 11 & 12

Variation 11° 15' East

40.00 Set quartz Stone 13 in long 12 in wide 6 in
thick for quarter Section corner
80.00 Set quartz Stone 16 in long 12 in wide 6 in
thick for corner to Sections 1, 2, 11 & 12
Surface level Soil 1st rate

East on random line between Sections 1 &

4
102

Township 7 S R 61 East

Variation 16° 30' East

40.00 Set Stone for temporary quarter Section corner

79.90 Intersected East Boundary 22 lks north of corner to Sections 1 & 12 from which corner B mound west on true line between Sections 1 & 12

Variation 16° 21' East

39.95 Set quartz Stone 14 in long 10 in wide 6 in thick for quarter Section corner

79.90 The corner to Sections 1. 2. 11 & 12

Surface gently rolling Soil 1st rate

North on random line between Sections 1 & 2

Variation 11° 15' East

40.00 Set Stone for temporary quarter Section corner

79.22 Intersected North Boundary 22 lks west of corner to Sections 1 & 2 from which corner B mound South on true line between Sec 1 & 2

Variation 10° 06' East

39.22 Set quartz Stone 16 in long 12 in wide 5 in thick for quarter Section corner

79.22 The corner to Sections 1. 2. 11 & 12

35

5
103

Township 7 S R 61 East

Surface rolling Soil 1st rate

September 8th 1857

North between Sections 34 & 35

Variation 11° 15' East

3.00 Branch 10 lks wide course East

40.00 Set quartz Stone 12 in long 10 in wide 10 in thick for quarter Sec corner

80.00 Set quartz Stone 17 in long 12 in wide 8 in thick for corner to Sec 26 27. 34 & 35

~~Surface rolling Soil 1st rate~~

East on random line between Sections 26 & 35

Variation 11° East

40.00 Set Stone for temporary quarter Sec corner

80.04 Intersected E & line 5 lks South of corner to Sec 25. 26. 35 & 36 from which corner B mound West on true line between Sec 26 & 35

Variation 11° 02' East

40.02 Set quartz Stone 17 in long 10 in wide 3 in thick for quarter Section corner

80.04 The corner to Sec 26 27. 34 & 35

Surface rolling Soil 1st rate

6

Township 7 N R 1 East
North between Sections 26 & 27
Variation 11° 15' East

40.00 Set Limestone 16 in long 16 in wide 3 in thick for quarter Sec corner
80.00 Set quartz Stone 17 in long 12 in wide 6 in thick for corners to Sec 22, 23, 26 & 27
Surface level Soil 1st rate

East on random line between Sections 23 & 26
Variation 11° East

40.00 Set Stone for temporary quarter Sec corner
79.90 Intersected N & line 8 lks South of corner to Sec 23, 24, 25 & 26 from which corner B mound west on true line between Sec 23 & 26
Variation 11° 04' East
39.95 Set Limestone 16 in long 12 in wide 4 in thick for quarter Sec corner
79.90 The corner to Sec 22, 23, 26 & 27
Surface level Soil 1st rate

North between Sections 22 & 23
Variation 11° 15' East

7

Township 7 N R 1 East

40.00 Set limestone 17 in long 14 in wide 3 in thick for quarter Sec corner
80.00 Set limestone 16 in long 13 in wide 3 in thick for corner to Sections 14, 15, 22 & 23
Surface gently rolling Soil 1st rate

East on random line between Sections 14 & 23
Variation 11° East

40.00 Set Stone for temporary quarter Sec corner
79.95 Intersected S & line at corner to Sec 13, 14, 23 & 24 from which corner B mound west on true line between Sections 14 & 23
Variation 11° East
39.97 Set quartz Stone 16 in long 10 in wide 5 in thick for quarter Sec corner
79.95 The corner to Sec 14, 15, 22 & 23
Surface rolling Soil 1st rate

North between Sections 14 & 15
Variation 11° 15' East

1.00 Brush 6 lks wide course N. E.
40.00 Set quartz Stone 14 in long 10 in wide 5 in

8

Township 7 N R 1 East

thick for quarter Sec corner

80.00 Set quartz Stone 14 in long 13 in wide 8 in

thick for corner to Sec 10. 11. 14 & 15

Surface gently rolling Soil 1st rate

East on random line between Sections 11 & 14

Variation 11° East

40.00 Set Stone for temporary quarter Sec corner

79.80 Intersected N & S line 12 lks North of corner

to Sec 11. 12. 13 & 14 from which corner Bears

West on true line between Sec 11 & 14

Variation 10 3/4° East

39.90 Set quartz Stone 16 in long 10 in wide 4 in

thick for quarter Sec corner

79.80 The corner to Sections 10. 11. 14 & 15

Surface rolling Soil 1st rate

North between Sections 10 & 11

Variation 11° 15' East

40.00 Set quartz Stone 13 in long 6 in wide 8 in

thick for quarter Sec corner

80.00 Set quartz Stone 17 in long 14 in wide 3 in

9

Township 7 N R 1 East

thick for corner to Sec 2. 3. 10 & 11

Surface level Soil 1st rate

East on random line between Sections 2 & 11

Variation 11° East

40.00 Set Stone for temporary quarter Sec corner

79.48 Intersected N & S line 5 lks West of corner

to Sec 1. 2. 11 & 12 from which corner Bears

West on true line between Sec 2 & 11

Variation 10 3/4° East

39.74 Set quartz Stone 12 in long 8 in wide 8 in

thick for quarter Sec corner

79.48 The corner to Sec 2. 3. 10 & 11

Surface level Soil 1st rate

North on random line between Sections 2 &

3 Variation 11° 15' East

40.00 Set Stone for temporary quarter Sec corner

68.00 Creek 60 lks wide course East

80.18 Intersected North Boundary 41 lks East

of corner to Sec 2 & 3 from which corner Bears

10/108

10

Township 7 N R 1 East

South on true line between Sec 2 & 3

Variation 11° 32' East

20.18 Set quartz Stone 12 in long 8 in wide 6 in thick for quarter Sec cor

80.18 Thence to Sec 2. 3. 10 & 11

Surface gentle rolling Soil 1st rate

September 9th 1834

North between Sections 33 & 34

Variation 11° 15' East

40.00 Set quartz Stone 16 in long 12 in wide 4 in thick for quarter Sec corner

42.00 Set quartz Stone 18 in long 12 in wide 8 in thick for corner to Sec 27. 28. 33 & 34

Surface Level Soil 1st rate

East on random line between Sections 27 & 34

Variation 11° East

40.00 Set Stone for temporary quarter Sec corner

82.00 Intersected N & S line 45 lks North of corner to Sec 26. 27. 34 & 35 from which corner Bears west on true line between Sec 27 & 34

11

11/109

Township 7 N R 1 East

Variation 10° 41 East

40.00 Set Line Stone 17 in long 12 in wide 3 in thick for quarter Sec corner

80.00 Thence to Sec 22. 23. 33 & 34

Surface Level Soil 1st rate

North between Sections 27 & 28

Variation 11° 15' East

40.00 Set Line Stone 15 in long 10 in wide 4 in thick for quarter Sec corner

80.00 Set Line Stone 16 in long 14 in wide 4 in thick for corner to Sec 21. 22. 27 & 28

Surface Level Soil 1st rate

East on random line between Sections 22 & 27

Variation 11° East

+40.00 Set Stone for temporary quarter Sec corner

72.80 Intersected N & S line 15 lks North of corner to Sec 22. 23. 26 & 27 from which corner Bears west on true line between Sec 22 & 27

Variation 10° 34' East

39.90 Set quartz Stone 15 in long 12 in wide 7 in

12
110

12

Township 7 or R. 1 East

thick for quarter Sec corner

79.80 The corner to Sec 21. 22. 27 & 28

Surface level Soil 1st rate

North between Sections 21 & 22

Variation 11° 15' East

40.00 Set limestone 15 in. long 12 in. wide 3 in. thick

for quarter Sec corner

80.00 Set quartz stone 14 in. long 12 in. wide 10 in.

thick for corner to Sec 15. 16. 21 & 22

Surface gently rolling Soil 1st rate

East on random line between Sections 15 & 22

Variation 11° East

40.03 Set Stone for temporary quarter Sec corner

73.82 Branch 3 links wide course N. E.

79.55 Intersected N. & Stone 2 links west of corner

to Sec 14. 15. 22 & 23 from which corner B. and

pecan tree between Sec 15 & 22

Variation 10° 31' East

39.77 Set limestone 14 in. long 12 in. wide 3 in. thick

for quarter Sec corner

13

13

Township 7 or R. 1 East

79.55 The corner to Sec 15. 16. 21 & 22

Surface gently rolling Soil 1st rate

North between Sections 15 & 16

Variation 11° 30' East

40.03 Set limestone 16 in. long 11 in. wide 3 in. thick

for quarter Sec corner

80.00 Set quartz stone 14 in. long 12 in. wide 7 in.

thick for corner to Sec 9. 10. 15 & 16

Surface level Soil 1st rate

East on random line between Sections 10 & 15

Variation 11° East

40.01 Set Stone for temporary quarter Sec corner

79.70 Intersected N. & Stone 3 links north of corner

to Sec 10. 11. 14 & 15 from which corner B. and

pecan tree between Sec 10 & 15

Variation 10° 47' East

39.85 Set limestone 16 in. long 12 in. wide 3 in.

thick for quarter Sec corner

79.70 The corner to Sec 9. 10. 15 & 16

Surface level Soil 1st rate

14
112

14

Township 7 N R 1 East
North between Sections 9 & 10
Variation 11° 15' East

40.00 Set boulder 13 in. long 13 in. wide 6 in. thick
for quarter Sec corner

80.00 Set Lime Stone 16 in. long 14 in. wide 3 in. thick
for corner to Sec 3. 4. 9 & 10
Surface level Soil 1st rate

East on random line between Sections 3 & 10
Variation 11° East

40.00 Set Stone for temporary quarter Sec corner

79.85 Intersected N & S line 6 lks South of corner
to Sec 2. 3. 10 & 11 from which corner B mm
West on true line between Sec 3 & 10
Variation 16° 34' East

39.92 Set quartz Stone 14 in long 10 in wide 4 in
thick for quarter Section corner

79.85 The corner to Sec 3. 4. 9 & 10
Surface level Soil 1st rate

North on random line between Sections 3 & 4
Variation 11° 30' East

15
1 13

15

Township 7 N R 1 East

40.00 Set Stone for temporary quarter Sec corner

68.70 Entered Timber Bears N & E & S & W

73.00 creek 20 lks wide course N 70° E and leave
Timber Bears N & E & S W.
Offsetted 100 lks West on account of
the line being in the creek and run
on of Set Line

80.20 Intersected North Boundary 70 lks West
of witness corner to Sec 3 & 4.
The witness corner being 20 lks East of true
Point for corner to Sec 3 & 4
The intersection of North Boundary
will therefore be 30 lks East of
witness corner & 50 lks East of true
point for corner to Section 3 & 4 from
which point B mm
South on true Line between Sec 3 & 4
Variation 11° 51' East

40.20 Set Line Stone 14 in long 12 in wide 3 in
thick for quarter Sec corner

16

Township 7 N R 1 East

80.20 The corner to Sec 3, 4, 8 & 10
Surface rolling Soil 1st rate
Timber Elm and Cottonwood
September 10th 1857

X North between Sections 32 & 33
Variation 11° 30' East

40.00 Set quartz Stone 15 in long 8 in wide 6 in thick
for quarter Section corner
80.00 Set quartz Stone 16 in long 10 in wide 10 in
thick for corner to Sec 28, 29, 32 & 33
Surface level Soil 1st rate

Eastern and on line between Sections 28 & 33
Variation 11 East

40.00 Set Stone for temporary quarter Sec corner
80.10 Intersected W Bdy 28 lks north of corner
to Sec 21, 28, 33 & 34 from which corner Bears
West on true line between Sec 28 & 33
Variation 11° 48' East

40.05 Set limestone 14 in long 12 in wide 3 in
thick for quarter Sec corner

17

Township 7 N R 1 East

80.10 The corner to Sec 28, 29, 32 & 33
Surface level Soil 1st rate

X North between Sections 28 & 29
Variation 11° 15 East

40.00 Set quartz Stone 14 in long 10 in wide 8 in
thick for quarter Sec corner
80.00 Set Limestone 15 in long 13 in wide 3 in
thick for corner to Sec 20, 21, 28 & 29
Surface Level Soil 1st rate

Eastern and on line between Sections 21 & 28
Variation 11° 00' E

40.00 Set Stone for temporary quarter Sec corner
80.20 Intersected W Bdy 12 lks North of corner
to Sec 21, 22, 27 & 28 from which corner Bears
West on true line between Sec 21 & 28
Variation 10° 35' East

40.10 Set quartz Stone 14 in long 12 in wide 5 in
thick for quarter Section corner
80.20 The corner to Sec 20, 21, 28 & 29
Surface gently rolling Soil 1st rate

18

Township 7 N R 1 East

X North between Sections 20 & 21

Variation 11° 15' East

40.00 Set quartz Stone 13 in long 12 in wide 5 in thick for quarter Sec corner

80.00 Set quartz Stone 15 in long 12 in wide 6 in thick for cor north Sec cor 16, 17, 20 & 21

Surface level Soil 1st rate

East on random line between Sections 16 & 21

Variation 11° East

40.00 Set Stone for temporary quarter Sec corner

80.34 Intersected N & S line 15 L north of corner to Sec 15, 16, 20 & 21 from which corner Bears west on true line between Sec 16 & 21

Variation 10° 54' East

40.17 Set quartz Stone 16 in long 10 in wide 6 in long for quarter Sec corner

80.34 The corner to Sec 16, 17, 20 & 21

Surface level Soil 1st rate

North between Sections 16 & 17

Variation 11° 15' East

19

Township 7 N R 1 East

40.00 Set Limestone 16 in long 12 in wide 5 in thick for quarter Sec corner

80.00 Set quartz Stone 14 in long 13 in wide 5 in thick for corner to Sec 8, 9, 16 & 17

Surface gentley rolling Soil 1st rate

East on random line between Sections 9 & 16

Variation 11 East

40.00 Set Stone for temporary quarter Sec corner

80.40 Intersected N & S line 10 L west of corner to Sections 8, 9, 16 & 17 from which corner Bears west on true line between 9 & 16

Variation 10° 56' East

40.20 Set Limestone 16 in long 15 in wide 5 in thick for quarter Sec corner

80.40 The corner to Sections 8, 9, 16 & 17

Surface rolling Soil 1st rate

North between Sections 8 & 9

Variation 11° 15' East

40.00 Set quartz Stone 16 in long 7 in wide 4 in thick for quarter Sec corner

20

Township 7 N Range 1 East

73.00 Creek 40 lks wide course N. E.

80.00 Set quartz Stone 16 in long 12 in wide 9 in thick for corner to Sec 4 5 8 & 9

Surface level Soil 1st rate

Eastern random line between Sections 4 & 9

Variation 11° East

12.50 Creek 2 40 lks wide course N. E.

40.00 Set Stone for temporary quarter Sec corner

80.82 Intersected N & S line 32 lks South of corner to Sections 3 4 9 & 10 from which corner Bears West on true line between Sec 4 & 9

Variation 11° 15' East

40.41 Set quartz Stone 13 in long 12 in wide 10 in thick for quarter Sec corner

80.82 The corner to Sec 4 5 8 & 9

Surface gently rolling Soil 1st rate

North on random line between Sections 4 & 5

Variation 11° 15 East

52.00 Branch 10 lks wide course East

40.00 Set Stone for temporary quarter Sec corner

Township 7 N Range 1 East

80.13 Intersected north boundary 20 lks West of corner to Sec 4 & 5 from which corner Bears West

South on true line between Sec 4 & 5

Variation 11° 07' East

40.13 Set quarter Stone 13 in long 12 in wide 10 in thick for quarter Sec corner

80.13 The corner to Sec 4 5 8 & 9

Surface gently rolling Soil 1st rate

September 11th 1857

X North between Sections 31 & 32

Variation 11° 30' East

40.00 Set Sand Stone 13 in long 12 in wide 7 in thick for quarter Sec corner

80.00 Set quartz Stone 14 in long 14 in wide 6 in thick for corner to Sec 28 29 31 & 32

Surface gently rolling Soil 1st rate

East on random line between Sections 29 & 32

Variation 11° East

40.00 Set Stone for temporary quarter Sec corner

22
120

225

Township 7 N R 1 East

40.04 Intersected W & Line 7 L's north of corner
to Sec 28. 29. 32 & 33 from which corner B. tree
west on true line between Sec 29 & 32

Variation 10° 57' East

40.02 Set quartz Stone 14 in long 11 in wide 5 in
thick for quarter Sec corner

80.04 The corner to Sec 29. 30. 31 & 32
Surface level Soil 1st rate

West on random line between Sections 31 & 31

Variation 11° 15' East

40.00 Set Stone for temporary quarter Sec corner
36.50 Branch 40 L's wide course South North
79.67 Intersected West Boundary at corner to
Sections 30 & 31 from which corner B. tree
West on true line between Sec 30 & 31

Variation 11° 15' East

39.67 Set quartz Stone 14 in long 7 in wide 6 in
thick for quarter Sec corner

79.67 The corner to Sec 29. 30. 31 & 32
Surface rolling Soil 1st & 2d rate

North between Sections 29 & 30

225

23
121

Township 7 N R 1 East

Variation 11° 15' East

40.00 Set quartz Stone 14 in long 13 in wide 5 in
thick for quarter Sec corner

80.00 Set Limestone 17 in long 14 in wide 6 in
thick for corner to Sec 19. 20. 29 & 30
Surface gentley rolling Soil 1st rate

East on random line between Sections 20 & 29

Variation 11 East

40.00 Set Stone for temporary quarter Sec corner

80.28 Intersected W & Line 21 L's north of corner
to Sec 20. 21. 28 & 29 from which corner B. tree
West on true line between Sec 20 & 29

Variation 10° 52' East

40.14 Set quartz Stone 14 in long 13 in wide 5 in
thick for quarter Sec corner

80.28 The corner to Sec 19. 20. 29 & 30
Surface gentley rolling Soil 1st rate

West on random line between Sections 19 & 30

Variation 11° 15' East

39.06 Branch 12 L's wide course North

24
122

24

Township 7 N R 1 East

40.00 Set Stone for temporary quarter Sec corner
79.60 Intersected West Boundary 20 lks South of corner to Sec 19 & 30 from which corner Bears East on true line between Sections 19 & 30
Variation 11° 07 East
39.60 Set quartz Stone 12 in long 10 in wide 6 in thick for quarter Sec corner
79.60 The corner to Sec 19, 20, 29 & 30
Surface gently rolling Soil 1st rate

North between Sections 19 & 20
Variation 11° 15' East
33.50 Creek 30 lks wide course N. E
40.00 Set quartz Stone 14 in long 12 in wide 6 in thick for quarter Sec corner
80.00 Set quartz Stone 18 in long 10 in wide 6 in thick for corner to Sec 17, 18, 19 & 20
Surface level Soil 1st rate

East on random line between Sections 17 & 20
Variation 11° 00' East
26.00 Creek 50 lks wide course N. E

25

25
123

Township 7 N Range 1 East

40.00 Set Stone for temporary quarter Sec corner
80.30 Intersected West Line 5 lks North of corner to Sections 16, 17, 20 & 21 from which corner Bears West on true line between Sec 17 & 20
Variation 10° 38' East
40.15 Set Limestone 15 in long 13 in wide 3 in thick for quarter Sec corner
80.30 The corner to Sec 17, 18, 19 & 20
Surface gently rolling Soil 1st rate

West on random line between Sections 18 & 19
Variation 11° 15' East
40.00 Set Stone for temporary quarter Sec corner
79.50 Intersected West Boundary 5 lks South of corner to Sec 18 & 19 from which corner Bears East on true line between Sec 18 & 19
Variation 10° 30' East
39.50 Set quartz Stone 12 in long 9 in wide 6 in thick for quarter Sec corner
79.50 The corner to Sec 17, 18, 19 & 20
Surface gently rolling Soil 1st rate

26 Ts

Township 7 N R 1 East

north between Sections 17 & 18

Variation 11° 15' East

40.00 Set quartz Stone 4 in long 10 in wide 8 in thick for quarter Sec corner

55.00 Branch 8 lks wide course East

80.00 Set quartz Stone 16 in long 12 in wide 5 in thick for corner to Sec 7, 8, 17 & 18

Surface gently rolling Soil 1st rate

East on random line between Sections 8 & 17

Variation 11° East

40.00 Set Stone for temporary quarter Section corner

65.00 encl 2 50 lks wide course N E

80.36 Intersected N & line 35 lks south of corner to Sec 8, 9, 16 & 17 from which corner Bears

West on true line between Sec 8 & 17

Variation 10° 45' East

40.18 Set quartz Stone 14 in long 10 in wide 4 in thick for quarter Sec corner

80.36 The corner to Sec 7, 8, 17 & 18

Township 7 N R 1 East

Surface level Soil 1st rate

September 12th 1857

West on random line between Sections 7 & 18

Variation 11° East

40.00 Set Stone for temporary quarter Sec corner

42.00 Branch 10 lks wide course S E

78.12 Intersected West Boundary 10 lks South of corner to Sec 7 & 18 from which corner Bears East on true line between Sec 7 & 18

Variation 10° 36' East

52.12 Set quartz Stone 14 in long 12 in wide 6 in thick for quarter Sec corner

78.12 The corner to Sec 7, 8, 17 & 18

Surface gently rolling Soil 1st rate

north between Sections 7 & 8

Variation 11° 15' East

40.00 Set Line Stone 13 in long 12 in wide 4 in thick for quarter Section corner

80.00 Set quartz Stone 17 in long 14 in wide 6 in thick for corner to Sec 5, 6, 7 & 8

28
126

28

Township 7 N R 1 East

Surface gently rolling Soil 1st rate

East on random line between Sections 5 & 8

Variation 11° 30' East

40.00 Set Stone for temporary quarter Sec corner
41.00 Branch 5 lks wide course N.E.
80.00 Intersected N & S line 16 lks South of corner to Sec 31, 5, 8 & 9 from which corner B mm
West on true line between Sec 5 & 8

Variation 10 3/4 East

40.00 Set quartz Stone 12 in long 12 in wide 7 in thick for quarter Sec corner
80.00 The corner to Sec 5, 6, 7 & 8

Surface gently rolling Soil 1st rate

West on random line between Sections 7 & 8

Variation 11° East

40.00 Set Stone for temporary quarter Sec corner
78.28 Intersected West Boundary 12 lks South of corner to Sec 6 & 7 from which corner B mm East on true line between Sec 6 & 7

Variation 10 3/4 East

29

29

127

Township 7 N R 1 East

38.28 Set quartz Stone 15 in long 12 in wide 5 in thick for quarter Sec corner
78.28 The corner to Sec 5, 6, 7 & 8

Surface gently rolling Soil 1st rate

North on random line between Sections 5 & 6

Variation 11° 15' East

40.00 Set Stone for temporary quarter Sec corner
80.08 Intersected with Boundary 6 links West of corner to Sec 5 & 6 from which corner B mm South on true line between Sec 5 & 6

Variation 11° 12' East

40.08 Set quartz Stone 14 in long 11 in wide 6 in thick for quarter Sec corner
80.08 The corner to Sec 5, 6, 7 & 8

Surface gently rolling Soil 1st rate

September 13th 1847

General Description

The quality of land in this Township is above the common average.

The uplands are generally gentley rolling 1st 2nd and 3rd rate land

Timber Cheifly Cottonwood Elm and Oak Scattering on the Banks of the Streams

List of Names

A list of the names of the individuals employed to assist in running measuring or marking the lines and corners described in the foregoing field notes of Township No 1 North of the Base line of Range No 1 East of the 6th Principal Meridian Showing the respective capacities in which they acted

John T Thurmer Chainman
Robert Mack "
Frederic Rufus Marker
Samuel Cambel Flagman

130

131

We hereby Certify that we assisted George McClelland deputy Surveyor in Subdividing Townships number six, seven and Eight North of the Base Line of Ranges numbers one and two East of the 6th Principal Meridian and that said Townships have been in all respects, to the best of our Knowledge and belief, well and faithfully surveyed, and the boundary monuments planted according to the instructions furnished by the Surveyor General

Robert L Clark Chainman

John T Plumb Chainman

Fred. Tucker Marker.

Russell Gamage Flagman

Subscribed and Sworn to by the above named persons before me Josiah Elliott a Just of the Peace for the county of Leavenworth. K. T.

This 21 day of September 1857

Josiah Elliott. J P

I George M. Gilford Deputy Surveyor do
solemnly swear that in pursuance of a contract
with Colm Calhoun Surveyor of the public
lands of the United States in the Territories
of Kansas and Nebraska bearing date 20th day
of June 1857 and in strict conformity to the laws
the United States and the instructions furnished
by the said Surveyor General, I have faithfully
surveyed the subdivision lines of Township
Number 6, 7 and 8 north of the Baseline of Range
Number 10 East of the 6th Principal Meridian
in the Territory of Nebraska and do further
solemnly swear that the foregoing are the true
original field notes of said Survey.

George M. Gilford
Deputy Surveyor

Subscribed And Sworn to by Said
Georg M. Gilford deputy Surveyor
before me Notary Public in and for Douglas
County Kansas Territory this first day of
October 1857 David D. Mitchell
Notary Public

Field notes of the Survey of the Subdivision lines in Township Number 8 North of the Base line of Range Number 1 East of the 6th Principal Meridian in Nebraska Territ'y. Surveyed by Georgette Gifford Dep. Surveyor under his Contract Number 199 bearing date June 20th 1857

Subdivision
Commenced September 2th 1857
Completed September 7th 1857

Exd & found correct
Oct 2d 1857 VanZandt

A list of the names and
duties of assistants

John Plummer Chainman
Robert Mack "
Frederic Kuhn Marker
Samuel Cambel Flagman

Township 8 N. Range 1 East

6	30	5	23	4	17	3	11	2	6	1
	30		29		23		17		11	6
7	29	8	22	9	16	10	10	11	5	12
	28		28		21		16		10	5
18	27	17	21	16	15	15	10	14	4	13
	27		26		20		15		9	4
19	26	20	20	21	15	22	9	23	3	24
	25		25		19		14		8	3
30	25	29	19	28	14	27	8	26	2	25
	24		23		18		13		7	2
31	23	32	18	33	12	34	7	35	1	36

Township 8 N R 1 East

To determine the proper adjustment of my compass for subdividing this Township, I commenced at the corner to Townships 7 & 8 N R 1 & 2 East and run.

North on a blank line along the Eastern boundary of Section 36

Variation 11° East

N.W. 62 To a point 7 lks East of quarter Section Corner

80.06 To a point 16 lks East of corner to Sections 25 & 36

To retrace this line my compass must be adjusted to a variation of 11° 0' East

Subdivision commenced September 4th 1857

From the corner to Sections 35 & 36 on the South Boundary of the Township North between Sections 35 & 36

Variation 11° 0' East

22.00 Enter a Timber Bears East 25 lks

24.00 Creek 6 lks wide course East

24.50 Leave Timber Bears East 25 lks

Township 6 N R 1 East

N.W.C. Set quartz Stone 16 in long 10 in wide 5 in
thick for quarter Section corner

S.W.C. Set quartz Stone 16 in long 10 in wide 5 in
thick for corner to Sections 25, 26, 35 & 36
Surface rolling Soil 1st rate

Course and distance between Sections 25 & 36

Variation 11° East

N.W.C. Set Stone for temporary quarter Section corner
33.10 Branch 5 lks wide course South
77.86 Intersected East Boundary of Section of
Corner to Sections 25 & 36 from which corner
bears an Ine between Sections 25 & 36

Variation 16° 30' East

32.73 Set quartz Stone 16 in long 10 in wide 5 in
thick for quarter Section corner
72.86 to the corner to Sections 25, 26, 35 & 36
Surface rolling Soil 2nd rate

North between Sections 25 & 26

Variation 11° 07' East

N.W.C. Set quartz Stone 16 in long 10 in wide 5 in

Township 6 N R 1 East

thick for quarter Section corner
S.W.C. Set quartz Stone 16 in long 10 in wide 5 in
thick for corner to Sections 23, 24, 25 & 26
Surface rolling Soil 2nd rate

Course and distance between Sections 24 & 25

Variation 16° 45' East

N.W.C. Set Stone for temporary quarter Section
Corner
55.00 Branch 5 lks wide course South
77.28 Intersected East Boundary of Section of
Corner to Sections 24 & 25 from which
Corner Bears
West an Ine between Sections 24 & 25

Variation 16° 30' East

37.71 Set quartz Stone 16 in long 10 in wide 5 in
thick for quarter Section corner
72.42 to the corner to Sections 23, 24, 25 & 26
Surface rolling Soil 2nd rate

North between Sections 23 & 24

Variation 11° 30' East

Township 8 S R 6 East

N 80 Set quartz Stone 16 in long 9 in wide 6 in thick
for quarter Section Corner
W 80 Set quartz Stone 16 in long 9 in wide 9 in
thick for corner to Sections 13, 14, 23 & 24
Surface level & soil 1st rate

East on parallel line between Sections 13 & 24
Variation 16° 45' East

N 40 W 8 Set Stone for temporary quarter Section corner
79.24 Intersected East Boundary 22 links North of
corner to Sections 13 & 24 from which
Bears North Variation 16° 45' East 3 links
distant
Set Stone 12 in long 9 in wide 6 in
for quarter Section Corner

S 22 W 7 Set Sandstone 24 in long 12 in wide 3 in thick
for quarter Section Corner
17.24 The corner to Sections 13, 14, 23 & 24
Surface level & soil 1st rate

North between Sections 13 & 14
Variation 11° 15' East

N 40 W 6 Set quartz Stone 14 in long 9 in wide 6 in
thick for quarter Section Corner

Township 8 S R 6 East

S 80 W 6 Set quartz Stone 16 in long 9 in wide 6 in
thick for corner to Sections 11, 12, 13 & 14
Surface level & soil 1st rate

East on parallel line between Sections 12 & 13
Variation 16° 15' East

N 40 W 6 Set Stone for temporary quarter Section corner
S 0.20 Intersected East Boundary 22 links North of
of corner to Sections 12 & 13 from which
Corner Bears
Set Stone 12 in long 9 in wide 6 in
for quarter Section Corner between Sections 12 & 13
Variation 9° East

N 10 W 10 Set quartz Stone 15 in long 9 in wide 6 in
thick for quarter Section Corner
S 0.20 The Corner to Sections 11, 12, 13 & 14
Surface level & soil 1st rate

North between Sections 11 & 12
Variation 11° East

N 40 W 6 Set quartz Stone 14 in long 11 in wide 6 in
thick for quarter Section Corner
S 40 W 6 Set quartz Stone 16 in long 9 in wide 6 in

6

145

6'

Township 8 S R 1 East

Thick fir corner to Sections 1, 2, 11 & 12

Surface level Soil 1st Rate

East on random line between Sections 1 & 12

Variation 16° 15' East

40.00 Set Stone for temporary quarter Section corner

72.98 Intersected East Boundary 2 links North of corner to Sections 1 & 12 from which corner

Pine

Pine on true line between Sections 1 & 12

Variation 16° 14' East

52.35 Set quartz Stone 18 in long 9 in wide 4½ in thick for quarter Section corner

72.98 Thence to Sections 1, 2, 11 & 12

Surface gently rolling Soil 1st Rate

North between Sections 1 & 2

Variation 11° East

40.00 Set quartz Stone 18 in long 9 in wide 4 in thick for quarter Section corner

52.16 Branch 15 lks wide course N. E.

64.88 Intersected 2nd Standard Parallel

7

145

7

Township 8 S R 1 East

125 lks west of corner to Sections 35 & 36 at which point Set Limestone 16 in long 10 in wide 10 in thick for corner to Sections 1 & 2

Surface gently rolling Soil 2nd Rate

September 7th 1854

North between Sections 34 & 35

Variation 11° 15' East

40.00 Set quartz Stone 18 in long 9 in wide 6 in thick for quarter Section corner

80.00 Set quartz Stone 18 in long 10 in wide 6 in thick for corner to Sections 26, 27, 34 & 35

Surface rolling Soil 2nd Rate

East on random line between Sections 26 & 35

Variation 11° East

40.00 Set Stone for temporary quarter Section corner

72.76 Intersected N. & S. line 47 lks South of corner to Sections 25, 26, 35 & 36 from which corner Pine on true line between Sections 26 & 35

Variation 11° 6' East

8

146

8

Township 8 S Rl East

39.88 Set quartz Stone 13 in long 9 in wide 5 in
thick for quarter Section corner

12.76 Sheen marks Sections 26, 27, 34 & 35

Surface level Soil 1st rate

North between Sections 26 & 27

Variation 11° 15' East

24.00 Set quartz Stone 14 in long 9 in wide 5 in
thick for quarter Section corner

80.00 Set quartz Stone 16 in long 10 in wide 3 in
thick for corner to Sections 22, 23, 26 & 27

Surface level Soil 1st rate

Eastern pandem line between Sections 23 & 26

Variation 11° East

24.00 Set Stone for temporary quarter Section corner

72.76 Intersected N & S line of Township corner to
Sections 23, 24, 25 & 26 from which corner
Bears North true line between Sections 23 & 26

Variation 11° 15' East

31.98 Set quartz Stone 14 in long 9 in wide 6 in thick
for quarter Section corner

9

146

9

Township 8 S Rl East

12.76 Sheen marks Sections 22, 23, 26 & 27

Surface level Soil 1st rate

North between Sections 22 & 23

Variation 11° 15' East

24.00 Set quartz Stone 13 in long 10 in wide 5 in
thick for quarter Section corner

84.00 Set quartz Stone 16 in long 10 in wide 4 in
thick for corner to Sections 14, 15, 22 & 23

Surface level Soil 1st rate

Eastern pandem line between Sections 14 & 23

Variation 11° East

24.00 Set Stone for temporary quarter Section corner

72.80 Intersected N & S line of Township corner
to Sections 13, 14, 23 & 24 from which corner
Bears North
West on true line between Sections 14 & 23

Variation 11° 56' East

39.90 Set quartz Stone 13 in long 8 in wide 6 in
thick for quarter Section corner

72.80 Sheen marks Sections 14, 15, 22 & 23

10
148

N. 10

Township 8 N Rl East

Surface level soil 1st rate

North between Sections 12 & 13

Variation 11° 15' East

20.00 Set quartz Stone 15 in long 8 in wide 6 in
thick for quarter Section corner

40.00 Set quartz Stone 17 in long 16 in wide 2 in
thick for corner to Sections 10, 11, 12 & 13

Surface level soil 1st rate

East on random line between Sections 11 & 14

Variation 11° East

20.00 Set Stone for temporary quarter Section corner

72.86 Intersected N & S line 12 South of corner to
Sections 11, 12, 13 & 14 from which corner
Pine 8 inches diameter bears North
pertontine line between Sections 11 & 14

Variation 11° 02' East

35.98 Set quartz Stone 14 in long 12 in wide 3 in thick
for quarter Section corner

72.86 The corner to Sections 10, 11, 12 & 15

Surface level soil 1st rate

North between Sections 10 & 11

N. 11

11
149

Township 8 N Rl East

Variation 11° 15' East

20.00 Set quartz Stone 17 in long 13 in wide 4 in
thick for quarter Section corner

40.00 Set quartz Stone 16 in long 12 in wide 3 in
thick for corner to Sections 2, 3, 10 & 11

Surface gently rolling soil 1st rate

East on random line between Sections 2 & 11

Variation 11° East

20.00 Set Stone for temporary quarter Section corner

72.74 Intersected N & S line 12 links South of corner
to Sections 1, 2, 11 & 12 from which corner Pine
per ontine line between Sections 2 & 11

Variation 11° 05' East

39.87 Set quartz Stone 14 in long 10 in wide 3 in
thick for quarter Section corner

72.74 The corner to Sections 2, 3, 10 & 11

Surface gently rolling soil 1st rate

North between Sections 2 & 3

Variation 11° 15' East

20.00 Set quartz Stone 14 in long 11 in wide 3 in

12

Township 8 R 1 East

Thick for quarter Section corner
on ck 50 lks S side course East
Intersection 3rd Standard Parallel
139 lks west of corner to Sections 34 & 35
at which point Set quartz Stone 16 in
long 12 in wide 10 in thick for
Corner to Sections 2 & 3
Surface rolling Soil 1st rate
September 5th 1857

The Corner to Sections 33 & 34 is
not established Therefore commen
ced at the quarter section corner on
the South Boundary of Section 34
and run West along the South
Boundary of Section 34. 37.50 Chains
to witness corner for Sections 33 & 34
The point for corner to Sections 33 & 34
being in the ck Bommenced 10 lks
west of witness corner thence and run

Township 8 R 1 East
North on Off Set line
Variation 11° 15 East

40.00 To a point thence East 80 links to
the line Between Sections 33 & 34
at which point Set quartz Stone
12 in. long 12 in wide 12 in thick
for quarter Section corner
80.00 Set quartz Stone 16 in long 16 in wide 6 in
thick for corner to Sections 27, 28, 33 & 34
Surface rolling Soil 1st rate

Eastern and on line between Sections 27 & 34
Variation 11° East

40.00 Set Stone for temporary quarter Section corner
80.50 Intersected the line 27 lks South of corner
to Sections 26, 27, 34 & 35 from which corner 3 ins
West on the line between Sections 27 & 34
Variation 11 1/2° East
40.25 Set Limestone 12 in long 12 in wide 10 in thick
for quarter Section corner
80.51 The corner to Sections 27, 28, 33 & 34

14
152

Township 8 N R 1 East

Surface level Soil 1st rate

North between Sections 27 & 28

Variation 11° 15' East

40.00 Set quartz stone 18 in long 12 in wide 4 in thick for quarter Section corner

80.00 Set quartz Stone 16 in long 14 in wide 5 in thick for corner to Sections 21. 22. 27 & 28

Surface gently rolling Soil 1st rate

East on random line between Sections 22 & 27

Variation 11° 15' East

40.00 Set Stone for quarter Section corner

80.30 Intersected N & S line 11 lks West of corner to Sections 22. 23. 26 & 27 from which corner Bears West on true line between Sections 22 & 27

X Variation 11° 10' East

40.15 Set quartz Stone 12 in long 12 in. wide 11 in thick for quarter Section corner

80.30 The corner to Sections 21. 22. 27 & 28

Surface level Soil 1st rate

15
153

Township 8 N R 1 East

North between Sections 21 & 22

Variation 11° 15' East

40.00 Set quartz Stone 12 in long 12 in wide 11 in thick for quarter Section corner

80.00 Set quartz Stone 16 in long 14 in wide 6 in thick for corner to Sections 15. 16. 21 & 22

Surface level Soil 1st rate

East on random line between Sections 15 & 22

Variation 11° 15' East

40.00 Set Stone for temporary quarter Section corner

72.88 Intersected N & S line 7 lks North of corner to Sections 14. 15. 22 & 23 from which corner Bears West on true line between Sections 15 & 22

Variation 11° 0' East

37.33 Set quartz Stone 13 in long 10 in wide 5 in thick for quarter Section corner

72.88 The corner to Sections 15. 16. 21 & 22

Surface level Soil 1st rate

North between Sections 15 & 16

Variation 11° 15' East

Township 8 S R 1 East

40.00 Set quartz Stone 12 in long 10 in wide 5 in thick for quarter Section corner

80.00 Set quartz Stone 16 in long 12 in wide 8 in thick for corner to Sections 9. 10. 15 & 16

Surface level Soil 1st rate

East on random line between Sections 10 & 15

Variation 11° 15' East

40.00 Set Stone for temporary quarter Section corner

80.10 Intersected N & S line 10 lks South of corner to Sections 10. 11. 14 & 15 from which corner B pine West on true line between Sections 10 & 15

Variation 11° 15' East

40.05 Set quartz Stone 14 in long 10 in wide 6 in thick for quarter Sections corner

80.10 The corner to Sections 9. 10. 15 & 16

Surface level Soil 1st rate

X North between Sections 9 & 10

Variation 11° 15' East

40.00 Set quartz Stone 14 in long 8 in wide 5 in thick for quarter Section corner

Township 8 S R 1 East

69.00 Branch 5 lks wide course W.

80.00 Set quartz Stone 16 in long 12 in wide 8 in thick for corner to Sections 3. 4 & 10

Surface gently rolling Soil 1st rate

East on random line between Sections 3 & 10

Variation 11° 15 East

40.00 Set Stone for temporary quarter Sec corner

56.00 Branch 10 lks wide course W. &

80.22 Intersected N & S line 25 lks south of corner to Sections 2. 3. 10 & 11 from which corner B pine West on true line between Sections 3 & 10

Variation 11° 26' East

40.11 Set quartz Stone 14 in long 10 in wide 7 in thick for quarter Section corner

80.22 The corner to Sections 3. 4. 9 & 10

Surface gently rolling soil 1st rate

North between Sections 3 & 11

Variation 11° 15 East

40.50 Set quartz Stone 13 in long 8 in wide 5 in thick for quarter Section corner

18
1867

18

Townships 8 N R 1 East

80.38 Intersected 2nd Standard Parallel 14 lks west of corner to Sections 33 & 34 at which point Set quartz Stone 14 in long 12 in wide 4 in thick for corner to Sections 3 & 4
Surface gentley rolling Soil 1st rate
September 4th 1867

North between Sections 32 & 33
Variation 11° 15' East

26.30 Branch 5 lks wide course S. E.
40.00 Set quartz Stone 14 in long 7 in wide 8 in thick for quarter Section corner
80.00 Set quartz Stone 16 in long 12 in wide 6 in thick for corner to Sections 28, 29, 32 & 33
Surface gentley rolling Soil 1st rate

Easterly random line between Sections 28 & 33
Variation 11 East

40.00 Set Stone for temporary quarter Section corner
79.50 Intersected N & S line 9 lks west of corner to Sections 27, 28, 33 & 34 from which corner Bears West on true line between Sections 28 & 33

19
1867

19

Townships 8 N R 1 East
Variation 10° 56' East

39.75 Set Limestone 13 in long 12 in wide 4 in thick for quarter Section corner
79.50 The corner to Sections 28, 29, 32 & 33
Surface gentley rolling Soil 1st rate

North between Sections 28 & 29
Variation 11° 30' East

40.00 Set quartz Stone 13 in long 9 in wide 6 in thick for quarter Section corner
80.00 Set quartz Stone 17 in long 13 in wide 4 in thick for corner to Sections 20, 21, 28 & 29
Surface level Soil 1st rate

East on random line between Sections 21 & 28
Variation 11° East

40.00 Set Stone for temporary quarter Section corner
79.62 Intersected N & S line 21 lks north of corner to Sections 21, 22, 27 & 28 from which corner Bears West on true line between Sections 21 & 28
Variation 10° 52' East

37.81 Set quartz Stone 13 in long 9 in wide 8 in thick

20

Township 8 N Re 1 East
for quarter Section corner
72.62 The corner to Sections 20, 21, 28 & 29
Surface level Soil 1st rate
North between Sections 20 & 21
Variation 11° 15' East
40.00 Set quartz Stone 13 in long 6 in wide 6 in thick
for quarter Section corner
80.00 Set quartz Stone 17 in long 12 in wide 10 in thick
for corner to Sections 16, 17, 20 & 21
Surface level Soil 1st rate
East on random line between Sections 16 & 21
Variation 11° East
40.00 Set Stone for temporary quarter Section corner
72.62 Intersected N & S line 30 lks North of corner to
Sections 15, 16, 21 & 22 from which corner Bears
X West on true line between Sections 16 & 21
Variation 10° 30' East
39.70 Set quartz Stone 15 in long 8 in wide 6 in
thick for quarter Section corner
72.40 The corner to Sections 16, 17, 20 & 21

21

Township 8 N Re 1 East
Surface level Soil 1st rate
North between Sections 16 & 17
Variation 11° East
40.00 Set quartz Stone 13 in long 8 in wide 6 in
thick for quarter Section corner
72.10 Branch 20 lks wide course N E
80.00 Set quartz Stone 16 in long 12 in wide 5 in
thick for corner to Sections 8, 9, 16 & 17
Surface level Soil 1st rate
East on random line between Sections 9 & 16
Variation 10° 45' East
.50 Branch 20 lks wide course North
40.00 Set Stone for temporary quarter Section corner
72.48 Intersected N & S line 16 lks North of corner
to Sections 9, 10, 15 & 16 from which corner Bears
West on true line between Sections 9 & 16
Variation 10° 25' East
39.70 Set quartz Stone 13 in long 10 in wide 5 in thick
for quarter Section corner
72.48 The corner to Sections 8, 9, 16 & 17

22
160

22

Township 9 N Range 1 East

Surface level Soil 1st rate

North between Sections 8 & 9

Variation 11° 30' East

.50 Branch 15 lks mile course N, W

7.50 Branch 15 lks mile course N, E

40.00 Set quartz Stone 16 in long 8 in mile 7 in thick for quarter Section corner

80.00 Set quartz Stone 16 in long 12 in mile 3 in thick for corner to Sections 4, 5, 8 & 9

Surface gently rolling Soil 1st rate

East on random line between Sections 4 & 9

Variation 16° 45' East

40.00 Set Stone for temporary quarter Section corner

77.24 Intersected N & line 34 lks north of corner to Sections 3, 4, 9 & 10 from which corner Pound

North on true line between Sections 4 & 9

Variation 16° 21' East

32.72 Set quartz Stone 17 in long 14 in mile 2 in thick for quarter Section corner

77.04 The corner to Sections 4, 5, 8 & 9

23

23
169

Township 8 N Range 1 East

Surface gently rolling Soil 1st rate

North Between Sections 4 & 5

Variation 11° 30' East

40.00 Set quartz Stone 16 in long 10 in mile 8 in thick for quarter Section corner

78.90 Intersected 2nd Standard Parallel 100 lks west of corner to Sections 32 & 33 at 20 inch spring Set Limestone 17 in long 12 in mile 3 in thick for corner to Sections 4 & 5

Surface level Soil 1st rate

September 5th 1857

North Between Sections 31 & 32

Variation 11° 15' East

40.00 Set quartz Stone 14 in long 8 in mile 6 in thick for quarter Section corner

80.00 Set Limestone 16 in long 12 in mile 4 in thick for corners to Sections 29, 30, 31 & 32 Surface rolling Soil 2nd rate

Easterly random line between Sections 29 & 32

Variation 11° East

24
162

Township 8 S R 1 East

40.00 Set Stone for temporary quarter Section corner
80.16 Intersected West Line 18.16 chs South of corner to
Sections 25, 29, 32 & 33 from which corner Bears
West on true line between Sections 29 & 32
Variation 11° 21 East
40.08 Set quartz Stone 12 in long 12 in wide 10 in thick
for quarter Section corner
80.16 The corner to Sections 29, 30, 31 & 32
Surface rolling Soil 2d rate

West on random line between Sections 30 & 31
Variation 11° 15' East
40.00 Set Stone for temporary quarter Section corner
78.60 Intersected West Boundary 32 chs South of corner
to Sections 30 & 31 from which corner Bears
East on true line between Sections 30 & 31
Variation 11° 02 East
X 38.60 Set quartz Stone 16 in long 6 in wide 5 in
thick for quarter Section
78.60 The corner to Sections 29, 30, 31 & 32
Surface level Soil 1st rate

35
163

Township 8 S R 1 East
North between Sections 29 & 30
Variation 11° 15' East
40.00 Set quartz Stone 14 in long 10 in wide 6 in
thick for quarter Section corner
80.20 Set limestone 17 in long 14 in wide 3 in thick
for corner to Sections 19, 20, 29 & 30
Surface level Soil 1st rate

East on random line between Sections 20 & 29
Variation 11° 15' East
40.00 Set Stone for temporary quarter Section corner
79.80 Intersected West Line 18 chs South of corner to Sec
20, 21, 28 & 29 from which corner Bears
West on true line between Sections 20 & 29
Variation 11° 21' East
58.35 Set quartz Stone 13 in long 12 in wide 9 in thick
for quarter Section corner
72.90 The corner to Sections 19, 20, 29 & 30
Surface level Soil 1st rate

West on random line between Sections 19 & 30
Variation 11° 15' East

Township 8 N R 1 East

40.00 Set Stone for temporary quarter Section corner
78.00 Intersected West Boundary 25 lks North of
corner to Sections 18 & 19 from which corner B Pine
East on true line between Sections 18 & 19

Variation 11° 25' East

38.80 Set quartz Stone 13 in long 12 in wide 3 in thick
for quarter Section corner
79.80 The corner to Sections 17. 20. 29 & 20
Surface level Soil 1st rate

North between Sections 18 & 20

Variation 11° 15' East

20.00 Set quartz Stone 13 in long 8 in wide 6 in thick
for quarter Section corner
80.00 Set quartz Stone 15 in long 13 in wide 6 in
thick for corner to Sections 17. 18. 19 & 20
Surface level Soil 1st rate

X East on random line between Sections 17 & 20

Variation 11° 15' East

40.00 Set Stone for temporary quarter Section corner
79.50 Intersected W line 21 lks South of corner to

Township 8 N R 1 East

Sections 16. 17. 20 & 21 from which corner B Pine
West on true line between Sections 17 & 20

Variation 11° 25' East

33.75 Set quartz Stone 12 in long 10 in wide 3 in thick
for quarter Section corner
79.50 The corner to Sections 17. 18. 19 & 20
Surface gently rolling Soil 1st rate

East on random line between Sections 18 & 19

Variation 11° 30' East

22.00 Branch 5 lks wide course W. E.
40.00 Set Stone for temporary quarter Section corner
78.76 Intersected West Boundary 28 lks North of
corner to Sections 18 & 19 from which corner B Pine
East on true line between Sections 18 & 19

Variation 11° 30' East

38.96 Set quartz Stone 11 in long 11 in wide 5 in
thick for quarter Section corner
78.36 The corner to Sections 17. 18. 19 & 20
Surface level Soil 1st rate

North between Sections 17 & 18

28
166

28

Township 8 or N. 1 East

Variation 11° 30' East

20.00 Branch 6 lks wide course N. E.

40.00 Set quartz 13 in long 10 in wide 6 in thick for quarter Section corner

80.00 Set quartz Stone 13 in long 10 in wide 6 in thick for corner to Sections 7. 8. 17 & 18

Surface gently rolling Soil 1st rate

Eastern and on line between Sections 8 & 17

Variation 11° 15' East

40.00 Set Stone for temporary quarter Section corner

78.80 Intersected West Line 7 lks South of corner to Sections 8. 9. 16 & 17 from which corner Bears West on true line between Sections 8 & 17

Variation 11° 45' East

X 39.90 Set quartz Stone 13 in long 10 in wide 5 in thick for quarter Section corner

79.80 The corner to Sections 7. 8. 17 & 18

Surface gently rolling Soil 1st rate

September 6th 1859

Eastern and on line between Sections 7 & 18

29
167

29

Township 8 or N. 1 East

Variation 11° 45' East

40.00 Set Stone for temporary quarters Section corner

78.68 Intersected West Boundary 5 lks North of corner to Sections 7 & 18 from which corner Bears East on true line between Sections 7 & 18

Variation 12° 01' East

38.68 Set Sine Stone 13 in long 9 in wide 5 in thick for quarter Section corner

78.68 The corner to Sections 7. 8. 17 & 18

Surface level Soil 1st rate

North between Sections 7 & 8

Variation 11° 30' East

40.00 Set quartz Stone 12 in long 10 in wide 6 in thick for quarter Section corner

80.00 Set quartz Stone 17 in long 12 in wide 11 in thick for corner to Sections 5. 6. 7 & 8

Surface level Soil 1st rate

Eastern and on line between Sections 5 & 8

Variation 11° 30' East

40.00 Set Stone for temporary quarter Section corner

30
168

32.

Township 8 S. R 1 East

72.18 Intersected West line 5 Lks South of corner to Sections 31 & 32 from which corner Bears West on true line between Sections 5 & 8

Variation 11° 52' East

32.59 Set quartz Stone 12 in long 10 in wide 6 in thick for quarter Section corner

72.18 The corner to Sections 5. 6. 7 & 8

Surface Level Soil 1st Rate

West on said line between Sections 6 & 7

Variation 11° 45' East

40.00 Set Stone for temporary quarter Section corner

72.26 Intersected West Boundary 32 Lks North of corner to Sections 6 & 7 from which corner Bears East on true line between Sections 6 & 7

Variation 12° East

32.26 Set quartz Stone 14 in long 12 in wide 4 in thick for quarter Section corner

72.26 The corner to Sections 5. 6. 7 & 8

Surface gently rolling Soil 1st rate

North between Sections 5 & 6

168
2

31
169

Township 8 S. R 1 East

Variation 11° 15' East

40.00 Set quartz Stone 18 in long 12 in wide 6 in thick for quarter Section corner

77.60 Branch 15 Lks wide course East

79.96 Intersected 2nd Standard Parallel 72 Lks West of corner to Sections 31 & 32 at which point Set Limestone 16 in long 12 in wide 4 in thick for corner to Sections 5 and 6

Surface gently rolling Soil 1st rate

September 7th 1857

General Description

The quality of land in this Township is of first and second rate quality the up lands are gently roll-ing. and well adapted for al Farming purposes, a small Creek runs along the Southern Boundary of this Township and being the only running water that I found. There are other points in this Township which have every appearance of running water of ordinary Seasons.

Timber is only to be found in the South part along the bank of the Creek its quality, Oak Elm & Cottonwood

List of names

A list of the names of the individuals employed to assist in running measuring, or marking the lines and corners described in the foregoing field notes of Township No. 8 North of the base line of Range No 1 East of the 6th Principal Meridian Showing the respective capacities in which they acted

John L Plummer Chainman
Robert Mack Chainman
Frederic Kuhn Marker
Samuel Cambel Flagman

General Land Office • Original Field Notes

Book Number

30

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.