General Land Office • Original Field Notes

Book Number

37

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

No 1

Platte

a

Vol 1. T2 E

Rec'd August 21st 1857

Field notes of the Subdivision lines in Township No 1 North of Range 2 East of the 6th P.M. Md. in the Territory of Nebraska by William S. Caldwell deputy Surveyor under his Contract No 188 bearing date the 20 day of June 1857

Commenced July 16th 1857

Completed July 11th 1857

Rec'd some slight corrections marking Sept 1st 1857

Vanzandt

b

Township 1 N. Range 2 & 6th P.M.

Chains

Names and duties of assistants

Nelson McCollum Chainman
Nikolas Bubler Chainman
A. Co. Richey Axman
David McCollum Flagman
Monroe M. Caldwell Compassman

C

Township 1 N. Range 2 East

6	39	5	28	4	21	3	15	2	9	1
38		37		27		20		15		8
7	36	8	27	9	20	10	14	11	7	12
36		35		26		19		13		6
18	34	17	26	16	19	15	13	14	6	13
34		33		25		18		12		5
19	33	20	24	21	18	22	12	23	4	24
32		31		23		17		11		3
30	31	29	23	28	17	27	11	26	3	25
30		29		22		16		10		2
31	29	32	22	33	16	34	9	35	1	36

d

c

UNITED STATES OF AMERICA,
TERRITORY OF Nebraska }

I, Nelson Mc Collum do solemnly swear that I will execute the duties of chain carrier; that I will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that I will report the true distance to all notable objects; and the true length of all lines that I assist in measuring, to the best of my skill and ability.

his
Nelson x Mc Collum
mark

Subscribed and sworn to before me this Sixth day of July A. D. 1857

William S. Caldwell
~~Justice of the Peace.~~
Deputy Surveyor

UNITED STATES OF AMERICA,
TERRITORY OF Nebraska }

I, Nikolas Bubbler do solemnly swear that I will execute the duties of chain carrier; that I will level the chain upon uneven ground, and plumb the tally pins whether by sticking or dropping the same; that I will report the true distance to all notable objects; and the true length of all lines that I assist in measuring according to the best of my skill and ability.

Nikolas Bubbler

Subscribed and sworn to before me this Sixth day of July A. D. 1857

~~Justice of the Peace.~~
William S. Caldwell
Deputy Surveyor

b

f

United States of America
Territory of Nebraska }

I. Monroe, M. Caldwell do Solemnly Swear that will well and truly perform the duties of Compassman according to instructions given me, and to the best of my Skill and ability

Monroe, M. Caldwell Compassman

Subscribed and sworn to before me this Sixth day of July 1857

William S. Caldwell
Deputy Surveyor

In the absence of a Justice of the peace. I had to Qualify my assistant

William S. Caldwell

g

UNITED STATES OF AMERICA,
TERRITORY OF Nebraska }

I, David McCollum do solemnly Swear that I will well and truly perform the duties of Flagman according to instructions given me, and to the best of my skill and ability.

David McCollum

Subscribed and sworn to before me this Sixth day of July A. D. 1857

~~Justice of the Peace.~~
William S. Caldwell
Deputy Surveyor

UNITED STATES OF AMERICA,
TERRITORY OF Nebraska }

I, A. C. Richey do solemnly Swear that I will well and truly perform the duties of Axeman according to instructions given me, and to the best of my skill and ability.

A. C. Richey

Subscribed and sworn to before me this Sixth day of July A. D. 1857

~~Justice of the Peace.~~
William S. Caldwell
Deputy Surveyor

h

Township 1 N. Range 2 E & 6th P.M. Mex.

Chains

To determine the proper adjustment of My Compass for Subdividing this Township. I Commence at the corner to Township N.R 3 and 2 E and Runs North on a blank line along the East Boundary of Section 36

Variation 12° 00. East

40.04 A point 8 lks West of the Quarter Sec Corner

80.05 A point 21 lks West of the corner to Sections 25 and 36

To Retrace this line or run parallel thereto my Compass must be adjusted to a variation of 11°51' East

Subdivision Commenced July 6th 1857

From the corner to Sections 35.36 on the Base line. I run North between Sections 35 and 36

Variation 11°51' East

20.00 Drain runs N. W

40.00 Set Limestone 20 in Long. 10 in

Township 1 N. Range 2 E 6th P.M. Mds

Chains	
	wide and 3 in thick for Quarter Section Corner.
80.00	Set Sand Stone 23 in Long. 12 in wide and 3 in thick for corner to Sections 25. 26. 35. 36
	Land Broken. Surface Rocky
	Soil 3rd Rate
	East on a random line between Sections 25 and 36
	Variation 11°51' East
33.00	Stream 5 lks wide runs N. W
40.00	Set temporary Quarter Section Corner
80.20	Intersected the East boundary of the Township 28 lks South of the Corner to Sections 25 and 36 From which corner 3 inch Post set on a true line between Sec 25 and 36
	Variation 12°03' East
40.10	Set Sandstone 18 in Long. 12 ins wide and 3 in thick for Quarter Sec corner

Township 1 N. Range 2 E 6th P.M.

Chains	
80.20	The corner to Sec 25. 26. 35. 36
	Land Broken. Soil 3rd Rate.
	North between Sections 25 and 26
	Variation 11°30' East
40.00	Set Sand Stone 16 in Long. 12 in wide and 6 in thick for Quarter Section Corner
80.00	Set Sand Stone 19 in Long. 13 in ~~thick~~ wide and 3 in thick for corner to Sections 23. 24. 25. 26
	Land Broken Prairie. Soil 3rd Rate
	East on a random line between Sec 24 and 25
	Variation 11°30' East
6.00	Leave Prairie and enter timber bearing N. W and S. E
7.00	Stream 10 lks wide runs N. W
12.00	Enter Prairie bearing N W and S. E
40.00	Set temporary Quarter Sec corner
79.90	Intersected the East boundary of

Township No 1 North Range 2 E 6th P.M.

Chains	
	The Township 37 lks South of the Corner to Sections 24. and 25 From which corner I run West on a true line between Sec 24 and 25
	Variation 11°46' East
39.95	Set Sand Stone 23 in Long. 10 in wide and 3 in thick for Quarter Section Corner
79.90	The corner to Sec 23, 24, 25, 26 Land Broken Prairie. Soil 3rd Rate. Some timber on Stream. Elm and Oak
	North between Sections 23 and 24
	Variation 11°30' East
8.00	Enter timber bearing N. W and S. E
1.00	Stream 10 lks wide runs N. W.
21.44	Enter Prairie Bearing ~~N. E and S. W~~ N. W + S. E
37.00	Sand Stream runs N. E
40.00	Set Sand Stone 18 in Long. 13 in

Township 1 N. Range 2 E 6th P.M.

Chains	
	wide and 3 in thick for Quarter Section Corner
58.00	Drain runs East
80.00	Set Sand Stone 20 in Long. 11 in wide and 3 in thick. for Corner to Sections 13, 14, 23, 24 Land Broken. Soil 3rd Rate Timber Oak and Elm
	East on a random line between Sections 13 and 24
	Variation 11°30' East
8.00	Enter timber bearing N. E and S. W
10.00	Stream 10 lks wide runs N. E
24.00	Enter Prairie Bearing N. E and S. W
40.00	Set temporary Quarter Sec corner
79.70	Intersected the East Boundary of the Township 28 lks South of the corner to Sec 13 and 24 From which corner I run West on a true line between Sections 13 and 24

Township 1 N. Range 2 E 6th P. M.

Chains	
	Variation 11°42' East
39.85	Set Sand Stone 23 in Long, 13 in wide and 4 in thick for Quarter Sec corner
79.70	The corner to Sec 13. 14. 23. 24 Land very Broken. Soil 3rd Rate. Timber Elm and Oak
	North between Sections 13 and 14
	Variation 11°30' East
10.00	Raine runs East
40.00	Set Sand Stone 12 in Long, 9 in wide and 6 in thick for Quarter Sec corner
80.00	Set Sand Stone 18 in Long, 12 in wide and 5 in thick for corner to Sec 11, 12, 13, 14 Land Broken, Prairie Soil 3rd Rate
	East on a random line between Sec 12 and 13
	Variation 11°30' East
40.00	Set temporary Quarter Sec Corner

Township 1 N. Range 2 E 6th P. M.

Chains	
48.00	Stream 10 lks wide runs N. E
78.65	Intersecting the East Boundary of the Township 31 lks South of the Corner to Sec 12 and 13 From which corner 3 trees West on a true line between Sections 12 and 13
	Variation 11°45' East
39.82	Set Sand Stone 17 in Long, 11 in wide and 5 in thick for Quarter Sec Corner
78.65	The corner to Sec 11. 12. 13. 14 Land Broken Prairie Soil 3 Rate
	North between Sections 11 and 12
	Variation 12.30 East
40.00	Set a Sand Stone 19 inches long 12 inches wide and 3 inches thick for Quarter Section corner
45.00	Stream 20 lks wide runs East
50.00	Same Stream 20 lks wide runs N W and enters timber Bearing N W and S E.
54.00	Same Stream 20 lks wide runs East
55.00	Leave timber and Enter prairie Bearing E & S W

Township No 1 N Range No 2 East 6th P.M. Mex.

Chains	
80.00	Set a Sand Stone 25 inches long 12 inches Wide and 4 in thick for corner to Sections 1.2.11.12
	Sand Rolling Soil 3 rd rate
	Timber Oak. Elm and cotton wood
	East on a Random line between Sections 1 and 12
	Variation 11.30 East
36.00	Leave prairie and enter timber Bearing N and W
37.00	Stream 20 lks wide runs N W
40.00	Set Stone for temporary Quarter Sec corner
44.00	Same stream 20 lks wide runs S E.
46.00	Leave timber and enter prairie Bearing N and W
79.68	Intersected East Boundary of Township 27 lks South of corner to sections 1 and 12
	From which corner I run
	West on a true line between sections 1 and 12
	Variation 11.42 East
37.84	Set a Sand Stone 20 inches long 7 inches wide and 4 inches thick for Quarter Section Corner

Township No 1 N Range No 2 East 6th P.M. Mex.

Chains	
*	A Box alder 14 in dia Bears S 28 W 42 lks dist An Elm 13 in dia Bears N 27 W 90 lks dist
79.68	The corner to sections 1.2.11.12 From which *
	Sand Rolling Soil 2nd rate
	Timber Oak. Elm Box alder and cotton wood
	North on a Random line between sections 1 and 2
	Variation 11.30 East
40.00	Set Stone for temporary Quarter Section Corner
79.50	Intersected North boundary of Township 73 lks East of corner to Sections 1 and 2
	From which corner I run
	South on a true line between Sections 1 and 2
	Variation 12.22 East
39.30	Set a Sand Stone 17 inches long 10 inches wide and 3 inches thick for Quarter section corner
77.30	The corner to Sections 1.2.11.12
	Sand Rolling prairie Soil 3rd rate
	July 6th 1857
	North between Section 34 and 35
	Variation 11.30 East
40.00	Set a Sand Stone 20 inches long 12 inches wide

Township No 1 N Range No 2 East 6th P.M. 16th

Chains	
	and 2½ inches thick for Quarter section corner
60.00	Ravine runs N E.
72.00	Ravine runs East,
80.00	Set a Sand stone 14 inches long 10 inches wide and 4 inch thick for corner to Sec 26.27.34.35
	Land Rolling prairie, soil 3rd rate
	East on a Random line between Sec 26 and 35
	Variation 11.30 East
2.00	Leave prairie and Enter timber Bearing N E and S W
30.00	Stream 10 lks wide runs N E.
33.00	Leave timber and Enter prairie Bearing N E and S W
40.00	Set stone for Temporary Quarter Section Corner
80.16	Intersected N and S line 20 lks South of corner to sec 23, 26.35.36
	From which corner I run
	West on a true line between Section 26 and 35
	Variation 11.38 East,
40.08	Set a Lime stone 15 inches long 12 inches wide and 3 inches thick for Quarter Section corner
80.16	The corner to Sections 26.27.34.35
	Land Rolling Soil 3rd rate

Township No 1 N Range No 2 East 6th P.M. 16th

Chains	
	Trees Oak and Elm
	North between Sections 26 and 27
	Variation 11.30 East,
26.00	Ravine runs N E.
40.00	Set Sand Stone 28 inches long 10 inches wide and 3 inches thick for North section corner
80.00	Set a Lime Stone 22 inches long 12 inches wide 4 inches thick for corner to section 22.23.26.27
	Land Rolling prairie Soil 3rd rate
	East on a Random line between Section 23 and 26
	Variation 11.30 East,
40.00	Set a Stone for temporary Quarter Sec corner
45.00	Stream 8 lks wide runs N E.
79.84	Intersected N and S line 23 lks South of Corner to Sections 23 24.25.26
	From which corner I run
	West on a true line between Sections 23 and 26
	Variation 11.40 East
39.72	Set Sand Stone 17 inches long 10 inches wide and 4 in thick for Quarter Sec Corner

Township No 1 N Range No 2 East 6th P.M. Mer.

Chains	
77.84	The corner to Sections 22. 23. 26. 27 Land Rolling prairie Soil 3rd rate
	North between Sections 22 and 23 Variation 11.30 East
40.00	Set a Sand Stone 15 in long 14 in wide and 3 in thick for Quarter Section corner
67.00	Marine runs N &
80.00	Set a Sand Stone 22 in long 18 in wide and 4 in thick for corner to Section 14. 15. 22. 23 Land Rolling prairie Soil 3rd rate
	East on a Random line between Sec 14 and 23 Variation 11. 30 E
9.00	Leave prairie and enter timber Bearing N E and SW
10.50	Stream 5 lks wide runs N E
15.00	Leave timber and Enter prairie Bearing N E and SW
28.00	Leave prairie and Enter timber Bearing NW and SE
30.00	Same stream 5 lks wide runs S E.
36.00	Leave Timber and Enter prairie Bearing NW and S E
40.00	Set a Stone for temporary Quarter sec corner
77.90	Quarter Section N and S line 3 2 lks South of corner to section 13. 14. 23. 24

Township No 1 N Range No 2 East 6th P.M. Mer.

Chains	
	From which corner I run West on a true line between sections 14 and 23 Variation 11. 30 East
39.75	Set a Sand Stone 20 inches long 10 in wide and 3 in thick for Quarter Section corner
79.50	The corner to sections 14. 15. 22. 23. Land Rolling prairie Soil 3rd rate Timber Oak and Elm
	North between Section 14 and 15 Variation 11. 30 East
40.00	Set a Sand Stone 19 in long 13 in wide and 3 in thick for Quarter Section corner
50.00	Leave prairie and Enter timber Bearing N E and SW
54.00	Stream 5 lks wide runs N E.
60.00	Leave Timber and Enter prairie Bearing N E and SW
77.00	Marine runs East
80.00	Set a Sand Stone 24 in long 10 in wide and 4 in thick for corner to section 10. 11. 14. 15 Land Rolling Soil 3rd rate Timber Oak.
	East on a Random line between Sections 11 and 14

Township No 1 N Range No 2 East 6th P.M. No 4

Chains

Variation 11.30 East

2200 Stream 3 lks wide runs N E.

10,00 Set Stone for temporary Quarter Sec corner

17.82 Intersected Standard line 10 lks south of corner to sections 11.12.13.14

From which corner I run

West on a true line between sections 11 and 14

Variation 11.34 E

38,71 Set Sand Stone 24 in long 18 in wide and 3 in thick for Quarter Sec corner

77.82 The corner to section 10.11.14.15

Land Rolling prairie Soil 3rd Rate

North between sections 10 and 11

Variation 11.30 E

40,00 Set a Sand stone 18 in long 14 in wide and 3 in thick for Quarter Section corner

50,00 Some prairie and Entes timber Bearing N E and S W

53.00 Stream 10 lks wide runs N E

64,00 Stream 20 lks wide runs N E

72,00 Some timber and Entes prairie Bearing N E and S W

80,00 Set a Sand Stone 19 inches long 14 in wide and 3

Township No 1 N Range No 2 East 6th P.M. No 4

Chains

inches thick for corner to section. 2.3.10.11

Land Surface Timber Broken Soil 3rd rate

East on a Random line between Section 2 and 11

Variation 11.30 East,

40,00 Set Stone for temporary Quarter Sec corner

82.10 Intersected Standard line 38 lks South of corner to section. 1.2.11.12

From which corner I run

West on a true line between sections 2 and 11

Variation 12.06 East

40,05 Set a Sand Stone 18 inches long 14 in wide and 3 in thick for North section Corner

80,10 The corner to sections 2.3.10.11

Land Rolling prairie Soil 2nd Rate

North on a Random line between sections 2 and 3

Variation 11.30 East

40,00 Set Sod for temporary Quarter Sec corner

77,86 Intersected North Boundary of Township 3 6 lks East of corner to Sections 2 and 3

From which corner I run

Township No 1 N Range No 2 E 6th P.M. Mer.

Chains	
	South on a true line between Sections 2 and 3 Variation 12, 1/4 East
39.80	Set a Sand Stone 19 in long 10 in wide and 4 in thick for Quarter Section Corner
79.80	The corner to sections 2, 3, 10, 11 Land Rolling prairie soil 3rd rate July 7th 1857
	North between Sections 33 and 34 Variation 11.30 East
40,00	Set a Lime Stone 19 in long 14 in wide and 3 in thick for Quarter Section Corner
80.00	Set a Sand Stone 17 in long 17 in wide and 3 in thick for corner to Section 27, 28, 33, 34 Land Rolling prairie Soil 3rd rate
	East on a Random line between Sections 27 and 34 Variation 11. 3-0 East
24,00	Ravine runs North
40,00	Set Stone for temporary Quarter Sec corner
80,18	Intersected N and S line 10 lks North of corner to Sections 26, 27, 34, 35 From which corner Ash

Township No 1 N Range No 2 East 6th P.M. Mer.

Chains	
	West on a true line between Section 27 and 34 Variation 11.1/4 E
40,17	Set a Lime Stone 19 in long 14 in wide and 2 1/2 in thick for Quarter section corner
80,18	The corner to Section 27, 28, 33, 34 Land's Surface Broken Soil 3rd Rate
	North between Section 27 and 28 Variation 11.30 East
24.00	Lime prairie and Enter Timber Bearing N 6 & W
26,00	Ravine runs N E
32,00	Lime timber and Enter prairie Bearing N E and W
40.00	Set a Sand Stone 16 in long 12 in wide and 3 in thick for Quarter section corner
70,00	Ravine runs East
80,00	Set a Sand Stone 21 in long 14 in wide and 4 in thick for corner to Section 21, 22, 27, 28 Land Rolling Soil 3rd rate Timber — Elm and Box alder
	East on a Random line between Section 22 and 27 Variation 11, 3-0 East

Township No 1 North Range No 2 East of 6th P.M.

Chains	
26,50	Ravine runs N E
40,00	Set Sod for temporary Quarter section Corner
79,92	Intersected N and S line 14 lks North of Corner to Sections 22, 23, 26, 27 From which Corner Ash 12 in diameter bears West on a true line between sections 22 and 27 Variation 11, 44 East
39,46	Set a Sand Stone 13 in long 16 in wide and 6 in thick for Quarter section Corner
79,72	The corner to sections 22, 23, 26, 27 Land Rolling prairie, Soil 3rd Rate

North between sections 21 and 22
Variation 11, 30 East

37,00	Ravine runs East,
40,00	Set a Lime Stone 28 in long 12 in wide and 2½ in thick for Quarter sec Corner
80,00	Set a Lime Stone 20 in long 12 in wide and 5 in thick for corner to sections 15, 16, 21, 22 Land Rolling prairie, Soil 3rd Rate

East on a Random line between sections 15 and 22
Variation 11, 30 East

Township No 1 N Range No 2 East of 6th P.M.

Chains	
40,00	Set Stone for temporary Quarter Section Corner
79,60	Intersected N and S line 42 lks North of Corner to section 14, 15, 22, 23 From which Corner Ash 12 in diameter bears West on a true line between section 15 and 22 Variation 11, 32 East,
39,80	Set a Sand Stone 22 in long 18 in wide and 4 in thick for Quarter section corner
79, 60	The corner to sections 15, 16, 21, 22 Land Rolling prairie. Soil 3rd rate

North between sections 15 and 16
Variation 12,00 East,

40,00	Set a Sand Stone 17 in long 12 in wide and 3 in thick for Quarter section Corner
80,00	Set a Sand Stone 18 in long 12 in wide and 6 in thick for corner to section 9, 10, 15, 16 Land Rolling prairie Soil 3rd rate

East on a Random line between section 10 and 15
Variation 11,30 East

22,00	Ravine runs N E

5th Township No 1 N Range No 1 East 6th P. M.

Chains	
40.00	Set Stone for Temporary Quarter Section corner
79.78	Intersected Naw & bears 32 lks North of corner to Section 10.11.14.15
	From which Corner I run
	West on a true line between Sections 10 and 15
	Variation 11.37 East
39.89	Set a Sand Stone 24 in long 12 in wide and 4 in thick for Quarter Section corner
79.78	The corner to Section 9.10.15.16
	Land Surface Broken Soil 3rd rate
	North between Section 9 and 10
	Variation 12.00 East
40.00	Set a Lime Stone 22 in long 12 in wide and 3 in thick for Quarter Section corner
80.00	Set a Lime Stone 25 in long 11 in wide and 3 in thick for corner to Section 3.4.9.10
	Land very Broken Soil 3rd rate
	East on a Random line between Sections 3 and 10
	Variation 11.30 East
40.00	Set Stone for temporary Quarter Sec corner
63.00	Leave prairie and Enter timber Bearing N W and S

5th Township No 1 N Range No 2 East 6th P. M.

Chains	
64.00	Stream 20 lks wide runs S E.
68.00	Leave timber and Enter prairie Bearing N W and S E
79.89	Intersected Naw & bears 28 lks North of corner to Section 2.3.10.11
	From which Corner I run
	West on a true line between Section 3 and 10
	Variation 11.3 East
39.94	Set a Lime Stone 23 in long 13 in wide and 2½ in thick for Quarter Sec corner
79.89	The corner to Sections 3.4.9.10
	Land Rolling prairie. Soil 3rd rate
	Timber Oak and Elm
	North on a Random line between Section 3 and 4
	Variation 12.00 East
30.00	Leave prairie and Enter timber Bearing N E and S W
32.00	Stream 20 lks wide runs N E
35.00	Leave timber and Enter prairie Bearing N E and S W
40.00	Set Stone for temporary Quarter Sec corner
80.20	Intersected North Boundary of Township 10 lks East of corner to Sections 3 and 4

In Township No 1 N Range No 2 East of the 2d P.M. No's

Chains	
	From which corner I run
	South on a true line between Sec 3 and 4
	Variation 12.30 East
40.20	Set a sand stone 21 in long 12 in wide and 6 in thick for Quarter Section corner
80.20	The corner to section 3.4.9.10
	Land Rolling, Soil 3rd rate
	Timber Elm and Oak
	July 9th 1857
	North between sections 32 and 33
	Variation 11.50 East
29.00	Ravine runs West
40.00	Set a Lime Stone 20 in long 12 in wide and 3 in thick for Quarter Section Corner
80.00	Set Lime Stone 23 in long 16 in wide and 3 in thick for corner to section 28.29.32.33
	Land Rolling, prairie Soil 3rd rate
	East on a Random line between sections 28 and 33
	Variation 11.30 East
40.00	Set Sod for Temporary Quarter Section Corner.
50.00	Ravine runs N E

In Township No 1 N Range No 2 East of the 2d P.M. No's

Chains	
80.20	Intersected N and S line 42 lks South of corner to sections 27, 28, 33, 34
	From which corner I run
	West on a true line between sections 28 and 33 Variation 12.0 (11.32) & East
40.10	Set a Sand Stone 16 inches long 10 in wide and 4 in thick for Quarter Section corner
80.20	The corner to section 28.29.32.33
	Land Rolling prairie, Soil 3rd rate
	North between section 28 and 29
	Variation 11.50 East
40.00	Set a Lime Stone 24 in long 16 in wide and 3 in thick for Quarter Section Corner
80.00	Set a Lime Stone 24 inches long 14 inches wide and 3 in thick for corner to section 20.21.28.29.
	Land Rolling prairie, Soil 2nd rate
	East on a Random line between sec 21 and 28
	Variation 11.30 East.
3.00	Ravine runs North.
8.00	Ravine runs North.
28.00	Ravine runs N W

Township No 1 N Range No 2 East 6th PM

Chains	
40.00	Set Stone for temporary Quarter Section Corner
79.93	Intersected N and S line 20 lks South of corner to Sections 21, 22, 27, 28
	From which Corner I saw
	West on a true line between Section 21 and 28
	Variation 11.5° East
39.96	Set a Lime Stone 20 in long 16 in wide and 2½ in thick for Quarter Section Corner
79.93	The corner to Section 20, 21, 28, 29
	Land Rolling prairie soil 3rd rate
	North between Section 20 and 21
	Variation 11.5° East
40.00	Set a Lime Stone 24 in long 16 in wide 2½ in thick for Quarter Section Corner
46.00	Leave prairie and Enter timber Bearing N 11 and S E
58.00	Stream 4 lks wide runs N W
68.00	Enter prairie Bearing N W and S E
71.00	Leave prairie and Enter Timber Bearing N 11 and E
78.00	Marine runs N W
80.00	Set a Lime Stone 24 in long 10 in wide and 3 in thick for corner to Section 16, 17, 20, 21

Township No 1 N Range No 2 East 6th PM

Chains	
	From which
	An Oak 19 in diam Bears N 66 W 14 lks dist
	An Elm 16 in diam Bears S 51 E 69 lks dist
	An Oak 12 in diam Bears N 27 E 38 lks dist
	An Oak 10 in diam Bears S 20 W 60 lks dist
	Land Rolling Soil 2nd rate
	Timber Oak and Elm
	East on a Random line between Section 16 and 21
	Variation 11.5° East
6.00	Leave timber and enter prairie Bearing N W and S E
30.00	Marine runs S W
40.00	Set Stone for temporary Quarter Section Corner
79.80	Intersected N and S line 28 lks South of corner to Sections 15, 16, 21, 22
	From which corner I saw
	West on a true line between Sections 16 & 21
	Variation 12.02 East
39.90	Set a Lime Stone 18 in long 16 in wide and 2½ inches thick for Quarter Section Corner
79.80	The corner to Section 16, 17, 20, 21

Township No 1 N Range No 2 East 6th P M No 6

Chains	
	Land Rolling, Soil 2nd rate Timber- Oak and Elm
	North between Sections 16 and 17 Variation 12°,00 East
2,00	Leave timber and Enter prairie Bearing N W and S E
23,00	Ravine runs N W
40,00	Set Sand Stone 20 in long 10 in wide and 3 in thick for Quarter Section Corner
80,00	Set a Lime Stone 24 in long 12 in wide and 3 in thick for corner to Sections 8, 9, 16, 17 Land Rolling prairie soil 3rd rate
	East on a Random line between Section 9 and 16 Variation 11,3-0 East
17,00	Ravine runs N W
40,00	Set Stone for temporary Quarter Sec corner
44,00	Leave prairie and Enter timber Bearing N E & S W
45,00	Stream 5 Lks wide runs N E
67,00	Leave timber and Enter prairie Bearing N E & S W
79,93	Intersected N and S line 21 Lks South of corner to section 9, 10, 15, 16 From which corner I mile

Township No 1 N Range No 2 East 6th P M No 6

Chains	
	West on a true line between Section 9 and 16 Variation 11, 3-0 East
39,96	Set a Sand stone 17 in long 14 in wide and 3 in thick for Quarter Section corner
79,93	The corner to Section 8, 9, 16, 17
*	Land Rolling prairie Soil 2nd rate Timber
	North between Section 8 and 9 Variation 12,00 East
40,00	Set a Sand Stone 17 in long 14 in wide and 3 in thick for Quarter Section Corner
46,00	Leave prairie and Enter timber bearing N E & S W
47,00	Stream 5 Lks wide runs N E.
67,00	Leave timber and Enter prairie Bearing N E and S W
80,00	Set a Sand Stone 18 in long 13 in wide and 3 in thick for corner to Section 4, 5, 8, 9. Land Broken. Soil 3rd rate. Timber Oak and Elm
	East on a Random line between Section 4 and 9 Variation 11,3-0 East
2,00	Stream 20 Lks wide N E

Township No 1 N Range No 2 East 6th P.M. No.

Chains	
40,00	Set Stone for temp. Quarter section corner
80,20	Intersected N and S line 21 lks South of corner 6 section 3.4.9.10. From which corner I run West on a true line between sections 4 and 9
	Variation 11.59 East
40,10	Set a Sand Stone 22 inches long 14 inches wide 2½ in thick for Quarter Sec Corner
80,20	The corner to section 4. 5. 8. 9 Land Broken, Soil 3rd rate
	North on a Random line between sections 4 and 5 Variation 12,00 East
10,00	Leave prairie and Entes timber Bears N E and S W
32,00	Stream 20 lks wide runs N E.
34,00	~~Entes~~ Leave for Limbes and Entes prairie Bearing N E and S W
40,00	Set Stone for temporary Quarter Sec Cor
80,70	Intersected North Boundary of Township 80 lks East of corner to sec 4 & 5 From which corner I run

Township No 1 N Range No 2 East 6th P.M. No.

Chains	
	South on a true line between sections 4 and 5
	Variation 12. 34 East
40,70	Set a Sand Stone 23 in long 14 in wide and 3 in thick for Quarter section corner
80,70	The corner to section 4. 5. 8. 9 Land Rolling, Soil 3rd rate Timber July 10th 1857
	North between section 31 and 32
	Variation 11.50 East
40,00	Set a Limestone 23 inches long 16 in wide and 2½ in thick for Quarter Sec Corner
80,00	Set a Limestone 27 in long 16 in wide and 2 in thick for ~~Quarter~~ corner to section 29. 30. 31. 32 Land Rolling prairie, soil 3rd rate
	East on a Random line between sections 29 and 32
	Variation 11.50 East
30,00	Ravine runs N W
40,00	Set Stone for temporary Quarter Sec Corner

Township No 1 N Range No 2 East 6th P.M.

Chains	
80.12	Intersected N and S line 70 lks South of corner to Section 28.29.32.33
	From which corner I run
	West on a true line between Sec 29 and 32
	Variation 12.20 East
40.00	Set a Lime Stone 25 in long 12 in wide and 2½ in thick for Quarter Sec Corner
80.12	The corner to section 29.30.31.32
	Land Rolling prairie, soil 3rd rate
	West on a Rand om line between Section 30 and 31
	Variation 12.00 East
40.00	Set Stone for temporary Quarter Sec Corner
80.00	Ravine runs N E.
81.23	Intersected West Boundary of Township 77 lks North of corner to Sec 30 and 31
	From which corner I run
	East on a true line between sections 30 and 31
	Variation 12.33 E.
41.23	Set Lime Stone 14 in long 14 in wide and 3 in thick for Quarter Sec corner

Township no 1 North Range No 2 East 6th P.M.

Chains	
81.23	The corner to sections 29. 30. 31, 32
	Land Rolling prairie, Soil 3rd rate
	North between sections 29 and 30
	Variation 11.30 East
40.00	Set a Lime Stone 12 in long 12 in wide and 3 in thick for Quarter Section Corner
66.00	Ravine runs N E.
80.00	Set a Lime Stone 25 in long 14 in wide and 3 in thick for Corner to section 19. 20. 29. 30
	Land Rolling prairie Soil 3rd rate
	East on a Rand om line between Sections 20 and 29
	Variation 12.00 East.
4.00	Leave prairie and Enter timber Bearing N E & N
5.00	Ravine runs N E
11.00	Stream 6 lks wide runs N E
12.00	Leave timber and Enter prairie Bear N E and S W
40.00	Set Stone for temporary Quarter Sec corner
80.00	Intersected N and S Line 38 lks South of Corner to Section 20. 21. 28. 29

Township No 1 N Range No 2 East of 6th P.M.

Chains

From which corner I run
West on a true line between Sections
20 and 29

Variation 12.16 East

40.03 Set a Lime Stone 19 in long 10 in wide and 3
in thick for Quarter Sections Corner
80.16 The corner to Sections 19. 20. 29. 30
Land Rolling prairie, Soil 3rd rate

West on a Random line between Sections
19 and 30

Variation 12.00 East

40.00 Set Stone for temporary Quarter Sec corner
81.40 Intersected West Boundary of Township
4 80 Chs North of corner to Sections 19 and 30
From which corner I run
East on a true line between Sections
17 and 30

Variation 12"12' E

41.40 Set a Sand Stone 18 in long 14 in wide and
3 in thick for Quarter Sec corner
81.40 The corner to Sections 19. 20. 29. 30

Township No 1 N Range No 2 East 6th P.M.

Chains

Land Rolling Prairie Soil 3rd rate
North between Sections 19 and 20

Variation 12.00 East

14.00 Ravine runs N E
40.00 Set a Lime Stone 18 in long 13 in wide 3
in ~~wide~~ thick for Quarter Section corner
68.00 Ravine runs N E.
80.00 Set a Lime stone 21 in long 13 in wide and
3 in thick for corner to Section 17.18.19.20
Land Rolling prairie. Soil 3rd rate

East on a Random line between Sections 17 and 20

Variation 12.30 East

10.00 Ravine runs N E.
28.00 Leave prairie and enter timber Bearing N and S W
29.00 Stream 3 Lks wide runs N E.
36.00 Leave timber and Enter prairie Bearing N E and S W
40.00 Set Stone for temporary Quarter Section Corner
66.00 Leave prairie and enter timber Bearing N W and S E
80.16 Intersected N and S line 23 Lks North of corner
to Section 16.17.20.21
From which corner I run

Township No 1 N Range No 2 East 6th P.M.

Chains	
	West on a true line between Sections 17 and 20
	Variation 11.30 East.
40.08	Set a Lime Stone 14 in long 12 in wide and 3 in thick for Quarter Section Corner
80.16	The corner to section 17, 18, 19, 20
	Land Rolling. Soil 3rd rate
	Timber Oak and Elm
	West on a Random line between Sections 18 and 19
	Variation 12.00 East
40.02	Set a Stone for temporary Quarter-Section Corner
81.64	Intersected West Boundary of Township 6 S
	18 links North of corner to Sec 18 and 19
	From which Corner I run
	East on a true line between Sections 18 and 19
	Variation 12.27 East
41.64	Set a Lime Stone 16 in long 13 in wide and 3 in thick for Quarter-Section Corner
81.64	The corner to Section 17. 18. 19. 20
	Land Rolling. Prairie soil 3rd rate
	North between Section 17 and 18
	Variation 12.00 East

Township No 1 North Range No 2 East 6th P.M.

Chains	
40.00	Set a Sand Stone 28 in long 14 in wide and 3 in thick for Quarter Section Corner
76.00	1 Chain 1 mns East,
80.00	Set a Sand Stone 20 in long 13 in wide and 3 in thick for Corner to Section 7. 8. 17. 18
	Land Rolling prairie. Soil 3rd rate
	East on a Random line between Section 8 and 17
	Variation 12.00 East
11.00	Leave prairie and Enter timber Bearing N E and S W
12.00	Stream 3 links wide runs N E.
26.00	Leave timber and Enter prairie Bearing N E and S W
40.00	Set Stone for temporay Quarter Section corner
79.90	Intersected N and S line 33 lks North of corner to Sections 8. 9. 16. 17
	From which corner I run
	West on a true line between Section 8 and 17
	Var 11.45 East
39.93	Set a Sand Stone 18 in long 13 in wide and 3 in thick for Quarter Section Corner
79.90	The corner to Sections 7. 8. 17. 18
	Land Rolling. Prairie. Soil 2nd rate

Township No 1 N Range No 2 East 6th P.M.

Chains	
	Timber Oak and Elm. on Stream
	West on a Random line between section 7 and 18
	Variation 12.00 East
40.00	Set a Stake for temporary Quarter section cor
42.00	Marine runs N W.
81.86	Intersected West Boundary of Township 7S
	18 Lks North of corner to section 7 and 18
	From which corner I run
	East on a true line between sections 7 and 18
	Variation 12.33 East
41.86	Set a Lime Stone 24 in long 18 in wide and
	2 in thick for Quarter section corner
81.86	The corner to sections 7. 8. 17. 18
	Land Rolling. Prairie. Soil 3rd rate
	North between Sections 7 and 8
	Variation 12.00 East
40.00	Set a Sand Stone 16 in long 13 in wide and 4 in
	thick for a Quarter section corner
65.00	Leave prairie and Enter timber Bearing N and S W
66.00	Stream 20 lks wide runs N E.

Township No 1 N Range No 2 East 6th P.M.

Chains	
71.00	Leave timber and Enter prairie Bearing N E and S W
80.00	Set a Sand Stone 21 in long 14 in wide and 3
	in thick for corner to sections 5. 6. 7. 8
	Land Rolling. Soil 3rd rate
	Timber Cotton wood and Elm
	Under growth Plum and Vines
	East on a Random line between Section 5 and 8
	Variation 12.00 East
3.00	Leave prairie and Enter timber Bearing N E and S W
40.00	set Stake for temporary Quarter section corner
40.50	Stream 20 lks wide runs N E.
48.00	Leave timber and Enter prairie Bearing
	N E and S W
79.84	Intersected N and S line 24 lks North of
	corner to sections 4. 5. 8. 9
	From which corner I run
	West on a true line between Sec 5 and 8
	Variation 11.30 East
39.92	Set a Oak post for Quarter section corner
79	From which
	a cotton wood 19 in dia Bears S 17 E 38 lks dist

Township No 1 N Range No 2 East 6th P.M. No.

Chains	
	Ans Elm Hickory diam Bors N 23 W 40 lks dist
	~~Land Rolling, Soil 3rd~~
79.84	The corner to sections 5. 6. 7. 8.
	Land Rolling. Soil 3rd rate
	Timber Cotton wood and Elm
	Under growth same and Vines
	West on a Random line between sections 6 and 7
	Variation 12.00 East
12.00	Stream 20 lks wide runs S E.
20.00	Leave prairie and Enter timber Bearing N W and S E
24.00	Same Stream 20 lks wide runs N E.
25.00	Leave timber and Enter prairie Bearing N E and S W
34.00	Marine runs South
40.00	Set Stake for temporary Quarter sec Corner
81.74	Intersected West Boundary of Township
	72 lks North of corner to section 6 and 7
	From which corner I run
	East on a true line between sections 6 and 7
	Variation 12.31 East
41.74	Set a sand stone 17 in long 10 in wide and 3 in
	thick for Quarter section corner

Township No 1 N Range No 2 East 6th P.M. No.

Chains	
81.94	The corner to section 5. 6. 7. 8.
	Land Rolling. Soil 2nd rate
	Timber Elm Hackberry and Oak
	Under growth same and Vines
	North on a Random line between sections
	5 and 6
	Variation 12.00 East
35.00	Marine runs N E.
40.00	Set Stone for temporary Quarter section corner
80.89	Intersected North Boundary of Township
	14 lks East of sec corner to section 5 and 6
	From which corner I run
	South on a true line between Sections 5 and 6
	Variation 12.40 East
40.89	Set a Sand Stone 24 in long 14 in wide and
	4 in thick for Quarter sec corner
80.89	The corner to section 5. 6. 7. 8
	Land Rolling prairie, Soil 2nd rate
	July 11th 1857

General Description

The Quality of land in this Township is below the common average.
The Uplands generally Broken. Soil 3rd rate, not suitable for cultivation.
Water is abundant.
Timber various kinds, chiefly Oak Elm, cotton wood, and Hackberry and is Equally distributed over the The Township.
Stone is abundant in southern part of Township Principally Sand Stone

List of Names

A List of names of the individuals employed to assist in running measuring or marking the lines and corners described in the foregoing field notes of Township No 1 North of the base line of Range No 2 East of the 6th Principal Meridian Showing the respective capacities in which they acted

Nelson McCollum	Chainman
Nikolas Bekker	Chainman
A. C. Richey	Flagman
David McCollum	Flagman
Monroe M. Caldwell	Compassman

42

No 2

43

2
Platted

Field notes of the Sub-division
lines in Township 2 North of
Range 2 East of the 6th Principal
Meridian in the Territory of
Nebraska by. Williams. J. Caldwell
Deputy Surveyor. under his
Contract No 188 bearing date
the 20 day of June 1857
Commenced July 13th 1857
Completed July 18th 1857

Exd— One of the Laramie road
only noted at one point— otherwise
correct— VanZandt—
18th Sept 1857

Township 2 N. Range 2 & 6th P. M.

Names and duties of assistants

Nelson McCollum Chainman
Nicholas Beehler Chainman
A. C. Richey Axeman
David McCollum Flagman
Monroe M. Caldwell Compassman

Township 2 N. Range 2 East

6	42	5	32	4	25	3	17	2	9	1
41		40		31		24		16		8
7	40	8	31	9	24	10	16	11	8	12
39		38		30		23		15		7
18	38	17	29	16	22	15	15	14	6	13
37		37		28		21		14		6
19	36	20	28	21	20	22	13	23	5	24
36		35		27		20		12		4
30	35	29	27	28	19	27	11	26	3	25
34		33		26		18		11		2
31	33	32	26	33	18	34	10	35	1	36

46

Township 2 N. Range 2 E & 6th P.M.

Chains

To determine the proper adjustment of my Compass for subdividing this Township I commence at the corner to Townships 1 and 2 N. R 2 and 3 E. and run North on a Blank line along the East boundary of Sec 36

variation 12° 00' East

39.97 A point 8 lks East of the Quarter Sec corner

79.93 A point 14 lks East of the corner to Sections 25 and 36

To retrace this line or run parallel thereto my compass must be adjusted to a variation of 12°06' East

Subdivision commenced the 13th day of July 1857

From the corner to Sec 1. 2. 35. 36 on the South Boundary of the Township I run North between Sections 35 & 36

variation 12°06' East

Township 2 N. Range 2 E 6th P.M.

Chains	
40,00	Set Quartz Rock 13 in Long, 11 in wide and 9 in thick for Quarter Sec corner
80,00	Set Sand Stone 17 in Long, 14 in wide and 4 in thick for corner to Sec 25, 26, 35, 36
	Land rolling Prairie Soil 3rd Rate
	East on a random line between Sections 25 and 36
	Variation 12° 30' East
35,00	Enter Dry Bottom Prairie Bearing N. W and S. E
49,00	Set temporary Quarter Sec corner
53,00	Little Blue River 110 lks wide. runs S. E
54,50	Enter timber N. W and S. E
80,12	Intersected the East Boundary of the Township 4 lks South of the corner to Sec 25 and 36 From which corner I run West on a true line between Sections 25 and 36

Township 2 N. Range 2 E 6th P.M.

Chains	
	Variation 12° 32' East
40,06	Set Quarty Rock 13 in Long, 12 in wide and 8 in thick for Quarter Section Corner
80,12	The corner to Sections 25, 26, 35, 36 Land the West half Rolling the remainder Land Bottom Soil 2nd Rate. Timber Cottonwood Underbrush willow and vines
	North between Sec 25 and 26
	Variation 12° 00' East
37,00	Blue River 150 lks wide runs S. E
40,00	The point for Quarter Section corner falls in the River, and cannot be established. at
34,00	I Set a Quarty Rock 15 in Long 11 in wide and 6 in thick for witness corner, to Quarter Sec corner.
43,00	Little Blue 170 lks wide Runs S. W. Gentle current. Sandy Bottom

Township 2 N. Range 2 E 6th P.M. 16a

Chains

52,00 Enter timber Bearing N. W and S. E

55,00 Little Blue River 190 lks wide runs S. E

64,00 Spring Branch 5 lks wide runs S. W

65,00 Enter Bottom Prairie Bearing N. W & S. E

80,00 Set Sand Stone 15 lks wide. 12 ins long and 6 in thick for corner to Sections 23, 24, 25, 26

Land Dry Bottom Soil 2nd Rate

Timber Cottonwood. Undergrowth Willow and vines

East on a random line between Sections 24 and 25

Variation 12° 30' East

15,00 Spring Branch 8 lks wide runs S. W

38,00 Enter high prairie bearing N. W & S. E

40,00 Set temporary Quarter Sec corner

79,82 Intersected the East boundary of the Township 10 lks South of the corner to Sections 24 and 25

Township 2 N. Range 2 E 6th P.M. 16a

Chains

From which corner I run West on a true line between Sections 24 and 25

Variation 12° 34' East

39,91 Set a Quarty Rock 14 in Long 12 in wide and 6 in thick for Quarter Section Corner

79,82 The Corner to Sections 23, 24, 25, 26.

The West half Dry Bottom Soil 2nd Rate. The East half High rolling Prairie Soil 3rd Rate

North between Sections 23 & 24

variation 12° 20' East

38,00 Enter High rolling Prairie Bearing N. W and S. E

40,00 Set a Quarty Rock 18 in Long 10 in wide and 7 in thick for Quarter Section Corner

80,00 Set a Quarty Rock 14 in Long 11 in wide and 8 in thick for Corner to Sections 13, 14, 23, 24

6/52

Township 2 N Range 2 E 6th P.M. 16th

Chains

Sand South half Dry Bottom
Soil 2nd Rate, the remainder
High rolling Prairie Soil 3rd Rate

East on a random line between
Sections 13 and 24
Variation 12° 30' East

40.00 Set temporary Quarter Sec Corner
79.62 intersected the East boundary
of the township 40 lks North of the
corner to Sections 13 and 24
From which corner 3 runs
West on a true line between
Sections 13 and 24
Variation 12° 13' East
37.81 Set Quarty Rock 14 in Long. 10 in
wide and 7 in thick for
Quarter Section Corner
79.62 The corner to Sections 13, 14, 23, 24

Land rolling Prairie Soil 3rd Rate

North between Sec 13 and 14
Variation 12° 40' East

7/53

Township 2 N. Range 2 E 6th P.M. 16th

Chains

31.00 Drain Runs S. W
40.00 Set Quarty Rock 14 in Long. 13 in
wide and 4 in thick for Quarter
Section Corner
76.00 Same Raines Runs S. E
80.00 Set Quarty Rock 14 in Long. 9 in
wide and 8 in thick for Corner
to Sections 11, 12, 13, 14

Land rolling. Soil 3rd Rate

East on a random line between
Sections 12 and 13
Variation 12° 30' East
30.00 Raine Runs S. W
40.00 Set temporary Quarter Section Corner
79.80 Intersected the East Boundary of
the Township 10 lks North of the
corner to Sec 12 and 13. From which
corner 3 runs West on a true line
between Sections 12 and 13
Variation 12° 2 1/2' East
39.90 Set Quarty Rock 15 in Long. 8 in wide

Township 2 N. Range 2 E 6th P.M. Md

Chains	
	and 6 ins thick for Quarter Section corner
79.80	The Corner to Sections 11, 12, 13, 14
	Land rolling Prairie Soil 3rd Rate
	North between Sections 11 and 12
	variation 12° 40' East
4.00	Drain runs S. W
40.00	Set Quartz Rock 11 ins Long. 10 ins wide and 6 ins thick for Quarter Section Corner
65.00	Raine runs S. E
80.00	Set Quartz Rock 14 ins Long. 9 ins wide and 5 ins thick for corner to Sections 1. 2. 11. 12
	Land rolling Prairie Soil 3rd Rate
	East on a random line between Sections 1 and 12
	variation 12° 30' East
40.00	Set Temporary Quarter Sec Corner
50.00	Drain runs South
52.00	Crop Laramie Road Bearing

Township 2 N. Range 2 E 6th P.M.

Chains	
	N. W and S. E
80.08	Intersected the East Boundary of the Township 14 Chs North of the Corner to Sec 1 & 12
	From which corner I run West on a true line between Sections 1 and 12
	Variation 12. 24' East
40.04	Set Quartz Rock 10 ins Long. 10 ins wide and 5 ins thick for Quarter Sec Corner
80.08	The corner to Sec 1. 2. 11. 12
	Land rolling Prairie Soil 3rd Rate
	North on a random line between Sections 1 and 2
	variation 12° 00 East
40.00	Set temporary Quarter Sec corner
70.00	Crop Fort Laramie Road Bearing N. W. and S. E
81.20	Intersected the North boundary of the Township 31 Chs West of the corner to Sec 1 and 2

Township 2 N. Range 2 E 6th P.M. 16th

Chains

Ground which comes I run
South on a true line between Sec
1 and 2
variation 11°47' E
41.20 Set Sand Stone 14 in Long 12 in
wide and 3 in thick for Quarter
Section corner
81.20 The corner to Sec 1. 2. 11. 12.
Land Rolling Prairie Soil 3d Rate
July 13th 1857

North between Sec 34 and 35
variation 12°20' East
5,00 Drain runs S. W
40,00 Set Quarty Rock 10 in Long. 10 in
wide and 6 in thick for Quarter
Section Corner
80,00 Set Sand Stone 18 in Long. 11 in wide
and 4 in thick for corner to Sections
26. 27. 34. 35
Land Rolling Prairie Soil 3d Rate

Township 2 N. Range 2 E 6th P.M. 16th

Chains

East on a random line between
Sections 26 and 35
variation 12°20' East
40,00 Set Temporary Quarter Section Corner
80.20 ~~Ground~~ Established the N and S line
31 Mds North of the corner to Sec
25. 26. 35. 36, Ground which comes
I run. West on a true line
between Sections 26 and 35
variation 12°07' East
40,10 Set a Quarty Rock 18 in Long. 11 in wide
and 10 in Thick for Quarter Sec corner
80.20 The corner to Sections 26. 27. 34. 35
Land Rolling Prairie Soil 3d Rate

North between Sections 26 and 27
variation 12°00' East
40,00 Set Quarty Rock 11 in Long. 10 in wide
and 5 in Thick for Quarter Sec corner
77,00 Drain runs N. E
80,00 Set Sand Stone 18 in Long, 12 in

Township 2 N. Range 2 & 6 W. 5th P. M.

Chains

wide and 4 in thick for corner to Sections 22. 23. 26. 27
Land rolling Prairie Soil 3rd Rate

East on a random line between sections 23 and 26
variation 12 00' East

4.00 Drain runs N. E.
23.00 Enter timber Bearing N. W and S. E
28.00 Little Blue River 112 lks wide runs S. E. (Swift current)
33.00 Enter Dry Bottom Prairie Bearing N. W and S. E
40.00 Set temporary Quarter Sec corner
71.00 Drain runs South
79.75 Intersected the N and S line 20 lks South of the corner to Sec 23. 24. 25. 26 From which corner I run West on a true line between Sec 23 and 26
variation 12 08' East
39.95 Set Sand Stone 2 in Long. 10 in

Township 2 N Range 2 E 6th P. M.

Chains

wide and 3 in thick for Quarter Section Corner
79.20 The corner to Sec 22. 23. 26. 27
Land mostly Level Bottom Soil 2nd Rate. Timber Cottonwood Undergrowth Sand. Willow and vines

North between Sec 22 and 23
variation 12 20' East
10.00 Enter Bottom Prairie Bearing N. W and S. E
40.00 Set Sand Stone 2 in Long. 18 in wide and 3 in thick for Quarter Section Corner
43.00 Enter timber bearing N. W and S. E
53.00 Little Blue River 150 Lks wide Runs S. E
65.00 Enter dry Bottom Prairie. Bearing N. W and S. E
80.00 Set Sand Stone 2 in Long. 18 in wide

Township 2 N. Range 2 E 6th P.M. Meridian

Chains

and 4 in thick for corner to
Sections 14, 15, 22, 23
Land mostly Dry Bottom Prairie
Soil 2nd Rate

East on a standard line between
Sections 14 and 23
variation 12° 20' East

40.00 Set temporary Quarter Sec corner
48.00 Enter high rolling Prairie Bearing
N. W and S. E
64.00 Raine runs S. W
80.18 Intersected the N and S lines
this South of the corner to Sec
13, 14, 23, 24. From which corner
I run West on a true line between
Sections 14 and 23
variation 12° 22' East
40.09 Set Sand Stone 20 in Long, 18 in
wide and 4 in thick for
Quarter Sec corner
80.18 The corner to Sec 22, 23, 26, 27

Township 2 N. Range 2 E 6th P.M. Meridian

Chains

Land rolling Prairie Soil 3rd Rate

North between Sec 14 and 15
variation 12° 30' East
40.00 Set Quarty Rock 14 in Long, 8 in
wide and 7 in thick for
Quarter Sec corner
44.00 Enter High rolling Prairie
bearing N. W and S. E
80.00 Set Sand Stone 14 in Long, 10 in wide
and 4 in thick for Corner to Sections
10, 11, 14, 15
Land South half Level Dry
Bottom Soil 2nd Rate the
remainder High rolling Prairie
Soil 3rd Rate

East on a standard line between
Sections 11 and 14
Variation 12° 20' East
40.00 Set Temporary Quarter Sec Corner
72.90 Intersected the N and S line 6 lks
South of the corner to Sec 11, 12, 13, 14

Township 4 N Range 2 E 6th P.M. Ms

Chains

From which corner S and West on a true line between Sections 11 and 14

variation 12.23' East

39.95 Set Quarty Rock 14 in Long, 8 in wide and 6 in thick for Quarter Section corner

79.90 The corner to Sections 10.11.14.15

Land Rolling Prairie Soil 3rd Rate

North between Sections 10 and 11

variation 12° 30' East

40.00 Set Quarty Rock 12 in Long, 10 in wide and 6 in thick for Quarter Section corner

80.00 Set Quarty Rock 14 in Long 8 in wide and 6 in thick for corner to Sections 2.3.10.11

Land rolling Prairie Soil 3rd Rate

East on a Randem line between Sections 2 and 11

variation 12.20' East

Township 4 N. Range 2 E 6th P.M.

Chains

40.00 Set temporary Quarter Sec Corner

79.75 Intersected the N and S lines 5 lks North of the corner to Sections 1.2.11.12. From which corner S run West on a true line between Sections 2 and 11

variation 12°18' E ast

39.87 Set Quarty Rock 12 in Long, 11 in wide and 5 in thick for Quarter Section corner

79.75 The corner to Sec 2.3.10.11

Land rolling Prairie Soil 3rd Rate

North on a randem line between Sections 2 and 3

variation 12° 00 East

40.00 Set Temporary Quarter Sec corner

80.80 Intersected the North boundary of the Township 24 lks West of the corner to Sec 2. and 3 From which corner S run South on a true line

Township 2 N. Range 2 & 6 W. 5th P.M.

Chains	
	Between Sections 2 and 3
	Variation 11° 50' East
49.90	Set Quarty Rock 10 in Long, 10 in wide and 6 in thick for Quarter Section Corner
80.00	The Corner to Sec 2. 3. 10. 11
	Land rolling Prairie Soil 3rd Rate
	July 14th 1857
	North between Sections 33 and 34
	Variation 12° 20' East
40.00	Set Sand Stone 15 in Long, 12 in wide and 3 in thick for Quarter Section corner
80.00	Set Sand Stone 16 in Long, 14 in wide and 4 in thick for corner to Sections 27. 28, 33. 34
	Land Rolling Prairie Soil 3rd Rate
	East on a random line between Sections 27 and 34
	Variation 12° 20' East
40.00	Set temporary Quarter Sec corner

Township 2 N. Range 2 E 6th P.M.

Chains	
79.94	Intersected the N. and S line 30 lks North of the corner to Sections 26. 27. 34. 35. From which corner 3 ins West on a true line between Sec 27 and 34
	Variation 12° 07' East
39.97	Set Sand Stone 18 in Long, 10 in wide and 3 in thick for Quarter Section corner
79.94	The corner to Sections 27, 28, 33, 34
	Land rolling Prairie Soil 3rd Rate
	North between Sections 27 and 28
	Variation 12° 20' East
40.00	Set Sand Stone 16 in Long, 10 in wide and 4 in thick for Quarter Section Corner
41.00	Drain runs N. &
70.00	Drain runs East
80.00	Set Sand Stone 24 in Long 16 in wide and 5 in thick for corner to Sections 21, 22, 27, 28

Township 2 N. Range 2 E 6th P.M.

Chains	
	Land Rolling Prairie Soil 3rd Rate
	East on a random line between
	Sections 22 and 27
	variation 12° 20' East
20,00	Drain runs N. E
40,00	Set temporary Quarter section corner
79.72	Intersect the N and S line 26 lks North of the corner to Sec 22. 23. 26, 27. From which corner I run West on a true line between Sections 22 and 27
	variation 12° 09' East
39.86	Set Sand Stone 14 in Long. 10 in wide and 4 in thick for Quarter Sec corner
79.72	The corner to Sections 21. 22. 27. 28
	Land Rolling Prairie Soil 3rd Rate
	North between Sections 21 and 22
	Variation 12° 20' East
44,00	Set Sand Stone 15 in Long. 12 in wide and 3 in thick for Quarter Sec corner

Township 2 N. Range 2 E 6th P.M.

Chains	
60,00	Enter Dry Bottom Bearing N. W and S. E
71,00	Little Blue river 200 lks wide runs S. E
78.50	Same Stream 150 lks wide runs S. W
80,00	The point for Section corner falls in the River and cannot be established, I therefore at
80,50	Set a Sand stone 18 in Long, 14 in wide and 4 in thick for witness corner to Sections 15, 16, 21, 22
	Land mostly rolling Prairie Soil 3rd Rate
	East on a random line between
	Sections 15 and 22
	variation 12° 20' East
3,00	Enter timber Bearing N. W and S, E
9,00	Enter Bottom Prairie Bearing N. W + S E
40,00	Set temporary Quarter Sec corner
46,00	Enter timber bearing N. E and S. W
50,00	Little Blue river 150 lks wide runs N. E
68,00	Little Blue river 140 lks wide runs S. E
69,00	Enter Dry Bottom Prairie Bearing N. W + S. E

Township 2 N. Range 2 E 6th P.M.

Chains	
79.60	Intersected the N and S line 35 lks North of the corner to Sections 14, 15. 22. 23 From which corner I run West on a true line between sections 15 and 22
	variation 12° 05' East
39.80	Set Limestone 10 in Long. 8 ins wide and 8 in thick for Quarter Sec corner
79.60	The point for corner to Sec 15. 16. 21. 22
	Land Level Dry Bottom. Soil 2d Rate Timber cottonwood undergrowth Willow and vines
	North between Sec 15, and 16
	variation 12° 40' East
12.00	Little Blue River 110 lks wide runs S. E,
13.25	Enter timber Bearing N. W and S. E
23.00	Little Blue River 105 lks wide runs S. W
24.00	Enter Bottom Prairie bearing N. E and S. W
41.00	Set a Quarty Rock 14 in Long. 10 in wide and 4 in thick for Quarter Sec corner
70.00	Little Blue river 130 lks wide runs S. E

Township 2 N. Range 2 E 6th P.M.

Chains	
72.00	Enter the Creek Bearing N. W and S. E
80.00	Set Sand stone 24 in Long. 16 in wide and 4 in thick for Corner to Sec 9, 10, 15, 16 Land Dry Bottom Soil 2d Rate Timber Cottonwood. Undergrowth willow and vines
	East on a random line between Sections 10 and 15
	variation 12° 20' East
15.00	Enter High rolling Prairie bearing N. W and S. E
40.00	Set Temporary Quarter Sec Corner
77.73	Intersected the N and S line 31 lks North of the corner to Sections 10, 11, 14, 15 From which corner I run West on a true line between Sec 10 and 15
	variation 12° 07' East
39.86	Set a Quarty Rock 12 in Long. 8 in wide and 6 in thick for Quarter Sec corner
77.73	The corner to Sections 9, 10, 15, 16

Township 2 N. Range 2 E 6th P.M. Md.

	Sand rolling, Soil 3rd Rate,
	Undergrowth willow and vines
	North between Sections 9 and 10
	variation 12° 40' East
4,00	Enter Prairie Bearing N. W and S. E.
42,00	Set Sand Stone 20 in Long. 12 ins wide
	and 3 in thick for Quarter Sec corner
64,00	Enter High rolling ~~rolling~~ prairie
	Bearing N. W and S. E
80,00	Set Sand Stone 23 in Long. 18 ins wide
+	and 4 in thick for Corner to Secs +
	3. 4. 9. 10
	Land South 60 chs Dry Bottom
	Soil 2nd Rate, the remainder
	High rolling Prairie Soil 3rd Rate
	Undergrowth willow and vines
	East on a random line between
	Sections 3 and 10
	variation 12° 20' East
40,00	Set temporary Quarter Sec corner
79,94	Intersected N and S line 12 lks

Township 2 N. Range 2 E 6th P.M. Md.

Chains	
	North of the corner to Secs 2. 3. 10. 11
	From which corner I run
	West on a true line between Sections
	3 and 10
	variation 12. 15' East
39.97	Set Quartz rock 18 in Long. 8 in wide
	and 5 in thick for Quarter Sec corner
79.24	The corner to Sections 3. 4. 9. 10
	Land rolling Prairie Soil 3rd Rate
	North on a random line between
	Sections 3 and 4
	variation 12° 00' East
40,00	Set temporary Quarter Sec corner
80,40	Intersected the North boundary
	of the Township 18 lks West of the
	corner to Sections 3 and 4
	From which corner I run
	South on a true line between
	Sections 3 and 4
	variation 11° 54' East
40,40	Set Sand Stone 19 in Long, 14 in

Township 2 N Range 2 & 6th P.M.

Chains	
	mile and 4 in thick for Quarter Sec corner
80.40	The corner to Secs 3, 4, 9, 10
	Land Broken Prairie Soil 3rd Rate
	July 15th 1857
	North between Sections 32 and 33
	Variation 12' 20' E
20,00	Drain runs S.W
40,00	Set Quarty Rock 16 in Long. 9 in wide and 8 in thick for Quarter Sec corner
80,00	Set Limestone 19 in Long. 12 in wide and 6 in thick for corner to Sec 28, 29, 32, 33
	Land Rolling Prairie Soil 3rd Rate
	East on a random line between Sections 28 and 33
	Variation 12' 20' East
40,00	Set temporary Quarter Sec corner
79,96	Intersected the North Line 7 Links South of the corner to Sections 27, 28, 33, 34

Township 2 N. Range 2 & 6th P.M.

Chains	
	From which corner 9 inch Western tree line between Sec 28 and 33
	Variation 12' 23' East
38,38	Set Quarty Rock 10 in Long. 8 in wide and 6 in thick per Quarter Section Corner
79,96	The corner to Sec 28, 29, 32, 33
	Land rolling Soil 3rd Rate
	North between Sec 28 and 29
	Variation 12° 20' East
20,00	Drain runs N. E
40,00	Set Quarty Rock 13 in Long. 8 in wide and 5 in thick for Quarter Sec corner
80.00	Set Limestone 12 in Square and 6 in thick for corner to Sec 20, 21, 28, 29
	Land rolling Prairie Soil 3rd Rate
	East on a random line between Sections 21 and 28
	Variation 12° 20' East
40,00	Set temporary Quarter Sec corner

Township 2 N. Range 2 E 6th P.M.

Chains	
79.88	Intersected the N and S line 10 lks South of the corner to Sec 21, 22, 27 28, 2? From which corner 8 ins West on a true line between Sec 21 & 28 variation 12° 24' East
39.94	Set Sand Stone 11 in Long, 8 ins wide and 6 in thick per Quarter Sec corner
79.88	The corner to Sections 20. 21, 28, 29 Sandy rolling Prairie Soil 3rd Rate
	North between Sections 20 and 21 Variation 12° 30' East
40.00	Set Limestone 12 in Long, 8 ins wide and 6 ins thick per Quarter Sec corner
80.00	Set Limestone 14 in Long, 10 ins wide and 6 ins thick per corner to Sections 16. 17. 20, 21 Sandy rolling Prairie Soil 3rd Rate
	East on a random line between Sections 16 and 21 Variation 12° 20' East
35.00	Enter Dry Bottom Bearing

Township 2 N. Range 2 E 6th P.M.

Chains	
	N. W and S. E
40.00	Set temporary Quarter Sec corner
79.80	Intersected the N and S line 12 12 lks South of Corner to Sections 15. 16 21. 22 From which corner 8 ins. West on a true line between Sections 16 and 21 variation 12° 25' East
39.90	Set a Limestone 10 ins Long and 9 ins Square per Quarter Sec corner
79.80	The Corner to Sections 16, 17, 20, 21 Land the West 35 chains Rolling Soil 3rd Rate, The Remainder Dry Bottom Prairie Soil 2d Rate
	North between Sections 16 and 17 variation 12° 30' E ast
40.00	Set a Quarty Rock 12 ins Long, 13 ins wide and 4 ins thick for Quarter Section corner
80.00	Set Sand Stone 20 ins Long 13 ins wide and 3 ins thick for

Township 2 N. Range 2 E 6th P.M.

Chains

8. 9, 16, 17

Land rolling Prairie Soil 3rd Rate

East on a random line between Sections 9 and 16

Variation 12° 20' East

40,00 Set Temporary Quarter Sec corner
60,00 Enter dry Bottom Bearing N.W. & S. &
72,00 Little Blue River 115 lks wide runs S. E
74,50 Enter thicket Bearing N.W. & S. E
79,86 Intersected the N and S line 7 lks North of the corner to Sec 9, 10, 15, 16 From which corner 8 runs West on a true line between Sec 9 & 16

Variation 12° 17' East

3 9,93 Set a Quarty Rock 15 in Long. 8 in wide and 6 in thick per Quarter Section corner
79,86 The corner to Sections 8, 9, 16, 17 Land rolling. Soil 2nd Rate Undergrowth Willow

Township 2 N. Range 2 E 6th P.M.

Chains

North Between Sections 8 and 9

Variation 12° 40' East

40,00 Set Quarty Rock 15 in Long. 8 ins wide and 5 in thick for Quarter Section corner
80,00 Set Sand Stone 15 in Long. 7 in wide and 5 in thick for Corner to Sections 4. 5. 8. 9

Land Rolling Prairie Soil 3rd Rate

East on a random line between Sections 4 and 9

Variation 12° 20' East

30,00 Enter Dry Bottom Bearing N.W. & S. &
40,00 Set temporary Quarter Section corner
46,00 Enter timber Bearing N. W and S. E
52,00 Little Blue river 90 lks wide runs S, E
53,00 Enter Prairie Bearing N. W and S. E
79,94 Intersected the N and S line 21 lks North of the corner to Sec 3. 4. 9. 10 From which corner 9 runs

Township 2 N. Range 2 E 6th P.M.

Chains

West on a true line between sections 4 and 9
Variation 12°11' E ast

39.97 Set a Quarty Rock 13 in Long 10 in wide and 4 in thick for Quarter Section Corner

79.94 The corner to sections 4. 5. 8. 9
Land mostly dry Bottom
Soil 3rd Rate. — Timber Cottonwood

North on a random line between sections 4 and 5
Variation 12°00' East

40.00 Set temperary Quarter Sec corner

80.30 Intersected the North boundary of the Township 23 lks west of the corner to Sec 4 and 5 —
From which corner 8 rods
South on a true line between sections 4 and 5
Variation 11°50' East

40.30 Set a Quartz Rock 12 in Long. 10 in wide and 5 in thick for Quarter

Township 2 N Range 2 E 6th P.M.

Chains

Section Corner

80.30 The corner to Sections 4. 5, 8. 9
Land Rolling Prairie Soil 3rd Rate

July 16th 1857

North Between Section 31 and 32
Variation 12°20' E ast

40.00 Set a Quarty Rock 13 in Long. 8 in wide and 7 in thick for Quarter Section corner

80.00 Set Sand Stone 23 in Long. 11 in wide and 3 in thick for corner to Sections 29, 30. 31, 32
Land Rolling Prairie Soil 3rd Rate.

East on a random line between Sections 29 and 32
variation 12°20' East

40.00 Set temperary Quarter Sec corner

80.10 Intersected Naval S line 40 lks North of the corner to Sec 28. 29. 32. 33
From which corner 8 rods
West on a true line between Sec 29 & 32

Township 2 N Range 2 E 6th P.M. Mer.

Chains

Variation 12°03' East

40.05 Set Quarty Rock 13 in Long. 11 in wide and 5 in thick for Quarter Sec corner

80.10 The corner to Sections 29.30.31.32

Land Rolling Prairie Soil 3rd Rate

West on a random line between Sections 30 and 31

Variation 12°20' East

40.00 Set temporary Quarter Sec corner

54.00 Drain runs S. E.

79.60 Intersected the West Boundary of the township 90 lks North of the corner to Sections 30 and 31

From which corner 8 runs East on a true line between Sec 30 and 31

Variation 12° 58' East

39.60 Set a Quarty Rock 12 in Long, 10 in wide and 8 in thick for Quarter Sec corner

79.60 The corner to Sections 29, 30, 31, 32

Land rolling Prairie Soil 3rd Rate

Township 2 N. Range 2 E 6th P.M.

Chain

North Between Sections 29 and 30

Variation 12°20' East

40.00 Set a Quarty rock 12 in Long. and 7 in Square for Quarter Sec corner

55.00 Drain runs East

80.00 Set Sand Stone 14 in Long. 8 in wide and 6 in thick for corner to Sec 19.20, 29.30

Land rolling Prairie Soil 3rd Rate

East on a random line between Sections 20 and 29

Variation 12°20' East

40.00 Set temporary Quarter Sec corner

79.93 Intersected the N and S line 32 lks North of the corner to Sec 20.21, 28.29

From which corner 8 runs West on a true line between Sections 20 and 29

Variation 12°06' East

39.86 Set a Quarty rock 14 in Long, 8 in wide and 7 in thick for Quarter Sec corner

Township 2 N Range 2 6th P.M. 16th

Chains	
79.93	The corner to Sections 19. 20. 29. 30
	Land rolling Prairie Soil 3rd Rate
	West on a random line between
	Sections 19 and 30
	variation 12° 50' East
43.50	Drain runs S. E
49.00	Set temporary Quarter Sec corner
79.53	Intersected the West Boundary of
	the Township 18 lks North of the corner to
	Sections 19 and 30. From which corner
	I run. East. on a true line between
	Sections 19 and 30
	Variation 12° 8' East
39.53	Set a Quarty Rock 13 in Long. 9 in wide
	and 5 in thick for Quarter Sec corner
79.53	The corner to Sec 19. 20. 29. 30
	Land rolling Prairie Soil 3rd Rate
	North between Sections 19 and 20
40.00	Set Sand Stone 14 in Long 12 in wide variation 12° 30' East
	and 3½ in thick for Quarter Sec corner
80.00	Set a Sand Stone 13 in Long. 10 in wide

Township 2 N. Range 2 E 6th P.M. 16th

Chains	
	and 5 in thick for corner to Sec
	17. 18. 19. 20
	Land Rolling Soil 3rd Rate
	East on a random line between Sec
	17 and 20
	Variation 12° 20' East
40.00	Set temporary Quarter Sec corner
79.80	Intersected the N and S line 14 lks North
	of the corner to Sec 16. 17. 20. 21
	From which corner I run
	West on a true line between Sec 17 and 20
	variation 12° 14' East
39.70	Set a Quarty Rock 17 in Long. 13 in wide
	and 3 in thick for Quarter Sec corner
79.80	The corner to Sec 17. 18. 19. 20
	Land rolling Prairie Soil 3rd Rate
	West on a random line between
	Sections 18 and 19
	variation 12° 50' East
40.00	Set temporary Quarter Section corner
79.44	Intersected the West boundary of

Township 2 N. Range 2 & 6th P.M. Mo.

Chains	
	the township 10 lks North of the corner to
	Sections 18 and 19. From which
	corner I run
	East on a true line between Sec. 18 & 19
	variation 12°54' East
39.44	Set a Quartz Rock 15 in Long. 7 in wide
	and 6 in thick for Quarter Sec. corner
79.44	The corner to Sec. 17, 18, 19, 20
	Land Rolling Prairie Soil 3d Rate
	North between Sections 17 and 18
	variation 12°30' East
40.00	Set Quartz Rock 13 in Long. 8 in wide
	and 5 in thick for Quarter Sec. corner
80.00	Set Limestone 12 in Long. 8 in wide
	and 6 in thick for corner to Sections
	7, 8, 17, 18
	Land rolling Prairie Soil 3d Rate
	East on a random line between
	Sections 8 and 17
	variation 12°20' East
40.00	Set a temporary Quarter Section corner

Township 2 N. Range 2 & 6th P.M. 16 A.

Chains	
79.85	Intersected the N and S line 23 lks
	North of the corner to Sec. 8, 9, 16, 17
	From which corner I run
	West on a true line between
	Sections 8 and 17
	variation 12°10' East
39.92	Set a Quartz Rock 14 in Long. 9 in wide
	and 5 in thick for Quarter Sec. corner
79.85	The corner to Sec 7, 8, 17, 18
	Land rolling Prairie Soil 3d Rate
	West on a random line between
	Sections 7 and 18
	variation 12°50' East
40.00	Set temporary Quarter Sec. corner
78.72	Intersected the West Boundary of
	the Township 12 lks South of the
	corner to Sec 7 and 18.
	From which corner I run
	East on a true line between Sections
	7 and 18
	variation 12°45' East

Township 2 N. Range 2 E 6th P.M. M.d

Chains

38.72 Set a Quartz Rock 12 in Long. 7 in wide and 6 in thick for Quarter Section - corner

78.72 The corner to Sec 7. 8. 17. 18

Land rolling & Prairie 1st 3d Rate

July 17th 1857

North Between Sections 7 and 8

Variation 12° 40' East

40.00 Set Quarty Stone 15 in Long. 10 in wide and 10 in thick for Quarter Sec corner

80.00 Set a Sand Stone 13 in Square and 5 in thick for corner to Sections 5. 6. 7. 8

Land Rolling Prairie Soil 3d Rate

East on a random line between Sections 5 and 8

Variation 12° 20' East

40.00 Set temporary Quarter Sec corner

54.00 Drain runs S. E

79.62 Intersected the N and S line 20 lks North of the corner to Sections

Township 2 N. Range 2 E 6th P.M. M.d

Chains

4. 5. 8. 9. From which corner I run West on a true line between Sections 5 and 8 104

Variation 12° 11' East

39.81 Set a Quarty Rock 13 in Long. 8 in wide and 5 in thick for Quarter Sec corner

79.62 The corner to Sec 5. 6. 7. 8

Land rolling Prairie 1st 3d Rate

West on a random line between Sections 6 and 7

Variation 12° 50' East

40.00 Set temporary Quarter Sec corner

78.27 Intersected the West Boundary of the Township 7 lks South of the Corner to Sec 6 and 7. From which corner I run

East on a true line Between Sections 6 and 7

Variation 12° 47' East

38.27 Set a Quarty rock 13 in Long. 7 in wide and 6 in thick for Quarter

Township 2 N. Range 2 E 6th P.M.

Chains	
	Section corner
78.27	The corner to Sec 5, 6, 7, 8
	Land rolling Prairie Soil 3rd Rate
	North on a random line between Sections 5 and 6
	variation 12° 40' East
40.00	Set temporary Quarter Sec corner
50.00	Fort Laramie Road Bearing N. W and S. E
80.14	Intersected the North boundary of the township 98 lks West of the corner to Sections 5 and 6 Homeinch corner Iron
	South on a true line between Sections 5 and 6
	variation 11° 58' East
40.14	Set a Quartz rock 15 in Long, 8 in wide and 6 in thick for Quarter Section corner
80.14	The corner to Sections 5, 6, 7, 8
	Land rolling Prairie Soil 3rd Rate

Township 2 N. Range 2 E 6th P.M.

Chains

July 18th 1857

General Description

The Quality of Land in this township is below the common average. The Uplands generally broken. 3rd Rate Soil and not fit for cultivation

Little Blue River is a Beautiful Stream of clear water running from the N. W corner of the Township to the S. E corner Timber chiefly Cottonwood confined to Little Blue

There are no settlements in the Township.

Stone is abundant on the North of Little Blue, principally Sand Stone

Township 2 N. Range 2 E 6th P.M.

List of Names

A list of the names of the individuals employed to assist in running Measuring, or marking the lines and corners described in the foregoing field notes of Township No 2 North of the base line of Range No 2 East of the 6th Principal Meridian. Shewing the respective capacities in which they acted

Nelson McCollum	Chainman
Nicholas Beckler	Chainman
A. C. Richey	Axeman
David McCollum	Flagman
Monroe M. Caldwell	Compassman

Tow

No 3

91

Field notes of the Subdivision lines in Township No 3 North of Range No 2 E of the 6th Principal Meridian in the Territory of Nebraska

Surveyed By. Williams. S. Caldwell under his Contract No 188 Bearing date the 20 day of June 1857

Commenced July 20th 1857

Completed July 25th 1857

Rec'd 1st Sept 1857 - Correct

Vandeventer

Township No 3 N. Range 2 & 6 W. P. M.

Names and duties of Assistants	
Nelson McCollum	Chainman
Nicholas Beekler	Chainman
A. C. Richey	Axeman
Davide McCollum	Flagman
Monroe, Mo, Caldwell	Compassman

Township 3 N. Range 2 East

6	41	5	28	4	21	3	14	2	7	1
	40		39		28		20		13	6
7	39	8	27	9	20	10	13	11	6	12
	38		37		26		19		12	5
18	36	17	26	16	18	15	11	14	5	13
	35		35		25		18		11	4
19	34	20	25	21	17	22	10	23	4	24
	33		32		24		17		10	3
30	31	29	24	28	16	27	9	26	3	25
	31		30		23		15		8	2
31	29	32	22	33	15	34	8	35	1	36

Township No 3 N. Range 2 E. 6th P.M. Mon"

Chains

To determine the proper adjustment of my compass for Subdividing this Township. I Commence at the Corner to Townships 2 and 3 N Ranges 2 and 3 E and run North on a blank line along the East Boundary of Section 34

Variation 12° 00' East

40.05 A point 17 lks East of the Quarter Sec corner

80.08 A Point 34 lks East of the corner to Sections 25 and 36

To retrace this line or run parallel thereto. my compass must be adjusted to a variation of 12° 15' East

Subdivision commenced July 20th 1857

From the corner to sections 1, 2, 35, 36 on the South Boundary of the Township I runs

North between Sections 35 and 36

Variation 12° 15' East

41.00 Set Stone and Stone 15 in Leng. 13 in wide

Township No 3 N. Rang 2 & 6E P.M.

Chains

and 4 in thick for Quarter Sec corner
80.00 Set Sand Stone 17 in Long. 10 in wide
and 6 in thick for corner to Sec
25. 26. 35. 36
Land rolling Prairie Soil 3d Rate
East on a random line between
Sections 25 and 36
Variation 12° 0' East
4.00 Set temporary Quarter Section corner
79.96 Intersected the East boundary of
the Township 60 lks North of the
Corner to Sec 25 and 36
From which corner Sun
West on a true line between
Sections 25 and 36
Variation 11° 35' East
39.98 Set a Sand Stone 16 in Long 13 in
wide and 4 in thick for
Quarter Section corner
79.96 The corner to Sections 25. 26. 35. 36
Land Rolling Prairie Soil 3d Rate

Township No 3 N. Rang 2 & 6E P.M.

Chains

North between Sec 25 and 26
Variation 12 1/2° East
40.00 Set Sand Stone 18 in Long. 11 in wide
and 4 in thick for Quarter Sec
Corner.
80.00 Set Sand Stone 17 in Long. 9 in wide
and 7 in thick for corner to Sec
23. 24. 25. 26
Land rolling Prairie Soil 3d Rate
East on a random line between
Sections 24 and 25
Variation 11° 30' East
40.00 Set temporary Quarter Sec corner
79.88 Intersected the East boundary
of the Township 12 lks South of
the corner to Sec 24 and 25
From which corner Sun
West on a true line between
Sections 24 and 25
Variation 11° 35' East
39.94 Set a Quartz Rock 15 in Long, 10 in wide

Township No 3 N. Range 2 E 6th P. M.

Chains	
	and 4 in thick for Quarter Section corner - - -
79.88	The corner to Sec 23.24.25.26
	Land rolling Prairie soil 3rd Rate
	North between Sec 23 and 24
	Variation 12°20' East
40.00	Set Sand-stone 14 in Square and 3 in thick for Quarter Section corner
80.00	Set Sand stone 14 in Long, 12 in wide and 4 thick for corner to Sections 23. 24. ~~25~~ 13.+14 25. 26
	Land Rolling Prairie soil 3rd Rate
	East on a random line between Sections 13 and 24
	Variation 11°30' East
40.00	Set temporary Quarter Sec corner
71.20	Intersected the East Boundary of the Township 42 lks. South of the corner to Sections 13 and 24 From which corner I and West on a true line between

Township No 3 N. Range 2 E 6th P. M.

Chains	
	Sections 13 and 24
	Variation 11°48' East
39.95	Set Quarty Rock 10 in Long. 9 in wide and 6 in thick for Quarter Sec corner
79.90	The corner to Sections 13, 14, 23, 24
	Land rolling Prairie soil 3rd Rate
3	North between Sec 13 and 14
	Variation 12°30' E
40.00	Set a Quarty Rock 11 in Long. 9 in wide and 7 in thick for Quarter Sec corner
80.00	Set Sand Stone 15 in Long. 12 in wide and 5 in thick for corner to Sections 11, 12, 13, 14
	Land rolling Prairie soil 3rd Rate
	East on a random line between Sections 12 and 13
	variation 12°00' East
40.00	Set temporary Quarter Sec corner
80.12	Intersected the East boundary of the township 14 lks North of

Township No 3 N Range 2 E 6th P. M. U.

Chains	
	the corner to Sec 12 and 13
	From which corner Found
	West on a true line between Sec 12 and 13
	variation 11° 54' East
40.06	Set a Sand Stone 15 in Long. 12 in wide and 3 in thick for Quarter Section corner
80.12	The corner to Sections 11, 12, 13, 14
	Land rolling Prairie Soil 3rd Rate
	North between Sections 11 and 12
	variation 12° 30' East
40.00	Set Sand Stone 17 in Long. 11 in wide and 4 in thick for Quarter Sec corner
54.00	Drain runs East
80.00	Set a Sand Stone 16 in Long. 12 in wide and 3 in thick for corner to Sections 1, 2, 11, 12
	Land rolling Prairie Soil 3rd Rate
	East on a random line between Sections 1 and 12
	variation 12° 00' East

Township 3 N. Range 2 E 6th P. M. U.

Chains	
40.00	Set temporary Quarter Sec corner
43.00	Drain runs N. E
80.20	Intersected the East Boundary of Township 48 lks South of the corner to Sec 1 and 12
	From which corner Found
	West on a true line between Sec 1 and 12
	variation 14° 20' East
40.10	Set a Quarty Rock 12 in Long. 9 in wide and 5 in thick for Quarter Sec corner
80.20	The corner to Sec 1, 2, 11, 12
	Land Rolling Prairie Soil 3rd Rate
	North on a random line between Sections 1 and 12
	variation 12° 30' East
40.00	Set Temporary Quarter Sec corner
80.20	Intersected the North boundary of the Township 15 West of the corner to Sec

Township 3 N. Range 2 & 6th P. M.

Chains	
	1 and 2. From which corner I run South on a true line between Sections 1 and 2
	Variation 12.24' East
40.41	Set a Quarty Rock 10 in Long, 9 in wide and 6 in thick for Quarter Sec corner
811.41	The corner to Sec 1. 2, 11, 12
	Land Rolling Prairie Soil 3rd Rate
	July 24th 1857
	North between Sections 34 and 35
	Variation 12°15' East
40.00	Set Sand Stone 13 in Long. 9 in wide and 3 in thick for Quarter Sec corner
47.50	Fort Laramie road Bearing N. W and S. E
80.00	Set Sand Stone 17 in Long, 10 in wide and 6 in thick for corner to Sections 26. 27. 34. 35
	Land Rolling Prairie Soil 3rd Rate
	East on a random line between Sections 26 and 35
	Variation 12°20' East

Township 3 N. Range 2 & 6th P. M.

Chains	
40.00	Set temporary Quarter Sec corner
79.88	Intersected the N and S 8 lks South of the corner to Sec 25. 26, 35. & 6
	From which corner I run West on a true line between Sections 26 and 35
	Variation 12.28' East
39.34	Set a Sand Stone 16 in Long. 10 in wide and 4 in thick for Quarter Section corner
79.88	The corner to Sec 26. 27. 34, 35
	Land rolling Prairie Soil 3rd Rate
	North between Sections 26 and 27
	variation 12°15' East
10.00	Drain runs West
30.00	Drain runs West
40.00	Set Sand Stone 14 in Long. 9 in wide and 5 in thick for Quarter Section corner
80.00	Set Sand Stone 16 in Long 13 in wide and 5 in thick for corner

Township 3 N. Range 2 E 6th P. M.

to Sections 22.23.26.27
Land rolling Prairie Soil 3rd Rate

East on a random line between
Sections 23 and 26
variation 12° 20' East

40.00 Set temperary Quarter Sec corner
7.82 Intersected the N and S line
14 lks South of the corner to
Sections 23.24.25.26.
From which corner I run
West on a True line between
Sections 23 and 26
Variation 12.26' East
39.91 Set Sand Stone 13 in Long. 11 in
wide and 4 in thick for Quarter
Section corner
74.82 The corner to Sec 22,23,26,27
Land rolling Prairie Soil 3rd Rate

North between Sections 22 and 23
Variation 12.20' E
40.00 Set a Quartz rock 15 in Long. 10 in

Township 3 N. Range 2 E 6th P. M.

Chains

wide and 5 in thick for Quarter Sec corner
80.00 Set a S and stone 16 in Long. 11 in wide
and 4 in thick for corner to Sections
14, 15. 22. 23
Land rolling Prairie Soil 3rd Rate

East on a random line between Sections
14 and 23
Variation 12°20' East
40.00 Set a temporary Quarter Sec corner
72.70 Intersected the N and S line 12 lks South
of the corner to Sec 13, 14, 23, 24
From which corner I run
West on a ~~True~~ line between
Sections 14 and 23
Variation 12.25' East
39.85 Set a Sand stone 13 in Long. 10 in wide
and 4 in thick for Quarter Sec corner
72.70 The corner to Sec 14, 15. 22. 23
Land Rolling Prairie Soil 3rd Rate

North between Sec 14 and 15
Variation 12°30' East

12
106

Township No 3 N. Range 2 E 6th P. M.

Chains	
40.00	Set a Sand Stone 12 in Long. 9 in wide and 5 in thick for Quarter Section corner
80.00	Set a Sand stone 15 in Long. 12 in wide and 5 in thick for corner to Sections 10. 11. 14. 15
	Land rolling Prairie Soil 3rd Rate
	East on a random line between Sections 11 and 14
	variation 12° 20' East
40.00	Set temporary Quarter Sec corner
79.72	Intersected the N and S line 11 lks South of the corner to Sec 11, 12, 13, 14. From which corner S 90° West on a true line between Sections 11 and 14
	variation 12° 24' East
39.86	Set a Quarty Rock 12 in Long. 10 in wide and 6 in thick for Quarter Section corner
79.72	The corner to Sec 10. 11. 14. 15

13
107

Township No 3 N. Range 2 E 6th P. M.

Chains	
	Land rolling Prairie Soil 3rd Rate
	North between Sections 10 and 11
	variation 12° 30' East
40.00	Set a Quarty Rock 12 in Long. 9 in wide and 5 in thick for Quarter Sec corner
80.00	Set a Sand Stone 13 in Long. 10 in wide and 5 in thick for Corner to Sections 2. 3. 10. 11
	Land rolling Prairie Soil 3rd Rate
	East on a random line between Sec 2 and 11
	variation 12° 20' East
40.00	Set a temporary Quarter Section corner
79.66	Intersected the N and S line 10 lks South of the corner to Sec 1, 2, 11, 12 From which corner S 90° West on a true line between Sections 2 and 11
	variation 12° 24' East
39.83	Set a Quarty Rock 12 in Long. 9 in wide and 7 in thick for Quarter Sec corner

Township 1 N. Range 2 E 6th P.M. 3

Chains	
79.66	The corner to Sec 2.3.10.11
	Land rolling Prairie Soil 3d Rate
	North on a random line between Sections 2 and 3
	variation 12° 30' East
12.00	Drain runs N. E
40.00	Set temporary Quarter Sec corner
49.00	Drain runs East
79.87	Intersected the North boundary of the Township 56 lks East of the corner to Sec 2 and 3
	From which corner 9 runs
	North on a true line between Sections 2 and 3
	variation 12° 54' East
39.87	Set a Quarty rock 14 in Long. 9 in wide and 7 in thick for Quarter Sec corner
79.87	The corner to Sections 2.3.10.11
	Land rolling Prairie Soil 3d Rate
	July 20th 1857

Township 1 N. Range 2 E 6th P.M. 3

Chains	
	North between Sections 33 and 34
	Variation 12° 20' East
5.00	Drain runs West
16.00	Drain runs West
30.00	Drain runs S. West
40.00	Set a Quarty rock 14 in Long, 12 in wide and 10 in thick for Quarter Section corner
80.00	Set a Sand stone 28 in Long, 18 in wide and 4 in thick for corner to Sections 27, 28, 33, 34
	Land Broken Praine Soil 3d Rate
	East on a random line between Sections 27 and 34
	variation 12° 20' East
39.00	Fort Laramie road Bearing N. W and S. E
40.00	Set temporary Quarter Sec corner
60.00	Drain runs S. W
80.14	Intersected the N and S line 51 lks North of the corner to

Township 3 N. Range 2 E 6th P. M.

Chains	
	Sections 26. 27. 34. 35
	From which corner I run
	West on a true line between
	Sections 27 and 34
	Variation 11° 58' East
40.07	Set a Quartz Rock 13 in Long
	11 in wide and 7 in thick
	for Quarter Section corner
80.14	The corner to Sec 27. 28. 33. 34
	Sandrolling Prairie Soil 3rd Rate
	North between Sections 27 and 28
	Variation 12° 20' East
10.00	Drains runs S. W
40.10	Set a Quartz rock 20 in Long, 10 in
	wide and 5 in thick for Quarter
	Section corner
71.00	Fort Laramie road Bearing
	N. W and S. E
80.00	Set a Sand Stone 20 in Long, 8 in
	wide and 5 in thick for ~~Corner~~
	Sections 21. 22. 27. 28

Township 3 N. Range 2 E 6th P. M.

Chains	
	Sandrolling Prairie Soil 3rd Rate
	East on a random line
	between Sections 22 and 27
	Variation 12° 20' East
40.00	Set a temporary Quarter Section corner
80.12	Intersected the N. and S line 40
	lks North of the corner to Sections
	22. 23. 26. 27. From which corner I run
	West on a true line between Sections
	22 and 27
	Variation 12° 03' East
40.06	Set a Quarty Rock 13 in Long. 9 in
	wide and 8 in thick for Quarter
	Section Corner
80.12	The corner to Sections 21. 22. 27. 28
	Sandrolling Prairie Soil 3rd Rate
	North between Sections 21 and 22
	Variation 12° 30' East
40.00	Set a Quarty Rock 14 in Long. 8 in
	wide and 5 in thick for Quarter
	Section corner

Township No 3 N. Range 26 6th P. M.

Chains	
80,00	Set a Sand Stone 14 in Leng, 10 in wide and 5 in thick for corner to Sections 15, 16, 21, 22
	Land rolling Prairie Soil 3rd Rate
	East on a random line between Sections 15 and 22
	Variation 12° 30' East
40,00	Set temporary Quarter Sec corner
79,85	Intersected the North Side line 18 lks South of the corner to Sec 14, 15, 21, 22 From which corner 3 inch Witness a true line between Sections 15 and 22
	Variation 12° 38' East
39,92	Set a Sand Stone 15 in Leng, 10 in wide and 5 in thick per Quarter Sec Corner
79,85	The corner to Sec 15, 16, 21, 22 Land rolling Prairie Soil 3rd Rate
	North between Sec 15 and 16
	Variation 12° 30' East

Township No 3 N. Range 2 E 6th P. M.

Chains	
40,00	Set a Quartz rock 18 in Leng, 12 in wide and 6 in thick per Quarter Section corner
80,00	Set a Sand Stone 14 in Leng, 8 in wide and 5 in thick per corner to Sections 9, 10, 15, 16
	Land Rolling Prairie Soil 3rd Rate
	East on a random line between Sections 10 and 15
	Variation 12° 40' East
40,00	Set a temporary Quarter Sec corner
79,94	Intersected the North Side line 50 lks South of the corner to Sec 11, 12, 13, 14 From which corner 3 inch Witness a true line between Sections 10 and 15
	Variation 13,01' East
39,97	Set a Quartz Rock 14 in Leng, 8 in wide and 5 in thick for Quarter Sec corner
79,94	The corner to Sec 9, 10, 15, 16

Township No 3 N. Range 2 E 6th P. M.

Chains

Sand rolling Prairie Soil 3rd Rate

North between Sections 9 and 10
variation 12°30' East

40,00 Set a Limestone 20 in Long, 11 in wide and 3 in thick per Quarter Section corner

80,00 Set a Limestone 21 in Long, 15 in wide and 2½ in thick per corner to Sections 3, 4, 9, 10

Sand rolling Prairie Soil 3rd Rate

East on a random line between Sections 3 and 10
variation 12°40' East

41,00 Set temporary Quarter Sec corner

79,92 Intersected the North Bound line 40 lks South of the corner to Sec 2, 3, 10, 11
From which corner 3 runs West on a true line between Sections 3 and 10
variation 12°57' East

39,96 Set a Limestone 17 in Long, 15 in wide

Township No 3 N Range 2 E 6th P. M.

Chains

and 3 in thick for Quarter Sec corner

79,92 The corner to Sec 3, 4, 9, 10

Sand rolling Prairie Soil 3rd Rate

North on a random line between Sections 3 and 4
variation 12°30' East

40,00 Set a temporary Quarter Sec corner

41,50 Drains runs East

80,90 Intersected the North Boundary of the Township 10 lks East of the Corner to Sec 3 and 4
From which corner 3 runs South on a true line between Sections 3 and 4
variation 12°34' East

40,00 Set a Limestone 15 in Long, 12 in wide and 3 in thick for Quarter Section Corner

80,00 The corner to Sec 3, 4, 9, 10

Sand rolling Prairie Soil 3rd Rate

July 22nd 1857

Township No 3 N. Range 2 E 6th P.M. Md.

Chains	
	North between Sections 32 and 33
	Variation 12° 20' East
34.00	Little Blue River 150 lks wide runs
	S. E
35.50	Enter Willow thicket Bearing N. W and S. E
40.00	Set a Sand Stone 18 in Long. 11 in wide
	and 4 in thick for 2 quarter Sec corner
43.00	Little Blue River 140 lks wide runs
	S. W
46.00	Same Stream 120 lks wide runs S. E
47.50	Enter Dry Bottom Prairie Bearing
	N. W and S. E
70.00	Enter high Prairie Bearing N. W and S. E
80.00	Set a Sand Stone 21 in Long. 12 in wide
	and 4 in thick for corner to Sections
	28. 29. 32. 33
	Land South 35 chs high rolling
	Prairie Soil 3rd Rate. The remainder
	Dry Bottom Soil 2nd Rate
	Undergrowth Willow

Township No 3 N. Range 2 E 6th P.M. Md.

Chains	
	East on a random line between
	Sections 28 and 33
	Variation 12° 20' East
27.00	Drain runs South
40.00	Set Temporary Quarter Sec corner
67.00	Enter the cloth Bearing N and S
69.00	Stream 3 lks wide runs S
74.00	Enter Prairie Bearing N and S
79.90	Intersected the N and S line 17 lks
	North of the corner to Sec 27. 28. 33. 34
	From which corner I run
	West on a true line between
	Sections 28 and 33
	variation 12° 13' E
39.95	Set a Quarty Rock 13 in Long. 10 in
	wide and 5 in thick for Quarter
	Section corner
79.90	The corner to Sec 28. 29. 32. 33
	Land Broken. Soil 3rd Rate
	Undergrowth Willow

Township No 3 N Rang 2 & 6th P. M.d.

Chains

North between Sec 28 and 29
variation 12° 20' East

44,00 Set Limestone 20 in Long. 9 in wide and 3 in thick for Quarter Sec corner
46,00 Drain runs West
84,00 Set a Limestone 20 in Long. 17 in wide and 3 in thick for corner to Sections 20, 21, 28, 29
Land Broken Prairie Soil 3d Rate

East on a random line between Sections 21 and 28
variation 12° 20' East

4,00 Set a temporary Quarter Sec corner
65,40 Forth Laramie road Bearing N. W. and S. E.
80,13 Intersected the N and S line 21 lks South of the corner to Sec 21, 22, 27, 28 From which corner 8 ins West on a tree line between Sections 21 and 28
variation 12° 29' East
4,06 Set a Quarty Rock 14 in Long

Township No 3 N. Rang 2 & 6th P. M.d.

Chains

10 in wide and 6 in thick for Quarter Sec corner
80,13 The corner to Sec 20, 21, 28, 29
Land rolling Prairie Soil 3d Rate

North between Sec 20 and 21
variation 12° 20' East

30,00 Fort Laramie road Bearing N. W. and S. E.
40,00 Set a Limestone 18 in Long, 16 in wide and 2½ in thick for Quarter Section corner
80,00 Set a Sand Stone 19 in Long, 13 in wide and 3 in thick for Corner to Sec 16, 17, 20, 21
Land rolling Prairie Soil 3d Rate

East on a random line between Sections 16 and 21
variation 12° 20' East

40,00 Set a temporary Quarter Sec corner
80,20 Intersected the N and S line 28 lks South of the corner to Sections 15, 16, 21, 22. From which

Township No 3 N. Range 2 E 6th P.M. No. 4th

Chains	
	corner S mm
	West on a true line between
	Sections 16 and 21
	Variation 12° 32' East
40,10	Set a Limestone 16 in Long, 12 in
	wide and 4 in thick for Quarter
	Section corner
80,20	The corner to Sections 16, 17, 20, 21
	Land rolling Prairie Soil 3rd Rate
	North between Sec 16 and 17
	Variation 12° 20' East
40,00	Set a Limestone 20 in Long
	14 in wide and 3 in thick
	per Quarter Sec corner
80,00	Set a Sand Stone 17 in Long, 12
	in wide and 4 in thick for
	corner to Sec 8. 9. 16, 17
	Land rolling Prairie Soil 3rd Rate
	East on a random line
	between Sec 9 and 16
	variation 12° 20' East

Township No 3 N. Range 2 E 6th P.M. No. 4th

Chains	
40,00	Set temporary Quarter Sec corner
80,08	Intersected the N and S line
	12 lks S of the corner to
	Sections 9, 10, 15, 16
	From which corner S mm
	West on a true line between
	Sections 9 and 16
	Variation 12° 25' East
41,04	Set a Limestone 18 in Long, 12 in
	wide and 3 in thick for Quarter
	Section corner
80,08	The corner to Sec 8. 9, 16, 17
	Land rolling Prairie Soil 3rd Rate
	North between Sec 8 and 9
	Variation 12° 20' East
41,00	Set a Quarty Rock 14 in Long, 12 in
	wide and 4 in thick for Quarter
	Section corner
80,00	Set a Limestone 27 in Long, 10 in
	wide and 3 in thick for corner
	to Sections 4, 5, 8, 9

Township No 3 N. Range 2 E 6th P. M. 4th

Chains

Land rolling Prairie Soil 3d Rate

East on a random line between
Sections 4 and 9

Variation 12° 20' East

40.00 Set temporary Quarter Sec corner

80.19 Intersected the N and S line
18 lks South of the corner to
Sections 3, 4, 9, 10
From which corner 9 runs
West on a true line between
Sections 4 and 9

variation 12° 28' East

40.09 Set Limestone 15 in Long, 12 in
wide and 3 in thick for
Quarter Section corner

80.19 The corner to Sec 4, 5, 8, 9

Land rolling Prairie Soil 3d Rate

North on a random line between
Sections 4 and 5

Variation 12° 20' East

40.00 Set a temporary Quarter Sec corner

Township No 3 N, Range 2 E 6th P. M. 4th

Chains

81.46 Intersected North bound dairy of
the Township 8 lks West of the
corner to Sec 4 and 5
From which corner 5 runs
W South on a true line between
Sections 4 and 5

variation 12° 17' East

41.46 Set a Limestone 18 in Long, 12 in
wide and 3 in thick for Quarter
Section corner

81.46 The corner to Sec 4, 5, 8, 9

Land rolling Prairie Soil 3d Rate

July 23rd 1857

North between Sections 31 and 32

Variation 12° 20' East

40.00 Set a Limestone 19 in Long, 18 in wide
and 4 in thick for Quarter Sec corner

80.00 Set a Limestone 22 in Long, 12 in
wide and 3 in thick for corner
to Sections 29, 30, 31, 32

Township 3 N Range 2 E 6th P.M. Mdn

Chains	
	Sandrolling Prairie Soil 3rd Rate
	East on a random line between
	Sections 29 and 32
	variation 12°20' East
40,00	Set a temporary Quarter Sec Corner
50,00	Enter dry Bottom Bearing N. W and S. E
55,00	Little Blue river 140 lks wide
	runs S. E
56,50	Enter timber Bearing N. W and S. E
61,00	Enter high Prairie Bearing N. W
	and S. E
79,88	Intersected the N and S line 17 lks
	South of the corner to Sec 28, 29,
	32, 33. From which corner I run
	West on a true line between
	Sections 29 and 32
	variation 12°27' East
39,94	Set a Limestone 20 in Leng. 12 in
	wide and 3 in thick for
	Quarter Section corner
79,88	The corner to Sec 28, 30, 31, 32

Township 3 N. Range 2 E 6th P.M. Mdn

Chains	
	Sand rolling Prairie Soil 3rd Rate
	Some timber, cottonwood
	West on a random line between
	Sections 30 and 31
	variation 12°20' East
40,00	Set temporary Quarter Sec Corner
60,00	Drain runs North
79,63	Intersected the West boundary
	of the Township 30 lks South
	of the corner to Sec 30 and 31
	From which corner I run
	East on a true line between
	Sections 30 and 31
	variation 12°07' East
39,63	Set Limestone 23 in Leng. 16 in
	wide and 3 in thick for Quarter
	Section corner
79,63	The corner to Sec 29, 30, 31, 32
	Sand Rolling Prairie Soil 3rd Rate
	North between Sec 29 and 30
	variation 12°20' East

Township 3 N Range 2 E 6th P. M.

Chains	
28,00	Little Blue river 160 lks wide runs S. E
30,00	Enter dry Bottom Prairie Bearing N. W and S. E
40,00	Set a Limestone 19 in Long, 16 in wide and 3 in thick for Quarter Section corner
50,00	Enter high rolling Prairie Bearing N. W and S. E
80,00	Set a Limestone 24 in Long, 12 in wide and 3 in thick for corner to Sec 19, 20, 29, 30

Land mostly Level, Soil 3 Rate

East on a random line between Sections 20 and 29

variation 12° 20' East

40,00	Set temporary Quarter Sec corner
79,75	Intersected the N and S line 15 lks South of the corner to Sections 20, 21, 28, 29, From which corner 3 inch. West on a true line between Sec 20 and 29

Township 3 N. Range 2 E 6th P. M.

Chains	
	variation 12° 26' East
39,87	Set a Limestone 22 in Long, 13 in wide and 3 in thick for Quarter Section corner
79,75	The corner to Sec 19, 20, 29, 30 Land very Broken Prairie Soil 3rd Rate

West on a random line between Sections 19 and 30

variation 12° 20' East

20,00	Enter Dry Bottom Prairie Bearing N. W and S. E
40,00	Set temporary Quarter Sec corner
57,00	Enter timber Bearing N. W and S. E
58,50	Little Blue River 130 lks wide runs S. E
63,00	Enter Prairie Bearing N. W and S. E
79,76	Intersected the West boundary of the Township 40 lks South of the corner to Sec 19 and 30

Township 3 N. Range 2 E 6th P.M. 4th Q.

Chains	
	From the dc corner I run East on a true line between Sections 19 and 30 Variation 12°03' East
39.76	Set a Limestone 15" in Long. 12" wide and 3" in thick for Quarter Section corner
79.76	The corner to Secs 19. 20. 29. 30 Land mostly level Bottom Soil 3rd Rate. Timber-Cottonwood - Undergrowth Willow and Vines
	North between Sections 19 & 20 Variation 12°20' East
40.00	Set a Limestone 18" in Long. 13" in wide and 4" in thick for Quarter Section corner
66.00	Fort Laramie road Bearing N. W and S. E
80.00	Set a Limestone 25" in Long 15" in wide and 3" in thick for corner to Secs 17. 18. 19. 20

Township 3 N. Range 2 E 6th P.M. 4th Q.

Chains	
	Land rolling Prairie Soil 3rd Rate East on a random line between Sections 17 and 20 Variation 12°20' East
40.00	Set a temporary Quarter Sec corner
80.00	Intersected the N and S line 50 lks North of the corner to Sections 16. 17. 20. 21 From which corner I run West on a true line between Sections 17 and 20 variation 11°59' East
40.00	Set a Limestone 16" in Long. 14" in wide and 3" in thick for Quarter Sec corner
80.00	The corner to Secs 17. 18. 19. 20 Land rolling Prairie Soil 3rd Rate
	West on a random line between Sections 18 and 19 Variation 12°20' East

Township 3 N. Range 2 E 6th P.M. 16a

Chains	
40.00	Set Stone for temporay Quarter Section corner
45.00	Little Sandy creek 15 lks wide runs South
64.00	Fort Laramie Road Bearing N.W and S.E
78.50	Intersected the West Boundary of the Township 140 lks South of the corner to Sec 18 and 19 From which corner 8 runs East on a true line between Sections 18 and 19 Variation 11°20' East
37.50	Set a Limestone 16 in Long. 12 in wide and 3 in thick for Quarter Sec corner
79.50	The corner to Sec 17.18.19.20 Land Rolling Prairie Soil 3d Rate
	North between Sec 17 and 18 Variation 12°20' East
40.00	Set a Limestone 16 in Long. 10 in

Township 3 N. Range 2 E 6th P.M. 16a

Chains	
	wide and 4 in thick for Quarter Section corner
80.00	Set a Limestone 30 in Long. 12 in wide and 3 in thick for corner to Sections 7.8.17.18 Land rolling Prairie Soil 3d Rate
	East on a random line between Sections 8 and 17 Variation 12°00' East
40.00	Set temporary Quarter Sec corner
79.96	Intersected the N and S line 4 lks South of the corner to Sec 8.7.16.17. From which corner 8 runs West on a true line between Sections 8 and 17 Variation 12°1' East
39.98	Set a Limestone 16 in Long. 12 in wide and 3 in thick for Quarter Sec corner to Sec
79.96	The corner to Sec 7.8.17.18 Land rolling Prairie Soil 3d Rate

38
133

Township 3 N Range 2 & 6 E P.M.

Chains

July 24th 1857

West on a random line between Sections 7 and 18
variation 11° 20' East

40,00 Set temporary Quarter Sec corner
70,00 Little Sandy creek 10 lks wide runs S. E.
79.78 Intersected the West boundary of the Township 10 lks South of the corner to Sec 7 and 18
From which corner 8 links East on a true line between Sections 7 and 18
variation 11° 6' East
39.78 Set Limestone 15 in Leng. 12 in wide and 5 in thick per Quarter Section corner
79.78 The corner to Sec 7, 8, 17, 18
Land rolling Prairie Soil 3rd Rate

39
134

Township 3 N. Range 2 E 6th P.M.

Chains

North between Sec 7 and 8
variation 12° 20' East
40,00 Set a Quartz rock 14 in Long. 10 in wide and 8 in thick per Quarter Section corner
80,00 Set a Limestone 24 in long 10 in wide and 4 in thick for corner to Sec 5, 6, 7, 8
Land Broken Prairie Soil 3rd Rate

East on a random line between Sections 5 and 8
variation 12° 20' East
40.00 Set temporary Quarter Sec corner
79.78 Intersected the N and S line 18 lks North of the corner to Sec 4, 5, 8, 9, From which corner 8 links. West on a true line between Sections 5 and 8
variation 12½° East
39.89 Set a Limestone 15 in Leng. 13 in wide and 3 in thick per

Township 3 N. Range 2 E 6th P.M.

Chains	
	Quarter Section corner
79.78	The corner to Sec 5, 6, 7, 8
	Land rolling Prairie Soil 3d Rate
	West on a random line
	between Sections 6 and 7
	Variation 11° 20' East
20.00	Drain runs South
40.00	Set temporary Quarter Section
	corner
79.89	Intersected the West boun-
	-dary of the Township 4 ths
	South of the corner to Sec 6 and 7
	From which corner I run
	East on a true line between
	Sections 6 and 7
	Variation 11° 19' East
39.89	Set a Limestone 15 in Leng
	12 in wide and 3 in thick
	for Quarter Section corner
79.89	The corner to Sec 5, 6, 7, 8
	Land rolling Prairie Soil 3d Rate

Township 3 N. Range 2 E 6th P.M. 16th

Chains	
	North on a random line between
	Sections 5 and 6
	Variation 12° 20' East
40.00	Set a temporary Quarter Sec corner
40.80	Drain Runs S.W
81.84	Intersected the North Boundary
	of the Township 2 ths East
	of the corner to Sec 5 and 6
	From which corner I run
	South on a true line between
	Sections 5 and 6
	Variation 12° 32' East
41.84	Set a Limestone 23 in Leng
	13 in wide and 3 in thick for Quarter
	Section corner
81.84	The corner to Sec 5, 6, 7, 8
	Land rolling Prairie Soil 3d Rate
	July 25th 1857

Townships 3 N Range 2 E 6th P M

General Description

The Land in this Township is worthless. Not fit for cultivation, Soil 3rd Rate Little Blue river runs through the S. W part of the Township affords an abundance of water

Very little timber, chiefly Cottonwood.

Sand Stone abundant in the South part of the Township.

No Settlement in the Township.

Townships 3 N. Range 2 E 6th P M

Notes

List of Names

A List of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the foregoing field notes of Township No 25 North of the Base line of Range No 2 East of the 6th Principal Meridian Showing the respective capacities in which they acted

Nelson McCallum Chainman
Nikolas Beckler Chainman
A. C. Richey Axeman
David McCallum Flagman
Monroe M. Caldwell Compapman

4

Platted

No 4
142

Field notes of the Subdivision lines in Township No 4 North of Range 2 East of the 6th Principal Meridian in the Territory of Nebraska by William S. Caldwell Deputy Surveyor, under his contract No 188 bearing date the 20th day of June 1857
Commenced July 27th 1857
Completed August 1st 1857

Exd & found correct
Sept 1st 1857 VanZandt

Township No 4 N. Range 2 & 6E P. M.

Names and Duties of Assistants
Nelson McCollum Chainman
Nikolas Beckler Chainman
A. C. Richey Axeman
David McCollum Flagman
Monroe M. Coldwell Corner

Township 4 N. Range 2 East

6	40	5	29	4	22	3	15	2	8	1
39		38		28		21		15		7
7	38	8	28	9	21	10	14	11	7	12
37		36		27		20		13		6
18	36	17	27	16	20	15	13	14	5	13
35		34		26		19		12		4
19	34	20	25	21	19	22	12	23	4	24
33		32		25		18		11		3
30	32	29	24	28	17	27	11	26	3	25
31		30		23		17		10		2
31	30	32	23	33	16	34	10	35	2	36

145

146

Township No 4 N Range 2 E 6th P.M. 16th

Chains

To determine the proper adjustment of my Compass for subdividing this Township I Commence at the corner to Townships 3 and 4 N. R 2 and 3 E and Run Northon a blank line along the East Boundary of Sec 36

Variation 12° 30' East

39.96 A Point 40 lks East of the 2 quarter Section corner

234
33

79.94 A point 78 lks East of the corner to Sec 25 and 36

To retrace this line or run a line parallel thereto my compass must be adjusted to a variation of 13° 03' East

Subdivision Commenced July 27th 1857

From the corner to Sections 1, 2, 35, 36 on the South

Township 4 N. Range 2 E 6th P. M.

Chains	
	Boundary of the Township 3 run North between Secs 35 and 36
	variation 13°03' East
40.00	Set a Quarty Stone 12 in Long, 12 in wide and 8 in thick for Quarter Sec corner
80.00	Set a Limestone 15 in Long, 12 in wide and 3 in thick for corner to Sections 25. 26. 35. 36
	Sandrolling Prairie Soil 3rd Rate
	East on a random line between Sections 25 and 36
	variation 13°03' East
40.00	Set temporary Quarter Sec corner
78.96	Intersected the East boundary of the Township 11 Chs South of the corner to Secs 25 and 36. From which corner I run West on a true line between Sections 25 and 36
	variation 13°08' East
39.98	Set a Quarty Rock 13 in Long, 11 in

Township 4 N. Range 2 E 6th P. M.

Chains	
	wide and 5 in thick for Quarter Section corner
7.9.96	I the corner to Sec 25. 26, 35. 36
	Sandrolling Prairie Soil 3rd Rate
	North between Sec 25 and 26
	variation 13°03' East
40.00	Set a Quarty Stone 15 in Long and 10 in Square per Quarter Sec corner
80.00	Set a Limestone 18 in Long, 11 in wide and 3 in thick for corner to Sections 23. 24. 25. 26
	Sandrolling Prairie Soil 3rd Rate
	East on a random line between Sections 24 and 25
	variation 13°03' East
40.00	Set temporary Quarter Sec corner
80.18	Intersected the East boundary of the Township 17 Lks South of the corner to Sections 24 and 25 From which corner I run West on a true line between Sections

Township 4 N. Range 2 E 6th P. M.

Chains	
	24 and 25
	variation 13°10' East
40.04	Set a Quarty Rock 12 in Long. 11 in wide and 10 in thick for Quarter Section corner
80.18	The corner to Sec 23. 24. 25. & 26
	Land rolling Prairie Soil 3rd Rate
	North between Sec 23 and 24
	variation 12°50' East
40,00	Set a Quarty Stone 18 in Long. 12 in wide and 3 in thick for Quarter Section corner
74,00	Indian trail Bearing N. E and S. W
80,00	Set a Limestone 15 in Long. 12 in wide and 4 in thick for corner to Sections 13, 14, 23, 24
	Land rolling Prairie Soil 3rd Rate
	East on a random line between Sections 13 and 24
	variation 12°50' East
3,20	Indian trail bearing N. E and S. W

Township 4 N. Range 2 E 6th P. M.

Chains	
40,00	Set temporary Quarter Sec Corner
80,30	Intersected the East boundary of the Township 2 chs South of the corner to Sec 13 and 24. From which Corner I run West on a true line between Sections 13 and 24
	variation 13°02' East
40,15	Set a Quarty Rock 12 in Long. 10 in wide and 6 in thick for Quarter Sec Corner
80,30	The Corner to Sec 13, 14, 23, 24
	Land Rolling Prairie Soil 3rd Rate
	North between Sec 13 and 14
	variation 12°40' East
36,00	Drain runs N. W
40.00	Set a Quarty Stone 18 in Long, and 6 in Square for Quarter Sec Corner
44.00	Stream 10 lks wide runs N. E
60,00	Enter timber bearing N. W and S. E
63.00	Same Stream 10 lks wide runs N. W
68.50	Same Stream 10 lks wide runs N. E
71.00	Same Stream 10 lks wide runs N. W

6
151

Township 4 N. Range 2 E 6th P.M.

Chains

74,00 Enter Prairie Bearing N. W and S. E
80,00 Set Limestone 15 in Square and 3 in thick per corner to Sec 11, 12, 13, 14
Sandrolling Soil 2nd Rate
Timber Oak & Elm Undergrowth Vine and vines

East on a random line between Sections 12 and 13
variation 13°00 East

32,00 Indian Trail Bearing N. E and S. W
40,00 Set temporary Quarter Sec corner
80,44 Intersection the East boundary of the Township 11 lks South of the corner to Sec 12 and 13
From which corner 3 ans
West on a true line between Sections 12 and 13
variation 13°05' East
40,22 Set a Quartz Stone 12 in Long. 10 in wide and 6 in thick for Quarter Section corner
80,44 The corner to Sec 11, 12, 13, 14

7
152

Township 4 N. Range 2 E 6th P.M.

Chains

Sandrolling Prairie Soil 3rd Rate
North between Sections 11 and 12
variation 12°00' East

3,00 Stream 10 lks wide runs N. E
7,00 Enter scattering timber bearing N. E and S. W
31,00 Prairie Stream 10 lks wide runs N. W
34,00 Enter Prairie Bearing N. W and S. E
40,00 Set a Quarty stone 15 in Long. 12 in wide and 5 in thick per Quarter Sec Corner
67,00 Sand Stream 12 lks wide runs N. E
80,00 Set a Limestone 20 in Long. 10 in wide and 5 in thick per corner to Sections 1, 2, 11, 12
Sandrolling Soil 3rd Rate
Timber Oak and Elm Undergrowth Vine and vines

East on a random line between Sections 1 and 12
variation 13°00' East

Township 4 N Range 2 E 6th P.M.

Chains

9.00 Stream 10 lks wide runs N. E

40.00 Set temporary Quarter Sec corner

67.00 Indian trail Bearing N. E and S. W

80.50 Intersected the East boundary of the Township 16 lks South of the corner to Sections 1 and 12 From which corner I mark West on a true line between sections 1 and 12

variation 13° 0' East

40.25 Set a Quarty Stone 12 in Long. 10 in wide and 6 in thick per Quarter Sec corner

80.50 The corner to Sec 1, 2, 11, 12

Land rolling Prairie Soil 3rd Rate

North between Sec 1 and 2

variation 12° 00' East

21.00 Enter timber Bearing N. W and S. E

23.00 Stream 10 lks wide runs N. W

30.00 3 and Stream 10 lks wide runs N. E

40.00 Set a stake Past per Quater Sec corner From which

Township 4 N Range 2 E 6th P.M.

Chains

A Walnut 21 in dia bears S 84° W 23 lks dist

An Elm 28 in dia bears S 6° E 28 lks dist

41.00 Stream 10 lks wide runs N. W

43.00 Same Stream 10 lks wide runs N. E

44.00 Enter Prairie Bearing N. W and S. E

58.00 Enter timber Bearing N. W and S. E

66.00 Stream 10 lks wide runs East

68.00 Enter Prairie Bearing E and W

82.71 Intersected 1st Standard Parallel North. 2 63 lks West of the corner to Sec 35 and 36 and Set a Quarty Stone 12 in Long 9 in wide and 5 in thick per corner to Fractional Sec 1 and 2

Land rolling. Soil 3rd Rate

Timber Oak cottonwood and Elm

Undergrowth Sumac and Vines

July 27th 1857

Township No 4 N Range 2 E 6th P.M. 16th "

Chains	
	North between Sections 34 and 35
	Variation 12° 40' East
40,00	Set a Quartz Stone 15 in Long. 10 in wide
	and 3 in thick for Quarter Sec Corner
80,00	Set a Limestone 16 in Long. 14 in wide
	and 4 in thick for corner to
	Sections 26. 27. 34, 35
	Land rolling Prairie Soil 3rd Rate
	East on a random line between
	Sections 26 and 35
	Variation 13° 00' East
40,00	Set temporary Quarter Sec corner
80,14	Intersected N and S line 16 lks
	South of the corner to Sections
	25. 26. 35, 36. From which corner Sun
	West on a true line between Sec
	26 and 35
	Variation 13° 07' East
40,07	Set a Quarty Rock 12 in Long. 9 in
	wide and 6 in thick for Quarter
	Sections corner

Township No 4 N. Range 2 E 6th P.M. 16th "

Chains	
80,14	S the corner to Sections 26, 27, 34, 35
	Land rolling Prairie Soil 3rd Rate
	North between Sections 26 and 27
	Variation 12° 30' East
37,00	Indian trail Bearing N. E and S. W
40,00	Set a Quartz Stone 10 in Long. 9 in
	wide and 8 in thick for Quarter
	Section Corner
80,00	Set a Limestone 15 in Long. 14 in wide
	and 3 in thick for corner to Sec
	22. 23. 26. 27
	Land rolling Prairie Soil 3rd Rate
	East on a random line between
	Sections 23 and 26
	Variation 13° 00' East
40,00	Set a temporary Quarter Sec corner
47,00	Indian trail bearing N. E and S. W
80,10	Intersected the N and S line 19 lks
	North of the corner to Sec 23, 24,
	25, 26. From which Corner S new
	West on a true line between Sec

Township No 4 N. Range 2 E 6th P.M. Md

Chains	
	23 and 24
	Variation 12°52' East
40.05	Set a Quarty Stone 19 in Long. 8 in wide
	and 5 in Thick per Quarter Sec Corner
80.10	The corner to Sections 22. 23. 26. 27
	Land rolling Prairie Soil 3rd Rate
	North between Sec 22 and 23
	variation 12°30' East
17.00	Drain runs N. E
40.00	Set a Quarty Stone 12 in Long. 8 in
	wide and 6 in thick per Quarter
	Section Corner
80.00	Set a Limestone 16 in Long. 11 in
	wide and 4 in thick per Corner
	to Sections 14, 15, 22, 23
	Land rolling Prairie Soil 3rd Rate
	East on a random line between
	Sections 14 and 23
	Variation 13°00 East
14.00	Ravine Runs N. E
40.00	Set temporary Quarter Sec corner

Township 4 N. Range 2 E 6th P.M. Md

Chains	
79.84	Intersected N and S line 30 lks North
	of the corner to Sec 13. 14. 23. 24
	From which corner I run
	West on a true line between Sec 14 & 23
	Variation 12°47' East
39.93	Set a Quarty Stone 18 in Long. 10 in
	wide and 4 in thick per Quarter
	Section Corner
79.86	The corner to Sections 14. 15. 22. 23
	Land rolling Prairie Soil 3rd Rate
	North between Sections 14 and 15
91	Variation 12°30' East
40.00	Set a Quarty Stone 13 in Long. 7 in
	wide and 6 in thick per
	Quarter Section Corner
80.00	Set a Limestone 14 in Long. 10 in
	wide and 4 in thick per corner
	to Sec 10. 11. 14, 15
	Land rolling Prairie Soil 3rd Rate
	East on a random line between
	Sections 11 and 14

Township 4 N. Range 2 E 6th P.M.

Chains	
	Variation 12° 40' East
40.00	Set temporary Quarter Sec corner
77.50	Drain Runs N. E
77.76	Intersected N and S line 31 lks North of the corner to Sec 11, 12, 13, 14
	From which corner 3 runs West on a true line between Sections 11 and 14
	Variation 12° 27' East
37.88	Set a Quarty Stone 12 in Long 10 in wide and 5 in thick for Quarter Section corner
77.76	The corner to Sec 10, 11, 14, 15
	Land rolling Prairie Soil 3rd Rate
	North between Sections 10 and 11
	Variation 12° 30' East
10.00	Drain runs East
40.00	Set a Quarty Stone 12 in Long 10 in wide and 5 in thick for Quarter Section corner
80.00	Set a Limestone 16 in Long, 14 in

Township 4 N. Range 2 E 6th P.M.

Chains	
	wide and 3 in thick for corner to Sections 2, 3, 10, 11
	Land rolling Prairie Soil 3rd Rate
	East on a random line between Sections 2 and 11
	Variation 12° 30' East
40.00	Set temporary Quarter Sec corner
80.20	Intersected the N and S line 24 lks South of the corner to Sections 1, 2, 11, 12
	From which corner 3 runs West on a true line between Sections 2 and 11
	Variation 12° 40' East
40.10	Set a Quarty Stone 19 in Long, 8 in wide and 5 in thick for Quarter Section corner
80.20	The Corner to Sections 2, 3, 10, 11
	Land rolling Prairie Soil 3rd Rate
	North on a true line between Sections 2 and 3

Town Ship 4 N Range 2 E 6th P M

Chains

variation 12° 30' East

40.00 Set a Quarty Stone 10 in Leng. 9 in wide and 7 in thick per Quarter Section corner

82.68 Set a Quarty Stone 10 Leng. 9 in wide and 6 in thick per corner to Fractional Sec 2 and 3 at Intersection with the 1st Standard Parallel North. 240 lks West of the corner to Sec 34 and 35

Land rolling Prairie Soil 3d Rate

July 28th 1857

North between Sections 33 and 34

variation 12° 30' East

40.00 Set a Quarty Stone 11 in Leng. 9 in wide and 6 in thick per Quarter Section corner

77.00 Indian trail Bearing N. and S. W

80.00 Set a Lime Stone 12 in Leng. 8 in wide and 5 in thick per corner to

Town Ship No 4 N. Range 2 E. 6th P. M.

Chains

Sections 27. 28. 33. 34

Land rolling Prairie Soil 3d Rate

East on a meridian line between Sections 27 and 34

variation 12° 30' East

4.00 Indian trail bearing N. & S. W

40.00 Set temporary Quarter Sec corner

80.16 Intersected N and S line 26 lks North of the corner to Sec 26. 27. 34. 35

From which corner I run West on a true line between Sections 27 and 34

variation 12° 19' East

40.08 Set a Quarty Stone 18 in Long. 6 in wide and 6 in thick per Quarter Section corner

80.16 The corner to Sec 27. 28. 33. 34

Land rolling Prairie Soil 3d Rate

North between Sec 27 and 28

variation 12° 30' East

40.00 Set a Quarty Stone 12 in Long. 8 in

Township 4 N. Range 2 E 6th P. M.

Chains	
	wide and 6in thick for Quarter Section corner
80,00	Set a Limestone 16in Long, 10in wide and 4in thick for corner to Sections 21, 22, 27, 28
	Land rolling Prairie Soil 3d Rate
	East on a random line between Sections 22 and 27
	variation 12° 30' East
40,00	Set temporary Quarter Sec corner
80,14	Intersected N and S line 31 lks North of the corner to Sections 22, 23, 26, 27, From which corner Sam's West on a true line between Sections 22 and 27
	variation 12° 17' East
40,07	Set a Quarty Rock 12in Long 9in wide and 5in thick for Quarter Section corner
80,14	The corner to Sec 21, 22, 27, 28
	Land Rolling Prairie Soil 3d Rate

Township 4 N. Range 2 E 6th P. M.

Chains	
	North between Sections 21 and 22
	variation 12° 30' East
34,00	Brains runs N. E
40,00	Set a Quarty Stone 14in Long, 10in wide and 5in thick for Quarter Section corner
80,00	Set a Limestone 16in Long, 12in wide and 4in thick for corner to Sections 15, 16, 21, 22
	Land rolling Prairie Soil 3d Rate
	East on a random line between Sections 15 and 22
	variation 12° 30' East
40,00	Set temporary Quarter Sec corner
80,10	Intersected N and S line 28 lks North of the corner to Sections 14, 15, 21, 22, From which corner Sam's West on a true line between Sec 15 and 22
	variation 12° 18' East
40,05	Set a Quarty Stone 18in Long, 8in wide

Township 4 N. Range 2 E 6th P. M.

Chains	
	and 5 in thick for Quarter Sec corner
80,10	The corner to Sections 15, 16, 21, 22
	Sandrolling Prairie Soil 3rd Rate
	North between Sec 15 and 16
	variation 12° 30' East
40,00	Set a Quarty Stone 13 in Long, 12 in wide and 4 in thick for Quarter Section corner
80,00	Set a Limestone 12 in Long, 10 in wide and 5 in thick per corner to Sections 9, 10, 15, 16
	Sandrolling Prairie Soil 3rd Rate
	East on a random line between Sections 10 and 15
	variation 12° 30' East
40.00	Set a temporary Quarter Sec corner
79,78	Intersected the N and S line 10 lks North of the corner to Sec 10, 11 14, 15. From which corner I run West on a true line between Sections 10 and 15

Township 4 N. Range 2 E 6th P. M.

Chains	
	variation 12°26' East
39,89	Set a Quarty Stone 12 in Long, 10 in wide and 6 in thick for Quarter Section corner
79,78	The corner to Sec 9, 10, 15, 16
	Sandrolling Prairie Soil 3rd Rate
	North between Sec 9 and 10
	variation 12° 30' East
40,00	Set a Quarty Stone 14 in Long, 8 in wide and 5 in thick for Quarter Section corner
80,00	Set a Limestone, 13 in Long, 10 in wide and 7 in thick per corner to Sections 3, 4, 9, 10
	Sandrolling Prairie Soil 3rd Rate
	East on a random line between Sections 3 and 10
	variation 12° 30' East
40,00	Set temporary Quarter Sec corner
79,67	Intersected the N and S line

Township 4 N. Range 2 E 6th P. M.

Chains

at the corner to Secs 2, 3, 10, 11
From which corner 8 links
West on a true line between
Sections 3 and 10
variation 12° 30' East

39.84 Set a Quarty Stone 14 in Long, 10 in
wide and 4 in thick for
Quarter Sec corner

79.68 The corner to Secs 3, 4, 9, 10
Land rolling Prairie Soil 3d Rate
North on a true line between
Sections 3 and 4
variation 12° 30' East

40.00 Set a Quarty Stone 14 in Long, 10 in
wide and 5 in thick for Quarter
Section corner

48.00 Drain runs N. E

81.98 Intersected the 1st Standard
Parallel 231 lks west of the
corner to Secs 33 and 34
and Set a Quarty Stone

Township 4 N. Range 2 E 6th P. M.

Chains

13 in Long, 12 in wide and 4 in
thick for corner to Fraction
al Sections 3 and 4
Land rolling Prairie Soil 3d Rate
July 29th 1857

North between Secs 32 and 33
variation 12° 30' East

33.00 Indian trail Bearing N. & and S. W

40.00 Set a Quarty Stone 14 in Long, 9 in
wide and 6 in thick for
Quarter Sec corner

80.00 Set a Linee Stone 14 in Long
12 in wide and 4 in thick
for corner to Secs 28, 29, 32 33
Land rolling Prairie Soil 3d Rate
East on a random line between
Sections 28 and 33
variation 12° 30' East

40.00 Set temperary Quarter Sec corner

78.83 Intersected the N and S line

Township 4 N. Range 2 E 6th P.M.

Chains	
	17 lks North of the corner to Sec 27, 28, 33, 34
	From which corner 3 runs West on a true line between Sections 28 and 33
	variation 12° 23' East
39.96	Set a Quarty Stone 10 in Long. 9 in wide and 6 in thick for Quarter Section corner
79.93	The corner to Sec 28, 29, 32, 33
	Sandy rolling Prairie Soil 3rd Rate
	North between Sections 28 and 29
	variation 12° 30' East
40.00	Set a Quarty Stone 12 in Long. 10 in wide and 5 in thick for Quarter Section corner
56.00	Ravine runs N. E
80.00	Set Limestone 17 in Long, 10 in wide and 4 in thick for corner to Sections 20, 21, 28, 29
	Sandy rolling Prairie Soil 3rd Rate

Township 4 N. Range 2 E 6th P.M.

Chains	
	East on a random line between Sections 21 and 28
	variation 12° 30' East
40.00	Set temporary Quarter Section corner
59.00	Drain runs N. E
79.90	Intersected N and S line 10 lks South of the corner to Sections 21, 22, 27, 28
	From which corner 3 runs West on a true line between Sections 21 and 28
	variation 12° 34' East
39.95	Set a Quarty Stone 12 in Long. 8 in wide and 6 in thick for Quarter Section corner
79.90	The corner to Sections 20, 21, 28, 29
	Sand rolling Prairie Soil 3rd Rate
	North between Sections 20 and 21
	variation 12° 30' East
21.00	Drain runs East
40.00	Set a Quarty Stone 11 in Long 10 in wide and 5½ in thick

Township No 4 N. Range 2 E 6th P. M.

Chains	
	for Quarter Sec corner
80,00	Set a Limestone 16 in Leng. 12 in wide and 4 in thick for corner to Sections 16, 17, 20, 21
	Land rolling Prairie Soil 3d Rate
	East on a random line between Sections 16 and 21
	variation 12° 30' East
41,00	Set Temporary Quarter Sec corner
77,85	Intersected the Nand S line 14 lks South of the corner to Sections 15, 16, 20, 21
	From which corner I run West on a true line between Sections 16 and 21
	variation 12° 36' East
39,92	Set a Quarty stone 10 in Long, 9 in wide and 7 in thick for Quarter Section corner
79,85	The corner to Sec 16, 17, 20, 21
	Land rolling Prairie Soil 3d Rate

Township No 4 N. Range 2 E 6th P. M.

Chains	
	North between Sec 16 and 17
	variation 12° 30' East
40,00	Set Limestone 15 in Long, 12 in wide and 3 in thick for Quarter Section corner
80,00	Set Limestone 16 in Long, 12 in wide and 4 in thick for corner to Sections 8, 9, 16, 17
	Land rolling Prairie Soil 3d Rate
	East on a random line between Sections 9 and 16
	variation 12° 30' East
40,00	Set temporary Quarter Sec corner
79,70	Intersected Nand S line 14 lks South of the corner to Sec 9, 10, 15, 16
	From which corner I run West on a true line between Sections 9 and 16
	variation 12° 36' East
39,85	Set a Quarty stone 12 in Long 9 in wide and 7 in thick for

Township No 4 N. Range 2 E 6th P. M.

Chains	
	Quarter Section corner
79.70	She corner to Sec 8. 9. 16. 17
	Sandrolling Prairie Soil 3rd Rate
	North between Sections 8 and 9
	Variation 12° 30' East
40.00	Set a Quarty Stone 13 in Long. 10 in wide and 7 in thick for Quarter Section corner
80.00	Set a Quarty Stone 19 in Long. 11 in wide and 4 in thick for corner to Sections 4. 5. 8. 9
	Land Broken Prairie Soil 3 Rate
	East on a random line between Sections 4 and 9
	Variation 12° 30' East
31.00	Drains runs North
40.00	Set temporary Quarter Sec corner
79.85	Intersected the N and S line 28 lks South of the corner to Sections 3. 4. 9. 10 From which corner 9 runs

Township No 4 N. Range 2 E 6th P. M.

Chains	
	West on a true line between Sec 4 and 9
	Variation 12° 42' East
39.92	Set a Quarty rock 10 in Long. 8 in wide and 7 in thick for Quarter Section corner
79.85	She corner to Sec 4. 5. 8. 9
	Land Broken Prairie Soil 3rd Rate
	North on a true line between Sections 4 and 5
	Variation 12° 30' East
40.00	Set a Quarty Stone 12 in Long. 10 in wide and 8 in thick for Quarter Sec corner
44.50	Drains runs E
63.00	Drains runs S. E
81.60	Set a Quarty Stone 11 in Long. 10 in wide and 9 in thick for corner to Fractional Sections 4 and 5 at intersection with the 1st Standard Parallel North

Township No 4 N. Range 2 E 6th P. M. M.

Chains

and 218 lks West of the corner
to Sections 32 and 33, 35 N. R 2 E.
Land rolling Prairie Soil 3d Rate
July 30th 1857

North between Sections 31 and 32
Variation 12° 30' East

110,00 Set a Quarty Stone 12 in Long, 10 in
wide and 5 in thick per Quarter
Section corner

80,00 Set a Quarty Stone 14 in Long, 10 in
wide and 5 in thick per corner
to Sections 29, 30, 31, 32

Land rolling Prairie Soil 3d Rate

East on a random line between
Sections 29 and 32
Variation 12° 30' East

40,00 Set temporary Quarter Sec corner
79,91 Intersected the N and S line 30 lks
North of the corner to Sections
28, 29, 32, 33

Township 4 N Range 2 E 6th P. M. M.

Chains

From which corner I saw
West on a true line between Sections
29 and 32
Variation 12° 17' East

39,95 Set a quarty Stone 10 in wide, 11 in
Long, and 7 in thick per Quarter
Section corner

79,91 The corner to Sec 29, 30, 31, 32
Land rolling Prairie Soil 3d Rate

West on a random line between
Sections 30 and 31
variation 12° 30' East

40,00 Set temporary Quarter Sec corner
78,35 Intersected the West boundary
of the Township 49 lks South of
the corner to Sec 30 and 31
From which corner I saw
East on a true line between
Sections 30 and 31
Variation 12° 09' East

Township 4 N. Range 2 E 6th P. M.

Chains	
38.85	Set a Quarty Stone 12 in Long. 9 in wide and 6 in thick for Quarter Section corner
78.85	The corner to Sec 29. 30. 31. 32
	Land rolling Prairie Soil 3rd Rate
	North between Sec 29 and 30
	variation 12° 30' East
40.00	Set a Quarty Stone 13 in Long. 10 in wide and 4 in thick for Quarter Section corner
30.00	Set a Quarty Stone 15 in Long. 12 in wide and 4 in thick for corner to Sections 19. 20. 29. 30
	Land rolling Prairie Soil 3rd Rate
	East on a random line between Sections 20 and 29
	variation 12° 30' East
40.00	Set a temporary Quarter Sec corner
77.84	Intersected the North Bank 13 lks North of the corner to Sec 20 21, 28, 29
	From which corner I run

Township 4 N. Range 2 E 6th P. M.

Chains	
	West on a true line between Sections 20 and 29
	variation 12° 25' East
39.92	Set a Quarty Stone 13 in Long. 9 in wide and 5 in thick for Quarter Section corner
79.84	The corner to Sections 19. 20. 29. 30
	Land rolling Prairie Soil 3rd Rate
	West on a random line between Sections 19 and 30
	variation 12° 30' East
40.00	Set temporary Quarter Sec corner
79.10	Intersected the West Boundary of the Township 28 lks South of the corner to Sections 19 and 30
	From which corner I run
	East on a true line Between Sec 19 & 30
	variation 12° 18' East
39.10	Set a Quarty Stone 12 in Long. 8 in wide and 6 in thick for Quarter Sec corner

Township No 4 N. Range 2 E 6th P.r M.d

Chains	
79.10	The corner to Sec 19 20. 29. 30 Sand rolling Prairie Soil 3d Rate
	North between Sec 19 and 20 variation 12° 30' East
40.00	Set a Quarty Stone 15 in Leng. 10 in wide and 4 in thick per Quarter Sec corner
80.00	Set a Quarty Stone 18 in Leng. 12 in wide and 4 in thick per corner to Sections 17. 18. 19. 20 Sand rolling Prairie Soil 3d Rate
	East on a random line between Sections 17 and 20 variation 12° 30' East
40.00	Set temporary Quarter Sec corner
79.78	Intersected the N and S line 17 Chs North of the corner to Sec 16. 17. 20. 21 From which corner Sound West on a true line between sections 17 and 20 variation 12° 23' East

Township No 4 N. Range 2 E 6th P.r M.d

Chains	
39.89	Set a Quarty Stone 16 in Leng. 10 in wide and 5 in thick for Quarter Section corner
79.78	The corner to Sec 17. 18. 19. 20 Sand rolling Prairie Soil 3d Rate
	West on a random line Between Sections 18 and 19 variation 12° 00' East
40.00	Set temporary Quarter Sec corner
79.73	Intersected the West Boundary of the Township & the South of the corner to Sec 18 and 19 From which corner Sound East on a true line between Sections 18 and 19 variation 11° 56' East
39.73	Set a Quarty Stone 11 in Leng. 10 in wide and 5 in thick for Quarter Section corner
79.73	The corner to Sec 17. 18. 19. 20 Sand rolling Prairie Soil 3d Rate

Township No 4 N. Range 2 E 6th P. Me.

Chains	
	North between Sections 17 and 18 Variation 12°30' East
40.00	Set a Quarty Stone 10 in Leng. 9 in wide and 8 in thick for Quarter Section corner
80.00	Set a Quarty Stone 14 in Leng. 12 in wide and 7 in thick for corner to Sections 7. 8. 17. 18 Land rolling Prairie Soil 3d Rate July 31st 1857
	East on a random line between Sections 8 and 17 Variation 12°30' East
40.00	Set temporary Quarter Sec corner
79.96	Intersected the N and S line 35 lks North of the corner to Sec 8. 9. 16. 17. From which corner 8 mds West on a true line between sections 8 and 17 Variation 12°15' East

Township 4 N. Range 2 E 6th P. Me.

Chains	
39.98	Set a Quarty Stone 12 in Leng. 11 in wide and 7 in thick for Quarter Sec corner
79.96	The corner to Sec 7. 8. 17. 18 Land rolling Prairie Soil 3d Rate
	West on a random line between Sections 7 and 18 Variation 12°00' East
40.00	Set temporary Quarter Sec corner
79.48	Intersected the West boundary of the Township 12 lks South of the corner to Sec 7 and 18 From which corner 8 mds East on a true line between Sections 7 and 18 Variation 11°55' East
39.48	Set a Quarty Stone 12 in Leng. 8 in wide and 6 in thick for Quarter Section corner
79.48	The corner to Sec 7. 8. 17. 18 Land rolling Prairie Soil 3d Rate

Township 4 N. Range 2 E 6th P.M. 16th

Chains	
	North between Sec 7 and 8
	Variation 12° 30' East
40.00	Set a Quarty Stone 11 in Long. 9 in wide and 6 in thick for Quarter Section corner
80.10	Set a Quarty Stone 10 in Long. 9 in wide and 6 in thick for corner to Sections 5, 6, 7, 8
	Land rolling Prairie Soil 3d Rate
	East on a random line Between Sections 5 and 8
	Variation 12° 30' East
40.00	Set temporary Quarter Sec corner
79.90	Intersected the North 8 line 46 lks South of the corner to Sections 4, 5, 8, 9
	From which corner I run
	West on a true line between Sections 5 and 8
	Variation 12° 30' East
39.95	Set a Quarty Stone 16 in Long

Township 4 N Range 2 E 6th P.M.

Chains	
	9 in wide and 8 in thick for Quarter Section corner
79.90	The corner to Sec 5, 6, 7, 8
	Land rolling Prairie Soil 3d Rate
	West on a random line between Sections 6 and 7
	Variation 12° 00' East
40.00	Set temporary Quarter Sec corner
79.28	Intersected the West boundary of the Township 38 lks South of the corner to Sections 6 and 7
	From which corner I run
	East on a true line between Sections 6 and 7
	Variation 11° 44' East
39.28	Set a Quarty Stone 11 in Long. 9 in wide and 6 in thick for Quarter Section corner
79.28	The corner to Sec 5, 6, 7, 8
	Land rolling Prairie Soil 3d Rate

Township 4 N. Range 2 E 6th P.M. No 4th

Chains

Northern a true line between Sections 5 and 6
variation 12° 30' East

40.00 Set a Quarty Stone 12 in Long. 8 in wide and 5 in thick for Quarter Section corner

41.00 Drainmans East

81.30 Set a Quarty Stone 15 in Long 9 in wide and 6 in thick for corner to Fractional Sections 5 and 6 at Intersection with the 1st Standard Parallel North. and 230 lks west of the corner to Sec 31 and 32 T 5 N R. 2 E

Land rolling Prairie Soil 3d Rate

August 1st 1857

Township 4 N. Range 2 E 6th P.M. No 4th

General Description

The Locality of the land in this Township is below the common average. The Uplands are rolling. Soil 3d Rate - for poor for cultivation.

Water Scarce except in the Eastern part of the Township

Timber very Scarce, chiefly Elm and Oak

No Settlement in the Township.

Tawnship 4 N. Range 2 E 6th P. M.

List of Names

A List of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the foregoing field notes of Tawnship No 4 North of the Base line of Range No 2 East of the 6th Principal meridian. Showing the respective capacities in which they acted

Nelson McCollum	Chainman
Nicholas Beckler	Chainman
A. C. Richey	Axeman
David McCollum	Flagman
Monroe M. Caldwell	Compassman

General Land Office • Original Field Notes

Book Number

37

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.