General Land Office • Original Field Notes

Book Number

38

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

+ 15 No 5

Blatter

A

Vol 2 R 2 E

The Notes of Township lines not having been returned the closings on exterior boundaries cannot be examined

Van Zandt

Field notes of the Subdivision lines in Township No 5 North of the Base line, of Range 2 East of the 6th Principal Meridian in the Territory of Nebraska Surveyed by William S. Caldwell, Deputy Surveyor, under his contract No 188 bearing date the 20 day of June 1857

Commenced August 3rd 1857

Completed " August 8th 1857

b

The names and duties of assistants

Nelson McCollum	chainman
Nicholas Buchlar	chainman
Alexander G. Richey	axeman
David McCollum	Flagman
Monroe M. Caldwell	compassman

C

Township 5 N. Range 2 East

6	34	5	25	4	19	3	13	2	7	1
33		33		24		18		13		7
7	32	8	24	9	18	10	12	11	6	12
32		31		23		17		12		5
18	31	17	23	16	17	15	11	14	5	13
30		29		22		16		11		4
19	29	20	22	21	16	22	10	23	3	24
28		28		21		15		10		3
30	27	29	21	28	15	27	9	26	2	25
27		26		20		14		9		2
31	26	32	20	33	14	34	8	35	1	36

b d

1

Township No 3 N Range No 2 East 6th P.M. No 4

Chains

To determine the proper adjustment of my compass for subdividing this Township I begin at the corner to Townships No 3 North of Ranges No 2 and 3 East and run N North on a Blank line along the eastern Boundary of Section 36

Variation 12.20 East

40.04 A point 11 lks East of Quarter Section Corner

80.07 A point 33 lks East of corner to sections 25 and 36

To retrace this line or run parallel thereto my compass must be adjusted to a

Variation 12.30 East

Subdivision commenced August 3 1857

From the corner to sections 35 and 36 on the South Boundary of Township I run North between Sections 35 and 36

Variation 12.30 East

40.00 Set a Quartz Stone 9 in long 9 in wide and 8 in thick for Quarter Section Corner

80.00 Set a Quartz Stone 15 in long 9 in wide and 6 in thick for corner to sec 25.26.35.36

Township No 3 N Range No 2 East 6th P.M.

Chains	
	Land Rolling prairie, Soil 3rd rate
	East on a Random line between Sections 23 and 36
	Variation 12. 30 East,
4.00	Set Post for temporary Quarter Section Corner
74.00	Leave prairie and Enter timber Bearing N E and S W
75.00	Stream 20 lks wide runs N E,
76.50	Leave timber and Enter prairie Bearing N 64 E
80.02	Intersected East Boundary of Township 16 lks North of corner to sections 23 and 36
	From which corner I run
	West on a true line between sections 23 and 36
	Variation 12. 23 East
40.01	Set a Quartz stone 9 in. long 8 in wide and 8 in thick for Quarter section corner
80.02	The corner to sections 23, 26, 35, 36
	Land Rolling, Soil 3rd rate
	Timber Oak and Elm
	North between sections 23 and 26
	Variation 12. 30 East

Township No 3 N Range No 2 East 6th P.M.

Chains	
40.00	Set Quartz Stone 12 in long 9 in wide and 6 in thick for Quarter section corner
80.02	Set a Quartz Stone 14 in long 10 in wide and 3 in thick for corner to section 23. 24. 25. 26
	Land Rolling prairie Soil 3rd rate
	East on a Random line between sections 24 & 23
	Variation 12. 30 East
11.00	Leaving runs S E
40.00	Set Stone for temporary Quarter Sect corner
77.94	Intersected East Boundary of Township 21 lks North of corner to section 24 and 25
	From which corner I run N
	West on a true line between sections 24 and 25
	Variation 12. 21 East
39.97	Set a Quartz Stone 12 in long 10 in wide and 3 in thick for Quarter section corner
78.94	The corner to section 23. 24 25, 26.
	Land Rolling Prairie, Soil 3rd rate
	North between sections 23 and 24
	Variation 12. 30 East

Township No 3 N Range No 2 East 6th P.M. Mo.

Chains	
10.00	Ravine runs S E.
40.00	Set a Quartz Stone 12 in long 8 in wide and 7 in thick for Quarter Section corner
50.00	Set a Quartz stone 18 in long 12 in wide and 4 in thick for corner to Sections 13, 14, 23, 24
	Land Rolling prairie, Soil 3rd rate
	East on a Random line between sections 13 and 24
	Variation 12.30 East
40.00	Set stone for temporary Quarter Sec corner
58.00	Ravine runs North.
79.80	Intersected East Boundary of Township 27 lks Westerly corner to sections 23 and 24
	From which corner I run
	West on a true line between sections 13 and 24
	Variation 12.18 East
39.90	Set a Quartz Stone 22 in long 18 in wide and 14 in thick for Quarter section corner
79.80	The corner to sections 13, 14, 23, 24
	Land Rolling prairie, Soil 3rd rate

Township No 3 N Range No 2 East 6th P.M.

Chains	
	North between sections 13 and 14
	Variation 12.30 East
40.00	Set a Quartz Stone 18 in long 12 in wide and 5 in thick for Quarter section corner
66.00	Some prairie and Scrub timber Bearing N E & W
67.00	Stream 6 lks wide runs East.
75.00	Some timber and Scrub prairie Bearing N W and S E
80.00	Set a Sand Stone 18 in long 12 in wide and 4 in thick for corner to section 11, 12, 13, 14
	Land Rolling, Soil 2nd rate
	Timber Oak & and Elm
	Undergrowth the same and lines
	East on a Random line between section 12 and 13
	Variation 12.30 East
10.00	Stream 10 lks wide runs S E.
40.00	Set Stone for temporary Quarter section corner
74.50	Ravine runs South.
79.74	Intersected East Boundary of Township 3-6 lks North of corner to sections 12 and 13
	From which corner I run

Township No. 3 N Range No. 2 East 6th P.M. No. 4

Chains	
	West on a true line between section 12 and 13
	Variation 12.06 East,
39.87	set a Quartz stone 15 in long 11 in wide and 4 in thick for Quarter section corner
79.74	The corner to sections 1, 12, 13, 24.
	Land Rolling. Prairie, Soil 2nd rate
	North between sections 11 and 12
	Variation 12.30 East
40.00	set a Quartz stone 12 in long 10 in wide and 8 in thick for Quarter section corner
46.00	Leave prairie and Enter timber Bearing N W & S E
47.50	Stream 10 lks wide runs S E.
36.00	Same stream 10 lks wide runs S W
39.00	Leave timber and Enter prairie Bearing N E and S W
80.00	set a Sand stone 22 in long 13 in wide and 4 in thick for corner to section 1. 2. 11. 12
	Land Rolling. Soil 2nd rate
	Timber Oak and Elm
	Under growth Same and Vines

Township No. 3 N Range No. 2 East 6th P.M. No. 4

Chains	
	East on a Random line between sections 1 and 2
	Variation 12.30 East
3.00	Leave prairie and Enter timber Bear N E and S W
4.00	Stream 10 lks wide runs S W
19.00	Leave timber and Enter prairie Bear N E and W
40.00	set sod for temporary Quarter sec corner
66.00	Ravine runs South.
77.68	Intersected East Boundary of Township 66 lks North of corner to sections 1 and 12
	From which corner I run
	West on a true line between sections 1 and 12
	Variation 12.02 East
39.84	set a Quartz stone 16 in long 11 in wide and 5 in thick for Quarter section corner
79.68	The corner to sections 1. 2. 11. 12
	Land Rolling. Soil 2nd rate
	Timber Oak and Elm
	North on a Random line between sections 1 and 2
	Variation 12.30 East

Township No 5 N Range No 2 East 6th P.M.

Chains	
40.00	set stone for temporary Quarter section corner
44.00	Stream 10 lks wide runs S E.
80.61	Intersected North Boundary of Township 10 lks West of corner to section 1 and 2 From which Corner I run South on a true line between sections 1 and 2
	Variation 12, 24 East
40.61	set a Quartz Stone 14 in long 13 in wide and 5 in thick for Quarter section corner
80.61	The corner to section 1, 2, 11, 12 Land Rolling prairie soil 3 ro rate
	August 3d 1857
	North between Sections 34 and 35
	Variation 12.30 East
11.00	Stream 15 lks wide runs N E about 15 chains and then turns S E.
24.00	Marine runs S E
40.00	set a Quartz Stone 11 in long 10 in wide and 6 in thick for Quarter sec corner

Township No 5 N Range No 2 East 6th P.M.

Chains	
80.00	set a Quartz stone 14 in long 11 in wide and 6 in thick for ~~Corner to~~ section 26. 27. 34. 35 Land Rolling prairie, soil 3 ro rate
	East on a Random line between sections 26 and 35
	Variation 12, 30 East
40.00	set stone for temporary Quarter sec corner
79.70	Intersected Grand S line 40 lks North of corner to sections 25. 26. 35. 36 From which corner I run West on a true line between sections 26 and 35
	Variation 12, 18 East
39.85	set a Quartz stone 15 in long 9 in wide and 5 in thick for Quarter section corner
79.70	The corner to sections 26. 27. 34. 35 Land Rolling prairie, soil 3 ro rate
	North between sections 26 and 27
	Variation 12, 30 East
40.00	set a Quartz stone 12 in long 8 in wide and 6 in thick for Quarter sec corner

Township No 3 N Range No 2 East 6th P.M.

Chains	
60,00	Ravine runs East
80,00	set a Quarter Stone 13 in long 10 in wide and 4 in thick for corner to sections 22, 23, 26, 27
	Land Rolling prairie, soil 3rd rate
	East on a Random line between sections 23 and 26
	Variation 12, 30 East
40,00	set stone for temporary Quarter section Corner
77.60	Intersected N and S line 33 lks North of corner to sections 23, 24, 25, 26
	From which corner of run
	West on a true line between sections 23 and 26
	Variation 12, 16 East
37,80	set a Lime stone 17 in long 11 in wide and 3 in thick for Quarter section corner
77,60	The corner to sections 22, 23, 26, 27
	Land Rolling prairie, soil 3rd rate
	North between sections 22 and 23
	Variation 12, 40 East
40,00	set a Quarter stone 10 in long 9 in wide and

Township No 3 N Range No 2 East 6th P.M.

Chains	
	6 in thick for Quarter section corner
80,00	set a Quarter stone 11 in long 10 in wide and 6 in thick for corner to sections 14, 15, 22, 23
	Land Rolling prairie, soil 3rd rate
	East on a Random line between sections 14 and 23
	Variation 12, 00 East
28,00	Ravine runs S E.
40,00	set stone for temporary Quarter section corner
77.81	Intersected N and S line 18 lks North of corner to sections 13, 14, 23, 24
	From which corner of run
	West on a true line between section 14 and 23
	Variation 11, 53 East
37,96	set a Sand stone 12 in long 11 in wide and 3 in thick for Quarter section corner
77.81	The corner to sections 14, 15, 22, 23
	Land Rolling prairie, soil 3rd rate
	North between sections 14 and 15
	Variation 12, 40 East
80,00	Ravine runs S E.

Township No 3 N Range No 2 East 6th P.M.

Chains	
40.00	Set a Quartz stone 16 in long 7 in wide and 3 in thick for Quarter section corner
80.00	Set a Lime Stone 22 in long 12 in wide and 4 in thick for Corner to section 10.11.14.15
	Land Rolling prairie, soil 3rd rate
	East on a Random line between Sections 11 and 14
	Variation 12.00 East
40.00	set Sod for temporary Quarter section corner
77.71	Intersected N and S line 20 lks North of corner to sections 11.12, 13, 14
	From which corner I run
	West on a true line between sections 11 and 14
	Variation 11.32 East
39.83	set a Quartz stone 10 in long 9 in wide and 6 in thick for Quarter section corner
77.71	The corner to sections 10.11.14.15
	Land Rolling prairie, soil 3rd rate
	North between sections 10 and 11
	Variation 12.40 East
40.00	set Quartz Stone 14 in long 10 in wide and 8 in thick for Quarter sec Corner

Township No 3 N Range No 2 East 6th P.M.

Chains	
80.00	set a Lime Stone 22 in long 13 in wide and 3 in thick for corner to sections 2.3.10.11
	Land Rolling prairie, soil 3rd rate
	East on a Random line between sections 2 and 11
	Variation 12.00 East
40.00	set Sod for temporary Quarter section corner
77.56	Intersected N and S line 5-6 lks North of corner to sections 1.2.11.12
	From which corner I run
	West on a true line between section 2 and 11
	Variation 11.36 East
39.78	set a Quartz stone 12 in long 9 in wide and 7 in thick for Quarter section corner
77.56	The corner to section 2.3.10.11
	Land Rolling prairie, soil 3rd rate
	North on a Random line between sections 2 and 3
	Variation 12.46 East
36.00	Stream 3 lks wide 1301 no East
40.00	set stone for temporary Quarter sec corner
80.20	Intersected North Boundary of Township

Township No 3 N Range No 2 East 6th P.M.

Chains	
	33 lks East of corner to sections 2 and 3
	From which corner I run
	South on a true line between sections 2 and 3
	Variation 13.01 East
40.20	Set a Quartz Stone 11 in long 8 in wide and 7 in thick for Quarter section corner
80.20	The corner to section 2. 3. 10. 11
	Land Rolling prairie, Soil 3rd rate
	August 4th 1857
	North between sections 33 and 34
	Variation 12. 40 East
40.00	Set a Quartz Stone 12 in long 11 in wide and 4 in thick for Quarter section corner
60.00	Ravine runs S E.
80.00	Set a Lime Stone 12 in long 16 in wide and 4 in thick for corner to sections 27. 28. 33. 34
	Land Rolling prairie, Soil 3rd rate
	East on a Random line between sections 27 and 34
	Variation 12. 20 East

Township No 3 N Range No 2 East 6th P.M.

Chains	
40.00	Set stake for temporary Quarter section corner
82.07	Intersected N and S line 10 lks South of corner to sections 26. 27. 34. 35
	From which corner I run
	West on a true line between sections 27 and 34
	Variation 12. 24 East
40.04	Set a Quartz Stone 16 in long 10 in wide and 4 in thick for Quarter section corner
80.07	The corner to section 27. 28. 33. 34
	Land Rolling Prairie Soil 3rd rate
	North between sections 27 and 28
	Variation 12. 40 East
40.00	Set a Quartz Stone 12 in long 10 in wide and 5 in thick for Quarter section corner
80.00	Set a Lime Stone 16 in long 12 in wide and 3 in thick for Corner to sections 21. 22 27. 28
	Land Rolling Prairie, Soil 3rd rate
	East on a Random line between sections 22 and 27
	Variation 12. 20 East

Township No 5 N Range No 2 East 6th P.M.

Chains	
40.00	set sod for temp Quarter section corner
80.14	intersected N and S line 19 lks North of corner to sections 22, 23, 26, 27 From which corner I run West on a true line between sections 22 and 27
	Variation 12, 12 East
40.07	set a Quartz stone 12 in long 7 in wide and 6 in thick for Quarter section corner
80.14	The corner to section 21, 22, 27, 28 Sand Rolling prairie, soil 3rd rate
	North between sections 21 and 22
	Variation 12, 40 East
40.00	set a Quartz stone 13 in long 10 in wide and 3 in thick for Quarter section corner
80.00	set a Lime stone 20 in long 12 in wide and 4 in thick for corner to sections 15, 16, 21, 22 Sand Rolling prairie, soil 3rd rate
	East on a Random line between sections 15 and 22
	Variation 12, 20 E.
40.00	set sod for temporary Quarter sec corner

Township No 5 N Range No 2 East 6th P.M.

Chains	
80.23	intersected N and S line 16 lks north of corner to sections 14, 15, 22, 23 From which corner I run West on a true line between sections 15 and 22
	Variation 12, 13 East
40.11	set a Quartz stone 11 in long 9 in wide and 4 in thick for Quarter section corner
80.23	The corner to section 15, 16, 21, 22 Sand Rolling prairie soil 3rd rate
	North between sections 15 and 16
	Variation 12, 30 East
40.00	set Quartz stone 16 in long 10 in wide and 3 in thick for Quarter section corner
80.00	set Quartz stone 12 in long 10 in wide and 7 in thick for corner to sec 9, 10, 15, 16 Sand Rolling prairie soil 3rd rate
	East on a Random line between sec 10 and 15
	Variation 12, 20 East
40.00	set sod for temporary Quarter section corner

Township No 3 N Range No 2 East 6th P.M. No.

Chains	
80.40	Intersected Naud's line 20 lks North of corner to sections 10.11.14.15
	From which corner of sec.
	West on a true line between sections 10 and 15
	Variation 12.12 East
40.20	set a Quarty stone 12 in long 10 in wide and 3 in thick for quarter section corner
80.40	The corner to sections 9.10.15.16
	Land Rolling Prairie, Soil 3rd rate
	North between Sections 9 and 10
	Variation 12.30 East
40.00	set a Quarty stone 15 in long 7 in wide and 6 in thick for quarter section corner
80.00	Set a Quarty stone 12 in long 8 in wide and 6 in thick for corner to sections 3.4.9.10
	Land Rolling Prairie, Soil 3rd rate
	East on a Random line between Sections 3 and 10
	Variation 12.20 East
4.00	set sod for temporary quarter sec corner

Township No 3 N Range No 2 East 6th P.M. No.

Chains	
80.17	Intersected Naud's line 18 lks North of corner to sections 2.3.10.11
	From which corner of sec.
	West on a true line between sections 3 & 10
	Variation 12.13 East
40.08	set a Quart Stone 11 in long 9 in wide and 6 in thick for quarter section corner
80.17	The corner to sections 3.4.9.10
	Land Rolling Prairie, Soil 3rd rate
	North on a Random line between sec 3 and 4
	Variation 12.30 East
40.00	set stone for temporary quarter sec corner
80.15	Intersected North Boundary of Township 14 lks East of corner to sections 3 and 4
	From which corner of sec.
	South on a true line between sec 3 and 4
	Variation 12.3 6 East
40.15	set a Quarty stone 14 in long 8 in wide and 6 in thick for quarter section corner
80.15	The corner to section 3.4.9.10

Township No 3 North R 2 East 6th P.M. Mer.

Chains	
	Land Rolling prairie, Soil 3rd rate August 5th 1857
	North between sections 32 and 33 Variation 12.40 East
40.00	set a Quartz stone 12 in long 10 in wide and 3 in thick for Quarter section corner
80.00	set a Lime stone 26 in long 9 in wide and 4 in thick for corner to sections 28, 29, 32, 33
	Land Rolling prairie, Soil 3rd rate
	East on a Random line between sections 28 and 33 Variation 12.20 East
40.00	set sod for temporary Quarter section corner
53.00	Marine runs S E,
80.23	intersected N and S line 26 lks South of corner to sections 27, 28, 33, 34
	From which corner of run
	West on a true line between section 28 and 33 Variation 12.34 East
40.12	set a Quartz stone 18 in long 9 in wide and 7 in

Township No 3 N Range No 2 East 6th P.M. Mer.

Chains	
	thick for Quarter section corner
80.23	Is the corner to sections 28, 29, 32, 33
	Land Rolling prairie, Soil 3rd rate
	North between sections ~~27 and~~ 28 and 29 Variation 12.40 East
40.00	set a Quartz stone 14 in long 10 in wide and 4 in thick for Quarter sec tion corner
57.00	Marine runs S E,
80.00	set a Lime stone 22 in long 10 in wide and 3 in thick for corner to sections 20, 21, 28, 29
	Land Rolling prairie, Soil 3rd rate
	East on a Random line between sections 21 & 28 Variation 12.20 East
40.00	set sod for temporary Quarter section corner
52.00	Marine runs S E,
80.18	intersected N and S line 16 lks south of corner to sections 21, 22, 27, 28
	From which corner of run
	West on a true line between sections 21 and 28 Variation 12.36 East

Township No 3 N Range No 2 East 6th P.M.

Chains	
40.08	set a Quartz stone 12 in long 8 in wide and 6 in thick for Quarter section corner
80.18	The corner to section 20, 21, 28, 29
	Land Rolling Prairie, Soil 3rd rate
	North between section 20 and 21
	Variation 12.30 East
40.00	set a Quartz stone 12 in long 8 in wide and 6 in thick for Quarter section corner
80.00	set a Lime stone 18 in long 11 in wide and 4 in thick for corner to sections 16, 17, 20, 21
	Land Rolling Prairie, Soil 3rd rate
	East on a Random line between sections 16 and 21
	Variation 12.20 East
40.00	set sod for temporary Quarter section corner
80.14	Intersected N and S line 14 lks south of corner to sections 15, 16, 21, 22
	From which corner I run
	West on a true line between sec 16 and 21
	Variation 12.26 East

Township No 3 N Range No 2 East 6th P.M.

Chains	
40.07	set a Quartz stone 11 in long 10 in wide and 6 in thick for Quarter section corner
80.14	The corner to sections 16, 17, 20, 21
	Land Rolling Prairie Soil 2nd rate
	North between sections 16 and 17
	Variation 12.30 East
40.00	set a Quartz 12 in long 9 in wide and 6 in thick for Quarter section corner
50.00	Reaches Runs S.E.
80.00	set a Lime stone 21 in long 11 in wide and 3 in thick for corner to section 8, 9, 16, 17
	Land Rolling Prairie Soil 3rd rate
	East on a Random line between sections 9 and 16
	Variation 12.20 East
40.00	set sod for temporary Quarter section corner
77.96	Intersected N and S line 6 lks north of corner to sections 9, 10, 15, 16
	From which corner I run

Township No 5 N Range No 2 East 6th P.M. No.

Chains

West on a true line between sections 9 and 16

Variation 12.18 East

39.78 Set a Quartz stone, 14 in long 9 in wide and 3 in thick for Quarter section corner

79.96 The corner to sections 8, 9, 16, 17

Land Rolling prairie, soil 3rd rate

North between sections 8 and 9

Variation 12, 30 East

40.00 Set a Quartz stone 11 in long 10 in wide and 3 in thick for Quarter section corner

80.00 Set a Lime stone 18 in long 10 in wide and 3 in thick. for corner to sections 4, 5, 8, 9

Land Rolling prairie, soil 3rd rate

East on a Random line between sections 4 and 9

Variation 12.20 East

40.00 Set sod for temporary Quarter section corner

79.78 Intersected range line 24 lks north of corner to sections 3, 4, 9, 10

From which corner of run

Township No 5 N Range No 2 East 6th P.M. 16th

Chains

West on a true line between sections 4 and 9

Variation 12.10 East

39.89 Set a Quartz stone 12 in long 10 in wide and 7 in thick for Quarter section corner

79.78 The corner to sections 4, 5, 8, 9

Land Rolling prairie, soil 3rd rate

North on a Random line between sections 4 and 5

Variation 12.30 East

40.00 Set stone for temporary Quarter sec corner

63.00 Stream 6 lks wide runs N E.

80.50 Intersected north Boundary of Township 14 lks East of corner to sections 4 and 5

From which corner of run

South on a true line between sections 4 and 5

Variation 12.36 East

40.50 Set a Quartz stone 14 in long 12 in wide and 10 in thick for Quarter section corner

80.50 The corner to sections 4, 5, 8, 9

Land Rolling prairie soil 3rd rate

August 6th 1857

Township No 3 N Range No 2 E 6th P.M. M.C.

Chains	
	North between sections 31 and 32
	Variation 12, 40 East
6,00	Marine runs S E.
40,00	Set a Quartz 16 in long 10 in wide and 8 in thick for Quarter Section corner
80,00	Set Quartz 11 in long 9 in wide and 7 in thick for corner to section 29.30.31.32
	Sand Rolling prairie. Soil 3rd rate
	East on a Random line between sections 29 and 32
	Variation 12, 40 East
40,00	Set stone for temporary Quarter sec corner
80,10	Intersected Mann's line 15 lks North of corner to sections 28, 29, 32, 33.
	From which corner I run
	West on a true line between sections 29 and 32
	Variation 12, 34 East
40,05	Set a Quartz stone 12 in long 9 in wide and 7 in thick for Quarter section corner
80,10	The corner to sections 29, 30, 31, 32

Township No 3 N Range No 2 East 6th P.M. M.C.

Chains	
	Sand Rolling prairie. Soil 3rd rate
	West on a Random line between sections 30 and 31
	Variation 12, 40 East
40,00	Set stone for temporary Quarter Sec corner
46,00	Marine runs S E.
79,90	Intersected West Boundary of Township 6 lks South of corner to sections 31 and 32
	From which corner I run
	East on a true line between sections 30 & 31
	Variation 12, 38 East
39,90	Set a Quartz stone 12 in long 8 in wide and 6 in thick for Quarter section corner
79,90	The corner to sections 29, 30, 31, 32
	Sand Rolling prairie. Soil 3rd rate
	North between sections 29 and 30
	Variation 12, 40 East
40,00	Set a Sand stone 12 in long 8 in wide and 7 in thick for Quarter section corner
80,00	Set Quartz stone 13 in long 8 in wide

Township No 5 N Range No 2 East 6th P.M. No 4

Chains	
	and 7 in thick for corner to sections 19. 20. 29. 30
	Land Rolling Prairie Soil 3 rd rate
	East on a Random line between sections 20 and 29
	Variation 12. 40 East
40.00	set stone for temporary Quarter section corner
42.00	Marine runs S E.
80.14	Intersected N and S line 19 Chs North of corner to sections 20. 21. 28. 29
	From which corner I run
	West on a true line between sections 20 and 29
	Variation 12. 32 East
40.07	set a Quartz Stone 17 in long 10 in wide and 4 in thick for Quarter section corner
80.14	The corner to section 19. 20. 29. 30.
	Land Rolling Prairie. Soil 3 rd rate
	West on a Random line between sections 19 and 30
	Variation 12. 40 East

Township No 5 N Range No 2 East 6th P.M. No 4

Chains	
40.00	set Stone for temporary Quarter section corner
79.61	Intersected West Boundary of Township 14 Chs South of corner to sections 19 and 30
	From which corner I run
	East on a true line between sections 19 and 30
	Variation 12. ~~38~~ 34 East
39.61	set a Quartz Stone 14 in long 10 in wide and 7 in thick for Quarter section corner
79.61	The Corner to sections 19. 20. 29. 30
	Land Rolling Prairie. Soil 3 rd rate
	North between sections 19 and 20
	Variation 12. 30 East
30.00	Marine runs S E.
40.00	set Quartz Stone 16 in long 7 in wide and 6 in thick for Quarter section corner
80.00	set a Sand Stone 14 in long 12 in wide and 8 in thick for Qu corner to sec 17. 18. 19. 20
	Land Rolling Prairie Soil 3 rd rate
	East on a Random line between sections 17 and 20

Township No 5 N Range No 2 East 6th P.M. Mes.

Chains	
	Variation 12.30 East
40.00	Set stone for temporary Quarter section corner
80.41	Intersected N and S line 40 lks North of corner to sections 16, 17, 20, 21
	From which corner of sun
	West on a true line between sections 17 & 20
	Variation 12.13 East
40.20	Set a Quarty. stone 15 in long 12 in wide and 6 in thick for Quarter section corner
80.41	The corner to sections 17, 18, 19, 20
	Land Rolling prairie soil 3rd rate
	West on a Random line between sec 19 and 18
	Variation 12.30 East
40.00	Set Stone for temporary Quarter sec corner
79.30	Intersected West Boundary of Township 18 lks South of corner to sections 18 and 19
	From which corner of sun
	East on a true line between sections 18 and 19
	Variation 12.22 East
39.30	Set a Quarty. stone 14 in long 7 in wide and 6 in

Township No 5 N Range No 2 East 6th P.M. Mes.

Chains	
	thick for Quarter section corner.
79.30	The corner to sections 17, 18, 19, 20
	Land Rolling prairie, soil 3rd rate
	North between sections 17 and 18
	Variation 12.20 East
40.00	Set a Quarty. stone 12 in long 9 in wide and 7 in thick for Quarter section corner
80.00	Set a Quarty. stone 16 in long 13 in wide and 5 in thick for corner to sec 7, 8, 17, 18
	Land Rolling prairie, soil 3rd rate
	East on a Random line between sections 8 and 17
	Variation 12.20 East
40.00	Set Stone for temporary Quarter sec corner
80.09	Intersected N and S line 31 lks North of corner to section 8, 9, 16, 17
	From which corner of sun
	West on a true line between sections 8 & 17
	Variation 12.07 East
40.04	Set a Quarty. stone 13 in long 8 in wide and 5 in thick for Quarter section corner

Township No 3 N Range No 2 East 6th P.M. No 4

80.00	The corner to sections 7. 8. 17. 18
	Land Rolling prairie. Soil 3rd rate
	August 7th 1857
	West on a Random line between sections
	7 and 18
	Variation 12. 20 East
40.00	set Stone for temporary quarter sec corner
79.50	Intersected West Boundary of Township
	3 lks south of corner to sections 7 and 18
	From which corner ℄ run
	East on a true line between sections 8 and 18
	Variation 12. 18 East
39.50	Set a Quarty Stone 12 in long 8 in wide
	and 6 in thick for quarter section corner
79.50	The corner to sections 7. 8. 17. 18
	Land Rolling prairie. Soil 3rd rate
	North between sections 7 and 8
	Variation 12. 00 East
40.00	set a Quarty Stone 12 in long 10 in wide
	and 5 in thick for Quarter section corner

Township No 3 N Range No 2 East 6th P.M. No 4.

Chains	
80.00	set a Quarty Stone 13 in long 8 in wide and
	5 in thick for Corner to sections 5. 6. 7. 8
	Land Rolling prairie. Soil 3rd rate
	East on a Random line between sections
	5 and 8
	Variation 12. 20 East
40.00	set Stone for temporary quarter section cor
79.94	Intersected N and S line 8 lks North
	of corner to sections 4. 5. 8. 9
	From which corner ℄ run
	West on a true line between sections 5 and 8
	Variation 12. 17 East
39.97	set a Quarty Stone 12 in long 8 in wide and
	6 in thick for quarter section corner
79.94	The corner to sections 5. 6. 7. 8.
	Land Rolling prairie soil 3rd rate
	West on a Random line between sections 6 and 7
	Variation 12. 20 East
40.00	set Stone for temporary quarter section corner
43.00	Reaching runs North

Township No 3 North Range No 2 East 6th P. M.

Chains	
79.92	Intersected West Boundary of Township 3 4
	1 Mile South of Corner to sections 6 and 7
	From which corner I run
	East on a true line between sections 6 and 7
	Variation 11.57 East
39.92	Set a Quarter Stone 14 in long 10 in wide
	and 3 in thick for Quarter section corner
79.92	The corner to sections 5, 6, 7, 8
	Land Rolling Prairie, soil 3 rd rate
	North on a Boundary line between sections 5 and 6
	Variation 12.20 East
40.00	set stone for temporary Quarter section corner
62.00	Near me runs East
80.52	Intersected North Boundary of Township
	23 Mile East of the corner to sections 5 and 6
	From which corner I run
	South on a true line between sections 5 and 6
	Variation 12.30 East
40.52	set a Quarter stone 12 in long 10 in wide and
	3 in thick for Quarter sec corner

Township No 3 N Range No 2 E 6th P. M.

Chains	
80.52	The corner to sections 5, 6, 7, 8
	Land Rolling Prairie soil 3 rd rate
	August 8th 1857

General Description

The quality of land in this Township is below the common average.
The upland are generally Rolling soil 3 rd rate, and not suitable for cultivation.
Water is very scarce in the Township
Timber very scarce. Chiefly Oak and Elm and situated on a stream running through the east part of the Township.
Stone is also very scarce

List of Names

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corner as described in the foregoing field notes of Township No 5 North of the base line of Range No 2 East of 6 th Principal Meridian showing the respective capacities in which they acted.

Nelson McCollum	chainman
Nikolas Bellas	chain man
W. D. Richey	Axe man
David McCollum	Flag man
Monroe. M. Caldwell	compass man

Surveyor Generals Office
Decumpton N.T. Oct 29 1857

The forgoing field notes of the survey of the Subdivision Lines of Townships Nos 1.2.3.4 & 5 North of Range 2 East of the Sixth Principal Meridian in the Territory of Nebraska, Executed by W. J. Caldwell under his contract of the 20th day of June 1857. in the Months of July 1857. having been critically examined, the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved

J. Cecilborne
Surveyor General.

We hereby certify that we assisted William J. Caldwell, Deputy Surveyor in Subdividing Township number One, two, Three, four and five North of the ~~Bury~~ Base line of Range number two, East of the 6th Principal Meridian, and that said Townships has been in all respects, to the best of our knowledge and belief, well and faithfully Surveyed and the boundary monuments, planted according to the instruction furnished by the Surveyor General

Nelson his + mark McCollum — Chainman
Nicholas Bickelee — Chainman
Arthur Richey — Axeman
Jesse McCollum — Flagman
Monroe McCaldwell — Compassman

Sworn to and Subscribed before me this 15th day August A.D. 1857

James S Magill
Justice of the Peace

I. William. S. Caldwell deputy Surveyor. do solemnly swear that, in pursuance of a contract with John. Calhoun Surveyor of the public lands of the United States in the Territory of Nebraska. bearing date the 20 day of June 1857, and in strict conformity to the laws of the United States and the instructions furnished by the Said Surveyor General I have faithfully surveyed. and sub-divided Township Numbers one. two. three. four, and five North of the Base line of Range Number two East of the Sixth Principal Meridian in the Territory aforesaid and do further solemnly swear that the foregoing are the true and original field

notes of such Survey

William. S. Caldwell

Deputy Surveyor

Subscribed by said William. S Caldwell. deputy Surveyor and sworn to before me a Justice of the Peace for the County of Doniphan in the Territory of Kansas. this 18th day of August 1857

E. A Beauchamp J. P.

Field notes of the Survey of the Subdivision lines in Township No. 6 North of Range No. 2 East of the 6th Principal Meridian in Nebraska Territory Surveyed by George McLilford Deputy Surveyor under his Contract Number 199 bearing date the 20th day of June 1857

Subdivision
Commenced August 9th 1857
Completed August 16th 1857

Read & found correct
Oct. 2d 1857 — Vanzandt

Names and duties of assistance

John J. Plummer Leadsman

Robert Mack "

Frederic Ruler Marker

Samuel Cambel Flagman

Township 6 N. Range 2 East

6	33	5	24	4	19	3	13	2	7	1
32		32		24		18		12		6
7	31	8	24	9	18	10	12	11	6	12
31		30		23		17		11		5
18	30	17	23	16	17	15	11	14	5	13
29		28		22		16		10		4
19	28	20	21	21	16	22	10	23	3	24
28		27		21		15		9		3
30	26	29	20	28	14	27	9	26	2	25
26		25		20		14		8		2
31	25	32	19	33	13	34	7	35	1	36

Township 6 N R 3 East

To determin the proper adjustment of my Compass for Subdividing this Township I Commenced at the corner to Townships 5 and 6 North Ranges 2 and 3 East and run North on a blank line along the Eastern Boundary of Section 36.

Variation 11° 30' East

40.10 To a point 15 links E. of the quarter Section corner

40.21 To a point 32 links E of the corner to Sections 25 & 36

To retrace this line my compass must be adjusted to a Variation of 11° 45' East

Subdivision commenced August 7th 1857

From the corner to Sections 35 & 36 on the South boundary of the Township. I run North between Sections 35 & 36.

Variation 11° 45 East

35.00 Entered Timber bears N. E & S. W

40.00 Set Oak post for quarter Section corner from which

a Burr Oak 18 in dia Bears N 14° E 29 lks dis

Elm 5 in dia Bears N 55° W 48 lks dis

54.00 Raceine Bears N. E & S. W

Township 6 N R 2 East

56.00 Leave Timber Bears N. E & S W

80.00 Set quartz Stone 16 in long 12 in wide 8 in thick for corner to Sections 25, 26, 35 & 36

Surface rolling Soil 1st rate

Timber Oak and Elm

East on random line between Sections 25 & 36

Variation 12° East

6.00 Ravine course South

40.00 Set Stone for temporary quarter section corner

80.50 Intersected East boundary 56 links South of corner to Sections 25 & 36 from which corner Bears West, on true line between Sections 25 & 36

Variation 12° 24' East

40.25 Set quartz Stone 16 in long 10 in wide 8 in thick of quarter section corner

80.50 The corner to Sections 25. 26. 35 & 36

Surface rolling Soil 1st rate

North between Sections 25 & 26

Variation 11° 30' East

Township 6 N R 2 East

40.00 Set quartz Stone 14 in long 10 in wide 8 in thick for quarter Section Corner

80.10 Set quartz Stone 14 in long 10 in wide 8 in thick of corner to Sections 23. 24. 25 & 26

Surface rolling Soil 1st rate

East on random line between Sections 24 & 25

Variation 12° 30' East

40.10 Set Stone for temporary quarter section corner

53.00 Ravine course S. W

80.25 Intersected East Boundary 11 lks South of corner to Sections 24 & 25 from which corner Bears West on true line between Sections 24 & 25

Variation 12° 35' East

40.12 Set quartz Stone 16 in long 10 in wide 10 in thick for quarter section corner

80.25 The corner to Sections 23. 24. 25 & 26

Surface gentley rolling Soil 1st rate

North between Sections 23 & 24

Variation 11° 15' East

Township 6 N R 2 East

40.00 Set quartz stone 14 in long 8 in wide 6 in thick for quarter section corner

80.00 Set quartz stone 16 in long 12 in wide 8 in thick for corner to sections 13. 14. 23 & 24

Surface gentley rolling soil 1st rate

East on random line between sections 13 & 24

Variation 12° 30' East

40.00 Set stone for temporary quarter section corner

58.00 Ravine course S 50

81.30 Intersected East Boundary 6 links north of corner to sections 13 & 24 from which corner B mn

West on true line between sections 13 & 24

Variation 12° 28' East

40.15 Set quartz stone 13 in long 12 in wide 8 in thick for quarter section corner

80.30 The corner to sections 13. 14. 23 & 24

Surface gentley rolling soil 1st rate

Township 6 N R 2 East

North between sections 13 & 14

Variation 11° 15' East

40.00 Set quartz stone 12 in long 10 in wide 10 in thick for quarter section corner

80.00 Set quartz stone 14 in long 12 in wide 8 in thick for corner to sections 11. 12. 13 & 14

Surface gentley rolling soil 1st rate

East on random line between sections 12 & 13

Variation 12° 30' East

40.00 Set stone for temporary quarter section corner

80.24 Intersected East Boundary 20 links north of corner to sections 12 & 13 from which corner B mn

West on true line between section 12 & 13

Variation 12° 22' East

40.12 Set quartz stone 14 in long 12 in wide 8 in wide for quarter section corner

80.24 The corner to sections 11. 12. 13 & 14

Surface gentley rolling soil 1st rate

6/53

Township 6 N R 2 East

North between Sections 11 & 10

Variation 11° 15' East

40.00 Set quartz stone 14 in long 12 in wide 8 in thick for quarter Section corner

80.00 Set quartz stone 14 in long 12 in wide 10 in thick for corner to Sections 1. 2. 11 & 12

Surface gentley rolling Soil 1st rate

East on random line between Sections 1 & 12

Variation 12° 30' East

40.00 Set stone for temporary quarter section corner

80.90 Intersected East Boundary 16 lks north of corner to Sections 1 & 2 from which corner Bears West on true line between Sec 1 & 12

Variation 12° 22' East

40.45 Set quartz stone 14 in long 10 in wide 7 in thick for quarter Section corner

80.90 The corner to Sections 1. 2. 11 & 12

Surface gentley rolling Soil 1st rate

37/54

Township 6 N R 2 East

North on random line between Section 1 & 2

Variation 11° 15' East

40.00 Set stone for temporary quarter section corner

41.70 Intersected North Boundary 100 lks west of corner to Sections 1 & 2 from which corner Bears

South on true line between Sections 1 & 2

Variation 10° 32' East

41.70 Set quartz stone 16 in long 10 in wide 8 in thick for quarter Section corner

81.70 The corner to Sections 1. 2. 11 & 12

Surface gentley rolling Soil 1st rate

August 9th 1857

North between Sections 34 & 35

Variation 11° 45' East

40.00 Set quartz stone 14 in long 10 in wide 8 in thick for quarter Section corner

53.00 Entered Timber Bears S. E & N. W

54.10 Creek 20 lks wide course S. E

60.00 Leave Timber Bears S. E & N. W

Township 6 N R 2 East

80.00 Set quartz 16 in long 12 in wide 8 in thick for corner to sections 26.27.34 & 35

Surface rolling soil 1st rate

Timber Elm & Oak

East on random line between sections 26 & 35

Variation 12° East

20.00 Entered Timber Bears N & S

21.00 Reverse course S

23.00 Leave Timber Bears N & S

40.00 Set Stone for temporary quarter section corner

79.60 Intersected N & S line 150 lks north of corner to sections 25.26.35 & 36 from which corner Burn

Merton true line between 26 & 35

Variation 10° 56' East

39.80 Set quartz Stone 14 in long 10 in wide 7 in thick for quarter section corner

79.60 The corner to sections 26.27.34 & 35

Surface rolling Soil 1st rate

Timber Elm & Oak

Township 6 N R 2 East

North between 26 & 27

Variation 11° 30' East

40.00 Set quartz Stone 18 in long 12 in wide 8 in thick for quarter section corner

80.00 Set quartz Stone 18 in long 12 in wide 8 in thick for corner to sections 22.23.26 & 27

Surface gentley rolling Soil 1st rate

East on random line between sections 23 & 26

Variation 11° East

5.00 Reverse course S. E

40.00 Set Stone for temporary quarter section corner

79.92 Intersected N & S line 70 lks north of corner to sections 23.24.25 & 26 from which corner Burn

Merton true line between sections 23 & 26

Variation 10° 30' East

39.96 Set quartz Stone 13 in long 12 in wide 6 in thick for quarter section corner

79.92 The corner to sections 22.23.26 & 27

Surface gentley rolling Soil 1st rate

Township 6 N R 2 East
North between sections 22 & 23
Variation 11° 15' East

40.00 Set quartz stone 15 in long 12 in wide & in thick for quarter section corner

80.00 Set quartz stone 16 in long 10 in wide & in thick for corner to sections 14, 15, 22 & 23

Surface gentley rolling soil 1st rate

East on random line between sections 14 & 23
Variation 10° 45' East

21.00 Ravene course South

40.00 Set stone for tempory quarter section corner

79.70 Intersected N & S line 40 lks north of corner to 13, 14, 23 & 24 from which corner B run

West on true line between sections 14 & 23
Variation 10° 28' East

39.85 Set quartz stone 15 in long 11 in wide 3 in thick for quarter section corner

79.70 The corner to sections 14, 15, 22 & 23

Surface gentley rolling soil 1st rate

Township 6 N R 2 East.
North between sections 14 & 15
Variation 11° 15' East

40.00 Set quartz stone 14 in long 12 in wide & in thick for quarter section corner

80.00 Set quartz stone 16 in long 14 in wide 5 in thick for corner to sections 10, 11, 14 & 15

Surface gentley rolling soil 1st rate

East on random line between sections 11 & 14
Variation 10° 45' East

31.00 Ravene course South

40.00 Set stone for temporry quarter section corner

79.54 Intersected N & S line 50 lks north of corner to sections 11, 12, 13 & 14 from which corner B run

West on true line between sections 11 & 14
Variation 10° 24' East

39.77 Set quartz stone 14 in long 10 in wide 4 in thick for quarter section corner

79.54 The corner to sections 10, 11, 14 & 15

Surface gentley rolling soil 1st rate

Township 6 N R 2 East

North between Sections 10 & 11

Variation 11° 15' East

40.00 Set quartz Stone 12 in long 12 in wide 8 in thick
for quarter section corner

80.00 Set quartz Stone 14 in long 12 in wide 8 in thick
for corner to Sections 2, 3, 10 & 11

Surface level Soil 1st rate

East on random Line between Sections 2 & 11

Variation 10° 45' East

40.00 Set Stone for temporary quarter section corner

79.60 Intersected N & S Line 25 lks W of corner to
to Sections 1, 2, 11 & 12 from which corner B mn
West on true Line between Sections 2 & 11

Variation 10° 34' East

39.80 Set quartz Stone 14 in long 12 in wide 8 in thick
for quarter section corner

79.60 The corner to Sections 2, 3, 10 & 11

Surface gentley rolling Soil 1st rate

Township 6 N R 2 East

North on random Line between Sections 2 & 3

Variation 11° East

40.00 Set Stone for temporary quarter Section corner

80.78 Intersected north Boundary 48 lks west of
corner to Sections 2 & 3 from which corner B mn
South on true Line between Sections 2 & 3

Variation 10° 59' East

40.78 Set quartz Stone 14 in long 10 in wide 7 in thick
for quarter section corner

80.78 The corner to Sections 2, 3, 10 & 11

Surface level Soil 1st rate

August 11th 1857

North between Sections 33 & 34

Variation 11° 45' East

4.00 Branch 10 lks wide course East

40.00 Set quartz Stone 14 in long 12 in wide & 12 in thick
for quarter section corner

80.00 Set quartz Stone 16 in long 14 in wide 8 in thick
for corner to Sections 27, 28, 33 & 34

Surface rolling Soil 1st rate

Township 6 N R 2 East

East on random line between 27 & 34

Variation 11° 30' East

40.00 Set stone for temporary quarter section corner

63.00 Creek 20 lks wide course S. E

79.92 Intersected N & S line 40 lks north of corner to sections 26.27.34 & 35 from which corner B run

West on true line between sections 27 & 34

Variation 11° 13' East

39.96 Set quartz stone 18 in long 14 in wide 6 in thick for quarter section corner

79.92 The corner to sections 27.28.33 & 34

Surface rolling soil 1st rate

North between sections 27 & 28

Variation 11° 30' East

19.50 Entered timber Bears S. W & N E

32.00 Creek 20 lks wide course N. E

40.00 Set post for quarter section corner from which a

7 Boxelder 8 in dia Bears N 55° E 33 lks dis

Township 6 N R 2 East

A Cottonwood 4 in dia Bears N 47° W 39 lks dis

46.00 Ravine course S. E

70.00 Leave timber Bears S. E & N. W

80.00 Set quartz stone 16 in long 10 in wide 8 in thick for corner to sections 21.22.27 & 28

Surface rolling soil 1st rate

Timber Oak. Elm & Cottonwood

East on random line between sections 22 & 27

Variation 11° 15' East

40.00 Set stone for temporary quarter section corner

79.90 Intersected N & S line 15 lks S of corner to sections 22.23.26 & 27 from which corner B run

West on true line between sections 22 & 27

Variation 11° 22' East

39.95 Set quartz stone 14 in long 12 in wide 8 in thick for quarter section corner

79.90 The corner to sections 21.22.27 & 28

Surface rolling soil 1st rate

Township 6 N R 2 East

North between sections 21 & 22

Variation 11°15' East

40.00 Set quartz stone 14 in long 12 in wide 8 in thick for quarter section corner

80.00 Set quartz stone 14 in long 12 in wide 5 in thick for corner to sections 15, 16, 21 & 22

Surface rolling soil 2nd rate

East on random line between sections 15 & 22

Variation 11°15 East

40.00 Set stone for temporary quarter section corner

79.82 Intersected N & S line 6 lks S of corner to sections 14, 15, ~~21~~ 22 & ~~22~~ 23 from which corner B run West on true line between sections 15 & 22

Variation 11°17' East

39.91 Set quartz stone 13 in long 10 in wide 7 in thick for quarter section corner

79.82 The corner to sections 15, 16, 21 & 22

Surface rolling soil 1st rate

Township 6 N R 2 East

North between sections 15 & 16

Variation 11°15' East

40.00 Set quartz stone 14 in long 12 in wide 7 in thick for quarter section corner

80.00 Set quartz stone 16 in long 14 in wide 8 in thick for corner to sections 9, 10, 15 & 16

Surface rolling soil 1st rate

East on random line between sections 10 & 15

Variation 11°15' East

40.00 Set stone for temporary quarter section corner

79.90 Intersected N & S line 12 lks S of corner to sections 10, 11, 14 & 15 from which corner B run West on true line between sections 10 & 15

Variation 11°20' East

39.95 Set quartz stone 14 in long 12 in wide 8 in thick for quarter section corner

79.90 The corner to sections 9, 10, 15 & 16

Surface rolling soil 1st rate

Township 6 N R 2 East
North between sections 9 and 10
Variation 11°15' East

40.00 Set quartz stone 12 in long 12 in wide 8 in thick for quarter section corner

80.00 Set quartz stone 14 in long 12 in wide 8 in thick for corner to sections 3.4.9 & 10
Surface rolling soil 1st rate

East on random line between sections 3 & 10
Variation 11°15' East

40.00 Set stone for temporary quarter section corner

79.20 Intersected N & S line 7 lks S of corner to sections 2.3.10 & 11 from which corner B mn
West on true line between sections 3 & 10
Variation 11°18' East

39.60 Set quartz stone 14 in long 12 in wide 8 in thick for quarter sections corner

79.20 The corner to sections 3.4.9 & 10
Surface level soil 1st rate

Township 6 N R 2 East
North on random line between sections 3 & 4
Variation 11° East

40.00 Set stone for temporary quarter section corner

80.48 Intersected north boundary 30 lks East of corner to sections 3 & 4 from which corner B mn
South on true line between sections 3 & 4
Variation 11°13' East

40.48 Set quartz stone 16 in long 12 in wide 7 in thick for quarter section corner

80.48 The corner to sections 3.4.9 & 10
Surface gentley rolling soil 1st rate
August 17th 1887

North between sections 32 & 33
Variation 11°45' East

40.00 Set quartz stone 13 in long 13 in wide 5 in thick for quarter section corner

80.00 Set quartz stone 18 in long 10 in wide 5 in thick for corner to sections 28.29.32 & 33.

20/67

Township 6 N R 22 East

surface rolling soil 1st rate

East on random line between sections 28 & 33

Variation 11° 15' East

40.00 Set stone for temporary quater section corner

77.68 Intersected N & S line 20 lks north of corner to sections 27.28.33 & 34 from which corner B. and Mert on true line between sections 28 & 33

Variation 11° 07 East

39.84 Set quartz stone 16 in long 12 in wide 6 in thick

77.68 The corner to sections 28.29.32 & 33 (quarter sec corner)

Surface rolling soil 1st rate

North between sections 28 & 29

Variation 11° 30' East

40.00 Set quartz stone 14 in long 12 in wide 7 in thick for quarter section corner

80.00 Set quartz stone 16 in long 10 in wide 8 in thick for corner to sections 20.21.28 & 29

Surface rolling soil 1st rate

---

6 21/68

Township 6 N R 22 East

East on random line between sections 21 & 28

Variation 11° 15' East

10.00 Set stone for temporary quarter section corner

60.00 Entered timber Bears S. E & N. W

61.00 Erected 20 lks wide course S. E

62.00 Leave timber Bears S. E & N. W

79.76 Intersected N & S line 28 lks north of corner to sections 21.22.27 & 28 from which corner B. and Mert on true line between sections 21 & 28 (Var 11.03 East.)

39.88 Set quartz stone 15 in long 10 in wide 8 in thick for quarter section corner

79.76 The corner to sections 20.21.28 & 29

Surface rolling soil 1st rate

Timber Elm and Oak

North between sections 20 & 21

Variation 11° 15' East

28.00 Entered timber Bears N. E & S. W

29.00 Branch 8 lks wide course N. E

32.00 Leave timber Bears N. E & S. W

40.00 Set quartz stone 14 in long 12 in wide 6 in

Township 6 N R 3 East

mile for quarter Section corner

55.00 Entered Timber Bears S E & N W

57.00 Creek 20 lks wide course S E

63.00 Leave Timber Bears N W & S E

80.00 Set quartz Stone 16 in Long 12 in wide 5 in thick for corner to Sections 16.17.20 & 21

Surface gentley rolling Soil 1st rate

Timber Oak and Elm

East on random Line between Sections 16 & 21

Variation 11° 15' East

38.00 Ravene Course South

40.00 Set Stone for Temporary quarter Section corner

72.70 Intersected N & S line 42 lks north of corner to Sections 15.16.21 & 22 from which corner Bears West on true Line between Sections 16 & 21

Variation 10° 57' East

39.85 Set quartz Stone 16 in Long 12 in wide 4 in thick for quarter Section corner

72.70 The corner to Sections 16.17.20 & 21

Surface rolling Soil 1st rate

Township 6 N R 3 East

North between Sections 16 & 17

Variation 11° 15' East

40.00 Set quartz Stone 12 in Long 12 in wide 6 in thick for quarter Section corner

80.00 Set quartz Stone 16 in Long 12 in wide 8 in thick for corner to Sections 8.9.16 & 17

Surface rolling Soil 2nd rate

East on random line between Sections 9 & 16

Variation 11° 15' East

11.00 Ravene course S E

40.00 Set Stone for temporary quarter Section corner

72.60 Intersected N & S line 40 lks north of corner to Sections 9.10.15 & 16 from which corner Bears West on true Line between Sections 9 & 16

Variation 10° 58' East

39.80 Set quartz Stone 13 in long 12 in wide 8 in thick for quarter Section corner

72.60 The corner to Sections 8.9.16 & 17

Surface rolling Soil 2nd rate

Township 6 N R 2 East
North between Sections 8 & 9
Variation 11° 15' East

55.00
57.00 40.00 Set quartz Stone 20 in long 5 in wide 5 in thick
63.00 for quarter Section corner
80.00 80.00 Set quartz Stone 14 in long 6 in wide 6 in thick
for corner to Sections 4, 5, 8 & 9
8 1/50 Surface rolling soil 1st rate

East on random line between Sections 4 & 9
Variation 11° 15' East

40.00 Set Stone for temporary quarter Section corner
38.00 79.50 Intersected N & S line 50 lks. north of corner to
40.00 Sections 3, 4, 9 & 10 from which corner Pinn
79.[illegible] west on true line between Sections 4 & 9
Variation 10° 54' East
39.75 Set quartz Stone 14 in long 8 in wide 6 in thick
for quarter Section corner
39.85 79.50 The corner to Sections 4, 5, 8 and 9
Surface rolling soil 2nd rate

79.70 North on random line between Sections 4 & 5
Variation 11° 15' East

Township 6 N R 2 East
40.00 Set Stone for temporary quarter Section corner
80.32 Intersected north Boundary 42 lks East of
Corner to Sections 4 & 5 from which corner Pinn
South on true line between Sections 4 & 5
Variation 11° 33 East
40.32 Set quartz Stone 14 in long 10 in wide 8 in thick
for quarter Section corner
80.32 The corner to Sections 4, 5, 8 & 9
Surface rolling soil 1st rate

August 13th 1857

North between Sections 31 & 32
Variation 11° 45' East
40.00 Set quartz Stone 16 in long 12 in wide 6 in
thick for quarter Section corner
80.00 Set quartz Stone 15 in long 11 in wide 4 in
thick for corner to Sec 23, 30, 31 & 32
Surface rolling soil 1st rate

East on random line between Sections 29 & 32
Variation 11° 30 East
40.00 Set Stone for temporary quarter Section corner

Township 6 N R 2 East

80.00 Intersected N & S line 12 lks south of corner to
sections 28, 29, 32 & 33 from which corner Bound
Aspen true line between Sections 29 & 32
Variation 11° 51' East

40.00 Set quartz Stone 15 in long 10 in wide 4 in thick
for quarter Section Corner

80.00 The corner to Sections 29, 30, 31 & 32
Surface rolling soil 1st rate

West on random line between Sections ~~29~~ 31 & 30
Variation 11° 30' East

40.00 Set Stone for temporary quarter Section corner

79.04 Intersected west Boundary 33 lks north of
corner to Sections 29 & 30 from which corner Bound
East on true line between Sections ~~29~~ 31 & 30
Variation 11° 24' East

39.04 Set quartz Stone 16 in long 8 in wide 6 in thick
for quarter Section corner

79.04 The corner to Sections 29, 30, 31 & 32
Surface rolling soil 1st rate

North between Sections ~~29~~ 30 & 29

Township 6 N R 2 East
Variation 11° 30' East

40.00 Set quartz Stone 14 in long 12 in wide 7 in thick
for quarter Section Corner

78.00 Branch 10 lks wide course N. E.

80.00 Set quartz Stone 16 in long 8 in wide 6 in thick
for corner to Sections 19, 20, 29 & 30
Surface rolling soil 1st rate

East on random line between Sections 20 & 29
Variation 11° 30' East

23.00 Entered Timber Beam N. E. & S. W.

24.00 Branch 10 lks wide course N. E.

32.00 Same Timber Beam N. E. & S. W.

40.00 Set Stone for temporary quarter Section corner

80.30 Intersected N & S line 30 lks north of corner
to Sections 20, 21, 28 & 29 from which corner Bound
West between Sections 20 & 29
Variation 11° 17' East

40.15 Set quartz Stone 15 in long 10 in wide 4 in
thick for quarter Section corner

80.30 The corner to Sections 19, 20, 29 & 30
Surface gentley rolling soil 1st rate
Timber Oak and Elm

Township 6 N R 2 East

80 West on random line between Sections 19 & 30
Variation 11° 30' East

40.00 Set Stone for temporary quarter Section corner

79.10 Intersected West Boundary 40 lks South of
40.1 corner to Sections 19 & 30 from which corner Bears
East on true line between Sections 19 & 30
Variation 11° 13' East

80.

39.10 Set quartz Stone 14 in long 12 in wide 6 in thick
for quarter Section corner

79.10 The corner to Sections 19, 20, 29 & 30

40.1 Surface rolling Soil 2nd rate

North between Sections 19 & 20
Variation 11° 15' East

40.00 Set quartz Stone 14 in long 10 in wide 6 in
thick for quarter Section corner

39.0 80.00 Set quartz Stone 16 in long 12 in wide 4 in
thick for corner to Sections 17, 18, 19 & 20

79.02 Surface rolling Soil 2nd rate

East on random line between Sections 17 & 20
Variation 11° 30' East

Township 6 N R 2 East

40.00 Set Stone for temporary quarter Section corner

57.00 Entered Timber Bears N, W & S, E

60.00 Crick 30 lks wide course S, E

61.00 Leave Timber Bears N, W & S, E

80.60 Intersected N & S line 40 lks north of corner
to Sections 16, 17, 20 & 21 from which corner Bears
West on true line between Sections 17 & 20
Variation 11° 10' East

40.30 Set quartz Stone 16 in long 14 in wide 10 in thick
for quarter Section corner

80.60 The corner to Sections 17, 18, 19 & 20
Surface gently rolling Soil 1st rate
Timber - Cottonwood & Elm

West on random line between Sections 18 & 19
Variation 11° 30' East

40.00 Set Stone for temporary quarter Section corner

79.15 Intersected West Boundary 15 lks south of
corner to Sections 18 & 19 from which corner Bears
East on true line between Sections 18 & 19
Variation 11° 24' East

Township 6 N R 2 East

39.15 Set quartz stone 14 in long 12 in wide 8 in thick for quarter Section corner

79.15 The corner to Sections 17, 18, 19 & 20

Surface rolling Soil 1st rate Aug 15th 1857

North between Sections 17 & 18

Variation 11° East

40.00 Set quartz stone 14 in long 12 in wide 6 in thick for quarter Section corner

74.00 Entered Timber Bears N. W. & S. E.

115.00 Creek 30 lks wide course S. E.

55.00 Leave Timber Bears N. W. & S. E.

80.00 Set quartz stone 13 in long 10 in wide 8 in thick for corner to Sections 7, 8, 17 & 18

Surface rolling Soil 1st rate

Timber Cottonwood & Elm

East on random line between Sections 8 & 17

Variation 11° 30' East

40.00 Set Stone for temporary quarter Section corner

80.22 Intersected N & S Line 26 north of corner to Sections 8, 9, 16 & 17 from which corner Bears

Township 6 N R 2 East

West on true Line between Sections 8 & 17

Variation 11° 19' East

40.11 Set quartz stone 16 in long 12 in wide 6 in thick for quarter Section corner

80.22 The corner to Sections 7, 8, 17 & 18

Surface rolling Soil 1st rate

West on random Line between Sections 7 & 18

Variation 11° 30' East

33.00 Creek 10 lks wide course S. E.

40.00 Set Stake for temporary corner

79.22 Intersected West Boundary 44 lks north of corner to Sections 7 & 18 from which corner Bears East on true Line between Sections 7 & 18

Variation 11° 50' East

39.22 Set quartz stone 16 in long 14 in wide 5 in thick for quarter Section corner

79.22 The corner to Sections 7, 8, 17 & 18

Surface gently rolling Soil 1st rate

North between Sections 7 & 8

Variation 11° 15' East

Township 6 N R 2 East

40.00 Set quartz Stone 16 in long 8 in wide 6 in thick for quarter Section corner

80.00 Set quartz Stone 14 in long 10 in wide 8 in thick for corner to Sections 5. 6. 7 & 8

Surface gently rolling Soil 1st rate

East on random line between Sections 5 & 8

Variation 11° 15' East

40.00 Set Stone for temporary quarter Section corner

80.42 Intersected N & S line 28 lks north of corner to Sections 4. 5. 8 & 9 from which corner B. mn

West on true line between Sections 5 & 8

Variation 11° 03' East

40.21 Set quartz Stone 16 in long 14 in wide 3 in thick for quarter Section corner

80.42 The corner to Sections 5. 6. 7 & 8 Surface rolling 1st rate Soil

West on random line between Sections 6 & 7

Variation 11° 15' East

40.00 Set Stone for temporary quarter Section corner

79.14 Intersected West Boundary 10 lks South of corner to Sections 6 & 7 from which corner B. mn

Township 6 N R 2 East

East on true line between Sections 6 & 7

Variation 11° 11' East

39.14 Set quartz Stone 14 in long 10 in wide 6 in thick for quarter Section corner

79.14 The corner to Sections 5. 6. 7 & 8

Surface rolling Soil 1st rate

North on random line between Sections 5 & 6

Variation 11° 15' East

40.00 Set Stone for temporary quarter Section corner

80.14 Intersected North Boundary 12 lks East of corner to Sections 5 & 6 from which corner B. mn

South on true line between Sections 5 & 6

Variation 11° 33' East

40.14 Set quartz Stone 14 in long 10 in wide 6 in thick for quarter Section corner

80.14 The corner to Sections 5. 6. 7 & 8

Surface rolling Soil 1st rate

August 16th 1857

General Description
The quality of the land in this Township is of the Common average.
The upland are general rolling 1st 2nd and 3rd rate land and well adapted for Cultivation
Timber Cheifly Oak Elm Cottonwood and Hickory

List of Names
A list of the names of the individuals employed to assist in running measuring, remarking the lines and corners described in the foregoing field notes of Township No 6 North of the Baseline of Range No 2 East of the 6th Principal Meridian Showing the respective capacities in which they acted
John J Plumer Chainman
Robert Mack "
Frederick Kuhn Marker
Samuel Samuel Flagman

Field notes of the Survey of the Sub-division lines in Township No. 7 North of the Base line of Range No 2 East of the 6th Principal Meridian in Nebraska Territory. Surveyed by George McDelford Deputy Surveyor under his contract Number 199 bearing date the 20th day of June 1857

Subdivision
Commenced August 13th 1857
Completed August 23th 1857

Rec'd & found correct
Oct 2nd 1857 Vanzandt

Names and duties of assistance
John J. Plumer Chainman
Robert Mack "
Frederic Rufus Marker
Samuel Campbel Flagman

Township 7 N. Range 2 East

6	30	5	22	4	17	3	11	2	6	1
30		29		21		16		11		6
7	29	8	21	9	16	10	10	11	5	12
28		28		20		15		10		5
18	27	17	20	16	15	15	9	14	4	13
27		26		19		14		9		4
19	26	20	19	21	14	22	9	23	3	24
25		25		18		13		8		3
30	24	29	18	28	13	27	8	26	2	25
24		23		18		12		7		2
31	23	32	17	33	12	34	7	35	1	36

Township 7 N R 2 East

To determine the proper adjustment of my compass for subdividing this Township, I commenced at the corner to Townships 6 and 7 N with R 2 and 3 E and run

North on a blank line along the Eastern Boundary of Sections 36

Variation 11° East

39.88 To a point 4 links East of quarter section corner

79.82 To a point 7 lks East of corner to Sections 25 & 36 to retrace this line my compass must be adjusted to a variation 11° 05' East

Subdivis commenced August 17th 1857

From the corner to Sections 1, 2, 35 & 36 on the South Boundary of Township B run

North Between Sections 35 & 36

Variation 11° East

40.00 Set quartz stone 16 in long 12 in wide 8 in thick for quarter section corner

60.00 Branch 8 lks wide course N, E

Township 7 N R 2 East

80.00 Set quartz Stone 18 in long 16 in wide 7 in thick for corner to Sections 25, 26, 35 & 36

Surface gentley rolling Soil 1st rate

X Eastern random Line Between Sections 25 & 36

Variation 11° 30' East

13.00 Branch 10 lks wide course N. E.

40.00 Set Stone for temporary quarter Section corner

80.16 Intersected East Boundary 57 lks north of corner to Sections 25 & 36 from which corner Bears West between Sections 25 & 36

Variation 11° 05' East

40.08 Set quartz Stone 16 in long 8 in wide 5 in thick for quarter Section corner

80.16 The corner to Sections 25, 26, 35 & 36

Surface gentley rolling 1st rate

North Between Sections 25 & 26

Variation 11° East

40.00 Set quartz Stone 16 in long 14 in wide 6 in thick for quarter Section corner

80.00 Set quartz Stone 17 in long 14 in wide 6 in

Township 7 N R 2 East

thick for corner to Sections 23, 24, 25 & 26

Surface level Soil 1st rate

Eastern random Line between Sections 24 & 25

Variation 11° East

40.00 Set Stone for temporary quarter Section corner

70.00 Entered Timber Bearg N. E. & S. W.

74.00 Branch 15 lks wide course N. E.

75.10 Leave Timber Bearg N. E. & S. W.

80.50 Intersected East Boundary 30 lks north of corner to Sections 24 & 25 from which corner Bears

West on true line between Sections 24 & 25

Variation 16° 47' East

40.25 Set quartz Stone 13 in long 8 in wide 8 in thick for quarter Section corner

80.50 The corner to Sections 23, 24, 25 & 26

Surface gentley rolling Soil 1st rate

Timber Oak & Elm

North Between Sections 23 & 24

Variation 11° East

Township 7 N R 2 East

40.00 Set quartz Stone 14 in long 12 in wide 5 in thick for quarter Section corner

80.00 Set quartz Stone 12 in long 8 in wide 6 in thick for corner to Sections 13, 14, 23 & 24

Surface gently rolling soil 1st rate

X Easton random Line between Sections 13 & 24

Variation 11° East

40.00 Set Stone for temporary quarter Section corner

80.54 Intersected East Boundary 27 lks north of corner to Sections 13 & 24 from which corner Bruns west on true Line Between Sections 13 & 24

Variation 10° 19' East

40.27 Set quartz Stone 14 in long 10 in wide 8 in thick for quarter Section corner

80.54 The corner to Sections 13, 14, 23 & 24 Surface level Soil 1st rate

North Between Sections 13 & 24

Variation 10° 45' East

40.00 Set quartz Stone 15 in long 7 in wide 5 in thick for quarter Section corner

80.00 Set quartz Stone 16 in long 14 in wide 3 in

Township 7 N R 2 East

thick for corner to Sections 11, 12, 13 & 14

Surface level Soil 1st rate

Easton random Line Between Sections 12 & 13

Variation 10° 30' East

40.00 Set quartz Stone for temporary quarter section corner

80.52 Intersected East Boundary 47 lks north of corner to Sections 12 & 13 from which corner Bruns Easton true Line between Sections 12 & 13

Variation 10° 10' East

40.26 Set quartz Stone 14 in long 11 in wide 5 in thick for quarter Section corner

80.52 The corner to Sections 11, 12, 13 & 14

Surface level Soil 1st rate

North Between Sections 11 & 12

Variation 10° 30' East

40.00 Set quartz Stone 14 in long 10 in wide 6 in thick for quarter Section corner

80.00 Set quartz Stone 14 in long 12 in wide 6 in thick for corner to Sections 1, 2, 11 & 12

Surface rolling Soil 1st rate

Township 7 N R 2 East

East on random line between sections 1 & 12

Variation 10 15 East

40.00 Set Stone for temporary quarter section corner

X 80.46 Intersected East Boundary 18 lks. north of corner to sections 1 & 12 from which corner Bears West on true line between sections 1 & 12

Variation 10° 07' East

40.36 Set quartz Stone 12 in long 12 in wide 6 in thick for quarter section corner

80.46 The corner to sections 1, 2, 11 & 12

Surface rolling soil 1st rate

North on random line between sections 1 & 2

Variation 10° 15' East

40.00 Set Stone for temporary quarter section corner

78.80 Intersected North Boundary at corner to sections 1 & 2 from which corner Bears South on true line between sections 1 & 2

Variation 10° 15' East

38.80 Set quartz Stone 13 in long 10 in wide 6 in thick for quarter section corner

Township 7 N R 2 East

78.80 The corner to sections 1, 2, 11 & 12

Surface rolling soil 1st rate

August 19th 1857

North between sections 34 & 35

Variation 11° East

39.00 Branch 5 lks wide course East.

40.00 Set quartz Stone 16 in long 10 in wide 8 in thick for quarter section corner

80.00 Set quartz Stone 16 in long 10 in wide 8 in thick for corner to sections 26, 27, 34 & 35

Surface rolling soil 1st rate

East on random line between sections 26 & 35

Variation 11° East

40.00 Set Stone for temporary quarter section corner

79.58 Intersected N & S line 27 lks south of corner to sections 25, 26, 35 & 36 from which corner Bears West on true line between sections 26 & 35

Variation 11° 12' East

39.76 Set quartz Stone 16 in long 11 in wide 10 in thick for quarter section corner

Township 7 N R 2 East

79.53 The corner to Sections 26, 27, 34 & 35

Surface gentley rolling Soil 1st rate

40. X North Between Sections 26 & 27

Variation 11° 15' East

X 80.

40.00 Set quartz Stone 14 in long 10 in wide 8 in thick for quarter Section corner

80.00 Set quartz Stone 16 in long 12 in wide 5 in thick for corner to Sections 22, 23, 26 & 27

40. Surface level Soil 1st rate

East on random line Between Sections 23 & 26

Variation 11° 15' East

40.00 Set Stone for temporary quarter Section corner

79.68 Intersected W S Line 15 lks north of corner to

40. Sections 23, 24, 25 & 26 from which corner Bears

78. West on true Line Between Sections 23 & 26

Variation 11° 09' East

39.84 Set quartz Stone 15 in long 12 in wide 7 in thick for quarter Section corner

38. 79.68 The corner to Sections 22, 23, 26 & 27

Surface level ~~Soil~~ soil 1st rate

Township 7 N Range 2 East

north Between Sections 22 & 23

Variation 11° East

40.00 Set quartz Stone 14 in long 12 in wide 8 in thick for quarter Section corner

80.00 Set quartz Stone 14 in long 10 in wide 6 in thick for corner to Sections 14, 15, 22 & 23

Surface level Soil 1st rate

East on random line between Sections 14 & 23

Variation 11° 15' East

40.00 Set stone for temporary quarter Section corner

79.64 Intersected W S line 215 lks north of corner to Sections 13, 14, 23 & 24 from which corner Bears West on true line between Sections 14 & 23

Variation 10° 55' East

39.82 Set quartz Stone 14 in long 10 in wide 7 in thick for quarter Section corner

79.64 The corner to Sections 14, 15, 22 & 23

Surface level Soil 1st rate

North Between Sections 14 & 15

Variation 10° 45' East

Township 7 N Range 2 East

40.00 Set quartz Stone 14 in Long 10 in wide 6 in thick for quarter Section corner

80.00 Set quartz Stone 16 in Long 12 in wide 5 in thick for corner to Sections 10. 11. 14 & 15

Surface level Soil 1st rate

Easton random line between Sections 11 & 14

Variation 11° East

40.00 Set Stone for temporary quarter Section corner

77.80 Intersected N & S line 14 lks north of corner to Sections 11. 14. 13 & 14 from which corner B. and Weston true line between Sections 11 & 14

Variation 10° 54' East

39.90 Set quartz Stone 14 in Long 12 in wide 5 in thick for quarter Section corner

79.50 The corner to Sections 10. 11. 14 & 15

Surface rolling Soil 1st rate

North Between Sections 10 & 11

Variation 10° 30' East

40.00 Set quartz Stone 14 in Long 10 in wide 6 in thick for quarter Section corner

Township 7 N R 2 East

80.00 Set quartz Stone 16 in Long 10 in wide 6 in thick for corner to Sections 2. 3. 10 & 11

Surface level Soil 1st rate

Easton random line between Sections 2 & 11

Variation 11° East

40.00 Set Stone for temporary quarter Section corner

79.50 Intersected N & S line 38 lks north of corner to Sections 1. 2. 11 & 12 from which corner B. and Weston true line between Sections 2 & 11

Variation 10° 44' East

39.95 Set quartz Stone 12 in Long 11 in wide 6 in thick for quarter Section corner

79.90 The corner to Sections 2. 3. 10 & 11

Surface rolling Soil 1st rate

North on random line between Sections 2 & 3

Variation 10° 30' East

40.00 Set Stone for temporary quarter Section corner

41.50 Branch 6 lks wide course N. E.

78.78 Intersected North Boundary 46 lks East of corner to Sections 2 & 3 from which corner B. and

Township 7 N R 2 East

South on true line between sections 2 & 3

Variation 10° 30' East

38.78 Set quartz stone 14 in long 8 in wide 6 in thick for quarter section corner

78.78 The corner to sections 2, 3, 10 & 11

Surface rolling soil 1st rate

August 20th 1857

North Between sections 33 & 34

Variation 11° East

40.00 Set quartz stone 18 in long 12 in wide 10 in thick for quarter section corner

80.00 Set quartz stone 16 in long 12 in wide 6 in thick for corner to sections 27, 28, 33 & 34

Surface gently rolling soil 1st rate

East on random line between sections 27 & 34

Variation 11° East

40.00 Set stone for temporary quarter section corner

77.76 Intersected N & S line 13 lks south of corner to sections 26, 27, 34 & 35 from which corner I run

Township 7 N R 2 East

West on true line between sections 27 & 34

Variation 11° 05' East

37.78 Set quartz stone 17 in long 11 in wide 8 in thick for quarter section corner

77.76 The corner to sections 27, 28, 33 & 34

Surface rolling soil 1st rate

North between sections 27 & 28

Variation 11° East

40.00 Set quartz stone 18 in long 11 in wide 6 in thick for quarter section corner

80.00 Set quartz stone 18 in long 16 in wide 6 in thick for corner to sections 21, 22, 27 & 28

Surface level soil 1st rate

East on random line between sections 22 & 27

Variation 11° East

40.00 Set stone for temporary quarter section corner

77.82 Intersected N & S line 8 lks north of corner to sections 22, 23, 26 & 27 from which corner I run

West on true line between sections 22 & 27

Variation 10° 56' East

Township 7 N R 2 East

37.31 Set quartz stone 14 in long 12 in wide 6 in thick
for quarter section corner

77.82 The corner to sections 21, 22, 27 & 28
Surface level soil 1st rate
North between sections 21 & 22
Variation 11° East

40.00 Set quartz stone 15 in long 10 in wide 6 in thick
for quarter section corner

80.00 Set quartz stone 18 in long 12 in wide 12 in thick
for corner to sections 15, 16, 21 & 22
Surface gently rolling soil 1st rate
East on random line between sections 15 & 22
Variation 11° East

40.00 Set stone for temporary quarter section corner
77.70 Intersected N & S line 15 lks north of corner to sections
14, 15, 22 & 23 from which corner B run
West on true line between sections 15 & 22
Variation 10° 54' East

37.55 Set quartz stone 14 in long 12 in wide 8 in thick
for quarter section corner

Township 7 N R 2 East

77.70 The corner to sections 15, 16, 21, 22
Surface gently rolling soil 1st rate
North between sections 15 & 16
Variation 11° East

2.00 Branch 3 lks wide course N. E.
X 40.00 Set quartz stone 14 in long 10 in wide 6 in thick
for quarter section corner

80.00 Set quartz stone 16 in long 14 in wide 5 in
thick for corner to sections 9, 10, 15 & 16
Surface rolling soil 1st rate
East on random line between sections 10 & 15
Variation 11° East

37.86 Branch 8 lks wide course N. E.
40.00 Set stone for temporary quarter section corner
77.86 Intersected N & S line 18 lks. north of corner to
to sections 10, 11, 14 & 15 from which corner B run
West on true line between sections 10 & 15
Variation 10° 56' East

37.75 Set quartz stone 14 in long 10 in wide 6 in thick
for quarter section corner

Township 7 N R 2 East

79.86 The corner to sections 9.10.15 & 16

Surface rolling soil 1st rate

North Between sections 9 & 10

Variation 16° 30' East

40.00 Set quartz stone 18in long 12in wide 6in thick for quarter section corner

80.00 Set quartz stone 18in long 12in wide 6in thick for corner to sections 3.4.9 & 10

Surface rolling soil 1st rate

East on random line between sections 9 & 10

Variation 11° East

40.00 Set stone for temporary quarter section corner

41.00 Branch 8 lks wide course N.E.

80.12 Intersected W. S. line 5 lks north of corner to sections 2.3.10 & 11. from which corner B. pine

West on true line Between sections 3 & 10

Variation 10° 58' East

40.06 Set quartz stone 18in long 10in wide 6in thick for quarter section corner

80.12 The corner to sections 3.4.9 & 10

Township 7 N R 2 East

Surface rolling soil 1st rate

North on random line Between sections 3 & 4

Variation 11° East

40.00 Set stone for temporary quarter section corner

79.20 Intersected north boundary 20 lks west of corner to sections 3 & 4. from which corner Pine

South on true line Between sections 3 & 4

Variation 10° 51' East

39.20 Set quartz stone 18in long 10in wide 6in thick for quarter section corner

79.20 The corner to sections 3.4.9 & 10

Surface gently rolling soil 1st rate

August 21st 1857

North Between sections 32 & 33

Variation 11° East

40.00 Set quartz stone 18in long 12in wide 6in thick for quarter section corner

80.00 Set quartz stone 18in long 12in wide 6in thick for corner to sections 28.29.32 & 33

Surface level soil 1st rate

Township 7 N R 2 East

East on random line between sections 28 & 33

Variation 11° East

40.00 Set Stone for temporary quarter section corner

79.88 Intersected N & S line 38 lks south of corner to sections 27.28.33 & 34 from which corner B.m.w. West on true line between sections 28 & 33

Variation 11° 16' East

39.99 Set quartz Stone 15 in long 12 in wide 3 in thick for quarter section corner

79.98 The corner to sections 28.29.32 & 33

Surface level soil 1st rate

north between sections 28 & 29

Variation 11° East

40.00 Set quartz stone 14 in long 11 in wide 4 in thick for quarter section corner

80.00 Set Limestone 18 in long 12 in wide 5 in thick for corner to sec 20.21.28 & 29

Surface level soil 1st rate

East on random line between sections 21 & 28

Variation 11¼ East

Township 7 N R 2 East

40.00 Set Stone for temporary quarter section corner

79.80 Intersected N & S line 16 lks north of corner to sections 21.22.27 & 28 from which corner B.m.w. West on true line between sections 21 & 28

Variation 11° 09' East

39.90 Set quartz Stone 15 in long 12 in wide 6 in thick for quarter section corner

79.80 The corner to sec 20.21.28 & 29

Surface gentley rolling soil 1st rate

North between sections 20 & 21

Variation 11° East

40.00 Set quartz stone 14 in long 12 in wide 6 in thick for quarter section corner

80.00 Set quartz stone 14 in long 10 in wide 10 in thick for corner to sections ~~[illegible]~~ 16.17.20 & 21

Surface gentley rolling soil 1st rate

East on random line between sections 16 & 21

Variation 11° 15' East

40.00 Set Stone for temporary quarter section corner

79.40 Intersected N & S line 38 lks north of corner

Township 7 N R 2 East

to Sections 15.16.21 & 22 from which corner B mn

West on true Line between sections 16 & 21

Variation 11° East

32.70 Set quartz stone 14 in long 12 in wide 6 in thick

for quarter section corner

72.40 The corner to Sections 16.17.20 & 21

Surface rolling soil 2nd rate

North between Sections 16 & 17

Variation 11° 15' East

40.00 Set quartz stone 14 in long 10 in wide 6 in

thick for quarter section corner

80.00 Set Lime Stone 18 in Long 16 in wide 4 in thick

for corner to Sections 8, 9, 16 & 17

Surface rolling soil 1st rate

East on random Line between sections 9 & 16

Variation 11° 15' East

40.00 Set Stone for temporary quarter section corner

72.68 Intersected N & S line 36 links north of corner to

sections 9.10.15 & 16 from which corner B mn

West on true Line between sections 9 & 16

Township 7 N R 2 East

Variation 11° East

32.84 Set quartz Stone 14 in long 8 in wide 6 in thick

for quarter section corner

72.68 The corner to Sections 8.9.16 & 17

Surface rolling soil 1st rate

North between Sections 8 & 9

Variation 10° 45' East

38.00 Branch 3 links wide course N.E.

40.00 Set quartz Stone 15 in long 12 in wide 6 in

thick for quarter section corner

46.00 Centered Timber Bears N.E. & S.W.

75.00 Same Timber Bears N.E. & S.W.

80.00 Set Lime Stone 16 in long 12 in wide 3 in thick

for corner to Sections 4.5.8 & 9

Surface rolling soil 1st rate

Timber Oak

East on random Line between sections 4 & 9

Variation 11° 15' East

3.00 Centered Timber Bears N.E. & S.W.

3.50 Branch 3 links wide course N.E.

Township 7 N R 2 East

5.00 Leave Linder Bears N.E & S.W

40.00 Set Stone for temporary quarter section corner

79.74 Intersected N & S line 41 lks north of corner to sections 3, 4, 9 & 10 from which corner B run West on true line Between sections 4 & 9

Variation 10° 57' East

33.87 Set quartz Stone 14 in long 14 in wide 3 in thick for quarter section corner

79.74 The corner to sections 4, 5, 8 & 9

Surface rolling Soil 1st rate

Linder Oak

North on random line between sections 4 & 5

Variation 10° 45' East

11.00 Centered Linder Bears N.E & S.W

15.00 Branch 15 lks wide course N.E

19.00 Leave Linder Bears N.E & S.W

X 40.00 Set Stone for temporary quarter section corner

79.48 Intersected North Boundary 86 lks East of corner to section 4 & 5 from which corner B run South on true line between sections 4 & 5

Township 7 N R 2 East

Variation 11° 22' East

39.48 Set quartz Stone 16 in long 10 in wide 4 in thick for quarter section corner

79.48 The corner to sections 4, 5, 8 & 9

Surface gentley rolling Soil 1st rate

Linder Oak & Elm

August 22th 1857

North between sections 31 & 32

Variation 11° East

40.00 Set quartz Stone 14 in long 9 in wide 6 in thick for quarter section corner

80.00 Set quartz Stone 17 in long 12 in wide 9 in thick for corner to sections 29, 30, 31 & 32

Surface rolling Soil 1st rate

East on random line between sections 29 & 32

Variation 11° East

40.00 Set Stone for temporary quarter section corner

79.90 Intersected N & S line 70 lks south of corner to sections 28, 29, 32 & 33 from which corner B run West on true line Between sections 29 & 32

Township 7 N R 2 East

Variation 11° 30' East

39.95 Set quartz stone 12 in long 12 in wide 6 in thick
for quarter section corner
79.90 The corner to sections 29, 30, 31 & 32
Surface rolling soil 1st rate

West on random line between sections 30 & 31

Variation 11° East

40.00 Set stone for temporary quarter section corner
78.30 Intersected West Boundary 24 lks north of
corner to sections 30 & 31 from which corner Pecan
East on true line between sections 30 & 31

Variation 11° 10' East

38.30 Set quartz stone 14 in long 12 in wide 3 in thick
for quarter section corner
X79.30 The corner to sections 29, 30, 31 & 32
Surface gentley rolling soil 1st rate

North between sections 29 & 30

Variation 11° East

40.00 Set quartz stone 12 in long 10 in wide 6 in thick
for quarter section corner

Township 7 N R 2 East

80.00 Set quartz stone 16 in long 12 in wide 6 in thick
for corner to sections 19, 20, 29 & 30
Surface level soil 1st rate

East on random line between sections 20 & 29

Variation 11° 30' East

40.00 Set stone for temporary quarter section corner
77.78 Intersected N & S line 20 lks north of corner
to sections 20, 21, 28 & 29 from which corner Pecan
West on true line between sections 20 & 29

Variation 11° 21 East

39.99 Set quartz stone 14 in long 8 in wide 8 in thick
for quarter section corner
79.98 The corner to sections 19, 20, 29 & 30
Surface level soil 1st rate

West on random line between sections 19 & 30

Variation 11° 15 East

40.00 Set stone for temporary quarter section corner
78.50 Intersected West Boundary 10 lks south of corner
to sections 19 & 30 from which corner Pecan
East on true line between sections 19 & 30

Township 7 N R 2 East

Variation 11° 11' East

38.50 Set quartz Stone 15 in long 12 in wide 3 in thick for quarter Section corner

78.50 The corner to Sections 19, 20, 29 & 30

Surface level soil 1st rate

North between Sections 19 & 20

Variation 11° 30' East

40.00 Set quartz Stone 14 in long 10 in wide 6 in thick for quater Section corner

80.00 Set quartz Stone 16 in long 10 in wide 6 in thick for corner to Sections 17, 18, 19 & 20

Surface rolling soil 2nd rate

West on random line between Sections 17 & 20

Variation 11° 30' East

40.00 Set Stone for temporary quarter Section corner

79.20 Intersected W & S line 34 lks north of corner to Sections 16, 17, 20 & 21 from which corner B run West on true line between Sections 17 & 20

Variation 11° 15' East

37.95 Set quartz Stone 14 in long 10 in wide 6 in thick

Township 7 N R 2 East

for quarter Section corner

78.90 The corner to Sections 17, 18, 19 & 20

Surface rolling soil 2nd rate

West on random line between Sections 18 & 19

Variation 11° 15' East

40.00 Set Stone for temporary quarter Section corner

78.64 Intersected West Boundary 6 lks north of corner to Sections 18 & 19 from which corner B run East on true line between Sections 18 & 19

Variation 11° 8' East

38.64 Set quartz Stone 14 in long 12 in wide 4 in thick for quarter Section corner

78.64 The corner to Sections 17, 18, 19 & 20

Surface gentley rolling soil 1st rate

North between Sections 17 & 18

Variation 11° 15' East

40.00 Set quartz Stone 14 in long 12 in wide 6 in thick for quarter Section corner

80.00 Set quartz Stone 18 in long 14 in wide 4 in thick for corner to Sections 7, 8, 17 & 18

Township 7 N R 2 East

Surface gentley rolling Soil 2nd rate

East on random line between Sections 8 & 17

Variation 11° 30' East

40.00 Set Stone for temporary quarter section corner

61.00 Branch 6 lks wide course N E

78.76 Intersected N & S line 23 lks north of corner to Sections 8, 9, 16 & 17 from which corner B mn West on true line between Sections 8 & 17

Variation 11° 20' East

39.88 Set quartz Stone 12 in long 10 in wide 5 in thick for quarter section corner

78.76 The corner to Sections 7, 8, 17 & 18

Surface rolling Soil 2nd rate

August 24th 1887

West on random line between Sections 7 & 18

Variation 11° 15' East

40.00 Set Stone for temporary quarter section corner

78.66 Intersected West Boundary of 13 lks north of corner to Section 7 & 18 from which corner B mn East on true line between Sections 7 & 18

Township 7 N R 2 East

Variation 11° 19' East

38.66 Set quartz Stone 18 in long 12 in wide 10 in thick for quarter Section corner

78.66 The corner to Sections 7, 8, 17 & 18

Surface rolling Soil 1st rate

North between Sections 7 & 8

Variation 10° 45' East

40.00 Set quartz Stone 14 in long 12 in wide 8 in thick for quarter Section corner

76.00 Creek 10 lks wide course East

80.00 Set Limestone 16 in long 14 in wide 12 in thick for corner to Sections 5, 6, 7 & 8

Surface rolling Soil 1st rate

East on random line between Sections 5 & 8

Variation 11° 15' East

40.00 Set Stone for temporary quarter section corner

50.60 Creek 15 lks wide course N E

77.82 Intersected N & S line 30 lks north of corner to Sections 4, 5, 8 & 9 from which corner B mn West on true line between Sections 5 & 8

Township 7 N R 2 East

Variation 11° 02 East

39.21 Set quartz Stone 16 in long 10 in wide 4 in thick
for quarter section corner

79.82 The corner to sections 5. 6. 7 & 8

Surface level Soil 1st rate

North on random line between sections 6 & 7

Variation 11° 15' East

40.00 Set Stone for temporary quarter section corner

78.90 Intersected west Boundary 19 links north of
corner to sections 6 & 7 from which corner Bears
East on true line between sections 6 & 7

Variation 11° 23' East

38.90 Set quartz Stone 16 in long 12 in wide 6 in thick
for quarter section corner

78.80 The corner to sections 5. 6. 7 & 8

Surface level Soil 1st rate

North on random line between sections 5 & 6

Variation 11° East

40.00 Set Stone for temporary quarter section corner

77.48 Intersected north Boundary 110 links East of corner

Township 7 N R 2 East

to sections 5 & 6 from which corner Bears
South on true line between sections 5 & 6

Variation 11° 47' East

39.48 Set quartz Stone 14 in long 12 in wide 5 in thick
for quarter section corner

79.48 The corner to sections 5. 6. 7. & 8

Surface gently rolling Soil 1st rate

August 25th 1887

General Description

The quality of land in this Township is above the common average.

The up lands are generally gently rolling first and second rate land and well adapted for cultivation

There is a fine stream of running water along the North Boundry

Timber is only to be found on the North and East Boundary its quality is Elm Cottonwood and Oak

List of Names

A list of the names of the individuals employed to assist in running marking and measuring the lines and corners described in the foregoing field notes of Township No 7 north of the Base line of Range No 2 East of the 6th Principal Meridian Showing the respective capacities in which they acted

John T Plumer Chainman
Robert Mack "
Frederic Rufus Marker
Samuel Cambel Flagman

Plotted

Field notes of the Survey
of the Subdivision lines in
Township Number 8 North of Range
Number 2 East of the 6th Principal
Meridian in Nebraska Territory
Surveyed by George McDilford
Deputy Surveyor under his
Contract Number 199
bearing date 20th day of June 1857

10.45
10
7

Subdivision
Commenced August 26th 1857
Completed August 31st 1857

Rec'd & found correct
Oct 2d 1857 Van Zandt

List of the names and duties of
ahistance
John T. Plummer Chainman
Robert Mack Chainman
Frederick Rune Marker
Samuel Cambel Flagman

Township 8 N. Range 2 East



Township 8 N R 2 East

To determin the proper adjustment of my compass for subdividing this Township, I commenced at the corner to Townships 7 & 8 North ~~and ran~~ Ranges 2 & 3 East & ran North on a blank line along the Eastern Boundary of Section 36

Variation 11°15' East

40.00 the quarter section corner

79.96 To a pain 5 lks East of corner to Sections 25 & 36

To retrace this line my compass must be adjusted to a variation 11°17' East

Subdivision commenced August 26th 1857

From the corner to Sections 35 & 36 on the South Boundary of Township Bound North Between Sections 35 & 36

Variation 11°15' East

1.00 Entered Timber Bears E & W

1.50 Creek 10 lks wide course East

7.00 Leave Timber Bears E & W

20.00 Set quartz Stone 14 in long 10 in wide 4 in thick

Township 8 N R 2 East

for quarter section corner

80.00 Set quartz Stone 16 in long 10 in wide 4 in thick for corner to sections 23.26.35 & 36

Surface gentley rolling Soil 1st rate

timber oak Elm & Cottonwood

Carton random line between sections 25 & 36

Variation 11° East

40.00 Set Stone for temporary quarter section corner

77.90 Intersected East Boundary 2 links north of corner to sections 25 & 36 from which corner Bum Merton true line between Sections 25 & 36

Variation 10° 51' East

39.95 Set Line Stone 14 in long 12 in wide 3 in thick for quarter section corner

79.90 The corner to sections 25.26.35 & 36

Surface level Soil 1st rate

North Between sections 25 & 26

Variation 11° 15' East

40.00 Set quartz Stone 14 in long 10 in wide 8 in thick for quarter section corner

Township 8 N R 2 East

80.00 Set quartz Stone 14 in long 12 in wide 6 in thick for corner to sections 23.24.25 & 26

Surface gentley rolling Soil 1st rate

Carton random line between sections 24 & 25

~~40.00 Set~~ Variation 11 East

40.00 Set Stone for temporary quarter section corner

80.32 Intersected East Boundary 2 links north of corner to sections 24 & 25 from which corner Bum Merton true line between sections 24 & 25

Variation 10° 30' East

40.16 Set quartz Stone 14 in long 10 in wide 6 in thick for quarter section corner

80.32 The corner to sections 23.24.25 & 26

Surface level Soil 1st rate

North between sections 23 & 24

Variation 11° East

40.00 Set quartz Stone 16 in long 9 in wide 8 in thick for quarter section corner

80.10 Set quartz Stone 15 in long 10 in wide 8 in thick for corner to sections 13.14.23 & 24

Township 8 N R 2 East

Surface level soil 1st rate

East on random line between sections 13 & 24

Variation 10° 45' East

40.00 Set Stone for temporary quarter section corner

80.50 Intersected East Boundary 10 lks north of corner to sections 13 & 24 from which corner Bears west on true line between sections 13 & 24

Variation 10° 41' East

40.25 Set quartz stone 16 in long 14 in wide 5 in thick for quarter section corner

80.50 The corner to sections 13, 14, 23 & 24

Surface level soil 1st rate

North Between sections 13 & 14

Variation 10 45 East

40.00 Set quartz stone 16 in long 10 in wide 21 in thick for quarter section corner

80.00 Set quartz stone 16 in long 10 in wide 5 in thick for corner to sections 11, 12, 13 & 14

Surface level soil 1st rate

East on random line between sections 12 & 13

Township 8 N R 2 East

Variation 10° 45' East

40.00 Set Stone for temporary quarter section corner

80.28 Intersected East Boundary 22 lks north of corner to sections 12 & 13 from which corner Bears west on true line between sections 12 & 13

Variation 10° 36' East

40.14 Set quartz stone 14 in long 8 in wide 4 in thick for quarter section corner

80.28 The corner to sections 11, 12, 13 & 14

Surface level soil 1st rate

North between sections 11 & 12

Variation 10° 45' East

40.00 Set quartz stone 15 in long 10 in wide 4 in thick for quarter section corner

80.00 Set quartz stone 16 in long 11 in wide 5 in thick for corner to sections 1, 2, 11 & 12

Surface rolling soil 2nd rate

East on a random line between Section 1 and 12.

Variation 10° 45' East

112/48/4

Township 8. N. Range 2. East

40. Set Stone for temporary quarter section corner.

80.32 Intersected East boundary 33 links North of corner to Section 11 & 12 from which corner I run West on a true line between Section 1 and 2

Variation 10°35' East

40.16 Set a limestone 12 in long 9 in wide 5 in thick for quarter Section corner

80.32 Corner to Section 1. 2. 11 and 12

Surface rolling. Soil 3rd rate

North between Sections 1 and 2.

Variation 10°45' East

40.00 Set a limestone 14 in long. 14 in wide 3 in thick for quarter Section corner

45.00 Creek 40 links wide Course East

80.28 Intersected the 2nd Standard Parallel 4.38 links West of corner to Section 35 and 36. at which

Township 8. North Range 2 East

point Set a limestone 17 in long 12 in wide 3 in thick for corner to Section 1 and 2.

Surface gently rolling Soil first rate.

August 26. 1857.

North Between Sections 34 & 35

Variation 11° East

7.60 Creek 40 links wide course S.E.

40.00 Set quartz stone 16 in long 9 in wide 9 in thick for quarter Section corner

80.00 Set quartz stone 20 in long 10 in wide 8 in thick for corner to Sections 26. 27. 34 & 35

Surface gently rolling Soil 1st rate

East on random line between Sections 26 & 35

Variation 11° East

40.00 Set Stone for temporary quarter Section corner

80.20 Intersected N & S line 18 links north of corner to Sections 25. 26. 35 & 36 from which corner I run West on true line between Sections 26 & 35

Township 8 N R 2 East

Variation 10° 52' East

40.10 Set quartz stone 14 in long 10 in wide 6 in thick for quarter section corner

40.20 The corner to sections 26.27.34 & 35

Surface gentley rolling soil 1st rate

North Between sections 26 & 27

Variation 11° East

40.00 Set Limestone 15 in long 12 in wide 3 in thick for quarter section corner

80.00 Set limestone 17 in long 12 in wide 3 in thick for corner to sections 22.23.26 & 27

Surface gentley rolling soil 1st rate

× East on random line between sections 23 & 26

Variation 11° East

40.00 Set stone for temporary quarter section corner

79.80 Intersected N & S line 12 lks. north of corner to sections 23.24.25 & 26 from which corner Bears West on true line between sections 23 & 26

Variation 10° 55' East

39.95 Set quartz stone 14 in long 10 in wide 6 in

Township 8 N R 2 East

thick for quarter section corner

79.90 The corner to sections 22.23.26 & 27

Surface gentley rolling soil 1st rate

North between sections 22 & 23

Variation 11° East

40.00 Set quartz stone 12 in long 10 in wide 6 in thick for quarter section corner

80.00 Set quartz stone 14 in long 12 in wide 10 in thick for corner to sections 14.15.22 & 23

Surface level soil 1st rate

East on random line between sections 14 & 23

Variation 11° East

40.00 Set stone for temporary quarter section corner

79.62 Intersected N & S line 4 lks south of corner to sections 13.14.23 & 24 from which corner Bears West on true line between sections 14 & 23

Variation 11° 03' East

39.91 Set Boulder stone 14 in long 10 in wide 6 in thick for quarter section corner

79.62 The corner to sections 14.15.23 & 24

Township 8 N R 2 East

Surface level soil 1st rate

North Between Sections 14 & 15

Variation 10° 45' East

40.00 Set quartz stone 14 in long 8 in wide 8 in thick for quarter section corner

80.00 Set quartz stone 14 in long 14 in wide 4 in thick for corner to sections 10, 11, 14 & 15

Surface level soil 1st rate

East on random line between sections 11 & 14

Variation 11° East

40.00 Set stone for temporary quarter section corner

79.70 Intersected N & S line 10 lks south of corner to sections 11, 12, 13 & 14 from which corner Bears West on true line between sections 11 & 14

Variation 11° 04' East

39.85 Set quartz stone 14 in long 7 in wide 7 in thick for quarter section corner

79.70 The corner to sections 10, 11, 14 & 15

Surface level soil 1st rate

North Between Sections 10 & 11

Township 8 N R 2 East

Variation 10° 45' East

40.00 Set quartz stone 14 in long 10 in wide 8 in long for quarter section corner

80.00 Set quartz stone 16 in long 10 in wide 8 in thick for corner to sections 2, 3, 10 & 11

Surface gentley rolling soil 1st rate

East on random line between sections 2 & 11

Variation 11° East

40.00 Set stone for temporary quarter section corner

79.66 Intersected N & S line 5 lks north of corner to sections 3, 10, 11 & 12 from which corner Bears West on true line between sections 2 & 11

Variation 10° 54' East

39.83 Set quartz stone 12 in long 12 in wide 5 in thick for quarter section

79.66 The corner to sections 2, 3, 10 & 11

Surface rolling soil 2nd rate

North Between Sections 2 & 3

Variation 10° 45' East

32.10 Branch 10 lks wide course N. E

Township 8 S R 2 East

40.00 Set quartz stone 14 in long 10 in wide 8 in thick for quarter section corner

80.60 Intersected 2nd Standard Parallel 413 lks west of corner to sections 34 & 35 at which point set quartz stone 14 in long 8 in wide 8 in thick for corner to sections 2 & 3

Surface rolling soil 2nd rate

August 27th 1857

North between sections 33 & 34

Variation 11° East

18.00 Entered timber Bears S W & N. E

X 18.50 Branch 20 lks wide course N. E

26.50 Branch 20 lks wide course N. W

28.00 Same Branch 20 lks wide course East

38.80 Creek 80 lks wide course East & leave timber Bears E and W

40.00 Set quartz stone 14 in long 10 in wide 5 in thick for quarter section corner

80.00 Set limestone 16 in long 14 in wide 21 in thick for corner to sections 27, 28, 33 & 34

Surface level soil 1st rate

Township 8 S R 2 East

Timber Elm, Oak Walnut & Hackberry

East on random line between sections 27 & 34

Variation 11° East

40.00 Set stone for temporary quarter section corner

80.36 Intersected N & S line 17 lks north of corner to sections 26, 27, 34 & 35 from which corner Bears west on true line between sections 27 & 34

Variation 10° 32' East

40.18 Set limestone 16 in long 14 in wide 3 in thick for quarter section corner

80.36 The corner to sections 27, 28, 33 & 34

Surface gently rolling soil 1st rate

North between sections 27 & 28

Variation 10° 45' East

40.00 Set quartz stone 16 in long 12 in wide 6 in thick for quarter section corner

80.00 Set quartz stone 16 in long 12 in wide 4 in thick for corner to sections 21, 22, 27 & 28

Surface gently rolling soil 1st rate

East on random line between sections 22 & 27

Township 8 N R 2 East

Variation 11° East

40.00 Set Stone for temporary quarter section corner

80.10 Intersected N & S line 12 lks. north of corner to sections 22, 23, 26 & 27 from which corner Burn west on true line between sections 22 & 27

Variation 10° 56' East

40.05 Set quartz stone 15 in long 10 in wide 5 in thick for quarter section corner

80.10 The corner to sections 21, 22, 27 & 28

Surface level soil 1st rate

North between Sections 21 & 22

Variation 11° East

40.00 Set quartz stone 14 in long 12 in wide 5 in thick for quarter section corner

80.00 Set Lime stone 17 in long 14 in wide 5 in thick for corner to sections 15, 16, 21 & 22

Surface level soil 1st rate

Easton random line between sections 15 & 22

Variation 11° East

40.00 Set Stone for temporary quarter section corner

Township 8 N R 2 East

80.06 Intersected N & S line 21 lks. north of corner to sections 14, 15, 22 & 23 from which corner Burn west on true line between sections 15 & 22

Variation 10° 51' East

40.05 Set quartz stone 15 in long 10 in wide 5 in thick for quarter section corner

80.06 The corner to sections 15, 16, 21 & 22

Surface level soil 1st rate

North between sections 15 & 16

Variation 10° 45' East

40.00 Set Lime stone 15 in long 11 in wide 3 in thick for quarter section corner

80.06 Set quartz stone 14 in long 12 in wide 5 in thick for corner to sections 9, 10, 15 & 16

Surface level soil 1st rate

Easton random line between sections 10 & 15

Variation 11° East

40.00 Set Stone for temporary quarter section corner

80.14 Intersected N & S line 14 lks. north of corner to sections 10, 11, 14 & 15 from which corner Burn

Township 8 N R 2 East

West on true line between Sections 10 & 15

Variation 10° 54' East

40.07 Set quartz stone 14 in long 10 in wide 5 in thick for quarter Section corner

80.14 The corner to Sections 9. 10. 15 & 16

Surface level Soil 1st rate

North between Sections 9 & 10

Variation 10° 45' East

40.00 Set quartz Stone 14 in long 10 in wide 8 in thick for quarter Section corner

X 80.00 Set Lime Stone 16 in long 12 in wide 3 in thick for corner to Sections 3. 4. 9 & 10

Surface rolling Soil 2nd rate

East on random line between Sections 3 & 10

Variation 11° East

40.00 Set Stone for temporary quarter section corner

80.28 Intersected N & S line 6 lks north of corner to Sections 2. 3. 10 & 11 from witness corner Pawn

West on true line between Sections 3 & 10

Variation 10° 54' East

Township 8 N R 2 East

40.14 Set quartz stone 14 in long 10 in wide 4 in thick for quarter Section corner

80.28 The corner to Sections 3. 4. 9 & 10

Surface rolling Soil 2nd rate

North between Sections 3 & 4

Variation 10° 36' East

40.00 Set quartz Stone 14 in long 9 in wide 6 in thick for quarter Section Corner

80.28 Intersected 2nd Standard Parallel 400 links west of corner to Sections 33 & 34 at which point Set a lime Stone 16 in long 12 in wide 3 in thick for corner to Sections 3 & 4

Surface rolling Soil 2nd rate

August 28th 1887

North between Sections 32 & 33

Variation 11° East

32.70 Creek 100 lks wide course East

33.50 Entered Timber Bears E & W

38.10 Leave Timber Bears E & W

40.00 Set quartz Stone 14 in long 10 in wide 8 in

Township 8 N R 2 East

for quarter section corner

80.00 Set quartz stone 18 in long 10 in wide 6 in thick for corner to sections 28, 29, 32 & 33

Surface gentley rolling soil 1st rate

timber Elm bottomwood & Oak

East on random line between sections 28 & 33

Variation 11° East

40.00 Set Stone for temporary quarter sec. corner

× 79.30 Intersected N & S line 40 lks north of corner to sections 27, 28, 33 & 34 from which corner Bears west on true line between sections 28 & 33

Variation 10° 43' East

39.65 Set quartz stone 14 in long 12 in wide 4 in thick for quarter section corner

79.30 The corner to sections 28, 29, ~~31~~ 32 & ~~34~~ 33

Surface gentley rolling soil 1st rate

north between sections 28 & 29

Variation 11° 15' East

40.00 Set Limestone 14 in long 12 in wide 3 in thick for quarter section corner

Township 8 N R 2 East

80.00 Set quartz stone 14 in long 12 in wide 4 in thick for corner to sections 20, 21, 28 & 29

Surface gentley rolling soil 1st rate

East on random line between sections 21 & 28

Variation 10° 45' East

40.00 Set Stone for temporary quarter section corner

79.60 Intersected N & S line 12 rods north of corner to sections 21, 22, 27 & 28 from which corner Bears west on true line between sections 21 & 28

Variation 10° 40' East

39.80 Set quartz stone 14 in long 8 in wide 5 in thick for quarter section corner

79.60 The corner to sections 20, 21, 28 & 29

Surface level soil 1st rate.

north between sections 20 & 21

Variation 11° East

40.00 Set quartz stone 14 in long 12 in wide 4 in thick for quarter section corner

80.00 Set quartz stone 15 in long 12 in wide 4 in thick for corner to sections 16, 17, 20 & 21

Township 8 N R 2 East

Surface level Soil 1st rate

East on random line between sections 16 & 21

Variation 10° 45' East

40.00 set Stone for temporary quarter section corner

79.52 Intersected N & S line 17 lks north of corner to sections 15.16.21 & 22 from which corner Bears West on true line between sections 16 & 21

Variation 10° 34' East

39.76 Set quartz Stone 14 in long 12 in wide 4 in thick for quarter Section corner

79.52 The corner to Sections 16.17.20 & 21

Surface level Soil 1st rate

North between Sections 16 & 17

Variation 11° East

40.00 Set quartz Stone 16 in long 12 in wide 3 in thick for quarter Section corner

80.00 Set quartz Stone 14 in long 10 in wide 8 in thick for corner to Sections 8.9.16 & 17

Surface level Soil 1st rate

East on random line between Sections 9 & 16

Township 8 N R 2 East

Variation 10° 45' East

40.00 S

40.00 Set Stone for temporary quarter Section corner

79.70 Intersected N & S line 20 lks north of corner to Sections 9.10.15 & 16 from which Corner B Bears

West on true line between Sections 9 & 16

Variation 10° 36' East

39.85 Set quartz Stone 14 in long 10 in wide 5 in thick for quarter Section corner

79.70 The corner to Sections 8.9.16 & 17

Surface level Soil 1st rate

North between Sections 8 & 9

Variation 10° 45' East

40.00 Set quartz Stone 12 in long 10 in wide 4 in thick for quarter Section corner

80.00 Set quartz Stone 14 in long 12 in wide 4 in thick for corner to Sections 4.5.8 & 9

Surface rolling Soil 1st rate

East on random line between Sections 4 & 9

Variation 10° 45' East

Township 8 N R 2 East

40.00 Set Stone for temporary quarter section corner
79.80 Intersected N & S line 8 lks north of corner to
Sections 3.4.9 & 10 from which corner Burn
West on true line between sections 4 & 9

Variation 16° 37' East

39.80 Set quartz stone 14 in long 12 in wide 4 in
thick for quarter section corner
79.80 The corner to sections 4.5.8 & 9
Surface rolling Soil 2nd rate

North between sections 4 & 5

Variation 11° East

40.00 Set quartz stone 14 in long 10 in wide 5 in
thick for quarter section corner
80.32 Intersected 2nd Standard Parallel 444
lks west of corner to sections 32 & 33
at which point set Limestone 16 in long
14 in wide 4 in thick for corner to sections
4 & 5. Surface gently rolling soil 1st rate
August 29th 1857

North between sections 31 & 32

Township 8 N R 2 East

Variation 11° East

14.00 Creek 80 lks wide course East
15.00 Entered Timber Bears E & W
18.00 Leave Timber Bears E & W
40.00 Set quartz stone 14 in long 10 in wide 6 in thick
for quarter section corner
80.00 Set quartz stone 16 in long 14 in wide 6 in
thick for corner to sections 28.30.31 & 32
~~Surface rolling soil 1st rate. Timber to bottom wood~~
Carton pandemo line between sections 29 & 32

Variation 11° East

40.00 Set Stone for temporary quarter section corner
80.20 Intersected N & S line 15 lks South of corner to
Sections 28.29.32 & 33 from which corner Burn
West on true line between sections 29 & 32

Variation 11° 04' East

40.10 Set Limestone 14 in long 10 in wide 4 in
thick for quarter section corner
80.20 The corner to sections 29.30.31 & 32
Surface rolling Soil 1st rate

North between sections

Township 8 N R 2 East

West on random line between sections 30 & 31

Variation 11° East

40.00 Set Stone for temporary quarter section corner

X 77.47 Intersected West Boundary 72 lks north of corner to sections 30 & 31 from which corner Bears East on true line between sections 30 & 31

Variation 11° 31' East

37.47 Set quartz Stone 12 in long 10 in wide 5 in thick for quarter section corner

77.47 The corner to sections 29, 30, 31 & 32

Surface gentley rolling soil 1st rate

North between sections 29 & 30

Variation 11° East

40.00 Set quartz Stone 14 in long 6 in wide 6 in thick for quarter section corner

80.00 Set quartz stone 16 in long 12 in wide 10 in thick for corner to sections ~~25, 28, 29 & 33~~ 19, 20, 29 & 30

Surface gentley rolling soil 1st rate

East on random line between sections 20 & 29

Variation 11° East

Township 8 N R 2 East

40.00 Set Stone for temporary quarter section corner

79.86 Intersected West line 8 lks north of corner to sections 20, 21, 28 & 29 from which corner Bears West on true line between sections 20 & 29

Variation 10° 57' East

39.98 Set quartz Stone 14 in long 10 in wide 4 in thick for quarter section corner

79.96 The corner to sections 19, 20, 29 & 30

Surface level soil 1st rate

West on random line between sections 19 & 30

Variation 11° 30' East

40.00 Set Stone for temporary quarter section corner

77.40 Intersected West Boundary 16 lks north of corner to sections 19 & 30 from which corner Bears East on true line between sections 19 & 30

Variation 11° 37' East

37.40 Set quartz stone 14 in long 11 in wide 4 in thick for quarter section corner

77.40 The corner to sections 19, 20, 29 & 30

Surface level soil 1st rate

Township 8 N R 2 East

North between Sections 19 & 20

Variation 11° East

40.00 Set quartz stone 14 in long 10 in wide 6 in thick for quarter section corner

80.00 Set quartz stone 16 in long 14 in wide 4 in thick for corner to Sections 17, 18, 19 & 20

Surface level soil 1st rate

Easton random line between Sections 17 & 20

Variation 11° East

40.00 Set Stone for temporary quarter section corner

79.67 Intersected N & S line 32 lks north of corner to Sections 16, 17, 20 & 21 from which corner Bears West on true line between Sections 17 & 20

Variation 10° 47' East

39.83 Set quartz stone 13 in long 10 in wide 4 in thick for quarter section corner

79.67 The corner to Sections 17, 18, 19 & 20

Surface level soil 1st rate

West random line between Sections 18 & 19

Variation 11° 30' East

Township 8 N R 2 East

40.00 Set Stone for temporary quarter section corner

77.38 Intersected West Boundary 33 lks 10 links of corner to Sections 18 & 19 from which corner Bears East on true line between Sections 18 & 19

Variation 11° 45' East

37.38 Set quartz stone 14 in long 10 in wide 4 in thick for quarter section corner

77.39 The corner to Sections 17, 18, 19 & 20

Surface level soil 1st rate

North Between Sections 18 & 17

Variation 11 East

40.00 Set quartz stone 14 in long 10 in wide 6 in thick for quarter section corner

80.00 Set quartz stone 16 in long 10 in wide 8 in thick for corner to Sections 7, 8, 17 & 18

Surface level soil 1st rate

Easton random line between Sections 8 & 17

Variation 11° East

40.00 Set stone for quarter section corner

79.52 Intersected N & S line 32 lks north of corner

Township 8 N R 2 East

to sections 8.9.16 & 17 from which corner B mon
west on true line between sections 8 & 17

Variation 10° 43' East

39.76 Set quartz stone 14 in long 10 in wide 4 in thick
for quarter section corner

79.52 The corner to sections 7.8.17 & 18

Surface level soil 1 st rate

August 30th 1857

---

west on random line between sections 7 & 18

Variation 11° 45' East

40.00 Set Stone for temporary quarter section corner

77.46 Intersected west Boundary of Township 36 lks north
of corner to sections 7 & 18 from which corner B mon
East on true line between sections 7 & 18

Variation 12° 01' East

37.46 Set quartz stone 14 in long 10 in wide 6 in thick
for quarter section corner

77.46 The corner to sections 7.8.17 & 18

Surface level soil 1 st rate

---

north between sections 7 & 8

Township 8 N R 2 East

Variation 11° East

40.00 Set quartz stone 12 in long 10 in wide 6 in
thick for quarter section corner

80.00 Set quartz stone 16 in long 14 in wide 4 in
thick for corner to sections 5.6.7 & 8

Surface level soil 1 st rate

East on random line between sections 5 & 8

Variation 11° East

40.00 Set stone for temporary quarter section corner

79.84 Intersected N & S line 47 lks north of corner to
sections 4.5.8 & 9 from which corner B mon
west on true line between sections 5 & 8

Variation 10° 40' East

39.92 Set quartz stone 14 in long 10 in wide 5 in
thick for quarter section corner

79.84 The corner to sections 5.6.7 & 8

Surface level soil 1 st rate

X West on random line between sections 6 & 7

Variation 12° East

40.00 Set stone for temporary quarter section corner

Township 8 N R 2 East

77.52 Intersected West Boundary 57 lks north of corner to sections 5 & 6 from which corner Bears East on true line between sections 5 & 6 &7

Variation 12° 25' East

37.52 Set quartz stone 12 in long 10 in wide 5 in thick for quarter section corner

77.52 The corner to Sections 5. 6. 7 & 8 Burned Pole. Bais first rate

N 11° W on the between Sections 5 and 6.

N 11° East

40.00 Set a quarty Stone 14 in long 10. in in wide 8 in thick for quarter Section Corner

80.04 Intersected the Second Standard Parallel 4.70 links west of corner to Sections 31 and 32. at which point Set quarty Stone 16. in long 10 in wide 14 in thick for corner to Sections 5 & 6. Burned Pole. Bais first Rate

August 31st 1857

General Description

The quality of the land in this Township is above the common average.

The upland are gently rolling of first and second rate quality and well adapted for cultivation

There is a small creek running along the South Boundary of sufficient power for Mill purposes

Timber is scarce and of an inferior quality, consisting of Elm Cottonwood and Oak

List of Names

A list of the names of the individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field notes of Township No 8 North of the Base line of Range No 2 East of the 6th Principal Meridian. Showing the respective capacities in which they acted

John L Plummer Chainman
Robert Mack Chainman
Frederic Kuhn Marker
Samuel Bamber Flagman

Surveyor General's Office
Decomptan N.T. Octbr 29 1857.

The foregoing field notes of the survey of the Subdivision lines of Township Numbered Six Seven and Eight North of Ranges One and Two East of the Sixth Principal Meridian in the Territory of Nebraska executed by George M Filford under his contract of the twentieth Day of June 1857 in the Months of August & September 1857. Having been critically examined & the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved.

J Callaway
Surveyor General

General Land Office • Original Field Notes

Book Number

38

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.