General Land Office • Original Field Notes

Book Number

64

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Plotted C.H.

Compd (3)

By Sherrard & Dif

Vol. 4

T. 13-16 N.

R. 5 E.

8/64

a

Field Notes
of the
Survey of the Subdivision lines in
Township No 13 North of the Base line
of Range No 5 East of the 6th Prin-
cipal meridian in Nebraska
Territory by
Justus L. Cozad Dept. Surv.
Under his contract No 170 bearing date
November 15. A.D. 1856
Survey commenced October 1st 1857
Survey completed Oct 8th 1857

Exd Dec 21st 1857
Vanzandt

Plotted Ctr

a

Comp'd

By Sherrard & Dif

(3)

Vol. 4 R. 5 E.

Field Notes
of the
Survey of the subdivision lines in Township No 13 North of the Base line of Range No 5 East of the 6th Principal meridian in Nebraska Territory by
Justus L. Cozad Dept. Surv.
Under his contract No 170 bearing date November 15. A.D. 1856
Survey commenced October 1st 1857
Survey completed Oct 8th 1857

Exd Dec 21st 1857
Vanzandt

Township 13 North Range 5 East 6th P. M.

6	63	5	47	4	36	3	25	2	14	1	
62		61		46		35		24		13	
7	60	8	45	9	34	10	23	11	12	12	
59		58		44		33		22		11	
18	57	17	43	16	32	15	21	14	10	13	
56		55		42		31		20		9	
19	54	20	41	21	30	22	19	23	8	24	
53		52		40		29		18		7	
30	51	29	39	28	28	27	17	26	6	25	
50		49		38		27		16		5	
31	48	32	37	33	26	34	15	35	4	36	

Names and Duties of Assistants

Charles O. Rowohl	Chainman
George Hechler	Chainman
John Ford	Flagman
Henry J. Pell	Axeman

Field Notes of the survey of the Subdivision lines in Township No. 13 North of Range No 5 East of the 6th Principal Meridian.

To determine the proper adjustment of my Compass for Subdividing this township. I begin at the Post and Mound on the East Boundary of the township. the established corner to sections 25 and 36 and find by sighting North to the Post and Mound the Established quarter section corner on the East side of section 25 the

Variation to be 11° 00' East

From the corner to sections 25 and 36 on the East boundary of the township I run South on a blank line along the East side of Section 36

Township 13 N Range 5 E 6th Pr. Md

Variation 12° 00' East

40 00 The quarter section corner

80 06 To a point 46 links East of the corner to T 12 and 13 N. R 5 and 6 E. From which I find 3 lines and hence 3 Variations, viz:

From the corner to T 12 & 13 N R 5 & 6 E to the quarter section corner on the East East side of Section 36. the

Variation is 11° 21' East

From the quarter section corner on the East side of section 36 to the corner to Sections 25. 36. 30. 31 the

Variation is 12° 00' East

From the corner to Sections 25. 36. 30. 31. to the quarter section corner on the East side of Section 25. the

Variation is 11° 00' East

Township 13 N Range 5 E 6th Pr. Mer

From the corner to Tns. 12 and 13 N Rngs 5 and 6 E. I run West on a blank line along the south side of section 36

Variation 11° 15' East

40.04 To the quarter section corner

80.08 The corner to sections 25 and 36

To retrace this line or run parallel thereto my compass must be adjusted to a

Variation of 11° 15' East

Survey commenced Oct 1st 1857

Township 13 N Range 5 East

North between sections 35 and 36

Variation 11° 15' East

12 00 Indian grave 1 chain west of line

40.00 Set a boulder stone 14 in long 6 in wide 6 in thick for quarter section corner

60 54 A branch 30 links wide runs West

80 00 Set a boulder stone 14 in long 9 in wide 6 in thick for corner to sections 25. 26. 35. 36.

Land high rolling prairie

Soil 2nd rate

Township 13 N. Range 5 East

East on a random line between sections 25 and 36

Variation 11° 15' E.

4.10 A drain descends south

40.00 Set a flag for temporary quarter section corner.

79.44 Intersect the East boundary of the township 35 links South of the corner to sections 25 and 36 from which corner I run West on a true line between sections 25 and 36

Variation 11° 30' East

39.72 Set a boulder stone 14 in long 12 in wide 4 in thick for quarter section corner

79.44 The corner to sections 25.26.35.36

Land high rolling prairie

Soil 2nd rate

Township 13 N. Range 5 E 6th P. M.

North between sections 25 and 26

Variation 11° 15' East

40 00 Set a boulder stone 14 in long 8 in wide 8 in thick for quarter section corner

50 00 Variation 11° 30' East

80 00 Set a boulder stone 20 in long 14 in wide 6 in thick for corner to sections 23. 24. 25. 26

Land high rolling prairie

Soil 1st rate

Township 13 N. Range 5 E 6th Prin. Meri.
East on a random line between
sections 24 and 25

Variation 11° 30' East

40.00 Set a flag for temporary quarter
section corner

79.42 Intersect the East boundary
of the township 28 links south
of the corner to sections 24 and 25
from which corner I run
West on a true line between
sections 24 and 25

Variation 11° 42' East

39.71 Set a boulder stone 14 in long 9 in
wide 4 in thick for quarter
section corner

79.42 The corner to sections 23.24.25.26

Land high rolling prairie
Soil 1st rate

Township 13 N. Range 5 E. 6th Pr. Meri.
North between sections 23 and 24

Variation 11° 30' East

5.20 Drain descends south west

40.00 Set a boulder stone 13 in long 10 in
wide 4 in thick for quarter section
corner

80.00 Set a boulder stone 14 in long 9 in
wide 5 in thick for corner to
sections 13.14.23.24

Land high rolling prairie
Soil 2nd rate

October 1st 1857

Township 13 N. Range 5 E 6th P. M.
East on a random line between
sections 13 and 24

Variation 11° 30' East

40.00 Set a flag for temporary quarter
section corner

79.46 Intersect the East boundary
of the township 42 links South
of the corner to sections 13 and 24
from which corner I run
West on a true line between
sections 13 and 24

Variation 11° 48' East

39.73 Set a boulder stone 14 in long 9 in
wide 4 in thick for quarter section
corner

79.46 The corner to sections 13.14.23.24
Land high rolling prairie
Soil 2nd rate

Township 13 N. Range 5 E 6th Prin. Meri.
North between sections 13 and 14

Variation 11° 30' East

29	10	A branch 10 links wide runs SW
40	00	Set a boulder stone 13 in long 9 in wide 8 in thick for quarter section corner
44	00	A branch 4 links wide runs SW
45	80	Same branch 4 links wide runs SE
46	50	Same branch 4 links wide runs SW
52	40	Same branch 2 links wide runs SE
58	25	Same branch 8 links wide runs SW
80	00	Set a boulder stone 14 in long 12 in wide 7 in thick for corner to sections 11.12.13.14

Land Gently rolling prairie
Soil 2nd rate

Township 13 N. Range 5 E 5th Pr. Me.
East on a random line between
sections 12 and 13

Variation 11° 30' East

1.00 A branch 10 links wide runs South
40.00 Set a flag for temporary quarter
section corner
79.56 Intersect the East boundary
of the township 93 links South
of the corner to sections 12 and 1
from which corner I run
West on a true line between
sections 12 and 13

Variation 12° 10' East

39.78 Set a boulder stone 12 in long 9 in
wide 5 in thick for quarter
section corner
79.56 The corner to sections 11, 12, 13, 14
Land high rolling prairie
Soil 2nd rate

Township 13 N. R 5 E. 5th Pr. M.
North between sections 11 and 12

Variation 12° 00' East

40.00 Set a boulder stone 17 in long 11 in
wide 6 in thick for quarter section
corner
80.00 Set a boulder stone 12 in long 12 in
wide 5 in thick for corner to
sections 1, 2, 11, 12

Land high rolling prairie
Soil 2nd rate

Township 13 N. Range 5 E. 6th P. M.
East on a random line between
sections 1 and 12

Variation 11° 30' East

40.00 Set a flag for temporary quarter
section corner

79.50 Intersect the East boundary
of the township 20 links South
of the corner to sections 1 and 12
from which corner I run
West on a true line between
sections 1 and 12

Variation 11° 39' East

39.75 Set a boulder stone 14 in long
10 in wide 6 in thick for quarter
section corner

79.50 The corner to sections 1.2.11.12

Land high rolling prairie
Soil 2nd rate

Township 13 N. Range 5 E 6th P. M.
North on a random line between
Sections 1 and 2

Variation 12° 00' East

40 00 Set a flag for temporary quarter
section corner

80 72 Intersect the North boundary of
the township at the corner to
sections 1 and 2, from which
corner I run South on a true
line between sections 1 and 2

Variation 12° 00' East

40 72 Set a boulder stone 17 in long 8 in
wide 7 in thick for quarter section
corner

80 72 The corner to sections 1.2.11.12

Land gently rolling prairie
Soil 2nd rate

Oct 2nd 1857

Township 13 N. Range 5 E 6th P. M.

North between sections 34 and 35

Variation 11° 15' East

2.00 A drain descends East

35.00 Enter bottomland bearing N.W. & S.E.

40.00 Set a boulder stone 12 in long 10 in wide 7 in thick for quarter section corner

40.50 A branch 2 links wide runs East

80.00 Set a boulder stone 14 in long 12 in wide 4 in thick for corner to sections 26.27.34.35

Land North part level bottom Soil 1st rate

" South part rolling upland Soil 2nd rate

Township 13 N. Range 5 E 6th P. M.

East on a random line between sections 26 and 35

Variation 11° 15' East

7 50 A creek 40 links wide runs South

40 00 Set a flag for temporary quarter section corner

50 00 Enter upland bearing N and S

79 96 Intersect the N and S line 21 links south of the corner to sections 25.26.35.36 from which corner I run West on a true line between sections 26 and 35

Variation 11° 24' East

39 98 Set a boulder stone 12 in long 12 in wide 8 in thick for quarter section corner

79 96 The corner to sections 26.27.34.35

Land gently rolling prairie

Soil 1st rate

Township 13 N. Range 5 E. 6th P.M.
North between sections 26 and 27
Variation 11° 20' East

4.50 Intersect the right bank of creek flowing S E

4.80 Leave creek right bank coming from the N E

7.80 A creek 30 links wide 2 feet deep runs East

40.00 Set a boulder stone 14 in long 11 in wide 8 in thick for quarter section corner

80.00 Set a boulder stone 14 in long 8 in wide 4 in thick for corner to sections 22.23.26.27

Land level bottom prairie
Soil 1st rate

Township 13 N. Range 5 E 6th P.M.
East on a random line between sections 23 and 26
Variation 11° 20' East

40 00 Set a flag for temporary quarter section corner

54 10 A branch 10 links wide runs south

79 70 Intersect the N and S line 14 links South of the corner to sections 23.24.25.26 from which corner I run West on a true line between sections 23 and 26
Variation 11° 26' East

39 85 Set a boulder stone 15 in long 10 in wide 11 in thick for quarter section corner

79 70 The corner to sections 22.23.26.27

Land gently rolling prairie
Soil 1st rate

Township 13 N. Range 5 E 6th Pr. Md

North between Sections 22 and 23

Variation 11° 25' East

40.00 Set a boulder stone 13 in long 9 in wide 8 in thick for quarter section corner

52.10 A branch 10 links wide runs S W

60.00 Enter upland bearing E and W

80.00 Set a boulder stone 12 in long 10 in wide 8 in thick for corner to sections 14, 15, 22, 23

Land gently rolling prairie

Soil 1st rate

Timber Oak, Elm and Cottonwood one chain wide each side of the creek

Township 13 N Range 5 E 6th Pr. Md

East on a random line between sections 14 & 23

Variation 11° 30' East

40 00 Set a flag for temporary quarter section corner

41 20 A branch 8 links wide 6 inches deep current swift, runs S W

57 50 A branch 10 links wide little current runs N W

79 80 Intersect the N and S line 10 links N of the corner to sections 13, 14, 23, 24. from which corner I run West on a true line between sections 14 and 23

Variation 11° 26' East

39 90 Set a boulder stone 13 in long 10 in wide 6 in thick for quarter section corner

79 80 The corner to sections 14, 15, 22, 23

Land gently rolling prairie

Soil 1st rate

A few scattering Oak Elm and Cottonwood trees along creek

Township 13 N Range 5 E 6th Pr. Md

North between sections 14 and 15

Variation 11° 45' East

40.00 Set a boulder stone 12 in long 10 in wide 6 in thick for quarter section corner

80.00 Set a boulder stone 16 in long 10 in wide 6 in thick for corner to sections 10, 11, 14, 15

Land high rolling prairie

Soil 2nd rate

Township 13 N Range 5 E 6th Pr. Md

East on a random line between sections 11 and 14

Variation 11° 45' East

7 00 A drain descends south

39 50 A drain descends south

40.00 Set a flag for temporary 2 quarter sec Co

79 55 Intersect the N and S line 64 links N of the corner to sections 11, 12, 13, 14 from which corner I run

West on a true line between sections 11 and 14

Variation 11° 18' East

39 77½ Set a boulder stone 14 in long 6 in wide 6 in thick for quarter section corner

79 55 The corner to sections 10, 11, 14, 15.

Land high rolling prairie

Soil 2nd rate

Township 13 N. Range 5 E 6th Pr. Md

North between sections 10 and 11

Variation 12° 13' East

40.00 Set a boulder stone 13 in long 10 in wide 6 in thick for quarter section corner

80.00 Set a boulder stone 13 in long 8 in wide 6 in thick for corner to sections 2.3.10.11

Land high rolling prairie

Soil 3rd rate

Township 13 N Range 5 E 6th Pr. Md

East on a random line between sections 2 and 11

Variation 11° 45' East

40 00 Set a flag for temporary quarter section corner

61 70 A drain descends south

79 96 Intersect the N and S line 24 links North of the corner to sections 1.2.11.12 from which corner I run West on a true line between sections 2 and 11

Variation 11° 35' East

39 98 Set a boulder stone 13 in long 10 in wide 6 in thick for quarter section corner

79 96 The corner to sections 2.3.10.11

Land high rolling prairie

Soil 2nd rate

Township 13 N. Range 5 E 6th P. Mer

North on a random line between sections 2 and 3

Variation 12° 13' East

39.30 Drain descends West

40.00 Set a flag for temporary quarter section corner

80.42 Intersect the North boundary of the township at the corner to sections 2 and 3 from which corner I run South on a true line between sections 2 and 3

Variation 12° 13' East

40.42 Set a boulder stone 13 in long 10 in wide 6 in thick for quarter section corner

80.42 The corner to sections 2.3.10.11

Land high rolling prairie

Soil 3rd rate

Oct 3rd 1857

Township 13 N. Range 5 E 6th Pr. Mer

North between sections 33 and 34

Variation 11° 25' East

29.00 Drain descends SE

40.00 Set a boulder stone 12 in long 8 in wide 7 in thick for quarter section corner

80.00 Set a boulder stone 13 in long 9 in wide 8 in thick for corner to sections 27.28.33.34

Land high rolling prairie

Soil 2nd rate

Boulders frequent

Grass short

Township 13 N Range 5 E 6th Pr. Mer

East on a random line between sections 27 and 34

Variation 11° 15' East

15.00 Enter bottom land bearing N 48 D E

40.00 Set a flag for temporary quarter section corner

80.00 Intersect the N and S line at the corner to sections 26. 27. 34. 35 from which corner I run West on a true line between sections 27 and 34

Variation 11° 15' East

40.00 Set a boulder stone 14 in long 10 in wide 7 in thick for quarter section corner

80.00 The corner to sections 27, 28, 33. 34

Land East part, dry level bottom Soil 1st rate

Land West part rolling upland. Soil 2nd rate

Township 13 N Range 5 E 6th Pr. Mer

North between sections 27 and 28

Variation 11° 30' East

15 40 A branch 10 links wide runs East

40 00 Set a boulder stone 14 in long 12 in wide 6 in thick for quarter section corner

80 00 Set a boulder stone 14 in long 9 in wide 5 in thick for corner to sections 21. 22. 27. 28.

Land high rolling prairie

Soil 2nd rate

Township 13 N Range 5 E 6th P. M.

East on a random line between sections 22 and 27

Variation 11° 30' East

15.00 Enter bottom land bearing N and S.

40.00 Set a flag for temporary quarter section corner

52.73 A creek 15 links wide runs South

80.33 Intersect N and S line 30 links N. of the corner to sections 22.23. 26.27. from which corner I run West on a true line between sections 22 and 27

Variation 11° 17' East

110.16½ Set a boulder stone 14 in long 7 in wide 6 in thick for quarter section corner

80.33 The corner to sections 21.22.27.28.

Land dry level bottom Soil 1st rate

Except 15 chains at west end which is high rolling upland 2nd rate

Township 13 N Range 5 E 6th P. M.

North between sections 21 and 22

Variation 11° 30' East

22 00 Enter bottom land bearing S E and W

37 50 A branch 30 links wide runs East

40 00 Set a boulder stone 15 in long 8 in wide 6 in thick for quarter section corner

80 00 Set a cottonwood post 6 inches in diameter with trench as per instructions for corner to sections 15, 16. 21. 22 from which An Elm 28 in. diam. bears N 4° W 230 lks dist.

An Elm 12 in diam. bears N 2 E 227 lks dist.
No other trees near

Land Gently rolling prairie

Soil 1st rate

Township 13 N. Range 5 E 6th P.M.
East on a random line between
sections 15 and 22

Variation 11°30' East

6.10 A creek 30 links wide runs S E
30.00 A drain descends south
40.00 Set a flag for temporary quarter
section corner
60.00 Enter upland bearing N and S
72.00 Indian Grave 120 links North
80.56 Intersect the N and S line 30 links
north of the corner to sections
14, 15, 22 and 23. from which corner
I run west on a true line
between sections 15 and 22

Variation 11°17' East

40.28 Set a boulder stone 14 in long 10 in
wide 6 in thick for quarter section corner
80.56 The corner to sections 15, 16, 21, 22
Land gently rolling prairie
Soil 1st rate. Scattering oak
Elm and cottonwood timber on the
creek

Township 13 N. Range 5 E 6th Pr. M.
North between sections 15 and 16

Variation 11°35' East

2 50 A creek 30 links wide runs East
9 50 Same 30 links wide 1 foot deep rapid current
runs N W
13 16 Same 20 links wide runs East, soon turns S E
28 00 Same 10 " " runs S W
35 30 Same 30 " " runs East
40 00 Set a boulder stone 16 in long 8 in wide 6 in
thick for quarter section corner from which
A cottonwood 18 in diam bears East 52 links dist
A cottonwood 30 in diam bears North 82 links dist.
42 00 Same creek 30 links wide runs S W
63 00 Right bank of same creek, flows S E
64 50 Lane creek, right bank, comes from N E
70 10 Same creek 25 links wide runs S E
80 00 Set a boulder stone 13 in long 10 in wide 6 in
thick for corner to sections 9, 10, 15, 16
Land dry level bottom. Soil 1st rate
Scattering Oak, Elm and Cottonwood timber
along creek. Plum bushes, vines and
weeds abounded

Township 13 N Range 5 E 6th P. Md

East on a random line between sections 10 and 15

Variation 11° 35' East

40.00 Set a flag for temporary quarter section corner

80.66 Intersect the N and S line 42 links North of the corner to sections 10.11.14.15 from which corner S 2 mi West on a true line between sections 10 and 15

Variation 11° 17' East

40.33 Set a boulder stone 12 in long 8 in wide 8 in thick for quarter section corner.

80.66 The corner to sections 9.10.15.16

Land gently rolling prairie

Soil 1st rate

Township 13 N Range 5 E 6th P. Md

North between sections 9 and 10

Variation 11° 55' East

4.20 A branch 4 links wide runs West

40.00 Set a boulder stone 14 in long 9 in wide 4 in thick for quarter section corner

80.00 Set a boulder stone 17 in long 13 in wide 10 in thick for corner to sections 3.4.9.10

Land high rolling prairie

Soil 2nd rate

Township 13 N. Range 5 E 6th Pr. Mer

East on a random line between sections 3 and 10

Variation 11° 30' East

40.00 Set a flag for temporary quarter section corner

80.20 Intersect the N and S line 20 links N of the corner to sections 2.3.10.11 from which corner I run West on a true line between sections 3 and 10

Variation 11° 21' East

40.10 Set a boulder stone 14 in long 8 in wide 6 in thick for quarter section corner

80.20 The corner to sections 3.4.9.10

Land high rolling prairie

Soil 2nd rate

Township 13 N. Range 5 E 6th Prin. Merid

North on a random line between sections 3 and 4

Variation 11° 55' East

40 00 Set a flag for temporary quarter section corner

46 00 Drain descends west

81 00 Intersect the N. boundary of the township 22 links East of the corner to sections 3 and 4 from which corner I run South on a true line between sections 3 and 4

Variation 12° 04' East

41 00 Set a boulder stone 14 in long 9 in wide 8 in thick for quarter section corner

81 00 The corner to sections 3.4.9.10

Land high rolling prairie

Soil 2nd rate

Oct 5th 1857

Township 13 N Range 5 E. 6th P. Merid.

North between sections 32 and 33

Variation 11° 30' East

40.00 Set a boulder stone 17 in long 8 in wide 7 in thick for quarter section corner

80.00 Set a boulder stone 15 in long 8 in wide 7 in thick for corner to sections 28.29.32.33

Land high rolling prairie

Soil 2nd rate

Township 13 N Range 5 E 6th P. Mer

East on a random line between sections 28 and 33

Variation 11° 30' East

40 00 Set a flag for temporary quarter section corner

80 06 Intersect the N and S line 4 links N of the corner to sections 27.28.33.34 from which corner I run

West on a true line between sections 28 and 33

Variation 11° 28' East

40 03 Set a boulder stone 13 in long 9 in wide 8 in thick for quarter section corner

80 06 The corner to sections 28.29.32.33.

Land high rolling prairie

Soil 2nd rate

Township 13 N Range 3 E 6th Prin Md.

North between sections 28 and 29

Variation 11° 30' East

40.00 Set a boulder stone 14 in long 12 in wide 4 in thick for quarter section corner

42.70 Drain descends East

59.25 A branch 4 links wide runs S E

80.00 Set a boulder stone 16 in long 7 in wide 5 in thick for corner to sections 20. 21. 28. 29

Land high rolling prairie

Soil 2nd rate.

Township 13 N Range 5 E. 6th Prin. Merid.

East on a random line between sections 21 and 28

Variation 11° 30' East

40 00 Set a flag for temporary quarter section corner

79 94 Intersect the N and S line 9 links south of the corner to sections 21.22. 27.28 from which corner I run West on a true line between sections 21 and 28

Variation 11° 34' East

39 97 Set a boulder stone 12 in long 10 in wide 9 in thick for quarter section corner

79 94 The corner to sections 20. 21. 28. 29

Land rolling prairie

Soil 2nd rate

Township 13 N Range 5 E 6th Pr. Md

North between sections 20 and 21

Variation 11° 30' East

40.00 Set a boulder stone 14 in long 11 in wide 4 in thick for quarter section corner

58.62 Branch 5 links wide 6 in. deep runs N E

65.50 Branch 8 links wide 12 in deep runs East

80.00 Set a boulder stone 13 in long 8 in wide 6 in thick for corner to sections 16, 17, 20, 21

Land high rolling prairie

Soil 2nd rate

Township 13 N Range 5 E 6th Pr. Md.

East on a random line between sections 16 and 21

Variation 11° 30' East

40 00 Set a flag for temporary quarter section corner

79 84 Intersect the N and S line at the corner to sections 15, 16, 21, 22, from which corner I run

West on a true line between sections 16 and 21

Variation 11° 30' East

39 92 Set a boulder stone 14 in long 10 in wide 5 in thick for quarter section corner

79 84 The corner to sections 16, 17, 20, 21

Land gently rolling prairie

Soil 1st rate

Township 13 N Range 5 E 6th P.M.

North between sections 16 and 17

Variation 11° 40' East

40.00 Set a boulder stone 14 in long 12 in wide 4 in thick for quarter section corner

80.00 Set a boulder stone 16 in long 10 in wide 4 in thick for corner to sections 8. 9. 16. 17.

Land gently rolling prairie

Soil 1st rate

Township 13 N. Range 5 E 6th P.M.

East on a random line between sections 9 and 16

Variation 11° 30' East

40 00 Set a flag for temporary quarter section corner

73 60 A creek 30 links wide runs South

79 60 Intersect N and S line 14 links south of the corner to sections 9, 10, 15, 16 from which corner I run

West on a true line between sections 9 and 16

Variation 11° 36' East

39 80 Set a boulder stone 14 in long 9 in wide 6 in thick for quarter section corner

79 60 The corner to sections 8. 9. 16. 17

Land gently rolling

Soil 1st rate

Township 13 N. Range 5 E 5th P. Md

North between sections 8 and 9

Variation 11° 40' East

39.70 A branch 8 links wide runs N E

40.00 Set a boulder stone 14 in long 9 in wide 4 in thick for quarter section corner

80.00 Set a boulder stone 14 in long 10 in wide 4 in thick for corner to sections 4.5.8.9

Land rolling prairie

Soil 2nd rate

Township 13 N. Range 5 E. 5th P. Md

East on a random line between sections 4 and 9

Variation 11° 30' East

2 75 A branch 6 links wide runs S E.

31 73 A creek 20 links wide runs south

40 00 Set a flag for temporary quarter section corner

79 80 Intersect the N and S line 45 links south of the corner to sections 3.4.9.10 from which corner I run West on a true line between sections 4 and 9

Variation 11° 49' East

39 90 Set a boulder stone 15 in long 10 in wide 5 in thick for quarter section corner

79 80 The corner to sections 4.5.8.9.

Land gently rolling prairie

Soil 1st rate

Township 13 N. Range 5 E 6th P. M.

+ North on a random line between sections 4 and 5

Variation 11° 40' East

1.40 A branch 8 links wide runs East

6.30 Same branch 8 links wide runs S W

7.34 Same branch 6 links wide runs S E

40.00 Set a flag for temporary quarter section corner

60.70 A creek 25 links wide runs East

69.30 Same creek 20 links wide runs S W

76.30 Same creek 20 links wide runs S E

81.40 Intersect the North boundary of the township 12 links East of the corner to sections 4 and 5. from which corner I run, South on a true line between sections 4 and 5

Variation 11° 45' East

41.40 Set a boulder stone 14 in long 8 in wide 6 in thick for quarter section corner

81.40 The corner to sections 4.5.8.9

Land rolling prairie

Soil 2nd rate.

Plumb bushes & vines & weeds along the creek Oct. 6th 1857

Township 13 N. Range 5 E 6th P. M.

North between sections 31 & 32

Variation 11° 30' East

+ 22.50 A branch 6 links wide runs East

40.00 Set a boulder stone 14 in long 9 in wide 5 in thick for quarter section corner

57.00 A drain descends East

70.10 A drain descends S E

80.00 Set a boulder stone 12 in long 12 in wide 4 in thick for corner to sections 29.30. 31.32.

Land rolling prairie

Soil 2nd rate

Township 13 N. Range 3 E 6th P.M.

East on a random line between sections 29 and 32

Variation 11° 30' East

24.00 Drain descends south

40.00 Set a flag for temporary quarter section corner

79.78 Intersect N and S line at the corner to sections 28.29. 32.33 from which corner I run West on a true line between sections 29 and 32

Variation 11° 30

39.89 Set a boulder stone 14 in long 9 in wide 5 in thick for quarter section corner

79.78 The corner to sections 29.30.31.32

Land high rolling prairie

Soil 2nd rate

Township 13 N Range 5 E 6th P.M.

West on a random line between sections 30 and 31

Variation 11° 30' East

7 50 Drain descends south

40 00 Set a flag for temporary quarter section corner

67 00 Old road bears N and S

80 30 Intersect the West boundary of the township 10 links south of the corner to sections 30 and 31 from which corner I run East on a true line between sections 30 and 31

Variation 11° 26' East

40 30 Set a boulder stone 14 in long 9 in wide 5 in thick for quarter section corner

80 30 The corner to sections 29.30.31.32

Land high rolling prairie

Soil 2nd rate

Township 13 N. Range 5 E 6th P.M.

North between sections 29 and 30

Variation 11° 40' East

40.00 Set a boulder stone 14 in long 8 in wide 6 in thick for quarter section corner

80.00 Set a boulder stone 14 in long 10 in wide 6 in thick for corner to sections 19.20.29.30

Land high rolling prairie

Soil 2nd rate

Township 13 N. Range 5 E 6th P.M.

East on a random line between Sections 20 and 29

Variation 11° 30' East

37.00 Drain descends south

40.00 Set a flag for temporary quarter section corner

79.98 Intersect the N and S line 23 links N of the corner to sections 20.21. 28.29 from which corner I run West on a true line between Sections 20 and 29

Variation 11° 20' East

39.99 Set a boulder stone 13 in long 8 in wide 7 in thick for quarter section corner

79.98 The corner to Sections 19.20.29.30

Land rolling prairie

Soil 2nd rate

Township 13 N. Range 5 E. 6th P. Md

West on a random line between sections 19 and 30

Variation 11° 30' East

18.25 Drain descends south

30.00 Drain descends S.E.

40.00 Set a flag for temporary quarter section corner

80.60 Intersect the west boundary of the township 50 links south of the corner to sections 19 and 30 from which corner S true East on a true line between sections 19 and 30

Variation 11° 09' E

40.60 Set a boulder stone 14 in long 10 in wide 4 in thick for quarter sections corner.

80.60 The corner to sections 19, 20, 29, 30.

Land rolling prairie

Soil 2nd rate

Township 13 N. Range 5 E 6th P. Md

North between sections 19 and 20

Variation 11° 40' East

40 00 Set a boulder stone 12 in long 10 in wide 5 in thick for quarter section corner

78 30 Drain descends East

80 00 Set a boulder stone 14 in long 10 in wide 5 in thick for corner to sections 17, 18, 19, 20 from which

A bur oak 12 in diam bears S 6¾° E 170 lks dist

A bur oak 15 in diam bears S 10½° W 149 lks dist

No other trees convenient to mark

Land rolling prairie

Soil 2nd rate

A few scattering bur oak trees south of the section corner

Township 13 N. Range 5 E 6th Pr. Mer.
East on a random line between
sections 17 and 20

Variation 11° 30' East

6.10 A branch 3 links wide runs North
30.50 A drain descends N E
40.00 Set a flag for temporary
quarter section corner
41.90 A creek 8 links wide runs S E
78.05 Drain descends South
80.17 Intersect the N and S line 4 links
North of the corner to Sections
16, 17, 20, 21 from which corner
I run West on a true line
between sections 17 and 20

Variation 11° 28' East

40.08½ Set a boulder stone 14 in long
9 in wide 4 in thick for
quarter section corner
80.17 The corner to sections 17, 18, 19, 20
Land gently rolling prairie
Soil 1st rate

Township 13 N Range 5 E 6th Pr. Merid
West on a random line between
sections 18 and 19

Variation 11° 30' East

40 00 Set a flag for temporary quarter
section corner
44 30 Drain descends North
81 30 Intersect the West boundary of
the township 40 links North of the
corner to sections 18 and 19. from
which corner I run
East on a true line between
sections 18 and 19

Variation 11° 47' East

41 30 Set a boulder stone 14 in long 10 in
wide 5 in thick for quarter section
corner. from which. A Bur Oak
8 in diam. bears N 30° W 188 links dist.
No other trees near
81 30 The corner to sections 17, 18, 19, 20.
Land rolling. Soil 2nd rate
A large grove of Oak timber along a
creek north of the line

Township 13 N. Range 5 E 6th Pr. Mer

North between sections 17 and 18

Variation 12° 00' East

15.00 A creek 10 links wide runs East

23.00 Branch 2 links wide runs SE

40.00 Set a boulder stone 12 in long 10 in wide 6 in thick for quarter section corner

80.00 Set a boulder stone 14 in long 10 in wide 4 in thick for corner to sections 7, 8, 17, 18

Land rolling prairie

Soil 2nd rate

Township 13 N. Range 5 E 6th Pr. Mer

East on a random line between sections 8 and 17

Variation 11° 30' East

40 00 Set a flag for temporary quarter section corner

80 40 Intersect the N and S line 40 links North of the corner to sections 8, 9, 16, 17, from which corner I run West on a true line between sections 8 and 17

Variation 11° 13' East

40 20 Set a boulder stone 14 in long 9 in wide 5 in thick for quarter section corner

80 40 The corner to sections 7, 8, 17, 18

Land high rolling prair

Soil 2nd rate

Oct 7th 1857

Township 13 N. Range 5 E 6th Pr. Mer.
West on a random line between
sections 7 and 18

Variation 11° 30' East

5.80 Drain descends south
27.00 Drain descends south
37.00 Drain descends south
40.00 Set a flag for temporary
quarter section corner
67.50 Drain descends south
80.40 Intersect the west boundary
of the township 35 links
south of the corner to Sections
7 and 18 from which corner I run Easton
on a true line between secs. 7 & 18

Variation 11° 15' East

40.40 Set a boulder stone 16 in long 9 in
wide 5 in thick for quarter section
corner
80.40 The corner to sections 7, 8, 17, 18

Land rolling prairie
Soil 2nd rate

Township 13 N. Range 5 E 6th Pr. Mer.
North between sections 7 and 8

Variation 12° 00' East

40 00 Set a boulder stone 16 in long 9 in
wide 4 in thick for quarter
section corner
62 50 Drain descends N E
80 00 Set a boulder stone 20 in long 16 in
wide 12 in thick for corner to
sections 5. 6. 7. 8

Land rolling prairie
Soil 1st rate

Township 13 N. Range 5 E 6th P. Md

East on a random line between sections 5 and 8

Variation 11° 30' East

40.00 Set a flag for temporary quarter section corner

62.20 Branch 4 links wide runs N E

67.00 Same branch 10 links wide runs S E

76.00 Same branch 6 links wide runs N E

80.46 Intersect the N and S line 50 links North of the corner to sections 4.5.8.9 from which corner I run

West on a true line between sections 5 and 8

Variation 11° 09' East

40.23 Set a boulder stone 14 in long 9 in wide 6 in thick for quarter section corner

80.46 The corner to sections 5.6.7.8

Land rolling prairie

Soil 1st rate

Township 13 N. Range 5 E 6th P. Md

West on a random line between sections 6 and 7

Variation 11° 30' East

39.50 Drain North

40.00 Set a flag for temporary quarter section corner.

67.00 Drain descends North

79.46 Intersect the West boundary of the township 46 links south of the corner to sections 6 and 7 from which corner I run East on a true line between sections 6 and 7

Variation 11° 10' East

39.46 Set a boulder stone 15 in long 10 in wide 5 in thick for quarter section corner

79.46 The corner to sections 5.6.7.8

Land rolling prairie

Soil 2nd rate

Township 13 N Range 5 E 6th P.M. Ind

North on a random line between sections 5 and 6

Variation 12° 00' East

20.00 A creek 6 links wide runs East

23.00 Drain descends East

40.00 Set a flag for temporary quarter section corner

80.40 Intersect the North boundary of the township 55 links West of the corner to sections 5 and 6 from which corner I run South on a true line between sections 5 and 6

Variation 11° 37' East

40.40 Set a boulder stone 14 in long 9 in wide 6 in thick for quarter section corner

80.40 The corner to sections 5, 6, 7, 8

Land rolling prairie

Soil 2nd rate

A grove of good oak timber West of line

General Description

There is a large amount of beautiful dry bottom land in this township lying on each side of a creek which runs through the central part of the township from north to south.

There are several fine groves of bur oak timber.

Bauldar stone abound on the high lands

Oct 8th 1857

A list of the names of the individuals employed to assist in running measuring and marking the Lines and corners described in the foregoing field Notes of Township No 13 North of the Base Line in Range No 5 East of the 6th Principal Meridian. Showing the respective capacities in which they acted

Chas O. Rowohl	Chainman
George Heckler	Chainman
John Ford	Flagman
Henry T. Pell	Axeman

Field Notes of the Subdivision lines of Township Number Fourteen North of Range Number Five East of the Sixth Principal Meridian in the Territory of Nebraska

Surveyed by Michael Murphy U S Deputy Surveyor under his contract Number 191 dated March 28th — A D 1857

Subdivision commenced October 1st completed October 1st A D 1857

Rec'd Nov 24th 1857
Van Zandt

A list of the names of the individuals Employed to assist in running Measuring and Marking the lines and corners described in the following Field Notes of Township Number Fourteen North of the Base line of Range number Five East of the Sixth Principal Meridian Showing the respective capacities in which they are to act

Aldridge A Green	Chainman
Joseph B Reed	Chainman
William Creighton	Axeman
George B Jones	Axeman
Edward Hepburn	Flagman
Chauncey Willis	Compassman

Township 14 N. Range 5 East

6	34	5	25	4	18	3	12	2	7	1
33		33		24		18		12		6
7	32	8	23	9	17	10	11	11	6	12
31		31		23		17		11		5
18	30	17	22	16	16	15	10	14	5	13
30		29		22		16		10		4
19	29	20	21	21	15	22	9	23	4	24
28		27		21		15		9		3
30	27	29	20	28	14	27	8	26	3	25
26		26		20		14		8		2
31	25	32	19	33	13	34	7	35	1	36

Township 14 N Range 5 E. Sixth Principal Meridian

To determine the proper adjustment of my Compass for subdividing this Township I commence at the corner to Townships 13 and 14 N Range 5 and 6 East and run North on a blank line along the East line of Section 36.

Variation 11° 40' East

40.04 To a point 3 links East of the quarter section corner

80.03 To a point 9 links East of the corner to sections 25 and 36

To retrace this line my compass must be adjusted to a variation of 11° 44' East

Sub division commenced ~~September~~ October 1st A D 1857

From the corner to sections 1, 2, 35 and 36 on the south boundary of the Township. I run North between sections 35 and 36

variation 11° 44' East

Township 14 N Range 5 E 6th Principal Meridian

40.00	Drove a charred stake and set a post in a Mound with trench & pits as per instructions for quarter section corner
46.00	Emigrant Road course N W
80.00	Drove a charred stake and set a post in Mound with trench and pits as per instructions for corner to Sections 25, 26, 35 and 36
	Land rolling Prairie Sandy Soil 2nd rate

East on a random line between Sections 25 and 36

Variation 11° 45' East

4.00	Emigrant Road course N and S
40.00	at a post for temporary quarter section corner
79.80	Intersected the East boundary of the Township 50 links south of the corner to Sections 25 and 36 from which corner I run West on a true line between Sections 25 and 36

Variation 12° 06 East

39.90	Drove a charred stake and set a post in a Mound with trench and pits as per instructions for quarter section corner
79.80	The corner to Sections 25, 26, 35 and 36
	Land rolling Prairie Sandy Soil 2nd rate

Township 14 N Range 5 E 6th Principal Meridian

North between Sections 25 and 26

Variation 12° 15 East

40.00	Drove a charred stake and set a post in a Mound with trench and pits as per instructions for quarter section corner
80.00	Drove a charred stake and set a post in a Mound with trench and pits as per instructions for corner to Sections 23, 24, 25 and 26
	Land rolling Prairie Sandy Soil 2nd rate

East on a random line between Sections 24 and 25

Variation 11° 30' East

20.16	Stream 5 links wide course N and S
40.00	at a post for temporary quarter section corner
80.40	Intersected the East boundary of Township at the corner to Sections 24 and 25 from which corner I run West on a true line between Sections 24 and 25

Variation 11° 36' East

40.20	Drove a charred stake and set a post in Mound with trench and pits as per instructions for quarter section corner
80.40	The corner to Sections 23, 24, 25 and 26
	Land rolling Prairie Sandy Soil 2nd rate

Township 14 N Range 5 E 6th Principal Meridian

North between Sections 23 and 24

Variation 11° 45' East

4000 Drove a chained stake and set a post in a Mound with trench and pits as per instructions for quarter section corner

4200 ~~Emigrant Road~~ Stream 29 lks wide Course E

8000 Drove a chained stake and set a post in a Mound with trench and pits as per instructions for corner to Sections 13, 14, 23 and 24

Land rolling Prairie Sandy Soil 2nd rate

East on a random line between Sections 13 and 24

Variation 11° 15' East

4000 set a post for temporary quarter section corner

8030 Intersected the East boundary of Township at the corner to sections 13 and 14 from which corner I run West on a true line between Sections 13 and 24

Variation 11° 15' East

4015 Drove a chained stake and set a post in a Mound with trench and pits as per instructions for quarter section corner

8030 The corner to Sections 13, 14, 23 and 24

Land rolling Prairie Sandy Soil 2nd rate

Township 14 N Range 5 E 6th Principal Meridian

North between Sections 13 and 14

Variation 11° 40' East

4000 Drove a chained stake and set a post in a Mound with trench and pits as per instructions for quarter section corner

8000 Drove a chained stake and set a post in Mound with trench and pits as per instructions for corner to Sections 11, 12, 13 and 14

Land rolling Prairie Sandy Soil 2nd rate

East on a random line between Sections 12 and 13

Variation 11° 15' East

4000 set a post for temporary quarter Section corner

8040 Intersected the East boundary of Township 90 links North of the corner to Sections 12 and 13 from which corner I run West on a true line between Sections 12 and 13

Variation 10° 36' East

4020 Drove a chained stake and set a post in Mound with trench and pits as per instructions for quarter section corner

8040 The corner to Sections 11, 12, 13 and 14

Land rolling Prairie Sandy Soil 2nd rate

Township 14 N Range 5 E 6th Principal Meridian

North between sections 11 and 12

Variation 11° 30' East

4000 Drove a chained stake and set a post in Mound with trench and pits as per instructions for quarter section corner

8000 Drove a chained stake and set a post in a Mound with trench and pits for corner to sections 1, 2, 11 and 12 as per instructions

Land rolling Prairie Sandy Soil 2nd rate

East on a random line between sections 1 and 12

Variation 10° 30' East

4000 set a post for temporary quarter section corner

8030 Intersected the East boundary of Township 10 North of the corner to sections 1 and 12 from which corner I run West on a true line between sections 1 and 12

Variation 10° 26' East

4015 Drove a chained stake and set a post in a Mound with trench and pits as per instructions for quarter section corner

8030 The corner to sections 1, 2, 11 and 12

Land rolling Prairie Sandy Soil 2nd rate

Township 14 N Range 5 E 6th Principal Meridian

North on a random line between sections 1 and 2

Variation 11° 30' East

4000 set a post for temporary quarter section corner

7920 Intersected the North boundary of Township 40 links west of the corner to sections 1 and 2 from which corner I run South on a true line between sections 1 and 2

Variation 11° 13' East

3920 Drove a chained stake and set a post in Mound with trench and pits as per instructions for quarter section corner

7920 The corner to sections 1, 2, 11 and 12

Land rolling Prairie Sandy Soil 2nd rate

October 1st 1857

North between sections 34 and 35

Variation 11° 30' East

400 Emigrant Road course North West

4000 Drove a chained stake and set a post in a Mound with trench and pits as per instructions for quarter section corner

8000 Drove a chained stake and set a post in a Mound with trench and pits as per instructions for corner to sections 26, 27, 34 and 35

Township 14 N Range 5 E 6th Principal Meridian

Land rolling Prairie Sandy Soil 2nd rate

East on a random line between Sections 26 and 35
Variation 11° 36' East

40.00 set a post for temporary quarter section corner
79.76 Intersected the N and S line ~~of the section~~ 32 links south of the corner to Sections 25, 26 35 and 36 from which corner I run West on a true line between sections 26 and 35
Variation 11° 44' East

39.88 Drove a chained stake and set a post in a Mound with trench and pits as per instructions for quarter section corner
79.76 The corner to sections 26, 27, 34 and 35
Land rolling Prairie Sandy Soil 2nd rate

North between sections 26 and 27
Variation 11° 48' East

40.00 Drove a chained stake and set a post in a Mound with trench and pits as per instructions for quarter section corner
80.00 Drove a chained stake and set a post in a Mound with trench and pits as per instructions for corner to sections 22, 23, 26 and 27

Township 15 N Range 5 E 6th Principal Meridian

Land rolling Prairie Sandy Soil 2nd rate

East on a random line between sections 23 and 26
Variation 11° 46' East

40.00 set a post for temporary quarter section corner
79.84 Intersected the N and S line 46 links South of the corner to Sections 23, 24, 25 and 26 from which corner I run West on a true line between sections 23 and 26
Variation 12° East

39.92 Drove a chained stake and set a post in a Mound with trench and pits as per instructions for quarter section corner
79.84 The corner to sections 22, 23, 26 and 27
Land rolling Prairie Sandy Soil 2nd rate

North between sections 22 and 23
Variation 12° East

40.00 Drove a chained stake and set a post in a Mound with trench and pits as per instructions for quarter section corner
80.00 Drove a chained stake and set a post in Mound with trench and pits as

per instructions for corner to sections 14, 15, 22 and 23
Land rolling Prairie Sandy Soil 2nd rate

East on a random line between sections 14 and 23
Variation 11° 45' East
3328 stream 10 links wide course S.E.
4000 set a post for temporary quarter section corner
7960 Intersected the N and S line 38 links south of the corner to sections 13, 14, 23 and 24 from which corner I run West on a true line between sections 14 and 23
Variation 12° 01' East
3980 Drove a charred stake and set a post in a mound with trench and pits as per instructions for quarter section corner
7960 The corner to sections 14, 15, 22 and 23
Land rolling Prairie Sandy Soil 2nd rate

North between sections 14 and 15
Variation 12° 30' East
2617 stream 8 links wide course S.E.
4000 Drove a charred stake and set a post in a mound with trench and pits as per instructions for quarter section corner.

8000 Drove a charred stake and set a post in a mound with trench and pits as per instructions for corner to sections 10, 11, 14 and 15
Land rolling Prairie Sandy Soil 2nd rate

East on a random line between sections 11 and 14
Variation 11° 58' East
4000 set a post for temporary quarter section corner
8020 Intersected the N and S line at the corner to sections 11, 12, 13 and 14 from which corner I run West on a true line between sections 11 and 14
Variation 11° 58' East
4010 Drove a charred stake and set a post in mound with trench and pits as per instructions for quarter section corner
8020 The corner to sections 10, 11, 14 and 15
Land rolling Prairie Sandy Soil 2nd rate

North between sections 10 and 11
Variation 11° 45' East
4000 Drove a charred stake and set a post in a mound with trench and pits as per instructions for quarter section corner

Township 14 N Range 5 E 6th Principal Meridian

8000	Drove a charred stake and set a post in Mound with trench and pits as per instructions for corner to sections 2, 3, 10 and 11 Rolling Prairie sandy Soil 2nd rate
	East on a random line between sections 2 and 11 Variation 11° 50' East
4000	set a post for temporary quarter section corner
7984	Intersected the N and S line 50 links south of the corner to sections 1, 2, 11 and 12 from which corner S 0m West on a true line between sections 2 and 11 Variation 12° 11' East
3992	Drove a charred stake and set a post in Mound with trench and pits as per instructions for quarter section corner
7984	The corner to sections 2, 3, 10 and 11 Rolling Prairie sandy Soil 2nd rate
	North on a random line between sections 2 and 3 Variation 11° 40' East
4000	set a post for temporary quarter section corner

Township 14 N Range 5 E 6th Principal Meridian

15 18	Small stream 10 links wide course N E
8048	Intersected the North boundary of Township at the corner to sections 2 and 3 from which corner S 0m Bearing a true line between sections 2 and 3. Variation 11° 40' East
4048	Drove a charred stake and set a post in Mound with trench and pits as per instructions for quarter section corner
8048	The corner to sections 2, 3, 10 and 11 Rolling Prairie, sandy Soil 2nd rate. October 2nd 1857
	North between sections 33 and 34 Variation 11° 30' East
1375	stream course S W 3 links wide
4000	Drove a charred stake and set a post in Mound with trench and pits as per instructions for quarter section corner
8000	Drove a charred stake and set a post in Mound with trench and pits as per instruction for corner to sections 27, 28, 33 and 34 Land rolling Prairie sandy Soil 2nd rate

Township 14 N Range 5 6th Principal Meridian

East on a random line between sections 27 and 34
variation 11° 30' East

39 90 Emigrant Road course N and S
40 00 set a post for temporary quarter section corner
79 96 Intersected the N and S line 42 links South of the corner to sections 26, 27, 34 and 35 from which corner Run West on a true line between sections 27 and 34
variation 11° 48' East
39.98 Drove a charred stake and set a post in with trench and pits Mound as per instructions for quarter section corner
[illegible]96 The corner to sections 27, 28, 33 and 34
Rolling Prairie Sandy Soil 2nd rate

North between sections 27 and 28
variation 11° 30' East
40 00 set a stone time 10 inches long 10 inches wide 4 inches thick as per instructions for quarter section corner
80 00 Drove a charred stake and set a post in a Mound with trench and pits as per instructions for corner to sections 21, 22, 27 and 28
Rolling Prairie Sandy Soil 2nd rate

Township 14 N Range 5 6th Principal Meridian

East on a random line between Sections 22 and 27
variation 11° 45' East

36 00 Emigrant Road course N and S
40 00 set a post for temporary quarter section corner
79 96 Intersected the N and S line at the corner to sections 22, 23, 26 and 27 from which corner Run West on a true line between sections 22 and 27
variation 11° 45' East
39 98 Drove a charred stake and set a post in with trench and pits Mound as per instructions for quarter section corner
79 96 The corner to sections 21, 22, 27 and 28
Land rolling Prairie Sandy soil 2nd rate

North between sections 21 and 22
variation 12° East
40 00 Drove a charred stake and set a post in with trench and pits Mound as per instructions for quarter section corner
71 20 Emigrant Road course N W
80 00 Drove a charred stake and set a post in with trench and pits Mound as per instructions for corner to sections 15, 16, 21 and 22

Township 14 N Range 5 E 6th Principal Meridian

	rolling Prairie sandy soil 2nd rate
	East on a random line between sections 15 and 22
	Variation 11° 45' East
4000	set a post for temporary quarter section corner
8000	Intersected the N and S line 20 links south of the corner to sections 14, 15, 22 and 23, from which corner I run West on a true line between sections 15 and 22
	Variation 11° 54' East
4000	Bore a chained stake and set a post in a Mound with trench and pits as per instructions for quarter section corner
8000	The corner to sections 15, 16, 21 and 22 Rolling Prairie Sandy soil 2nd rate
	North between sections 15 and 16
	Variation 12° 30 East
4000	Bore a chained stake and set a post in a Mound with trench and pits as per instructions for quarter section corner
5020	stream 5 links wide course S E
8000	Bore a chained stake and set a post in Mound with trench and pits as

Township 14 N Range 5 E 6th Principal Meridian

	per instructions for corner to sections 9, 10, 15 and 16 Rolling Prairie Sandy Soil 2nd rate
	East on a random line between sections 10 and 15
	Variation 12° East
4000	set a post for temporary quarter section corner
8000	Intersected the N and S line 60 links south of the corner to sections 10, 11, 14 and 15 from which corner I run West on a true line between sections 10 and 15
	Variation 12° 26' East
4000	Bore a chained stake and set a post in Mound with trench and pits as per instructions for quarter section corner
8000	The corner to sections 9, 10, 15 and 16 Rolling Prairie Sandy Soil 2nd rate
	North between sections 9 and 10
	Variation 11° 45' East
175	small stream 5 links wide course N E
4000	Bore a chained stake and set a post in Mound with trench and pits as per instructions for quarter section corner

Township 14 N Range 5 E 6th Principal Meridian

6220	Stream 3 links wide course S. E.
8000	Drove a chamed stake and set a post in with trench and pits Mound as per instructions for corner to sections 3, 4, 9 and 10
	Rolling Prairie Sandy Soil 2nd rate
	East on a random line between sections 3 and 10
	Variation 12° 30' East
34.00	scrubby Timber Oak and Elm N. and S.
36.00	enter Prairie course N. and S.
40.00	set a post for temporary quarter section corner
80.16	Intersected the N and S line 18 links South of the corner to sections 2, 3, 10 and 11 from which corner I run West on a true line between sections 3 and 10
	Variation 12° 38 East
40.08	Drove a chamed stake and set a post in a with trench and pits Mound as per instructions for quarter section corner
80.16	The corner to sections 3, 4, 9 and 10
	Rolling Prairie Sandy soil 2nd rate
	North on a random line between sections 3 and 4
	Variation 11° 30' East

Township 14 N Range 5 E 6th Principal Meridian

40.00	set a post for temporary quarter section corner
82.75	Intersected the North boundary of Township 78 links west of the corner to sections 3 and 4 from which corner I run South on a true line between sections 3 and 4
	Variation 10° 5' East
42.75	Drove a chamed stake and set a post in with trench and pits Mound as per instructions for quarter section corner
82.75	The corner to sections 3, 4, 9 and 10
	Sand rolling Prairie Sandy Soil 2nd rate
	October 3rd 1857
	North between sections 32 and 33
	Variation 10° 30' East
32.20	Branch of salt creek 15 links wide course E with trench and pits
40.00	Drove a chamed stake and set a post in a Mound as per instructions for quarter section corner
80.00	with trench and pits Drove a chamed stake and set a post in a Mound as per instructions for corner to sections 28, 29, 32, and 33
Level	Bottom land 1st rate clay loam

Township 14 N Range 5 E 5th Principal Meridian

East on a random line between sections 28 and 33
Variation 11° 30' East

2850 Branch of Salt Creek 15 links wide course South
4000 set a post for temporary quarter section corner
8000 Intersected the N and S line at the corner to sections 27, 28, 33 and 34 from which corner I run West on a true line between sections 28 and 33
Variation 11° 30' East
4000 Drove a charred stake and set a post in Mound with trench and pits as per instructions for quarter section corner
8000 The corner to Sections 28, 29, 32 and 33
Bottom land 1st rate clay loam Soil

North between sections 28 and 29
Variation 11° 30' East
2775 small stream course N. E. 3 links wide
4000 Drove a charred stake and set a post in a Mound with trench and pits as per instructions for quarter section corner
4850 small stream 3 links wide course S. E.
8000 Drove a charred stake and set a post in Mound with trench and pits as per instructions for corner to sections 20, 21, 28 and 29

Township 14 N Range 5 E 5th Principal Meridian

Bottom land 1st rate clay loam Soil

East on a random line between sections 21 and 28
Variation 11° 30' East
4000 set a post for temporary quarter section corner
5140 small stream 6 links wide course S. E.
8020 Intersected the N and S line at the corner to sections 21, 22, 27 and 28 from which corner I run West on a true line between sections 21 and 28
Variation 11° 30' East
4010 Drove a charred stake and set a post in Mound with trench and pits as per instructions for quarter section corner
8020 The corner to sections 20, 21, 28 and 29
Land rolling 2nd rate Sandy Soil

North between sections 20 and 21
Variation 12° East
4000 set a limestone 24 inches long 12 inches wide 3 inches thick as per instructions for quarter section corner
8000 Drove a charred stake and set a post in Mound with trench and pits as per instructions for corner to sections 16, 17, 20 and 21

Township 15 N Range 5 E 6th Principal Meridian

Land rolling Prairie Sandy Soil 2nd rate

East on a random line between sections 16 and 21
Variation 11° 45' East

4000 set a post for temporary quarter section corner
6900 Emigrant Road course S. E.
8010 Intersected the N and S line 82 links North of the corner to sections 15, 16, 21 and 22 from which corner I run West on a true line between sections 16 and 21
Variation 11° 16' East
4005 set a lime stone 11 inches long 10 inches wide 7 inches thick as per instructions for quarter section corner
8010 The corner to sections 16, 17, 20 and 21
Land rolling Prairie Sandy Soil 2nd rate

North between sections 16 and 17
Variation 12° 30' East
4000 Drove a charred stake and set a post in Mound with trench and pits as per instructions for quarter section corner

Township 14 N Range 5 E 6th Principal Meridian

7450 Emigrant Road course S. E.
8000 Drove a charred stake and set a post in Mound with trench and pits as per instructions for corner to sections 8, 9, 16 and 17
Rolling Prairie Sandy Soil 2nd rate

East on a random line between sections 9 and 16
Variation 11° 45' East
4000 set a post for temporary quarter section corner
7972 Intersected the N and S line 100 links North of the corner to sections 9, 10, 15 and 16 from which corner I run West on a true line between sections 9 and 16
Variation 11° 62' East
39.86 Drove a charred stake and set a post in Mound with trench and pits as per instructions for quarter section corner
7972 The corner to sections 8, 9, 16 and 17
Rolling Prairie sandy soil 2nd rate

North between sections 8 and 9
Variation 11° 45' East

Township 14 N Range 5 E 6th Principal Meridian

40.00	Drove a charred stake and set a post in a Mound with trench and pits as per instructions for quarter section corner
80.00	Drove a charred stake and set a post in Mound with trench and pits as per instructions for corner to sections 4, 5, 8 and 9 Rolling Prairie Sandy Soil 2nd rate
	East on a random line between sections 4 and 9 Variation 11° East
29.00	Enter Timber Oak and Elm
34.00	Leave Timber
40.00	Set a post for temporary quarter section corner
79.90	Intersected the N and S line 30 links North of the corner to sections 3, 4, 9 and 10 from which corner I run West on a true line between sections 4 and 9 Variation 10° 47' East
39.95	Set a lime stone 12 inches long 12 inches wide 8 inches thick as per instructions for quarter section corner
79.90	The corner to sections 4, 5, 8 and 9 Rolling Prairie Sandy Soil 2nd rate

Township 14 N Range 5 E 6th Principal Meridian

	North on a random line between sections 4 and 5 Variation 11° 45' East
40.00	Set a post for temporary quarter section corner
80.20	Intersected the North boundary of Township 70 links East of the corner to sections 4 and 5 from which corner I run South on a true line between sections 4 and 5 Variation 12° 15' East
40.20	Set a lime stone 12 inches long 11 inches wide 8 inches thick as per instructions for quarter section corner
80.20	The corner to sections 4, 5, 8 and 9 Rolling Prairie Sandy Soil 2nd rate October 4th 1857
	North between sections 31 and 32 Variation 11° 20' East
40.00	Drove a charred stake with trench and pits set a post in a Mound as per instructions for quarter section corner
80.00	Drove a charred stake with trench and pits and set a post in a Mound as per instructions for corner to sections 29, 30, 31 and 32 Rolling Prairie Sandy Soil 2nd rate

Township 14 N Range 5 E 6th Principal Meridian

East on a random line between sections 29 and 32
Variation 11° 30' East

40.00 set a post for temporary quarter section corner
59.00 Branch of salt creek 15 links wide course S
80.00 Intersected the N and S line at the corner to sections 28, 29, 32 and 33 from which corner I run West on a true line between sections 29 and 32
Variation 11° 30' East
40.00 Drove a charred stake and set a post in a Mound with trench and pits as per instructions for quarter section corner
80.00 The corner to sections 29, 30, 31 and 32
Level Bottom land 1st rate clay loam

West on a random line between sections 30 and 31
Variation 12° East
40.00 set a post for temporary quarter section corner
80.66 Intersected the West boundary of Township 90 links North of the corner to sections 30 and 31 from which corner I run East on a true line between sections 30 and 31

Township 14 N Range 5 E 6th Principal Meridian

Variation 12° 39' East
40.66 Drove a charred stake and set a post in a Mound with trench and pits as per instructions for quarter section corner
80.66 The corner to sections 29, 30, 31 and 32
Rolling Prairie Sandy soil 2nd rate

Work between sections 29 and 30
Variation 11° 45' East
25.00 Small stream 15 links wide course E and W
40.00 Drove a charred stake and set a post in a Mound with trench and pits as per instructions for quarter section corner
80.00 Drove a charred stake and set a post in a Mound with trench and pits as per instructions for corner to sections 19, 20, 29 and 30
South 1/2 Level bottom land 1st rate clay loam soil
North 1/2 rolling Prairie Sandy soil 2nd rate

East on a random line between sections 20 and 29
Variation 11° 15' East
40.00 set a post for temporary quarter section corner
80.30 Intersected the N and S line 25 links North of the corner to sections 20, 21, 28 and 29 from

Township 14 N Range 5 E 6th Principal Meridian

which corner I run West on a true line between sections 20 and 29

Variation 11° 05' East

40.15 Drove a chaned stake and set a post in with trench and pits Mound as per instructions for quarter section corner

80.30 The corner to sections 19, 20, 29 and 30

Land rolling Prairie Sandy Soil 2nd rate

West on a random line between sections 19 and 30

Variation 12° 20' East

17.20 Stream 3 links wide course N and S

40.00 set a post for temporary quarter section corner

50.10 stream 10 links wide course S. E.

80.42 Intersected the West boundary of Township at the corner to sections 19 and 30 from which corner I run East on a true line between sections 19 and 30

Variation 12° 20' East

40.42 Drove a chaned stake and set a post in a with trench and pits Mound as per instructions for quarter section corner

Township 15 N Range 5 E 6th Principal Meridian

80.42 The corner to sections 19, 20, 29 and 30

Rolling Prairie Sandy Soil 2nd rate

North between sections 19 and 20

Variation 12° East

40.00 Drove a chaned stake and set a post in a with trench and pits Mound as per instructions for quarter section corner

80.00 Drove a chaned stake and set a post in a with trench and pits Mound as per instructions for corner to sections 17, 18, 19 and 20

Rolling Prairie Sandy Soil 2nd rate

East on a random line between sections 17 and 20

Variation 11° East

40.00 set a post for temporary quarter section corner

79.86 Intersected the N and S line 50 links North of the corner to sections 16, 17, 20 and 21 from which corner I run West on a true line between sections 17 and 20

Variation 10° 39' East

39.93 Drove a chaned stake and set a post in a with trench and pits Mound as per instructions for quarter section corner

Township 14 N Range 5 E 6th Principal Meridian

7986	The corner to sections 17, 18, 19 and 20 Rolling Prairie Sandy Soil 2nd rate
	West on a random line between sections 18 and 19 Variation 12° 20' East
2615	Stream 4 links wide course S. E.
4000	set a post for temporary quarter section corner
7934	Intersected the West boundary of Township at the corner to sections 18 and 19 from which corner I run East on a true line between sections 18 and 19 Variation 12° 20' East
3934	Dove a chamed stake and set a post in Mound with trench and pits as per instructions for quarter section corner
7934	The corner to sections 17, 18, 19 and 20 Rolling Prairie Sandy Soil 2nd rate
	North between sections 17 and 18 Variation 12° 35' East
4000	Dove a chamed stake and set a post in Mound with trench and pits as per instructions for quarter section corner

Township 14 N Range 5 E 6th Principal Meridian

8000	Dove a chamed stake and set a post in Mound with trench and pits as per instructions for corner to sections 7, 8, 17 and 18 Rolling Prairie Sandy Soil 2nd rate October 5th 1857
	East on a random line between sections 8 and 17 Variation 11° East
4000	set a post for temporary quarter section corner
6500	Emigrant Road course S. E.
8016	Intersected the N and S line 48 links North of the corner to sections 8, 9, 16 and 17 from which corner I run West on a true line between sections 8 and 17 Variation 10° 39 East
4008	Dove a chamed stake and set a post in Mound with trench and pits as per instructions for quarter sections corner
8016	The corner to sections 7, 8, 17 and 18 Rolling Prairie Sandy Soil 2nd rate
	West on a random line between section 7 and 18 Variation 12° 20 East

Township 14 N Range 5 E 6th Principal Meridian

4000	set a post for temporary quarter section corner
7846	Intersected the West boundary of Township 54 links North of the corner to sections 7 and 18 from which corner I run East on a true line between sections 7 and 18
	variation 12° 43' East
3846	Drove a chained stake and set a post in a Mound with trench and pits as per instructions for quarter section corner
7846	The corner to sections 7, 8, 17 and 18 Rolling Prairie Sandy soil 2nd rate

North between sections 7 and 8

variation 11° 40' East

4000	Drove a chained stake and set a post in a Mound with trench and pits as per instructions for quarter section corner
8000	Drove a chained stake and set a post in a Mound with trench and pits as per instructions for corner to sections 5, 6, 7 and 8 Rolling Prairie Sandy soil 2nd rate

Township 14 N Range 5 E 6th Principal Meridian

East on a random line between sections 5 and 8

variation 10° 15' East

3530	Emigrant Road course S.E.
4000	set a post for temporary quarter section corner
8036	Intersected the N and S line ~~between sections~~ at the corner to sections 4, 5, 8 and 9 from which corner I run West on a true line between sections 5 and 8
	variation 10° 15' East
4018	Drove a chained stake and set a post in a Mound with trench and pits as per instructions for quarter section corner
8036	The corner to sections 5, 6, 7 and 8 Rolling Prairie Sandy soil 2nd rate

West on a random line between sections 6 and 7

variation 12° 35' East

4000	set a post for temporary quarter section corner
5680	stream 3 links wide course S W
7836	Intersected the West boundary of Township at the corner to sections 6 and 7 from which

Township 14 N Range 5 E 6th Principal Meridian

corner I run East on a true line between sections 6 and 7

Variation 12° 35 East

38.36 Drove a charred stake and set a post in a Mound with trench and pits as per instructions for quarter section corner

78.36 The corner to sections 5, 6, 7 and 8

Rolling Prairie Sandy soil 2nd rate

North on a random line between sections 5 and 6

Variation 11° East

20.16 Emigrant Road course S. E.

40.00 set a post for temporary quarter section corner

81.00 Intersected the North boundary of the Township 40 links East of the corner to sections 5 and 6 from which corner I run South on a true line between sections 5 and 6

Variation 11° 17 East

41.00 Drove a charred stake and set a post in Mound with trench and pits as per instructions for quarter section corner

81.00 The corner to sections 5, 6, 7 and 8

Rolling Prairie Sandy Soil 2nd rate

Township 14 N Range 5 E 6th Principal Meridian

October 6th 1857

General Description

This Township is about the common average. It is very fairly watered and possesses very good proportion of 1st rate bottom land lying along the creeks – It is tolerably well supplied with Timber – which follows the course of the streams – In the N E. quarter of section 28 there is a very fine grove of timber – oak, Elm, and Cotton-Wood –

No Settlements

A list of the names of the individuals employed to assist in running measuring and marking the lines and corners described in the foregoing Field Notes of Township number Fourteen North of the Base line of Range number Five East of the Sixth Principal Meridian showing the respective capacities in which they acted ...

Aldridge A Green	Chainman
Joseph B Reed	Chainman
William G Creighton	Axeman
George B Jones	Axeman
Edward Hepburn	Flagman
Chauncey Nottke	Compassman

Compared
By Sherrard

3 Compd

106

+ Description List
Made out

Field Notes
of the subdivision lines of
Township 15 N. Range 5 East
of
Sixth Principal Meridian
in
The Territory of Nebraska
Surveyed
by
John Y. Clopper.
U.S. Deputy Surveyor.
Under his contract No 190.
Dated Jany 12 1857.

Subdivision commenced October 4th
Completed October 6th
A.D. 1857

15-5

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the following field notes of Township No. 15. North of the base line of Range No 5 East of the Sixth Principal Meridian, showing the respective capacities in which they acted

Christian G. Stutzman,	Chainman
William A Cox	Chainman
Levi Van Auman	Chainman
Norman B. Holbrook	Chainman
Gustavus A. Hess	Axeman
Levinus M. Swift	Axeman
Augustus B. Swift	Axeman
Egbert M. Holbrook	Flagman
John Barry	Axeman
Stuart McCuman	Flagman
Bernard S Holbrook	Compassman

Township 15 N. Range 5 East

6	35	5	25	4	18	3	12	2	6	1
34		34		24		18		12		6
7	33	8	24	9	17	10	11	11	5	12
33		32		23		17		11		5
18	31	17	23	16	16	15	10	14	4	13
30		29		22		16		9		4
19	29	20	21	21	15	22	9	23	3	24
28		28		21		14		8		3
30	27	29	20	28	14	27	8	26	2	25
27		26		19		13		7		2
31	26	32	19	33	13	34	7	35	1	36

Township 15th Range 5 E. of 6th Principal Meridian

To determine the proper adjustment of my compass for subdividing this Township, I commence at the corner to Townships 14 and 15 N. Ranges 5 and 6 E. and run North on a blank line along the East boundary of 36

Variation 12°, 15' East

40,00 To a point 3 links East of quarter section corner

80,00 To a point 5 links East of corner to sections 25 and 36

To retrace this line my compass must be adjusted for variation of 12° 15' East

Subdivision commenced October 4th 1857

From the corner to Sections 1, 2, 35 and 36 on the South boundary of the Township Run North between sections 36 and 36

Variation 12° 17' East

40,00 Drove a chamfered stake, set a post in mound, as per instructions for a quarter section corner

65,20 A stream, 9 links wide. Course nearly East

80,00 Drove a chamfered stake set a post in mound, as per instructions for a corner to sections 25, 26, 35 and 36

Rolling Prairie Soil 2nd rate

Township 13 N. Range 5 E. 6th Principal Meridian

East on a random line between sections 25 and 36

Variation 11° 30'

40,00 Set a post, for a temporary quarter section corner

80,04 Intersected the East boundary of the Township 40 links South of corner to sections 25 and 36. From which corner I run West on a true line between sections 25 and 36.

Variation 11° 47' East

40,02 Drove a charred stake, set a post in mound as per instructions for a quarter section corner.

80,04 The corner to sections 25, 26, 35 and 36

Rolling Prairie Soil 2nd rate.

North between sections 25 and 26,

Variation 12° 16' East

40,00 Drove a charred stake, set a post in mound as per instructions for a quarter section corner

80,00 Drove a charred stake, set a post in mound as per instructions for a corner to sections 23, 24, 25 and 26,

Rolling Prairie Soil 2nd rate

Township 13 N. Range 5 E. 6th Principal Meridian

East, on a random line between sections 24 and 25

Variation 11° 30' East

40,00 Set a post for a temporary quarter section corner

79,80 Intersected East boundary of the Township 60 links North of the corner to sections 24 and 25. From which corner I run West on a true line between sections 24 and 25

Variation 11° 04' East

39,90 Drove a charred stake, set a post in mound, as per instructions for a quarter section corner.

79,80 The corner to sections 23, 24, 25 and 26.

Rolling Prairie Soil 2nd rate

North between sections 23 and 24

Variation 12° 38' East

40,00 Drove a charred stake, set a post in mound as per instructions for a quarter section corner

63,60 A Stream, 20 links Wide, course East

80,00 Drove a charred stake, set a post in mound as per instructions, for a corner to sections 13, 14, 23 and 24

Rolling Prairie Soil 2nd rate

Township 15 N. Range 3 E. 6th Principal Meridian

East on a random line, between 13 and 24
Variation 10° 15' East

40,00 Set a post for a temporary quarter section corner
70,10 Intersected the East boundary of the township at the corner to sections 13 and 24, from which corner I run West on a true line between sections 13 and 24
Variation 10° 15' East

40,05 Brove a charred stake, set a post in mound as per instructions for a quarter section corner,
80,10 The corner to sections 13, 14, 23 and 24
Rolling Prairie Soil 2nd rate

North between sections 13 and 14,
Variation 12° 20' East

40,00 Brove a charred stake, set a post in mound, as per instructions for a quarter section corner
80,00 Brove a charred stake set a post in mound as per instructions for a corner to sections 11, 12, 13 and 14,
Rough Prairie, Soil 3rd rate

Township 15 N. Range 3 E. 6th Principal Meridian

East on a random line between sections 12 and 13
Variation 10° 00' East

40,00 Set a post for a temporary quarter section corner
70,20 Intersected East boundary of the township at the corner to sections 12 and 13 from which corner I run West on a true line between sections 12 and 13,
Variation 10° 00' East

40,10 Brove a charred stake, set a post in mound as per instructions for a quarter section corner,
80,00 The corner to sections 11, 12, 13 and 14
Rough Prairie Soil 3rd rate

North between sections 11 and 12
Variation 12° 15' East

40,00 Brove a charred stake, set a post in mound as per instructions for a quarter section corner
80,00 Brove a charred stake, set a post in mound, as per instructions for a corner to sections ~~12, 14~~, ~~13~~ 1, 2, 11 and 12
Rolling Prairie Soil 2nd rate

Township 15 N. Range 5 E. 6th Principal Meridian

East, on a random line between sections 1 and 12

Variation 10° 00' East

40,00 Set a post for a temporary quarter section corner

53.16 A stream, 25 links, Course S. E.

80,30 Intersected the East boundary of the Township at the corner to sections 1 and 12, From which corner I run West on a true line between sections 1 and 12

Variation 10° 00' East

40,15 Drove a charred stake, set a post in mound as per instructions for a quarter section corner

80.30 The corner to sections 1, 2, 11, and 12

Rough Prairie Soil 3rd rate

14

North, on a random line between sections 1 and 2

Variation 11° 30' East

12,30 A stream, 6 links wide, Course nearly East

40,00 Set a post for a temporary quarter section corner

77,64 Intersected the North boundary of the Township at the corner to sections 1 and 2, From which corner I run ~~West~~ South on a true line between sections 1 and 2

37 4
3

6539

Township 15 N. Range 5 E. 6th Principal Meridian

37,64 Drove a charred stake, set a post in mound as per instructions for a quarter section corner.

77,64 The corner to sections 1, 2, 11 and 12.

Rough Prairie Soil 3rd rate

North, between sections 34 and 35.

Variation 12° 17' East

40,00 Drove a charred stake, set a post in mound as per instructions for a quarter section corner

80,00 Drove a charred stake, set a post in mound as per instructions, for a corner to sections 26, 27, 34 and 35

Rolling Prairie, Soil 2nd rate

East on a random line between sections 26 and 35

Variation 11° 30' East

00.50 A stream 3 links wide, Course, nearly South,

40,00 Set a post for a temporary quarter section corner

72,75 A stream, 3 links wide Course, ~~N~~ S

79,82 Intersected North and S. line ~~the East boundary of the Township~~, 4 links North of the corner to sections 25, 26, 35 and 36

707

7932

Township 15 N, Range 5 E, 6th Principal Meridian

From which corner Gun Wet on a true line between sections 26 and 35

Variation 11° 28' East

39,91 Drove a chained stake, set a post in mound as per instruction for a quarter section corner,

79,82 The corner to sections 26, 27, 34 and 35

Rolling Prairie Soil 2nd rate

North between sections 26 and 27,

Variation 12° 25' East,

6,00 A Stream, 2 links wide course, E.

40,00 Drove a chained stake, set a post in mound as per instructions for a quarter section corner

80,00 Drove a chained stake, set a post in mound as per instructions for a corner to sections 22, 23, 26 and 27

Rolling Prairie Soil 2nd rate

East on a random line between sections 23 and 26

Variation 11° 30' East

40,00 Set a post for a temporary quarter section corner

80,20 Intersected N and S line 20 links West

Township 15 N, Range 5 E 6th Principal Meridian

of the corner to sections 23, 24, 25 and 26.

From which corner Gun Wet on a true line between sections 23 and 26

Variation 11° 21' East

40,10 Drove a chained stake, set a post in mound as per instructions for a quarter section corner

80,20 The corner to sections 22, 23 26 and 27

Rolling Prairie Soil 2nd rate

North between sections 22 and 23

Variation 12° 20' East

40,00 Drove a chained stake, set a post in mound as per instructions for a quarter section corner

59,10 A Stream, 20 links wide Course East

80,00 Drove a chained stake, set a post in mound as per instructions for a quarter section corner to sections 14, 15, 22 and 23.

Rolling Prairie Soil 2nd rate

East on a random line between sections 14 and 23

Variation 11° 20' East,

Township 15 N. Range 5 E. 6th Principal Meridian

32,08	A stream, 18 links wide course S.E.
40,00	Set a post for a temporary quarter section corner
79,96	Intersected at corner to sections 13, 14, 23 and 24,
1788	From which corner I run West on a true line between sections 14 and 23.
	Variation 11° 20' East
39,98	Dove a charred stake, set a post in mound as per instructions for a quarter section corner.
79,96	The corner to sections 14, 15, 22 and 23
	Rolling Prairie Soil 2nd rate

North between sections 14 and 15

Variation 12° 25' East

23,20	Stream, 18 links wide, course E.
40,00	Dove a charred stake, set a post in mound as per instructions for a quarter section corner
43,50	A Stream, 4 links wide, course South East
80,00	Dove a charred stake set a post in mound as per instructions for a quarter section corner, to sections 10, 11, 14 and 15

Township 15 N. Range 5 E 6th Principal Meridian

Rolling Prairie Soil 2nd rate

East, on a random line between sections 11 and 14

Variation 11° 15'

40,00	Set a post for a temporary quarter section corner
71,76	A stream 10 links wide, Course South,
80,20	Intersected at corner to sections 11, 12, 13 and 14
844	From which corner I run West on a true line between sections 11 and 14,
	Variation 11° 15' East
40,10	Dove a charred set a post in mound as per instruction for a quarter section corner.
80,20	The corner to sections 10, 11, 14, and 15,
	Rough Prairie Soil 3rd rate

North between sections 10 and 11

Variation 12°, 15 East

40,00	Dove a charred stake, set a post in mound as per instruction for a quarter section corner
80,00	Dove a charred stake, set post in mound as per instructions for a corner to sections 2, 3, 10 and 11

Township 15 N. Range 5 E. 6th Principal Meridian

Rolling Prairie Soil 2nd rate

East, on a random line between sections 2 and 11
Variation 11° 15'. East

40,00 Set a post for a temporary quarter section corner
80,20 Intersected N and S. line 18 links North of the corner to sections 1, 2, 11 and 12, From which corner I run West on a true line between sections 2 and 11.
Variation 11° 07' East
40,10 Drove a charred stake, set a post in mound as per instructions for a quarter section corner
80,20 The corner to sections 2, 3, 10 and 11

North on a random line between sections 2 and 3
Variation 11° 00' East
40,00 Set a post for a temporary quarter section corner
77,26 Intersected North boundary of the township 68 links West of the corner to sections 2 and 3, From which corner I run South on a true line between sections 2 and 3

Township 15 N. Range 5 E. 6th Principal Meridian

Variation 10° 31' East
37,26 Drove a charred stake, set a post in mound as per instructions for a quarter section corner
77,26 The corner to sections 2, 3, 10 and 11
Rolling Prairie Soil 3rd rate
October 6th. 1857

North between sections 33 and 34,
Variation 12° 26'. East
20,15 A stream, 5 links wide, Course S.E.
40,00 Drove a charred stake, set a post in mound as per instructions, for a quarter section corner
80,00 Drove a charred stake, set a post in mound as per instructions for a corner to sections 27, 28, 33 and 34
Rolling Prairie Soil, good, 2nd rate

East on a random line between sections 27 and 34
Variation 12° 30' East
40,00 Set a post for a temporary quarter section corner
42,00 A stream 3 links wide, Course N.E.
78,10 Intersected N and S. line 56 links South of the corner

Township 15 N Range 5 E 6th Principal Meridian

26, 27, 34 and 35, from which corner I run West on a true line between sections 27 and 34.

Variation 12° 54' East

40,05 Drove a chained stake set a post in mound, as per instructions for a quarter section corner

80,10 The corner to sections 27, 28, 33 and 34

Rolling Prairie, Soil 2nd rate.

North between sections 27 and 28 -

Variation 12° 15' East

40,00 Set a stone 20 inches long, 13 inches and 4 inches thick for a quarter section corner

50,20 A stream 5 links wide, Course N. W.

70,75 The same stream, 5 links wide Course N. E.

80,00 Drove a chained stake, set a post in mound as per instructions for a corner to sections 21, 22, 27 and 28

Rolling Prairie, Soil 2nd rate

East on a random line between sections 22 and 27

Variation 12° 30' East

39,00 A stream 5 links wide course N.

Township 15 N. Range 5 E. 6th Principal Meridian

40,00 Set a post for a temporary quarter section corner

80,24 Intersected N. and S. line 60 links North of the corner to sections 22, 23, 26 and 27, from which corner I run West on a true line between sections 22 and 27

Variation 12° 04' East

40,12 Drove a chained stake set a post in mound as per instructions for a quarter section corner.

80,24 The corner to sections 21, 22, 27 and 28

Rolling Prairie Soil 2nd rate

North between sections 21 and 22,

Variation 12° 15' East

28,75 A stream 10 links wide course N. E.

30,56 Stream 5 links wide course N. E.

40,00 Drove a chained stake set a post in mound as per instructions for a quarter section corner.

76,00 Stream 5 links wide course N. E.

80,00 Drove a chained stake, set a post in mound as per instructions for a corner to sections 15, 16, 21 and 22,

Rolling Prairie, Narrow bottomed Stream, Soil good 2nd rate

Township 15 N. Range 5 E. 6th Principal Meridian

East on a random line between sections 15 and 22.
Variation 12°00' East.

40,00 Set a post for a temporary quarter section corner
72,82 Intersected N. and S. line 78 links North of the corner to sections 14, 15, 22 and 23. From which corner 9 mn. West on a true line between sections 15 and 22.

Variation 11°27' East

39,96 Dove a chaned stake, set a post in mound as per instruction for a quarter section corner
79,82 Corner to sections 15, 16, 21 and 22.
Rolling Prairie, Soil 2nd rate

North on line between sections 15 and 16
Variation 12°40' East

6,75 A stream, 5 links wide course E.
40,00 Dove a chaned stake, set a post in mound as per instruction for a quarter section corner
80,00 Dove a chaned stake, set a post in mound as per instructions for a corner to sections 9, 10, 15 and 16
Rolling Prairie Sandy Soil 2nd rate

Township 15 N. Range 5 E. 6th Principal Meridian

East on a random line between sections 10 and 15.
Variation 11°30' East

40,00 Set a post for a temporary quarter section corner
54,75 A stream 25 links wide, Course S., E.
71,50 Stream 3 links wide Course S.
80,10 Intersected N. and S. line 14 links South of the corner to sections 10, 11, 14 and 15 From which corner 9 mn. 9 mn West on a true line between sections 10 and 15
Variation 11°36' East

40,05 Dove a chaned stake set a post in mound as per instructions for a quarter section corner
80,10 The corner to sections 9, 10, 15 and 16.
Rolling Prairie soil 2nd rate

North between 9 and 10.
Variation 12°05' East

34,10 Stream, 5 links wide course E.
40,00 Dove a chaned stake set a post in mound as per instructions for ~~a temporary~~ a quarter section corner

Township 15 N. Range 5 E. 6th Principal Meridian

+	80,00	Brass capped stake, set a post in mound as per instructions for a corner to sections 3, 4, 9, and 10. Rolling Prairie Soil 2nd rate
		East on a random line between sections 3 and 10 Variation 11° 00' East
	40,00	Set a post for a temporary quarter section corner
X	80,20	Intersected at corner to sections 2, 3, 10 and 11, from which corner I run North on a true line between section 3 and 10. Variation 11° 00' East
	40,10	Brass capped stake set a post in mound as per instructions for a ~~corner to~~ temporary quarter section corner
	80,20	The corner to sections 3, 4, 9 and 10 Rolling Prairie Soil 2nd rate
		North on a random line between section 3 and 4 Variation 10° 45' East
	40,00	Set a post for a temporary quarter section corner

Township 15 N. Range 5 E. 6th Principal Meridian

X	61,50	A stream, 10 links wide, Course, E.
	76,80	Intersected North boundary of the Township 30 links West of the corner to sections 3 and 4, from which corner I run West on a true line between section 3 and 4, Variation 10° 32' East
	36,80	Brass capped stake set a post in mound as per instruction for a quarter section corner
	76,80	The corner to sections 3, 4, 9 and 10 Rolling Prairie, Soil 2nd rate
		North between section 32 and 33 Variation 12°, 15' East
	40,00	Brass capped stake set a post in mound as per instructions for a quarter section corner
	80,00	Brass capped stake, set a post in mound as per instructions for a ~~quarter~~ corner to sections 28, 29, 32 and 33 Rolling Prairie Soil 2nd rate
		East on a random line between sections 28 and 33

Township 13 N. Range 5, E. 6th Principal Meridian

Variation 11° 30' East

+ 60,00 Set a post for a temporary quarter section corner

80,00 Intersection at corner to sections 27, 28, 33 and 34

From which corner I run North on a true line between sections 28 and 33,

Variation 11° 30 East

41,00 Drove a chained stake, set a post in mound as per instruction for a quarter section corner

80,00 The corner to sections 28, 29, 32 and 33

Rolling Prairie Soil 2nd rate

X North, between sections 28 and 29

Variation 12° 15' East

39,60 A Stream 10 links wide, Course North East

40,00 Drove a chained stake, set a post in mound, as per instruction for a quarter section corner

60,20 A Stream 10 links wide course E.

63,70 A Stream 10 links wide course E.

80,00 Drove a chained stake set a post in mound as per instruction for a corner to sections 20, 21, 28, and 29,

Township 13 N. Range 5 East 6th Principal Meridian

Rolling Prairie Soil 2nd rate

East, on a random line between sections 21 and 28.

Variation 12° 00' East

8,38 A Stream, 15 links wide Course, N. E.

40,00 Set a post for a temporary quarter section corner

79,80 Intersection N. and S. line 80 ~~Chains~~ links South of the corner to sections 21, 22, 27, and 28.

From which corner I run West, on a true line between sections 21 and 28.

Variation 12° 34' East

39,90 Drove a chained stake, set a post in mound as per instruction for a quarter section corner

79,80 The corner to sections 20, 21, 28, 29,

Rolling Prairie Soil 2nd rate,

North between sections 20 and 21.

Variation 12° 40 East,

8,90 Stream 15 links wide Course, E.

40,00 Drove a chained stake set a post in mound as

+ per + instruction for a quarter section corner

Township 15 N. Range 5 E. 6th Principal Meridian

42.10	Stream 10 links wide, Course, East
80.00	Drove a charred stake set a post in mound as per instructions for a corner to sections 16, 17, 20 and 21
	Roughland, soil 3rd rate, Scattering Timber on both sides of the line, consisting of oak and cottonwood
	East on a random line between ~~16 &~~ sections 16 and 21,
	Variation 12°30' East
40.00	Set a post for a temporary quarter section corner
78.10	A Stream 3 links wide, Course N. E.
79.80	Intersected N and S. line 30 links South of the corner to sections 15, 16, 21 and 22, From which corner 9 mn
	West on a true line between sections 16 and 21
	Variation 12° 43' East
39.90	Drove a charred stake, set a post in mound as per instructions for a quarter section corner
79.80	The corner to sections 16, 17, 20 and 21,
	Rolling Prairie Soil 2nd rate

Township 15 N. Range 5 E. 6th Principal Meridian

	North between sections 16 and 17,
	Variation 12°40' East
40.00	Drove a charred stake set a post in mound, as per instructions, for a quarter section corner
41.80	A Stream 4 links wide, Course East
70.30	A Stream 12 links wide Course East
80.00	Drove a charred stake, set a post in mound as per instructions for a corner 8, 9, 16 and 17,
	Rolling Prairie Soil 2nd rate
	East, on a random line between sections 9 and 16
	Variation 12°30' East
40.00	Set a post for a temporary quarter section corner
79.80	Intersected N and S. line 40 links North of the corner to sections 9, 10, 15, and 16
	From which corner 9 mn
	West on a true line between sections 9 and 16
	Variation 12°13' East
39.90	Drove a charred stake, set a post in mound as per instructions for a quarter section corner
79.80	The corner to sections 8, 9, 16 and 17,

Township 15 N. Range 5 E. 6th Principal Meridian

Rolling Prairie Soil 2nd rate

North between sections 8 and 9
Variation 12° 15' East

40,00 Set a post for a temporary quarter section corner
80,00

40,00 Drove a chaned stake set a post in mound as per instructions for a quarter section corner

80,00 Drove a chaned stake set a post in mound as per instructions for a corner to sections 4, 5, 8, and 9,

Rolling Prairie Soil 2nd rate

omit this mile

East on a random line between sections 4 and 9
Variation 12° 00' East

40,00 Set a post for a temporary quarter section corner

79,40 Intersected at corner to sections 3, 4, 9 and 10

From which corner 9 mn

West on a true line between sections 4 and 9
Variation 12° 00' East

39,70 Set a stone 12 inches 12 inches wide and 10

Township 15 N. Range 5 E. 6th Principal Meridian

inches thick for a quarter section corner,

79,40 The corner to sections 4, 5, 8 and 9.

Rolling Prairie Soil 2nd rate

North on a random line between sections 4 and 5
Variation 11° 00' East

32,20 A Stream 6 links wide Course E.

40,00 Set a post for a temporary quarter section corner,

76,20 Intersected North boundary of the Township 8 links West of the corner to sections 4 and 5, From which corner 9 mn

South on a true line between sections 4 and 5
Variation 10° 57' East

36,20 Drove a chaned stake set a post in mound as per instructions for a quarter section corner

76,20 Corner to sections 4, 5, 8, and 9.

Rolling Prairie Soil 2nd rate

October 5th 1857

Township 13 N. Range 5 E. 6th Principal Meridian

North between section 31 and 32
Variation 12° 20' East

40,00 Drove a chared stake, set a post in mound as per instructions for a quarter section corner

80,00 Drove a chared stake, set a post in mound as per instructions for a corner to sections 29, 30, 31 and 32

Rolling Prairie, soil 2nd rate

East, on a random line between sections 29 and 32
Variation 11° 30' East

40,00 Set a post for a temporary quarter section corner

80,00 Intersected at corner to sections 28, 29, 32 and 33

From which corner I run

West on a true line, between sections 29 and 32
Variation 11° 30' East,

40,00 Drove a chared stake, set a post in mound as per instructions for a quarter section corner,

80,00 The corner to sections 29, 30, 31 and 32

Rolling Prairie, Soil 2nd rate

Township 13 N. Range 5 E. 6th Principal Meridian

West, on a random line between sections 30 and 31
Variation 12° 45' East

40,00 Set a post ~~in mound~~ ~~as per instructions~~ for a temporary quarter section corner,

79,64 Intersected West Boundary of the Township 40 links North of the corner to sections 30 and 31

From which corner I run

East on a true line between sections 30 and 31
Variation 13°, 02' East

39,64 Set a stone, 10 inches, long, 9 inches wide and 7 inches thick for a quarter section corner,

79,64 The corner to sections 29, 30, 31 and 32,

Rolling Prairie Soil 2nd rate

North between sections 29 and 30
Variation 12° 10' East

40,00 Drove a chared stake, set a post in mound as per instructions for a quarter section corner

80,00 Drove a chared stake, set a post in mound, as per instructions for a corner to sections 19, 20, 29 and 30

Rolling Prairie Soil 2nd rate

East on a random line between sections 20 and 29
Variation 11° 00' East

18,30 A Stream 6 links wide, Course S. E.
40,00 Set a post for a temporary quarter section corner
60,40 The same stream, 6 links wide Course S. E.
79,76 Intersected the N and S. line 60 links North of the corner to sections 20, 21, 28 and 29
From which corner I run
West on a true line between sections 20 and 29
Variation 10° 33' East
39,88 Set a stone 18 inches long, 10 inches wide, and 8 inches thick for a quarter section corner
79,76 The corner to sections 19, 20, 29, and 30
Rolling Prairie Soil 2nd rate

West on a random line between sections 19 and 30.
Variation 13° 15' East
40,00 Set a post for a temporary quarter section corner
78,60 Intersected West boundary of the Township 14

links North of the corner to sections 19 and 30
From which corner I run, East on a true line between sections 19 and 30
Variation 13° 21' East
38,60 Drove a charred stake, set post in mound as per instructions for a quarter section corner
78,60 The corner to sections 19, 20, 29 and 30.
Rolling Prairie Soil 2nd rate

X North between sections 19 and 20
Variation 12° 50' East
40,00 Drove a charred stake, set a post in mound as per instructions for a quarter section corner
80,00 Drove a charred stake, set a post in mound as per instructions for a corner 17, 18, 19 and 20
Rolling Prairie Soil 2nd rate

East on a random line between sections 17 and 20
Variation 10° 30' East
40,00 Set a post for a temporary quarter section corner
79,80
51,20 A Stream 8 links wide Course S. E.

Township 15 N. Range 5 E. 6th Principal Meridian

79.90	Intersected at corner to sections 16, 17, 20, and 21
39.95	Drove a chained stake, set a post in mound as per instruct. From which corner I run
	West on a true line between sections 17 and 20
	Variation 18.30' East
39.95	Drove a chained stake, set a post in mound as per instruction for a quarter section corner
79.90	The corner to sections 17, 18, 19 and 20
	Rolling Prairie Soil 2nd rate

	West on a random line between sections 18 and 19
	Variation 13°20' East
40.00	Set a post for a temporary quarter section corner
78.08	Intersected West boundary of the Township 14 links North of the corner to sections 18 and 19
	From which corner I run
	East on a true line between sections 18 and 19
	Variation 13°26' East
38.08	Drove a chained stake, set a post in mound as per instructions for a quarter section corner
78.08	The corner to sections 17, 18, 19 and 20

Township 15 N. Range 5 E. 6th Principal Meridian

	Rolling Prairie Soil 2nd rate

	North between sections 17 and 18
	Variation 12°50' East
40.00	Drove a chained stake, set a post in mound, as per instruction for a quarter section corner
61.18	A Stream 18 links Wide Course East
80.00	~~Drove a chained stake, set a post in mound, as per instruction for a corner to sections 7, 8, 17 and 18,~~
	~~Rolling Prairie Soil 2nd rate~~

	~~East on a random line between sections 8 and 17~~
	~~Variation 18°30' East~~

80.00	Set a post for corner to sections 7, 8, 17 and 18
	From which a Bur Oak 6 in. dia. bears
	S 80° 30' E. dist 87 links
	Red Elm, 9 inches in dia, bears North,
	34°, 30' E. 70 links dist.
	A White Ash, 7 in. dia, bears N. 26 30'
	W. 71 links dist
	A Bur Oak, 8 in. dia, bears S. 31 W.
	80 links dist.

Township 13 N. Range 5 E. 6th Principal Meridian

Rolling land Soil 3rd rate
Some timber in both sections
consisting of scattering Oak, Cottonwood & Elm

East on a random line between sections 8 and 17
Variation 10° 30' East

38.20 Enter timber, Course N. E. and S. W.
40.00 Set a post for a temporary quarter section corner
41.62 A Stream 10 links wide Course S
67.40 Leave timber, Course N and S.
79.80 Intersected N and S line 8 links North of the corner to sections 8, 9, 16 and 17, From which corner I run
West on a true line between sections 8 and 17
Variation 10° 27' East
39.90 Set a post for a quarter section corner From which, A Bur Oak 18 in. dia. bears N. 15° E. 60 links dist
A Bur Oak 10 in. dia. S. 20° W. 112 dist
79.80 To corner to sections 7, 8, 17, and 18.
Bottom land Soil 1st rate
Timber

Township 13 N. Range 5 E. 6th Principal Meridian

West on a random line between sections 7 and 18.
Variation 13° 30' East
40.00 Set a post for a temporary quarter section corner
61.25 A Stream 10 links wide Course S
77.10 Intersected West boundary of the township 20 links North of the corner to sections 7 and 18, From which corner I run
West on a true line between sections 7 and 18
Variation 13° 39' East
37.10 Drove a charred stake, set a post in mound as per instructions for a quarter section corner
77.10 Corner to sections 7, 8, 17 and 18
Rolling Prairie Soil 2nd rate

North between sections 7 and 8.
Variation 12° 30' East
40.00 Drove a charred stake, set a post in mound as per instructions for a quarter section corner
80.00 Drove a charred stake, set a post in mound as per instructions for a corner to sections 5, 6, 7 and 8
Rolling Prairie Soil 3rd rate.

Township 15 N. Range 5 E. 6th Principal Meridian

Opposite the mile	East, on a random line between sections 5 and 8,
	Variation 10° 15' East
40,00	Set a post for a temporary quarter section corner
79,60	Intersected N and S. line 30 links North of the corner to sections 4, 5, 8 and 9. From which corner I run
	West on a true line between sections 5 and 8
	Variation 10° 02' East
39,80	Drove a charred stake, set a post in mound as per instructions for a quarter section corner
79,60	The corner to sections 5, 6, 7 and 8,
	Rolling Prairie Loif 3rd rat

Opposite the mile	West, on a random line between sections 6 and 7,
	Variation 13° 40' East
40,00	Set a post for a temporary quarter section corner,
75,85	Intersected West boundary of township 22 links North of the corner to sections 6 and 7. From which corner I run
	East on a true line between sections 6 and 7
	Variation 13° 49' East

Township 15 N. Range 5 E. 6th Principal Meridian

35,85	Drove a charred stake, set a post in mound as per instructions for a quarter section corner
75,85	The corner to sections 5, 6, 7, and 8
	Rolling Prairie Loif 2nd rat

Opposite the mile	North, on a random line between sections 5 and 6
	Variation 10° 30' East
23,00	A Stream 3 links wide Course E.
40,00	Set a post for a temporary quarter section corner
62,25	A Stream, 4 links wide Course E.
75,18	Intersected North boundary of the Township 20 links West of the corner to sections 5 and 6. From which corner I run
	South on a true line between sections 5 and 6
	Variation 10° 21' East
35,18	Drove a charred stake, set a post in mound as per instructions for a quarter section corner
75,18	Corner to sections 5, 6, 7 and 8.
	Rolling Prairie Loif 2nd rat
	October 6th 1857

Township 15 N. Range 5 E. 6th Principal Meridian

General Description.

This Township is generally good, being well watered with small streams which possess narrow bottom of rich land, which renders it well adapted for cultivation and stockraising. The Streams are well timbered with Oak, Cottonwood and Elm. The Uplands are Rolling.

Soil 2nd rate

No Settlements

A list of the names of the individuals employed to assist in running measuring or marking the lines and corners described in the foregoing field notes of Township No. 15. North of the base line of Range No. 5. East of the Sixth Principal meridian, showing the respective capacities in which they acted.

Christian G. Stutzman Chainman
William A Coy Chainman
Levi Van Amum Chainman
Norman B. Holbrook Chainman
Gustavus A. Hess Axeman
Levinus M. Swift Axeman
Augustus B Swift Axeman
John Barry Axeman
Egleton W. Holbrook Flagman
Sterrit M Curran Flagman
Bernard D. Holbrook Compassman

as the streams are well timbered with Oak Elm & Cottonwood the entering & leaving should be noted —
The errors noted on Ranges 3 & 4 are applicable to this Range.

Exd Nov 17th 1859.

Vanzandt —
Exr —

4

Copied H. W. Ramsden
Comp. I & C.R.R.

Field Notes
of the
Survey of the Subdivision
Lines of Township 16 North
Range 5 East of the Sixth
Principal Meridian in
the Territory of Nebraska
executed by
Henry Gaines D.S.
Under instructions of
the Surveyor General of
Kansas an Nebraska dated
February 12th 1859

Survey Commenced April 22d 1859
" Completed " 27th 1859

Ex. No 1.

Names and duties of Assistants

Henry C Hall, Chainman
Addis Jones Chainman
William Cruise Flagman
William Silvernail Axeman
Henry C F Hackbusch Compassman

Township 16 North Range 5 East 6th P. M.



Field Notes of the Subdivision Lines of Township 16 N, Range V E. of VI th Principal Meridian

To determine the proper adjustment of my compass for subdividing this Township, I commenced at the corner to Townships 15 & 16 N. Ranges 5 & 6 E and run

North on a blank line along east boundary of section 36

Var 11°40' E

39.98 To a point 8 lks East of quarter sec corner

80.07 To a point 12 lks East of the corner to Secs 25 & 36

To retrace this line on

run parallel thereto my com-
pass must be adjusted to
a

Variation of 11° 45' E

Subdivision commenced
April 2nd 1859

From the corners to Secs 1, 2
35 & 36 on South bound-
ary of Township I run
North between Secs 35 & 36
Variation 11° 45' E

4.50 A Brook 10 lks wide runs S 80°
40.00 Drove charred stake set
post raised mound with
trench and pits as per instruc-
tions for quarter Sec Corner
52.00 A Brook 8 lks wide runs S.E.
67.60 A Brook 4 lks wide runs S.W.

80.00 Drove charred stake, set post
raised mound, with trench
and pits as per instruc-
tions for corners to Secs
25, 26, 35 & 36
Land rolling Soil 2nd Rate

East on a random line
between Secs. 25 & 36
Variation 11° 30' E

20.20 A Brook 4 lks wide runs S.W.
40.00 Set post for temporary 1/4 Sec Corner
80.08 Intersected East boundary of
Township 3 lks North of Cor-
ner to Secs 25 & 36. from
which corner I run
West on a true line
between Secs 25 & 36
Variation 11° 29' E

40.04 Drove charred stake Set post

Township 16 N. Range 5 E. 6th P.M.

raised mound with trench
and pits as per instruc-
tions for quarter Sec Corner
80.08 Corner to Secs 25.26.35&36
Land rolling Soil 2nd rate
A few trees along stream

North between Secs 25 & 26
Variation 11°30' E.
40.00 Drove charred Stake Set post
raised mound with pits and
trench, as per instructions
for quarter Section Corner
80.00 Drove Charred Stake Set post
with trench and pits as
per instructions for
Corner to Secs 23 24 25 & 26
Land rolling. Soil 2nd rate

East on a random line be-
tween Secs 24 & 25
Variation 11°30' E

Township 16 N. Range 5 E. 6th P.M.

40.00 Set post for temporary quarter Sec Corner
75.90 A Brook 6 lks wide runs S.E.
80.06 Intersected East boundary
of Township 7 lks North of
Corner to Secs 24 & 25
from which corner I run
West on a true line between
Secs 24 & 25
Variation 11.24 E
40.03 Drove Charred Stake Set post
raised mound with trench
and pits as per instructions
for quarter Section Corner
80.06 Corner to Secs 23.24.25&26
Land rolling Soil 2nd rate

North between Secs 23 and 24
Variation 11°30' E
40.00 Drove charred Stake Set post
raised mound with trench

Township 16 N. Range 5 E. 6th P.M.

and pits as per instructions
for quarter Sec corner
72.00 A Brook 2 lks wide runs N 13° W
80.00 Drove charred Stake Set post
raised mound with trench
and pits as per instructions
for corner to Sec's 13, 14 23 &
Land rolling Soil Mid rate

East on a random line between
Secs 13 & 24

Variation 11° 30' E

19.40 A Brook 2 lks wide runs N.
36.00 A Brook 2 lks wide runs N.
40.00 Set post for temporary quarter Sec corner
79.92 Intersected East boundary of Town
Ship 15 lks North of Corner to
Secs 13 & 24 from which corner
Drum
West on a true line between
Secs 13 & 24.

Township 16 N. Range 5 E. 6th P.M.

Variation 11° 23' E

39.96 Drove charred Stake Set post
raised mound with trench
and pits as per instructions
for quarter Section Corner
79.92 Corner to Secs 13, 14 23 & 24
Land rolling Soil Mid rate

North between Secs 13 & 14

Variation 11° 30' E

13.07 A Brook 2 lks wide runs N.E.
14.50 Same Brook 3 lks wide runs N.W.
19.50 Same Brook 5 lks wide runs N.30°E.
40.00 Drove charred Stake Set post
raised mound with trench
and pits as per instructions for quarter Sec corner
80.00 Drove charred Stake Set post
raised mound with trench
and pits as per instructions for
corner to Secs 11, 12, 13 & 14

Township 16 N. Range 5 E. 6th P.M.

Land rolling soil and rate

East on random line between Secs 12 & 18.

Variation 11° 30' E

15.50 A Brook 3 lks wide runs N.E

40.00 Set post for temporary quarter Sec Corner

71.55 A Brook 3 lks wide runs N

79.90 Intersected East boundary of Township 17 lks North of Corner to Sections 12 & 18. from which corner I run

West on a true line between Secs 12 & 18

Variation 11° 28' E

39.95 Drove charred stake Set post raised mound with trench and pits as per instructions for quarter Sec corner

79.90 Corner to Secs 11, 12, 13 & 14

Land rolling Soil 2nd rate

Township 16 N. Range 5 E. 6th P.M.

North between Secs 11 & 12

Variation 11° 30' E

12.45 A Brook 10 lks wide runs East-

40.00 Drove charred stake Set post raised mound with trench and pits as per instructions for quarter Section corner

80.00 Drove charred stake Set post raised mound with trench and pits as per instructions for corner to Secs 1, 2 11 & 12

Land rolling Soil 2nd rate

East on random line between Secs 1 & 12 variation 11.30 E.

40.00 Set post for temporary 1/4 sec Corner

79.98 Intersected East boundary of Township 12 lks North of Corner to Secs 1 & 12 from wch Corner I run

over

Township 16 N. Range 5 E. 6th P. M.

West on a true line between Secs 1 & 12

Variation 11.25 E.

39.98 Drove charred stake Set post raised mound with pits and trench as per instructions for quarter Section corner

79.98 Corner Secs 1.2.11. & 12 -

Land rolling Soil 2nd rate

North on a true line between Secs 1 & 2

Variation 11°30' E.

40.00 Drove charred Stake Set post raised mound with trench and pits as per instructions for 1/4 Sec corner

62.80 A Drain bears N.E.

63.90 A Brook 6 lks wide runs East

72.80 A Drain bears S.E.

77.00 Intersected 4th Standard Parallel

2/79.98
39.99

Township 16 N Range 5 E 6th P.M.

10 chs 81 lks west of Standard corner to Secs 35.36

Here I drove charred stake set post raised mound with trench and pits as per instructions for closing corner to Secs 1 and 2

Land rolling Soil 2nd rate

North between Secs 34 & 35

Var 11°45' E

3165 A Brook 8 lks wide runs N.E.

4000 Drove charred Stake Set post raised mound with trench and pits as per instructions for 1/4 Sec corner

5060 A Brook 6 lks wide runs East (A few trees along bank of stream)

80.00 Drove charred Stake Set post raised mound with trench and pits as per instruc-

tions for corners to Secs
26 27 34 & 35
Land rolling Soil Ind rate

East on a random line
between Secs 26 & 35
Variation 11° 30' E
40.00 Set post for temporary 1/4 Sec Corner
56.30 A Brook 3 lks wide runs S.E.
79.88 Intersected N. & S. line 20 lks
north of corner to Secs 25. 26
35 & 36. from which corner I run
West on a true line
between Secs 26 & 35
Variation 11° 30' E
39.94 Drove charred Stake Set post
raised Mound with bench
and pits as per instructions
for corner for quarter Sec
79.88 Corner to Sections 26 27 34 & 35
Land rolling Soil Ind rate

North between Secs 26 & 27
Variation 11.45° E
40.00 Drove charred Stake Set post
raised mound with bench
and pits as per instructions
for 1/4 Sec corners
66.20 A Brook 8 lks wide runs East
80.00 Drove charred Stake Set post
raised mound with pits
and bench as per
instructions for corner
to Secs 22 23 26 & 27
Land rolling Soil Ind rate

East on a random line be-
tween Secs 23 & 26
Variation 11° 30' E
40.00 Set post for temporary 1/4 Sec Corner
79.88 Intersected N. & S. line 15 lks South
of corner to Secs 23. 24. 25 & 26
from which corner I run —

Township 16 N. Range 5 E. 6th P.M.

West on a true line between Secs 23 & 26

Variation 11°30' E

39.94 Drove charred stake set post raised mound with trench and pits as per instructions for 1/4 Sec Corner

79.88 Corner to Secs 22, 23, 26 & 27

Land rolling, Soil 2nd rate

North between Secs 22 & 23

Variation 12° E

40.00 Drove charred stake set post raised mound with trench and pits as per instructions for 1/4 Sec corner

80.00 Drove charred stake set post raised mounds with trench and pits as per instructions for corner to Secs 14 & 15 - 22 & 23

Land rolling. Soil 2nd rate

Township 16 N. Range 5 E. 6th P.M.

East on random line between Secs 14 & 23

Variation 11°30' E

19.40 A Brook 2 lks wide runs North

36.00 A Brook 2 lks wide runs North

40.00 Set post for temporary 1/4 Sec Corner

78.00 A Brook 2 lks wide runs North

79.92 Intersected N & S line 10 lks N of Corner to Sections 13, 14, 23 & 24 from which corner I run

West on a true line between Secs 14 & 23 Variation 11.26 E

39.96 Drove charred stake set post raised mound with trench and pits as per instructions for 1/4 Sec corner

79.92 Corner to Secs 14 & 15 - 22 & 23

Land rolling Soil 2nd rate

North between Secs 14 & 15

Variation 12° E

Township 16 N. Range 5 E. 6th P.M.

22.75 A Brook 3 lks wide runs East
40.00 Drove charred stake Set post
raised mound with pits
and trench as per in
structions for 1/4 Sec Corner
8.00 Drove charred stake Set post
raised Mound with trench
and pits as per instruc
tions for corner to Secs 10.
11 14 & 15
Land rolling Soil Ind rate

— —

East on a random line
between Secs 11 & 14
Variation 11° 30' E
40.00 Set post for temporary 1/4 Sec Corner
79.98 Enter selected N & S line 12 lks North
of corner to Secs 11 12 13 & 14
From which corner I run
West on a true line

Township 16 N. Range 5 E. 6th P.M.

between Secs 11 & 14
Variation 11° 23' E
39.99 Drove charred stake Set post
raised mounds with trench
and pits as per instructions
for 1/4 Sec Corner
79.98 corner to Sections 10 11 14 & 15
Land rolling Soil Ind rate

— —

North between Secs 10 & 11
Variation 12° E
40.00 Drove charred stake Set post
raised mound with trench
and pits as per instructions
for 1/4 Sec corner
64.00 A Brook 10 lks wide runs E.
80.00 Drove charred stake Set post
raised mound with trench
and pits as per instructions
for corner to Secs 2, 3, 10 and 11 —

Township 16 N. Range 5 E 6th P.M.

Land rolling Soil 2nd rate

East on a random line between Secs 2 & 11
Variation 11° 30' E
1,90 A Brook 5 lks wide runs South
40,00 Set post for temporary 1/4 Sec corner
38,02 Intersected N & S line 18 lks South of corner to Sections 1. 2. 11 & 12. from which corner I run
West on a true line between Secs 2 and 11
Variation 11° 38' E
40,00 Drove charred stake set post raised mound with pits and trench as per instructions for corner to 1/4 Sec
38,02 Cor to Secs 2. 3. 10. and 11
Land rolling soil 2nd rate

Township 16 N. Range 5 E. 6th P.M.

North on a true line between Secs 2 & 3
Variation 12° E
40,00 Drove a charred stake set post raised mound with trench and pits as per instructions for 1/4 Sec corner
77,06 Intersected 40th Standard Parallel 10 chs 86 lks west of Standard corner to Secs 34 and 35. Here I drove a charred stake set post raised mound with pits and trench as per instructions for closing corner to Secs 2 and 3
Land rolling soil 2nd rate

Township 16 N. Range 5 E 6 P.M.

North between Secs 33 & 34
Variation 12° E

40.00 Drove charred stake set post raised mound with trench and pits as per instructions for quarter sec corner

58.30 A Brook 8 lks wide runs E

80.00 Drove charred stake set post raised mound with trench and pits as per instructions for corner 27 28 33 & 34
Land rolling soil 2nd rate

East on a random line between Secs 27 & 34
Variation 11° 30' E

40.00 Set post for temporary quarter sec corner

55.95 A Brook 3 lks wide runs SE

80.12 Intersected N & S line at corner to Secs 26 27 34 & 35 from which

Township 16 N Range 5 E, 6th P.M.

corner I run
West on a true line between Sections 27 & 34
Variation 11°30' E

40.06 Drove charred stake set post raised mound with pits and trench as per instructions for quarter sec corner

80.12 Corner to Secs 27 28 33 & 34
Land rolling soil 2nd rate

North between Secs 27 & 28
Variation 12° E

40.00 Drove charred stake & set post raised mound with trench and pits per instructions for quarter sec corner

80.00 Drove charred stake set post raised mound with trench and pits per instructions

Township 16 N Range 5 E 6th P.M.

for corner to Secs 21, 22 27 & 28
Land rolling Soil 2nd rate

East on a random line betwn
Secs 22 & 27
Variation 11° 30' E

40,00 Set post for temporary quarter Sec corner
56,45 A Brook 8 lks wide runs S.E.
65,75 A Brook 2 lks wide runs S 25 E
80,06 Intersected N & S line 30 lks South
of corner to Secs 22, 23, 26 & 27
from which corner I run
West on a true line betwn
Secs 22 & 27
Variation 11° 45' E
40,03 Drove charred stake set post
raised mound with trench
and pits as per instructions
for quarter Sec corner
80,06 Corner to Sections 21 22 27 & 28

Township 16 N Range 5 E 6th P.M.

Land rolling soil 2nd rate

North between Secs 21 & 22
Variation 12° E
24,70 A Brook 6 lks wide runs N.E.
A few scattering trees along bank
35,10 A Brook 2 lks wide runs S.E.
40,00 Drove charred stake set post raised
mound with trench and pits as per
instructions for quarter sec corner
80,00 Drove charred stake set post raised mound
with trench and pits as per instructions for
corner to Secs 15, 16 21 & 22
Land rolling soil 2nd rate

East on a random line between Secs 15 & 22
Variation 11° 30' E.
40,00 Set post for temporary quarter Sec corner
79,84 Intersected N & S line 55 lks S. of Corner to Secs
14, 15 22 & 23 from which corner I run

Township 16 N. Range 5 E. 6th P.M.

West on a true line between Secs 15 & 22
Variation 11° 54' E

39.92 Drove charred stake set post raised mound with pits and trench as per instructions for quarter Sec Corner

79.84 Corner to Secs 15-16 21 & 22
Land rolling soil 2nd rate

— " — " —

North between Secs 15 & 16
Variation 12° E.

40.00 Drove charred stake set post raised mound with trench and pits as per instructions for quarter Sec Corner

80.00 Drove charred stake set post raised mound with trench and pits as per instructions for Corner to Secs 9, 10, 15 & 16
Land rolling soil 2nd rate

— — —

East on a random line between Secs 10 & 15
Variation 11° 30' E

Township 16 N Range 5 E. 6th P.M.

40.00 Set post for temporary quarter Sec Corner

79.92 Intersected N & S line 5 lks S. of Corner to Secs 9, 10, 15, & 16. from which corner I run West on a true line between Secs 10 & 15
Variation 11° 52' E.

39.96 Drove charred stake set post raised mound with brush and pits as per instructions for quarter section corner

79.92 Corner to Secs 9, 10, 15 & 16
Land rolling soil 2nd rate

— " — " —

North between Secs 9 & 10
Variation 11° 45' E

3.30 A Brook 8 lks wide runs N E

40.00 Drove charred stake set post raised mound with trench and pits as per instructions for quarter Sec Corner

80.00 Drove charred stake set post raised mound with trench and pits as per instructions for corner to Secs 3, 4, 9 & 10
Land rolling soil 2nd rate

East on a random line between Secs 9 & 10

Township 16 N Range 3 E 6th P.M.

Variation 12° E

4.00 Set post for temporary quarter Sec corner

42.75 A Brook 8 lks wide runs S.E.

79.76 Intersected N & S line 5 lks S of Corner to Secs 2, 3, 10 & 11 from which corner I run West on a true line between Secs 3 & 10.

Variation 12° 2' E

39.88 Drove charred stake Set post raised mound with trench and pits as per instructions for quarter Sec corner

79.76 Corner to Secs 3, 4, 9 & 10

Land rolling Soil 2nd rate

North on a true line between Secs 3 & 4

Variation 11° 45' E

25.70 A Brook 10 lks wide runs S.E.

42.00 Drove charred stake Set post raised mound with trench and pits as per instructions for quarter Sec corner

77.44 Intersected 41st Standard Parallel 10 chs 65 lks West of Standard corner to Secs 33 & 34. Here I drove charred stake set post raised mound with trench and pits as per

Township 16 N Range 3 E 6th P.M.

instructions for closing corner to Secs 3 & 4

Land rolling Soil 2nd rate

A North between Secs 33 & 3

Variation 12° E

1.30 A Brook 7 lks wide runs E

27.30 A Brook 5 lks wide runs N E

40.00 Deposited a stone marked (X) Cross Set post raised mound with pits and trench as per instructions for quarter Sec corner

80.00 Drove charred stake Set post raised mound with trench and pits as per instructions for corner to Secs 28, 29, 32 & 33

Land rolling soil 2nd rate

East on a random line between Secs 28 & 33

Variation 12° E

40.00 Set post for temporary quarter Sec corner

66.24 A Brook 8 lks wide runs S.E.

80.08 Intersected N & S line 35 lks W of cor to Secs 27, 28, 33 & 34 from which corner I run —

Township 16 N Range 5 E 6th P.M.

West on a true line between Secs 28 & 33 –
Variation 11°45' E

40.04 Drove charred stake set post raised mound with trench and pits as per instructions for quarter sec corner

80.08 Corner to Secs 28, 29, 32, 33

Land rolling Soil 2nd rate

North between Secs 28 & 29
Variation 12° E.

18.40 A Brook 6 lks wide runs E
A few scattering trees on bank

40.00 Deposited a stone marked (X) with a cross set post raised mound with trench and pits as per instruction for quarter sec corner

80.00 Deposited a stone marked (X) with a cross set post raised mound with trench and pits as per instructions for corner to Secs 20, 21, 28 & 29

Land rolling Soil 2nd rate

East on random between Secs 21 & 28
Variation 12° E

40.00 Set post for temporary quarter sec corner

Township 16 N Range 5 E 6th P.M.

80.10 Intersected N & S line 8 lks W of corner to Secs 21, 22, 27 & 28 from which corner I run

West on a true line between Secs 21 & 28
Variation 11°56' E

40.05 Drove charred stake set post raised mound with trench and pits as per instructions for quarter sec corner

80.10 Corner to Secs 20, 21, 28 & 29

Land rolling soil 2nd rate

North between Secs 20 & 21
Variation 12° E

15.00 A Brook 3 lks wide runs E

40.00 Deposited a stone marked (X) with a cross set post raised mound with trench and pits as per instruction for quarter sec corner

80.00 Deposited a stone marked (X) with a cross set post raised mound with trench and pits as per instructions for corner to Secs 16, 17, 20 & 21

Land rolling soil 2nd rate

East on random line between Secs 16 & 21
Variation 12° E

Township 16 N. Range 5 E. 6th P.M.

40.00 Set post for temporary quarter Sec corner
80.02 Intersected N & S line 13 lks Sep corner to Secs 15, 16
21 & 22 from which corner I run:
West on a true line between Secs 16 & 21.
Variation 12° 06' E
40.01 Drove charred stake set post raised mound
with trench and pits as per instructions for quar-
ter section corner
80.02 Corner to sections 16, 17, 20 & 21
Land rolling. Soil 2nd rate +
North between Secs 16 & 17
Variation 12° E
40.00 Drove charred stake set post raised mound
with trench and pits as per
instructions for quarter sec corner
42.15 A Brook 6 lks wide runs E
73.50 A Brook 7 lks wide runs E
80.00 Drove charred stake set post raised mound
with trench and pits as per instructions
for Corner to Secs 8, 9, 16 & 17
Land rolling Soil 2nd rate

Township 16 N. Range 5 E 6th P.M.

East on a random line between
Secs 9 & 16
Variation 12° E
40.00 Set post for corner to temporary
quarter Sec
77.90 A Brook 8 lks wide runs N E
79.98 Intersected N & S line 13 lks S
corner to Secs 9, 10, 15 & 16 from
which corner I run
West on a true line between
Secs 9 & 16
Variation 12° 04' E
39.99 Drove charred stake set post
raised mound with trench
and pits as per instructions
for quarter Sec cor
79.98 Corner to Secs 8, 9, 16 & 17
Land rolling Soil 2nd rate

North between Secs 8 & 9
Variation 12° E

Township 16 N Range 5 E 6th P.M.

40.00 Drove charred stake set post raised mound with trench and pits as per instructions for quarter Sec corner

78.90 A Brook 8 lks wide runs E.

80.00 Drove charred stake set post raised Mound with trench and pits as per instructions for corner to Secs 4, 5, 8 & 9

Land rolling Soil 2nd rate

——— " ——— " ———

East on a random line between Secs 4 & 9

Variation 12° E

29.50 A Brook 7 lks wide runs N.E.

40.00 Set post for temporary quarter Sec Corner

80.00 Intersected N & S line 26 links S of corner to Secs 3, 4, 9 & 10 from which corner I run

West on a true line

Township 16 N Range 5 E. 6th P.M.

between Secs 4 & 9

Variation 12° 11' E

40.00 Drove charred stake set post raised mound with trench and pits as per instructions for quarter Sec corner

80.00 Corner to Secs 4, 5, 8 & 9

Land rolling Soil 2nd rate

——— " ——— " ———

North on a true line between Secs 4 and 5

Variation 12° E

40.00 Drove a charred stake set post raised mound with trench and pits as per instructions for quarter Sec corner

58.60 A Brook 2 lks wide runs S.E.

78.80 Intersected 4th Standard parallel 10 chs 75 lks west of Standard corner to Secs

Township 16 Range 5 E 6th P.M.

32 & 33 then I drove a charred
Stake set post raised mound
with trench and pits as per
instructions for Closing Corners to
Secs 4 & 5

Land rolling Soil 2nd rate

——— " ——— " ———

North between Secs 31 & 32

Variation 12° E

40,00 Drove charred Stake Set post
raised mound with trench
and pits as per instruc-
tions for quarter Sec Corner

80,00 Drove charred Stake Set-post
raised mound with pits
and trench as per instruc
tions for corners to Secs 29, 30
31 & 32

Land rolling Soil 2nd rate

——— " ——— " ———

Township 16 N. Range 5 E 6th P.M.

East on a random line be-
tween Secs 29 & 32

Variation 12° E

40,00 Set post for temporary quarter Sec corner

79,90 Intersected N & S line 15 lks N of
corner to Secs 28, 29, 32 & 33
from which corner I run
West on a true line be-
tween Secs 29 & 32

Variation 15° 48'

29,95 Drove a charred Stake Set-post
raised mound with trench
and pits as per instruction
for quarter Sec corner

79,90 Corner to Secs 29 30 31 & 32

Land rolling Soil 2nd rate

——— " ——— " ———

West on a random between
Secs 30 & 31.

Variation 12° East

Township 16 N. Range 5 E. 6th P.M.

18.00 An Indian trail bears N. W.
40.00 Set post for temporary quarter Sec Corner
77.00 Intersected west boundary of Township 22 links S of corner to Secs 30 & 31 from which corner I run East on a true line between Secs 30 & 31 —

Variation 11° 50' E.

37.00 Drove charred stake set post raised mound with trench and pits as per instruction for quarter sec corner
77.00 Corner to Secs 29, 30 31 & 32
Land rolling soil 2nd rate

—— " — " ——

North between Secs 29 & 30

Variation 12° E

27.20 A Brook 2 lks wide runs E
40.00 Drove charred stake set post raised mound with trench and pits as per instructions

Township 16 N Range 5 E 6th P.M.

for quarter Sec corner
80.00 Drove a charred stake set post raised mound with trench and pits as per instruction for corner to Secs 19 20 29 & 30
Land rolling soil 2nd rate

—— " — " ——

East on a random line between Secs 20 & 29

Variation 12° E

40.00 Set post for temporary quarter Sec Corner
79.94 Intersected N & S line 5 lks N corner to Secs 20, 21, 28 & 29 from which corner I run West on a true line between Secs 20 & 29

Variation 11° 58' E

89.97 Drove charred stake set post raised mound with trench and pits as per instructions per

Township 16 N Range 5 E 6th P.M.

quarter Sec corner
7994 Corner to Secs 19, 20, 29, & 30
Land rolling soil 2nd rate
——— " ——— " ———
West on a random line
between Secs 19 & 30
Variation 12° E
40.00 Set post for temporary quarter Sec Corner
42.80 An Indian trail bears N. W.
7709 Intersected west boundary of Town-
ship 5 lks S of corner to Secs 19 & 30
from which corner I run
East on a true line between
Secs 19 & 20
Variation 11° 5' E
37.09 Grove charred stake set post raised
mound with trench and pits as per
instructions for quarter section corner
77.09 Corner to Secs 19, 20 29 & 30
Land rolling soil 2nd rate
——— " ——— " ———

Township 16 N Range 5 E 6th P.M.

North between Secs 19 & 30
Variation 12° E
21.00 A Brook 5 lks wide runs N.E.
40.00 Grove charred stake set post raised
mound with trench and pits as
per instructions for quarter
Sec Corner
78.30 A Brook 6 lks wide runs E
80.00 Grove charred stake set post raised
mound with trench and pits as per
instructions for corner to Secs
17, 18, 19 & 20
Land rolling soil 2nd rate
——— " ——— " ———
East on a random line between
Secs 17 & 20
Variation 12° E
1.90 A Brook 2 lks wide runs N.E.
3.80 Same Brook 2 lks wide runs S.E.
5.00 Same Brook 4 lks wide runs N.E.

Township 16 N. Range 5 E. 6th P.M.

40.00 Set post for temporary quarter Sec Corner
79.82 Intersected N & S line 15 lks South of corner to Secs 16, 17, 21 & 22 from which corner I run West on a true line between Secs 17 & 20

Variation 12° 0' E

39.91 Drove charred stake set post raised mound with pits and trench as per instructions for quarter Sec corner
79.82 Corner to Secs 17 18 19 & 20
Land rolling soil 2nd rate

——— " ——— " ———

West on a random line between Secs 18 & 19

Variation 12° E.

40.00 Set post for temporary quarter Sec corner
48.50 An Indian trail bears N.W.
78.42 Intersected West bounding of Township 6 lks South of Corner to Secs 18 & 19 from which corner I run

Township 16 N Range 5 E. 6th P.M. —

East on a true line between Secs 18 & 19

Variation 11° 57' E

38.42 Drove charred stake set post raised mound with trench and pits as per instructions for quarter Sec corner
78.42 Corner to Secs 17, 18, 19 & 20
Land rolling soil 2nd rate

——— " ——— " ———

North between Sec 17 & 18

Variation 12° E

33.80 A Brook 3 lks wide runs E.
40.00 Drove charred stake set post raised mound with trench and pits as per instructions for quarter Sec corner
78.15 A Brook 3 lks wide runs E.
80.00 Drove charred stake set post raised mound with pits and trench as per instructions for corner to Secs 7, 8, 17 & 18

Township 16 N Range 5 E. 6th P.M.

Land rolling soil 2nd rate

— — —

East on a random line between Secs 8 and 17

Variation 12° E.

29.15 A Brook 4 lks wide runs N. 80° E.
40.00 Set post for temporary quarter Sec Corner
71.25 Brook 6 lks wide runs S. E.
79.98 Intersected N & S line 29 lks S of Corner to Secs 8, 9, 16 & 17 from which corner I run

West on a true line between Secs 8 & 17

Variation 12° 12' E

39.99 Grove charred stake Set post raised mound with trench and pits as per instruction for quarter Sec Corner
79.98 Corner to Secs 7, 8, 17 & 18

Land rolling Soil 2nd rate

— " — " —

Township 16 N Range 5 E. 6th P.M.

West on a random line between Secs 7 & 18

Variation 12° E

40.00 Set post for temporary quarter Sec Corner
47.00 An Indian trail appears N.W.
78.18 Intersected West boundary of Township 11 lks North of corner to Secs 7 & 18 from which corner I run

East on a true line between Secs 7 & 18

Variation 12° 05' E

38.18 Grove charred stake Set post raised mound with trench and pits as per instructions for quarter section corner
78.18 Corner to Secs 7, 8, 17 & 18

Land rolling Soil 2nd rate

— " — " —

North between Secs 7 & 8

Variation 12° East

40.00 Grove charred stake Set post raised mound with trench and pits

as per instructions for
quarter Sec Corner
62.90 A Brook 8 lks wide runs E.
80.00 Drove charred Stake Set post
raised mound with trench
and pits as per instructions
for corner to Sec 5, 6, 7 & 8
Land rolling Soil 2nd rate

—— " — " ——

East on a random line between
Secs 5 & 8

Variation 12° E

40.00 Set post for temporary quarter Sec Corner
54.75 A Brook 8 lks wide runs N.E.
74.10 Same Brook 8 lks wide runs S.E.
79.92 Intersected N 85° line 45 lks S of
Corner to Secs 4, 5, 8, & 9 from which
corner I run
West on a true line be-
tween Secs 5 & 8

Variation 12° 19' E.

39.96 Drove charred Stake Set post
raised mound with trench
and pits as per instructions
for quarter Sec Corner
79.92 Corner to Sec 5, 6, 7 & 8 —
Land rolling Soil 2nd rate

—— " — " ——

West on a random line
between Secs 6 & 7.

Variation 12° E.

40.00 Set post for temporary quarter Sec Corner
78.28 Intersected West boundary of Township
25 lks N of Corner to Secs 6 & 7 from which
Corner I run
East on a true line between Secs 6 & 7

Variation 12° 11' E

38.28 Drove charred Stake Set post raised
mound with trench and pits as per
instructions for quarter Sec Corner

Township 16 N. Range 5 E. 6th P.M.

78.28 Comer to Secs 5 6 7 & 8
Land rolling Soil 2nd rate

——— " ——— " ———

North on a true line between Secs 5 & 6

Variation 12° E.

40.00 Drove charred stake, set post, raised mound, with trench and pits as per instructions for quarter Sec corner

54.40 A Brook 6 lks wide runs E.

79.18 Intersected 4th Standard Parallel 10 chs. 56 lks West of standard corner to Secs 31 & 32. Here I drove a charred stake set post raised mound with trench and pits as per instruction for Closing Corner to Secs 5 & 6
Land rolling Soil 2nd rate

——— " ——— " ———

Township 16 N. Range 5 E. 6th P.M.

General Description.

The quality of the land in this Township is not good, consisting entirely of high rolling prairie.

It is almost destitute of timber and stone, and is badly watered, the most considerable stream being a small brook running in a South Easterly direction through the North East portion of the Township

——— " ——— " ———

List of Names

A list of the names of the individuals employed to assist in running, measuring & marking the

Township 16 N. Range 5 E. Ok P.M.

lines and corners described in the foregoing field notes of Township No. 16 North of the base line of Range 5 East of the Ok Principal Meridian, showing the respective capacities in which they acted:

Henry C. Hall. Chainman
Addis Jones, Chainman
William Cruise, Flagman
William Silvernail, Axeman
Henry C. F. Hackbusch, Compassman

——— " — " ———

General Land Office • Original Field Notes

Book Number

64

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.