General Land Office • Original Field Notes

Book Number

71

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Compd. Books 1 9.VI a

Vol. 3 R. 676.

Contract No 154

Field Notes of the Subdivision lines of Township No 9 S Range No 6 East of the 6th principal Meridian in the Territory of Nebraska by Richard Taylor and Thomas O'Neal Deputy Surveyors under the Contract No 154 bearing date the 22 day of October 1856

Commenced October 9 - 1857
Finished October 15 - 1857

D. L. made & compared
C. N. Ramsdell

6

Township No 9 N Range No 6 East 6th principal Meridian N T

A list of the Names and duties of assistants

Ira S. Taylor Chainman
W I Bugher Chainman
Jno M McCann Flagman
D Rhodes Axman
J E Harwood Compassman

5

C

T 9 N - R 6 E

End Dec 3d 1857
Vanzandt

6

To

C

Township 9 N. Range 6 East 6th P. M.



Field Notes of the subdivision lines of Township 9 N. R 6 E 6th principal Meridian in N. T.

To determine the proper adjustment of my compass for subdividing this Township, I commence at the Standard Corner to Townships No 8 and 9 on the 2nd parallel R 6 and 7 E and run

North on a blank line along the East boundary of Section 36

Variation 11 30 East

3995 To a point 32 links East of quarter Section Corner

7998 To a point 65 lks East of Corner to 25 and 36

To retrace this line or run parallel thereto my Compass must be adjusted to a Variation 11 58 East

From the corner to Townships 8 and 9 N R 6 and 7 East I run West on a blank line along the South boundary of Section 36

Township 9 N. R 6 E 6th P. M. N 5

Variation 11 58 East

39 90 Intersected mound for quarter Section Corner

79 76 Intersected Mound for Corner to Sections 35 and 36

To retrace this line or run parallel thereto my Compass must be adjusted to a Variation 11°58 East

Subdivision Commenced Oct 9th 1857

From the Corner to Sections 35 and 36 on South boundary of Township I run

North between Sections 35 and 36

Variation 11°58 East

43 50 Set Limestone 18 in long 12 in wide 3 in thick for quarter Section Corner

80 00 Set Limestone 20 in long 12 in wide 5 in thick for Corner to Sections 25. 26. 35. 36

Surface Level Soil 1st Rate

Easton Random line between Sections 25 and 36

Variation 11°58 East

20 00 Enter Timber bearing N E and S W

T. 9 N R 6 E 6th P M in N T

29 75 Salt Creek 100 lks wide runs N E

32 00 Leave Timber bearing N, E & S W and Enter prairie

40 00 Set Stone for temporary quarter Section Corner

79 65 Intersected East boundary of Township 6 lks North of Corner to Sections 25 and 36 from which corner I run

West on true line between Sections 25 and 36

Variation 11°56 East

39 82 Set limestone 24 in long 18 in wide 3 in thick for quarter Section Corner from which an Elm 25 in in dia bears S. 50 E 118 lks dist No other tree to mark

79 65 The Corner to Sections 25 26 35 and 36

Surface Level Soil 1st Rate

Timber oak Walnut and Elm

North between Sections 25 and 26

Variation 11°58 East

30 00 Salt Creek 58 lks wide runs N W

10 00 Set Limestone 20 in long 18 in wide

T. 9 N R 6 E 6th P. M. in N. T

4 in thick for quarter sec. corner

8000 Set Limestone 23 in long 18 in wide 3 in
for corner to Sections 23. 24. 25 and 26
Surface Level Soil 1st Rate

East on Random line between Sections 24 and 25
Variation 11°58 East

4000 Set Stone for temporary quarter Section Corner

7974 Intersected East boundary of Township 21
lks North of stone corner to Sections 24 and 25
from which corner I run
West on true line between Sections 24 and 25
Variation 11°49 East

3987 Set Limestone 22 in long 12 in wide 4 in thick
for quarter Section Corner

7974 The Corner to Sections 23. 24 25 and 26
Surface Level Soil 1st Rate

North between Sections 23 and 24
Variation 11°58 East

4000 Set Limestone 22 in long 15 in wide 3 in
thick for quarter Section Corner

8000 Set Limestone 26 in long 14 in wide 4 in

T. 9 N. R 6 E. 6 P. M. in N. T

thick for corner to Sections 13. 14 23 and 24
Surface Rolling Soil 2nd Rate

East on Random line between Sections 13 and 24
Variation 11°58 East

4000 Set Stone for temporary quarter Section Corner

7950 Intersected East boundary of Township 23
lks north of stone corner to Sections 13 and 24
from which corner I run
West on true line between Sections 13 and 24
Variation 11°48 East

3975 Set Limestone 28 in long 13 in wide 3 in
thick for quarter Section Corner

7950 The Corner to Sections 13 14 23 and 24
Surface Rolling Soil 2nd Rate

North between Sections 13 and 14
Variation 11°58 East

1150 South boundary of Town of Chester
bearing East and West

4000 Set Limestone 24 in long 15 in wide
3 in thick for quarter Section Corner

T. 9 N. R. 6 E. 6th P. M. in N. T.

57.00	Leave Town of Chester bearing E and W
80.00	Set Limestone 20 in long 12 in wide 5 in thick for Corner to Sections 11, 12, 13 & 14
	Surface Rolling Soil 2 Rate
	East on Random line between Sections 12 and 13
	Variation 11°38 East
40.00	Set Stone for temporary quarter Section Corner
79.80	Intersected East boundary of Township at Stone Corner to Sections 12 and 13 from which Corner I run
	West on true line between Sections 12 and 13
	Variation 11°58 East
39.90	Set Sandstone 20 in long 15 in wide 4 in thick for quarter Section Corner
79.80	The Corner to Sections 11, 12, 13 and 14
	Surface Gently Rolling Soil good 2 no Rate
	North between Sections 11 and 12
	Variation 11°58 East
40.00	Set Limestone 18 in long 13 in wide 4 in thick for quarter Section Corner

T. 9 N. R. 6 E. 6th P. M. in N. T.

67.50	Branch 15 Lks wide runs N W
80.00	Set Limestone 24 in long 18 in wide 4 in thick for Cor to Sections 1, 2, 11 and 12
	Surface Rolling Soil 2 Rate
	East on random line between Sections 1 and 12
	Variation 11°58 East
40.00	Set Stone for temporary quarter Section Corner
79.80	Intersected East boundary 30 Lks North of stone Corner to Sections 1 and 12 from which Corner I run
	West on true line between Sections 1 and 12
	Variation 11°45 East
39.90	Set Limestone 20 in long 13 in wide 4 in thick for quarter Section Corner
79.80	The Corner to Sections 1, 2, 11 and 12
	Surface Level Soil 2 Rate
	North on random line between Sections 1 and 2
	Variation 11°58 East
40.00	Set Stone for temporary Quarter Section Corner
78.75	Intersected North boundary of Township

T 9 N R 6 E 6th P M in H T

24 lks west of Stone Corner to Sections
1 and 2 from which Corner I run
South on true line between Sections 1 and 2
Variation 11°48 East

38.75 Set Limestone 18 in long 18 in wide 3 in
thick for quarter Section Corner

78.75 The Corner to Sections 1, 2, 11 and 12
Surface Gintle rolling Soil 2 Rate
Oct 9 1857

North between Sections 34 and 35
Variation 11°58 East

40.00 Set Sand Stone 20 in long 6 in wide 5 in
thick for quarter Section Corner

80.00 Set Sand Stone 24 in long 8 in wide
5 in thick for Corner to Sections 26 27 34 and 35
Surface Rolling Soil 2nd Rate
East on random line between Sections 26 and 35
Variation 11°58 East

40.00 Set stone for temporary quarter Section Corner

79.94 Intersected N & S line 10 lks south

T 9 N R 6 E 6th P M in H T

of stone corner to Sections 25 26 35 and 36
from which corner I run
West on true line between Sections 26 and 35
Variation 12°02 East

39.97 Set Sandstone 26 in long 8 in wide 8 in
thick for quarter Section Corner

79.94 The Corner to Sections 26, 27, 34, and 35
Surface Rolling Soil 2nd Rate
North between Sections 26 and 27
Variation 11°58 East

40.00 Set Sandstone 20 in long 6 in wide 5 in
thick for quarter Section Corner

80.00 Set Sand Stone 22 in long 8 in wide
8 in thick for Corner to Sections 22, 23
26 and 27
Surface Rolling Soil 2nd Rate
East on random line between Sections 23 and 26
Variation 11°58 East

40.00 Set stone for temporary quarter Section Corner

42.75 Salt Creek 5 lks wide runs N W

T 9 N R 6 E 6th P M N 5

43 25	Enter Timber bearing N and S
49.68	Leave Timber bearing N & S and Enter prairie
79 86	Intersected N and S line at stone
	Corner to Sections 23 24 25 and 26 from
	which Corner I run
	Weston true line between Sections 23 and 26
	Variation 11° 58 East
39 93	Set Sand Stone 20 in long 12 in wide
	3 in thick for quarter Section Corner
79 86	The Corner to Sections 22 23 26 and 27
	Surface Rolling Soil 1st Rate
	Timber oak Hackberry & Elm
	North between Sections 22 and 23
	Variation 11° 58 East
40 00	Set Sand stone 18 in long 12 in wide
	4 in thick for quarter Section Corner
67 00	Branch 15 lks wide runs S E
72 00	Enter Robt Cardwells Improvements
	bearing East and West
80 00	Set Sand stone 20 in long 8 in wide

T 9 N R 6 E 6th P M in N 5

	8 in thick for Corner to Sections 14 15 22 and 23
	Surface Level Soil 1st Rate
	Easton random line between Sections 14 and 23
	Variation 11° 58 East
20 00	Leave Cardwells Improvements bear
	ing N W and S E
21 00	Salt Creek 50 lks wide runs N W
40 00	Set Stone for temporary quarter Section
	Corner
79 84	Intersected N and S line at Corner
	to Sections 13.14.23 and 24 from which
	Corner I run
	Weston true line between Sections 14 and 23
	Variation 11° 58 East
39 92	Set Sand Stone 20 in long 12 in wide 4 in
	thick for quarter Section Corner
79.84	The Corner to Sections 14.15.22 and 23
	Surface Level Soil 1st Rate
	North between Sections 14 and 15
	Variation 11° 58 East

T 9 N R 6 E 6th P M in N T

1600 Leave Cardwells Improvements bearing E and W

4000 Set Sinestone 24 in long 18 in wide 3 in thick for quarter Section Corner

8000 Set Sandstone 24 in long 18 in wide 6 in thick for Corner to Sections 10.11.14 and 15 Surface Level Soil 1st Rate

October 10th 1857

Eastern random line between Sections 11 and 14

Variation 11°58 East

900 Salt Creek 51 Ks wide runs N E And Timber bearing N E and S W

1300 Same Creek 80 Ks wide runs S E

2200 Same Creek 80 Ks wide runs N E

4000 Set stone for temporary quarter Section Corner

4100 Leave Timber bearing N W and S E, Entre prairie

7992 Intersected N and S line 7 Ks south of Stone Corner to Sections 11 12 13 and 14 from which Corner I run West on true line between Sections 11 and 14

T 9 N R 6 E 6th P M in N T

Variation 12°01 East

3996 Set Sandstone 18 in long 10 in wide 6 in thick for quarter Section Corner

7996 from which an oak 24 in dia bears N 5 W 94 Ks dist an oak 10 in dia bears S 10 W 100 Ks dist

7992 The Corner to Sections 10 11 14 and 15 Surface Level Soil 1st Rate Timber oake Elm and hackberry

North between Sections 10 and 11

Variation 11°58 East

4000 Set Sand Stone 23 in long 8 in wide 6 in thick for quarter Section Corner

8000 Set Sand stone 25 in long 12 in wide 5 in thick for Corner to Sections 2,3,10 and 11 Surface Rolling Soil 2 Nd Rt

East on random line between Sections 2 and 31

Variation 11°58 East

950 Salt Creek 50 Ks wide runs N W And Edge timber bearing N W and S E

T. 9. N. R 6 E. 6th P M N T

4000 Set stone for temporary quarter Section Corner
4200 Leave timber bearing N W and S E
8022 Intersected N and S line at cor
to Sections 1.2. 11 and 12 from which
Corner I run
West on true line between Sections 2 and 11
Variation 11°58 East
4011 Set Sand stone 20 in long 10 in wide 4 in
thick for quarter Section Corner from
which a Box Elder 20 in dia bears N 30
W 50 lks dist a Box Elder 15 in dia
bears S 10 E 20 lks dist
8022 The Corner to Sections 2.3. 10 and 11
Surface Level Soil 2nd Rate
Timber Oak Elm Box Elder and Walnut
North on a Random line between Sections 2 and 3
Variation 11°58 East
3000 Salt Creek 50 lks wide runs N W
4000 Set Stone for temporary quarter Section Corner
7885 Intersected North boundary of Township

T 9 N R 6 E 6th P. M. in N T

10 lks west of Stone Corner to Sections 2 and 3
from which Corner I run
South on true line between Sections 2 and 3
Variation 11°54 East
3885 Set sandstone 28 in long 8 in wide 6 in
thick for quarter Section Corner
7885 The Corner to Sections 2.3. 10 and 11
Surface Level Soil 2nd Rate
North between Sections 33 and 34
Variation 11°58 East
4000 Set sandstone 20 in long 8 in wide 5 in
thick for quarter Section Corner
8000 Set sandstone 22 in long 8 in thick 6 in
thick for Corner to Sections 27.28. 33.34
Surface Gently Rolling Soil 2nd Rate
East on random line between Sections 27 & 34
Variation 11°58 East
4000 Set stone for temporary quarter Section Corner
8008 Intersected N and S line 22 lks South of
Stone Corner to Sections 26. 27. 34 and 35

from which Corner I run
West on true line between Sections 27 and 34
Variation 12° 7' East
4004 Set Sand Stone 20 in long 6 in wide 6 in
thick for quarter Section Corner
8008 The Corner to Sections 27 28 33 and 34
Surface Rolling Soil 2nd Rate

North between Sections 27 and 28
Variation 11° 58' East
4000 Set Sandstone 20 in long 10 in wide 5 in
thick for quarter Section Corner
8000 Set Sand Stone 20 in long 10 in wide 10 in
thick for Corner to Sections 21, 22, 27 28
Surface Gently rolling Soil 2nd Rate

East on random line between Sections 22 and 27
Variation 11° 58' East
4000 Set stone for temporary quarter Section Corner
8024 Intersected N and S line 17 links North
of Corner to Sections 22 23 26 and 27
from which Corner I run

West on true line between Sections 22 and 27
Variation 11° 57' East
4012 Set Sand Stone 22 in long 8 in wide 8 in
thick for quarter Section Corner
8024 The Corner to Sections 21, 22, 27 28
Surface Rolling Soil 2nd Rate

North between Sections 21 and 22
Variation 11° 58' East
4000 Set Sandstone 18 in long 15 in wide
4 in thick quarter Section Corner
5300 Branch 15 links wide runs N E
8000 Set sand stone 24 in long 8 in wide
8 in thick for Corner to Sections 15 16 21 and 22
Surface Rolling Soil 2nd Rate

East on random line between Sections 15 and 22
Variation 11° 58' East
4000 Set stone for temporary quarter Section Corner
7200 Enter Cardwells Improvements bearing
N and S
8040 Intersected N and S line 30 links North

T 9 N R 6 E 6th P. M N. T

	of stone Corner to Sections 14 15 22 and 23
	from which Corner I run
	West on true line between Sections 15 and 22
	Variation 11°45 East
40 20	Set sandstone 18 in long 8 in wide 6 in thick
	for quarter Section Corner
80 40	The Corner to Sections 15 16 21 and 22
	Surface rolling Soil 2nd Rate
	North between Sections 15 and 16
	Variation 11°58 East
40 00	Set sandstone 20 in long 7 in wide 5 in
	thick for quarter Section Corner
80 00	Set Sandstone 22 in long 7 in wide 7 in
	thick for Corner to Section 9 10 15 and 16
	Surface Rolling Soil 2nd Rate
	East on random between Sections 10 and 15
	Variation 11°58 East
40 00	Set stone for temporary quarter Section Corner
80 00	Intersected N and S line 20 lks North of
	stone Corner to Sections 10 11 14 and 15

T 9 N R 6 E 6th P M in N. T

	from which Corner I run
	West on true line between Sections 15 and 10
	Variation 11°45 East
40 00	Set Sandstone 18 in long 8 in wide 8 in
	thick for quarter Section Corner
80 40	The Corner to Sections 9 10 15 and 16
	Surface rolling Soil 2nd Rate Oct 11/57
	North between Sections 9 and 10
	Variation 11°58 East
40 00	Set Sandstone 18 in long 8 in wide 5 in
	thick for quarter Section Corner
80 00	Set Sandstone 20 in long 10 in wide
	5 in thick for Corner to Sections 3, 4, 9 & 10
	Surface rolling soil 2nd Rate
	East on random line between Sections 3 and 10
	Variation 11°58 East
40 00	Set sandstone for temporary quarter Section Corner
79 80	Intersected N and S line 15 lks South
	of stone Corner to Sections 2, 3, 10 and 11
	from which Corner I run

T 9 N R 6 E 6th P M in W T

West on true line between Sections 3 and 10
Variation 11°33 East

3990 Set Sandstone 20 in long 15 in wide 4 in thick for quarter Section Corner

7980 The Corner to Sections 3, 4, 9 and 10
Surface Rolling Soil 2nd Rate

North on random line between Sections 3 & 4
Variation 11°58 East

4000 Set stone for temporary quarter Section Corner

7401 Creek 60 links wide Runs N. E. Water in this Creek quite Salty

7855 Intersects North boundary of Township 28 links west of Corner to Sections 3 and 4 from which Corner I run
South on true line between Sections 3 and 4
Variation 11°47 East

3858 Set Sand Stone 20 in long 12 in wide 4 in thick for quarter Section Corner

7855 The Corner to Sections 34 9 and 10
Surface Level Soil 1st Rate

October 12 1857

T 9 N R 6 E 6th P M in W T

North between Sections 32 and 33
Variation 11°58 East

4000 Set Sandstone 24 in long 6 in wide 5 in thick for quarter Section Corner

8000 Set Sand Stone 24 in long 6 in wide 6 in thick for Corner to Sections 28, 29, 32, 33
Surface Rolling Soil 2nd Rate

East on random line between Sections 28 and 33
Variation 11°58 East

4000 Set sandstone temporary quarter Section Corner

7988 Intersects N and S line 13 links South of Stone Corner to Sec 27, 28, 33 and 34 from which Corner I run
West on true line between Sections 28 and 33
Variation 12°05 East

3994 Set Sandstone 22 in long 10 in wide 4 in thick for quarter Section Corner

7988 The Corner to Sections 28, 29, 32 and 33
Surface rolling Soil 2nd Rate

North between Sections 28 and 29

T 9 N R 6 E 6th P.M. N 5

Variation 11°58' East

40 00 Set sandstone 20 in long 10 in wide 4 in thick for quarter Section Corner

80 00 Set Sandstone 18 in long 15 in wide 6 in thick for Corner to Sections 20, 21, 28, 29

Surface Rolling Soil 2nd Rate

Easton Random line between Sections 21 and 28

Variation 11°58' East

40 00 Set Stone for temporary quarter Section Corner

79 74 Intersection N and S line 15 Rds South of Corner to Sections 20, 21, 28 and 29 from which Corner I saw Weston true line between Sections 21 and 28

Variation 11°52' East

39 87 Set Sandstone 18 in long 12 in wide 5 in thick for quarter Section Corner

79 74 The Corner to Sections 20 21 28 and 29

Surface Rolling Soil 2nd Rate

North between Sections 20 and 21

Variation 11°58' East

T 9 N R 6 E 6th P.M. N 5

40 00 Set Land Stone 23 in long 15 in wide 4 in thick for quarter Section Corner

72 00 Branch 20 lks wide runs N E

80 00 Set Sandstone 22 in long 8 in wide 8 in thick for to Sections 16, 17, 20 and 21

Surface rolling Soil 2nd Rate

Easton random line between Sections 16 and 21

Variation 11°58' East

40 00 Set Stone for temporary quarter Section Corner

79 92 Intersection N and S line 11 lks North of Stone Corner to Sections 15, 16, 21 and 22 from which Corner I saw Weston true line between Sections 16 and 21

Variation 11°52' East

39 96 Set sandstone 22 in long 12 in wide 3 in thick for quarter Section Corner

79 92 The Corner to Sections 16, 17, 20, 21

Surface Rolling Soil 2nd Rate

North between Sections 16 and 17

Variation 11°58' East

4000 Set Sandstone 20in long 12in wide 4in thick for quarter Section Corner

8000 Set Sandstone 21in long 6in thick 6in wide Corner to Sections 8, 9, 16 and 17

Surface rolling Soil 2nd Rate

Eastern random line between Sections 9 and 16

Variation 11°38' East

4000 set stone for temporary quarter Section Corner

7996 Intersecting N and S line 5 Lks south of corner to Sections 9, 10, 15 and 16 from which Corner Iron

Western true line between Sections 9 and 16

Variation 12°00' East

3998 Set Sandstone 18in long 12in wide 4in thick for quarter Section Corner

7996 The Corner to Sections 8, 9, 16 and 17

Surface rolling Soil 2nd Rate

North between Sections 8 and 9

Variation 11°38' East

4000 Set Sandstone 18in long 10in wide 4in

thick for quarter Section Corner

8000 Set Sand Stone 20 in long 10 in wide 10 in thick for Corner to Sections 4, 5, 8, 9

Surface rolling Soil 2nd Rate

Eastern random line between Sections 4 and 9

Variation 11°38' East

4000 Set Stone for temporary quarter Section Corner

7976 Intersecting N and S line 12 Lks South of Stone Corner to Sections 3, 4, 9 and 10 from which Corner Iron

Western true line between Sections 3 and 9

Variation 12°03' East

3988 Set Sandstone 20in long 10in wide 8in thick for quarter Section Corner

7976 The Corner to Sections 3, 4, 8 and 9

Surface rolling Soil 2nd Rate

North ~~between~~ random line between Sections 3 and 4

Variation 11°38' East

1500 Creek with Salt water 60 lks wide runs S E

4000 Set stone for temporary quarter Section Corner

T 9 N R 6 E 6th P M in W T

7842 Intersected North boundary of Town
ship 18 lks west of corner to Sections
5 and 4 from which Corner I run
South on true line between Sections 5 and 4
Variation 11°30 East

3842 Set Flint stone 20 in long 12 in wide 6 in
thick for quarter Section Corner

7842 The Corner to Sections 4, 5, 8 and 9
Surface rolling soil 2nd Rate
October 14 – 1857

North Between Sections 31 and 32
Variation 11°38 East

4000 Set Sandstone 24 in long 10 in wide 4 in
thick for quarter Section Corner

8000 Set Sandstone 28 in long 8 in wide 8 in
thick for Corner to Sections 29 30 31 & 32
Surface rolling soil 2nd Rate

East on random line between Sections 29 and 32
Variation 11°38 East

4000 Set Stone for temporary quarter Section Corner

T 9 N R 6 E 6th P M W T

8000 Intersected N and S line 15 lks south
of stone Corner to Sections 28 29 32 33
from which Corner I run
West on true line between Sections 29 & 32
Variation 12°04 East

4000 Set Sandstone 20 in long 12 in wide
5 in thick for quarter Section Corner

8000 The Corner to Sections 29 30 31 and 32
Surface rolling soil 2nd Rate

West on random line between Sections 30 and 31
Variation 11°38 East

3700 Branch 20 lks wide runs N E

4000 Set stone for temporary quarter Section Corner

7930 Intersected west boundary of Town
ship 23 lks North of Cor to Sec
tions 30 and 31 from which Corner I run
East on true line between Sections 30 and 31
Variation 12°08 East

3930 Set Sandstone 18 in long 18 in wide
5 in thick for quarter Section Corner

T 9 N R 6 E 6th P M in N T

7 9 30 The Corner to Sections 29 30 31 and 32

Surface Gently rolling Soil 2nd Rate

North between Sections 29 and 30

Variation 11°58 East

4000 Set Sandstone 22 in long 18 in wide

8 in thick for quarter Section Corner

8000 Set Sandstone 20 in long 8 in wide 8 in

thick for Corner to Sections 19 20 29 30

Surface Rolling Soil 2nd Rate

East on random line between Sections 20 and 29

Variation 11°58 East

4000 Set stone for temporary quarter Section Corner

7974 Intersection N and S line 24 lks south of

Stone Corner to Sections 20, 21, 28 and 29

from which Corner I run

West on true line between Sections 20 and 29

Variation 12°7 East

3987 Set sandstone 22 in long 12 in wide 4 in thick

for quarter Section Corner

7974 The Corner to Sections 19 20 29 and 30

T 9 N R 6 E 6th P M in N T

Surface Rolling Soil 2nd Rate

West on random line between Sections 19 and 30

Variation 11°58 East

2100 Branch 20 lks wide runs N E

4000 Set stone for temporary quarter Section Corner

7930 Intersection West boundary of Township

80 lks North of stone Corner to Sections

19 and 30 from which Corner I run

East on true line between Sections 19 and 30

Variation 12°32 East

3930 Set Sandstone 28 in long 10 in wide 5 in

thick for quarter Section Corner

7930 The Corner to Sections 19 20 29 30

Surface Rolling Soil 2nd Rate

North between Sections 19 and 20

Variation 11°58 East

4000 Set Sandstone 23 in long 10 in wide 4 in

thick for quarter Section Corner

4200 Branch 20 lks wide runs N E

8000 Set Sand Stone 23 in long 10 in wide

T 9 N R 6 E 6th P M in U T

10 in thick for ~~Corner to Section 17 18 19 20~~
Surface Rolling Soil 2nd Rate

East on random line between Sections 17 and 20
Variation 11° 58 East

40 00 Set Sandstone for temporary quarter Section Corner
79 75 Intersection N and S line 101 Lks. North of Town
Corner to Sections 16 17 20 and 21 from which
Iron
West on true line between Sections 17 and 20
Variation 11° 54 East

39 87 Set Sandstone 18 in long 18 in wide 4 in
thick for quarter Section Corner
79 75 The Corner to Sections 17, 18, 19 and 20
Surface rolling Soil 2nd Rate

West on random line between Section 18 & 19
Variation 11° 58 East

40 00 Set Stone temporary quarter Section Corner
79 00 Intersection West boundary of Town
ship 62 Lks north of Corner to Sec
tion 18 and 19 from which Corner Iron

T 9 N R 6 E 6th P M in U T

East on true line between Sections 18 and 19
Variation 12° 25 East

39 00 Set sandstone 18 in long 17 in wide 5 in
thick for quarter Section Corner
79 00 The Corner to Sections 17, 18, 19 and 20
Surface rolling Soil 2nd Rate

North between Sections 17 and 18
Variation 11° 58 East

40 00 Set Sand Stone 24 in long 10 in wide 4 in
thick for quarter Section Corner
54 00 1 Branch 15 Lks wide runs N E
80 00 Set Sandstone 24 in long 8 in wide 8 in
thick for Corner to Sections 7, 8, 17 and 18
Surface rolling Soil 2nd Rate

East on random line between Sections 8 and 17
Variation 11° 58 East

30 00 Creek 10 Lks wide runs North
40 00 Set Stone for temporary quarter Section Corner
79 68 Intersection N and S line at Cor to Sec
tion 8, 9, 16 and 17 from which Corner Iron
West on true line between Sections 8 and 17

T 9 N R 6 E 6th P M in N. T

Variation 11° 58 East

3984 Set sandstone 23 in long 12 in wide 5 in thick for quarter Section Corner

7968 The Cor mon to Sections 7, 8, 17 and 18

Surface rolling soil 2nd Rate

Western random line between Sections 7 and 18

Variation 11° 58 E

4000 Set stone for temporary quarter Section Corner

7885 Intersects N E boundary of Township 60 lks North of stone Corner to Sections 7 and 18 from which Corner I run East on true line between Sections 7 and 18

Variation 12° 23 East

3885 Set sandstone 32 in long 12 in wide 3 in thick for quarter Section Corner

7885 The Corner to Sections 7, 8, 17 and 18

Surface rolling soil 2nd Rate

North between Sections 7 and 8

Variation 11° 58 East

4000 Set Sandstone 22 in long 12 in wide 3 in

T 9 N R 6 E 6th P M in N. T

thick for quarter Section Corner

7800 Creek 60 lks wide runs N E Water Salty

8000 Set Sandstone 25 in long 8 in wide 5 in thick for Corner to Sections 5, 6, 7 and 8

Surface Level Soil 2nd Rate

Easton random line between Sections 5 and 8

Variation 11° 58 East

.50 Creek 60 lks N E

4010 Stone for temporary quarter Section Corner

5400 Same Creek 50 lks wide runs S E

6300 Same Creek 50 lks wide runs N E

7990 Intersects N and S line at Corner to Sections 4, 5, 8 and 9 from which Corner I run

Western true line between Sections 5 and 8

Variation 11° 58 East

3995 Set Sandstone 23 in long 18 in wide 4 in thick for quarter Section Corner

7990 The Corner to Sections 5 & 7 and 8

Surface Level Soil 2nd Rate

I found several Saline Springs on Creek

T 9 N R 6 E 6th P M N T

West on random line between Sections 6 and 7
Variation 11 58 East

40 00 Set stone for temporary quarter Section Corner
41 00 Creek 50 lks wide runs SE Water Salty
44 00 Same Creek 50 lks wide runs SE " "
78 66 Intersects West boundary of Township 70 lks North of stone Corner to Sections 6 and 7 from which Corner I run
East on true line between Sections 6 and 7
Variation 13 28 East
38 66 Set sand stone 24 in long 15 in wide 5 in thick for quarter Section Corner
78 66 The Corner to Sections 5, 6, 7 and 8
Surface rolling Soil 2nd Rate

North on random line between Sections 5 and 6
Variation 11 58 East
40 00 Set stone for temporary quarter Section Corner
78 35 Intersects North boundary of Township 6 lks west of Corner to Sections 5 and 6 from which Corner I run

T 9 N R 6 E 6 P M N T

South on true line between Sections 5 and 6
Variation 11 55 East
38 35 Set Sand Stone 20 in long 12 in wide 3 in thick for quarter Section Corner
78 35 The Corner to Sections 5, 6, 7 and 8
Surface Hilly Soil 2nd Rate
October 15th 1857

General Description

The quality of the land in this Township is mostly of a good 2nd Rate ~~Good~~ well adapted for cultivation

Salt creek runs through the ~~the~~ Eastern part of this Township affording a considerable quantity of timber.

Timber oak Walnut Elm and hackberry. The Town of Chester is laid out on the Right Bank

T 9 N R 6 E 6th P M N T

of Salt Creek. It has No houses in it as yet

I saw some valuable Salt Springs along the Bed of ~~of~~ Small Creek in Northern part of Township in Sections 5 and 8

A list of the names of the individuals Employed to assist in running Measuring or Marking the lines ~~the~~ and corners Described in the foregoing field Notes of Township No 9 South of the base line of Range No 6 East of the 6th principal Meridian in Territory of Nebraska Showing the respective capacities in which they acted

Ira S Taylor Chainman
W J Bigher Chainman
John M McCann Flagman
D Rhodes Axeman
J. E. Harwood Compassman

Comp Brooks 2

Contract No 154

Field Notes of the Subdivision lines of Township No 10 N Range No 6 East of the 6th Prime Meridian in the Territory of Nebraska by Richard Taylor and Thomas O'Neal ~~Deputy Surveyors under the~~ Contract No 154 bearing date the 22nd day of October 1856

Commenced October 17 - 1857
Finished October 22 - 1857

Recd Decr 3d 1857
D. S. made & compared
E. W. R.

T 10 N R 6 E 6th P. M. in N T

A list of the Names and duties of assistants

Ira S Taylor Chainman
W J Bugher Chainman
D Rhodes Axeman
Jno W McCann Flagman
J E Harwood Compasman

Towrship 10 N. Range 6 East 6th P. M.

6	33	5	23	4	18	3	12	2	7	1
32		31		23		17		12		6
7	30	8	23	9	17	10	11	11	6	12
30		29		22		16		11		5
18	29	17	22	16	16	15	10	14	5	13
28		28		21		15		10		4
19	27	20	21	21	15	22	9	23	4	24
27		26		20		14		9		3
30	26	29	20	28	14	27	8	26	3	25
25		24		19		13		8		2
31	24	32	19	33	13	34	7	35	2	36

T 10 N R 6 E 6th P M in U T

To determine the proper adjust
of my Compass for subdividing
this Township I commence at
the Corner to Townships 9 and 10
N Ranges 6 and 7 E And run
North on a blank line along the
Eastern boundary of Section 36
Variation 12 00 E

39 86 Intersected stone for quarter Section Corner
79.78 Intersection Stone for Corner to Sections 25 and 36
To retrace this line or any parallel
thereto my Compass must be adjust
ed to a Variation 12° 00 East
From Corner to Townships 9 and 10
N R 6 and 7 E I run
West on a blank line along the South
boundary of Section 36
Variation 12 00 East

39 94 To a point 18 lks South quarter Section Corner
79 90 To a point 35 lks South of Corner Sections 35 & 36

T 10 N R 6 E 6th P M in N T

Retrace this line or run parallel thereto by Compass Must adjusted to a Variation of 11°45' East

Subdivision Commenced October 17, 1857

North between Sections 35 and 36

Variation 12°00' East

4000 Set Sandstone 18 in long 15 in wide 5 in thick for quarter Section Corner

8000 Set Sandstone 24 in long 12 in wide 10 in thick for Corner to Sections 25 26 35 36

Surface Rolling Soil 2nd Rate

East on random line between Sections 25 and 36

Variation 11°45' East

4000 Set Stone for temporary quarter Section Corner

7986 Intersected East boundary of Township 20 links south of Corner to Sections 25 and 36 from which Corner I run

West on true line between Sections 25 and 36

Variation 11°54' East

3993 Set Sand Stone 18 in long 15 in wide 4 in

T 10 N R 6 E 6th P M in N T

thick for quarter Section Corner

7986 The corner to Sections 25 26 35 and 36

Surface Rolling Soil 2nd Rate

North between Sections 25 and 26

Variation 12°00' East

4000 Set Sandstone 22 in long 12 in wide 4 in thick for quarter Section Corner

8000 Set Sandstone 28 in long 12 in wide 6 in thick for Corner to Sections 23 24 25 and 26

Surface Rolling Soil 2nd Rate

East on random line between Sections 24 & 25

Variation 11°45' East

4000 Set Sandstone for temporary quarter ~~1 foot long 15 in wide 5 in thick for quarter~~ Section Corner

7980 Intersected East boundary of Township 16 links south of Stone Corner to Sections 24 and 25 from which Corner I run

West on true line between Sections 24 & 25

Variation 11°52' East

T 10 N R 6 E 6th p M N T

3990 Set sandstone 23 in long 12 in wide 3 in thick for quarter Section Corner

7980 The Corner to Sections 23, 24, 25 and 26

Surface Rolling Soil 2nd Rate

North between Sections 23 and 24

Variation 12°00 East

4000 Set sandstone 18 in long 15 in wide 3 in thick for quarter Section Corner

8000 Set Sandstone 23 in long 12 in wide 5 in thick for Corner to Sections 13, 14, 23 and 24

Surface Rolling Soil 2nd Rate

East on random line between Sections 13 and 24

Variation 11°45 East

4000 Set stone for temporary quarter Section Corner

7970 Intersected ~~East~~ Boundary of Township 24 lks South of Corner to Sections 13 and 24 from which Corner I run

West on true line between Sections 13 and 24

Variation 11°55 East

3985 Set sandstone 22 in long 12 in wide 3 in

T 10 N R 6 E 6th p M in N T

thick for quarter Section Corner

7970 The Corner to Sections 13, 14, 23 and 24

Surface Level soil good 2nd Rate

North between Sections 13 and 14

Variation 12°00 East

20.00 ~~4000~~ Salt Creek 100 lks wide runs N E Water Saline

4000 Set Sandstone 23 in long 10 in wide 6 in thick for quarter Section Corner

8000 Set Sandstone 26 in long 8 in wide 6 in thick for Corner to Sections 11, 12, 13 and 14

Surface Level Soil 1st Rate

East on random line between Sections 12 and 13

Variation 11°45 East

4000 Set stone for temporary quarter Section Corner

6500 Salt Creek 100 lks wide runs N E

7980 Intersected ~~N and S line~~ East Boundary of Township 18 lks S.E. Corner to Sections 12 and 13 from which Corner I run

West on true line between Sections 12 and 13

Variation 11°53 East

3990 Set Sandstone 20 in long 12 in wide 4 in thick

T 10 N. R 6 E 6th P M in W T

for quarter Section Corner
7980 The Corner to Sections 11, 12, 13 and 14
Surface Level Soil 1st Rate

North between Sections 11 and 12
Variation 12° 00' East

4000 Set Flint stone 20 in long 12 in wide 6 in
thick for quarter Section Corner
8000 Set Sandstone 28 in long 6 in wide 6 in
thick for Corner to Sections 1, 2, 11, 12
Surface Rolling Soil 2nd Rate —

East on random line between Sections 1 and 12
Variation 11° 45' East

4000 Set Stone for temporary quarter Section Corner
7964 Intersected East boundary of Township
10 lks South Corner to Sections 1 and 12
from which Corner I saw
West on true line between Sections 1 and 12
Variation 11° 49' East

3982 Set Flint stone 20 in long 12 in wide 6 in
thick for quarter Section Corner
7964 The corner to Sections 12 11 and 12
Surface Rolling Soil 2nd Rate

T 10 N. R. 6. E. 6th P M. in W. T

North on random line between Sections 1 and 2
Variation 12° 00' East

4000 Set Stone for temporary quarter Section Corner
7800 Intersected North boundary of Township
16 lks West of Corner to Sections
1 and 2 from which Corner I saw
South on true line between Sections 1 and 2
Variation 11° 53' East

3800 Set Flint stone 22 in long 12 in wide 6 in
thick for quarter Section Corner
7800 The Corner to Section 12 11 and 12
Surface Rolling Soil 2nd Rate
October 17 1859

North between Sections 34 and 35
Variation 12° 00' East

4000 Set Sandstone 20 in long 12 in wide 6 in
thick for quarter Section Corner
8000 Set Sandstone 24 in long 6 in wide 6 in
thick for Corner to Sections 26, 27, 34, 35
Surface Level Soil 2nd Rate

T10 N R6 E 6th P.M. in N.T.

East on random line between Sections 26 and 35
Variation 11°45 East

7/9 40.01 Set stone for temporary quarter Section Corner
80.12 Intersected N and S line 20 lks South of Stone Corner to Sections 25 26 35 and 36 from which Corner I saw
West on true line between Sections 26 and 35
Variation 11°54 East
40.06 Set Sandstone 22 in long 12 in wide 6 in thick for quarter Section Corner
80.12 The Corner to Sections 26 27 34 and 35
Surface Rolling Soil 2nd Rate

North between Sections 26 and 27
Variation 12°00 East
40.00 Set sandstone 22 in long 8 in wide 6 in thick for quarter Section Corner
79.00 Salt Creek 75 lks wide runs NE Water Salty
80.00 Set Sandstone 24 in long 8 in wide 6 in thick for Corner to Sections 22 23 26 27
Surface ~~Rolling~~ Soil 1st Rate

T10 N R6 E 6th P.M. in N.T.

East on random line between Sections 23 and 26
Variation 11°45 East
.25 Salt Creek 125 lks wide runs NE Water Salty
18.00 Same Creek 75 lks wide runs SE " "
27.50 Same Creek 75 lks wide runs NE " and Timber NE & SW Water in this Creek very Salty
38.25 Leave Timber bearing NE & SW
40.00 Set stone for temporary quarter Section Corner
80.25 Intersected N and S line 21 lks South of Stone Corner to Sections 23 24 25 and 26 from which Corner I saw
West on true line between Sections 23 and 26
Variation 11°54 East
40.12 Set Sandstone 18 in long 15 in wide 5 in thick for quarter Section Corner
80.25 The Corner to Sections 22 23 26 and 27
Timber Elm & Cottonwood
Surface Soil Soil 1st Rate

North between Sections 22 and 23
Variation 12°00 East
32.62 Creek 50 lks wide runs E Water Salty

T 10 N R 6 E 6th p m in N.T

4000 Set sandstone 22 in long 12 in wide 5 in
thick for quarter Section Corner
8000 Set sandstone 26 in long 12 in wide 5 in
thick for Corner to Sections 14 15 22 and 23
Surface Mostly Low wet & barren - With
Soil 2nd Rate
a great Many Saline Springs
Earth on random line between Sections 14 and 23
Variation 11°45 East
3200 Salt Creek 100 lks wide runs N E
4100 Set stone for temporary quarter Section Corner
8018 Intersected N and S line 23 lks South of
Stone Corner to Sections 13. 14. 23 and 24
from which Corner I run
Weston true line between Sections 14 and 23
Variation 11°54 East
4009 Set Sandstone 22 in long 12 in wide 4 in
thick for quarter Section Corner
8018 The Corner to Sections 14 15 22 and 23
Surface Level Soil 2nd Rate
North Between Sections 14 and 15

T 10 N R 6 E 6th p m in N.T

Variation 12°00 East
4001 Set Sand stone 23 in long 12 in wide 3 in
thick for quarter Section Corner
8000 Set Sand stone 24 in long 12 in wide 6 in
thick for Corner to Sections 10, 11, 14, 15
Surface Level Soil 2nd Rate
Earth on random line between Sections 11 and 14
Variation 11°45 East
4000 Set stone for temporary quarter Section Corner
8036 Intersected N and S line 33 lks South
of stone Corner to Sections 11 12 13 and 14
from which Corner I run
Weston true line between Sections 11 and 14
Variation 11°59 East
4018 Set Sand stone 18 in long 18 in wide 5 in
thick for quarter Section Corner
8036 The Corner to Sections 10 11 14 and 15
Surface rolling Soil 2nd Rate
North between Sections 10 and 11
Variation 12°00 East

T 10 N R 6 E 6th P M in Ind

	4000	Set sandstone 20in long 15in wide [illegible] thick for quarter Section Corner
7/9	8000	Set Flintstone 20in long 10in wide 8in thick for Corner to Sections 2,3,10 and 11
		Surface rolling Soil 2nd Rate
		Easton random between Sections 2 and 11
4		Variation 11°45' East
	4000	Set stone for temporary quarter Section Corner
8	8028	Intersection North 5 line 20 lks South of Stone Corner to Sections 1,2,11 and 12 from which Corner I saw
		Weston true line between Sections 2 and 11
		Variation 11°58' East
4	4014	Set ~~Flint~~ Stone 20in long 12in wide 4in
7/		for quarter Section Corner
	8028	The Corner to Sections 2,3,10 and 11
		Surface rolling Soil 2nd Rate
		North ~~random between~~ Sections 2 and 3
		Variation 12°00' East
3	4000	Set stone for temporary quarter Section Corner

Surface rolling Soil

T 10 N R 6 E 6th P M in Ind

	7796	Intersection North boundary of Township 32 lks west of Corner to Sections 2 and 3 from which Corner I saw
		South on true between Sections 2 and 3
		Variation 11°5' East
3/9	6	Set Flintstone 20in long 12in wide 3in thick quarter Section Corner
	7796	The Corner to Sections 2 3 10 and 11
		Surface rolling Soil 2nd Rate
		October 18-1857
		North between Sections 33 and 34
		Variation 12°00' East
	4000	Set sandstone 22in long 6in wide 5in thick for quarter Section Corner
	8000	Set sandstone 28in long 6in wide 6in thick for Corner to Sections 27, 28, 33 and 34
		~~Surface rolling Soil 2nd Rate~~
		Easton random line between Sections 27 and 34
		Variation 11°45' East
	4000	Set stone for temporary quarter Section Corner
	4300	Salt Creek 80 lks wide runs N

T 10 N R 6 E 6th P M in N T

8000 Intersected N and S line 30 lks South of Stone Corner to Sections 26, 27, 34 and 35 from which corner I run

West on true line between Sections 27 and 34

Variation 11°58 East

4000 Set Sandstone 24 in long 5 in wide 5 in thick for quarter Section Corner

8000 The Corner to Sections 27, 28, 33 and 34

Surface Level Soil 2nd Rate

North between Sections 27 and 28

Variation 12°00 East

3300 Creek 50 lks wide runs E, Water Salty

4000 Set sandstone 24 in long 6 in wide 6 in thick for quarter Section Corner

8000 Set sandstone 30 in long 6 in wide 6 in thick for Corner to Sections 21 22 27 and 28

Surface Level Soil 2nd Rate

East on random line between Sections 22 and 27

Variation 11°45 East

4000 Set stone for temporary quarter Section Corner

T 10 N. R 6 E. 6th P M in N T

8008 Intersected N and S line 20 lks South of Stone Corner to Sections 22, 23, 26 and 27 from which Corner I run

West on true line between Sections 22 and 27

Variation 11°54 East

4004 Set sandstone 24 in long 8 in wide 8 in thick for quarter Section Corner

8008 The Corner to Sections 21, 22, 27 and 28

Surface rolling soil 2nd Rate

North between Sections 21 and 22

Variation 12°00 East

4000 Set sandstone 22 in long 10 in wide 4 in thick for quarter Section Corner

8000 Set Sandstone 23 in long 10 in wide 6 in thick for Corner to Sections 15, 16, 21 and 22

Surface Mostly Low barren flat Unfit for Cultivation With great Many fine Salt Springs

East on random line between Sections 15 and 22

Variation 11°45 East

3430 Creek 100 lks wide runs SE Water Salty

T 10 N R 6 E 6th p m in W S

4000	Set Stone for temporary quarter Section Corner
8006	Intersected N and S line 28 lks South of Corner to Sections 14, 15, 22 and 23 from which Corner I run West on true line between Sections 15 & 22 Variation 11°57 East
4003	Set sandstone 18 in long 16 in wide 5 in thick for quarter Section Corner
8006	The Corner to Sections 15, 16, 21 and 22 Surface Level Soil 2nd Rate North between Sections 15 and 16 Variation 12°00 East
3800	Creek 100 lks wide runs S E, Water Salty
4000	Set Sandstone 19 in long 15 in wide 3 in thick for quarter Section Corner
8000	Set Sandstone 24 in long 10 in wide 6 in thick for Corner to Sections 9 10 15 and 16 Surface Level soil 2nd Rate East on random line between Sections 10 & 15 Variation 11°45 East

Surface rolling Soil 2nd

T 10 N R 6 E 6th p. m. in W T

4000	Set Stone for temporary quarter Section Corner
8000	Intersected N and S line 50 lks South of Stone Corner to Sections 10 11 14 and 15 from which Corner I run West on true line between Sections 10 and 15 Variation 12°06 East
4000	Set sand stone 23 in long 15 in wide 5 in thick for quarter Section Corner
8000	The Corner to Sections 9 10 15 and 16 Surface rolling Soil 2nd Rate North between Sections 9 and 10 Variation 12°00 East
4000	Set sand stone 22 in long 6 in wide 5 in thick for quarter Section Corner
8000	Set Sandstone 26 in long 12 in wide 4 in thick for Corner to Sections 3 4 9 and 10 Surface rolling soil 2nd Rate East on random line between Sections 3 and 10 Variation 11°45 East
4000	Set stone for temporary quarter Section Corner

8019 Intersects N and S line 65 Lks South
of Corner to Sections 2, 3, 10 and 11
from which Corner I run
Weston true line between Sections 3 and 10
Variation 12°13' East
4010 Set Flintstone 24 in long 10 in wide 10 in
thick for quarter Section Corner
8019 The Corner to Sections 3, 4, 9 and 10
Surface Rolling Soil 2nd Rate

Northon random line between Sections 3 and 4
Variation 12°00 East
4000 Set stone for temporary quarter Section Corner
7837 Intersects North boundary of Township
25 Lks west of Corner to Sections 3 and 4
from which Corner I run
Southon true line between Sections 3 and 4
Variation 11°46 East
3837 Set Flint stone 20 in long 10 in wide 10 in
thick for quarter Section Corner
7837 The Corner to Sections 3 4 9 and 10

Surface rolling Soil 2nd Rate

Surface Rolling Soil good 2nd Rate
October 19 1857

North between Sections 32 and 33
Variation 12°00 East
4000 Set Flintstone 24 in long 12 in wide 2 in
thick for quarter Section Corner
8000 Set Sandstone 28 in long 12 in wide 5 in
thick for ~~Corner to Sections 28 29 32 33~~
Surface rolling Soil 2nd Rate

Eastern random line between Sections 28 and 33
Variation 11°45 East
4000 Set Stone temporary quarter Section Corner
8000 Intersects N and S line 25 Lks South of
stone Corner to Sections 27 28 32 33
from which Corner I run
Weston true line between Sections 28 and 33
Variation 11°56 East
4000 Set Flint stone 20 in long 12 in wide 5 in
thick for quarter Section Corner
8000 The Corner to Sections 28 29 32 and 33

T 10 N R 6 E 6th P M in W T

Surface Level Soil 2nd Rate

North between Sections 28 and 29

Variation 12°00 East

2100 Creek 40 lks wide runs E. Water Salty

4000 Set Flint stone 20 in long 10 in wide 4 in thick for quarter Section Corner

8000 Set Flint stone 22 in long 12 in wide 5 in thick for Corner to Sections 20 21 28 and 29

Surface rolling Soil 2nd Rate

Eastern random line between Sections 21 and 28

Variation 11°45 East

4000 Set stone for temporary quarter Section Corner

8005 Intersected N and S line 35 lks South of Corner to Sections 21 22 27 and 28 from which Corner I saw

Western true line between Sections 21 and 28

Variation 12°00 East

4003 Set Flint stone 22 in long 12 in wide 5 in thick for quarter Section Corner

8005 The Corner to Sections 20 21 28 and 29

T 10 N R 6 E 6th P M in W T

Surface rolling Soil 2nd Rate

North between Sections 20 and 21

Variation 12°00 East

4000 Set Flint stone 20 in long 12 in wide 4 in thick for quarter Section Corner

8000 Set Flint stone 20 in long 12 in wide 5 in thick for Corner to Sections 16 17 20 and 21

Surface Rolling Soil 2nd Rate

Eastern random line between Sections 16 and 21

Variation 11°45 East

4000 Set Stone for temporary quarter Section Corner

8013 Intersected N and S line 18 lks south of stone Corner to Sections 15 16 21 and 22 from which Corner I saw

Western true line between Sections 16 and 21

Variation 11°53 East

4007 Set sand stone 18 in long 15 in wide 5 in thick for quarter Section Corner

8013 The Corner to Sections 16 17 21 and 20

Surface Rolling Soil 2nd Rate

T 10 N R 6 E 6th P M in M T

North between Sections 16 and 17
Variation 12° 00' East

4000 Set Flint stone 24 in long 12 in wide 4 in thick for quarter Section Corner

4950 Brick 50 lks wide runs S E Water Salty

8000 Set Flint stone 20 in long 12 in wide 12 in thick for Corner to Sections 9, 8, 16 and 17

Surface rolling Soil 2nd Rate

East on random line between Sections 9 and 16
Variation 11° 45' East

4000 Set stone for temporary quarter Section Corner

8000 Intersects N and S line 50 lks South of stone Corner to Sections 9 10 15 and 16 from which Corner I run

West on true line between Sections 9 and 16
Variation 12° 0' East

4000 Set Flint stone 20 in long 10 in wide 10 in thick for quarter Section Corner

8000 The Corner to Sections 8 9 16 and 17

Surface rolling Soil 2nd Rate

T 10 N R 6 E 6th P M in M T

North between Sections 8 and 9
Variation 12° 00' East

4000 Set Flint stone 20 in long 12 in wide 8 in thick for quarter Section Corner

8000 Set Flint stone 22 in long 12 in wide 8 in thick for ~~Corner to~~ Section ~~4, 5~~, 8 and 9

Surface rolling Soil 2nd Rate

East on random line between Sections 4 and 9
Variation 11° 45' East

4000 Set stone for temporary quarter Section Corner

7988 Intersects N and S line 46 lks south of stone Corner to Sections 3 4 9 and 10 from which Corner I run

West on true line between Sections 4 and 9
Variation 12° 0' East

3994 Set Flint stone 23 in long 13 in wide 5 in thick for quarter Section Corner

7988 The Corner to Sections 4, 5, 8 and 9

Surface rolling Soil 2nd Rate

North on random line between Sections 4 and 5

T 10 N R 6 E 6th P M in Mo

Variation 12° 00 East

4000 Set stone for temporary quarter Section Corner

7807 Intersected with boundary of Township 45 lks west of Corner to Sections 4 and 5 from which Corner I saw

~~Section~~ on true line between Sections 4 and 5

Variation 11° 41 East

2807 Set Flint stone 22 in long 15 in wide 5 in thick for quarter Section Corner

7807 The Corner to Sections 4 5 8 and 9

Surface rolling Soil 2nd Rate

October 20. 1857

North between Sections 3 and 32

Variation 12° 00 East

4000 Set Flint stone 21 in long 8 in wide 6 in thick for quarter Section Corner

8000 Set Flint stone 22 in long 12 in wide 6 in thick for Corner to Sections 29 20 31 and 32

Surface rolling Soil 2nd Rate

East on random between Sections 29 and 32

T 10 N R 6 E 6th P M in Mo

Variation 11° 45 East

4000 Set stone for temporary quarter Section Corner

7978 Intersected ~~N and~~ S line 40 lks South of stone Corner to Sections 28 29 32 and 33 from which Corner I saw

West on true line between Sections 29 and 32

Variation 12° 02 East

3989 Set Flint stone 20 in long 15 in wide 6 in thick for quarter Section Corner

7978 The Corner to Sections 29 30 31 and 32

Surface rolling Soil 2nd Rate

West on random line between Sections 30 and 31

Variation 11° 45 East

4000 Set stone for temporary quarter Section Corner

7722 Intersected west boundary of Township 30 lks north of Corner to Sections 30 and 31 from which Corner I saw

East on true line between Sections 30 and 31

Variation 11° 38 East

3722 Set Flint stone 22 in long 12 in wide 5 in

thick for quarter Section Corner
7722 The Corner to Sections 24 30 31 and 32
Surface rolling Soil 2nd Rate
North between Sections 29 and 30
Variation 12° East
3700 Creek 50 lks wide runs SE Water Salty
4000 Set Flintstone 24 in long 13 in wide 4 in
thick for quarter Section Corner
8000 Set Flintstone 20 in long 20 in wide 6 in
thick for Corner to Sections 19 20 29 and 30
Surface Level Soil 2nd Rate
East on random line between Sections 20 and 29
Variation 11°45 East
4000 Set stone for temporary quarter Section Corner
7966 Intersected Nand S line 60 lks South of stone
Corner to Sections 20 21 29 and 28
from which Corner I run
West on true between Sections 20 and 29
Variation 12°11 East
3983 Set Flintstone 26 in long 18 in wide 6 in
thick for quarter Section Corner

7966 The Corner to Sections 19 20 29 and 30
Surface rolling Soil 2nd Rate
West on random line between Sections 19 and 30
Variation 11°45 East
4000 Set stone for temporary quarter Section Corner
7700 Intersected west boundary of Township
5 lks north of stone Corner to Sections 19 and 30
from which Corner I run
East on true line between Sections 19 and 30
Variation 11°47 East
3700 Set Flintstone 26 in long 12 in wide 8 in
thick for quarter Section Corner
7700 The Corner to Sections 19 20 29 and 30
Surface Rolling Soil 2nd Rate
North between Sections 19 and 20
Variation 12°00 East
4000 Set Flintstone 28 in long 13 in wide 5 in
thick for quarter Section Corner
8000 Set Flintstone 25 in long 13 in wide 6 in
thick for Corner to Sections 17 18 19 and 20

T 10 N R 6 E 6th P M in N T

Surface rolling Soil 2nd Rate

East on random line between Sections 17 and 20

Variation 11°45 East

4000 Set stone for temporary quarter Section Corner

7960 Intersected Nand Sline 35 Lks South of stone Corner to Sections 16, 17, 20 and 21 from which Corner I run

West on true line between Sections 17 and 20

Variation 12°00 East

3980 Set Flint stone 18 in long 17 in wide 6 in thick for quarter Section Corner

7960 The Corner to Sections 17, 18, 19 and 20

Surface rolling Soil 2nd Rate

West on random line between Sections 18 and 19

Variation 11°45 East

4000 Set stone for temporary quarter Section Corner

7705 Intersected west boundary of Township at Stone Corner to Sections 18 and 19 from which Corner I run

Earth on true line between Sections 18 and 19

Surface rolling Soil

T 10 N R 6 E 6th P M in N T

Variation 11°45 East

3705 Set Flintstone 22 in long 15 in wide 5 in thick for quarter Section Corner

7705 The Corner to Sections 17 18 19 and 20

Surface rolling soil 2nd Rate

October 21 – 1857

North between Sections 17 and 18

Variation 12°00 East

4000 Set Flint stone 23 in long 12 in wide 6 in thick for quarter Section Corner

8000 Set Flint stone 22 in long 12 in wide 12 in thick for Corner Sections 7, 8, 17 and 18

Surface rolling soil 2nd Rate

Earth on random line between Sections 8 and 17

Variation 11°45 East

900 Creek bolks wide runs S E Water Salty

4000 Set Stone for temporary quarter Section Corner

7968 Intersected Nand Sline 18 Lks South of stone Corner to Sections 8 9 16 and 17 from which Corner I run

T 10 N R 6 E 6th P M in N T

Weston true line between Sections 8 and 17
Variation 11°53' East

3984 Set Flint Stone 20 in long 18 in wide 4 in
thick for quarter Section Corner

7968 The Corner to Sections 7, 8, 17 and 18
Surface rolling Soil 2nd Rate

Weston random line between Sections 7 and 18
Variation 11°45' East

4000 Set stone for temp quarter Section Corner

7688 Intersection east boundary of Township
12 lks South of stone Corner to Sections 7 and 18
from which Corner Inn

~~Eaton true line between Sections 7 and 18~~
Variation 11°40' East

3688 Set Flint stone 20 in long 18 in wide 5 in
thick for quarter Section Corner

7688 The Corner to Sections 7, 8, 17 and 18
Surface rolling Soil 2nd Rate

North between Sections 7 and 8
Variation 12°00' East

T 10 N R 6 E 6th P M in N T

2100 Creek 50 lks wide S E Water Sallow

4000 Set Flint stone 18 in long 12 in wide 5 in
thick for quarter Section Corner which from
a Cottonwood 3 ft in dia bears S 55 E 80 lks
dist an Elm 15 in dia bears N 30 E
15 lks dist

4000 Left Bank Creek 50 lks wide runs S W

7000 Same Creek 50 lks wide runs S E

7800 Same Creek 50 lks wide runs S W

8000 Set Flint stone 20 in long 12 in wide 5 in
thick for Corner to Sections 5 6 7 and 8
~~from which an Ash 15 in dia bears~~
~~N 43 E 75 lks dist a Hackberry~~
18 in dia bears N 10 West 15 lk dist
a hackberry 10 in dia bears S 12 E
120 lks dist No tree in Section 7 to mark
Surface Level Soil 1st Rate
Few Scattering Elm + Cottonwood on Creek

Eaton random line between Sections 5 and 8
Variation 11°45' East

T 10 N R 6 E 6th p M in N T

500 Creek 50 lks wide runs S W
4000 Set stone for temporary quarter Section Corner
7960 Intersected N and S line 40 lks south of
Stone Corner to Sections 4 5 8 and 9
from which Corner I run
Weston the line between Sections 5 and 8
Variation 12° 02' East
3980 Set Flint stone 18 in long 16 in wide 8 in
thick for quarter Section Corner
7960 The Corner to Sections 5 6 7 and 8
Surface Level Soil 1st Rate
Weston random line between Sections 6 and 7
Variation 11° 45' East
625 Creek 50 lks wide runs N E
800 Same Creek 50 lks wide runs S W
4000 Set stone for temporary quarter Section Corner
7728 Intersected west boundary of Township
25 lks South of stone Corner to Sections 6 and 7
from which Corner I run
East on the line between Sections 6 and 7

T 10 N R 6 E 6th P M in N T

Variation 11° 56' East
3728 Set Flint stone 20 in long 18 in wide 6 in
thick for quarter Section Corner
7728 The Corner to Sections 5 6 7 and 8
Surface Level soil 2nd Rate
North on random line between Sections 5 and 6
Variation 12° 00' E
1600 Creek 50 lks wide runs S W
4000 Set stone for temporary quarter Section Corner
7843 Intersected north boundary of Town
ship 30 lks west of Corner to Sections 5 and 6
from which Corner I run
South on the line between Sections 5 and 6
Variation 11° 46' East
3843 Set Flint stone 18 in long 16 in wide 4 in
thick for quarter Section Corner
7843 The Corner to Sections 5 6 7 and 8
Surface Level soil 1st Rate
October 22nd 1857

T 10 N R 6 E 6th P M in N T

General Description

The quality of the land in this Township is mostly good 2nd Rate well adapted for Cultivation

There is but little timber in this township, Consist of scattering Cottonwood Elm hackberry and Locust on the banks of Creeks

The water in all the Creeks are Extremely Salty I discovered Valuble Salt Springs along the bed of Creeks And in Sections 22, 23 and in 34 and 27. A small opperation for boiling the water is carried by a Company in Section 22 The specimen of Salt was very fine

No settlement in township Except in Section 22

T 10 N R 6 E 6th P M in N T

A list of the names of the individuals Employed to assist in running measuring or marking the lines and Corners described in the foregoing field Notes of Township No 10 North of the base line of Range No 6 East of the 6th principal Meridian in the Territory of Nebraska Showing the respective Capacities in which they acted

Ira S Taylor Chainman
W J Bugher Chainman
D Rhodes Axman
John M McCann Flagman
J E Harwood Compassman

Kettle & Company
S. 1 & 2

Copied by Small
Compd " Crowe
Des Cert " Hampton
Compd " Barnum

Field Notes of the subdivision lines in Township 11 N. Range 6. East. in the Territory of Nebraska Surveyed by J. B. Gridley.
Subdivision commenced September 28th 1857. (No 136)
Completed October 8th 1857

October 14. 1856

Compd

Ex. 3 "
Smith 1

Names and duties of Assistants

N. P. Barton - - - - Chainman

Jas. C. Whitall - - - Chainman

Chas. H. Fitch - - - Flagman.

Silas W. Jermond Axe man

Julian R. Fitch Compassman

Township 11 North Range 6 East.

6	50	5	37	4	29	3	19	2	10	1
49		48		36		28		18		9
7	48	8	36	9	27	10	17	11	9	12
47		46		35		26		16		7
18	46	17	34	16	26	15	16	14	7	13
45		44		33		24		15		6
19	48	20	33	21	26	22	14	23	5	24
42		41		32		23		13		4
30	40	29	31	28	22	27	13	26	3	25
39		38		30		21		12		2
31	38	32	30	33	20	34	11	35	2	36

Township 11 N. Range 6 East.

Chains	To determine the proper adjustment of my compass for subdividing this Township. I commence at the corner to Townships 10 and 11 N. Range 6 East. and run North on a blank line. along the East boundary of Section 36.
	Variation 11°42' East.
39.70	To a point 25 links West of quarter Section corner.
79.50	To a point 47 links West of the corner to Sections 25 and 36.
	To retrace this line, or run parallel thereto. my compass must be adjusted to a Variation of 11°27' East
	Subdivision commenced. Septem

Township 11 N. Range 6 East

Chains	
	ber 28th 1857.
	North between sections 35 and 36.
	Variation 11° 22' East.
40.00	Set a granite rock. 14 in long. 8 in wide. 7 in thick,
8	for a quarter section corner.
80.00	Set a granite rock. 12 in long. 10 in wide. 9 in thick for the corner to sections 25. 26. 35 and 36. Sand. broken. Soil 2nd rate.
	East on a random line between sections 25 and 36
	Variation 11° 42' East.
40.00	Set a temporary quarter section corner.
60.00	Leave upland and enter salt bottom subject

Township 11 N. Range 6 East.

Chains	
	to overflow.
80.00	Intersected East boundary at the corner to sections 25 and 36.
	From which corner I run West on a true line between sections 25 and 36.
	Variation 11° 42' East
40.00	Set a granite rock. 14 in long. 8 in wide. 6 in thick for quarter section corner.
80.00	The corner to sections 25-26. 35 and 36 West. 60 chains rolling. East 20 chains. bottom subject to overflow.
	North between sections 25 and 26.
	Variation 11° 22' East.
39.00	A slough 10 links wide runs East.
40.00	Set a granite rock. 12 in

Township 11 N. Range 6 East.

Chains	
	long. 8 in wide. 8 in thick,
	for quarter section corner.
80.00	Set a granite rock. 12 in
	long. 10 in wide. 9 in thick
	for the corner to sections
	23. 24. 25 and 26. Land
	rolling. Soil 2nd rate.
	East on a random line
	between sections 24 and 25.
	Variation 11°42' East.
39.00	To a Salt marsh. bears
	South West and North East.
40.00	Set a temporary quarter
	section corner.
54.50	A Creek 100 links wide.
	Course South East. and leave a few
	marsh trees on the creek. about
	20 chains to the South We
80.25	Intersected East boundar
	82 links South of the corne
	to sections 24 and 25.

Township 11 N. Range 6 East.

Chains	
	From which corner I run
	West on a true line. between
	sections 24 and 25.
	Variation 12° 17' East.
40.13	Set a granite rock. 14 in
	long. 12 in wide. 8 in thick
	for quarter section corner.
80.25	The corner to sections 23. 24.
	25 and 26. Land. West
	39 chains. rolling. prairie
	East 41 chains level. salt
	marsh. unfit for cultivation
	North between sections 23 and
	24.
	Variation 11°22' East.
40.00	Set a granite rock. 14 in
	long. 10 in wide. 8 in thick.
	for quarter section corner.
80.00.	Set a granite rock. 16 in
	long. 10 in wide. 6 in thick.
	for the corner to sections

Township 11 N. Range 6 East.

Chains	13. 14. 23 and 24. Land. hilly. Soil 2nd rate.
	East on a random line between Sections 13 and 24 Variation 11° 42' East.
40.00	Set a temporary quarter section corner.
57.00	A Salt bottom.
63.50.	A creek. 50 links wide runs South. A lime bottom
79.47	Intersected East boundary 39 links North of the corner to Sections 13 and 24. From which corner I run West on a true line between Sections 13 and 24. Variation 11° 25' East.
39.73.	Set a granite rock. 12 in long. 10 in wide. 8 in thick for quarter section corner
79.47	The corner to Sections 13, 14

Township 11 N. Range 6 East.

Chains	23 and 24. Land. West 57 chains rolling. East 22.47. broken bottom land Soil 2nd rate.
	North between Sections 13 and 14. Variation 11° 42' East.
40.00	Set a granite rock. 18 in long. 10 in wide. 7 in thick for quarter section corner.
58.00	Slough. 15 links wide. Course East.
80.00	Set a granite rock. 11 in long. 8 in wide. 7 in thick for the corner to Sections 11. 12. 13 and 14. Land rolling. Soil 2nd rate.
	East on a random line between Sections 12 and 13 Variation 11° 42' East.

Township 11 N. Range 6 East.

Chains.	
32.00	A creek. 10 links wide. runs South.
34.00	Same creek. 15 links wide. runs North East.
36.20	Same creek. 15 links wide. runs South East. Water very salt.
40.00	Set a temporary quarter section corner.
80.00	Intersected East boundary 46 links North of the corner to Sections 12 and 13. From which corner Prun West on a true line. between Sections 12 and 13. Variation 11° 22' East.
40.00	Set a granite rock 12 in long. 8 in wide. 6 in thick for quarter section corner.
80.00	The corner to Sections 11. 12 13 and 14. Land. rolling.

Township 11 N. Range 6 East.

Chains	Soil 2nd rate. September 28th 1857
	North between Sections 11 and 12. Variation 11° 22' East.
25.00	A granite rock 9 feet long. 7 feet wide. 3 feet high. ~~Bears west 150 links.~~
40.00	Set a granite rock. 15 in long. 11 in wide. 5 in thick. for quarter Section corner.
80.00	Set a granite rock. 18 in long. 12 in wide. 4 in thick. for the corner to sections 1 and 2. 11 and 12. Land rolling. Soil 2nd rate.
	East on a random line. between Sections 1 and 12. Variation 11° 22' East.
00.83	A creek. 5 links wide. runs South.
40.00	Set a temporary quarter

Township 11 N. Range 6 East.

Chains	
	section corner.
80.00	Intersected East boundary 44. links South of the corner to sections 1 and 12. From which corner I run West on a true line. between sections 1 and 12.
	Variation 11° 41' East.
40.00	Set a sand Stone. 15 in long. 8 in wide. 4 in thick. for quarter section corner.
80.00	The corner to sections 1. 2. 11. and 12. Land. high, rolling prairie Soil 2nd rate.
	North on a random line. between sections 1 and 2.
	Variation 11° 22' East.
02.00	A creek. 20 links wide. runs South East.
40.00	Set a temporary quarter section corner.

Township 11 N. Range 6 East.

Chains	
78.55	Intersected North boundary 53 links East of the corner to sections 1 and 2. From which corner I run South on a true line. between sections 1 and 2.
	Variation 11° 45' East.
38.55	Set a granite rock. 14 in long. 10 in wide. 6 in thick for quarter section corner.
78.55	The corner to sections 1. 2. 11 and 12. Land. rolling Soil 2nd rate.
	North between sections 34 and 35.
	Variation 11° 22' East.
40.00	Set a granite rock. 12 in long. 10 in wide. 8 in thick. for quarter section corner.
80.00	Set a granite rock. 12 in long

Township 11 N. Range 6 East.

Chains	
	10 in wide. 10 in thick for the corner to Sections 26. 27. 34 and 35. Sand. broken. Soil 2nd rate.
	East on a random line. between Sections 26 and 35. Variation 11° 22' East.
40.00	Set a temporary quarter section corner.
79.81	Intersected North and South line. 77 links South of the corner to Sections 25. 26. 35 and 36.
	From which corner I run West on a true line. between Sections 26 and 35. Variation 11° 55' East.
39.90	Set a granite rock. 14 in long 6 in wide 8 in thick for quarter Section corner.
79.81	The corner to 26. 27. 34 and 35

Township 11 N. Range 6 East.

Chains	
	Sand rolling. Soil 2nd rate
	North between Sections 26 and 27. Variation 11° 22' East.
40.00	Set a granite rock. 10 in long. 9 in wide. 8 in thick. for quarter Section corner.
60.50	A brook. 10 links wide. runs South East.
80.00	Set a granite rock 12 in long. 12 in wide. 8 in thick for the corner to Sections 22. 23. 26 and 27. Sand broken Soil 2nd rate. September 29th 1857
	East on a random line between Sections 23 and 26 Variation 11° 42' East.
40.00	Set a temporary quarter section corner.
79.03	Intersected North and South line. 39 links

Township 11 N. Range 6 East

Chains	
	South of the corner to Sections 23. 24. 25 and 26
	From which corner I run West on a true line. between Sections 23 and 26.
	Variation 11° 59' East.
39.52	Set a granite rock 12 in long. 10 in wide. 8 in thick for quarter section corner.
79.03	The corner to Sections 22. 23. 26 and 27. Land rolling Soil 2nd rate.
	North between Sections 22 and 23.
	Variation 12° 27' East.
40.00	Set a granite rock. 20 in long. 10 in wide. 6 in thick. for quarter Section corner.
80.00	Set a granite rock. 14 in long. 6 in wide. 6 in thick for the corner to Sections

Township 11 N. Range 6 East

Chains	
	14. 15. 22 and 23. Land rolling Soil 2nd rate.
	East on a random line. between Sections 14 and 23.
	Variation 11° 17' East.
40.00	Set a temporary quarter section corner.
80.00	Intersected North and South line. at the corner to Sections 13. 14. 23 and 24.
	From which corner I run West on a true line. between Sections 14 and 23.
	Variation 11° 17' East.
40.00	Set a granite rock. 12 in long. 10 in wide. 6 in thick for quarter Section corner.
80.00	The corner to Sections 14. 15. 22 and 23. Land broken. Soil 2nd rate.

Township 11 N. Range 6 East.

Chains	
	North between Sections 14 and 15.
	Variation 12° 00' East.
40.00	Set a granite rock 12 in long. 10 in wide 8 in thick for quarter section corner.
61.00	Crossed an Indian trail bears North East and South west.
80.00	Set a granite rock. 14 in long. 11 in wide. 6 in thick. for the corner to Sections 10, 11, 14 and 15.— Sand. broken. Soil 2nd rate
	East on a random line between Sections 11 and 14.
	Variation 11° 22' East
14.00	Crossed an Indian trail. bears North East and South west.
29.86	Crossed a brook 10.

Township 11 N. Range 6 East

Chains	
	links wide. runs South East
40.00	Set a granite rock. for temporary quarter section corner.
80.15	Intersected North and South line. 148 links South of the corner to Sections 11. 12. 13 and 14.
	From which corner I run West on a true line. between Sections 11 and 14.
	Variation 12° 25' East.
40.09	Set a granite rock. 12 in long. 8 in wide 8 in thick. for quarter section corner.
80.15	The corner to sections 10, 11, 14 and 15 Sand. broken Soil 2nd rate.
	North between Sections 10 and 11.

Township 11 N. Range 6 East

Chains	
	Variation 12° 00' East.
01.00	To a branch. 5 links wide runs North East.
24.00	To a branch. 5 lks wide. runs South East.
40.00	Set a granite rock. 12 in long. 10 in wide. 8 in thick for quarter Section corner
80.00	Set a granite rock. 12 in long. 9 in wide. 8 in thick for the corner to Sections 2.3. 10 and 11. Land rough. Soil 2nd rate.
	East on a random line between Sections 2 and 11 Variation 12° 00' East.
40.00	Set a temporary quarter Section corner.
45.00	Crossed an Indian trail bears North East and South West.
57.00	Crossed Creek bearing S.E. 20 links wide water very bad

Township 11 N. Range 6 East

Chains	
57.00	Crossed a creek. 20 links wide. runs South East. water very salt.
80.82	Intersected North and South line 47 links South of the Corner to Sections 1. 2. 11. and 12. From which corner I run West on a true line. between Sections 2 and 11. Variation 12° 20' East.
40.41	Set a granite rock. 18 in long 12 in wide. 4 in thick for quarter Section Corner.
80.82	The corner to Sections 2. 3. 11 and 12 Land. broken. Soil 2nd rate.
	North on a random line. between Sections 2 and 3. Variation 12° 00' East.
40.00	Set a temporary quarter

Township 11 N. Range 6 East.

Chains	
	quarter section corner.
58.00	A creek. 30 links wide. runs East.
67.50	A creek 50 links wide runs South East.
79.25	Intersected North boundary 122 links West of the corner to Sections 2 and 3. From which corner I run South on a true line between Sections 2 and 3. Variation 11° 08' East.
39.25	Set a sandstone 18 in long 10 in wide. 4 in thick. for quarter Section corner.
79.25	The corner to Sections 2, 3, 10 and 11. Land, broken. 2nd rate. September 30th 1857
	North between Sections 33 and 34. Variation 11° 22' East
40.00	Set a granite rock. 12

Township 11 N. Range 6 East

Chains	
	in long 10 in wide. 8 in thick. for quarter Section corner.
80.00	Set a granite rock. 14 in long. 12 in wide. 8 in thick for corner to Sections 27, 28, 33 and 34. Land broken Soil 2nd rate.
	East on a random line between Sections 27 and 34. Variation 11° 22' East.
40.00	Set a temporary quarter Section corner.
42.00	Crossed an Indian trail bears North and South.
79.90	Intersected North and South line. 93 links South of the corner to Sections 26, 27, 34 and 35. From which corner I run West on a true line. between

Township 17 N Range 6 East.

Chains	27 and 34.
	Variation 12°. 02' East.
39.95	Set a granite rock 12 in long 10 in wide. 6 in thick for quarter section corner.
79.90	The corner to Sections 27. 28. 33 and 34. Land broken Soil 2nd rate.
	North between Sections 27 and 28
	Variation 12°. 00' East
40.00	Set a granite rock 12 in long. 10 in wide. 6 in thick for a quarter Sec. Corner
80.00	Set a granite rock 14 in long 10 in wide 6 in thick for Corner to Sections 21. 22. 27 and 28. Land broken Soil 2nd rate

Township 17 N. R. 6 East

Chains	East on a random line between Sections 22 and 27
	Variation 12°. 00' East
40.00	Set a temporary quarter Section Corner
49.00	An Indian trail bears North and South
59.00	at Brook 5 links wide runs South
80.70	Intersected N and S line 10 lks South of Corner to Sections 22. 23. 26 and 27. From which Corner run West on a true line between Sections 22 and 27
	Variation 12°. 04' East
40.35	Set a granite rock 12 in long 12 in wide 12 in thick

Township 11 N. R 6 East

chains	
	for a quarter section corner
80.70	the corner to Sections 21. 22 28 and 27. Land broken and 2nd rate
	North between Sections 21 and 22
	Variation 12°00' East
40.00	Set a granite rock 12 in long 10 in wide 8 in thick for a quarter Section Corner
80.00	Set a Sand stone 12 in long 10 in wide 7 in thick for Cor to Sections 15. 16 21 and 22. Land high broken prairie Soil 2nd rate
	East on a random line between sections 15 and 22

Township 11 North R 6 East

chains	
	Variation 12°00' East
40.00	Set a temporary quarter Section Corner
58.00	An Indian trail runs N.E. and S.W.
80.00	Intersected N and S line 107 lks South of Corner to Sections 14, 15. 22 and 23. From which Corner Run West on a true line between Sections 15 and 22
	Variation 12°46' East
40.00	Set a granite rock 12 in long 12 in wid 12 in thick for quarter Section Corner
80.00	The Corner to Sections 15. 16. 21. 22. Land broken Soil 2nd rate

Township 11 North R 6 East

chains	
	North between sections 16 and 15
	Variation 12.00 East
40.00	Set a granite rock 20 in long. 9 in thick 7 in wide for a quarter section Corner
80.00	Set a granite rock 16 in long 10 in wide. 6 in thick for Corner to sections 9.10 15 and 16 Land broken Soil 2nd rate
	East on a random line between sections 10 and 15
	Variation 12.00 East
40.00	Set a temporary quarter section corner
79.00	A brook 5 links wide runs North East
80.00	Intersected N and S line 70 links south of the Corner to sections 10.11.14

Township 11 North R 6 East

chains	
	and 15. From which Corner Run West on a true line between sections 10 and 15
	Variation 12.30 East
40.00	Set a granite rock 14 in long 10 in wide 6 in thick for a quarter section corner
80.00	The corner to sections 15 and 16. 21 and 22 Land high rolling Prairie. Soil 2nd rate October 1st 1857
	North between sections 9 and 10.
	Variation 12° 00' East.
40.00	Set a granite rock 12 in long. 10 in wide. 8 in thick for a quarter section corner
80.00	Set a granite rock. 14 in long. 10 in wide. 8 in thick

Township 11 N. Range 6 East.

Chains	
	for the corner to sections 3.4.9 and 10. Land broken. Soil 2nd rate.
	East on a random line. between sections 3 and 10. Variation 12° 00' East.
40.00	Set a temporary quarter section corner
79.90	Intersected North and South line at the corner to sections 2.3.10 and 11.
	From which corner I run West on a true line, between sections 3 and 10. Variation 12° 00' East.
39.95	Set a granite rock. 18 in long. 8 in wide. 8 in thick. for quarter section corner.
79.90	The corner to sections 3.4. 9 and 10. Land. broken Soil 2nd rate.

Township 11 N. Range 5 East

Chains	
	North on a random line between sections 3 and 4. Variation 12° 00' East.
40.00	Set a temporary quarter section corner.
74.75	Crossed a creek 5 links wide runs East.
79.05	Intersected North boundary 214 links West of the corner to sections 3 and 4.
	From which corner I run South on a true line. between sections 3 and 4. Variation 10° 28' East.
39.05	Set a granite rock. 12 in long. 9 in wide 8 in thick for quarter section corner.
79.05	The corner to sections 3.4. 9 and 10. Land. broken Soil 2nd rate. boulders appear on ridges.
	October 2nd

Township 11 N. Range 6 East.

Chains	
	North between Sections 32 and 33
	Variation 11° 22' East.
40.00	Set a granite rock, 14 in long 12 in wide 3 in thick for quarter section corner.
80.00	Set a granite rock 18 in long. 8 in wide, 8 in thick for the corner to Sections 28, 29. 32 and 33. Sand. rich. bottom. Soil 1st rate.
	East on a random line between Sections 28 and 33.
	Variation 12° 00' East.
40.00	Set a temporary quarter section corner.
45.00	Leave the bottom and enter high ridges.
80.14	Intersected North and South line. at the corner to Sections 27. 28. 33 and 34. From which corner I run West on a true line, between

Township 11 N. Range 6 East.

Chains	
	Sections 28 and 33.
	Variation 12° 00' East.
40.07	Set a granite rock 12 in long 9 in wide, 6 in thick. for quarter section corner.
80.14	The corner to Sections 28. 29. 32 and 33. Land. West 45 chains ~~rich~~ level. bottom. land. balance. broken 2nd rate.
	North between Sections 28 and 29.
	Variation 12° 00' East.
40.00	Set a granite rock. 12 in long. 8 in wide. 6 in thick for quarter section corner.
55.00	Crossed a brook, 25 links wide. runs West.
80.00	Set a granite rock. 12 in long. 10 in wide, 6 in thick for the corner to Sections. 20. 21. 28 and 29. Sand level, rich. bottom.

Township 114 N. Range 6 East.

Chains.	
	East on a random line between Sections 21 and 28. Variation 12° 00' East
30.00	Leave the bottom land
40.00	Set a temporary quarter Section corner.
80.25	Intersected North and South line 25 links North of the corner. to Sections 21. 22, 27 and 28.
	From which corner I run West on a true line, between Sections 21 and 28. Variation 11° 51' East.
40.12	Set a granite rock. 16 in long. 12 in wide. 6 in thick for quarter Section corner.
80.25	The corner to Sections 20. 21. 28 and 29. Land West 30 Chains. rich. level. bottom balance 2nd rate.

Township 114 N. Range 6 East

Chains	
	North between Sections 20 and 21. Variation 12° 00' East.
40.00	Set a granite rock. 12 in long 10 in wide. 8 in thick. for quarter Section corner.
80.00	Set a granite rock. 14 in long. 8 in wide 5 in thick for the corner to Sections 16. 17. 20 and 21. Land. rich. level. bottom. 1st rate.
	East on a random line, between Sections 16 and 21. Variation 12° 00' East.
20.00	A brook. 5 links wide. runs South.
27.00	Leave bottom and enter high ridges.
40.00	Set a temporary quarter Section corner.
80.69	Intersected North and South line. 140 links North of the

Township 11 N. Range 6 East.

Chains	
	corner to Sections 15. 16. 21 and 22.
	From which Corner I run West on a true line, between Sections 16 and 21.
	Variation 11° 00' East
40.34	Set a granite rock. 11 in long 11 in wide 5 in thick for quarter section corner.
80.69	The corner to sections 16. 17. 20 and 21. Land West. 27 chains level, bottom. balance 2nd rate.
	North between Sections 16 and 17. Variation 12° 00' East.
40.00	Set a granite rock. 14 in long 10 in wide. 7 in thick. for quarter Section corner.
80.00	Set a granite rock. 12 in long. 9 in wide. 6 in thick. for the corner to Sections

Township 11 N. Range 6 East.

Chains	
	8. 9. 16 and 17. Land, level rich, bottom. 1st rate.
	East on a random line, between Sections 9 and 16.
	Variation 11° 00' East.
08.00	Leave the bottom land enter high ridges.
40.00	Set a temporary quarter Section corner.
80.84	Intersected North and South line. 42 links North of the corner to Sections 9. 10. 15 and 16.
	From which corner I run West on a true line between Sections 9 and 16.
	Variation 10° 42' East.
40.42	Set a granite rock 12 in long 8 in thick 10 in wide. for quarter Section corner.
80.84	The corner to Sections 8. 9. 16 and

Township 11 N. Range 6 East.

Chains	
	and 17. Sand, broken 2nd rate
	North between Sections 8 and 9. Variation 11° 10' East.
15.00	Leave bottom, enter high ridges.
40.00	Set a granite rock 12 in long, 8 in wide, 6 in thick for quarter section corner
80.00	Set a granite rock, 10 in long, 8 in wide, 8 in thick for the corner to sections 4, 5, 8 and 9. Sand, hilly Soil good.
	East on a random line between Sections 4 and 9. Variation 10° 48' East.
40.00	Set a temporary quarter Section corner.
80.00	Intersected North and South line at the corner to Sections 3, 4, 9 and 10. From which corner I run

Township 11 N. Range 6 East

Chains	
	West on a true line between Sections 4 and 9. Variation 10° 48' East
40.00	Set a granite rock, 14 in long, 10 in wide, 6 in thick for quarter section corner.
80.00	The corner to Sections 4, 5, 8 and 9. Sand broken, 2nd rate
	North on a random line between Sections 4 and 5. Variation 11° 00' East.
40.00	Set a temporary quarter Section corner.
78.62	Intersected North boundary 138 links West of the corner to Sections 4 and 5. From which corner I run South on a true line between Sections 4 and 5. Variation 10° 01' East
38.62	Set a granite rock, 14 in

Township 11 N. Range 6 East.

Chains	
78.62	long. 8 in wide. 6 in thick for quarter section corner. The corner to Sections 4. 5. 8 and 9. Soil 2nd rate. October 5th 1857.
	North between Sections 31 and 32. Variation 11° 22' East
20.00	A creek. 100 wide. runs South West. timber on the creek.
40.00	Set a granite rock 14 in long 9 in wide. 4 in thick for quarter section corner
80.00	Set a granite rock. 14 in long. 12 in wide. 10 in thick. for the corner to Sections 29. 30. 31 and 32. Rich level bottom land. Timber Cottonwood Elm Ash & Plums
	East on a random line between Sections 29 and 32. Variation 12° 00' East.
11.60	A creek 70. links wide runs South West.

Township 11 N. Range 6 East.

Chains	
	Scattering timber on the creek.
40.00	Set a temporary quarter Section corner.
55.00	A n Indian trail. bears South
79.10	Intersected North and South line. 37 links North of the corner to Sections 28. 29. 32 and 33. From which corner I run West on a true line. between Sections 29 and 32. Variation 11° 44' East.
39.55	Set a granite rock. 13 in long. 10 in wide. 8 in thick for quater Section corner.
79.10	The corners to Sections 29. 30. 31 and 32. Land. rich. level. bottom land
	West on a random line. between Sections 30 and 31 Variation 11 42' East.

Township 11 N. Range 6 East.

Chains	
01.00	Leave bottom land.
40.00	Set a temporary quarter Section corner.
72.75	A creek, 15 links wide, runs South.
77.20	Intersected West boundary 58 links north of the corner to Sections 30 and 31. From which corner I run East on a true line, between Sections 30 and 31. Variation 12° of East
37.20	Set a granite rock, 18 in long, 8 in wide, 6 in thick for quarter Section corner
77.20	The corner to Sections 29, 30, 31 and 32. Land, gently rolling. Soil good.
	North between Sections 29 and 30 Variation 12.25' East

Township 11 N. R 6 East

Chains	
0.50	leave the bottom land
40.00	Set a granite rock 12 in long 12 in wide. 12 in thick for a quarte Section corner
80.00	set a granite rock 18 in long. 6 in wide. 6 in thick for the Corner to Sections 19. 20. 29 and 30 Land gently rolling Soil good
	East on a random line between Sections 20 and 29 Variation 11.42' East
12.00	leave the ~~bottom~~ and enter on to the bottom land
40.00	Set a temporary quarter Section corner
42.00	A creek 100 lks wide runs South. Scattering Timber on the creek

Township 11 N. R 6 East

chains	
60.00	An Indian trail bears North and South.
79.25	Intersected North and South line. 0.3 lks North of the corner to sections 20. 21. 29 and 28. From which corner Run West on a true line between Sections 20 and 29
	Variation 11°40' East
39.62	Set a granite rock 14 in long. 4 in thick 6 in wide for a quarter section Corner
79.25	The corner to sections 19. 20 29 and 30. ~~Land~~ rich level bottom land

West on a random line between Sections 19. 30

Variation 11°18' East

Township 11 N. R 6 East

chains	
40.00	Set a temporary quarter section corner
76.60	Intersected West Boundary at the corner to sections 19 and 30. From which corner Run East on a true line between sections 19 and 30
	Variation 11.18' East
36.60	Set a granite rock 12 in long 12 in wide 6 in thick for a quarter section corner
76.60	The corner to sections 19 24. 29 and 30. Land gently rolling Soil good
	October 6th 1857

North between Sections 19 and 20.

Variation 11°42' East.

chains	
9.00	Enter bottom land.

Township 11 N. Range 6 East.

Chains	
40.00	Set a granite rock. 14 in long. 12 in wide. 4 in thick for quarter Section corner
80.00	Set a granite rock. 14 in long. 10 in wide. 8 in thick, for the corner to Sections 17. 18. 19. 20. Land. rich level. bottom. land.
	East on a random line between Sections 17 and 20. Variation 11° 42' East.
34.00	A creek 100 links wide. runs South. Scattering timber on the creek.
40.00	Set a temporary quarter Section corner.
63.40	An Indian trail. bears North and South.
79.40	Intersected North and South line. 8 links South

Township 11 N. Range 6 East

Chains	
	of the corner to Sections 16. 17. 20 and 21. From which corner I run West on a true line, between Sections 17 and 20. Variation 11° 46' East.
39.70	Set a granite rock, 14 in long 10 in wide. 4 in thick for quarter Section corner.
79.40	The corner to Sections 17. 18. 19. and. 20 Land. Level. Soil 1st rate. Timber Oak and cottonwood.
	West on a random line between Sections 18 and 19. Variation 12° 00' East.
40.00	Set a temporary quarter Section corner
77.20	Intersected West boundary 157 links North of the corner to Sections 18 and 19. From which corner I run

Township 11 North Range 6 East.

Chains	
	East on a true line between Sections 18 and 19. Variation 13° 07' East.
37.20	Set a granite rock. 12 in long 9 in wide. 6 in thick for quarter Section corner.
77.20	The corner to Sections 17. 18. 19 and 20. Land broken. 2nd rate
	North between Sections 17 and 18. Variation 11° 42' East.
40.00	Set a granite rock. 14 in long. 8 in wide. 6 in thick. for quarter Section corner.
80.00	Set a granite rock. 14 in long. 8 in wide. 7 in thick. for the corner to Sections 7 and 8. 17 and 18. Land. level. 1st rate.
	East on a random line between Sections 8 and 17 Variation 12° 00' East.
15.00	A creek. 70 links wide runs South East. timber on the creek.

Township 11 N. Range 6 East.

Chains	
40.00	Set a temporary quarter Section corner.
42.00	Crossed an Indian trail. runs South and North.
79.41	Intersected North and South line. 13 links South of the corner to Sections 8. 9. 16 and 17. From which corner I run West on a true line. between Sections 8 and 17 Variation 12° 06' East.
39.70	Set a granite rock. 15 in long. 12 in wide. 4 in thick for quarter Section corner.
79.41	The corner to Sections 7. 8. 17 and 18 Land. level. 1st rate. Timber Cottonwood Elm. and Ash.
	West on a Random line. between Sections 17 and 18 Variation 13° 00' East.

Township 11 N. Range 6 East.

Chains	
05.00	Leave the bottom land.
40.00	Set a temporary quarter section corner
77.40	Intersected West boundary 13 links South of the corner to sections 7 and 18. From which corner I run East on a true line between 7 and 18. Variation 12° 54' East.
37.40	Set a granite rock, 13 in long, 10 in wide, 6 in thick for quarter section corn
77.40	The corner to sections 7, 8, 17 and 18. Land high rolling Prairie. Soil 1st rate

North between Sections 7 and 8. Variation 11° 42' East.

Chains	
30.50	A creek 50 links wide. runs East.
38.00	recross same creek 70 links wide runs West.
40.00	Set a granite rock. 16 in long. 15 in wide. 4 in thick. for quarter section corn

Township 11 N. Range 6 East.

Chains	
45.75	Same creek. 80 links wide runs South East. timber on the creek.
0.80	Set a granite rock. 12 in long. 12 in wide. 8 in thick. for the corner to sections 5. 6. 7 and 8. Land. rich. level. bottom land. Timber. Elm ash. and Cottonwood

October 7th 1857.

East on a random line. between Sections 5 and 8. Variation 11° 42' East.

Chains	
0.44	An Indian Trail. bears South.
40.00	Set a temporary quarter section corner.
0.12	Intersected North and South line. 70 links South of the Corner to Sections 4. 5. 8 and 9. From which corner I run West on a true line between Sections 5 and 8.

Township 11 N. Range 6 East.

Chains	
40.06	Set a granite rock. 20 in long. 18 in wide. 7 in thick. for quarter Section corner
80.12	The corner to Sections 5. 6. 7 and 8. Sand. level. Soil 1st rate.
	West on a random line between Sections 6 and 7. Variation 13° 00' East.
35.00	A creek. 50 links wide bears South. Timber on the creek.
40.00	Set a temporary quarter Section corner. and leave the bottom land.
77.10	Intersected West boundary at the corner to Sections 6 and 7. From which corner I run East on a true line. between Sections 6 and 7. Variation 13° 0 & East.
37.10	Set a granite rock. 18

Township 11 N. Range 6 East

Chains	
	in long 12 in wide 8 in thick for quarter Section corner.
77.10	The corner to Sections 5. 6. 7 and 8. Sand. level 1st rate. Timber. Elm. ash and Cottonwood
	North on a random line between Sections 5 and 6. Variation 11° 00' East.
22.00	An Indian trail. bears South East.
40.00	Set a temporary quarter Section corner.
54.00	Leave the bottom. and enter on a gradual Slope.
77.85	Intersected North boundary 83 links west of the corner to Sections 5 and 6. From which corner I run South on a true line. between Sections 5 and 6. Variation 10° 24' East.

Township 11 N. Range 6 East.

Chains	
37.85	Set a granite rock 12 in long. 10 in wide. 6 in thick for quarter Section corner
77.85	The corner to Sections 5. 6. 7 and 8. Land. level. Soil good.

October 8th 1857

General Description

The West half of this township is good first rate land and there is Considerable timber on the Creek. that runs throu that part and the Eastern part. I found indications of productive salt springs the North Eastern part is like wise good prairie rich soil and is valuable on account of its salt springs

We here by certify that we assisted John B. Gridley. deputy Surveyor. in Subdividing Township number 11 N. Range 6 East. East of the 6th principal Meridian. and that said Township. has been. in all respects. to the best of our knowlege and belief. well and faithfully surveyed and the corners set according to the instructions furnished by the Surveyor General

Norman P. Barton. Chainman
Jas C Whitall Chainman
Charles H Fitch Flagman
Vilas W Germond Corner Make & Flagman
Julien R. Fitch Compassman

Subscribed & sworn to by the above named persons before me, a Notary Public for the County of Leavenworth in the Territory of Kansas, this second day of February A.D. 1858.

Jno. P. Hugh
Notary Public

I, John B. Gidley Deputy Surveyor, do solemnly swear that, in pursuance of a contract with Surveyor of the public Lands of the United States in the Territories of Kansas & Nebraska bearing date the day of 1857. and in strict conformity to the laws of the United States, and the instructions furnished by the said Surveyor General. I have faithfully surveyed the Subdivisions of Township Number Eleven North of the base line of Range Six East of the Sixth Principal Meridian in the Territory of Nebraska aforesaid and do further solemnly swear that the foregoing are the true and original

Field notes of said survey.

Deputy Surveyor

Subscribed by said John B Gridley, deputy Surveyor and sworn to before me a Notary Public for the County of Leavenworth in the Territory of Kansas on this day of AD 1858.

53/136

4

137

Copied by Sewell
Compd by Crow & Swale
Descriptive Lists by Hampton
Compd by Bowman & Hampton

Field Notes of the subdivision lines in Township 12 N. Range 6 East. in the Territory of Nebraska.
Surveyed by J. B. Gridley (No 136)
Subdivision commenced October 12th 1857.
Completed November 10th 1857
October 14 1856

Comp

Ex

Smith 1.

Names and duties of Assistants

N. P. Barton — Chainman
Clarke J. Whitall — Chainman
Chas H. Fitch — Flagman
Silas W. Gemmond — Axeman
Julian R. Fitch — Compassman

Township 12 North Range 6 East

6	50	5	37	4	27	3	19	2	10	1	
	49		48		37		26		18		9
7	48	8	36	9	25	10	17	11	9	12	
	47		46		35		25		16		7
18	46	17	35	16	24	15	15	14	6	13	
	45		44		34		23		15		5
19	44	20	33	21	22	22	14	23	5	24	
	43		42		32		22		13		4
30	40	29	31	28	21	27	13	26	3	25	
	39		39		36		20		12		2
31	38	32	30	33	19	34	11	35	2	36	

140

United States of America }
Territory of Nebraska }

I, William H. Godwin, do solemnly swear that I will well and truly perform the duties of Compassman or flagman according to instructions given me and to the best of my skill and ability.

William H. Godwin, Compassman.

Subscribed and sworn to by the above named person, before me, a deputy Surveyor for Kansas & Nebraska, in the Territory of Nebraska, this 10th day of May 1858.

John B. Gridley U.S. Deputy Surveyor

141 43

United States of America }
Territory Nebraska }

I, Silas W. Gremond, do solemnly swear that I will well and truly perform the duties of flagman, axeman, or cornermaker, according to instructions given me, and to the best of my skill and ability.

Silas W. Gremond Flagman, axeman & cornermaker.

Subscribed and sworn to by the above named person, before me a Deputy Surveyor for Kansas and Nebraska, in the Territory of Nebraska, this 17th day of May A.D. 1858.

John B. Spilly U.S. Deputy Surveyor

143

John B. Spilly U.S. Deputy Surveyor

143

United States of America }
Territory of Nebraska }

I, Jerome Carpenter, do solemnly swear that I will well and truly perform the duties of flagman, axeman or cornermaker, according to instructions given me and to the best of my skill and ability.

Jerome Carpenter
flagman & axeman.

Subscribed and sworn to by the above named person, before me, a deputy Surveyor for Kansas & Nebraska, in the Territory of Nebraska, this 10th day of May 1858.

John B. Spilley U.S. Deputy Surveyor

143

United States of America }
Territory of Nebraska }

I, Asa Warren, do solemnly swear that I will faithfully execute the duties of chain-carrier; that I will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that I will report the true distance to all notable objects, and the true length of all lines that I assist in measuring, to the best of my skill and ability.

Asa Warren Chainman

Subscribed and sworn to ~~before me~~ by the above named person, before me, a deputy Surveyor for Kansas and Nebraska, in the Territory of Nebraska, this 17th day of May A.D. 1858.

J. B. Gridley - U.S. Deputy Surveyor.

Notes of the Subdivision 146

Field Notes of the Subdivision lines of Township 12 N. Range 6 East.

Chains	
	To determine a proper adjustment of my compass for subdivising this Township I commenced at the corner to Townships 11 and 12 N. Range 6 East. and run North on a blank line along the East boundary of Section 36. Variation 11° 30'. East.
9.65	To a point 66 links East of the quarter Section corner
79.50	To a point 134 links East of the corner to Sections 25 and 26. To retrace this line or run parallel there to. I must adjust my compass to a Variation of 12° 27' East.
	Subdivision commenced October 12th. 1857

Township 12 N. Range 6 East.

Chains	
	North between Sections 35 and 36
	Variation 12° 50' East.
15.75	An Indian trail, bears North East and South West
40.00	Set a granite rock 14 in long. 10 in wide 4 in thick for quarter Section corner.
55.30	Crossed a road bears East and West.
80.00	Set a granite rock. 14 in long. 15 in wide. 4 in thick, for the corner to Sections 35. 36. 25 and 26. Land broken and 2nd rate
	East on a random line between Sections 25 and 36.
	Variation 11° 35' East.
32.00	An Indian trail, bears North East and South West.
40.00	Set a temporary quarter Section corner.

Township 12 N. Range 6 East.

Chains	
80.00	Intersected East boundary at the corner to Sections 25, and 26. From which corner I run West on a true line between Sections 25 and 36.
	Variation 11° 35' East.
40.00	Set a granite rock 14 in long 12 in wide. 3 in thick for Quarter Section corner.
80.00	The corner to Sections 25. 26. 35 and 36. Land, broken 2nd rate.
	North between Sections 25 and 26
	Variation 12° 25' East.
40.00	Set a granite rock 15 in long, 6 in wide 6 in thick for quarter Section corner.
54.45	An Indian trail, bears North East and South West.
80.00	Set a granite rock. 14 in

Township 12 N. Range 6 East.

Chains	
	long. 15 in wide. 3 in thick for the corner to Sections 23. 24. 25 and 26. Sand Broken and 2nd rate.
	East on a random line between Sections 24 and 25. Variation 11° 35' East.
09.54	Crossed an Indian trail bears North East and South West.
40.00	Set a temporary quarter Section corner.
80.60	Intersected East boundary 84 links North of the corner to Sections 24 and 25; From which corner I run West on a true line between Sections 24 and 25. Variation 10° 59' East.
40.30	Set a granite rock. 25 in long. 8 in wide 3

Township 12 N. Range 6 East.

Chains	
	in thick for quarter Section corner.
80.60	The corner to Sections 23. 24. 25 and 26. Sand Broken and 2nd rate. October 12th 1857
	North between Sections 23 and 24 Variation 12° 00' East.
36.70	Crossed a branch. 3 links wide. runs ~~N. East~~ S. West
40.00	Set a granite rock. 12 in long. 10 in wide 8 in thick for quarter Section corner.
80.00	Set a granite rock 14 in long. 12 in wide. 12 in thick for the corner to Sections 13. 14. 23 and 24. Sand. Broken and 2nd rate.
	East on a random line between Sections 13 and 24. Variation 11° 00' East.

Township 12 N. Range 6 East.

Chains	
16.75	Crossed an Indian trail bears North and South
40.00	Set a temporary quarter Section corner.
80.50	Intersected East boundary at 30 links North of the corner to Sections 13 and 24. From which corner I run West on a true line between Sections 13 and 24. Variation 10° 47' East.
40.25	Set a granite rock 15 in long. 12 in wide. 9 in thick for quarter Section corner.
80.50	The corner to Sections 13, 14, 23 and 24. Land broken 2nd rate.
	North between Sections 13 and 14.

Township 12 N. Range 6 East.

Chains	
	Variation 11° 30' East.
40.00	Set a granite rock. 12 in long. 7 in wide. 6 in thick for quarter Section corner.
77.35	Crossed an ~~Indian trail~~ creek 10 links wide, runs North East. Scattering timber on the creek.
80.00	Set a granite rock. 15 in long 10 in wide 10 in thick for the corner to Sections 11, 12, 13 and 14. Land broken and 2nd rate.
	East on a random line between Sections 12 and 13. Variation 11° 00' East.
05.00	A branch. 10 links wide bears North, East. Scattering timber on the creek.
13.40	Crossed an Indian

Township 12 N. Range 6 East

Chains	
18.50	trail bears North and South recrossed same branch 10 links wide runs South East.
40.00	Set a temporary quarter Section Corner.
66.50.	Crossed a branch 10 links wide bears North East.
68.00	Crossed same branch. bears South East.
70.00	Same branch. bears North East.
80.00	Intersected East boundary 50 links North of the Corner to Sections 12 and 13. From which corner Down West on a true line. between Sections. 12 and 13
40.00	Set Variation 10° 39' East a granite rock, 14. in long. 9 in wide, 9 in thick for quarter Section Corner.

Township 12 N R 6 East

Chains	
80.00	The corner to sections 11 and 12 13 and 14 Land level and 1st rate Timber Cottonwood October 13th 1857
	North between Sections 11 and 12. Variation 11.30' East
0.70	A brook 10 links wide runs South East
40.00	Set a granite rock 12 in long 9 in wide 8 in thick for a quarter Section Corner
80.00	Set a granite rock 14 in long 12 in thick 9 in wide for Corner to Sections 1. 2 11. 12 Land broken Soil 2nd rate
	East on a random line

Township 12 N. R 6 East

chains	
	between sections 1 and 12
	Variation 11.00° East
8.60	On Indian trail bears North and South
40.00	Set a temporary quarter section corner
80.70	Intersected East boundary 1.13 lks North of the Corner to sections 1 and 12. From which Corner Bears Nat on a true line between sections 1 and 12
	Variation 10.12° East
40.86	Set a granite rock 12 in long 8 in wide 7 in thick for a quarter section Corner
80.70	The corner to sections 1. 2. 11 and 12. Land broken soil 2nd rate

chains	
	North on true line between Secs 1 and 2
	Variation 11.00° East
40.00	Set a granite rock 12 in long

Township 12 North R 6 East

chains	
	11 in wide 10 in thick for a quarter section corner
78.84	Set a granite rock 14 in long 12 in wide. 7 in thick for closing corner marked C.C. on the 3rd Standard Parallel 10.63 West of the corner to Sections 35 and 36. Land high rolling prairie. 1st rate.

chains	
	North between sections 34 and 35
	Variation 12.00° East
40.00	Set a granite rock 14 in long 8 in wide 7 in thick for a quarter section corner
68.25	At road bears East and West
81.00	Set a granite rock 12 in long 8 in wide 6 in thick for a Corner to sections 26. 27. 34. and 35. Land broken Soil second rate

Township 12 North R. 6 East

chains	
	East on a random line between Sections 26 and 35
	Variation 11°30' East
40.00	Set a temporary quarter Section Corner
64.50	An Indian trail runs North and South
79.20	Intersected North and South line 90 lks South of the Corner to Sections 25. 26 35 and 36. From which Corner Sun West on a true line between Sections 26 and 35
	Variation 12°09' East
39.60	Set a granite rock 12 in long 12 in wide 6 in thick for a quarter Section Corner
79.20	The corner to Sections 26. 27 34 and 35. Land broken Soil Second rate

Township 12 North R 6 East

chains	
	North between Sections 26 and 27
	Variation 12°00' East
40.00	Set a granite rock ~~for a~~ 12 inches long 8 inches wide & 7 inches thick for a quarter Section Corner
52.00	A brook 10 lks wide runs South West
80.00	Set a granite rock 14 in long 10 in wide 6 in thick for a Corner to Sections 22 23. 26 and 27 Land broken Soil 2nd rate
	East on a random line between sections 23 and 26
	Variation 12°00' East
18.00	A brook 2 lks wide runs South West
40.00	Set a temporary quarter Section Corner
79.10	Intersected North and South line 86 lks South of Corner to sections

Township 12 North Range 6 East

chains	23, 24, 25 and 26 From which corner I run West on a true line between sections 23 and 26
	Variation 12°37' East
39.35	Set a granite rock 12 in long 8 in wide 7 in thick for a quarter Section Corner
79.10	The Corner to Sections 22, 23 26 and 27 Land broken Soil Second rate
	North between Sections 22, 23
	Variation 12°00' East
40.00	Set a Sand Stone 14 in long 12 in wide 8 in thick for a quarter Section Corner
80.00	Set a Sand Stone 14 in long 12 in wide 7 in thick for a Corner to sections 14, 15 22 and 23 Land broken Soil 2nd rate

Township 12 N. Range 6 East.

Chains	East on a random line between Sections 14 and 23.
	Variation 12°00' East.
40.00	Set a temporary quarter section corner
79.50	Intersected North and South line 26 South of the corner to Sections 14 and 23, From which corner I run West on a true line, between Sections 14 and 23.
	Variation 12° 11' East.
39.75	Set a granite rock, 14 in long, 12 in wide, 4 in thick for quarter section corner.
79.50	The corner to Sections 14, 15, 22 and 23, Land broken and 2nd rate.
	North between Sections 14 and 15.

Township 12 N. Range 6 East

Chains	
	Variation 12° 00' East.
40.00	Set a Sandstone 14 in long. 8 in wide. 7 in thick for quarter section corner.
57.00	A Slough 20 lks wide bears North East.
80.00	Set a granite rock 14 in long. 10 in wide. 9 in thick. for the corner to Sections 10. 11. 14 and 15, Land broken and 2nd rate.
	East on a random line between Sections 11 and 14. Variation 12° 00' East.
25.00	A creek. 10 links wide bears South East, Timber on it.
40.00	Set a temporary quarter section corner.
80.00	Intersected North and South line 12 links North

Township 12 N. Range 6 East.

	of the corner to Sections 11. 12. 13 and 14. From which corner I run West on a true line, between Sections 11 and 14 Variation 11° 55' East.
40.00	Set a granite rock 14 in long. 10 in wide. 6 in thick for quarter section corner.
80.00	The corner to Sections 10, 11. 14 and 15, Land, level and 1st rate. October 17th 1857
	North between Sections 10 and 11 Variation 11° 30' East.
19.00	A branch 25 links wide runs South East
40.00	Set a granite rock 12 in long. 15 in wide 5 in thick for quarter section corner.
80.00	Set a granite rock. 12 in

Township 12 N. Range 6 East.

Chains	
	long. 10 in wide, 6 in thick for corner to sections 2, 3, 10 and 11. Land broken and 2nd rate
	East on a random line between sections 2 and 11. Variation 11° 55' East.
40.00	Set a temporary quarter section corner.
80.00	Intersected North and South at the corner, to sections 1, 2, 11, and 12.
40.00	Set a granite rock, 18 in long, 6 in thick, 7 in wide for quarter section corner.
80.00	The corner to sections 2, 3, 10 and 11. Land broken and 2nd rate.

Township 12 N. Range 6 East.

Chains	
	North on true line between sections 2 and 3. Variation 11° 00' East.
40.00	Set a granite rock 9 in long, 9 in thick, 7 in wide, for quarter section corner.
77.78	Intersected 3rd Standard Parallel, 10.62 West of the corner to sections 34 and 35. Set a granite rock, 12 in long, 14 in wide, 4 in thick marked C.C. for closing corner to sections 2 and 3. Land broken, 2nd rate. November 5th 1857
	North between sections 33 and 34 Variation 11° 30' East
00.70	A brook 10 lks wide runs North West
01.50	Same brook 10 lks wide runs South East

Township 12 North Range 6 East

Chains	
40.00	Set a granite rock 12 in long 8 in wide 6 in thick for a quarter Section Corner
50.80	at brook 10 lks wide runs S.E. Scattering timber on it
80.00	Set a granite rock 12 in long 12 in wide 7 in thick for a Corner to Sections 27. 28. 33 and 34. Land broken Soil 2nd rate Timber Cottonwood Ash & Elm
	East on a random line between Sections 27 and 34 Variation 11° 30' East
40.00	Set a temporary quarter Section Corner
49.30	at brook 10 lks wide runs South scattering timber on it
66.00	at road bears South East
79.39	Intersected North and South line 5 33 lks South of Corner to Sects
79.69	
79.38	

Township 12 North Range 6 East

Chains	
	26. 27 34 and 35 From which Corner Run West on a true line between Sections 27 and 34 Variation 11.58' East
39.63	Set a granite rock 16 in long 12 in broad 6 in thick for a quarter Section Corner
79.39	The Corner to Sections 27. 28. 33 and 34 Land broken Stony Soil 3d rate
	North between Sections 27 and 28 Variation 11.30' East
6.10	Crossed Road that bears East
40.00	Set a granite rock 15 in long 12 in wide 7 in thick for a quarter Section corner.
80.00	Set a Sand Stone 12 in long 8 in wide 6 in thick for a Corner to Sections 21. 22. 28 and 27 Land broken Soil Second rate

Township 12 North Range 5 East

Chains	
	East on a random line between Sections 22 and 27.
	Variation 11.30' East
09.70	A brook 10 lks wide runs S.E. Scattering timber on it
40.00	Set a temporary quarter Section Corner
80.00	Intersected North and South line 30 lks South of Corner to Secs 22, 23, 26 and 27 from which Cor Pinn Oak on a true line between Sections 22 and 27
	Variation 11.43' East
40.00	Set a granite rock 18 in long 8 in wide 7 in thick for a quarter Section Corner
80.00	The Corner to Sections 21. 22. 27 and 28. Land broken Soil 2nd rate Timber Cottonwood Elm & Ash
	North between Sections 21 and 22

Township 12 N. Range 6 East

Chains	
	Variation 11° 30' East.
40.00	Set a granite rock, 15 in long, 10 in wide, 4 in thick for quarter Section corner.
80.00	Set a granite rock 15 in long, 6 in wide, 8 in thick for the corner to Sections 15, 16, 21 and 22. Land broken and 2nd rate
	East on a random line between Sections 15 and 22.
	Variation 11° 30' East.
01.00	A creek, 20 links wide, runs South Scattering timber on it
40.00	Set a temporary quarter Section corner.
79.00	Intersected North and South line, 05 links South of the corner to Sections 14. 15. 22 and 23.

Township 12 N. Range 6 East.

Chains	
	From which corner I run West on a true line between Sections 15 and 22. Variation 11° 32' East.
39.50.	Set a granite rock. 14 in long. 12 in wide. 3 in thick for quarter section corner.
79.00	The corner to Sections 15. 16. 21 and 22. Land high and 1st rate. Timber Cottonwood Elm + Willow
	North between Sections 15 and 16. Variation 12° 30' East.
40.00	Set a granite rock 16 in long. 18 in wide. 12 in thick for quarter section corner.
80.00	Set a granite rock 14 in long. 14 in wide. 14 in thick for the corner to Sections 9. 10. 15 and 16. Land 2nd rate.

Township 12 N. Range 6 East.

Chains	
	East on a random line between Sections 10 and 15. Variation 11° 30' East.
40.00	Set a temporary quarter section corner.
80.00	Intersected North and South line 99 links South of the corner to Sections 10. 11. 14 and 15.
	From which corner I run West on a true line between Sections 10 and 15. Variation 12° 12' East.
40.00	Set a granite rock. 16 in long. 14 in wide. 6 in thick for quarter section corner.
80.00	The corner to Sections 9. 10 15 and 16. Land high and 1st rate.
	North between Sections 9 and 10. Variation 11° 30' East.

Township 12 N. Range 6 East.

Chains	
40.00	Set a Sand Stone 14 in long 12 in wide. 4 in thick for quarter Section corner.
53.00	Crossed an Indian trail bears North East and South West.
80.00	Set a granite rock 24. in long. 20 in wide. 2 in thick for the corner to Sections 3. 4. 9 and 10. Land. broken. and 2nd rate.
	East on a random line between Sections 3 and 10. Variation 11° 30° East
40.00	Set a temporary quarter Section corner.
79.00	Intersected Section line 53 links North of the corner. to Sections 2. 3. 10 and 11. From which corner I run

Township 12 N. Range 6 East.

Chains	
	West on a true line between Sections 3 and 10. Variation 11° 07' East.
39.50	Set a granite rock. 12 in long. 12 in wide. 12 in thick for quarter Section corner.
79.00	The corner to Sections 3. 4. 9 and 10. Land high, rolling Soil 1st rate.
	North on true line between Sections 3 and 4. Variation 11° 30' East.
40.00	Set a granite rock. 14 in long. 12 in wide. 7 in thick for quarter Section corner
79.87	Set a granite rock 10 in long. 12 in wide 5 in thick on the 3rd Standard Parallel. Marked C. C. for closing corner. 10.50 Chains West of Post in mound. for

Township 12 N. Range 6 East.

Chains	
	Corner to Sections 33 and 34. Land broken and 2nd rate November 7th 1857
	North between Sections 32 and 33. Variation 11° 30' East.
40.00	Set a granite rock, 14 in long, 12 in wide 9 in thick for quarter section corner.
80.00	Set a Granite rock 14 in long, 10 in wide, 4 in thick for the corner to Sections 28, 29, 32 and 33. Land broken and 2nd rate.
	East on a random line between Sections 28 and 33. Variation 11° 30' East.
40.00	Set a temporary quarter section corner.
47.00	A branch, 10 links wide, runs South East. Scattering timber

Township 12 N. Range 6 East

Chains	
80.00	Intersected North and South line, at the corner to Sections 27, 28, 33 and 34. From which corner I run West on a true line, between Sections 28 and 33. Variation 11° 30' East.
40.00	Set a granite rock 15 in long, 10 in wide, 9 in thick, for quarter section corner.
80.00	The corner to Sections 28, 29, 32 and 33. Land, broken and 2nd rate.
	North between Sections 28 and 29. Variation 12° 00' East.
06.80	A road bears East and West.
26.50	A branch, 6 links wide, bears East.
40.00	Set a granite rock 14 in

Township 12 N. Range 6 East.

Chains	
	long. 10 in wide. 7 in thick ~~for the corner to Sections~~ for quarter Section corner.
10.70	A road. bears East and West
58.50	A branch 10 links wide. bears East.
76.40	A branch. bears East. 10 links wide. scattering timber on it.
80.00	Set a granite rock 10 in long. 10 in wide. 6 in thick for the corner to Sections 20.21. 28 and 29. Land. broken and 2nd rate. Timber Cottonwood & Elm
	East on a random line between Sections 21 and 28. Variation 11° 30' East.
26.50	A branch. 10 links wide bears South.
40.00	Set a temporary quarter Section corner.
79.56	Intersected North and South line 54 links South of the

Township 12 N. Range 6 East.

Chains	
	corner to Sections 21.22.27 and 28. From which corner I run West on a true line. between Sections 21 and 28. Variation 11° 5' East.
39.78	Set a granite rock 14 in long 12 in wide. 5 in thick for quarter Section corner.
79.56.	The corner to Sections 20.21. 28 and 29. Land broken and 2nd rate.
	North between Sections 20 and 21. Variation 11° 30' East.
40.00	Set a granite rock. 16 in long. 12 in wide. 4 in thick for quarter Section Corner.
63.80	Crossed a branch. 3 links wide. runs South East.
80.00	Set a granite rock. 14

Township 12 N. Range 6 East.

Chains	
	long 13 in wide. 7 in thick for the corner to Sections 16. 17. 20 and 21. Land, hilly and 3rd rate.
	East on a random line between Sections 16 and 21. Variation 12°. 00' East.
40.00	Set a temporary quarter section corner.
61.00	A branch. 4 links wide, bears South East.
80.20	Intersected North and South line 59 links North of the corner to Sections 15. 16. 21 and 22. From which corner I run West on a true line, between Sections 16 and 21. Variation 11° 35' East.
40.10	Set a Sand Stone 14 in long. 12 in wide. 12 in thick for quarter Section corner.
80.20	The corner to Sections

Township 12 N. Range 6 East

Chains	
	16. 17. 20 and 21. Land. broken 2nd rate.
	North between Sections 16 and 17. Variation 12° 00' East.
31.00	An Indian trail bears North East and South West.
40.00	Set a granite rock, 12 in long 4 in wide. 11 in thick for quarter Section corner.
80.00	Set a granite rock, 14 in long. 12 in wide 3 in thick. for the corner to Sections 8. 9. 16. and 17. Land. hilly and 2nd rate.
	East on a random line. between Sections 9 and 16. Variation 11° 30' East.
19.50	An Indian trail. bears North East and South West.
40.00	Set a temporary quarter

Township 12 N. Range 6 East.

Chains	
	Section corner.
80.24	Intersected North and South line 24 links South of the corner to sections 9. 10. 15 and 16. From which corner I run West on a true line, between sections 9 and 16.
	Variation 11° 40' East.
40.12	Set a granite rock 14 in long. 9 in wide. 9 in thick for quarter section corner.
80.24	The corner to sections 8. 9. 16 and 17. Land broken and 2nd rate.
	North between sections 8 and 9.
	Variation 11° 30' East
40.00	Set a sandstone 12 in long 6 in wide. 7 in thick for quarter section corner.
80.00	Set a granite rock. 18 in long 16 in wide. 12 in thick for

Township 12 N. Range 6 East.

Chains	
	the corner to sections 4. 5. 8 and 9. Land. broken and 2nd rate
	East on a random line between sections 4 and 9.
	Variation 11° 30' East.
40.00	Set a temporary quater section corner.
80.00	Intersected North and South line at the corner to sections 3. 4. 9. and 10.
	From which corner I run West on a true line, between sections 4 and 9.
	Variation 11° 30 East.
40.00	Set a granite rock, 14 in long 10 in wide. 8 in thick. for quarter section corner.
80.00	The corner to sections 4. 5. 8 and 9. Land hilly 2nd rate.
	North on true line between sections 4 and 5.

Township 12 N. Range 6 East.

Chains	
	Variation 11° 30' East.
40.00	Set a granite rock 12 in long. 8 in wide. 7 in thick. for quarter section corner.
42.00	A branch. 5 links wide. runs North East.
77.00	A branch. 5 links wide. runs North East. Scattering timber on it
80.05	Intersected 3rd Standard Parallel. 11.30 West of Post in mound. the corner to Sections 32 and 33. Set a granite rock. 12 in long 10 in wide. 6 in thick. marked C.C. for closing corner to Sections 4 and 5. Land broken, and 2nd rate timber Cottonwood
	North between Sections 31 and 32. Variation 11° 30' East.
40.00	Set a granite rock.

Township 12 N. Range 6 East

Chains	
	12 in long. 12 in Wide. 6 in thick. for quarter section corner.
80.00	Set a granite rock 12 in long. 8 in wide. and 7 in thick. for the corner to Sections 29. 30. 31 and 32. Land rolling. 1st rate
	East on a random line between Sections 29 and 32. Variation 11° 30' East.
40.00	Set a temporary quarter section corner.
80.00	Intersected North and South line. 5 links South of the corner to Sections 28. 29. 32 and 33. From which corner I run. West on a true line between Sections 29 and 32. Variation 11° 32' East.
40.00	Set a granite rock 16 in

Township 12 N. Range 6 East.

Chains	
	long. 9 in wide. 6 in thick for quarter section corner.
80.00	The corner to sections 29. 30 31 and 32. Land, broken 2nd rate.
	West on a random line between sections 30 and 31
	Variation 11° 30' East.
07.50	An Indian trail bears North East and South West.
40.00	Set a temporary quarter section corner.
54.50	A creek. 30 links wide. runs South East scattering timber on it.
78.65.	Intersected the West boundary 28 links South of the corner to sections 30 and 31. From which corner I run East on a true line between sections 30 and 31.

Township 12 N. Range 6 East.

Chains	
	Variation 11° 18' East.
38.65	Set a granite rock. 14 in long 12 in thick, 10 in wide, for quarter section corner.
78.65	The corner to sections 30. 31 29 and 32. Land level, and 1st rate. Timber Cottonwood Elm + ash
	North between 29 and 30
	Variation 11° 30' East.
11.20	An Indian trail bears North East and South west.
36.40	A road bears East and West.
40.00	Set a granite rock. 12 in long. 9 in wide. 7 in thick for quarter section corner.
80.00	Set a granite rock 12 in long. 8 in wide. 6 in thick, for the corner to sections 19. 20. 29 and 30. Land hilly and 2nd rate

Township 12 N. Range 6 East.

Chains	
	East on a random line between Sections 20 and 29.
	Variation 11° 30' East.
40.00	Set a temporary quarter Section corner.
45.00	An Indian trail, bears North East and South West.
51.00	To abrupt bluff on the creek.
61.50	Crossed a creek. 20 links wide. Scattering timber on it.
80.00	Intersected North and South line, 47 links South of the corner to Sections 20. 21. 28 and 29. From which corner I run
	West on a true line between Sections 20 and 29.
	Variation 11° 50' East.
40.00	Set a granite rock 16 in long 10 in wide, 5 in thick. for quarter Section corner.
80.00	The corner to Sections 19.

Township 12 N. Range 6 East.

Chains	
	20. 29 and 30. Land. hilly and 3rd rate. Timber Cottonwood Elm & Plum
	West on a random line, between Sections 19 and 30.
	Variation 11° 30' East.
40.00	Set a temporary quarter Section corner.
52.30	A creek, 50 links wide. bears South; Road crosses creek here Scattering timber on it.
78.32.	Intersected West boundary 24 links South of the corner to Sections 19. and 30.
	From which corner I run East on a true line, between Sections 19 and 30.
	Variation 11° 20' East.
38.32	Set a granite rock 14 in long, 12 in wide, 9 in thick for quarter Section corner.
78.32	The corner to Sections 19. 20. 29 and 30 Land rolling 1st rate Timber Cottonwood Elm & Plum

Township 12 N. Range 6 East.

Chains	
	North between Sections 19 and 20. Variation 11° 30' East.
40.00	Set a granite rock, 10 in long 10 in wide, 7 in thick for quarter Section corner.
80.00	Set a granite rock, 12 in long 8 in wide, 8 in thick, for the corner to Sections 17, 18, 19 and 20 Land hilly and 2nd rate
	East on a random line between Sections 17 and 20. Variation 11° 30' East.
40.00	Set a temporary quarter section corner.
41.00	To a creek, 5 links wide bears South, with timber on it
80.00	Intersected North and South line 40 links North of the corner to Sections 16, 17, 20 and 21. From which corner I run. West on a true line between Sections 17 and 20. Variation 11° 13' East

Township 12 N. Range 6 East.

Chains	
40.00	Set a granite rock, 14 in long 12 in wide, 3 in thick for quarter Section corner.
80.00	The Corner to Sections 17, 18, 19 and 20. Timber Cottonwood & Elm Land hilly, 2nd rate. November 9th 1857.
	West on a random line between Sections 18 and 19. Variation 11° 30' East.
40.00	Set a temporary quarter Section corner.
77.50	Intersected West boundary 40 links South of the corner to Sections 18 and 19. From which corner I run. East on a true line between Sections 18 and 19. Variation 11° 13' East.
37.50	Set a granite rock, 14 in long 10 in wide, 8 in thick, for quarter Section corner.

Township 12 N. Range 6 East.

Chains	
77.50	The corner to Sections 17, 18, 19 and 20, Land rough, 2nd rate
	North between Sections 17 and 18. Variation 11° 30' East.
40.00	Set a granite rock, 14 in long, 10 in wide, 4 in thick for quarter Section corner.
80.00	Set a granite rock, 15 in long, 12 in wide, 6 in thick for the corner to Sections 7, 8, 17 and 18, Land rolling and 2nd rate.
	East on a random line between Sections 8 and 17. Variation 11° 30' East.
12.30	A creek runs South. 5 links wide. Scattering timber on it
40.00	Set a temporary quarter Section corner.
79.10	Intersected North and South line. 36 links North of the corner to Sections 8,

Township 12 N. Range 6 East.

Chains	
	9, 16 and 17. From which corner I run West on a true line between Sections 8 and 17. Variation 11° 15' East.
39.55	Set a granite rock 14 in long, 15 in wide, 6 in thick for quarter Section corner.
79.10	The corner to Sections 7, 8, 17 and 18. Land hilly and 2nd rate. Timber Cottonwood & Plum
	West on a random line between Sections 7 and 18. Variation 11° 30' East.
40.00	Set a temporary quarter Section corner.
77.43	Intersected West boundary 24 links South of the corner to Sections 7 and 18. From which corner I run East on a true line between

Township 12 N. Range 6 East.

Chains	
	Sections 7 and 18. Variation 11° 20' East.
37.43	Set a granite rock, 16 in long, 15 in wide, 9 in thick, for quarter Section corner.
77.43	The corner to Sections 7, 8, 17 and 18. Land broken and 2nd rate
	North between Sections 7 and 8. Variation 11° 30' East
40.00	Set a granite rock 10 in long 12 in wide, 6 in thick for quarter Section corner.
80.00	Set a granite rock, 18 in long, 9 in wide, 9 in thick for the corner to Sections 5, 6, 7 and 8. Land broken and 2nd rate.
	East on a random line between Sections 5 and 8. Variation 11° 30' East.
40.00	Set a temporary quarter Section corner.

Township 12 N. Range 6 East.

Chains	
80.00	Intersected North and South line, 5 links South of the corner to Sections 4, 5, 8 and 9. From which corner I run West on a true line between Sections 5 and 8. Variation 11° 32' East.
40.00	Set a granite rock 12 in long, 7 in wide, 9 in thick for quarter Section corner
80.00	The corner to Sections 5, 6, 7 and 8. Land broken and 2nd rate.
	West on a random line between Sections 6 and 7. Variation 11° 30' East.
40.00	Set a temporary quarter Section corner.
77.00	Intersected West boundary

Chains	
	at the corner to Sections 6 and 7. From which corner I run East on a true line, between Sections 6 and 7. Variation 11° 30' East.
37.00	Set a granite rock 14 in long, 10 in wide, 3 in thick for Quarter Section corner.
77.00	The corner to Sections 5, 6, 7, and 8. Land broken, and 2nd rate.
	North on true line between Sections 5 and 6. Variation 11° 30' East.
40.00	Set a granite rocks 15 in wide, 14 in long, 10 in thick for Quarter Section corner.
80.00	Intersected the 3rd Standard Parallel, 10.50. West of the post in mound, the

Chains	
	corner to Sections 31 and 32. Set a granite rock 10 in long, 9 in wide, 9 in thick Marked C.C. for Closing corner to Sections 5 and 6. Land broken and 2nd rate.

November 10th 1857.

General Description

For description see Page 52

The west half of this Township is good first rate land, and there is considerable timber on the that runs through that part in the Eastern part. I found indications of productive salt springs. The North Eastern part is likewise good prairie rich soil and is valuable

~~on account of its salt Springs~~

General Description

The land in this Town-ship is high broken and rocky. the soil is not productive and timber scarce. I think the Township is unfit for cultivation

We hereby certify that we assisted John B. Gridley deputy Surveyor in subdividing Township number. 12 North Range 6 East. East of the 6th Principal Meridian and that said Township has been. in all respects to the best of our knowlege and belief. well and faithfully surveyed. and the corners set. according to

the instructions furnished by the Surveyor General

Norman T. Barton Chainman
Jas C. Whitall Chainman
Charles U Fitch, Flagman
Vifas W. Germond Corner Make Flagman
Julien R Fitch Compassman

Subscribed and sworn to by the above named persons before me, a Notary Public, for the County of Leavenworth in the Territory of Kansas, this Second day of February A.D. 1858.

Jno. P. Hough
Notary Public

I John B. Gridley
deputy Surveyor, do solemnly
swear that, in pursuance
of a contract with
Surveyor of the
public lands of the United
States in the Territories of
Kansas & Nebraska bearing
date the day of
1857, and in strict confor-
-mity to the laws of the
United States, and the
instructions furnished by
the said Surveyor General
I have faithfully surveyed
the subdivisions of Township
Number Twelve North of
the base line of Range 6
Six East of the Sixth
Principal Meridian in the
Territory of Nebraska afore-
-said, and do further
solemnly swear that the
foregoing are the true and
original field notes of
said survey.

Deputy Surveyor

Subscribed by said
John B Gridley, Deputy
Surveyor and sworn to
before me, a Notary Public
for the County of Leavenworth
in the Territory of Kansas
on this day of
AD, 1858.

General Land Office • Original Field Notes

Book Number

71

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.