General Land Office • Original Field Notes

Book Number

72

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Plotted C.W.

Compd
By S & D

(4)

a

Vol. 4 R. 6 E.

Field-Notes
of the
Survey of the Subdivision lines in
Township No 13 North of the baseline
Range No 6 East of the 6th Prin.
Meridian in Nebraska Territory
By Justus L. Cozad Dep. Surv.
Under his contract No 170 bearing date
Nov. 15. 1856
Survey commenced Oct 9th 1857
Survey completed Oct 15th 1857

Exa Dec 4th 1857
Vanzandt.

Township 13 North Range 1 East 6th P. M.



Names and Duties of Assistants

Charles O. Rewohl	Chainman
George Wichler	Chainman
John Ford	Flagman
Henry F. Pell	Axeman

Field-Notes of the Survey of the Subdivision lines in Township 13 N. Range 6 E. 6th Prin. Merid.

To determine the proper adjustment of my compass for subdividing this township I begin at the stone the Established corner to Townships 12 and 13 N. R 6 and 7 E and run North on a blank line along the East side of Section 36

Variation 11° 10' East

39.96 To the post and mound the Established quarter section corner

79.92 The corner to sections 25. 36. 30. 31

To retrace this line or run parallel thereto my compass must be adjusted to a

Variation of 11° 10' East

Township 13 N. Range 6 E 6th Pr. Mer.

From the corner to Ts. 12 and 13 N R 6 and 7 E I run West on a random line along the South side of section 36

Variation 11° 20' East

39.98 To a point 23 links North of quarter section corner

79.96 To a point 46 links North of the corner to sections 35 and 36

To retrace this line or run parallel thereto my compass must be adjusted to a

Variation of 11° 20' East

Surveyed, Oct 9th 1857

Township 13 N. Range 6 E 6th P.M. Mer.

North between sections 35 and 36

Variation 11° 10' East

33.50 Drain descends N E

37.80 Indian trail N E and S W

40.00 Set a boulder stone 15 in long 12 in wide 4 in thick for quarter section corner

73.40 Branch 5 links wide runs East

80.00 Set a boulder stone 14 in long 6 in wide 6 in thick for corner to sections 25. 26. 35. 36.

Land rolling prairie

Soil 2nd rate

Township 13 N. Range 6 E. 6th P.M. Mer.

East on a random line between sections 25 and 36

Variation 11° 20' East

18.10 A creek 20 links wide runs S E

40.00 Set a flag for temporary quarter section corner

41.15 A branch 3 links wide runs South

57.60 Indian trail N E and S W

77.90 Indian trail bears N E and S W.

80.20 Intersect the East boundary of the township at the corner to sections 25 and 36 from which corner I run West on a true line between sections 25 and 36

Variation 11° 20' East

40.10 Set a boulder stone 12 in long 10 in wide 6 in thick for quarter section corner

80.20 The corner to sections 25. 26. 35. 36

Land Gently rolling. Soil 1st rate

Township 13 N. Range 6 E. 6th Pr. Mer.

North between sections 25 and 26

Variation 11° 10' East

38.30 A creek 20 links wide runs S E

40.00 Set a boulder stone 13 in long 9 in wide 6 in thick for quarter section corner.

80.00 Set a boulder stone 14 in long 9 in wide 5 in thick for corner to sections 23. 24. 25. 26.

Land Dry level bottom

Soil 1st rate

Township 13 N. Range 6 E 6th Pr. Mer.

East on a random line between sections 24 and 25

Variation 11° 10' East

18.10 Drain descends S E

19.50 Drain descends south

40.00 Set a flag for temporary quarter sections corner

80.03 Intersect the East boundary of the township at the corner to sections 24 and 25 from which corner I run West on a true line between sections 24 and 25

Variation 11° 10' East

40.01½ Set a boulder stone 12 in long 10 in wide 6 in thick for quarter section corner

80.03 The corner to sections 23. 24. 25. 26

Land gently rolling prairie

Soil 1st rate

Township 13 N. Range 6 E 6th Pr. Me

North between sections 23 and 24

Variation 11° 10' East

33.00 Drain descends S. E

40.00 Set a boulder stone 14 in long 8 in long 6 in thick for quarter section corner

80.00 Set a boulder stone 14 in long 12 in wide 8 in thick for corner to sections 13, 14, 23, 24

Land rolling prairie

Soil 2nd rate.

Township 13 N. Range 6 East

East on a random line between sections 13 and 24

Variation 11° 10' East

33.50 Drain descends S E

40.00 Set a flag for temporary quarter section corner

46.90 Branch 3 links wide runs South

77.20 Branch 4 links wide runs South

80.00 Intersect the East boundary of the township 12 links south of the corner to sections 13 and 24 from which corner I run West on a true line between sections 13 and 24

Variation 11° 15' East

40.00 Set a boulder stone 14 in long 7 in wide 6 in thick for quarter section corner

80.00 The corner to sections 13, 14, 23, 24

Land rolling prairie. Soil 2nd rate

Township 13 N. Range 6 E 6th P. M.

North between sections 13 and 14

Variation 11° 10' East

40.00 Set a boulder stone 15 in long 8 in wide 6 in thick for quarter section corner

57.50 Drain discends S.W.

80.00 Set a boulder stone 13 in long 11 in wide 6 in thick for corner to sections 11, 12, 13, 14

Land high rolling prairie

Soil 2nd rate

Township 13 N. Range 6 E. 6th P. M. Continued

East on a random line between sections 12 and 13

Variation 11° 10' East

40.00 Set a flag for temporary quarter section corner

80.50 Intersect the East boundary of the township 16 links South of the corner to sections 12 and 13 from which corner I run

West on a true line between sections 12 and 13

Variation 11° 17' East

40.25 Set a boulder stone 14 in long 7 in wide 6 in thick for quarter section corner

80.50 The corner to sections 11, 12, 13, 14

Land rolling prairie

Soil 2nd rate

Township 13 N. Range 6 E 6th Pr. Mer.

North between sections 11 and 12

Variation 11° 10' East

8.00 Drain descends SW

25.40 Drain descends SW

40.00 Set a boulder stone 16 in long 8 in wide 4 in thick for quarter section corner

69.30 Road to California bears E and W

80.00 Set a boulder stone 14 in long 11 in wide 10 in thick for corner to sections 1, 2, 11, 12

Land rolling prairie
Soil 2nd rate
Oct 9th 1857

Township 13 N. Range 6 E. 6th Pr. Mer.

East on a random line between sections 1 and 12

Variation 11° 10' East

40.00 Set a flag for temporary quarter section corner

57.00 Drain descends south

80.40 Intersect the East boundary of the township 26 links South of the corner to sections 1 and 12 from which corner I run West on a true line between sections 1 and 12

Variation 11° 21' East

40.20 Set a boulder stone 13 in long 7 in wide 6 in thick for quarter section corner

80.40 The corner to sections 1, 2, 11, 12

Land rolling prairie
Soil 2nd rate

Township 13 N. Range 6 E. 6th P. Mer.

North on a random line between sections 1 and 2

Variation 11° 10' East

40.00 Set a flag for temporary quarter section corner

50.50 Drain descends N E

79.50 Intersect the North boundary of the township at the corner to sections 1 and 2 from which corner I run South on a true line between sections 1 and 2

Variation 11° 10' East

39.50 Set a boulder stone 14 in long 9 in wide 4 in thick for quarter section corner

79.50 The corner to sections 1, 2, 11, 12

Land rolling prairie

Soil 2nd rate

Township 13 N. Range 6 E 6th P. Mer.

North between sections 34 and 35

Variation 11° 10' East

38.00 Drain descends N W

40.00 Set a boulder stone 13 in long 10 in wide 4 in thick for quarter section corner

43.90 Branch 5 links wide 6 inches deep runs N E

80.00 Set a boulder stone 14 in long 10 in wide 4 in thick for corner to sections 26. 27. 34. 35

Land rolling prairie

Soil 1st rate

Township 13 N. Range 6 E 6th Pr. Merid

East on a random line between sections 26 and 35

Variation 11° 10' East

37.20 Drain descends S E by E

38.30 Creek 8 links wide runs S E sometimes East

40.00 Set a flag for temporary quarter section corner

79.70 Intersect N and S line 20 links south of the corner to sections 25. 26. 35. 36 from which corner I run

West on a true line between sections 26 and 35

Variation 11° 19' East

39.85 Set a boulder stone 14 in long 12 in wide 3 in thick for quarter section corner

79.70 The corner to sections 26. 27. 34. 35.

Land gently rolling prairie

Soil 1st rate

Township 13 N. Range 6 E 6th Pr. Merid

North between sections 26 and 27

Variation 11° 10' East

4.80 Drain descends N E

26.25 Creek 6 links wide 5 in deep runs East

38.00 Drain descends S E

40.00 Set a boulder stone 14 in long 9 in wide 4 in thick for quarter section corner

80.00 Set a boulder stone 12 in long 11 in wide 5 in thick for corner to sections 22. 23. 26. 27

Land gently rolling prairie

Soil 1st rate

Township 13 N. Range 6 E 6th Prin. Merid

East on a random line between sections 23 and 26

Variation 11° 10' East

4.90 Drain descends north

40.00 Set a flag for temporary quarter section corner

50.90 Creek 12 links wide, 2 feet deep, swift current, runs S E

79.90 Intersect the N and S line 10 links south of the corner to sections 23, 24, 25, 26 from which corner I run

West on a true line between sections 23 and 26

Variation 11° 14' East

39.95 Set a boulder stone 14 in long 10 in wide 5 in thick for quarter section corner

79.90 The corner to sections 22, 23, 26, 27.

Land gently rolling prairie

Soil 1st rate

Township 13 N. Range 6 E 6th Prin. Merid

North between sections 22 and 23

Variation 11° 00' East

9.10 Drain descends S E

40.00 Set a boulder stone, 14 in long, 10 in wide 4 in thick for quarter section corner

59.75 A rivulet 2 links wide runs N E

75.74 A creek 20 links wide 2 feet deep runs S E

80.00 Set a boulder stone 16 in long 6 in wide 6 in thick for corner to sections 14, 15, 22, 23. from which

A willow 12 in diam. bears N 76° E 42 links distant No other trees near.

Land rolling prairie

Soil 2nd rate

A few Elm, Oak and willows trees along the creek and rivulet

Township 13 N. Range 6 E 6th Prin. Mer.

East on a random line between sections 14 and 23

Variation 11° 10' East

40.00 Set a flag for temporary quarter section corner

65.25 Drain descends south

73.40 Drain descends south

79.78 Intersect the N and S line at the corner to sections 13.14.23.24 from which corner I run West on a true line between sections 14 and 23

Variation 11° 10' East.

39.89 Set a boulder stone 13 in long 9 in wide 6 in thick for quarter section corner

79.78 The corner to sections 13.14.23.24

Land rolling prairie

Soil 2nd rate

Township 13 N. Range 6 E 6th Pr. Mer.

North between sections ~~13~~ 14 and ~~14~~ 15

Variation 11° 10' East

0.36 Creek 20 links wide runs S W

3.60 Same creek 20 links wide runs S E

8.60 A drain descends S W

40.00 Set a boulder stone 14 in long 9 in wide 6 in thick for quarter section corner

80.00 Set a boulder stone 14 in long 9 in wide 6 in thick for corner to sections 10.11.14.15.

Land gently rolling prairie

Soil 1st rate

Township 13 N. Range 6 E 6th Pr. Merid.

East on a random line between
Sections 11 and 14
Variation 11° 10' East
14.00 Drain descends south
38.00 Drain descends south
40.00 Set a flag for temporary quarter
section corner
75.50 Drain descends south
80.50 Intersect the N and S line 51 links
south of the corner to sections 11, 12,
13, 14 from which corner I run
West on a true line between
sections 11 and 14
Variation 11° 31' East
40.25 Set a boulder stone 13 in long 9 in wide
8 in thick for quarter section corner
80.50 The corner to Sections 10, 11, 14, 15,
Land rolling prairie
Soil 1st rate
Oct 10th 1857

Township 13 N. Range 6 E 6th Pr. Merid.

North between sections 10 and 11
Variation 11° 00' East
40.00 Set a boulder stone 14 in long 7 in wide
6 in thick for quarter section corner
73.00 Drain descends SW
80.00 Set a boulder stone 13 in long 12 in wide
8 in thick for corner to sections
2, 3, 10, 11
Land rolling prairie
Soil 2nd rate

Township 13 N. Range 6 E 6th P.M. Cont'd

East on a random line between sections 2 and 11

Variation 11° 10' East

7.00 Drain descends S.W.

40.00 Set a flag for temporary quarter section corner

53.10 Road to California bears N.W. and S.E.

80.56 Intersect the N. and S. line 37 link south of the corner to sections 1, 2, 11, 12 from which corner I run

West on a true line between sections 2 and 11

Variation 11° 25' East

40.28 Set a boulder stone 13 in long 9 in wide 6 in thick for quarter section corner.

80.56 The corner to sections 2, 3, 10, 11

Land gently rolling prairie

Soil 2nd rate

Township 13 N. Range 6 E 6th P.M. Cont'd

North on a random line between sections 2 and 3

Variation 11° 00' East

40.00 Set a flag for temporary quarter section corner

42.50 Road to California bears N.W. and S.E.

79.77 Intersect the North boundary of the township at the corner to sections 2 and 3 from which corner I run

South on a true line between sections 2 and 3.

Variation 11° 00' East

39.77 Set a boulder stone 14 in long 9 in wide 4 in thick for quarter section corner

79.77 The corner to sections 2, 3, 10, 11

Land rolling prairie

Soil 2nd rate

Township 13 N Range 6 E 6th P. M.

North between sections 33 and 34

Variation 11° 10' East

21.50 A creek 8 links wide 1 foot deep runs East

38.20 Branch 4 links wide runs S E

40.00 Set a boulder stone 13 in long 8 in wide 6 in thick for quarter section corner

80.00 Set a boulder stone 18 in long 12 in wide 6 in thick for corner to sections 27, 28, 33, 34

Land rolling prairie

Soil 2nd rate

Township 13 N Range 6 E 6th P. M.

East on a random line between sections 27 and 34

Variation 11° 10' East

35.80 Drain descends S E

40.00 Set a flag for temporary quarter section corner

55.25 Drain descends N E

77.58 Intersect the Rand Sline 13 links south of the corner to sections 26, 27, 34, 35 from which corner I run West on a true line between sections 27 and 34

Variation 11° 15' East

37.77 Set a boulder stone 14 in long 9 in wide 7 in thick for quarter section corner

77.58 The corner to sections 27, 28, 33, 34

Land rolling prairie

Soil 2nd rate

Township 13 N. Range 6 E 6th Pr. Mer.

North between sections 27 and 28

Variation 11° 10' East

40.00 Set a boulder stone 14 in long 8 in wide 5 in thick for quarter section corner

60.24 A creek 11 links wide runs East

64.30 Same creek 4 links wide runs N. W.

64.80 Same creek 25 links wide runs East

80.00 Set a boulder stone 14 in long 8 in wide 7 in thick for corner to sections 21.22.27.28

Land rolling prairie

Soil 2nd rate

Township 13 N. Range 6 E 6th Pr. Mer.

East on a random line between sections 22 and 27

Variation 11° 10' East

3.50 Drain descends south

40.00 Set a flag for temporary quarter section corner

79.45 Intersect the N and S line 45 links south of the corner to sections 22.23.26.27 from which corner I run West on a true line between sections 22 and 27

Variation 11° 30' East

37.72½ Set a boulder stone 12 in long 12 in wide 11 in thick for quarter section corner

79.45 The corner to sections 21.22.27.28

Land rolling prairie

Soil 2nd rate

Township 13 N. Range 6 E 6th P.M. Ind

North between sections 21 and 22

Variation 11° 10' East

16.90 Drain descends S E

24.00 Drain descends S E

40.00 Set a boulder stone 13 in long 12 in wide 8 in thick for quarter section corner

80.00 Set a boulder stone 14 in long 12 in wide 6 in thick for corner to sections 15.16.21.22

Land rolling prairie
Soil 2nd rate

Township 13 N. Range 6 E 6th P.M. Ind

East on a random line between sections 15 and 22

Variation 11° 10' East

1.00 Drain descends S E

40.00 Set a flag for temporary quarter section corner

79.10 Creek 15 links wide runs South

79.84 Intersect the N and S line 10 links N of corner to sections 14.15.22.23 from which corner I run West on a true line between sections 15 and 22

Variation 11° 06' East

39.92 Set a boulder stone 14 in long 12 in wide 3 in thick for quarter section corner

79.84 The corner to sections 15.16.21.22.

Land rolling prairie
Soil 3rd rate

Township 13 N. Range 6 E 6th Pr. Md

North between sections 15 and 16

Variation 11° 05' East

40.10 Set a boulder stone 14 in long 8 in wide 6 in thick for quarter section corner

80.00 Set a boulder stone 15 in long 7 in wide 6 in thick for corner to sections 9.10.15.16

Land rolling prairie

Soil 2nd rate

Township 13 N. Range 6 E 6th Pr. Md

East on a random line between sections 10 and 15

Variation 11° 10' East

15.80 Creek 20 links wide runs South

17.40 Same creek 10 links wide runs N W

18.96 Same creek 12 links wide runs S W

40.00 Set a flag for temporary quarter section corner

43.90 Drain descends S W

60.20 Drain descends S W

79.90 Intersect N and S line 10 links North of the corner to sections 10.11.14.15 from which corner I run West on a true line between sections 10 and 15

Variation 11° 06' East

39.95 Set a boulder stone 13 in long 8 in wide 5 in thick for quarter section corner

79.90 The corner to sections 9.10.15.16

Land gently rolling. Soil 2nd rate

Scattering Elm & Cottonwood timber along creek

Oct 12th 1857

Township 13 N Range 6 E 6th P. M.

North between sections 9 and 10

Variation 11° 15' East

13.45 Creek 5 links wide runs East

14.90 Drain descends S E

24.70 Creek 20 links wide runs S E

28.56 Same creek 4 links wide runs S W

35.50 Same creek 20 links wide runs S E

40.00 Set an Elm post for quarter section corner from which An Elm 12 in diam bears N 46° W 59 links distant. A Bur oak 10 in diam. bears N 4½° E 57 links distant

40.70 Same creek 30 links wide runs West

44.60 Same creek 30 links wide runs S E

77.35 Drain descends West

80.00 Set a boulder stone 14 in long 9 in wide 6 in thick for corner to sections 3.4.9.10 from which A bur oak 14 in diam bears S 2½° W 272 lks dist A bur oak 24 in diam bears S 56½° E 466 links dist Land. level. Soil 1st rate. Scattering Oak. Elm and cottonwood timber along Creek and drains

Township 13 N Range 6 E 6th P. M.

East on a random line between sections 3 and 10

Variation 11° 10' East

45.00 Drain descends S W

40.00 Set a flag for temporary quarter section corner

80.00 Intersect N and S line 21 links North of the corner to sections 2.3.10.11 from which corner I run West on a true line between sections 3 and 10

Variation 11° 01' East

40.00 Set a boulder stone 14 in long 9 in wide 5 in thick for quarter section corner

80.00 The corner to sections 3.4.9.10

Land high rolling prairie

Soil 2nd rate

Township 13 North of Range 6 East of the 6th Principal Meridian

North between sections 3 and 4 on a random line

Variation 11° 15' East

40.00 Set a flag for temporary quarter section corner

79.00 Intersect the North boundary of the township 23 links west of the corner to sections 3 and 4 from which corner I run South on a true line between sections 3 and 4

Variation 11° 05' East

39.00 Set a boulder stone 15 in long 9 in wide 4 in thick for quarter section corner

79.00 The corner to sections 3.4.9.10.

Land high rolling prairie

Soil 2nd rate

Township 13 N Range 6 E 6th Pr. Md.

North between sections 32 and 33

Variation 11° 10' East

3.00 Branch 3 links wide runs N W

8.20 Branch 3 links wide runs N E

16.50 Branch 3 links wide runs N E

40.00 Set a boulder stone 14 in long 9 in wide 6 in thick for quarter section corner

58.70 Branch 3 links wide runs East

80.00 Set a boulder stone 20 in long 6 in wide 5 in thick for corner to sections 28.29 32.33.

Land rolling prairie

Soil 2nd rate

Township 13 N. Range 6 E 6th Pr. Mer

East on a random line between sections 28 and 33

Variation 11° 10' East

40.00 Set a flag for temporary quarter section corner

80.08 Intersect the N and S line 26 links south of the corner to sections 27.28.33.34 from which corner I run West on a true line between sections 28 and 33

Variation 11° 21' East

40.04 Set a boulder stone 16 in long 10 in wide 5 in thick for quarter section corner

80.08 The corner to sections 28.29.32.33

Land rolling prairie

Soil 2nd rate

Township 13 N. Range 6 E 6th Pr. Mer

North between sections 28 and 29

Variation 11° 10' East

40.00 Set a boulder stone 16 in long 10 in wide 5 in thick for quarter section corner

62.80 Drain descends N E

80.00 Set a boulder stone 14 in long 9 in wide 6 in thick for corner to sections 20.21. 28.29.

Land rolling prairie

Soil 2nd rate

Township 13 N Range 6 E 6th Pr. Md

East on a random line between sections 21 and 28

Variation 11° 10' East

21.85 Creek 15 links wide runs S E

25.90 Same creek dry course N E

31.60 Same creek 20 links wide runs S E

40.00 Set a flag for temporary quarter section corner.

79.94 Intersect N and S line 8 links North of the corner to sections 21.22.27.28 from which corner I run West on a true line between sections 21 and 28

Variation 11° 07' East

39.97 Set a boulder stone 13 in long 12 in wide 7 in thick for quarter section corner

79.94 The corner to sections 20.21.28.29

Land gently rolling

Soil 2nd rate

Scattering oak timber along the creek

Township 13 N. Range 6 E 6th Pr. Md

North between sections 20 and 21

Variation 11° 10' East

14.25 Creek 6 links wide runs East

40.00 Set a boulder stone 14 in long 8 in wide 6 in thick for quarter section corner

80.00 Set a boulder stone 13 in long 8 in wide 8 in thick for corner to sections 16.17.20.21

Land gently rolling prairie

Soil 2nd rate

Township 13 N. Range 6 E. 6th Prin. Merid

East on a random line between
sections 16 and 21
Variation 11° 10' East

40.00 Set a flag for temporary quarter
section corner

50.45 Drain descends S E

76.93 Drain descends N E

79.66 Intersect the N and S line 2 links
N of the corner to sections
15, 16, 20, 21 from which corner
I run West on a true line
between sections 16 and 21
Variation 11° 07' East

39.83 Set a boulder stone 13 in long 8 in
wide 6 in thick for quarter
section corner

79.66 The corner to sections 16, 17, 20, 21
Land gently rolling prairie
Soil 2nd rate

Township 13 N. Range 6 E 6th Pr. Md

North between sections 16 and 17
Variation 11° 10' East

40.00 Set a boulder stone 14 in long 8 in wide
6 in thick for quarter section corner

80.00 Set a boulder stone 14 in long 11 in
wide 6 in thick for corner to
sections 8, 9, 16, 17
Land rolling prairie
Soil 2nd rate

Township 13 N. Range 6 E 6th Pr. Md

East on a random line between sections 9 and 16

Variation 11° 10' East

40.00 Set a flag for temporary quarter section corner

79.76 Intersect N and S line at the corner to sections 9, 10, 15, 16 from which corner I run West on a true line between sections 9 and 16

Variation 11° 10' East

39.88 Set a boulder stone 14 in long 12 in wide 9 in thick for quarter section corner

79.76 The corner to sections 8, 9, 16, 17

Land rolling prairie

Soil 2nd rate

Oct 13th 1857

Township 13 N. Range 6 E 6th Pr. Md

North between sections 8 and 9

Variation 11° 10' East

11.38 Drain descends East

40.00 Set a boulder stone 14 in long, 8 in wide 6 in thick for quarter section corner

80.00 Set a boulder stone 14 in long 12 in wide 4 in thick for corner to sections 4, 5, 8, 9

Land high rolling prairie

Soil 2nd rate

Township 13 N. Range 6 E. 6th Prin. Mer.

East on a random line between sections 4 and 9

Variation 11° 10' East

40.00 Set a flag for temporary quarter section corner

46.93 A creek 6 links wide runs S E

51.20 Same creek 4 links wide runs N E

52.70 Same creek 6 links wide runs S E

80.00 Intersect the N and S line 23 links North of the corner to sections 4 and 9 from which corner I run West on a true line between sections 4 and 9

Variation 11° 00' East

40.00 Set a boulder stone 14 in long 8 in wide 5 in thick for quarter section corner

80.00 The corner to sections 4.5.8.9

Land rolling prairie

Soil 2nd rate

Township 13 N. Range 6 E 6th Pr. Md

North on a random line between sections 4 and 5

Variation 11° 30' East

16.20 A branch 4 links wide runs East

40.00 Set a flag for temporary quarter section corner

78.20 Intersect the North boundary of the township at the corner to 4 and 5 from which corner I run South on a true line between sections 4 and 5

Variation 11° 30' East

38.20 Set a boulder stone 16 in long 8 in wide 4 in thick for quarter section corner

78.20 The corner to sections 4.5.8.9

Land high rolling prairie

Soil 2nd rate

Township 13 N. Range 6 E 6th Pr. Md

North between sections 31 and 32

Variation 11° 10' East

40.00 Set a boulder stone 14 in long 8 in wide 5 in thick for quarter section corner

80.00 Set a boulder stone 14 in long 8 in wide 6 in thick for corner to sections 29, 30, 31, 32

Land high rolling prairie

Soil 2nd rate

Township 13 N. Range 6 E 6th Pr. Md

East on a random line between sections 29 and 32

Variation 11° 10' East

7.30 The SW corner of a boulder stone 8 feet square, 2½ feet above ground

40.00 Set a flag for temporary quarter section corner

57.87 Drain descends SE

77.62 Intersect the N and S line 2 links North of the corner to sections 28, 29, 32, 33. from which corner I run West on a true line between sections 29 and 32

Variation 11° 09' East

39.81 Set a boulder stone 13 in long 12 in wide 4 in thick for quarter section corner

77.62 The corner to sections 29, 30, 31, 32

Land high rolling prairie

Soil 2nd rate

Township 13 N. Range 6 E 6th Prin. Merid

West on a random line between sections 30 and 31

Variation 11° 10' East

40.00 Set a flag for temporary quarter section corner

80.75 Intersect the West boundary of the township 23 links North of the corner to sections 30 and 31 from which corner I run East on a true line between sections 30 and 31

Variation 11° 20' East

40.75 Set a boulder stone 14 in long 10 in wide 6 in thick for quarter section corner

80.75 The corner to sections 29.30.31.32

Land rolling prairie

Soil 2nd rate

Township 13 N. Range 6 E. 6th Pr. Mer.

North between sections 29 and 30

Variation 11° 10' East

40.00 Set a boulder stone 15 in long 12 in wide 5 in thick for quarter section corner

80.00 Set a boulder stone 14 in long 8 in wide 6 in thick for corner to sections 19.20.29.30.

Land high rolling prairie

Soil 2nd rate

Township 13 N. Range 6 E 6th P.M.

East on a random line between
sections 20 and 29

Variation 11° 10' East

40.00 Set a flag for temporary quarter
section corner

79.70 Intersect the N and S line 4 links
south of the corner to sections
20.21.28.29 from which corner
I run West on a true line between
sections 20 and 29

Variation 11° 12' East

39.85 Set a boulder stone 15 in long 8 in wide
6 in thick for quarter section corner

79.70 The corner to sections 19.20.29.30

Land high rolling prairie
Soil 2nd rate
A goose of good oak timber
north of the line

Township 13 N. Range 6 E 6th P.M.

West on a random line between
sections 19 and 30.

Variation 11° 20' East

40.00 Set a flag for temporary quarter
section corner

80.98 Intersect the west boundary of
the Township at the corner to
sections 19 and 30. from which
corner I run East on a true line
between sections 19 and 30

Variation 11° 20' East

40.98 Set a boulder stone 14 in long 10 in
wide 6 in thick for quarter
section corner

80.98 The corner to sections 19.20.29.30

Land high rolling prairie
Soil 2nd rate

Township 13 N. Range 6 E 6th P. M.

North between sections 19 and 20

Variation 11° 15' East

40.00 Set a boulder stone 16 in long 8 in wide 5 in thick for quarter section corner

45.20 Drain descends East

80.00 Set a boulder stone 13 in long 8 in wide 6 in thick for corner to sections 17, 18, 19, 20

Land high rolling prairie

Soil 2nd rate

Township 13 N. Range 6 E. 6th P. M.

East on a random line between sections 17 and 20

Variation 11° 15' East

40.00 Set a flag for temporary quarter section corner

77.46 Intersect the N and S line 14 links south of the corner to sections 16, 17, 20, 21. from which corner I run West on a true line between sections 17 and 20

Variation 11° 21' East

39.73 Set a boulder stone 15 in long 13 in wide 8 in thick for quarter section corner

79.46 The corner to sections 17, 18, 19, 20

Land high rolling prairie

Soil 2nd rate

Oct 14th 1857

Township 13 N. Range 6 E 6th P.M.

West on a random line between sections 18 and 19

Variation 11° 15' East

40.00 Set a flag for temporary quarter section corner

81.30 Intersect the west boundary of the township 12 links North of the corner to sections 18 and 19 from which corner I run East on a true line between sections 18 and 19

Variation 11° 20' East

41.30 Set a boulder stone 16 in long 9 in wide 4 in thick for quarter section corner

81.30 The corner to sections 17, 18, 19, 20

Land high rolling prairie

Soil 2nd rate

Township 13 N. Range 3 E

North between sections 17 and 18

Variation 11° 15' East

40.00 Set a boulder stone 13 in long 8 in wide 6 in thick for quarter section corner

80.00 Set a boulder stone 14 in long 11 in wide 8 in thick for corner to sections 7, 8, 17, 18

Land high rolling prairie

Soil 2nd rate

Township 13 N. Range 6 E 6th P.M.

East on a random line between sections 8 and 17

Variation 11° 15' East

37.20 Drain descends North

40.00 Set a flag for temporary quarter section corner

77.30 Drain descends North

79.50 Intersect N and S line at the corner to sections 8, 9, 16, 17 from which corner I run

West on a true line between sections 8 and 17

Variation 11° 15' East

39.75 Set a boulder stone 14 in long 9 in wide 4 in thick for quarter section corner

79.50 The corner to sections 7, 8, 17, 18

Land high rolling prairie

Soil 2nd rate

Township 13 N Range 6 E 6th P.M. cont'd

West on a random line between sections 7 and 18

Variation 11° 15' East

3.00 Drain descends N E

40.00 Set a flag for temporary quarter section corner

81.30 Intersect the West boundary of the township 12 links North of the corner to sections 7 and 18 from which corner I run

East on a true line between sections 7 and 18

Variation 11° 20' East

41.30 Set a boulder stone 15 in long 10 in wide 4 in thick for quarter section corner

81.30 The corner to sections 7, 8, 17, 18

Land high rolling prairie

Soil 2nd rate

Township 13 N. Range 6 E 6th P.M.

North between Sections 7 and 8
Variation 11° 15' East

2.00 Drain descends South

40.00 Set a boulder stone 12 in long 8 in wide 8 in thick for quarter section corner

80.00 Set a boulder stone 14 in long 8 in wide 6 in thick for corner to sections 1, 5, 6, 7, 8

Land high rolling prairie
Soil 2nd rate

Township 13 N. Range 6 E 6th P.M.

East on a random line between sections 5 and 8
Variation 11° 15' East

40.00 Set a flag for temporary quarter section corner

50.15 Drain descends South

79.48 Intersect the North and South line at the corner to sections 4, 5, 8, 9, from which corner I run West on a true line between sections 5 and 8
Variation 11° 15' East

39.74 Set a boulder stone 13 in long 8 in wide 6 in thick for quarter section corner

79.48 The corner to sections 5, 6, 7, 8

Land high rolling prairie
Soil 2nd rate

Township 13 N. Range 6 E 6th P.M.

West on a random line between sections 6 and 7

Variation 11° 15' East

40.00 Set a flag for temporary quarter section corner

81.66 Intersect the West boundary of the township 76 links North of the corner to sections 6 and 7 from which corner I run East on a true line between sections 6 and 7

Variation 11° 48' East

41.66 Set a boulder stone 18 in long 16 in wide 8 in thick for quarter section corner

81.66 The corner to sections 5, 6, 7, 8

Land high rolling prairie

Soil 2nd rate

Township 13 N. Range 6 E. 6th P.M.

North on a random line between sections 5 and 6

Variation 12° 00' East

40.00 Set a flag for temporary quarter section corner

59.20 Drain descends East

78.62 Intersect the North boundary of the township at the corner to sections 5 and 6 from which corner I run South on a true line between sections 5 and 6

Variation 12° 00' East

38.62 Set a boulder stone 16 in long 7 in wide 5 in thick for quarter section corner

78.62 The corner to sections 5, 6, 7, 8

Land high rolling prairie

Soil 2nd rate

Oct 15th 1857

General Description

There is considerable good bottom land in this township lying on each side of a Creek which runs S E through the central part of the township

The soil is first and second rate, Boulder stone abound on the high lands,

Timber Oak Elm and Cottonwood.

A list of the names of the individuals Employed to assist in running measuring and marking the lines and corners described in the foregoing field notes of Township No 13 North of the Base Line in Range No 6 East of the 6th Principal Meridian

Showing the respective capacities in which they acted

Chas. C. Rowohl	Chainman
George Hechler	Chainman
John Ford	Flagman
Henry J. Pell	Axeman

Field Notes
of
The subdivision lines
of
Township 14 N. Range 6 East
of
The Sixth Principal Meridian
in
The Territory of Nebraska
Surveyed by
Michael Murphy
Deputy Surveyor
Under his contract No
Dated March 28 1857 (No. 191)

Subdivision commenced October 8th
Completed October 13th
A. D. 1857

Rec'd Nov 25th 1857
Transcribed

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the following field notes of Township No 14, North of the base line of Range No. 6 East of the Sixth Principal Meridian. Showing the respective capacities in which they are to act.

Alanson A. Green Chainman
Joseph B. Reed Chainman
William G. Creighton Axeman
George B. Jones Axeman
Edward Hopkins Flagman
Chauncey Wilter Compassman

Township 14 N. Range 6 East

6	37	5	28	4	21	3	15	2	8	1
36		35		27		20		14		7
7	35	8	26	9	20	10	13	11	7	12
34		34		26		19		13		6
18	33	17	25	16	19	15	12	14	5	13
33		32		25		18		12		4
19	32	20	24	21	18	22	11	23	4	24
31		30		23		17		10		3
30	30	29	23	28	16	27	10	26	3	25
29		29		22		16		9		2
31	28	32	22	33	15	34	9	35	1	36

Township 14, N. Range 6, East of 6th Principal Meridian

To determine the proper adjustment of my compass for subdividing this Township, I commenced at the corner to Townships 13 and 14 N. Ranges 6 and 7 E, and run North on a blank line along the East boundary of Section 36,

Variation 11° 00' East

39.94 To a point 22 links, East of quarter section corner

79.90 To a point 47 links East of the corner to sections 25 and 36

To retrace this line, My compass must be adjusted for Variation of 11° 20' East

Subdivision commenced October 8th, 1857

From the corner to Sections 1, 2, 35, and 36, on the South boundary of the Township I run North between Sections 35 and 36,

Variation 11° 20', East

40.00 Drove a chained stake, set post in mound with trench and pits as per instructions for quarter section corner.

76.00 Stream 10 links wide. course, East.

80.00 Drove chained stake, set post in

Township 14, Range 6, East of 6th Principal Meridian

with trench and pits
mound, as per instructions for corner
to sections 25, 26-35-36,
Rolling prairie, Soil, 2nd rate

East on a random line between sections
25 and 36.

Variation 11° 20', East

4.00 Crossed stream, 10 links wide, course East
33.00 Crossed stream 10 links wide, Course S.
36.00 Crossed stream 10 links wide, Course S.
40.00 Set post for temporary quarter section corner
80.10 Intersected the East boundary of the Township 30 links North of the corner to sections 25 and 36. From which corner I run west on a true line between sections 25 and 36.

Variation 11° 07'

40.05 Drove chained stake, set post in mound with trench and pits as per instructions for quarter section corner.

Township 14, Range 6, East of 6th Principal Meridian

80.10 The corner to sections 25, 26, 35 and 36
Rolling Prairie, Soil 2nd rate

North on line between Section 25 and 26

Variation 11° 15'

3.10 Crossed stream 5 links wide, Course East
40.00 Drove chained stake, set post in mound with trench and pits as per instructions for quarter section corner
80.00 Drove chained stake, set post in mound with trench and pits as per instructions for corner to Sections 23, 24, 25 and 26.
Rolling Prairie, Soil, sunny 2nd rate

East on random line between sections
24 and 25

Variation 11° 15'

40.00 Set post for temporary quarter section corner
79.70 Intersected East boundary of Township at corner to Sections 24 and 25

Township 14 N. Range 6. E. of the Sixth Principal Meridian

From which corner I run West on a true line between sections 24 and 25.

Variation 11° 15' East

39.85 Drove chained stake, set post in mound with trench and pits as per instructions for quarter section corner

79.70 The corner to sections 23, 24, 25 and 26

Rolling Prairie, Sandy soil 2nd rate

North on line between sections 23 and 24

Variation 10° 20'

40.00 Drove chained stake, set post in mound with trench and pits as per instructions for quarter section corner

80.00 Drove chained stake, set post in mound with trench and pits as per instructions for corner to sections 13, 14, 23 and 24.

Rolling Prairie, Soil sandy, 2nd rate

East, on a random line between sections 13 and 24.

Township 14 N. Range 6. E. of the 6th Principal Meridian

Variation 11°, 00' East

40.00 Set post for temporary quarter section corner

79.36 Intersected the East boundary of the Township 14 links North of corner to sections 13 and 24.

From which corner I run West on a true line between sections 13 and 24

Variation 10° 54' East

39.68 Drove chained stake, set post in mound with trench and pits as per instructions for quarter section corner

79.36 The corner to sections 13, 14, 23 and 24

Land, Rolling Prairie, Soil, sandy 2nd rate

North on line between sections 13 and 14.

Variation 11° 30' East

40.00 Drove chained stake, set post in mound with trench and pits as per instructions for quarter section corner

Township 14. Range 6. East of 6th Principal Meridian

80,00	Drove charred stake, set post in mound with trench and pits as per instructions, for corner to sections 11, 12, 13 and 14 Land. Rolling Prairie. Soil 2nd rate.
	East on a random line between sections 12 and 13
	Variation 11°,00 East
20,00	Crossed Wauhoo creek. Course South East 40 links wide
23,00	Crossed Wauhoo creek. 40 links wide Course North East
28,50	Crossed Wauhoo creek 40 links wide Course South – Swift current
40,00	Set post for temporary quarter ~~Drove charred stake, set post in mound, as~~ section corner
79,80	Intersected East boundary of Township 12 links north of corner to sections 12 and 13. – From which corner I run West on a true line between sections 12 and 13

Township 14. Range 6. East of 6th Principal Meridian

	Variation 10° 55' East
39,90	Drove charred stake, set post in mound with trench and pits, as per instruction for quarter section corner.
79,80	The corner to sections 11, 12, 13 and 14. Land Rolling Prairie, Soil 2nd rate
	North on line between sections 11 and 12
	Variation 11° 15' East
4,20	Wauhoo Creek, 30 links wide, Course East,
37,00	Leave bottom, enter upland, East and West
40,00	Drove charred stake, set post in mound with trench and pits as per instruction for quarter section corner
80,00	Drove charred stake, set post in mound with trench and pits as per instructions, for corner to sections 1, 2, 11, and 12,
	Bottom, Level land soil 1st rate. Upland, Soil, sandy, 2nd rate
	East, on random line between sections 1 and 12,
	Variation 11° 15' East
40,00	Set post for temporary quarter section corner

Township, 14, Range 6, East of 6th Principal Meridian

80.30 Intersected East boundary of Township at corner to sections 1, and 12, from which corner I run West on a true line between sections 1 and 12.

Variation 11°, 15', East

40.15 Drove a chained stake, set a post in mound with trench and pits as per instructions for quarter section corner

80.30 The corner to sections 1, 2, 11, and 12

Land, Rolling Prairie, Soil, Sandy, 2nd rate

North on Random line, between sections 1, and 2,

Variation 11°, 00', East,

40.00 set a post for temporary quarter section corner,

80.20 Intersected the North boundary of Township, 44, links West of corner to sections 1 and 2, from which corner, I run south on a true line between sections 1 and 2,

Variation 10° 41'

40.20 Drove chained stake, set post in mound with trench and pits

Township, 14, Range 6, East of the 6th Principal Meridian

as per instructions, for quarter section corner

80.20 Corner to sections 1, 2, 11 and 12,

Land, Rolling Prairie, Soil sandy 2nd rate

October 8th 1857

North, on line between sections 34 and 35

Variation 11°, 20', East

40.00 Drove chained stake, set a post in mound with trench and pits as per instructions for quarter section corner

80.00 Drove chained stake, set post in mound with trench and pits as per instructions, for corner to sections 26, 27, 34 and 35,

Land, Rolling, Soil 2nd rate

East on random line between sections 26 and 35.

Variation 11°, 26', East

40.00 Set a post for temporary quarter section corner

79.66 Intersected N. and S line 36 links North of corner to sections 25, 26, 35, and 36, from which corner, I run West on a true line between sections 26 and 35

Variation 11°, 05',

Township 14 N. Range 6 E. of the Sixth Principal Meridian

39.83	Drove a chained stake, set post in mound with trench and pits as per instructions for quarter section corner,
79.66	Corner to sections 26, 27, 34 and 35 Land, Rolling, Soil 2nd rate,
	North between sections 26 and 27, Variation 11°, 25',
40.00	Drove chained stake, set post in mound with trench and pits as per instructions for quarter section corner.
49.00	Stream, 3 links wide, course S. E.
80.00	Drove chained stake set post in mound with trench and pits as per instructions for corner to sections 22, 23, 26, 27, Land, Rolling, Soil 2nd rate
	East on random line between sections 23 and 26, Variation 11° 15' East
16.75	Stream 2 links wide. Course S. E.
40.00	Set post for temporary quarter section corner.

Township 14 N. Range 6 E. of the Sixth Principal Meridian

69.75	Stream 5 links wide, Course, South.
80.20	Intersected N and S line 20 links North of corner to sections 23, 24, 25 and 26, From which corner I am West on a true line, Variation 11° 06' East
40.10	Drove chained stake set post in mound with trench and pits as per instructions for quarter section corner,
80.20	Corner to sections 22, 23, 26 and 27, Land, Rolling Prairie, Soil 2nd rate
	North between sections 22 and 23 Variation 11° 15' East
40.00	Drove chained stake, set post in mound with trench and pits as per instructions for quarter section corner.
80.00	Drove chained stake, set a post in mound with trench and pits as per instructions for ~~quarter section~~ corner to sections 14, 15, 22 and 23 Rolling Prairie, Soil, 2nd rate
	East on a random line between sections

	14 and 23
	Variation 11°, 15′. East.
40.00	Set a post, for temporary quarter section corner
80.40	Intersected N. and S. line at corner to sections 13, 14, 23 and 24. From which corner I run west on a true line between sections 14 and 23.
~~41.20~~	Variation 11°, 15′ East
40.20	Drove chained stake, set post in mound with trench and pits as per instructions for quarter section corner
80.40	Corner to sections 14, 15, 22 and 23.
	Rolling prairie, Soil 2nd rate
	North between sections 14 and 15.
	Variation 11°, 10′, East
11.60	Stream, 4 links wide, Course S. E.
40.00	Drove chained stake, set post in mound with trench and pits as per instructions for quarter section corner
78.65	Stream, 3 links wide, Course N. W.
80.00	Drove chained stake, set post in mound with trench and pits as per instructions, for corner to sections

	10, 11, 14, and 15.
	Rolling Prairie, Soil 2nd rate
	East, on a random line between sections 11 and 14.
	Variation 11°, 05′, East
4.25	Stream 3 links wide, Course North
40.00	Set post for temporary quarter section corner
80.14	Intersected N. and S. line at corner to sections 11, 12, 13 and 14. From which Corner I run West on a true line,
	Variation 11°, 05′. East.
40.07	Drove chained stake, set post in mound with trench and pits as per instructions for quarter section corner
80.14	Corner to sections 10, 11, 14 and 15.
	Rolling Prairie, Soil 2nd rate
	North, between 10th and 11th sections
	Variation 11°, 05′, East
39.75	Stream 8 links wide, Course N. E
40.00	Set post 5 inches in diameter, for quarter

Township 14 N. Range 6 E. of the Sixth Principal Meridian

	section corner, from which
	A cottonwood, 7 in. dia, bears S. 31° W,
	37 links dist.
	Boy Elder, 8 in. dia. S. 20° E, 44 links dist.
68.75	Stream, 30 links wide Course, N. E.
70.00	Drove chaned stake, set a post in mound with trench and pits
	as per instructions for corner to sections
	2, 3, 10 and 11.
	Rolling Prairie, Soil 2nd rate
	East on a random line between sections
	2, and 11.
	Variation 11°, 15', East
40.00	Set a post for temporary quarter section corner
79.80	Intersected N and S. line at corner to
	sections 1, 2, 11 and 12. From which
	corner I run West, on a true line between
	sections 2 and 11.
	Variation 11°, 15', East
39.90	Drove a chaned stake, set post in mound with trench and pits
	as per instructions for quarter section
	corner

Township 14 N. Range 6 East of the Sixth Principal Meridian

79.80	Corner to sections 2, 3, 10, and 11.
	Rolling Prairie, Soil 2nd rate
	North on a random line between sections 2
	and 3.
	Variation 11°, 00'.
40.00	Set a post for temporary quarter section corner
80.11	Intersected North boundary of Township 42
	links West of corner to sections 2 and 3.
	From which corner I run South on a
	true line, between sections 2 and 3
	Variation 10° 42' East
40.11	Drove chaned stake, set post in mound with trench and pits
	as per instructions for quarter section corner
80.11	Corner to sections 2, 3, 10, and 11
	Rolling prairie Soil 2nd rate
	October 9th 1855
	North between sections 33, and 34.
	Variation 11° 20', East
40.00	Drove a chaned stake, set a post in mound with trench and pits as per instructions for quarter
	section corner.

Township 14 N. Range 6 E. of the Sixth Principal Meridian

43.50	Emigrant Road, N. W. and S. E.
80.00	Drove chaned stake, set post in mound with trench and pits, as per instructions, for corner to sections 27, 28, 33 and 34
	Rolling Prairie, Soil 2nd rate
	East on a random line between sections 27 and 34
	Variation 11°, 20', East
40.00	Set a post for temporary quarter section corner
80.00	Intersected N. and S. line 20 links South of corner to sections 26, 27, 34 and 35
	From which corner Run West on a true line, between sections 27 and 34,
	Variation 11° 29', East
40.00	Drove chaned stake, set a post in mound with trench and pits as per instructions for quarter section corner
80.00	Corner to sections 27, 28, 33 and 34.
	Rolling Prairie, Soil 2nd rate
	North on a line between sections 27 and 28.

Township 14 N. Range 6 E. of the Sixth Principal Meridian

	Variation 11°, 20', East
15.50	Stream 2 links wide, Course N. E.
40.00	Drove chaned stake in mound as per instructions Set a post with trench and pits for temporary quarter section corner.
64.50	Stream 3 links wide. Course N. E.
80.00	Drove a chaned stake, set post in mound as per instructions for corner to sections 21, 22, 27 and 28
	Rolling Prairie, Soil 2nd rate
	East on a random line between sections 22 and 27
	Variation 11°, 20', East
40.00	Set post, for temporary quarter section corner,
55.60	Stream, 3 links wide Course South
77.86	Intersected N. and S. 72 links South of corner to sections 22, 23, 26 and 27,
	From which corner Run West on a true line between sections 22 and 27
	Variation 11°, 51', East
39.93	Drove a chaned stake, set post in mound with trench and pits as per instructions for quarter section corner,

Township 14 N. Range 6 E. of the Sixth Principal Meridian

79.86	Corner to sections 21, 22, 27 and 28, Rolling Prairie, Soil 2nd rate
	North, between sections 21 and 22, Variation 11°, 30', East
25.10	Stream 3 links wide, Course West
40.00	Drove a chained stake, set a post in mound with trench and pits as per instructions for quarter section corner
80.00	Drove a chained stake, set a post in mound with trench and pits as per instructions for corner to sections 15, 16, 21 and 22 Rolling Prairie, Soil 2nd rate
	East, on a random line between sections 15 and 22 Variation 11°, 45', East.
13.80	Stream, 3 links wide Course, North,
40.00	Set a post for temporary quarter section corner
73.75	Stream 5 links wide, Course N. E,
79.94	Intersected N. and S. line 38 links South of corner to sections 14, 15, 22 and 23. From which corner I run West on a true

Township 14 N. Range 6, East of the Sixth Principal Meridian

	line, between sections 15 and 22 Variation 12.01', East
39.97	Drove a chained stake, set a post in mound with trench and pits as per instructions for quarter section corner
79.94	Corner to sections 15, 16, 21 and 22, Rolling Prairie Soil 2nd rate
	North, between sections 15 and 16 Variation 11° 40' East
40.00	Drove a chained stake, set a post in mound with trench and pits as per instructions for quarter section corner
61.50	Stream, 8 links wide, Course S. E,
80.00	Drove a chained stake, set a post in mound with trench and pits as per instructions for corner to sections 9, 10, 15 and 16, Rolling Prairie Soil 2nd rate,
	East on a random line between sections 10 and 15 Variation 12° 15', East
40.00	Set a post, for temporary quarter section corner
54.24	Stream 3 links wide run N. W.
79.96	Intersected N. and S. line 30 links, South of

Township 14 N. Range 6 East of the Sixth Principal Meridian

Corner to sections 10, 11, 14, and 15. From which corner I run West on a true line between sections 10 and 15.

Variation 12°, 28' East

39.98 Drove a chained stake, set a post in mound with trench and pits as per instructions for quarter section corner

79.96 Corner to sections 9, 10, 15, and 16.

Rolling Prairie, Soil 2nd rate

North between sections 9 and 10

Variation 11° 15' East

40.00 Drove a chained stake, set a post in mound with trench and pits as per instructions for quarter section corner

42.00 Stream, 20 links wide, Course East

80.00 Drove a chained stake, set a post in mound with trench and pits as per instructions, for corner to sections 3, 4, 9 and 10

Rolling Prairie Soil 2nd rate

East on a random line between sections 3 and 10

Variation 12° 15' East

32.20 Stream, 30 links wide, Course S. E.

Township 14 N. Range 6 East of the Sixth Principal Meridian

40.00 Set a post, for temporary quarter section corner

79.80 Intersected N and S. line 40 links, South of corner to sections 2, 3, 10 and 11. From which corner I run West on a true line, between sections 3 an 10

Variation 12° 32' East

37.90 Drove a chained stake, set a post in mound with trench and pits as per instructions for quarter section corner

79.80 Corner to sections 3, 4, 9 and 10

Level Bottom Land, 1st rate Soil

North on a random line between sections 3 and 4.

Variation 11° 00', East.

40.00 Set a post for temporary quarter section corner

43.00 Stream, 30 links wide Course, East.

70.16 Intersected North boundary of Township 12 links West of corner to sections 3 and 4. From which corner I run South on a true line between sections 3 and 4.

Variation 10°, 35', East

40.16 Drove a chained stake, set a post in mound with trench and pits

Township 14. N. Range 6. East of the Sixth Principal Meridian

as per instructions for quarter section corner.

80,16 Drove a charred stake Corner to sections 3, 4, 9 and 10

Rolling Prairie, Soil 2nd rate

October 10th 1857

North, between sections 32 and 33

Variation 11° 20', East,

40,00 Drove a charred stake, set post in mound with trench and pits as per instructions for quarter section corner

80,00 Drove a charred stake, set a post in mound with trench and pits as per instructions for corner to sections 28, 29, 32 and 33

Rolling Prairie Soil 2nd rate,

East on a random line between sections 28 and 33

Variation 11° 30'. East

11,50 Emigrant Road, Course N. E. and S. W.

40,00 Set a post for temporary quarter section corner

65,25 Stream, 2 links wide, Course N. E.

80,00 Intersected N and S. line at corner to sections 27, 28, 33 and 34. From which corner I run West on line between

Township 14. N. Range 6. East of the Sixth Principal Meridian

sections 28 and 33.

Variation 11° 30' East.

40,00 Drove a charred, set a post in mound with trench and pits, as per instructions for quarter section corner.

80,00 Corner to sections 28, 29, 32, 33.

Rolling Prairie, Soil 2nd rate

East, on a random line, between sections 28 and 29.

Variation 11° 20'. East

North, between sections 28 and 29,

Variation 11° 20', East

12,80 Emigrant Road Course, N. W. and S. E.

40,00 Drove a charred stake, set a post in mound with trench and pits as per instructions for quarter section corner

80,00 Drove a charred stake, set a post in mound with trench and pits as per instructions, for corner to sections 20, 21, 28 and 29.

Rolling Prairie, Soil 2nd rate

East, on a random line, between sections 21 and 28

Variation 11° 35' East

Township 14 N. Range 6. East of the Sixth Principal Meridian

4.50	Stream, 3 links wide. Course N. E.
40.00	Set a post for temporary quarter section corner
79.68	Intersected N. and S. line at corner to sections, 21, 22, 27, and 28. From which corner I run West on a true line between sections 21 and 28.
	Variation 11° 35′ East
39.84	Drove a charred stake, set a post in mound with trench and pits as per instructions for quarter section corner.
79.68	Corner to sections, 20, 21, 28 and 29
	Rolling Prairie. Soil 2nd rate
	North between sections 20, and 21,
	Variation 11° 30′ East
16.00	Stream, 6 links wide. Course N. E.
19.50	Stream 6 links wide Course N. W.
21.00	Stream 6 links wide Course N. E.
36.00	Stream 6 links wide Course N. W.
40.00	Drove a charred stake, set a post in mound with trench and pits as per instructions for quarter section corner
80.00	Drove a charred stake & set a post in mound with trench and pits as

Township 14 N. Range 6. East of the Sixth Principal Meridian

	per instructions, for corner to sections 16, 17, 20 and 21
	Rolling Prairie. Soil 2nd rate
	East, on a random line, between sections 16, and 21
	Variation 11° 45′ East.
16.50	Stream, 6 links wide. Course N. E.
40.00	Set a post for a temporary quarter section corner
42.50	Stream, 3 links wide, Course, N.
79.84	Intersected N. and S. line, at corner to sections 15, 16, 21 and 22. From which corner I run West on a true line between sections 16 and 21
	Variation 11°, 45′, East
39.92	Drove a charred stake, set a post in mound with trench and pits as per instructions for quarter section corner.
79.84	Corner to sections 16, 17, 20 and 21
	Rolling Prairie. Soil 2nd rate
	North, between sections 16 and 17,
	Variation 11° 45′ East
40.00	Drove a charred stake, set a post in mound with trench and pits as per instructions for quarter section corner.

Township 14 N. Range 6 East of the 6th Principal Meridian

42.20	Stream, 15 links wide, Course N. E.
80.00	Drove a chained stake set a post in mound with trench and pits as per instructions for corner to sections 8, 9, 16, and 17.
	Rolling Prairie. Soil 2nd rate
	East, on a random line, between sections 9 and 16
	Variation 12° 00', East –
31.60	Enter Grove. Oak and Elm
32.50	Stream 15 links wide Course N. E.
36.00	Leave Grove
80.16	Intersected N. and S. line 24 links West of the corner to sections 9, 10, 15 and 16. From which corner I run West on a true line between sections 9 and 16,
	Variation 11° 30. East
40.08	Drove chained stake, set a post in mound with trench and pits as per instructions for quarter section corner
80.16	Corner to sections 8, 9, 16, and 17,
	Rolling Prairie. Soil 2nd rate
	North, between sections 8, and 9

Township 14 N. Range 6 East of the 6th Principal Meridian

	Variation 11°, 40', East –
40.00	Set a post, for a temporary
40.00	Drove a chained stake, set a post in mound with trench and pits as per instructions for quarter section corner
43.30	Stream, 8 links wide Course N. W.
80.00	Drove a chained stake, set a post in mound with trench and pits as per instructions for corner to sections 4, 5, 8 and 9
	Rolling Prairie, Soil 2nd rate,
	East, on a random line between sections 4 and 9
	Variation 12°, 00, East
40.00	Set a post, for a temporary quarter section corner
80.10	Intersected N and S. line at corner to sections 3, 4, 9, and 10, From which corner I run West on a true line between sections 4 and 9
	Variation 12°, 00' East
40.05	Drove a chained stake set a post in mound with trench and pits as per instructions for a quarter section corner.
80.10	Corner to sections 4, 5, 8 and 9,
	Rolling Prairie Soil 2nd rate

Township 14 N. Range 6, East of the 6th Principal Meridian

North, on a random line between sections 4 and 5

Variation 11° 30', East

40,00 Set a post, for a temporary quarter section corner

84,00 Intersected North boundary of the Township at corner to sections 4 and 5, From which corner I run South between sections 4 and 5.

Variation 11° 30', East

44,00 Drove a chaned stake, set a post in mound with trench and pits as per instructions for a quarter section corner,

84,00 Corner to sections 4, 5, 8, and 9,

Rolling Prairie, Soil 2nd rate

October 11th 1857

North between sections 31 and 32

Variation 11° 15' East

40,00 Drove a chaned stake, set a post in mound with trench and pits as per instructions for quarter section corner,

80,00 Drove a chaned stake, set a post in mound with trench and pits as per instructions, for corner to sections 29, 30, 31 and 32

Rolling Prairie. Soil 2nd rate

East, on a random line between sections

Township 14 N. Range 6, East of the 6th Principal Meridian

29 and 32

Variation 11° 30', East.

40,00 Set a post, for a temporary quarter section corner

80,00 Intersected N and S. line at corner to sections 28, 29, 32 and 33, From which corner I run West on a true line, between sections 29 and 32.

Variation 11° 30' East

40,00 ~~Drove~~ Drove a chaned stake, set a post in mound with trench and pits as per instructions for quarter section corner

80,00 Corner to sections 29, 30, 31 and 32.

Rolling Prairie, Soil 2nd rate

West, on a random line between sections 30 and 31

Variation 11° 20', East

40,00 Set a post for a temporary quarter section corner,

80,25 Intersected West boundary of Township 42 links South of the corner to sections 30 and 31, From which corner I run East on a true line between sections 30 and 31

Variation 11°, 02', East.

Township 14 N. Range 6, East of the 6th Principal Meridian

40,25	Drove a chained stake, set a post in mound with trench and pits as per instructions for quarter section corner
80,25	Corner to sections 29, 30, 31, and 32,
	Rolling Prairie, Soil 2nd rate
	North, between sections 29 and 30,
	Variation 11° 30' East.
12,00	Emigrant Road, Course N. W. and S. E.
40,00	Drove a chained stake, set a post in mound with trench and pits as per instructions, for a quarter section mound
80,00	Drove a chained stake, set a post in mound with trench and pits as per instructions, for a corner to sections 19 20, 29, and 30
	Rolling Prairie, Soil 2nd rate,
	East, on a random line between sections 20 and 29
	Variation 11° 35', East
15,00	Stream 10 links wide, Course N. W.
40,00	Set a post for a temporary quarter section corner
80,24	Intersected N. and S. line 50 links North of the corner to sections 20, 21, 28 and 29,

Township 14 N. Range 6, East of the 6th Principal Meridian

	From which corner I run West on a true line between sections 20 and 29,
	Variation 11° 14' East
40,12	Drove a chained stake, set a post in a mound with trench and pits as per instructions for a quarter section corner,
80,24	Corner to sections 19, 20, 29, and 30,
	Rolling Prairie soil 2nd rate
	West, on a random line between sections 19 and 30
	Variation 11° 36' East
40,00	Set a post, for a temporary quarter section corner
77,90	Intersected the West boundary of Township 130 links South of corner to sections 19 and 30, From which corner I run East on a true line, between sections 19 and 30
	Variation 10° 36' East
39,90	Drove a chained stake, set a post in mound with trench and pits as per instructions for quarter section corner
77,90	Corner to sections 19, 20, 29 and 30
	Rolling Prairie, Soil 2nd rate

Township 14, N. Range 6, East of the 6th Principal Meridian

North, between sections 19 and 20
Variation 11° 45', East

40,00 Drove a chained stake, set a post with trench and pits in mound as per instructions, for quarter section corner,

66,50 Stream, 20 links wide, Course N. E.,

80,00 Drove a chained stake, set a post with trench and pits in mound, as per instructions for corner to sections 17, 18, 19, and 20

Rolling Prairie Soil 2nd rate,

East, on a random line between sections 17 and 20
Variation 11° 15', East

5,00 Stream, 15 links wide Course N. W.

40,00 Set a post, for a temporary quarter section corner

80,00 Intersected N. and S. line 138 links North of corner to sections 16, 17, 20, and 21, From which corner I run West on a true line between sections 17 and 20

Variation 10° 16', East,

40,00 Drove a chained stake, set a post with trench and pits in mound as per instructions for a quarter section corner.

80,00 Corner to sections 17, 18, 19 and 20

Township 14, N. Range 6, East of the 6th Principal Meridian

Rolling Prairie, Soil 2nd rate,

West, on a random line between sections 18 and 19
Variation 10° 30', East

40,00 Set a post for a temporary quarter section corner

80,00 Intersected West boundary of Township at corner to sections 18 and 19, From which corner I run East on a true line, between sections 18 and 19,

Variation 10° 30' East,

40,00 Drove a chained stake, set a post with trench and pits in a mound as per instructions for a quarter section corner

80,00 Corner to sections 17, 18, 19 and 21,

Rolling Prairie, Soil 2nd rate

North, between sections 17 and 18,
Variation 11° 25' East

25,30 Stream, 4 links wide, Course East

40,00 Drove a chained stake, set a post with trench and pits in mound as per instructions for a quarter section corner

80,00 Drove a chained stake, set a post with trench and pits in mound as

Township 14, N. Range 6, East of the 6th Principal Meridian

per instructions, for a corner to sections 7, 8, 17 and 18,
Rolling Prairie Soil 2nd rate

East, on a random line between sections 8 and 17
Variation 10° 40', East

40,00 Set a post for a temporary quarter section corner
79,32 Intersected N and S. line 60 links North of corner to sections 8, 9, 16, and 17, From which corner I run West on a true line, between sections 8 and 17,
Variation 10°, 14', East

39,66 Drove a chained stake, set a post in mound with trench and pits, as per instructions for a quarter section corner
79,32 Corner to sections 7, 8, 17, and 18
Rolling Prairie, Soil 2nd rate
October 12th 1857

West, on a random line between sections 7, and 18
Variation 10°, 30', East

40,00 Set a post, for a temporary quarter section corner
79,86 Intersected West boundary of the Township 12 links South of the corner to sections 7 and 18

Township 14, N. Range 6, East, of the 6th Principal Meridian

From which corner I run East on a true line between sections 7 and 18,
Variation 10° 25', East

39,86 Drove a chained stake, set a post in mound with trench and pits as, per instructions for a quarter section corner
79,86 Corner to sections 7, 8, 17, and 18
Rolling Prairie Soil 2nd rate

North, between sections 7 and 8,
Variation 10,30

35,00 Entire bottom course E and W.
40,00 Drove a chained stake, set a post in mound with trench, and pits as per instructions for a quarter section corner
49,25 Stream, 4 links wide, Course E,
55,30 Leave bottom course E. and W.
80,00 Drove a chained stake, set a post in mound with trench and pits as per instructions, for a corner to sections 5, 6, 7 and 8
Rolling Prairie, Soil 2nd rate

East, on a random line between sections 5 and 8
Variation 11°, 00' East

40,00 Set a post, for a temporary quarter section corner

Township 14, N. Range 6. East of the 6th Principal Meridian

51,15 Stream 10 links wide Course N, E,

79,40 Intersected N and S. line 66 links North of the corner to sections 4, 5, 8, and 9.
From which corner 9 run West on a true line between sections 5 and 8,
Variation 10°32'. East,

39,70 Drove a chared stake, set a post in mound with trench and pits as per instructions for a quarter section corner,

79,40 Corner to sections 5, 6, 7 and 8,
Rolling Prairie Soil 2nd rate

West, on a random line, between sections 6 and 7
Variation 10°20'. East

40,00 Set a post, for a temporary quarter section corner

80,00 Intersected West boundary of Township 100 links North of corner to sections 6 and 7, From which corner 9, run East on a true line, between sections 6 and 7,
Variation 11°53'. East

40,00 Drove a chared stake, set a post in mound with trench and pits as per instructions for a quarter section corner

Township 14, N. Range 6. East of the 6th Principal Meridian

80,00 Corner to sections 5, 6, 7, and 8
Rolling Prairie, Soil 2nd rate

North, on a random line, between sections 5 and 6,
Variation 11°30'. East

40,00 Set a post, for a temporary quarter section corner

81,50 Intersected North boundary of the Township 160 links East of corner to sections 5 and 6
From which corner 9 run North on a true line
Variation 10°21'. East

41,50 Drove a chared stake, set a post in mound with trench and pits as per instructions, for a quarter section corner

81,50 Corner to sections 5, 6, 7 and 8,
Rolling Prairie
October 13th 1857

General Description.

This Township consists mostly of Rolling prairie, with narrow strips of bottom land along the streams. It is well watered but has very little timber and offers few inducements to the Settler.

A list of the names of the individuals employed to assist in running measuring or marking the lines and corners described in the foregoing field notes of Township No 14, North of the base line of Range No. 6. East of the Sixth Principal Meridian showing the respective capacities in which they acted:

Aldridge A Green Chainman
Joseph B Reed Chainman
William G. Creighton Axeman
George B. Jones Axeman
Edward Hepburn Flagman
Chauncey Metse
Compassman

40
109

Compared
By Sherrard

3 4

II - I compd

Field notes of the Subdivision lines of Township number Fifteen North of Range number Six East of the Sixth Principal Meridian in the Territory of Nebraska

Surveyed by John G Clopper U S Deputy surveyor under his contract number 190 dated Jany 12th AD 1857

Subdivision commenced October 8th completed the 10th day of October AD 1857

A list of the Names of the individuals Employed to assist in running Measuring and Marking the lines and corners described in the following Field Notes of Township Number Fifteen North of the Base line of Range number Six East of the Sixth Principal Meridian Showing the respective capacities in which they are to act

Christian G Stulyman	Chainman
William A Cox	Chainman
Levi Van Arnum	Chainman
Norman B Holbrook	Chainman
Gustavus A Hess	Axeman
Levinus M Swift	Axeman
Augustus B Swift	Axeman
Egbert W Holbrook	Flagman
John Barry	Axeman
Amit M Cuman	Flagman
Bernard D Holbrook	Compassman

Township 15 N. Range 6 East

6	34	5	25	4	19	3	12	2	6	1
33		33		25		19		12		6
7	32	8	24	9	18	10	11	11	5	12
32		31		24		17		11		5
18	31	17	23	16	17	15	10	14	4	13
30		30		22		16		10		4
19	29	20	22	21	15	22	9	23	3	24
29		28		21		15		9		3
30	28	29	21	28	14	27	8	26	2	25
27		26		20		14		8		2
31	26	32	20	33	13	34	7	35	1	36

Township 15 N Range 6 E. Sixth Principal Meridian

To determine the Proper adjustment of my Compass for Subdividing this Township I commence at the corner to Townships 14 and 15 N Range 6 and 7 E. and run North on a blank line along the East boundary of Sections 36.

Variation 12° 15' East

4000 To a point 4 links East of quarter Section corner

8994 To a point 12 links East of corner to Sections 25 and 36

To retrace this line my Compass must be adjusted to a variation of

12° 20' East

Subdivision commenced October 8th AD 1857

From the corner to Sections 1, 2, 35 and 36 on the South boundary of the Township I run North between Sections 35 and 36

Variation 12° 20' East

4000 Drove a chaned stake and set a post in a Mound as per instructions for quarter section corner

8000 Drove a chaned stake and set a post in Mound as per instructions for corner to Sections 25, 26, 35 and 36

Rolling Prairie Sandy Soil 2nd rate

Township 15 N Range 6 E. Sixth Principal Meridian

East on a random line between Sections 25 and 36
Variation 11° 45' East

4000 set a post for temporary quarter section corner

7986 Intersected the East boundary of Township 4 links south of the corner to Sections 25 and 36 from which corner I run West on a true line between Sections 25 and 36
Variation 11° 47' East

3993 Drove a charred stake and set a post in Mound as per instructions for quarter section corner

7986 The corner to Sections 25, 26, 35 and 36
Rolling Prairie Sandy soil 2nd rate

North between Sections 25 and 26
Variation 12° 25' East

4000 Drove a charred stake and set a post in a Mound as per instructions for quarter section corner

8000 Drove a charred stake and set a post in Mound as per instructions for corner to sections 23, 24, 25 and 26
Rolling Prairie Sandy Soil 2nd rate

Township 15 N Range 6 E. Sixth Principal Meridian

East on a random line between Sections 24 and 25
Variation 11° 50' East

2325 Stream 12 links wide course S.E.

4000 set a post for temporary quarter section corner

7400 Stream 3 links wide course S.E.

7976 Intersected the East boundary of Township at the corner to Sections 24 and 25 from which corner I run West on a true line between Sections 24 and 25
Variation 11° 51' East

3988 Drove a charred stake and set a post in a Mound as per instructions for quarter section corner

7976 The corner to Sections 23, 24, 25 and 26
Rolling Prairie Sandy Soil 2nd rate

North on line between Sections 23 and 24
Variation 12° 51' East

3500 Struck Bottom course N W and S.E.

3970 Stream 12 links wide course S.E.

4000 Drove a charred stake and set a post in Mound as per instructions for quarter section corner

6125 Stream 12 links wide course ~~N W~~ S E

did you find it?

Township 15 N Range 6 E. Sixth Principal Meridian

8000	Drove a chained stake and set a post in a Mound as per instructions for corner to sections 13, 14, 23 and 24
	Bottom Land 1st rate Clay loam
	East on a random line between sections 13 and 24
	Variation 11° 55' East
850	Care Bottom course N. E and S W
4000	set a post for temporary quarter section corner
7980	Intersected the East boundary of Township at the corner to sections 13 and 24 from which corner I run west on a true line between sections 13 and 24
	Variation 11° 55' East
3990	Drove a chained stake and set a post in a Mound
	as per instructions for quarter section corner
7980	The corner to Sections 13, 14, 23 and 24
	Rolling Land Sandy Soil 2nd rate
	North between Sections 13 and 14
	Variation 13° East
950	Care Bottom course N E and S W
4000	Drove a chained stake and set a post in Mound

Township 15 N Range 6 E. Sixth Principal Meridian

	as per instructions for quarter section corner
8000	Drove a chained stake and set a post in Mound as per instructions for corner to Sections 11, 12, 13 and 14
	Rolling Prairie Sandy Soil 2nd rate
	East on a random line between Sections 12 and 13
	Variation 11° 56' East
0.50	~~5 links~~ Stream 3 links wide course S. E.
4000	Set a post for temporary quarter section corner
8004	Intersected the East boundary of Township at the corner to sections 12 and 13 from which corner I run west on a true line between Sections 12 and 13
	Variation 11° 56' East
4002	Drove a chained stake and set a post in a Mound as per instructions for quarter section corner
8004	The corner to Sections 11, 12, 13 and 14
	Rolling Prairie Sandy Soil 2nd rate
	North between Sections 11 and 12
	Variation 13° East

Township 15 N Range 6 E. Sixth Principal Meridian

150	Stream 3 links wide course S.E.
4000	Drove a charred stake and set a post in a Mound as per instructions for quarter section corner
8000	Drove a charred stake and set a post in Mound as per instructions for corner to sections 1, 2, 11 and 12 Rolling Prairie Sandy Soil 2nd rate
	East on a random line between Sections 1 and 12 Variation 12° East
4000	set a post for temporary quarter section corner
8004	Intersected the East boundary of Township at the corner to sections 1 and 12 from which corner I run West on a true line between Sections 1 and 12 Variation 12° East
4002	Drove a charred stake and set a post in Mound as per instructions for quarter Section corner
8004	The corner to Sections 1, 2, 11 and 12 Rolling Prairie Sandy Soil 2nd rate
	North on a random line between sections 1 and 2 Variation 12° 50' East

Township 15 N Range 6 E. Sixth Principal Meridian

4000	set a post for temporary quarter section corner
7900	Intersected the North boundary of Township 10 links West of the corner to Sections 1 and 2 from which corner I run South on a true line between Sections 1 and 2 Variation 12° 46' East
3900	Drove a charred stake and set a post in a Mound as per instructions for quarter section corner
7900	The corner to Sections 1, 2, 11 and 12 Rolling Prairie Sandy Soil 2nd rate
	North between Sections 34 and 35 Variation 12° 25' East
4000	Drove a charred stake and set a post in Mound as per instructions for quarter section corner
8000	Drove a charred stake and set a post in Mound as per instructions for corner to Sections 26, 27, 34 and 35 Rolling Prairie Sandy Soil 2nd rate

Township 15 N Range 6 E. Sixth Principal Meridian

East on a random line between Sections 26 and 35
Variation 12° East

4000 Set a post for temporary quarter section corner
7990 Intersected the N and S line 48 links North of the corner to Sections 25, 26, 35 and 36 from which corner I run West on a true line between Sections 26 and 35
Variation 11° 39' East

3995 Drove a charred stake and set a post in Mound as per instructions for quarter section corner
7990 The corner to Sections 26, 27, 34 and 35
Rolling Prairie Sandy Soil 2nd rate

North between Sections 26 and 27
Variation 12° 35' East

4000 Drove a charred stake and set a post in a Mound as per instructions for quarter section corner
8000 Drove a charred stake and set a post in Mound as per instructions for corner to Sections 22, 23, 26 and 27
Rolling Prairie Sandy Soil 2nd rate

Township 15 N Range 6 E. Sixth Principal Meridian

East on a random line between Sections 23 and 26
Variation 11° 45' East

4000 Set a post for temporary quarter section corner
7994 Intersected the N and S line 48 links North of the corner to Sections 23, 24, 25 and 26 from which corner I run West on a true line between Sections 23 and 26
Variation 11° 24' East

3997 Drove a charred stake and set a post in a Mound as per instructions for quarter section corner
7994 The corner to Sections 22, 23, 26 and 27
Rolling Prairie Sandy Soil 2nd rate

North between Sections 22 and 23
Variation 12° 50' East

4000 Drove a charred stake and set a post in a Mound as per instructions for quarter section corner
6920 Stream 10 link wide course S.E.
8000 Drove a charred stake and set a post in Mound as per instructions for corner to Sections 14, 15, 22 and 23
Bottom Land 1st rate Clay Loam

Township 15 N Range 6 E. Sixth Principal Meridian

East on a random line between sections 14 and 23
Variation 11° 30 East

2325 Stream 5 links wide course S.E.
3110 Stream 5 links wide course S E
4000 set a post for temporary quarter section corner
8000 Intersected the N and S line 50 links North of the corner to sections 13. 14. 23 and 24 from which corner I ran West on a true line between sections 14 and 23

Variation 11° 09' East

4000 Drove a chained stake and set a post in a Mound as per instructions for quarter section corner
8000 the corner to Sections 14. 15. 22 and 23
Bottom Sand 1st rate clay loam

North between sections 14 and 15
Variation 12° 45' East

2130 leave Bottom course N W and S E
4000 Drove a chanced stake and set a post in Mound as per instructions for quarter section corner

5775

Township 15 N Range 6 E. Sixth Principal Meridian

4350 Stream 3 links wide course S E
8000 Drove a chaned stake set a post in a Mound as per instructions for corner to sections 10, 11, 14 and 15
South 1/2 Bottom Sand 1st rate clay loam
North 1/2 Rolling Prairie Sandy soil 2nd rate

East on a random line between sections 11 and 14
Variation 11° 15' East

4000 set a post for temporary quarter section corner
7978 Intersected the N and S line 90 links North of the corner to sections 11, 12, 13 and 14 from which corner I ran West on a true line between sections 11 and 14

Variation 10° 36' East

3989 Drove a chaned stake and set a post in a Mound as per instructions for quarter section corner
7978 The corner to sections 10, 11, 14 and 15
Rolling Prairie Sandy soil 2nd rate

North between sections 10 and 11
Variation 13° 15' East

Township 15 N. Range 6 E. Sixth Principal Meridian

4000 Drove a chained stake and set a post in a Mound as per instructions for quarter section corner

8000 Drove a chained stake and set a post in a Mound as per instructions for corner to sections 2, 3, 10 and 11

Rolling Prairie Sandy Soil 2nd rate

East on a random line between sections 2 and 11

Variation 10° 31' East

4000 set a post for temporary quarter section corner

8020 Intersected the North Line 18 links North of the corner to sections 1, 2, 11 and 12 from which corner I run West on a true line between sections 2 and 11

Variation 10° 22' East

4010 Drove a chained stake and set a post in a Mound as per instructions for quarter section corner

8020 The corner to sections 2, 3, 10 and 11

Rolling Prairie Sandy Soil 2nd rate

North on a random line between sections 2 and 3

Township 15 N. Range 6 E. Sixth Principal Meridian

Variation 12° East

4000 set a post for temporary quarter section corner

7580 Intersected the North boundary of Township 100 links West of the corner to Sections 2 and 3 from which corner I run South on a true line between sections 2 and 3

Variation 11° 17' East

3580 Drove a chained stake and set a post in Mound as per instructions for quarter section corner

7580 The corner to sections 2, 3, 10 and 11

Rolling Prairie Sandy Soil 2nd rate

October 8th 1857

North between sections 33 and 34

Variation 12° 30' East

4000 Drove a chained stake and set a post in a Mound, as per instructions for quarter section corner

4735 Stream 3 links wide course S.E.

8000 Drove a chained stake and set a post in a Mound as per instructions for corner to sections 27, 28, 33 and 34

Rolling Prairie Sandy Soil 2nd rate

Township 15 N Range 6 E. Sixth Principal Meridian

	East on a random line between sections 27 and 34
	Variation 12° 30' East
3740	Stream 10 links wide course S.E.
4000	set a post for temporary quarter section corner
8030	Intersected the N and S line 18 links North of the corner to sections 26, 27, 34 and 35 from which corner Run West on a true line between sections 27 and 34
	Variation 12° 22' East
4015	Drove a chained stake and set a post in a Mound as per instructions for quarter section corner
8030	The corner to sections 27, 28, 33 and 34 Rolling Prairie Sandy Soil 2nd rate
	North between sections 27 and 28
	Variation 12° 30' East
2625	Stream 10 links wide course S.E.
4000	Drove a chained stake and set a post in Mound as per instructions for quarter section corner
7850	Enter Bottom land course E and W
8000	Drove a chained stake and set a post in Mound as per

Township 15 N Range 6 E. Sixth Principal Meridian

	instructions for corner to sections 21, 22, 27 and 28 Rolling Prairie Sandy Soil 2nd rate
	East on a random line between sections 22 and 27
	Variation 12° 30' East
4000	Set a post for temporary quarter section corner
8000	Intersected the N and S line 40 links South of the corner to Sections 22, 23, 26 and 27 from which corner Run West on a true line between sections 22 and 27
	Variation 12° 47' East
4000	Drove a chained stake and set a post in Mound as per instructions for quarter section corner
8000	The corner to Sections 21, 22, 27 and 28 Rolling Prairie Sandy Soil 2nd rate
	North between sections 21 and 22
	Variation 13° East
400	Stream 5 links wide course N.E.
4000	Drove a chained stake and set a post in a Mound as per instructions for quarter section corner

Township 15 N Range 6 E. Sixth Principal Meridian

4225	Stream 5 links wide course N W
7545	same stream course N E
8000	Drive a charred stake and set a post in a Mound as per instructions for corner to sections 15, 16, 21 and 22
	Bottom Sand 1st rate clay loam
	East on a random line between sections 15 and 22
	Variation 13° East
115	Stream 10 links wide course N E
1445	same stream 10 lks course S. E.
1690	same stream 8 lks course N E
2150	same stream S. E.
4000	Set a post for temporary quarter section corner
4400	Stream 10 links wide course N.E.
4510	same stream S E
5010	same stream N E
5620	same stream S E
8020	Intersected the N and S line at the corner to sections 14, 15, 22 and 23 from which corner I run back on a true line between sections 15 and 22

Township 15 N Range 6 E. Sixth Principal Meridian

	Variation 13° East
4010	Drive a charred stake and set a post in Mound as per instructions for quarter section corner
8020	The corner to sections 15, 16, 21 and 22
	Bottom Sand 1st rate clay loam
	North between sections 15 and 16
	Variation 12°45' East
	50 links crossed stream 10 links wide runs E
365	~~Stream~~ Stream 5 links wide S E.
950	same stream course S W
1310	same stream course S. E
2000	leave Bottom course N W and S E
4000	Drove a charred stake and set a post in a Mound as per instructions for quarter section corner
8000	Drove a charred stake and set a post in Mound as per instructions for corner to sections 9, 10, 15 and 16
	Rolling sand sandy soil 2nd rate
	East on a random line between sections 10 and 15
	Variation 13°30' East

Township 15 N. Range 6 E. Sixth Principal Meridian

4000	set a post for temporary quarter section corner
4685	stream 5 links wide course S. E.
8050	Intersected the N and S line 50 links south of the corner to sections 10, 11, 14 and 15 from which corner I run west on a true line between sections 10 and 15
	Variation 13° 51' East
4025	Drove a chained stake and set a post in Mound as per instructions for quarter section corner
8050	The corner to Sections 9, 10, 15 and 16
	Rolling Prairie Sandy soil 2nd rate

North between sections 9 and 10

Variation 13° East

4000	Drove a chained stake and set a post in a Mound as per instructions for quarter section corner
8000	Drove a chained stake and set a post in a Mound as per instructions for corner to sections 3, 4, 9 and 10
	Rolling Prairie Sandy soil 2nd rate

Township 15 N. Range 6 E. Sixth Principal Meridian

East on a random line between sections 3 and 10

Variation 14° East

4000	set a post for temporary quarter section corner
7998	Intersected the N and S line 62 lks the corner to sections 2, 3, 10 and 11 from which corner I run West on a true line between sections 3 and 10
	Variation 14° East
3999	Drove a chained stake and set a post in a Mound as per instructions for quarter section corner
7998	The corner to sections 3, 4, 9 and 10
	Rolling Prairie Sandy soil 2nd rate

North on a random line between sections 3 and 4

Variation 11° 15' East

4000	set a post for temporary quarter section corner
4825	Stream 5 links wide course S. E.
7860	Intersected the North boundary of Township 80 links West of the corner to sections 3 and 4 from which corner I run South on a true line between sections 3 and 4
	Variation 10° 41' East

Township 15 N Range 6 E. Sixth Principal Meridian

3860 Drove a chained stake and set a post in a Mound as per instructions for quarter section corner

7860 The corner to sections 3, 4, 9 and 10 Rolling Prairie Sandy soil 2nd rate

North between sections 32 and 33
Variation 12° 30' East

4000 Drove a chained stake set a post in a Mound as per instructions for quarter section corner

4418 stream 50 links wide course S.E.

8000 Drove a chained stake and set a post in a Mound as per instructions for corner to sections 28, 29, 32 and 33 Rolling Prairie Sandy soil 2nd rate

East on a random line between sections 28 and 33
Variation 12° East

4000 set a post for temporary quarter section corner

7980 Intersected the N and S line 64 links south of the corner to sections 27, 28, 33 and 34 from which corner

Township 15 N Range 6 E. Sixth Principal Meridian

I run west on a true line between sections 28 and 33
Variation 12° 27' East

3990 Drove a chained stake and set a post in a Mound as per instructions for quarter section corner

7980 The corner to sections 28, 29, 32 and 33 Rolling Prairie Sandy soil 2nd rate

North between sections 28 and 29
Variation 12° 45' East

4000 Drove a chained stake and set a post in a Mound as per instructions for quarter section corner

8000 Drove a chained stake and set a post in a Mound as per instructions for corner to sections 20, 21, 28 and 29 Rolling Prairie Sandy soil 2nd rate

East on a random line between sections 21 and 28
Variation 12° 36' East

4000 set a post for temporary quarter section corner

7996 Intersected the N and S line 24 links south of the corner to sections 21, 22, 27 and 28 from which corner I run west on a true line between

Township 15 N Range 6 E. Sixth Principal Meridian

	sections 21 and 28
	Variation 12°40' East
3998	Drove a chained stake and set a post in a Mound as per instructions for quarter section corner
7996	The corner to Sections 20, 21, 28 and 29 Rolling Prairie sandy soil 2nd rate

North between Sections 20 and 21

Variation 13°10' East

4000	Drove a chained stake and set a post in a Mound as per instructions for quarter section corner
7000	stream 10 links wide course N.E
7920	same stream course N W
8000	Drove a chained stake and set a post in Mound as per instructions for corner to sections 16, 17, 20 and 21 south of 40 chains rolling Prairie 2nd rate soil North of 40 chains Bottom land 1st rate soil

East on a random line between Sections 16 and 21

Variation 12°40' East

3920	enter ~~stake~~ bottom course N.E. and S W

Township 15 N Range 6 E. Sixth Principal Meridian

4000	set a post for temporary quarter section corner
7980	Intersected the N and S line at the corner to sections 15, 16, 21 and 22 from which corner I run West on a true line between sections 16 and 21
	Variation 13°40' East
3990	Drove a chained stake and set a post in a Mound as per instructions for quarter section corner
7980	The corner to sections 16, 17, 20 and 21 west 1/2 rough Prairie sandy soil 2nd rate East 1/2 bottom land 1st rate clay loam

North between sections 16 and 17

Variation 13°45' East

1510	stream 5 links wide course S E
2840	leave Bottom course N W and S E
4000	Drove a chained stake and set a post in a Mound as per instructions for quarter section corner
8000	Drove a chained stake and set a post in Mound as per instructions for corner to sections 8, 9, 16 and 17 Rolling Prairie sandy soil 2nd rate

Township 15 N Range 6 E. Sixth Principal Meridian

East on a random line between sections 9 and 16
Variation 12° 45' East

4000 set a post for temporary quarter section corner

7984 Intersected the N and S line 22 links North of the corner to Sections 9, 10, 15 and 16 from which corner I run west on a true line between sections 9 and 16
Variation 12° 36' East

3992 Drove a chained stake and set a post in a Mound as per instructions for quarter section corner

7984 The corner to sections 8, 9, 16 and 17
Rolling Prairie Sandy soil 2nd rate

North between Sections 8 and 9
Variation 13° East

4000 Drove a chained stake and set a post in a Mound as per instructions for quarter section corner

8000 Drove a chained stake and set a post in Mound as per instructions for corner to sections 4, 5, 8 and 9
Rolling Prairie Sandy soil 2nd rate

Township 15 N Range 6 E. Sixth Principal Meridian

East on a random line between Sections 4 and 9
Variation 12° 40' East

4000 set a post for temporary quarter section corner

7974 Intersected the N and S line 6 links North of the corner to Sections 3, 4, 9 and 10 from which corner I run west on a true line between Sections 4 and 9
Variation 12° 37' East

3987 Drove a chained stake and set a post in a Mound as per instructions for quarter section corner

7974 The corner to sections 4, 5, 8 and 9
Rolling Prairie Sandy soil 2nd rate

North on a random line between Sections 4 and 5
Variation 11° 15' East

4000 set a post for temporary quarter section corner

7860 Intersected the North boundary of Township 18 links west of the corner to Sections 4 and 5 from which corner I run South on a true line between Sections 4 and 5
Variation 11° 07' East

3860 Drove a chained stake and set a post in a Mound

as per instructions for quarter section corner
7860 The corner to sections 4, 5, 8 and 9
Rolling Prairie Sandy Soil 2nd rate
October 9th 1857

North between Sections 31 and 32
Variation 12° 30' East
3150 stream 15 links wide course S.E.
scattering Timber along the stream
4000 set a post for quarter section corner from which
a Burbank 9 in. dia. bears S 18 west 33 links dist
Burbank 20 in. dia. bears S 53 East 86 links dist
8000 Drove a chained stake and set a post in Mound as per
instructions for corner to Sections 29, 30, 31 and 32
Rolling Prairie Sandy Soil 2nd rate
* Timber

East on a random line between Sections 29 and 32
Variation 12° East
Road
2015 stream 15 links wide course S.E.
4000 set a post for temporary quarter section corner
8010 Intersected the N and S line 20 links North of the
corner to sections 28, 29, 32 and 33 from which

corner I run west on a true line between
Sections 29 and 32
Variation 11° 51' East
4005 Drove a chained stake and set a post in a Mound
as per instructions for quarter section corner
8010 The corner to Sections 29, 30, 31 and 32
Rolling Prairie Sandy Soil 2nd rate

West on a random line between Sections 30 and 31
Variation 12° East
4000 set a stake for temporary quarter section corner
7814 Intersected the West boundary of Township 16 links
North of the corner to Sections 30 and 31 from which
corner I run East on a true line between Sections
30 and 31
Variation 13° 09' East
3814 Drove a chained stake and set a post in a Mound
as per instructions for quarter section corner
7814 The corner to Sections 29, 30, 31 and 32
Rolling Prairie Sandy Soil 2nd rate

Township 15 N Range 6 E. Sixth Principal Meridian

North between Sections 29 and 30
Variation 12° 46' East

4000 Drove a chained stake and set a post in a Mound as per instructions for quarter section corner

4400 Stream 15 links wide course S.E.

4800 Same stream course ~~N.E.~~ S.W.

5410 Same stream course ~~N.W.~~ S.E.

8000 Drove a chained stake and set a post in Mound as per instructions for corner to Sections 19, 20, 29 and 30

Rolling Prairie Sandy Soil 2nd rate

East on a random line between Sections 20 and 29
Variation 11° East

400 set a post for temporary quarter section corner

3736 Stream 3 links wide course S

7980 Intersected the N and S line 64 links North of the corner to Sections 20, 21, 28 and 29 from which corner I run West on a true line between Sections 20 and 29
Variation 10° 32' East

3990 Drove a chained stake and set a post in a Mound as per instructions for quarter section corner

Township 15 N Range 6 E. Sixth Principal Meridian

7980 The corner to Sections 19, 20, 29 and 30
Rolling Prairie Sandy Soil 2nd rate

West on a random line between Sections 19 and 30
Variation 13° East

2812 Stream 15 links wide course S.E.

4000 set a post for temporary quarter section corner

7820 Intersected the N and S line of the corner to sections 19 and 30 from which corner I run West on a true line between sections 19 and 30
Variation 13° East

3820 Drove a chained stake and set a post in Mound as per instructions for quarter section corner

7820 The corner to sections 19, 20, 29 and 30
Rolling Prairie Sandy Soil 2nd rate

North between Sections 19 and 20
Variation 13° 10' East

4000 Drove a chained stake and set a post in a Mound as per instructions for quarter section corner

8000 Drove a chained stake and set a post in Mound as per

Township 15 N Range 6 E. Sixth Principal Meridian

instructions for corner to Sections 17, 18, 19 and 20.
Rolling Prairie Sandy Soil 2nd rate

East on a random line between Sections 17 and 20
Variation 16° 45' East

4000 Set a post for temporary quarter section corner
7850 Stream 10 links wide course North
8020 Intersected the N and S line at the corner to sections 16, 17, 20 and 21 from which corner Bears West on a true line between Sections 17 and 20
Variation 16° 45' East

4010 Drove a chained stake and set a post in a Mound as per instructions for quarter Section corner
8020 The corner to Sections 17, 18, 19 and 20
Rolling Prairie Sandy Soil 2nd rate

West on a random line between Sections 18 and 19
Variation 13° 20' East

4000 set a post for temporary quarter Section corner
7716 Intersected the West Boundary of Township at the corner to sections 18 and 19 from which corner Bears West on a true line between Sections

Township 15 N Range 6 E. Sixth Principal Meridian

18 and 19
Variation 13° 20' East

3716 Drove a chained stake and set a post in a Mound as per instructions for quarter Section corner
7716 The corner to Sections 17, 18, 19 and 20
Rolling Prairie Sandy Soil 2nd rate

North between Sections 17 and 18
Variation 13° East

4000 Set a Stone 16 inches long 12 inches wide 4 inches thick as per instructions for quarter Section corner
8000 Drove a chained stake and set a post in Mound as per instructions for corner to Sections 7, 8, 17 and 18
Rolling Prairie Sandy Soil 2nd rate

East on a random line between Sections 8 and 17
Variation 11° East

865 Stream 12 links wide course S.E.
4000 set a post for temporary quarter section corner
7982 Intersected the N and S line 16 links North of the corner to Sections 8, 9, 16 and 17 from which corner I

Township 15 N Range 6 E Sixth Principal Meridian

	run West on a true line between Sections 8 and 17
	Variation 16° 56' East
3991	Drove a chained stake and set a post in a Mound
	as per instructions for quarter section corner
7982	The corner to Sections 7, 8, 17 and 18
1.65	Rolling Prairie Sandy Soil 2nd rate
	West on a random line between Sections 7 and 18
	Variation 13° 30' East
4000	set a post for temporary quarter section corner
7682	Intersected the west boundary of Township 20 links
	North of corner to sections 7 and 18 from which
	corner I run East on a true line between sections
	7 and 18
	Variation 13° 39' East
3682	Drove a chained stake and set a post in a Mound
	as per instructions for quarter section corner
7682	The corner to Sections 7, 8, 17 and 18
	Rolling Prairie Sandy Soil 2nd rate
	North between Sections 7 and 8

Township 15 N Range 6 E Sixth Principal Meridian

	Variation 12° 45' East
4000	Drove a chained stake and set a post in Mound
	as per instructions for quarter section corner
8000	Drove a chained stake and set a post in a Mound as per
	instructions for corner to sections 5, 6, 7 and 8
	Rolling Prairie Sandy Soil 2nd rate
	East on a random line between Sections 5 and 8
	Variation 11° East
4000	set a post for temporary quarter section corner
7956	Intersected the N and S line 6 links south of the
	corner to sections 4, 5, 8 and 9 from which corner I run
	West on a true line between sections 5 and 8
	Variation 11° 03' East
3978	Drove a chained stake and set a post in a Mound
	as per instructions for quarter section corner
7956	The corner to Sections 5, 6, 7 and 8
	Rolling Prairie Sandy Soil 2nd rate
	West on a random line between Sections 6 and 7
	Variation 13° 30' East

Township 15 N Range 6 E Sixth Principal Meridian

3850 Stream 10 links wide course S.E.
4000 set a post for temporary quarter section corner
7608 Intersect the west boundary of Township 30 links north of the corner to sections 6 and 7 from which corner I run East on a true line between sections 6 and 7
Variation 13° 43' East
3608 Drove a chaned stake and set a post in a Mound as per instructions for quarter section corner
7608 The corner to Sections 5, 6, 7 and 8
Rolling Prairie Sandy soil 2nd rate

North on a random line between Sections 5 and 6
Variation 11° East
4000 set a post for temporary quarter section corner
7706 Intersected the North boundary of Township 40 links East of the corner to sections 5 and 6 from which corner I run South on a true line between sections 5 and 6
Variation 11° 17' East
3706 Drove a chaned stake and set a post in a Mound

Township 15 N Range 6 E. Sixth Principal Meridian

as per instructions for quarter section corner
7706 The corner to sections 5, 6, 7 and 8
Rolling Prairie Sandy Soil 2nd rate
October 10th 1857

General Description

The southern portion of this Township is well watered — the land along the streams being of good quality 1st rate — Timber is very scarce and confined all together to the course of Waupoo creek being much scattered. Box Elder and Willow principally —

The northern portion of Township is but poorly watered and entirely destitute of Timber — Land rolling Prairie soil 2nd rate

No Settlements

A list of the names of the individuals Employed to assist in running Measuring and Marking the lines and corners described in the foregoing Field Notes of Township Number Fifteen North of the Base line of Range Number Six East of the Sixth Principal Meridian Showing the respective capacities in which they acted

Christian G Stutzman	Chainman
William A Cox	Chainman
Levi Van Arnum	Chainman
Norman B Holbrook	Chainman
Gustavus A Hess	Axeman
Livinus M Swift	Axeman
Augustus D Swift	Axeman
Egleton W Holbrook	Flagman
John Bang	Axeman
Henit McCunan	Flagman
Bernard D Holbrook	Compassman

See remarks on preceeding Ranges

Exd Nov 17th 1859

Vanzande

Exr

Field Notes

of the

Survey of the Subdivision Lines of Townships 16 North of Ranges ~~3 4 5 and~~ 6 East of the Sixth Principal Meridian in the Territory of Nebraska executed by

Henry Gaines D.S.

Under instructions of the Surveyor General of Kansas and Nebraska dated February 12th 1859.

Survey Commenced. April 16th 1859.
" Completed. May 10th "

Copied H. W. Ramsdell
Comp. Gaines & C.B.R.

Ex. No 1

Names & Duties of Assistants

Henry C. Hall	Chainman
Addis Jones	Chainman
William Cruise	Flagman
William Schwmail	Axeman.
Henry C. F. Hackbusch	Compassman

Township 16 North Range 6 East 6th P. M.



Oaths of Assistants

I Henry C. Hall do solemnly swear that I will faithfully execute the duties of Chain carrier that I will level the chain upon uneven ground and plumb the tally pins whether by sticking or dropping the same; that I will report the true distance to all notable objects, and the true length of all lines that I assist in measuring to the best of my skill and ability

Henry C. Hall

Subscribed and sworn to before the Undersigned this 11th day of April A.D. 1859.

Robert Lorton

Notary Public in & for
Otoe County
Nebraska Territory.

NOTARIAL SEAL — OTOE COUNTY — NEBRASKA TERRITORY

I Addis Jones do solemnly swear that I will faithfully execute the duties of Chain carrier that I will lend the chain upon uneven ground and plumb the tally pins whether by sticking or dropping the same that I will report the true distance to all notable objects and the true length of all lines that I assist in measuring to the best of my skill and ability

Addis Jones

Subscribed and sworn to before the Undersigned this 11th day of April A.D. 1859.

Robert Lorton.

Notary Public in & for
Otoe County
Nebraska Territory

I William Cruise do solemnly swear that I will will and truly perform the duties of Flagman according to instructions given me and to the best of my skill and ability

William Cruise

Subscribed and sworn to before the Undersigned this 11th Day of April A.D. 1859.

Robert Lorton

Notary Public in & for
Otoe County Nebraska Ter.

I William Silvernail do solemnly swear that I will will and truly perform the duties of Axeman according to instructions given me and to the best of my skill and ability

William Silvernail

Subscribed and sworn to before the Undersigned this 11th Day of April A.D. 1859

Robert Lorton

Notary Public
Otoe County N.T.

I Henry C. F. Hackbusch do solemnly swear that I will will and truly perform the duties of Compassman according to instructions given to me and to the best of my skill and ability

Henry C. F. Hackbusch

Subscribed and sworn to before the Undersigned this 11th day of April A.D. 1859.

Robert Lorton,
Notary Public in & for
Otoe County
Nebraska Territory

...in
...th P. M.

Names and duties of
Assistants

Henry C. Hall — Chainman
Addis Jones — Chainman
William Guise — Flagman
William Silvernail Axeman
Henry C. F. Hackbusch Compassman

Field Notes of the Subdivision lines in
Township 16 N. Range 6 E. 6th P. M.

To determine the proper adjustment of my Compass for Subdividing this Township. I commenced at the corner to Townships 15 & 16 N. R. 6 & 7 E and run North on a blank line along the East Boundary of Sec 36.

Var 12° 15' E.

39,97 To a point 19 lks West of quarter Sec. Corner
80.01 To a point 24 lks West of corner to Sections 25 & 36.

To retrace this line or run parallel thereto my Compass must be adjusted to a Variation of 12° 05' East.

Subdivision commenced April 16th 1859.

From the corner to Secs 1, 2, 35 & 36 on the South Boundary of Township I run North between Secs 35 & 36

Variation 12° 05' E

35,50 A Creek 20 links wide runs East

banks 6 feet high & Muddy.

40.00 Drove Charred Stake, Set post, raised Mound with pits & trenches as per instructions for quarter Sec Corner

80.00 Drove Charred Stake, Set post, raised Mound with pits & trenches as per instructions for corner to Secs. 25, 26 35 and 36.

Land rolling prairie Soil 2d Rate.

East on random line between Sections 25 and 36

Variation 12°05' East

40.00 Set post for temporary ¼ Section corner

80.10 Intersected East boundary of Township 44 links South of corner to Secs 25 & 36 from which corner I run

West on a true line between Sections 25 & 36

Variation 12°24' E

40.05 Drove Charred Stake Set post raised Mound, with pits & trenches as per instructions for quarter Sec Corner

80.10 The Corner to Secs. 25, 26, 35 and 36

Land rolling prairie Soil 2d Rate.

North between Sections 25 & 26

Var 12°00' East

40.00 Drove Charred Stake, Set post, raised Mound, with pits & trenches as per instructions for quarter Sec. Corner

80.00 Drove Charred Stake, Set post, raised Mound, with pits & trenches as per instructions for corner to Sections 23, 24, 25 & 26.

Land rolling prairie Soil 2d Rate.

East on random line between Sections 24 and 25.

Township 16. N. Range 6 E. 6th principal Meridian

Variation 12°15' East

40.00 Set post for temporary quarter Sec. Corner

58.87 Brook 20 links wide runs S. E.

80.60 Intersected East boundary of Township 14 links South of corner to Secs 24 & 25 from which I run West on a true line between Sections 24 and 25

Variation 12°21' East

40.30 Drove charred Stake Set post raised Mound with pits & trenches as per instructions for quarter Sec Corner

80.60 Corner to Secs 23. 24. 25 & 26 Land rolling Soil 2d Rate

---

North between Sections 23 & 24

Variation 12° East

17.50 Brook 7 links wide runs N. E.

20.00 Brook 20 links wide runs East

40.00 Drove charred Stake, Set post, raised

Township 16 N. Range 6 E. 6th principal Meridian

Mound, with pits & trenches as per instructions for quarter Sec. Corner

80.00 Drove charred Stake, Set post, raised Mound with pits & trenches as per instructions for Corner to Sections 13, 14, 23 & 24.

Land mostly level prairie.

Soil 2d Rate.

East on a random line between Sections 13 and 24

Variation 12°15' E.

40.00 Set post for temporary quarter Sec. Corner

80.12 Intersected East boundary Township 18 links South of Corner to Secs 13 & 24 from which Corner I run West on true line between Sections 13 and 24

Variation 12°23 East

40.06 Drove charred Stake Set post, raised

Township 16 N. Range 6 E. 6th P. M.

Mound with pits & trenches as per instructions for quarter Sec. Corner

80.12 Corner to Secs. 13, 14, 23 & 24
Land level prairie Soil 2d Rate

North between Sections 13 & 14
Variation 12° 00' East

40.00 Drove Charred Stake, Set post raised Mound with pits, & trenches as per instructions for quarter Sec Corner

80.00 Drove charred Stake, Set post, raised Mound with pits & trenches as per instructions for Corner to Sections 11, 12, 13 & 14.
Land level Soil 2d Rate

East on random line between Secs 12 & 13
Variation 12° 15' E

40.00 Set post for temporary quarter Section Corner

Township 16. N. Range 6. E. 6th P. M.

80.78 Intersected East boundary Township 14 links North of Corner to Sec 12 & 13. from which corner I run
West on true line between Secs 12 & 13
Variation 12° 09' East

40.39 Drove Charred Stake, Set post raised Mound with pits & trenches as per instructions for quarter Sec. Corner

80.78 Corner to Secs 11, 12, 13 & 14
Land level Soil 2d Rate.

North between Secs 11 and 12
Var 11° 25' E

40.00 Drove Charred Stake, Set post, raised Mound with pits & trenches as per instructions for quarter Sec Corner

80.00 Drove Charred Stake, Set post raised mound with pits & trenches as per instructions for Corner to Secs 1, 2 11 & 12. Land level, Soil 2d Rate.

Township 16 N. Range 6. E. 6th P. M.

East on random line between Secs. 1 & 12
Var 12° 15' East

40.00 Set post for temporary quarter Sec. Corner
80.30 Intersected East boundary of Township
9 links North of Corner to Secs 1 & 12
from which corner I run
West on true line between Secs. 1 & 12
Var 12° 11' East

40.15 Deposited a pint of Charcoal Set post,
raised Mound with pits & trenches as per
instructions. for quarter Sec. Corner
80.30 Corner to Sections 1. 2. 11 & 12
Land level prairie Soil 2d Rate.

North on a true line between Secs 1 & 2
Var 11° 15' East

40.00 Drove Charred Stake, Set post, raised
Mound, with pits & trenches as per instructions
for quarter Section Corner
76.02 Intersected 4th Standard parallel 13.19

Township 16 N. Range 6 E. 6th P. Meridian

Chains. West of Standard Corner to
Secs 35 & 36 — Here I drove a charred
Stake, Set post, raised Mound with
pits & trenches for closing corner to
Secs 1 and 2 As per instructions
Land level Soil 1st Rate.
April 16th 1859.

North between Sections 34 and 35
Var 12° 05 East

40.00 Drove Charred Stake, Set post, raised
Mounds, with pits & trenches as per
instructions for quarter Sec. Corner
80.00 Drove charred Stake, Set post raised
mounds, with pits & trenches as per
instructions. for Corner to Secs 26. 27
34 & 35. Land rolling Soil 2d Rate.

East on a random line between
Sections 26 & 35

Township 16 N. Range 6 E. 6th P. M.

Var 12° 15' East

3.75 Creek 10 links wide runs S.E.

40.00 post for temporary ¼ Sec Corner

80.06 Intersected N & S. line 3 links South of corner to Secs 25, 26, 35 & 36 from which corner Run

West on a true line between Secs 26 & 35

Var 12° 16' East

40.03 Drove Charred Stake Set post, raised Mound with pits & trenches as per instructions for quarter Sec. Corner

80.06 Corner to Secs 26, 27, 34 and 35

Land rolling Soil 2d Rate.

North between Secs 26 & 27

Var 12° 05' E

3.75 Creek 15 lks wide runs S 75° E

40.00 Drove Charred Stake Set post raised Mound with pits & trenches as per instructions for quarter Sec. Corner

Township 16 N. Range 6 E. 6th P. M.

80.00 Drove charred stake, set post raised mound with pits & trenches as per instructions for Corner to Secs 22, 23, 26 & 27. Land rolling Soil 2d rate.

East on random line between Secs 23 & 26.

Var 12° 15' East

1.70 A Drain bears N & S. ~~Course N~~

40.00 Set post for temporary ¼ Sec Corner

79.96 Intersected Corner to Sections 23, 24, 25 & 26. – 37 lks North of Corner from which corner Run

West on true line between Secs 23 & 26

Var 11° 59' E

39.88 Drove Charred Stake, Set post raised Mound with pits & trenches as per instructions for quarter Sec Corner

79.96 The Corner to Sec 22, 23, 26 & 27

Land rolling Soil 2d Rate

Township 16 N. Range 6 E. 6th P. M.

North between Secs 22 and 23
Var 12°00 E

40.10 Drove charred Stake, Set post, raised Mound with pits & trenches as per instructions for quarter Section Corner

79.00 Brook 10 links wide runs N. E.

80.00 Drove charred Stake Set post raised Mound with pits & trenches as per instructions for corner to Secs 14, 15, 22 & 23. Land South half rolling. North half mostly level Soil 2d Rate.

East on random line between Sections 14 and 23
Var 12°15' East

.65 Brook 10 lks wide runs N. E.

3.35 Same Brook 10 lks wide runs S. E.

16.00 Leave level land & enter rolling prairie bears S. E.

40.00 Set post for temporary quarter Sec Corner

Township 16 N. Range 6 E. 6th P. M.

40.40 Brook 10 lks wide runs South

80.06 Intersected N & S. line 46 lks North of Corner to Secs 13, 14, 23, and 24. from which corner I run

West on true line between Secs 14 & 23
Variation 11°55' East

40.03 Drove charred Stake Set post raised mound with pits & trenches as per instructions for quarter Sec. Corner

80.06 Corner to Secs 14, 15, 22 & 23
Land rolling Soil 2d rate

North between Secs 14 & 15
Var 11°30 East

1.40 Brook 10 links wide runs S. W.

4.00 Same Brook 10 lks wide runs S. E.

40.00 Drove charred Stake Set post raised mound with pits & trenches as per instructions for quarter Sec Corner

80.00 Drove charred Stake, Set post raised mound with pits & trenches as per

Township 16 N., Range 6 E., 6th P. M.

instructions for corner to Secs 10, 11, 14 & 15
Land rolling Soil 2d rate

East on random line between
Secs 11 & 14.

Var 12° 15' E

3,65 Creek 11 links wide runs South E
40,00 Set post for temporary quarter Sec Corner
80,18 Intersected N & S. line 3 links South
of Corner to Secs 11, 12, 13 & 14 from
which corner I run

West on true line between Secs 11 & 14

Var 12° 16 East

40,09 Drove Charred Stake Set post raised
mound with pits & trenches as per
instructions for quarter Sec Corner
80,18 Corner to Secs 10, 11, 14 & 15.
Land rolling Soil 2d Rate

North between Secs 10 and 11

Township 16 N., Range 6 E., 6th P. M.

Var 11° 25' E

1,80 Creek 10 lks wide runs S. E.
40,00 Drove Charred Stake Set post raised
mound with pits & trenches as per
instructions for quarter Sec. Corner
80,00 Drove Charred Stake Set post raised
mound with pits & trenches as per
instructions, for corner to Secs 2, 3, 10 & 11
Land rolling Soil 2d Rate

East on random line between Secs 2 & 11

Var 12° 00 E

40,00 Set post for temporary quarter Sec Corner
80,16 Intersected N & S line at Corner to
Secs 1, 2, 11, & 12 from which corner
I run

West on true line between Secs 2 & 11

Var 12° 00 E

40,08 Drove Charred Stake, Set post, raised
mound with pits & trenches as per

Township 16 N. Range 6 E. 6th P. M.

instructions for quarter Sec. Corner
80,16 Corner to Secs 2, 3, 10 & 11
Land rolling Soil 2d Rate

North on true line between Secs 2 & 3
Var 11° 15' East

40,00 Drove Charred Stake, Set post raised mound with pits & trenches as per instructions for quarter Sec. Corner
75,00 Intersected 4th Standard Parallel 13,84 chains West of Standard Corner to Secs 34 & 35 – Here I drove a Charred Stake Set post raised Mound with pits & trenches as per instructions for Closing Corner to Secs 2 & 3.
Lands rolling Soil 2d Rate
April 17th 1859.

North between Secs 33 and 34
Var 12° 00 East

Township 16 N. Range 6 E. 6th P. M.

40,00 Drove Charred Stake, Set post raised mound with pits & trenches as per instructions for quarter Sec Corner
52,75 Touched bend of Brook on Right bank
61,50 Leave Bend of Brook runs N. W.
62,73 Brook 6 lks wide runs East
80,00 Drove Charred Stake Set post raised mound with pits & trenches as per instructions for Corner to Secs 27, 28 33 & 34, Land 1st half mile high rolling praire. North ½ mile low rolling prairie Soil 2d Rate.

East on random line between Sections 27 & 34
Variation 12° 15' E

2,60 Touched Bend of Creek runs N. 80° E.
6,35 Creek 7 links wide runs South
29,60 Same Creek 10 lks wide runs N. 70° E.
34,60 A. Drain bears ~~S. 15° E.~~ North

Township 16 N. Range 6 E. 6th P. M.

40,00 Set post for temporary quarter Sec Corner
80,18 Intersected N & S line 35 lks South of Corner to Secs 26, 27, 34 & 35 from which corner I run West on true line between Sec 27 & 34
Var 12° 30' E
40,09 Drove Charred Stake Set post raised mound with pits & trenches as per instructions for quarter Sec Corner
80,18 Corner to Secs 27, 28, 33 & 34
Land high rolling prairie Soil 2d Rate

North between Secs 27 and 28
Var 12° 00 East
2,00 Creek 10 lks wide runs S. E.
40,00 Drove Charred Stake Set post raised mound with pits & trenches as per instructions for quarter Sec Corner
48,50 A Drain bears N. E.
56,00 A. Drain bears S. E.

Township 16 N. Range 6 E. 6th P. M.

80,00 Drove Charred Stake, Set post raised mound with pits & trenches as per instructions for Corner to Secs 21, 22 27 & 28, Land rolling Soil 2d Rate.

East on random line between Secs 22 & 27
Var 12° 15' E
11,50 A Drain bears ~~North~~ South
31,50 A. Drain bears ~~N & S.~~
40,00 Set post for temporary quarter Sec. Corner
80,26 Intersected N & S. line 32 links S. of Corner to Secs 22, 23, 26 & 27 from which corner I run West on true line between Secs 22 & 27
Var 12° 29 East
40,13 Drove Charred Stake Set post raised Mound with pits & trenches as per instructions for quarter Sec. Corner

Township 16 N. Range 6 E. 6th P. M.

80.26 Corner to Secs 21, 22, 27, 28
Land rolling Soil 2d Rate.

North between Secs 21 and 22
Var 11° 30' East

40.00 Drove Charred Stake Set post raised
mound with pits & trenches as per
instructions for quarter Sec Corner

80.00 Drove Charred Stake, Set post raised
mound with pits & trenches as per
instructions for corner to Secs 15, 16
21, and 22, Land high rolling
Prairie Soil 2d Rate

East on random line between
Secs 15 and 22
Var 12° 15' East

4.00 Set post for temporary quarter Sec Corner
7.85 Brook 10 lks wide runs South
80.68 Intersected N & S line 21 lks South

Township 16 N. Range 6 E. 6th P. M.

of corner to Secs 14, 15 22 and 23
from which corner I run
West on true line between Secs 15 & 22
Var 12° 24' East

40.34 Drove Charred Stake Set post raised
mound with Pits & Trenches as per
instructions for quarter Sec. Corner

80.68 Corner to Secs 15, 16, 21 and 22
Land rolling Soil 2d Rate.

North between Secs 15 and 16
Var 11° 15' East

9.25 Brook 10 lks wide runs N. E.

40.00 Drove Charred Stake Set post raised
mound with pits & trenches as per
instructions for quarter Sec Corner.

80.00 Drove Charred Stake, Set Post, raised
mound, with pits & trenches
as per instructions for corner to Secs
9, 10, 15 & 16. Land rolling Soil 2d Rate

Township 16 No. Range 6 E. 6th P. M.

East on random line between
Sections 10 & 15
Var 12°15' East

40,00 Set post for temporary quarter Sec
Corner

80,16 Intersected N & S. line 35 links
No. of corner to Secs 10, 11, 14 & 15
from which corner S. run
West on true line between Secs 10 & 15
Var 12°00' East

40,08 Drove charred Stake, Set Post raised
mound with pits & trenches as per
instructions for quarter Sec. corner

80,16 Corner to Secs 9, 10, 15 & 16
Land rolling Soil 2d Rate.

North between Secs 9 and 10
Var 11°15' East

13,25 A Drain bears No. E

40,00 Drove charred Stake Set post raised

Township 16 No Range 6 E. 6th P. M.

mound with pits & trenches as per
instructions for quarter Sec. Corner

80,00 Drove charred Stake Set post raised
mound with pits & trenches as per
instructions for Corner to Secs 3, 4, 9 & 10
Land rolling Soil 2d Rate.

East on random line between
Secs 3 and 10
Var 12°15' East

2,20 Creek 15 lks. wide runs S. E.

5,70 Same Creek 15 lks wide runs No. E.

25,70 Same Creek 15 lks wide runs S. E

40,00 Set post for temporary quarter Sec Corner

80,44 Intersected N & S. line 48 links North of corner
to Secs 2, 3, 10 & 11 from which corner
Drew
West on true line between Secs 3 & 10
Var 11°54' E

40,22 Drove Charred Stake, Set post raised a

Township 16. N. Range 6 E. 6th P. M.

mound with pits & trenches as per
instructions for quarter Sec Corner
80.44 Corner to Secs 3, 4, 9 and 10
Land rolling Soil 2d Rate.

North on true line between Secs 3 & 4
Var 11° 00 East

5.25 Creek 20 lks wide runs S. E.
34.50 Drain bears S. E.
36.50 Same Drain bears S. W.
40.00 Drove Charred Stake Set post raised
mound with pits & trenches as per
instructions for quarter Sec. Corner
42.00 Same Drain bears S. 10° E.
62.00 Same Drain bears S. W.
65.00 Same Drain bears S. E.
67.50 Same Drain bears S. W.
76.04 Intersected 4th Standard Parallel
14.32 Chains W. of Standard Corner to Secs
33 & 34. Drove Charred Stake, Set post raised
mound with pits & trenches as per instructions

Township 16 N. Range 6 E. 6th P. M.

for closing Corner to Secs 3 and 4
Land rolling Soil 2d Rate
April 18th 1857.

North between Secs 32 and 33
Var 12° 00 E.

8.25 Brook 6 links wide runs N. E.
40.00 Drove Charred Stake Set post raised
mound with pits & trenches as per
instructions for quarter Sec Corner
75.00 Brook 8 lks wide runs E
80.00 Drove Charred Stake Set post raised
mound with pits & trenches as per
instructions for Corner to Secs 28, 29
32 & 33. Land high rolling prairie
Soil 2d Rate.

East on random line between
Secs 28 and 33
Var 12° 00 East

Township 16 N. Range 6 E. 6th P. M.

4,08	Brook 6 links wide runs N.
40,00	Set post for temporary quarter Section
42,90	Same Brook 8 lks run S. E.
47,55	Same Brook 10 lks wide runs N.
80,30	Intersected N & S. line 7 links S. of Corner to Secs 27, 28, 33 & 34, from which corner I run West on true line between Secs 28 and 33
	Var 12°03 East
40,15	Drove Charred Stake, Set post, raised mound with pits & trenches as per instructions for quarter Sec. Corner
80,30	Corner to Secs 28, 29, 32 & 33 Land rolling Soil 2d Rate.
	North between Secs 28 and 29
	Var 12°00 East
39,40	Brook 6 links wide runs S. E.
40,00	Drove Charred Stake, Set post, raised

Township 16 N. Range 6 E. 6th P. M.

	mound with pits & trenches as per instructions for quarter Sec Corner
80,00	Drove Charred Stake, Set post raised mound with pits & trenches as per instructions for Corner to Secs 20, 21 28 & 29. Land rolling Soil 2d Rate.
	East on random line between Sections 21 and 28
	Var 12°00 East
22,50	A Drain bears S. E.
40,00	Set post for temporary quarter Sec
75,00	Drain bears ~~North~~ South
80,02	Intersected N and S. line 4 lks N. of Corner to Secs 21, 22, 27 & 28 from which corner I run West on true line between Secs 21 & 28
	Var 11°58 East
40,01	Drove Charred Stake, Set post in mound with pits & trenches as per

Township 16 N. Range 6 E. 6th P. M.

instructions for quarter Sec Corner
80.02 Corner to Secs 20, 21, 28 and 29
Land rolling, Soil 2d Rate

North between Secs 20 and 21
Var 11° 15' E

1.75 Small Brook runs South parallel with this line for 15 chs 5 lks to West of line
40.00 Drove Charred Stake, Set post, raised mound with pits & trenches as per instructions for quarter Sec. Corner.
80.00 Drove Charred Stake, Set post, raised mound with pits and trenches as per instructions for corner to Secs 16, 17, 20 and 21. Land rolling Soil 2d Rate.

East on random line between Secs 16 and 21
Var 12° 00 East

7.90 Drain bears ~~S. 15° West~~. N. E

Township 16 N. Range 6 E. 6th P. M.

40.00 Set post for temporary quarter Sec. Corner
72.20 A. Drain bears ~~S. W.~~ N. E
80.04 Intersected N & S. line 31 links S. of Corner to Secs 15, 16, 21 and 22. from which corner I run
West on true line between Secs 16 & 21
Var 12° 14' E
40.02 Drove Charred Stake, Set post, raised mound, with pits & trenches as per instructions for quarter Sec. Corner
80.04 Corner to Secs 16, 17, 20 and 21.
Land rolling Soil 2d Rate

North between Secs 16 and 17
Var 11° 00 East

7.10 Brook 5 lks wide runs S. E.
28.75 Brook 5 lks wide runs S. E.
40.00 Drove Charred Stake, Set post raised mound with pits & trenches as per instructions for quarter Sec. Corner

Township 16 N. Range 6 E. 6th P. M.

80,00	Drove Charred Stake Set post raised mound with pits and trenches as per instructions for Corner to Secs 8, 9, 16 & 17 Land rolling Soil 2d Rate.
	East on random line between Sections 9 and 16 Var 12° 00' East
40,00	Set post for temporary quarter Sec corner
79,98	Intersected N & S. line 10 lks North of Corner to Secs 9, 10, 15 and 16 from which corner Run West on true line between Secs 9 & 16 Var 11° 56' East
39,99	Drove Charred Stake Set post raised mound with pits & trenches as per instructions for quarter Sec Corner
79,98	Corner to Secs 8, 9, 16 & 17 Land rolling Soil 2d Rate.

Township 16 N. Range 6 E. 6th P. M.

	North between Secs 8 and 9 Var 11° 00' East
40,00	Drove Charred Stake, Set post in mound with pits & trenches as per instructions for quarter Sec Corner
80,00	Drove Charred Stake, Set post raised mound with pits & trenches as per instructions for Corner to Secs 4, 5, 8 & 9 Lands rolling Soil 2d Rate.
	East on random line between Sections 4 and 9 Var 12° 00' East
40,00	Set post for temporary quarter Sec Corner
42,80	Plain bears S. W. N. E
55,00	Touched Bend of Brook running N. E.
58,50	" Bend of Brook running N. E
63,50	Brook 15 lks wide runs S. E.
64,30	Same Brook 15 lks wide runs N. E.
66,45	Same Brook 16 lks wide runs S. E.

Township 16 N, Range 6 E, 6th P. M.

68,65 Same Stream 15 lks wide runs N. E.
70,40 Same Stream 15 lks wide runs S. E.
73,75 Same Stream 14 lks wide runs N. E.
76,10 Same Stream 14 lks wide runs S. E.
77,50 Same Stream 15 lks wide runs N. E.
80,00 Intersected Hands S. line 15 lks N. of corner to Secs 3, 4, 9 and 10 from which corner I run West on true line between Secs 4 & 9 Var 11° 53' East

4,00 Drove Charred Stake, Set post raised mound with pits & trenches as per instructions for ~~quarter~~ Sec. Corner

8,00 Corner to Secs 4, 5, 8 & 9 Land along line level. North and South of line rolling Soil 2nd Rate.

North on true line between Secs 4 & 5 Var 11° 00 East

35 85 Brook 18 lks wide runs East

Township 16 N, Range 6 E. 6th P. M.

4,00 Drove Charred Stake, Set post raised mound with pits & trenches as per instructions for quarter Sec. Corner

76,68 Intersected 4th Standard parallel 14,21 Chains W. of Standard Corner to Secs 32 and 33 – Here I Drove Charred Stake, Set post raised mound with pits & trenches as per instructions for Closing Corner to Secs 4 & 5 Land mostly rolling – Level along brook – Soil 2nd Rate.

April 19th 59

North between Secs 31 and 32 Var 12° 00 East

4,00 Drove Charred Stake, Set post in Mound with pits & trenches as per instructions for quarter Sec Corner

8,00 Drove Charred Stake Set post in Mound with pits & trenches as per instructions for corner to Secs 29, 30, 31 and 32. Land high rolling prairie 3rd Rate.

Township 16 N. Range 6 E. 6th P. M.

East on random line between
Sections 29 and 32,
Var 12° 00 East

16,90 Brook 10 lks wide runs South
21,90 Same Brook 10 lks wide runs N. E.
33,40 Touched Bend of Same brook runs N. E
37,40 Touched Bend of Same brook runs N.
39,24 Small brook 2 lks wide runs North
40,00 Set post for temporary quarter Sec Corner
43,50 Brook 10 lks wide runs S. E.
44,80 Same brook 10 lks wide runs N. E.
47,90 Touched Bend of Same brook bears N.
54,25 Same brook 8 lks wide runs S.
80,36 Intersected N & S. line 43 lks N of
Corner to Secs 28, 29, 32 & 33
from which corner I run
West on true line between Secs 29 & 32
Var 11° 41' East
40,18 Drove Charred Stake Set post raised
mound with pits & trenches as per

Township 16 N. Range 6 E. 6th P. M.

instructions for quarter Sec Corner
80,36 Corner to Secs 29, 30, 31 & 32
Land level along line rolling N. & S. of
line Soil 2d Rate.

West on random line between
Sections 30 and 31
Var 12° 00 East
40,00 Set post for temporary quarter Sec Corner
76,82 Intersected West boundary Township
at the Corner to Secs 30 and 31,
from which Corner I run
East on true line between Secs 30 & 31
Var 12° 00 East.
36,82 Drove Charred Stake, Set post, raised
Mound with pits & trenches as per
instructions for quarter Sec. Corner
7682 Corner to Secs 29, 30, 31 and 32
Land Rolling Soil 3d Rate,

Township 16 N. Range 6 E. 6th P. M.

North between Secs. 29 and 30
Var 12° 00' E.

6.75 Brook 5 lks wide runs E.
39.75 Drain bears ~~No. W.~~ S. E.
40.00 Drove charred Stake, Set post raised mound with pits & trenches as per instructions for quarter Sec. Corner
80.00 Drove charred Stake Set post raised mound with pits & trenches as per instructions for Corner to Secs 19, 20, 29, 30
Land rolling Soil 2d Rate.

East on random line between Secs 20 and 29
Var 12° 00' East

35.60 Brook 4 lks wide runs South
40.00 Set post for temporary quarter Section
78.90 Brook 3 links wide runs South
80.06 Intersected N & S. line 28 lks South of Corner to Secs 20, 21, 28 & 29.

Township 16 N. Range 6 E. 6th P. M.

from which corner I run
West on true line between Secs 20 & 29
Var 12° 12' E

40.03 Drove charred Stake Set post raised mound with pits & trenches as per instructions for quarter Sec. Corner
80.06 Corner to Secs 19, 20, 29 & 30
Land rolling Soil 2d Rate,

West on random line between Secs 19 and 30
Var 12° 00' East

35.50 Drain bears ~~No~~ S
40.00 Set post for temporary ¼ Sec Corner
55.55 Brook 4 lks wide runs South
76.64 Intersected West Boundary of Township 6 lks South of Corner to Secs 19 and 30 from which Corner I run
East on true line between Secs 19 and 30.

Township 16 N. Range 6 E. 6th P. M.

Var 11° 57' E.

36.64 Drove Charred Stake Set post raised mound with pits & trenches as per instructions for quarter Sec Corner

76.64 Corner to Secs 19, 20, 29 and 30 Land rolling Soil 2nd Rate.

North between Secs 19 and 20

Var 11° 30' E

15.50 Chain bears East

40.00 Drove Charred Stake, Set post raised Mound with pits & trenches as per instructions for quarter Sec Corner

72.43 Brook 4 lks wide runs E.

80.00 Drove Charred Stake Set post in Mound with Pits & trenches as per instructions for corner to Secs 17, 18, 19, & 20 Land rolling Soil 2nd Rate.

Township 16 N Range 6 E. 6th P. M.

East on random line between Secs 17 and 20

Var 12° 00' East

40.00 Set post for temporary quarter Sec Corner

43.18 Brook 4 lks wide runs N. E.

44.60 Same Brook 10 lks wide runs S.

48.60 Same Brook 3 lks wide runs N. E.

80.58 Intersected N & S. line 13 links S. of Corner to Secs 16, 17, 20 & 21 from which corner I run West on true line between Secs 17 and 20

Var 12° 06' East

40.29 Drove Charred Stake Set post in Mound with pits & trenches as per instructions for quarter Sec Corner

80.58 Corner to Secs 17, 18, 19 & 20 Land Rolling Soil 2nd Rate.

West on random line between

Township 16 N. R. 6 E. 6th P. M.

Sections 18 and 19

Variation 12° E

1800 Brook 3 lks wide runs S. E

4000 Set post for temporary quarter Sec Corner

76.02 Intersected W. Boundary Township 21 lks S. of Corner to Secs 18 + 19 from which corner I run East on true line between Secs 18 + 19

Var 11° 51' East

36.02 Drove Charred Stake, Set post raised mound with pits + trenches as per instructions for quarter Sec Corner

76.02 Corner to Secs 17, 18, 19 + 20

Land rolling Soil 2d Rate.

Apl 20th 79

North between Secs 17 and 18

Var 11° 15' East

4000 Drove charred Stake, Set post raised mound with pits + trenches as per instructions for quarter Sec Corner

Township 16 N. Range 6 E. 6th P. M.

8000 Drove Charred Stake Set post raised mound with pits + trenches as per instructions for corner to Secs 7, 8, 17 and 18. — Land rolling Soil 2d Rate.

East on random line between Sections 8 and 17

Var 12° 00' East

4000 Set post for temporary quarter Sec Corner

80.38 Intersected N. and S. line 48 links S. of Corner to Secs 8, 9, 16 + 17 from which corner I run West on true line between Secs 8 and 17.

Var 12° 21' East

4019 Drove Charred Stake Set post raised mound with pits + trenches as per instructions for quarter Sec Corner

80.38 Corner to Secs 7, 8, 17, 18

Land rolling Soil 2d Rate.

Township 16 N. Range 6 E. 6th P. M.

West on random line between Secs. 7 and 18

Var 12° 00' East

40.00 Set post for temporary quarter Sec Corner

55.00 Brook 4 lks wide runs N. E.

76.50 Intersected West Boundary of Township 25 lks South of Corner to Secs 7 & 18. from which corner I run

East on true line between Secs 7 & 18

Var 11° 49' E

36.50 Drove Charred Stake Set post raised mound with pits & trenches as per instructions for quarter Sec. Corner

76.50 Corner to Secs 7, 8, 17 and 18

Land Rolling Soil 2d Rate.

North between Secs 7 and 8

Var 11° East

40.00 Drove Charred Stake, Set post raised

Township 16 N. Range 6 E. 6th P. M.

mound with pits & trenches as per instructions for quarter Sec Corner

80.00 Drove Charred Stake Set post raised mound, with pits & trenches as per instructions for Corner to Secs 5, 6, 7 & 8. Land rolling Soil 2d Rate

East on random line between Secs 5 and 8

Variation 12° E

40.00 Set post for temporary ¼ Sec Corner

80.64 Intersected N & S. line 6 lks South of Corner to Secs 4, 5, 8 & 9 from which corner I run

West on true line between Secs 5 & 8

Var 12° 03' E

40.32 Drove Charred Stake, Set post raised Mound with pits & trench as per instructions for quarter Sec Corner

80.64 Corner to Secs 5, 6, 7 & 8

Land rolling Soil 2d Rate.

Township 16 N. Range 6 E. 6th P. M.

West on random line between Secs 6 & 7
Var 11°45' E

30.65 A Brook 16 lks wide runs N. E.
34.00 Touched Bend of same brook runs S. E.
40.00 Set post for temporary quarter Sec. Corner
49.00 Stream 10 lks wide runs S. E.
76.60 Intersected West Boundary of Township at Corner to Secs. 6 & 7 from which corner I run

East on true line between Secs 6 & 7
Var 11°45' E

36.60 Drove Charred Stake Set post raised mound with pits & trenches as per instructions for quarter Sec. Corner
76.60 Corner to Secs 5, 6, 7 & 8
Land rolling Soil 2d Rate.

North on true line between Secs 5 & 6
Variation 11°00' E

15.56 A Brook 15 lks wide runs East
40.00 Drove Charred Stake, Set post raised

Township 16 N. Range 6 E. 6th P. M.

mound with pits & trenches as per instructions for quarter Sec Corner
78.10 Intersected 4th Standard parallel
14.26 Chs. West of Standard Corner to Secs. 31 and 32 – Here I drove Charred Stake, Set post raised Mound with pits & trenches as per instructions for closing Corner to Secs. 5 and 6.
Land rolling Soil 2d Rate
April 21st 1859

General Description

The land in this Township is of middling good quality. A branch of Cottonwood Creek runs nearly through the centre from the N. W. to the S. E. by which it is well watered. South West of the Creek the land is generally high rolling prairie. North and East, level and high prairie. There is no Timber in this Township.

44/2 46/202

List of Names

A list of the names of the individuals employed to assiste in running, measuring, or marking the lines and corners described in the foregoing field notes of Township No. 16 North Range No. 6 East of the 6th Principal Meridian, in the Territory of Nebraska, showing the respective capacities in which they acted;

Henry C. Hall – Chainman
Addis Jones – Chainman
William Cruise – Flagman
William Silvernail – Axeman
H. C. F. Hackbusch – Compassman

General Land Office • Original Field Notes

Book Number

72

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.