# General Land Office • Original Field Notes

## Book Number

# 77

---

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Vol. 1 R. 7 E.

(Contract No 140)

Field Notes of the sub-division lines in Fractional Township 2 N. R 7 E. 6th P.M. in the Territory of Nebraska (No 140)

Surveyed By. William S. Caldwell

Commenced June 9th 1857

Completed June 15th 1857

Rcvd & found correct
July 6th 1857

b

Names and duties of assistants

| | |
|---|---|
| Nelson McCollum | Chainman |
| James M. Butcher | Chainman |
| A. C. Richey | Axeman |
| David McCollum | Flagman |
| Monroe M. Caldwell | Compassman |

c

Township 2 N. Range 7 East

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| 6 | 24 | 5 | 16 | 4 | 11 | 3 | 7 | 2 | 1 | 1 |
| 25 | | 24 | | 17 | | 12 | | 7 | | 2 |
| 7 | 26 | 8 | 18 | 9 | 12 | 10 | 8 | 11 | 3 | 12 |
| 27 | | 26 | | 19 | | 13 | | 8 | | 3 |
| 18 | 28 | 17 | 20 | 16 | 13 | 15 | 9 | 14 | 4 | 13 |
| 29 | | 28 | | 21 | | 14 | | 9 | | 4 |
| 19 | 31 | 20 | 22 | 21 | 14 | 22 | 10 | 23 | 5 | 24 |
| 32 | | 31 | | 22 | | 15 | | 10 | | 5 |
| 30 | 32 | 29 | 23 | 28 | 16 | 27 | 11 | 26 | 6 | 25 |
| | | | | | | | | | | |
| 31 | | 32 | | 33 | | 34 | | 35 | | 36 |

I. Nelson McCollum do solemnly swear that I will faithfully execute the duties of Chain carrier: that I will level the chain upon uneven ground and Plumb the tally pins, whether by sticking or dropping the same; that I will report the true distance to all notable objects, and the true length of all lines that I assist measuring to the best of my skill and ability

I N McCollum

Subscribed and sworn to by the above named person before me a justice of the peace for the county of Leavenworth Territory of Kansas this 13 day of May A. D 1857

John Wm Taylor J. P

I. Nicholas Beckler. do solemnly swear that I will execute the duties of chain carrier that I will level the chain upon uneven ground. and plumb the tally pins. either by sticking or dropping the same: that I will report the true distance to all notable objects and the true lengths of all lines that I assist in measuring. to the best of my skill and ability

Nicolas Beckler

Subscribed and sworn to by the above named person. before me a justice of the peace for the County of Leavenworth Territory of Kansas this 13 day of May A.D 1857

John W Taylor J P



I. David McCollum do solemnly swear that I will well and truly perform the duties of Flagman or axeman according to instructions given me and to the best of my skill and ability

David McCollum

Subscribed and sworn to before me a justice for the county of Leavenworth Territory of Kansas. By the above named person this 13th day of May A.D. 1857

John W Taylor J P

I. A. C. Richey do solemnly swear that I will well and truly perform the duties of Axe man according to instructions given me and to the best of my skill and ability — A. C. Richey

Subscribed and sworn to by the above named person. before me a justice of the peace for the County of Leavenworth, Territory of Kansas, this 13th day of May A.D. 1857

John W Taylor J P

I. Monroe. M. Caldwell do solemn
ly swear that I will well and
truly perform the duties of
Compassman according to in
structions furnished me and
to the best of my skill and ability

Monrol. M Caldwell

Subscribed and sworn to by the above named per
son before me a justice of the peace for the
county of Leavenworth Territory of Kansas this
13th day of May AD 1857

John M Taylor J P

J. James. M. Butcher do solem
nly swear that I will well and
truly perform the duties of Axeman
Flagman. or chain carrier according
to instructions given me and to
the best of my skill and ability

James M Butcher

Subscribed and sworn to before me, a justice
of the peace for the County of Leavenworth Territory
of Kansas, by the above named person this
13th day of May AD. 1857

John M Taylor J P



Township 2 N. Range 7 E 6th Pn Md

chains

To determine the proper adjustment of
my compass for subdividing this
Township I commence at the corner
to Townships 2 and 3 N. R 7 and 8 E
and Run South on a Blank line
along the East Boundary of Sec 1

Variation 11°30' East

39.98 A point 12 lks West of the Quarter sec corner

80.04 A point 23 lks West of the corner to Sections
1 and 12

To retrace this line or run a line parallel
thereto my compass must be ad-
-justed to a variation of 11°40' East

Subdivision commenced June 9th 1857

This being a fractional Township on the
South. From the corner to Sections
1. 2. 35. 36 on the North Boundary of
the Township, I run
South between Sections 1 and 2.

Variation 11°40' East

9.00 Ravine runs West

Township 2 N Range 7 E 6th Pn Mdl

Chains

33.00 Ravine runs S. W

40.00 Set Limestone 18 in Long. 15 in wide and 5 in thick for Quarter Sec corner

52.00 Ravine runs West

80.00 Set Limestone 22 in Long. 10 in wide and 6 in thick for Corner to Sections 1. 2, 11, 12 Land rolling Prairie Soil 2n Rate

East on a random line between Sections 1 and 12

Variation 11° 00' East

40.00 Set temporary Quarter Section corner

80.30 Intersected the East Boundary of the Township 80 lks North of the corner to Sections 1 and 12 from which corner I run West on a true line between Sections 1 and 12

Variation 10° 26' East

40.15 Set Limestone 16 in Long. 10 in wide and 4 in thick for Quarter Sec corner

80.30 The Corner to Sections 1. 2. 11. 12



Township 2 N. Range 7 E 6th Pn Mdl

Chains

Land rolling Soil 3n Rate

South between Sections 11 and 12

variation 12° 00' East

10.00 Drain runs N. W

40.00 Set Limestone 19 in Long. 10 in wide and 3 in thick for Quarter Sec corner

80.00 Set Limestone 17 in Long. 12 in wide and 4 in thick for corner to Sec 11, 12, 13, 14

Land rolling Prairie Soil 2n Rate

East on a random line between Sections 12 and 13

Variation 10° 30' East

33.00 Drain runs S. E

40.00 Set Stone for temporary Quarter Sec corner

80.13 Intersected the East Boundary of the Township 70 lks North of the corner to Sec 12 and 13, from which corner I run West on a true line between Sections 12 and 13

variation 10° 00 East

Township 2 N. Range 7 E 6th P.M.

| Chains | |
|---|---|
| 40.06 | Set Limestone 16 in Long. 11 in wide and 4 in thick for Quarter Sec Corner |
| 80.13 | The Corner to Sections 11, 12, 13, 14 |
| | Land rolling Prairie Soil 2nd Rate |
| | South between Sections 13 and 14 |
| | Variation 11° 30' East |
| 40.00 | Set Limestone 14 in Long. 12 in wide and 4 in thick for Quarter Sec corner |
| 80.00 | Set Limestone 17 in Long. 12 in wide and 3 in thick for corner to Sec 13, 14, 23, 24. |
| | Land rolling Prairie Soil 2nd Rate |
| | East on a random line between Sections 13 and 24 |
| | variation 10° 30' East |
| 40.00 | Set temporary Quarter Sec corner |
| 80.10 | Intersected the East boundary of the Township 65 chs North of the corner to Sec 13 and 24. From which corner Run West on a True line between Sec 13 and 24 |



Township 2 N Range 7 E 6th P.M.

| Chains | |
|---|---|
| | variation 10° 02' East |
| 40.05 | Set Limestone 15 in Long. 12 in wide and 3 in thick for Quarter Sec corner |
| 80.10 | The corner to Sections 13, 14, 23, 24 |
| | Land rolling Prairie Soil 2nd Rate |
| | South between Sections 23 and 24 |
| | Variation 11° 30' East |
| 40.00 | Set Limestone 18 in Long. 10 in wide and 4 in thick for Quarter Section Corner |
| 60.00 | Ravine runs S. E |
| 80.00 | Set Limestone 19 in Long. 10 in wide and 3 in thick for corner to Sec 23, 24, 25, 26 |
| | Land rolling Prairie Soil 2nd Rate |
| | East on a random line between Sections 24 and 25 |
| | variation 10.30' East |
| 1.50 | Ravine runs S. E |
| 34.00 | Drain runs South |
| 40.00 | Set Temporary Quarter Sec corner |

Chains

77.70 Intersected the the East Boundary of the Township 60 lks North of the corner to sections 24 and 25. from which corner I run West on a true line between sections 24 and 25

variation 10°04' East

39.85 Set Limestone 19 in Long. 16 in wide and 3 in thick for Quarter Sec corner

80.00 The corner to sections 23. 24. 25. 26

Land rolling Prairie Soil 2nd Rate

South between sections 25 and 26

variation 11°30' East

7.00 Set Limestone 17 in Long. 14 in wide and 4 in thick, at intersection with the North boundary of the Otoe reservation, and 15.80 chs West of a corner on said line, for corner to Fractional sections 25 and 26 —

Land rolling Prairie Soil 3rd Rate

June 9th 1857



Chains

South between sections 2 and 3

variation 12°00' East

40.00 Set Limestone 14 in Long. 10 in wide and 6 in thick for Quarter Sec corner

80.00 Set Limestone 17 in Long, 11 in wide and 6 in thick for corner to Sec 2. 3. 10. 11

Land rolling Prairie Soil 2nd Rate

East on a random line between sections 2 and 11

variation 11°00 East

9.00 Ravine runs S. W

40.00 Set temporary quarter section corner

79.58 Intersected the N and S line 33 lks South of the corner to Sec 1. 2. 11. 12. From which corner I run West on a true line between sections 2 and 11

variation 11°14' East

39.79 Set Limestone 20 in Long, 11 in wide and 3 in thick for Quarter Sec corner

79.58 The corner to Sec 2. 3. 10. 11

Township 2 N Range 7 E 6th P.M.

| Chains | |
|---|---|
| | Land Rolling Prairie Soil 3rd Rate |
| | South between sections 10 and 11 |
| | variation 11°30' East |
| 4.00 | Drain runs S. W |
| 36.00 | Drain runs N. W |
| 40.00 | Set Limestone 15 in Long. 12 in wide and 3 in thick for Quarter sec corner |
| 80.00 | Set Limestone 18 in Long. 14 in wide and 4 in thick for corner to sections 10.11.14.15 |
| | Land rolling Prairie Soil 2nd Rate |
| | East on a random line between Sections 11 and 14 |
| | variation 11°00' East |
| 40.00 | Set temporary Quarter sec corner |
| 80.22 | Intersected the N and S line 40 lks South of the corner to sections 11.12.13.14. From which corner I run West on a true line between sec 11 and 14 |
| | variation 11°17' East |



Township 2 N Range 7 E 6th P.M.

| Chains | |
|---|---|
| 40.11 | Set Limestone 14 in Long. 10 in wide and 5 in thick for Quarter sec corner |
| 80.22 | The corner to sections 10.11.14.15 |
| | Land rolling Prairie Soil 3rd Rate |
| | South between sections 14 and 15 |
| | Variation 11°30' East |
| 40.00 | Set Limestone 19 in Long. 9 in wide and 4 in thick for Quarter sec corner |
| 80.00 | Set Limestone 21 in Long. 12 in wide and 4 in thick for corner to sections 14.15.22.23 |
| | Land rolling Prairie Soil 2nd Rate |
| | East on a random line between sections 14 and 23 |
| | Variation 11°00' East |
| 17.00 | Ravine runs S. W |
| 40.00 | Set temporary Quarter sec corner |
| 80.30 | Intersected N and S line 12 lks South of the corner to sections 13.14.23.24 From which corner I run West on a true line between sec 14 and 23 |

Township 2 N. Range 7 E 6th P.M.

Chains

Variation 11°05' East

40.15 Set Limestone 16 in Long. 12 in wide and 3 in thick for Quarter Sec corner

80.30 The corner to Sec 14.15.22.23

Land rolling Prairie Soil 2nd Rate

South between Sections 22 and 23

Variation 11°30' East

40.00 Set Limestone 14 in Long. 12 in wide and 4 in thick for Quarter Section corner

78.50 Drain runs S. W

80.00 Set Limestone 20 in Long. 10 in wide and 4 in thick for corner to Sections 22.23.26.27

Land rolling Prairie Soil 2nd Rate

East on a random line between Sections 23 and 26

Variation 11°00' East

1.50 Drain runs N. W

40.00 Set temporary Quarter Sec corner

80.36 Intersected the N and S line 20 lks



Township 2 N. Range 7 E 6th P.M.

Chains

North of the corner to Sec 23.24.25.26

From which corner I run West on a true line between Sections 23 and 26

Variation 10°51' East

40.18 Set Limestone 22 in Long. 12 in wide and 4 in thick for Quarter Sec corner

80.36 The corner to Sections 22.23.26.27

Land rolling Prairie Soil 3rd Rate

South between Sections 26 and 27

Variation 11°30' East

7.38 Set Limestone 19 in Long. 17 in wide and 3 in thick – for corner to Fractional Sections 26 and 27. at intersection with the North boundary of the Otoe Reservation 15.75 chs West of a corner on said line

Land rolling Prairie Soil 3rd Rate

June 10th 1857

South between Sections 3 and 4

Variation 11°30' East

40.00 Set Limestone 19 in Long. 8 in wide

Township 2 N Range 7 E 6th P.M.

| Chains | |
|---|---|
| | and 6 in thick for Quarter Sec corner |
| 80.00 | Set Limestone 18 in Long. 12 in wide and 5 in thick for corner to Sections 3.4.9.10 |
| | Land rolling Prairie Soil 2nd Rate |
| | East on a random line between Sections 3 and 10 |
| | Variation 11° 00' East |
| 40.00 | Set temporary Quarter Sec corner |
| 79.90 | Intersected the N and S line 10 lks South of the corner to Sec 2.3.10.11 |
| | From which corner I run West on a true line between Sec 3 and 10 |
| | Variation 11° 04' East |
| 39.95 | Set Limestone 18 in Long. 9 in wide and 4 in thick for Quarter Sec corner |
| 79.90 | The corner to Sections 3.4.9.10 |
| | Land rolling Prairie Soil 2nd Rate |
| | South between Sections 9 and 10 |
| | Variation 11° 30' East |
| 40.00 | Set Limestone 17 in Long. 10 in wide |



Township 2 N. Range 7 E 6th P.M.

| Chains | |
|---|---|
| | and 5 in thick for Quarter Section Corner |
| 42.00 | Drain runs S. W |
| 80.00 | Set Limestone 19 in Long. 11 in wide and 7 in thick for corner to Sec 9.10.15.16 |
| | Land rolling Prairie Soil 2nd Rate |
| | East on a random line between Sections 10 and 15 |
| | Variation 11° 00' East |
| 40.00 | Set temporary Quarter Section corner |
| 79.92 | Intersected the N and S line 30 lks South of the corner to Sections 10.11.14.15. From which corner I run West on a true line between Sections 10 and 15 |
| | Variation 11° 13' East |
| 39.96 | Set Limestone 16 in Long. 11 in wide and 4 in thick for Quarter Section corner |
| 79.92 | The corner to Sec 9.10.15.16 |
| | Land rolling Prairie Soil 3rd Rate |
| | South between Sec 15 and 16 |
| | Variation 11° 30' East |

Township 2 N. Range 7 E 6th P.M.

| Chains | |
|---|---|
| 40.00 | Set Limestone 18 in Long. 10 in wide and 6 in thick for Quarter Sec corner |
| 80.00 | Set Limestone 28 in Long. 6 in wide and 4 in thick for corner to Sec 15. 16. 21. 22 |
| | Land rolling Prairie Soil 2nd Rate |
| | East on a random line between sections 15 and 22 |
| | Variation 11° 00' East |
| 40.00 | Set temporary Quarter Sec corner |
| 80.22 | Intersected the N and S line 40 lks South of the corner to Sec 14. 15. 22. 23 |
| | From which corner I run West on a true line between sections 11 & 14 |
| | Variation 11° 17' East |
| 40.11 | Set Limestone 14 in Long. 10 in wide and 5 in thick for Quarter Sec corner |
| 80.22 | The corner to sections 15. 16. 21. 22 |
| | Land rolling Prairie Soil 3rd Rate |
| | South between sections 21 and 22 |
| | Variation 11° 30' East |
| 30.00 | Drain runs S. W |



Township 2 N. Range 7 E 6th P.M.

| Chains | |
|---|---|
| 40.00 | Limestone 20 in Long. 16 in wide and 3 in thick for Quarter Section corner |
| 70.00 | Leave high Prairie and enter Blue River Bottom Bearing N. W and S. E |
| 80.00 | Set Limestone 16 in Long. 8 in wide and 7 in thick for corner to Sec 21. 22. 27. 28 |
| | Land mostly rolling Prairie, Soil 2nd Rate |
| | East on a random line between sections 22 and 27 |
| | Variation 11° 00' East |
| 10.00 | Leave Dry Bottom and enter high rolling Prairie Bearing N. W and S. E |
| 40.00 | Set temporary Quarter Section Corner |
| 76.00 | Drain runs S. W |
| 80.10 | Intersected the N and S line 10 lks South of the corner to Sections 22. 23. 26. 27 |
| | From which corner I run West on a true line between Sections 22 and 27 |
| | Variation 11° 04' East |
| 40.05 | Set Limestone 18 in Long. 14 in wide and 3 in thick for Quarter Sec corner |

Township 2 N. Range 7 E 6th P.M. Md

| Chains | |
|---|---|
| 80.10 | The corner to Sections 21.22.27.28 |
| | Land rolling Prairie Soil 3rd Rate |
| | South between sections 27 and 28 |
| | Variation 11°30' East |
| 7.65 | Set Limestone 23 in Long, 10 in wide and 3 in thick, for corner to Fractional Sections 27 and 28 at intersection with the North Boundary of the Otoe Reservation 15.80 chs West of a corner on said line |
| | Land Dry Bottom Prairie Soil 1st Rate |
| | June 11th 1857 |
| | South between sections 4 and 5 |
| | Variation 11°30' East |
| 0.20 | Stream 10 lks wide runs S. E |
| 10.00 | Stream 10 lks wide runs S. W |
| 11.00 | Leave timber and enter dry Bottom Praine Bearing N. E and S. W |
| 27.00 | Same Stream 20 lks wide runs S. E |



Township 2 N. Range 7 E 6th P.M. Md

| Chains | |
|---|---|
| 30.00 | Enter timber Bearing N. W and S. E |
| 35.00 | Same Stream runs S. W (15 lks wide) |
| 40.00 | Set Limestone 22 in Long, 11 in wide and 3 in thick for Quarter Section corner. From which An Elm 10 in dia Bears N 76° E 38 lks dist An Ash 11 in dia bears N 75° W 31 lks dist |
| 40.50 | Same Stream 10 lks wide runs S. E |
| 46.50 | Same Stream 30 lks wide runs S. W |
| 47.00 | Leave timber and enter Praine Bearing N. E and S. W |
| 80.00 | Set Limestone 26 in Long, 8 in wide and 4 in thick for corner to Sec 4.5.8.9 Land mostly level Dry Bottom Soil 1st Rate. Timber Mulberry. Ash Elm and Hickory |
| | East on a random line between Sections 4 and 9 |
| | Variation 11°00 East |
| 40.00 | Set temporary Quarter Sec corner |
| 80.20 | Intersected the North line 4 lks |

Township 2 N Range 7 E 6th P.M.

| Chains | |
|---|---|
| | South of the corner to Sections 3.4.9.10 |
| | From which corner I run West on a |
| | True line between Sec 4 and 9 |
| | Variation 11°02' East |
| 40.10 | Set Limestone 20 in Long, 15 in wide |
| | and 3 in thick for Quarter Sec corner |
| 80.20 | The corner to Sec 4.5.8.9 |
| | Land dry Bottom, Prairie Soil 1st Rate |
| | South between Sections 8 and 9 |
| | Variation 11°30' East |
| 6.50 | Blue River 150 lks wide runs S.E |
| 40.00 | Set Limestone 16 in Long. 12 in wide |
| | and 3 in thick for Quarter Sec corner |
| 50.00 | Blue River 200 lks wide runs S.W |
| 52.50 | Enter timber bearing N. E and S. W |
| 60.00 | Enter Prairie Bearing N. E and S. W |
| 80.00 | Set Limestone 15 in Long, 10 in wide |
| | 4 in thick for corner to Sec 8.9.16.17 |
| | Land Dry Bottom. Soil 1st Rate |
| | Timber cottonwood and Boxalder |



Township 2 N. Range 7 E 6th P.M.

| Chains | |
|---|---|
| | East on a random line between |
| | Sections 9 and 16 |
| | Variation 11°00' East |
| 3.00 | Leave Prairie and enter timber bearing |
| | N. E and S. W |
| 23.00 | Prairie runs S.W |
| 35.00 | Leave timber and enter Prairie Bearing |
| | N. E and S W |
| 40.00 | Set temporary Quarter Sec corner |
| 80.30 | Intersected the N and S line 5 lks |
| | South of the corner to Sec 9.10.15.16 |
| | From which corner I run West on |
| | a True line between Sec 9 and 16 |
| | Variation 11°02' East |
| 40.15 | Set Limestone 19 in Long. 11 in wide |
| | and 3 in thick for Quarter Sec corner |
| 80.30 | The corner to Sec 8.9.16.17 |
| | Land dry Bottom Soil 1st Rate |
| | Timber Oak. Elm. Walnut. Maple |
| | and Cottonwood |

Township 2 N Range 7 E 6th P.M.

| Chains | |
|---|---|
| | South between sections 16 and 17 variation 11°20' East |
| 2.00 | Leave Prairie and enter timber Bearing N. E and S. W |
| 12.00 | Blue River 200 lks wide runs S. E |
| 14.00 | Enter Prairie Bearing N. W and S. E |
| 21.00 | Stream 20 lks wide runs S. E |
| 25.00 | Same Stream 20 lks wide runs S. W |
| 36.00 | Blue River 900 lks wide Runs S. W |
| 40.00 | The Quarter section corner falls in the River and cannot be established - I therefore set at |
| 45.00 | Set a Limestone 19 in Long 10 in wide and 3 in thick. for Witness corner. to Quarter sec corner 5.00 chains South of true corner |
| 52.00 | Enter Timber bearing N. W and S. E |
| 54.00 | Blue River 180 lks wide runs S. E |
| 66.00 | Leave timber and enter Prairie Bearing N. W and S. E |

Township 2 N Range 7 E 6th P.M.

| Chains | |
|---|---|
| 80.00 | Set Limestone 35 in Long. 8 in wide and 2½ in thick for corner to sec 16. 17. 20. 21 Land dry Bottom Soil 1st Rate Timber Cottonwood. Elm. Maple and Oak. Undergrowth Same and vines |
| | June 12th 1857 |
| | East on a random line between sections 16 and 21 variation 11°00' East |
| 28.00 | Blue River 220 lks wide runs S. W |
| 33.00 | Enter high rolling prairie bearing N. E and S. W |
| 40.00 | Set temporary Quarter sec corner |
| 40.20 | Enter section the N and S line 10 lks South of the corner to sec 15, 16, 21, 22 From which corner I run West on a true line between sec 16 and 21 variation 11.04' East |
| 40.10 | Set Limestone 16 in Long. 12 in wide |

Township 2 N Range 7 E 6th P.M.

| Chains | |
|---|---|
| | and 5 in thick for Quarter Section Corner |
| 80.20 | The corner to Sec 16.17.20.21 |
| | Land Rolling Prairie Soil 2nd Rate |
| | South between Sections 20 and 21 |
| | Variation 11° 00 East |
| 40.00 | Set Limestone 24 in Long, 17 in wide |
| | and 2½ in thick for Quarter Sec corner |
| 50.00 | Enter high rolling Prairie Bearing N.W |
| | and S. E |
| 64.00 | Stream 90 lks wide Runs S. E |
| 80.00 | Set Limestone 26 in Long. 18 in wide |
| | and 3 in thick for corner to Sec 20.21 |
| | 28.29 – Land rolling Prairie, Soil |
| | 2nd Rate, The North 50 chs mostly |
| | Dry Bottom |
| | East on a Random line Between |
| | Sections 21 and 28 |
| | Variation 11° 00 East |
| 6.00 | Stream 100 lks wide runs S. E |
| 10.00 | Enter timber bearing N.W and S. E |
| 23.00 | Same Stream 110 lks wide N. E |



Township 2 N Range 7 E 6th P.M.

| Chains | |
|---|---|
| 28.00 | Same Stream 140 lks wide runs S. W |
| 30.50 | Blue River 300 lks wide runs S. W |
| 37.00 | Leave timber and Enter Prairie |
| | Bearing N. E and S. W |
| 40.00 | Set Temporary Quarter Sec. corner |
| 80.18 | Intersected the N and S line 7 lks South |
| | of the corner to Sec 21.22.27.28 |
| | From which corner I run West on |
| | a true line between Sec 21 and 28 |
| | Variation 11° 03' East |
| 40.09 | Set Limestone 14 in Long. 10 in wide |
| | and 4 in thick for Quarter Sec corner |
| 80.18 | The corner to Sec 20.21.28.29 |
| | Land mostly Dry Bottom, Soil 1st Rate |
| | Timber Cottonwood and Elm |
| | South between Sections 28 and 29 |
| | Variation 11° 30' East |
| 7.80 | Set Limestone 20 in Long. 12 in wide |
| | and 2½ in thick for corner to |
| | Fractional Sections 28 and 29 |
| | at intersection with the North |

| Chains | Township 2 N. Range 7 E 6th P.M. |
|---|---|
| | Boundary of the Otto Reservation 15.96 chs West of a corner on said line. Land rolling Prairie Soil 2nd Rate |
| | June 13th 1857 |
| | North between sections 5 and 6 |
| | Variation 11°30' East |
| 38.00 | Raine runs S. E |
| 40.00 | Set Limestone 24 in Long. 11 in wide and 4 in thick for Quarter Sec corner |
| 80.00 | Set Limestone 24 in Long. 8 in wide and 4 in thick for corner to Sections 5. 6. 7. 8 |
| | Land rolling Prairie Soil 2nd Rate |
| | East on a random line between Sections 5 and 8 |
| | Variation 11°30' East |
| 40.00 | Set temporary Quarter Sec corner |
| 69.50 | Blue River 210 lks wide runs S. E and enter Bottom prairie Bearing N W and S E |



| Chains | Township 2 N. Range 7 E 6th P.M. |
|---|---|
| 80.14 | Intersected the N and S line 14 lks South of the corner to Sec 4.5. 8.9 From which corner I run West on a true line between Sec 5 and 8 |
| | Variation 11°36' East |
| 40.07 | Set Limestone 14 in Long. 12 in wide and 5 in thick for Quarter Sec corner |
| 80.14 | The corner to Sections. 5. 6. 7. 8 Land rolling Prairie Soil 2nd Rate |
| | West on a random line between Sections 6 and 7 |
| | Variation 11°30' East |
| 40.00 | Set temporary Quarter Sec corner |
| 78.40 | Intersected the West Boundary of the Township 15 lks North of the corner to Sec 6 and 7. From which corner I run East on a true line between Sec 6 and 7 |
| | Variation 11°36' East |
| 38.40 | Set Limestone 17 in Long. 16 in |

Chains Township 2 N. Range 7 E 6th P.M.

wide and 3 in thick for Quarter Sec corner

78.40 The corner to Sec 5.6.7.8

Land rolling Prairie Soil 2nd Rate

South between sections 7 and 8

variation 11° 50' East

40.00 Set Limestone 19 in long, 15 in wide and 3 in thick for Quarter Section corner

80.00 Set Limestone 26 in long, 11 in wide and 3 in thick for corner to sections 7.8.17.18

Land Level Prairie Soil 2d Rate

East on a random line between sec 8 and 17

variation 11° 30' East

7.00 Drain runs N. E

23.00 Same drain runs S. E

40.00 Set temporary Quarter Section corner

64.00 Blue River 200 lks wide runs S. E

66.00 Enter timber Bearing N. W and S. E

77.00 Enter Prairie Bearing N. W and S. E



Chains Township 2 N Range 7 E 6th P.M.

80.60 Intersected the N and S line 10 lks South of the corner to sec 8.9.16.17 From which corner I run West on a true line between sections 8 and 17

variation 11° 34' E

40.30 Set Limestone 18 in long 10 in wide and 3 in thick for Quarter Sec corner

80.60 The corner to sec 7.8.17.18

Land rolling Soil 2nd Rate.

Timber Cottonwood. Elm. Walnut and Oak, Undergrowth Same and vines

West on a random line between sections 7 and 18

variation 11° 30' East

1.00 Ravine runs S. E

40.00 Set temporary Quarter Sec corner

78.35 Intersected the West Boundary of the Township 75 lks North of the corner to sec 7 and 18. From which corner I run East on a true

Township 2 N Range 7 E 6th P.M.

Chains

between sections 7 and 18

variation 12°02' East

38.35 Set Limestone 24 in Long. 12 in wide and 3 in thick for Quarter Sec corner

78.35 The corner to Sec 7.8.17.18

Land rolling Prairie soil 2nd Rate

South between sections 17 and 18

variation 12°00' East

0.50 Drain runs East

40.00 Set Limestone 20 in Long 15 in wide and 3 in thick for Quarter sec corner

80.00 Set Limestone 22 in Long. 10 in wide and 3 in thick for corner to sections 17.18.19.20.

Land gently rolling Prairie soil 2nd Rate. The N.W Quarter of sec 17 and the N. E Quarter of sec 18 have been laid off for a town called Blue Spring City. But contain no houses yet.

East on a random line between sec 17 and 20



Township 2 N. Range 7 E 6th P.M.

Chains

variation 11°30' East

20.00 Stream 20 lks wide runs N. E

40.00 Set temporary Quarter Sec corner

44.50 Same Stream 20 lks wide runs S. E

50.00 Same Stream 20 lks wide runs N. E

74.00 Enter Blue River Bottom Bearing N. E and S. W

80.30 Intersected the N and S line 16 lks North of the corner to Sec 16.17.20.21 From which corner I run West on a true line between sec 17 and 20

variation 11°23' East

40.15 Set Limestone 22 in Long. 12 in wide and 4 in thick for Quarter sec corner

80.30 The corner to sections 17.18.19.20

Land mostly rolling Prairie soil 2nd Rate

West on a random line Between sections 18 and 19

variation 12°00' East

4.00 Stream 20 lks wide runs S. E and enter timber bearing N.W. and S. E

Township 2 N Range 7 E 6th P.M.

| Chains | |
|---|---|
| 8.50 | Same stream 20 lks wide runs N. E |
| 12.00 | Same stream 20 lks wide runs S. E |
| 14.30 | Same stream 20 lks wide runs N. E |
| 17.50 | Same stream 25 lks wide runs S. E |
| 24.00 | Same stream 20 lks wide runs N. E and leave timber and enter Prairie Bearing N. E and S. W |
| 40.00 | Set temporary Quarter Sec corner |
| 78.55 | Intersected the West Boundary of the Township 52 lks North of the corner to sections 18 and 19. From which corner I run East on a true line between Sec 18 and 19 |
| | variation 12°22' East |
| 38.55 | Set Limestone 23 in Long. 14 in wide and 3 in thick for Quarter section corner |
| 78.55 | The corner to Sec 17.18.19.20 Land Rolling Soil 2d Rate Timber Elm and Oak Undergrowth Same and vines |



Township 2 N Range 7 E 6th P.M.

| Chains | |
|---|---|
| | South between Sections 19 and 20 |
| | variation 12°00' East |
| 4.00 | Stream 20 lks wide runs N. E |
| 40.00 | Set Limestone 30 in Long. 12 in wide and 2 in thick for Quarter Sec corner |
| 80.00 | Set Limestone 19 in Long. 15 in wide and 3 in thick for corner to Sec 19.20 29.30. Land rolling Prairie Soil 2d Rate |
| | East on a random line between Sec 20 and 29 |
| | variation 11°30' East |
| 40.00 | Set temporary Quarter Section corner |
| 45.00 | Stream 100 lks wide runs N. E |
| 80.20 | Intersected the N and S line 12 lks North of the corner to Sections 20.21 28.29. From which corner I run West on a true line between Sec 20 & 29 |
| | variation 11°25' East |
| 40.10 | Set Limestone 18 in Long. 10 in wide and 3 in thick for Quarter Sec corner |
| 80.20 | The corner to Sec 19.20.29.30. |

| Chains | Township 2 N. Range 7 E 6th P.M. |
|---|---|
| | Land rolling Prairie Soil 3rd Rate |
| | West on a random line between sections 19 and 30 |
| | variation 12° 00 East |
| 40.00 | Set Temporary Quarter Sec corner |
| 78.98 | Intersected the West Boundary of the Township 53 lks North of the corner to sections 19 and 30 from which corner I run East on a true line Between sections 19 and 30 |
| | variation 12.23 E |
| 38.98 | Set Limestone 15 in Long, 13 in wide and 3 in thick for Quarter Sec corner |
| 78.98 | The corner to sections 19.20.29.30 |
| | Land rolling Prairie Soil 2nd Rate |
| | South between sections 29 and 30 |
| | variation 12° 00 East |
| 8.00 | Set Limestone 20 in Long, 12 in wide and 3 in thick for corner |



| Chains | Township 2 N Range 7 E 6th P.M. |
|---|---|
| | to Fractional sections 29 and 30 |
| | At intersection with the North boundary of the Otoe reservation, 16.00 chs West of a corner on said line |
| | Land rolling Prairie Soil 2nd Rate |
| | June 15th 1857 |

General Description

The Quality of the Land in this Township is about a common average. There is a considerable quantity of bottom land on both sides of Blue River, which runs through the Western part of the Township.

The Upland are gently rolling - fair 2nd Rate Soil

Timber - chiefly Cottonwood, Elm Oak, and Maple - is confined mostly to Blue River.

Stone is abundant in the

Township 2 N. Range 7 E

Township - Good Water abounds in the Western part of the Town-ship - There are no Settlers living in the Township - There are a number were making Claims - and laid off the. Blue Springs City -



Township 2 N Range 7 E 6th P. M.

## List of Names

A list of the names of the individuals employed to assist in running measuring. or marking the lines and corners described in the foregoing field notes of Township No 2 N of the Base line of Range No 7 East of the Sixth Principal Meridian showing the respective capacities in which they acted

| | |
|---|---|
| Nelson McCollum | Chainman |
| James. M. Butcher | Chainman |
| A. C. Richey | Axeman |
| David McCollum | Flagman |
| Monroe. M. Caldwell | Compassman |

2

Contract No 140

Field Notes of the Subdivision lines in Township 3 N. Range 7 E 6th Principal Meridian in the Territory of Nebraska Surveyed By William A. Caldwell Commenced May 21st 1857 Completed May 30th 1857

Exd & found correct July 6th 1857 Vandyandt

D. S. made & compared C.B.R.

Names and Duties of Assistants

Nelson McCollum Chainman

James, M. Butcher Chainman

A. C. Richey Axeman

David McCollum Flagman

Monroe, M. Caldwell Compassman



Township 3 N. Range 7 East

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| 6 | 43 | 5 | 30 | 4 | 24 | 3 | 16 | 2 | 8 | 1 |
| 42 | | 41 | | 30 | | 23 | | 15 | | 8 |
| 7 | 41 | 8 | 29 | 9 | 22 | 10 | 15 | 11 | 7 | 12 |
| 40 | | 39 | | 28 | | 22 | | 14 | | 6 |
| 18 | 38 | 17 | 28 | 16 | 21 | 15 | 13 | 14 | 5 | 13 |
| 37 | | 37 | | 27 | | 20 | | 12 | | 4 |
| 19 | 36 | 20 | 27 | 21 | 20 | 22 | 12 | 23 | 4 | 24 |
| 35 | | 34 | | 26 | | 19 | | 11 | | 3 |
| 30 | 33 | 29 | 26 | 28 | 18 | 27 | 10 | 26 | 3 | 25 |
| 33 | | 32 | | 25 | | 17 | | 10 | | 2 |
| 31 | 31 | 32 | 25 | 33 | 17 | 34 | 9 | 35 | 1 | 36 |

Mains

To determine the proper adjustment of my Compass for Subdividing this Township. I commence at the corner to Townships 2 and 3 N. R 7 and 8 E and Run North along the East line of Section 36 on a Blank line

Variation 10°30' East

40.06 A Point 13 lks East of the Quarter Sec corner

80.13 A Point 24 lks East of the corner to Sections 25 and 36

To retrace this line or run a parallel thereto my Compass must adjusted to a variation of 10°40' East

Subdivision Commenced May 21st 1857

From the corner to Sections 1.2.35.36 on the South boundary of the Township I run

North between Sections 35 and 36

variation 10°40' E

18.00 Drain runs West about 10 cks and then

Township 3 N R 7 E 6th Pn Md

| Chains | |
|---|---|
| | runs North |
| 40.00 | Set Limestone 18 in Long. 11 in wide and 3 in thick for Quarter Section corner |
| 74.00 | Drain runs S. W |
| 80.00 | Set Limestone 12 in Long. 10 in wide and 5 in thick for corner to sec. 25. 26. 35. 36 |
| | Land Rolling Prairie Soil 2n Rate |
| | East on a random line between Sections 25 and 36 |
| | Variation 11°20' East |
| 9.00 | Drain runs S. W |
| 40.00 | Set Stone for temporary Quarter Section corner |
| 79.60 | Intersected the East Boundary of the Township 26 Lks South of the corner to sections 25 and 36 From which corner I run West on a true line between |



Township 3 N R 7 E 6th Pn Md

| Chains | |
|---|---|
| | Sections 25 and 36 |
| | Variation 11°31' East |
| 39.80 | Set Limestone 18 in Long. 10 in wide and 3 in thick for Quarter sec corner |
| 79.60 | The corner to sec 25. 26. 35. 36 |
| | Land rolling Prairie Soil 2n Rate |
| | North between sections 25 and 26 |
| | Variation 11°05' East |
| 40.00 | Set Limestone 19 in Long. 9 in wide and 4 in thick for Quarter sec corner |
| 80.00 | Set Limestone 18 in Long. 8 in wide and 5 in thick for corner to Sections 23. 24. 25. 26 |
| | Land rolling Prairie Soil 2n Rate |
| | East on a random line between sections 24 and 25 |
| | Variation 11°20' East |
| 40.00 | Set Temporary Quarter sec corner |
| 79.65 | Intersected the East boundary of the Township 8 Lks South of the |

Township 3 N Range 7 E 6th Pr Md

Chains

corner to Sections 24 and 25
From which corner I run
West on a true line between
Sections 24 and 25

Variation 11°23' East

39.82 Set Limestone 19 in Long, 12 in
wide and 3 in thick for Quarter
Section corner

79.65 The corner to sections 23.24.25.26
Land rolling Prairie Soil 2d Rate

May 21st 1857

North between sections 23 and 24

Variation 11°20' E

40.00 Set Limestone 16 in Long, 12 in wide
and 3 in thick for Quarter Sec corner

80.00 Set Quartz rock 13 in Long, 10 in
wide and 4 in thick for corner
to Sections 13.14.23.24
Land rolling Prairie Soil 2d Rate

East on a random line between
Sections 13 and 24



Township 3 N Range 7 E 6th Pr Md

Chains

Variation 11°20' East

40.00 Set Temporary Quarter Sec corner

62.00 Leave Prairie and enter timber
bearing N. W and S. E

63.50 Stream 5 lks wide runs N. W

65.00 Leave timber and enter prairie
Bearing N. W and S. E

79.50 Intersected the East boundary
of the Township ~~line~~ 5 lks South
of the corner to Sec 13 and 24
From which corner I run
West on a true line between Sec
13 and 24

Variation 11°22' East

39.75 Set Limestone 18 in Long, 10 in wide
and 4 in thick for Quarter Sec corner

79.50 The corner to Sec 13.14.23.24
Land rolling Prairie Soil 2d Rate
Timber Cottonwood and Elm

North between Sec 13 and 14

Variation 12°00 East

| Chains | |
|---|---|
| 11.00 | Leave Prairie and Enter timber bearing E and S.W |
| 13.00 | Stream 10 lks wide runs S.W |
| 16.00 | Leave timber and enter Prairie bearing E and S.W |
| 40.00 | Set Limestone 18 in Long, 8 in wide and 4 in thick for Quarter Sec corner — |
| 80.00 | Set Limestone 22 in Long, 10 in wide and 3 in thick for corner to sections 11, 12, 13, 14 |
| | Land rolling Prairie, Soil 2nd Rate, Timber Cottonwood and Elm. |
| | East on a random line between sections 12 and 13 |
| | Variation 11°20' East |
| 12.00 | Marine Runs South |
| 40.00 | Set temporary Quarter section corner |
| 79.55 | Intersected the East Boun- |



| Chains | |
|---|---|
| | - dary of the Township 26 lks South of the corner to Sec 12 and 13 From which corner I run West on a true line between sections 12 and 13 |
| | Variation 11°31' East |
| 39.77 | Set Limestone 21 in Long, 12 in wide and 3 in thick for Quarter Sec corner |
| 79.55 | The corner to sections 11, 12, 13, 14 |
| | Land rolling Prairie Soil 2nd Rate |
| | North between sections 11 and 12 |
| | Variation 12°00' East |
| 40.00 | Set Limestone 18 in Long, 10 in wide and 3½ in thick for Quarter section corner |
| 80.00 | Set Limestone 17 in Long, 16 in wide and 4 in thick for ~~Corner~~ to sections 1, 2, 11, 12 |
| | Land rolling Prairie Soil 2nd Rate |

Chains

East on a random line between Sections 1 and 12

Variation 11° 20' East

40.00 Set temporary Quarter Sec Corner

80.24 Intersected the East Boundary of the Township 40 lks South of the corner to Sections 1 and 12

From which corner I run West on a true line between Sections 1 and 12

Variation 11° 37' East

40.12 Set Limestone 19in Long. 11in wide and 4in thick for Quarter Sec corner

80.24 The corner to Sec 1, 2, 11, 12

Sandy rolling Prairie Soil 2nd Rate

North on a random line between Sections 1 and 2

Variation 11° 50' East

30.00 Stream 8 lks wide runs West

40.00 Set temporary Quarter Sec corner

64.00 Stream 10 lks wide runs S.W



Chains

81.00 Intersected the North Boundary of the Township 16 lks East of the corner to Sections 1, 2, 35, 36. From which corner I run South on a true line between Sections 1 and 2

Variation 11° 57' East

41.00 Set Limestone 19in Long. 12in wide and 3in thick for Quarter Section corner

81.00 The corner to Sections 1, 2, 11, 12

Sandy rolling Prairie Soil 2nd Rate

May 22nd 1857

North between Sections 34 and 35

Variation 11° 00' East

28.00 Stream 10 lks wide runs West

40.00 Set Limestone 18in Long. 8in wide and 4in thick for Quarter Sec corner

~~79.60 Intersected the N and S. line~~

80.00 Set Limestone 18in Long. 7in thick and 7in wide for corner to Sections 27, 26, 35, 34

Chains

Land rolling Prairie Soil 2d Rate

East on a random line between Sections 26 and 35

Variation 11°00' East

40.00 Set temporary Quarter section corner.

79.60 Intersected the N and S line 30 lks South of the corner to Sec 25. 26. 35. 36. From which corner I run West on a true line between sections 26 and 35

Variation 11°13' East

39.80 Set Limestone 17 in Long. 16 in wide and 4 in thick for Quarter section corner

79.60 The corner to sections 26. 27. 34. 35

Land rolling Prairie Soil 1st Rate

North between sections 26 and 27

Variation 11°20' East

40.00 Set Limestone 16 in Long. 7 in wide and 5 in thick for Quarter section corner



Chains

80.00 Set Limestone 20 in Long. 7 in wide and 3 in thick for corner to sections 22. 23. 26. 27

Land rolling Prairie Soil 3rd Rate

East on a random line between sections 23 and 26

Variation 11°20' East

8.00 Drain runs North

40.00 Set temporary Quarter sec corner

79.45 Intersected the N and S line 52 lks North of the corner to sections 23. 24. 25. 26. From which corner I run. West on a true line between sections 23 and 26

Variation 10°58' East

39.72 Set Limestone 23 in Long. 10 in wide and 3 in thick for Quarter sec corner

79.45 ~~Intersected~~ The corner to sections 22. 23. 26. 27

Land rolling Prairie Soil 3rd Rate

Township 3 N Range 7 E 6th P. Md.

Chains

North between Sec 22 and 23
Variation 11°50' East
7.00 Leave Prairie and enter timber
bearing N. E and S. W
9.00 Stream 10 lks wide runs S. W
9.10 Leave Timber and enter Prairie
bearing N. E and S. W
40.00 Set Limestone 12 in Long. 9 in wide
and 7 in thick for Quarter Sec corner
80.00 Set Limestone 12. in Long. 10 in
wide and 7 in thick for corner
to Sections 14.15.22.23
Land rolling Prairie Soil 2nd Rate
Timber Oak and cottonwood

East on a random line between
Sections 14 and 23
Variation 11°20' East
40.00 Set Temporary Quarter Section corner
50.00 Leave Prairie and enter timber
Bearing N. E and S. W
55.00 Stream 10 lks wide runs S. W



Township 3 N. Range 7 E 6th P. Md.

Chains

56.00 Leave timber and enter Prairie
Bearing N. E and S. W
79.90 Intersected N and S line 58 lks
N of the corner to Sec 13.14.23.24
From which corner I run
West on a true line between
Sections 14 and 23
Variation 10°55' East
39.95 Set Limestone 18 in Long. 13 in
wide and 2½ in thick for
Quarter Section corner
79.90 The corner to Sections 14.15.22.23
Land rolling Prairie – Some timber
Oak and Elm – Soil 2nd Rate

North between Sections 14 and 15
Variation 11°50' East
25.00 Leave prairie and enter timber
Bearing N. E and S. W
27.00 Stream 10 lks wide runs S. W
40.00 Set Limestone 13 in Long. 11 in
wide and 5 in thick for Quarter Sect

174/25

Township 3 N. Range 7 E 6th P.M.

Mains

| | |
|---|---|
| | -ion. corner. From which |
| | A Cottonwood 32 in dia Bears N 25° W 60 lks dist |
| | A Cottonwood 25 in dia Bears N 9° E 69 lks dist |
| 50.00 | Leave timber and enter Prairie Bearing |
| | N. E and S. W |
| 80.00 | Set Limestone 16 in Long. 9 in wide |
| | and 6 in thick for corner to |
| | Sections 10, 11, 14, 15. |
| | Land rolling Soil 1st Rate |
| | Timber Oak. Walnut and cotton- |
| | wood. Undergrowth Wild Crany |
| | and vines |
| | East on a random line between |
| | Sections 11 and 14 |
| | Variation 11° 00' East |
| 27.00 | Stream 10 lks wide runs S. W |
| 40.00 | Set temporary Quarter Sec corner |
| 79.70 | Intersected the N and S line 14 lks |
| | N of the corner to Sections |
| | 11, 12, 13, 14. From which corner |
| | I run West on a true line |



Township 3 N. Range 7 E 6th P.M.

Mains

| | |
|---|---|
| | Between Sections 11 and 14 |
| | Variation 10° 54' East |
| 39.85 | Set Limestone 12 in Long. 8 in wide |
| | and 6 in thick for Quarter Sec corner |
| 79.70 | The corner to Sections 10, 11, 14, 15 |
| | Land rolling Prairie Soil 2nd Rate |
| | May 23rd 1857 |
| | North between Sections 10 and 11 |
| | Variation 12° 00' East |
| 40.00 | Set Limestone 18 in Long. 12 in wide and |
| | 4 in thick for Quarter Sec corner |
| 80.00 | Set Limestone 14 in Long. 12 in wide |
| | and 4 in thick for corner to Sec |
| | 2, 3, 10, 11 |
| | Land rolling Prairie Soil 2nd Rate |
| | East on a random line between |
| | Sections 2 and 11 |
| | Var 11° 20' East |
| 31.00 | Stream 40 lks wide runs S. W |
| 40.00 | Set Stone for temporary Quarter |

Township 3 N Range 7 E 6th P.M. 16

Chains

Section Corner

79.70 Intersected the N and S line 52 lks North of the corner to Sections 1.2.11.12

From which corner I run West on a true line between Sections 2 and 11

Variation 10°58' East

39.85 Set Limestone 22 in Long. 11 in wide and 2½ in thick for Quarter Sec corner

79.70 The corner to Sec 2.3.10.11

Land rolling Prairie Soil 2nd Rate

North on a random line between Sections 2 and 3

Variation 11°50' East

40.00 Set Temporary Quarter Sec corner

80.65 Intersected the North Boundary of the Township 40 lks East of the corner to Sec 2 and 3

From which corner I run South on a true line between Sections 2 and 3



Township 3 N Range 7 E 6th P.M. 17/57

Chains

Variation 12°07' East

40.65 Set Limestone 12 in Long, 10 in wide and 6 in thick for Quarter Section corner

80.65 The corner to Sections 2.3.10.11

Land rolling Prairie Soil 2nd Rate

North between Sections 33 and 34

Variation ~~Varia~~ 11°00 East

15.00 Stream 10 lks wide runs West

40.00 Set Sand Stone 15 in Long. 12 in wide and 3 in thick for Quarter Sec corner

67.00 Stream 50 lks wide runs S.W

80.00 Set Limestone 18 in Long. 7 in wide and 5 in thick for corner to Sections 27.28.33.34

Land rolling Prairie Soil 2nd Rate

East on a random line between Sections 27 and 34

Variation 11°20' East

Chains

19.10 Stream 30 lks wide runs S. W

40.00 Set temporary Quarter Section corner

80.20 Intersected the N and S line 50 lks S of the corner to Sec 26.27.34 35. From which corner I run West on a true line between Sec 27 and 34

Variation 11°41' East

40.10 Set Limestone 15 in Long, 11 in wide and 3½ in thick for Quarter Sec corner

80.20 The corner to Sec 27.28.33.34

Land rolling Prairie Soil 2nd Rate

North between Sections 27 and 28

Variation 11°20' East

8.00 Stream 40 lks wide runs S. E

21.00 Same Stream 30 lks wide runs S. W

25.00 Same Stream 30 lks wide runs S. E

40.00 Set Limestone 16 in Long. 11 in wide and 4 in thick for Quarter Sec corner



Chains

51.00 Same Stream 30 lks wide runs S. W and enter timber Bearing N. E and S. W

53.00 Prairie Runs S. W

61.00 Leave timber and enter Prairie bearing N. E and S. W

80.00 Set Limestone 15 in Long. 8 in wide and 6 in thick for corner to Sec 21.22.27.28

Land rolling Prairie. Some timber Bopallier. Elm and Cottonwood

Soil 2nd Rate

May 25th 1857

East on a random line between Sec 2 2 and 27

Variation 11°20' East

13.00 Stream 25 lks wide runs S. W

40.00 Set temporary Quarter Sec corner

79.75 Intersected the N and S line 62 lks S. of the corner to Sec 22.23.26. 27. From which corner I run West on a true line between Sec

Chains

22 and 27

Variation 11°47' East

39.87 Set Limestone 19in Long. 10in wide and 3in thick for Quarter sec corner

79.75 The corner to sec 21.22.27.28

Land rolling Prairie soil 2nd Rate

North between sec 21 and 22

Variation 11°50' East

40.00 Set Limestone 13in Long. 12in wide and 4in thick for Quarter sec corner

80.00 Set Limestone 14in Long. 12in wide and 5in thick for corner to sec 15.16.21.22

Land rolling Prairie soil 2nd Rate

East on a random line between sections 15 and 22

Variation 11°50' East

40.00 Set temporary Quarter sec corner

60.00 Leave Prairie and enter timber bearing N.W and S.E

61.00 Stream 20 lks wide runs S.E



Chains

68.00 Same stream 20 lks wide runs N.E

71.00 Same stream 20 lks wide runs S.W and leave timber and enter Prairie bearing N.E and S.W

79.81 Intersected the N and S. line 24 lks North of the corner to sec 14.15.22.23 From which corner I run West on a true line between sections 15 and 22

Variation 11°40' East

39.90 Set Limestone 15in Long. 12in wide and 3in thick for Quarter section corner

79.81 The corner to sec 15.16.21.22

Land rolling Soil 2nd Rate. Timber Hackberry. Oak. Elm and Walnut Undergrowth Same and vines

North between sec 15 and 16

Variation 11°50' East

40.00 Set Limestone 18in Long, 15in wide and 3in thick for Quarter section corner

80.00 Set Limestone 17in Long. 8in wide

Chains

and 5 in thick for corner to sections 9.10.15.16

Land Rolling Prairie Soil 2nd Rate

East on a Random line between sections 10 and 15

Variation 11°50' East

40.00 Set temporary quarter sec corner

79.53 Intersected the N and S line 21 lks North of the corner to sec 10.11.14.15. From which corner I run West on a true line between sections 10 and 15

Variation 11°41' East

39.76 Set Limestone 16 in Long. 12 in wide and 4 in thick for Quarter sec corner

79.53 The corner to sections 9.10.15.16

Land rolling Prairie Soil 2nd Rate

North between sections 9 and 10

Variation 12°15' East

40.00 Set Limestone 17 in Long. 10 in



Chains

wide and 3 in thick for Quarter section corner

42.00 Stream 30 lks wide runs S.W

80.00 Set Limestone 18 in Long. 7 in wide and 5 in thick for corner to sections 3.4.9.10. Land rolling Prairie Soil 2nd Rate

East on a random line between sec 3 and 10

Variation 11°41' East

18.00 Leave prairie and enter plum thickett Bearing N. E and S.W

24.00 Stream 20 lks wide runs S.W

25.00 Leave plum thickett and enter prairie Bearing N. E and S.W

40.00 Set Temporary Quarter sec corner

79.66 Intersected N and S line 40 lks South of corner to sections 2.3.10.11 From which corner, I run West on a true line between sections 3 and 10

Township 3 N Range 7 E 6th Pn Mn

Chains

Variation 11° 58' E

39.83 Set Limestone 19 in Long. 12 in wide and 3 in thick for Quarter Section corner

79.66 The corner to sections 3.4.9.10

Land rolling Prairie Soil 3rd Rate

May 26th 1857

North on a random line between Sections 3 and 4

Variation 12° 0' East

40.00 Set temporary Quarter Section corner.

80.40 Intersected the North boundary of the Township 24 lks East of the corner to Sec 3 and 4, from which corner I run South on a true line between Sec 3 and 4

Variation 12° 10' East

40.40 Set Limestone 17 in Long. 7 in wide and 5 in thick for Quarter sec corner



Township 3 N. Range 7 E 6th Pn Mn

Chains

80.40 The corner to Sec 3.4.9.10

Land rolling Prairie Soil 2nd Rate

North between Sections 32 and 33

Variation 11° 10' East

40.00 Set Limestone 18 in Long. 15 in wide and 2½ in thick for Quarter Section corner.

80.00 Set Limestone 22 in Long. 9 in wide and 3½ in thick for corner to Sections 28. 29. 32. 33

Land rolling Prairie Soil 2nd Rate

East on a random line between Sections 28 and 33

Variation 11° 40' East

40.00 Set temporary Quarter Section corner

79.93 Intersected the N. and S line 20 lks South of the corner to Sections 27.28 33.34. From which corner I run West on a true line between Sections 28 and 33

Chains

Variation 11°49' East

39.96 Set Limestone 15 in Long. 12 in wide and 4 in thick for Quarter Sec corner

79.93 The corner to Sections 28. 29. 32. 33

Land rolling Prairie Soil 2nd Rate

North between Sections 28 and 29

Variation 11°20' East

40.00 Set Limestone 17 in Long. 13 in wide and 3 in thick for Quarter Sec corner

80.00 Set Limestone 16 in Long. 10 in wide and 4 in thick for corner to Sec. 20. 21, 28, 29

Land rolling Prairie Soil 2nd Rate

East on a random line between Sec 21 and 28

Variation 11°40' East

40.00 Set Temporary Quarter Sec corner

80.15 Intersected the N and S line 5 lks South of the corner to Sec 21, 22, 27 28. From which corner 3 mile



Chains

West on a true line between Sec 21 and 28

Variation 11°42' East

40.07 Set Limestone 22 in Long. 12 in wide and 2 in thick for Quarter Sec corner

80.15 The corner to Sections 20, 21, 28, 29

Land rolling Prairie Soil 2nd Rate

North between Sections 20 and 21

Variation 11°40' East

40.00 Set Limestone 18 in Long, 12 in wide and 4 in thick for Quarter Sec corner

80.00 Set Sand Stone 26 in Long. 8 in wide and 4 in thick for corner to Sections 16, 17, 20, 21 Land rolling Prairie Soil 2nd Rate

East on a random line between Sections 16 and 21

Variation 11°40' East

40.00 Set temporary Quarter Sec corner

79.90 Intersected the N and S line 6 lks South of the corner to Sections 15, 16

Chains

21.22. From which corner I run West on a true line between Sec 16 and 21

Variation 11° 42' East

39.95 Set Limestone 14 in Long. 12 in wide and 3 in thick for Quarter Sec corner

79.90 The corner to Sec 16.17.20.21

Land rolling Prairie Soil 2n Rate

North between Sections 16 and 17

Variation 11° 50' East

40.00 Set Limestone 18 in Long. 12 in wide and 3 in thick for Quarter Sec corner

80.00 Set Limestone 16 in Long. 9 in wide and 5 in thick for corner to Sec 8.9.16.17

Land rolling Prairie Soil 2n Rate

East on a random line between Sections 9 and 16

Variation 11° 40' East

40.00 Set temporary Quarter Sec corner

79.85 Intersected the N and S line



Chains

32 lks South of the corner to Sections 9.10.15.16. From which corner I run West on a true line between sections 9 and 16

Variation 11° 54' East

39.92 Set Limestone 12 in Long. 10 in wide and 6 in thick for Quarter Sec corner

79.85 The corner to Sec 8.9.16.17

Land rolling Prairie Soil 2n Rate

May 27th 1857

North between Sec 8 and 9

Variation 12° 20' East

37.00 Stream 5 lks wide runs S.W

40.00 Set Limestone 14 in Long. 12 in wide and 4 in thick for Quarter Sec corner

73.00 Ravine runs S.W

80.00 Set Limestone 20 in Long. 7 in wide and 5 in thick for ~~Quarter Section~~ corner to Sections 4.5. 8.9. Land rolling Prairie Soil 2n Rate

Chains

East on a random line between
Sections 4 and 9
Variation 11°40' East
3.00 Ravine runs S. W
40.00 Set Temporary Quarter sec corner
80.04 Intersected the N and S line
5 lks South of the corner to sec
3, 4, 9, 10, From which corner
I run West on a true line
between sec 4 and 9
variation 11°42' East
40.02 Set Limestone 16 in Long. 10 in wide
and 4 in thick for Quarter sec corner
80.04 The corner to sec 4.5.8.9
Land rolling soil 2nd Rate

North on a random line between
sections 4 and 5
variation 12°00' East
40.00 Set temporary Quarter sec corner
80.60 Intersected the North boundary
of the Township 30 lks East of



Chains

the corner to sec 4 and 5. From
which corner I run South on a
true line between sections 4 & 5
variation 12°13' East
40.60 Set Limestone 16 in Long. 15 in wide
and 5 in thick for Quarter sec
corner
80.60 The corner to sec 4.5.8.9
Land rolling Prairie Soil 2nd Rate

North between sections 31 and 32
variation 11°20' East
40.00 Set Limestone 14 in Long. 10 in wide
and 4 in thick for Quarter sec corner
44.00 Leave prairie and enter timber bearing
N. W and S. E
49.00 Blue River 250 lks wide runs S. E
52.00 Leave timber and enter thickett
Bearing N. W and S. E
80.00 Set Limestone 17 in Long. 10 in wide
and 4 in thick for corner to

Chains

Sections 29.30.31.32
Land rolling Soil 2nd Rate
Timber Elm and Cottonwood
Undergrowth same willows and vines

East on a random line between sections 29 and 32
Variation 11°40' East

10.00 Leave thicket and enter Prairie bearing N.W and S.E
40.00 Set temporary Quarter Sec corner
80.10 Intersected the N. and S. line 25 lks South of the corner to Sec 28.29.32.33. From which corner I run West on a true line between sections 29 and 32
Variation 11°51' E
40.05 Set Limestone 17 in Long. 9 in wide 4 Quarter Sec corner
80.10 The corner to Sec 29.30.31.32
Land rolling Soil 2nd Rate



Chains

Undergrowth. Willow and vines
West on a random line between sections 30 and 31
Variation 11°40' East

0.40 Blue River 450 lks wide runs S
5.00 Leaster Prairie Bearing N.W and S.E
40.00 Set Temporary Quarter Sec corner
80.20 Intersected the West Boundary of the Township 60 lks North of the corner to Sec 30 and 31. From which corner I run East on a true line between sections 30 and 31
Variation 12°06' East
40.20 Set Limestone 19 in Long. 9 in wide and 4 in thick for Quarter Sec corner
80.20 The corner to Sec 29.30.31.32
Land rolling Prairie Soil 2nd Rate
North between sections 29 and 30
Variation 11°20' East
1.00 Blue River 430 lks wide runs

Chains

South. West. Gentle current

40.00 Set Limestone 12 in Long. 8 in wide and 6 in thick for Quarter Sec corner

70.00 Leave Heigh rolling Prairie and enter Blue river Bottom. Bearing N.W. and S.E

76.00 Blue River 210 lks wide runs S.E

80.00 Set Limestone 23 in Long. 6 in wide and 5 in thick. for corner to Sections 19. 20. 29. 30

Land mostly rolling Prairie some rich. Dry Bottom Soil 2nd Rate

East on a random line between Sections 20 and 29

Variation 11°40' East

8.00 Enter timber bearing N.W and S.E

25.00 Leave timber and enter Prairie bearing N.W and S.E

40.00 Set Temporary Quarter Sec corner



Chains

79.80 Intersected the N and S line 53 lks S of the corner to Sec 20. 21. 28. 29

From which corner S run West on a true line between Sec 20 and 29

Variation 12°0½' E ast

39.90 Set Limestone 12 in Long. 8 in wide and 6 in thick for Quarter Section corner

79.80 The corner to Sec 19. 20. 29. 30

Land rolling. Soil 2nd Rate. Timber Cottonwood, Boxelder. Elm and Maple. Undergrowth Sand and vines

West on a random line between Sec 19 and 30

Variation 11°40' East

9.00 Leave Prairie and enter timber bearing N.W and S.E

40.00 Set temporary Quarter Sec corner

50.00 Blue River 280 lks wide runs S.E

54.00 Leave timber and enter Prairie Bearing N.W and S.E

80.18 Intersected the West Boundary of the Township 56 lks North of the

159/22

Chains

corner to sections 19 and 30. From which corner I run East on a true line between sections 19 and 30

variation 12°04' East

40.18 Set a Stake for Quarter sec corner From Which

An Elm 11 in dia Bears N 36° W 32 lks dist

An Ash 14 in dia Bears S 71° W 62 lks dist

80.18 The corner to sec 19.20.29.30

Land rolling Soil 2nd Rate

Timber Elm. Cottonwood. Boxalder and ash. Undergrowth. Willow Plum and vines

May 28th 1857

North between sections 19 and 20

variation 11°20' East

40.00 Set Limestone 16 in Long. 10 in wide and 4 in thick for Quarter sec corner

80.00 Set Limestone 21 in Long. 8 in wide and 4 in thick for corner to sec 17.18.19.20

Land rolling Prairie Soil 2nd Rate



Chains

East on a random line between sec 17 and 20

variation 11°40' E

40.00 Set Temporary Quarter sec corner

79.93 Intersected the N and S. line 41 lks South of the corner to sec 16.17.20 21 From which corner I run West on a true line between sec 17 and 20

variation 11°58' East

39.96 Set Limestone 16 in Long. 12 in wide and 3 in thick for Quarter sec corner

79.93 The corner to sec 17.18.19.20

Land rolling Prairie Soil 2nd Rate

West on a random line between sec 18 and 19

variation 11°40' East

40.00 Set temporary Quarter sec corner

79.70 Intersected the West boundary of the Township 25 lks North of the corner to sections 18 and 19 From which

Chains

corner I run East on a true line between sections 18 and 19

variation 11°51' East

39.70 Set Limestone 18 in Long. 10 in wide and 4 in thick for Quarter sec corner

79.70 The corner to Sec 17.18.19.20

Land rolling Prairie Soil 2nd Rate

VF North between Sec 17 and 18

variation 11°50' East

40.00 Set Limestone 12 in Long. 9 in wide and 6 in thick for Quarter sec corner

50.00 Drain runs West

79.00 Leave Prairie and enter timber bearing N.W and S.E

80.00 Set Limestone 18 in Long. 9 in wide and 4 in thick for corner to Sec 7.8.17.18. From which

An Elm 16 in dia Bears N 47° W 66 lks dist

A Walnut 23 in dia Bears S 11° W 8 lks dist

An Elm 30 in dia Bears S 36° E 47 lks dist

An Elm 28 in dia Bears N 74° E 142 lks dist



Chains

Land rolling Soil 3rd Rate

Timber Elm. Walnut. Oak and Honey locust Undergrowth Willow and vines

East on a random line between sections 8 and 17

variation 11°40' East

1.50 Stream 10 lks wide runs N.W

8.00 Leave timber and enter Prairie Bearing N.W and S.E

36.00 Same Stream 10 lks wide runs S.W No timber

40.00 Set temporary Quarter Section corner

79.71 Intersected the N and S line 12 lks South of the corner to Sec 8.9.16.17 From which corner I run West on a true line between sec 8 and 17

variation 11°45' East

39.85 Set Limestone 18 in Long. 8 in wide

Chains

and 5 in thick for Quarter Sec corner

79.71 The corner to Sec 7.8.17.18

Land rolling, Soil 2nd Rate

Timber Elm and Walnut

West on a random line between Sections 7 and 18

Variation 11°40' East

12.00 Stream 10 lks wide runs S.W

35.00 Blue River 2 1/2 lks wide runs S.W and enter Prairie Bearing N.E and S.W

40.00 Set Temporary Quarter Sec corner

79.60 Intersected the West boundary of the Township 13 lks North of the corner to Sections 7 and 18. From Which corner I run East on a true line between Sec 7 and 18

Variation 11°46' East

39.60 Set Limestone 15 in Long. 12 in wide and 3 in thick for Quarter Sec corner

79.60 The corner to Sec 7.8.17.18



Chains

Land rolling. Soil 2nd Rate

Timber Oak, Walnut & Elm Undergrowth Same and vines

May 29th 1857

North between Sections 7 and 8

Variation 12°20' East

1.00 Stream 10 lks wide runs S.W

19.00 Leave timber and enter Prairie Bearing N.E and S.W

22.00 Ravine runs S.W

40.00 Set Sand Stone 19 in Long. 11 in wide and and 4 in thick for Quarter Sec corner

80.00 Set Limestone 17 in Long. 8 in wide and 5 in thick for corner to Sec 5.6.7.8. Land rolling Prairie Soil 2nd Rate. Timber Oak. Walnut and Elm. Undergrowth Same and vines

East on a random line between Sections 5 and 8

Chains

Variation 11°40' East

40.00 Set temporary Quarter Sec corner

79.90 Intersected the N and S line 17 lks South of the corner to Sec 4.5.8.9. From which corner I run West on a true line between Sec 5 and 8

Variation 11°47' East

39.95 Set Limestone 17 in Long, 13 in wide and 3 in thick for Quarter Sec corner

79.90 The corner to Sec 5, 6, 7, 8

Land rolling Prairie Soil 2nd Rate

West on a random line between Sections 6 and 7

Variation 11°40' East

35.00 Drain runs S. W

40.00 Set temporary Quarter Sec corner

80.10 Intersected the West boundary of the Township 28 lks North of the corner to Sec 6 and 7 From which corner I run East



Chains

on a true line between Sec 6 and 7

Variation 11°52' East

40.10 Set Limestone 20 in Long, 12 in wide and 4 in thick for Quarter Section corner

80.10 The corner to Sec 5, 6, 7, 8

Land rolling Prairie Soil 2nd Rate

North on a random line between Sections 5 and 6

Variation 12°20' East

31.00 Prairie runs S. W

40.00 Set Stone for temporary Quarter Section corner

80.70 Intersected the North Boundary of the Township 90 lks East of the corner to Sec 5 and 6 from which corner I run South on a true line between Sec 5 & 6

Variation 12°59' East

40.70 Set Limestone 17 in Long, 14 in wide and 3 in thick for Quarter Sec corner

Township 3 N. Range 7 E 6th Pn Mn

Chains

80.70 The corner to Sec 5.6.7.8
Land rolling Prairie Soil 2nd Rate
May 30th 1857

General Description

The quality of the land in this Township scarcely up to the common average. The up lands are gently rolling. Soil 2nd Rate timber very scarce. Chiefly Elm, Cottonwood, Boxalder, Oak and Walnut. Blue River runs through the Western part of the Township and affords an abundance of Water for Stock. No Settlement in the Township Stone scarce.



Township 3 N Range 7 E 6th Pn Mn

List of Names

A list of the names of the individuals employed to assist in running, measuring & marking the lines and corners described in the foregoing field notes of Township No 3 North of Range 7 East of the 6th Principal Meridian showing the respective capacities in which they acted

| | |
|---|---|
| Nelson McCollum | Chainman |
| James M. Butcher | Chainman |
| A. C. Richey | Axeman |
| David McCollum | Flagman |
| Monroe M. Caldwell | Compassman |

46/86

Exd July 6th 1857
Vanzandt

3

87

(~~No 130~~)

## Contract No. 140

Field notes of the Subdivision lines in Township 4 North Range 7 E 6th Principal Meridian, in the Territory of Nebraska, Surveyed by William. S. Caldwell
Commenced June 1st 1857
Completed June 6th 1857

Exd Augt 3d 1857
Vanzandt

D. S. made & compared
[illegible]

Names and duties of Assistants

| | |
|---|---|
| James Butcher | Chainman |
| Nelson McCollum | Chainman |
| David McCollum | Flagman |
| A. C. Richey | Axeman |
| Marvin M. Caldwell | Compassman |



Township 4 N. Range 7 East

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| 6 | 45 | 5 | 33 | 4 | 25 | 3 | 17 | 2 | 9 | 1 |
| 44 | | 43 | | 31 | | 24 | | 16 | | 9 |
| 7 | 42 | 8 | 31 | 9 | 23 | 10 | 16 | 11 | 8 | 12 |
| 41 | | 40 | | 30 | | 22 | | 15 | | 7 |
| 18 | 40 | 17 | 29 | 16 | 22 | 15 | 15 | 14 | 7 | 13 |
| 39 | | 38 | | 28 | | 21 | | 14 | | 6 |
| 19 | 38 | 20 | 28 | 21 | 21 | 22 | 13 | 23 | 5 | 24 |
| 37 | | 36 | | 27 | | 20 | | 13 | | 4 |
| 30 | 36 | 29 | 27 | 28 | 19 | 27 | 12 | 26 | 3 | 25 |
| 35 | | 34 | | 26 | | 19 | | 11 | | 3 |
| 31 | 34 | 32 | 26 | 33 | 18 | 34 | 10 | 35 | 2 | 36 |

Chains Field notes of the subdivision lines in Township 4 N Range 7 E of the 6th Principal Meridian —

To determine the proper adjustment of my Compass for subdividing this Township. I commence at the corner to Townships 3 and 4 N. R 7 and 8 E and Run North on a black line along the East boundary of Section 36

Variation 11°00 E ast

40.02 A point 66 lks East of the Quarter section corner

80.05 A Point 134 Lks East of the section corner to Sections 25 and 36

To retrace this line or run parallel thereto my compass must be adjusted to a

2/92 Township 4 N Range 7 E

Chains

Variation 11°57' East
Sub-division commenced
June 1st 1857
From the corner to sections
1.2.35.36 on the South boun
dary of the Township I run
North between sections
35 and 36
variation 11°57' East
8.00 Prairie runs East
39.00 Prairie runs S. E
40.00 Set Limestone 20 in Long. 10
in wide and 3 in thick for
Quarter Section corner
64.00 Drain runs S. E
80.00 Set Limestone 16 in Long.
10 in wide and 4 in thick
for corner to sections 25.26
35.36.
Land rolling Prairie soil
good 2nd Rate



Township 4 N. Range 7 E 6th P.M. Mdn

Chains

East on a random line between
sections 25 and 36
variation 11°57' East
40.00 Set Temporary Quarter Section
corner
46.00 Drain runs South
79.90 Drain Runs S. E
79.96 Intersected the East boun
dary of the Township 44 lks
South of the corner to sections
25 and 36 from which corner
I run West on a true line
between sections 25 and 36
variation 12°16' East
39.98 Set Limestone 15 in Long. 12 in wide and
3 in thick for Quarter section corner
79.96 The corner to sections 25.26, 35.36
Land rolling Prairie Soil 2nd Rate

North between sections 25 and 26
variation 11°57' East
31.00 Drain Runs N. W

Chains

40.00 Set Limestone 13 in Long 8 in wide and 7 in thick for Quarter section corner

48.00 Enter timber bears N. E and S. W

48.50 Stream 20 Liks wide runs S. W

52.00 Enter Prairie Bears N. E and S. W

66.00 Stream 15 lks wide runs S. W

80.00 Set Red Graite Stone 16 in Long 12 in wide and 6 in thick for corner to Sections 23. 24. 25. 26 Land Broken. Timber Oak. Elm Hickory and Hackberry. Undergrowth Same and vines Soil 2nd Rate

East on a random line between Sections 24 and 25

variation 11° 57' East

8.00 Stream 15 lks wide Runs S. W

33.50 Enter Timber bears N. E and S. W

34.00 Stream 20 lks wide runs S. W

40.00 Set Temporary Quarter sec corner



Chains

45.00 Leave timber and enter Prairie bears N. E and S. W

64.00 Ravine runs N. W

79.80 Intersected the East boundary of the Township 58 Links South of the corner to Sections 24 and 25 From which corner I run West on a true line between sections 24 and 25

variation 12.22' East

39.90 Set Set an Oak Post for Quarter section corner. from which An Oak 27 in dia Bears S 42' E 85 lks Dist An Oak 25 in dia Bears N 3' W 45 lks Dist

79.80 The corner to sec 23. 24. 25. 26 Land Broken timber Oak. Walnut. and Elm - Undergrowth Same and Briars, Soil 2nd Rate

North between sec 23 and 24

variation 12.27' East

5.00 Drain Runs East

174/25

Chains

40.00 Set Quartz Rock 25 in Long. 13 in wide and 10 in thick for Quarter Sec corner

80.00 Set Quartz Rock 14 in Long, 13 in wide and 4 in thick for corner to sections 13.14.23.24

Land rolling Prairie soil 2nd Rate.

East on a Random line Between sections 13 and 24

variation 12° 27' East

6.00 Drain Runs South

40.00 Set temporary Quarter section corner.

50.00 Drain Runs S. W

79.70 Intersected the East boundary of the Township 50 lks South of the corner to Sec 13 and 24 From which corner Run West on a true line between sections 13 and 24

variation 12° 48' East



Chains

39.85 Set Quartz Rock 18 in Long. 15 in Wide and 4 in thick for Quarter Sec corner

79.70 The corner to Sec 13.14.23.24

Land gently rolling Prairie soil 2nd Rate

North between sections 13 and 14

Variation 12° 13' East

10.00 Marine Runs S. W

40.00 Set Quartz Rock 19 in Long. 12 in wide and 7 in thick for Quarter section corner

80.00 Set Quartz Rock 17 in Long. 8 in wide and 6 in thick for corner to sections 11.12.13.14

Land rolling Prairie soil 2nd Rate

East on a Random line between sections 12 and 13

variation 12° 13' East

34.50 Drain runs S. E

40.00 Set Temporary Quarter section corner

Chains

58.00 Drain runs South

80.20 Intersected the East boundary of the Township 23 lks South of the corner to sections 12 and 13 From which corner I run. West on a true line between sections 12 and 13

Variation 12° 23' East

40.10 Set Quartz Rock 14 in Long. 7 in wide and 6 in thick for Quarter section corner

80.20 The corner to sec 11.12.13.14

Land rolling Prairie Soil 2d Rate

North between section 11 and 12

Variation 12° 00 East

40.00 Set Quartz Rock 15 in Long. 9 in wide and 8 in thick for Quarter section corner

70.00 Ravine runs N. W

80.00 Set Limestone 19 in Long 9 in thick and 6 in wide for corner to sections 1.2.11.12



Chains

Land rolling Prairie Soil 2d Rate

East on a random line between sections 1 and 12

Variation 12° 00' East

17.50 Ravine runs N. W

40.00 Set Temporary Quarter section corner

80.10 Intersected the East boundary of the Township 14 lks South of the corner to sections 1 and 12 From which corner I run West on a true line between sections 1 and 12

variation 12° 06' East

40.05 Set Quartz Rock 12 in Long. 12 in wide and 7 in thick for Quarter section corner

80.10 The corner to sec 1.2.11.12

Land rolling Prairie Soil 2d Rate

North between sec 1 and 2

variation 12° 00' East

69

10/100 Township 4 N Range 7 E 6th Pm Md

Chains

19.00 Stream 5 lks wide Runs S. W

40.00 Set Limestone 22 in Long. 9 in wide and 4 in thick for Quarter Sec corner

79.40 Set Limestone 22 in Long. 8 in wide and 3 in thick for corner to Fractional sections 1 and 2 at Intersection with the 1st Standard Parallel 20.40 chs. East of a Quarter section corner on the Parallel

Land rolling Prairie soil 2d Rate

June 1st 1857

North between sections 34 and 35

Variation 11°45' East

13.00 Enter timber bearing N. E and S. W

13.50 Stream 20 lks wide runs S. W

16.20 Same Stream 30 lks wide runs S. E

17.50 Enter Prairie bearing S. E and N W

28.00 Enter timber bearing N. E and S. W

32.00 Cross Stream 20 lks wide runs S. W and enter Prairie bearing N. E and S. W



Township 4 N Range 7 E 6th Pm Md 11/101

Chains

40.00 Set Limestone 18 in Long. 15 in wide and 3 in thick for Quarter Sec corner

73.00 Drain runs S. E

80.00 Set Limestone 19 in Long. 10 in wide and 3 in thick for Corner to Sections 26. 27. 34. 35 –

Land Broken. Timber Oak Elm. and Walnut. Undergrowth Hazel. Briars and vines

Soil 2d Rate

East on a random line between Sections 26 and 35

Variation 11°45' East

35.00 Enter timber Bearing N. E and S. W

36.00 Stream 20 lks wide runs S. W

36.50 Enter Prairie Bearing N. E and S. W

40.00 Set temporary Quarter sec corner

56.00 Drain runs N. W

80.15 Intersected the N and S line 12 lks South of the corner to sec 25. 26. 35. 36. From which

Chains

corner I run West on a true line
between Sec 26 and 35
Variation 11°51' East
40.07 Set Quartz Rock 12in Long, 8
in Wide and 6in thick for
Quarter Section corner
80.15 The corner to Sec 26.27.34.35
Land Rolling Timber Oak &
Elm Undergrowth Hazel and
Briars Soil 2nd Rate

North between Sections 26 and 27
Variation 12°00' East
40.00 Set Limestone 17in Long, 11in wide
and 5in thick for Quarter Sec
corner
64.00 Drain runs S.W
80.00 Set Quartz rock 16in Long, 8in
wide and 7in thick for corner
to Sec 22.23.26.27
Land rolling Prairie
Soil 2nd Rate



Chains

East on a random line between Sec
23 and 26
Variation 12°00' East
11.00 Raise runs S.E
40.00 Set Temporary Quarter Sec corner
47.00 Drain runs South
80.70 Intersected the N and S. line
5 3 lks South of the corner to
Sec 23.24.25.26 From which
corner I run West on a true line
between Sec 23 and 26
Variation 12°23' East
40.35 Set Quartz Rock 15in Long, 12in
wide and 4in thick for
Quarter Sec corner
80.70 Corner to Sec 22.23.26.27
Land rolling Prairie Soil 2d Rate

North between Sec 22 and 2
Variation 12°00' East
40.00 Set Lime Stone 24in Long, 14in wide
and 2½in thick for

Chains

Quarter section corner
53.00 Ravine runs S. W
80.00 Set Quartz Rock 14 in Long. 8 in wide and 6 in thick for corner to sections 14, 15, 22, 23
Sand rolling. Prairie Soil 2nd Rate
East on a random line between sections 14 and 23
Variation 12° East
34.00 Drain runs South
40.00 Set temporary Quarter Sec. corner
80.04 Intersects the N and S line 50 lks South of the Corner to Sections 13, 14, 23, 24
From which corner I run West on a true line between Sections 14 and 23.
Variation 12°21' East
40.02 Set Limestone 20 in Long. 18 in wide and 2 in thick for



Chains

Quarter Section Corner
80.04 S.E. corner to Sections 14, 15, 22, 23
Sand rolling Prairie Soil 2nd Rate
North between Sections 14 and 15.
Variation 12° 13' East
10.00 Ravine runs West
40.00 Set Quartz Rock 12 in Long. 8 in wide and 6 in thick for Quarter Section corner
80.00 Set Quartz Rock 20 in Long. 15 in wide and 7 in thick for corner to Sections 10, 11, 14, 15
Sand rolling. Prairie Soil 2nd Rate
East on a random line between Sections 11 and 14
Variation 12° 13' East
34.00 Drain Runs N. W
40.00 Set temporary Quarter Sec corner
79.70 Intersected the N and S line 10 lks North of the corner to Sec 11, 12, 13, 14. From which

Chains

Corner I run West on a true line between sections 11 and 14
Variation 12° 17' East

39.85 Set Limestone 16 in Long, 15 in wide and 3 in thick for Quarter Section Corner

77.70 The corner to sections 10, 11, 14, 15. Land rolling Prairie Soil 2nd Rate

North between sections 10 and 11
Variation 12° 13' East

37.00 Ravine Runs N. W

40.00 Set Limestone 19 in Long, 16 in wide and 2½ in thick for Quarter Section Corner

80.00 Set Limestone 28 in Long 6 in wide and 4 in thick for Corner to sections 2, 3, 10, 11 Land rolling Prairie Soil 2nd Rate

East on a random line between sections 2 and 11



Chains

Variation 12° 13' East

27.00 Drain Runs N. W

40.00 Set Temporary Quarter Section Corner

77.68 Intersected the N and S line 48 lks South of the Corner to sections 1, 2, 11, 12. From which corner I run West on a true line between sections 2 and 11
Variation 12° 33' East

39.84 Set Limestone 13 in Long, 10 in wide and 4 in thick for Quarter Section Corner

79.68 The corner to sections 2, 3, 10, 11 Land rolling Prairie Soil 2nd Rate

North between sections 2 and 3
Variation 12° 13' East

24.00 Drain runs N. W

36.00 Stream 5 lks wide runs S. W

40.00 Set Limestone 24 in Long 7 in wide and 3 in thick

| Chains | |
|---|---|
| 79.63 | Set Limestone 21 in Long, 6 in wide and 4 in thick for corner to Fractional sections 2 and 3 at intersection with the 1st Standard Parallel North, 20.80 chs East of a Quarter Section corner on said line |
| | Land rolling Prairie Soil 2nd Rate |
| | June 2nd 1857 |
| | North between Sec 33 and 34 |
| | Variation 11°45' East |
| 40.00 | Set Limestone 16 in Long, 11 in wide and 3½ in thick for Quarter Section Corner |
| 53.00 | Drain Runs S. E |
| 80.00 | Set Limestone 20 in Long, 12 in wide and 4 in thick for Corner to Sec 27, 28, 33, 34 |
| | Land Rolling Prairie Soil 2nd Rate |



| Chains | |
|---|---|
| | East on a random line between Sections 27 and 34 |
| | Variation 11°45' East |
| 40.00 | Set temporary Quarter Section Corner |
| 41.00 | Drain runs S. E |
| 73.00 | Drain runs S. E |
| 80.02 | Intersected the N and S line 5 lks South of the corner to Sections 26, 27, 34, 35 |
| | From which corner I run West on a true line between Sections 27 and 34 |
| | Variation 11°47' East |
| 40.01 | Set Limestone 14 in Long, 14 in wide and 3 in thick for Quarter Section Corner |
| 80.02 | The Corner to Sec 27, 28, 33, 34 |
| | Land rolling Prairie Soil 2nd Rate |
| | North between Sections 27 and 28 |
| | Variation 12°00' East |

Chains

40.00 Set Limestone 18 in Long. 12 in wide and 3 in thick for Quarter Sec corner

80.00 Set Quartz Rock 16 in Long. 11 in wide and 5 in thick for corner to Sections 21. 22. 27. 28

Land rolling Prairie Soil 2nd Rate

East on a random line between Sections 22 and 27

Variation 11°45' East

6.00 Drain runs S. E

40.00 Set temporary Quarter Sec corner

50.00 Drain runs S. E

79.70 Intersected the N and S line 17 lks South of the corner to Sections 22. 23. 26. 27. From which corner I run West on a true line between Sections 22 and 27

Variation 11°52' East

39.85 Set Limestone 19 in Long. 10 in wide and 3 in thick for Quarter Section corner



Chains

79.70 The corner to Sections 21. 22. 27. 28

Land rolling Prairie Soil 2nd Rate

North between Sections 21 and 22

Variation 12°20' East

10.00 Drain runs S. E

40.00 Set Limestone 16 in Long. 10 in wide and 4 in thick for Quarter Sec corner

80.00 Set Limestone 15 in Long. 12 in wide and 3 in thick for corner to Sections 15. 16. 21. 22

Land rolling Prairie Soil 2nd Rate

East on a random line between Sections 15 and 22

Variation 11°45' East

40.00 Set temporary Quarter Sec corner

79.92 Intersected the N and S line 30 lks South of the corner to Sections 14. 15. 22. 23

From which corner I run West on a true line between Sections 15 and 22

Chains

Variation 11° 58' East

39.96 Set Limestone 16 in Long, 14 in wide and 3 in thick for Quarter Section Corner

79.92 The corner to Sec 15, 16, 21, 22

Land Rolling Prairie Soil 2nd Rate

North between Sections 15 and 16

Variation 12° 20' East

40.00 Set Limestone 19 in Long, 10 in wide and 4 in thick for Quarter Section corner

74.00 Ravine runs N. W

80.00 Set Limestone 17 in Long, 11 in wide and 4 in thick for corner to Sections 9, 10, 15, 16

Land rolling Prairie Soil 3rd Rate

East on a random line between Sections 10 and 15

Variation 11° 45' East

40.00 Set temporary Quarter Section



Chains

corner

48.00 Drain runs North

79.82 Intersected the N and S line 35 lks South of the corner to Sections 10, 11, 14, 15 From which corner I run West on a true line between Sections 10 and 15

Variation 12° 00' East

39.91 Set Limestone 16 in Long, 12 in wide and 3 in thick for Quarter Section corner

79.82 The corner to Sections 9, 10, 15, 16

Land rolling Prairie Soil 2nd Rate

North between Sections 9 and 10

Variation 12° 20' East

16.00 Drain Runs N. W

40.00 Set Limestone 20 in Long, 10 in wide and 4 in thick for

Chains

Quarter section corner
67.00 Drain runs N. W
80.00 Set Limestone 29 in Long. 7 in wide and 5 in thick for corner to sections 3.4.9.10
Land Rolling Prairie Soil 3rd Rate
East on a random line between sec 3 and 10
Variation 11°45' East
40.00 Set temporary Quarter sec corner
69.00 Drain runs North
80.12 Intersected N and S line 34 lks South of the corner to sections 2.3.10.11. From which corner I run West on a true line between sections 3 and 10
Variation 12° 0' East
40.04 Set Limestone 17 in Long. 11 in wide and 3 in thick for Quarter section corner
80.12 The corner to sections 3.4.9.10



Chains

Land rolling Prairie Soil 2nd Rate
North between sections 3 and 4
Variation 12° 20' East
40.00 Set Limestone 23 in Long. 8 in wide and 4 in thick for Quarter sec. corner
48.00 Leave Prairie and enter timber bearing N. E and S. W
51.00 Stream 10 lks wide runs S. W
55.00 Stream 20 lks wide runs S. W
74.00 Leave timber and enter Prairie bearing N. E and S. W
77.78 Set Limestone 16 in Long. 8 in wide and 4½ in thick for corner to Fractional sec 3 and 4 at intersection with the 1st Standard Parallel North 22.39 chs East of Quarter section corner on said line
Land rolling. Soil 2nd Rate
Timber. Oak. Hickory and Elm
June 3rd 1857

17.61

Chains

North between sec 32 and 33
Variation 12°00' East
40.00 Set Limestone 16 in Long. 12 in wide and 5 in thick for Quarter Sec corner
46.00 Drain runs West
80.00 Set Limestone 20 in Long. 6 in wide and 5 in thick for corner to Sections 28. 29. 32. 33
Land rolling Prairie Soil 2nd Rate
East on a random line between Sections 28 and 33
Variation 11°45' East
38.50 Drain runs S. E
40.00 Set temporary Quarter Sec corner
69.00 Drain runs S. E
79.96 Intersected the N and S line 22 lks South of the corner to Sections 27. 28. 33. 34. From which corner I run West on a true line between Sections 28 and 33
Variation 11°54' East



Chains

39.98 Set Limestone 14 in Long. 13 in wide and 6 in thick for Quarter Sec corner
79.96 The corner to Sections 28. 29. 32. 33
Land Rolling Prairie Soil 2nd Rate
North between Sections 28 and 29
Variation 12°00' East
11.00 Drain Runs West
40.00 Set Limestone 15 in Long. 10 in wide and 4 in thick for Quarter Sec corner
80.00 Set Limestone 16 in Long. 6 in wide and 6 in thick for corner to Sections 20. 21. 28. 29
Land rolling Prairie Soil 2nd Rate
East on a random line between Sections 21 and 28
Variation 11°45' East
41.00 Set temporary Quarter Sec corner
79.92 Intersected the N and S line 10 lks South of the corner to Sections 21. 22. 27. 28
From which corner I run West

Chains

on a true line between Sections 21 and 28

Variation 11°49' East

39.96 Set Limestone 18 in Long. 12 in wide and 3 in thick for Quarter Sec corner.

79.92 The corner to Sec 20. 21, 28. 29

Land Rolling Prairie Soil 2nd Rate

North between Sections 20 and 21

Variation 12°20' East

1.00 Drain Runs S. W

40.00 Set Limestone 17 in Long. 6 in wide and 5 in thick for Quarter Section Corner

102/110

80.00 Set Limestone 16 in Long, 10 in wide and 4 in thick for Corner to Sections 16, 17, 20, 21

Land rolling Prairie Soil 2nd Rate

East on a random line between Sections 16 and 21

Variation 11°45' East



Chains

4.00 Drain Runs N. W

40.00 Set temporary Quarter Section corner

79.94 Intersected the N and S line 12 lks South of the corner to Sections 15, 16 21, 22. From which corner I Run West on a true line between Sections 16 and 21

Variation 11°50' East

39.97 Set Limestone 18 in Long, 12 in wide and 4 in thick for Quarter Sec Corner

79.94 The corner to Sections 16, 17, 20, 21

Land gently rolling Prairie Soil 2nd Rate

North between Sections 16 and 17

Variation 12°26' East

4.00 Drain runs N. W

40.00 Set Limestone 15 in Long, 10 in wide and 4 in thick for Quarter Sec Corner

7.00 Drain runs N. W

80.00 Set Limestone 22 in Long, 8 in wide and 6 in thick for Corner to Sec

Chains

8. 9. 16. 17

Land rolling Prairie Soil 2d Rate

East on a random line between Sections 9 and 16

Variation 11°45' East

40.00 Set temporary Quarter Sec corner

73.00 Drain Runs N. W

80.08 Intersected N and S line 10 lks South of the corner to Sections 9, 10, 15, 16

Stone which corner I mend

West on a true line between Sections 9 and 16

Variation 11°49' East

40.04 Set Quartz Rock 12 in Long, 9 in wide and 5 in thick for Quarter Sec corner

80.08 The corner to Sections 8. 9, 16. 17

Land rolling Prairie Soil 2d Rate



chains

North between Sections 8 and 9

Variation 12°20' East

23.00 Ravine runs N. W

40.00 Set Limestone 15 in Long, 12 in wide and 3 in thick for Quarter Sec corner

76.50 Stream 25 lks wide runs S. W

77.00 Enter timber Bearing N. E and S. W

80.00 Set Limestone 20 in Long, 12 in wide and 4 in thick for corner to Sections 4. 5. 8. 9. Stone which An Elm 27 in dia bears N 23° W 41 lks dist

A. Hackberry 13 in dia bears N 41° E 47 lks dist

A. Walnut 21 in dia bears S 76° E 51 lks dist

An Elm 11 in dia bears S 41° W 60 lks dist

Land rolling Soil 2d Rate

Timber Elm. Burr Oak. Hackberry and Walnut

East on a random line between Sections 4 and 9

Variation 11°45' East

2.00 Stream 10 lks wide runs S. W

Chains

8,00 Same Stream 10 lks wide runs N. W

11,00 Same Stream 10 lks wide runs S. W

12,00 Leave timber and enter Prairie
Bearing N. E and S. W

13,50 Drain runs North

40,00 Set temporary Quarter Sections corner

68,00 Drain Runs North

80,06 Intersected the N and S line 7 lks N of the corner to Sections 3, 4, 9, 10. From which corner I run West on a true line between Sections 4 and 9

Variation 11° 42' East

10,03 Set Limestone 20 in Long, 8 in wide and 5 in thick for Quarter Section Corner.

80,06 The Corner to Sections 4, 5, 8, 9
Land rolling. Soil 3rd Rate
Timber Oak, Elm, Walnut and Hackberry, Undergrowth Same and vines



Chains

North between Sections 4 and 5

Variation 12° 20' East

5,00 Leave timber and enter prairie bearing N. E and S. W

40,00 Set Limestone 15 in Long, 10 in wide and 3½ in thick for Quarter Section Corner

77,85 Set Limestone 13 in Long, 10 in wide and 4 in thick for corner to Fractional Sections 4 and 5 At Intersection with the 1st Standard Parallel North

20,28 chs East of a Quarter Section corner in said line
Land Rolling Soil 2nd Rate
Timber Oak, Elm, Walnut and Hackberry, Undergrowth Same and vines

June 4th 1857

Chains

North between Sections 31 and 32
Variation 12° 00 East
40.00 Set Limestone 17 in Long, 15 in wide and 4 in thick for Quarter Section Corner
72.0 Drain Runs S. W
80.00 Set Limestone 17 in Long, 7 in wide and 7 in thick for Corner to Sec 29, 30, 31, 32
Land rolling Prairie Soil 2nd Rate
East on a random line between Sections 29 and 32
Variation 12° 00 East
6.00 Ravine Runs S. W
40.00 Set Temporary Quarter Sec Corner.
60.00 Ravine runs South
79.76 Intersected the N and S line 16 lks South of the corner to Sections 28, 29, 32, 33. From which Corner S and West on a true



Chains

line between Sec 29 and 32
Variation 12° 07' East
39.88 Set Limestone 22 in Long, 11 in wide and 4 in thick for Quarter Sec Corner
79.76 The Corner to Sections 29, 30, 31, 32
Land Rolling Prairie Soil 2nd Rate.
West on a random line between Sections 30 and 31
Variation 12° 00 East
4.00 Drain runs South
40.00 Set temporary Quarter Sec corner
79.20 Intersected the West Boundary of the Township 63 lks North of the Corner to Sections 30 and 31 From which Corner S and East on a true line between Sections 30 and 31
Variation 12° 27' East
39.20 Set Limestone 18 in Long, 10 in wide and 5 in thick for Quarter Sec Corner
79.20 The corner to Sections 29, 30, 31, 32

Chains

Sandrolling Prairie Soil 2nd Rate

North between Sections 29. and 30
Variation 12°20' East

6.00 Drain Runs S. W

40.00 Set Limestone 24 in Long. 10 in wide and 4 in thick for Quarter Section Corner

80.00 Set Limestone 14 in Long, 10 in wide and 5 in thick for Corner to Sections 19.20.29.30

Sand Rolling Prairie Soil 2nd Rate

East on a random line between Sections 20 and 29
Variation 12°0' East

40.00 Set temporary Quarter Sec corner

79.86 Intersected the Nand S line 21 lks south of the corner to Sections 20.21.28.29. From which corner I run West on a true



Chains

line between Sections 20 and 29
Variation 12°0' East

39.93 Set Limestone 14 in Long. 8 in wide and 5 in thick for Quarter Sec corner

79.86 The corner to Sec 19.20.29.30

Sand rolling Prairie Soil 2nd Rate

West on a Random line between Sections 19 and 30
Variation 12°20' East

6.00 Drain runs S. W

40.00 Set temporary Quarter Sec corner

79.12 Intersected the West Boundary of the township 15 lks North of the corner to Sec 19 and 30 From which corner I run East on a true line between Sections 19 and 30
Variation 12°26' East

39.12 Set Limestone 20 in Long, 10 in wide and 4 in thick for Quarter Section Corner

Township 4 N. Range 7 & 6th P. M.

| Chains | |
|---|---|
| 79.12 | The corner to Sec 19.20.29.30 |
| | Land rolling Prairie Soil 2nd Rate |
| | North between Sections 19 and 20 |
| | Variation 12°20' East |
| 9.00 | Ravine Runs S.W |
| 30.00 | Ravine Runs S.W |
| 40.00 | Set Limestone 19 in Long. 17 in wide and 3 in thick for Quarter Section Corner |
| 80.00 | Set Limestone 14 in Long. 8 in wide and 5 in thick for Corner to Sections 17.18.19.20 |
| | Land rolling Prairie Soil 2d Rate |
| | East on a random line between Sections 17 and 20 |
| | Variation 12°20' East |
| 28.00 | Drain Runs N.W |
| 40.00 | Set temporary Quarter Section Corner |
| 79.70 | Intersected the N and S line 14 lks South of the Corner |



Township 4 N. Range 7 & 6th P. M.

| Chains | |
|---|---|
| | to Sections 16.17.20.21 From which corner I run West on a true line between Sections 17 and 20 |
| | Variation 12.26' East |
| 39.85 | Set Limestone 18 in Long. 10 in wide and 3 in thick for Quarter Sec Corner |
| 79.70 | The corner to Sec 17.18.19.20 |
| | Land rolling Prairie Soil 2nd Rate |
| | West on a random line between Sections 18 and 19 |
| | Variation 12°20' East |
| 37.00 | Drain runs N.W |
| 40.00 | Set temporary Quarter Sec corner |
| 77.06 | Intersected the West Boundary of the Township 40 lks North of the corner to Sec 18 and 19 From which corner I run East on a true line between Sections 18 and 19 |
| | Variation 12°37' East |

Township 4 N. Range 7 E 6th P.M.

40/130

Chains

39.06 Set Limestone 15 in Long. 14 in wide and 3 in thick for Quarter Section Corner.

79.06 The corner to Sections 17.18.19.20

Land rolling Prairie Soil 2nd Rate

North between Sec 17 and 18

Variation 12° 20' East

39.00 Stream 5 lks wide runs N. W

40.00 Set Limestone 16 in Long. 12 in wide and 3 in thick for Quarter Section Corner

80.00 Set Limestone 16 in Long. 12 in wide and 5 in thick for Corner to Sections 7.8.17.18

Land rolling Prairie Soil 2nd Rate

East on a random line between Sections 8 and 17

Variation 12° 20' East

27.00 Ravine runs North

40.00 Set temporary Quarter sec. corner

61.00 Drain runs N. W



Township 4 N. Range 7 E 6th P.M.

41/131

Chains

79.60 Intersected the N and S line 4 lks South of the corner to Sections 8.9.16.17. From which corner I run West on a true line between Sections 8 & 17

Variation 12° 22' East

39.80 Set Quartz Rock 11 in Long. 10 in wide and 7 in thick for Quarter Section Corner

79.60 The corner to Sec 7.8.17.18

Land rolling Prairie Soil 3rd Rate

West on a random line between Sections 7 and 18

Variation 12° 20' East

40.00 Set temporary Quarter Sec corner

57.00 Stream 20 lks wide runs S. W

78.97 Intersected the West boundary of the Township 30 lks North of the Corner to Sec 7 and 18

From which corner I run East on a true line

Township 4 N. Range 7 E 6th P.M.

| Chains | |
|---|---|
| | between sections 7 and 18 |
| | Variation 12°33' East |
| 38.97 | Drove a charred stake and set a Burr Oak Post, and raised a mound as per instructions for Quarter Section Corner |
| 78.97 | The corner to Sec. 7.8.17.18 |
| | Land rolling Praire Soil 2nd Rate |
| | June 5th 1857 |
| | North between sections 7 and 8 |
| | Variation 12°20' East |
| 36.50 | Leave Praire and enter timber bearing N. E and S. W |
| 37.00 | Stream 10 lks wide runs S. W |
| 40.00 | Set Hackberry Post for Quarter section corner. From which A Hackberry 15 in dia Bears N 76° W 36 lks dist A. Pin Oak 16 in dia Bears N 87° E 38 lks dist |
| 58.00 | Stream 5 lks wide runs S. W |
| 61.00 | Same Stream 5 lks wide runs S. E |
| 63.00 | Same Stream 8 lks wide runs S. W |



Township 4 N. Range 7 E 6th P.M.

| Chains | |
|---|---|
| 65.00 | Same Stream 10 lks wide runs S. E |
| 67.00 | Leave timber and enter Praire Bearing N. W and S. E |
| 80.00 | Set Quarty Stone 14 in Long. 10 in wide and 8 in thick for Corner to sections 5.6.7.8 |
| | Land rolling Soil 2nd Rate |
| | Timber Oak, Hackberry, Elm and Hickory. Under growth Same and vines |
| | East on a random line between sections 5 and 8 |
| | Variation 12.20' East |
| 40.00 | Set temporary Quarter sec corner |
| 78.00 | Enter timber bearing N. E and S. W |
| 79.75 | Intersected the N and S line 15 lks South of the corner to sec 4.5.8.9. From which corner I run West on a true line between sections 5 and 8 |
| | Variation 12°26' East |

Chains

39.87 Drove charred stake, and set an Ash Post and raised a mound as per instructions per Quarter Sec Corner

79.75 The corner to Sec 5, 6, 7, 8
Land rolling. Soil 2nd Rate
Timber Oak. Elm, Walnut and Hackberry.

---

West on a random line between Sections 6 and 7
Variation 12°20' East

9.00 Stream 5 lks wide runs S. E

40.00 Set temporary Quarter Sec Corner

78.82 Intersected the West boundary of the Township 12 lks North of the corner to Sec 6 and 7
Thence which corner I run East on a true line between Sections 6 and 7
Variation 12°25' East



Chains

38.82 Drove a charred stake, and set a post and Raised a mound as per instructions for Quarter Section Corner

78.82 The corner to Sections 5, 6, 7, 8
Land rolling Prairie Soil 2nd Rate

---

North between Sec 5 and 6
Variation 12°20' East

6.00 Enter timber Bearing N. E and S. W

24.00 Enter Prairie Bearing N. E and S. W

4.00 Set Quarty Rock 11 in Long, 10 in wide and 8 in thick for Quarter Sec corner

79.25 Set Quarty Rock 12 in Long, 11 in wide and 10 in thick for corner to Fractional Sections 5 and 6, at intersection with the 1st Standard parallel North 19.30 chs West of the corner to Sec 31 and 32, T 5 N. R 7 E
Land rolling Soil 2nd Rate
Timber Oak. Elm. Walnut and Hackberry

June 6th 1857

44/134 C

Chai

39.

77

46/136 Township 4 N. Range 7 E 6th P. Md.

## General Description

The land in this township is generally 2nd Rate. Mostly High rolling Prairie - Timber chiefly Elm Oak. Walnut and Hickory. Water is scarce. Streams nearly all dry. Stone is very scarce no good quarries discovered. No settlement in the Township

List of Names

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the foregoing field notes of Township No 4 North of the Base line of Range No 7 East of the 6th Principal Meridian, showing the respective capacities in which they acted

| | |
|---|---|
| James Butcher | Chainman |
| Nelson McCollum | Chainman |
| David McCollum | Flagman |
| A. C. Richey | Axeman |
| Monroe, M. Caldwell | Compassman |

# General Land Office • Original Field Notes

## Book Number

# 77

---

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.