General Land Office • Original Field Notes

Book Number

78

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

1 Copied M. Mullen

a

t. L. Platted ~~made~~ & comp. C.P.R.

Vol. 2 R. 7 E.

Contract No. 168

Field Notes
of the
Subdivision lines
in
Township No. 5 North
of
Range No. 7 East of
the 6th Principal
Meridian.
In the Territory of Nebraska
By
James D. White
Deputy Surveyor
Under his Contract
No 168. Bearing date
November 12th 1856

Commenced July 11th 1857.
Completed July 20th 1857-

Names and duties
of Assistants

John J. Smith Chainman
Lyman M. Sawyer Chainman
Wm. F. Mann Flagman
Henry E. Roberts Axeman

Township 5 North Range 7 East 6th P. M.



Field Notes of the Subdivision Lines in Township No. 5 North, of Range No. 7 East of 6th Principal Meridian..

Chains To determine the proper adjustment of my Transit for Subdividing this Township, I commence at the Corner to Townships 4 and 5 North, Ranges 7 and 8 East, and run North on a Blank Line along the East Boundary of Section 36.-

Variation 11°45'E.

40.05 To a Point 17 links West of Quarter Section corner..-

80.00 To a Point 35 links West of Corner to Sections 35 and 36..-

To retrace this line or run Parallel thereto, my Transit must be adjusted to a Variation of 11°30'E.

Subdivision commenced July 11th 1857.-

Township 5 N. Range 7 E of 6th Principal Meridian.

Chains.	
	From the corner to Sections 35 and 36, on the South Boundary of the Township, I run
	North between Sections 35 and 36. Variation 11° 30' E.
40.00	Set a Boulder 20 in long, 11 in wide and 7 in Thick for Quarter Section corner.-
80.00	Set a Boulder 20 in long, 8 in wide and 7 in Thick for Corner to Sections 25, 26, 35 and 36.
	Land - Broken Soil 2nd Rate.-
	East on a Random Line between Sections 25 and 36.- Variation 11° 30' E.-
40.00	Set a Stake for Temporary Quarter Section corner.
80.20	Intersected East Boundary

Township 5 N. Range 7 E of 6th Principal Meridian

Chains.	
	30 links North of corner to Sections 25 and 36.- from which corner I run
	West on a True Line between Sections 25 and 36.- Variation 11° 17' E.-
40.10	Set a Boulder 11 in long 9 in wide and 8 in Thick for Quarter Section corner.-
80.20	The corner to Sections 25, 26, 35 and 36.-
	Land - Broken. Soil - 2nd Rate.
	North between Sections 25 and 26. Variation 11° 30° E.
40.00	Set a Boulder 20 in long, 9 in wide and 8 in Thick for Quarter Section corner.
80.00	Set a Boulder 20 in long, 8 in wide, and 5 in Thick for Corner to Sections 23, 24, 25 and 26.

Township 5 N. Range 2 E of 6th Principal Meridian.

Chains.	Sand - Rolling. Soil - 2nd Rate.
	East on a Random Line between Sections 24 and 25. Variation 11° 30' E. -
40.00	Set a Stake for Temporary Quarter Section corner. -
80.22	Intersected East Boundary 10 links North of Corner To Sections 24 and 25. - from which corner I run West on a True Line between Sections 24 and 25. - Variation 11° 26' E.
40.11	Set a Boulder 20 in long, 2 in wide and 4 in thick for Quarter Section corner.
80.22	The corner To Sections 23, 24, 25 and 26. -
	Sand - Rolling. Soil - 2nd Rate.

Township 5 N. Range 2 E of 6th Principal Meridian.

Chains.	North between Sections 23 and 24. Variation 11° 30' E.
38.50	A creek 5 links wide - Runs S. W.
40.00	Set a Boulder 12 in long, 9 in wide and 2 in thick for Quarter Section corner.
80.00	Set a Boulder 14 in long 10 in wide and 8 in thick for Corner To Sections 13, 14, 23 and 24. -
	Sand - Level. Soil 2nd Rate.
	East on a Random Line between Sections 13 and 24. - Variation 11° 30' E
40.00	Set a Stake for Temporary Quarter Section corner. -
79.80	Intersected East Boundary 20 links North of corner To Sections 13 and 24. - from which corner I run

Township 5 N. Range 7 E. of 6th Principal Meridian.

Chains. West on a True line between Sections 13 and 24.

Variation 11° 21' E.

39.90 Set a Boulder 14 in long, 12 in wide and 7 in Thick, for Quarter Section corner.-

79.80 The Corner to Sections 13, 14, 23 and 24.-

Land- Level. Soil- 2nd Rate.

North between Sections 13 and 14.

Variation 11° 15' E.

40.00 Set a Boulder 10 in long 10 in wide and 8 in Thick for Quarter Section corner.-

80.00 Set a Boulder 14 in long 12 in wide and 6 in Thick for Corner to Sections 11, 12, 13 and 14.-

Land- Level. Soil 2nd Rate

Township 5 N. Range 7 E of 6th Principal Meridian.

East on a Random Line between Sections 12 and 13.

Variation 11° 30' E.

40.00 Set a Stake for Temporary Quarter Section corner.

79.82 Intersected East Boundary at corner to Sections 12 and 13.- from which Corner I run

West on a True line between Sections 12 and 13.-

Variation 11° 30' E.-

39.91 Set a Boulder 11 in long, 9 in wide, and 7 in Thick for Quarter Section corner.

79.82 The Corner to Sections 11, 12, 13 and 14.-

Land- Level. Soil 2nd Rate.

North between Sections 11 and 12.

Variation 11° 15' E.

Tow Township 5 N. Range 7 E of 6th Principal Meridia

40.00 Set a Boulder 12 in long, 10 in wide and 6 in thick for quarter section corner.-

80.00 Set a Boulder 14 in long 12 in wide and 6 in thick for corner to sections 1, 2, 11 and 12.

Sand - High rolling. Soil - 2nd Rate.

East on a Random Line between sections 1 and 12.- Variation 11° 45' E.-

40.00 Set a Stake for temporary quarter section corner.-

80.10 Intersected East Boundary 10 links South of corner to sections 1 and 12.- from which corner I run

West on a True line between sections 1 and 12.- Variation 11° 49' E.

40.05 Set a Boulder 14 in long

ship 5 N. Range 7 E of 6th Principal Meridian.

Chains. 10 in wide and 5 in thick for quarter section corner.-

80.10 The corner to sections 1, 2, 11 and 12.-

Sand - Level. Soil 2nd Rate.-

North on a Random Line between sections 1 and 2. Variation 11° 30' E.

40.00 Set a Stake for temporary quarter section corner.

81.57 Intersected North Boundary 25 links East of corner to sections 1 and 2.- from which corner I run

South on a True Line between sections 1 and 2. Variation 11° 41' E.

41.57 Set a Boulder 14 in long 10 in wide and 8 in thick, for quarter section corner.

Township 5 N. Range 2 E of 6th Principal Meridian.

Chains	
81.52	The corner to Sections 1, 2, 11 and 12. Land - Level. Soil 2nd Rate July 13th 1852.
	North between Sections 34 and 35. Variation 11° 30' E.
40.00	Set a Boulder 12 in long 10 in wide and 10 in thick for Quarter Section corner.
22.00	Enter Scattering Timber. Bears E. & W.
28.25	A Brook 15 links wide. Runs W.
80.00	Set a Limestone 18 in long 8 in wide and 4 in thick with French, as per instructions, for corner to Sections 26, 27, 34 and 35. From which corner an Elm 36 in. in diameter Bears S. 10° E. 25 links dist. A Hackberry 15 in. in diam.

Township 5 N. Range 2 E of 6th Principal Meridian.

Chains	
	Bears N. 15° W. 30 links dist. No other tree convenient. Land - Rolling. Soil 2nd Rate. Timber - Mostly Elm. - few Hackberry Underbrush - Same and Plum.
	East on a Random Line Between Sections 26 and 35 Variation 11° 30' E. -
1.50	A Brook 10 links wide. Runs S. W. and Leave Timber, and Enter Prairie. Bearing N E and S. W.
40.00	Set a Stake for Temporary Quarter Section Corner. -
80.02	Intersected North and South Line 11 links N of corner to Sections 25, 26, 35 and 36. From which corner I run
	West on a True line

Township 5 N. Range 8 E of 6th Principal Meridian

Chains	
	Between Sections 26 and 35.
	Variation 11° 25' E.
40.03	Set a Boulder 13 in long 10 in wide and 10 in Thick for Quarter Section Corner.
80.07	The corner to Sections 26, 27, 34 and 35.-
	Land - Broken. Soil 2nd Rate.
	Timber - Elm and Blackberry.
	Underbrush - Plum.
	North between Sections 26 and 27.
	Variation 11° 30' E.
.50	A Creek 10 links wide. Runs S.E.
5.50	Same Creek 12 links wide. Runs S.W.
11.00	Same Creek 14 links wide. Runs S.E.
19.00	Same Creek, 13 links wide. Runs S.W.
20.00	Leave Timber and Underbrush
40.00	Set a Boulder 16 in long, 12 in wide and 10 in Thick for Quarter Section Corner.-

Township 5 N. Range 7 E of 6th Principal Meridian.

Chains	
80.00	Set a Boulder 17 in long 11 in wide and 9 in Thick for Corner to Sections 22, 23, 26 and 27.-
	Land - Broken and Gravelly. Soil 3rd Rate.
	Timber - Elm and Blackberry
	Underbrush - Plum and Hazel.-
	East on a Random Line
	Between Sections 23 and 26.-
	Variation. 11° 30' E.-
40.00	Set a Stake for Temporary Quarter Section Corner.-
56.00	A Brook, 10 links wide - Runs S.W.
80.30	Intersected North and South Line 10 links South of Corner to Sections 23, 24, 25 and 26.-
	From which Corner I run West on a True line between Sections 23 and 26.-

Township 5 N. Range 7 E of 6th Principal Meridian.

Variation 11° 34' E

Chains

40.15 Set a Boulder 15 in long, 8 in wide and 6 in Thick for Quarter Section corner.-

80.30 The corner To Sections 22, 23, 26 and 27.

Land Rolling. Soil 2nd Rate.

North Between Sections 22 and 23.-

Variation 11° 15' E.-

40.00 Set a Boulder 12 in long 12 in wide and 8 in Thick for Quarter Section corner.-

80.00 Set a Boulder 15 in long, 12 in wide and 8 in Thick for Corner To Sections 14, 15, 22 and 23.-

Land, Broken. Soil 2nd Rate.

East on a Random Line Between Sections 14 and 23.-

Variation 11° 15' E.-

Township 5 N. Range 7 E. of 6th Principal Meridian.

Chains

40.00 Set a Stake for Temporary Quarter Section corner.-

80.15 Intersected. North and South Line 14 links North of Corner To Sections 13, 14, 23 and 24.-

From which corner I run West on a True line Between Sections 14 and 23.-

Variation 11° 9' E.-

40.07 Set a Boulder 15 in long 11 in wide and 7 in Thick for Quarter Section Corner.-

80.15 The corner To Sections 14, 15, 22, and 23.-

Land Rolling. Soil 2nd Rate.

North between Sections 14 and 15.

Variation 11° 20' E.-

Township 5 N. Range 7 E. of 6th Principal Meridian.

Chains

40.00 Set a Boulder 12 in long 11 in wide and 9 in Thick for Quarter Section Corner.-

80.00 Set a Boulder 16 in long, 10 in wide and 8 in Thick for Corner to Sections 10, 11, 14 and 15.-

Land- High Rolling. Soil 2nd Rate.

East on a Random Line Between Sections 11 and 14.- Variation 11° 15' E.-

40.00 Set a Stake for Temporary Quarter Section Corner.-

79.98 Intersected North and South line, 7 links South of Corner to Sections 11, 12, 13 and 14.-

From which Corner I run West on a True line.-

Township 5 N. Range 7 E of 6th Principal Meridian.

Chains Between Sections 11 and 14.- Variation 11° 18' E.-

39.99 Set a Boulder 14 in long, 11 in wide and 8 in Thick, for Quarter Section Corner.-

79.98 The Corner to Sections 10, 11, 14 and 15.- Land- Level. Soil- 2nd Rate.

North between Sections 10 and 11.- Variation 11° 15' E.

40.00 Set a Boulder 11 in long 11 in wide and 9 in Thick, for quarter Section Corner.-

80.00 Set a Boulder 15 in long, 10 in wide and 6 in Thick, for Corner to Sections 2, 3, 10 and 11.-

Land- Gently rolling. Soil- 2nd Rate.

East on a Random line between Sections 2 and 11.-

To Township 5 N. Range 2 E. 6th Principal Meridian

Chains. Variation 11° 15' E.

40.00 Set a Stake for Temporary Quarter Section Corner.-

79.85 Intersected North and South Line at corner to Sections 1, 2, 11 and 12.- from which corner I run West

West on a True line between Sections 2 and 11.-

Variation 11°15' E.

39.92 Set a Boulder 15 in long, 10 in wide and 8 in Thick for Quarter Section Corner.

79.85 The corner to Sections 2, 3, 10 and 11.-

Land- Rolling. Soil- 2nd Rate.

North on a Random line Between Sections 2 and 3.-

Variation 11° 30' E.

40.00 Set a Stake for Temporary

Township 5 N. Range 2 E of 6th Principal Meridian

Chains. quarter Section corner.

81.50 Intersected North Boundary 35 links East of Corner to Sections 2 and 3.- from which corner I run South on a True line. Between Sections 2 and 3.-

Variation 11° 45' E.

41.50 Set a Boulder 14 in long, 8 in wide and 6 in Thick for Quarter Section Corner.-

81.50 The corner to Sections 2, 3, 10 and 11.-

Land- Gently Rolling. Soil- 2nd Rate

July 14th, 1857.-

North Between Sections 33 and 34.

Variation 11° 30' E.-

40.00 Set a Boulder 30 in long 14 in wide and 10 in Thick for Quarter Section Corner.-

To Township 5 N. Range 7 E of 6th Principal Meridian

Chains.

80.00 Set a Boulder 25 in long, 15 in wide and 12 in Thick for Corner To Sections 27, 28, 33 and 34. Land - Rolling. Soil, 2nd Rate.

East on a Random Line between Sections 27 and 34.- Variation 11° 30' E.-

40.00 Set a Stake for Temporary Quarter Section Corner.-

78.30 Enter Underbrush, with some Scattering Timber on my right and left.-

79.90 Intersected North and South Line 15 links North of Corner To Sections 26, 27, 34 and 35.- From which Corner I run West on a True line.- Variation 11° 24' E.

39.95 Set a Boulder 18 in long,

Township 5 N. Range 7 E of 6th Principal Meridian.

Chains. 12 in wide, and 10 in Thick for Quarter Section Corner.-

79.90 The Corner To Sections 27, 28, 33 and 34. Land - Rolling. Soil, 2nd Rate.-

---

North between Sections 27 and 28.- Variation 11° 15' E.

40.00 Set a Boulder 18 in long 11 in wide and 10 in Thick for Quarter Section Corner.

80.00 Set a Boulder 15 in long, 12 in wide and 8 in Thick for Corner To Sections 21, 22, 27 and 28. Land - High Rolling - Soil 2nd Rate.

East on a Random line between Sections 22 and 27 Variation 11° 30' E.

40.00 Set a Stake for Temporary Quarter Section Corner.

79.60 Intersected North and South

Township 5 N. Range 2 E of 6th Principal Meridian

Chains	
	line at corner to Sections 22, 23, 26 and 27.- from which corner I run West on a True line between Sections 22 and 27.- Variation 11° 30' E.-
39.80	Set a Boulder 12 in long, 11 in wide and 9 in thick for quarter Section corner
79.60	The corner to Sections 21, 22, 27 and 28.-
	Land. Rolling. Soil 2nd Rate.

North between Sections 21 and 22. Variation 11° 15' E.

40.00	Set a Boulder 14 in long, 10 in wide and 8 in thick for quarter Section corner.-
80.00	Set a Boulder 16 in long 13 in wide and 10 in thick for corner to Sections

Township 5 N Range 2 E. of 6th Principal Meridian

Chains	
	15, 16, 21 and 22.- Land- Gently Rolling. Soil 2nd Rate.

East on a Random line Between Sections 15 and 22.- Variation 11° 30' E.-

40.00	Set a Stake for temporary quarter Section corner.-
79.72	Intersected North and South line 4 links North of corner to Sections 14, 15, 22 and 23.- from which corner I run

West on a True line Between Sections 15 and 22.- Variation 11° 28' E.-

39.86	Set a Boulder 12 in long 9 in wide and 8 in thick for quarter Section corner.
79.72	The corner to Sections 15, 16 21 and 22.-

Township 5 N. Range 2 E of 6th Principal Meridian

Chains.	Sand - Rolling. 2nd Rate Soil.
	North between Sections 15 and 16. Variation 11° 15' E
40.00	Set a Boulder 14 in long, 10 in wide and 2 in Thick, for quarter Section corner.
80.00	Set a Boulder 15 in long, 12 in wide and 8 in Thick, for Corner to Sections 9, 10, 15 and 16.-
	Sand - Rolling. Soil - 2nd Rate.
	East on a Random line Between Sections 10 and 15. Variation 11° 30' E.
40.00	Set a Stake for Temporary Quarter Section Corner.
79.80	Intersected North and South Line 11 links North of Corner to Sections 10, 11,

Township 5 N. Range 2 E of 6th Principal Meridian.

Chains	14 and 15.- From which Corner, I run West on a True line between Sections 10 and 15.- Variation 11° 25' E.-
39.90	Set a Boulder 12 in long, 10 in wide and 9 in Thick for quarter Section corner.-
79.80	The corner to Sections 9, 10, 15 and 16.-
	Sand - Gently rolling. Soil - 2nd Rate.
	North between Sections 9 and 10.- Variation 11° 15' E.
40.00	Set a Boulder 12 in long, 9 in wide and 8 in Thick for Quarter Section corner.-
80.00	Set a Boulder 13 in long, 10 in wide and 6 in Thick for corner to Sections 3, 4, 9 and 10.-

Township 5 N. Range 2 E. of 6th Principal Meridian.

Chains.	Sand - Rolling. Soil 2nd Rate.
	East on a Random line Between Sections 3 and 10. Variation 11° 30' E.-
40.00	Set a Stake for Temporary Quarter Section Corner.-
79.25	Interseated North and South line 21 links South of Corner To Sections 2, 3, 10 and 11- From which Corner I run West on a True line between Sections 3 and 10.- Variation 11° 39' E.-
39.82	Set a Boulder 13 in long 10 in wide and 10 in Thick for Quarter Section Corner.-
79.25	The Corner To Sections 3, 4, 9 and 10.-
	Sand - Rolling. Soil 2nd Rate.

Township 5 N. Range 2 E of 6th Principal Meridian.

Chains	North on a Random Line between Sections 3 and 4.- Variation 11° 30' E.
40.00	Set a Stake for Temporary Quarter Section Corner.-
81.00	Interseated North Boundary 28 links East of Corner To Sections 3 and 4.- from which Corner I run South on a True line Between Sections 3 and 4.- Variation 11° 41' E.-
41.00	Set a Boulder 12 in long 10 in wide and 8 in Thick for Quarter Section Corner.-
81.00	The Corner To Sections 3, 4, 9 and 10.-
	Sand - Rolling. Soil 3rd Rate.
	July 15th 1857.-

Township 5 N. Range 7 E. of 6th Principal Meridian

Chains. North between Sections 32 and 33.-
Variation 11° 30' E.

40.00 Set a Boulder 18 in long. 18 in wide and 10 in Thick, for Quarter Section Corner.

80.00 Set a Boulder 14 in long 12 in wide and 4 in Thick for Corner To Sections 28, 29 32 and 33.-

Land- High rolling prairie. Soil- 2nd Rate

East on a Random Line between Sections 28 and 33.-
Variation 11° 30' E.

40.00 Set a Stake for Temporary Quarter Section Corner.-

80.16 Intersected North and South Line 10 links North of Corner To Sections 27, 28, 33 and 34.- From which Corner I run

Township 5 N. Range 7 E of 6th Principal Meridian

Chains. West on a True line Between Sections 28 and 33.
Variation 11° 26' E.

40.08 Set a Boulder 14 in long 12 in wide and 4 in Thick, for Quarter Section Corner.

80.16 The Corner To Sections 28, 29, 32 and 33.-

Land- Rolling. Soil 2nd Rate.

North between Sections 28 and 29.
Variation 11° 15' E.

40.00 Set a Boulder 12 in long 12 in wide and 8 in Thick for Quarter Section Corner.-

80.00 Set a Boulder 14 in long 12 in wide and 8 in Thick for Corner To Sections 20, 21, 28 and 29.-

Township 5 N. Range 7 E of 6th Principal Meridian

Chains	Sand - Rolling. 2nd Rate. -
	East on a Random line between Sections 21 and 28. - Variation, 11° 30' E.
40.00	Set a Stake for Temporary Quarter Section Corner. -
80.25	Intersected North and South line 15 links North of corner to Sections 21, 22, 27 and 28. - From which corner I run West on a True line between Sections 21 and 28. - Variation 11° 24' E. -
40.12	Set a Boulder 14 in long 10 in wide and 5 in Thick, for quarter Section corner. -
80.25	The corner to Sections 20, 21, 28 and 29. -
	Sand - Rolling. Soil - 2nd Rate.

Township 5 N. Range 7 E. of 6th Principal Meridian.

Chains	North Between Sections 20 and 21. Variation 11° 15' E.
40.00	Set a Boulder 14 in long 10 in wide and 8 in Thick for Quarter Section Corner.
80.00	Set a Boulder 15 in long 10 in wide and 7 in Thick for Corner to Sections 16, 17, 20 and 21. -
	Sand - Broken. Soil - 2nd Rate.

East on a Random line Between Sections 16 and 21. Variation 11° 30' E.

40.00 Set a Stake for Temporary Quarter Section Corner. -

80.30 Intersected North and South line at corner to Sections 15, 16, 21 and 22. - From which corner I run West on a True line between

Township 5 N. Range 2 E. of 6th Principal Meridian

Chains	
	Sections 16 and 21.–
	Variation 11° 30' E.
40.15	Set a Boulder 15 in long 14 in wide and 3 in Thick for Quarter Section Corner.–
80.30	The corner to Sections 16, 17, 20 and 21.–
	Land– Broken. Soil– 2nd Rate.

North between Sections 16 and 17.–
Variation 11° 15' E.–

40.00	Set a Boulder 16 in long 13 in wide and 3 in Thick for Quarter Section Corner.–
80.00	Set a Boulder 18 in long, 15 in wide and 8 in Thick for Corner to Sections 8, 9, 16 and 17.–
	Land– Level. Soil– 2nd Rate.–

Township 5 N. Range 2 E of 6th Principal Meridian.

Chains	
	East on a Random Line between Sections 9 and 16.–
	Variation 11° 30' E.
40.00	Set a Stake for Temporary Quarter Section Corner.–
80.20	Intersected North and South Line, 12 links North of Corner to Sections 9, 10, 15 and 16.– From which corner I run

West on a True line, between Sections 9 and 16.–
Variation, 11° 23' E.

40.10	Set a Boulder 14 in long 14 in wide and 6 in Thick for Quarter Section Corner.–
80.20	The corner to Sections 8, 9, 16 and 17.–
	Land– Rolling. Soil– 2nd Rate.

Township 5 N. Range 2 E. of 6th Principal Meridian.

Chains.	
	North between Sections 8 and 9.-
	Variation 11° 15' E.-
40.00	Set a Boulder 12 in long 10 in wide and 6 in Thick for Quarter Section Corner.
80.00	Set a Boulder 15 in long 13 in wide and 8 in Thick for Corner to Sections 4, 5, 8 and 9.
	Land - Rolling. Soil 2nd Rate.

East on a Random Line between Sections 4 and 9.-
Variation 11° 30' E.-

40.00	Set a Stake for Temporary Quarter Section Corner.-
80.00	Intersected North and South Line 9 links South of Corner to Sections 3, 4, 9 and 10. From which corner I run

West on a True line between Sections 4 and 9.-

Township 5 N. Range 2 E. of 6th Principal Meridian.

Chains.	
	Variation 11°34' E.-
40.00	Set a Boulder 14 in long, 9 in wide and 9 in Thick, for Quarter Section Corner.
80.00	The Corner to Sections 4, 5, 8 and 9.-
	Land - Broken. Soil - 2nd Rate.

North on a Random Line Between Sections 4 and 5.-
Variation 11° 30' E.

40.00	Set a Stake for Temporary Quarter Section Corner.-
81.39	Intersected North Boundary 20 links East of Corner to Sections 4 and 5.- From which corner I run

South on a True Line between Sections 4 and 5.-
Variation 11° 39' E.

41.39	Set a Boulder 16 in long

Chains	
	12 in wide and 3 in Thick, for Quarter Section Corner
81.39	The Corner To Sections 4, 5, 8 and 9.- Land - Rolling. Soil - 2nd Rate. July 16th, 1857.-

North between Sections 31 and 32.-
Variation 11° 30' E.-

40.00	Set a Boulder 14 in long 12 in wide and 8 in Thick, for Quarter Section Corner.-
80.00	Set a Boulder 14 in long, 10 in wide and 8 in Thick for Corner To Sections 29, 30 31 and 32.-

Land - Rolling. Soil 2nd Rate.

East on a Random Line between Sections 29 and 32.-
Variation 11° 30' E.-

40.00	Set a Stake for Temporary

Chains.	
	Quarter Section Corner.-
79.75	Intersected North and South line 11 links North of Corner To Sections 28, 29, 32 and 33.- From which Corner I run

West on a True line between Sections 29 and 32.-
Variation 11° 25' E.-

39.87	Set a Boulder 12 in long, 8 in wide and 8 in Thick, for Quarter Section Corner.
79.75	The Corner To Sections 29, 30, 31 and 32.-

Land - Level. Soil - 2nd Rate.

West on a Random line between Sections 30 and 31.-
Variation 11° 30' E.-

10.00	Enter Timber - Bearing N E and S. W.
15.00	A Brook, 12 links wide. Runs S. W.

Township 5 N. Range 7 E of 6th Principal Meridian.

Chains.	
24.50	Leave Timber Bears N.E. & S.W.
80.90	Intersected West Boundary 20 links North of corner to Sections 30 and 31.- from which corner I run
	East on a True line between Sections 30 and 31.- Variation 11° 39 E.-
40.90	Set a Boulder 10 in long, 9 in wide and 8 in thick, for Quarter Section corner.-
80.90	The corner to Sections 29. 30, 31 and 32.
	Land - Rolling. Soil 2nd Rate.
	Timber, Burr Oak, Hickory and Elm.-
	Underbrush - Same.-

Township 5 N. Range 7 E. of 6th Principal Meridian.

Chains	
	North between Sections 29 and 30.- Variation 11° 15' E.-
20.00	A Brook 10 links wide. Runs S.W.
40.00	Set a Boulder 14 in long 10 in wide and 8 in thick for Quarter Section corner.-
80.00	Set a Boulder 15 in long, 12 in wide and 10 in thick for corner to Sections 19, 20, 29 and 30.-
	Land - Rolling. Soil - 2nd Rate.

	East on a Random line Between Sections 20 and 29. Variation 11° 30' E.
22.00	A Brook 12 links wide. Runs S.W.
40.00	Set a Stake for Temporary Quarter Section corner.
80.09	Intersected North and South Line 1½ links North of corner to Sections 20, 21, 28 and 29.

Township 5 N. Range 2 E of 6th Principal Meridian.

Chains	
	From which Corner I run West on a True line between Sections 20 and 29.— Variation 11° 23° E.—
40.04	Set a Boulder 14 in long 12 in wide and 8 in Thick, for Quarter Section Corner.—
80.09	The Corner To Sections 19, 20, 29 and 30.—
	Land— Rolling. Soil— 2nd Rate.

	West on a Random Line between Sections 19 and 30. Variation 11° 30' E.
40.00	Set a Stake for Temporary Quarter Section Corner.—
80.50	Intersected West Boundary 10 links South of Corner To Sections 19 and 30— From which Corner I run East on a True line between

Township 5 N. Range 2 E. of 6th Principal Meridian.

Chains	
	Sections 19 and 30.— Variation 11° 26' E.—
40.50	Set a Boulder 13 in long 10 in wide and 8 in Thick, for Quarter Section Corner.—
80.50	The Corner To Sections 19, 20, 29 and 30.—
	Land— Rolling. Soil 2nd Rate.

	North between Sections 19 and 20.— Variation 11° 15' E.—
40.00	Set a Boulder 14 in long 12 in wide and 8 in Thick for Quarter Section Corner.—
80.00	Set a Boulder 15 in long, 11 in wide and 7 in Thick for Corner To Sections 17, 18, 19 and 20.
	Land— Rolling. Soil— 2nd Rate.

	East on a Random line between Sections 17 and 20.—

Township 5 N. Range 2 E. of 6th Principal Meridian

Variation 11° 30' E.

Chains.	
40.00	Set a Stake for Temporary Quarter Section Corner.
52.50	A Brook 10 Links wide. Runs S.W.
79.98	Intersected North and South line 10 links North of corner To Sections 16, 17, 20 and 21.- From which corner I run West on a True line between Sections 17 and 20.-

Variation 11°26' E.-

39.99	Set a Boulder 14 in long, 8 in wide and 8 in Thick, for Quarter Section corner.
79.98	The corner To Sections 17, 18, 19 and 20.

Sand - Rolling. Soil - 2nd Rate.

West on a Random Line between Sections 18 and 19.-

Variation, 11° 30' E.

Township 5 N. Range 2 E. of 6th Principal Meridian.

Chains	
40.00	Set a Stake for Temporary Quarter Section corner.-
80.80	Intersected West Boundary 16 Links North of corner.- from which corner I run East on a True line between Sections 18 and 19.-

Variation 11° 32' E.

40.80	Set a Boulder 15 in long 12 in wide and 12 in Thick for Quarter Section corner.
80.80	The corner To Sections 17, 18, 19 and 20.

Sand - Rolling. Soil 2nd Rate.

July 19th, 1857.-

North between Sections 17 and 18.

Variation 11° 15' E.

40.00	Set a Boulder 14 in long, 12 in wide and 10 in Thick. for Quarter Section corner.
80.00	Set a Boulder 15 in long 12 in

Township 5 N. Range 7 E. of 6th Principal Meridian

Chains. wide and 10 in thick for
Corner to Sections 7, 8, 17 and 18.
Land - Gently rolling. Soil - 2nd Rate.

East on a Random line between
Sections 8 and 17. -
Variation 11° 30' E. -
40.00 Set a Stake for Temporary
Quarter Section Corner. -
79.70 Intersected North and South
Line 21 links South of Corner
To Sections 8, 9, 16 and 17. -
From which Corner I run
West on a True line between
Sections 8 and 17. -
Variation 11° 39' E. -
39.85 Set a Boulder 14 in long, 10 in
wide and 8 in thick, for
Quarter Section Corner. -
79.70 The Corner to Sections 7, 8, 17 and 18.
Land - Rolling. Soil - 2nd Rate.

Township 5 N. Range 7 E. of 6th Principal Meridian.

Chains. West on a Random Line
Between Sections 7 and 18.
Variation 11° 30' E.
40.00 Set a Stake for Temporary
Quarter Section Corner.
81.00 Intersected West Boundary
35 links North of Corner
To Sections 7 and 18. - From
which Corner I run
East on a True line between
Sections 7 and 18. -
Variation 11° 45' E. -
41.00 Set a Boulder 13 in long
10 in wide and 8 in thick,
for Quarter Section Corner. -
81.00 The Corner to Sections 7, 8,
17 and 18. -
Land - Broken. Soil 2nd Rate.

North between Sections 7 and 8. -
Variation 11° 30' E.

Township 5 N. Range 7 E. of 6th Principal Meridian.

Chains.	
40.00	Set a Boulder 13 in long 10 in wide and 8 in Thick for Quarter Section corner.
80.00	Set a Boulder 14 in long, 9 in wide and 6 in Thick for Corner To Sections 5, 6, 7 and 8.-
	Land - Rolling. Soil 2nd Rate.
	East on a Random Line between Sections 5 and 8.- Variation 11° 30' E.-
40.00	Set a Stake for Temporary Quarter Section Corner.-
79.80	Intersected North and South Line 20 Links North of Corner To Sections 4, 5, 8 and 9. From which corner I run West on a True line between Sections 5 and 8.-

Township 5 N. Range 7 E. of 6th Principal Meridian.

Chains.	
	Variation 11° 21' E.
39.90	Set a Boulder 15 in long 10 in wide and 6 in Thick, for Quarter Section Corner.-
79.80	The Corner To Sections 5, 6, 7 and 8. Land - Rolling. Soil 2nd Rate.
	West on a Random Line between Sections 6 and 7.- Variation 11° 30' E.-
40.00	Set a Stake for Temporary Quarter Section corner.-
81.10	Intersected West Boundary 4 links South of Corner To Sections 6 and 7.- From which corner I run East on a True line between Sections 6 and 7.- Variation 11° 28' E.
41.10	Set a Boulder 12 in long 10 in wide and 8 in Thick

Township 5 N. Range 7 E. of 6th Principal Meridian

Chains.	
	For Quarter Section Corner.
81.10	The corner to Sections 5, 6, 7 and 8.
	Sand - Rolling. Soil 2nd Rate.
	North on a Random Line between Sections 5 and 6 - Variation 11° 30' E.
40.00	Set a Stake for Temporary Quarter Section corner. -
80.25	Intersected North Boundary 20 links West of corner to Sections 5 and 6. - From which corner I run South on a True line between Sections 5 and 6. - Variation 11° 21' E.
40.25	Set a Boulder 12 in long, 10 in wide, and 10 in thick, for Quarter Section Corner.
80.25	The corner to Sections 5, 6, 7 and 8.
	Sand - Rolling. Soil 2nd Rate.

July 20th 1857. -

Township 5 N. Range 7 E of 6th Principal Meridian.

General Description. -

This Township contains but little first rate Land. Being high rolling Prairie. - Running Water is scarce. - No Stone except Boulders Timber is scarce and of an indifferent quality. -

List of Names -

A List of the Names of the individuals employed to assist in running measuring or marking the Lines and corners described in the foregoing field Notes of Township No. 5 North of Range No. 7 East of the 6th Principal Meridian showing the respective capacities in which

they acted

John T. Smith - Chairman

Lyman M. Sawyer - Chairman

Henry E. Roberts - Chairman

William F. Mann Flagman

the

Exd

Copied McMullan, 2 Platted

Contract No. 168

Field Notes
of the
Subdivision Lines in
Township No. 6, N.
Range No. 7 E. of
6th Principal Meridian.
In the
Territory of Nebraska-
by
James D. White, Deputy Surveyor.

Under his Contract No. 168
Bearing Date, November 12th, 1856.

Commenced, July 22nd, 1857.
Completed, July 26th, 1857.

Exd Sept 8th 1857
Correct — Vanzandt
D. S. made & compared Exd
C.P.R.

Township 6 N. Range 7 E of 6th Principal Merid.

Names and Duties
of Assistants: —

John J. Smith,
Cyman M. Sawyer, } Chainmen.

William S. Mann, Flagman.

Henry E. Roberts, Axeman.

James D. White, Compassman.

Township 6 N Range 7 E 6th P. M.



Field Notes of the Subdivision lines
In Township No. 6 N. Range No. 7
East, of 6th Principal Meridian.

Chains. To determine the proper
adjustment of my Transit
for Sub-dividing this
Township, I commence
at the Corner to Town-
ships 5 and 6 North, Ranges
7 and 8 E. and run
North on a Blank line along
the East Boundary of
Section 36.-
Variation 11° 30' E.

40.07 To Quarter Section Corner.-

80.13 To Corner to Sections 25 and 36.

To retrace this line or run
parallel thereto, my
Transit must be adjusted
to a Variation of 11° 30' E.-

Subdivision Commenced,
July 22nd, 1857.

From the Corner to Sections
35 and 36 on the South

Township 6 N. Range 7 E of 6th Principal Meridian

Chains.	
	Boundary of the Township. I run North between Sections 35 and 36. Variation 11° 30' E.-
40.00	Set a Boulder 14 in long 10 in wide and 8 in thick for Quarter Section corner.-
80.00	Set a Boulder 15 in long 8 in wide and 8 in thick, for corner to Sections 25, 26, 35 and 36.- Sand- Rolling. Soil 2nd Rate.
	East on a Random line between Sections 25 and 36. Variation 11° 30' E.
40.00	Set a Stake for Temporary Quarter Section corner.
80.20	Intersected East Boundary 14 links North of Corner to Sections 25 and 36.- from which corner I run

Township 6 N. Range 7 E. of 6th Principal Meridian.

Chains.	
	West on a true line between Sections 25 and 36.- Variation 11° 24' E.-
40.10	Set a Boulder 18 in long 12 in wide and 8 in thick, for Quarter Section corner.-
80.20	The corner to Sections 25, 26, 35 and 36.- Sand- Rolling. Soil- 2nd Rate.
	North between Sections 25 and 26. Variation 11° 30' E.-
32.00	A break 10 links wide- Runs E.
40.00	Set a Boulder 12 in long, 9 in. wide and 8 in thick for quarter Section corner.-
80.00	Set a Boulder 15 in long, 12 in wide and 9 in thick, for corner to Sections 23, 24, 25 and 26. Sand- Rolling. Soil 2nd Rate.

Township 6 N. Range 7 E of 6th Principal Meridian

Chains. East on a Random Line between Sections 24 and 25.-
Variation 11° 30' E.-

40.00 Set a Stake for Temporary Quarter Section Corner.-

80.30 Intersected East Boundary 11 links North of Corner to Sections 24 and 25.-
From which Corner I run
West on a True line between Sections 24 and 25.-
Variation 11°25' E.-

40.15 Set a Boulder 11 in long, 10 in wide and 6 in thick for Quarter Section Corner.-

80.30 The Corner to Sections 23, 24 25 and 26.-
Sand - Rolling. Soil 2nd Rate.

North between Sections 23 and 24.-
Variation 11.° 30'.E.

Township 6 N. Range 7 E of 6th Principal Meridian

Chains.
40.00 Set a Boulder 17 in long, 12 in wide and 8 in thick for Quarter Section Corner.-

80.00 Set a Boulder 14 in long 10 in wide and 10 in thick for Corner to Sections 13, 14, 23 and 24.
Sand - Rolling. Soil - 2nd Rate.

East on a Random line Between Sections 13 and 24.
Variation 12° E.-

40.00 Set a Stake for Temporary Quarter Section Corner.-

80.20 Intersected East Boundary 10 links South of Corner to Sections 13 and 24.-
From which Corner I run
West on a True Line Between Sections 13 and 24.
Variation 12°.4'.E.

40.10 Set a Boulder 12 in long, 8

Township 6 N. Range 7 E of 6th Principal Meridian

Chains	
	in wide and 8 in Thick for Quarter Section Corner..
80.20	The Corner To Sections 13, 14, 23 and 24.–
	Land – Rolling. Soil 2nd Rate.

North Between Sections 13 and 14.–
Variation 11° 30' E.

40.00	Set a Boulder 14 in long 11 in wide and 9 in Thick for Quarter Section Corner..
80.00	Set a Boulder 14 in long, 10 in wide and 8 in Thick, for Corner To Sections 11, 12, 13 and 14..
	Land – Rolling. Soil 2nd Rate.

East on a Random Line
Between Sections 12 and 13.–
Variation 12° E.–

40.00	Set a Stake for Temporary Quarter Section Corner.

Township 6 N. Range 7 E of 6th Principal Meridian.

Chains.	
80.40	Intersected East Boundary 18 links South of Corner To Sections 12 and 13.– From which Corner I run

West on a True Line
Between Sections 12 and 13.
Variation 12° 8' E.

40.20	Set a Boulder 13 in long 9 in wide and 6 in Thick for Quarter Section Corner.
80.40	The Corner To Sections 11, 12, 13 and 14.–
	Land – Very Broken. Soil 2nd Rate.

North between Sections 11 and 12.
Variation, 11° 20' E.

40.00	Set a Boulder 14 in long 10 in wide and 8 in Thick, for Quarter Section Corner.
80.00	Set a Boulder 14 in long

Township 6 N. Range 7 E of 6th Principal Meridian.

Chains.	
	10 in wide and 8 in Thick, for Corner To Sections 1, 2, 11 and 12. Land - Broken. Soil 2nd Rate.
	East on a Random line Between Sections 1 and 12. Variation, 12° 30' E.
30.00	A Brook 18 links wide - Runs S.E.
40.00	Set a Stake for Temporary Quarter Section Corner.
80.18	Intersected East Boundary at corner To Sections 1 and 12.— From which corner I run West on a True Line between Sections 1 and 12.- Variation, 12° 30' E.
40.09	Set a Boulder, 14 in long, 8 in wide and 8 in Thick, for Quarter Section Corner.
80.18	The corner To Sections

Township 6 N. Range 7 E of 6th Principal Meridian.

Chains.	
	1, 2, 11, and 12.- Land - Rolling. Soil 2nd Rate.
	North on a Random line between Sections 1 and 2.- Variation 11° 30' E.-
40.00	Set a Stake for Temporary Quarter Section corner.-
83.20	Intersected North Boundary 10 links west of corner To Sections 1 and 2.- From which corner I run South on a True line between Sections 1 and 2.- Variation 11° 26' E.-
43.20	Set a Boulder 13 in long 9 in wide and 8 in Thick for Quarter Section corner.
83.20	The corner To Sections 1, 2, 11 and 12.- Land - Rolling. Soil 2nd Rate. July 22nd, 1857.-

Township 6 N. Range 7 E of 6th Principal Meridian

Chains North between Sections 34 and 35.

Variation 11° 30' E.

40.00 Set a Boulder 12 in long, 8 in wide and 8 in Thick for Quarter Section corner.-

80.00 Set a Boulder 15 in long, 12 in wide and 5 in Thick for Corner to Sections 26, 27, 34 and 35.-

Land - Broken. Soil - 3rd Rate.

East on a Random Line Between Sections 26 and 35.

Variation 11° 30' E.

40.00 Set a Stake for Temporary Quarter Section Corner.-

80.00 Intersected North and South Line 20 links North of Corner to Sections 25, 26, 35 and 36.- From which Corner I run

Township 6 N. Range 7 E of 6th Principal Meridian.

Chains West on a True line between Sections 26 and 35.-

Variation 11° 21' E

40.00 Set a Boulder 13 in long, 10 in wide and 8 in Thick for Quarter Section Corner

80.00 The Corner to Sections 26, 27, 34 and 35.-

Land - Broken. Soil 3rd Rate.

North between Sections 26 and 27.-

Variation 11° 30' E.-

38.00 A Brook 10 links wide. Runs E.-

40.00 Set a Boulder 14 in long, 12 in wide and 6 in Thick, for Quarter Section Corner.

80.00 Set a Boulder, 15 in long, 10 in wide and 8 in Thick, for Corner to Sections 22, 23, 26 and 27.-

Township 6 N. Range 7 E of 6th Principal Meridian

Chains	
	Sand - Rolling. Soil 2nd Rate.
	East on a Random line between Sections 23 and 26.- Variation 11° 30' E.-
40.00	Set a Stake for Temporary Quarter Section Corner.-
80.10	Intersected North and South line at the Corner to Sections 23, 24, 25 and 26. From which Corner I run West on a True line Between Sections 23 and 26.- Variation 11° 30' E.-
40.05	Set a Boulder 15 in long, 11 in wide and 6 in thick, for Quarter Section Corner.-
80.10	The Corner to Sections 22, 23, 26 and 27.-
	Sand - Rolling. Soil 2nd Rate.

Township 6 N. Range 7 E of 6th Principal Meridian.

Chains	
	North Between Sections 22 and 23. Variation, 11° 30' E.
40.00	Set a Boulder 12 in long, 11 in wide and 9 in thick for Quarter Section Corner.
80.00	Set a Boulder 14 in long, 13 in wide and 10 in thick for Corner to Sections 14, 15, 22 and 23.-
	Sand - Broken. Soil 2nd Rate.-
	East on a Random line Between Sections 14 and 23.- Variation 11° 20' E.
40.00	Set a Stake for Temporary Quarter Section Corner.-
80.12	Intersected North and South line 16 links North of Corner to Sections 13, 14, 23 and 24. From which Corner I run

Township 6 N. Range 7 E of 6th Principal Meridian.

Chains. West on a True line between Sections 14 and 23.—
Variation 11° 13' E.—

40.06 Set a Boulder 15 in long 8 in wide and 8 in Thick for Quarter Section Corner.—

80.12 The corner to Sections 14, 15, 22 and 23.—
Land. Rolling. Soil 2nd Rate.

North between Sections 14 and 15.
Variation 11° 30' E.

40.00 Set a Boulder 12 in long, 10 in wide and 8 in Thick for Quarter Section Corner.

80.00 Set a Boulder 14 in long, 12 in wide and 10 in Thick for corner to Sections 10, 11, 14 and 15.—
Land. Rolling. Soil, 2nd Rate.

Township 6 N. Range 7 E of 6th Principal Meridian.

Chains East on a Random Line Between Sections 11 and 14.
Variation 11° 15' E.

40.00 Set a Stake for Temporary Quarter Section Corner.—

80.05 Intersected North and South line 7 links South of corner to Sections 11, 12, 13 and 14.—
from which corner I run West on a True Line between Sections 11 and 14.
Variation 11° 18' E.—

40.02 Set a Boulder 14 in long, 12 in wide and 6 in Thick for Quarter Section Corner.—

80.05 The corner to Sections 10, 11, 14 and 15.—
Land. Broken. Soil. 2nd Rate.

North between Sections 10 and 11.—
Variation 11° 20' E.

Township 6 N. Range 7 E of 6th Principal Meridian

Chains	
40.00	Set a Boulder 15 in long, 11 in wide and 4 in Thick, for Quarter Section corner.-
80.00	Set a Boulder 17 in long, 10 in wide and 5 in Thick for corner to Sections 2, 3, 10 and 11.- Land- Rolling. Soil, 2nd Rate.
	East on a Random Line Between Sections 2 and 11.- Variation 11° E.-
40.00	Set a Stake for Temporary Quarter Section corner.-
80.17	Intersected North and South Line 15 links North of Corner to Sections 1, 2, 11 and 12. From which corner I run West on a True line between Sections 2 and 11.-

Township 6 N. Range 7 E of 6th Principal Meridian.

Chains	
	Variation 10°54'E.
40.08	Set a Boulder 19 in long, 10 in wide and 5 in Thick for Quarter Section Corner.
80.17	The corner to Sections 2, 3, 10 and 11.- Land- Broken. Soil 3rd Rate.-
	North on a Random line Between Sections 2 and 3.- Variation 11° E.
40.00	Set a Stake for Temporary Quarter Section Corner.-
82.80	Intersected North Boundary 35 links West of Corner to Sections 2 and 3, From which corner I run South on a True line between Sections 2 and 3.- Variation 10°45'E.
42.80	Set a Boulder 15 in long 12

Township 6 N. Range 7 E of 6th Principal Meridian

Chains	
	in wide, and 4 in Thick for Quarter Section Corner.-
82.80	The corner To Sections 2, 3, 10 and 11. Land, Rolling. Soil 2nd Rate. July 28th 1857.-
	North Between Sections 33 and 34. Variation 11° 30' E.-
40.00	Set a Boulder 15 in long 12 in wide and 10 in Thick for Quarter Section Corner.-
80.00	Set a Boulder 13 in long 10 in wide and 9 in Thick for Corner To Sections 27, 28, 33 and 34.- Land, Broken. Soil 2nd Rate.
	East on a Random Line between Sections 27 and 34. Variation 11° 15' E.-
40.00	Set a Stake for Temporary

Township 6 N. Range 7 E of 6th Principal Meridian.

Chains	
	Quarter Section Corner.
80.06	Intersected North and South Line 14 links North of Corner To Sections 26, 27, 34 and 35.- From which Corner I run
	West on a True Line between Sections 27 and 34. Variation 11° 9' E.
40.03	Set a Boulder 13 in long 9 in wide and 8 in Thick for Quarter Section Corner.-
80.06	The Corner To Sections 27, 28, 33 and 34.- Land- Rolling. Soil 2nd Rate
	North between Sections 27 and 28. Variation 11° 30' E.
40.00	Set a Boulder 12 in long, 10 in wide and 8 in Thick, for Quarter Section Corner.-

Township 6 N. Range 7 E of 6th Principal Meridian

Chains.

80.00 Set a Boulder 14 in long, 10 in wide and 8 in Thick, for Corner to Sections 21, 22, 27 and 28.-

Sand - Broken Soil 2nd Rate

East on a Random Line between Sections 22 and 27.-

Variation 11° E.-

9.00 A Brook 13 links wide - Runs S.E.

40.00 Set a Stake for Temporary Quarter Section corner.-

79.90 Intersected North and South line at corner to Sections 22, 23, 26 and 27.- Grown Which corner I run

West on a True line Between Sections 22 and 27.-

Variation 11° E.-

39.95 Set a Boulder 15 in long, 12 in

Township 6 N. Range 7 E of 6th Principal Meridian.

Chains

wide and 9 in Thick for Quarter Section Corner.

79.90 The corner to Sections 21, 22, 27 and 28

Sand, Broken. Soil 2nd Rate.-

North between Sections 21 and 22.

Variation 11° 30' E.

40.00 Set a Boulder 13 in long, 10 in wide and 8 in Thick for Quarter Section corner.-

80.00 Set a Boulder 14 in long, 10 in wide and 9 in Thick for corner to Sections 15, 16, 21 and 22.-

Sand, Broken. Soil - 2nd Rate.

East on a Random line Between Sections 15 and 22.-

Variation 11° E.-

40.00 Set a Stake for Temporary

Township 6 N. Range 7 E of 6th Principal Meridian

Chains	
	Quarter Section Corner.
79.80	Intersected North and South Line 3 links South of Corner. To Sections 14, 15, 22 and 23. From which Corner I run West on a True Line between Sections 15 and 22. Variation 11°03' E.
39.90	Set a Boulder 14 in long, 11 in wide and 7 in Thick for Quarter Section Corner.
79.80	The Corner to Sections 15, 16, 21 and 22.
	Land, Broken. Soil 2nd Rate.

North between Sections 15 and 16. Variation 11° 30' E.

Chains	
40.00	Set a Boulder 20 in long, 15 in wide and 12 in thick, for Quarter Section Corner.
80.00	Set a Boulder 15 in long, 12 in

Township 6 N. Range 7 E of 6th Principal Meridian.

Chains	
	wide and 8 in Thick for Corner to Sections 9, 10, 15 and 16.
	Land, Rolling. Soil Gravelly and 3rd Rate

East on a Random line Between Sections 10 and 15. Variation 11° E.

Chains	
40.00	Set a Stake for Temporary Quarter Section Corner.
79.83	Intersected North and South Line 3 links South of Corner To Sections 10, 11, 14 and 15. From which Corner I run West on a True line between Sections 10 and 15. Variation 11° 1' E.
39.91	Set a Boulder 14 in long, 12 in wide and 8 in Thick for Quarter Section Corner.
79.83	The Corner to Sections 9, 10, 15 and 16.

Township 6 N. Range 7 E. of 6th Principal Meridian

Chains	Sand-Rolling. Soil 2nd Rate.
	North between Sections 9 and 10. Variation 11° 30' E.-
40.00	Set a Boulder 12 in long 10 in wide and 8 in Thick for Quarter Section Corner.-
80.00	Set a Boulder 15 in long, 12 in wide and 6 in Thick for corner to Sections 3, 4, 9 and 10.
	Sand Rolling. Soil 2nd Rate.
	East on a Random Line between Sections 3 and 10.- Variation 11° E.-
40.00	Set a Stake for Temporary Quarter Section corner.-
79.67	Intersected North and South line 12 links North of corner to Sections 2, 3, 12 and 11.- From which

Township 6 N. Range 7 E. of 6th Principal Meridian.

Chains	
	corner I run West on a True line between Sections 3 and 10.- Variation 10° 55' E.
39.83	Set a Boulder 12 in long 12 in wide and 8 in Thick, for Quarter Section corner.-
79.67	The corner to Sections 3, 4, 9 and 10.- Sand-Rolling. Soil 2nd Rate.
	North on a Random Line between Sections 3 and 4.- Variation 11° E.-
40.00	Set a Stake for Temporary Quarter Section corner
82.00	Intersected North Boundary of Township 30 links East of corner to Sections 3 and 4.- From which corner I run South on a True line between

Township 6 N. Range 7 E of 6th Principal Meridian

Chains	
	Sections 3 and 4.- 1
	Variation 11° 13' E.-
42.00	Set a Boulder 12 in long, 9 in wide and 8 in Thick for Quarter Section Corner.-
82.00	The Corner To Sections 3, 4, 9 and 10
	Sand- Rolling Soil 2nd Rate.
	July 24th, 1857.-
	North between Sections 32 and 33.-
	Variation 11° 30' E.-
40.00	Set a Boulder 13 in long, 8 in wide and 7 in Thick for Quarter Section Corner.-
80.00	Set a Boulder 14 in long, 10 in wide and 6 in Thick for Corner To Sections 28, 29, 32 and 33
	Sand- Level. Soil 2nd Rate.
	East on a Random line between Sections 28 and 33.-

Township 6 N. Range 7 E of 6th Principal Meridian.

Chains	
	Variation 11° E.-
40.00	Set a Stake for Temporary Quarter Section Corner.-
79.96	Intersected North and South line at Corner To Sections 27, 28, 33 and 34.- From which Corner I run
	West on a True line Between Sections 28 and 33.
	Variation 11° E.-
39.98	Set a Boulder 13 in long 10 in wide and 7 in Thick for Quarter Section Corner.-
79.96	The Corner To Sections 28, 29, 32 and 33.-
	Sand- Broken Soil 2nd Rate
	North between Sections 28 and 29.
	Variation 11° 30' E.-
40.00	Set a Boulder 12 in long 11 in wide and 9 in Thick for

Township 6 N. Range 7 & of 6th Principal Meridian

Chains. Quarter Section corner.-

80.00 Set a Boulder 16 in long 10 in wide and 7 in thick for corner to Sections 20, 21 28 and 29.-

Sand - Rolling. Soil 2nd Rate.

East on a Random line Between Sections 21 and 28. Variation 11° E.-

40.00 Set a Stake for Temporary Quarter Section corner.-

80.06 Intersected North and South line 7 links North of Corner to Sections 21, 22, 27 and 28.- From which corner I run West on a true line between Sections 21 and 28.- Variation 10°57' E.-

40.03 Set a Boulder 15 in long, 12 in wide and 8 in thick,

Township 6 N. Range 7 & of 6th Principal Meridian.

Chains. for Quarter Section corner.-

80.06 Cho corner to Sections 20, 21, 28 and 29.-

Sand Rolling. Soil 2nd Rate

North between Sections 20 and 21 Variation 11° 30' E.

40.00 Set a Boulder 13 in long 11 in wide and 9 in thick, for Quarter Section corner.-

80.00 Set a Boulder 14 in long, 12 in wide and 10 in thick for corner to Sections 16, 17 20 and 21.-

Sand - Rolling. Soil 2nd Rate.

East on a Random line Between Sections 16 and 21.- Variation 11° E.

40.00 Set a Stake for Temporary Quarter Section corner.-

Township 6 N. Range 7 E of 6th Principal Meridian

Chains.	
79.58	Intersected North and South Line, 10 links South of Corner To Sections 15, 16, 21 and 22.- From which Corner I run West on a True line between Sections 16 and 21.- Variation 11° 4' E.
39.79	Set a Boulder 16 in long, 8 in Thick and 8 in wide for Quarter Section Corner.-
79.58	The Corner To Sections 16, 17, 20 and 21.- Sand- Rolling. Soil 2nd Rate.
	North between Sections 16 and 17.- Variation 11° 30' E.
40.00	Set a Boulder 12 in. long 10 in wide, and 8 in Thick for Quarter Section Corner.-
80.00	Set a Boulder 12 in long, 10 in wide, and 8 in Thick for

Township 6 N. Range 7 E of 6th Principal Meridian.

Chains	
	Corner To Sections 8, 9, 16 and 17. Sand Rolling. Soil 2nd Rate.
	East on a Random Line Between Sections 9 and 16.- Variation 11° E.-
40.00	Set a Stake for Temporary Quarter Section Corner.-
79.75	Intersected North and South Line, 20 links North of Corner To Sections 9, 10, 15 and 16.- From which Corner I run West on a True line Between Sections 9 and 16.- Variation 10° 57' E.-
39.87	Set a Boulder 14 in long, 8 in wide and 6 in Thick, for Quarter Section Corner.-
79.75	The Corner To Sections 8, 9, 16 and 17.- Sand- Rolling. Soil 2nd Rate.

Township 6 N. Range 7 E of 6th Principal Meridian

Chains. North between Sections 8 and 9.
Variation 11° 30' E.-
40.00 Set a Boulder 10 in long, 10 in wide, and 8 in Thick; for Quarter Section Corner.-
80.00 Set a Boulder 12 in long, 10 in wide and 8 in Thick for Corner To Sections 4, 5, 8 and 9.-
Land- Rolling. Soil 2nd Rate.

East on a Random line Between Sections 4 and 9.-
Variation 11.° E.-
40.00 Set a Stake for Temporary Quarter Section Corner..
80.13 Intersected North and South Line, 9 links North of Corner To Sections 3, 4, 9 and 10.-
From which Corner I run
West on a True line Between Sections

Township 6 N. Range 7 E. of 6th Principal Meridian.

Chains 4 and 9.-
Variation 10° 56' E.-
40.06 Set a Boulder 14 in long, 10 in wide and 8 in Thick for Quarter Section Corner.-
80.13 The Corner To Sections 4, 5, 8 and 9.-
Land- Rolling. Soil 2nd Rate.

North on a Random line Between Sections 4 and 5.-
Variation 11° E.-
40.00 Set a Stake for Temporary Quarter Section Corner.
81.25 Intersected North Boundary 13 links East of Corner To Sections 4 and 5.-
From which Corner I run
South on a True line Between Sections 4 and 5.-
Variation 11° 6' E.-
41.25 Set a Boulder 17 in long 12 in wide and 10 in Thick, for Quarter Section Corner.-
81.25 The Corner To Sections

Township 6 N. Range 7 E. of 6th Principal Meridian

Chains. 4, 5, 8 and 9.-
Land-Rolling. Soil, 2nd Rate.
July 25th, 1857.-

North between Sections 31 and 32.-
Variation 11° 30' E.-
40.00 Set a Boulder 12 in long, 10 in wide and 7 in thick for Quarter Section Corner.
80.00 Set a Boulder 13 in long, 9 in wide and 7 in thick for corner to Sections 29, 30, 31 and 32.-
Land-Rolling. Soil 2nd Rate.

East on a Random Line
Between Sections 29 and 32.-
Variation 11° E.-
40.00 Set a Stake for Temporary Quarter Section Corner.-
80.20 Intersected North and South

Township 6 N. Range 7 E. of 6th Principal Meridian.

Chains. Line, 15 links South of Corner to Sections 28, 29, 32 and 33.-
From which Corner I run
West on a True Line
Between Sections 29 and 32.
Variation 11° 6' E.
40.10 Set a Boulder 11 in long, 8 in wide and 7 in thick for Quarter Section Corner.
80.20 The Corner to Sections 29, 30, 31 and 32.-
Land-Rolling. Soil 2nd Rate

West on a Random Line
Between Sections 30 and 31
Variation 11° E.-
40.00 Set a Stake for Temporary Quarter Section Corner.-
79.55 Intersected West Boundary 11 links North of Corner

Township 6 N. Range 7 E. of 6th Principal Meridian

Chains.	
	To Sections 30 and 31.-
	From which corner I run
	East on a True Line between
	Sections 30 and 31.-
	Variation 11° 5' E.
39.55	Set a Boulder 13 in long, 10 in wide and 7 in Thick for Quarter Section Corner.-
79.55	The Corner To Sections 29, 30, 31 and 32.-
	Sand - Rolling. Soil 2nd Rate.
	North between Sections 29 and 30.
	Variation 11°30' E.
40.00	Set a Boulder 13 in long 9 in wide and 7 in Thick for Quarter Section Corner.-
80.00	Set a Boulder 14 inches long 10 in wide and 6 in Thick, for Corner To Sections 19, 20, 29 and 30.-

Township 6 N. Range 7 E of 6th Principal Meridian.

Chains.	Sand Rolling. Soil 2nd Rate.-
	East on a Random Line
	Between Sections 21 and 29.-
	Variation 11° E.-
40.00	Set a Stake for Temporary Quarter Section Corner.
79.80	Intersected North and South line at Corner To Sections 20, 21, 28 and 29.-
	From which Corner I run
	West on a True line Between
	Sections 20 and 29.-
	Variation 11° E.
39.90	Set a Boulder 14 in long 8 in wide and 6 in Thick, for Quarter Section Corner.
79.80	The Corner To Sections 19, 20, 29 and 30.-
	Sand Rolling. Soil 2nd Rate.

Township 6 N. Range 7 E of 6th Principal Meridian

Chains	
	West on a Random Line Between Sections 19 and 30.- Variation 11° E.-
40.00	Set a Stake for Temporary Quarter Section Corner.-
70.00	A Slough or Drain, 10 links wide - Runs S. W
79.68	Intersected West Boundary 10 links South of Corner To Sections 19 and 30.- From which Corner I run East on a True line between Sections 19 and 30.- Variation 10° 56' E.
39.68	Set a Boulder 14 in long, 8 in wide and 2 in Thick for Quarter Section Corner.
79.68	The Corner To Sections 19, 20, 29 and 30

Land, Rolling. Soil 2nd Rate.

Township 6 N Range 7 E of 6th Principal Meridian

Chains	
	North Between Sections 19 and 20.- Variation 11° 30' E.
40.00	Set a Boulder 12 in long, 10 in wide and 8 in Thick for Quarter Section Corner.-
80.00	Set a Boulder 14 in long, 9 in wide and 2 in Thick for Corner To Sections 17, 18 19 and 20.-

Land, Rolling. Soil 2nd Rate.

	East on a Random Line Between Sections 17 and 20. Variation 11° E.-
40.00	Set a Stake for Temporary Quarter Section Corner.
79.94	Intersected North and South line, 8 links South of Corner To Sections 16, 17, 20 and 21. From

Township 6 N. Range 7 E of 6th Principal Meridian.

Chains.	
	which corner I run West on a True line between Sections 17 and 20.- Variation, 11° 3' E.
39.97	Set a Boulder 13 in long, 10 in wide and 9 in thick for Quarter Section corner.-
79.94	The corner to Sections 17, 18, 19 and 20.- Sand - Rolling. Soil - 2nd Rate.

West on a Random Line Between Sections 18 and 19.- Variation 11° E.

40.00	Set a Stake for Temporary Quarter Section corner.-
78.50	Intersected West Boundary 13 links North of corner to Sections 18 and 19.- From which corner

Township 6 N. Range 7 E of 6th Principal Meridian.

Chains	
	I run East on a True line between Sections 18 and 19.- Variation, 11° 5' E.
38.50	Set a Boulder 12 in long 10 in wide and 8 in thick, for Quarter Section corner.
78.50	The corner to Sections 17, 18, 19 and 20.- Sand Rolling. Soil 2nd Rate

North between Sections 17 and 18. Variation 11° 30' E.-

40.00	Set a Boulder 12 in long, 10 in wide and 6 in thick for Quarter Section corner.
80.00	Set a Boulder 12 in long 10 in wide and 7 in thick for Corner to Sections 7, 8, 17 and 18.- Sand - Gently Rolling. Soil 2nd Rate.

Township 6 N. Range 7 E of 6th Principal Meridian

Chains. East on a Random Line
Between Sections 8 and 17.
Variation 11° E.

40.00 Set a Stake for Temporary
Quarter Section Corner.-

80.15 Intersected North and South
Line at the Corner To
Sections 8, 9, 16 and 17.-
from which Corner
I run
West on a True line
Between Sections 8 and 17.
Variation 11° E.

40.07 Set a Boulder 13 in long,
9 in wide and 7 in thick
for Quarter Section Corner.-

80.15 The Corner To Sections 8, 9,
16 and 17.
Land - Rolling. Soil 2nd Rate.

West on a Random Line

Township 6 N. Range 7 E of 6th Principal Meridian.

Chains. Between Sections 7 and 18.
Variation 11° E.-

40.00 Set a Stake for Temporary
Quarter Section Corner.-

78.00 Intersected West Boundary
14 links North of Corner
To Sections 7 and 18.-
From which Corner I run
East on a True line between
Sections 7 and 18.-
Variation 11° 6' E.

38.00 Set a Boulder 11 in long 8 in
wide and 8 in thick for
Quarter Section Corner.

78.00 The Corner To Sections,
7, 8, 17 and 18.-
Land - Broken. Soil 2nd Rate.

North between Sections 7 and 8.
Variation 11° 30' E.-

40.00 Set a Boulder 15 in long, 10 in

Chains.	
	wide and 8 in Thick for Quarter Section Corner.-
80.00	Set a Boulder 15 in long, 10 in wide and 8 in Thick, for Corner to Sections 5, 6, 7 and 8.
	Land Rolling. Soil 2nd Rate.
	East on a Random Line Between Sections 5 and 8. Variation 11° E.-
40.00	Set a Stake for Temporary Quarter Section Corner.-
80.00	Intersected North and South line 10 links South of Corner to Sections 4, 5, 8 and 9.- From which Corner I run
	West on a True line Between Sections 5 and 8.- Variation 11° 4. E.

Chains.	
40.00	Set a Boulder 14 in long 12 in wide and 8 in Thick for Quarter Section Corner.-
80.00	The Corner to Sections 5, 6, 7 and 8.-
	Land - Rolling. Soil 2nd Rate.
	West on a Random Line Between Sections 6 and 7.- Variation 10° 30' E.-
40.00	Set a Stake for Temporary Quarter Section Corner.
76.00	Intersected West Boundary 10 links North of Corner to Sections 6 and 7.- From which Corner I run
	East on a True Line Between Sections 6 and 7.- Variation, 10° 34' E.
36.00	Set a Boulder 14 in long

Chains

12 in wide and 8 in thick for Quarter Section corner.-

76.00 The corner to Sections 5, 6, 7 and 8.-

Land Rolling. Soil 2nd Rate.

North on a Random line Between Sections 5 and 6. Variation, 11° E.-

40.00 Set a Stake for Temporary Quarter Section Corner.-

80.50 Intersected North Boundary 50 links West of corner to Sections 5 and 6.- From which corner I run

South on a True line Between Sections 5 and 6. Variation, 10° 39' E

40.50 Set a Boulder 10 in long 10 in wide and 8 in

Chains.

long, for Quarter Section corner.-

80.50 The corner to Sections 5, 6, 7 and 8.-

Land - Rolling. Soil 2nd Rate.

July 26th 1857.-

General Description:-

This Township contains no first rate Land being of a very high and drouthy nature lying upon the Divide separating the Waters of the Great Nemaha and Blue Rivers. No timber, except a few scrubby Elms along the Brook flowing through the South East corner.- No Stone save Boulders which abound upon the high points. But

Township 6 N. Range 7 E of 6th Principal Merid

little running water. –

List of Names,

A List of the names of the individuals employed to assist in running measuring or marking the lines and corners described in the forgoing field notes of Township No. 6 N. of Range No 7 East of the 6th Principal Meridian, Showing the respective capacities in which they acted

John I. Smith. Chainman
Lyman M. Sanzer. Chainman
Henry E. Roberts Axeman
William F. Mann Flagman.

50/104

Township 6 N

3 Copied McMullan

Plotted

Contract No. 168

Field Notes
of the
Subdivision Lines
in
Township No. 7 North
Range No. 7 East
of the
6th Principal Meridian
In
The Territory of Nebraska -
By
James D. White,
Deputy Surveyor,
Under his Contract No. 168
Bearing date, November 12th 1856.

Commenced, July 27th 1857. -
Completed, August 2nd, 1857.

Exd + found correct
Sept 8th 1857 Vanzandt
Exr

Names and Duties of Assistants:

— " —

John J. Smith,
Lyman M. Sawyer } Chainmen.

William G. Mann, Flagman.

Henry E. Roberts, Axeman.

~~James D. White,~~ Compassman.

Township 7 North Range 7 East

6	48	5	35	4	27	3	19	2	11	1
47		46		34		26		18		10
7	46	8	34	9	26	10	17	11	9	12
45		44		33		25		16		8
18	43	17	32	16	24	15	16	14	8	13
43		42		31		23		15		7
19	41	20	31	21	23	22	14	23	6	24
40		39		30		22		14		6
30	39	29	29	28	21	27	13	26	5	25
38		37		29		20		12		4
31	36	32	28	33	20	34	11	35	4	36

Chains To determine the proper adjustment of my Transit for Subdividing this Township, I commence at the corner to Townships 6 and 7 North, Ranges 7 and 8 East and run North on a Blank Line along the East Boundary of Section 36.—

Variation 11° E.—

40.00 To a Point 18 links East of Quarter Section Corner.

80.02 To a Point 35 links East of Corner to Sections 25 and 36.—

To retrace this Line or run parallel thereto my Transit must be adjusted to a Variation of 11° 15' E.—

Subdivision Commenced, July 27th, 1857.—

From the Corner to Sections

Chains

1, 2, 35 and 36, on the South Boundary of the Township & run

North between Sections 35 and 36.

Variation 11° 15' E.

40.00 Set a Boulder 12 in long 8 in wide and 8 in thick for Quarter Section Corner.

80.00 Set a Limestone, 15 in long 10 in wide and 8 in thick for Corner to Sections 25, 26, 35 and 36.

Land - Rolling. Soil 2nd Rate.

East on a Random Line between Sections 25 and 36.

Variation 11° 15' E.

40.00 Set a Stake for Temporary Quarter Section Corner.

79.94 Intersected East Boundary 14 links South of Corner to Sections 25 and 36. Brow

Chains.

which Corner I run

West on a True line between Sections 25 and 36.

Variation 11° 21' E.

39.97 Set a Boulder 12 in long 9 in wide and 7 in thick for Quarter Section Corner.

79.94 The Corner to Sections 25, 26, 35 and 36.

Land - Rolling. Soil, 2nd Rate.

North between Sections 25 and 26.

Variation 11° 15' E.

40.00 Set a Boulder 14 in long, 12 in wide and 8 in thick for Quarter Section Corner.

80.00 Set a Boulder 18 in long 12 in wide and 10 in thick for Corner to Sections 23, 24 25 and 26.

Land - Broken. Soil, 2nd Rate.

Township 7 N. Range 7 E 6th Principal Meridian

Chains East on a Random line between Sections 24 and 25.-

Variation 11° 15' E.-

40.00 Set a Stake for Temporary Quarter Section Corner.-

79.80 Intersected East Boundary 21 links South of Corner to Sections 24 and 25.- From which Corner I run

West on a True line between Sections 24 and 25.-

Variation 11° 24' E.-

39.90 Set a Boulder 13 in long 11 in wide and 7 in Thick for Quarter Section Corner.-

79.80 The Corner to Sections 23, 24 25 and 26.-

Land. Broken. Soil 2nd Rate.

North between Sections 23 and 24

Variation 11° 15' E.-

Township 7 N Range 7 E 6th Principal Meridian

Chains

40.00 Set a Boulder 12 in long 10 in wide and 6 in Thick for Quarter Section Corner.-

80.00 Set a Boulder 15 in long, 10 in wide and 8 in Thick for Corner to Sections 13, 14, 23 and 24.-

Land- High, Gently rolling. Soil Good 2nd Rate

East on a Random Line between Sections 13 and 24.-

Variation 11° 20' E.-

40.00 Set a Stake for Temporary Quarter Section Corner

80.04 Intersected East Boundary 4 links North of Corner to Sections 13 and 24.- From which Corner I run

West on a True line between Sections 13 and 24.-

Township 7 N. Range 7 E 6th Principal Meridian

Chains.	
	Variation 11° 18' E.
40.02	Set a Boulder 14 in long 10 in wide and 9 in Thick for Quarter Section Corner.-
80.04	The corner To Sections 13, 14, 23 and 24.-
	Land - High, Level. Soil 2nd Rate.
	North between Sections 13 and 14.- Variation 11° 15' E.
40.00	Set a Boulder 15 in long 8 in wide and 6 in Thick for Quarter Section Corner.-
80.00	Set a Boulder 24 in long 15 in wide and 12 in Thick for Corner To Sections 11, 12, 13 and 14.-
	Land - Rolling. Soil 2nd Rate.
	East on a Random Line between Sections 12 and 13.- Variation 11° 30' E.

40.00	Set a Stake for Temporary Quarter Section Corner.-
80.30	Intersected East Boundary 20 links South of Corner To Sections 12 and 13.- From which Corner I run West on a True line between Sections 12 and 13.- Variation 11° 39' E.-
40.15	Set a Boulder 15 in long 12 in wide and 12 in Thick for Quarter Section Corner
80.30	The Corner To Sections 11, 12, 13 and 14.-
	Land - Rolling. Soil 2nd Rate.-
	North Between Sections 11 and 12.- Variation 11° 15' E.-
40.00	Set a Boulder 15 in long 10 in wide and 10 in Thick for Quarter Section Corner.-

Township 7 N. Range 7 E of 6th Principal Meridian

Chains

80.00 Set a Boulder 14 in long 12 in wide and 10 in thick for Corner To Sections 1, 2, 11 and 12.-

Sand - Rolling. Soil 2nd Rate

East on a Random Line between Sections 1 and 12.-

Variation 11° 30' E.-

40.00 Set a Stake for Temporary Quarter Section Corner.-

80.70 Intersected East Boundary 35 links South from which Corner I run West on a True line between Sections 1 and 12.-

Variation 11° 45' E.

40.35 Set a Boulder 15 in long 8 in wide and 6 in thick for Quarter Section Corner.-

80.70 The Corner To Sections 1, 2, 11 and 12.

Sand - Rolling. Soil 2nd Rate.

Township 7 N. Range 7 E. 6th Principal Meridian

Chains. North on a Random line between Sections 1 and 2.-

Variation 10° 15' E.-

40.00 Set a Stake for Temporary Quarter Section Corner.

78.30 A Brook 15 links wide - Runs W.-

81.50 Intersected North Boundary 50 links west of Corner To Sections 1 and 2.- From which Corner I run

South on a True line between Sections 1 and 2.-

Variation 9° 54' E.- 9.54

41.50 Set a Boulder 15 in long 10 in wide and 7 in thick for Quarter Section Corner

81.50 The Corner To Sections 1, 2, 11 and 12.

Sand - Rolling. Soil 2nd Rate.

July 27th 1857.-

North between Sections 34 and 35.

Variation 11° 15' E.

Township 7 N Range 7 E 6th Principal Meridian

Chains	
40.00	Set a Boulder 14 in long 12 in wide and 8 in thick for Quarter Section corner.-
41.00	Enter Thick Underbrush. Bears N W S E
42.00	A creek 15 links wide - Runs S.E.
50.00	Leave Underbrush, Bears N. W. & S E. and Enter Prairie.-
80.00	Set a Boulder 14 in long 10 in wide and 8 in thick; for corner to Sections 26, 27, 34 and 35.-
	Land - Rolling. Soil 2nd Rate.-

East on a Random Line between Sections 26 and 35.

Variation 11° E.

40.00	Set a Stake for Temporary Quarter Section Corner.-
80.23	Intersected North and South Line at corner to Sections 25, 26, 35 and 36.- From which corner I run

Township 7 N Range 7 E of 6th Principal Meridian

Chains.	
	West on a True Line between Sections 26 and 35.-

Variation 11° E.

40.11	Set a Boulder 11 in long, 9 in wide and 9 in thick for Quarter Section corner.
80.23	The corner to Sections 26, 27, 34 and 35.-
	Land - Rolling. Soil. 2nd Rate

North between Sections 26 and 27.

Variation 11° 30' E.

40.00	Set a Boulder 10 in long 9 in wide and 8 in thick for Quarter Section corner
80.00	Set a Boulder 14 in long 9 in wide and 8 in thick for Corner to Sections 22, 23, 26, and 27.-
	Land Rolling.- Soil 2nd Rate.

Township 7 N Range 7 E 6th Principal Meridian.

Chains East on a Random Line between Sections 23 and 26.–

Variation 11° E.–

40.00 Set a Stake for Temporary Quarter Section Corner.–

80.10 Intersected North and South line 11 links South of corner To Sections 23, 24, 25 and 26.– From which Corner I run

West on a True line between Sections 23 and 26.–

Variation 11° 05′ E.–

40.05 Set a Boulder 14 in long 12 in wide and 10 in Thick for Quarter Section Corner.–

80.10 The Corner To Sections 22, 23, 26 and 27.–

Land– Rolling. Soil 2nd Rate

North Between Sections 22 and 23.

Variation 11° 15′ E.

Township 7 N Range 7 E 6th Principal Meridian

Chains

40.00 Set a Boulder 14 in long 12 in wide and 8 in Thick for Quarter Section Corner.–

80.00 Set a Boulder 13 in long 10 in wide and 8 in Thick, for Corner To Sections 14, 15, 22 and 23.–

Land– Rolling. Soil 2nd Rate

East on a Random Line between Sections 14 and 23.–

Variation, 11° E.–

40.00 Set a Stake for Temporary Quarter Section Corner.–

80.22 Intersected North and South line at Corner To Sections 13, 14, 23 and 24.– From which Corner I run

West on a True line between Sections 14 and 23.–

Variation 11° E.–

Chains	
40.11	Set a Boulder 14 in long 12 in wide and 7 in Thick, for Quarter Section Corner.-
80.22	The corner to Sections 14, 15, 22 and 23
	Sand - Rolling. Soil and Rate.-

North between Sections 14 and 15.-
Variation 11° 18' E.-

Chains	
40.00	Set a Boulder 15 in long 10 in wide and 7 in Thick for Quarter Section Corner.-
80.00	Set a Boulder 15 in long 11 in wide and 9 in Thick, for Corner to Sections 10, 11, 14 and 15.
	Sand - Rolling. Soil 2nd Rate.

East on a Random Line between Sections 11 and 14.-
Variation 11° E.-

Chains	
40.00	Set a Stake for Temporary Quarter Section Corner.-
80.30	Intersected North and South Line 15 links South of Corner to Sections 11, 12, 13 and 14.- From which corner I run

West on a True line between Sections 11 and 14.-
Variation 11° 6' E.-

Chains	
40.15	Set a Boulder 15 in long, 12 in wide and 5 in Thick for Quarter Section Corner.-
80.30	The corner to Sections 10, 11, 14 and 15.-
	Sand - Rolling. Soil 2nd Rate.

North between Sections 10 and 11.-
Variation 11° E.

Chains	
40.00	Set a Boulder 15 in long 7 in wide and 7 in Thick for Quarter

Township 7 N. Range 7 E 6th Principal Meridian

Chains	
	Section Corner.-
79.00	A Brook of clear Running Water 10 lks. wide Runs N.W.-
80.00	Set a Boulder 25 in long 15 in wide and 12 in wide for corner to Sections 2, 3, 10 and 11.- Sand- Rolling- Soil 1st Rate.-
	East on a Random Line between Sections 2 and 11.- Variation 11° E.-
40.00	Set a Stake for Temporary Quarter Section Corner.-
80.19	Intersected North and South Line 12 links North of corner To Sections 1, 2, 11 and 12.- From which corner I run West on a True line between Sections 2 and 11.- Variation 10° 55' E.
40.09	Set a Boulder 24 in long 15 in

Township 7 N Range 7 E. 6th Principal Meridian

Chains	
	wide and 11 in Thick for Quarter Section corner.-
80.19	The corner to Sections 2, 3, 10 and 11.- Sand- Rolling. Soil 2nd Rate.
	North on a Random line between Sections 2 and 3.- Variation 10° 30' E.
40.00	Set a Stake for Temporary Quarter Section corner.-
60.00	A Brook with clear running Water 15 links wide- Runs N.W.
81.50	Intersected North Boundary 50 links West of corner To Sections 2 and 3.- From which corner I run South on a True line between Sections 2 and 3.- Variation 10° E.
41.50	Set a Boulder 16 in long, 15 in

Township 7 N. Range 7 E 6th Principal Meridian.

Chains	
	wide and 12 in Thick for Quarter Section Corner.
81.50	The corner to Sections 2, 3, 10 and 11. Land - Rolling. Soil 2nd Rate July 29th 1857.

North between Sections 33 and 34.- Variation 11° 15' E.-

40.00	Set a Boulder 14 in long 12 in wide and 10 in Thick for Quarter Section Corner.-
58.30	A Brook 15 links wide. Runs E.-
77.00	A Brook 20 links wide. Runs S.E.-
80.00	Set a Boulder 16 in long, 11 in wide and 8 in Thick for Corner to Sections 27, 28, 33 and 34.-

Land - Rolling. Soil 2nd Rate.

East on a Random Line between Sections 27 and 34.-

Township 7 N. Range 7 E of 6th Principal Meridian.

Chains.	
	Variation 11° E.-
40.00	Set a Stake for Temporary Quarter Section Corner.
79.70	Intersected North and South line 18 links South of Corner to Sections 26, 27, 34, and 35.- From which Corner I run

West on a True line between Sections 27 and 34. Variation 11° 8' E.

39.85	Set a Boulder 18 in long, 12 in wide and 10 in Thick for Quarter Section Corner.-
79.70	The corner to Sections 27, 28 33 and 34.-

Land - Rolling. Soil 2nd Rate.

North between Sections 27 and 28. Variation 11° 15' E.

40.00	Set a Boulder 14 in long, 10 in wide and 4 in Thick for

Chains.	
	Quarter Section Corner.
80.00	Set a Boulder 15 in long, 12 in wide and 8 in Thick for Corner to Sections 21, 22, 27 and 28.- Sand Rolling. Soil 2nd Rate
	East on a Random Line Between Sections 22 and 27.- Variation 11° E.-
40.00	Set a Stake for Temporary Quarter Section Corner.
79.66	Intersected North and South line 10 links South of Corner to Sections 22, 23, 26 and 27. From which Corner Iron
	West on a True line Between Sections 22 and 27. Variation 11° 4' E.-
39.83	Set a Boulder 14 in long 10 in wide wide and 8 in Thick for Quarter Section Corner.-

Chains.	
79.66	The corner to Sections 21, 22, 27 and 28.- Sand Rolling. Soil 2nd Rate.
	North between Sections 21 and 22.- Variation 11° 15' E.-
40.00	Set a Boulder 12 in long, 9 in wide and 7 in Thick for Quarter Section Corner.-
80.00	Set a Boulder 14 in long 11 in wide and 9 in Thick for Corner to Sections 15, 16, 21 and 22. Sand Rolling. Soil 2nd Rate
	East on a Random Line Between Sections 15 and 22.- Variation 11° E.-
40.00	Set a Stake for Temporary Quarter Section Corner.-
79.78	Intersected North and South line

Chains. Line 5 links North of Corner To Sections 14, 15, 22 and 23. - From which Corner I run West on a True line between Sections 15 and 22. -

Variation 10° 58' E. -

39.89 Set a Boulder 16 in long 10 in wide and 10 in Thick for Quarter Section Corner. -

79.78 The Corner To Sections 15, 16, 21 and 22.

Sand - Rolling. Soil 2nd Rate.

North Between Sections 15 and 16. -

Variation 11° 15' E. -

40.00 Set a Boulder 12 in long 10 in wide and 8 in Thick for Quarter Section Corner. -

80.00 Set a Boulder 18 in long 16 in wide and 8 in Thick for Corner To Sections 9, 10, 15 and 16.

Chains Sand Rolling. Soil 2nd Rate.

East on a Random Line Between Sections 10 and 15.

Variation 11° E. -

40.00 Set a Stake for Temporary Quarter Section Corner. -

79.98 Intersected North and South line at Corner To Sections 10, 11, 14 and 15. - From which Corner I run West on a True line between Sections 10 and 15.

Variation 11° E. -

39.99 Set a Boulder 14 in long, 12 in wide and 8 in Thick for Quarter Section Corner.

79.98 The Corner To Sections 9, 10, 15 and 16. -

Sand Rolling. Soil 2nd Rate

Township 7 N. Range 7 E 6th Principal Meridian

Chains	
	North between Sections 9 and 10.-
	Variation 11° 15' E.-
40.00	Set a Boulder 12 in long 9 in wide and 7 in Thick, for Quarter Section Corner.-
80.00	Set a Boulder 14 in long 11 in wide and 8 in Thick for corner To Sections 3, 4, 9 and 10.-
	Sand-Rolling Soil 2nd Rate.-
	East on a Random Line between Sections 3 and 10.-
	Variation 11° E.-
40.00	Set a Stake for Temporary Quarter Section corner.
78.00	A Brook 15 links wide - Runs N.W.
79.90	Intersected North and South Line 15 links North of Corner To Sections 2, 3, 10 and 11.- From which Corner I run
	West on a True line Between

Township 7 N. Range 7 E 6th Principal Meridian

Chains	
	Sections 3 and 10.
	Variation 10°54' E.-
39.95	Set a Boulder 13 in long 10 in wide and 9 in Thick, for Quarter Section Corner.-
79.90	The Corner To Sections 3, 4, 9 and 10. Sand-Rolling. Soil 2nd Rate.
	North on a Random Line Between Sections 3 and 4.-
	Variation 10°45' E.
40.00	Set a Stake for Temporary Quarter Section corner.-
81.05	Intersected North Boundary 20 links West of corner To Sections 3 and 4.- From which Corner I run
	South on a True line between Sections 3 and 4.-
	Variation 10°36' E.
41.05	Set a Boulder 10 in long 10 in

Chains

wide and 8 thick for
Quarter Section corner.

81.05 The corner to Sections 3, 4, 9 and 10.-
Sand Rolling. Soil 2nd Rate.
July 30th 1857.-

North between Sections 32 and 33.-
Variation 11° 15' E.-

40.00 Set a Boulder 13 in long 12 in wide
and 10 in thick for
Quarter Section corner.-

80.00 Set a Boulder 15 in long 12 in
wide and 8 in thick for
corner to Sections 28, 29,
32 and 33.-
Sand-Rolling.- Soil 2nd Rate.

East on a Random line between
Sections 28 and 33.-
Variation 11° 15' E.-

40.00 Set a Stake for Temporary

Quarter Section corner.

75.00 A Brook 10 links wide- Runs S.E.-

80.00 Intersected North and South
line 23 links South of
corner to Sections 27, 28,
33 and 34.- Gross which
corner I run

West on a true line Between
Sections 28 and 33.-
Variation 11° 25' E.-

40.00 Set a Boulder 15 in long, 10 in wide
and 7 in thick.- For
Quarter Section corner.-

80.00 The corner to Sections 28, 29,
32 and 33.-
Sand-Rolling. Soil 2nd Rate

North Between Sections 28 and 29.-
Variation 11° 15' E.-

35.00 A Brook, 15 links wide- Runs S.E.-

40.00 Set a Boulder 15 in long 8 in wide

Township 7 N. Range 7 E 6th Principal Merid.

Chains	
	and 7 in thick for Quarter Section corner.-
80.00	Set a Boulder 14 in long, 10 in wide and 8 in thick for corner to Sections 20, 21, 28 and 29.-
	Sand - Rolling. Soil 2nd Rate.
	East on a Random line between Sections 21 and 28. Variation 11° 15' E.-
40.00	Set a Stake for Temporary Quarter Section Corner.-
79.78	Intersected North and South Line 21 links South of Corner to Sections 21, 22, 27 and 28.- From which Corner I run
	West on a True line between Sections 21 and 28 Variation, 11° 24' E.

Township 7 N. Range 7 E 6th Principal Meridian

Chains	
39.89	Set a Boulder 12 in long 10 in wide and 10 in thick for Quarter Section Corner.-
79.78	The corner to Sections 20, 21, 28 and 29.-
	Sand - Rolling. Soil 2nd Rate.
	North between Sections 20 and 21.- Variation 11° 15' E.-
40.00	Set a Boulder 15 in long, 8 in wide and 8 in thick for Quarter Section Corner.-
80.00	Set a Boulder 15 in long, 10 in wide and 8 in thick for corner to Sections 16, 17, 20 and 21.-
	Sand - Rolling. Soil, 2nd Rate.
	East on a Random line between Sections 16 and 21.- Variation 11° 15' E.-

Chains.	
40.00	Set a Stake for Temporary Quarter Section Corner.-
79.70	Intersected North and South line 10 links South of Corner to Sections 15, 16, 21 and 22.- From which Corner I run West on a True line between Sections 16 and 21.- Variation 11° 19' E.-
39.85	Set a Boulder 15 in long 11 in wide and 9 in thick for Quarter Section Corner.-
79.70	The Corner to Sections 16, 17, 20 and 21.- Land - Rolling. Soil 2nd Rate.

North between Sections 16 and 17.-
Variation 11° 15' E.-

40.00	Set a Boulder 16 in long 10 in wide and 6 in thick for

	Quarter Section Corner.-
80.00	Set a Boulder 22 in long, 12 in wide and 4 in thick, for Corner to Sections 8, 9, 16 and 17. Land - Rolling. Soil 2nd Rate.

East on a Random Line between Sections 9 and 16.-
Variation 11° 15' E.-

40.00	Set a Stake for Temporary Quarter Section Corner.-
79.77	Intersected North and South line 15 links North of Corner to Sections 9, 10, 15 and 16.- From which Corner I run West on a True line between Sections 9 and 16.- Variation 11° 9' E.-
39.88	Set a Boulder 15 in long, 12 in wide and 3 in thick for Quarter Section Corner.-

Township 7 N. Range 7 E. 6th Principal Meridian

Chains.	
79.77	The corner to Sections 8, 9, 16 and 17. Sand-Rolling. Soil-Gravelly 3rd Rate.
	North Between Sections 8 and 9.- Variation 11° 15' E.
40.00	Set a Boulder 15 in long, 12 in wide and 4 in Thick for Quarter Section corner.-
80.00	Set a Boulder 15 in long 7 in wide and 6 in Thick, for corner to Sections 4, 5, 8 and 9.- Sand-Rolling. Soil 2nd Rate.-
	East on a Random Line between Sections 4 and 9.- Variation 11° 15' E.-
40.00	Set a Stake for Temporary Quarter Section corner.-
79.65	Intersected North and South Line at corner to Sections

Township 7 N. Range 7 E 6th Principal Meridian

Chains.	
	3, 4, 9 and 10.- From which corner I run
	West on a True line between Sections 4 and 9.- Variation 11° 15' E.-
39.82	Set a Boulder 14 in long, 12 in wide and 5 in Thick, for Quarter Section corner.-
79.65	The corner to Sections 4, 5, 8 and 9.- Sand-Rolling. Soil-Gravelly, 3rd Rate
	North on a Random Line Between Sections 4 and 5.- Variation 10° 30' E.
40.00	Set a Stake for Temporary Quarter Section corner.-
81.40	Intersected North Boundary 25 links East of corner to Sections 4 and 5.- From which corner I run
	South on a True line between

Township 7 N. Range 7 E 6th Principal Meridian

Sections 4 and 5.-

Variation 10°41'E.-

41.40 Set a Boulder 14 in long 10 in wide and 8 in thick for Quarter Section corner.-

81.40 The corner to Sections 4, 5, 8 and 9.-

Land- Rolling. Soil 2nd Rate.

July 31st 1857.-

North between Sections 31 and 32.-

Variation 11°15'E.-

40.00 Set a Boulder 15 in long 12 in wide and 10 in thick, for Quarter Section corner.-

80.00 Set a Boulder 16 in long 13 in wide and 11 in thick, for corner to Sections 29, 30, 31 and 32.-

Land- Rolling. Soil 2nd Rate.

Township 7 N. Range 7 E 6th Principal Meridian

Chains East on a Random Line between Sections 29 and 32.-

Variation 11° E.-

40.00 Set a Stake for Temporary Quarter Section corner.-

79.70 Intersected North and South line 15 links North of corner to Sections 28, 29 32 and 33.- From which corner I run

West on a True line between Sections 29 and 32.-

Variation 10°54'E.

39.85 Set a Boulder 15 in long 13 in wide and 8 in thick for Quarter Section corner.-

79.70 The corner to Sections 29, 30, 31 and 32.-

Land- Rolling. Soil- 2nd Rate.

Township 7 N. Range 7 E 6th Principal Meridian

Chains	
	West on a Random Line between Sections 30 and 31.– Variation 11° E.–
40.00	Set a Stake for Temporary Quarter Section Corner.–
77.50	Intersected West Boundary 25 links North of Corner To Sections To Sections 30 and 31.– From which Corner I run
	East on a True line between Sections 30 and 31.– Variation 11° 11' E.
37.50	Set a Boulder 14 in long, 12 in wide and 10 in thick for Quarter Section Corner.–
77.50	The Corner To Sections 29, 30, 31 and 32.–
	Sand Rolling. Soil 2nd Rate.

Township 7 N. Range 7 E 6th Principal Meridian

Chains	
	North between Sections 29 and 30.– Variation 11° 30' E.
40.00	Set a Boulder 14 in long 10 in wide and 8 in thick, for Quarter Section Corner.–
74.00	A Brook 10 links wide – Runs S.E.
80.00	Set a Boulder 15 in long, 10 in wide and 8 in thick for Corner To Sections 19, 20, 29 and 30.–
	Sand – Rolling. Soil 2nd Rate.
	East on a Random Line between Sections 20 and 29.– Variation 11° E.–
40.00	Set a Stake for Temporary Quarter Section Corner.–
80.13	Intersected North and South Line 15 links North of Corner To Sections 20, 21, 28 and 29.– From which

Chains	
	Corner 3 run West on a True line between Sections 20 and 29.– Variation 10° 54' E.–
40.06	Set a Boulder 13 in long 10 in wide and 8 in Thick for Quarter Section Corner.–
80.13	The corner To Sections 19, 20, 29 and 30.– Land – Rolling. Soil 2nd Rate.–

West on a Random Line between Sections 19 and 30.– Variation 11° E.

30.00	A Brook 5 links wide – Runs S.E.–
40.00	Set a Stake for Temporary Quarter Section Corner.–
78.00	Intersected West Boundary 20 links South of Corner To Sections 19 and 30.– From which Corner 3 run

Chains	
	East on a True line between Sections 19 and 30. Variation 10° 57' E.–
38.00	Set a Boulder 12 in long 9 in wide and 8 in Thick for Quarter Section Corner.
78.00	The corner To Sections 19, 20 29 and 30.– Land Rolling. Soil 2nd Rate.

North between Sections 19 and 20. Variation 11° 15' E.

40.00	Set a Boulder 12 in long, 10 in wide, and 8 in Thick for Quarter Section Corner.–
80.00	Set a Boulder 14 in long, 12 in wide, and 9 in Thick for Corner To Sections 17, 18, 19 and 20.– Land – Rolling. Soil 2nd Rate.

Township 7 N. Range 7 E 6th Principal Meridian

Chains East on a Random line between
Sections 17 and 20.-
Variation 11° E.

40.00 Set a Stake for Temporary
Quarter Section corner.-

80.25 Intersected North and South
line, 15 links North of
corner To Sections 16, 17,
20 and 21.- From which
corner I run
West on a True line between
Sections 17 and 20.-
Variation 10°54' E.

40.12 Set a Boulder 14 in long, 10 in
wide and 10 in Thick
for Quarter Section
corner.-

80.25 The corner To Sections 17, 18,
19 and 20.-
Land - Rolling. Soil 2nd Rate.

Township 7 N. Range 7 E 6th Principal Meridian

Chains West on a Random line
Between Sections 18 and 19.-
Variation 11° E.-

40.00 Set a Stake for Temporary
Quarter Section corner.-

77.60 Intersected West Boundary
30 links North of corner
To Sections 18 and 19.-
From which corner I run
East on a True line between
Sections 18 and 19
Variation 11°13' E.-

37.60 Set a Boulder 12 in long, 10 in
wide and 6 in Thick for
Quarter Section corner.

77.60 The corner To Sections 17, 18,
19 and 20.-
Land - Rolling. Soil 2nd Rate.

North between Sections 17 and 18.
Variation 11° 15' E.

Township 7 N. Range 7 E. 6th Principal Meridian

Chains	
40.00	Set a Boulder 10 in long, 10 in wide and 7 in Thick for Quarter Section corner
80.00	Set a Boulder 14 in long, 12 in wide and 9 in Thick for Corner To Sections 7, 8, 17 and 18.-
	Sand - Rolling. Soil 2nd Rate
	East on a Random Line Between Sections 8 and 17.- Variation 11° E.-
40.00	Set a Stake for Temporary Quarter Section corner.
80.00	Intersected North and South Line 30 links North of corner To Sections 8, 9, 16 and 17.- From which corner I run
	West on a True line between

Township 7 N. Range 7 E. 6th Principal Meridian

Chains.	
	Sections 8 and 17.- Variation 10°47' E.-
40.00	Set a Boulder 14 in long, 12 in wide and 9 in Thick for Quarter Section corner.-
80.00	The corner To Sections 7, 8, 17, and 18.-
	Sand - Rolling. Soil 2nd Rate. August 19th 1857.-
	West on a Random line Between Sections 7 and 18.- Variation 11° E.-
40.00	Set a Stake for Temporary Quarter Section corner.-
78.00	Intersected West Boundary 15 links North of corner To Sections 7 and 18.- From which corner I run
	East on a True line Between Sections 7 and 18. Variation, 11° 6' E.-

Township 7 N. Range 7 E. 6th Principal Meridian.

Chains

38.00 Set a Boulder 14 in long, 12 in wide and 8 in Thick for Quarter Section Corner.-

78.00 The Corner To Sections 7, 8, 17 and 18.-

Land Rolling Soil 2nd Rate.

North between Sections 7 and 8.-
Variation 11° 15' E.-

40.00 Set a Boulder 15 in long 12 in wide and 4 in Thick for Quarter Section Corner

80.00 Set a Boulder 16 in long 10 in wide and 8 in Thick, for Corner To Sections 5, 6, 7 and 8.

Land- Rolling. Soil- Poor 2nd Rate.

East on a Random line
Between Sections 5 and 8.
Variation 11° E.

Township 7 N. Range 7 E 6th Principal Meridian

Chains

40.00 Set a Stake for Temporary Quarter Section Corner.-

79.80 Intersected North and South Line 19 links North of Corner To Sections 4, 5, 8 and 9.- From which Corner I run West on a True line
Between Sections 5 and 8.
Variation 10° 52' E.-

39.90 Set a Boulder 15 in long 9 in wide and 8 in Thick for Quarter Section Corner.-

79.80 The Corner To Sections 5, 6, 7 and 8.

Land- Rolling. Soil 2nd Rate.

West on a Random line
Between Sections 6 and 7.-
Variation 10° 45' E.

40.00 Set a Stake for Temporary Quarter Section Corner.

Township 7 N. Range 7 E 6th Principal Meridian.

Chains.

79.60 Intersected West Boundary
15 links North of corner to
Sections 6 and 7.– From
which corner I run
East on a True line
Between Sections 6 and 7.
Variation 10°51' E.–

39.60 Set a Boulder 15 in long 12 in
wide and 3 in thick for
Quarter Section corner.

79.60 The corner to Sections 5, 6,
7 and 8.–

Land – Rolling. Soil 2nd Rate.

North on a Random line
Between Sections 5 and 6.–
Variation 11° 8.–

40.00 Set a Stake for Temporary
Quarter Section corner.–

80.16 Intersected North Boundary

Township 7 N. Range 7 E 6th Principal Meridian

Chains.

10 links East of corner
to Sections 5 and 6.–
From which corner I run
South on a True line
Between Sections 5 and 6.–
Variation 11°4' E.–

40.16 Set a Boulder 15 in long 10 in
wide and 6 in thick
for Quarter Section corner.

80.16 The corner to Sections 5, 6,
7 and 8.–

Land – Rolling. Soil 2nd Rate.
August 2nd, 1857.–

General Description.–

This Township contains no good land and but little running water It is situated on the high divides separating the waters of the Great Nemaha and

Salt Creek. - The Soil is mostly Gravelly. There is no Stone except Boulders. Timber is very scarce and indifferent.

List of Names

A List of the Names of the individuals employed to assist in running Measuring or marking the Lines and corners described in the foregoing field Notes of Township No 7 N. of Range No. 7 East of the 6th Principal Meridian showing the respective capacities in which they acted.

John J. Smith, Chainman
Lyman M. Sawyer. Chainman
Henry C. Roberts. Axeman
William F. Mann Flagman.

50/156

Copied
McMullen 4 Plotted

Field Notes
of the
Subdivision Lines
in
Township No. 8 North,
Range No. 7 East
of the
6th Principal Meridian
In
The Territory of Nebraska –
By
James D. White,
Deputy Surveyor,
Under his Contract No. 168
Bearing date, November 12th, 1856.–

Commenced, August 4th, 1857.
Completed, August 10th, 1857.
Exd corrections wanting
Sept 8th 1857 Vanzandt
Exr
D.S. made & comp. C.P.R.

Township 8 N. Range 7 E. of 6th Principal Meridian

Names and Duties of Assistants.

John J. Smith,
Lyman M. Sawyer, } Chainmen.

William S. Mann, Flagman.

Henry E. Roberts, Axeman.

~~James D. White, Compassman.~~

Township 8 North Range 7 East

6	49	5	35	4	26	3	18	2	11	1
48		48		34		26		17		10
7	47	8	34	9	25	10	17	11	9	12
46		45		33		24		16		8
18	44	17	32	16	24	15	15	14	8	13
43		42		31		23		15		7
19	41	20	31	21	22	22	14	23	6	24
40		39		30		21		13		6
30	38	29	29	28	21	27	13	26	5	25
37		36		28		20		12		4
31	36	32	27	33	19	34	11	35	4	36

Chains	
	Go determine the proper adjustment of my Transit for Subdividing this Township, & commence at the corner to Townships 7 and 8 North, Ranges 7 and 8 East and run North on a Blank line along the East Boundary of Section 36.—
	Variation 11° 15' E.
40.02	Go a Point 3 links East of Quarter Section corner.-
80.05	Go a Point 7 links East of corner to Sections 25 and 36.— Go retrace this Line or run parallel thereto, my Transit must be adjusted to a Variation of 11° 18' E.-
	Subdivision commenced August 4th 1857.-

Township 8 N. Range 7 E of 6th Principal Meridian

Chains. From the corner to Sections 1, 2, 35 and 36.– I run North between Sections 35 and 36.
Variation 11° 15' E.–

40.00 Set a Boulder 14 in long 8 in wide and 5 in thick for Quarter Section Corner.–

80.00 Set a Boulder 14 in long 10 in wide and 10 in thick for Corner to Sections 25, 26, 35 and 36.–

Land – Rolling. Soil 2nd Rate

East on a Random Line between Sections 25 and 36.–
Variation 11° E.–

36.00 A Brook 10 links wide. Runs S.–

40.00 Set a Stake for Temporary Quarter Section Corner.

79.65 Intersected East Boundary 15 links North of Corner to

Township 8 N Range 7 E of 6th Principal Meridian

Chains. 25 and 36.– From which corner I run West on a True line Between Sections 25 and 36.
Variation 10° 54' E.–

39.82 Set a Boulder 13 in long, 10 in wide, and 8 in thick, for Quarter Section Corner.–

79.65 The corner to Sections 25, 26, 35 and 36.–

Land Rolling. Soil 2nd Rate.

North Between Sections 25 and 26
Variation 11° 15' E.–

40.00 Set a Boulder 15 in long 12 in wide and 10 in thick, for Quarter Section Corner.–

80.00 Set a Boulder 16 in long, 14 in wide and 12 in thick, for Corner to Sections 23, 24, 25 and 26.

Land Rolling. Soil 2nd Rate.

Township 8 N. Range 7 E of 6th Principal Meridian

Chains	
	East on a Random Line Between Sections 24 and 25.- Variation 11° E.
40.00	Set a Stake for Temporary Quarter Section Corner.-
79.80	Intersected East Boundary 15 links North of Corner To Sections 24 and 25.- From which Corner I run
	West on a True line between Sections 24 and 25.- Variation 10° 54' E.-
39.90	Set a Boulder 12 in long 12 in wide and 10 in Thick, for Quarter Section Corner.-
79.80	The Corner To Sections 23, 24, 25 and 26.-
	Sand- Rolling. Soil 2nd Rate.

North between Sections 23 and 24. Variation 11° 15' E.-

Township 8 N. Range 7 E of 6th Principal Meridian

Chains	
40.00	Set a Boulder 14 in long 10 in wide and 8 in Thick for Quarter Section Corner.-
80.00	Set a Boulder 18 in long 12 in wide and 10 in Thick for Corner To Sections 13, 14, 23 and 24.-
	Sand- Rolling. Soil 2nd Rate

	East on a Random Line Between Sections 13 and 24.- Variation 11° E.
40.00	Set a Stake for Temporary Quarter Section Corner.-
80.20	Intersected East Boundary 15 links North of Corner To Sections 13 and 24.- From which corner I run
	West on a True line Between Sections 13 and 24. Variation: 10° 54' E
40.10	Set a Boulder 15 in long, 12 in

Chains	
	wide, and 10 in Thick for Quarter Section Corner.
80.20	The corner To Sections 13, 14, 23 and 24.-
	Land Rolling. Soil 2nd Rate.
	North between Sections 13 and 14.- Variation 11° E.-
40.00	Set a Boulder 20 in long 14 in wide and 8 in Thick, for Quarter Section corner.-
80.00	Set a Boulder 15 in long, 12 in wide and 8 in Thick for corner To Sections 11, 12, 13 and 14.-
	Land - Rolling. Soil 2nd Rate.
	East on a Random Line Between Sections 12 and 13 Variation 11° E.-
40.00	Set a Stake for Temporary Quarter Section corner.-

Chains	
80.13	Intersected East Boundary 18 links South of Corner To Sections 12 and 13.-
	From which corner I run West on a True line between Sections 12 and 13.- Variation 11°08' E.-
40.06	Set a Boulder 18 in long, 10 in wide, and 10 in Thick for Quarter Section corner.-
80.13	The corner To Sections 11, 12, 13 and 14.-
	Land Rolling. Soil 2nd Rate.
	North Between Sections 11 and 12.- Variation 11° E.-
40.00	Set a Boulder 15 in long, 8 in wide and 8 in Thick for Quarter Section corner.
80.00	Set a Boulder 14 in long, 10 in

Chains. wide and 8 in Thick for
Corner To Sections 1, 2, 11 and 12.
Land Rolling. Soil 2nd Rate.-

East on a Random Line
Between Sections 1 and 12.
Variation 11° E.-
40.00 Set a Stake for Temporary
Quarter Section Corner.-
79.93 Intersected East Boundary 10
links South of Corner To
Sections 1 and 12.- From
which Corner I run
West on a True line between
Sections 1 and 12.-
Variation 11° 4' E.-
39.96 Set a Boulder 14 in long 12 in wide
and 10 in Thick for Quarter
Section Corner.-
79.93 The Corner To Sections 1, 2, 11 and 12.
Land Rolling. Soil 2nd Rate.

Chains. North between Sections 1 and 2.-
Variation 11° E.-
40.00 Set a Boulder 15 in long 10 in
wide and 8 in Thick for
Quarter Section Corner.-
76.90 Intersected 2nd Standard Parallel
North; 15.89 West of Standard
Corner, at Which Point I
Set a Boulder 12 in long
10 in wide and 9 in Thick
for closing Section Corner
To Sections 1 and 2.-
Land- High and Rolling. Soil 2nd Rate.
August 4th, 185-.-

North between Sections 34 and 35.
Variation 11° E.
40.00 Set a Limestone 16 in long, 8
in wide and 8 in Thick for
Quarter Section Corner
80.00 Set a Limestone 18 in long, 12

Chains	
	in wide and 6 in thick, for corner to Sections 26, 27 34 and 35.-
	Land - Rolling Soil 2nd Rate.
	East on a Random Line Between Sections 26 and 35.- Variation 11° E.-
40.00	Set a Stake for Temporary Quarter Section corner.-
80.30	Intersected North and South Line 17 links South of corner to Sections 25, 26, 35 and 36.- From which corner I run West on a True line Between Sections 26 and 35. Variation 11° 7' E.-
40.15	Set a Limestone 15 in long 10 in wide and 7 in thick for Quarter Section corner.
80.30	The corner to Sections 26, 27, 34 and 35.

Chains	
	Land Rolling. Soil 2nd Rate
	North between Sections 26 and 27.- Variation 11° E.
40.00	Set a Limestone 15 in long, 10 in wide and 6 in thick for Quarter Section corner.-
80.00	Set a Limestone 18 in long 12 in wide and 6 in thick for Corner to Sections 22, 23, 26 and 27.
	Land - Rolling. Soil 2nd Rate.
	East on a Random Line Between Sections 23 and 26.- Variation 11° E.-
40.00	Set a Stake for Temporary Quarter Section corner.-
79.75	Intersected North and South line 40 links South of corner to Sections 23, 24, 25 and 26.- From which

Township 8 N. Range 7 E of 6th Principal Meridian

Chains.	
	Corner I run
	West on a True line between
	Sections 23 and 26.–
	Variation, 11° 17' E.
39.87	Set a Limestone 15 in long, 10 in
	wide and 6 in thick, for
	Quarter Section Corner.
79.75	The Corner to Sections 22, 23, 26 and 27.
	Sand Rolling. Soil 2nd Rate.

North Between Sections 22 and 23.–
Variation 11° E.–

40.00	Set a Limestone 18 in long 8 in
	wide and 6 in thick, for
	Quarter Section Corner.–
80.00	Set a Limestone 17 in long, 10 in
	wide and 7 in thick for
	Corner to Sections 14, 15, 22
	and 23.–
	Sand – Rolling Soil 2nd Rate

Township 8 N. Range 7 E of 6th Principal Meridian.

Chains.	
	East on a Random Line between
	Sections 14 and 23.
	Variation 11° 30' E.–
40.00	Set a Stake for Temporary
	Quarter Section Corner.–
80.20	Intercepted North and South
	Line 35 links South of Corner
	to Sections 13, 14, 23 and 24.–
	From which Corner I run
	West on a True line between
	Sections 14 and 23.
	Variation 11° 45' E.
40.10	Set a Limestone 16 in long, 9 in
	wide and 5 in thick, for
	Quarter Section Corner.–
80.20	The Corner to Sections 14, 15, 22 and 23.
	Sand – Rolling. Soil 3rd Rate.

North between Sections 14 and 15.–
Variation 11° E.–

40.00	Set a Limestone 17 in long, 12 in

Chains

wide and 5 in Thick for Quarter Section corner.-

80.00 Set a Limestone 12 in long 10 in wide and 5 in Thick for Corner to Sections 10, 11, 14 and 15.-

Sand - Rolling. Soil 2nd Rate.

East on a Random line Between Sections 11 and 14.- Variation 11° 30' E.

40.00 Set a Stake for Temporary Quarter Section corner.

80.06 Intersected North and South line 20 links South of corner to Sections 11, 12, 13 and 14.- From which corner I run

West on a True line between Sections 11 and 14 Variation, 11° 40' E

Chains.

40.03 Set a Limestone 12 in long, 9 in wide and 5 in Thick, for Quarter Section corner.-

80.06 The corner to Sections 10, 11, 14 and 15.-

Sand - Rolling. Soil 2nd Rate.

North Between Sections 10 and 11. Variation 11° E.-

40.00 Set a Limestone 15 in long 10 in wide and 6 in Thick, for Quarter Section corner.-

80.00 Set a Limestone 12 in long 9 in wide and 6 in Thick for Corner to Sections 2, 3, 10 and 11.

Sand - Rolling Soil 2nd Rate

East on a Random line Between Sections 2 and 11.- Variation, 11° E.-

40.00 Set a Stake for Temporary

Township 8 N. Range 7 E of 6th Principal Meridian.

Chains	
	Quarter Section corner.-
80.30	Intersected North and South Line 10 links South of corner.- To Sections 1, 2, 11 and 12.- From which corner I run West on a True line between Sections 2 and 11.- Variation 11° 4' E.-
40.15	Set a Limestone 14 in long, 10 in wide and 4 in Thick for Quarter Section Corner.-
80.30	The corner To Sections 2, 3, 10 and 11.-
	Land- Rolling Soil- 2nd Rate.

North Between Sections 2 and 3.
Variation 11° E.-

40.00	Set a Limestone 15 in long 10 in wide and 4 in Thick for Quarter Section Corner.-
76.90	Intersected 2nd Standard

Township 8 N. Range 7 E of 6th Principal Meridian.

Chains.	
	Parallel North, 16 chains and 17 links West of Standard corner, at which point I set a Limestone 16 in long 10 in wide and 5 in Thick for Closing Corner To Sections 2 and 3.-
	Land- High Rolling. Soil 2nd Rate.

August 6th, 1857.-

North Between Sections 33 and 34.
Variation 11° E.-

30.50	Crossed Creek 18 links wide. Runs N.
40.00	Set a Limestone 15 in long 10 in wide and 7 in Thick for Quarter Section corner.
80.00	Set a Boulder 22 in long 14 in wide and 12 in Thick for Corner To Sections 27, 28, 33 and 34.-
	Land- Rolling. Soil 2nd Rate.

Chains	
	East on a Random Line Between Sections 27 and 34.- Variation 11° 15' E.-
40.00	Set a Stake for Temporary Quarter Section Corner.-
79.90	Intersected North and South line 2 links South of Corner To Sections 26, 27 34 and 35.- From which Corner I run
	West on a True line Between Sections 27 and 34.- Variation 11° 16' E.-
39.95	Set a Limestone 18 in long, 12 in wide and 5 in Thick for Quarter Section Corner.-
79.90	The Corner To Sections 27, 28, 33 and 34
	Land - Rolling. Soil 2nd Rate.

Chains	
	North Between Sections 27 and 28.- Variation 11° E.-
40.00	Set a Limestone 15 in long 10 in wide and 5 in Thick for Quarter Section Corner.-
80.00	Set a Limestone 17 in long 10 in wide and 5 in Thick for Corner To Sections 21, 22, 27 and 28.-
	Land - Rolling. Soil 2nd Rate.

	East on a Random Line Between Sections 22 and 27. Variation 11° 15' E.-
40.00	Set a Stake for Temporary Quarter Section Corner.-
80.12	Intersected North and South Line 15 links South of Corner To Sections 22, 23, 26 and 27.- From which Corner I run

Township 8 N. Range 7 E of 6th Principal Meridian

Chains	
	West on a True line between Sections 22 and 27.- Variation 11° 21' E.-
40.06	Set a Limestone 16 in long 8 in wide and 5 in thick for Quarter Section Corner.-
80.12	The Corner to Sections 21, 22, 27 and 28.- Land, Rolling. Soil 2nd Rate.

North between Sections 21 and 22. Variation 11° E.-

40.00	Set a Limestone 17 in long, 10 in wide and 8 in thick for Quarter Section Corner.
80.00	Set a Limestone 18 in long 10 in wide and 4 in thick for Corner to Sections 15, 16, 21 and 22.- Land - High and Broken. Soil 2nd Rate.

Township 8 N. Range 7 E of 6th Principal Meridian

Chains	
	East on a Random Line Between Sections 15 and 22.- Variation 11° 15' E.-
40.00	Set a Stake for Temporary Quarter Section Corner.
80.20	Intersected North and South Line 10 links South of Corner to Sections 14, 15, 22 and 23.- From which Corner I run

West on a True line Between Sections 15 and 22. Variation 11° 19' E.-

40.10	Set a Limestone 16 in long 8 in wide and 8 in thick, for Quarter Section Corner.-
80.20	The Corner to Sections 15, 16, 21 and 22.- Land, Rolling. Soil 2nd Rate.

Township 8 N. Range 7 E of 6th Principal Meridian

Chains	
	North between Sections 15 and 16. Variation 11° E.
40.00	Set a Limestone 16 in long, 9 in wide and 6 in Thick for Quarter Section Corner.-
80.00	Set a Limestone 17 in long 9 in wide and 7 in Thick for Corner To Sections 9, 10, 15 and 16.- Land Rolling. Soil 2nd Rate
	East on a Random Line Between Sections 10 and 15. Variation 11° 15' E.
40.00	Set a Stake for Temporary Quarter Section Corner.
80.30	Intersected North and South Line 28 links South of Corner To Sections 10, 11, 14 and 15.- From which Corner I run

Township 8 N. Range 7 E of 6th Principal Meridian.

Chains.	
	West on a True Line Between Sections 10 and 15.- Variation 11° 26' E.-
40.15	Set a Limestone 18 in long, 10 in wide and 6 in Thick, for Quarter Section Corner.-
80.30	The Corner To Sections 9, 10, 15 and 16.- Land- Rolling. Soil 2nd Rate.
	North between Sections 9 and 10 Variation 11° E.-
40.00	Set a Limestone 16 in long 8 in wide and 6 in Thick for Quarter Section Corner.
80.00	Set a Limestone 15 in long 8 in wide and 7 in Thick for Corner To Sections 3, 4, 9 and 10.- Land- Rolling. Soil 2nd Rate.

Chains East on a Random Line
Between Sections 3 and 10.-
Variation 11° 15' E.-

40.00 Set a Stake for Temporary Quarter Section Corner.-

79.80 Intersected North and South Line
32 links South of Corner to Sections
2, 3, 10 and 11.- From which Corner I run
West on a True line
Between Sections 3 and 10.-
Variation 11° 29' E.-

39.90 Set a Limestone 15 in long 10 in wide
and 6 in thick, for Quarter Section Corner.-

79.80 The Corner to Sections 3, 4, 9 and 10.-
Sand, Broken. Soil, 2nd Rate.

North between Sections 3 and 4.-
Variation 11° E.-

40.00 Set a Limestone 14 in long, 8 in

Chains wide and 7 in thick for
Quarter Section Corner.-

78.80 Intersected 2nd Standard Parallel
North, 16 chains and 70 links
West of Standard Corner.-
At which point I set a Lime-
Stone 18 in long 9 in wide and
5 in thick, for Closing Corner
to Sections 3 and 4.-
Sand- Broken. Soil 2nd Rate.
August 7th 1857.-

North between Sections 32 and 33.-
Variation 11° E.

40.00 Set a Limestone 15 in long 12 in wide
and 6 in thick for Quarter Section Corner.

80.00 Set a Limestone 15 in long 10 in wide
and 6 in thick, for Corner

Township 8 N. Range 7 E. of 6th Principal Meridian

Chains	
	To Sections 28, 29, 32 and 33.-
	Land Rolling. Soil 2nd Rate.-
	East on a Random Line
	Between Sections 28 and 33.-
	Variation 11°15' E.-
7.00	A Creek 15 links wide - Runs N.W.-
	And Enter Timber - Bears N.W. and S.E.
9.00	Same Creek 16 links wide - Runs S.W.
16.00	Same Creek 18 links wide - Runs N.W.
16.30	Leave Timber - Bears with Creek.-
40.00	Set a Stake for Temporary Quarter Section Corner
80.30	Intersected North and South line
	10 links South of Corner to Sections
	27, 28, 33 and 34.-
	From which Corner I run
	West on a True line,

29.

Township 8 N Range 7 E of 6th Principal Meridian

Chains	
	Between Sections 28 and 33.-
	Variation 11°19' E.-
40.15	Set a Limestone 12 in long 10 in
	wide and 7 in thick, for
	Quarter Section Corner.-
80.30	The Corner to Sections 28, 29.
	32 and 33.-
	Land:- Rolling. Soil - 1st half
	Mile 1st Rate, 2nd half
	Mile 2nd Rate.-
	Timber - Principally Walnut
	and Elm.-
	Underbrush - Same and Cherry
	and Plum, with an abund-
	ance of fruit.-
	North between Sections 28 and 29.-
	Variation 11° E.-
10.00	A Creek 17 links wide - Runs N.W.-
40.00	Set a Limestone 15 in long, 8 in
	wide and 7 in thick for

Township 8 N. Range 7 E of 6th Principal Meridian

Chains.	
	Quarter Section Corner.-
80.00	Set a Limestone 16 in long, 12 in wide and 4 in thick for Corner to Sections 20, 21, 28 and 29.-
	Sand- Rolling. Soil 2nd Rate.-
	East on a Random line between Sections 21 and 28.- Variation 11° 15' E.-
40.00	Set a Stake for Temporary Quarter Section Corner.-
80.30	Intersected North and South Line 30 links South of Corner to Sections 21, 22, 27 and 28, From which Corner I run West on a True line between Sections 21 and 28.- Variation 11° 27 E.-
40.15	Set a Limestone 13 in long 11 in wide and 5 in thick for

Township 8 N. Range 7 E of 6th Principal Meridian

Chains.	
	Quarter Section Corner.
80.30	The Corner to Sections 20, 21, 28, and 29. Sand- Broken. Soil 2nd Rate.
	North between Sections 20 and 21.- Variation 11° E.-
40.00	Set a Limestone 14 in long 10 in wide and 5 in thick, for Quarter Section Corner.-
80.00	Set a Limestone 20 in long 12 in wide and 8 in thick, for Corner to Sections 16, 17, 20 and 21.-
	Sand- Broken. Soil 2nd Rate.
	East on a Random Line Between Sections 16 and 21.- Variation 11° 15' E.-
40.00	Set a Stake for Temporary Quarter Section Corner.-
80.18	Intersected North and South

Township 8 N. Range 7 E of 6th Principal Meridian

Chains	
	line 13 links South of corner to Sections 15, 16, 21 and 22.– From which corner I run
	West on a true line Between Sections 16 and 21. Variation 11° 22' E.–
40.09	Set a Limestone 18 in long, 10 in wide and 8 in thick for Quarter Section corner.
80.18	The corner to Sections 16, 17, 20 and 21.–
	Land – Broken. Soil 2nd Rate.
	North between Sections 16 and 17.– Variation 11° E.–
40.00	Set a Limestone 24 in long 8 in wide and 8 in thick for Quarter Section corner.
80.00	Set a Limestone 10 in long, 8 in wide, and 6 in thick for

Township 8 N. Range 7 E of 6th Principal Meridian

Chains.	
	corner to Sections 8, 9, 16 and 17.–
	Land – Broken. Soil 2nd Rate.
	East on a random line Between Sections 9 and 16.– Variation 11° 15' E.
40.00	Set a Stake for Temporary Quarter Section corner.
80.10	Intersected North and South line 7 links South of corner to Sections 9, 10, 15 and 16.– From which corner I run
	West on a true line between Sections 9 and 16.– Variation 11° 18' E.–
40.05	Set a Limestone 20 in long, 8 in wide, and 8 in thick, for Quarter Section corner.–
80.10	The corner to Sections 8, 9,

Chains	
	16 and 17.
	Sand-Broken. Soil 2nd Rate.
	North between Sections 8 and 9.-
	Variation 11° E.-
40.00	Set a Limestone 17 in long, 10 in wide and 6 in Thick for Quarter Section Corner.
80.00	Set a Limestone 15 in long 8 in wide and 5 in Thick for Corner to Sections 4, 5, 8 and 9.-
	Sand-Broken. Soil 2nd Rate.
	East on a Random Line Between Sections 4 and 9.-
40.00	Set a Stake for Temporary Quarter Section Corner.-
79.95	Intersected North and South Line 20 links South of Corner to Sections 3, 4, 9 and 10.

Chains	
	From which Corner I run West on a True line between Sections 4 and 9.-
	Variation 11° 24' E.-
39.97	Set a Limestone 18 in long 12 in wide and 3 in Thick, for Quarter Section Corner.-
79.95	The Corner to Sections 4, 5, 8 and 9.-
	Sand-Broken. Soil 2nd Rate.-
	North between Sections 4 and 5.-
	Variation 11° E.-
40.00	Set a Limestone 16 in long, 12 in wide and 3 in Thick for Quarter Section Corner.-
78.60	Intersected 2nd Standard Parallel North; 16 chains and 30 links West of Standard Corner; at which point I set a Limestone 18 in long 10 in wide and 6 in

Chains	
	Thick, for closing corner To Sections 4 and 5.-
	Sand-Broken. Soil 2nd Rate.-
	August 8th, 1857.-
	North between Sections 31 and 32. Variation 11° E.
40.00	Set a Limestone 14 in long 12 in wide and 5 in Thick for Quarter Section corner.-
80.00	Set a Limestone 16 in long, 12 in wide and 6 in Thick, for corner To Sections 29, 30, 31 and 32.-
	Sand Broken. Soil 2nd Rate.
	East on a Random line Between Sections 29 and 32.- Variation 11° 30' E.-
40.00	Set a Stake for Temporary Quarter Section corner.-

Chains.	
79.70	Intersected North and South line 10 links North of corner To Sections 28, 29, 32 and 33.- From which corner I run West on a True line Between Sections 29 and 32.- Variation 11° 26' E.
39.85	Set a Limestone 14 in long, 10 in wide and 5 in Thick, for Quarter Section corner.-
79.70	The corner To Sections 29, 30, 31 and 32.- Sand Broken. Soil 2nd Rate.
	West on a Random Line Between Sections 30 and 31.- Variation 11° 30' E.-
37.00	A Brook, 10 links wide - Runs N.E.
40.00	Set a Stake for Temporary Quarter Section corner.-
80.50	Intersected West Boundary. 35

Township 8 N. Range 7 E of 6th Principal Meridian.

Chains	
	Links North of corner to Sections 30 and 31.- From which corner I run East on a true line Between Sections 30 and 31.- Variation 11° 45'E.-
40.50	Set a Limestone 18 in long, 8 in wide and 5 in thick for Quarter Section corner.-
80.50	The corner to Sections 28, 29, 32 and 33.-
	Land - Rolling. Soil 2nd Rate.

North between Sections 29 and 30.- Variation 11° E.-

40.00	Set a Limestone 15 in long, 13 in wide and 5 in thick, for Quarter Section corner.
76.00	A Brook 10 links wide - Runs N.E. With some scattering Timber, along its banks.-

Township 8 N. Range 7 E of 6th Principal Meridian.

Chains	
80.00	Set a Limestone 16 in long, 10 in wide, and 5 in thick, for corner to Sections 19, 20, 29 and 30.- To which corner an Elm 16 in. in diam Bears S 80° E 30 links dist.; An Ash 10 in in diam. Bears S. 75° W. 7 links dist. A Burr Oak 15 in. in diam. Bears N. 80° W. 38 links dist. A. Hickory 12 in. in diam. Bears N. 50° E. 160 links dist.
	Land - Broken. Soil 2nd Rate. Timber

East on a Random line between Sections 20 and 29.- Variation 11° 30'E.

5.00	Cross Brook 10 links wide - Runs N.E.
30.00	Enter Timber - Bears N and S.- And cross Creek 18 links wide. Runs N.
34.00	Same Creek 17 links wide - Runs S.W.

Township 8 N. Range 7 E of 6th Principal Meridian

Chains	
37.00	Same Creek 19 links wide. Runs N.W.
37.50	Leave Timber and Enter Prairie.– N E & S W
40.00	Set a Stake for Temporary Quarter Section Corner.–
79.76	Intersected North and South Line at Corner to Sections 20, 21, 28 and 29.–
	From which Corner I run West on a True line Between Sections 20 and 29. Variation 11° 30' E.–
39.88	Set a Limestone 14 in long 12 in wide and 6 in thick, for Quarter Section Corner.–
79.76	The Corner to Sections 19, 20, 29 and 30.
	Land – Broken. Soil 1st Rate.
	Timber – Burr Oak, Hickory, Elm, and Walnut.–
	Underbrush – Same.–

Township 8 N Range 7 E of 6th Principal Meridian

Chains	
	West on a Random line Between Sections 19 and 30.– Variation 11° 30' E.–
40.00	Set a Stake for Temporary Quarter Section Corner.–
81.30	Intersected West Boundary 13 links South of Corner to Sections 19 and 30.–
	From which Corner I run East on a True line Between Sections 19 and 30.– Variation 11° 24' E.–
41.30	Set a Limestone 15 in long 8 in wide and 6 in thick, for Quarter Section Corner.
81.30	The Corner to Sections 19, 20, 29 and 30.–
	Land – Broken. Soil 2nd Rate.

North between Sections 19 and 20.–
Variation 11° E.–

Township 8 N. Range 7 E of 6th Principal Meridian

Chains	
40.00	Set a Limestone 16 in long, 8 in wide and 5 in Thick for Quarter Section corner.-
65.00	A Creek 20 links wide - Runs N W.
80.00	Set a Limestone 17 in long, 8 in wide and 7 in Thick for Corner To Sections 17, 18, 19 and 20.-
	Land - Broken. Soil 2nd Rate.

East on a Random line
Between Sections 17 and 20.
Variation 11° 45' E.-

40.00	Set a Stake for Temporary Quarter Section corner.-
79.63	Intersected North and South line 16 links South of corner To Sections 16, 17, 20 and 21.- From which Corner I run

West on a True line between

Township 8 N. Range 7 E of 6th Principal Meridian.

Chains.	
	Sections 17 and 20.-
	Variation 11° 52° E.-
39.81	Set a Limestone 14 in long, 10 in wide and 3 in Thick for Quarter Section corner.-
79.63	The corner To Sections 17, 18, 19 and 20.-
	Land - Broken. Soil 2nd Rate.

West on a Random Line
Between Sections 18 and 19.-
Variation 11° 30' E.-

13.00	A Creek 10 links wide - Runs N. E.- with some scattering Timber along its banks.-
40.00	Set a Stake for Temporary Quarter Section corner.-
79.90	Intersected West Boundary 40 links North of Corner To Sections 18 and 19.- From which corner I run

Township 8 N. Range 7 E of 6th Principal Meridian

Chains. East on a True Line between Sections 18 and 19.-

Variation 11° 47' E.-

39.90 Set a Limestone 18 in long 7 in wide and 6 in Thick for Quarter Section Corner.-

79.90 The corner To Sections 17, 18, 19, and 20.-

Sand-Broken- Soil, 1st half Mile- 1st Rate: 2nd half Mile 2nd Rate.-

* Timber Oak & Walnut

North Between Sections 17 and 18.-

Variation 11° E.-

10.00 Enter Timber- Beare N.E. and S.W.

11.00 A Creek 50 links wide- Runs N.E.-

17.25 Same creek 49 links wide- Runs N.W.

22.10 Same creek 50 links wide- Runs N.E.

23.00 Leave Timber and Enter Prairie.-

40.00 Set a Limestone 15 in long 10 in wide and 6 in Thick for

Township 8 N. Range 7 E of 6th Principal Meridian.

Chains. Quarter Section corner.-

~~40.50 A Creek 50 links wide- Runs N.W.~~

~~From~~ which a Cone Elm Beare N. 10° E.- 22 links Distant

40.50 A Creek 50 links wide Runs N. W.

80.00 Set a Limestone 18 in long 8 in wide and 6 in Thick for corner To Sections 7, 8, 17 and 18.-

Sand- Broken: Soil 1st Rate.-

East on a Random line Between Sections 8 and 17

Variation 11° 30' E.

40.00 Set a Stake for Temporary Quarter Section corner.-

80.20 Intersected North and South Line 15 links South of corner To Sections 8, 9, 16 and 17.-

From which corner I run West on a True line between

Township 8 N. Range 7 E of 6th Principal Meridian

Chains	
	Sections 8 and 17.-
	Variation 11° 36' E.-
40.10	Set a Limestone 17 in long, 8 in wide and 6 in thick, for Quarter Section corner.-
80.20	The corner to Sections 7, 8, 17, and 18.-
	Land - Rolling. Soil 2nd Rate
	West on a Random line Between Sections 7 and 18.-
	Variation 11° 30' E.-
7.00	Enter Timber. Bears N. and S.-
7.50	A Creek 35 links wide - Runs N.-
11.30	Leave Timber and Enter Prairie.-
40.00	Set a Stake for Temporary Quarter Section corner.-
77.90	Intersected West Boundary 21 links South of corner to Sections 7 and 18.- From which corner I run

Township 8 N. Range 7 E of 6th Principal Meridian.

Chains	
	East on a True line Between Sections 7 and 18.-
	Variation 11° 2' E.
37.90	Set a Limestone 14 in long, 10 in wide and 8 in thick for Quarter Section corner.-
77.90	The corner to Sections 7, 8, 17, and 18.-
	Land - Rolling. Soil 1st Rate.- Timber
	North between Sections 7 and 8.-
	Variation 11° E.-
40.00	Set a Limestone 15 in long, 7 in wide and 5 in thick, for Quarter Section corner.-
80.00	Set a Limestone 16 in long 10 in wide and 7 in thick, for Corner to Sections 5, 6, 7 and 8.-
	Land - Rolling.- Soil, 2nd Rate.

Township 8 N. Range 7 E of 6th Principal Meridian

Chains East on a Random Line
Between Sections 5 and 8.-
Variation 11° 30' E.-

40.00 Set a Stake for Temporary
Quarter Section Corner

80.60 Intersected North and South
Line 3 links South of
Corner To Sections 4, 5, 8 and 9.-
From which corner I run
West on a True line between
Sections 5 and 8.-
Variation 11° 31' E.-

40.30 Set a Lime Stone 18 in long
8 in wide and 4 in Thick,
for Quarter Section corner.

80.60 The Corner To Sections 5, 6, 7 and 8.-
Land - Broken. Soil 2nd Rate.

West on a Random line
Between Sections 6 and 7.-
Variation 11° 30' E.

Township 8 N. Range 7 E of 6th Principal Meridian

Chains.

40.00 Set a Stake for Temporary
Quarter Section corner.

44.75 Salt Creek, 50 links wide.-
Runs N.

77.38 Intersected West Boundary
10 links South of Corner
To Sections 6 and 7.-
From which Corner I run
East on a True line
Between Sections 6 and 7.
Variation 11° 26' E.-

37.38 Set a Limestone 16 in long
8 in wide and 6 in Thick,
for Quarter Section Corner.-

77.38 The Corner To Sections
5, 6, 7 and 8.-
Land - Rolling Soil 1st Rate.

North Between Sections 5 and 6.-
Variation 11° E.-

Chains.	
40.00	Set a Limestone 24 in long, 7 in wide and 3 in thick for Quarter Section Corner.-
80.90	Intersected 2nd Standard Parallel North- 17 chains and 32 links West of Standard Corner at which point I set a Limestone 18 in long 7 in wide and 6 in thick for closing Corner to Sections 5 and 6.-

Land - Rolling. Soil 2nd Rate.
August 10th, 1857.-

General Description.-

This Township contains a quantity of level bottom Land along the Creeks, with good rich Soil. The Uplands are Broken and the soil mostly 2nd Rate.-

Lime Stone in abundance in different portions of the Township.- Good running Water in the Creeks.-

Timber, Scarce, but of a good quality.-

Some Settlers on the Creeks running through the Western Tiers of this Township.-

5/210

List of Names

A List of the names of the individuals employed to assist in running measuring or marking, the lines and corners described in the foregoing field Notes of Township No. 8 N. of Range No. 7 East of the 6th Principal Meridian showing the respective capacities in which they acted -

John F. Smith. Chainman
Lyman M. Sawyer. Chainman
Henry E. Roberts. Axeman
William F. Mann. Flagman

General Land Office • Original Field Notes

Book Number

78

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.