General Land Office • Original Field Notes

Book Number

80

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Platted C.W.

Compd
By S & D

(5) 1

a

Vol. 4 R. 7 E.

Field-Notes
of the
Survey of the Subdivision lines in
Township 13 North of the base
line. Range 7 East of the
6th Principal Meridian by
Justus L. Cozad D. S.
Under his contract No. 170 bearing
date Nov. 15th 1856
Survey commenced Oct 16th 1857
Survey completed Oct 20th 1857

Cxd Dec 4th 1857
Vanzandt

Township 13 North Range 7 East

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Names and Duties of Assistants

Chas C. Rowohl Chainman

George Hechler Chainman

John Ford Flagman

Henry F. Pell Axeman

Field-Notes of the survey of the Subdivision lines in Township 13 N. Range 7 E. of the 6th Prin. Merid.

To determine the proper adjustment of my compass for subdividing this township I begin at a boulder stone the Established corner to sections 25 and 36 on the East boundary of the township and run South on a blank line along the East side of section 36

Variation 11° 15' East

39.40 To a point 35 links west of the quarter section corner

80.33 To a point 24 links West of the corner to T 12 and 13 N. R 7 and 8 East. To retrace this line or run parallel thereto my Compass must be adjusted to a

Township 13 N. Range 7 E 6th P. M.

Variation 11° 25' East

From the corner to T 12 and 13 N R 7 and 8 East I run West on a blank line along the south side of Section 36

Variation 12° 00' East

40.00 To a point 20 links North of the quarter sections corner

80.00 To a point 38 links N of the corner to sections 35 and 36

To retrace this line or run parallel thereto my Compass must be adjusted to a Variation of 12° 16' East

Subdivisions commenced Oct 16th 1837

Township 13 N. Range 7 E

North between sections 35 and 36

Variation 11° 25' East

22.10 Drain descends East

30.25 A creek 10 links wide 2 feet deep runs S E

33.25 Same 10 links wide runs S W

40.00 Set a boulder stone 14 in long 11 in wide 8 in thick for quarter section corner

52.90 Drain descends East

60.00 Enter upland bearing E and W

80.00 Set a boulder stone 14 in long 8 in wide 6 in thick for corner to sections 25, 26, 35, 36.

Bottom wet. Soil 3rd rate

Upland gently rolling 1st rate

Township 13 N. Range 7 E

East on a random line between sections 25 and 36

Variation 12° 15' East

15.00 Enter bottom land bearing N and S.

16.00 Flag slough descends S E

27.60 Creek 60 links wide 3 feet deep runs South

35.00 Enter upland bears N and S

40.00 Set a flag for temporary quarter section corner

80.54 Intersect N and S line 16 links South of the corner to sections 25 and 36 from which corner I run West on a true line between sections 25 and 36

1500
65.54
6454

Variation 12° 22' East

40.27 Set a boulder stone 13 in long 8 in wide 5 in thick for quarter section corner

80.54 The corner to sections 25, 26, 35, 36

Bottom land level dry

Upland rolling

Soil 2nd rate

Township 13 N. Range 7 E.

North between sections 25 and 26

Variation 11° 25' East

22.1

30.2 — 15.00 Enter bottom land bearing N W & S E

30.00 Enter upland bearing N E and S W

33.2 — 40.00 Set a boulder stone 15 in long 8 in wide

40.0 — 5 in thick for quarter section corner

42.00 Enter bottom land bearing N W and S E

48.50 Branch 4 links wide runs East

52.9 — 72.50 A creek 15 links wide runs S E

60.00 — 80.00 Set a red sand stone 17 in long 12 in wide

80.00 — 3 in thick for corner to sections

23.24.25.26

Bottom low and wet 2nd rate

Upland gently rolling soil 1st rate

Township 13 N. Range 7 E 6th P. Merid

East on a random line between

sections 24 and 25

Variation 12° 15' East

1.00 Enter upland bearing N and S E

40.00 Set a flag for temporary quarter

section corner

45.20 A branch 5 links wide runs South

80.50 Intersect the East boundary of the

township 8 links South of the

corner to sections 24 and 25 from

which corner I run West on a

true line between sections 24 and 25

Variation 12° 18' East

40.25 Set a red sand stone 14 in long 12 in wide

3 in thick for quarter section corner

80.50 The corner to sections 23.24.25.26

Land rolling prairie

Soil 2nd rate

Township 13 N. Range 7 E. 6th P. M.

North between sections 23 and 24

Variation 11° 25' East

0.40 Drain descends SW

2.00 Begins to ascend a hill bearing NE and SW

20.00 Top of high bluff covered with red sand stone. bears NE and SW

40.00 Set a red sand stone 15 in long 12 in wide 4 in thick for quarter section corner

58.25 Drain descends SW

80.00 Set a sand stone 15 in long 12 in wide 4 in thick for corner to sections 13, 14, 23, 24

Land rolling prairie

Soil 2nd rate

Township 13 N. Range 7 E 6th P. M.

East on a random line between sections 13 and 24

Variation 12° 15' East

40.00 Set a flag for temporary quarter section corner

47.60 Drain descends South

80.72 Intersect the East boundary of the township 20 links south of the corner to sections 13 and 24 from which corner I run

4760
33'

West on a true line between sections 13 and 24

Variation 12° 24' East

11.36 Set a red sand stone 14 in long 8 in wide 6 in thick for quarter section corner

80.72 This corner to sections 13, 14, 23, 24

Land high rolling prairie

Soil 2nd rate

Township 13 N. Range 7 E 6th P. Md.

North between sections 13 and 14

Variation 11°25' East

40.00 Set a red sand stone 14 in long 9 in wide 4 in thick for quarter section corner

80.00 Set a red sand stone 14 in long 12 in wide 6 in thick for corner to sections 11, 12, 13, 14

Land rolling prairie

Soil 2nd rate

Township 13 N. Range 7 E 6th P. Md.

East on a random line between sections 12 and 13

Variation 12°15' East

33.50 Road to California bears N 2 W and S E

40.00 Set a flag for temporary quarter section corner

80.20 Intersect the East boundary of the township 19 links south of the corner to sections 12 and 13 from which corner I run

West on a true line between sections 12 and 13

Variation 12°23' East

40.10 Set a boulder stone 14 in long 8 in wide 5 in thick for quarter section corner

80.20 The corner to sections 11, 12, 13, 14

Land rolling prairie

Soil 2nd rate

Oct 16th 1857

Township 13 N. Range 7 E 6th P.M.

North between sections 11 and 12

Variation 11° 25' East

40.00 Set a red sand stone 16 in long 10 in wide 5 in thick for quarter section corner

66.00 Road to California bears E and W

80.00 Set a sandstone 17 in long 12 in wide 6 in thick for corner to sections 1, 2, 11, 12

Land high rolling prairie

Soil 2nd rate

Township 13 N. Range 7 E 6th P.M.

East on a random line between sections 1 and 12

Variation 12° 25' East

40.00 Set a flag for temporary quarter section corner

80.18 Intersect the East boundary of the township 30 links south of the corner to sections 1 and 12 from which corner A. cor.

West on a true line between sections 1 and 12

Variation 12° 38' East

40.09 Set a red sand stone 15 in long 11 in wide 3 in thick for quarter section corner

80.18 The corner to sections 1, 2, 11, 12

Land high rolling prairie

Soil 2nd rate

Township 13 N. Range 7 E. 6th P.M.

North on a random line between sections 1 and 2

Variation 11° 25' East

40.00 Set a flag for temporary quarter section corner

82.90 Intersect the north boundary of the township at the corner to sections 1 and 2 from which corner I run south on a true line between sections 1 and 2

Variation 11° 25' East

42.90 Set a red sand stone 14 in long 10 in wide 4 in thick for quarter section corner

82.90 The corner to sections 1.2.11.12

Land high rolling prairie

Soil 2nd rate

Township 13 N. Range 7 E 6th P.M.

North between sections 34 and 35

Variation 11° 25' East

40.00 Set a sand stone 14 in long 10 in wide 4 in thick for quarter section corner

80.00 Set a red sand stone 19 in long 10 in wide 4 in thick for corner to sections 26.27. 34. 35.

Land rolling prairie

Soil 2nd rate

Township 13 N. Range 7 E 6th Pr. M.

East on a random line between sections 26 and 35

Variation 12° 15' East

40.00 Set a flag for temporary quarter section corner

79.70 Intersect S and S line 10 links North of the corner to sections 25.26.35.36 from which corner I run West on a true line between sections 26 and 35

Variation 11° 58' East

37.85 Set a red sand stone 18 in long 11 in wide 4 in thick for quarter section corner

79.70 The corner to sections 26.27.34.35

Land gently rolling prairie

Soil 1st rate

Township 13 N. Range 7 E 6th Pr. Mer.

North between sections 26 and 27

Variation 11° 25' East

40.00 Set a red sand stone 14 in long 9 in wide 4 in thick for quarter sections corner

80.00 Set a red sand stone 16 in long 9 in wide 4 in thick for corner to sections 22.23.26.27.

Land rolling prairie

Soil 2nd rate

Township 13 N. Range 7 E 6th P. Mer'd

East on a random line between sections 23 and 26

Variation 12° 15' East

9.40 Branch 5 links wide runs S E

40.00 Set a flag for temporary quarter section corner.

50.00 Bottom land bearing N W and S E

61.00 A creek 10 links wide 1 foot deep runs S E

79.00 Dry run descends S W

79.60 Intersect N and S line 82 links North of the corner to sections 23 and 26 from which corner A run West on a true line between sections 23 and 26

Variation 11° 40' East

37.80 Set a red sand stone 14 in long 12 in wide 4 in thick for quarter section corner

79.60 The corner to Sections 22, 23, 26, 27

Bottom Level and dry. Soil 1st rate

Upland gently rolling Soil 2nd rate

Township 13 N Range 7 E 6th P. Mer'd

North between sections 22 and 23

Variation 11° 25' East

7.00 A branch 8 links wide runs S E

40.00 Set a red. sand stone 14 in long 12 in wide 4 in thick for quarter section corner

74.00 Enter bottom land bearing N W and S E

75.10 A creek 10 links wide 1½ feet deep runs S E

80.00 Set a red sand stone 16 in long 14 in wide 5 in thick for corner to sections 14, 15, 22, 23

Upland gently rolling prairie

Bottomland level and dry

Soil 1st rate

Township 13 N. Range 7 E 6th P. Mer.

East on a random line between sections 14 and 23

Variation 12° 15' East

19.30 A branch 2 links wide runs S S E

20.00 Enter upland bearing N W and S E

40.00 Set a flag for temporary quarter section corner

57.50 A drain descends S W

79.56 Intersect N and S line 120 links north of the corner to Sections 13, 14, 23, 24 from which corner I run West on a true line between sections 14 and 23

19.30
2216

Variation 11° 24' East

39.78 Set a boulder stone 14 in long 10 in wide 5 in thick for quarter section corner

79.56 The corner to Sections 14, 15, 22, 23.

Upland rolling prairie Soil 2nd rate

Bottomland level and dry Soil 1st rate

Township 13 N. Range 7 E 6th P. Mer.

North between sections 11 and 15

Variation 11° 25' E

13.00 Drain descends S E

40.00 Set a red sand stone 17 in long 13 in wide 4 in thick for quarter section corner

80.00 Set a red sand stone 20 in long 12 in wide 4 in thick for corner to sections 10, 11, 14, 15

Land high rolling prairie

Soil 2nd rate

Township 13 N. Range 7 E 6th Pr. Md

East on a random line between sections 11 and 14

Variation 11° 00' East

40.00 Set a flag for temporary quarter section corner

64.64 Drain descends south

79.90 Intersect N and S line 48 links south of the corner to sections 11, 12, 13, 14 from which corner I run West on a true line between sections 11 and 14

Variation 11° 21' East

39.95 Set a boulder stone 14 in long 9 in wide 6 in thick for quarter section corner

79.90 The corner to sections 10, 11, 14, 15

Land rolling prairie

Soil 2nd rate

Township 13 N Range 7 E 6th Pr. Md

North between sections 10 and 11

Variation 11° 10' East

40.00 Set a red sand stone 16 in long 14 in wide 4 in thick for quarter section corner

80.00 Set a red sand stone 24 in long 12 in wide 4 in thick for corner to sections 2, 3, 10, 11

Land rolling prairie

Soil 2nd rate

Township 13 N Range 7 E 6th P.M. Cont

East on a random line between sections 2 and 11

Variation 11° 25' East

40.00 Set a flag for temporary quarter section corner

60.00 Road to California bears N W by W and S E by E

79.58 Intersect the N and S line 26 links North of the corner to sections 1.2.11.12 from which corner I run

West on a true line between sections 2 and 11

Variation 11° 14' East

39.79 Set a red sand stone 20 in long 12 in wide 5 in thick for quarter section corner

79.58 The corner to sections 2.3.10.11

Land high rolling prairie

Soil 2nd rate

Oct 17th 1857

Township 13 N Range 7 E 6th P.M. Cont

North on a random line between sections 2 and 3

Variation 11° 25' East

10.00 Road to California

40.00 Set a flag for temporary quarter section corner

81.83 Intersect the North boundary of the Township 35 links west of the corner to Sections 2 and 3 from which corner I run

South on a true line between Sections 2 and 3

Variation 11° 10' East

41.83 Set a boulder stone 15 in long 7 in wide 5 in thick for quarter section corner

81.83 The corner to Sections 2.3.10.11

Land high rolling prairie

Soil 2nd rate

North between sections 33 and 34

Variation 11° 18' East

40.00 Set a red sand stone 15 in long 8 in wide 4 in thick for quarter section corner

80.00 Set a red sand stone 24 in long 8 in wide 4 in thick for corner to sections.

27.28.33.34

Land gently rolling prairie

Soil 2nd rate

East on a random line between sections 27 and 34

Variation 12° 00' East

15.60 Drain descends south

37.50 Drain descends south

40.00 Set a flag for temporary quarter section corner

80.00 Intersect the Rand Line 20 links north of the corner to sections 26.27.34.35 from which corner

1560
40
64

From West on a true line between sections 27 and 34

Variation 11° 51' East

40.00 Set a red sand stone 16 in long 13 in wide 3 in thick for quarter section corner

80.00 The corner to sections 27.28.33.34

Land rolling prairie

Soil 2nd rate

Township 13 N Range 7 E 6th Prin. Merid

North between sections 27 and 28

Variation 11°20' East

40.00 Set a red sand stone 16 in long 12 in wide 4 in thick for quarter section corner

80.00 Set a red sand stone 18 in long 11 in wide 3 in thick for corner to sections 21.22.27.28

Land high rolling prairie

Soil 2nd rate

Township 13 N Range 7 E 6th P. Mer

East on a random line between sections 22 and 27

Variation 11°35' East

40 00 Set a flag for temporary quarter section corner

54 75 drain descends N E

79 80 Intersect N and S line 28 links North of the corner to sections 22.23.26.27 from which corner I am

54 75
25 05

West on a true line between sections 22 and 27

Variation 11°43' East

39.90 Set a red sand stone 17 in long 9 in wide 4 in thick for quarter section corner

79 80 The corner to sections 21.22.27.28

Land high rolling prairie

Soil 2nd rate

Township 13 N Range 7 E 6th Pr. Merid.

North between sections 21 and 22.

Variation 11° 20' East

30.00 Drain descends S E

40.00 Set a red sand stone 20 in long 10 in wide 5 in thick for quarter section corner

80.00 Set a red sand stone 16 in long 12 in wide 5 in thick for corner to sections 15, 16, 21, 22

Land rolling prairie

Soil 2nd rate

Township 13 N. Range 7 E 6th Prin. Merid.

East on a random line between sections 15 and 22

Variation 11° 40' East

40 00 Set a flag for temporary quarter section corner

60 00 Enter bottomland bearing N W and S E

66 00 Drain descends S E

68 00 A creek 25 links wide 1½ ft deep runs South soon turns S E

79 94 Intersect N and S line 57 links North of the corner to sections 14, 15, 22, 23 from which corner I run West on a true line between sections 15 and 22

Variation 11° 16' East

39 97 Set a red sand stone 16 in long 13 in wide 6 in thick for quarter section corner

79 94 The corner to sections 15, 16, 21, 22

Bottomland level, dry, Soil 1st rate

Upland rolling Soil 2nd rate

Township 13 N Range 7 E 6th Pr. Md

North between sections 15 and 16

Variation 11° 25' East

37.00 Enter bottom land bearing E and W

38.50 Drain descends N E

40.00 Set a red sand stone 17 in long 10 in wide 4 in thick for quarter section corner

50.00 A Creek 10 links wide runs S E

80.00 Set a boulder stone 14 in long 9 in wide 5 in thick for corner to Sections. 9.10.15.16

Upland rolling Soil 2nd rate

Bottomland level and dry Soil 1st rate

Township 13 N Range 7 E 6th Pr. Md

East on a random line between sections 10 and 15

Variation 11° 10' East

40 00 Set a flag for temporary quarter section corner

59 00 A pond of water 30 links wide from which a drain descends South

79 86 Intersect N and S line 13 links North of the corner to sections 10.11.14.15 from which corner I run

West on a true line between Section 10 and 15

Variation 11° 05' East

39 93 Set a boulder stone 12 in long 10 in wide 5 in thick for quarter section corner

79 86 The corner to sections 9.10.15.16

Land gently rolling prairie

Soil 2nd rate

Township 13 N Range 7 E 6th P. Mer

North between sections 9 and 10

Variation 11° 25' E

10.00 Intersect upland bearing N W and S E

40.00 Set a boulder stone 14 in long 8 in wide 8 in thick for quarter section corner

49.30 A branch 5 links wide runs S W

61.10 Same branch 15 links wide runs S E

65.90 Drain descends S W

80.00 Set a boulder stone 13 in long 10 in wide 5 in thick for corner to sections 3, 4, 9, 10

Bottom land level dry Soil 1st rate

Upland rolling Soil 2nd rate

Township 13 N. Range 7 E 6th P. Mer

East on a random line between sections 3 and 10

Variation 11° 00' East

3.50 Drain descends South

40.00 Set a flag for temporary quarter section corner

80.20 Intersect N and S line at the corner to sections 2, 3, 10, 11 from which corner I run West on a true line between sections 3 and 10

Variation 11° 00' East

40.10 Set a boulder stone 14 in long 6 in wide 6 in thick for quarter section corner

80.20 The corner to sections 3, 4, 9, 10

Land rolling prairie

Soil 2nd rate

Township 13 N Range 7 E 6th P.M.

North on a random line between sections 3 and 4

Variation 11°25' East

40.00 Set a flag for temporary quarter section corner

82.53 Intersect the North boundary of the township 10 links west of the corner to sections 3 and 4 from which corner I saw

South on a true line between sections 3 and 4

Variation 11°28' East

42.53 Set a boulder stone 14 in long 8 in wide 5 in thick for quarter section corner

82.53 The corner to sections 3.4.9.10.

Land rolling prairie

Soil 2nd rate

Oct 18th 1857

Township 13 N. Range 7 E 6th P.M.

North between sections 32 and 33

Variation 11° 20' East

40.00 Set a boulder stone 13 in long 7 in wide 6 in thick for quarter section corner

49.70 Branch 4 links wide runs S W

53.50 Same branch 4 links wide runs S E

67.70 Same branch 4 links wide runs S W

70.00 Same branch 4 links wide runs S E

80.00 Set a boulder stone 14 in long 12 in wide 8 in thick for corner to sections 28.29.32.33

Land rolling prairie

Soil 2nd rate

Township 13 N Range 7 E 6th P.M.

East on a random line between sections 28 and 33

Variation 11° 45' East

10.00 Indian graves 200 lks north of line

40.00 Set a flag for temporary quarter section corner

80.00 Intersect the N and S line 15 links south of the corner to sections 27.28.33.34. from which corner

I run West on a true line between sections 28 and 33

Variation 11° 51' East

40.00 Set a boulder stone 15 in long 7 in wide 5 in thick for quarter section corner

80.00 The corner to sections 28.29.32.33

Land high rolling prairie

Soil 2nd rate

Township 13 N Range 7 E 6th P. Me

North between section 28 and 29

Variation 11° 20' East

11.50 Drain descends S W

40.00 Set a boulder stone 15 in long 8 in wide 6 in thick for quarter section corner

79.30 Drain descends S W

80.00 Set a boulder stone 16 in long 9 in wide 7 in thick for corner to sections 20, 21, 28, 29.

Land high rolling prairie

Soil 2nd rate

Township 13 N Range 7 E 6th P. Me

East on a random line between sections 21 and 28

Variation 11° 40' East

40.00 Set a flag for temporary quarter section corner

80.00 Intersect N and S line 40 links North of the corner to sections 21, 22, 27, 28 from which corner I run

West on a true line between sections 21 and 28

Variation 11° 23' East

40.00 Set a boulder stone 16 in long 9 in wide 4 in thick for quarter section corner

80.00 The corner to sections 20, 21, 28, 29.

Land high rolling prairie

Soil 2nd rate

Township 13 N. Range 7 E 6th P. M.

North between sections 20 and 21

Variation 11° 00' East

0.10 Drain descends SW

1.60 Drain descends SE

40.00 Set a boulder stone 14 in long 12 in wide 8 in thick for quarter section corner

80.00 Set a boulder stone 16 in long 8 in wide 6 in thick for corner to Sections 16, 17, 20, 21

Land rolling prairie

Soil 2nd rate

Township 13 N. Range 7 E 6th P. M.

East on a random line between sections 16 and 21

Variation 11° 30' East

40 00 Set a flag for temporary quarter section corner

79 68 Intersect W and S line 68 links North of the corner to sections 15, 16, 20, 21 from which corner I run

West on a true line between Sections 16 and 21

Variation 11° 00' East

39 84 Set a boulder stone 12 in long 9 in wide 8 in thick for quarter section corner

79 68 The corner to Sections 16, 17, 20, 21

Land high rolling prairie

Soil 2nd rate

Township 13 N. Range 7 E. 6th Pr. Mo.

North between sections 16 and 17

Variation 11° 00' East

39.40 Drain descends N E

40.00 Set a boulder stone 14 in long 8 in wide 6 in thick for quarter section corner

40.90 Branch 4 links wide runs East

80.00 Set a boulder stone 14 in long 8 in wide 6 in thick for corner to sections 8.9.16.17

Land rolling prairie

Soil 2nd rate

Township 13 N. Range 7 E

East on a random line between sections 9 and 16

Variation 11° 00' East

40.00 Set a flag for temporary quarter section corner.

65.00 Intersect bottom land bearing N W and S

66.94 Creek 6 links wide runs S E

79.32 Intersect the N and S line 30 links

12.38 North of the corner to sections

14.32 9.10.15.16. from which corner I run

West on a true line between sections 9 and 16

Variation 10° 47' East

39.66 Set a boulder stone 15 in long 8 in wide 5 in thick for quarter section corner

79.32 The corner to sections 8.9.16.17.

Land rolling prairie

Soil 2nd rate

Township 13 N. Range 7 E 6th P.M.

North between sections 8 and 9

Variation 11° 00' East

20.00 Variation 11° 30' East

40.00 Set a boulder stone 15 in long 6 in wide 6 in thick for quarter section corner

80.00 Set a boulder stone 16 in long 10 in wide 8 in thick for corner to sections 4.5.8.9.

Land rolling prairie

Soil 2nd rate

Township 13 N Range 7 E. 6th P.M.

East on a random line between sections 4 and 9

Variation 11° 00 East

35.00 A creek 35 links wide runs South

40.00 Set a flag for temporary quarter section corner

71.00 Drain descends south

79.62 Intersect the N and S line at the corner to sections 3.4.9.10 from which corner I run

West on a true line between sections 4 and 9

Variation 11° 00' East

39.81 Set a boulder stone 15 in long 10 in wide 5 in thick for quarter section corner

79.62 The corner to sections 4.5.8.9

Land rolling prairie

Soil 2nd rate

Township 13 N. Range 7 E

North on a random line between sections 4 and 5

Variation 11°45' East

4.80 Branch 8 links wide runs East

40.00 Set a flag for temporary quarter section corner

44.80 A creek 4 links wide runs East

70.40 Indian trail bears N E and S W

81.88 Intersect the North boundary of the township at the corner to sections 4 and 5 from which corner I run South on a true line between sections 4 and 5

Variation 11°45' East

41.88 Set a boulder stone 13 in long 8 in wide 5 in thick for quarter section corner

81.88 The corner to sections 4.5.8.9.

Land rolling prairie

Soil 2nd rate

Township 13 N. Range 7 E 6th P. Mer.

North between sections 31 and 32

Variation 11°00' East

3.00 A creek 10 links wide runs East

40.00 Set a boulder stone 16 in long 6 in wide 6 in thick for quarter section corner

53.60 Drain descends S W

60.70 Same drain descends S E

62.00 Same drain descends S W

72.00 Same drain descends S E

78.00 Same drain descends S W

80.00 Set a boulder stone 14 in long 8 in wide 5 in thick for corner to sections 29. 30. 31. 32.

Dry level bottom land

Soil 2nd rate

Township 13 N. Range 7 E 6th P. M.

East on a random line between
sections 29 and 32

Variation 11° 30' East

1.30 Drain descends south
40.00 Set a flag for temporary quarter
section corner
78.30 A branch 4 links wide runs South
80.00 Intersect the N and S line 53 links
North of the corner to sections 28.29.
32.33. from which corner I run
West on a true line between Sections
29 and 32

Variation 11° 07' East

40.00 Set a boulder stone 14 in long 8 in wide
5 in thick for quarter section corner
80.00 The corner to sections 29, 30, 31, 32
Land high rolling prairie
Soil 2nd rate

Oct 19th 1857

Township 13 N Range 7 E 6th P. M.

West on a random line between
sections 30 and 31

Variation 11° 20' East

23.70 Drain descends south
25.95 Same drain descends S E
27.00 Same drain descends south
40.00 Set a flag for temporary
quarter section corner
80.20 Intersect the West boundary of
the township 25 links South of
the corner to sections 30 and 31
from which corner I run
East on a true line between
sections 30 and 31

Variation 11° 09' East

40.20 Set a boulder stone 14 in long 6 in
wide 6 in thick for quarter section corner
80.20 The corner to sections 29, 30, 31, 32
Land high rolling prairie
Soil 2nd rate

Township 13 N Range 7 E

North between sections 29 and 30

Variation 11° 00' East

1.25	Drain descends S E
5.40	Same drain descends S W
11.70	Same drain descends S E
23.90	Same drain descends S W.
40.00	Set a boulder stone 15 in long 12 in wide 4 in thick for quarter section corner
80.00	Set a sand stone 15 in long 8 in wide 5 in thick for corner to sections 19, 20, 29, 30

Land rolling prairie

Soil 2nd rate

Township 13 N Range 7 E 6th P.M.

East on a random between sections 20 and 29

Variation 11° 30' East

40.00	Set a flag for temporary quarter section corner
73.80	A branch 2 links wide runs South
77.80	Intersect the Rand S line 26 links North of the corner to sections 20 and 29 from which corner Run West on a true line between sections 20 and 29

Variation 11° 19' East

39.90	Set a red sand stone 15 in long 11 in wide 4 in thick for quarter section corner
79.80	The corner to sections 19, 20, 29, 30

Land rolling prairie

Soil 2nd rate

Township 13 N. Range 7 E 6th P.M.

West on a random line between
sections 19 and 30
Variation 11° 00' East
40.00 Set a flag for temporary quarter
section corner
60.73 A creek 15 links wide runs South
74.70 Indian trail bears N and S
81.22 Intersect the West boundary of the
60.73
2049 township 10 links North of the
corner to sections 19 and 30
from which corner I run
East on a true line between sections
19 and 30
Variation 11° 04' East
41.22 Set a red sandstone 20 in long 10 in
wide 3 in thick for quarter
section corner
81.22 The corner to sections 19, 20, 29, 30
Land rolling prairie
Soil 2nd rate

Township 13 N Range 7 E 6th P.M.

North between sections 19 and 20
Variation 11° 00' East
40.00 Set a red sand stone 15 in long 8 in
wide 5 in thick for quarter section corner
80.00 Set a red sandstone 18 in long 12 in
wide 3 in thick for corner to section
17, 18, 19, 20
Land rolling prairie
Soil 2nd rate

2140
34

Township 13 N. Range 7 E 6th P. M.

East on a random line between sections 17 and 20

Variation 11° 00' East

40.00 Set a flag for temporary quarter section corner

80.20 Intersect N and S line 10 links N. of the corner to sections 16, 17, 20, 21 from which corner I run West on a true line between sections 17 and 20

Variation 10° 57' East

40.10 Set a red sand stone 16 in long 12 in wide 4 in thick for quarter section corner

80.20 The corner to sections 17, 18, 19, 20

Land high rolling prairie

Soil 2nd rate

Township 13 N Range 7 E 6th P. M.

West on a random line between sections 18 and 19

Variation 11° 00' East

34.60 Old indian trail bears N and S.

40.00 Set a flag for temporary quarter section corner

54.00 A drain descends SE

66.20 Indian trail bears N and S

81.27 Intersect the West boundary of the township 80 links south of the corner to sections 18 and 19 from which corner I run East on a true line between sections 18 and 19 7 40 34

Variation 10° 26' East

41.27 Set a red sand stone 15 in long 12 in wide 5 in thick for quarter section corner

81.27 The corner to sections 17, 18, 19, 20

Land high, rolling prairie. Soil 2nd rate

Township 13 N Range 7 E 6th P. M.

North between sections 17 and 18

Variation 11° 00' East

40.00 Set a red sand stone 20 in long 12 in wide 5 in thick for quarter section corner

80.00 Set a boulder stone 14 in long 10 in wide 4 in thick for corner to sections 7, 8, 17, 18.

Land high rolling prairie

Soil 2nd rate

Township 13 N Range 7 E 6th P. M.

East on a random line between sections 8 and 17

Variation 11° 15' East

40.00 Set a flag for temporary quarter section corner

80.90 Intersect Band Line 56 links North of the corner to sections 8, 9, 16, 17, from which corner I run

West on a true line between sections 8 and 17

Variation 10° 41' East

40.45 Set a boulder stone 14 in long 12 in wide 5 in thick for quarter section corner

80.90 The corner to sections 7, 8, 17, 18

Land high rolling prairie

Soil 2nd rate

Township 13 N. Range 7 E 6th P. Mer.

West on a random line between sections 7 and 18
Variation 11° 15' East

36.70 Indian trail bears N E and S W

40.00 Set a flag for temporary quarter section corner

76.00 A branch 2 links wide runs North

77.50 A branch 2 links wide runs N E

79.70 Intersect the west boundary of the township 130 links South of the corner to sections 7 and 18 from which corner I run East on a true line between sections 7 and 18

2.20
8.70

Variation 10° 19' East

39.70 Set a boulder stone 15 in long 9 in wide 4 in thick for quarter section corner

79.70 The corner to sections 7, 8, 17, 18
Land rolling prairie. Soil 2nd rate

Township 13 N Range 7 E 6th P. Mer.

North between sections 7 and 8.
Variation 11° 30' East

40.00 Set a boulder stone 15 in long 9 in wide 6 in thick for quarter section corner

52.30 A branch 2 links wide runs East

68.00 Indian trail bears N E and S W

80.00 Set a boulder stone 13 in long 11 in wide 6 in thick for corner to sections 5, 6, 7, 8.
Land rolling prairie
Soil 2nd rate

Township 13 N. Range 7 E 6th P. M.

East on a random line between sections 5 and 8

Variation 10° 45' East

5,90 Indian trail bearing N E and S W

40,00 Set a flag for temporary quarter section corner

74,30 A branch 3 links wide runs N E

80,44 Intersect the Grand S line 23 links North of the corner to sections 4, 5, 8, 9, from which corner I run West on a true line between sections 5 and 8

Variation 10° 35' East

40,22 Set a boulder stone 14 in long 9 in wide 5 in thick for quarter section corner

80,44 The corner to sections 5. 6. 7. 8.

Land high rolling prairie

Soil 2nd rate

Township 13 N Range 7 E 6th P. M.

West on a random line between sections 6 and 7

Variation 10° 15' East

40,00 Set a flag for temporary quarter section corner

79,35 Intersect the West boundary of the township at the corner to sections 6 and 7, from which corner I run East on a true line between sections 6 and 7

Variation 10° 15' East

39,35 Set a boulder stone 14 in long 8 in wide 5 in thick for quarter section corner

79,35 The corner to sections 5. 6. 7. 8

Land high rolling prairie

Soil 2nd rate

Township 13 N Range 7 E 6th Pr Mer

North on a random line between sections 5 and 6

Variation 11°15' East

40.00 Set a flag for temporary quarter section corner

81.70 Intersect the North boundary of the township 35 links West of the corner to sections 5 and 6, from which corner I run South on a true line between sections 5 and 6

Variation 11°00' East

41.70 Set a boulder stone 15 in long 9 in wide 5 in thick for quarter section corner

81.70 The corner to sections 5.6.7.8

Land high rolling prairie

Soil 2nd rate

Oct 20th 1857

Township 13 N Range 7 E

General Description

In the South Easterly part of the township there is some wet 2nd rate bottom land, In the central part of the township there is some good dry bottom land 1st rate. The ballance of the land is high rolling prairie. Soil generally 2nd rate, A creek rises in the N W corner of the township and flows South Easterly through the township.

Boulders abound on the high ridges. There is a good quarry of sand stone in section 23.

There is not a dozen trees in the township

A list of the names of the individuals Employed to assist in running measuring and marking the lines and corners described in the foregoing field Notes of Township No 13 North of the Base Line in Range No 7 East of the 6th Principal Meridian on Showing the respective capacities in which they acted

Chas D. Rowohl	Chainman
George Hechler	Chainman
John Ford	Flagman
Henry T. Pell	Axeman

2

Contract No. 191.

Field Notes
of the
Subdivision lines of
Township 14 North of
Range 7
East of
The Sixth Principal Meridian
in
The Territory of Nebraska
Surveyed by
Michael Murphy
Deputy Surveyor
Under his contract No. 191
Dated March 28 1857.

Contract No. 191

Subdivision commenced October 14th
1857 Completed October 21st
A.D. 1857

Rec'd Nov 25th 1857

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the following field notes of Township No. 14. North of the base line of Range No. 7. East of the 4th Principal Meridian showing the respective capacities in which they acted.

Alanson A Green Chainman
Joseph B Reed Chainman
William G Creighton Axeman
George B Jones Axeman
Chauncey Viltre Compassman

Township 14 N. Range 7 East

6	34	5	25	4	19	3	13	2	7	1
33		33		24		19		12		6
7	32	8	24	9	18	10	12	11	6	12
32		31		23		18		11		5
18	31	17	23	16	17	15	11	14	4	13
30		29		22		17		10		4
19	29	20	22	21	16	22	10	23	3	24
28		28		21		16		9		3
30	27	29	21	28	15	27	9	26	2	25
27		26		20		14		8		2
31	26	32	20	33	14	34	8	35	1	36

Township 14 N. Range 7 E. 6th Principal Meridian

To determine the proper adjustment of my compass for subdividing this Township, I commence at the corner to Townships 13 and 14 N. Ranges 7 and 8 E. and run North on a blank line along the East boundary of section 36

Variation 11° 15' East

40,00 To a point 10 links East of quarter section corner

80,02 To a point 21 links East of corner to sections 25 and 36,

To retrace this line my compass must be adjusted to a variation of 11° 25' East

Subdivision commenced October 14th 1857.

From the corner to sections 1, 2, 35 and 36, on the South boundary of the Township, I run North between sections 35 and 36

Variation 11° 24' East

40,00 Drove a chained stake, set a post in mound with trench and pits as per instructions for a quarter section corner

80,00 Drove a chained stake set a post in mound with trench and pits as per instructions for a corner to sections 25, 26, 35 and 36

Rolling Prairie Soil 2nd rate

Township 14 N. Range 7 E. 6th Principal Meridian

	East on a random line between sections 25 and 36
	Variation 11° 24' East
40,00	Set a post for a temporary quarter section corner
79,86	Intersected the East boundary of the Township 60 links North of the corner to sections 25 and 36
	From which corner I run
	West on a true line between sections 25 and 36
	Variation 10° 58' East
39,93	Drove a hard stake, set a post in mound with trench and pits as per instructions for a quarter section corner
79,86	The Corner to sections 25, 26, 35 and 36,
	Rolling Prairie Soil 2nd rate

	North between sections 25 and 26
	Variation 11° 35' East
31,03	A Stream 6 links wide Course East
40,00	Drove a charred stake, set a post in mound with trench and pits as per instructions for a quarter section corner
80,00	Drove a charred stake, set a post in mound with trench and pits as per instructions for a corner to sections 23, 24, 25 and 26,
	Rolling Prairie Soil 2nd rate

Township 14 N. Range 7 E. 6th Principal Meridian

	East on a random line between sections 24 and 25
	Variation 10° 30' East
39,00	Struck bottom
40,00	Set a post for a temporary quarter section corner
79,62	Intersected the East boundary of the Township 36 links North of the corner to sections 24 and 25
	From which corner I run
	West on a true line between sections 24 and 25
	Variation 10° 06' East
39,81	Drove a charred stake set a post in mound with trench and pits as per instructions for a quarter section corner
79,62	The corner to sections 23, 24, 25 and 26
	~~Rol~~ Rolling Prairie, 2nd rate. West 39,00 chs
	~~Rol~~ Here Bottom Land. Soil 1st rate East 39,00 chs

	North between sections 23 and 24
	Variation 12° 00' East
40,00	Drove a charred stake, set a post in mound with trench and pits as per instructions for a quarter section corner
80,00	Drove a charred stake set a post in mound with trench and pits as per instructions for a quarter section corner

Township 14 N. Range 7 E. 6th Principal Meridian

	instructions for a corner to sections 13, 14, 23 and 24
	Rolling Prairie Soil 2nd rate
	East on a random line between sections 13 and 24
	Variation 10° 00' East
25,00	A Stream, 50 links wide Course S, E,
29,00	The same stream Course N, E,
40,00	Set a post for a temporary quarter section corner
65,20	Same stream Course S, E,
79,86	Intersected the East boundary of the Township 50 links South of the corner to sections 13 and 24 From which corner I run
	West on a true line between sections 13 and 24
	Variation 10° 21' East
39,93	Drove a charred stake with trench and pits set a post in mound as per instructions for a quarter section corner
79,86	To corner to sections 13, 14, 23 and 24,
	Level Bottomland, Soil 1st rate
	North, between sections 13 and 24
	Variation 12° 15' East

Township 14 N. Range 7 E. 6th Principal Meridian

3,18	Indian trail Course N, E,
12,14	A Stream 20 links wide Course E,
35,20	A Stream 25 links wide Course E,
40,00	Drove a charred stake with trench and pits set a post in mound as per instructions for a quarter section corner
80,00	Drove a charred stake with trench and pits set a post in mound as per instructions for a corner to sections 11, 12, 13 and 14
	Level Bottom Soil 1st rate
	October 14th 1857
	East on a random line between sections 12 and 13
	Variation 10° 15' East
37,20	Indian trail Course N, E,
40,00	Set a post for a temporary quarter section corner
80,20	Intersected the East boundary of the Township 40 links North of the corner to sections 12 and 13 From which corner I run
	West on a true line between sections 12 and 13
	Variation 9° 58' East
40,10	Drove a charred stake with trench and pits set a post in mound as per instructions for a quarter section corner

Township 14 N. Range 7 E. 6th Principal Meridian

80,20 To corner to sections 11, 12, 13 and 14
Rolling Prairie Soil 2nd rate

North between sections 11 and 12
Variation 12° 00' East
40,00 Drove a chained stake with trench and pits set a post in mound as per
instructions for a quarter section corner
80,00 Drove a chained stake with trench and pits set a post in mound as per
instructions for a corner to sections 1, 2, 11, and 12
Level Plateau Soil 2nd rate

East on a random line between sections 1 and 12
Variation 9° 45' East
40,00 Set a post for a temporary quarter section corner
80,40 Intersected the East boundary of the Township 20
links North of the corner to sections 1 and 12
From which corner I run
West on a true line between sections 1 and 12
Variation 9° 36' East
40,20 Drove a chained stake with trench and pits set a post in mound
as per instructions for a quarter section corner

Township 14 N. Range 7 E. 6th Principal Meridian

80,40 Corner to sections 1, 2, 11, and 12
Level Plateau Soil 2nd rate

North on a random line between sections 1 and 2
Variation 11° 20' East
40,00 Set a post for a temporary quarter section corner
75,76 Intersected the North boundary of the Township
20 links West of the corner to sections 1 and 2
From which corner I run
South on a true line between sections 1 and 2
Variation 11° 11' East
35,76 Drove a chained stake with trench and pits set a post in mound as per
instructions for a quarter section corner
75,76 The Corner to sections 1, 2, 11 and 12
Level Plateau Soil 2nd rate
October 15th 1857

Township 14 N. Range 7 E. 6th Principal Meridian

North between sections 34 and 35

Variation 11° 40' East

40,00 Drove a charred stake, set a post in mound with trench and pits as per instructions for a quarter section corner

79,26 A stream 5 links wide N. E.

80,00 Drove a charred stake, set a post in mound with trench and pits as per instructions for a corner to sections 26, 27, 34 and 35

Rolling Prairie Said 1st rate

East on a random line between sections 26 and 35

Variation 11° 40' East

18,00 Stream 5 links Course N. E.

40,00 Set a post for a temporary quarter section corner

79,98 Intersected the East boundary of the Township 40 links North of the corner to sections 25, 26, 35 and 36

From which corner I run

West on a true line between sections 26 and 35

Variation 11° 23' East

39,99 Drove a charred stake set a post in mound with trench and pits as per instructions for a quarter section corner

Township 14 N. Range 7 E. 6th Principal Meridian

79,98 Corner to sections 26, 27, 34 and 35,

Rolling Prairie Said 1st rate

North between sections 26 and 27,

Variation 11° 45' East

40,00 Drove a charred stake set a post in mound with trench and pits as per instructions for a quarter section corner

80,00 Drove a charred stake set a post in mound with trench and pits as per instructions for a corner to sections 22, 23, 26 and 27

Rolling Prairie Said 2nd rate

East on a random line between sections 23 and 26

Variation 11° 23' East

40,00 Set a post for a temporary quarter section corner

80,20 Intersected corner to sections 23, 24, 25 and 26,

From which corner I run

West on a true line between sections 23 and 26

Variation 11° 23' East

40,10 Drove a charred stake, set a post in mound with trench and pits as per instructions for a quarter section corner,

~~80,20 Drove a charred stake set a post in mound~~

Township 14 N. Range 7 E. 6th Principal Meridian

80.20	~~As per instructions for~~ corner to sections 22, 23, 26 and 27
	Rolling Prairie Soil 2nd rate
	North between sections 22 and 23
	Variation 11° 45' East
2,50	Indian trail Course N. E.
40,00	Drove a chained stake with trench and pits set a post in mound as per instructions for a quarter section corner
80,00	Drove a chained stake with trench and pits set a post in mound as per instructions for a corner to sections 14, 15, 22 and 23
	Rolling Prairie Soil 2nd rate
	East on a random line between sections 14 and 23
	Variation 11° 30' East
40,00	set a post for a temporary quarter section corner
70,30	Indian trail Course N. E.
80,32	Intersected corner to sections 13, 14, 23 and 24
	From which corner 9 mn
	West on a true line between sections 14 and 23
	Variation 11° 30' East
40,16	Drove a chained stake, set a post in mound

Township 14 N. Range 7 E. 6th Principal Meridian

	with trench and pits as per instructions for a quarter section corner
80,32	Corner to sections 14, 15, 22 and 23
	Rolling Prairie Soil 2nd rate
	North between sections 14 and 15
	Variation 11° 45' East
6,50	A Stream, 12 links wide Course E.
40,00	Drove a chained stake with trench and pits set a post in mound as per instructions for a quarter section corner
80,00	Drove a chained stake with trench and pits set a post in mound as per instructions for a corner to sections 10, 11, 14 and 15
	Surface Level Bottom Soil 1st rate
	East on a random line between sections 11 and 14
	Variation 12° 00' East
3,20	A Stream 20 links wide Course S. E.
27,75	A Stream, 20 links wide Course S.
40,00	Set a post for a temporary quarter section corner
80,02	Intersected the corner to sections 11, 12, 13 and 14
	From which corner 9 mn
	West on a true line between sections 11 and 14

Township 14 N. Range 7 E. 6th Principal Meridian

Variation 12° 00' East

40,01 Drove a charred stake, set a post in mound with trench and pits as per instructions for a quarter section corner,

80,02 Corner to sections 10, 11, 14 and 15

Level Bottomland, Soil 1st rate

North between sections 10 and 11

Variation 12° 15' East

15,00 A Stream, Course S E, 20 links wide

40,00 Drove a charred stake, set a post in mound with trench and pits as per instructions for a quarter section corner

53,06 A Stream 20 links wide Course S, E,

60,50 Same stream Course S. W.

73,10 Same stream S, E.

80,00 Drove a charred stake, set a post in mound with trench and pits as per instructions for a corner to sections 2, 3, 10 and 11

Surface Level Bottom, soil 1st rate

East on a random line between sections 2 and 11

Variation 12° 50' East

40,00 Set a post for a temporary quarter section corner

Township 14 N. Range 7 E. 6th Principal Meridian

79,86 Intersected N and S. line 62 links South of the corner to sections 1, 2, 11 and 12,

From which corner I run

West on a true line between sections 2 and 11

Variation 13° 17' East

39,93 Drove a charred stake, set a post in mound with trench and pits as per instructions for a quarter section corner

79,86 Corner to sections 2, 3, 10 and 11

Rolling Prairie soil 2nd rate

North on a random line between sections 2 and 3

Variation 11° 00' East

4,00 A Stream, 20 links wide Course ~~N. W.~~ S. W.

13,00 Same stream Course S, E,

20,18 Same stream Course S, W.

35,06 Same stream Course S, E,

40,00 ~~Drove a charred stake, set a post in mound as per instructions for a temporary quarter section corner~~

59,75 Same Stream Course S, W,

76,20 Intersected the North boundary of the Township at corner to sections 2 and 3 from which corner I run

35,86

41,14

Township 14 N. Range 7 E. 6th Principal Meridian

South, on a true line between sections 2 and 3
Variation 11° 00' East
36,20 Drove a chained stake, set a post in mound with trench and pits as per instructions for a quarter section corner
76,20 Corner to sections 2, 3, 10 and 11
Surface Level Bottom, Soil 1st rate,
October 16th 1857.

North between sections 33 and 34
Variation 11° 46' East
13,20 The Emigrant Road Course N. E.
17,50 Indian trail Course N. E.
40,00 Drove a chained stake with trench and pits set a post in mound as per instructions for a quarter section corner
56,75 A stream 5 links wide Course N. E.
80,00 Drove a chained stake with trench and pits set a post in mound as per instructions for a ~~quarter section~~ corner to sections 27, 28, 33 and 34.
Rolling Prairie Soil 2nd rate

Easton a random line between sections 27 and 34

Township 14 N. Range 7 E. 6th Principal Meridian

Variation 11° 15' East
40,00 Set a post for a temporary quarter section corner
63,20 Indian trail, Course N. E.
79,92 Intersected corner to sections 27, 28, 33 and 34
From which corner 9 links
Run a true line between sections 27 and 34
Variation 11° 15' East
39,96 Drove a chained stake, set a post in mound with trench and pits as per instructions for a quarter section corner
79,92 Corner to sections 27, 28, 33 and 34
Rolling Prairie Soil 1st rate

North between sections 27 and 28
Variation 11° 45' East
40,00 Drove a chained stake with trench and pits set a post in mound as per instructions for a quarter section corner
80,00 Drove a chained stake, with trench and pits set a post in mound as per instructions for a corner to sections 21, 22, 27 and 28
Rolling Prairie Soil 1st rate

Township 14 N. Range 7 E. 6th Principal Meridian

East on a random line between sections 22 and 27
Variation 11° 00' East

40,00	Set a post for a temporary quarter section corner
40,80	A Stream 5 links wide Course N. E.
63,60	A Stream 5 links wide Course N. W.
75,33	Indian trail Course N. E.
79,98	Intersected corner to sections 22, 23, 26 and 27
	From which corner 9 run
	West on a true line between sections 22 and 27
	Variation 11° 00' East
39,99	Drove a chained stake - set a post in mound (with trench and pits) as per instructions for a quarter section corner
79,98	Corner to sections 21, 22, 27 and 28,
	Rolling prairie Soil 2nd rate

North between sections 21 and 22
Variation 11° 30' East

40,00	Drove a chained stake - set a post in mound (with trench and pits) as per instructions for a quarter section corner
42,20	A Stream 5 links wide Course N. E.
80,00	Drove a chained stake - set a post in mound (with trench and pits) as per instructions for a corner to sections 15, 16, 21 and 22
	Rolling Prairie Soil 2nd rate

Township 14 N. Range 7 E. 6th Principal Meridian

East on a random line between sections 15 and 22
Variation 11° 00' East

40,00	Set a post for a temporary quarter section corner
72,25	A Stream 8 links wide Course N. E.
80,00	Intersected corner to sections 14, 15, 22 and 23
	From which corner 9 run
	West on a true line between sections 15 and 22
	Variation 11° 00' East
40,00	Drove a chained stake, set a post in mound (with trench and pits) as per instructions for a quarter section corner
80,00	Corner to sections 15, 16, 21, 22
	Rolling Prairie Soil 2nd rate

North between section 15 and 16
Variation 11° 30' East

40,00	Drove a chained stake - set a post in mound (with trench and pits) as per instructions for a quarter section corner
80,00	Drove a chained stake - set a post in mound (with trench and pits) as per instructions for a corner to sections 9, 10, 15, and 16
	Rolling Prairie Soil 2nd rate

Township 14 N. Range 7 E. 6th Principal Meridian

East on a random line between sections 10 and 15
Variation 11°, 00' East,

40,00 Set a post for a temporary quarter section corner
79,92 Intersected N. and S. line 36 links North of the corner to sections 10, 14, 14, and 15
From which corner I run
West on a true line between sections 10 and 15
Variation 10° 45' East
39,96 Drove a chained stake, set a post in mound with trench and pits as per instructions for a quarter section corner
79,92 Corner to sections 9, 10, 15 and 16
Rolling Prairie soil 1st rate

North between sections 9 and 10,
Variation 12° 15' East
2,50 Struck bottom, Corner N. E.
40,00 Drove a chained stake, set a post in mound with trench and pits as per instructions for quarter section corner
54,20 A Stream 15 links wide Course S. E.
80,00 Drove a chained stake with trench and pits set a post in mound, as per instructions for a corner to sections 3, 4, 9 and 10
Level Bottom Land, Soil 1st rate

Township 14 N. Range 7 E. 6th Principal Meridian

East on a random line between sections 3 and 10
Variation 10° 45' East

40,00 Set a post for a temporary quarter section corner
53,70 A Stream 10 links wide Course S. W.
77,50 A Stream 20 links wide Course S. E.
79,60 Intersected corner to sections 2, 3, 10 and 11
25,90 From which corner I run
2,10 West on a true line between sections 3 and 10
Variation 10° 45' East
39,80 Drove a chained stake with trench and pits set a post in mound as per instructions for a quarter section corner
79,60 Corner to sections 3, 4, 9 and 10
Level Rolling Prairie Soil 2nd rate

North, on a random line between section 3 and 4
Variation 10° 45' East

40,00 Set a post for a temporary quarter section corner
75,18 Intersected North boundary of the Township 30 links West of the corner to sections 3 and 4
From which corner I run
South on a true line between sections 3 and 4

Township 14 N. Range 7 E. 6th Principal Meridian

Variation 10° 32' East

36,18 Drove a chained stake & set a post in mound with trench and pits as per instructions for a quarter section corner

75,18 Corner to sections 3, 4, 9 and 10

Level Bottomland. Soil 1st rate.

October 18th 1857.

North, between sections 32 and 33

Variation 12° 00' East

40,00 Drove a chained stake, set a post in mound with trench and pits as per instructions for a quarter section corner.

71,20 The Emigrant Road Course N. W.

80,00 Drove a chained stake, set a post in mound with trench and pits as per instructions for a corner to sections 28, 29, 32 and 33

Broken Rough Prairie, Soil 2nd rate

East, on a random line between sections 28 and 33

Variation 11° 15' East

40,00 Set a post for a temporary quarter section corner

80,00 Intersected corner to sections 27, 28, 33 and 34

From which corner I run

Township 14 N. Range 7 E. 6th Principal Meridian

West on a true line between sections 28 and 33

Variation 11° 15' East

40,00 Drove a chained stake, set a post in mound with trench and pits as per instructions for a quarter section corner

80,00 Corner to sections 28, 29, 32 and 33

Rolling ~~Rough~~ Prairie Soil 2nd rate

North between sections 28 and 29

Variation 12° 00' East

40,00 Drove a chained stake, set a post in mound with trench and pits as per instructions for a quarter section corner.

80,00 Drove a chained stake, set a post in mound with trench and pits as per instructions for a corner to sections 20, 21, 28 and 29

Rolling ~~Rough~~ Prairie Soil 2nd rate

East on a random line between sections 21 and 28

Variation 11° 15' East

40,00 Set a post for a temporary quarter section corner

79,80 Intersected R. and S. line 24 links South of the corner to sections 21, 22, 27 and 28

From which corner I run

Township 14 N. Range 7 E. 6th Principal Meridian

	West on a true line between sections 21 and 28
	Variation 11° 25' East
39,90	Drove a chained stake, set a post in a mound as per
	instructions for a quarter section corner
79,80	Corner to sections 20, 21, 28 and 29
	Rolling Prairie Soil 2nd rate
	North between sections 20 and 21
	Variation 12° 00' East
6,50	A stream 5 links wide. Course E.
40,00	Drove a chained stake, with trench and pits set a post in mound as per instructions for a quarter section corner
80,00	Drove a chained stake, with trench and pits set a post in mound as per instructions for a corner to sections 16, 17, 20 and 21
	Rolling Prairie Soil 2nd rate
	East on a random line between sections 16 and 21
	Variation 11° 23' East
40,00	Set a post for a temporary quarter section corner
79,68	Intersected the corner to sections 15, 16, 21 and 22
	From which corner I can

Township 14 N. Range 7 E. 6th Principal Meridian

	West on a true line between sections 16 and 21
	Variation 11° 26' East
39,84	Drove a chained stake, with trench and pits set a post in mound as per
	instructions for a quarter section corner
79,68	Corner to sections 16, 17, 20 and 21
	Rolling Prairie Soil 2nd rate
	North between sections 16 and 17
	Variation 12° 15' East
40,00	Drove a chained stake, with trench and pits set a post in mound, as per
	instructions for a quarter section corner
80,00	Drove a chained stake, with trench and pits set a post in mound as per
	instructions for a corner to sections 8, 9, 16, and 17.
	Rolling Prairie Soil 2nd rate
	East on a random line between sections 9 and 16
	Variation 11° 20' East
40,00	Set a post in ~~mound~~ for a temporary quarter
	section corner
79,94	Intersected N. and S. line 20 links North of the
	corner to sections 9, 10, 15 and 16

Township 14 N. Range 7 E. 6th Principal Meridian

From which corner I run
West on a true line between sections 9 and 16
39.97 Variation 11°11' East
39.97 Drove a charred stake, set a post in mound with trench and pits as per instructions for a quarter section corner
79.94 Corner to sections 8, 9, 16, and 17,
Rolling Prairie Soil 2nd rate

North between sections 8 and 9
Variation 12°15' East
40.00 Drove a charred stake, set a post in mound with trench and pits as per instructions for a quarter section corner
42.50 A Stream 15 links wide, Course S. E.
80.00 Drove a charred stake, set a post in mound with trench and pits as per instructions for a corner to sections 4, 5, 8 and 9
Rolling Prairie Soil 2nd rate

East on a random line between sections 4 and 9
Variation 11°15' East
9.25 ~~Struck~~ Touch Stream on South bank, 15 links wide
15.95 Crossed same stream, Course South East
33.10 A Stream, 10 links wide. Course South

Township 14 N. Range 7 E. 6th Principal Meridian

40.00 Set a post for a temporary quarter section corner
79.86 Intersected corner to sections 3, 4, 9 and 10
3310
4276
From which corner I run
West on a true line between sections 4 and 9
Variation 11°15' East
39.93 Drove a charred stake, set a post in mound with trench and pits as per instructions for a quarter section corner
79.86 Corner to sections 4, 5, 8, and 9
1595
Level Bottomland, Soil 1st rate
4395

North on a random line between sections 4 and 5
Variation 10°15' East
8.75 A Stream 12 links wide Course S. E.
40.00 Set a post for a temporary quarter section corner
75.90 Intersected North boundary of the Township 36 links West of the corner to sections 4 and 5
From which corner I run
South on a true line between sections 4 and 5
Variation 10°00' East
35.90 Drove a charred stake set a post in mound with trench and pits as per instructions for a quarter section corner

Township 14 N. Range 7 E. 6th Principal Meridian

75,90	Corner to sections 4, 5, 8 and 9.
	Rolling Prairie Soil 1st rate
	October 19th 1857.
	North between sections 31 and 32.
	Variation 12° 00' East
30,20	Emigrant Road, Course N.W.
40,00	Set a stone 16 inches long 15 inches wide and 10 inches thick for a quarter section corner with trench and pits
80,00	Drove a chained stake, set a post in mound as per instructions for a corner to sections 29, 30, 31 and 32
	Rolling ~~Rough~~ Prairie Soil 3rd rate
	East on a random line between sections 29 and 32
	Variation 11° 15' East
40,00	Set a post for a temporary quarter section corner
80,00	Intersected the corner to sections 28, 29, 32 and 33 From which corner Pine Bears on a true line between sections 29 and 32
	Variation 11° 15' East

Township 14 N. Range 7 E. 6th Principal Meridian

40,00	Drove a chained stake, with trench and pits set a post in mound as per instructions for a quarter section corner
80,00	Corner to sections 29, 30, 31 and 32
	Broken ~~Rough~~ Prairie Soil 3rd rate
	West on a random line between sections 30 and 31
	Variation 11° 30' East
28,14	A Stream, 15 links wide Course North
40,00	Set a post, for a temporary quarter section corner
76,50	Intersected West boundary at corner to sections 30 and 31, From which corner Pine
28,14	
48,36	East on a true line between sections 30 and 31
	Variation 11° 30' East
36,50	Drove a chained stake, with trench and pits set a post in mound as per instructions for a quarter section corner
76,50	Corner to sections 29, 30, 31 and 32
	Broken ~~Rough~~ Prairie Soil 3rd rate
	North between sections 29 and 30.
	Variation 12° 00' East
40,00	Drove a chained stake, with trench and pits set a post in mound as

Township 14 N. Range 7 E. 6th Principal Meridian

	per instructions for a quarter section corner
8,10	Drove a charred stake, set a post in mound (with trench and pits) as per
	instructions for a corner to sections 19, 20, 29 and 30
	Rolling Prairie, Soil 2nd rate
	East, on a random line between sections 20 and 29
	Variation 11° 15' East
40,00	Set a post in mound as per instructions, for a
	temporary quarter section corner
80,02	Intersected corner to sections 20, 21, 28 and 29
	From which corner 9 pines
	West on a true line between sections 20 and 29
	Variation 11° 15' East
40,01	Drove a charred stake set a post in mound (with trench and pits) as
	per instructions for a quarter section corner
80,02	Corner to sections 19, 20, 29 and 30
	Rolling Prairie Soil 2nd rate
	North on a random line between sections 19 and 20
	Variation 11° 45' East
26,18	Alluvium, 15 links wide Course South
40,00	Set a post for a temporary quarter section corner

Township 14 N. Range 7 E. 6th Principal Meridian

75,80	Intersected corner to sections 19 and 30
	From which corner 9 pines
	East on a true line between sections 19 and 30
	Variation 11° 45' East
35,80	Drove a charred stake (with trench and pits) set a post in mound as per
	instructions for a quarter section corner
75,80	Corner to sections 19, 20, 29 and 30
36,18	
99,60	Rolling Prairie Soil 2nd rate
	North between sections 19 and 20
	Variation 12° 00' East
40,00	Drove a charred stake (with trench and pits) set a post in mound as
	per instructions for a quarter section corner
80,00	Drove a charred stake (with trench and pits) set a post in mound as per
	instructions for a corner to sections 17, 18, 19 and 20
	Rolling Prairie Soil 2nd rate
	East, on a random line between sections 17 and 20
	Variation 11° 15' East
40,00	Set a post for a temporary quarter section corner
79,88	Intersected N. and S. line 40 links South

Township 14 N. Range 7 E. 6th Principal Meridian

of the corners to sections 16, 17, 20 and 21
From which corner I run
Westerly on a line between sections 17 and 20
Variation 11° 32' East
39,94 Drove a chained stake, set a post in mound with trench and pits as per
instructions for a quarter section corner
79,88 Corner to sections 17, 18, 19 and 20
Rolling Prairie Soil 2nd rate

Westerly on a random line between sections 18 and 19
Variation 12° 00' East
16,30 A Stream 15 links wide Course North
40,00 Set a post for a temporary quarter section corner
74,98 Intersected West boundary of Township at the corner
to sections 18 and 19, from which corner I run
East on a true line between sections 18 and 19
Variation 12° 00' East
34,98 Drove a chained stake, set a post in mound with trench and pits as per
instructions for a quarter section corner
74,98 Corner to sections 17, 18, 19 and 20
Rolling Prairie Soil 2nd rate

Township 14 N. Range 7 E. 6th Principal Meridian

North between sections 17 and 18
Variation 12° 00' East
40,00 Drove a chained stake, set a post in mound with trench and pits
for instructions for a quarter section corner
41,50 A Stream 10 links wide, Course E.
80,00 Drove a chained stake set a post in mound with trench and pits as per
instructions for a corner to sections 7, 8, 17 and 18
Rolling Prairie Soil 2nd rate

East, on a random line between sections 8 and 17
Variation 11° 45' East
11,15 A Stream 5 links, Course N.E.
40,00 Set a post for a temporary quarter section corner
79,82 Intersected N. and S. line 8 links North of the
corner to sections 8, 9, 16, and 17
From which corner I run
Westerly on a true line between sections 8 and 17
Variation 11° 42' East
39,91 Drove a chained stake set a post in mound with trench and pits as
for instructions for quarter section corner
79,82 Corner to sections 7, 8, 17, and 18
Rolling Prairie Soil 2nd rate

Township 14 N. Range 7 E. 6th Principal Meridian

West on a random line between sections 7 and 18
Variation 12° 30' East

28,16 Stream 15 links wide course N. E.
38,00 Same stream Course S. E.
40,00 Set a post for a temporary quarter section corner
56,10 Same stream Course N. E.
74,20 Intersected West boundary of the Township at the corner to sections 7 and 18,
From which corner I run
East on a true line between sections 7 and 18
Variation 12° 30' East
34,20 Dug a chained stake, with trench and pits set a post in mound as per instructions for a quarter section corner
74,20 Corner to sections 7, 8, 17 and 18
Rolling Prairie Soil 2nd rate
October 20th 1857

North between sections 7 and 8
Variation 12° 00' East
36,50 Stream 15 links wide Course E.
40,00 Dug a chained stake, with trench and pits set a post in mound as per instructions for a quarter section corner

Township 14 N. Range 7 E. 6th Principal Meridian

with trench and pits
80,00 Dug a chained stake, set a post in mound as per instructions for a corner to sections 5, 6, 7 and 8
Rolling Prairie Soil 2nd rate

East on a random line between sections 5 and 8
Variation 11° 40' East
40,00 Set a post for a temporary quarter section corner
79,36 Intersected corner to sections 4, 5, 8 and 9,
From which corner I run
West on a true line between sections 5 and 8
Variation 11° 40' East
39,68 Dug a chained stake, with trench and pits set a post in mound as per instructions for a quarter section corner,
79,36 Corner to sections 5, 6, 7 and 8
Rolling Prairie Soil 2nd rate

West on a random line between sections 6 and 7
Variation 13° 30' East
40,00 Set a post for a temporary quarter section corner
73,48 Intersected West boundary of the Township at the corner to sections 6 and 7

Township 14 N. Range 7 E. 6th Principal Meridian

From which corner I run East on a true line between sections 6 and 7.

Variation 13° 30' East

33,48 Drive a chance stake, set a post in mound with trench and pits as per instructions for a quarter section corner

73,48 Corner to sections 5, 6, 7 and 8

Rolling Prairie soil 2nd rate

North on a random line between sections 5 and 6

Variation 10° 00' East

40,00 Set a post for a temporary quarter section corner

75,08 Intersected the North boundary of the township 24 links West of the corner to sections 5 and 6

From which corner I run

South on a true line between sections 5 and 6

Variation 9° 40' East

35,08 Drive a chance stake, set a post in mound with trench and pits as per instructions for a quarter section corner

75,08 Corner to sections 5, 6, 7 and 8

Rolling Prairie soil 2nd rate

Township 14 N. Range 7 E. 6th Principal Meridian

This Township contains a very large proportion of fine rich bottom land.

It is well supplied with water throughout the whole Township.

Timber is very sparse and of a very inferior quality being Box Elder and Elm thinly scattered along the course of the streams —

No settlements —

October 21st 1857

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the foregoing field notes of Township No 14, North of the base line of Range No 7, East of the Sixth Principal Meridian showing the respective capacities in which they acted:

Aldridge A. Green Chainman
Joseph B. Reed Chainman
William G. Creighton Axeman
George B Jones Axeman
Chauncey Miller Compassman

Composed By Sheward

103

Descriptive List made out Apl 20. 1859

Field Notes

of the Subdivision lines of

Township 15. North of Range 7

East of

The Sixth Principal Meridian

in

The Territory of Nebraska

Surveyed by

John Y. Clopper

U. S. Deputy Surveyor

Under his contract No 190

Dated Jany 12. 1857

D. L. made & compared

O.P.R.

Subdivision commenced October 14th

Completed October 14th

A.D. 1857

Exd Nov 18th 1857

Vanzandt

1857

A list of the names of the individuals employed to assist in running, measuring or marking, the lines and corners described in the following field notes of Township No. 15, North of the base line of Range No. 7, East of the Sixth Principal Meridian showing the respective capacities in which they acted:

Christian G. Stutzman	Chainman
William A. Cox	Chainman
Levi Van Anum	Chainman
Norman B. Holbrook	Chainman
Gustavus A. Hess	Axeman
Levinus M. Swift	Axeman
Augustus B. Swift	Axeman
John Barry	Axeman
Egleton M. Holbrook	Flagman
Merit M. Cuman	Flagman
Benaiah D. Holbrook	Compassman

Township 15 N. Range 7 East

6	33	5	24	4	18	3	12	2	6	1
32		31		23		17		11		6
7	31	8	23	9	16	10	11	11	5	12
30		30		22		16		10		5
18	29	17	21	16	15	15	10	14	4	13
29		28		21		15		9		4
19	28	20	20	21	14	22	9	23	3	24
27		26		20		14		8		3
30	26	29	19	28	13	27	8	26	2	25
25		25		19		13		7		2
31	24	32	18	33	12	34	7	35	1	36

Township 13 N. Range 7 E. 6th Principal Meridian

To determine the perpendicular of my compass for subdividing this Township, I commence at the corner to Township 14 and 13 N Range 7 and 8, and run North on a blank line along the East boundary of Section 36

Variation 12° 00' East

40.05 To a point 4 links East of quarter Section Corner

80.08 To a point 12 links East of corner to sections 25 and 36

To retrace this line my compass must be deflected to a variation of 12° 05' East.

Subdivision commenced October 12th A.D. 1857

From the corner to sections 1, 2, 35 and 36 on the South boundary of the Township, I run North between sections 35 and 36

Variation 12° 05' East

40.00 Drive a charred stake, set a post in mound as per instructions for a quarter section corner

80.00 Drive a charred stake, set a post in mound as per instructions for a corner to sections 25, 26, 35 and 36

Gently Rolling Prairie Soil 2nd rate

Township 15 N. Range 7 E. 6th Principal Meridian

East on a random line between sections 25 and 36
Variation 11° 15' East

40.00 Set a post for a temporary quarter section corner

80.12 Intersected the East boundary of the Township at the corner to sections 25 and 36 From which corner I run

West on a true line between sections 25 and 36
Variation 11° 15' East

40.06 Broca charred stake set a post in mound as per instructions for a quarter section corner.

80.12 Corner to sections 25, 26, 35 and 36
Gently Rolling Prairie Soil 2nd rate

North between sections 25 and 26,
Variation 11° 30' East

40.00 Broca charred stake set a post in mound as per instructions for a quarter section corner,

80.00 Broca charred stake, set a post in mound, as per instructions for a corner to sections 23, 24, 25 and 26
Gently Rolling Prairie Soil 2nd rate

Township 15 N. Range 7 E. 6th Principal Meridian

East on a random line between sections 24 and 25
Variation 11° 15' East

40.00 Set a post for a temporary quarter section corner

80.16 Intersected East boundary of the Township at the corner to sections 24 and 25.
From which corner I run
West on a true line between sections 24 and 25
Variation 11° 15' East

40.08 Set a stone 15 inches long, 9 inches wide and 7 inches thick for a quarter section corner

80.16 Corner to sections 23, 24, 25 and 26
Gently Rolling Prairie Soil 2nd rate

North between sections 23 and 24
Variation 11° 30' East

40.00 Broca charred stake, set a post in mound as per instructions for a quarter section corner

80.00 Broca charred stake, set a post in mound, as per instructions for a corner to sections 13, 14, 23 and 24
Plateau, Soil 2nd rate,

Township 15 N. Range 7 E. 6th Principal Meridian

East on a random line between sections 13 and 24
Variation 11° 15' East

40.00 Set a post for a temporary quarter section corner,
80.16 Intersected the East boundary of the Township, 8 links north of the corner to sections 13 and 24
From which corner I run
West on a true line between sections 13 and 24
Variation 11° 18' East
40.08 Drove a charred stake, set a post in mound as per instructions for a quarter section corner,
80.16 Corner to sections 13, 14, 23 and 24
Plateau Soil 2nd rate

North between sections 13 and 14,
Variation 11° 05' East
40.00 Drove a charred stake, set a post in mound as per instructions for a quarter section corner
80.00 Corner to sections 11, 12, 13 and 14,
Plateau Soil 2nd rate
80 Drove a charred stake, set a post in mound as per instructions for a corner to sections 11, 12, 13 and 14
Plateau Soil 2nd rate

Township 15 N. Range 7 E. 6th Principal Meridian

East on a random line between sections 12 and 13
Variation 10° 55' East
40.00 Set a post for a temporary quarter section corner
79.88 Intersected the East boundary of the Township at the corner to sections 12 and 13, From which corner I run
West on a true line between sections 12 and 13
Variation 10° 55' East
39.94 Drove a charred stake, set a post in mound as per instructions for a quarter section corner
79.88 Corner to sections 11, 12, 13, and 14
Plateau Soil 2nd rate

North between sections 11 and 12
Variation 11° 15' East
40.00 Drove a charred stake, set a post in mound as per instructions for a quarter section corner
80.00 Drove a charred stake, set a post in mound as per instructions for a corner to sections 1, 2, 11 and 12
Plateau Soil 2nd rate

add Post -

Township 13 N. Range 7, E. 6th Principal Meridian

+	East, on a random line between sections 1 and 12, Variation 11° 00' East
40.00	Set a post for a temporary quarter section corner
79.96	Intersected the East boundary of the Township 6 links North of the Corner to sections 1 and 12 From which corner I run West on a true line between sections 1 and 12 Variation 10° 57' East
39.98	Dove a charred stake, set a post in mound as per instructions for a quarter section corner
79.96	Corner to sections 1, 2, 11, and 12 Plateau, Sail 2nd rate
+	North on a random line between 1 and 2 Variation 11° 15' East
40.00	Set a post for a temporary quarter section corner
79.96	Intersected the North boundary of the Township 30 links East of the corner to sections 1 and 2, From which corner I run South on a true line between sections 1 and 2 Variation 11° 28' East

Township 13 N. Range 7 E. 6th Principal Meridian

37.96	Dove a charred stake set a post in mound, as per instructions for a quarter section corner
79.96	Corner to sections 1, 2, 11 and 12 Plateau, Sail 2nd rat
+	North between sections 34 and 35 Variation 12° 00' East
40.00	Dove a charred stake, set a post in mound as per instructions for a quarter section corner
+ 80.00	Dove a charred stake, set a post in mound as per instructions for a corner to sections 26, 27, 34 and 35 Plateau Sail 1st rate
	East, on a random line between sections 26 and 35 Variation 11° 30' East
40.00	Set a post for a temporary quarter section corner
79.92	Intersected N and S line at corner to sections 25, 26, 35 and 36. From which corner I run West on a true line between sections 26 and 35 Variation 11° 30' East
39.96	Dove a charred stake, set a post in mound as

Township 13 N. Range 7, E. 6th Principal Meridian

	per instructions for a quarter section corner.
79.92	Corner to sections 26, 27, 34, and 35
	Plateau, Soil 2nd rate
	North, between sections 26 and 27,
	Variation 11° 50' East
40.00	Drove a charred stake, set a post in mound as per
	instructions for a quarter section mound
80.00	Drove a charred stake, set a post in mound, as per
	instructions for a corner to sections 22, 23, 26, and 27
	Plateau, Soil 2nd rate
	East, on a random line between sections 23 and 26
	Variation 11° 38' East
40.00	Set a post for a temporary quarter section corner
79.94	Intersected N. and S. line, 48 links North of the
	corner to sections 23, 24, 25 and 26,
	From which corner I run
	West on a true line between sections 23 and 26
	Variation 11° 0 9 East
39.97	Drove a charred stake, set a post in mound as per

Township 13 N. Range 7, E. 6th Principal Meridian

	instructions for a quarter section corner.
79.94	Corner to sections 22, 23, 26 and 27,
	Plateau, Soil 2nd rate
	North between sections 22 and 23,
	Variation 11° 36' East
40.00	Drove a charred stake set a post in mound as per
	instructions for a quarter section corner
80.00	Drove a charred stake, set a post in mound, as per
	instructions for a corner to sections 14, 13, 22 and 23
	Plateau, Soil 2nd rate,
	East on a random line between sections 14 and 23
	Variation 11° 00 East
40.00	Set a post for a temporary quarter section corner
80.10	Intersected N. and S. line 40 links North of the
	corner to sections 13, 14, 23 and 24, From
	which corner I run
	West on a true line between sections 14 and 23
	Variation 10° 43' East,
40.05	Drove a charred stake, set a post in mound as per

Township 15 N. Range 7 E. 6th Principal Meridian

	instructions for a quarter section corner
80.10	The Corner to sections 14, 15, 22 and 23
	Plateau Soil 2nd rate
	North between sections 14 and 15
	Variation 11° 00' East
40.00	Drove a chained stake, set a post in mound as per
	instructions for a quarter section corner
80.00	Drove a chained stake, set a post in mound as per
	instructions for a corner to sections 10, 11, 14 and 15
	Plateau Soil 2nd rate
	East on a random line between sections 11 and 14
	Variation 10° 45' East
40.00	Set a post for a temporary quarter section corner
X 80.32	Intersected at Corner to sections 11, 12, 13 and 14
	From which corner 4 rods
	West on a true line between sections 11 and 14
	Variation 10° 45' East
40.16	Drove a chained stake, set a post in mound as per
	instructions for a quarter section corner

Township 15 N. Range 7 E. 6th Principal Meridian

80.32	Corner to sections 10, 11, 14 and 15,
	Plateau, Soil 2nd rate
	North between sections 10 and 11
	Variation 10° 45' East
40.00	Drove a chained stake, set a post in mound as per
	instructions for a quarter section corner.
80.00	Drove a chained stake, set a post in mound as
	per instructions for corner to sections 2, 3, 10 and 11
	Plateau Soil 2nd rate
	East on a random line between sections
	2 and 11
	Variation 11° 00' East
40.00	Set a post for a temporary quarter section corner
X 80.20	Intersected at corner to sections 1, 2, 11 and 12,
	From which corner 4 rods
	West on a true line between sections 2 and 11
	Variation 11° 00' East
40.10	Drove a chained stake, set a post in mound as per
	instructions for a quarter section corner

Township 15 N. Range 7 E. 6th Principal Meridian

80,20 Corner to sections 2, 3, 10 and 11
Plateau Soil 2nd rate

North on a random line between sections 2 and 3
Variation 10° 45' East

40,00 Set a post for a temporary quarter section corner,
77,00 Intersected North boundary of the Township, at the corner to sections 2 and 3, From which corner I run
South on a true line between sections 2 and 3
Variation 10° 45' East
37,00 Drove a charred stake set a post in mound as per instructions for a quarter section corner,
77,00 Corner to sections 2 and 3, 10 and 11
Plateau, Soil 2nd rate
October 12th 1857

North, between sections 33 and 34
Variation 12° 00' East,
Begin chap 28
40,00 Drove a charred stake set a post in mound as per instructions for a quarter section corner,
80,00 Drove a charred stake set a post in mound as per

Township 15 N. Range 7 E. 6th Principal Meridian

instructions 27, 28, 33 and 34
Plateau, Soil 2nd rate

East, on a random line between sections 27 and 34
Variation 11° 45, East
+ 40,00 Set a post for a temporary quarter section corner
43,20 A Stream, 20 links wide Course, S
80,04 Intersected corner to sections 26, 27, 34 and 35
From which corner I run North on a true line between sections 27 and 34.
Variation 11° 45' East
40,02 Drove a charred stake set a post in mound as per instructions for a quarter section corner
80,04 Corner to sections 27, 28, 33 and 34,
North of Stream Rolling Prairie 3rd rate
East of Stream, Plateau 2nd rate

North between sections 27 and 28,
Variation 11° 45' East
40,00 Drove a charred stake set a post in mound as per instructions for a quarter section corner,

Township 15 N. Range 7 E. 6th Principal Meridian

80,00	Brass capped stake set a post in mound as per instructions for a corner to sections 21, 22, 27 and 28, Rolling Prairie Soil 2nd rate
	East on a random line between sections 22 and 27 Variation 12° 20' East,
33,53	A Stream 20 links wide, Course S.
40,00	Set a post for a temporary quarter section corner.
80,20	Intersected corner to sections 22, 23, 26 and 27 From which corner 5 pines Bear on a true line between sections 22 and 27, Variation 12° 20' East
40,10	Brass capped stake, set a post in mound as per instructions for a quarter section corner
80,20	Corner to section 21, 22, 27 and 28 Part Rolling Prairie Part Plateau Soil 2nd rate
	North between sections 21 and 22 Variation 11° 15'
40,00	Brass capped stake, set a post in mound as per instructions for a quarter section corner

Township 15 N. Range 7 E. 6th Principal Meridian

80,00	Brass capped stake, set a post in mound as per instructions for a corner to sections 15, 16, 21 and 22, Rolling Prairie Soil 2nd rate
	East on a random line between sections 15 and 22 Variation 12° 30' East,
33,50	A Stream, 20 links wide Course S.
40,00	Set a post for a temporary quarter section corner
80,30	Intersected Corner to sections 16, 15, 22 and 23 From which Corner 5 pines Bear on a true line between sections 15 and 22 Variation 12° 30' East
40,15	Brass capped stake, set a post in mound, as per instructions for a quarter section corner
80,30	Corner to section 15, 16, 21 and 22, Rolling Prairie, Soil 2nd rate,
	North between sections 15 and 16 Variation 11° 00' East
28,20	A Stream, 10 links wide Course S. E.
40,00	Brass capped stake, set a post in mound as

Township 15 N. Range 7 E. 6th Principal Meridian

	per instructions for a quarter section corner
80,00	Drove a charred stake, set a post in mound, as per instructions for a corner to sections 9, 10, 15 and 16
	South of Stream Bottom
	North of Stream Plateau 2nd rate
+	
	East, on a random between sections 10 and 15
	Variation 12° 10' East
2,00	A Stream, 15 links wide Course S. E.
40,00	Set a post for a temporary quarter section corner
80,20	Intersected N and S. line 20 links North of the Corner to sections 10, 11, 14 and 15.
	From which corner I run
	West on a true line between sections 10 and 15
	Variation 12° 01' East
40,10	Drove a charred stake, set a post in mound as per instructions for a quarter section corner,
80,20	Corner to sections 9, 10, 15 and 16
	Plateau, Soil 2nd rate,
	North between sections 9 and 10

Township 15 N. Range 7 E. 6th Principal Meridian

	Variation 10° 20' East
10,00	A Stream, 15 links wide South, East
15,00	Same stream N. W. 12 lks wide X
19,50	Same Stream S. E. 15 lks wide X
40,00	Drove a charred stake set a post ~~for a~~ in mound as per instructions for a quarter section corner
80,00	Drove a charred stake, set a post in mound as per instructions for a corner to sections 3, 4, 9 and 10
	Plateau Soil 2nd rate
	East, on a random line between sections 3 and 10
	Variation 11° 00'
40,00	Set a post for a temporary quarter section corner
80,00	Intersected corner to sections ~~3, 4~~, 2, 3, 10, and 11
	From which corner I run
	West on a true line between sections 3 and 10
	Variation 11° 00' East
40,00	Drove a charred stake, set a post in mound as per instructions for a quarter section corner
80,00	Corner to sections 3, 4, 9 and 10
	Plateau, Soil 2nd rate

Township 15 N. Range 7 E. 6th Principal Meridian

0 North on a random line between sections 3 and 4
Variation 10° 30' East

40,00 Set a post for a temporary quarter section corner,

76,40 Intersected North boundary of the township 46 links West of the corner to sections 3 and 4,
From which corner I run
South on a true line between section 3 and 4
Variation 10° 10' East

36,40 Drove a charred stake, set a post in mound as per instructions, for a quarter section corner

76,40 Corner to sections 3, 4, 9, and 10
Plateau Soil 2nd rate

North between sections 32 and 33.
Variation 12° 00' East

40,00 Drove a charred stake, set a post in mound as per instructions for a quarter section corner,

80,00 Drove a charred stake, set a post in mound, as per instructions for a corner to sections 29, 30, 31 and 32,
28, 29, 32 and 33.

Township 15 N. Range 7 E. 6th Principal Meridian

Rolling Prairie, Soil 2nd rate.

East, on a random line between sections 28, and 33
Variation 11° 00' East.

40,00 Set a post for a temporary quarter section corner

79,80 Intersected N and S. line 30 links North of the corner to sections 27, 28, 33 and 34,
From which corner I run West on a true line
Between section 28 and 33,
Variation 10° 47' East

39,90 Drove a charred stake, set a post in mound as per instructions for a quarter section corner

79,80 The corner to sections 28, 29, 32 and 33
Rolling Prairie Soil 2nd rate

North between sections 28 and 29
Variation 12° 00' East

40,00 Drove a charred stake, set a post in mound as per instructions for a quarter section corner

80,00 Drove a charred stake, set a post in mound as per instructions, for a corner to sections 20, 21, 28 and 29

Township 15 N. Range 7 E. 6th Principal Meridian

Rolling Prairie Soil 2nd rate

East, on a random line between sections 21 and 28,
Variation 11° 15' East

40.00 Set a post for a temporary quarter section corner
79.96 Intersected Corner to sections 21, 22, 27 and 28
From which corner I run
West on a true line between sections 21 and 28
Variation 11° 15' East

39.98 Drove a chaned & chaned stake, set a post in mound
as per instructions for a quarter section corner
+ 79.96 Corner to sections 20, 21, 28, and 29
Rolling Prairie Soil 1st rate

North between sections 20 and 21
Variation 12° 00' East

40.00 Drove a chaned stake, set a post in mound as
per instructions for a quarter section corner
80.00 Drove a chaned stake, set a post in mound as
per instructions for a corner to sections 16, 17, 20 and 21
Rolling Prairie Soil 2nd rate,

Township 15 N. Range 7 E. 6th Principal Meridian

(right of Regis) East, on a random line between sections 16 and 21
Variation 11° 15' East

40.00 Set a post for a temporary quarter section corner
79.98 Intersected N. and S. line 30 links North of the
corner to sections 15, 16, 21 and 22,
From which corner I run
West, on a true line between sections 16 and 21
Variation 11° 02' East

39.99 Drove a chaned stake, set a post in mound, as per
instructions for a quarter section corner,
79.98 Corner to sections 16, 17, 20, and 21
Rolling Prairie Soil 2nd rate,

North between sections 16 and 17,
Variation 11° 20' East

39.45 A Stream, 3 links wide, Course E.
40.00 Drove a chaned stake set a post in a mound, as per
instructions for a quarter section corner
80.00 Drove a chaned stake, set a post in mound, as per
instructions, for a corner to sections, 8, 9, 16 and 17
Rolling Prairie Soil 2nd rate

Township 15 N. Range 7 E. 6th Principal Meridian

East on a random line between sections 9 and 16
Variation 11° 30' East

33,20 A Stream, 8 links wide Course S. E.
40,00 Set a post for a temporary quarter section corner
79,86 Intersected N. and S. line 20 links South of the corner to sections 9, 10, 15 and 16
From which corner I run
West on a true line between sections 9 and 16
Variation 11° 39' East
Rolling Prairie soil 2nd rate

North between sections 8 and 9
Variation 10° 45' East

37,60 A Stream 8 links wide Course S. E.
39,50 Same Stream S. W.
40,00 Drove a hard stake, set a post in mound
39,93 Drove a hard stake, set a post in mound as per instruction for a quarter section corner
79,86 Corner to sections 8, 9, 16 and 17
Rolling Prairie Soil 2nd rate

Township 15 N. Range 7 E. 6th Principal Meridian

North between sections 8 and 9.
Variation 10° 45' East

37,60 A Stream 8 links wide Course S. E.
39,50 A Stream 8 links wide Course S. W.
40,00 Drove a hard stake, set a post in mound as per instructions for a quarter section corner
41,50 Stream 8 links wide, Course S. E.
80,00 Drove a hard stake, set a post in mound, as per instructions for a corner to sections 4, 5, 8, and 9.
Rolling Prairie Soil 2nd rate.

East on a random line between sections 4 and 9
Variation 11° 30' East

40,00 Set a post for a temporary quarter section corner
46,30 A Stream, 8 links wide Course South
79,86 Intersected N. and S. line 24 links South of the corner to sections 3, 4, 9 and 10.
From which corner I run
West on a true line between sections 4 and 9
Variation 11° 40' East
39,93 Drove a hard stake, set a post in mound as

Township 16 N. Range 7 E. 6th Principal Meridian

	per instructions for a quarter section corner
79.86	Corner to sections 4, 5, 8 and 9
	Rolling Prairie Soil 2nd rate
	North on a random line between sections 4 and 5
	Variation 10° 35' East
40.00	Set a post for a temporary quarter section corner
77.42	Intersected North boundary at corner to section 4 and 5, From which corner I run
	South on a true line between sections 4 and 5
	Variation 10° 35' East
37.42	Drove a charred stake, set a post in mound as per instructions for a quarter section corner
77.42	Corner to sections 4, 5, 8, and 9,
	Rolling Prairie Soil 2nd rate
	October 13th 1857
	North between sections 31 and 32,
	Variation 12° 00' East
1.56	A stream 20 links wide E. & W.
40.00	Drove a charred stake, set a post in mound

Township 16 N. Range 7 E. 6th Principal Meridian

	as per instructions for a quarter section corner
80.00	Drove a charred stake, set a post in mound as per instructions for a corner to sections 29, 30, 31 and 32,
	Rolling Prairie Soil 1st rate,
	East on a random line between sections 29 and 32,
	Variation 11° 00' East
40.00	Set a post for a temporary quarter section corner
79.90	Intersected Road 1, line 84 links South of the corner to sections 28, 29, 32 and 33
	From which corner I run
	West on a true line between sections 29 and 32
	Variation 11° 36' East,
39.96	Drove a charred stake, set a post in mound as per instructions for a quarter section corner,
79.90	Corner to sections 29, 30, 31 and 32
	Rolling Prairie Soil 2nd rate
West	West on a random line between sections 30 and 31
	Variation 11° 10' East
40.00	Set a post for a temporary quarter section corner

Township 15 N. Range 7 E. 6th Principal Meridian

55.20	A Stream 15 links wide Course South
76.70	Intersected ~~North~~ West boundary of the Township at the corner to sections 30 and 31. From which corner I run East on a true line between Sections 30 and 31.
	Variation 11°10' East
36.70	Drove a charred stake, set a post in mound as per instructions for a quarter section corner
76.70	Corner to sections 29, 30, 31 and 32
	Rolling Prairie Soil 2nd rate

North between sections 29 and 30.

Variation 12° 00' East

40.00	Drove a charred stake, set a post in mound as per instructions for a quarter section corner
80.00	Drove a charred stake, set a post in mound as per instructions for a corner to sections 19, 20, 29 and 30
	Rolling Prairie Soil 2nd rate

East on a random line between sections 20 and 29

Variation 11° 40' East

Township 15 N. Range 7 E. 6th Principal Meridian

40.00	Set a post for a temporary quarter section corner
79.60	Intersected N and S line 24 links North of the corner to sections 20, 21, 28 and 29, From which corner I run
	West on a true line between sections 20 and 29
	Variation 11° 30' East
39.80	Drove a charred stake, set a post in mound as per instructions for a quarter section corner
79.60	Corner to sections 19, 20, 29 and 30
	Rolling Prairie Soil 2nd rate

West on a random line between sections 19 and 30

Variation 11° 50' East

40.00	Set a post for a temporary quarter section corner
76.80	Intersected West boundary at the corner to sections 19 and 30. From which corner I run
	W East on a true line between sections 19 and 30
~~36.80~~	Variation 11° 50' East
36.80	Drove a charred stake, set a post in mound as per instructions for a quarter section corner
76.80	Drove a charred stake, set a post in mound as

Township 15 N. Range 7 E. 6th Principal Meridian

per instructions for a corner to sections 19, 20, 29 and 30
Rolling Prairie Soil 2nd rate

North between sections 19 and 20,
Variation 17° 00' East

40.00 Drove a charred stake, set a post in mound as per
instructions for a quarter section corner,

80.00 Drove a charred stake, set a post in mound as per
instructions for a corner to sections 17, 18, 19 and 20
Rolling Prairie Soil 2nd rate,

East, on a random line between sections 17 and 20
Variation 17° East

40.00 Set a post in mound as per for a temporary quarter
section corner

79.84 Intersected N and S line 10 links North of the
corner to sections 16, 17, 20 and 21,
From which corner 9 mm
West on a true line between sections 17 and 20
Variation 18° 56' East

39.92 Drove a charred stake set a post in mound as per

Township 16 N. Range 7 E. 6th Principal Meridian

instructions for a quarter section corner

79.84 Corner to sections 17, 18, 19 and 20
Rolling Prairie Soil 2nd rate

West, on a random line between sections 18 and 19
Variation 18° 50' East

40.00 Set a post for a temporary quarter section corner

76.50 Intersected the West boundary of the Township 20
links South of the corner to sections 18 and 19
From which corner 9 mm E
East on a true line between sections 18 and 19,
Variation 18° 41' East

36.50 Drove a charred stake, set a post in mound as per
instructions for a quarter section corner

76.50 The corner to sections 17, 18, 19 and 20
Rolling Prairie Soil 2nd rate

North between sections 17 and 18
Variation 18° 30' East

40.00 Drove a charred stake set a post in mound as
per instructions for a quarter section corner

Township 15 N. Range 7 E. 6th Principal Meridian

80,00 Drove a charred stake, set a post in mound, as per instructions for a corner to sections 7, 8, 17 and 18
Rolling Prairie Soil 2nd rate

East on a random line between sections 8 and 17,
Variation 11° 30' East
40,00 Set a post for a temporary quarter section corner
79,60 Intersected corner to sections 8, 9, 16 and 17,
From which corner I run
West on a true line between sections 8 and 17
Variation 11° 30' East
39,80 Drove a charred stake set a post in mound as per instructions for a quarter section corner,
79,60 Corner to sections 7, 8, 17 and 18
Rolling Prairie Soil 2nd rate

West on a random line between sections 7 and 18
Variation 12° 00' East
40,00 Set a post for a temporary quarter section corner
63,75 A stream, 5 links wide Course S.W.
76,27 Intersected the West boundary of the Township

Township 15 N. Range 7 E. 6th Principal Meridian

140 links North of the Corner to sections 7 and 18
From which corner I run East on a true line
Between sections 7 and 18
Variation 13° 00' East
Rolling Prairie Soil 2nd rate
36,27 Drove a charred stake, set a post in mound as per instructions for a quarter section corner
76,27 Corner to sections 7, 8, 17 and 18.
Rolling Prairie Soil 2nd rate

North, between sections 7 and 8
Variation 11° 00' East
40,00 Drove a charred stake, set a post in mound as per instructions for a quarter section corner
80,00 Drove a charred stake set a post in mound as per instructions for a corner to sections 5, 6, 7 and 8
Rolling Prairie soil 2nd rate

East on a random line between sections 5 and 8
Variation 11° 30' East
40,00 Set a post for a temporary quarter section corner

Township 15 N. Range 7 E. 6th Principal Meridian

43,75 A Stream 8 links Wide Course South
79,60 Intersected N and S line 10 links North of the corner to sections 4, 5, 8, and 9. From which corner I run West on a true line between sections 5 and 8
Variation 11° 26' East
39,80 Drove a charred stake, set a post in mound as per instructions for a quarter section corner
79,60 To corner to sections 5, 6, 7 and 8
Rolling Prairie Soil 2nd rate

West, on a random line between sections 6 and 7
Variation 13° 00' East
40,00 Set a post for a temporary quarter section corner
77,00 Intersected West boundary of the Township 60 links North of the corner to sections 6 and 7,
From which corner I run
East on a true line between sections 6 and 7
Variation 13° 26' East,
37,00 Drove a charred stake, set a post in mound, as per instructions for a quarter section corner
77,00 Corner to sections 5, 6, 7 and 8

Township 15 N. Range 7 E. 6th Principal Meridian

Rolling Prairie Soil 2nd rate

North on a random line between sections 5 and 6
Variation 11° 00' East
40,00 Set a post for a temporary quarter section corner
48,10 A Stream, 12 links wide Course S. E.
77,25 Intersected North boundary of the Township at the corner to sections 5 and 6.
From which corner I run South on a true line between sections 5 and 6.
Variation 11° 00' East
37,25 Drove a charred stake, set a post in mound as per instructions for a quarter section corner.
77,25 Corner to sections 5, 6, 7 and 8
Rolling Prairie, Soil 2nd rate,
October 14th 1857

Township 15 N. Range 7 E. 6th Principal Meridian

General Description.

The west part of this Township is generally rolling Prairie. There is a very fine stream running through it from North to South. On the East side of this stream the country is nearly flat, with soil generally second rate. There is some very fine bottom land at the junction of the streams. No timber and no settlements.

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the foregoing field notes of Township No. 15 North of the base line of Range No. 7 East of the Sixth Principal Meridian; showing the respective capacities in which they acted

Christian G. Shipman	Chainman
William A. Cox	Chainman
Levi Van Arnum	Chainman
Norman B. Holbrook	Chainman
Gustavus A. Hess	Axeman
Levinus M. Swift	Axeman
Augustus B. Swift	Axeman
John Barry	Axeman
Egleton W. Holbrook	Flagman
Sewit M. Curran	Flagman
Bernard D. Holbrook	Compassman

1858

36/14

Intersected at cor 17 times

(2.)

143

Under Instructions dated Nov. 16 1858

Field Notes

of the Survey of the

Sub. division Lines in

Township 16 North, Range 7 East

of 6th Prim Mer: in the Territory

of Nebraska, by Nathan, P, Cook, deputy Surveyor,

under instructions bearing date the 16th day

of November 1858.

Sub. division commenced Nov 29th 1858

Sub. division finished Decr 4, 1858.

Exd.

Exd

C. C

Platted. E.M.

Township 16 N Range 7 E 6th P. M.

6	52	5	37	4	28	3	19	2	10	1
51		50		36		27		18		9
7	49	8	35	9	26	10	17	11	8	12
48		47		34		25		16		7
18	46	17	33	16	24	15	15	14	7	13
45		44		33		23		14		6
19	43	20	32	21	23	22	14	23	5	24
42		41		31		22		13		4
30	41	29	30	28	21	27	12	26	3	25
39		38		29		20		11		2
31	38	32	29	33	20	34	11	35	2	36

Names of Assistants.

John B. Dickey Chainman

Saml. L. Anderson Chainman

James A Fisher Flagman

Frederick Smith Axeman.

Township 16 N. of Range 7 E of 6 P. Mer.

To determine the proper adjustment of my compass for sub-dividing the Township, I commenced at the corner to Townships 15 & 16. North, and Ranges 7 & 8 East of 6. Principal Meridian and run

North on a blank line along the East boundary of Sections 36.

Variation 11°45' East

(By Burt's improved Solar compass)

40.00 To a point 1 link west of the quarter section corner.

80.02 To a point 1 link west of the corner to Sections 25 & 36.

To retrace this line or run parallel thereto, my compass must be adjusted to a

Variation 11°45' East

Township 16 North, of Range 7 East of 6 P.M.

Sub-division commenced November 29th, A.D. 1858.

North between Sections 35 & 36

Variation 11° 45' East

40.00 Drove charred stake, set post, and raised mound, with pits and trenches as per instructions.

~~40.00~~ Go for quarter section corner.

80.00 Drove charred stake, set post in mound, with pits and trenches per instructions for corner to Sections 25, 26, 35 & 36.

Level prairie; soil 1st rate.

East on a random line between Sections 25 & 36.

Variation 11° 45' East

40.00 Set temporary quar. sec. corner.

80.25 Intersected East boundary of Township 18 links South of

Township 16 North of R. 7 East of 6 P.M.

the corner to Secs 25 & 36, from which corner I run

West on a true line betw. Secs 25 & 36

Variation 11° 52' East

40.13 Drove charred stake, set post in mound, with pits and trenches, per instructions for quarter-section corner.

80.25 The corner to sections 25, 26, 35 & 36.

Surface, level prairie; Soil 1st rate.

North between Sections 25 & 26

Variation 11° 45' East

40.00 Drove charred stake, set post in mound, with pits and trenches, per instructions for a quarter section cor.

Township 16 North of Range 7 E of 6 P.M.

80.00 Drove charred stake, set post in mound, with pits and trenches, per instructions for corner to sections 23 24, 25, & 26.
Surface level prairie; soil 1st rate.

East on a random line between Sections 24 & 25.
Variation 11° 45' East
40.00 Set temporary quar. sec. cor.
80.36 Intersected East boundary of Township 27 links South of the corner to sections 24 & 25, from which corner I run
West on a true line between sections 24 & 25.

Township 16 North of Range 7 East of 6 P. M.

Variation 11° 57' East.
40.18 Drove charred stake, set post in mound, with pits and trenches per instructions, for a quarter section corner
80.36 The corner to secs 23. 24. 25. 26.
Surface level prairie; soil 1st rate.

North between Sections 23 & 24
Variation 11° 45' East
40.00 Drove charred stake, set post in mound with pits and trenches per instruction, for a quarter section corner.
80.00 Drove charred stake, set post in mound, with pits and trenches, per instructions for corner to sections 13, 14, 23. & 24.
Surface, level prairie, soil 1st rate.

Township 16 North of Range 7 E of 6 P M

East on a random line between Sections 13 & 24.
Variation 11° 45' East.

40.00 Set temporary quarter Sec. cor.

80.36 Intersect East boundary of Township, 12 links South of the corner to Sections 13 & 24, from which corner I ran

West on a true line between Sections 13 & 24
Variation 11° 50' East

40.18 Drove charred stake, set post in mound with pits and trenches per instructions, for a quarter section corner.

80.36 The corner to Sections 13 14. 23. & 24.

Surface level prairie, Soil 1st rate.

Township 16 N. of R. 7 E of 6 P. M.

North between Sections 13 & 14.
Variation 11° 45' East

40.00 Drove charred stake, set post in mound, with pits and trenches as per instructions for a quarter section corner.

80.00 Drove charred stake, set post in mound, with pits and trenches, as per instructions, for corner to Sections 11. 12, 13. & 14

Surface level prairie, Soil 1st rate.

East on a random line between Sections 12 & 13.
Variation 11° 45' East.

40.00 Set a temporary quarter Sec. cor.

80.20 Intersected East boundary of Township, 10 links South of the cor-

Township 16 North of Range 7 East of 6 P.M.

to Sections 12 & 13, from which corner I run
West on a true line, between Sections 12 & 13.
40.0 Variation 12° 49' East.
80.3 40.10 Drove charred stake, set post in mound with pits and trenches, as per instructions, for a quar. sec. corner
80.20 The corner to 11, 12, 13, & 14.
Surface level prairie; Soil 1st rate.

North between Sections 11 & 12
Variation 11° 45' East
80. 40.00 Drove charred stake, set post in mound with pits and trenches, as per instruction, for quarter section corner
80.00 Drove charred stake, set post

Township 16 North of Range 7 East of 6 P.M.

in a mound with pits and trenches as per instructions, for corner to Sections 1, 2, 11 & 12.
Surface level prarie; Soil 1st rate

East on a random line between Sections 1 & 12,
Variation 11° 45' East
40.00 Set temporary quar. sec. cor.
80.06 Intersected East boundary of Township 14 links south of corner to Secs 1 & 12, from which corner I run
West on a true line between Sections 1 & 12,
Variation 11° 51' East.
40.03 Drove charred stake, set post in mound with pits and

Township 16 N of R 7 E of 6 PM

trenches as per instructions, for
a quarter section corner.
80.06 The corner to Secs. 1, 2, 11 & 12.
Surface level prairie;
Soil 1st rate.

North between Sections 1 & 2.
Variation 11° 45' East
40.00 Drove charred stake, set post
in mound with pits and
trenches, as per instructions, for
a quarter-section corner.
74.55 Intersected Standard Parallel, 15 chs
55 links. West of standard cor-
ner. to Secs 35 & 36. of Tp. 17 N. R.
7. East, Drove charred stake,
set post in mound, with pits
and trenches, as per instructions,
for closing corner to Sections 1 & 2.
Surface level prairie; Soil 1st rate.
November 29th 1858

Township 16 N of R 7 E of 6 PM

North between Sections 34 & 35.
Variation 11° 45' East
40.00 Drove charred stake, set post in
mound with pits and trenches
as per instructions, for quarter
section corner.
80.00 Drove charred stake, set post
in mound with pits and
trenches as per instructions
for corner to Secs 34 35,
26. 27.
Surface level prairie;
Soil 1st rate.

East on a random line between
Sections 26 & 35.
Variation 11° 45' East
40.00 Set temporary quarter sec-
tion corner.
80.15 Intersected N & S line 25 lks

Township 16 North of Range 7 E of 6 P M

South of corner to Section 25 & 36, from which corner I run

West on a true line between Sections 26 & 35.

Variation 11°56' East.

40.07½ I drove charred stake, set post in mound with pits and trenches per instructions for a quarter section cor.

80.15 The corner to Sections 26, 27, 34 & 35

Surface level prairie; Soil 1st rate.

North between Sections 26 & 27.

Variation 11° 45' East –

40.00 I drove charred stake, set post in mound, with pits and trenches per instructions for quar. sec. cor.

Township 16 North of Range 7 E of 6 P M

80.00 I drove charred stake, set post in mound with pits and trenches, per instructions, for corner to Secs 22, 23, 26, 27.

Surface level prairie; Soil 1st rate.

East on a random line between Sections 23 & 26 –

Variation 11° 45' East.

40.00 Set temporary quarter sec. cor.

80.26 Intersected N & S. line 14 lks South of corner to Secs 23, 24, 25, & 26, from which corner I run

West on a true line between Sections 23 & 26.

Var. 14° 51' East.

40.13 I drove charred stake, set post in mound with pits

Township 16 North of R. 7 E of 6 P M

an trenches, per instructions,
for a quarter section corner.
80.26 The corner to Sections 22.23.26.27.
Surface level prairie
Soil 1st rate

North between Sections 22 & 23
Variation 11° 45' East
40.00 Drove charred stake, set post in mound, with pits and trenches per instructions, for a quarter section corner.
80.00 Drove charred stake, set post in mound, with pits and trenches, per instructions for corner to Secs 14, 15, 22, 23.
Surface level prairie, Soil 1st rate

East on a random line between Sections 14 & 23 —

Township 16 N of R 7 East of 6 PM

Variation 11° 45' East
40.00 Set temporary quar. sec. corner.
80.30 Intersected N & S. line 20 links South of corner to Secs 13, 14, 23, 24, from which corner I run
West N. on a true line between Sections 14 & 23,
Variation 11° 54' East
40.15 Drove charred stake, set post in mound, with pits and trenches per instructions, for a quarter section corner.
80.30 The corner to Sections 14, 15, 22, 23
Surface level prairie;
Soil 1st rate.

North between Sections 14 & 15.
Variation 11° 45' East.
40.00 Drove charred stake; set post in mound, with pits and

Township 16 North of Range 7 E of 6 P M

trenches per instructions,
for a quarter-section cor.
80.00 Drove charred stake, set
post in mound with pits
and trenches, per instructions
for a corner to sections
10, 11, 14, & 15.
Surface level prairie;
Soil 1st rate

East on a random line be=
tween sections 11 & 14,
Variation 12° 00' East
40.00 Set temporary quarter-section
corner.
80.00 Intersected A & S. line, 10 links
North of corner to secs 11, 12, 13,
14, from which cor. Drum.

West on a true line between

Township 16 North of Range 7 E of 6 P M

sections 11 & 14.
Variation 11° 56' East
40.00 Drove charred stake, set post
in mound, with pits and
trenches, per instructions, for
a quarter sec. corner. A
pond bears South of quar. sec.
cor. about 12 chains, contain
ing about 1 acre.
80.00 The corner to sections 10, 11, 14, & 15.
Surface level prairie;
Soil 1st rate.

North between sections 10 & 11,
Variation 12° 00' East
40.00 Drove charred stake, set post
in mound with pits and
trenches per instructions, for
a quarter section corner.
80.00 Drove charred stake, set post

Township 16 N of R 7 E of 6 P M

in mound with pits and trenches per instructions for corner to Sections 2, 3, 10. & 11.
Surface level prairie;
Soil 1st rate.

East on a random line between Sections 2 & 11.
Variation 12° 00' East.
40.00 Set temporary quar. sec. corner.
80.10 Intersected N & S line 15 links North of corner to Sections 1. 2. 11. & 12. from which corner I run
West on a true line between Sections 2 & 11.
Variation 11° 54' East.
40.05 Drove charred stake, set post in mound, with pits and trenches per instructions for

Township 16 N of R 7 E of 6 P M

a quarter section corner.
80.10 The corner to Sections 2. 3. 10. 11.
Surface level prairie;
Soil, 1st rate.

North between Sections 2 & 3.
Variation 12° 00' East
40.00 Drove charred stake, set post in mound with pits and trenches per instructions, for a quarter section corner.
75.50 Intersected Standard Parallel, 15.80 chs West of Standard corner to Secs. 34 & 35, of Tp 17 N. of R. 7 E. Drove charred stake, set post in mound with pits and trenches per instructions, for closing corner to Sec. 2 & 3.
Surface level prairie; Soil 1st rate.
November 30th 1858.

Township 16 North of Range 7 E of 6 P M

North between Sections 33 & 34
Variation 11° 45' East -

40.00 Drove charred stake, set post in mound with pits and trenches per instructions, for a quarter Sec cor.

80.00 Drove charred stake, set post in mound with pits and trenches per instructions, for corner to Secs. 27. 28, 33. 34.

Surface level prairie;
Soil 1st rate -

East on a random line between Sections 27 & 34.
Variation 11° 45' E.

40.00 Set temporary quar. sec. corner.

80.40 Intersected N. & S. line, 12 links south of cor to Secs, 26. 27. 34, & 35, from which corner

6

Township 16 North of Range 7 E of 6 P M

I run
WEST on a true line between Sections 27 & 34.
Variation 11° 50' East.

40.20 Drove charred stake, set post in mound, with pits and trenches, per instructions, for a quarter section corner -

80.40 The corner to Secs 27, 28, 33 & 34.
Surface level prairie;
Soil 1st rate -

North, between Secs. 27 & 28 -
Variation 11° 45' East

40.00 Drove charred stake, set post in mound, with pits and trenches per instructions, for a quarter section corner -

80.00 Drove charred stake, set post in mound, with pits and tren-

Township 16 N. of R. 7 E. of 6 PM

ches, per instructions, for corner to sections 21, 22, 27, 28.-
Surface level prairie;
Soil 1st rate;

East on a random line between Sections 22 & 27.-
Variation 12° 00' East
40.00 Set temporary quarter sec. cor.-
80.18 Intersected ¢ & S line, 17 links South of the corner to sections 22, 23, 26, 27.- from which corner I run
West on a true line between Sections 22 & 27.
Variation 12° 07' East
40.09 Drove charred stake, set post in mound, with pits and trenches per instructions, for a quarter section corner.-

Township 16 N. of R. 7 E. of 6 PM.

80.18 The corner to sections 21, 22, 27, 28.-
Surface level prairie;
Soil, 1st rate.

North between Sections 21 & 22.-
Variation 12° 00' East
40.00 Drove charred stake, set post in mound, with pits and trenches per instructions, for a quarter sections corner.-
80.00 Drove charred stake, set post in mound, with pits and trenches per instructions, for a corner to sections 15, 16, 21, 22.
Surface level prairie;
Soil 1st rate.-

East on a random line between Sections 15 & 22.-
Variation 12° 05' East.

Township 16 North of Range 7 E of 6 P.M.

40.00 Set temporary quar. sec. corner.
40.10 Intersected N & S line, 28 links South of the corner to Sections 14, 15, 22, & 23, from which corner I ran
West on a true line between Sections 15 & 22,
Variation 12° 17' East
40.05 Drove charred stake, set post in mound with pits and trenches, per instructions for a quarter section corner.
80.10 The corner to sections 15, 16, 21, & 22.
Surface level prairie;
Soil 1st rate.

North between Sections 15 & 16.
Variation 12° 05' East
40.00 Drove charred stake set post

Township 16 North of Range 7 E of 6 P.M.

in mound of Earth with pits and trenches as per instructions for a quar sec. corner.
80.00 Drove charred stake, set post in mound with pits and trenches, as per instructions, for corner to Sections 9, 10, 15, & 16.
Surface level, prairie;
Soil 1st rate.

East on a random line between Sections 10 & 15
Variation 12° 15' East
40.00 Set a temporary quar sec. cor.
45.00 Enter pond bears N & S. about 1 chain on each side of line
55.00 Leave pond bears N E & S. W. (contains about 2 acres)
80.20 Intersect N & S line at the corner to Sections 10, 11, 14, 15, from

Township 16 N of R 7 East of 6 P M

which corner I run
West on a true line between Secs
10 & 15
Variation 12° 15' East
40.10 Drove charred stake, set post
in mound with pits and
trenches as per instructions
for a quarter sec. corner.
80.20 The corner to Sections 9, 10, 15, 16,
Surface level prairie;
Soil 1st rate.

North between Sections 9 & 10
Variation 12° 15' East
40.00 Drove charred stake set
a post in mound with
pits and trenches as per
instructions for a quarter
section corner
80.00 Drove charred stake, set a

Township 16 North Range 7 E of 6 P M

post in mound with pits
and trenches as per instruc
tions for a cor. to Secs 3, 4, 9, 10,
Surface level prairie;
Soil 1st rate

East on a random line between
Sections 3 & 10.
Variation 12° 15' East
40.00 Set temporary quar. sec. cor.
79.86 Intersected E & W. line 12 lks
North of cor. to Secs 2, 3, 10, 11, from
which corner I run
West on a true line between Sec-
tions 3 & 10.
Variation 12° 10' East
39.93 Drove charred stake, set post
in mound with pits and
trenches for quarter section
corner.

Township 16 North of Range 7 E of 6 P. M.

79.86 The corner to Secs 3, 4, 9, 10
Surface level prairie;
Soil 1st rate

North between Secs 3 & 4.
Variation 12° 15' East
40.00 Drove charred stake; set post in mound with pits and trenches as per instructions for a quarter sec. cor
76.10 Intersected 4th Standard Parallel 16.00 chains West of Standard corner to Sections 33 & 34 of Tp 17 N. R. 7. E. 4
Drove charred stake, set post in mound with pits and trenches per instructions for closing corner to Sections 3 & 4.
Surface level prairie,
Soil 1st rate.
December 1st 1858.

Township 16 North of Range 7 E of 6 P M

North between Sections 32 & 33.
Variation 11° 45' East
40.00 Drove charred stake set post in mound, with pits and trenches, per instructions for quarter sec. corner
80.00 Drove charred stake set post in mound, with pits and trenches, per instructions for corner to sections 28, 29, 32, 33.
Surface level prairie;
Soil 1st rate.

East on a random line between Sections 28 & 33.
Variation 12° 00' East
40.00 Set temporary quarter section corner.
80.20. Intersected N & S. line, 28 lks East

Township 16 N of Range 7 E of 6 PM

South of the corner to Secs 27. 28. 33. 34. from which corner I ran

West on a true line between Sections 28 & 33.

Variation 12° 12' East.

40.10 Drove charred stake, set post in mound, with pits and trenches, per instructions, for a quarter section corner

80.20 The corner to Sections 28. 29. 32. 33

Surface level prairie;
Soil 1st rate.

North between Sections 28 & 29 -

Variation 12° 00' East

40.00 Drove charred stake, set post in mound with pits and trenches per instructions for quarter section corner -

Township 16 N of Range 7 E of 6 PM

80.00 Drove charred stake, set post in mound, with pits and trenches per instructions for corner to Sections 20. 21. 28. 29.

Surface level prairie;
Soil 1st rate.

East on a random line between Sections 21 & 28 -

Variation 12° 15' East

40.00 Set temporary quarter-section corner -

80.26 Intersected N & S line. 25 lks South of Corner to Sections 21. 22. 27. 28. from which cor. I ran

West on a true line between Sections 21 & 28,

Variation 12° 26' East

40.13 Drove charred stake, set post

Township 16 North of Range 7 E of 6 PM

in mound with pits
and trenches per instruc-
tions for quarter section
cor.
80.26 The corner to Sections 20.21
28.29.
Surface level prairie;
Soil 1st rate.

North between Sections 20 & 21
Variation 12° 15' East
40.00 Drove charred stake, set
post in mound, with pits
and trenches per instructions
for quarter section corner.
80.00 Drove charred stake, set post in mound
with pits and trenches per instruc-
tions for corner to Sections 16.17.20.21.
Surface level prairie;
Soil 1st rate.

Township 16 North of Range 7 E of 6 PM

East on a random line between
Sections 16 & 21.
Variation 12° 15' East
40.00 Set temporary quar. sec. corner
80.12 Intersected st. L. line 9 links South of
corner to Sections 15.16.21.22, from
which corner I run
West on a true line between Secs 16 & 21
Variation 12° 19' East
40.06 Drove charred stake, set post in
mound with pits and trên-
ches as per instructions
for a quarter section corner
80.12 The corner to Secs 16.17.20.21
The surface level prairie.
Soil 1st rate

North between Sections 16 & 17
Variation 12° 15' East
40.00 Drove charred stake, set a post

Township 16 North of Range 7 E of 6 P.M.

in mound with pits and trenches as per instructions for a quarter section corner

80.00 Drove a charred stake, set a post in mound with pits & trenches as per instructions for corner to sections 8, 9, 16, 17.

Surface level prairie;
Soil 1st rate

East on a random line between sections 9 & 16 -
Variation 12° 40' East

12.00 12 chains South of line a pond containing about 1½ acres

12.00 5 chains North of line a pond containing 1 acre

40.00 Set temporary quarter sec corner

80.24 Intersected N & S line 15 links North of the cor to Secs 9, 10, 15, 16,

Township 16 North of Range 7 E of 6 P.M.

from which corner I run

West on a true line between sections 9 & 16.
Variation 12° 34' East

40.12 Drove a charred stake, set a post in mound with pits and trenches as per instructions for a quarter section corner

80.24 The corner to Sections 8, 9, 16, 17.

Surface level prairie;
Soil 1st rate.

North between sections 8 & 9 -
Variation 12° 40' East

40.00 Drove charred stake, set post in mound with pits and trenches as per instructions for a quarter section corner -

Township 16 North of Range 7 East of 6 P.M.

80.00 Drove charred stake set a post in mound with pits and trenches as per instructions for the corner to Sections 4.5.8.&9.
Surface level prairie; Soil 1st rate

East on a random line between Sections 4 & 9 -
Variation 12° 40' East
40.00 Set temporary quar sec corner
80.10 Intersected N & S line at the corner to Sections 3.4.9.10, from which cor. I run
West on a true line between Sections 4 & 9 -
Variation 12° 40' East
40.05 Drove charred stake, set a post in mound with pits and trenches as per instructions for a quar=

Township 16 North of Range 7 E of 6 P.M.

ter section corner.
80.10 The corner to Sections 4.5.8.9.
Surface level prairie;
Soil 1st rate -

North between Sections 4 & 5 -
Variation 12° 40' East
40.00 Drove charred stake, set post in mound with pits and trenches as per instructions for a quarter section corner -
76.75 Intersected 4th Standard Parallel 15.95 chs West of Standard cor. to Secs 32 & 33, Tp 17. N. R. 7. E. and Drove charred stake & set post in mound with pits and trenches as per in= structions for closing corner to Sections 4 & 5 -
Surface level prairie; Soil 1st rate.
December 2nd 1888.

Township 16 North of Range 7 East of 6 P M

North between Sections 31 & 32
Variation 11° 50' East.

40.00 Drove charred stake, set post in mound with pits and trenches as per instructions for a quar. sec. cor:

80.00 Drove charred stake, set post in mound with pits and trenches as per instructions for a corner to Sections 29. 30. 31. 32.

Surface level prairie; Soil 1st rate

East on a random line between Sections 29 & 32.
Variation 12° 10' East

2.20 A creek 15 links wide runs S. E.

40.00 Set a temporary quar sec cor.

80.40 Intersected N & S. line 18 links South of the corner to Secs 28, 29. 32 & 33 from which corner I run

West on a true line between

Township 16 North of Range 7 East 6 P M

Sections 29 & 32.
Variation 12° 18' East

40.20 Drove charred stake, set post in mound with pits and trenches as per instructions for a quarter section corner.

80.40 The corner to Sections 29. 30. 31. 32.
Surface level prairie;
Soil 1st rate.

West on a random line between Sections 30 & 31
Variation 12° 10' East.

6.00 A creek 15 links wide runs N. E.

10.10 Same Creek 12 lks wide runs S. E.

40.00 Set a temporary quarter sec. corner.

78.82 Intersected west boundary of the Township, 20 links North of the corner to Sections 30 & 31

Township 16 North Range 7 East of 6 PM

from which corner I run.

East on a true line between
Sections 30 & 31 —
Variation 12° 19' East

38.82 Drove charred stake set post in mound with pits and trenches as per instructions for a quarter section corner-

78.82 The corner to Sections 29.30.31. & 32.

Surface level prairie;
Soil 1st rate;
a few scattering box elders along banks of creek.-



Township 16 North of Range 7 E of 6 PM

North between Sections 29 & 30-
Variation 12° 10' East

4.50 Creek 15 link wide, runs South East-

40.00 Drove charred stake, set post in mound with pits and trenches per instructions for a quarter section corner-

80.00 Drove charred stake, set post in mound with pits and trenches per instructions for corner to Secs 19.20.29.30.

Surface level prairie;
Soil 1st rate

East on a random line between Sections 20 & 29.
Variation 12° 45' East-

40.00 Set temporary quar. sec. cor.

Township 16 North of Range 7 E of 6 P M

80.14 Intersected N & S line 8 links South of the corner to Sections 20.21.28.29 from which corner I run

West on a true line between Sections 20 & 29

Variation 12° 48' E

40.07 Drove charred stake set post in mound with pits and trenches per instructions for a quarter section corner

80.14 The corner to Secs 19.20.29.30.

Surface level prairie; Soil 1st rate.

West on a random line between Sections 19 & 30.

Variation 12° 45' East

40.00 Set temporary quarter section corner

Township 16 N of Range 7 E of 6 P M.

78.70 Intersected West boundary of Township 74 links North of the corner to Secs 19 & 30, from which corner I run

East on a true line between Sections 19 & 30.

Variation 13° 17' East.

38.70 Drove charred stake, set post in mound with pits and trenches, per instructions for a quarter section corner.

78.70 The corner to Secs 19.20.29.30.

Surface level prairie; Soil 1st rate.

North between Sections 19 & 20.

Variation 12° 45' East

40.00 Drove charred stake, set post in mound with pits and

Township 16 N of Range 7 E of 6 P M

	trenches as per instructions, for a quarter Sec. corner.
80.00	Drove charred stake, set post in mound, with pits and trenches, per instructions for corner to Sections 17, 18, 19, 20.
	Surface level prairie; Soil 1st rate.

East on a random line between Sections 17 & 20.

Variation 12° 45' East.

40.00	Set temporary quarter section corner.
80.06	Intersected N & S line, 17 chs South of corner to Sections 16, 17, 20, 21, from which corner I run

West on a true line between

Township 16 North of Range 7 E of 6 P M

Sections 17 & 20.

Variation 12° 52' East.

40.03	Drove charred stake, set post in mound, with pits and trenches, per instructions, for a quarter section corner.
80.06	The corner to Sections 17, 18, 19, & 20.
	Surface level prairie; Soil 1st rate.

West on a random line between Sections 18 & 19.

Variation 12° 45' East

40.00	Set temporary quarter section corner.
78.20	Intersected West boundary of Township at the corner to Sections 18 & 19, from

Town Township 16 North of Range 7 E. of 6 P.M.

which corner I ran
East on a true line between
Sections 18 & 19.
Variation 12° 45' East
38.20 Drove charred stake, set post
38 in mound with pits and trenches per instructions for a quarter Section corner.
78.20 The corner to Sections 17, 18, 19, 20.
Surface level prairie;
Soil 1st rate.

North between Sections 17 & 18
Variation 12° 45' East
40.00 Drove charred stake, set post in mound with pits and trenches per instructions for a quarter Section corner.

Township 16 North of Range 7 E of 6 P.M.

80.00 Drove charred stake, set post in mound with pits and trenches as per instructions for corner to Sections 7, 8, 17, 18.
Surface level prairie;
Soil 1st rate.

East on a random line between Sections 8 & 17.
Variation 12° 45' East
40.00 Set temporary quarter-Section corner.
80.10 Intersected N & S line, 20 links North of the corner to Sect. 8, 9, 16, 17, from which corner I ran
N. 0 West on a true line between Sections 8 & 17.
Variation 12° 36' E.

Tow Township 16 N of R. 7. E of 6 P M

40.05 Drove charred stake, set post in mound, with pits and trenches, per instructions, for a quarter Section corner.

38 80.10 The cor. to Sec. 7.8.17.18
Surface level prairie;
Soil 1st rate.

West on a random line between Sections 7 & 18 -
Variation 12° 45' East

40.00 Set tempory quar. Sec. cor.

77.60 Intersected West boundary of Township 5 links South of the corner to Secs. 7 & 18, from which cor I run
East on a true line between Secs 7 & 18
Variation 12° 43' E

Township 16 North of Range 7 E of 6 P M

37.60 Drove charred stake, set post in mound with pits and trenches, per instructions for a quarter Sec. corner.

77.60 The corner to Secs. 7.8.17.18
Surface level prairie;
Soil 1st rate.
December 3rd 1888.

North between Sections 7 & 8 -
Variation 12° 45' East

40.00 Drove charred stake, set post in mound with pits and trenches, per instructions, for quarter Section corner.

80.00 Drove charred stake set post in mound with pits and trenches per instructions for corner to Secs. 5. 6. 7. 8.
Surface level prairie; Soil 1st rate

Township 16 N of Range 7 E of 6 P M

East on a random line between sections 5 & 8
Variation 12° 45' East

40.00 Set temporary quar. sec. cor.
80.15 Intersect N & S line, 17 links North of the corner to secs 4.5.8.9. from which corner I run
38 West, on a true line, between sections 5 & 8 -
Magnetic Variation 12° 38' E
40.07 Drove charred stake, set post in mound, with pits and trenches for instructions for a quarter section corner -
80.15 The corner to sections 5, 6, 7, 8 -
Surface level prairie; Soil 1st rate

Township 16 N of Range 7 E of 6 P M

West on a random line between sections 6 & 7
Variation 12° 45' E

40.00 Set temporary quar sec cor
77.58 Intersect west boundary of Township 20 lks South of corner to secs 6 & 7. from which corner I run
S 89.5 East on a true line between sections 6 & 7 -
Magnetic Variation 12° 36' E
37.58 Drove charred stake, set post in mound with pits and trenches per instructions for a quarter sec. corner -
77.58 The corner to sections 5, 6, 7, 8.
Surface level prairie; Soil 1st rate.

Township 16 N of R. 7 E of 6 P M.

North between Sections 5 & 6
Variation 12° 45' East

40.00 Drove charred stake, set post in mound with pits and trenches per instructions for a quarter section corner.

38 7645 Intersected Standard Parallel, 16.30 chs West of Standard corner to Sections 31 & 32, Tp 17 N. R. 7 E. & Drove charred stake, set post in mound with pits and trenches as per instructions for a closing corner to Sections 5 & 6 —

Surface level prairie Soil 1st rate —

December 4th 1858.

Thermometer 20° below Zero.

Township 16 North R. 7 E. 6th P. M.

General Description

The quality of land in this Township is 1st rate, and is very well adapted to cultivation, though it is entirely destitute of both running water and timber, except in Sections 31 and 32, which are traversed by a branch of Cottonwood Creek which has a few hackberry and willow trees upon its banks. — The surface of the Township is level, a few ponds of stagnant water are interspersed which admirably adapts it to the growing of young ducks and other aquatic fowls.

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the foregoing Field notes of Township 16 N. Range 7 East of the 6th Principal Meridian, in Nebraska Territory showing the respective capacities in which they acted

John B. Dickey Chainman
Saml S. Anderson "
Frederick Smith Axeman
James A. Fisher Flagman

We hereby certify that we assisted Nathan P. Cook, Deputy Surveyor, in surveying the Subdivision lines and meanders in Townships 16 North of the Base line, and Ranges 7 and 8 East of the 6th Principal Meridian in Nebraska Territory and that ~~said~~ said Townships have been in all respects, to the best of our Knowledge and belief, well and faithfully surveyed, and the corners established according to the instructions furnished by the Surveyor General

Samuel L Anderson
John B. Dickey
Fredreck Smith
J A Fisher

Subscribed and sworn to by the above named persons, before

me, a County Clerk for the County of Otoe, in the Territory of Nebraska this 13th day of December 1858

G. H. Vick Roy
Clerk Otoe County
N. T.

I Nathan P. Cook, Deputy Surveyor, do solemnly swear that in pursuance of instructions from Ward B. Burnett Surveyor of the Public Lands of the United States in the Territories of Kansas and Nebraska, bearing date the 16th day of November 1858, and in strict conformity to the laws of the United States and the instructions furnished by the said Surveyor General, I have

faithfully surveyed the sub-division lines and meanders, in Townships 16 North of the base line, and Ranges 7 and 8. East of the 6th Principal Meridian in Nebraska Territory, and do further solemnly swear that the foregoing are the true and original field notes of such Survey.

Nathan P. Cook
Deputy Surveyor

Subscribed by said Nathan P. Cook Deputy Surveyor, and sworn to before me a Commissioner for the County of Otoe, in the Territory of Nebraska this 13th day of December 1858

G. H. Vick Recy
Clk Otoe Co. N.T.

Surveyor Generals Office
Nebraska City N.T.
January 3rd 1859

The foregoing field Notes of the Survey of the Subdivision and Meander lines of Townships Sixteen North of the base line of Ranges Seven and Eight East of the Sixth Principal Meridian in the Territory of Nebraska, Executed by Nathan P. Cook, D.S. under instructions dated 16th November 1858, in the months of November and December 1858, having been critically examined, the necessary corrections and explanations made, the said field Notes, and the Surveys they describe, are hereby approved.

Ward B. Burnett
Surveyor General

General Land Office • Original Field Notes

Book Number

80

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.