General Land Office • Original Field Notes

Book Number

93

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

a

Vol. 1 R. 9 E.

Contract No. 135

Field Notes
of the subdivisional lines in Township
No 1 N. R. 9 E. 6th Principle meridian
in the territory of Nebraska No 135

Surveyed by Thomas W. Wheatly
Deputy Surveyor under his contract bearing
date October 14th 1856 Number 135

Subdivision commenced Oct. 31st 1856
Subdivision Completed November 8th 1856

b

List of names

A list of names of the persons employed to assist in measuring marking and runing the lines in Township No 1 N. R. 9. East with the duties of each affixed to their names

P. E. C. Mitchell Chainman
Daniel. Kirline Chainman
Francis Gilman Cornermarker
Chas. E. Pearson Flagman

c

Township 1 N. of R. 9 E.



we P. E. C. Mitchell, Daniel Ristine
Charles E. Pierson, Frances Gilmore
do

solemnly swear or affirm that we will execute the duties of chain carriers; that we will level the chain upon uneven ground and plumb the Tally pins whether by sticking or droping the same that we will faithfully report the distance to all notable objects on the line and that we will well and truly perform the duties of Flaggman Axmen or commarkers according to instructions and to the best of our ability P. E. C. Mitchell
D Ristine
Chas. E. Pierson
Frances Gilmore

The within ~~[illegible]~~ affidavit
Subscribed and sworn to before
Me, E. S. Wilkinson, a Justice
of the Peace within and for
Platte county, and
State of Missouri, this
22nd day of October eighteen
hundred and fifty-six.

E. S. Wilkinson, J. P.

We Charles. McGarvy. Joshua Huffman.
Robert Armstrong and James Thompson
do solemnly swear that we will
execute the duties of chain carriers;
that we will level the chain upon
uneven ground and plumb the
tally pins whether by sticking
or droping the same, that we
will faithfully report the distance
to all notable objects on the line
and that we will well and
truly perform the duties of
Flaggmen, axmen or cornerman
ners according to instructions
and to the best of our skill
and ability

Charles McGarvy
Joshua Huffman
Robt Armstrong
James D Thompson

Subscribed and sworn to before
me a ~~x~~ deputy Surveyor
this 19th day of
May 1857
Thomas. W. Wheatly
Deputy Surveyor

Township 1. N. Range 9. East

Chains To determine the proper adjustment
of my compass for subdividing this
Township, I commence at the corner
to Townships 1 North of the base
line of Ranges 9 and 10 East of
the 6th principle Meridian N. T.
and run
North along the east Boundary of
Sec 36
variation 10.30 East
40.10 To a point 6 lks east of quarter sec corner
80.20 A point 14 lks east of corner to sections 25 & 36
To retrace this line or run
parallel thereto my compass must
be adjusted to a variation of 10° 36' East
Subdivision commenced Oct 31st 1856

Township 1 N. Range 9. East

Chains	
	From the corner to sections 33 and 36 on the South boundary of the Township I run
	North between sections 33 and 36
	variation 10 36 East
1.00	Ravine course west
40.00	Set Limestone 15 in long 8 in wide and 5 in thick for quarter sec corner
42.00	Ravine course – west
80.00	Set Sandstone 22 in long 13 in wide and 4 in thick for corner to sections 25. 26. 35 and 36
	Land: Gently rolling prairie; 1st rate
	East on random line between sections 25 and 36
	variation 10. 36. East
40.00	Set a Stone for temporary quarter sec corner
41.00	Ravine course S. W

Township 1 N. Range 9. East 6th Principal meridian

79.68	Intersected east boundary 18 lks North of corner to sections 25. & 36 from which corner I run
	West on a true line between sections 25 & 36
	variation 10 28 East
37.84	Set Limestone 18 in long 10 in wide and 4 in thick for quarter sec corner
79.68	The corner to sections 25. 26. 35 and 36
	Land High rolling prairie: 1st rate
	North between sections 25 and 26
	variation 10.56 East
5.00	Ravine course west
10.00	Ravine course – S. W.
30.00	Ravine course S. W.
40.00	Set Limestone 18 in long 9 in wide and 4 in thick for quarter sec corner
62.00	Ravine course. North.
80.00	Set Limestone 20 in long 8 in wide and 6 in thick for corner to sections 23. 24.

Township 1. N. Range 9 East
6th Principle Meridian. N. J.

25 and 26
Land Rolling prairie: Soil 1st rate

East on a random line between sections 24 and 25

variation 10.36 East

15.00 Ravine course west
40.00 Set stone for temporary quarter sec corner
70.00 Ravine course. S. W.
79.32 Intersected N & S line 3 links south of corner to sections 24 and 25 from which corner I run
West on a true line between sections 24 and 25

variation 10.37 East

39.66 Set Limestone 22 in long, 7 in wide and 6 in thick for quarter sec. cor
79.32 The corner to sections 23. 24. 25 and 26
Land High rolling Prairie
Soil ~~1st~~ rate

Township 1 North, Range 9 East of the 6th principle meridian
North between sections 23 and 24

variation 11.00 East

40.00 Set Limestone 17 in long 10 in wide and 8 in thick for quarter sec-corner
46.00 Ravine course west
71.00 Ravine course west
80.00 Set Limestone 27 in long 13 in wide and 2 in thick for corner to sections 13. 14. 23 and 24
Land Rolling prairie; 1st rate

East on random line between sections 13 and 24

variation 10.30 East

15.00 Ravine course. S. W.
40.00 Set Stone for temporary quarter sec cor
53.00 Ravine course. S. W.
79.60 Intersected East boundary 16 links North of corner to sections 13 and 24 from which corner I run
West on a true line

Township 1. N. Range 9. E. 6th Principle meridian

between Sec 13 and 24

variation 10.23 East

39.80 Set sandstone 23 in long. 8 in wide and 9 in thick for quarter sec corner

77.60 The corner to sections 13. 14. 23 and 24

Land Rolling prairie; 1st rate

North between sections 13 and 14

variation 11.7 East

40.00 Set Limestone 26 in long. 12 in wide and 2 in thick for quarter sec corner

80.00 Set limestone 16 in long 12 in wide and 4 in thick for corner to sections 11. 12. 13 and 14

Land Rolling Prairie; 1st rate

East on random line between sec 12 & 13

variation 10.30 E

40.00 Set Stone for temporary quarte sec corner

78.90 Intersected east boundary 72 lks North of corner to sections 12 and 13 from whic

Township 1. N. Range 9. E. 6th Principle meridian

corner I run

West on a true line between sec 12 & 13

variation 10.00 East

39.95 Set Limestone 19 in long, 10 in wide and 3 in thick for quarter sec corner

79.90 Corner to sections 11. 12. 13 and 14

Land Rolling prairie; 1st rate

North between sections 11 and 12

variation 11.7 East

25.00 Road bears 2 and 3

40.00 Set limestone 18 in long 9 in wide and 4 in thick for quarter sec-cor

80.00 Set limestone 16 in long. 10 in wide & 6 in thick for corner to sections 1. 2. 11 and 12

Land High rolling prairie

Soil 1st rate

Township 11 N. Range 9 E. 6th Principle Meridian

East on random line between
sections 1 and 12
variation 10.30 E
12.00 Ravine course S. W.
40.00 Set stone for temporary quarter sec corner
66.00 Ravine course N
80.30 Intersected East boundary 70 lks
North of corner to sections 1 and 12
from which corner I run
West on a true line between sections 1 and 12
variation 10.00 E.
40.25 Set limestone 20 in long 10 in wide
and 3 in thick for quarter sec cor
80.50 the corner to sections 1.2.11 and 12
Land Rolling prairie; 1st rate

North between sections 1 and 2
variation 10.45 E
40 Set Limestone 15 in long, 8 in wide
and 5 in thick for temporary quarter

Township 11 N. Range 9 E. 6th Principle Meridian

section corner
79.75 Intersected North boundary of the
Township 310 lks west of corner
to sections 1 and 2 from which corner
I run
South on a true line between
sections 1 and 2
variation 8.32. East
39.75 Set Limestone 15 in long 8 in
wide and 5 in thick for quarter
sec corner
79.75 Corner to sections 1.2.11. and 12.
Land. Rolling Prairie; 1st Rate

Township 11 N. Range 9 E. 6th Principle Meridian

North between sections 34 and 35
variation 11° 7' East

30.00 Ravine — Course N. N. E.

40.00 Set Limestone 16 in long, 7 in wide and 6 in thick for quarter sec corner

80.00 Set Limestone 20 in long 12 in wide and 5 in thick for corner to sections 26, 27, 34 and 35

Land. Rolling Prairie, 1st rate

East on random line between sections 26 and 35
variation 11° 7' E

33.00 Ravine, course west

40.00 Set Limestone for temporary quarter sec corner

79.75 Intersected N and S 70 lks North of corner to sections 25, 26, 35 and 36 from which

Township 11 N. Range 9 E. 6. Principle Meridian

Corner I run
West on a true line between sections 26 and 35
variation 10° 37' East

37.88 Set Limestone 18 in long, 12 in wide and 5 in thick for quarter section corner

79.75 Corner to sections 26, 27, 34 & 35

Land, Rolling Prairie

Soil 1st rate

North between sections 26 and 27
variation 11° 20' East

4.00 Ravine Course West

40.00 Set Limestone 15 in long 10 in wide and 5 in thick for quarter section corner

80.00 Set Limestone 21 in long, 12 in wide and 5 in thick

Township 1 N. Range 1 E. 6th Principle Meridian

for corner to sections 22.23.26 and 27
Land Rolling Prairie; 1st rate

East on random line between sections 23 and 26
variation 11° 20 E
40.00 Set Limestone for temporary quarter section corner
80.00 Intersected N and S line 86 lks North of corner to sections 23. 24. 23 and 26 from which corner I run
West on a true line between sections 23 and 26
variation 10° 43' East
40.00 Set Limestone 18 in long, 12 in wide and 3 in thick for quarter section corner

Township 1 N. Range 1 E. 6th Principle Meridian

80.00 Corner to sections 22. 23. 26 and 27
Land Rolling Prairie
Soil 1st Rate

North between sections 22 and 23
variation 10° 45' East
5.00 Branch 10 lks wid - course N.W.
40.00 Set Limestone 18 in long, 6 in wide and 6 in thick for quarter section corner
80.00 Set Limestone 21 in long 8 in wide and 3 in thick for corner to sections 14, 15. 22 and 23
Land Rolling Prairie; 1st rate

Township 11. N. Range 9. E. 6th Principle Meridian

East on a random line between sections 14 and 23

variation 10.43 East

12.00 Ravine — Course S.W.

40.00 Set Stone for temporary quarter section corner

80.90 Intersected N and S' line 9 lks North of corner to sections 13. 14. 23 and 24 from which corner I run West on a true line between sections 14 and 23

variation 10.41 East

40.45 Set Limestone 16 in long 6 in wide and 6 in thick for quarter section corner

80.90 Corner to sections 14. 15. 22 and 23

Land Rolling prairie; 1st rate

Township 11. N. Range 9. E. 6th Principle Meridian

North between sections 14 and 15

variation 10° 37 East

40.00 Set Sandstone 22 in long, 12 in wide and 2 in thick for quarter section corner

80.00 Set Sandstone 23 in long, 14 in wide and 2 in thick for corner to sections 10. 11. 14 and 15

Land rolling prairie; 1st rate

East on random line between sections 11 and 14

variation 10.37 East

12.00 Ravine, course, S.W.

37.00 " " S.W.

40.00 Set Stone for temporary quarter sec corner

55.00 Ravine — Course S.W.

Township 11. N. Range 9. E. 6th Principle Meridian

75.00 Ravine — course S.W.
80.80 Intersected N. and S. line 16 lks north of corner to sections 11. 12. 13 and 14 from which ~~Found~~ corner I run
West on a true line between sections 11 and 14
variation 10 30' East
40.40 Set Limestone 24 in long. 6 in wide and 6 in thick for quarter section corner
80.80 Corner to sections 10. 11. 14 and 15
Land Rolling prairie; 1st rate

North between sections 10 and 11
variation 10.37 East
24.00 Road bears N.W. and S.E.
40.00 Set limestone 20 in long. 12 in

Township 11. N. Range 9. E. 6th. Principle meridian

wide and 4 in thick for quarter section corner
72.00 Ravine Course N.W.
80.00 Set Sandstone 18 in long, 10 in wide and 3 in thick for corner to sections 2. 3. 10 and 11
Land rolling prairie. 1st rate

East on random line between sections 2 and 11
variation 10.37 East
9.00 Ravine — course N.W.
40.00 Set Stone for temporary quarter section corner
80.10 Intersected N and S. line 39 lks North of corner to sections 1. 2. 11 and 12 from which corner I run

Township 11. N Range 9. E. 6th Principle Meridian

West on a true line between sections 2 and 11

variation 10.20. East

40.05 Set limestone 18 in long 12 in wide and 3 in thick for quarter sec corner

80.10 Corner to sections 2.3.10 and 11

Land rolling prairie; 1st rate

North on Random line between sections 2 and 3

variation 10.37 East

40.00 Set limestone for temporary quarter section corner

80.30 Intersect North boundary of the Township 270 lks west of corner to sections 2.3.34&35 from which corner I run South on a true line between sections 2 and 3

Township 11. N. Range 9. E. 6th Principle Meridian

variation 8°41 East

40.30 Set limestone 16 in long 10 in wide and 6 in thick for quarter sec corner

80.30 Corner to sections 2.3.10 and 11

Land Rolling prairie

Soil 1st rate

Township 1 N. Range 9 E. 6th Principle Meridian

North between sections 33 and 34
variation 11.15 East

11.00 Ravine, course West

40.00 Set a limestone 28 in long 13 in wide and 2 in thick for quarter section corner

41.50 Ravine, course N.W.

66.00 Ravine course N.W.

80.00 Set a limestone 22 in long 9 in thick and 3 in wide for corner to sections 27. 28. 33 and 34
Land rolling prairie. 1st rate

East on random line between sections 27 and 34
variation 11.15 East

26.00 Ravine Course N

40.00 Set stone for temporary quarter sec corner

Township 1 N. Range 9 E. 6th Principle Meridian

43.00 Branch 10 lks wide runs N.W.

80.12 Intersected N and S line 54 lks South of corner to sections 26. 27. 34 and 35 from which corner I run
West on a true line between sections 27 and 34
variation 11.38 East

40.06 Set limestone 24 in long 15 in wide and 3 in thick for quarter section corner from which
A Burr Oak, 12 in diam bears S 77 E 24 lks, dist.
no other tree convenient

80.12 Corner to sections 27. 28. 33 and 34
Land rolling prairie; 1st rate

North Between sections 27 and 28
variation 11°15' East

40.00 Set limestone 21 in long, 10 in wide

Township N. 7. Range 9. E. 6th Principle meridian

and 3 in thick for quarter
section corner
68.00 Branch 20 lks wide - course S. W.
80.00 Set limestone 29 in long, 15 in
wide and 2 in thick for corner
to sections 21. 22. 27 and 28
Land rolling prairie; 1st rate

East on random line between
sections 22 and 27
variation 11. 15' East
36.00 Creek 30 lks wide runs S. W.
36.50 Enter Timber, bears N. E. & S. W.
40.00 Set stone for temporary quarter
sec corner
45.00 leave Timber, bears N. E. & S. W.
80.19 Intersected N. and S line 7 lks
south of corner to sections
22. 23. 26 and 27 from which

Township N. 7. Range 9. E. 6th Principle meridian

corner I run
West on a true line between
sections 22 and 27
variation 11. 18' East
40.09½ Set limestone 23 in long, 12 in wide
and 2 in thick for quarter
section corner from which
A Black walnut 24 in diam
bears N 75° E 16 lks dist.
An Elm 12 in diam. bears
S 28° E - 35 lks dist
80.19 Corner to sections 21. 22. 27 and 28
Land, Rolling - 1st rate
Timber. Bur. Oak. walnut, Hickory
and Elm

North between sections 21 and 22
variation 11. 15' East
27.00 Ravine - Course S. W.

Township 1. N. Range 9. E, 6. Principle meridian

40.00 Set limestone 20 in long, 15 in wide and 3 in thick for quarter section corner

80.00 Set limestone 22 in long, 14 in wide and 3 in thick for corner to sections 15. 16. 21 and 22.
Land rolling prairie: 1st rate

East on random line between sections 15 and 22
variation 11.15 East

16.50 Ravine - Course, S.

40.00 Set stone for temporary quarter section corner

64.00 Ravine course, S. E.

80.70 Intersected N and S line 63 lks North of corner to sections 14. 15. 22 and 23 from which corner I run

Township 1. N. Range 9. E. 6th Principle meridian

West on a true line between sections 15 and 22
variation 10.47 East

40.35 Set limestone 18 in long, 12 in wide and 4 in thick for quarter sec corner

80.70 Corner to sections 15. 16. 21 and 22
Land rolling prairie; first rate

North between sections 15 and 16
variation 10.00 East

40.00 Set limestone 17 in long. 6 in wide and 6 in thick for quarter section corner

80.00 Set limestone 16 in long 9 in wide and 5 in thick for corner to sections 9, 10, 15 and 16
Land rolling prairie soil; first rate

Township 1. N. Range 9. E. 6th Principle Meridian

East on random line between sections 10 and 15
variation 10.00 East

40.00 Set stone for temporary quarter section corner

80.00 Intersected N and S line 84 lks south of corner to sections 10. 11. 14 and 15 from which corner I run West on a true line between sections 10 and 15
variation 10.36 East

40.00 Set limestone 20 in long, 12 in wide and 4 in thick for quarter section corner

80.00 Corner to sections 9. 10. 15 and 16
Land rolling prairie
Soil first rate

Township 1. N. Range 9. E. 6 Principle Meridian

North between sections 9 and 10
variation 10.00 East

27.00 Road bears N. W. and S. E.

40.00 Set limestone 24 in long, 12 in wide and 3 in thick for quarter section corner

41.00 Ravine Course N.

80.00 Set limestone 22 in long, 15 in wide and 3 in thick for corner to sections 3. 4. 9 and 10
Land, rolling prairie; first rate

East on random line between sections 3 and 10
variation 10.00 East

40.00 Set stone for temporary quarter section corner

75.00 Ravine course N. N. W.

79.50 Intersected N and S line

77 links south of corner to
sections 2. 3. 10 and 11 from
which corner I run
West on a true line between
sections 3 and 10
variation 10.33 East
39.75 Set limestone 23 in long 14 in
wide and 2 in thick for
quarter section corner
79.50 Corner to sections 3. 4. 9 and 10
Land rolling prairie
Soil first rate

North on random line
between sections 3 and 4
variation 10.00 East
24.50 Branch 10 lks wide runs W.N.W
40.00 Set limestone for temporary
quarter sec corner

81.96 Intersected North boundary
of the Township 2.37 lks
west of corner to sections
3. 4. 33 and 34 from
which corner I run
South on a true line between
sections 3 and 4
variation 8.10 East
41.96 Set limestone 22. in long
15 in wide and 2 in thick
for quarter section corner
81.96 Corner to sections 3. 4. 9 and 10
Land gently rolling prairie
Soil. first rate
November 3d 1856

Township 1. N. Range 9. E. 6th Principle Meridian

North between sections 32 and 33
variation 11.00 East

34.00 Road bears N.W. and S.E.

40.00 Set limestone 24 in long, 12 in wide and 2 in thick for quarter sec corner

80.00 Set limestone, 28 in long, 8 in wide and 4 in thick for corner to sections 28. 29. 32 and 33
Land rolling prairie; 1st rate

East on random line between sections 28 and 33
variation 11,00 East

40.00 Set Stone for temporary quarter sec corner

80.44 Intersected N and S line at corner to sections 27. 28. 33 and 34 from which corner I run

Township 1. N. Range 9. E. 6th Principle Meridian

West on a true line between sections 28 and 33
variation 11.00 East

40.22 Set limestone 22 in long, 12 in wide and 2 in thick for quarter section corner

80.44 Corner to sections 28. 29. 32 and 33
Land rolling prairie; first rate

North between sections 28 and 29
variation 10.45 East

40.00 Set limestone 22 in long, 15 in wide and 3 in thick for quarter section corner

55.00 Enter timber bears S.W. and N.E.

60.00 Creek 30 lks wide runs S.W.

62.00 leave timber bears S.W. and N.E.

80.00 Set limestone 28 in long, 12 in wide and 3 in thick for corner to sections

Township 1. N. Range 9. E. 6. Principle Meridian

20. 21. 28 and 29
Land rolling prairie
Soil first rate

East on a random line
between sections 21 and 28
variation 10.45' E

27.00 Ravine course S. W.
40.00 Set stone for temporary quarter
section corner
47.00 Branch 15 lks wide course S. W.
50.00 Ravine Course S W
80.30 Intersected N and S line 33
lks North of corner to sections
21. 22. 27 and 28 from
which corner I run
West on a true line between
sections 21 and 28
variation 10.30 East

Township 1. N. Range 9. E. 6th Principle Meridian

40.15 Set limestone 18 in long, 12 in
wide and 3 in thick for
quarter section corner
80.30 Corner to sections 20. 21. 28 and 29
Land rolling prairie
Soil 1st rate

North between sections 20 and
21
variation 10. 30' East
15.00 Ravine course S. W.
40.00 Set limestone 24 in long, 10 in
wide and 3 in thick for
quarter section corner
80.00 Set limestone 20 in long, 15 in
wide and 3 in thick for
corner to sections 16. 17. 20 and 21
Land rolling prairie; 1st rate

Township 1. N. Range 9. E. 6th Principle Meridian

East on a random line
between sections 16 and 21
variation 10.30 East

40.00 Set limestone for temporary
quarter section corner

79.80 Intersected N. and S. line
63 links north of corner to
sections 15. 16. 21 and 22
from which corner Iron
West on a true line between
sections 16 and 21
variation 10. 3' East

39.90 Set limestone 25 in long 12 in
wide and 2 in thick for
quarter section corner

79.50 Corner to sections 16. 17. 20 & 21
Land ~~fe~~ rolling prairie
Soil first rate

Township 1. N. Range 9. E. 6th Principle Meridian

North between sections 16 and 17
variation 9. 30 East

8.00 Branch. 10. lks wide course N.W.

40.00 Set Limestone 22 in long, 10 in
wide and 3 in thick for
quarter section corner

80.00 Set limestone 22 in long, 13 in
wide and 3 in thick for
corner to sections 8. 9. 16 and 17
Land gently rolling prairie
Soil first rate

East on random line between
sections 9 and 16
variation 9.30 East

40.00 Set limestone for temporary
quarter section corner

Township 1. N. Range 1. E. 6th Principle Meridian

80.10 Intersected N and S line 78 lks North of corner to sections 9. 10. 15 and 16 from which corner I run
West on a true line between sections 9 and 16
variation 8. 37 East
40.05 Set limestone 15 in long, 10 in wide and 4 in thick for ~~lqu~~ quarter section corner
80.10 ~~The~~ corner to sections 8. 9 16 and 17
Land gently rolling prairie soil 1st rate

Township 1. N. Range 1. E. 6th principle Meridian

North between sections 8 and 9
variation 9.00 East
24.00 Road bears E and W
29.00 Ravine course W.
40.00 Set limestone 20 in long, 10 in wide and 3 in thick for quarter section corner
80.00 Set limestone 22 in long. 9 in wide and 3 in thick for corner to sections 4. 5 8 and 9
Land gently rolling prairie soil first rate

Township 1. N. Range 1. E. 6th Principle Meridian

East on a random line
between sections 4 and 9
variation 9.00 East

23.06 Ravine course S.W.

40.00 Set stone for temporary
quarter section corner

80.76 Intersected N and S line 26
lks south of corner to sections
3. 4. 9 and 10 from which
corner I run
West on a true line
between sections 4 and 9
variation 9.~~26~~ 11' East

40.38 Set limestone 20 in long. 10 in
wide and 3 in thick for
quarter section corner.

80.76 Corner to sections 4. 5. 8 and 9
Land rolling prairie; 1st rate

Township 1. N. Range 1. E. 6th Principle meridian

North on a random line
between sections 4 and 5
variation 10.00

40.00 Set stone for temporary quarter
section corner

80.15 Intersected North boundary of
the Township 230 lks west of
corner to sections 4. 5. 32 and 33
from which corner I run
South on a true line
between sections 4 and 5
variation 8.21 East

40.15 Set limestone 20 in long. 12 in
wide and 3 in thick for
quarter section corner

80.15 corner to sections 4. 5. 8 and 9
Land rolling prairie
Soil first rate

Township 1. N. Range 9. E. 6th Principle meridian

North between sections 31 and 32

variation 10.30' East

40.00 Set limestone 22 in long 15 in wide and 3 in thick for quarter sec corner

80.00 Set limestone 26 in long 15 in wide and 2 in thick for corner to sections 29. 30. 31 and 32

Land gently rolling prairie

Soil first rate

Township 1. N. Range 9. E. 6th Principle meridian

East on random line between sections 29 and 32

variation 10.30 East

37.00 Road bears N and S

40.00 Set limestone for temporary quarter section corner

80.42 Intersected N and S 33 lks North of corner to sections 28. 29. 32 and 33 from which corner I run West on a true line between sections 29 and 32

variation 10.15 East

40.21 Set limestone 20 in long 15 in wide and 3 in thick for quarter sec corner

80.42 Corner to sections 29. 30. 31 and 32

Land rolling prairie

Soil first rate

Township 1. N. Range 9. E. 6th Principle meridian

West on a random line between sections 30 and 31.

variation 10.30 East

20.00 Enter timber bears N. E. and S. W.

21.00 Branch 20 lks wide runs S. W

35.00 leave timber bears N and S

40.00 Set stone for temporary quarter section corner

79.86 Intersected west boundary of the Township 32 lks south of corner to sections 30. 31. 35 and 36 from which corner I run East on a true line between sections 30 and 31

variation 10.16 East

39.93 Set limestone 20 in long. 10 in wide and 3 in thick for quarter sec corner

Township 1. N. Range 9. E. 6 principle meridian

79.86 Corner to sections 29. 30. 31 and 32

Land rolling prairie; 1st rate

November 3th 1856

North between sections 29 and 30

variation 10.20 East

25.00 Enter timber bears N. E. and S. W.

23.50 Branch 20 lks wide, runs S. W.

27.00 leave timber bears N. E. and S. W.

40.00 Set limestone 18 in long, 12 in wide and 3 in thick for quarter section corner

80.00 Set limestone 24 in long 10 in wide and 3 in thick for corner to sections 19. 20. 29. 30

Land rolling prairie

Soil 1st rate

Township. 1. N. Range 9. E. 6th Prncl. meridian

East on random line between
sections 20 and 29
variation 10.20' East
20 Road bears N and S
40.00 Set limestone for temporary
quarter section corner
50.00 Branch 20 lks wide runs. S'.
80.10 Intersected N and S' line
100 links North of corner
to sections 20. 21. 28 and 29
from which corner I run
West on a true line between
sections 20 and 29
variation 9. 37 East
40.05 Set limestone 22 in long, 14 in wide
and 2 in thick for quarter section
corner
80.10 corner to sections, 19. 20. 29 and 30
Land rolling prairie
Soil 1st rate

Township 1 N. Range 9 E. 6th Principle meridian

West on a random line between
sections 19 and 30
variation 10.20' East
40.00 Set Stone for temporary quarter
section corner
79.45 Intersected N and S line 20 lks
South of corner to sections
24. 25. 19 and 30 from which
corner I run
East on a true line between
sections 19 and 30
variation 10.11' East
37.75 Set limestone 22 in long 10 in
wide and 3 in thick for
quarter section corner
79.45 Corner to sections 19. 20. 29 & 30
Land rolling prairie
Soil first rate

Township 1 N. R 9 E. 6th Principle meridian

North between sections 19 and 20
variation 9.17 East
40.00 Set limestone 18 in long, 13 in
wide and 2 in thick for quarter
section corner
80.00 Set limestone 28 in long, 12 in
wide 2½ in thick for corner to sections
17. 18. 19 and 20
Land rolling prairie
Soil first rate

East on random line between
sections 17 and 20
variation 9.17 East
16.00 ~~Road cross N~~
16.00 Road bears N and S
40.00 Set stone for temporary quarter
sec corner

Township 1 N. R. 9 E 6th Principle meridian

67.00 Branch 20 lks wide runs S.W.
79.47 Intersected N and S line
35 lks North of corner to sections
16. 17. 20 and 21 from which
corner I run
West on a true line between
sections 17 and 20
variation 9° 2' East
39.76 Set limestone 22 in long 15 in wide
and 2 in thick for quarter
section corner
79.47 Corner to sections 17. 18. 19 and 20
Land rolling prairie
Soil good 2d rate

Township 1 N. Range 9 E. 6th principle meridian

West on a random line between
sections 18 and 19
variation 9° 17' East
22.50 Ravine Course South
40.00 Set stone for temporary quarter
section corner
66.00 Road bears N. E. and S. W
78.50 Intersected west boundary of
the Township 28 links North
of corner to 4 sections 13. 18
19 and 24 from which
corner I run
East on a true line between
sections 18 and 19
variation 9.29 East
38.50 Set limestone 24 in long 12 in
wide and 3 in thick for
quarter section corner
78.50 Corner to sections 17. 18. 19. 20
Land rolling prairie - 1st rate

Township 1. N Range 9. E. 6th principle meridian

North between sections 17 and 18
variation 9.30 East.

25.00 Ravine Course S.W.

40.00 Set limestone 20 in long, 15 in wide and 3 in thick for quarter section corner

62.00 Road bears S.W. and N.E.

80.00 Set a limestone 34 in long 7 in wide and 3 in thick for corner to sections 7. 8. 17 and 18

Land rolling prairie
Soil first rate

November 6th 1856

Township 1. N. Range 9. E. 6th principle meridian

East on random line between sections 8 and 17
variation 9.30 East

18.00 Road bears N. and S

40.00 Set stone for temporary quarter section corner

77.75 Intersected N and S 70 lks North of corner to sections 8. 9 16 and 17 from which corner I run West on a true line between sections 8 and 17
variation 9.00. East

37.88 Set limestone 20 in long, 15 in wide and 2 in thick for quarter section corner

77.75 Corner to sections 7. 8. 17 and 18

Land gently rolling prairie
Soil 1st rate

Township 1 N. Range 9 E. 6th principle meridian

West on a random line between sections 7 and 18
variation 9.30' East

40.00 Set stone for temporary quarter section corner

49.00 Branch 20 lks wide runs S.W.

79.35 Intersected West boundary of the Township 58 lks North of corner to sections 7, 12, 13 and 18 from which corner I run East on a true line between sections 7 and 18
variation 9.55 East

39.35 Set limestone 20 in long. 15 in wide and 2 in thick for quarter section corner

79.35 Corner to sections 7, 8, 17 and 18
Land rolling prairie
Soil first rate

Township 1 N. R 9 E. 6th principle meridian

North between sections 7 and 8
variation 9.30 East

38.00 Branch 20 lks wide, course S.W.

40.00 Set limestone 24 in long. 14 in wide and 2 in thick for quarter section corner

80.00 Set limestone 28 in long 12 in wide and 6 in thick for corner to sections 5, 6, 7 and 8
Land, rolling prairie
Soil, first rate

Township 11 N. R. 9 E. 6th. principe meridian

East on a random line between
sections 5 and 8
variation 9. 30. East
40.00 Set stone for temporary
quarter section corner
79.30 Intersected N and S line 20 lks
north of corner to sections
4. 5. 8 and 9 from which corner
I run
West on a true line
between sections 5 and 8
variation 9° 21' East
39.75 Set limestone 24. in long, 13 in
wide and 4 in thick for
quarter section corner
79.50 Corner to sections 5. 6. 7 and 8
Land rolling prairie
Soil good 2d rate

Township 11 N. Range 9 E. 6th principe meridian

West on a random line between
sections 6 and 7
variation 9. 30 East
40.00 Set stone for temporary quarter
section corner
78.20 Intersected West boundary of
the Township 19. lks North of
corner to sections 1. 6. 7 and 12
from which corner I run
East on a true line between
sections 6 and 7
variation 9. 39. East
38.20 Set limestone 20 in long 14 in
wide and 2 in thick for
quarter section corner
78.20 Corner to sections 5. 6. 7 and 8
Land rolling prairie
Soil 2d rate

Township 1. N. Range 9. E. 6th. principle meridian

North on a random line between sections 5 and 6

variation 8. 43' East

40.00 Set stone for temporary quarter sec corner

79.16 Intersected North boundary of the Township 60 links west of corner to sections 5. 6. 31 and 32 from which corner I run South on a true line between sections 5 and 6

variation 8. 19 East

39.16 Set limestone 25 in long, 18 in wide and 2 in thick for quarter sec corner

79.16 Corner to sections 5. 6. 7 and 8

Land rolling prairie soil 2d rate

November 8th 1856

General description

This Township is generaly high rolling praire of 1st rate quality — A creek heads in the eastern part and runs out near the S.W corner — the water is of excellent quality and the timber from 3 to 4 chains wide consisting of Burr Oak Walnut, Hickory and Elm on either side of this creek is a fine rich prairie bottom extending from one to a mile and a half on either side — A good limestone quarry near the head of south branch I found no stone in any other part.

List of Names

A list of names of the individuals employed to assist in running measuring or marking the lines ~~&~~ and corners described in the foregoing field notes of Township 1 N Range 9 East 6th Principle Meridian showing the respective capacities in which they acted

P. E. C. Mitchell Chainman
Daniel Kline Chainman
Francis Gilman Cornerman
Chas. E. Pearson Flagman

For Contracts and Surveys
General Approval
See T5 N R9E

2

Contract No. 135

Field notes
of the Subdivisional lines in
Township Number 7 N. of the base
line of Range 9. E. of the 6th
principle Meridian. Nebraska
Territory

Surveyed by Thomas W. Wheatly
Deputy Surveyor under his contract
bearing date October 14th 1856
(No 135)

Subdivision commenced November 10th 1856
Subdivision completed November 16th 1856

List of names

P. E. C. Mitchell Chainman

Daniel Ritine Chainman

Francis Gilman Commman

Chas. E. Pearson Flagman

Township 2 N. Range 9. E.

6	63	5	47	4	36	3	24	2	13	1
62		61		46		35		23		11
7	60	8	45	9	34	10	22	11	10	12
59		58		44		33		21		9
18	57	17	43	16	32	15	20	14	8	13
56		55		42		30		19		7
19	54	20	41	21	29	22	18	23	6	24
53		52		40		28		17		5
30	51	29	39	28	27	27	16	26	4	25
50		49		38		26		15		3
31	48	32	37	33	25	34	14	35	2	36

Township 2. N. Range 9. E. 6th Principle Meridian

Chains To determine the proper adjustment of my compass for subdividing this Township I commence at the corner to Townships number one and two north range 9 and 10 East and run North on a blank line along the east boundary of sec 36

variation 10.30 East

40.05 A point 50 lks west of quarter sec corner

80.10 A point 105 lks west of corner to sections 25 and 36

to retrace this line or run parallel thereto my compass must be adjusted to a variation of 9.45. East

Subdivision commenced November 10. 1856

Township 2. N. Range 9. E. 6th Princi Pal. Meridian

From the corner to sections
1. 2. 35 and 36 I run
North between sections 35 and 36
variation 9. 45' East
40.00 Set Flint Boulder 16 in long
10 in wide and 5 in thick for
quarter section corner
46.00 Ravine - Course N.N.E.
80.00 Set Flint boulder 18 in long
10 in wide and 6 in thick
for corner to sections 25. 26
35 and 36
Land rolling prairie
Soil 2d rate

Township. 2. N. Range 9. E. 6. Principle. Meridian

East on a random line
between sections 25 and 36
variation 9. 45 East
10.00 Branch. 10 lks wide runs, N. W.
40.00 Set flint rock for temporary
quarter section corner
45.00 Ravine - course N. W.
79.30 Intersected east boundary
of the Township 35 links south
of corner to sections 25. 30. 31 & 36
from which corner I run
West on a true line between
sections 25 and 36
variation 10.00 East
39.65 Set flint boulder 15 in long, 10 in
wide and 10 in thick for quarter
section corner
79.30 Corner to sections 25. 26. 35 and 36
Land, rolling prairie; 2d rate

Township 2. N. Range 9. E. 6. Principal Meridian

North between sections 25 and 26
variation 10. 30' E

40.00 Set flint boulder 12 in long 10 in wide and 5 in thick for quarter section corner

52.50 Branch 30 links wide course west

80,00 Set flint boulder 18 in long 8 in wide and 5 in thick for corner to sections 23. 24. 25 and 26

Land gently rolling prairie
Soil – in creek bottom 1st rate
upland unfit for cultivation
Timber in spots along this branch from 3 to 10 chains wid
Bur oak. Hickory. walnut & Elm

Township 2. N. Range 9. E. 6th principal meridian

East on random line between sections 24 and 23
variation 10. 30' East

40.00 Set stone for temporary quarter section corner

43.00 Ravine Course, S.W.

79.40 Intersected east boundary of the Township 16 links south of corner to sections 19. 24. 25 and 30 from which corner I run west on a true line between sections 24 and 25
variation 10. 37 East

39.70 Set flint boulder 12 in long, 7 in wide and 7 in thick for quarter section corner

79.40 Corner to sections 23. 24. 25 and 26
Land rolling prairie; 2d rate

Township 2 N. Range IX E. 6th principle meridian

North between sections 23 and 24
variation 10.30 East

25.00 Ravine. course. S.W.

40.00 Set flint boulder 15 in long 7 in wide and 6 in thick for quarter sec corner

80.00 Set flint boulder, 20 in long 6 in wide and 5 in thick for corner to sections 13. 14 23 and 24
Land rolling prairie covered with smal flint pebles from one to 3 cubic in in size
Soil 2d rate

Township 2 N. Range 9 E. 6th principle meridian

East on random line between sections 13 and 24
variation 10.30 East

40.00 Set stone for temporary quarter section corner

79.90 Intersected East boundary of the Township 17 lks south of corner to sections 13. 18. 19. 24 from which corner I run West on a true line between sections 13 and 24
variation 10.37 East

39.95 Set flint boulder 14 in long 7 in wide and 7 in thick for quarter section corner

79.90 Corner to sections, 13. 14. 23 and 24
Land rolling prairie; covered with small flint pebles; soil 2d rate

Township 2. N. Range 7. E. 6th. Principle meridian

North between sections 13 and 14
variation 10.30 East

40.00 Set sandstone for temporary quarter section corner, 12 in long, 10 in wide and 6 in thick

53.00 Branch 20 lks wide runs S.W.

54.00 Enter timber bears S.W and N.E.

59.00 leave timber bears S.W. and N.E.

80.00 Set limestone 24 in long, 8 in wide and 3 in thick for corner to sections 11.12.13 and 14

Land level prairie and timber
Soil 1st rate
Timber Oak, walnut, hickory and Elm

November 10th 1856

Township 2. N. Range 7. E. 6th principal meridian

East on a random line between sections 12 and 13
variation 10.30 East

40.00 Set stone for temporary quarter section corner

57.00 Branch 20 lks wide runs South

80.10 Intersected east boundary of the township 70 lks north of corner to sections 7.12, 13 and 18 from which corner I run west on a true line between sections 12 and 13
variation 10.00 East

40.05 Set limestone 22 in long. 6 in wide and 4 in thick for quarter section corner

80.10 the corner to sections 11.12.13 and 14

Land rolling prairie.
Soil; first rate

Township 2. N Range 7. E. 6th principle meridian

North between sections 11 and 12
variation 10. 15' East

32.00 Ravine — course — SW

40.00 Set a limestone 23 in long, 16 in wide and 2 in thick for quarter section corner

58.00 Ravine — Course SW

62,00 Ravine — course S.W

80.00 Set limestone 27 in long. 14 in wide and 2 in thick for corner to sections 1. 2. 11 and 12

Land rolling prairie
Soil good 2d rate

Township 2. N. Range 7. E. 6th principle meridian

East on a random line between sections 1 and 12
variation 10° 15' East

5.00 Ravine — course. S

40.00 Set stone for temporary quarter section corner

67.00 Branch 10 lk wide course. S.

80.90 Intersected east boundary of the Township 103 links north of corner to sections 1. 6. 7 and 12 from which corner I run west on a true line between sections 1 and 12
variation 9.30. East

40.45 Set limestone 18 in long, 16 in wide and 2 in thick for quarter section corner

80.90 Corner to sections 1. 2. 11 and 12
Land rolling prairie; 2d rate

Township 2 N. Range 9 E. 6th. Principle meridian

North on a random line between sections 1 and 2
variation 10.15. East

40.00 Set stone for temporary quarter section corner

55.50 Road from Nebraska City to Marysville bears S. W and N. E.

78.90 Intersected North boundary of the Township 65 links west of corner to sections 1. 2. 35 and 36 from which corner I run South on a true line between sections 1 and 2
variation 9.47 East

38.90 Set limestone 18 in long, 12 in wide and 3 in thick for quarter section corner

78.90 Corner to sections. 1. 2. 11 and 12
Land rolling prairie; 2d rate

Township 2 N. Range 9 E. 6th. principle meridian

North between sections 34 and 35
variation 10.00. East

40.00 Set limestone 24 in long, 12 in wide and 3 in thick for quarter sec. corner

64.00 Ravine — course west

80.00 Set limestone 22 in long, 15 in wide and 2 in thick for corner to sections 26. 27. 34 and 35

Land rolling prairie
Soil 1st rate

Township 2. N. Range 9. E. 6th. Principle meridian

East on random line between
sections 26 and 35
variation 10. 30 East
40.00 Set stone for temporary quarter
section corner
70.00 Ravine — course — N. E.
80.69 Intersected N and S line, 40 lks
North of corner to sections
25. 26. 35 and 36 from which
Corner S run
West on a true line between
sections 26 and 35
variation 10. 13' East
40.34 Set limestone 23 in long, 12 in wide
and 2 in thick for quarter section
corner
80.59 Corner to sections 26. 27. 34 and 35
Land rolling prairie; 2d rate

Township 2. N. Range 9. E. 6th Principle meridian

North between sections 26 and 27
variation 10. 30. East
24.00 Ravine — course. west
40.00 Set limestone 22 in long, 9 in
wide and 3 in thick for
quarter section corner
80.00 Set limestone 28 in long, 12 in
wide and 2 in thick for
corner to sections 22. 23. 26 and
27
Land rolling prairie
soil; 2d rate

Township 2. N. Range 7. E. 6th. Principle meridian

East on a random line between sections 23 and 26
variation 10.30. East

40.00 Set limestone for temporary quarter section corner

60.00 Branch. 20 lks wide. runs N. W.

80.50 Intersected N and S line 50 lks North of corner to sections 23. 24 25 and 26 from which corner I run

West on a true line between sections 23 and 26
variation 10.9 East

40.25 Set limestone. 18 in long. 10 in wide and three in thick for quarter section corner

80.50 the corner to sections 2. 2. 23. 26 and 27

Land; Broken prairie: 2d rate

November 11th. 1856

Township 2. N. Range 7. E. 6th. principle meridian

North between sections 22 and 23
variation 10°. 30' East

40.00 Set limestone 24 in long, 8 in wide and 3 in thick for quarter section corner

67.00 Entire timber bears E and N. W

68.00 Creek 30 link wide runs N. W.

73.00 leave timber bears E & N. W.

80.00 Set limestone 24 in long, 12 in wide and 3 in thick for corner to sections 14. 15. 22 and 23

Land; rolling prairie. 1st rate

Timber on creek in spots

Burr oak. elm, walnut. Hickory and Hackberry

Township 2 N. Range 7. E. 6th. principle. meridian

East on random line between sections 14 and 23
variation 10.30. East

40.00 Set Stone for temporary quarter section corner

80.65 Intersected N and S line 50 lks south of corner to sections 13. 14. 23 and 24 from which corner I run West on a true line between sections 14 and 23
variation 10.51 East

40.32 Set limestone 22 in long, 12 in wide and 2 in thick for quarter section corner

80.65 Corner to sections 14. 15. 22 and 23
Land rolling prairie; 1st rate

Township 2 N. Range 7. E. 6th. principle. meridian

North between sections 14 and 15
variation 10.30. East

13.00 Creek 20 lks wide runs S. W.

40.00 Set limestone 18 in long, 10 in wide and 3 in thick for quarter sec corner

80.00 Set limestone 20 in long, 12 in wide and 3 in thick for corner to sections 10. 11. 14 and 15
Land Rolling prairie
Soil 1st rate

Township 2. N. Range 9. E. 6th principle Meridian

East on random line between
sections 11 and 14
variation 10.30 East
38.00 Ravine course South
40.00 Set Stone for temporary
quarter section corner
72.00 Ravine Course South
80.90 Intersected N and S line
30 links North of corner to
sections 11. 12. 13 and 14
from which corner I run
West on a true line between
sections 11 and 14
variation 10.17 East
40.45 Set limestone 13 in long, 11 in
wide and 3 in thick for quarter
section corner
80.90 Corner to sections 10, 11. 14 and 15
Land rolling prairie; 1st rate

Township 2. N. Range 9. E. 6th principle Meridian

North between sections 10 and 11
variation 9.30 East
40.00 Set limestone 26 in long 12 in
wide and 2 in thick for
quarter section corner
45.00 Ravine, Course, S.W.
80.00 Set limestone 27 in long
11 in wide and 2 in thick
for corner to sections 2. 3. 10 and
11
Land; gently rolling prairie
Soil; first rate

Township 2. N. Range 9. E. 6th principle meridian

East on random line between sections 2 and 11
variation 9.30. East

12.25 Ravine. Course S.W.
30.25 Ravine course S.W.
35.00 Ravine course S.W.
40.00 Set Stone for temporary quarter section corner
67.00 Ravine Course S.W.
80.26 Intersected N and S line 140 links South of corner to sections 1. 2. 11 and 12 from which corner I run West on a true line between sections 2 and 11
variation 10.30 East
40.13 Set limestone 28 in long 9 in wide and 4 in thick for quarter section corner

Township 2. N. Range 9. E. 6th principle meridian

80.26 The corner to sections 2. 3. 10 and 11
Land rolling prairie
Soil 1st rate

North between sections 2 and 3 on a random line
variation 9.30 East
34.00 Road leading from Nebraska City to Maryville, bears N.E. & S.W.
40.00 Set limestone for temporary quarter section corner
80.10 Intersected North boundary of the Township 167 lks west of corner to sections 2. 3. 34 and 35 from which corner I run South on a true line between sections 2 and 3
variation 8.18 East

Township 2. N. Range 7. E. 6th principle meridian

40.10 Set limestone 17 in long, 12 in wide and 8 in thick for quarter section corner

80.10 the corner to sections 2. 3. 10 and 11

Land rolling prairie; 1st rate

North between sections 33 and 34

variation 9. 45 East

80.0 Ravine — course N. W.

40.00 Set limestone 27 in long 12 in wide and 2 in thick for quarter section corner

80.00 Set limestone 26 in long, 10 in wide and 5 in thick for corner to sections 27. 28. 33 and 34

Land rolling prairie

Soil, 2d rate

Township 2. N. Range 7. E. 6th principle meridian

East on random line between sections 27 and 34

variation 9. 45 East

5.00 Ravine course N. W

40.00 Set stone for temporary quarter section corner

44.00 Ravine — course North

66.50 Branch 10 lks wide course N.W.

80.10 Intersected N and S line 25 lks South of corner to sections 26 27, 34 and 35 from which corner I run

West on a true line between sections 27 and 34

variation 9. 56 East

40.05 Set limestone 16 in long, 13 in wide and 3 in thick for quarter section corner

80.10 Corner to sections 27. 28. 33 and 34

Land rolling prairie 2d rate

Township 2 N. Range 9 E. 6th principle meridian

North between sections 27 and 28
variation 9. 45. East

8.00 Ravine course. N. W.

40.00 Set limestone 18 in long, 12 in wide and 4 in thick, for quarter sec, corner

42.00 Ravine course N. W.

69.00 Branch 10 lks wide course N. W.

80.00 Set limestone 18 in long, 13 in wide and 2 in thick for corner to sections 21. 22. 27 and 28

Land rolling prairie; 1st rate
Scattering timber of Bur oak Hickory walnut and elm along Branch

Township 2 N. Range 9 E. 6th principle meridian

East on random line between sections 22 and 27
variation 9. 45 East

18.00 Ravine — course — 3' W

40.00 Set Stone for temporary quarter section corner

80.30 I intersected N and S line 33 lks North of corner to sections 22, 23 26 and 27, from which corner I run
West on a true line between sections 22 and 27
variation 9. 30. East

40.15 Set limestone 19 in long, 14 in wide and 3 in thick for quarter sec corner

80.30 Corner to sections 21. 22. 27 and 28
Land rolling prairie 2d rate

Township 2. N. Range 7. E. 6th principle meridian

North between sections 21 and 22
variation 9.45 East

37.00 Enter timber bears E and W
39.00 Creek 30 lks wide runs S.W.
40.00 Set limestone 24 in long, 20 in wide and 3 in thick for quarter section corner from which
A Bur oak. 16 in diam bears S 2. 30' W 45 links dist.
An Elm 4 in diam bears N. 2° E. 10 links distant
41.00 Same creek 20 lks wide runs S.E.
45.00 Same 20 wide runs N.W.
47.00 leave timber bears S.W. & N.E.
80.00 Set limestone 24 in long, 16 in wide and 3 in thick for corner to sections 15. 16. 21 and 22
Land. rolling prairie; 1st rate

Township 2. N. Range 7. E. 6th principle meridian

East on a random line between sections 15 and 22
variation 9.45 East
~~40.00 S~~
40.00 Set stone for temporary quarter section corner
40.50 Enter timber bears N.E. and S.W.
Branch 20 wide runs S.W.
44.50 Same 20 wide runs N.W
49.50 Same 30 lks wide runs S.W.
61.00 Branch 15 lks wide runs S.W
69.00 Same 15 lks wid runs N.W.
70.00 Same 15 lks wide runs S.W
71.00 leave timber bears N and S and same creek runs N.W.
80.50 Intersected N and S line 50 lks North of corner to sections 14. 15. 22 and 23 from which corner I run West on a true line between sections 15 and 22

Township 2 N. Range 9 E. 6th principle meridian

variation 9. 24. East

40.25 Set limestone 25 in long. 12 in wide and 3 in thick for quarter section corner from which
A bur oak 12 in diam bears S 60. E 35 links distant
A bur oak. 12 in diam bears N. 45 E 75 lks distant

80.50 Corner to sections 15. 16. 21 and 22

Land rolling; 1st rate
Timber Bur Oak. Walnut Hickory and Elm

Township 2 N. Range 9 E. 6th principle meridian

North between sections 15 and 16
variation 9. 45. East

40.00 Set limestone 25 in long 13 in wide and 3 in thick for quarter section corner

80.00 Set limestone 30 in long. 16 in wide and 2 in thick for corner to sections 9. 10. 15 and 16

Land rolling prairie
Soil 2d rate

Township 2. N. Range 9. E. 6th principle meridian

East on random line between
sections 10 and 15
variation 9.45. East
8.00 Ravine. course North
20.00 Ravine - course North
40.00 Set stone for temporary quarter
section corner
44.00 Ravine, course S. E.
59.00 Ravine course S. W.
80.70 Intersected N and S line
120 links North of corner
to sections 10. 11. 14 and 15 from
which corner I run
West on a true line between
sections 10 and 15
variation 8. 54. East
40.35 Set limestone 23 in long 13 in wide
and 3 in thick for quarter section corner
80.70 Corner to sections 9. 10. 15 and 16
Land rolling; prairie; 2d rate

Township 2. N. Range 9. E. 6th principle meridian

North between sections 9. and 10
variation 9. 00 East
40.00 Set a limestone 18 in long. 9 in
wide and 8 in thick for quarter
section corner
66.00 Road leading from Nebraska City
to Marysville
80.00 Set limestone 18 in long, 10 in
wide and 4 in thick for
corner to sections 3. 4. 9 and
10
Land rolling prairie; 2d rate

Township 2. N. Range 9. E. 5th Principle Meridian

East on random line between sections 3 and 10
variation 9.00 East

13.00 Road leading from Nebraska City to Marysville

40.00 Set stone for temporary quarter section corner

80.20 Intersected N and S line 10 lks South of corner to sections 2. 3 10 and 11 from which corner I run
West on a true line between sections 3 and 10
variation 9. 4' East

40.10 Set limestone 16 in long, 8 in wide and 8 in thick for quarter section corner

80.20 Corner to sections 3. 4. 9 and 10
Land rolling. Prairie: 2d rate

Township 2. N. Range 9. E. 5th Principle Meridian

North on a random line between sections 3 and 4
variation 9.00 East

40.00 Set stone for temporary quarter section corner

47.00 Ravine Course N. W.

77.40 Intersected North boundary of the Township 124 lks west of corner to sections 3. 4. 33. and 34 from which corner I run
~~South~~ N a true line between sections 3 and 4
variation 8.7 East

39.40 Set limestone 27 in long, 10 in wide and 2 in thick for quarter section corner

79.40 Corner to sections. 3. 4. 9. and 10
Land: Broken Prairie
Soil 2d rate

November 13th 1856

Township 2. N. Range 9. E. 6. principle meridian

North between sections 32 and 33
variation 9.00. East

17.00 Ravine - Course. West

40.00 Set limestone 18 in long. 13 in wide and 2 in thick for quarter section corner

36.00 Ravine course. North

80.00 Set limestone 18 in long. 17 in wide and 3 in thick for corner to sections 28. 29. 32 and 33

Land rolling prairie 2d rate

Township 2. N. Range 9. E. 6th principle meridian

East on random line between sections 28 and 33
variation 9.00. East

2.00 Ravine - course - N. W.

13.00 Ravine course N. W

40.00 Set stone for temporary quarter section corner

77.80 Intersected N and S line 100 lks North of corner to sections 27. 28. 33 and 34 from which corner I run
West on a true line between sections 28 and 33
variation 8.17. East

37.90 Set limestone 25 in long. 12 in wide and 2 in thick for quarter sec corner

79.80 Corner to sections 28. 29. 32 and 33
Land rolling prairie 2d rate

Township 2 N. Range 9 E. 6th principle meridian

North between sections 28 and 29
variation 9.00 East

9.00 Ravine - course N. W.
16.00 Ravine - do course N. W.
40.00 Set limestone 24 in long, 12 in wide and 2 in thick for quarter section corner
80.00 Set limestone 25 in long, 12 in wide and 2 in thick for corner to sections 20. 21. 28 and 29
Land, rolling prairie
Soil 2d rate

Township 2 N. Range 9 E. 6th principle meridian

East on a random line between sections 21 and 28
variation 9.00 East

15.00 Creek, 10. lks wide course S. W.
18.50 Same " " " " N W
20.50 Same 20 wide course S. W.
40.00 Set stone for temporary quarter sec corner
41.00 Branch 20 lks wide course N. W. W.
77.70 Intersected N and S line at corner to sections 21. 22. 28 and 27. from which corner I run
West on a true line between sections 21 and 28
variation 9.00 East
37.85 Set limestone 22 in long, 13 in wide and 3 in thick for quarter section corner
77.70 Corner to sections 20. 21. 28 and 29
Land rolling prairie. 1st rate

Township 2. N. Range 9. East. 6th principle meridian

North between sections 20 and 21
variation 9.00 East

40.00 Set a limestone 17 in long. 15 in wide and 2 in thick for quarter section corner

80.00 Set limestone 22 in long. 15 in wide and 2 in thick for corner to sections 16. 17. 20 and 21
Land. rolling prairie
Soil 1st rate

Township 2. N. Range 9. E. 6th principle meridian

East on a random line between sections 16 and 21
variation 9.00. East

9.00 Ravine — course — S' outh

30.00 Ravine — course . S'. W

40.00 Set stone for temporary quarter section corner

79.54 Intersected N and S line 5 lks North of corner to sections 15. 16. 21 and 22 from which corner I run
West on a true line between sections 16 and 21
variation 8. 58' East

39.77 set limestone 18 in long. 12 in wide and 4 in thick for quarter sec corner

79.54 Corner to sections 16. 17. 20 and 21
Land rolling prairie 2d rate

Township 2 N. Range 9 E. 6th principle meridian

North between sections 16 and 17
variation 9.45 East

4 40.00 Set limestone 18 in long, 12 in wide and 3 in thick for quarter section corner

8 67.00 Road leading from Nebraska City to Marysville bears N.E & S.W.

80.00 Set limestone 22 in long, 14 in wide and 3 in thick for corner to sections 8. 9. 16 and 17
Land rolling prairie. 1st rate

Township 2 N. Range 9 E. 6th principle meridian

East on random line between sections 9 and 16
variation 9.45 East

40.00 Set stone for temporary quarter section corner

47.00 Road from Nebraska City to Marysville bears N.E. and S.W.

79.30 Intersected N and S line 81 links North of corner to sections 9. 10. 15 and 16 from which corner I run
West on a true line between sections 9 and 16
variation 9.10 East

39.65 Set limestone 17 in long, 13 in wide and 4 in thick for quarter sec corner

79.30 Corner to sections 8. 9. 16 and 17
Land rolling prairie; 2d rate

Township 2. N. Range 9. E. 6th principle meridian

North between sections 8 and 9
variation 9. 30 East

40.00 Set a limestone 20 in long. 16 in wide and 3 in thick for quarter section corner

80.00 Set a limestone 20 in long, 18 in wide and 3 in thick for corner to sections 4. 5. 8 and 9

Land rolling prairie 2d rate

Township 2. N. Range 9. E. 6th principle meridian

East on a random line between sections 4 and 9
variation 9. 30 East

30.00 Ravine — course, N. W.

40.00 Set a stone for temporary quarter section corner

64.00 Ravine — course. N. W.

79.34 Intersected N and S line 40 lks North of corner to sections 3. 4. 9 and 10 from which corner I run West on a true line between sections 4 and 9
variation 9. 13. East

39.67 Set limestone 23 in long, 12 in wide and 2 in thick for quarter sec corner

79.34 Corner to sections 4. 5. 8 and 9

Land rolling prairie; 1st rate

Township 2. N. Range 9. E. 6th. principle. meridian

North on a random line between sections 4 and 5

variation 9. 30. East

2.50 Branch 10 lks wide course S.W

40.00 set stone for temporary quarter sec corner

52.50 Branch 15 lks wide course S.E.

53.50 Same 15 lks wide course S.W.

78.40 Intersected North boundary of the Township 50 lks west of corner to sections 4. 5. 32 and 33 from which corner I run South on a true line between sections 4 and 5

variation 9. 9 East

38.40 Set limestone 14 in long. 12 in wide and 3 in thick for quarter sec corner

78.40 Corner to sections 4. 5. 8 and 9

Land rolling prairie; 1st rate

November 14th 1850

Township 2. N. Range 9. E. 6th. principle. Meridian

North between sections 31 and 32

variation 9. 00 East

40.00 Set limestone 20 in long. 20 in wide and 3 in thick for quarter section corner

80.00 Set a limestone 31 in long. 25 in wide and 2 in thick for corner to sections 29. 30. 31 and 32

Land. rolling prairie; 1st rate

Township 2. N. Range 9. E. 6th principle meridian

East on a random line between sections 29 and 32
variation 7.00. East

22.50 Ravine - Course North

34.00 Ravine - course North

40.00 Set stone for temporary quarter section corner

65.00 Ravine course N

80.00 Intersected N and S line 105 lks South of corner to sections 28. 29 32 and 33 from which corner I run west on a true line between sections 29 and 32
variation 9.45. East

40.00 Set limestone 21 in long, 17 in wide and 2 in thick for quarter sec. corner

80.00 Corner to sections 29, 30. 31 and 32
Land. rolling prairie. 1st rate

Township 2. N. Range 9. E. 6th principle meridian

West on a random line between sections 30 and 31
variation 9.00. East

40.00 Set a stone for temporary quarter section corner

44.00 Branch 20 lks wide course S.W.

61.00 Ravine — course S

79.94 Intersected West boundary of Township 70 lks North of corner to sections 25. 30. 31 and 36 from which corner I run
East on a true line between sections 30 and 31
variation 9.30 East

39.94 Set limestone 18 in long, 14 in wide and 3 in thick for quarter sec corner

79.94 Corner to sections 29. 30. 31 and 32
Land. rolling prairie; 1st rate

Township 2. N. Range 7. E. 6th. Principle Meridian. K. T.

North Between sections 29 and 30
variation 10.00 East

18.00 Branch. 20. lks wide runs S.W

40.00 Set a limestone 16 in long, 14 in wide and 3 in thick for quarter section corner

80.00 Set a limestone 24 in long, 14 in wide and 2 in thick for corner to sections 19. 20. 29 and 30

Land. rolling prairie, 1st rate

Township 2. N. Range 7. E. 6th. Principle. Meridian

East on random line between sections 20 and 29
variation 10,00 East

40.00 Set stone for temporary quarter section corner

79.50 Intersected North and South line 75 links South of corner to sections 20. 21. 28 and 29 from which corner I run West on a true line between sections 20 and 29
variation 10.32' East

39.80 Set a limestone 16 in long. 12 in wide and 3 in thick for quarter section corner

79.60 Corner to sections 19, 20. 29. 30

Land rolling prairie; 1st rate

November, 15th. 1856

Township 2. N. Range 7. E. 6th. principle meridian

West on a random line between sections 19 and 30
variation. 10.00. East

40.00 Set a stone for temporary quarter section corner

79.70 Intersected West boundary of the Township 90 lks north of corner to sections 24. 25. 19 and 30 from which corner I run East on a true line between sections 19 and 30
variation 10. 39. East

39.70 Set a limestone 22 in long. 10 in wide and 3 in thick for quarter section corner

79.70 Corner to sections 19. 20. 29 and 30
Land rolling prairie; 1st rate

Township. 2. N. Range. 7. E. 6th. principle. meridian

North between sections 19. and 20
variation – 10.00 East

4.00 Ravine – course S. W

40.00 Set limestone 22 in long. 14 in wide and 2 in thick for quarter section corner

48.00 Ravine – course S. W

80.00 Set limestone 22 in long, 12 in wide and 3 in thick for corner to sections 17. 18. 19 and 20
Land rolling prairie 1st rate
East

Township 2. N. Range 9. E. 6th principle Meridian

East on a random line between sections 17 and 20
variation 10.00 East

40.00 Set a stone for temporary quarter section corner

48.00 Road bears N and S

50.00 Ravine — course South

79.24 Intersected N and S 70 lks south of the corner to sections 16. 17. 20 and 21 from which corner I run
West on a true line between sections 17 and 20
variation 10. 30. East

37.62 Set a limestone 20 in long, 14 in wide and 3 in thick for quarter section corner

79.24 Corner to sections 17. 18. 19 and 20
Land rolling prairie 1st rate

Township 2. N. Range 9. E. 6th principle Meridian

West on a random line between sections 18 and 19
variation 10.00 East

1.50 Ravine — course — S. E.

40.00 Set a stone for temporary quarter section corner

42.50 Nebraska City and Marysville Road bears S. E and W. lks

79.20 Intersected West boundary of the Township 125 links North of corner to sections 13. 18. 19 and 24 from which corner I run
East on a true line between sections 18 and 19
variation 10.53 East

37.20 Set limestone 20 in long, 12 in wide and 3 in thick for quarter sec corner

79.20 Corner to sections 17. 18. 19 and 20
Land rolling prairie; 2d rate

Township 2. N. Range 9. E. 6th principle meridian

North between sections 17 and 18
variation 9. 45 East

4 19.00 Ravine - Course S. E.

32.50 Road leading from Nebraska City to Marysvill bears N. E. & S. W.

40.00 Set a limestone 24 in long, 10 in wide and 3 in thick for quarter section corner

80.00 Set a limestone 25 in long, 12 in wide and 3 in thick for corner to sections 7. 8. 17 and 18
Land rolling, prairie; 2d rate

Township 2. N. Range 9. E. 6th. principle meridian

East on a random line between sections 8 and 17
variation 9. 45 East

40.00 Set limestone for temporary quarter sec corner

79.48 Intersected N and South line 17 lks North of corner to sections 8. 9. 16 and 17 from which corner I run West on a true line between sections 8 and 17
variation 9. 38 East

39.74 Set a limestone 21 in long, 14 in wide and 2 in thick for quarter sec corner

79.48 Corner to sections 7. 8. 17. and 18
Land. rolling prairie; 1st rate

Township 2. N. Range 9. E. 6th principle meridian

West on a random line between
sections 7 and 18
variation 9.45. East
24.00 Ravine — course S.W.
40.00 Set stone for temporary quarter
section corner
64.00 Ravine — course S.W.
78.28 Intersected west boundary
of the Township 20 lks
South of corner to sections 7.12
13 and 18 from which corner
I run
East on a true line between
sections 7 and 18
variation 8.35 East
38.28 Set limestone 22 in long, 13 in
wide and 2 in thick for
quarter sections corner
78.28 Corner to sections 7.8.17 and 18
Land rolling. 2d rate

Township 2. N. Range 9. E. 6th principle meridian

North between sections 7 and 8
variation 9.30 East
40.00 — Set a limestone 25 in long
15 in wide and 2 in thick
for quarter section corner
53.00 Branch 20 lks wide runs S.W.
80.00 Set a limestone 18 in long, 10 in
wide and 6 in thick for corner
to sections 5.6.7 and 8
Land. rolling prairie; 2d rate

Township 2. N. Range 7. E. 6. principle meridian

East on a random line between
sections 5 and 8
variation 9.30 East

36.50 Ravine. Course. S.
40.00 Set stone for temporary
quarter section corner
64.50 Enter timber, bears N. and S
65.65 Branch 30 lks wide runs S.W.
71.00 leave timber bears N and S
79.90 Intersected N and S line 80 lks S of corner
to sections 4.5.8 and 9. from which cor I run
West on a true line between
sections 5 and 8
variation 10.4' East
39.95 Set limestone 12 in long. 10 in wide
and 10 in thick for quarter sec corner
79.90 Corner to sections 5.6.7 and 8
Land rolling. 1st rate
Timber. Burr Oak, Hickory, walnut
and Elm

Township 2. N. Range 7. E. 6th. principle meridian

West on a random line between
sections 6 and 7
variation 10.00 East

40.00 Set Boulder for temporary quarter
section corner
78.68 Intersected N and S line 70 lks
North of corner to sections 1.6
7 and 12 from which corner I run
East on a true line between
sections 6 and 7
variation 10.30 East

38.68 Set Granite Boulder 14 in long
10 in wide and 6 in thick for
quarter section corner
78.68 Corner to sections 5.6.7 and 8
Land, rolling. prairie. 1st rate

Township 2. N. Range 7. E. 6th principle meridian

North on a random line between sections 5 and 6

variation 9.00 East

40.00 Set stone for temporary quarter section corner

78.42 Intersected North boundary of the Township 25 links west of corner to sections 5. 6 31 and 32 from which corner I run

South on a true line between sections 5 and 6

variation 8.47 East

37.42 Set Boulder 15 in long, 8 in wide and 7 in thick for quarter sec cor

79.42 Corner to sections 5. 6. 7 and 8

Land. rolling prairie; 2d rate

November 16. 1856

General. Description

The quality of land in this township is generaly 1st rate — A creek heads in the eastern part and runs through to the South West — the timber on this is from 3 to five chains wide consisting of Bur oak walnut Hickory and Elm

154½

List of names

A list of names of the individuals employed to assist in running measuring or marking the lines and corners described in the foregoing field notes of Township No 2 N. of the Base line of Range No 9. East of the 6th Principle Meridian Showing the respective capacities in which they acted

P. E. C. Mitchell Chainman
Daniel Kelton Chainman
Francis Gilman Cornerman
Charles E. Pearson Flagman

For Oaths and Surveyor Generals Approval
See T 5 N R 9 E
C.H.

D. S. Comptd.

3

T 3 N R 1 X E

Ex. Correct
Eff.

Contract No. 135

Field notes
of the subdivisional survey of
Township No 3 North of the base
line of range No 9 East of the
6th Principle meridian Nebraska
Territory.

Surveyed by Thomas W. Wheatly
Deputy Surveyor under his contract
bearing date 14th October 1856
Contract No 135
Subdivision commenced November 18 1856
Subdivision completed November 25. 1856

Township 3 R 9. E.



List of Names

P. E. C. Mitchell	Chainman
Daniel Bistine	Chainman
Francis. Gilman	Cornerman
Chas. E. Pearson	Flagman

Township. 3. N. Range. 9. E. 6 principle. meridian

To determine the proper adjustment of my compass for subdividing this Township I commence at the Corner to Township 2 and 3 N of Ranges 11 and 10 East and run North on a blank line along the east boundary of section 36

variation 9. 00 East

39.90 to a point 10 links East of quarter section corner

79.95 to a point 35 links west of corner to sections 25. 30. 31 and 36

To retrace this line or run parallel thereto my compass must be adjusted to a variation of 8. 45 East

Subdivision commenced

Township. 3. N. Range. 9. E. 6th. principle. meridian

From the corner to sections 1. 2. 35 and 36 on the south boundary of the Township I run North between sections 35 and 36

variation 8. 45 East

40.00 Set limestone 19 in long. 14 in wide and 2 in thick for quarter sec corner

54.00 Ravine – course N. W.

80.00 Set a limestone 20 in long, 14 in wide and 2 in thick for corner to sections 25. 26. 35 and 36

Land rolling, prairie; 1st rate

Township 3. N. Range 7. E. 6th principle Meridian

East on a random line between sections 25 and 36
variation 8. 45. East

38.75 Ravine - Course N. W.

40.00 Set stone for temporary quarter section corner

80.00 Intersected east boundary of the Township 105 lks South of corner to sections 25. 30. 31 and 36 from which corner I run West on a true line between sections 25 and 36
variation 9. 30. East

40.00 Set a limestone 24 in long. 14 in wide and 2 in thick for quarter sec corner

80.00 Corner to sections 25. 26. 35 and 36
Land rolling prairie; 2d rate

Township 3. N. Range 7. E. 6th Principle Meridian

North between sections 25 and 26
variation 8. 45. East

8.50 Ravine, course. N. W.

40.00 Set Limestone 18 in lon. 12 in wide and 3 in thick for quarter section corner

62.00 Ravine, course N. W.

80.00 Set limestone 22 in long, 12 in wide and 3 in thick for corner to sections 23. 24. 25 and 26
Land Rolling prairie; 1st rate

Township 3. N. Range 7. E. 6th principle Meridian

East on a random line between sections 24 and 25
variation 7. 30. East

40.00 Set limestone for temporary quarter section corner

75.00 Ravine. course. S. E.

79.30 Intersected N and S line 25 lks North of corner to sections 19. 24. 25 and 30 from which corner I ran West on a true line between sections 24 and 25
variation 9. 19 East

40.00 Set limestone 18 in long. 18 in wide and 2 in thick for quarter sec corner

79.30 Corner to sections 23. 24. 25 and 26
Land, Rolling Prairie: 1st rate

Township 3. N. Range 7. E. 6th Principle Meridian

North between sections 23 and 24
variation 9. 30 East

31.00 Ravine course. N. W.

40.00 Set limestone 21 in long. 13 in wide and 2 in thick for quarter sec corner

73.00 Ravine-course N. W.

80.00 Set limestone 26 in long 20 in wide and 2 in thick for corner to sections 13. 14. 23 and 24
Land Rolling Prairie: 1st rate.

Township 3. N. Range 9. E. 6th Principle Meridian

East on a random line between sections 13 and 24

Variation 7.30 East

40.00 Set limestone for temporary quarter sec corner

79.86 Intersected N. and S 6 lks South of corner to sections 13.18.19.24 from which corner I run West on a true line between sections 13 and 24

Variation 9.33 East

39.93 Set limestone 18 in long 12 in wide and 3 in thick for quarter sec corner

79.86 Corner to sections 13.14.23 and 24 Land Rolling prairie; 1st rate

Township 3. N. Range 9. E. 6th Principle Meridian

North between sections 13 and 14

variation 9.15 East

23.00 Ravine. Course S.W.

40.00 Set limestone 23 in long, 17 in wide and 2 in thick for quarter section corner

80.00 Set limestone 24 in long, 12 in wide and 3 in thick for corner to sections 11.12.13 and 14 Land, Rolling Prairie Soil 2d rate

Township 3. N. Range 9. E. 6th Principle meridian

East on random line between sections 12 and 13
variation 9.15 East

40.00 Set limestone for temporary quarter section corner

77.75 Ravine course N —

80.20 Intersected N and S line 20 lks South of corner to sections 7. 12. 13 and 18 from which corner I run

West on a true line between sections 12. and 13
variation 9. 24 East

40.10 Set limestone 20 in long, 10 in wide and 3 in thick for quarter section corner

80.20 Corner to sections 11. 12. 13 and 14
Land Rolling 2d rate

Township 3. N. Range 9. E. 6th Principle meridian

North between sections 11 and 12
variation 9. 15. East

31.00 Ravine. N. E

40.00 Set limestone 25. in long. 13 in wide and 2 in thick for quarter sec: corner

67.00 Ravine, course. E.

80.00 Set limestone 24 in long. 14 in wide and 2 in thick for corner to sections 1. 2. 11 and 12

Land rolling prairie
Soil 1st rate

Township 3. N. Range 9. E. 6th Principle Meridian

East on a random line between sections 1 and 12
variation 9.15 East

34.00 Ravine Course N. E

40.00 Set a stone for temporary quarter section corner

61.00 Ravine Course N. E

79.78 Intersected N. and S line 20 lks South of corner to sections 1. 6. 7 and 12 from which corner I run

West on a true line between sections 1 and 12
variation 9.24 East

39.89 Set a limestone 18 in long. 12 in wide and 3 in thick for quarter section Corner

79.78 Corner to sections 1. 2. 11 and 12
Land, rolling prairie; 1st rate

Township 3. N. Range 9. E 6th Principle meridian

North on a random line between sections 1 and 2
variation 9.15 East

39.75 Enter timber bears E and W.

40.00 Set limestone for temporary quarter section corner

40.20 Branch 20 lks wide runs E

41.50 leave timber bears E and W

79.30 Intersected North Boundary of the Township 90 lks East of corner to sections 1. 2. 35 and 36 from which corner I run

South on a true line between sections 1 and 2
variation 9.53 East

39.30 Set limestone 21 in long. 14 in wide and 2 in thick for quarter section cor from which
An Elm 14 in diam. bears S70E. 20 lks dist
A walnut 10 in diam bears S60W. 25 lks. dist

79.30 Corner to sections 1. 2. 11 and 12
Land rolling. 1st rate – November 18. 18.56

Township 3. N. Range 9. E. 6th. Principle meridian

North between sections 34 and 35

variation 9. 13' East

40.00 Set a flint boulder 14 in long 8 in wide and 6 in thick for quarter sec corner

80.00 Set a flint boulder 15 in long 10 in wide and 6 in thick for corner to sections 26. 27. 34 and 35

Land rolling prairie 1st rate

Township 3. N. Range 9. E. 6th. Principle meridian

East on a random line between sections 26 and 35

variation 9. 13' East

40.00 Set stone for temporary quarter section corner

67.50 Ravine, Course N.

77.80 Intersected N. and S line 40 lks South of corner to sections 25. 26. 35 and 36 from which corner I run

West on a true line between sections 26 and 35

variation 9. 32' East

39.90 Set a flint boulder 22 in long 7 in wide and 4 in thick for quarter sec corner

79.80 Corner to sections 26. 27. 34 and 35

Land rolling prairie 2d rate

Township 3 N. Range 7 E. 5 principle meridian

North between sections 26 and 27
variation 9.15. East

40.00 Set a flint boulder 18 in long 10 in wide and 3 in thick for quarter section corner

80.00 Set a flint boulder 18 in long 8 in wide and 7 in thick for corner to sections 22. 23. 26 and 27

Land Rolling Prairie; 2d rate

Township 3 N. Range 7 E. 5th. Principle meridian

East on a random line between sections 23 and 26
variation 9.15. East

40.00 Set a stone for temporary quarter section corner

80.50 Intersected N and S line 20 links South of corner to sections 23. 24 25 and 26 from which corner Iron

West on a true line between sections 23 and 26
variation 9. 24 East

40.25 Set a flint boulder 14 in long, 10 in wide and 4 in thick for quarter sec corner

80.50 Corner to sections 22. 23. 26 and 27

Land. rolling prairie; 2d rate

Township 3. N. Range 9. E. 6. Principle Meridian

North between sections 22. and 23
variation 9. 30. East

40.00 Set flint boulder 18 in long; 10 in wide and 5 in thick for quarter section corner

44.00 Branch. 10 lks wide course, S. W.

80.00 Set flint boulder 19 in long, 12 in wide and 4 in thick for corner to sections 14. 15. 22 and 23

Land. rolling. prairie; 2d rate

Township 3. N. R. 9. E. 6th. Principle Meridian

East on a random line between sections 14 and 23
variation 9. 30. East

28.00 Ravine Course S. W.

40.00 Set a flint boulder 17 in long 10 in wide and 5 in thick for temporary quarter section corner

43.00 Branch. 10 lks wide runs S. W.

79.98 Intersected North and South line 9 links North of corner to sections 13. 14. 23 and 24 from which corner I run
West on a true line between sections 14 and 23
variation 9. 26 East

39.99 Set a flint boulder 17 in long, 10 in wide and 5 in thick for quarter sec corner

79.98 Corner to sections 14. 15. 22 and 23

Land rolling prairie; 2d rate

Township 3. N. Range 9. E. 6th. Principle Meridian

North between sections 14 and 15
variation 9.30

40.00 Set flint boulder 19 in long 11 in wide and 8 in thick for quarter section corner

80.00 Set flint boulder 16 in long. 10 in wide and 8 in thick for corner to sections 10.11.14 and 15

Land rolling prairie; 2d rate

Township 3 N. Range 9. E. 6. Principle Meridian

East on a random line between sections 11 and 14
variation 9.30. East

40.00 Set stone for temporary quarter section corner

79.76 Intersected N. and S line 3 chs North of corner to sections 11.12.13 and 14 from which corner I run

West on a true line between sections 11 and 14
variation 9.29. East

39.88. Set flint-boulder 16. in long 13 in wide and 4 in thick for quarter section corner

79.76 Corner to sections 10.11.14 and 15

Land. Rolling prairie; 1st rate

Township 3. N. Range 9. E. 6th Principle Meridian

North between sections 10 and 11
variation 9.30. East

40.00 Set a flint boulder 17 in long, 13 in wide and 8 in thick for 2r Sec. Co

80.00 Set a flint boulder 19 in long, 12 in wide and 8 in thick for corner to sections 2, 3, 10 and 11

Land rolling prairie; 1st rate

Township 3. N. Range 9. E. 6th Principle Meridian

East on a random line between sections 2 and 11
variation 9.30 East

40.00 Set a flint stone for temporary quarter section corner

80.04 Intersected N. and S line 10 lks N. of corner to sections 1, 2, 11 and 12 from which corner Down
West on a true line between sections 2 an 11
variation 9.26 East

40.02 Set a flint boulder 18 in long, 14 in wide and 3 in thick for quarter section corner

80.04 Corner to sections 2, 3, 10 and 11

Land rolling prairie; 1st rate

Township 3. N. Range 9. E. 6th principle Meridian

North on a random line between
sections 2 and 3
variation 9. 30 East

19.00 Ravine cours N. E.

40.00 Set a stone for temporary quarter
section corner

65.00 Creek 20 lks wide runs East

79.15 Intersected 25 lks East of corner
to sections 2. 3. 34 and 35 from
which corner I run

South on a true line between
sections 2 and 3
variation 9. 45 East

37.15 Set flint boulder 20 in long, 12 in wide
and 8 in thick for quarter sec corner

79.16 Corner to sections 2. 3. 10 and 11

Land rolling prairie: 1st rate

November 20th 1856

Township 3. N. Range 9. E. 6th Principle meridian

North between sections 33 and 34
variation 9. 30 East

27.00 Ravine Course N. W

40.00 Set a limestone 24 in long, 12 in wide
and 3 in thick for quarter section

46.00 Creek 20 lks wide runs S. W.

80.00 Set flint boulder 24 in long, 12 in
wide and 3 in thick for corner
to sections 27. 28. 33 and 34

Land rolling prairie; 1st rate

Township 3. N. Range 9. E. 6th Principle meridian

East on a random line between sections 27 and 34
variation 9.30 East

14.00 Creek 20 lks wide course S.W.

40.00 Set a limestone 26 in long 10 in wide and 2 in thick for temporary quarter section corner

80.18 Intersected N and S line 87 lks South of corner to sections 26. 27 34 and 33 from which corner I run

West on a true line between sections 27 and 34
variation 10.9 East

40.09 Set a limestone 26 in long 10 in wide and 2 in thick for quarter section corner

80.18 Corner to sections 27. 28. 33 and 34
Land rolling Prairie; 1st rate

Township 3. N. Range 9. E. 6th Principle meridian

North between sections 28 and 27
variation 9.30. East

17.00 Branch Course S.E.

20.50 Same course S.W.

25.00 Same course S.E

40.00 Set a flint boulder 15 in long, 10 in wide and 3 in thick for quarter section corner

80.00 Set flint boulder 21 in long 16 in wide and 3 in thick for corner to sections 21. 22. 27 and 28
Land rolling prairie; 1st rate

Township 3. N. Range 9. E. 6th principle Meridian

East on a random line between sections 22 and 27
variation 9. 30 East

40.00 Set a Stone for temporary quarter section corner

43.00 Branch 10 lks wide runs S ~~W~~ E

50.00 Branch 10 lks wide runs S W

77.76 Intersected N and S line 3.3 lks South of corner to sections 22. 23 26 and 27 from which corner I run

West on a true line between sections 22 and 27
variation 9.53. East

39.88 Set a flint boulder 19 in long, 14 in wide and 5 in thick for quarter section corner

79.76 Corner to sections 21. 22. 27 and 28
Land rolling prairie; 1st rate

Township 3. N. Range 9. E. 6th Principle Meridian

North between sections 21 and 22
variation 9.45 East

40.00 Set limestone 18 in long, 12 in wide and 3 in thick for quarter section corner

80.00 Set a flint boulder 12 in long, 10 in wide and 3 in thick for corner to sections 15. 16. 21 and 22
Land rolling prairie; 1st rate

Township 3. N. Range 9. E. 6th principle meridian

East on a random line between
sections 15 and 22
variation 9.45' East

15.00 Branch 10 lks wide course S.S.E.

40.00 Set a stone for temporary quarter
section corner

79.74 Intersected N and S line 52 lks
South of corner to sections 14. 15. 22
and 23 from which corner I run
West on a true line between
sections 15 and 22
variation 10.7' East

39.87 Set a flint boulder 12 in long. 8 in wide
and 6 in thick for quarter section
corner

79.74 Corner to sections 15. 16. 21 and 22
Land rolling prairie: 1st rate

Township 3. N. Range 9. E. 6th Principle Meridian

North between sections 15 and 16
variation 10.00 East

8.00 Branch 10 lks wide course S.E.

40.00 Set a limestone 14 in long. 13 in wide
and 3 in thick for quarter sec corner

80.00 Set a limestone 18 in long. 12 in wide
and 4 in thick for corner to sections
9. 10. 15. and 16
Land rolling. 1st rate

Township 3. N. Range 9. E. 6th Principle meridian

East on a random line between sections 10 and 15

variation 10.00 East

11.50 Ravine Course. S.

35.00 Ravine course. S

40.00 Set a stone for temporary quarter section corner

79.98 Intersected N and S line 38 links North of corner to sections 10.11.14 and 15 from which corner I run

West on a true line between sections 10 and 15

variation 9.44' East

39.99 Set a flint boulder 12 in long 8 in wide and 6 in thick for quarter section corner

79.98 Corner to sections 9.10.15 and 16

Land Rolling prairie; 1st rate

Township 3. N. R. 9. E. 6th. Principle. meridian

North between sections 9 and 10

variation 9.30 East

40.00 Set a flint boulder 14 in long. 7 in wide and 7 in thick for quarter section corner

80.00 Set flint boulder 15 in long. 8 in wide and 7 in thick for corner to sections 3. 4. 9 and 10 ~~for~~

Land Rolling prairie; 1st rate

Township 3. N. Range 9. E. 6th. Principle Meridian

East on a random line between
sections 3 and 10
variation 9.30 East

40.00 Set a stone for temporary quarter
section corner

80.50 Intersected N. and S line 30 lks
South of corner to sections 2.3. 10
and 11 from which corner I run
West on a true line between
sections 3 and 10
variation 9.43' East

40.25 Set a flint boulder 14 in long. 7 in
wide and 6 in thick for quarter
section corner

80.50 Corner to sections 3.4. 9 and 10
Land rolling prairie; 1st rate

Township 3. N. Range 9. E. 6th Principle Meridian

North between sections 3 and 4 on a
random line
variation 9.30 East

35.00 Branch 20 lks wide - course - East

40.00 Set a limestone for temporary quarter
section corner

79.19 Intersected North boundary of
the Township 15 links west of
the corner to sections 3.4.33 and
34. from which corner I run
South on a true line between
sections 3 and 4
variation 9.24 East

39.19 Set a limestone 20 in long. 14 in wide
and 3 in thick for quarter section corner

79.19 Corner to sections 3.4.9 and 10
Land rolling prairie; 1st rate
November 21. 1850

Township 3 N. Range 9 E. 6th Principle meridian

North between sections 32 & 33
variation 9.30. East

40.00 Set limestone 15 in long, 14 in wide and 3 in thick for quarter section corner

80.00 Set Limestone 24 in wide, 12 in long and 2 in thick for corner to sections 28. 29. 32 and 33

Land rolling Praire. 2d rate

Township 3 N. Range 9 E. 6th Principle meridian

East on a random line between sections 28 and 33
variation 9.30. East

40.00 Set a limestone for temporary quarter section corner

70.00 Branch 20 lks wide runs S.

79.40 Intersected N and S line 100 lks South of corner to sections 27. 28 33 and 34 from which corner I run

West on a true line between sections 28 and 33
variation 10.13. East

39.70 Set limestone 18 in long, 14 in wide and 2 in thick for quarter sec corner

79.40 Set Corner to sections 28. 29. 32 and 33
Land rolling prairie; 2d rate

Township 3 N. Range 9 E. 6th principle meridian

North Between sections 28 and 29
variation 9.45'

40.00 Set a limestone 22 in long, 10 in wide and 3 in thick for quarter section corner

50.00 Branch. 10 lks wide runs S.E.

80.00 Set a limestone 18 in long, 8 in wide and 4 in thick for corner to sections 20. 21. 28 and 29

Land rolling prairie; 1st rate

Township 3 N. Range 9 E. 6th. Principle. meridian

East on a random line between sections 21 and 28
variation 9.45' East

24.50 Branch 10 lks wide course S.S.E.

40.00 Set a stone for temporary quarter section corner

79.28 Intersected N and S. line 10 lks South of corner to sections 21. 22. 27 and 28 from which corner I run

West on a true line between sections 21 and 28
variation 9.49 East

39.64 Set a flint boulder 14 in long, 9 in wide and 6 in thick for quarter section corner

79.28 Corner to sections 20. 21. 28 and 29

Land, rolling Prairie; 2d rate

Township 3. N. Range. 9. E. 6th. Principle. meridian

North between sections 20 and 21
variation 10.22 East

13.00 Branch 10 lks wide runs S. E.

40.00 Set a limestone 22 in long 8 in wide and 3 in thick for quarter sec corner

80.00 Set a limestone 20 in long 6 in wide and 3 in thick for corner to sections 16.17.20 and 21

Land, rolling prairie; 1st rate

Township 3. N. Range 9. E. 6th. principle meridian

East on a random line between sections 16 and 21
variation 10.22 E

40.00 Set a limestone for temporary quarter sec corner

79.50 Intersected N and S line 46 lks North of corner to sections 15. 16. 21 and 22 from which corner I run
West on a true line between sections 16 and 21
variation 10.2 East

39.75 Set a limestone 18 in long. 10 in wide and 3 in thick for quarter sec corner

79.50 Corner to sections 16.17.20 and 21
Land. rolling prairie: 2d rate

Township 3. N. Range 9. E. 6th. principle Meridian

North between sections 16 and 17
variation 10.22 East

40.00 Set a limestone 18 in long. 11 in wide and 9 in thick for ~~corner~~ quarter section corner

80.00 Set a limestone 22 in long, 13 in wide and 9 in thick for corner to sections 8. 9. 16 and 17

Land rolling prairie; 2d rate

Township. 3. N. Range 9. E. 6th principle Meridian

East on a random line between sections 9 and 16
variation 10.22 East

40.00 Set a stone for temporary quarter section corner

80.24 Intersected N and S line 166 links North of corner to sections 9. 10. 15 and 16 from which corner I run West on a true line between sections 9 and 16
variation 9.11 East

40.12 Set a sandstone boulder 12 in long 8 in wide and 6 in thick for quarter section corner

80.24 Corner to sections 8. 9. 16 and 17

Land. rolling prairie; 2d rate

Township 3. N. Range 9. E. 6th. Principle Meridian

North between sections 8 and 9
variation 9.00 East

40.00 Set Sandstone boulder 14 in long 10 in wide and 7 in thick for quarter section corner

80.00 Set a Sandstone boulder 15 in long 6 in wide and 6 in thick for corner to sections 4. 5. 8 and 9

Land rolling prairie; 2d rate

Township 3. N. Range 9. E. 6th principle meridian

East on a random line between sections 4 and 9
variation 9.00 East

40.00 Set a stone for temporary quarter section corner

80.14 Intersected 60 lks South of corner to sections 3. 4. 9 and 10 from which corner I run
West on a true line between sections 4 and 9
variation 9.26' East

40.07 Set a Sandstone boulder 11 in long 8 in wide and 7 in thick for quarter section corner

80.14 Corner to sections 4. 5. 8 and 9

Land rolling prairie; 2d rate

Township 3. N. Range 9. E. 6th principle Meridian

North on a random line between
sections 4 and 5
variation 9.00 East
21.00 Branch .20. lks wide runs East
40.00 Set a stone for temporary quarter
section corner
78.98 Intersected the North boundary of
the Township 3 lks East of corner
to sections 4. 5. 32 and 33 from which
corner I run
~~West~~ South on a true
line between sections 4 and 5
variation 9.1' East
38.98 Set a sandstone boulder 12 in long
8 in wide and 4 in thick for quarter sec corner
78.98 Corner to sections 4. 5. 8 and 9
Land rolling prairie; 2d rate
November 22d 1856

Township 3. N. Rang 9. E. 6th principle Meridian

North between sections 31 and 32
variation 10.00 East
40.00 Set a flint boulder 12 in long. 8 in
wide and 6 in thick for quarter
section corner
80.00 Set flint boulder 18 in long, 7 in thick
and 6 in thick for corner to sections
29. 30. 31 and 32
Land. rolling prairie; 2d rate

Township 3 N. Range 7 E. 6th principle Meridian

East on a random line between sections 29 and 32
variation 10.00 East

40.00 Set a stone for temporary quarter section corner

80.26 Intersected N and S line 7 links South of corner to sections 28. 29 32 and 33 from which corner I run

West on a true line between sections 29 and 32
variation 10.3 East

40.13 Set a flint boulder 12 in long, 7 in wide and 4 in thick for quarter section corner

80.26 Corner to sections 29. 30. 31 and 32
Land rolling prairie; 2d rate

Township 3 N. Range 7 E. 6th principle Meridian

West on a random line between sections 30 and 31
variation 10.00 East

40.00 Set a stone for temporary quarter section corner

48.00 Ravine — course S. E.

79.24 Intersected west boundary of Township 28 links North of corner to sections 25. 30. 31 and 36 from which corner I run

East on a true line between sections 30 and 31
variation 9.38 East

39.24 Set a flint boulder 15 in long 8 in wide and 8 in thick for quarter section corner

79.24 Corner to sections 29. 30. 31 and 32
Land. rolling Prairie; 2d rate

Township 3. N. Range 7. E. 6th principle meridian

North between sections 29 and 30
variation 10.00 East

40.00 Set a flint boulder 16 in long, 10 in wide and 6 in thick for quarter section corner

72.50 Branch 10. lks wide runs S E

80.00 Set a flint boulder 15 in long 10 in wide and 10 in thick for Corner to sections 19. 20. 29 and 30

Land rolling prairie; 2d rate

Township 3. N. Range 7. E. 6th principle meridian

East on a random line between sections 20 and 29
variation 10.00 East

40.00 Set a stone for temporary quarter section corner

80.28 Intersected N and S line at corner to sections 20. 21. 28 and 29 from which corner I run
West on a true line between sections 20 and 29
variation 10.00 East

40.14 Set a flint boulder 13 in long 8 in wide and 8 in thick for quarter section corner

80.28 Corner to sections 19. 20. 29 and 30

Land rolling prairie 2d rate

Township 3. N. Range 9. E. 6th principle meridian

West on a random line between sections 19 and 30
variation 10.00 East

15.50 Branch 10 lks. wide course S.E.

40.00 Set a stone for temporary quarter section corner

78.96 Intersected West boundary of the Township 22 lks North of corner to sections 19. 24. 25 and 30 from which corner I run

East on a true line between sections 19 and 30
variation 10.9 East

38.96 Set a flint boulder 12 in long 8 in wide and 6 in thick for quarter section corner

78.96 Corner to sections 19. 20. 29 and 30
Land rolling prairie; 2d rate

Township 3. N. Range 9. E. 6th. principle meridian

North between sections 19 and 20
variation 10 00 East

16.00 Ravine course S.W.

40.00 Set a flint stone 12 in long 10 in wide and 6 in thick for quarter section corner

80.00 Set flint rock 15 in long, 10 in wide and 7 in thick for corner to sections 17. 18. 19 and 20
Land rolling prairie; 2d rate

Township 3 N. Range 9. E. 6. principle meridian

East on a random line between
sections 17 and 20
variation 10.00 East

14.00 Ravine course S W

40.00 Set a stone for temporary quarter
sec corner

79.44 Intersected N and S line 120
lks North of corner to sections
16. 17. 20 and 21 from which
corner I run
West on a true line between
sections 17 and 20
variation 9.9. East

39.72 Set a flint boulder 14 in long
8 in wide and 6 in thick for
Quarter sections cor

79.44 Corner to sections 17. 18. 19. 20
Land rolling prairie; 2d rate

Township 3. N. Range 9. E. 6th principle meridian

West on a random line between
sections 18 and 19
variation 10.00 East

33.00 Ravine course S. S. W

40.00 Set a stone for temporary quarter
section corner

62.50 Ravine course S. S. E

79.28 Intersected west boundary of Township
70 lks North of corner to sections
19. 24. 25 and 30 from which
corner I run
East on a true line between
sections 18 and 19
variation 10.00 East

39.28 Set a flint boulder 18 in long
10 in wide and 5 in thick for
quarter section corner

79.28 Corner to sections 17. 18. 19 and 20
Land rolling prairie 2d rate

Township 3. N. Range 9. E. 6. Principle Meridian

North between sections 17 and 18
variation 10.25 East

40.00 Set a boulder flint ~~fo~~ 17 in long 12 in wide and 8 in thick for quarter section corner

80.00 Set a flint boulder 16 in long. 10 in wide and 7 in thick for corner to sections 7. 8. 17 and 18

Land rolling prairie; 2d rate

Township 3. N. Range 9. E. 6th. principle Meridian

East on a random line between sections 8 and 17
variation 10,00E

40.00 Set a stone for temporary quarter section corner

77.70 Intersected N and S. line 80 lks North of corner to sections 8. 9 16 and 17 from which corner I run West on a true line between sections 8 and 17
variation 9.25 East

39.85 Set a flint boulder 17 in long, 12 in wide and 9 in thick for quarter section corner

79.70 I Corner to sections 7. 8. 17 and 18

Land rolling prairie 2d rate

Nov 23d 1866

Township 3. N. Range 9. E. 6th. Principle Meridian

West on a random line between
sections 7 and 18
variation 10,01 E
40.00 Set a Stone for ~~temporary~~ quarter
section corner
77.50 Intersected west boundary
of the Township at corner
to sections 7. 12. 13 and 18
from which corner I run
East on a true line between
sections 7 and 18
variation 10 00 East
37.50 Set a flint boulder 17 in long
10 in wide and 8 in thick
for quarter section corner
77.50 Corner to sections 7. 8. 17 and
18
Land rolling prairie; 2d rate

Township 3. N. Range 9. E. 6th. Principle Meridian

North between sections 7 and 8
variation 10. 25 East
27.00 Ravine Course E
40.00 Set a red flint 14 in long, 8 in
wide and 5 in thick for quarter
section corner
80.00 Set a red flint 18 in long, 8 in
wide and 5 in thick for corner
to sections 5. 6. 7 and 8
Land rolling prairie; 2d rate

Township 3. N. Range 9. E. 6th. Principle meridian

East on a random line between
sections 5 and 8
variation 10.25 East

40.00 Set a stone for temporary quarter
section corner

79.98 Intersected N and S line 50 lks
North of corner to sections 4. 5.
8 and 9 from which corner I run
West on a true line between
sections 5 and 8
variation 10.4 East

39.99 Set a red flint 14 in long. 9 in
wide and 8 in thick for
quarter section corner

79.98 Corner to sections 5. 6. 7 and 8
Land rolling prairie; 2d rate

Township 3. N. Range 9. E. 6th principle meridian

West on a random line between
sections 6 and 7
variation 10.25 East

14.42 Branch 10 lks wide Course N. E.

40.00 Set a stone for temporary quarter
section corner

77.75 Intersected West boundary of the
Township 17 lks North of corner
to sections 6 and 7 from which
corner I run
East on a true line between
sections 6 and 7
variation 10.32 East

37.75 Set a blue flint 14 in long. 8 in
wide and 7 in thick for quarter
section corner

77.75 Corner to sections 5. 6. 7 and 8
Land rolling prairie, 2d. rate

Township 3 N. Range 9. E. 5th principal Meridian

North on a random line between sections 5 and 6
variation 10.25 E.

3.50 Branch 10 lks wide course N. E.

40.00 Set a Stone for temporary quarter section corner

50.00 Ravine Course East

77.90 Intersected North boundary of the Township 50 lks west of corner to sections 5 and 6 from which corner I run

South on a true line between sections 5 and 6
variation 10.4 East

39.90 Set a gray flint 14 in long 8 in wide and 6 in thick for quarter section corner

79.90 Corner to sections 5. 6. 7. and 8
Land rolling prairie; 1st rate

Nov 25th 1856

General Description

This Township consists chiefly of Prairie land of 1st and 2d rate quality. the timber is confined to the creeks from 1 to 4 chains wide and principaly Elm and oak. Stone is not found in this township

List of names

A list of names of the individuals employed to assist in running measuring ~~a~~ or marking the lines and corners described in the foregoing field notes of Township No 3 N. of Range No 9. E. of the 6th principle meridian showing the respective capacities in which they acted:

P. E. C. Mitchell	Chainman
Daniel. Kline	Chainman
Francis Gilman	Comerman
Chas. E. Pearson	Flagman

For Dates and Surveyor Generals Approval see T 5 N. R 9 E

D.R. Comp.d 4

Exa June 17th 1887
Van Zandt

Field Notes
of the subdivisional lines in Township
Number 4 N. of the Base line of range
Number 9. E of the 6th Principle meridian
Nebraska Territory

Surveyed by Thomas W. Wheatly
Deputy Surveyor under his contract
bearing date October 14th 1856
Contract No 135

Subdivision commenced November 26. 1856
Subdivision completed May 21st 1857

Township 4. N. Range 9. E

6	66	5	49	4	34	3	23	2	12	1
65		64		48		33		22		11
7	63	8	47	9	32	10	21	11	10	12
62		61		44		31		20		9
18	60	17	43	16	30	15	19	14	8	13
58		57		42		29		18		7
19	56	20	41	21	28	22	17	23	6	24
55		54		40		27		16		5
30	53	29	37	28	26	27	15	26	4	25
52		51		36		25		14		3
31	50	32	35	33	24	34	13	35	2	36

List of names

Pe. E. C. Mitchell Chairman
Daniel Bistine Chairman
Charles McGovy Chairman
Joshua Huffman Chairman
Robert Armstrong Commerman
Francis Gilman Commerman
Charles E. Pearson. Flagman
James D. Thompson. Flagman

Township 4. N. Range 9. E. 6th. Principle meridian

To determine the proper adjustment of my compass for subdividing this Township I commence at the corner to Townships 3 and 4 N of Ranges 9 and 10 East and run North on a blank line along the East boundary of sec 36

variation 9. 15 East

39.90 to a point 60 lks East of quarter section corner

79.85 to a point 140 lks East of corner to sections 25. 30. 31 and 36

— To retrace this line or run parallel thereto my compass must be adjusted to a variation of 10. 15 East

Subdivision commenced Nov 26 1856

Township 4. N. Range 9. E. 6th. Principle meridian

From the corner to sections, 1. 2. 35 and 36 I run

North between sections 35 and 36

variation 10. 15 East

40.00 Set a flint boulder 24 in long, 12 in wide and 10 in thick for quarter section corner

80.00 Set a flint stone 22 in long, 10 in wide and 8 in thick for corner to sections 25. 26. 35 and 36

Land rolling Prairie; 2d rate

Township 4. N. Range 7. E. 5th Principle Meridian

East on a random line between sections 25 and 36
variation 10. 15 East

31.00 Ravine Course S. E.

40.00 Set a stone for temporary quarter sec corner

48.50 Ravine Course S. E.

75.00 Ravine course S. E.

80.00 Intersected 70 lks North of corner to sections 25. 30. 31 and 36 from which corner I run
West on a true line between sections 25 and 36
variation 9. 45 East

40.00 Set a flint stone 20 in long 15 in wide and 3 in thick for quarter sec corner

80.00 the corner to sections 25. 26. 35 & 36
Land rolling prairie 2d rate

Township 4. N. Range 7. E. 5th Principle Meridian

North between sections 23 and 26
variation 10. 15 East

28.00 Ravine — course S.

40.00 Set a sandstone 12 in long 8 in wide and 6 in thick for quarter sec corner

80.00 Set flint boulder 24 in long, 10 in wide and 6 in thick for corner to sections 23. 24. 25 and 26
Land rolling prairie 2d rate

Township 4 N. Range 7 E. 6th principle Meridian

East on a random line between sections 24 and 25

variation 10.15 East

40.00 Set a stone for temporary quarter section corner

51.00 Ravine course S.

71.50 Ravine course S

80.66 Intersected East boundary of the ~~The~~ Township at corner to sections 24, 25, 19 and 30 from which corner I run

West on a true line between sections 24 and 25

variation 10.15 East

40.33 Set a sand stone 20 in long 7 in wide and 8 in thick for quarter section corner

80.66 Corner to sections 23, 24, 25 and 26

Land rolling Prairie, 2d rate

Township 4 N. Range 7 E. 6th Principle meridian

North between sections 23 and 24

variation 9.45 East

19.50 Ravine course S.E.

40.00 Set a flint boulder 12 in long 7 in wide and 7 in thick for quarter section corner

62.00 Enter Timber bears E and W

80.00 Set a flint boulder 18 in long 12 in wide and 5 in thick for corner to sections 13, 14, 23 and 24

from which

A. Bur Oak 18 in diam bears South 30 lks dist

A. Bur oak 20 in diam bears S 45 E 30 lks dist

A Bur oak 12 in diam bears N 37 W. 40 lks dist

A Bur oak 13 in diam bears N 47 E. 196 lks dist

Land rolling 1st rate

Timber Bur Oak

Township 4. N. Range 9. E. 6th principle Meridian

East on a random line between sections 13 and 24
variation 9. 45' East

1.00 leave Timber bears N & S

40.00 Set a stone for temporary quarter sec corner

80.36 Intersected East boundary of the Township 10 lks South of corner to sections 13. 18. 19. 24 from which corner I run

West on a true line between sections 13 and 24
variation 9. 50 East

40.18 Set Sandstone 13 in long 7 in wide and 6 in thick for quarter section corner

80.36 Corner to sections 13. 14. 23 and 24
Land rolling Prairie 2d rate

Township 4. N. Range 9. East 6th Principle Meridian

North between sections 13 and 14
Variation 9. 30. East

22.00 Dry Branch course N. N. E

28.00 Leave Timber bears N. E. and S W

40.00 Set a Sandstone 17 in long. 8 in wide and 4 in thick for quarter section corner

80.00 Set a Sand Stone 18 in long, 12 in wide and 6 in thick for corner to sections 11. 12. 13 and 14 ~~from which corner I run~~

Land rolling prairie; 2d rate

Township 4. N. Range 9. E. 6th principle meridian

East on a random line between
sections 12 and 13
variation 9. 30. East

18.00 Enter timber bears N and S
18.50 Branch 10 lks wide runs N.N.E
40.00 Set a stone for temporary quarter
section corner
41.00 leave timber bears N.W + S.E.
77.90 Intersected N. and S line 46 lks south of corner to sec. 12, 13, 7, 18
from which corner I run
West on a true line between sections
12 and 13
variation 9.50. East
39.95 Set a sandstone 15 in long. 7 in wide and
5 in thick for quarter sec corner
from which
A. Bur. oak. 36 in. diam. bears N. 44. 30 W. 40 lks dist;
A. Bur oak. 30 in diam bears S 48. 30 E. 102 lks. dist
77.90 Corner to sections 11. 12. 13 and 14
Land prairie and timber, 2d rate
Timber Bur oak

Township 4. N. Range 9. E. 6th. Principle. meridian

North between sections 11 and 12
variation 9. 30 East
40.00 Set a flint boulder 20. in long
10 in wide and 5 in thick for
quarter section corner
60.00 Enter timber bears S.W. and N.E
62.00 Branch 20 lks wide c. N.E.
74.00 leave timber bears N.E. + S.W
80.00 Set Limestone 24 in long, 12 in wide
and 4 in thick for corner to sections
1. 2. 11 and 12
Land rolling; first half 2d rate
2d half 1st rate
Timber Elm walnut and oak

Township 4. N. Range 9. E. 6th. Principle. Meridian

East on a random line between sections 1 and 12

variation 9. 30 East

10.00 enter timber bears N. E. and. S. W.

12.00 Dry branch 10 lks wide runs N

18.00 leave timber bears N and S

40.00 Set a stone for temporary quarter section corner

79.46 Intersected N and S line 12 8 lks South of corner to sections 1 6. 7 and 12 from which corner I run

West on a true line between sections 1 and 12

variation 10.25 East

39.73 Set a flint stone 20 in long 10 in wide and 3 in thick for quarter section corner

79.46 Corner to sections 1. 2. 11 and 12

Land rolling prairie: 1st rate
Timber Burr Oak walnut & Elm

Township 4. N. Range 9. E. 6th principle. Meridian

North on a true line between sections 1 and 2

variation 10.00 East

22.25 Ravine Course East

35.60 Ravine course East

40.00 Set a limestone 17 in long. 10 in wide ~~for~~ and 8 in thick for quarter section corner

77.20 Intersected 1st Standard parallel 280 lks West of Standard corner and set at said intersection a limestone 18 in long. 12 in wide and 6 in thick for Closing corner

Land rolling prairie; 1st rate

November 26 1856

Township 4. N. Range 9. E. 6th. Principle meridian

North between sections 34 and 35
variation 10.45 East

40.00 Set a sandstone 14 in long. 10 in wide and 6 in thick for quarter section corner

80.00 Set a sandstone 18 in long. 12 in wide and 5 in thick for corner to sections 26. 27. 34 and 35

Land rolling prairie; 2d rate

Township 4. N. Range 9. E. 6th principle Merid

East on a random line between sections 26 and 35
variation 10.45 East

40.00 Set a stone for temporary quarter section

67.00 Ravine course S.E.

80.04 Intersected N and S line 68 lks North of corner to sections 25. 26. 35 and 36 from which corner I run

West on a true line between sections 26 and 35
variation 10.15 East

40.02 Set a sandstone 14 in long, 10 in wide and 7 in thick for quarter sec corner

80.04 Corner to sections 26. 27. 34 and 35

Land rolling prairie; 2d rate

Township 4. N. Range 9. E. 6th. principle meridian

North between sections 26 and 27
variation 10. 30. East

7.00 Ravine course S. E.
20.50 Ravine course S. E.
40.00 Set a sandstone 14 in long 8 in wide and 6 in thick for quarter section corner
80.00 Set a Sandstone 18 in long 15 in wide and 3 in thick for corner to sections 22. 23. 26 and 27
Land rolling; 2d rate

Township 4. N. Range 9. E. 6th. Principle Meridian

East on random line between sections 23 and 26
variation 10.30 East

38.00 Ravine course N. W
40.00 Set a stone for temporary quarter section corner
75.00 Ravine course N. E
80.10 Intersected N and S line 8 lks S
North of corner to sections 23. 24 25 and 26 from which corner I run
West on a true line between sections 23 and 26
variation 10.27 East

40.05 Set a flint boulder 12 in long 8 in wide and 6 in thick for quarter sec corner
80.10 Corner to sections 22. 23. 26 and 27.
Land rolling prairie; 1st rate

Township 4. N. Range 9. E. 6th principle Meridian

North between sections 22 and 23
variation 9.30 East

40.00 Set a Sandstone 14 in long, 7 in wide and 7 in thick for quarter section corner

80.00 Set a Sandstone 20 in. long 7 in wide and 6 in thick for corner to sections 14. 15. 22 and 23

Land rolling prairie; 1st rate

Township 4. N. Range 9. E. 6th principle Meridian

East on a random line between sections 14 and 23
variation 9.30. East

40.00 Set a stone for temporary quarter section corner

62.00 Enter timber bears N.E and S.W.
Branch 10 lks wide course N 24

80.76 Intersected N and S line 20 lks North of corner to sections 14 and 23 from which corner true West on a true line between sections 14 and 23
variation 9.21 East

40.38 Set a sandstone 14 in long 14 in wide and 4 in thick for quarter sec corner

80.76 Corner to sections 14. 15. 22 and 23

Land mostly prairie: 1st rate

Timber Bur Oak

Township 4. N. Range 9. E. 6th principle Meridian

North between sections 14 and 15
variation 9. 15' East

40.00 Set a Sandstone 18 in long 9 in wide and 6 in thick for quarter section corner

63.50 Branch 10 lks wide course East

80.00 Set a Sandstone 19 in long, 10 in wide and 7 in thick for corner to sections 10. 11. 14 and 15

Land rolling prairie; 2d rate

Township 4. N. Range 9. E. 6th principle meridian

East on a random line between sections 11 and 14
variation 9. 15' East

40.00 Set a stone for temporary quarter section corner

49.00 Ravine course N

79.90 Intersected N and S line 20 lks North of corner to sections 11. 12 13 and 14 from which corner from

West on a true line between sections 11 and 14
variation 9. 6' East

37.95 Set a limestone 25 in long, 16 in wide and 2 in thick for quarter section corner

79.90 Corner to sections 10. 11. 14 and 15

Land rolling prairie; 1st rate

Township 4. N. Range 9. E. 6th principle meridian

North between sections 10 and 11
variation 10.25 East

40.00 Set a limestone 18 in long 9 in wide and 4 in thick for quarter section corner

40.65 Branch 10 lks wide runs N E

74.20 Main Course E

80.00 Set a limestone 18 in long, 10 in wide and 4 in thick for corner to sections 2. 3. 10 and 11

Land rolling prairie; 1st rate

Township 4. N. Range 9. E. 6th principle meridian

East on a random line between sections 2 and 11
variation 10.25 East

40.00 Set a stone for temporary quarter section corner

80.10 Intersected N and S line 81 lks North of corner to sections 1. 2. 11 and 12

~~From~~ which corner I run West on a true line between sections 2 and 11
variation 9.50 East

40.05 Set a limestone 15 in long 8 in wide and 8 in thick for quarter sec corner

80.10 Corner to sections 2. 3. 10 and 11

Land rolling prairie; 1st rate

Township 4. N. Range 9. E. 6th. principle meridian

on a true line
North between sections 2 and 3
variation 10.25 E

40.00 Set a Sandstone 18 in long, 8 in wide and 6 in thick for quarter section corner

76.80 Intersected 1st Standard parallel 359 lks West of Standard corner to sections 34 and 35 and at said intersection set a limestone 24 in long, 12 in wide and 3 in thick for Closing Corner to sections 2 and 3

Land rolling prairie 1st rate

November 27th 1856

Township 4. N. Range 9. E. 6th. principle meridian

North between sections 33 and 34
variation 9.00 East

26.00 Ravine course S. E —

40.00 Set a sandstone 20 in long, 12 in wide and 8 in thick for quarter section corner

80.00 Set a Sandstone 18 in long, 12 in wide and 8 in thick for corner to sections 27. 28. 33 and 34.

Land rolling prairie; 2d rate

Township 4. N. Range 9. E. 6th. principle. meridian

East on a random line between sections 27 and 34
variation 9.06. East

40.00 Set a stone for temporary quarter section corner

80.20 Intersected N and S. line 40lks North of corner to sections 26. 27. 34 and 35 from which corner I run

West on a true line between sections 27 and 34
variation 8. 43 East

40.10 Set a sandstone 20 in long, 10 in wide and 8 in thick for quarter sec corner

80.20 Corner to sections 27. 28. 33 and 34
Land, rolling prairie; 2d rate

Township 4. N. Range 9. E. 6. principle. meridian

North between sections 27 and 28
variation 9. 15 East

40.00 Set a sandstone 18 in long, 10 in wide and 8 in thick for quarter sec corner

61.50 Ravine course N. E

63.00 Ravine course S. E.

80.00 Set a Sandstone 18 in long 12 in wide and 8 in thick for corner to sections 21. 22. 27 and 28
Land rolling prairie; 2d rate

Township 4. N. Range 9. E. 6th principle meridian

East on a random line between
sections 22 and 27
Variation 9. 15' East
40.00 Set a stone for temporary quarter
section corner
67.50 Bearing course N. E.
80.10 Intersected N and S line at corner
to sections 22. 23. 26 and 27 from
which corner I run
West on a true line between
sections 22 and 27
Variation 9. 15' East
40.05 Set a flint boulder 17 in long 8
in wide and 6 in thick for
quarter section corner
80.10 Corner to sections 21. 22. 27 and 28
Land rolling prairie; 2d rate

Township 4. N. Range 9. E. 6th principle meridian

North between sections 21 and 22
Variation 9. 15' East
40.00 Set a sandstone 18 in long 8 in wide
and 6 in thick for quarter sec corner
80.00 Set a sandstone 20 in long 16 in
wide and 2 in thick for corner
to sections 15. 16. 21 and 22
Land rolling prairie; 2d rate

Township 4. N. Range 9. E. 6th. principle Meridian

East on a random line between sections 15 and 22

variation 9. 15 East

40.00 Set a Stone for temporary quarter section corner

79.88 Intersected N. and S. line at corner to sections 14, 15, 22 and 23 from which corner I run

West on a true line between sections 15 and 22

variation 9. 15 East

39.94 Set a Sandstone 25 in long, 18 in wide and 2 in thick for quarter section corner

79.88 Corner to sections 15, 16, 21, 22

Land rolling prairie; 2d rate

Township 4. N. Range 9. E. 6th. principle Meridian

North between sections 15 and 16

variation 9. 15 East

40.00 Set a flint boulder 14 in long, 10 in wide and 6 in thick for quarter section corner

78.50 Ravine course N. W.

80.00 Set a Sandstone 14 in long, 8 in wide and 6 in thick for corner to sections 9, 10, 15 and 16.

Land rolling prairie: 2d rate

Township 4. N. Range 7. E. 6th principle meridian

East on a random line between sections 10. and 15

variation 9. 15 East

40.00 Set a stone for temporary quarter section corner

45.00 Ravine course, South

79.82 Intersected N. and S. Line 33 lks South of corner to sections, 10. 11 14 and 15 from which corner I run West on a true line between sections 10 and 15

variation 9.30. East

39.91 Set a flint boulder 13 in long 7 in wide and 7 in thick for ~~quarter~~ section corner

79.82 Corner to sections 9. 10. 15 and 16
Land rolling prairie; 2d rate

Township 4. N. Range 7. E. 6th principle meridian.

North between sections 9 and 10

variation 10.30 East

29.30 Ravine Course N. W.

40.00 Set a redflint 14 in long 12 in wide and 8 in thick for quarter section corner

53.00 Ravine Course N W

73.00 Ravine Course N W

80.00 Set a limestone 24 in long 12 in wide and 3 in thick for corner to sections 3.4.9 and 10

Land rolling prairie; 1st rate

Township 4 N. Range 9 E. 6th principle meridian

East on a random line between
sections 3 and 10
variation 10.30 East
13.80 Ravine Course N W
22.30 Ravine Course N W
40.00 Set a limestone for temporary
quarter section corner
56.30 Ravine Course N W
80.02 Intersected N and S line 70 lks
North of corner to sections
2. 3. 10 and 11 from which
corner I run
set on a true line
between sections 3 and 10
variation 10.00 East
40.01 Set a limestone 17 in long 10 in
wide and 3 in thick for
quarter section corner
80.02 Corner to sections 3. 4. 9 and 10
Land rolling prairie; 1st rate

Township 4 N. Range 9 E. 6th principle meridian

North on a true line between
sections 3 and 4
variation 10.30 East
40.00 Set a red flint 18 in long, 12 in
wide and 8 in thick for quarter
section corner
55.00 ravine course N W
63.00 Creek 20 lks wide runs East and
enter timber bears E and W
70.50 Ravine course S. E.
71.00 leave timber bears E and W
77.90 Intersected 1st standard parallel
410 lks west of Standard
corner to sections 33 and 34 and
at said intersection set a limestone
15 in long, 10 in wide and 4 in
thick for closing corner to sections
3 and 4
Land rolling prairie 1st rate
November 29. 1856

Township 4. N. Range 9. E. 6th principle meridian

North between sections 32 and 33
variation 9. 30 East

40.00 Set a Sandstone 18 in long, 12 in wide and 3 in thick for quarter section corner

80.00 Set a sandstone 15 in long, 12 in wide and 6 in thick for corner to sections 28. 29. 32 and 33
Land rolling prairie; 1st rate

Township 4. N. Range 9. E. 6th principle meridian

East on a random line between sections 28 and 33
variation 9. 30. East

40.00 Set a stone for temporary quarter section corner

77.90 Intersected N and S line 35 lks North of corner to sections 27. 28. 33 and 34. from which corner I run
West on a true line between sections 28 and 33
variation 9. 15 East

39.95 Set a flint boulder 14 in long 8 in wide and 5 in thick for quarter section corner

79.95 Corner to sections 28, 29, 32 and 33
Land rolling prairie; 2d rate

Township 4. N. Range 7. E. 6th principle meridian

North between sections 28 and 29
variation 7. 30 East

4.00 Ravine course, N. W.
33.00 Ravine course N W
40.00 Set a flint boulder 12 in long 8 in wide and 6 in thick for quarter section corner
71.00 Ravine course N. W.
80.00 Set a Sandstone 18 in long 8 in wide and 8 in thick for corner to sections 20. 21. 28 and 29
Land rolling prairie; 2d rate
November 30th 1856

Note - In consequence of the severity of the weather I am compelled to temporarily abandon the work

Township 4. N. Range 7. E. 6th principle meridian

East on a random line between sections 21 and 28
variation 7. 30. East
40.00 Set a stone for temporary quarter section corner
79.56 Intersected N and S line 17 links North of corner to sections 21. 22. 27 and 28. from which corner I run West on a true line between sections 21 and 28.
variation 7. 23 East
39.78 Set a Sandstone 12 in long. 9 in wide and 5 in thick for quarter section corner
79.56 Corner to sections 20. 21. 28 and 29
Land rolling prairie; 2d rate

Township 4. N. Range 9. E. 6th principle meridian

North between sections 20 and 21
variation 9. 30 East

40.00 Set a flint boulder 15 in long 10 in wide and 8 in thick for quarter section corner

46.00 Ravine course West

80.00 Set a Sandstone 15 in long, 12 in wide and 5 in thick for corner to section 16. 17. 20 and 21

Land rolling prairie; 2d rate

Township 4. N. Range 9. E. 6th. Principle meridian

East on a random line between sections 16 and 21
variation 9. 30. East

12.00 Ravine, Course N. W.

40.00 Set a Stone for temporary quarter section corner

68.00 Ravine Course S E

80.34 Intersected N and S line 28 links South of corner to sections 15. 16 21 and 22 from which corner I run West on a true line between sections 16 and 21
variation 9. 42 East

40.17 Set a flint boulder 22 in long 8 in wide and 8 in thick for quarter section corner

80.34 Corner to sections, 16. 17. 20 and 21

Land rolling prairie: 2d rate

Township 4. N. Range 9. E. 5th. Principle meridian

North between sections 15 and 17
variation 9. 40 East

40.00 Set a limestone 20 in long. 9 in wide and 4 in thick for quarter section corner

80.00 Set a limestone 18 in long, 12 in wide and 4 in thick for corner to sections 8. 9. 16 and 17

Land rolling prairie; 1st rate

Township 4. N. Range 9. E. 5th principle meridian

East on a random line between sections 9 and 16
variation 9. 40 East

40.00 Set a limestone for temporary quarter section corner

80.15 Intersected N and S line 58 links North of corner to sections 9. 10. 15 and 16 from which corner I run West on a true line between sections 9 and 16
variation 9. 15. East

40.07 Set a limestone 18 in long 10 in wide and 3 in thick for quarter section corner

80.15 Corner to sections 8. 9. 16 and 17

Land rolling prairie 1st rate

Township 4. N. Range 9. E. 6th. Principle meridian

North between sections 8 and 9
variation 10.25 East

40.00 Set a limestone 18 in long, 8 in wide and 4 in thick for quarter sec corner

63.00 Enter timber bears E and W

65.00 Creek 20 lks wide course N E

66.50 Same runs N.W. 21 lks wide

67.00 Same runs N.E. 20 lks wide

68.00 leave timber bears N.E. and W

80.00 Set a limestone 14 in long, 12 in wide and 3 in thick for corner to sections 4. 5. 8 and 9

Land rolling prairie and timber
soil 1st rate
Timber Bur Oak. walnut
Hickory and Elm

Township 4 N. Range 9 E. 6th Principle Meridian

East on a random line between sections 4 and 9
variation 10,25 East

0.30 Creek 20 lks wide runs N E
1.50 Enter timber bears N and S
8.00 leave timber bears N and S
40.00 Set a stone for temporary quarter section corner
48.30 Ravine Course N
80.50 Intersected N and S line 105 lks North of corner to sections 3.4.9 and 10 from which corner I run

West on a true line between sections 4 and 9
variation 9.40 East

40.25 Set a limestone 24 in long. 13 in wide and 4 in thick for quarter section corner
80.50 Corner to sections 4.5.8 and 9
Land rolling prairie 1st rate

Township 4 N. Range 9 E. 6th Principle meridian

on a true line
North between sections 4 and 5
variation 10.25 E

1.40 Branch 10 lks wide course N W
5.00 Same 20 links wide runs N E
39.00 Branch 10 lks wide course S E
40.00 Set a red flint 13 in long. 10 in wide and 4 in thick for quarter section corner
77.30 Intersected 1st Standard parallel 471 lks West of standard corner to sections 32 and 33 and at said intersection set a redflint 14 in long. 12 in wide and 4 in thick for Closing Corner to sections 4 and 5

Land rolling prairie; 1st rate

Township 4. N. Range 9. E. 6th Principle meridian

North between sections 31 and 32
variation 9. 50 East

40.00 Set a red flint 14 in long 9 in wide and 4 in thick for quarter section corner

70.50 Ravine course West

80.00 Set a blue flint stone 18 in long, 7 in wide and 3 in thick for corner to sections 29. 30. 31 and 32

Land rolling prairie 2d rate

Township 4. N. Range 9. E. 6th principle Meridian

East on a random line between sections 29 and 32
variation 9. 50 East

40.00 Set a limestone for temporary quarter section corner

55.00 Ravine Course N

79.78 Intersected N and S line at corner to sections 28. 29. 32 and 33 from which corner I run
West on a true line between sections 29 and 32
variation 9. 50 East

39.88 Set a limestone 18 in long 7 in wide and 4 in thick for quarter sec corner

79.76 Corner to sections 29. 30. 31 and 32
Land rolling prairie; 1st rate

Township 4. N. Range 9. E. 6th. Principle meridian

West on a random line between sections 30 and 31
variation 9. 50 East

7.50 Branch 10 lks wide course N

40.00 Set a stone for temporary quarter section corner

57.00 Branch 15 lks wide course N E

77.35 Intersected West boundary of the township at corner to sections 30 and 31 from which corner I run

East on a true line between sections 30 and 31
variation 9.50 E

37.35 Set a redflint 14 in long, 8 in wide and 5 in thick for quarter section corner

77.35 Corner to sections 29. 30. 31 and 32
Land rolling prairie; 1st rate

Township 4. N. Range 9. E. 6th principle meridian

North between sections 29 and 30
variation 9. 55 East

40.00 Set a red flint 14 in long. 6 in wide and 6 in thick for quarter section corner

80.00 Set a limestone 18 in long, 12 in wide and 4 in thick for corner to sections 19. 20. 29 and 30

Land rolling prairie; 1st rate

Township 4 N. Range 7 E. 6th principle meridian

East on a random line between sections 20 and 29
variation 9.55 East

40.00 Set a Stone for temporary quarter section corner

53.00 Ravine Course N

79.00 Ravine course N W

79.50 Intersected N and S line 10 lks North of corner to sections 20.21 28 and 29 from which corner S run

West on a true line between sections 20 and 29
variation 9.51 East

39.75 Set a white flint 12 in long 10 in wide and 10 in thick for quarter section corner

79.50 Corner to sections 19.20.29 and 30

Land rolling prairie; 1st rate

May 28th 1857

Township 4 N. Range 7 E. 6th principle meridian

West on a random line between sections 19 and 30
variation 9.55 East

29.00 Branch 10 lks wide Course North

40.00 Set a stone for temporary quarter section corner

76.50 Intersected west boundary of the Township 30 links South of corner to sections 19 and 30 from which corner I run

East on a true line between sections 19 and 30
variation 9.42 East

36.50 Set a red flint 16 in long, 8 in wide and 7 in thick for quarter section corner

76.50 Corner to sections 19.20.29.30

Land rolling prairie; 1st rate

Township 4. N. Range 9. E. 6th. Principle. meridian

North between sections 19 and 20
variation 9.55 East

40.00 Set a blue flint 14 in long. 11 in wide and 8 in thick for quarter section corner

80.00 Set a limestone 20 in long, 10 in wide and 3 in thick for corner to sections 17. 18. 19. 20

Land rolling prairie; 1st rate

Township 4. N. Range 9. E. 6th. Principle. meridian

East on a random line between sections 17 and 20
variation 9.35

18.50 Ravine Course N

40.00 Set a stone for temporary quarter section corner

42.60 Ravine Course. N. E.

49.40 Branch 10 lks wide runs N

79.78 Intersected N and S line 40 lks South of corner to sections 16, 17. 20 and 21 from which corner I run

West on a true line between sections 17 and 20
variation 9.52 East

39.88 Set a red flint 15 in long. 8 in wide and 3 in thick for quarter section corner

79.76 Corner to sections 17. 18. 19 and 20

Land rolling prairie; 1st rate

Township 4. N. Range 9. E. 6th. principle meridian

West on a random line between
sections 18 and 19
variation 9. 35 East

40.00 Set a Stone for temporary
Quarter section corner and
enter timber bears N and S

50.00 Branch 10 lks wide runs N

61.50 Ravine Course N

76.15 Intersected west boundary of the
Township 38 lks North of
corner to sections 18 and 19 from
which corner I run
East on a true line
between sections 18 and 19
variation 10.00 East

36.15 Set a Red flint 14 in long
10 in wide and 6 in thick
for quarter section corner
from which bears

Township 4. N. Range 9. E. 6th principle meridian

A. Bur Oak. 14 in diam S 68 W. 73 lks dist
A. Bur Oak 14 in diam N 75 E. 57 lks dist

76.15 Corner to sections 17. 18. 19 and 20
Land rolling; 1st rate
Timber Scattering bur Oak

Township 4. N. Range 9. E 6th principle meridian

North between sections 17 and 18
variation 9.30 East

40.00 Set a blueflint 14 in long 8 in wide and 6 in thick for quarter section corner

56.00 Enter timber bears E and W

80.00 Set a limestone 14 in long 8 in wide and 6 in thick for corner to sections 7. 8. 17 and 18 from which

A. Hickory 3 in diam bears N 20.30 W 40 lks dist

A. Hickory. 12 in diam bears S 2.30 E. 48 lks dist

A. Hickory. 10 in diam. bears. S 8.5 W. 40 lks dist

no other tree convenient

Land rolling and level 1st rate

Timber bur oak, walnut Hickory and Elm

Township 4. N. Range 9. E. 6th principle meridian

East on a random line between sections 8 and 17
variation 9.15 East

3.28 Branch 20 lks wide course N. E.

13.00 leave timber bears N and S

27.20 Branch 10 lks wide course North

enter timber bears N and S

33.00 leave timber bears N and S

40.00 Set a stone for temporary quarter section corner

60.50 Ravine Course North

79.20 Intersected N and S line 70 lks South of corner to sections 8. 9. 16 and 17 from which corner I run

West on a true line between sections 8 and 17
variation 9.45 East

39.60 set a sandstone 13 in long. 9 in wide and 6 in thick for quarter sec corner

79.20 Corner to sections 7. 8. 17 and 18
Land rolling - soil 1st rate.
Timber Elm Oak and Hickory

Township 4. N. Range. 9. E. 6th. Principle. meridian

West on a random line between sections 7 and 18

variation 9. 15' East

2.20 Branch 20 lks wide course N and Cean timber bears N and S

40.00 Set a stone for temporary quarter section corner.

76.80 Intersected west boundary of the Township 70 lks North of corner to sections 7 and 18 from which corner I run

East on a true line between sections 7 and 18

variation 9. 45' East

36.80 Set a red flint 12 in long, 10 in wide and 6 in thick for quarter sec. corner

76.80 Corner to sections 7. 8. 17 and 18

Land rolling prairie; 1st rate

Township 4. N. Range. 9. E. 6th Principle meridian

North between sections 7 and 8

variation 10.00 East

2.20 Creek 20 lks wide runs N E

2.50 Leave timber bears E and W

9.80 Branch 10 lks wide course S E

40.00 Set a red flint 13 in long, 10 in wide and 5 in thick for quarter sec. corner

55.00 Ravine Course S. E.

80.00 Set a blue flint 13 in long, 9 in wide and 8 in thick for Corner to sections 5. 6. 7 and 8

Land rolling prairie; 1st rate

Township 4. N. Range 9. E. 6th principle meridian

East on a random line between sections 5 and 8

variation 10.00 East

00.45 Branch 10 lks wide course S. East

40.00 set a stone for temporary quarter section corner

77.08 Intersected N and S line 30 lks south of corner to sections 4, 5 8 and 9 from which corner I run West on a true line between sections 5 and 8

Variation 10.13 East

39.54 Set a redflint 14 in long, 10 in wide and 5 in thick for quarter sec corner

77.08 Corner to sections 5. 6. 7 and 8
Land rolling prairie; 1st rate

Township 4. N. Range 9. E. 6th. Principle meridian

West on a random line between sections 6 and 7

variation 10.00 E

29.50 Branch 10 lks wide course N.E.

40.00 Set a stone for temporary quarter section corner

76.19 Intersected West boundary of the Township 70 lks North of corner to sections 6 and 7 from which corner I run

East on a true line between sections 6 and 7

variation 10.30 East

36.19 Set a blueflint 14 in long, 13 in wide and 4 in thick for quarter section corner

76.19 Corner to sections 5. 6. 7 and 8
Land rolling prairie: 1st rate

Township 4 N. Range 9 E. 6th. Principal meridian

North on a ~~random~~ true line between sections 5 and 6

10.00 Branch 10 lks wide course S E variation 10.00 East

40.00 Set a limestone 18 in long, 7 in wide and 4 in thick for quarter section corner

78.70 Intersected 1st standard parallel 350 lks west of Standard corner to sections 31 and 32 ~~f~~ and at said intersections set a limestone 18 in long, 12 in wide and 3 in thick for closing corner to sections 5 and 6

Land rolling prairie; 1st rate

May. 21st 1857

General description

The land in this township is about the common average

The upland generally good 2d rate, the bottoms 1st rate

The timber on the branches is scattering and consists chiefly of Elm and oak

There is enough good land and water to admit of a considerable settlement

List of Names

A list of names of the persons employed to assist in running measuring or marking the lines and corners described in the foregoing field notes of Township 4 N. Range 9 E. 6th Principle meridean, showing the respective capacities in which they acted

P. E. C. Mitchell Chainman
Daniel Ristine Chainman
Francis Gilman Cornerman
Chas. P. Pearson Flagman
Charles McGary Chainman
Joshua Huffman Chainman
Robert Armstrong Cornerman
James H. Thompson Flagman

For Cattle and Surveyor General's Approval
see T 5 N. R 9 E

General Land Office • Original Field Notes

Book Number

93

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.