General Land Office • Original Field Notes

Book Number

95

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

R. 9-12 N.

R. 9 E.

9
95

195

T 9 - 12 N.

R. 9 E

1

2
a

Vol. 3. R. 9 E.

Field Notes
of the
Subdivision lines of
Township No. 9. North of
the base line of
Range No. 9. East of
the
Sixth Principal Meridian
in the
Territory of Nebraska
By
Wallace Barnum
Deputy Surveyor
under his contract No 138
bearing date the 15th day of October 1856.

Subdivision Commenced
June 12th 1857
Subdivision Completed
June 18th 1857.

Some few corrections needed

List of Names.

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the following field notes of Township No. 9 North of the base line of Range No. 9 East of the Sixth Principal Meridian, showing the respective capacities in which they acted:

Wm. C. Barnum, Chainman.
Philo. P. Barnum, Chainman.
Dexter P. Sprague, Axeman and Marker.
A. D. Luce, Flagman.
A. P. Drake, Compassman.

Township 9 N. Range 9 East

6	58	5	44	4	35	3	25	2	15	1
57		56		43		34		24		14
7	55	8	42	9	33	10	22	11	13	12
54		53		41		32		21		12
18	52	17	40	16	32	15	21	14	11	13
51		51		39		31		20		10
19	50	20	39	21	30	22	19	23	9	24
49		48		38		29		18		4
30	47	29	37	28	28	27	18	26	3	25
46		45		36		27		17		2
31	45	32	36	33	27	34	16	35	2	36

Field Notes of the subdivision lines in Township 9 N. R. 9 E. of the Sixth Principal Meridian.

To determine the proper adjustment of my compass for subdividing this Township, I commence at the corner to Townships 9 N. R. 9 and 10 E; and run North, on a blank line along the East Boundary of section 36

Variation 10 48 East

40,00 To a point 40 links West of the quarter section corner

80,00 To a point 76 links West of the corner to sections 25 and 36.

To retrace this line, or run parallel thereto my compass must be adjusted to a variation of 10° 15' East.

Township 9 N. Range 9 E.
Sixth Principal Meridian

chains

Subdivision Commenced
June 12th 1851.

* From the corner to sections
35 and 36 on the South Boundary
of the Township, I run
North, between sections 35 & 36
Variation 10° 15' East

40,00 Set a lime stone 15 in long 11 in.
wide and 3 in thick for quar-
ter section corner.

80,00 Set a lime stone 22 in long 10 in
wide and 3 in thick for corner
to sections 25, 26. 35 and 36
Land rolling prairie,
Soil 1st rate

East, on a random line betwa
sections 25 and 36.
Variation 10° 45' East

40,00 Set a post for a temporary

Township 9 N. Range 9 E.
Sixth Principal Meridian

chains

quarter section corner

80,14 Intersected the East Boundary
of the Township 30 links North
of the corner To sections 25 and 36
from which corner, I run
West on a true line between
sections 25 and 36
Variation 10° 35' East.

40,37 Set a lime stone 16 in long 12 in
wide and 4 in thick for quarter
section corner

80,14 The corner to sections 25, 26. 35, 36.
Land rolling prairie,
Soil 1st rate.

North between sections 25 and 26.
Variation 10° 10' East

40,00 Set a grey sand stone. 14 in long 8
in wide and 5 in thick for
quarter section corner.

Township 9. N. Range 2. East
Fifth Principal Meridian

chains	
80,00	Set a grey sand stone 26 in. long 10 in. wide and 3 in. thick for corner to sections 23, 24, 25 and 26 Land rolling prairie; Soil 1st. rate.
	East on a random line between sections 24 and 25
	Variation 10° 48' East
40,00	Set a post for a temporary quarter section corner
82,16	Intersected the East Boundary of the Township 15 links South of the corner to sections 24 and 25
	Thinking that I might have made a mistake in my line between sections 25 and 26 I retraced my line and find

Township 9. N. Range 2. E.
Fifth Principal Meridian

chains	
	it correct. I then went to the corner of sections 25 and 36 and run
	North on a blank line along the East Boundary of section 25
	Variation 10° 15' East
39,90	To a point 15 links West of the quarter section corner
80,05	To a point 156 links West of the corner to sections 24 and 25
	Believing the Range line between Townships 9. N. R. 1 and 1 E to be a crooked line throughout its whole length, I commence at the corner to sections 24 and 25 and run
	North on a blank line along the East Boundary of section 24
	Variation 10° 15' East

Township 9 N. Range 9 E.
Sixth Principal Meridian

chains
40,06 To a point 115 links West of the quarter section corner
80,15 To a point 220 links West of the corner to sections 13 and 24
I here measured the line between sections 18 and 19 in T. 9 N. R. 10 E.
31,64 Quarter section corner
11,70 The corner to section 17, 18, 12, 20
I then went to the corner of sections 13 and 24 and run North on a blank line along the East Boundary of section 13

Variation 10° 15' East

40,10 To a point 75 links East of the quarter section corner
80,18 To a point 146 links East of the corner to sections 12 and 13
From the corner to sections

Township 9 N. Range 9 E.
Sixth Principal Meridian

chains
12 and 13 I run North on a blank line along the East Boundary of section 12

Variation 10° 15' East

40,07 To a point 200 links East of the quarter section corner
80,25 To a point 324 links East of the corner to sections 1 and 12
From the corner to sections 1 and 12 I run North on a blank line along the East Boundary of section 1

Variation 10° 15' East

40,20 To a point 220 links East of the quarter section corner
80,50 To a point 428 links East of the corner to Townships No 9 and 10 N. of Ranges No. 9 and 10 East

June 12th 1857.

Township 9 N. Range 9 E.
Sixth Principal Meridian

chains	
	I now commence at the corner to sections 25, 26, 35 and 36 and run North between sections 25 and 26
	Variation 9° 8' East
4,00	Set a grey sand stone 14 in. long 8 in. wide and 5 in. thick for quarter section corner
30,00	Set a grey sand Stone 26 in. long 10 in. wide and 3 in. thick for corner to sections 23, 24, 25 and 26
	Land rolling prairie
	Soil 4th rate

	East on a random line between sections 24 and 25
	Variation 10° 48' East
4,00	Set a post for a temporary quarter section corner
30,90	Intersected the East Boundary of the Township 24 links

Township 9 N. Range 9 E.
Sixth Principal Meridian

chains	
	South of the corner to sections 24 and 25 from which corner I run
	West on a true line between sections 24 and 25
	Variation 10° 5' East
40,45	Set a line stone 11 in. long 9 in. wide 4 in. thick for quarter section corner
80,90	The corner to sections 23, 24, 25, 26
	Land rolling prairie;
	Soil 4th rate

	North between sections 23 and 24
	Variation 8° 40' East
40,00	Set a line stone 22 in. long 10 in. wide and 4 in. thick for quarter section corner
80,00	Set a line stone 30 in. long 15 in. wide and 3 in. thick for

Township 9. N. Range 9. E.
Sixth Principal Meridian

chains
corner to sections 13, 14, 23 and 24
Land rolling prairie;
Soil 1st rate.

East on a random line between
sections 13 and 24
Variation 10° 48' East

40,00 Set a post for a temporary
quarter section corner
66,00 Creek 10 links wide, right
bank runs S. E.
70,00 Same stream left bank
15 links wide runs N. E.
72,00 Same stream 12 links wide
right bank runs S. E.
80,68 Intersected the East Boundary
of the Township 136 links South
of the corner to Sections 13 and 24
from which corner, I run
West on a true line between

Township 9. N. Range 9. E.
Sixth Principal Meridian

chains
sections 13 and 24
Variation 11° 46' East

42,34 Set a lime stone 17 in. long 13 in.
wide and 3 in. thick for quarter
section corner
80,68 The corner to sections 13, 14, 23, 24
Land rolling prairie
Soil 1st Rate

North between sections 13 and 14
Variation 11° 18' East

11,00 Spring run 4 links wide right
bank runs N. E.
40,00 Set a lime stone 14 in. long 11 in.
wide and 5 in. thick for quarter
section corner
80,00 Set a lime stone 16 in. long 12
in. wide and 4 in. thick for
corner to sections 11, 12, 13 and 14
Land rolling prairie

Township 9. N. Range 9. E.
Sixth Principal Meridian

chains	Soil 4th rate
	East on a random line between section 12 and 13 Variation 10° 48' East
12,00	Creek 10 links wide, right bank runs S. E.
40,00	Set a post for a temporary quarter section corner
78,84	Intersected the East Boundary of the Township 116 links South of the corner to sections 12 and 13 from which corner I run West on a true line between sections 12 and 13 Variation 11° 38' East
39,97	Set a grey sand Stone 16 in long 12 in wide and 4 in thick

Township 9. N. Range 9. E.
Sixth Principal Meridian

chains	quarter section corner
19,84	The corner to Sections 11, 12, 13, 14 Land rolling prairie Soil 4th rate
	North between sections 11 and 12 Variation 13° 3' East
3,00	Creek. 10 links wide right bank runs S. E.
11,00	Spring run 4 links wide left bank runs S. W.
40,00	Set a grey sand stone 14 in. long 12 in. wide and 4 in. thick for quarter section corner
80,00	Set a grey sandstone 18 in long 10 in wide and 6 in. thick for corner to sections 12, 11 and 12 Land level prairie, Soil 4th rate.

Township 9 N. Range 9 E.
Sixth Principal Meridian

chains	
	East on a random line between sections 1 and 12
	Variation 10° 48' East
40,00	Set a post for a temporary quarter section corner
80,38	Intersected the East Boundary of the Township 84 links South of the corner to Sections 1 and 12 from which corner, I run
	West on a true line between sections 1 and 12
	Variation 11° 24' East
40,19	Set a grey sandstone 16 in long 10 in wide and 4 in thick for quarter section corner
80,38	The corner to sections 1, 2, 11, 12 Land rolling prairie
	Soil 1st rate.

Township 9 N. Range 9 E.
Sixth Principal Meridian

chains	
	North on a random line between sections 1 and 2
	Variation 13° 15' East
37,00	Spring run 4 links wide left bank runs S.W.
40,00	Set a post for a temporary quarter section corner
81,40	Intersected the North Boundary of the Township 32 links East of the corner to sections 1 and 2 from which corner, I run
	South on a true line between sections 1 and 2
	Variation 13° 32' East
41,40	Set a grey sand stone 16 in, long 10 in, wide and 4 in, thick for quarter section corner
81,40	The corner to sections 12, 11, 12. Land rolling prairie

Township 9 N. Range 9 E.
Sixth Principal Meridian

chains	Soil 1st rate June 13th 1857
	North between sections 34 and 35 Variation 10° 5' East
34,00	Creek 20 links wide right bank runs E.
36,50	Same stream, 20 links wide left bank runs N.W.
38,00	Same stream 20 links wide right bank runs N.E. thence E.
40,00	Set a lime stone 16 in. long 10 in. wide and 4 in. thick for quarter section corner
72,00	Spring run 4 links wide right bank, runs S. E.
80,00	Set a lime stone 11 in. long 12 in. wide and 3 in. thick for corner to sections 26, 27, 34 and 35

Township 9 N. Range 9 E.
Sixth Principal Meridian

chains	Land rolling prairie Soil 2nd rate.
	East on a random line between sections 26 and 35 Variation 10° 48' East
40,00	Set a post for a temporary quarter section corner
19,12	Intersected the N. and S. line 10 links North of the corner to sections 25, 26, 35 and 36 from which corner, I run West on a true line between sections 26 and 35 Variation 10° 14' East
39,56	Set a lime stone 13 in. long 10 in. wide and 4 in. thick for quarter section corner
19,12	The corner to sections 26, 27, 34, 35 Land rolling prairie

Township 9 N. Range 9 E.
Sixth Principal Meridian

chains	
	Soil 4th rate
	North between sections 26 and 27.
	Variation 9° 8' East
40,00	Set a lime stone 18 in. long 9 in. wide and 4 in. thick for quarter section corner
80,00	Set a lime stone 23 in. long 16 in. wide and 2 in. thick for corner to sections 22, 23, 26 and 27.
	Land rolling prairie.
	Soil 4th rate
	East on a random line between sections 23 and 26
	Variation 10° 48' East
40,00	Set a post for a temporary quarter section corner
79,50	Intersected North and South line 25 links South of the corner

Township 9 N. Range 9 E.
Sixth Principal Meridian

chains	
	to sections 23, 24, 25 and 26 from which corner, I run
	West on a true line between sections 23 and 26
	Variation 11° East
39,75	Set a lime stone 19 in. long 13 in. wide and 3 in. thick for quarter section corner
79,50	The corner to sections 22, 23, 26, 27
	Land rolling prairie
	Soil 4th rate
	North between sections 22 and 23
	Variation 8° 30' East
40,00	Set a lime stone 16 in. long 12 in. wide and 4 in. thick for quarter section corner
76,00	Spring run, 4 links wide right bank runs E.
80,00	Set a lime stone 20 in. long 12 in.

Township 9. N. Range 9. E.
Sixth Principal Meridian

chains
wide and 4 in. thick for
corner to sections 14, 15, 22 and 23
Land rolling prairie,
Soil 1st rate.

East on a random line between
sections 14 and 23.
Variation 10° 48' East
36,00 Spring run, 4 links wide left
bank runs N. E.
40,00 Set a post for a temporary
quarter section corner
79,24 Intersected North and South
line 4 links North of the corner
to sections 13, 14, 23 and 24 from
which corner, I run
West on a true line between
sections 14 and 23
Variation 10° 46 East
39,62 Set a limestone 22 in. long 12 in.

Township 9. N. Range 9. E.
Sixth Principal Meridian

chains
wide and 3 in. thick for
quarter section corner
14,24 The corner to sections 14, 15, 22, 23.
Land rolling prairie,
Soil 1st rate.

North between sections 14 and 15
Variation 11° 28' East
40,00 Set a limestone 14 in. long 7 in.
wide and 6 in. thick for
quarter section corner
80,00 Set a limestone 15 in. long
12 in. wide and 6 in. thick for
corner to sections 10, 11, 14 and 15
Land rolling prairies
Soil 1st rate.

East on a random line between
sections 11 and 14
Variation 10° 48' East.

Township 9. N. Range 9. E.
Sixth Principal Meridian

chains

0 40,00 Set a post for a temporary quarter section corner

79,68 Intersected N. and S. line 4 links North of the corner to sections 11, 12, 13 and 14 from which corner, I run
West on a true line between sections 11 and 14
Variation 10° 46' East

39,84 Set a limestone 12 in. long 7 in. wide and 7 in. thick for quarter section corner

79,68 The corner to sections 10, 11, 14, 15.
Land rolling prairie,
Soil 1st rate,

North between sections 10 and 11
Variation 13° 8' East

40,00 Set a limestone 16 in. long 9 in.

Township 9. N. Range 9. E.
Sixth Principal Meridian

chains

wide and 7 in. thick for quarter section corner

10,00 Road bears N. E and S. W.

12,00 Spring run, 5 links wide right bank runs E,

17,00 Entered timber bears N. W and S. E.

17,66 An Elm 8 in. dia.

17,70 Spring run, 3 links wide, right bank runs S. E

18,64 A Hard Hack 18 in. in dia.

19,75 Spring run 3 links wide left bank runs S. W.

50,00 Set a limestone 12 in. long 8 in. wide and 8 in. thick for corner to sections 2, 3, 10 and 11, from which
An Elm 20 in. in dia. bears N. 57¾ W. 24 links dist.
An Elm 22 in. in dia bears S. 60½ W. 93 links dist.

Township 9. N. Range 9. E.
Fifth Principal Meridian

chains

An Elm 22 in. in diam. beares
N. 3/4 E. 92 links dist.
An Elm 30 in. in diam beares
S. 62° E. 74 links dist.
Land rolling; prairie and timber
Soil 4th rate
Timber Oak, Elm and Hard
Hack

East on a random line between
sections 2 and 11

Variation 10° 48' East.

,25 Spring run 3 links wide right
bank runs S. W.

1,00 Spring run 4 links wide right
bank runs S. W.

1,25 Leave timber beares N. and S.

8,50 Road course N. E. and S. W.

10,00 Set a post for a temporary
quarter section corner

Township 9. N. Range 9. E.
Fifth Principal Meridian

chains

12,00 Spring run 4 links wide right
bank runs S.

19,90 Intersected N. and S. line 4
links South of the corner to
sections 1, 2, 11 and 12 from
which corner, I run
West on a true line between
sections 2 and 11

Variation 10° 50' East

39,95 Set a limestone 12 in. long
8 in. wide and 7 in. thick for
quarter section corner

19,90 The corner to sections 2, 3, 10, 11.
Land rolling; prairie and timber;
Soil 4th rate
Timber Oak and Elm

North on a random line between
sections 2 and 3

Township 9 N. Range 9 E.
Sixth Principal Meridian

Variation 13° 18' East

chains	
4,30	Spring run, 3 links wide right bank runs S. E.
8,00	Spring run 4 links wide right bank runs S. E.
12,00	Leave timber bears N. E and S. W.
40,00	Set a post for a temporary quarter section corner
80,97	Intersected the North Boundary of the Township 14 links West of the corner to sections 2 and 3 from which corner, I run South on a true line between sections 2 and 3

Variation 13° 12' East

40,97	Set a grey sand Stone 12 in. long 7 in. wide and 7 in. thick for quarter section corner
80,97	The corner to sections 2, 3, 10, 11 Land rolling; prairie and timber

Township 9 N. Range 9 E.
Sixth Principal Meridian

chains	Soil 1st rate. Timber Oak and Elm

June 14th 1857.

North between section 33 and 34

Variation 10° 15' East

40,00	Set a limestone 15 in. long 9 in. wide and 5 in. thick for quarter section corner
80,00	Set a limestone 20 in. long 15 in. wide and 4 in. thick for corner to sections 27, 28, 33 and 34 Land rolling prairie Soil 1st rate

East on a random line between sections 27 and 34

Variation 10° 48' East

40,00	Set a post for a temporary quarter section corner
77,00	Spring run 3 links wide

Township 9 N. Range 9 E.
Fifth Principal Meridian

chains	
	right bank runs S. E.
80,22	Intersected N and S line 40 links North of the corner to sections 26, 27, 34 and 35 from which corner, I run West on a true line between sections 27 and 34
	Variation 10° 31' East
40,11	Set a lime stone 15 in. long 8 in. wide and 5 in. thick for quarter section corner
80,22	The corner to section 27, 28, 33, 34 Land rolling prairie Soil 1st rate

---

North between sections 27 and 28
Variation 9° 45' East

40,00	Set a lime stone 20 in. long 12 in. wide and 3 in. thick for quarter section corner

Township 9 N. Range 9 E.
Fifth Principal Meridian

chains	
73,00	Spring run 3 links wide, right bank, runs E.
80,00	Set a lime stone 15 in. long 11 in. wide and 7 in. thick for corner to sections 21, 22, 27 and 28 Land rolling prairie Soil 1st rate

---

East on a random line between sections 22 and 27
Variation 10° 48' East

40,00	Set a post for a temporary quarter section corner
80,42	Intersected the N and S line 82 links South of the corner to sections 22, 23, 26 and 27 from which corner, I run West on a true line between sections 22 and 27.

Township 9 N. Range 9 E.
Sixth Principal Meridian
Variation 11° 23' East

chains
70,21 Set a lime stone 20 in. long 8 in. wide and 4 in. thick for quarter section corner
80,42 The corner to sections 21, 22, 27, 28
Land rolling prairie
Soil 1st rate

North between sections 21 and 22
Variation 9° 10' East

40,00 Set a lime stone 15 in. long 10 in. wide and 5 in. thick for quarter section corner
80,00 Set a lime stone 24 in. long 11 in. wide and 3 in. thick for corner to sections 15, 16, 21 and 22
Land rolling prairies
Soil 2d rate

Township 9 N. Range 9 E.
Sixth Principal Meridian

chains
East on a random line between sections 15 and 22
Variation 10° 48' East
40,00 Set a post for a temporary quarter section corner
77,96 Intersected N. and S. line 30 links South of the corner to sections 14, 15, 22 and 23 from which corner I run
West on a true line between sections 15 and 22
Variation 11° 1' East
39,98 Set a lime stone 17 in. long 9 in. wide and 6 in. thick for quarter section corner
79,96 The corner to sections 15, 16, 21, 22
Land rolling prairie
Soil 1st rate

North between sections

Township 9. N. Range 9. E.
Sixth Principal Meridian

chains	15 and 16
	Variation 11° 28' East
40,00	Set a lime stone 12 in. long 9 in. wide and 5 in. thick for quarter section corner
65,00	Road, bears N. E and S. W.
80,00	Set a lime stone 12 in. long 12 in. wide and 3 in. thick for corner to sections 9, 10, 15 and 16 Land rolling prairie Soil 1st rate

East on a random line between sections 10 and 15
Variation 10° 48' East

40,00	Set a post for a temporary quarter section corner
43,00	Road, bears N. E and S. W.
80,00	Intersected N. and S. line at the corner to sections 10, 11, 14 and

Township 9. N. Range 9. E.
Sixth Principal Meridian

chains	15, from which corner, I run West on a true line between sections 10 and 15
	Variation 10° 48' East
40,00	Set a lime stone 12 in. long 9 in. wide and 7 in. thick for quarter section corner
80,00	The corner to sections 9, 10, 15, 16 Land rolling prairie Soil 1st rate

North between section 9 and 10
Variation 13° 3' East

40,00	Set a grey sand Stone 15 in. long 10 in. wide and 7 in. thick for quarter section corner
68,40	Creek, 8 links wide right bank runs N. thence N. E.
80,00	Set a grey sand stone 12 in. long 10 in. wide and 5 in. thick

Township 9, N. Range 9, E.
Sixth Principal Meridian

chains
for corner to section 3, 4, 9 and 10
Land rolling prairie;
Soil 1st rate.

East on a random line
between sections 3 and 10
Variation 18° 48' East
78,95 Set a post for a temporary
quarter section corner
78,25 Entered timber bears N. and E.
78,25 A red Elm 20 in. dia.
78,70 Intersected N and S line at
the corner to sections 2, 3, 10 and 11
from which corner, I run
West on a true line between
sections 3 and 10
Variation 18° 48' East
39,85 Set a grey sand Stone 10 in. long
10 in. wide and 8 in thick for
a quarter section corner

Township 9, N. Range 9, E.
Sixth Principal Meridian

chains
39,70 The corner to sections 3, 4, 9, 10
Land rolling prairie;
Soil 1st rate.

North on a random line
between sections 3 and 4
Variation 13° 18' East
40,00 Set a post for a temporary
quarter section corner
39,97 Intersected the North Boundary
of the Township 128 links East
of the corner to sections 3 and 4
from which corner, I run
South on a true line between
section 3 and 4
Variation 14° 13' East
10,97 Set a grey sand stone 17 in. long
15 in. wide and 3 in. thick for
quarter section corner

Township 9 N. Range 9 E.
Fifth Principal Meridian

chains	
30,97	The corner to sections 3, 4, 9, 10 Land, rolling prairie; Soil 1st rate. June 15th 1857.

North between sections 32 and 33
Variation 10° 5' East

40,00	Set a lime stone 15 in. long, 9 in. wide and 5 in. thick for quarter section corner
30,00	Set a grey sand stone 20 in. long 15 in. wide and 4 in. thick for corner to sections 28, 29, 32 and 33 Land rolling prairie; Soil 1st rate.

East on a random line between sections 28 and 33
Variation 10° 48' East

40,00	Set a post for a temporary

Township 9 N. Range 9 E.
Fifth Principal Meridian

chains	
	quarter section corner
50,04	Intersected N and S line 66 links South of the corner to sections 27, 28, 33 and 34 from which corner, I run West on a true line between sections 28 and 33 Variation 11° 16' East
40,02	Set a lime stone 20 in. long 12 in. wide and 3 in. thick for a quarter section corner
30,04	The corner to sections 28, 29, 32, 33 Land rolling prairie Soil 1st rate

---

North between sections 28 and 21
Variation 9° 48' East

40,00	Set a lime stone 20 in. long 12 in. wide and 3 in. thick for quarter section corner.

Township 7 N. Range 9 E.
Sixth Principal Meridian

Chains	
30,00	Set a lime stone 15 in long 11 in. wide and 4 in thick for corner to sections 20, 21, 28 and 29 Land rolling prairie; Soil 1st rate.
	East on a random line between sections 21 and 28 Variation 10° 48' East
40,00	Set a post for a temporary quarter section corner
79,32	Intersected N. and S. line 100 links South of the corner to sections 21, 22, 27 and 28 from which corner, I run West on a true line between sections 21 and 28 Variation 11° 31' East
39,66	Set a lime stone 21 in long 5 in

Township 7 N. Range 9 E.
Sixth Principal Meridian

Chains	
	wide and 4 in. thick for quarter section corner
79,32	The corner to sections 20, 21, 28, 29 Land rolling prairie Soil 1st rate
	North between sections 20 and 21 Variation 9° 30' East
40,00	Set a lime stone 19 in long 5 in wide and 4 in thick for a quarter section corner
80,00	Set a grey sand stone 15 in long 9 in wide and 5 in thick for the corner to sections 16, 17, 20 and 21 Land rolling prairie Soil 1st rate
	East on a random line between sections 16 and 21 Variation 10° 48' East

Township 9 N. Range 9 E.
Sixth Principal Meridian

chains	
40,00	Set a post for a temporary quarter section corner
80,10	Intersected N and S. line 64 links South of the corner to sections 15, 16, 21 and 22 from which corner, I run West on a true line between sections 16 and 21
	Variation 11° 15' East
40,05	Set a grey sand stone 12 in long 10 in wide and 5 in. thick for quarter section corner
80,10	The corner to sections 16, 17, 20, 21 Land rolling prairie; Soil 1st rate.

North between sections 16 and 17
Variation 11° 28' East

23,50	Road, course N, E and S. W.

Township 9 N. Range 9 E.
Sixth Principal Meridian

chains	
40,00	Set a grey sand stone 16 in long 12 in. wide and 8 in. thick for quarter section corner
80,00	Set a lime stone 20 in. long 11 in. wide and 3 in. thick for a corner to sections 8, 9, 16 and 17. Land rolling prairie Soil 1st rate

---

East on a random line between sections 9 and 16
Variation 10° 48' East

40,00	Set a post for a temporary quarter section corner
79,34	Intersected N and S line 50 links South of the corner to sections 9, 10, 15 and 16 from which corner, I run West on a true line between

Township 9, N. Range 9, E.
Sixth Principal Meridian

chains
sections 9 and 16
Variation 11° 10' East

39,67 Set a grey sand stone 12 in. long 11 in. wide and 4 in. thick for quarter section corner

79,34 The corner to sections 8, 9, 16, 17.
Land rolling prairie
Soil 1st rate

North between sections 8 and 9
Variation 13° 3' East

33,00 Spring run, 3 links wide right bank runs N. E.

40,00 Set a grey sand stone 14 in. long 9 in. wide and 5 in. thick for quarter section corner

50,75 Creek, 3 links wide, right bank runs E.

80,00 Set a grey sand stone 17 in. long 8 in. wide and 5 in. thick for

Township 9, N. Range 9, E.
Sixth Principal Meridian

chains
corner to sections 4, 5, 8 and 9
Land rolling prairie
Soil 1st rate

East on a random line between sections 4 and 9
Variation 10° 48' East

20,00 Spring run, 5 links wide right bank runs S. E.

40,00 Set a post for a temporary quarter section corner

79,32 Intersected N and S. line 60 links South of the corner to sections 3, 4, 9 and 10 from which corner, I run
West on a true line between sections 4 and 9
Variation 11° 14' East

39,66 Set a grey sand stone 18 in. long 8 in. wide and 6 in. thick for

Township 9 N. Range 9 E.
Sixth Principal Meridian

chains
79,32 quarter section corner.
The corner to sections 4, 5, 8, & 9
Land rolling prairie
Soil 1st rate

North on a random line
between sections 4 and 5
Variation 13° 18' East

15,25 Spring run 4 links wide right
bank runs S, E,
40,00 Set a post for a temporary
quarter section corner
80,96 Intersected the North Boundary
of the Township 170 links East
of the corner to section 4 and
5 from which corner I run
South on a true line between
sections 4 and 5
Variation 14° 31' East
40,96 Set a grey sand stone 15 in. long

Township 9 N. Range 9 E.
Sixth Principal Meridian

chains
Six inch wide and 5 in. thick for
quarter section corner
80,96 The corner to sections 4, 5, 8, & 9
Land rolling prairie
Soil 1st rate
June 16th 1857.

North between sections 31 and 32
Variation 10° 5' East

40,00 Set a lime stone 18 in. long 12 in.
wide and 4 in. thick for
quarter section corner
80,00 Set a Post in mound as per
instructions for corner to
sections 29, 30 31 and 32
Land rolling prairie
Soil 1st rate

East on a random line
between sections 29 and 32
Variation 10° 1/2 East

Township 9 N. Range 9 E,
Fifth Principal Meridian

Chains	
4,00	Set a post for a temporary quarter section corner
7,36	Intersected N and S line 76 links South of the corner to sections 28, 29, 32 and 33 from which corner, I run West on a true line between sections 29 and 32
	Variation 11° 21' East
39,68	Set a red sandstone 12 in long 10 in wide and 10 in thick for quarter section corner
79,36	The corner to sections 29, 30, 31, 32 Land rolling prairie; Soil 1st rate.

West on a random line between sections 30 and 31
Variation 10° 48' East

Township 9 N. Range 9 E,
Fifth Principal Meridian

Chains	
4,00	Set a post for a temporary quarter section corner
31,90	Intersected the West Boundary of the Township 90 links North of the corner to sections 30 and 31 from which corner, I run East on a true line between sections 30 and 31
	Variation 11° 27' East
41,90	Drove chared & take with trench and pit Set a Post in mound as per instructions for quarter sections corner
81,90	The corner to sections 29, 30, 31, 32 Land rolling prairie Soil 1st rate

North between sections 29 and 30
Variation 10° East

40,00	Set a lime stone 18 in long 12 in

Township 9 N. Range 9 E
Sixth Principal Meridian

chains

wide and 3 in. thick for quarter section corner
Drove capped stake with trench and pit
30,00 * Set a post in mound as per instruction for corner to sections 19, 20, 29 and 30
Land rolling prairie
Soil 4th rate

East on a random line between sections 20 and 29
Variation 10° 48' East
40,00 Set a post for a temporary quarter section corner
79,96 Intersected N. and S. line 20 links South of the corner to sections 20, 21, 28 and 29 from which corner, I run
West on a true line between sections 20 and 29
Variation 10° 57' East

Township 9 N. Range 9 E.
Sixth Principal Meridian

chains

39,98 * Set a post in mound as per instruction for quarter section corner
19,96 The corner to sections 19, 20, 29, 30
Land rolling prairie;
Soil 4th rate.

West on a random line between sections 19 and 30
Variation 10° 48' East
40,00 Set a post for a temporary quarter section corner
67,00 Road, course N. E and S. W.
83,58 Intersected the West Boundary of the Township 42 links North of the corner to sections 29 and 30 from which corner, I run
East on a true line between sections 19 and 30
Variation 11° 6' East

Township 9. N. Range 9. E.
Sixth Principal Meridian

chains
43,58 Drove chared stake, with trench and pit
Set a Post in Mound as per instruction for quarter section corner
83,58 The corner to section 19, 20, 29, 30
Land rolling prairie;
Soil 1st rate.

North between section 19 and 20
Variation 9° 30' East
40,00 Set a grey sand stone 16 in long 10 in. wide and 4 in. thick for quarter section corner
49,50 Road, course N. E and S. W.
80,00 Set a grey sand stone 16 in. long 10 in wide and 4 in. thick for corner to section 17, 18, 19 and 20
Land rolling prairie;
Soil 1st rate

East on a random line

Township 9. N. Range 9. E.
Sixth Principal Meridian

chains
between sections 17 and 20
Variation 10° 48' East
40,00 Set a post for a temporary quarter section corner
45,70 Road, course N. E and S. W.
80,06 Intersected N and S line at the corner to section 16, 17, 20 and 21 from which corner Iron Wood on a true line between sections 17 and 20
Variation 10° 48' East
40,03 Set a grey sand stone 16 in. long 10 in. wide and 4 in thick for quarter section corner,
80,06 The corner to section 17, 18, 19, 20
Land rolling prairie
Soil 1st rate

West on a random line between sections 18 and 19

Township 9 N. Range 9 E.
Fifth Principal Meridian

Variation 10° 48' East

chains
40,00 Set a post for a temporary quarter section corner

85,72 Intersected the West Boundary of the Township at the corner to sections 18 and 19 from which corner, I run

East on a true line between sections 18 and 19

Variation 10° 48' East

45,72 Set a grey sand stone 11 in. long 9 in. wide and 6 in. thick for quarter section corner

85,72 The corner to sections 17, 18, 19, 20
Land rolling prairie;
Soil 1st rate.

North between sections 17 and 18

Variation 11° 30' East

40,00 Set a grey sand stone 15 in. long

Township 9 N. Range 9 E.
Fifth Principal Meridian

chains
12 in. wide and 4 in. thick for quarter section corner

80,00 Set a lime stone 18 in. long 9 in. wide and 4 in. thick for corner to section 7, 8, 17 and 18 from which
A Black Walnut 13 in. in dia. bears N 17¾ W 226 links dist.
A White Oak 24 in. in dia. bears N 13° W 353 links dist.
No other trees within three chains; A few scattering trees to the west of corner
Land rolling prairie
Soil 1st rate

East on a random line between sections 8 and 17

Variation 10° 48' East

40,00 Set a post for a temporary

Township 9 N. Range 9 E.
Sixth Principal Meridian.

chains	
80,40	quarter section corner Intersected N and S line 28 links South of the corner to sections 8, 9, 16 and 17 from which corner, I run West on true line between sections 8 and 17. Variation 11° East
40,20	Set a limestone 20 in. long 9 in. wide and 3 in. thick for quarter section corner
80,40	The corner to sections 7, 8, 17, 18 Land rolling prairie Soil 1st rate June 17th 1857.

West on a random line between sections 7 and 18
Variation 10° 48' East

5,40	Creek, right bank, 10 links wide runs N.E.
40,00	Set a post for a temporary quarter section corner

Township 9 N. Range 9 E.
Sixth Principal Meridian

chains	
80,94	Intersected the West Boundary of the Township 16 links North of the corner to sections 7 and 18 from which corner, I run East on a true line between sections 8 and 17 Variation 10° 55' East
40,94	Set a limestone 18 in. long 9 in. wide and 4 in. thick for quarter section corner
80,94	The corner to sections 7, 8, 17, 18, Land rolling prairie Soil 1st rate.

North between sections 7 and 8
Variation 13° 3' East

20,60	Enter timber bears E and W
30,00	Spring run 3 links wide right bank runs N.E.

Township 9, N. Range 9, E.
Sixth Principal Meridian

Chains	
32,60	Same stream left bank 5 links wide runs N. W.
33,40	Same stream right bank, 5 links wide runs N. E.
36,00	Leave timber bears S. W and N. E.
40,00	Set a grey sand stone 12 in. long 9 in. wide and 7 in. thick for quarter section corner
80,00	Set a grey sand stone 16 in. long 12 in. wide and 4 in. thick for corner to sections 5, 6, 7, and 8 Land rolling prairie Soil 1st rate Timber Oak and Elm

East on a random line between sections 5 and 8
Variation 10° 45' East

40,00	Set a post for a temporary

Township 9, N. Range 9, E.
Sixth Principal Meridian

Chains	
	quarter section corner
80,14	Intersected N and S line 30 links South of the corner to sections 4, 5, 8 and 9 from which corner, I run

West on a true line between sections 5 and 8
Variation 11° 1' East

40,07	Set a grey sand stone 13 in. long 8 in. wide and 6 in. thick for quarter section corner
80,14	The corner to sections 5, 6, 7, 8 Land rolling prairie Soil 1st rate

West on a random line between sections 6 and 7
Variation 10° 45' East

40,00	Set a post for a temporary quarter section corner

Township 9. N.r Range 9. E.
Sixth Principal Meridian

Chains	
81,60	Intersected the West Boundary of the Township 42 links South of the corner to sections 6 and 7 from which corner Drum East on a true line between sections 6 and 7
	Variation 10° 30' East
41,60	Set a grey sand stone 15 in. long 9 in. wide and 6 in. thick for quarter section corner
81,60	The corner to sections 5, 6, 7. & 8 and rolling prairie;
	Soil 1st rate.

	North on a random line between sections 5 and 6
	Variation 13° 30' East
40,00	Set a post for a temporary quarter section corner

Township 9. N.r Range 9. E.
Sixth Principal Meridian

Chains	
80,62	Intersected the North Boundary of the Township 104 links East of the corner to Sections 5 and 6 from which corner Drum South on a true line between sections 5 and 6
	Variation 14° 15' East
40,62	Set a grey sand Stone 12 in. long 10 in. wide and 6 in. thick for a quarter section corner
80,62	The corner to sections 5, 6, 7. & 8 and rolling prairie
	Soil 1st rate
	June. 18th 1857.

General Description

The quality of the land in this Township is first rate; all of high rolling prairie

It is well watered excepting a small part of the South West corner which is destitute of water

There is a little timber in the Northern part consisting of Oak, Elm and Black Walnut

This Township is generally well adapted for agriculture.

List of Names

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the foregoing field notes of Township No. 9. North of the base line of Range No. 9 East of the Sixth Principal Meridian showing the respective capacities in which they acted;

W. C. Barnum, Chainman.
Philo S. Barnum, Chainman.
Dexter P. Sprague, Axeman and Marker.
A. D. Lance. Flagman.
A. S. Drake, Compassman.

62

Schaper Sky Diffendorf & Terry 1 / 63

2

65

Field Notes
of the
Subdivision lines
of
Township No. 10. North
of the base line, of
Range No. 9 East
of the
Sixth Principal Meridian
in the
Territory of Nebraska
By
Wallace Barnum
Deputy Surveyor
Under his contract No 138
bearing date the 15th day of October 1856.
Subdivision Commenced
June 3rd 1857.
Subdivision Completed
June 9th 1857.

Exd

List of Names

A list of the names of the individuals employed to assist in running, measuring, or marking the lines and corners described in the following field notes of Township No. 10. North of the base line of Range No. 9. East of the Sixth Principal Meridian, showing the respective capacities in which they acted:

M. C. Barnum, Chainman,
Philo S. Barnum, Chainman,
Dexter P. Sprague, Axeman and Marker.
A. D. Luce, Flagman,
A. S. Drake, Compassman.

Township 10 N. Range 9 East

6	50	5	37	4	28	3	19	2	10	1
49		48		36		27		18		10
7	48	8	35	9	26	10	18	11	9	12
47		46		34		25		17		8
18	45	17	34	16	25	15	16	14	7	13
45		44		33		24		15		6
19	43	20	32	21	23	22	15	23	6	24
42		41		31		22		14		5
30	41	29	31	28	22	27	13	26	4	25
40		39		30		21		12		3
31	38	32	29	33	20	34	11	35	2	36

64 22

22

United States of America
Territory of Nebraska } I do solemnly
swear that I will execute
the duties of chain carrier. that
I will keep the chain upon uneven
ground and plumt the tally
pins, wheather by sticking or
dropping the same that I will
report the true distance to all
notable objects and the true
length of all lines that I assist
in measuring to the best of
my skill and abellety

Philo S Beaman

Subscribed and sworn to before
me this 30th day of May AD
1857.

John H Mason
Justice of the Peace in and for
the Co of Otoe

64

66

67

United States of America
Territory of Nebraska } I
do solemnly swear that
I will well and truly perform
the duties of Compassman
according to instructions
given me and to the best of
my skill and ability

A. P. Drake

Subscribed and sworn to
before me this 30th day of
May AD 1857. John H Nixon
Justice of the Peace
in and for the Co of Otoe

68

UNITED STATES OF AMERICA, } I,
TERRITORY OF Nebraska } do solemnly Swear that I will
well and truly perform the duties of Flaggman according
to instructions given me, and to the best of my skill and ability.

A. D. Pierce

Subscribed and sworn to before me this 30th day of
May A. D. 1857.

John H Mason Justice of the Peace.
in and for the Co of Otoe

UNITED STATES OF AMERICA, } I,
TERRITORY OF Nebraska } do solemnly Swear that I will
well and truly perform the duties of Axeman according
to instructions given me, and to the best of my skill and ability.

Dexter D Spragg

Subscribed and sworn to before me this thirty-first day of
October, A. D. 1857.

James D White
~~Justice of the Peace.~~
Notary Public

69

United States of America }
Territory of Nebraska } I

do solemnly swear that
I will execute the duties of
chain carrier; that I will level
the chain upon uneven ground
and plumb the tally pins
when taken by sticking or dropping
the same, that I will report
the true distance to all
objects and the true length
of all lines that I assist
in measuring to the best
of my skill and ability

M. C. Barnum

Subscribed and sworn to
before me this 30th day of
May A D 1857.

John H Mason
Justice of the Peace
in and for the Co of Otoe

68

70

UNI
TER
well
to i
S

UN
TE
wel
to i

71

Field Notes of the Subdivison lines
in Township 10 N. Range 9 E.
Sixth Principal Meridian

chains

Do determine the proper adjust-
ment of my compas for sub-
dividing this Township, I com-
mence at the corner to Town-
ships 9 and 10 North, Ranges
9 and 10 East, and run
North, on a blank line along
the East Boundary of section 36
Variation 11° 55' East.

39,90 Do a Point 10 links West of
the quarter section corner

79,84 Intersected at the corner to
sections 25 and 136

I also run
West on a blank line along
the South Boundary of
section 36
Variation 11° 55' East

40,08 Do a Point 90 links South of

Township 10 N. Range 9 E.
Sixth Principal Meridian

chains
80,09 the quarter section corner
To a point 168 links South of
the corner to sections 35 and 136
To retrace this line or run
parallel thereto, my compass
must be adjusted to a varia-
tion of 10° 43' East

Subdivision Commenced
June 3rd " 1857
From the corner to sections
1, 2, 35 and 36 on the South
Boundary of the Township,
I run
North, between section 35 and 136
Variation 11° 55' East
39,75 Road, course N. E and S. W.
40,00 * Set a grey sand stone 13 in. long
10 in. wide and 5 in. thick for
quarter section corner

Township 10 N. Range 9 E.
Sixth Principal Meridian

chains
80,00 Set a grey sand Stone 16 in. long 12
in. wide and 5 in. thick for
corner to sections 25, 26, 35 and 36
Land rolling prairie;
Soil 4th rate.

East on a random line
between sections 25 and 36
Variation 10° 43' East
39,00 Road, course N. E and S. W.
40,00 Set a post for a temporary
quarter section corner
55,00 Spring run 3 links wide, right
bank runs S.
80,24 Intersected the East Boundary
of the Township 10 links North
of the corner to sections 25 and 36
from which corner, I run
West on a true line between

4/74

Township 10. N. Range 9 E
Fifth Principal Meridian

Chains	
	sections 25 and 36
	Variation 10° 39' East
40,12	Set a grey sand stone 16 in. long 11 in. wide and 6 in. thick for quarter section corner
80,24	The corner to section 25, 26, 35, 36. Land rolling prairie; Soil 1st Rate.

North between sections 25 and 26
Variation 11° 45' East

6,50	Spring run, 3 links wide, left bank runs S. W.
40,00	Set a grey sand stone 16 in. long 9 in. wide and 4 in. thick for quarter section corner
80,00	Set a grey sandstone 16 in. long 11 in. wide and 7 in. thick for corner to sections 23, 24, 25 and 26

5/75

Township 10. N. Range 9 E.
Fifth Principal Meridian

Chains	
	Land rolling prairie
	Soil 1st rate

East on a random line between sections 24 and 25
Variation 10° 33' East

40,00	Set a post for a temporary quarter section corner
55,00	Road; course N. E and S. W.
80,02	Intersected the East Boundary of the Township at the corner to sections 24 and 25 from which corner, I run West on a true line between sections 24 and 25
	Variation 10° 33' East
40,01	Set a grey sand stone 13 in. long 8 in. wide and 5 in. thick for quarter section corner
80,02	The corner to sections 23, 24, 25, 26.

It was almost impossible to get the

Township 10, N. Range 9 E.
Sixth Principal Meridian

chains	
	Land rolling prairie Soil 1st rate
	North between sections 23 and 24 Variation 11° 55' East
36,00	Road, bears E and W
40,00	Set a grey sand stone 18 in. long 10 in. wide and 6 in. thick for quarter section corner
80,00	Set a grey sand stone 16 in. long 9 in. wide and 5 in. thick for corner to sections 13, 14, 23 and 24 Land rolling prairie; Soil 1st rate.
	East on a random line between sections 13 and 24 Variation 10° 25' East
40,00	Set a post for a temporary quarter section corner

Township 10. N. Range 9 E.
Sixth Principal Meridian

chains	
80,14	Intersected the East Boundary of the Township 48 links South of the corner to sections 13 and 24 from which corner, I run West on a true line between sections 13 and 24 Variation 10° 46' East
40,00	Set a grey sand stone 13 in. long 7 in. wide and 6 in. thick for quarter section corner
80,14	The corner to sections 13, 14, 23, 24. Land rolling prairie; Soil 1st rate.
	North between sections 13 and 14 Variation 11° 30' East
40,00	Set a grey sand stone 12 in. long 8 in. wide and 6 in. thick for quarter section corner

1 sec. corner found 1.8 W

Township 10 N. Range 9 E.
Sixth Principal Meridian

chains	
80,00	Set a grey sand stone 12 in. long 8 in. wide and 6 in. thick for corner to sections 11, 12, 13 and 14 Land rolling prairie; Soil 1st rate,
	East on a random line between sections 12 and 13 Variation 10° 45' East
22,00	Old Government road to Ft. Kearney bears N. 11 W and 9 E.
40,00	Set a post for a temporary quarter section corner
80,26	Intersected the East Boundary of the Township 34 links North of the corner to sections 12 and 13 from which corner, I run West on a true line between sections 12 and 13

Township 10 N. Range 9 E.
Sixth Principal Meridian

chains	Variation 10° 31' East
40,13	Set a grey sand stone 14 in. long 7 in. wide and 6 in. thick for quarter section corner
80,26	The corner to Sections 11, 12, 13, 14 Land rolling prairie Soil 1st rate
	North between sections 11 and 12 Variation 11° 45' East
20,00	Old Government road to Ft. Kearney course N. 11 W and 9 E.
40,00	Set a grey sand stone 13 in. long 9 in. wide and 5 in. thick for quarter section corner
80,00	Set a grey sand stone 13 in. long 10 in. wide and 5 in. thick for corner to sections 1, 12, 11 and 12 Land rolling prairie; Soil 1st rate.

Township 10. N. Range 9. E.
Fifth Principal Meridian

chains	East on a random line between section 1 and 12
	Variation 10° 35' East
4,00	Set a post for a temporary quarter section corner
80,30	Intersected the East Boundary of the Township 74 links South of the corner to section 1 and 12 from which corner, I run West on a true line between section 1 and 12
	Variation 10° 54' East
40,15	Set a grey sand stone 16 in. long 7 in. wide and 5 in. thick for quarter section corner
80,30	The corner to sections 1, 2, 11, 12 Land rolling prairie; Soil 1st rate.

North on a random line

Township 10. N. Range 9. E.
Fifth Principal Meridian

chains	between section 1 and 2
	Variation 11° East
40,00	Set a post for a temporary quarter section corner
78,64	Intersected the North Boundary of the Township 78 links West of the corner to section 1 and 2 from which corner, I run South on a true line between section 1 and 2
	Variation 10° 39' East
37,64	Set a grey sand stone 13 in. long 8 in. wide and 7 in. thick for quarter section corner
79,64	The corner to section 1, 2, 11, 12 Land rolling prairie; Soil 1st rate.

June 1st 1857.

North between section 34 and 35

Township 10 N. Range 9 E.
Sixth Principal Meridian

Variation 11° 45' East

chains
40,00 Set a grey sand stone 18 in. long 11 in. wide and 6 in. thick for quarter section corner

80,00 Set a grey sand stone 15 in. long 12 in. wide and 8 in. thick for corner to section 26, 27, 34 and 35
Land rolling prairie;
Soil 1st rate

East on a random line between sections 26 and 35
Variation 10° 30' East

40,00 Set a post for a temporary quarter section corner

73,00 Spring run, 3 links wide, right bank runs S. W.

79,54 Intersected N and S line 46 links South of the corner to section 26, 27, 34 and 35 from

Township 10 N. Range 9 E.
Sixth Principal Meridian

chains
which corner, Drum
West on a true line between sections 26 and 35
Variation 10° 30' East

39,77 Set a grey sand stone 18 in. long 12 in. wide and 6 in. thick for quarter section corner

78,54 The corner to section 26, 27, 34, 35
Land rolling prairie;
Soil 1st rate

North between sections 26 and 27
Variation 11° 55' East

40,00 Set a grey sand stone 17 in. long 11 in. wide and 6 in. thick for quarter section corner

80,00 Set a grey sand stone 15 in. long 12 in. wide and 8 in. thick for corner to sections 22, 23, 26 and 27
Land rolling prairie

Aug. 3, 1881 Sec. completed 1881 It was subsequently found

Township 10 N. Range 9 E.
Sixth Principal Meridian

Chains	Soil 1st rate
	East on a random line between sections 23 and 26 Variation 10° 40' East
40,00	Set a post for a temporary quarter section corner
79,58	Intersected N. and S. line 6 links South of the corner to sections 23 24, 25 and 26 from which corner, Pecan 18 in. dia. bears N. 50° W. 50 links dist. Pecan 12 in. dia. bears S. 50° E. 50 links dist.
	West on a true line between sections 23 and 26 Variation 10° 43' East
39,79	Set a grey sandstone 12 in. long 12 in. wide and 9 in. thick for quarter section corner
79,58	The corner to sections 22, 23, 26, 27 Land rolling prairie; Soil 1st rate.

Township 10 N. Range 9 E.
Sixth Principal Meridian

Chains	North between sections 22 and 23 Variation 12° East
40,00	Set a grey sandstone 16 in. long 12 in. wide and 3 in. thick for quarter section corner
60,00	Road, course E and W
80,00	Set a grey sandstone 14 in. long 10 in. wide and 5 in. thick for corner to sections 14, 15, 22 and 23 Land rolling prairie; Soil 1st rate.
	East on a random line between sections 14 and 23 Variation 10° 40' East
40,00	Set a post for a temporary quarter section corner
78,30	Intersected N. and S. line 18 links South of the corner to sections 13, 14, 23 and 24 from

Township 10. N. Range 9. E.
Fifth Principal Meridian

chains	
	which corner, I run West on a true line between sections 14 and 23. Variation 10° 48' East
39,65	Set a grey sand stone 14 in long 9 in. wide and 5 in. thick for quarter section corner
79,30	The corner to section 14, 15, 22, 23 Land rolling prairie; Soil 1st rate.

	North between section 14 and 15 Variation 12° 5' East
40,00	Set a grey sand Ston 14 in. long 9 in. wide and 6 in. thick for quarter section corner
80,00	Set a grey sand ston 13 in. long 9 in. wide and 6 in. thick for corner to section 10 11, 14 and 15 Land rolling prairie

Township 10. N. Range 9. E.
Fifth Principal Meridian

chains	Soil 1st rate.
	East on a random line between sections 11 and 14 Variation 10° 45' East
40,00	Set a post for a temporary quarter section corner
79,36	Intersected N. and S. line 18 links North of the corner to section 11, 12, 13 and 14 from which corner, I run West on a true line between section 11 and 14 Variation 10° 37' East
39,68	Set a grey sand stone 18 in. long 10 in. wide and 3 in. thick for quarter section corner
79,36	The corner to section 10, 11, 14, 15 Land rolling prairie; Soil 1st rate.

Surveyed Aug. 3, 1851 not completed

Township 10. N. Range 9. E.
Sixth Principal Meridian

chains

North between section 10 and 11
Variation 12° 5' East

30,00 Old Government Road to Ft Kearney course N.W. and S.E.

40,00 Set a grey sand stone 10 in. long 8 in. wide and 8 in. thick for quarter section corner

30,00 Set a grey sand stone 15 in. long 8 in. wide and 5 in. thick for corner to section 2, 3, 10 and 11
Land rolling prairie;
Soil 1st rate.

East on a random line between sections 2 and 11
Variation 10° 30' East

40,00 Set a post for a temporary quarter section corner

79,68 Intersected the N. and S. line 32 links South of the corner

Township 10. N. Range 9. E.
Sixth Principal Meridian

chains

to sections 1, 2, 11 and 12 from which corner, I run
West on a true line between section 2 and 11
Variation 11° 6' East

39,84 Set a grey sand stone 13 in. long 12 in. wide and 7 in. thick for quarter section corner

79,68 The corner to sections 2, 3, 10, 11.
Land rolling prairie;
Soil 1st rate.

North on a random line between sections 2 and 3
Variation 11° East

40,00 Set a post for a temporary quarter section corner

79,68 Intersected the North Boundary of the Township 126 links West of the corner to section 2 and 3

Township 10 N. Range 9 E.
Fifth Principal Meridian

chains from which corner, I run
South on a true line between
sections 2 and 3
Variation 10° 6' East
39,68 Set a grey sand stone 14 in. long
12 in. wide and 5 in. thick for
quarter section corner
79,68 The corner to sections 2, 3, 10, 11
Land rolling prairie
Soil 1st rate
June 5th 1857

North between sections 33 and 34
Variation 11°50' East
40,00 Set a red sand stone 19 in. long
9 in. wide and 4 in. thick for
quarter section corner
73,00 Spring run 4 links wide, right
bank runs S. E.
80,00 Set a grey sand stone 14 in. long
9 in. wide and 6 in. thick for

Township 10 N. Range 9 E.
Fifth Principal Meridian

chains corner to sections 27, 28, 33 and 34
Land rolling prairie
Soil 1st rate

East on a random line
between sections 27 and 34
Variation 10°40' East
40,00 Set a post for a temporary
quarter section corner
80,46 Intersected N. and S. line 40
links South of the corner to
section 26, 27, 34 and 35 from
which corner, I run
West on a true line between
sections 27 and 34
Variation 10°57' East
40,23 Set a grey sand stone 17 in. long
9 in. wide and 7 in. thick for
quarter section corner
80,46 The corner to sections 27, 28, 33, 34

Township 10 N. Range 9 E.
Sixth Principal Meridian

chains	
	Land rolling prairie; Soil 1st rate.
	North between sections 27 and 28 Variation 11° 45' East
40,00	Set a grey sand stone 15 in. long 10 in. wide and 8 in. thick for quarter section corner
80,00	Set a grey sand stone 15 in. long 12 in. wide and 5 in. thick for corner to sections 21, 22, 27 and 28 Land rolling prairie; Soil 1st rate.
	East on a random line between sections 22 and 27 Variation 10° 50' East
40,00	Set a post for a temporary quarter section corner.

Township 10 N. Range 9 E.
Sixth Principal Meridian

chains	
79,96	Intersected N. and S. line 16 links South of the corner to sections 22, 23, 26 and 27 from which corner, I run West on a true line between sections 22 and 27 Variation 10° 57' East
39,98	Set a grey sand stone 13 in. long 8 in. wide and 7 in. thick for quarter section corner
79,96	The corner to sections 21, 22, 27, 28. Land rolling prairie; Soil 1st rate.
	North between sections 21 and 22 Variation 11° 50' East
23,00	Road; course E and W
40,00	Set a grey sand stone 13 in. long 9 in. wide and 7 in. thick for

Township 10 N. Range 9 E.
Fifth Principal Meridian

0	chains	quarter section corner.
39,00		Set a grey sand stone 15 in long
		11 in wide and 7 in thick for
		corner to sections 15, 16, 21 and 22
		Land rolling prairie;
		Soil 1st rate.

East on a random line
between sections 15 and 22
Variation 10° 57' East

40,00	Set a post for a temporary
	quarter section corner
79,80	Intersected N. and S. line 4 links
	North of the corner to sections
	14, 15, 22 and 23 from which
	corner, I run
	West on a true line between
	sections 15 and 22
	Variation 10° 55' East
39,90	Set a grey sand stone 9 in long

Township 10 N. Range 9 E.
Fifth Principal Meridian

chains	7 in wide and 7 in thick for
	quarter section corner
79,80	The corner to sections 15, 16, 21, 22.
	Land rolling prairie;
	Soil 1st rate.

North between sections 15 and 16
Variation 12° East

40,00	Set a grey sand stone 12 in long
	8 in wide and 7 in thick for
	quarter section corner
80,00	Set a grey sand stone 13 in long
	9 in wide and 7 in thick for
	corner to sections 9, 10, 15 and 16
	Land rolling prairie;
	Soil 1st rate.

East on a random line
between sections 10 and 15
Variation 10° 55' East

1857 Iron corner bound. It was subsequently changed to a stone

Township 10 N. Range 9 E.
Sixth Principal Meridian

Chains	
40,00	Set a post for a temporary quarter section corner
79,96	Intersected N and S. line 26 links North of the corner to sections 10, 11, 14 and 15 from which corner, I run West on a true line between sections 10 and 15
	Variation 10° 44' East
39,98	Set a grey sand stone 13 in. long 7 in. wide and 6 in. thick for quarter section corner
79,96	The corner to sections 9, 10, 15, 16
	Land rolling prairie; Soil 1st & 2nd rate.

North between sections 9 and 10
Variation 11° 50' East

40,00	Set a grey sand stone 14 in. long

Township 10 N. Range 9 E.
Sixth Principal Meridian

Chains	8 in. wide and 6 in. thick for quarter section corner
80,00	Set a grey sand stone 15 in. long 8 in. wide and 6 in. thick for corner to sections 3, 4, 9 and 10 Land rolling prairie, Soil 1st & 2nd rate

---

East on a random line between sections 3 and 10
Variation 19° 45' East

10,00	Old Government road to Ft. Kearney, course N. W and S. E.
40,00	Set a post for a temporary quarter section corner
79,76	Intersected N and S line 6 links North of the corner to Sections 2, 3, 10 and 11 from which corner, I run West on a true line between sections 3 and 10

Surveyed Aug. 3, 1857 see Corresp.

28/96

Township 10 N. Range 7 E.
Fifth Principal Meridian

	Variation 10° 42' East.
39,88	Set a grey sandstone 14 in. long 10 in. wide and 6 in. thick for quarter section corner
19,76	The corner to sections 3, 4, 9 and 10 Land rolling prairie; Soil 1st rate.

North on a random line between sections 3 and 4
Variation 10° 40' East

15,00	Old Government road to Ft. Kearney course N.W. and S.E.
4,00	Set a post for a temporary quarter section corner
19,70	Intersected the North Boundary of the Township 240 links West of the corner to sections 3 and 4 from which corner 3 rods South on a true line between

27/97

Township 10 N. Range 9 E.
Fifth Principal Meridian

chains	sections 3 and 4
	Variation 8° 57' East
39,70	Set a red sandstone 16 in. long 10 in. wide and 5 in. thick for quarter section corner
19,70	The corner to sections 3, 4, 9, 10 Land rolling prairie; Soil 1st rate.
	June 6th 1857.

North between sections 32 and 33
Variation 11° 45' East

40,00	Set a red sandstone 17 in. long 12 in. wide and 7 in. thick for quarter section corner
80,00	Set a red sandstone 20 in. long 10 in. wide and 7 in. thick for corner to sections 28, 29, 32 and 33 Land rolling prairie; Soil 1st rate.

S. 3, 1857 Sec Corner/Line
Surveyor General's Office

Township 10. N. Range 9. E.
Sixth Principal Meridian

Chains	East on a random line between sections 28 and 33
	Variation 10° 50' East
40,00	Set a post for a temporary quarter section corner
75,00	Spring run, 3 links wide right bank runs S. E.
78,58	Intersected N. and S. line at the corner to sections 27, 28, 33 and 34 from which corner, I run West on a true line between sections 28 and 33
	Variation 10° 50' East
39,79	Set a red sand stone 20 in. long 14 in. wide and 4 in. thick for quarter section corner
79,58	The corner to sections 28, 29, 32, 33
	Land rolling prairie
	Soil 1st rate

Township 10. N. Range 9. E.
Sixth Principal Meridian

Chains	North between sections 28 and 29
	Variation 12° East
40,00	Set a red sand stone 16 in. long 9 in. wide and 8 in. thick for quarter section corner
80,00	Set a red sand stone 16 in. long 8 in. wide and 7 in. thick for corner to sections 20, 21, 28 and 29.
	Land rolling prairie
	Soil 1st rate

East on a random line between section 21 and 28.
Variation 11° 30' East

40,00	Set a post for a temporary quarter section corner
79,68	Intersected N. and S. line 100 links North of the corner to section 21, 22, 27 and 28 from which corner, I run

Surveyed May 5, 1857

Township 10, N. Range 9, E.
Sixth Principal Meridian

Prairie — West on a true line between sections 21 and 28
Variation 10° 47' East
38,84 Set a red sand stone 15 in. long 9 in. wide and 8 in. thick for quarter section corner
79,68 The corner to sections 20, 21, 28, 29
Land rolling prairie
Soil 1st rate

North between sections 20 and 21
Variation 12° 10' East
23,00 Road, course E. and W.
40,00 Set a red sand stone 20 in. long 12 in. wide and 4 in. thick for quarter section corner
80,00 Set a red sand stone 14 in. long 8 in. wide and 7 in. thick for corner to sections 16, 17, 20 and 21
Land rolling prairie

Township 10 N. Range 9 E.
Sixth Principal Meridian

Prairie — Soil 1st rate,

Easton a random line between sections 16 and 21
Variation 10° 45' East
40,00 Set a post for a temporary quarter section corner
80,32 Intersected N. and S. line 80 links North of the corner to sections 15, 16, 21 and 22 from which corner, I run
West on a true line between sections 16 and 21
Variation 10° 11' East
40,16 Set a red sand stone 12 in. long 11 in. wide and 5 in. thick for quarter section corner
80,32 The corner to sections 16, 17, 20, 21
Land rolling prairie;
Soil 1st rate,

Correction Line of Deputy Surveyor Nov. 11, 1856—5
Commenced Aug. 5, 1857

Township 10. N. Range 9. E.
Sixth Principal Meridian

chains	
	North between sections 16 and 17
	Variation 11° 40' East
34,00	Spring run, 3 links wide right bank runs N.E.
40,00	Set a red sand stone 12 in. long 9 in. wide and 8 in. thick for quarter section corner
80,00	Set a red sand stone 16 in. long 8 in. wide and 6 in. thick for corner to sections 8, 9, 16 and 17. Land rolling prairie; Soil 1st rate.

East on a random line between sections 9 and 16
Variation 10° 30' East

11,00	Spring run, 3 links wide left bank runs N.W.
40,00	Set a post for a temporary quarter section corner

Township 10. N. Range 9. E.
Sixth Principal Meridian

chains	
79,40	Intersected N. and S. line 40 links South of the corner to sections 9, 10, 15 and 16 from which corner, Drum West on a true line between sections 9 and 16
	Variation 10° 47' East
39,70	Set a red sand stone 14 in. long 8 in. wide and 5 in. thick for quarter section corner.
79,40	The corner to sections 8, 9, 16, 17 Land rolling prairie; Soil 1st rate.

North between sections 8 and 9
Variation 11° 40' East

15,00	Spring run, 3 links wide left bank runs N.W.
40,00	Set a red sand stone 14 in. long

Corrected plat of Township 10 N. R 9 E. 5th P.M. surveyed in 1851 by Deputy Surveyor Wm. H. Wood

Township 10. N. Range 9. E.
Sixth Principal Meridian

chains		12 in. wide and 5 in. thick for quarter section corner
80,00		Set a red sand stone 20 in. long 6 in. wide and 6 in. thick for corner to sections 4, 5, 8 and 9
		Land rolling prairie;
		Soil 1st. rate.
		East on a random line between sections 4 and 9
		Variation 10° 45' East
4,00		Set a post for a temporary quarter section corner
78,40		Intersected N. and S. line at the corner to section 3, 4, 9 and 10 from which corner I run
		West on a true line between sections 4 and 9
		Variation 10° 45' East

Township 10. N. Range 9. E.
Sixth Principal Meridian

chains		
39,70		Set a red sand stone 18 in. long 7 in. wide and 7 in. thick for quarter section corner
79,40		The corner to sections 4, 5, 8, 9
		Land rolling prairie;
		Soil 1st. rate.
		North on a random line between sections 4 and 5
		Variation 8° 30' East
40,00		Set a post for a temporary quarter section corner
45,00		Old Government road to Ft. Kearney course N.W. and S.E.
80,74		Intersected the North Boundary of the Township 90 links West of the corner to sections 4 and 5 from which corner I run
		South on a true line between

Surveyed & Platted during the Month of Aug. 5, 1855

Township 10, N. Range 9. E.
Sixth Principal Meridian

	chains	sections 4 and 5
		Variation 8° 10' East
	40,74	Set a red sand stone 14 in. long 10 in. wide and 3 in. thick for quarter section corner
	80,74	The corner to section 4 5, 8, 9. Land rolling prairie, Soil 2nd rate.
		June 7th 1857.

North between section 31 and 32
Variation 11° 30' East

4	29,00	Creek 6 links wide, right bank runs S. E.
7	10,00	Set a red sand stone 22 in. long 8 in. wide and 4 in. thick for quarter section corner
	30,00	Set a red sand stone 16 in. long 12 in. wide and 4 in. thick for corner to sections 29, 30, 31 and 32 Land rolling prairie

Township 10. N. Range 9. E.
Sixth Principal Meridian

hains	Soil 1st rate.

East on a random line between sections 29 and 32
Variation 10° 30' East

40,00	Set a post for a temporary quarter section corner
80,28	Intersected N. and S. line 68 links South of the corner to sections 28, 29, 32 and 33 from which corner, I run West on a true line between sections 29 and 32
	Variation 11° 19' East
40,14	Set a red sand stone 16 in. long 12 in. wide and 4 in. thick for quarter section corner
80,28	The corner to sections 29, 30, 31, 32 Land rolling prairie Soil 2nd rate.

Surveyed Aug. 3, 1857 by Deputy Surveyor Thos. H. [illegible]

Township 10, N. Range 9, E.
Sixth Principal Meridian

	chains	West on a random line between sections 30 and 31
		Variation 11° East
	40,00	Set a post for a temporary quarter section corner
	42,00	Creek, 5 links wide, left bank runs S. E.
	76,34	Intersected the West Boundary of the Township 8 links North of the corner to sections 30 and 31 from which corner, I run East on a true line between sections 30 and 31
		Variation 11° 3' East
	36,34	Set a red sand stone 12 in. long 7 in. wide and 7 in. thick for quarter section corner
	76,34	The corner to sections 29, 30, 31, 32.
		Land rolling prairie;
		Soil 1st rate.

Township 10, N. Range 9, E.
Sixth Principal Meridian

	chains	North between sections 29 and 30
		Variation 11° 40' East
	40,00	Set a red sand stone 12 in. long 6 in. wide and 5 in. thick for quarter section corner
	80,00	Set a red sand stone 12 in. long 6 in. wide and 5 in. thick for corner to sections 19, 20, 29 and 30.
		Land rolling prairie;
		Soil 1st rate.

East on a random line between sections 20 and 29

Variation 11° 10' East

40,00	Set a post for a temporary quarter section corner
80,20	Intersected N. and S. line 40 links South of the corner to sections 20, 21, 28 and 29 from which corner, I run

Corrections of Deputy Surveyor not to be noticed. T. 10 N. R. 9 E. 5th P. M.

Township 10. N. Range 9. E.
Sixth Principal Meridian

	chains	West on a true line between sections 20 and 29
		Variation 11° 27' East
	40,10	Set a red sand stone 12 in. long 7 in. wide and 7 in. thick for quarter section corner
	80,20	The corner to sections 19, 20, 29, 30 Land rolling prairie; Soil 1st rate.

West on a random line between sections 19 and 30
Variation 11° 5' East

49,00	Set a post for a temporary quarter section corner
75,50	Intersected the West Boundary of the Township 30 links South of the corner to sections 19 and 30 from which corner I run East on a true line between

Township 10. N. Range 9. E.
Sixth Principal Meridian

chains	sections 19 and 30
	Variation 10° 52' East
35,50	Set a red sand stone 15 in. long 10 in. wide and 5 in. thick for quarter section corner
75,50	The corner to section 19, 20, 29, 30. Land rolling prairie; Soil 1st rate.

North between sections 19 and 20
Variation 11° 50' East

5,00	Road, course E. and W.
40,00	Set a red sand stone 16 in. long 7 in. wide and 6 in. thick for quarter section corner
80,00	Set a red sand stone 16 in. long 7 in. wide and 7 in. thick for corner to sections 17, 18, 19 and 20 Land rolling prairie; Soil 1st rate,

Deputy Surveyor's Office, Aug. 5, 1857

Township 16 N. Range 9 E.
Fifth Principal Meridian.

chains	East on a random line between sections 17 and 20
	Variation 10° 50' East
4,00	Set a post for a temporary quarter section corner
19,86	Intersected N. and S. line 70 links South of the corner to sections 16, 17, 20 and 21 from which corner, 3 rem
	West on a true line between sections 17 and 20
	Variation 11° 20' East
39,93	Set a red sand stone 12 in. long 8 in. wide and 8 in. thick for quarter section corner
19,86	The corner to sections 17, 18, 19, 20 Land rolling prairie; Soil 1st rate.

West on a random line

Township 16 N. Range 9 E.
Fifth Principal Meridian.

chains	between sections 18 and 19
	Variation 10° 50' East
4,00	Set a post for a temporary quarter section corner
74,41	Intersected the West Boundary of the Township 30 links South of the corner to section 18 and 19 from which corner, 3 rem
	East on a true line between sections 18 and 19
	Variation 10° 37' East
34,41	Set a red sand stone 13 in. long 9 in. wide and 15 in. thick for quarter section corner
74,41	The corner to sections 17, 18, 19, 20 Land rolling prairie; Soil 1st rate.

North between sections 18 and 18

Surveyed & Platted during months of July & Aug. 1871

Township 10, N. Range 2 E.
Sixth Principal Meridian

Chains		Variation 11° 45' East
4,50		Set a red sand stone 16 in. long 11 in. wide and 4 in. thick for quarter section corner
30,00		Set a red sand stone 18 in. long 10 in. wide and 4 in. thick for corner to section 7, 8, 17 and 18 Land rolling prairie; Soil 1st rate;

East on a random line between sections 8 and 17

Variation 11° 10' East

40,00	Set a post for a temporary quarter section corner
80,20	Intersected N. and S. line 60 links South of the corner to sections 8, 9, 16 and 17 from which corner, I run West on a true line between

Township 10, N. Range 2 E.
Sixth Principal Meridian

Chains	sections 8 and 17
	Variation 11° 36' East
40,10	Set a red sand stone 14 in. long 11 in. wide and 4 in. thick for quarter section corner
80,20	The corner to section 7, 8, 17, 18 Land rolling prairie; Soil 1st rate. June 8th 1857

West on a random line between sections 7 and 18

Variation 10° 30' East

40,00	Set a post for a temporary quarter section corner
73,88	Intersected the West Boundary of the Township 26 links North of the corner to sections 7 and 18 from which corner I run East on a true line between sections 7 and 18

Surveyed in Aug. & Sept. 1857 Sec. 8

Township 10, N. Range 9. E.
Fifth Principal Meridian

chains	
	Variation 10° 41' East
33,88	Set a red sand stone 18 in. long 9 in. wide 4 in. thick for quarter section corner.
73,88	The corner to sections 7, 8, 17, 18 Land rolling prairie Soil 1st rate.

North between sections 7 and 8.
Variation 11° 40' East

1,00	Set a red sand stone 15 in. long 8 in. wide and 4 in. thick for quarter section corner
3,00	Set a red sand stone 14 in. long 8 in. wide and 6 in. thick for corner to sections 5, 6, 7 and 8 Land rolling prairie; Soil 1st rate.

East on a random line

Township 10, N. Range 9. E.
Fifth Principal Meridian

chains	
	between sections 5 and 8
35,40	Variation 10° 50' East Spring run, 6 links wide, left bank runs N.W.
40,00	Set a post for a temporary quarter section corner
78,84	Intersected N and S line at the corner to sections 4, 5, 8 and 9 from which corner I run West on a true line between sections 5 and 8

Variation 10° 50' East

39,47	Set a red sand stone 18 in. long 9 in. wide and 5 in. thick for quarter section corner
79,94	The corner to sections 5, 6, 7, 8 Land rolling prairie; Soil 1st rate.

West on a random line between section 6 and 7

5, 1857 Sec. Corn. Line II 178.1501-3

Township 10, N. Range 9, E.
Fifth Principal Meridian

chains	
	Variation 10° 40' East
40,00	Set a post for a temporary quarter section corner
73,10	Intersected the West Boundary of the Township 40 links South of the corner to sections 6 and 7 from which corner, I run East on a true line between sections 6 and 7
	Variation 10° 23' East
33,10	Set a red sand stone 12 in. long 11 in. wide and 5 in. thick for quarter section corner
73,10	The corner to sections 5, 6, 7, & 8. Land rolling prairie; Soil 1st rate;

North on a random line between sections 5 and 6
Variation 8° 10' East.

Township 10, N. Range 9, E.
Fifth Principal Meridian.

chains	
15,00	Spring run 6 links wide E&S bank runs N.W.
40,00	Set a post for a temporary quarter section corner
81,53	Intersected the North Boundary of the Township 106 links West of the corner to sections 5 and 6 from which corner I run South on a true line between sections 5 and 6
	Variation 7° 25' East
41,53	Set a red sand stone 16 in. long 9 in. wide and 4 in. thick for quarter section corner
81,53	The corner to sections 5, 6, 7, 8 Land rolling prairie; Soil 1st rate.

June 9th 1857.

Correspondence of Deputy Surveyors Vol II T8 R9 5th M-3

52/120

General Description

The quality of the land in this Township is first rate high rolling prairie; well watered, but entirely destitute of timber: and but very little rock. and that only of red sand stone.

53/121

List of Names.

A list of the names of the individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field notes of Township No. 10. North of the base line of Range No. 7. East of the Fifth Principal Meridian, showing the respective capacities in which they acted:

W. O. Barnum, Chainman,
Philo. S. Barnum. Chainman.
Dexter. P. Sprague, Axemanand
Marker.
A. D. Luce. Flagman,
A. P. Drake. Compassman

Surveyor Genl's Office Deputy Surveys Vol. II. 1857 Sec. Corrections Aug. 5, 1857

154

E & C[illegible] compared by Respondent & Surveyor +

3 3/155

Field Notes

of the

Subdivision Lines

in

Township No. 11. North

of the

Base line of

Range No. 9. East

of the

Sixth Principal Meridian

in the

Territory of Nebraska

By

Wallace Barnum.

Deputy Surveyor

under his contract No 138

bearing date the 15th day of October 1856.

Subdivision Commenced

June 22nd 1857.

Subdivision Completed

June 25th 1857.

End

Subdivision of T. 11 N., R. 9 E. of the 6th P.M., Nebraska

List of Names.

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the following field notes of Township No. 11. North of the base line of Range No. 9 East of the Sixth Principal Meridian, showing the respective capacities in which they acted;

Wm. C. Barnum, Chainman.
Philo S. Barnum, Chainman.
Dexter P. Sprague, Axemanand Marker.
A. L. Luce, Flagman.
A. J. Drake, Compassman.

Township 11 N. Range 9 East

6	52	5	37	4	28	3	19	2	10	1
51		50		36		27		18		9
7	49	8	36	9	26	10	17	11	8	12
48		47		35		25		16		7
18	46	17	34	16	25	15	15	14	7	13
46		45		33		24		15		6
19	44	20	32	21	23	22	14	23	5	24
43		42		31		22		13		4
30	41	29	31	28	27	27	12	26	4	25
40		39		30		21		12		3
31	39	32	29	33	20	34	11	35	2	36

1-168

Field Notes of the subdivision lines 1/69
in Township 11 N. Range 9 E.
Sixth Principal Meridian

chains To determine the proper adjustment of my compas for subdividing this Township, I commence at the corner to Townships 10 and 11 N. R. 9 and 10 East, and run North on a blank line along the East Boundary of section 36.

Variation 11° 15' East

40,00 Intersected quarter section corner

80,00 The corner to sections 25 and 36

From the closings of my North random lines in Township 10 N. R. 9 East I was led to beleave that the lines on the South Boundary of this Township were to short

Township 11 N. Rang 9 E.
Sixth Principal Meridian

chains
S therefore chain West along the South Boundary of section 36

39,47 Quarter section corner
78,80 The corner to sections 35 and 36 on the South Boundary of the Township

Subdivision commenced June 22nd 1857

From the corner to sections 1, 2, 35 and 36 on the South Boundary of the Township I run

× North between section 35 and 36
Variation 11° 55' East

40,00 Set a red sand stone 18 in. long 9 in. wide and 5 in. thick for quarter section corner
39,00 Set a red sand stone 20 in long 7 in. wide and 5 in. thick for

Township 11 N. Rang 9 E.
Sixth Principal Meridian

chains
corner to sections 25, 26, 35 and 36.
Land rolling prairie
Soil 1st rate

East on a random line between sections 25 and 36
Variation 10° 40' East

40,00 Set a post for a temporary quarter section corner
79,08 Intersected the East Boundary of the Township 10 links North of the corner to sections 25 and 36 from which corner, I run

West on a true line between sections 25 and 36
Variation 10° 36' East

39,54 Set a red sand stone 18 in. long 6 in. wide and 6 in. thick for quarter section corner
79,08 The corner to sections 25, 26, 35, 36

Township 11 N. Range 9 E.
Sixth Principal Meridian

chains

Land rolling prairie;
Soil 1st rate.

North between sections 25 and 26
Variation 12° 13' East

4,00 Set a red sand stone 12 in. long
12 in. wide and 4 in. thick for
quarter section corner

80,00 Set a red sand stone 12 in. long
11 in. wide and 6 in. thick for
corner to sections 23, 24, 25 and 26
Land rolling prairie;
Soil 1st rate.

East on random line
between sections 24 and 25
Variation 10° 40' East

40,00 Set a post for a temporary
quarter section corner

79,66 Intersected the East Boundary

Township 11 N. Range 9 E.
Sixth Principal Meridian

chains

of the Township 12 links North
of the corner to sections 24 and
25 from which corner, I run
West on a true line between
sections 24 and 25
Variation 10° 35' East

39,83 Set a red sand-stone 13 in. long
11 in. wide and 6 in. thick for
quarter section corner

79,66 The corner to sections 23, 24, 25, 26
Land rolling prairie;
Soil 1st rate.

North between sections 23 and 24
Variation 11° 20' East

4,00 Set a red sand stone 16 in. long
16 in. wide and 4 in. thick for
quarter section corner

80,00 Set a red sand stone 18 in. long
13 in. wide and 4 in. thick for

Township 11. S. Range 9. E.
Sixth Principal Meridian

chains	chains	
		corner to sections 13. 14 23 and 24.
		Land rolling prairie;
		Soil 4th rate.

		East on a random line
		between sections 13 and 24
		Variation 10° 40' East
40,00	40,00	Set a post for a temporary
		quarter section corner
80,00	19,86	Intersected the East Boundary
		of the Township 10 links North
		of the corner to sections 13 and
		24 from which corner, I run
		West on a true line between
		sections 13 and 24
		Variation 10°36' East
	39,93	Set a red sand stone 12 in. long
40,00		9 in. wide and 7 in. thick for
		quarter section corner
79,66	19,86.	The corner to sections 13, 14, 23, 24.

Township 11. S. Range 9. E.
Sixth Principal Meridian

chains	
	Land rolling prairie;
	Soil 4th rate.

	North between sections 13 and 14
	Variation 9° 30' East
0,00	Set a red sand stone 12 in. long
	9 in. wide and 7 in. thick for
	quarter section corner
9,00	Set a red sand stone 15 in. long
	10 in. wide and 7 in. thick for
	corner to sections 11, 12, 13 and 14.
	Land rolling prairie;
	Soil 4th rate.

	East on a random line
	between sections 12 and 13
	Variation 9° 40' East
,00	Set a post for a temporary
	quarter section corner
,34	Intersected the East Boundary

Township 11 N. Range 9 E.
Sixth Principal Meridian

chains of the Township 50 links North of the corner to sections 12 and 13 from which corner, I run West on a true line between sections 12 and 13
Variation 9° 18' East

40,17 Set a red sand stone 18 in long 8 in. wide and 6 in thick for quarter section corner

80,34 The corner to sections 11, 12, 13, 14
Land rolling prairie;
Soil 1st rate

North between sections 11 and 12
Variation 10° 5' East

40,00 Set a red sand stone 12 in. long 10 in. wide and 6 in. thick for quarter section corner

80,00 Set a red sand stone 14 in. long 11 in. wide and 5 in. thick for

Township 11 N. Range 9 E.
Sixth Principal Meridian

chains corner to sections 12, 11 and 12.
Land rolling prairie;
Soil 1st rate.

East on a random line between sections 1 and 12
Variation 9° 10' East

40,00 Set a post for a temporary quarter section corner

80,02 Intersected the East Boundary of the Township 8 links South of the corner to sections 1 and 12 from which corner, I run West on a true line between sections 1 and 12
Variation 9° 14' East

40,01 Set a red sand stone 16 in. long 9 in. wide and 5 in. thick for quarter section corner

80,02 The corner to sections 1, 2, 11, 12.

Township 16 N. Range 9 E.
Sixth Principal Meridian

Chains

Land rolling prairie;
Soil 1st rate.

North on a random line
between sections 1 and 12
Variation 10° 5' East

40,1 40,00 Set a post for a temporary
quarter section corner

90,3 76,32 Intersected the North Boundary
of the Township 14 links west
of the corner sections 1 and 2 from
which corner, Drum

South on a true line between
sections 1 and 2
Variation 9° 5' East

40,00

36,82 Set a red sand stone 21 in. long
12 in. wide and 3 in. thick for
quarter section corner

80,00

76,82 The corner to sections 1, 2, 11, 12
Land rolling prairie.

Township 16 N. Range 9 E.
Sixth Principal Meridian

hains

Soil 1st rate
June 23rd 1857.

I here chain West along the
South boundary of section 35

79,10 Quarter section corner

78,70 The corner to sections 34 and 35 on
the South Boundary of the Town-
ship

North between sections 34 and 35
Variation 12° 20' East.

,00 Set a red sand stone 16 in. long
10 in. wide and 4 in. thick for
quarter section corner

,00 Set a red sand stone 18 in. long
9 in. wide and 6 in. thick for
corner to sections 26, 27, 34 and 35

Land rolling prairie;
Soil 1st rate.

12/180

Township 11, N. Range 9. E.
Sixth Principal Meridian.

chains	
	East on a random line between section 26 and 35
	Variation 11° 40' East.
40,00	Set a post for a temporary quarter section corner
79,22	Intersected N. and S. line 4 links North of the corner to sections 25, 26, 35 and 36 from which corner, Drun
	West on a true line between sections 26 and 35
	Variation 10° 38' East
39,61	Set a red sand stone 12 in. long 12 in. wide and 5 in. thick for quarter section corner.
79,22	The corner to section 26, 27, 34, 35
	Land rolling prairie;
	Soil 1st rate.

North between sections 26 and 27

13/181

Township 11, N. Range 9. E.
Sixth Principal Meridian

chains	
	Variation 12° 30' East.
40,00	Set a red sand stone 17 in. long 12 in. wide and 6 in. thick for quarter section corner
80,00	Set a red sand stone 18 in. long 7 in. wide and 6 in. thick for corner to sections 22, 23, 26 and 27
	Land rolling prairie;
	Soil 1st rate.

East on a random line between sections 23 and 26
Variation 10° 40' East

40,00	Set a post for a temporary quarter section corner
79,38	Intersected N. and S. line 16 links North of the corner to sections 23, 24, 25 and 26 from which corner, Drun
	West on a true line between

Township 11, N. Range 9, E.
Sixth Principal Meridian

chains section 23 and 26
Variation 10° 33' East

39,69 Set a red sand stone 12 in. long
12 in. wide and 6 in. thick for
quarter section corner
79,38 The corner to section 22, 23, 26, 27.
Land rolling prairie,
Soil 1st rate.

North between section 22 and 23
Variation 11° 20' East

40,00 Set a red sand stone 16 in. long 12
in. wide and 4 in. thick for
quarter section corner
80,00 Set a red sand stone 20 in. long
7 in. wide and 6 in. thick for
corner to section 14, 15, 22 and 23,
Land rolling prairie,
Soil 1st rate.

Township 11, N. Range 9, E.
Sixth Principal Meridian

chains East on a random line
between section 14 and 23
Variation 10° 40' East

40,00 Set a post for a temporary
quarter section corner
79,38 Intersect N. and S. line 56
links South of the corner to
sections 13, 14, 23 and 24 from
which corner I run
West on a true line between
sections 14 and 23
Variation 11° 4' East
39,94 Set a red sand stone 16 in. long
10 in. wide and 5 in. thick for
quarter section corner
79,88 The corner to section 14, 15, 22, 23
Land rolling prairie,
Soil 1st rate.

North between sections 14 and 15

Township 11 N. Range 9 E.
Sixth Principal Meridian

Variation 9° 30' East

chains
40,00 Set a red sand stone 16 in. long 11 in. wide and 5 in. thick for quarter section corner
80,00 Set a red sand stone 16 in. long 8 in. wide and 6 in. thick for corner to sections 10, 11, 14 and 15
Land rolling prairie;
Soil 1st rate.

East on a random line between sections 11 and 14
Variation 10° 40' East

40,00 Set a post for a temporary quarter section corner
79,84 Intersected N. and S. line at the corner to sections 11, 12, 13 and 14 from which corner
Run
West on a true line

Township 11 N. Range 9 E.
Sixth Principal Meridian

chains between sections 11 and 14
Variation 10° 40' East

39,92 Set a red sand stone 15 in. long 10 in. wide and 6 in. thick for quarter section corner
79,84 The corner to sections 10, 11, 14, 15.
Land rolling prairie;
Soil 1st rate.

North between sections 10 and 11
Variation 10° 15' East

12,00 Spring run, 3 links wide left banks runs N. W.
40,00 Set a red sand stone 9 in. long 9 in. wide and 9 in. thick for quarter section corner.
80,00 Set a red sand stone 22 in. long 16 in. wide and 2 in. thick for corner to sections 2, 3, 10 and 11
Land rolling prairie

Township 11, N. Range 9. E.
Sixth Principal Meridian

chains	Soil &c. rate.
	East on a random line between section 2 and 11 Variation 10° 40' East
40,00	Set a post for a temporary quarter section corner
82,40	Intersected N. and S. line 4 links South of the corner to sections 1, 2, 11 and 12 from which corner, Drum
	West on a true line between sections 2 and 11
	Variation 10° 42' East
40,20	Set a red sand stone 16 in. long 8 in. wide and 5 in. thick for quarter section corner
80,40	The corner to section 2, 3, 10, 11 Land rolling prairie;
	Soil 1st rate.

Township 11, N. Range 9 E.
Sixth Principal Meridian

chains	North on a random line between sections 2 and 3 Variation 11° East
40,00	Set a post for a temporary quarter section corner
77,33	Intersected the North Boundary of the Township 16 links East of the corner to section 2 and 3 from which corner, Drum
	South on a true line between sections 2 and 3
	Variation 10° 7' East
27,33	Set a red sand stone 16 in. long 12 in. wide and 4 in. thick for quarter section corner
1,33	The corner to sections 2, 3, 10, 11. Land rolling prairie;
	Soil 1st rate.
	June 24th 1857.
	West along the South Bound

Township 11 N. Range 9 E.
Sixth Principal Meridian

chains

39,70 Intersected the quarter section corner

78,90 The corner to sections 33 and 34 on South Boundary of the Township

---

North between sections 33 and 34
Variation 12° 30' East

40,00 Set a red sand stone 13 in. long 9 in. wide and 8 in. thick for quarter section corner

55,00 Creek, 4 links wide left bank runs N.W.

80,00 Set a red sand stone 12 in. long 10 in. wide and 7 in. thick for corner to sections 27, 28, 33 and 34.

Land rolling prairie;
Soil 1st rate.

Township 11 N. Range 9 E.
Sixth Principal Meridian

chains

East on a random line between sections 27 and 34
Variation 11° 40' East

40,00 Set a post for a temporary quarter section corner

78,70 Intersected N. and S. line 60 links South of the corner to sections 26, 27, 34 and 35 from which corner, Iron

West on a true line between sections 27 and 34
Variation 11° 6' East

39,85 Set a red sand stone 15 in. long 10 in. wide and 5 in. thick for quarter section corner

79,70 The corner to sections 27, 28, 33, 34.

Land rolling prairie;
Soil 1st rate.

North between sections 27 and 28.

Township 11, N. Range 9, E.
Sixth Principal Meridian

Chains

Variation 12° 30' East

38,00 Spring run, 3 links wide, left bank, runs N. W.

40,00 Set a red sand stone 17 in. long 8 in. wide and 7 in. thick for quarter section corner

80,00 Set a red sand stone 18 in. long 9 in. wide and 6 in. thick for corner to sections 21, 22, 27 and 28.

Land rolling prairie;
Soil 1st rate.

East on a random line between sections 22 and 27

Variation 11° 40' East

40,00 Set a post for a temporary quarter section corner

80,06 Intersected N. and S. line 58 links South of the corner to sections 22, 23, 26 and 27. from

Township 11, N. Range 9, E.
Sixth Principal Meridian

Chains

which corner, I run
West on a true line between sections 22 and 27

Variation 11° 5' East

40,03 Set a red sand stone 14 in. long 10 in. wide and 6 in. thick for quarter section corner.

80,06 The corner to sections 21, 22, 27, 28.

Land rolling prairie;
Soil 1st rate.

North between sections 21 and 22

Variation 11° 15' East

24,30 Spring run, 3 links wide left bank, runs N. W.

40,00 Set a red sand 16 in. long 8 in. wide and 5 in. thick for quarter section corner

79,00 Set a red sand stone 17 in. long 12 in. wide and 4 in. thick for

Township 11. N. Range 9. E.
Sixth Principal Meridian

chains corner to sections 15, 16, 21 and 22.
Sand rolling prairie;
Soil 4th rate.

East on a random line
between sections 15 and 22
Variation 10° 40' East

40,00 Set a post for a temporary
quarter section corner
80,04 Intersected N. and S. line 50
links South of the corner to
sections 14, 15, 22 and 23 from
which corner, Drum
West on a true line between
sections 15 and 22
Variation 11° 2' East.
40,04 Set a red sand stone 13 in. long
9 in. wide and 5 in. thick for
quarter section corner
80,08 The corner to sections 15, 16, 21, 22

Township 11. N. Range 9. E.
Sixth Principal Meridian

chains Sand rolling prairie;
Soil 4th rate.

North between sections 15 and 16
Variation 9° 30' East.
40,00 Set a red sand stone 14 in. long
12 in. wide and 6 in. thick for
quarter section corner
80,00 Set a red sand stone 15 in. long
10 in. wide and 5 in. thick for
corner to sections 9, 10, 15 and 16.
Sand rolling prairie;
Soil 4th rate.

East on a random line
between sections 10 and 15
Variation 10° 40' East
40,00 Set a post for a temporary
quarter section corner.
80,20 Intersected N. and S. line 90

Ex. Com. Report, Surveys in Ill. 1850-53

Township 11, N. Range 9, E.
Sixth Principal Meridian

chains

chains
links South of the corner to
section 10, 11, 14 and 15 from
which corner, I run
West on a true line between
sections 10 and 15
Variation 11° 19' East

40,13 Set a red sand stone 14 in. long
10 in. wide and 7 in. thick for
quarter section corner

80,26 The corner to sections 9, 10, 15, 16.
Land rolling prairie;
Soil 4th rate.

North between section 9 and 10
Variation 10° 8' East.

40,00 Set a red sand stone 18 in. long. 9 in.
wide and 7 in. thick for quarter
section corner

51,00 Creek 4 links wide, left bank
runs N.W.

Township 11, N. Range 9, E.
Sixth Principal Meridian

chains

80,00 Set a red sand stone 18 in. long
11 in. wide and 4 in. thick for
corner to sections 3, 4, 9 and 10.
Land rolling prairie;
Soil 4th rate.

East on a random line
between sections 3 and 10
Variation 10° 40' East

40,00 Set a post for temporary
quarter section corner

79,50 Intersect N. and S. line 100 links
South of the corner to sections
2, 3, 10 and 11 from which corner,
I run
West on a true line between
sections 3 and 10
Variation 11° 43' East

39,75 Set a red sand stone 14 in. long

Corrections approved Aug. 3, 1951 See Correction Book II 18:1301-3

Township 11. N. Range 9. E.
Sixth Principal Meridian

chains
12 in. wide and 5 in. thick for
quarter section corner
78,50 The corner to sections 3, 4, 9, 10.
Land rolling prairie;
Soil 4th rate.

North on a random line
between sections 3 and 4
Variation 10° 10' East
4,00 Set a post for a temporary
quarter section corner
78,68 Intersected the North Boundary
of the Township 36 links East
of the corner to sections 3 and
4, from which corner, I run
South on a true line between
sections 3 and 4
Variation 10° 25' East
38,68 Set a red sandstone 16 in. long
10 in. wide and 4 in. thick for

Township 11. N. Range 9. E.
Sixth Principal Meridian

chains
quarter section corner
78,68 The corner to sections 3, 4, 9, 10.
Land rolling prairie;
Soil 4th rate.
June 25th 1857.

West along the South Boundary of section 33
39,36 Quarter section corner
78,00 The corner to sections 32 and
33 on the South Boundary of
the Township

North between sections 32 and 33
Variation 13° 30' East
40,00 Set a red sand stone 20 in. long
9 in. wide and 6 in. thick for
quarter section corner
80,00 Set a red sand stone 17 in. long
9 in. wide and 4 in. thick for
corner to sections 28, 29, 32 and 33

Township 11 N. Range 9 E.
Sixth Principal Meridian

ch	ch	chains	
			Land rolling prairie; Soil 1st rate.
	78,		

East on a random line
between sections 28 and 33
Variation 10° 40' East

7		30,00	Spring run, 3 links wide, left bank runs N.W.
		40,00	Set a post for a temporary quarter section corner
	40.		
		60,00	Spring run 4 links wide left bank runs N.W.
	78,		
		79,02	Intersected N. and S. line at the corner to sections 27, 28, 33 and 34 from which corner, I run

West on a true line between
sections 28 and 33
Variation 10° 40' East

	38,	
		38,51	Set a red sandstone 18 in. long

Township 11 N. Range 9, E,
Sixth Principal Meridian

chains	
	8 in. wide and 6 in. thick for quarter section corner
79,02	The corner to sections 28, 29, 32, 33.
	Land rolling prairie; Soil 1st rate.

North between sections 28 and 29
Variation 12° 30' East

40,00	Set a red sand stone 18 in. long 9 in. wide and 6 in. thick for quarter section corner
80,00	Set a red sand stone 24 in. long 8 in. wide and 3 in. thick for corner to sections 20, 21, 28 and 29.
	Land rolling prairie; Soil 1st rate.
8	

East on a random line
between sections 21 and 28
Variation 10° 40' East.

Township 11. N. Range 9. E.
Sixth Principal Meridian

chains

31,44 Creek, 5 links wide, left bank runs N.W.

40,00 Set a post for a temporary quarter section corner

79,28 Intersected N and S. line 24 links South of the corner to sections 21, 22, 27 and 28 from which corner, Drum
West on a true line between sections 21 and 28
Variation 10° 50' East

39,64 Set a red sand stone 16 in. long 10 in. wide and 4 in. thick for quarter section corner

79,28 The corner to sections 20, 21, 28, 29.
Land rolling prairie;
Soil 1st rate.

North between sections 20 and 21

Township 11. N. Range 9. E.
Sixth Principal Meridian

chains

Variation 11° 20' East

40,00 Set a red sand stone 18 in. long 12 in. wide and 5 in. thick for quarter section corner

76,50 Creek, 5 links wide, left bank runs N.W.

80,00 Set a red sand stone 21 in. long 7 in. wide and 6 in. thick for corner to sections 16, 17, 20 and 21.
Land rolling prairie;
Soil 1st rate.

East on a random line between sections 16 and 21
Variation 10° 40' East

40,00 Set a post for a temporary quarter section corner

79,14 Intersected N and S. line 20 links South of the corner to sections 15, 16, 21 and 22 from

Township 11, N. Range 9, E.
Fifth Principal Meridian

chains

which corner, Drum
West on a true line between
sections 16 and 21
Variation 10° 49' East
39,72 Set a red sand stone 15 in. long
9 in. wide and 7 in. thick for
quarter section corner
79,44 The corner to sections 16, 17, 20, 21.
Land rolling prairie;
Soil 1st rate.

North between sections 16 and 17
Variation 9° 30' East
40,00 Set a red sand stone 17 in. long 8 in
wide and 8 in. thick for quarter
section corner
80,00 Set a red sand stone 21 in. long
7 in. wide and 6 in thick for
corner to sections 8, 9, 16 and 17
Land rolling prairie

Township 11, N. Range 9, E.
Fifth Principal Meridian

chains

Soil 1st rate.

East on a random line
between sections 9 and 16
Variation 10° 40' East
40,00 Set a post for a temporary
quarter section corner
79,56 Intersected N and S. line 44
links South of the corner to
sections 9, 10, 15 and 16 from
which corner, Drum
West on a true line between
sections 9 and 16
Variation 10° 59' East
39.78 Set a red sand stone 14 in. long
12 in. wide and 4 in. thick for
quarter section corner
79.56 The corner to section 8, 9, 16, 17.
Land rolling prairie,
Soil 1st rate.

Township 11, N. Range 9, E.
Sixth Principal Meridian

chains

North between sections 9 and 9
Variation 10° 15' East

40,00 Set a red sand stone 14 in. long 10 in. wide and 9 in. thick for quarter section corner

80,00 Set a red sand stone 20 in. long 7 in. wide and 5 in. thick for corner to sections 4, 5, 8 and 9.
Land rolling prairie;
Soil 1st rate.

East on a random line between sections 4 and 9
Variation 10° 40' East

28,00 Spring run 5 links wide, left bank runs N.W.

40,00 Set a post for a temporary quarter section corner

79,20 Intersected N. and S. line 50 links South of the corner to

Township 11, N. Range 9, E.
Sixth Principal Meridian.

chains

sections 3, 4, 9 and 10 from which corner, I run
West on a true line between sections 4 and 9
Variation 11° 2' East

39,60 Set a red sand stone 16 in. long 10 in. wide and 4 in. thick for quarter section corner

79,20 The corner to sections 4, 5, 9, 8
Land rolling prairie;
Soil 1st rate.

North on a random line between sections 4 and 5
Variation 10° 15' East

40,00 Set a post for a temporary quarter section corner

79,04 Intersected the North Boundary of the Township 120 links East of the corner to sections 4 and 5

Township 11, N. Range 9, E.
Sixth Principal Meridian.

	chains.	
0		from which corner, I run
		South on a true line between
4		sections 4 and 5
		Variation 11° 6' East
	39,04	Set a red sand stone 18 in. long
8		8 in. wide and 5 in. thick for
		quarter section corner
	79,04	The corner to sections 4, 5, 9, 8
		Land rolling prairie;
		Soil 4th rate,
		June 26th 1857.

West along the South Boundary of section 32.

	38,43	Quarter section corner
2	78,82	The corner to sections 31 and 32
		on the South Boundary of the
4		Township

West along the South Boundary of section 31.

Township 11 N. Range 9 E.
Sixth Principal Meridian.

	chains	
	38,93	Quarter section corner
	78,84	The corner to Township 10 and
		11 N. Ranges 9 and 9 E.

North between sections 31 and 32
Variation 14° East

	35,00	Old Government road to the
		Kerney course N. W and S. E.
	40,00	Set a red sandstone 16 in. long
		14 in. wide and 4 in. thick for
		quarter section corner
	80,00	Set a red sand stone 16 in. long
		12 in. wide and 6 in. thick for
		corner to sections 29, 30, 31 and 32.
		Land rolling prairie;
		Soil 4th rate.

East on a random line
between sections 29 and 32

40
204

Township 11 N. Range 9 E.
Fifth Principal Meridian

Chains	
	Variation 10° 40' East.
4,00	Set a post for a temporary quarter section corner
19,56	Intersected N and S. line 120 links South of the corner to sections 28, 29, 32 and 33 from which corner, I run West on a true line between sections 29 and 32
	Variation 11° 31' East
39,78	Set a red sand stone 16 in. long 12 in. wide and 7 in. thick for quarter section corner
79,56	The corner to sections 29, 30, 31, 32 Land rolling prairie, Soil 1st rate.

West on a random line between sections 30 and 31
Variation 16° 40' East

40
205

Township 11 N. Range 9 E.
Fifth Principal Meridian

Chains	
4,00	Set a post for a temporary quarter section corner.
52,00	Old Government road to Ft. Kearney N. W and S. E.
73,70	Intersected the West Boundary of the Township 100 links North of the corner to sections 30 and 31 from which corner, I run East on a true line between sections 30 and 31
	Variation 11° 23' East
33,70	Set a red sand stone 14 in. long 12 in. wide and 5 in. thick for quarter section corner
73,70	The corner to sections 29, 30, 31, 32 Land rolling prairie Soil 1st rate.

North between sections 29 and 30

Township 11. N. Range 9. E.
Fifth Principal Meridian

Variation 12° 30' East

chains	
40,00	Set a red sand stone 15 in. long 11 in. wide and 6 in. thick for quarter section corner
80,00	Set a red sand stone 16 in. long 12 in. wide and 6 in. thick for corner to sections 19, 20, 29 and 30. Land rolling prairie; Soil 1st rate.

East on a random line between sections 20 and 29

Variation 10° 40' East

chains	
40,00	Set a post for a temporary quarter section corner
79,50	Intersected N. and S. line 100 links South of the corner to sections 20, 21, 28 and 29 from which corner, I run West on a true line between

Township 11. N. Range 9. E.
Fifth Principal Meridian

sections 20 and 29

Variation 11° 23

chains	
39,75	Set a red sand stone 14 in. long 12 in. wide and 6 in. thick for quarter section corner
79,50	The corner to sections 19, 20, 29, 30. Land rolling prairie. Soil 1st rate.

West on a random line between sections 19 and 30

Variation 10° 40' East

chains	
40,00	Set a post for a temporary quarter section corner.
73,16	Intersected the West Boundary of the Township 70 links North of the corner to sections 19 and 30 from which corner, I run East on a true line between sections 19 and 30

Township 11. N. Range 9. E.
Sixth Principal Meridian

Chains

Variation 11° 10' East

33,16 Set a red sand stone 21 in. long 12 in. wide and 3 in. thick for quarter section corner

73,16 The corner to sections 19, 20, 29, 30. Land rolling prairie; Soil 1st rate.

North between sections 19 and 20

Variation 11° 20' East

1,00 Set a red sand stone 16 in. long 10 in. wide and 5 in. thick for quarter section corner

50,00 Set a red sand stone 18 in. long 10 in. wide and 6 in. thick for corner to sections 17, 18, 19 and 20, Land rolling prairie; Soil 1st rate.

East on a random line

Township 11. N. Range 9. E.
Sixth Principal Meridian

Chains

between sections 17 and 20

Variation 11° East

40,00 Set a post for a temporary quarter section corner

57,00 Creek; 10 links wide, left bank runs N.W.

79,76 Intersected N. and S. line 50 links South of the corner to sections 16, 17, 20 and 21 from which corner, Drum

West on a true line between sections 17 and 20

Variation 11° 22' East

39,88 Set a red sand stone 20 in. long 11 in. wide and 6 in. thick for quarter section corner

78,76 The corner to sections 17, 18, 19, 20, Land rolling prairie; Soil 1st rate.

Township 11. N. Range 9. E.
Sixth Principal Meridian

chains

West on a random line
between section 18 and 19
Variation 11° East

4,00 Set a post for a temporary
quarter section corner

72,20 Intersected the West Boundary of
the Township at the corner to
sections 18 and 19 from which
corner, I run

East on a true line between
sections 18 and 19
Variation 11° East

32,20 Set a red sand stone 15 in. long
8 in. wide and 2 in thick for
quarter section corner

72,20 The corner to sections 17, 18, 19, 20.
Land rolling prairie;
Soil 1st rate.

North between sections 17 and 18

Township 11. N. Range 9. E.
Sixth Principal Meridian

chains

Variation 9° 50' East

40,00 Set a red sand stone 17 in. long
12 in. wide and 4 in. thick for
quarter section corner

59,15 Spring run, 3 links wide left
bank runs N.W.

64,00 Creek, 8 links wide, left bank
runs N.W.

80,00 Set a red sand stone 20 in. long
10 in. wide and 4 in. thick for
corner to sections 7, 8, 17 and 18.
Land rolling prairie;
Soil 1st rate.

East on a random line
between sections 8 and 17
Variation 10° 40' East

4,00 Set a post for a temporary
quarter section corner

79,14 Intersected N and S. line 80

Township 11. N. Range 9. E.
Fifth Principal Meridian

chains

links South of the corner to sections 8, 9, 16 and 17 from which corner, Drum

West on a true line between sections 8 and 17

Variation 11° 1' East

39,57 Set a red sand stone 13 in. long 10 in. wide and 4 in. thick for quarter section corner

79,14 The corner to sections 7, 8, 17 and 18,

Land rolling prairie;

Soil 1st rate.

June 27th 1857.

West on a random line between section 7 and 18

Variation 10° 40' East

16,50 Creek 8 links wide right banks runs N.W.

40,00 Set a post for a temporary quarter section corner

Township 11. N. Range 9. E.
Fifth Principal Meridian

chains

74,68 Intersected the West Boundary of the Township 30 links North of the corner to sections 7 and 18 from which corner, Drum

East on a true line between sections 7 and 18

Variation 10° 53' East

34,68 Set a red sand stone 16 in. long 8 in. wide and 7 in. thick for quarter section corner

74,68 The corner to section 7, 8, 17, 18.

Land rolling prairie;

Soil 1st rate.

North between sections 7 and 8

Variation 11° 20' East

40,00 Set a red sand stone 20 in. long 15 in. wide and 3 in. thick for quarter section corner

Township 11. N. Range 9. E.
Sixth Principal Meridian

chains

8,00 Set a red sand stone 25 in. long 8 in. wide and 6 in. thick for corner to section 5, 6, 7 and 8.
Land rolling prairie;
Soil 1st rate.

East on a random line between section 5 and 8
Variation 10° 30' East

40,00 Set a post for a temporary quarter section corner.

79,36 Intersected N. and S. line 30 links South of the corner to section 4, 5, 8 and 9 from which corner, Drum.

West on a true line between section 5 and 8
Variation 11° 3' East

39,68 Set a red sand stone 22 in. long

Township 11. N. Range 9. E.
Sixth Principal Meridian

chains

10 in. wide and 5 in. thick for quarter section corner

79,36 The corner to section 5, 6, 7, 8.
Land rolling prairie;
Soil 1st rate.

West on a random line between section 6 and 7
Variation 10° 30' East

39,20 Creek, 10 links wide right bank, runs N.W.

40,00 Set a post for a temporary quarter section corner.

75,39 Intersected the West Boundary of the Township at the corner to sections 6 and 7 from which corner, Drum

East on a true line between sections 6 and 7
Variation 10° 30' East

Filed Aug. 5, 1957

52
216

Township 11. N. Range 9. E.
Sixth Principal Meridian.

chains	
35,39	Set a red sand stone 14 in. long 8 in. wide and 7 in. thick for quarter section corner
75,39	The corner to sections 5, 6, 7, 8, Land rolling prairie; Soil 4th rate.

North on a random line between sections 5 and 6
Variation 11° 10' East.

40,00	Set a post for a temporary quarter section corner
79,80	Intersected the North Boundary of the Township at the corner to sections 5 and 6 from which corner, 3 trees

South on a true line between sections 5 and 6
Variation 11° 10' East

39,80	Set a red sand stone 18 in. long

53
217

Township 11. N. Range 9. E.
Sixth Principal Meridian

chains	
	12 in. wide and 4 in. thick for quarter section corner
79,80	The corner to sections 5, 6, 7, 8. Land rolling prairie; Soil 4th rate. June 28th 1857.

General Description

This Township is entirely destitute of timber. The West half of the Township is well watered, the East half has but very little and that entirely in holes which fill during the wet season.

The quality of the soil is 1st rate and well adapted to agriculture.

Surveyed and died Aug. 5, 1857 See Correspondence

List of Names.

A list of the names of the individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field notes of Township No. 11 North of the base line of Range No 9, East of the Sixth Principal Meridian, showing the respective capacities in which they acted;

M. C. Barnum, Chainman.
Phila. S. Barnum, Chainman.
Dexter P. Sprague, Axeman and Marker.
A. D. Luce, Flagman.
A. T. Drake, Compassman.

Read

Read compendiously Diffendorf & Terry

Field Notes of the Subdivision lines in Township No 12 North of the Base line of Range No 9, East of the Sixth Principal Meridian in the Territory of Nebraska

By

Wallace Barnum

Deputy Surveyor

Under his contract No. 138 bearing date the 15th day of October 1856

Subdivision Commenced July 7th 1856

Subdivision Completed Nov. 6th 1857

East 2 lines Surveyed by Wallace Barnum, under Contract No 138, balance of Tp by A. Phila Drake, under Contract 217 See page 21. (Robert Harry State Surveyor)

Wallace Barnum was Wounded Aug 1st 1857 and died Aug. 5, 1857 See Correspondence of Deputy Surveyors Vol II Pgs. 1301-3

List of Names.

A list of the names of the individuals employed to assist in running, measuring, or marking the lines and corners described in the following field Notes of Township No. 12. North of the base line of Range No 9. East of the Sixth Principal Meridian, showing the respective capacities in which they acted:

M. C. Barnum. Chainman.
Philo S. Barnum, Chainman.
Dexter P. Sprague, Axeman and Marker.
A. D. Luce. Flagman.
A. P. Drake. Compassman.

Township 12 N. Range 9 East

6	63	5	48	4	37	3	19	2	10	1
62		62		47		36		18		9
7	61	8	46	9	35	10	17	11	8	12
60		59		44		34		16		7
18	58	17	44	16	33	15	16	14	6	13
58		57		43		32		15		6
19	56	20	41	21	32	22	14	23	5	24
55		54		40		31		13		4
30	52	29	40	28	30	27	12	26	3	25
57		50		39		29		12		2
31	49	32	38	33	29	34	11	35	2	36

222

Field Notes of the Subdivision lines
in Township 12. N. Range 9 E.
Sixth Principal Meridian

223

chains To determine the proper adjust-
ment of my compass for the
Subdivision of this Township,
I commence at the corner to
Townships 11 and 12 N. R. 9
and 10 E., and run
North on a blank line along
the East Boundary of sections
36,

Variation 10° 50 E

40,03 To a point 4 links East of the
quarter section corner

80,10 To a point 12 links East of the
corner to sections 25 and 36,
To retrace this line or run
parallel thereto my compass
must be adjusted to a variation
of 10° 55' East

Subdivision Commenced
July 7th 1856.

Township 12, N. Range 9, E.
Fifth Principal Meridian

chains
From the corner to sections 12.
35 and 36 on the South Boundary
of the Township, I run
North, between sections 35 and 36
Variation 10° 55' East.

40,00 Set a red sand stone 12 in. long 8
in. wide and 6 in. thick for
quarter section corner

80,00 Set a red sand stone 17 in. long
13 in. wide and 5 in. thick for
corner to sections 25, 26, 35 and 36
Land rolling prairie
Soil 1st rate,

East on a random line
between sections 25 and 3.
Variation 10° 40' East

14,30 Creek 12 links wide, left bank
runs N.W.

4,00 Set a post for a temporary

Township 12, N. Range 9, E.
Fifth Principal Meridian

chains
quarter section corner.

80,24 Intersected the East Boundary
of the Township 20 links South
of the corner to sections 25 and
36 from which corner I run
West on a true line between
sections 25 and 36
Variation 10° 49' East

2,12 Set a red sand stone 24 in. long
8 in. wide and 4 in. thick for
quarter section corner

80,24 The corner to sections 25, 26, 35, 36.
Land rolling prairie;
Soil 1st rate.

North between sections 25 and 26
Variation 10° 55' East

40,00 Set a red sand stone 18 in. long
10 in. wide and 6 in. thick for
quarter section corner

Township 12. N. Range 9. E.
Sixth Principal Meridian

chains

59,00 Crak 10 links wide, left bank runs N.W.

80,00 Set a red sand stone 18 in. long 10 in. wide and 6 in. thick for corner to sections 23, 24, 25 and 26.
Land rolling prairie;
Soil 1st rate.

East on a random line between sections 24 and 25
Variation 10° 50' East

40,00 Set a post for a temporary quarter section corner

79,64 Intersected the East Boundary of the Township 16 links South of the corner to sections 24 and 25 from which corner, 9 rem
West on a true line between sections 24 and 25

Township 12. N. Range 9. E.
Sixth Principal Meridian
Variation 10° 57' East

chains

39,82 Set a red sand stone 15 in. long 12 in. wide and 7 in. thick for quarter section corner

79,64 The corner to sections 23, 24, 25, 26
Land rolling prairie,
Soil 1st rate.

North between section 23 and 24
Variation 11° 10' East.

40,00 Set a red sand stone 12 in. long 12 in. wide and 9 in. thick for quarter section corner

80,00 Set a red sand stone 24 in. long 8 in. wide and 7 in. thick for corner to sections 13, 14, 23 and 24
Land rolling prairie.
Soil 1st rate.

East on a random line

X

Township 12, N. Range 9 E.
Sixth Principal Meridian

chains	chains	
		between sections 13 and 24
59,0		Variation 10° 50' East
	40,00	Set a post for a temporary
80,0		quarter section corner.
	78,72	Intersected the East Boundary
		of the Township 50 links South
		of the corner to sections 13 and
		24 from which corner, Drum
		West on a true line between
		sections 13 and 24
		Variation 11° 12' East
	39,86	Set a red sand stone 22 in. long
40,00		10 in. wide and 5 in. thick for
		quarter section corner.
79,0	79,72	The corner to sections 13, 14, 23, 24.
		Land rolling prairie;
		Soil 1st rate.

North between sections 13 and 14
Variation 11° 15' East.

Township 12, N. Range 9 E.
Sixth Principal Meridian

chains	
40,00	Set a red sand stone 14 in. long
	12 in. wide and 9 in. thick for
	quarter section corner
51,00	Road, course East and W.
80,00	Set a red sand stone 18 in. long
	11 in. wide and 6 in. thick for
	corner to sections 11, 12, 13 and 14
	Land rolling prairie;
	Soil 1st rate.

East on a random line
between sections 12 and 13
Variation 11° East
40 Set a post for a temporary
quarter section corner
75,35 Emigrand road to Utah
course N. W and S. E.
80,20 Intersected the East Boundary
of the Township 70 links South

Township 12 N. Range 9 E.
Fifth Principal Meridian

chains
cha
of the corner to sections 12 and
13 from which corner, I run
West on a true line between
sections 12 and 13
Variation 11° 30' East
40,10 Set a red sand stone 14 in. long
9 in. wide and 5 in. thick for
quarter section corner
80,20 The corner to sections 11, 12, 13, 14
Land rolling prairie;
Soil 1st rate.

North between sections 11 and 12
Variation 11° 15' East
26,90 Spring run 3 links wide left
bank runs N.W.
40,00 Set a red sand stone 14 in. long
12 in. wide, and 5 in. thick for
quarter section corner
80,00 Set a red sand stone 18 in. long

Township 12 N. Range 9 E.
Fifth Principal Meridian

chains
9 in. wide and 5 in. thick for
corner to sections 1, 2, 11 and 12.
Land rolling prairie;
Soil 1st rate.

East on a random line
between sections 1 and 12
Variation 11° 30' East.
4,00 Set a post for a temporary
quarter section corner
60,00 Emigrant road to Utah
bears N. W and S. E.
80,54 Intersected the East Boundary
of the Township 12 links
South of the corner to sections 1
and 12 from which corner, I run
West on a true line between
sections 1 and 12
Variation 11° 35' East
40,27 Set a red sand stone 18 in. long

Township 12, N. Range 9, E.
Sixth Principal Meridian.

cha	chains	10 in wide and 6 in thick for quarter section corner.
	80,54	The corner to sections 12, 11, 12 Land Bluffy; Soil 2nd rate.

The corner to sections 1 and 12 on Range line having been destroyed I set a red sandstone 18 in long 10 in wide and 5 in thick for new monument to corner

North between sections 1 and 12
Variation 11° 15' East.

2	28,96	Salt Creek right bank 200 links wide runs N.E.
	37,00	Emigrand road to Utah course N.W and S.E.
1	40,00	Set a lime stone 13 in long, 9 in wide and 5 in thick for quarter section corner
	84,75	Intersected the North Boundary

Township 12, N. Range 9, E.
Sixth Principal Meridian

chains	of the Township 60 links West of the corner to sections 35 and 36 in Township 13, N. Range 9 E, where I set a red sandstone 14 in long, 9 in wide and 7 in thick for closing corner to sections 1 and 2

Land rolling prairie,
Soil 1st rate.
July 1st 1856.

North between sections 34 and 135
Variation 10° 55' East.

40,00	Set a red sandstone 13 in long 9 in wide and 6 in thick for quarter section corner.
80,00	Set a red sandstone 13 in long 7 in wide and 7 in thick for corner to sections 26, 27, 34 and 135

Land rolling prairie,
Soil 1st rate.

Township 12. N. Range 9. E.
6th Principal Meridian.

cha	chains	
		East on a random line between sections 26 and 35
		Variation 10° 55' East
	1,00	Set a post for a temporary quarter section corner
	8,34	Intersected N. and S. line 8 links North of the corner to section 25, 26, 35 and 36. from which corner, I run
		West on a true line between sections 26 and 35
		Variation 10° 52' East
	40,17	Set a red sand stone 16 in. long 12 in. wide and 6 in. thick for quarter section corner
	80,34	The corner to sections 26, 27, 34, 35.
		Land rolling prairie;
		Soil 1st rate.

North between sections 26 and 27

Township 12. N. Range 9. E.
6th Principal Meridian

chains	
	Variation 10° 55' East
40,00	Set a red sand stone 20 in. long 10 in. wide and 3 in. thick for quarter section corner
80,00	Set a red sand stone 20 in. long 14 in. wide and 3 in. thick for corner to sections 22, 23, 26 and 27.
	Land rolling prairie;
	Soil 1st rate.

East on a random line between sections 23 and 26

Variation 10° 55' East

40,00	Set a post for a temporary quarter section corner
60,00	Creek 10 links wide left bank runs N.W.
80,50	Intersected N. and S. line 50 links North of the corner to sections 23, 24, 25 and 26 from which

Township 12 N. Range 9 E.
Fifth Principal Meridian

Chs | Mains | corner, Drum
West on a true line between
sections 23 and 26
Variation 10° 33' East.
70,25 | Set a red sand stone 14 in. long
12 in. wide and 4 in. thick for
quarter section corner.
80,50 | The corner to section 22, 23 26, 27.
Land rolling prairie;
Soil 1st rate.

North between sections 22 and 23
Variation 10° 55' East.
70,00 | Set a red sand stone 20 in. long
12 in. wide and 3 in. thick for
quarter section corner.
37,01 | Creek, 10 links wide, left bank
runs N.W.
80,00 | Set a red sand stone 22 in. long 7 in.
wide and 5 in. thick for

Township 12 N. Range 9 E.
Fifth Principal Meridian

Mains | corner to sections 14, 15, 22 and 23.
Land rolling prairie;
Soil 1st rate.

East on a random line
between sections 14 and 23.
Variation 10° 46' East
40,00 | Set a post for a temporary
quarter section corner
80,34 | Intersected N and S. line 14 links
South of the corner to section
14 and 23 from which corner,
Drum
West on a true line between
sections 14 and 23.
Variation 10° 46' East
40,17 | Set a red sand stone 20 in. long
14 in. wide and 5 in. thick for
quarter section corner
80,34 | The corner to sections 14, 15, 22, 23

Township 12. N. Range 9. E.
Fifth Principal Meridian

chains	
	Land rolling prairie, Soil 1st rate.
	North between sections 14 and 15 Variation 10° 55' East.
40,00	Set a red sand stone 18 in. long 16 in. wide and 3 in. thick for quarter section corner.
49,00	Road, course East N.
80,00	Set a red sand stone 22 in. long 10 in. wide and 4 in. thick for corner to sections 10, 11, 14 and 15; Land rolling prairie, Soil 1st rate.
	East on a random line between sections 11 and 14 Variation 10° 50' East
40,00	Set a post for a temporary quarter section corner

Township 12. N. Range 9. E.
Fifth Principal Meridian

chains	
80,40	Intersected N. and S. line 8 links South of the corner to sections 11, 12, 13 and 14 from which corner, Drum West on a true line between section 11 and 14 Variation 10° 58' East
40,20	Set a red sand stone 19 in. long 8 in. wide and 4 in. thick for quarter section corner
80,40	The corner to sections 10, 11, 14, 15 Land rolling prairie Soil 1st rate.
	North between sections 11 and 11 Variation 10° 55' East
40,00	Set a red sand stone 21 in. long 12 in. wide and 5 in. thick for quarter section corner

Township 12, N. Range 9, E.
Sixth Principal Meridian.

Chains	
74,90	Salt Creek, right bank 150 links wide runs E.
30,00	Set a limestone 16 in. long 14 in. wide and 4 in. thick for corner to sections 2, 3, 10 and 11
	Land level prairie, Soil 1st rate.

East on a random line between sections 2 and 11
Variation 11° East

11,00	Salt Creek, left bank 120 links wide. runs N.E.
28,00	Same stream, 120 links wide right bank runs S.E.
37,00	Same stream, 120 links wide left bank runs N.E.
4,00	Set a post for a temporary quarter section corner

Township 12, N. Range 9, E.
Sixth Principal Meridian

Chains	
9,20	Same stream 130 links wide right bank, runs S.E.
7,50	Same stream, 125 links wide left bank runs N. thence N.E.
30,20	Intersected N and S. line at the corner to sections 1, 2, 11 and 12. from which corner,
	I run
	West on a true line between sections 2 and 11
	Variation 11° East
4,10	Set a red sandstone 16 in. long 13 in. wide and 6 in. thick for quarter section corner
30,20	The corner to sections 2, 3, 10, 11.
	Land level prairie, Soil 1st rate

North between sections 2 and 3

Township 12. N. Range 9. E.
Sixth Principal Meridian

chains	
	Variation 10° 5' 5" East
40,00	Set a limestone 16 in. long 12 in. wide and 3 in. thick for quarter section corner.
67,40	Emigrant road to Utah course N.W. and S.E.
83,90	Intersected the North Boundary of the Township 20 links West of the corner to Section 34 and 35 of Township 13. N. Range 9. E. where I set a red sand stone 14 in. long, 10 in. wide and 6 in. thick for closing corner to section 2 and 3.

Land rolling prairie.
Soil 1st rate.
July 2nd 1856.

Note Wallace Barnum Mortally wounded and died August 5 1857 See Index p. 7 XLIV. Vol. 1 Correspondence Genl Land Office

Field Notes
of the
Subdivision lines of a part of
Township No. 12, North
of the base line
of
Range No. 9 East
of the
Sixth Principal Meridian
in the
Territory of Nebraska
By
A. Philo. Drake.
Deputy Surveyor.
Under his contract No 217
bearing date the 17th day of September 1857.

Subdivision Commenced
November 3rd 1857.
Subdivision Compleated
November 6th 1857.

Dist of Names

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the following field Notes of a part of Township No. 12. North of the base line of Range No. 9. East of the Sixth Principal Meridian showing the respective capacities in which they acted

A. C. Goold. Chainman and Compassman,

Geo. H. McClelland, Chainman

Dexter. S. Sprague, Axeman and Marker,

Henry, C. Kingsbury Flagman

Township 12. N. Range 9. East
Sixth Principal Meridian
November 3rd 1857

Chains

Subdivision commenced November 3rd 1857.

North between sections 33 and 34
Variation 10° 50' East

1,00 Set a red sand stone 15 in. long 10 in. wide and 8 in. thick for quarter section corner

20,00 Set a red sand stone 20 in. long 10 in. wide and 4 in. thick for corner to sections 27, 28, 33 and 34.

Land rolling prairie,
Soil 1st rate.

East on a random line between sections 27 and 34
Variation 10° 40' East

40,00 Set a post for a temporary quarter section corner

79,60 Intersected the N. and S. line 30 links South of the corner

Township 12. N. Range 9 E.
Sixth Principal Meridian.

chains	To sections 26, 27, 34 and 35 from which corner, I run
	West on a true line between sections 27 and 34
	Variation 10° 53' East
39,80	Set a red sand stone 12 in. long 7 in. wide and 7 in. thick for quarter section corner
79,60	The corner to sections 27, 28, 33, 34,
	Land rolling prairie;
	Soil 4th rate.

	North between sections 27 and 28
	Variation 10° 50' East
31,00	Spring run, 5 links wide; right bank runs N.E.
49,00	Set a red sand stone 18 in. long 10 in. wide and 4 in. thick for quarter section corner
46,00	Spring run, 5 links wide left bank

Township 12. N. Range 9 E.
Sixth Principal Meridian

chains	runs N.W.
90,00	Set a red sand stone 14 in. long 10 in. wide and 4 in. thick for corner to sections 21, 22, 27 and 28.
	Land rolling prairie;
	Soil 4th rate.

	East on a random line between sections 22 and 27
	Variation 10° 40' East
4,00	Set a post for a temporary quarter section corner
14,66	Intersected N. and S. line 50 links South of the corner to sections 22, 23, 26 and 27 from which corner, I run
	West on a true line between sections 22 and 27
	Variation 11° 2' East
39,83	Set a red sand stone 17 in. long,

Township 12. N. Range 9. E.
Sixth Principal Meridian

Chains	
	1 in. wide and 4 in. thick for quarter section corner
19.66	The corner to sections 21, 22, 27, 28. Land rolling prairie, Soil 1st rate

---

North between sections 21 and 22
Variation 10° 55' East

4.00	Set a red sand stone 18 in. long 15 in. wide and 4 in. thick for quarter section corner.
80.00	Set a red sand stone 12 in. long 12 in. wide and 6 in. thick for corner to sections 15, 16 21 and 22. Land rolling prairie; Soil 1st rate.

East on a random line between sections 15 and 22

Township 12. N. Range 9. E.
Sixth Principal Meridian

Variation 10° 40' East

Chains	
5.00	Creek; 10 links wide; left bank runs N.W.
40.00	Set a post for a temporary quarter section corner
79.30	Intersected N. and S. line 4 links North of the corner to sections 14, 15, 22 and 23 from which corner, Drum Mt. bears a true line between sections 15 and 22

Variation 10° 36' East

39.90	Set a red sand stone 20 in. long 10 in. wide and 5 in. thick for quarter section corner
79.80	The corner to sections 15, 16, 21, 22. Land rolling prairie, Soil 1st rate.

North between sections 15 and 16

Township 12. N. Range 9. E.
Sixth Principal Meridian

chains	
	Variation 11° East
6,00	Creek, 10 links wide, left S bank runs N.W.
40,00	Set a red sand stone 18 in. long 10 in. wide and 5 in. thick for quarter section corner.
80,00	Set a red sand stone 18 in. long 12 in. wide and 5 in. thick for corner to sections 9, 10, 15 and 16. Land rolling prairie, Soil 1st rate.

East on a random line between sections 10 and 15
Variation 10° 30' East

40,00	Set a post for a temporary quarter section corner
72,66	Intersected N and S line 8 links South of the corner to sections 10, 11, 14 and 15 from which

Township 12. N. Range 9. E.
Sixth Principal Meridian

chains	
	corner, I run
	West on a true line between sections 10 and 15
	Variation 16° 53' East
39,83	Set a red sand stone 14 in. long 12 in. wide and 5 in. thick for quarter section corner
79,66	The corner to sections 9, 10, 15, 16. Land rolling prairie Soil 1st rate.

North between sections 9 and 10
Variation 11° East

40,00	Set a red sand stone 15 in. long 12 in. wide and 6 in. thick for quarter section corner
80,00	Set a red sand stone 16 in. long 14 in wide and 5 in thick for corner to sections 3, 4, 9 and 10 Land rolling prairie

Township 12, N. Range 9 E.
Sixth Principal Meridian

Chains	Said Pt. rate.
	East on a random line between sections 3 and 10 Variation 10° 50' East
33,60	Salt Creek, 150 links wide right bank runs S. E.
40,00	Set a post for a temporary quarter section corner
60,00	Salt Creek, 140 links wide left bank runs N. E.
71,00	Same stream, right bank 150 links wide runs S. E.
79,64	Intersected N and S. line 18 links South of the corner to sections 2, 3, 10 and 11 from which corner, Pt. run West on a true line between sections 3 and 10 Variation 10° 58' East

Township 12, N. Range 9 E.
Sixth Principal Meridian

Chains	
39,32	Set a stone: stone 16 in. long 9 in. wide and 5 in. thick for quarter section corner
79,64	The corner to sections 3, 4, 9 10, Land level prairie; Said Pt. rate
	North between sections 3 and 4 Variation 10° 55' East
13,75	Salt Creek, right bank, 150 links wide runs E.
40,00	Set a limestone 12 in. long 5 in. wide and 8 in. thick for quarter section corner.
74,30	Emigrand road to Utah course N. W. and S. E.
83,20	Intersected the North boundary of the Township 10 links West of the corner to sections 33 and

Township 12, N. Range 9, E.
Sixth Principal Meridian

Chains

34 in Township 13, N. Range 9, E, where I set a lime stone 18 in long 12 in wide and 4 in, thick for closing corner to sections 3 and 4.

Land rolling prairie;
Soil 1st rate,
November 3rd 1857.

North between section 32 and 33
Variation 10° 55' East.

40,00 Set a red sand stone 15 in long 10 in wide and 4 in thick for quarter section corner

80,00 Set a red sand stone 24 in long 9 in wide and 3 in thick for corner to sections 28, 29, 32 and 33.

Land rolling prairie;
Soil 1st rate.

East on a random line

Township 12, N. Range 9, E.
Sixth Principal Meridian

Chains

between sections 28 and 33
Variation 10° 50' East

40,00 Set a post for a temporary quarter section corner.

60,30 Spring run, left bank 3 links wide runs N.E.

80,26 Intersected N and S line 8 links South of the corner to sections 27, 28, 33 and 34 from which corner, Drum

West on a true line between sections 28 and 33
Variation 10° 53' East

40,13 Set a red sand stone 16 in long 12 in wide and 4 in thick for quarter section corner

80,26 The corner to sections 28, 29, 32, 33.

Land rolling prairie;
Soil 1st rate,

Township 12 N. Range 9 E.
Fifth Principal Meridian

chains	North between sections 28 and 29
	Variation 10° 50' East
19,00	Set a red sand stone 14 in. long 10 in. wide and 5 in. thick for quarter section corner
61,25	Salt Creek, right bank 100 links wide runs E.
30,00	Set a red sand stone 16 in. long 10 in wide and 5 in. thick for corner to sections 20, 21, 28 and 29. Land rolling prairie; Soil 1st rate.

East on a random line between sections 21 and 28
Variation 10° 50' East

31,00	Salt Creek, left bank 150 links wide runs N.
4,00	Set a post for a temporary quarter section corner.

Township 12 N. Range 9 E.
Fifth Principal Meridian

chains	
30,40	Intersected N. and S. line 6 links South of the corner to sections 21 22, 27 and 28 from which corner 9 inch West one true line between sections 21 and 28
	Variation 10° 53' East
40,20	Set a red sand stone 16 in. long 14 in. wide and 4 in. thick for quarter section corner
30,40	The corner to sections 20, 21, 28 & 29. Land rolling prairie; Soil 1st rate

---

North between sections 20 and 121
Variation 10° 50' East

30,50	Salt Creek, 30 links wide, left bank runs N.W.
40,00	Drove charred stake with trench and pit Set a post in mound as per

Township 12. N. Range 9. E.
Sixth Principal Meridian

chains

instructions for quarter section corner.

75,00 Enter timber bears E and W

16,00 Salt Creek, 100 links wide, right bank runs E.

71,00 Leave timber, bears N. E and S. W.

80,00 Set a limestone 13 in. long 10 in. wide and 7 in thick for corner to sections 16, 17, 20 and 21 from which

A Cottonwood 24 in. in dia bears S 63½° East 198 links dist.

A Cottonwood 22 in. in dia bears N 14¾ E. 60 links dist.

A Cottonwood 26 in. in dia bears N 49° E 62 links dist.

No other trees within 4 chains.

Timber to the East of corner.

Land level. Soil 1st. rate

Timber, Cottonwood, Oak and Elm.

Township 12. N. Range 9. E.
Sixth Principal Meridian

chains

East on a random line between sections 16 and 21

Variation 10° 30' East

,75 Enter timber, bears N and S.

1,30 Salt Creek, left bank 100 links wide runs N.

12,00 Leave timber bears W and N. E.

21,00 Pond 9,00 chains long and 150 links wide coord E and W

4,00 Set a post for a temporary quarter section corner

30,76 Intersected N and S line 20 links North of the corner to sections 15, 16, 21 and 22 from which corner 9 rem

West on a true line between sections 16 and 21

Variation 16° 41' East

4,26 Set a redsandstone 14 in. long 11 in. wide and 6 in. thick

Township 12. N. Range 9. E.
Sixth Principal Meridian

chains	
80,46	for quarter section corner, The corner to sections 16, 17, 20, 21 Land, level; Soil 4th rate; Timber Oak, Elm and Cottonwood

North between sections 16 and 17
Variation 11° 50' East

4,00	Set a limestone 15 in. long 12 in. wide and 4 in. thick for quarter section corner.
80,00	Set a limestone 15 in. long 12 in. wide and 4 in. thick for corner to sections 8, 9, 16 and 17 Land level prairie Soil 4th rate;

East on a random line between sections 9 and 16
Variation 11° 50' East

4,00	Enter timber, bears N and E.

Township 12. N. Range 9. E.
Sixth Principal Meridian

chains	
5,25	Salt Creek; left bank; 80 links wide runs N.
17,00	Salt Creek; right bank; 85 links wide runs S. W.
24,40	Salt Creek; left bank, 100 links wide runs N. W.
25,50	Beam timber, bears N and E
40,00	Set a post for a temporary quarter section corner
80,20	Intersected N and S line 10 links North of the corner to sections 9, 10, 15 and 16 from which corner, I run West on a true line between sections 9 and 16 Variation 10° 46' East
40,10	Set a red sand stone 16 in. long 12 in. wide and 5 in. thick for quarter section corner

Township 12. N. Range 9. E.
Sixth Principal Meridian

Chains	
20,20	The corner to sections 8, 9, 16, 17 Land, level; Soil 1st rate. Timber, Oak, Elm and Cottonwood.

North between sections 8 and 9
Variation 10° 30' East

15,00	Salt Creek, 90 links wide, left bank, runs N.W.
36,00	Same stream right bank runs N. 8 chains thence N.W.
40,00	The point for corner comes within the banks of the Creek below high water mark I therefore set a limestone 15 in. long, 12 in. wide and 8 in. thick 44 links West of the true corner, for witness to quarter section corner.
56,00	Salt Creek; right bank 80

Township 12. N. Range 9. E.
Sixth Principal Meridian.

Chains	links wide runs N.E.
20,00	Set a lime stone 20 in. long 10 in. wide and 5 in. thick for corner to sections 4, 5 8 and 9. Land, level; Soil, 1st rate.

East on a random line between sections 4 and 9
Variation 10° 30' East

40,00	Set a post for a temporary quarter section corner
56,00	Enter timber bears N.W and S.E.
59,30	Salt Creek, left bank 100 links wide runs N.
60,35	Same stream; right bank 100 links wide runs S.W.
65,70	Same stream; left bank 100 links wide runs N.W.
67,00	Leave timber, bears N. and S.

74.80

Township 12. N. Range 9. E.
Sixth Principal Meridian

Chains	
77,90	Intersected N. and S. line 20 links South of the corner to sections 3, 4, 9 and 10 from which corner, Drum West on a true line between sections 4 and 9
	Variation 10° 50' East
37,95	Set a lime stone 12 in. long 10 in. wide and 8 in. thick for quarter section corner
79,90	The corner to sections 4, 5, 8, 9 Land, level; Soil, 1st. rate. Timber Elm and Cottonwood

---

North between sections 4 and 5
Variation 10° 50' East

40,00	Set a lime stone 18 in. long 8 in. wide and 4 in. thick for quarter section corner.

Township 12. N. Range 9. E.
Sixth Principal Meridian

Chains	
82,90	Intersected the North Boundary of the Township at the corner to sections 32 and 33 of Township 13. N. Range 9. E. where I set a lime stone 18 in. long 14 in. wide and 5 in. thick for closing corner to sections 4 and 5
	Land rolling prairie
	Soil 1st. rate.
	November 4th. 1857.

North between sections 31 and 32
Variation 10° 50' East.

40,00	Set a red sand stone 22 in. long 13 in. wide and 3 in. thick for quarter section corner.
80,00	Set a red sand stone 20 in. long 7 in. wide and 5 in. thick for corner to sections 29, 30, 31 and 32

Township 12, N. Range 9, E.
Sixth Principal Meridian

Chains	
	Land level prairie; Soil 1st rate;
	East on a random line between sections 29 and 32 Variation 10° 40' East
40,00	Set a post for a temporary quarter section corner
79,34	Intersected, N. and S. line 20 links South of the corner to section 28, 29, 32 and 33 from which corner, I run
	West on a true line between sections 29 and 32 Variation 10° 47' East
39,67	Set a red sand stone 13 in. long 12 in. wide and 5 in. thick for quarter section corner
79,34	The corner to sections 29, 30, 31 32 Land rolling prairie;

Township 12, N. Range 9, E.
Sixth Principal Meridian.

Chains	
	Soil 1st rate.
	West on a random line between sections 30 and 31 Variation 10° 50' East
28,00	Enter timber, bears N. and S.
28,60	Salt Creek; right bank, 30 links wide runs N.W.
39,00	Salt Creek, left bank runs West 3,00 chains thence N.
40,00	Set a post for a temporary quarter section corner
50,00	Leave timber, bears N. and E.
79,50	Intersected the West Boundary of the Township at the corner to sections 30 and 31 from which corner, I run
	East on a true line between sections 30 and 31 Variation 10° 50' East

Township 12 N. Range 9 E.
Sixth Principal Meridian

chains

39,50 The point for quarter section corner falls in the Creek, I therefore mark a Cottonwood 26 in. in dia. 100 links South of the true corner, for witness to quarter section corner; from which A Cottonwood 35 in. in dia. bears N. 61½ E. 120 links dist.
A Willow 8 in. in dia. bears S 55° W. 96 links dist.

19,50 The corners to sections 29, 30, 31 & 32.
Land level; Soil 2d rate.
Timber Elm, Cottonwood and Willow

North between sections 29 and 30
Variation 10° 50' East.

12,60 Salt Creek, right bank runs from S. W. ~~to thence~~ to N. W.

38,00 Enter timber bears N. E and S. W.

Township 12 N. Range 9 E.
Sixth Principal Meridian

chains

39,30 Salt Creek; right bank, 30 links wide runs N. E.

40,60 Set a Post for witness to quarter section corner from which A Hackberry 12 in. in dia. bears N 87½ E. 38 links dist.
A Cottonwood 30 in. in dia. bears N 27½ W. 50 links dist.

41,50 Leave timber, bears E and W

47,00 Enter timber bears N, W and S. E.

48,00 Salt Creek, left bank 75 links wide runs N. W.

55,00 Same stream; right bank 80 links wide runs N. E.

57,50 Leave timber, bears E and W

80,00 Set a red sandstone 13 in. long 9 in. wide and 7 in. thick for corner to sections 19, 20, 29 and 30
Land level Soil 2d rate,

54/268

Township 12. N. Range 9. E.
Sixth Principal Meridian

chains Timber Oak, Elm and Cottonwood

East on a random line
between sections 20 and 29
Variation 16° 50' East

32,80 Enter timber, bears N. and S.
33,00 Salt Creek, left bank 30 links
wide runs N. E.
40,00 Set a post for a temporary
quarter section corner.
61,75 Salt Creek, right bank 30 links
wide runs S. E.
64,00 Leave timber bears N. W. and S. E.
79,80 Intersect N. and S. line at the
corner to Sections 20, 21, 28 and
29 from which corner, Drum
West on a true line between
sections 20 and 29
Variation 16° 50' East
39,90 Set a Post for quarter section

55/269

Township 12. N. Range 9. E.
Sixth Principal Meridian

chains corner, from which
A White Ash 18 in. in dia. bears
N. 22½ W. 38 links dist.
A Cottonwood 30 in. in dia bears
bearings to be - S
N. 60½ E. 94 links dist.
79,80 The corner to sections 19, 20, 29, 30
Land level; Soil 1st rate.
Timber Cottonwood, Oak
Elm, Willow and Ash.

West on a random line
between sections 19 and 130
Variation 16° 50' East
40,00 Set a post for a temporary
quarter section corner
79,77 Intersected the West Boundary
of the Township at the corner
to sections 19 and 130 from which
corner, Drum
East on a true line between

Township 12. N. Range 9, E.
Sixth Principal Meridian

chains	
	sections 18 and 30
	Variation 10° 30' East
39,77	Set a red sand stone 15 in. long 9 in. wide and 5 in thick for quarter section corner
79,77	The corner to sections 19, 20, 29, 30 Land, level, Soil 1st rate.

North between sections 19 and 20
Variation 10° 30' East
40,00 Set a red sand stone 18 in. long 10 in. wide and 5 in. thick for quarter section corner
80,00 Set a lime stone 14 in. long 8 in. wide and 6 in. thick for corner to sections 17, 18, 19 and 20
Land rolling prairie
Soil 1st rate.

East on a random line

Township 12. N. Range 9, E.
Sixth Principal Meridian.

chains.	
	between sections 17 and 20
	Variation 10 30 E
6,70	Creek 5 links wide, right bank runs S. E.
14,00	Set a post for a temporary quarter section corner
20,13	Intersected N. and S. line 30 links North of the corner to sections 16, 17, 20 and 21 from which corner, I run
	West on a true line between sections 17 and 20
	Variation 10° 37' East,
40,00	Set a lime stone. 14 in. long, 12 in. wide and 8 in. thick for quarter section corner.
80,13	The corner to sections 17, 18, 19, 20 Land level, Soil 1st rate.

West on a random line

Township 12, N. Range 9. E.
Sixth Principal Meridian

chains between sections 18 and 19

Variation 10° 50' East

40,00 Set a post for a temporary
quarter section corner

80,10 Intersected the West Boundary
of the Township at the corner
to sections 18 and 19 from
which corner Drum
East on a true line
between sections 18 and 19

Variation 10° 50' East.

40,10 Set a red sandstone 12 in. long
12 in. wide and 6 in. thick for
quarter section corner.

80,10 The corner to sections 17, 18, 19, 20.
Land rolling prairie;
Soil 1st rate.

North between sections 17 and 18

Variation 10° 55' E.

Township 12, N. Range 9. E.
Sixth Principal Meridian

chains

5,50 Creek, right bank, 5 link wide
runs S. E.

7,00 Set a lime stone 18 in. long 15
in. wide and 3 in. thick for
quarter section corner

80,00 Set a red sandstone 14 in. long
7 in. wide and 7 in. thick for
corner to sections 7, 8, 17 and 18
Land rolling prairie,
Soil 1st rate.

East on a random line
between sections 8 and 17

Variation 10° 50' East

40,00 Set a post for a temporary
quarter section corner

80,10 Intersect N and S. line 14
links South of the corner to
sections 8, 9, 16 and 17 from

Township 12. N. Range 9. E.
Fifth Principal Meridian

chains which corner, Drum
West on a true line
between sections 8 and 17
Variation 10° 56' East
49,05 Set a lime stone 18 in. long
10 in. wide and 7 in. thick
for quarter section corner
30,10 The corner to sections 7, 8, 17, 18.
Sand rolling prairie,
Soil 4th rate.
November 5th 1857

West on a random line
between sections 7 and 18
Variation 10° 56' East
40,00 Set a post for a temporary
quarter section corner,
80,78 Intersected the West Boundary
of the Township 30 links South
of the corner to sections 7 and 18
from which corner, Drum

Township 12. N. Range 9. E.
Fifth Principal Meridian

chains East on a true line between
sections 7 and 18
Variation 10° 37
40,78 Set a lime stone 16 in. long 12
in. wide and 3 in. thick for
quarter section corner.
80,78 The corner to sections 7, 8, 17, 18.
Land rolling prairie,
Soil 4th rate,

North between sections 7 and 8
Variation 10° 55' East
40,00 Set a lime stone 14 in. long 10 in.
wide and 6 in. thick for
quarter section corner
80,00 Set a ~~red~~ sand stone 14 in. long
9 in. wide and 7 in. thick for
corner to sections 5, 6, 7 and 8
Land rolling prairie
Soil 4th rate,

Township 12 N. Rang 9 E.
Fifth Principal Meridian.

chains
East on a random line
between sections 5 and 8
Variation 10° 50' East
40,00 Set a post for a temporary
quarter section corner
80,00 Intersected N and S. line 30 links
South of the corner to sections 4, 5
8 and 9 from which corner, Drum
West on a true line between
sections 5 and 8
Variation 11° 3' East
4,00 Set a lime stone 18 in. long 14 in.
wide and 4 in. thick for quarter
section corner
8,00 The corner to sections 5, 6, 7, 8,
Land rolling prairie;
Soil 1st rate.

West on a random line
between sections 6 and 7

Township 12 N. Range 9 E.
Fifth Principal Meridian

chains
Variation 10° 50' East
7,00 Set a post for a temporary quarter
section corner
81,55 Intersected the West Boundary
of the Township 12 links North
of the corner to sections 6 and 7
from which corner, Drum
East on a true line between
sections 6 and 7
Variation 10° 55' East
41,55 Set a lime stone 14 in. long 13
in. wide and 4 in. thick for
quarter section corner
81,55 The corner to sections 5, 6, 7, 8,
Land rolling prairie;
Soil 1st rate.

North between sections 5 and 6
Variation 11° 50' East
40,00 Set a lime stone 12 in. long 10 in.

Township 12, N. Range 9 East
Sixth Principal Meridian

chains
wide and 6 in. thick for
quarter section corner
80,47 Intersected the North Boundary
of the Township 40 links East
of the corner to sections 31 and
32 in Township 13, N. Range
9 E. whence I set a line tree
15 in. long 12 in. wide and 5
in thick for closing corner to
sections 5 and 6
Land rolling prairie;
Soil 1st rate
November 6th 1857

General Description

The quality of the land in
this Township is of the first
quality, The land along Salt
Creek is high level prairie
on both sides, at the distance
of a mile or so it becomes
rolling.

The water in Salt Creek is
very backish indicating
an abundance of the Saline
substance far thro up the stream.
At the crossing of Salt Creek in
section 1 there is a good Mill seat
with a plenty of limestone in
the adjoining bluffs on the
East side of the stream
There is an abundance of fresh water;
and timber to insure its rapid
settlement

List of Names.

A list of the name of the individual employed to assist in running, measuring, or marking the lines and corners described in the foregoing field Notes of Township No. 12. North of the base line of Range No. 9. E. of the Sixth Principal Meridian, showing the respective capacities in which they acted;

A. C. Goold, Chainman and Compassman.

Geo. H. McClelland, Chainman.

Dexter P. Sprague, Axeman and Marker.

Henery C. Kingsbury Flagman.

List of Names

A list of the names of the individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field Notes of sections 1, 2, 11, 12, 13, 14, 23, 24, 25, 26, 35 and 36 of Township 12 North of the base line of Range No. 9. East of the Sixth Principal Meridian, showing the respective capacities in which they acted;

Wm. C. Barnum, Chainman.

Philo C. Barnum, Chainman.

Dexter P. Sprague, Axeman and Marker.

A. D. Luce, Flagman.

A. T. Drake, Compassman.

We hereby certify that we assisted Wallace Barnum Deputy. Surveyor. in surveying the Subdivision lines of Towns No. nine, Ten, Eleven and part of Twelve North of Range No nine East of the 6th Pr. Meridian and that said subdivision lines has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the monuments planted according to the instructions furnished by the Surveyor General.

M. C. Barnum Chainman
Phil S Barnum Chainman
Dan P Sprague Axeman
A D Drake. Compassman
Flagman

Subscribed and sworn to before me a Notary Public in and for the County of Otoe and Territory of Nebraska by the above named persons this 30th day of Nov. 1857.

John M Wilson
Notary Public

Surveyor Generals Office
Lecompton Kans. March 4. 1858

The foregoing field notes of the survey of the Subdivisional lines of Townships Nine Ten Eleven and a part of Twelve North of Range Nine East of the Sixth Principal Meridian in the Territory of Nebraska executed by Wallace Bamum D.S. under his Contract No 138. dated October 8 1856 during the Months of June and July 1857. having been critically examined the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved

J. Calhoun
Surveyor General

General Land Office • Original Field Notes

Book Number

95

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.