General Land Office • Original Field Notes

Book Number

101

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Copied

a

U.S. Comp'd

Platted

Vol 2 R 10 E

Contract No. 172

Compared by Calhoun & McMeeker

Field Notes
of the
Survey of the Subdivision lines in
Township 5 North of Range 10 E
of the 6th Principal Meridian
in Nebraska Territory
By Charles W. Pierce
Deputy Surveyor
Under his contract No 172 bearing date
the first day of November 1856
Survey Commenced Nov 13th 1856
Survey completed Nov 23rd 1856

Contract No 172

Exd & found correct
June 22d 1857 Vanzandt
Exr

Township 5 N. Range 10 East



UNITED STATES OF AMERICA, } I, Rasselas D. Swallow
TERRITORY OF Nebraska } do solemnly Swear that I will execute the duties of chain carrier; that I will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that I will report the true distance to all notable objects; and the true length of all lines that I assist in measuring, to the best of my skill and ability.

Rasselas D. Swallow

Subscribed and sworn to before me this Eighth day of November A. D. 1856.

Wm B Hall
Justice of the Peace.

UNITED STATES OF AMERICA, } I, John H. Burnum
TERRITORY OF Nebraska } do solemnly Swear that I will execute the duties of chain carrier; that I will level the chain upon uneven ground, and plumb the tally pins whether by sticking or dropping the same; that I will report the true distance to all notable objects; and the true length of all lines that I assist in measuring according to the best of my skill and ability.

John H. Burnum

Subscribed and sworn to before me this Eighth day of November A. D. 1856.

Wm B Hall
Justice of the Peace

e

UNITED STATES OF AMERICA, } I, Alfred Gale
TERRITORY OF Nebraska } do solemnly swear that I will well and truly perform the duties of Axeman according to instructions given me, and to the best of my skill and ability.

Alfred Gale

Subscribed and sworn to before me this Eighth day of November A. D. 1856.

Wm B Doll
Justice of the Peace.

UNITED STATES OF AMERICA, } I, Randolph Wamsley
TERRITORY OF Nebraska } do solemnly swear that I will well and truly perform the duties of Flagman according to instructions given me, and to the best of my skill and ability.

Randolph Wamsley

Subscribed and sworn to before me this Eighth day of November A. D. 1856.

Wm B Doll
Justice of the Peace

Names and Duties of Assistant

John H. Barnum	Chainman
Rasselas D. Swallow	Chainman
Alfred Gale	Axeman
Randolph Wamsley	Flagman

Field Notes of the Survey of the Subdivision lines in Township 5 North of Range 10 East of the 6th Principal Meridian

---

To determine the proper adjustment of my ~~compass~~ Transit for Subdividing this township I begin at the corner to township 5 N. R 10 and 11 E and run North on a blank line along the East side of Section 36

Variation 10° 15' East

40.06 To a point 2 link west of quarter section corner

80.13 To a point 5 link west of the corner to sections 25 and 36

To retrace this line or run parallel thereto my compass must be adjusted to a

Variation 10° 13' East

Survey commenced Nov 13th 1856

Township 5 N Range 10 E. 6th Pr Mer.

From the corner to secs 35 and 36. on the south boundary of the Township I run N between secs 35 and 36

Va 10° 15' E.

23.07 Creek. 8 lks wide runs North East.

40.00 Set a boulder stone 17 in long 6 in wide 5 in thick for quarter section corner.

49.70 A. creek 10 lks wide runs East.

80.00 Set a boulder stone 15 in long 7 in wide 7 in thick for corner to secs 25. 26. 35 and 36.

Land rolling and 1st rate

Township 5 N. Range 10 E. 6th P. Mer.

East on a random line between sec's 25 and 36.
Va 10° 25' E.

40.00 Set a post for temporary quarter section corner.

80.10 Intersected East boundary of Township 6 lks south of corner to sections 25 and 36

West on true line between secs 25 and 36.
Variation 10° 28' E.

40.05 Set a boulder stone 13 in long 9 in wide and 7 in thick for quarter section corner.

80.10 The corner to sections ~~25 26 35 and~~ 36.
Land rolling and 1st rate

Township 5 N Range 10 E. 6th P. Mer.

North between sections 25 and 26.
Va 10° 15' E.

40.00 Set a sand stone 15 in long 9 in wide 4 in thick for quarter section corner.

52.00 Leave upland. enter creek bottom bearing North East and South West.

80.00 Set a boulder stone 12 in long 9 in wide 5 in thick for corner to sections 23. 24 25 and 26. Upland Land rolling " bottom dry. 1st rate.

East on a random line between sec's 24 and 25.
Va 10° 25' E.

16.00. Leave Creek bottom and.

Township 5 N Range 10 E 6th Pr Md.

enter upland. bears North and South.

23.00 Enter Creek bottom leave upland. bears North East and South.

40.00 Set a post for temporary quarter section corner

53.20 Leave Creek bottom and enter upland. bears North East and South West.

80.20 Intersected east boundary of Township 34 lks south of corner to sections 24 and 25. West on true line between sections 24 and 25.

Va 10° 40' E.

40.10 Set a boulder stone 13 in long 9 in wide 5 in thick for quarter sec corner.

80.20 The corner to sec's 23. 24. 25. 26. Soil 1st rate Upland rolling bottom level dry

November 13th 1854.

Township 5 N Range 10 E 6th Pr Md.

North between sec's 23 and 24

Va 10° 05' E.

40.00 Drove a charred stake set a post for quarter section corner and raised a mound with a trench as per instruction

69.00 Leave prairie. enter timber bearing East and south west.

70.50 A. creek 20 lks wide runs East.

73.80 Same creek 10 lks wide runs West.

75.94 Same creek 15 lks wide runs East.

80.00 Set a post with trench as per instructions for corner to sec's 13. 14. 23 and 24 from which an Elm 12 in diam bears N 33° 30 E 57 lks dist. Elm 20 in diam bears S 33° 30 W 91 lks dist no other trees convienent to mark.

Bottom Land level and dry

Soil 1st rate.

Timber Oak and Elm

Township 5 N Range 10 E 6th P. Mer.

East on a random line between sections 13 and 24

Va. 10° 35' E.

2.00 A. creek. 10 lks wide runs north W

24.43 leave timber and enter prairie bottom bearing south and north.

40.00 Set a post for temporary quarter section corner

79.87 Intersected east boundary of Township 34 lks south of corner to sec's 13 and 24

West on true line between sections 13 and 24.

Va. 10° 50' E.

39.93½ Set a boulder stone 15 in long 9 in wide 7 in thick for quarter section corner

79.87 The corner to sec's 13. 14. 23. 24

Land. bottom. level and not subject to inundation

Soil 1st rate.

Township 5 N. Range 10 E 6th P. Mer.

North between sections 13 and 14

Variation 10° 15' East.

5.12 A. creek. 24 lks wide runs W.

8.10 Same creek. 13 lks wide runs north east.

14.20 Leave timber and enter prairie bottom. bearing north east and west

37.40 North Fork of Great Nemaha 24 lks wide runs east with high banks and muddy bottom.

40.00 Set a boulder stone 13 in long 7 in wide 6 in thick for quarter section corner. from which an Elm 18 in diam bears. north 10° 30' east. 172 lks dist. no other trees near

80.00 Set a lime stone 16 in long 10 in wide 7 in thick for corner to sec's. 11. 12. 13. 14.

Land. dry bottom.

Timber Elm ~~and~~ Oak.

Township 5 N. Range 10 E. 6th P. M.

East on a random line
between sections 12 and 13
Variation 10° 35' East.

40.00 Set a post for temporary
quarter section corner.

70.95 A. creek. 5 lks wide runs
South. west.

71.00 Enter timber leave bottom.
bear's north east and south.

79.90 A. creek. 8 lks wide runs
north west.

80.00 Intersected east boundary
of township 56 lks south.
of corner to section 12 an 13
West on true line between
sections 12 and 13.
Variation 10° 59' East.

40.00 Set a lime stone 14 in long
9 in wide 4 in thick for
quarter sec corner.

80.00 The corner to sec's. 11. 12. 13. 14.

Township 5 N Range. 10 E 6th P. M.

Bottom Land. level and dry
upland rolling 1st rate.
Timber Oak and Elm
November 14th 1856.

North. between sec's 11 and 12
Variation 10° 15' East.

6.55 Leave bottom enter upland
bearing north east and West

40.00 Set a boulder stone 18 in long
9 in wide 5 in thick for
quarter section corner

80.00 Set a boulder stone 15 in
long 12 in wide 10 in thick
for corner to sec's 1. 2. 11. 12
Bottom Land level and
dry. upland. rolling.
1st rate.

Township 5 N Range 10 E 6th P. Mer.

East on a random line between sec. 1 and 12
Variation 10° 30' East.
40.00 Set a post for temporary quarter section corner
79.81 Intersected east. boundary of township 36. lks south of stone corner to sec. 1 and 12.
West on true line between sections 1 and 12
Variation 10° 45' East
39.90 Set a sand stone 17 in long 14 in wide 9 in thick for quarter section corner
79.81 The corner to sec. 1. 2. 11. 12
Land rolling 2nd rate.

North on a random line between sections 1 & 2
Variation 10° 30' East.
40.00 Set a post for temporary

Township 5 N Range 10 E 6th P. M.

quarter section corner
80.47 Intersected the north. boundary of the Township 2 lks west of corner to secs 1 and 2. from which I run south on true line between sections 1 and 2
Variation 10° 29' East.
40.47. Set a boulder stone 16 in long 8 in wide 7 in thick for quarter section corner
80.47 The corner to sec. 1. 2. 11. 12
Land rolling 1st rate.

North. between secs 34 and 35
Variation 10° 15' East.
40.00 Set a sand stone. 14 in long 9 in wide 8 in thick for quarter section corner
56.75 A creek. 5 lks wide runs east.

Township 5 N Range 10 E 6th P. M.

80.00 Set a boulder stone 12 in long 7 in wide 6 in thick for corner to sec's 26. 27. 34 and 35
Land rolling. 1st rate.

East on a random line between sec's. 26 and 35
Variation 10° 25' East.

40.00 Set a post for temporary quarter section corner.

79.76 Intersected N and S. line 11 lks south of corner to sec's 25. 26. 35. 36 from which I run West on true line between secs 26 and 35
Variation 10° 36' East.

39.88 Set a boulder stone 18 in long 10 in wide 3 in thick for quarter section corner

Township 5 N Range 10 E 6th P. M.

79.76 The corner to secs 26. 27 34. and 35
Land rolling 1st rate.

North between sec's 26. and 27.
Variation 10° 15 E

40.00 Set a lime stone 16 in long 7 in wide 6 in thick for quarter section corner.

43.00. Leave upland and enter bottom bearing North east and S.W.

64.50 Leave prairie enter timber bearing South West and North East.

65.13 A. creek 12 lks wide Runs N.E.

70.00 Leave timber and enter prairie bearing N E and S. W.

80.00. Set a lime stone 13 in long 8 in wide 7 in thick for corner to sec's 22. 23 26. 27
Upland. rolling Bottom dry 1st rate
Timber Oak and Elm

Township 5 N. Range 11 E 6th P. Mer.

East on a random line between secs 23 and 26
Variation 10° 30' East.

10.00 Leave prairie and enter timber bearing N and S. W.

10.90 A creek 20 lks wide runs N E.

12.00 Leave timber and enter prairie bearing N E and S. W.

40.00 Set a post for temporary quarter section corner

79.63 Intersected N and S line 20 lks. south of corner to secs 23. 24. 25. 26. from which I run West. on a true line between secs 23 and 26.
Variation 10° 39' East.

39.81 Set a lime stone 14 in long 8 in wide 5 in thick for quarter section corner

Township 5 N Range 10 E 6th P. Mer.

79.63 The corner to secs 22 23 26. and 27.
Land. level and dry 1st rate
Timber Oak and Elm.

North between secs 22 and 23
Variation 10° 15' East.

40.00 Set a lime stone 17 in long 9 in wide 4 in thick for quarter section corner.

50.00 Leave bottom and enter upland. bearing S. W and E.

80.00 Set a lime stone 16 in long 11 in wide 5 in thick for corner to sections 14. 15, 22. 23
Bottom. level and dry.
Upland rolling 1st rate.

Township 5 N Range 10 E. 6th Pr Md.

East on a random line
between sec's 14 and 23.
Variation 10° 30' East
8.55 Leave upland. and enter
bottom bearing N and S
40.00 Set a post for temporary
quarter section corner
79.00 Leave prairie and enter timber
bearing N and S.
79.72 Intersected N and S line
9 lks South of corner to sec's
13. 14. 23 and 24 from
which I run West on a true line
between secs 14 and 23.
Variation 10° 34' East.
39.86 Set a lime stone 14 in long
9 in wide 6 in thick for quar-
ter sec corner.
79.72 The corner to sec's 14.15.22.23
Upland rolling bottom level
and dry 1st rate Timber Elm
November 15th 1856—

Township 5 N Range 10 E 6th Pr Md.

North between secs 14 and 15
Variation 10° 15' East.
2.00 Enter bottom bearing N W and S E
40.00 Set a lime stone 15 in long
7 in wide 5 in thick for
quarter section corner
76.70 Leave prairie and enter
timber bearing N E and West
77.55 North Fork of Great Nemaha
River 32 lks wide runs East.
80.00 Set a post for corner to secs
10.11.14.15 from which a
Walnut 6 in diam bears S. 35° 30' E
25 lks dist A Walnut 15 in diam
bears S. 72° 00' W. 67 lks dist
An Elm 24 in diam bears N
19° 15' W 70 lks dist An Elm 6
in diam bears N 65° 00' E 14 lks
dist
Land level and dry 1st rate
Timber Oak Walnut and Elm

Township 5 N. Range 10 E 6th P. Md.

East on a random line between sections 11 and 14
Variation 10° 30' East.

5.00 Leave Timber enter prairie bearing N and S

16.00 Leave Prairie and enter timber bearing N E and S W.

16.60 North Fork of Great Nemaha River 20 lks wide runs N E.

16.85 Leave timber and enter prairie bearing N E and S W

33.80 North Fork of Great Nemaha River 30 lks wide runs S. W.

34.10 Leave prairie and enter timber bearing N and S. W

38.57 North Fork of Great Nemaha River 40 lks wide runs N E

39.10 Leave timber and enter prairie bearing N E and S. W

40.00 Set a post for temporary quarter section corner

Township 5 N Range 10 E 6th P. Md.

47.43 North Fork of Great Nemaha River 25 lks wide runs S

79.80 Intersected N and S line 43 lks N of corner to secs 11. 12 13. 14 from which I run West on true line between sec's 11 and 14
Variation 10° 12' East

39.90 Set a post with trench for quarter sec corner from which an Elm 15 in diam bears N 20° E 48 lks dist A maple 20 in diam bears N 85° 30' W 80 lks dist no trees in the other section

79.80 The corner to sec's 10. 11. 14. 15.
Land level
Soil 1st rate
Timber Oak Walnut and Elm
November 16th 1857.

Township 5 N Range 10 E 6th P.M.

North between sec's 10 and 11

Variation 10° 15' East.

3.00 Leave timber and enter prairie bearing E and N W.

40.00 Set a boulder stone 15 in long 12 in thick and 5 in wide for quarter section corner.

58.33 Enter timber upland bearing West and N E.

80.00 Set a boulder stone 15 in long 9 in wide and 5 in thick for corner to sec's 2. 3. 10. 11

Land level

Soil 1st rate.

Timber Oak Elm & Walnut.

East on a random line between sec's 2 and 11

Variation 10° 30' East.

40.00 Set a post for temporary quarter sec corner

Township 5 N Range 10 E 6th P.M.

79.88 Intersected N and S. line 8 lks W of corner to sec's 1. 2. 11. 12 from which 2 rus West on a true line between sec's 2 and 11

Variation 10° 27' East.

39.94 Set a sand stone 14 in long 9 in wide 4 in thick for quarter section corner.

79.88 The corner to sec's 2. 11. 3. 10

Land rolling prairie

Soil 1st rate.

North on a random line between sections 2 and 3.

Variation 10° 30' East.

40.00 Set a post for temporary quarter sec corner.

80.17 Intersected North boundary of Township 4 of lks

Township 5 N Range 10 E 6th Pr Md.

east of corner to sec's
2 and 3. from which
I run south on true
line between sec's 2 and 3
Variation 10° 32' East
4017 Set a boulder stone 15 in
long 9 in wide 4 in thick
for quarter sec corner
8017 The corner to sec's 2, 3, 10, 11
Land. rolling
Soil 2nd rate.
Nov 17th 1850

North between sec's 33 and 34
Variation 10° 15' East.
4000 Set a lime stone 16 in long
11 in wide 4 in thick for
quarter section corner
8000 Set a sand stone 17 in long
9 in wide 4 in thick for
corner to sec's 27. 28. 33. 34.
Land rolling 2nd rate

Township 5 N Range 10 E 6 Pr Md.

East on a random line
between sec's 27 and 34
Variation 10° 30' East.
2400 Set a post for temporary
quarter section corner.
8047 Intersected N and S line
36 lks south of corner to
sec's. 26. 27 34 35 from
which I run West on true line
between sec's 27 and 34.
Variation 10° 45' East.
4023 Set a lime stone 16 in long
8 in wide 5 in thick for
quarter section corner
8047. The corner to sec's 27. 28. 33. 34
Land. rolling 2nd rate.

North between sec's 27 and 28
Variation 10° 15' East.
3000 Leave prairie and enter

Township 5 N Range 10 E 6th P. Mer.

	timber bearing N E and W.
30.60	A creek. 20 lks wide runs N E.
30.80	Leave upland and enter bottom bearing N E and West
32.70	Same creek. 25 lks wide runs N W
33.00	Leave timber enter prairie bearing N W and East
38.23	Same creek 10 lks wide runs S E
40.00	Set a lime stone 26 in long 8 in wide 7 in thick for quarter sec. corner.
55.50	Leave bottom enter upland, bearing E and W.
80.00	Set a lime stone 23 in long 13 in wide 3 in thick for corner to secs 21. 22. 27. 28.

Upland rolling
Bottom level. and dry
Soil 1st rate.
Timber Oak and Elm

Township 5 N Range 10 E. 6th P. Mer.

	East on a random line between sections 22 and 27.
	Variation 10° 30' East.
38.00	Enter bottom leave upland, bearing N and south.
40.00	Set a post for temporary quarter section corner.
80.41	Intersected N and S. line 12 lks North of corner to sec's. 22. 23. 26. 27 from which I run West on true line between sec's 22 and 27.
	Variation 10° 25' East.
40.20	Set a lime stone 16 in long 9 in wide 4 in thick for quarter section corner.
80.41	The corner to sec's 21. 22. 27. 28.

Upland. rolling
bottom level and. dry
Soil 1st rate.

Township 5 N Range 10 E 6th P. Mer.

North between secs 21 and 22
Variation 10° 15' East
38.85 A creek. 30 lks wide runs N E
40.00 Set a lime stone 18 in long 8 in wide 4 in thick for quarter section corner
45.90 A creek. 5 lks wide runs E
80.00 Set a lime stone 15 in long 15 in wide 6 in thick for corner to secs 15.16.21.22
Land rolling 1st rate.

East on a random line between secs 15 and 22
Variation 10° 30' East
40.00 Set a post for temporary quarter section corner
61.90 A. creek 10 lks wide runs N E
80.65 Intersected N and S line 3 lks north of corner

Township 5 N Range 10 E 6th P. Mer.

to sections 15, 14, 23, 22, from which 2 run West on true line between sections 15 and 22
Variation 10° 29' East
40.32 Set a lime stone 17 in long 10 in wide 5 in thick for quarter section corner
80.65 The corner to secs. 15.16 21.22
Land rolling 1st rate.

North between secs 15 and 16.
Variation 10° 15' East
40.00 Deposited a marked stone set a post raised a mound with trench as per instructions
80.00 Set a boulder stone 12 in long 8 in wide 7 in thick for corner to section 9, 10, 15, 16
Land rolling 1st rate.

Township 5 N Range 10 E 6th Pr Mer.

East on a random line between sec's 10 and 15
Variation 10° 30' East.

35.00 Leave upland and enter bottom bearing N W and S. E.

40.00 Set a post for temporary quarter section corner

76.00 Leave prairie enter timber bearing. N W and S.

76.35 North Fork Great Nemaha River 80 lks wide runs S. E.

80.60 Intersected N and S line 3 lks south of corner to sec's 10. 11. 14. 15 from which 2 run Weston true line between sec's. 10 and 15
Variation 10° 31 East.

40.30 Set a red Lime stone 21 in long 18 in wide 3 in thick for quarter section corner.

80.60 The corner to sec's 9, 10, 15, 16

Township 5 N Range 10 E 6th Pr Mer.

Upland. rolling bottom level and dry 1st rate.
Nov 18th 1856

North between sec's 9 and 10
Variation 10° 15' East.

9.50 Leave upland enter bottom bearing N W and E.

40.00 Set a boulder stone 11 in long 8 in wide 7 in thick for quarter section corner.

80.00 Set a post. with trench for corner to sec's 3. 4. 9. 10. from which a box Elder 8 in diam bears N 27° 15' W. 46 lks dist A box Elder 12 in diam bears N. 27° E 97 lks dist no other trees convienent to mark.

Land level bottom wet and unfit for cultivation

Township 5 N Range 10 E 6th P. M.

East on a random line
between sec's 3 and 10
Variation 10° 30' East

3.30 North Fork of the Great Nemaha
River 25 lks wide runs S

13.14 A creek 6 lks wide runs S E

40.00 Set a post for temporary
quarter section corner

43.00 leave bottom enter upland
bearing S. E and N W

49.91 A creek. 12 lks wide runs S.

79.80 Intersected N and S line
22 lks North of corner
to sec's. 2. 3 10. 11. from
which I run West on
true line between
sections 3 and 10
Variation 10° 21 East

39.90 Set a sand stone 15 in long
6 in wide 6 in thick for
quarter section corner

Township 5 N Range 10 E. 6th P. M.

79.80 The corner to sec's 3. 4. 9. 10
Bottom level and dry
upland rolling 1st rate.

North on a random line
between sections 3 and 4
Variation 10° 15' East.

0.91 North Fork of Great Nemaha.
River 40 lks wide runs N E.

10.00 Leave prairie enter timber
bearing E and W.

13.50 Leave timber enter prairie
bearing W and S. E.

33.00. Leave bottom enter upland.
bearing E and. W.

40.00 Set a post for temporary
quarter section corner.

80.16 Intersected North boundary of
Township 12. lks west of
corner to sections 3 and 4
from which I run South.

Township 5 N Range 10 E. 6th Pr Mer.

on true line between secs 3 and 4.

Variation 10°.10. East

40.16 Set a boulder stone 20 in long 12 in wide 4 in thick for quarter section corner

80.16 The corner to secs. 3. 4. 9. 10

North between secs 32 and 33.

Variation 10° 15' E.

40.00 Set a boulder stone 14 in long 7 in wide 7 in thick for quarter section corner

51.35 Leave prairie enter timber and bottomland bearing N E and W

54.00 Bur Oak. 8 in diam

59.97 A. creek 8 lks wide runs E

63.50 Same creek 10 lks wide runs W

69.30 Same creek 13 lks wide runs E

69.45 Leave timber enter prairie

Township 5 N Rang 10 E 6th Pr. Mer.

bearing E and W

80.00 Set a lime stone 22 in long 8 in wide 5 in thick for corner to secs 28. 29. 32. 33.

Upland. high rolling prairie Soil 2° rate.

Bottom Land. Level. 1st rate.

Timber Oak Walnut and Elm

East on a random line between secs. 28 and 33

Variation 10° 30' E

15.50 A slough 80 links wide runs N. E

19.50 Same slough 100 links wide runs South East

27.40 A. creek. 10 lks wide runs N E.

27.50 Enter timber - leave prairie bearing N E and S. W.

37.56 A creek 4 lks wide runs N.

Township 5 N Range 10 E. 6th P. M.

40.00 Set a post for temporary quarter section corner

47.55 Leave timber enter prairie bearing N E and S W

54.50 Leave bottom enter upland. bearing N and S.

80.54 Intersected N and S line 20 lks north of corner to sec's 27. 28. 33. 34

West on true line between secs 28 and 33

Variation 10° 21' East.

40.27 Set a post from which a Black Walnut 18 in diam bears S 86° 30' W. 26. dist A. Black Walnut. 24 in diam bears N 76° 30' E 104 lks dist

80.54 The corner to sec's 28. 29 32 33

Bottom land level 1st rate.

Upland rolling 2° rate

Timber Oak Walnut. Elm

Township 5 N Range 10 E. 6th P. Mer.

North between sec's 28 and 29

Variation 10° East.

3.00 Leave bottom enter rolling prairie bearing E and W

40.00 Set a lime stone 18 in long 8 in wide 4 in thick for quarter section corner

80.00 Set a lime stone 18 in long 8 in thick 4 in wide for corner to sec's 20, 21, 28. 29

Land rolling prairie. Soil 1st rate

Nov 19th 1856

East on a random line between sec's 21 and 28

Variation 10° 20' East.

40.00 Set a post for temporary quarter sec corner

80.23 Intersected N and S line 13 lks north of corner to sec's 21. 22. 27. 28 from which I run West.

Township 5 N Range 10 E 6th Prin Merid

on true line between
secs 21 and 28
Variation 10° 24' East.

40.11 Set a lime stone 17 in long
8 in wide 7 in thick for
quarter sec corner

80.23 The corner to secs 20.21.28.29
Land Level, Soil 1st rate
Timber North of line Oak
and Elm ~~scattering along Creek~~

North between secs 20 and 21
Variation 10° 00' East.

16.94 A creek 6 lks wide runs N E.
25.45 A creek 16 lks wide runs S. E.
40.00 Set a lime stone 18 in
long 9 in wide 7 in thick
for quarter sec corner

80.00 Set a lime stone 13 in
long 9 in wide 7 in thick
for corner to secs 16.17.20.21.
Land level 1st rate

Township 5 N Range 10 E 6th P M.

East on a random line
between secs 16 and 21
Variation 10° 30' East.

40.00 Set a post for temporary
quarter section corner

79.91 Intersected N. and S line
25 links south of corner
to secs 15.16.21.22 from
which I run West on true
line between sections
16 and 21
Variation 10° 41 East.

39.95 Set a lime stone 16 in long
9 in wide 8 in thick for
quarter sec corner.

79.91 The corner to secs 16.17.20.21
Land Rolling
Soil 1st rate.

Township 5 N Range 10 E 6th P.M.

North between sec's 16 and 17
Variation 10° 15' East
40.00 Set a lime stone 15 in long 8 in wide 7 in thick for quarter sec corner
80.00 Set a red boulder stone 15 in long 8 in wide 7 in thick for corner to sec's 8.9.16.17
Land rolling Soil 2nd rate

East on a random line between sec's. 9 and 16.
Variation 10° 30' East.
40.00 Set a post for temporary quarter section corner
80.02 Intersected N and S line 32 lks south of corner to sec's 9.10.15.16 from which I run west on true line between secs 9 and 16

Township 5 N Range 10 E. 6th P.M.

Variation 10° 44' East.
40.01 Set a boulder stone 14 in long 8 in wide 7 in thick for quarter sec corner
80.02 The corner to sec's. 8.9.16.17
Land rolling Soil 2nd rate

North between sec's 8 and 9
Variation 10° 15' East
40.00 Set a boulder stone 13 in long 8 in wide 7 in thick for quarter section corner.
66.00 Enter bottom near high prairie bearing E and W.
80.00 Set a post for corner to sec's 4.5.8.9 from which an Ash 10 in diam bears N 74° 30' E 98 lks dist with trench as per instructions. No other trees near High prairie rolling.
Bottom wet soil 1st rate.

Township 5 N Range 10 E 6th P M

East on a random line
between sec's 4 and 9.
Variation 10°30' East.

40.00 Set a post for temporary
quarter section corner

71.50 North Fork Great Nemaha
River 25 lks wide runs S.

78.37 North Fork Great Nemaha
River 40 lks wide runs N E.

80.50 Intersected N and S line
12 lks south of corner to
sec's 3.4.9.10 from which
I run West on true line
between sec's 4 and 9
Variation 10°35' East.

40.25 Set a boulder stone 12 in long
11 in wide 5 in thick for
quarter sec corner.

80.50 The corner to secs 4.5.8.9
Dry level bottom land
Soil 1st rate

Township 5 N Range 10 E 6th P M

North on a random line
between sec's 4 and 5
Variation 10°30' East.

1.00 Dry run ~~4 lks~~ 10 lks wide runs N E

21.30 Slough 12 lks wide bearing
E and W.

32.75 North Fork of Great Nemaha
River 30 lks wide runs S. E

40.00 Set a post for temporary
quarter sec corner

68.00 Left bottom enter upland
bearing N W and E

80.24 Intersected North boundary
of Township 4 2 lks W of
the corner to sec's 4 and 5
from which I run south
on true line between
sec's 4 and 5
Variation 10°12' East.

40.24 Set a boulder stone 12 in
long 7 in thick 7 in wide

Township 5 N Range 10 E 6th P. M.

for quarter section corner
80.24 The corner to sec's 4. 5. 8. 9.
Land. Bottom dry. Upland
rolling Soil 1st rate Nov 20th 1856

North between sec's. 31 and 32
Variation 10° 00' East
9.87 A creek. 30 lks wide runs N E
this creek. ~~soon~~ turns and
runs parrallel to the line
and 10 lks dist
17.46 The above mentioned creek runs E
24.00 Leave bottom bearing E and W
40.00 Set a lime stone 18 in long
17 in wide 4 in thick for
quarter section corner
80.00 Set a lime stone 18 in long
10 in wide 4 in thick for
corner to sec's 29. 30. 31. 32
Bottom level and dry. Upland
rolling Soil 1st rate

Township 5 N Range 10 E. 6th P. M.

East on a random line
between sections 29 & 32
Variation 10° 15' E
40.00 Set a post for temporary
quarter section corner
45.00 Dry run 10 lks wide runs S. E
46.60 Same run 40 lks wide runs N E
48.63 Same run 13 lks wide runs S.
52.34 Same run 25 lks wide runs N E
53.45 Same run 10 lks wide runs S E
79.74 Intersected N and S. line
40 lks North of corner to
sec 28. 29 32. 33. from
which corner I run West
on true line between sec's
29. and 32
Variation 9° 58' East.
39.87 Set a sand. stone 18 in long
12 in wide 2 in thick for
quarter section corner
79.74 The corner to sec's 29. 30, 31, 32
Land level Soil 1st rate

Township 5 N Range 10 E 6th P M

West on a random line between sections 30 and 31
Variation 10° 15' East.

40.00 Set a post for temporary quarter section corner

79.61 Intersected West boundary of Township 32 lks South of stone corner to secs 30 and 31 from which corner I run East on true line between secs 30 and 31
Variation 10° 01' East.

39.61 Set a lime stone 13 in long 10 in wide 4 in thick for quarter sec. corner

79.61 The corner to Secs 29. 30 31. 32
Land rolling Soil 2nd rate

Township 5 N Range 10 E 6th P M

North between secs 29 and 30
Variation 10° 00' East.

40.00 Set a lime stone 18 in long 12 in wide 4 in thick for quarter section corner.

80.00 Set a lime stone 18 in long 12 in thick 3 in wide for corner to secs 19. 20. 29. 30
Land rolling prairie Soil 1st rate

East on a random line between secs 20 and 29
Variation 10° 15' East.

40.00 Set a post for temporary quarter sec corner

80.27 Intersected N and S line 53 lks north of corner to secs 20. 21. 28. 29 from which corner I run West on true line between secs 20 and 29
Variation 9° 52' East.

Township 5 N Range 10 E 6th P M

40.13 Set a lime stone 14 in long 13 in wide 8 in thick for ~~quarter section~~ corner

80.24 The corner to secs 19. 20. 29. 30
Land rolling prairie. 1st rate

West on a random line between secs 19 and 30
Variation 10° 00 East.

40.00 Set a post for temporary quarter section corner

79.40 Intersected west boundary of Township 23 chs south of corner to secs 19 and 30 from which corner I run East on a true line between secs 19 and 30.
Variation 9° 50 East

39.40 Set a lime stone 18 in long 13 in wide 4 in thick for quarter sec corner

Township 5 N Range 10 E 6th P M.

79.40 The corner to secs 19, 20, 29, 30
Land rolling prairie. Soil 1st rate

North between secs 19 and 20
Variation 10° 00' East.

40.00 Set a lime stone 16 in long 12 in wide 3 in thick for quarter sec corner

80.00 Set a lime stone 15 in long 12 in wide 3 in thick for corner to secs 17, 18, 19, 20
Land rolling prairie
Soil 1st rate
November 21st 1856.

Township 5 N Range 10 E 6th P M

East on a random line between Sec's 17 and 20
Variation 10° 30' East

40.00 Set a post for temporary quarter sec corner

80.12 Intersected N and S line 47 lks north of corner to secs 16. 17. 20. 21 from which corner I run West on a true line between secs 17 and 20
Variation 10° 10' East

40.06 Set a lime stone 14 in long 10 in wide 4 in thick for quarter section corners

80.12 The corner to sections 17, 18, 19, 20
Land rolling prairie
Soil 1st rate

Township 5 N Range 10 E 6th P M

West on a random line between sections 18 and 19
Variation 10° 30' East

40.00 Set a post for temporary quarter sec corner

79.42 Intersected west boundary of Township 35 lks north of corner to secs 18 and 19 from which corner I run East on a true line between secs 18 and 19.
Variation 10° 45' East

39.42 Set a sand stone 18 in long 12 in wide 8 in thick for temporary quarter sec corner

79.42 The corner to secs 17. 18. 19. 20
Land rolling prairie
Soil 1st rate

Township 5 N. Range 10 E. 6th P. Md

North between secs 17 and 18
Variation 10°15' East.

40.00 Set a lime stone 16 in long 9 in wide 6 in thick for quarter sec corner

80.00 Set a lime stone 16 in long 9 in wide 4 in thick for corner to secs 7. 8. 17. 18.
Land rolling 2° rate

East on a random line between secs 8 and 17
Variation 10°15' East

40.00 Set a post for quarter sec corner

79.98 Intersected N and S. line 23 lks north of corner to secs 8. 9. 16. 17. from which corner I run West on a true line between secs 8 and 17
Variation 10°05' East

Township 5 N Range 10 E. 6th Pr. Mer.

39.99 Set a sand stone 16 in long 12 in wide 6 in thick for quarter sec corner

79.98 The corner to sections 7. 8. 17. 18
Land. rolling prairie. Soil 1st rate

West on a random line between secs 7 and 18
Variation 10°30' East

2.00 Timber bears N E. and S. W

11.30 A creek 30. lks wide runs N E

5.00 Leave timber bearing N and S.

40.00 Set a post for temporary quarter section corner

79.48 Intersected west boundary of Township 23 lks N of corner to secs 7 and 18 from which corner I run East on a true line between secs 7 & 18
Variation 10°40' East.

39.48 Set a sand stone 13 in long

Township 5 N Range 10 E 6th P Md.

10 in wide 5 in thick for
quarter sec corner
79.48 The corner to secs 7. 8. 17. 18
Land. rolling prairie Soil 1st rate

North between secs 7 and 8
Variation 10° 15' East.
8.31 A creek 10 links wide runs N E
40.00 Set a boulder stone 14 in
long 10 in wide 4 in thick for
quarter section corner

80.00 Set a boulder stone 13 in
long 8 in wide 5 in thick
for corner to secs 5. 6. 7. 8
Land rolling
Soil 2nd rate

Nov 22nd 1806

Township 5 N Range 10 E 6th PM

East on a random line
between secs 5 and 8.
Variation 10° 30' East.
40.00 Set a post for temporary
quarter sec corner
50.00 Enter bottom bearing N W
and S. E.
78.10 A creek 10 links wide runs N E
79.98. Intersected N and S. line 19
lks south of corner to secs
4. 5. 8. 9 from which Corner
I run West on a true line
between secs 5 and 8
Variation 10° 38' East.
39.99 Set a boulder stone 13 in long
10 in wide 4 in thick for
quarter sec corner.
79.98 The corner to secs 5. 6. 7. 8
Land. Bottom level. Upland rolling
Soil 1st rate

Township 5 N Range 10 E. 6th P. M

West on a random line between sec's 6 and 7

Variation 10° 30' East.

40.00 Set a post for temporary quarter sec corner

79.47 Intersected west boundary of Township 27 links north of section corner to sec's 6 and 7 from which I run East on a true line between sec's 6 and 7

Variation 10° 42' East.

39.47 Set a boulder stone 14 in long 8 in wide 7 in thick for quarter sec corner

79.47 The corner to sec's 5. 6. 7. 8

Land rolling 2nd rate

Township 5 N Range 10 E. 6th P. M

North on a random line between sec's 5 and 6

Variation 10° 15' East

40.00 Set a post for temporary quarter sec corner

48.00 Entr bottom bearing N W and S E

79.47 Intersected north boundary of Township 37 lks west of the corner to sec's 5 and 6. from which corner I run South on a true line between sec's 5 and 6.

Variation 9° 59' East.

39.47 Set a sand stone 19 in long 9 in wide 3 in thick for quarter section corner

79.47 The corner to sec's 5. 6. 7. 8.

Land. Bottom land. Upland rolling

Soil. 1st rate

Nov 23rd 1856

General Description

About one third of the land in this township is bottomland dry and the best of farm land. The ballance is rolling upland Soil good.

The North Fork of Great Nemaha river runs through the N E part of the township

There are good lime stone quarries in Sections 22, 23, and 32

The timber is chiefly Elm Oak Hickory and Walnut. Comprised in sections 13, 23, 27, 28, 32, 33

A list of the names of the ~~Names~~ individuals employed to assist in running, measuring and marking the lines and corners described in the foregoing field notes of Township No 5 North, of the Base line of Range No 10 East of the 6th Principal Meridian, showing the respective capacities in which they acted

John H Burnum		Chainman
Rasselas Swallow		Chainman
Alfred Galt		Axeman
Randolph Wamsley		Flagman

For oath and Surveyor General's Approval see T 7 N R 10 E

U.S. Comp'd 2

Copied

Contract No. 172 Comp'd Brent & McMeeker

Field Notes
of the
Survey of the Subdivision Lines of
Township Six N. of Range 10 East
of the 6th Principal Meridian in
Nebraska Territory
By Charles W. Pierce
Deputy Surveyor No 172
Under his contract bearing date
the first day of November 1856

Survey commenced Nov 24th 1856
Survey completed Dec 11th 1856

Exd & found correct
June 22d 1857 Vanzandt Exr

Township 6 N. Range 10 East

6	54	5	38	4	30	3	21	2	11	1
53		51		37		29		20		10
7	50	8	37	9	28	10	19	11	9	12
49		48		36		27		18		8
18	47	17	35	16	27	15	17	14	7	13
46		45		34		25		16		7
19	45	20	34	21	25	22	15	23	6	24
44		43		33		24		14		5
30	42	29	32	28	23	27	13	26	4	25
41		40		31		22		13		3
31	39	32	31	33	22	34	12	35	3	36

Names and Dates of Assistants

John H. Burnum	Chainman
Rasselas D. Swallow	Chainman
Alfred Gale	Axeman
Randolph Wansley	Flagman

Field Notes of the Survey of the Subdivision lines in Township No. 6 North of Range No 10 East of the 6th Principal Meridian.

To determine the proper adjustment of my transit for subdividing this township I commence at the corner to townships 5 and 6 N R 10 and 11 E and run North on a blank line along the East boundary of Section 36

Variation 10° 15' East

39.94 To a point 8 links E of the quarter sec. Corner

79.94 To a point 14 links East of the corner to sections 25 and 36

To retrace this line or run parallel thereto my compass must be adjusted to a variation of 10° 21' East

Subdivisions commenced Nov 24th 1856

Township 6. N Range 10 E. 6th P. M.

North between secs 35 and 36

Variation 10° 20' East.

40.00 Set a boulder 15 in long 8 in wide 8 in thick for quarter sec corner

72.60 A. Creek 15 lks wide runs NE

73.15 Same Creek 40 lks wide runs NW

78.74 Same Creek 26 lks wide runs NE

80.00 Set a boulder stone 17 in long 9 in wide 9 in thick for corner to secs 25. 26. 35. 36

Land. rolling

Soil 1st rate

East on a random line between secs 25 and 36.

Variation 10° 30' East.

0.95 A creek 6 lks wide runs NE.

35.35 A creek 10 lks wide runs North

40.00 Set a post for temporary quarter section corner

Township 6 N Range 10 E 6th P M

79.96 Intersected East boundary of Township 48 lks north of stone corner to secs 25 and 36 from which I run East on a true line between secs 25 and 36.

Variation 10° 10' East.

39.98 Set a boulder stone 24 in long 6 in wide 4 in thick for quarter section corner

79.96 The corner to secs 25.26,35.36

Land. rolling prairie, 1st rate

North between secs 25 and 26

Variation 10° 20' East.

7.45 A. creek 10 lks wide runs East

33.10 Same creek 12 lks wide runs S W

34.94 Same creek 11 lks wide runs S. E

40.00 Set a boulder stone 17 in long 9 in wide 5 in thick for quarter sec corner

Township 6 N Range 10 E 6th P M

80.00 Set a boulder 16 in long 9 in wide 5 in thick for corner to secs 23.24.25.26.

Land rolling prairie. 1st rate

East on a random line between secs 24 and 25

Variation 10° 15' E

36.00 Enter bottom bearing N and S.

40.00 Set a post for temporary quarter sec corner

52.58 A creek 10 lks wide runs North

52.70 Enter timber bearing N and S.

57.40 Leave timber enter prairie bearing N and South.

80.00 Intersected east boundary of Township 10 lks south. of stone corner to secs 24.25 from which corner I run West on true line between secs 24 and 25

Township 6 N Range 10 E 6th PM

Variation 10° 19' East.

40.00 Set a boulder stone 18 in long 9 in wide 5 in thick for quarter section corner

80.00 The corner to secs 23. 24, 25. 26

Land level 1st rate

Timber Oak. Elm

November 24th 1856.

North between secs 23 and 24

Variation 10° 25' East

40.00 Set a sand stone 13 in long 10 in wide 6 in thick for quarter sec corner

80.00 Set a boulder stone 16 in long 11 in wide 8 in thick for corner to secs 13. 14 23. 24

Land rolling

Soil 2nd rate

Township 6 N Range 9 E 6th Prin Merid

East on a random line between sections 13 and 24

Variation 10° 30' East

40.00 Set a post for temporary quarter section corner

79.68 Intersect the East boundary of the township 27 links links South of the corner to sections 13 and 24 from which corner I run

West on a true line between sections 13 and 24

Variation 10° 42' East

39.84 Set a sand stone 11 in long 10 in wide 6 in thick for quarter sect. corner

79.68 The corner to sections 13. 14. 23. 24

Land rolling prairie, Soil 1st rate

North between sections 13 and 14

Variation 10° 35' East

40.00 Set a sand stone 17 in long 8 in wide 4 in thick for quarter section corner

Township 6 N Range 10 East 6th P. M.

80,00 Set a sand stone 19 in long 9 in wide 5 in thick for corner to sections 11, 12, 13, 14. Land rolling. Soil 1st rate

---

East on a random line between sections 12 and 13

Variation 10° 35' East

40,00 Set a post for temporary quarter section corner

79,80 Intersect the East boundary of the township 18 links South of the stone corner to sections 12 and 13 from which corner I run West on a true line between sections 12 and 13

Variation 10° 43' East

39,90 Set a lime stone 16 in long 9 in wide 8 in thick for quarter section corner

79,80 The corner to sections 11, 12, 13, 14

Land rolling prairie. Soil 1st rate

Township 6 N. Range 10 E 6th Prin. Merid.

North between sections 11 and 12

Variation 10° 50' East

40,00 Set a sand stone 15 in long 7 in wide 7 in thick for quarter section corner

78,48 A creek 20 links wide runs N E

80,00 Set a boulder stone 15 in long 8 in wide 7 in thick for corner to sections 1, 2, 11, 12

Land level prairie

Soil 1st rate

Township 6 N Range 10 E 6th P. M.

East on a random line between sections 1 and 12

Variation 10° 40' East

10.00 Timber north of line

11.08 A creek 20 links wide runs N E

14.50 Intersect right bank of same creek coming from N W

14.90 Leave right bank of same creek flows N E

14.90 Intersect bottom land bearing N E and S W

24.00 Leave bottom land bearing North and South

40.00 Set a post for temporary quarter section corner

68.45 A creek 10 links wide runs North

79.70 Intersect the East boundary of the township 27 links south of the corner to sections 1 and 12 from which corner I run West on a true line between section 1 and 12

Variation 10° 52' E

Township 6 N Range 10 E 6th P. M.

39.85 Set a boulder stone 12 in long 8 in wide 6 in thick for quarter section corner

79.70 The corner to sec's 1, 2, 11, 12

Land level Bottom rich

Soil 1st rate

Timber Oak and Elm

Nov 25th 1856

North between sec's 1 and 2 on a random line

Variation 11° 10' East.

4.50 Leave bottom bearing N E and S W

26.00 Enter bottom bearing E and W

40.00 Set a post for temporary quarter sec corner

41.47 South Fork. Little Nemaha River 22 lks wide runs E.

79.74 Intersected north boundary of Township 9. lks East of corner to sec's 1 and 2. from which corner I run south.

Township 6 N Range 10 E. 6th P.M.

on true line between secs 1 and 2
Variation 11° 14' East

39.74 Set a boulder stone 16 in long 9 in wide 8 in thick for quarter sec corner

79.74 The corner to sec 1. 2. 11. 12
Land level Soil 1st rate

North between secs 34 and 35
Variation 10° 30' East

40.00 Set a boulder stone 16 in long 11 in wide 4 in thick for quarter section corner

80.00 Set a boulder stone 11 in long 8 in wide 4 in thick for corner to sec's 26. 27. 34, 35
Land rolling 2nd rate

Township 6 N Range 10 E 6th Pr. Md.

East on a random line between sections 26 and 35
Variation 10° 30' East

40.00 Set a post for temporary quarter section corner

79.84 Intersect N and S line 8 links North of the corner to sections 25, 26, 35, 36 from which corner I pine West on a true line between sections 26 and 35
Variation 10° 27' East

39.92 Set a boulder stone 19 in long 9 in wide 8 in thick for quarter section corner

79.84 The corner to Sections 26, 27, 34, 35
Land rolling prairie. Soil 1st rate

North between sections 26 and 27
Variation 10° 35' East

40.00 Set a lime stone 12 in long 10 in wide 5 in thick for quarter section corner

Township 6 N Range 10 E 6th Pr. M.

80.00 Set a sand stone 15 in long 9 in wide 5 in thick for corner to sections 22, 23, 26, 27
Land rolling prairie, Soil 1st Rate

East on a random line between sections 23 and 26
Variation 10° 30' East
40.00 Set a post for temporary quarter sec. Corner
80.04 Intersect Rand Line 7 links south of the corner to sections 23, 24, 25, 26 from which corner I run
West on a true line between sections 23 and 26
Variation 10° 33' East
40.02 Set a sand stone 11 in long 10 in wide 9 in thick for quarter section corner
80.04 The corner to sections 22, 23, 26, 27
Land rolling prairie
Soil 1st rate

Township 6 N Range 10 E. 6th Pr. Merid

North between Sections 22 and 23
Variation 10° 35' East
40.00 Set a boulder stone 15 in long 11 in wide 7 in thick for quarter section corner
70.65 A creek 10 links wide runs N W
80.00 Set a boulder stone 12 in long 10 in wide 5 in thick for corner to sections 14, 15, 22, 23
Land rolling prairie
Soil 1st rate

Township 6 N Range 10 E 6th Pr. Mer.

East on a random line between sections 14 and 23

Variation 10°35' East

40.00 Set a post for temporary quarter section corner

80.10 Intersect N and S line 13 links south of the corner to sections 13, 14, 23, 24 from which corner I run West on a true line between sections 14 and 23

Variation 10°41' East

40.05 Set a boulder stone 10 in long 9 in wide 7 in thick for quarter section corner

80.10 The corner to sections 14, 15, 22, 23

Land rolling prairie

Soil 1st rate

Nov 26th 1856

Township 6 N Range 10 E 6th Pr. Mer.

North between Sections 14 and 15

Variation 10°35' East

15.12 A creek 6 links wide runs N E

21.40 Same creek 15 links wide runs N W

39.00 Intersect timber bearing N E and West

39.50 Intersect the right bank of same creek coming from West

39.75 Junction of this stream with another, flows North

40.00 The point for quarter section corner falling in the creek I set a sand stone 11 in long 8 in wide 6 in thick for witness corner 111 links North of the true corner from which

An Elm 18 in diam bears S 49°75' W 11 lks dist

An Ash 8 in diam bears S 87°75' E 24 lks dist

41.00 I cross creeks flowing to the North East

41.59 Same creek 10 links wide runs N W

48.00 Same creek 20 links wide runs N E

48.30 Intersect prairie bearing East and West

80.00 Set a boulder stone 17 in long 10 in wide 6 in thick for corner to sections 10, 11, 14, 15. Land rolling, Soil 1st rate

Timber Oak Elm. Walnut and Hickory

Township 6 N Range 10 E 6th P.M.

East on a random line between sections 11 and 14

Variation 10° 35' East

30.00 Intersect timber bearing North and S.W.

32.98 A creek 15 links wide runs N.E

39.10 Intersect prairie bearing South & N.E.

40.00 Set a post for temporary quarter section corner

79.96 Intersect N and S line 39 links South of the corner to sections 11, 12, 13, 14 from which corner I run

West on a true line between sections 11 and 14

Variation 10° 52' East

37.98 Set a lime stone 11 in long 8 in wide 6 in thick for quarter section corner from which
A hickory 7 in diam bears S 74° W 93 links dist

Township 6 N Range 10 E 6th P M

A Burr Oak. 8 in diam bears N 43° 30' W. 53 lks dist

79.98 The corner to secs 10, 11, 14, 15

Land rolling 1st rate

Timber Oak and Hickory

North between secs 10 and 11

Variation 10° 40' East

33.21 A. creek 10 lks wide runs E

40.00 Set a boulder stone 16 in long 10 in wide 8 in thick for quarter sec corner

80.00 Set a sand stone 22 in long 14 in wide 10 in thick for corner to secs 2, 3, 10, 11

Land rolling 1st " rate

Township 6 N Range 10 E. 6th P M

East on a random line
between sec's 2 and 11
Variation 10° 40' East
40.00 Set a post. for temporary
quarter sec corner
54.00 Enter bottom bearing NE. SW
79.80 Intersected N and S line
5 2 lk's south of corner to
sec's 1. 2. 11. 12 from which
corner I run West on a true
line between sec's 2 and 11
Variation 11° 0 2' East
39.90 Set a sand stone 15 in long
9 in wide 9 in thick for
quarter section corner
79.80 The corner. to sec's 2, 3, 10, 11
Land. West half rolling
2nd rate. East half level
1st rate

Township 6 N Range 10 E. 6th P M

North on a random line
between sec's 2 and 3.
Variation 11° 10' East
30.00 Enter bottom bears E and W
40.00 Set a post for temporary quarter
sec corner
79.88 Intersected north boundary of Township 12 lks
East of section corner to
sec's 2 and 3. from which
corner I run South on a
true line between sec's
2 and 3
Variation 11° 15' East
39.88 Set a boulder stone 16 in long
9 in wide 8 in thick for
quarter sec corner
79.88 The corner to sec's 2. 3. 10. 11
Land Prairie rolling 2nd rate
Bottom west of Sun subject
to inundation

Township 6 N Range 10 E. 6 P. M

North between sec's 33 and 34.
Variation 10° 30' East

40.00 Set a boulder stone 15 in long 7 in wide 6 in thick for quarter section corner

80.00 Set a boulder 17 in long 9 in wide 3 1/2 in thick for corner to secs 27. 28. 33. 34
Land rolling 2° rate

Nov 27th 1856

East on a random line between secs 27 and 34
Variation 10° 30' East

40.00 Set a post. for temporary quarter sec corner

79.73 Intersected north and south line 17. lks south of the corner to secs 26. 27. 34. 35 from which I run West on a true line between secs 27 and 34

Township 6 N Range 10 E. 6 P. M

Variation 10° 37' East

39.86 Set a boulder stone 14 in long 7 in wide 6 in thick for quarter sec corner

79.73 The corner to secs 27 28. 33 34
Land, rolling Soil 2° rate

North between sec's 27. and 28
Variation 10° 40' East

40.00 Set a boulder stone 16 in long 11 in wide 7 in thick for quarter sec corner

80.00 Set a boulder stone 21 in long 10 in wide 6 in thick for corner to secs 21. 22. 27. 28
Land. rolling 2° rate

Township 6 N Range 10 E. 6th P M

East on a random line
between secs 22 and 27
Variation 10° 30' East
40.00 Set a post for temporary
quarter sec corner
79.85 Intersected N and S. line
7 lks south of corner to secs
22. 23. 26. 27 From which
corner I run West on a
true line between secs
22 and 27
Variation 10° 33' East
39.92½ Set a sand stone 15 in long
12 in wide 10 in thick for
~~quarter sec corner~~
79.85 The corner to secs 21. 22, 27, 28
Land rolling
Soil 1st rate

Township 6 N Range 10 E 6 P M

North between secs 21 and 22
Variation 10° 45' E
40.00 Set a boulder stone 12 in
long 9 in wide 5 in thick
for quarter sec corner
60.10 Enter timber bearing S. W and E
62.00 A creek 130 lks wide runs N E
63.75 leave timber enter prairie
bearing E and West
80.00 Set a lime stone 21 in
long 6 in wide 5 in thick
for corner to secs 15 16. 21, 22
Land rolling Soil 1st rate
Timber Bur Oak. and Elm

East on a random line
between secs 15 and 22
Variation 10° 30' East
33.05 A creek 12 lks wide ru
N. this creek about 2

Township 6 N Range 10 E. 6th P M

chs dist from line turns and runs parallel thereto for 20 chs timber along the creek

40.00 Set a post for temporary quarter sec corner

52.00 Timber bearing N and S

53.20 Leave timber bearing N and S

76.70 A creek 12 lks wide runs North

80.20 Intersected N and S. line 5 lks north of corner to sec's 14, 15, 22, 23 from which corner I run West on a true line between secs 22 and 15

Variation 10° 28' East

40.10 Set a boulder stone 12 in long 8 in wide 5 in thick for quarter sec corner

80.20 The corner to sec's 15. 16. 21, 22

Land rolling 1st rate. Timber Elm and Ash

Township 6 N Range 10 E. 6th P M

North. between sec's 15 and 16

Variation 10° 45' E

40.00 Set a boulder stone 15 in long 9 in wide 7 in thick for quarter sec corner

80.00 Set a boulder stone 18 in long 8 in wide 8 in thick for corner to sec's 9, 10, 15, 16

Land rolling Soil 1st rate

East on a random line between sec's 10 and 15

Variation 10° 30' East

40.00 Set a post for temporary quarter sec corner

80.02 Intersected N and S. line 7 lks south of corner to sec's 10, 11, 14, 15 from which corner I run west on a true line between secs 10 and 15

Variation 10° 33' East

Township 6 N. Range 10 E. 6 P. M

40.01 Set a lime stone 15 in long 7 in wide 6 in thick for quarter sec corner

80.02 The corner to secs 9. 10. 16. 15
Land rolling 1st rate
November 28th 1856.

North between secs 9 and 10
Variation 10° 00' East

40.00 Set a boulder stone 16 in long 10 in wide 6 in thick for quarter sec corner

48.55 A creek 35 lks wide runs E

80.00 Set a boulder stone 15 in long 9 in wide 5 in thick for corner to secs 3. 4. 9. 10
Land rolling Soil 1st rate

Township 6 N Range 10 E. 6 P M

East on a random line between secs 3 and 10
Variation 10° 35' East

40.00 Set a post for temporary quarter sec corner

80.42 Intersected N and S. line 10. lks North of the corner to secs 2. 3. 10. 11 from which corner I run west on a true line between secs 3 and 10
Variation 10° 31' East

40.21 Set a sand stone 17 in long 9 in wide 4 in thick for quarter sec corner.

80.42 The corner to secs 3. 4. 9. 10
Land rolling Soil 1st rate

Township 6. N Range 10 E. 6th P M

North on a random line
between secs 3 and 4.
Variation 11° 00 East
40.00 Set a post for temporary
quarter sec corner.
79.68 Intersected north boundary
of Township 22 lks west
of corner to secs 3 and 4
from which corner I
run south on a true
line between secs 3 and 4
Variation 10° 51 East
39.68 Set a boulder stone 14 in
long 8 in wide 6 in thick
for quarter sec corner
79.68 The corner to secs 3.4.9.10
Sand rolling Soil 2d rate

Township 6 N. Range 10 E 6th P M.

North between secs 32 and 33
Variation 10° 40' East
40.00 Set a boulder stone 12 in
long 8 in wide 6 in thick
for quarter sec corner
80.00 Set a boulder stone 14 in long
10 in wide 6 in thick for
corner to sec's 28. 29. 32. 33.
Land rolling Soil 2d rate

East on a random line
between secs 28. and 33
Variation 10° 35' East
40.00 Set a post for temporary
quarter sec corner
79.76. Intersected N and S. line 10
lks North of the corner to
27. 28. 33. 34 from which
corner I run west on a
true line between secs
28 and 33
Variation 10° 31' East

Township 6 N Range 10 E. 6th P. M

39.88 Set a boulder stone 14 in long 10 in wide 6 in thick for quarter sec corner

79.76 The corner to secs 28. 29. 32. 33

Land rolling 2° rate

Nov 29th 1856

North between secs 28 and 29

Variation 11° 00' East

40.00 Set a sand stone 20 in long 10 in wide 6 in thick for quarter sec corner

80.00 Set a boulder stone 14 in long 9 in wide 6 in thick for corner to secs 20. 21, 28, 29

Land rolling Soil 2° rate

Township 6 N. Range 10 E. 6th P. M.

East on a random line between secs 21 and 28

Variation 10° 35' East

40.00 Set a post for temporary quarter sec corner

79.95 Intersected Standard line at corner to secs 21. 22, 27, 28 from which corner I run west on a true line between secs 21 and 28

Variation 10° 35' East

39.97 Set a boulder stone 15 in long 11 in wide 8 in thick for quarter sec corner

79.95 The corner to secs 20. 21. 28. 29

Land. rolling West half 2° rate

East half 1° rate

Township 6 N. Range 10 E. 6th P.M.

North between secs 20 and 21
Variation 11° 00' East

40.00 Set a boulder stone 15 in long 10 in wide 7 in thick for quarter sec corner

80.00 Set a sand stone 20 in long 9 in wide 4 in thick for corner to secs 16.17.20.21

Land gently rolling 1st rate

East on a random line between secs 16 and 21
Variation 10° 35' East

40.00 Set a post for temporary quarter sec corner

79.97 Intersected N and S line 52 lks south of corner to secs 15.16.21.22 from which corner I run west on a true line between

Township 6 N. Range 10 E. 6th P.M.

secs 16 and 21
Variation 10° 57' East

39.98 Set a sand stone 23 in long 9 in wide 4 in thick for quarter sec corner

79.97 The corner to secs 16.17.20.21

Land rolling 1st rate

North between secs 16 and 17
Variation 11° 00' East

40.00 Set a boulder stone 14 in long 9 in wide 7 in thick for quarter section corner

80.00 Set a boulder stone 17 in long 8 in wide 5 in thick for corner to secs 8.9.16.17

Land rolling 2nd rate

Township 6 N. Range 10 E. 6 P.M.

East on a random line between secs 9 and 16
Variation 11° 00' East
40.00 Set a post for temporary quarter sec corner
80.10 Intersected N and S. line 9 lks south of corner to secs 9. 10. 15. 16 from which corner I run west on a true line between secs 9 and 16
Variation 11° 04' East
40.05 Set a boulder stone 16 in long 9 in wide 6 in thick for quarter sec corner
80.10 The corner to secs 8. 9. 16. 17
Land rolling prairie 1st rate soil

Township 6 N. Range 10 E. 6 P.M.

North between secs 8 and 9
Variation 11° 00' East
40.00 Set a boulder stone 15 in long 7 in wide 6 in thick for quarter sec corner
80.00 Set a lime stone 15 in long 10 in wide 7 in thick for corner to secs 4. 5. 8. 9.
Land rolling soil 1st rate

East on a random line between secs 4 and 9.
Variation 10° 45' East
40.00 Set a post for temporary quarter sec corner
80.12 Intersected N and S. line 32 lks south of corner to secs 3. 4. 9. 10 from which corner I run west on a true line between secs 4 and 9

Township 6 N. Range 10 E. 6th P M

Variation 10° 59' East

40.06 Set a sand stone 14 in long 8 in wide 6 in thick for quarter sec corner

80.12 The corner to Sec's 4, 5, 8, 9

Land rolling Soil 1st rate

North on a random line between secs 4 and 5)

Variation 11° 00' East

40.00 Set a post for temporary quarter section corner

60.00 Leave prairie enter Hazel brush bearing N W and S. E

60.06 A creek 10 lks wide runs N W

62.80 Same creek 12 lks wide runs S E

63.90 Same creek 13 lks wide runs N W

64.00 Same creek 8 lks wide runs N E

64.30 Same creek 10 lks wide runs N W

73.00 Leave Hazel brush enter prairie bearing W and S. E

Township 6 N Range 10 E 6th P M

79.74 Intersected north boundary of township 68 lks west of corner to secs 4 and 5 from which corner I run south on a true line between secs 4 and 5

Variation 10° 31' East.

39.74 Set a boulder stone 14 in long 10 in wide 5 in thick for quarter sec corner

79.74 The corner to secs 4.5.8.9

Land rolling Soil 1st rate

November 30th 1856

North between secs 31 and 32

Variation 11° 00' East

18.32 North Fork Great Nemaha 25 lks wide runs East

18.60 Leave prairie enter scattering timber and Hazel brush bearing E & W

20.50 Leave timber and underg=

Township 6 N Range 10 E 6 P M

growth and into prairie
bearing E and W

40.00 Set a boulder stone 16 in
long 10 in wide 4 in thick
for quarter sec corner

80.00 Set a boulder stone 18 in
long 10 in wide 8 in thick
for corner to secs 29.30.31.32
Land Level bottom 1st rate

East on a random line
between secs 29 and 32
Variation 10° 40' East

22.00 Leave bottom bearing N W and S E.
40.00 Set a post for temporary
quarter section corner

80.18 Intersected N and S line
20 lks south of corner
to secs 28.29.32.33 from
which corner I run west
on a true line between

Township 6 N Range 10 E 6th P. M.

Sections 29 and 32
Variation 10° 49' E

40.09 Set a boulder stone 13 in long 7 in
wide 6 in thick for quarter
section corner

80.18 The corner to sections 29.30.31.32
Bottom land level 1st rate
Upland rolling 2nd rate
December 7th 1856

West on a random line between
Sections 30 and 31
Variation 10° 40' East

40.00 Set a post for temporary for quarter
section corner

41.00 A creek 20 links wide runs South

41.20 Intersect a Marsh bearing North & South

79.10 Intersect the West boundary of the
Township 32 links North of the stone
corner to sections 30 and 31
from which corner I run

Township 6 N Range 10 E 6th P. M.

East on a true line between Sections 30 and 31
Variation 10° 54 East

39.10 Set a lime stone 15 in long 8 in wide 7 in thick for quarter section corner

79.10 The corner to sections 29. 30. 31. 32
Land level. Soil 1st rate

North between Sections 29 and 30
Variation 11° East

10.00 Intersect upland bearing West and S E

40.00 Set a boulder stone 15 in long 9 in wide 9 in thick for quarter section corner

80.00 Set a boulder stone 17 in long 12 in wide 6 in thick for corner to Sections 19. 20. 29. 30
Upland rolling. Bottom land level
Soil 1st rate

Township 6 N Range 10 E. 6 P. M

East on a random line between secs 20 and 29
Variation 11° 00 East

40.00 Set a post for temporary quarter sec corner

80.03 Intersected North & S line 28 lks south of the corner to secs 20. 21 28. 29. from which corner I run West on a true line between secs 20 and 29
Variation 11° 12' East

40.01 Set a boulder stone 12 in long 10 in wide 7 in thick for quarter sec corner

80.03 The corner to secs 19. 20. 29. 30
Land rolling 1st rate

Township 6 N Range 10 E 6th PM

West on a random line
between sec's 19 and 30
Variation 11° 00' East
40.00 Set a post for temporary
quarter sec corner
78.86 Intersected West boundary
of township 48 lks north
of corner to sec's 19 and 30
from which stone corner
I ~~run east on a true~~ line
between sec's 19 and 30
variation 11° 21' 19.21 E
38.86 Set a boulder stone 18 in
long 9 in wide 5 in thick
for quarter sec corner
78.86 The corner to sec's 19.20.29.30
Land rolling 1st rate

Township 6 N Range 10 E 6 PM

North between sec's 19 and 20
Variation 11° 00' East
40.00 Set a boulder stone 17 in
long 10 in wide 6 in thick
for quarter sec corner
80.00 Set a boulder stone 18 in
long 9 in wide 7 in thick
for corner to sec's 17.18.19.20
Land rolling soil 1st rate

East on a random line
between sec's 17 and 20
Variation 11° 00' East
40.00 Set a post for temporary
quarter sec corner
79.96 Intersected N and S line
40 lk's south of the corner
to sec's 16.17.20.21 from
which corner I run west
on a true line between
sec's 17 and 20

Township 6 N. Range 10 E. 6th P.M.

Variation 11° 17' East

39.88 Set a lime stone 14 in long 10 in wide 9 in thick for quarter sec corner

79.76 The corner to secs 17, 18, 19, 20

Land rolling soil 1st rate

West on a random line between secs 18 and 19.

Variation 11° 15' East

40.00 Set a post for temporary quarter sec corner

78.29 Intersected west boundary of the Township 42 lks north of stone corner to secs 18 and 19 from which corner I run East on a true line between sec's 19 and 20

Variation 11° 33' East

38.29 Set a lime stone 13 in long

Township 6 N. Range 10 E. 6th P.M.

11 in wide 8 in thick for quarter sec corner

78.29 The corner to sec's 17, 18, 19, 20

Land rolling 1st rate

Dec 9th 1857

North between secs 17 and 18

Variation 11° 15' East

40.00 Set a lime stone 13 in long 10 in wide 6 in thick for quarter sec corner

80.00 Set a lime stone 15 in long 9 in wide 7 in thick for corner to secs 7, 8, 17, 18

Land rolling soil 1st rate

Township 6 N Range 10 E. 6th P.M.

East on a random line
between secs 8 and 17
Variation 11° 15' E
40.00 Set a post for temporary
quarter sec corner
79.54 Intersected N and S line
29 lks south of the corner
to secs 8. 9. 16. 17 from which
corner I run west on a
true line between secs 8 & 17
Variation 11° 27' East
39.77 Set a sand stone 13 in long
9 in wide 8 in thick for
quarter section corner
79.54 The corner to secs
7. 8. 17. 18
Sand rolling Soil 2d rate

Township 6 N Range 10 E. 6th P.M.

West on a random line
between secs 7 and 18.
Variation 11° 15' East
9.00 A creek. 9. lks wide runs N.E.
40.00 Set a post for temporary
quarter section corner
78.18 Intersected the west boun-
dary of Township 18 lks
north of stone corner to
secs 7 and 18. from which
corner I run east on a
true line between sec's
7 and 18
Variation 11° 23' East
38.18 Set a boulder stone 13 in
long 9 in wide 5 in thick
for quarter sec corner
78.18 The corner to secs 7. 8. 17. 18
Sand rolling Soil 1st rate

Township 6 N Range 10 E 6 PM

North between Secs 7 and 8

Variation 11° 25' East

16.89 A creek 12 lks wide runs NE

18.44 Same creek 15 lks wide runs NW

19.01 Same creek 10 lks wide runs NE

21.63 Same creek 10 lks wide runs W

26.32 Same creek 10 lks wide runs E

27.64 Same creek 8 lks wide runs W

27.72 Leave prairie enter timber bearing E and W.

29.50 Same creek 8 lks wide runs East

30.10 Same creek 30 lks wide runs NW

31.12 Same creek 30 lks wide runs NE

33.35 Same creek 12 lks wide runs W

33.50 leave timber enter prairie bearing E and W

40.00 Set a boulder stone 16 in long 12 in wide 3 in thick for quarter sec corner

Township 6 N Range 10 E 6 PM

41.72 Same creek 10 lks wide runs NE

41.70 Same creek 12 lks wide runs NW

42.41 Same creek 15 lks wide runs NE

43.51 Same creek 15 lks wide runs NW.

44.50 Same creek 15 lks wide runs NE

8.00 Set a boulder stone 18 in long 10 in wide 6 in thick for corner to Secs 5. 6. 7. 8.

Land rolling Soil 1st rate

Timber Elm

Dec 10th 1856

East on a random line between Secs 5 and 8

Variation 11° 25' East

33.20 Leave prairie enter timber bearing N and S.

34.30 A creek 20 lks wide runs N

40.00 Set a post for temporary quarter sec corner

41.56 Leave timber enter prairie bearing N and S

Township 6 N. Range 10 E. 6th PM

79.70 Intersected N and S. line 15 lks south of the corner to sec's 4. 5. 8. 9 from which corner I run west on a true line between sec's 5 and 8.

Variation 11° 31 East

39.85 Set a post. from which a Bur Oak 20 in diam bears S. 14° E 3.07 lks dist a bur Oak 10 in diam bears N 45° 40 E 52 lks dist ~~no other trees convenient to mark~~

79.70 The corner to sec's 5. 6. 7. 8
Land rolling Soil 1st rate

Township 6 N Range 10 E. 6th PM

West on a random line between sec's 6 and 7.

Variation 11° 25' East

40.00 Set a post for temporary quarter sec corner

77.90 Intersect the West boundary of the township 25 links South of the corner to section 6 and 7 from which corner I run East on a true line between Sections 6 and 7

Variation 11° 14' E

37.90 Set a boulder stone 10 in long 8 in wide 7 in thick for quarter section corner

77.90 The corner to Sections 5. 6. 7. 8.
Land rolling prairie
Soil 1st rate

Township 6 N Rang 10 E. 6th PM

North on a random line between secs 5 and 6
Variation 11°00 East
40.00 Set a post for temporary quarter sec corner
80.20 Intersected the north boundary of the Township 27 lks west of the corner to secs 5 and 6 from which corner I run south on a true line between sections 5 and 6
Variation 10°48' East
40.20 Set a boulder stone 16 in long 7 in wide 5 in thick for quarter sec corner
80.20 The corner to sec's 5. 6. 7. 8
Land rolling Soil 1st rate

Dec 11th 1836

General Description

The land in this township is good, upland. very little bottom land
There is very little timber in the township. The timber is Oak. Walnut Elm ash and Cottonwood, and is comprised in sections 14, 15, 11, 1, 5 and 6
There is no stone in the township that I discovered except boulders.
I observed no water power on any of the streams.

A list of the names of the individuals employed to assist in running measuring and marking the lines and corners described in the foregoing field notes of township No 6 North of ~~Range~~ the Base Line of Range No 10 East of the 6th Principal Meridian, showing the respective capacities in which they acted

John H Burnum Chainman
Rasselas Swallow Chainman
Alfred Gale Axeman
Randolph Wamsly Flagman

For Oaths and Surveyor Generals Approval
Sec T 7 N R 10 E

D.L. Comp^t 3

No 172 a/119

Copied Comp^t Bernt & McNulty

Contract No. 172

Field Notes
of the
Survey of the Subdivision Lines
in Township 7 North of Range
10 East of the 6th Principal
Meridian in Nebraska Territory
By Charles W. Pierce No 172
Under his contract bearing
date the first day of November
Survey Commenced May 12th 1857
Survey Completed May 18th 1857

Exd & found correct
June 22d 1857 — Vanzandt Jr

Township 7 N. Range 10 East

6	53	5	37	4	29	3	20	2	10	1
52		51		36		28		19		9
7	51	8	36	9	27	10	18	11	9	12
50		49		35		26		17		8
18	48	17	34	16	26	15	16	14	7	13
47		46		33		25		15		6
19	45	20	33	21	24	22	15	23	6	24
44		43		32		23		14		5
30	42	29	32	28	23	27	13	26	4	25
41		40		31		22		12		3
31	39	32	30	33	21	34	11	35	3	36

Names and Duties of Assistants

John H. Barnum	Chainman
Rasselas D. Swallow	Chainman
Alfred Gale	Axeman
Randolph Ramsley	Flagman

Field Notes of the Survey of the Subdivision lines in Township 7 N Range 10 East of the 6th Principal Meridian

To determine the proper adjustment of my compass for subdividing this Township I commense at the SE corner of the township and run North on a blank line along the East side of section 36

Variation 10° 45 East

39.94 To a point 40 links East of ¼ Sec. corner

79.89 To a point 88 links East of Cor. to Sects 25 & 36

To retrace this line or run a line parallel thereto My compass must be adjusted to a

Variation of 11° 23' East.

Subdivisions commensed May 12th 1857

264
38
45
11.23

Township 7. N. Range 10 E 6' P.M

North between secs 35 and 36

Variation 11° 25' East

40.00 Set a boulder stone 16 in long 8 in wide 4 in thick for quarter sec corner

80.00 Set a boulder stone 15 in long 7 in wide 6 in thick for corner to secs 25. 26. 35. 36.

Land rolling Soil 1st rate

East on a random line between sec 25 and 36

Variation 11° 15' East

40.00 Set a post for temporary quarter sec corner

80.77 Intersected East boundary of the Township 38. lks north of stone corner to secs 25 and 36 from which corner I run West on a true line between secs 25 and 36

Township 7 N Range 10 E. 6 PM

Variation 10° 59' East

40.38½ Set a sand stone 31 in long 10 in wide 3 in thick for quarter sec corner

80.77 The corner to sections 25. 26 35. 36.

Land rolling 1st rate

North between secs 25 and 26

Variation 11° 20' East

40.00 Set a boulder stone 14 in long 9 in wide 5 in thick for quarter sec corner

80.00 Set a sand stone 19 in long 8 in wide 4 in thick for corner to secs 23 24 25. 26

Land rolling soil 1st rate

Township 7 N Range 10 E. 6 PM

East on a random line between secs 24 and 25

Variation 11° 00 East

40.00 Set a post for temporary quarter sec corner

80.97 Intersected East boundary of Township 42 lks north of stone corner to secs 24 and 25 from which 2 mm west on true line between secs 24 and 25

Variation 10° 42' East

40.48 Set a boulder stone 16 in long 11 in wide 7 in thick for quarter sec corner

80.97 The corner to secs 23. 24, 25, 26

Land rolling Soil 1st rate

Township 7 N. Range 10 E. 6 P. M.

North between sec's 23 and 24

Variation 10° 36' East

40.00 Set a sand stone 17 in long 10 in wide 7 in thick for quarter section corner

65.50 A. creek. 10 lks wide runs N. E

67.15 Same creek 10 lks wide runs N. W.

68.45 Same creek. 20 lks wide runs East

80.00 Set a boulder stone 15 in long 7 in wide 6 in thick for corner to sec's 13. 14. 23. 24

Land rolling soil 1st rate

East on a random line between secs 13 and 24

Variation 10° 45' East

40.00 Set a Post for temporary quarter sec corner

80.80 Intersected N and S line 22 lks north of the corner to sec's 13 and 24 from

Township 7 N Range 10 E 6 PM

corner I run west on a true line between secs 13 and 24.

Variation 10° 36' East

40.40 Set a boulder stone 19 in long 9 in wide 4 in thick for quarter sec corner

80.80 The corner to secs 13. 14 23 24

Land rolling soil 1st rate

North between secs 13 and 14

Variation 10° 45' East

40.00 Set a boulder stone 17 in long 7 in thick 6 in thick for quarter sec corner

80.00 Set a boulder stone 20 in long 12 in wide 10 in thick for corner to secs 11. 12 13. 14

Land rolling soil 1st rate

Township 7 N Range 10 E 6 P. M

East on a random line between secs 12 and 13
Variation 10° 30' E

40.00 Set a post for temporary quarter sec corner

80.44 Intersected East boundary of Township 36 lks south of stone corner to secs 13 and 14 from which corner 2 rods west on a true line between secs 12 and 13
Variation 10° 45 East

40.22 Set a boulder stone 15 in long 8 in wide 6 in thick for quarter sec corner

80.44 The corner to secs 11, 12, 13, 14
Land rolling Soil 1st rate

May 12th 1857

Township 7 N Range 10 E. 6 P. M

North between secs 11 and 12
Variation 10° 45' East

32.00 A brook 20 lks wide runs S. E.

32.20 Enter bottom bearing S E & West

40.00 Set a boulder stone 12 in long 9 in wide 5 in thick for quarter sec corner

49.50 Leave bottom bearing E and W

76.90 Ravin 25 lks wide bears S E.

80.00 Set a boulder stone 20 in long 10 in wide 9 in thick for corner to secs 1, 2, 11 + 12

Bottomland level and dry.
Upland rolling. Soil 1st rate

East on a random line between secs 1 and 12
Variation 11° 00 East

10.15 A creek 5 lks wide runs S. E.

10.20 Enter bottom bearing S E and N W

34.00 Leave bottom bearing N and S

40.00 Set a post for temporary

Township 7 N. Range 10 E. 6 P.M.

quarter sec corner

79.90 Intersected E boundary of Township 74. lks North of stone corner to sec's 1 and 12 from which corner I run west on a true line between secs 1 and 12

Variation 10° 28' East

39.98 Set a lime stone 15 in long 9 in wide 4 in thick for quarter sec corner

79.96 The corner to sec's 1, 2, 11, 12

Gently rolling prairie. Soil 1st rate

North on a random line between sec's 1 and 2

Variation 10° 50' East

23.35 A brook 10 lks wide runs SE

40.00 Set a post for temporary quarter sec corner

Township 7 N. Range 10 E. 6 P.M.

39.04 Intersected north boundary of Township 28 lks west of corner to sec's 1 and 2 from which corner I run south on a true line between secs 1 and 2.

Variation 10° 38' East

39.04 Set a boulder stone 18 in long 15 in wide 8 in thick for quarter section corner

79.04 The corner to secs 1, 2, 11, 12.

Land rolling Soil 2° rate

North between sec's 34 and 35

Variation 11° 25' East.

17.50 South Fork of Little Nemaha River 30 lks wide runs East

20.00 Leave bottom and enter a plain bearing W and S. E.

40.00 Set a Flint stone 18 in long

Township 7. North. Range 10 E 6 P M

14 in wide 10 in thick for quarter sec corner

80.00 Set a boulder stone 15 in long 8 in wide 6 in thick for corner to secs 26. 27. 34. 35

Bottom Land dry and level Soil 1st rate, Upland rolling

East on a random line between secs 26. and 35)

Variation 11° 00' East

40.00 Set a post for temporary quarter sec corner

69.67 A creek 10 lks wide runs south

79.40 Intersected North South line 10 lks South of corner to secs 25. 26. 35. 36 from which corner I run west on a true line between sec's 26 and 35

Variation 11° 04' East

Township 7. N. R. 10 E. 6 P. M

39.70 Set a boulder stone 18 in long 9 in wide 6 in thick for quarter sec corner.

79.40 The corner to secs. 27. 26. 34. 35

Land rolling Soil 1st rate

North between sec's 26 and 27

Variation 11° 20' East.

40.00 Set a boulder stone 17 in long 9 in wide 5 in thick for quarter sec corner.

80.00 Set a sand stone 18 in long 15 in wide 6 in thick for corner to sec's 22. 23. 26. 27

Land rolling. Soil 1° rate

S

Township 7. N. Range 10 E. 6th P.M.

East on a random line
between sec's 23. and 26.
Variation 11° 00' East
40.00 Set a post for temporary
quarter sec's corner
79.34 Intersected N and S. line
18 lks south of corner
to sec's 23. 24. 25. 26
from which corner I run
west on a true line
between secs 23 & 26
Variation 11° 08' East
39.67 Set a boulder stone
23 in long 10 in wide
5 in thick for quarter
sec corner.
79.34 The corner to sec's. 22
23. 26. 27 —
Land rolling soil 1st rate

May 13th 1857

Township 7. N. Range 10 E. 6 P.M.

North between sec 22 and 23
Variation 11° 00' East
40.00 Set a boulder stone 15 in
long 7 in wide 6 in thick
for quarter sec corner
80.00 Set a boulder stone 18
in long 15 in wide 4 in
thick for corner to secs
14. 15. 22. 23.
Land rolling soil 1st rate

East on a random line
between sec's 14 and 23
Variation 11° 00 East
40.00 Set a post for temporary
quarter sec corner
79.55 Intersected N and S. line
59 lks south of the cor-
ner to sec's 13. 14. 23. 24
from which corner I run

Township ~~10~~ N Range 10 E. 6 PM

west on a true line
between sec's 14 and 23.
Variation 11° 25' East

39.77 Set a boulder stone
16 in long 8 in wide 6
in thick for quarter
sec corner

79.55 The corner to sec 14. 15
22. 23.

Land rolling Soil 1st rate

North between sec's 14 and 15.
Variation 10° 50 East

40.00 Set a boulder stone 19
in long 12 in wide 3
in thick for quarter
sec corner

65.60 A. Creek 8 lks wide runs N E

80.00 Set a boulder stone 17 in
long 9 in wide 7 in thick
for corner to sec's 10 11, 14, 15

Land rolling prairie Soil 1st rate

Township 7. N. Range 10 E 6 PM.

East on a random line
between sec 11 and 14.
Variation 11° 00' East

12.00 Leave upland and enter
bottom bearing N and S.

15.20 A. creek 12 lks wide runs North

20.00 Leave bottom and enter upland
bears N and South

40.00 Set a post for Temporary
quarter section corner

79.62 Intersected N and S line
10. lks south of corner
to sec's 11. 12 13. 14 from
which corner 2. runs west
on a true line between
sec's 11 and 14
Variation 11° 04' East

39.81 Set a boulder stone 18 in
long 10 in wide 5 in thick
for quarter sec corner

Township 7 N Range 10 E. 6th P.M.

79.62 The corner to secs 10. 11. 14. 15

Land bottom wet and unfit for cultivation Upland rolling 1st rate

---

North between secs 10 and 11

Variation 10° 50' East

40.00 Set a boulder stone 18 in long 10 in wide 6 in thick for quarter sec corner

47.09 A creek 12 lks wide runs N.E

47.50 Same creek 10 lks wide runs N.W

48.88 Same creek 12 lks wide runs S.E

49.00 Enter bottom bearing E and W.

78.00 Leave bottom enter a pland bearing E and W

80.00 Set a boulder stone 18 in long 8 in wide 8 in thick for corner to secs 2 3 10 11

Land 1st rate Gently rolling prairie

Township 7 N. Range 10 E. 6th P.M.

East on a random line between secs 2 and 11

Variation 11° 00' East

40.00 Set a post for temporary quarter sec corner

74.30 A creek 25 lks wide runs S. E

79.84 Intersected N and S. line 13 lks north of the corner to sec 1. 2 11. 12 from which corner 2 run west on a true line between secs 2 and 11

Variation 10° 54' East

39.92 Set a boulder stone 14 in long 10 in wide 8 in thick for quarter sec corner

79.84 The ~~corner to~~ secs 1 2 3 10. 11.

Land rolling Soil 1st rate

Township 7 N. Range 10 E. 6th P. M.

7 North on a random line between sec's 2 and 3
Variation 10° 50' East.
14.78 A Creek. 5 lks wide runs S E
40.00 Set a post for temporary quarter sec corner.
79.24 Intersected north. boundary of Township 53 lks west of the stone corner to sec's 2 and 3 from which corner I run South on a true between sec's 2 and 3
Variation 10° 27 East.
39.24 Set. a boulder stone 18 in long 8 in wide 5 in thick for quarter sec corner
79.24 The corner to sec's 2. 3. 10. 11
Land. rolling 1st rate

May 14th 1857

Township 7 N Rang 10 E 6th Pr. Me

North between sections 33 and 34
Variation 11° 25' East
0.42 A drain descends to the N W
11.50 Intersect timber bearing S E and West
14.12 South Fork of Little Nemaha River 120 links wide runs at E
15.32 Intersect bottomland bearing N E and S W
16.00 Leave timber and enter prairie bearing East and N W
40.00 Set a boulder stone 21 in long 13 in wide 7 in thick for quarter section corner
53.00 Leave bottomland bearing East and West
80.00 Set a sand stone 18 in long 7 in wide 6 in thick for ~~corner~~ to sections 27. 28. 33. 34
Land. Bottom low wet and unfit for cultivation
Upland rolling. Soil 1st rate
Timber Oak and Elm

Township 7 N Range 10 E 6th P.M.

East on a random line between sections 27 and 34

Variation 11° East

39.70 A creek 12 links wide runs South

40.00 Set a post for temporary quarter section corner

77.60 A drain descends S E.

79.66 Intersect N and S line 10 links south of the corner to sections 26, 27, 34, 35, from which corner I run West on a true line between sections 27 and 34

Variation 11° 4' East

39.83 The point for the quarter section corner falling in the creek I set a boulderstone 15 in long 8 in wide 5 in thick for witness corner, 7 links East of the true corner

79.66 The corner to sections 27, 28, 33, 34

Land rolling Soil 1st rate

Township 7 N Range 10 E 6th P.M.

North between Secs 27 and 28

Variation 11° 25' East.

40.00 Set a boulder stone 17 in long 10 in wide 4 in thick for quarter sec corner

80.00 Set a boulder stone 15 in long 14 in wide 10 in thick for corner to secs 21, 22, 27, 28

Land rolling Soil 1st rate.

East on a random line between secs 22 and 27.

Variation 11° 00 East.

18.30 Drain 30 lks wide runs south

40.00 Set a post for temporary quarter sec corner

59.10 A creek 10 lks wide runs south

79.96 Intersected N and S line 29 lks north of corner to secs 22, 23, 26, 27 from which corner I run west on a

Township 7 N. Range 10 East 6th PM

true line between secs 22 and 27
Variation 10°48' East.

39.98 Set a boulder stone 17 in long 8 in wide 5 in thick for quarter sec corner

79.96 The corner to secs. 21.22.27.28
Land rolling Soil 1st rate

North between secs 21 and 22
Variation 11°05' East

40.00 Set a boulder stone 17 in long 13 in wide 7 in thick for quarter sec corner.

80.00 Set a red lime stone 23 in long 15 in wide 4 in thick for corner to sec 15, 16, 21, 22
Land rolling Soil 1st rate

Township 7 N. Range 10 E. 6th PM

East on a random line between secs 15 and 22
Variation 11°00' East.

40.00 Set a post for temporary quarter sec corner.

80.10 Intersected N and S. line 14 lks north of corner to secs 14. 15. 22. 23 from which corner I run west on a true line between secs 15 and 22.
Variation 10°54' East

40.05 Set a boulder stone 18 in long 12 in wide 5 in thick for quarter sec corner

80.10 The corner to secs 15, 16 21, 22
Land rolling Soil 1st rate

Township 7 N. Range 10 E 6th P. M

North between sec's 15 and 16
Variation 10°50' East

40.00 Set a boulder stone 19 in long 9 in wide 6 in thick for quarter sec corner

55.55 A creek 10 lks wide runs NE

80.00 Set a sand stone 14 in long 8 in wide 5 in thick for corner to sec's 9.10.15.16

Land rolling Soil 1st rate

East on a random line between sec's 10 and 15
Variation 11° 00' East

15.90 A creek 15 lks wide runs NW.

17.65 Same creek 5 lks wide runs SE

18.36 same creek 5 lks wide runs NE

40.00 Set a post for temporary quarter sec corner

80.43 Intersected N and S. line 43 lks. north of corner to

Township 7 N. Range 10 E. 6th P. M.

sec's 10.11.14.15. from which corner. I run west on a true line between sec's 10 and 15
Variation 10°42' East.

40.21. Set a Lime Stone 26 in long 12 in wide 8 in thick for quarter sec corner

80.43 The corner to sec's. 9.10.15.16.

Land rolling Soil 1st rate

North between sec's 9 and 10
Variation 10°40' East.

40.00 Set a boulder stone 17 in long 7 in wide 5 in thick for quarter sec corner

52.00 Leave upland and enter bottom bearing E and W.

61.58. A creek 16 lks wide runs East

65.08 A creek 10 links wide runs East

70.00 Leave bottom enter upland bearing E and W.

80.00 Set a boulder stone 18 in

Township 7 N. Range 10 E. 6th P. M.

long 8 in wide 6 in thick
for corner to sec's 3.4.9.10
Upland rolling Soil 1st rate
Bottom level and dry

East on random line
between sec's 3 and 10
Variation 11° 00' East
40.00 Set a post for temporary
quarter sec corner.
80.25 Intersected N and S line 54
links north of corner to
secs 2.3.10.11. from which
corner I run west on
a true line between sec's
3 and 10.
Variation 10° 37' East.
40.12 Set a boulder stone 20 in long
15 in wide 8 in thick for
quarter sec corner
80.25 The corner to sec 3.4.9.10.
Land rolling. Soil 1st rate

Township 7 N. Range 10 E. 6th P.

North on a random line
between sec's 3 and 4
Variation 10° 35' East
40.00 Set a post for temporary
quarter sec corner.
78.96 Intersected north boundary
of the Township 62 lks
west of the stone corner to
secs 3 and 4 from which
corner I run south on a
true line between secs 3 and 4
Variation 10° 08' East
38.96. Set a boulder stone 18 in
long 9 in wide 5 in thick
for quarter sec corner
78.96. The corner to secs 3.4.9.10
Land rolling Soil 1st rate
May 15th 1857

Township 7. N. Range 10 E. 6th P. M.

North between Sec's 32 and 33
Variation 11° 25' East

5.00 Enter timber bearing E & W
7.00 Enter bottom bearing E & W
7.73 A creek 25 lks wide runs N E
8.80 Same creek 35 lks wide runs N W.
14.65 Same creek 20 links wide runs N E
18.00 Leave timber bearing N E & S W
33.30 Little Nemaha ~~Run~~ 18 lks wide runs East
40.00 Set a boulder stone 21 inches long 9 inches wide 4 in. thick for quarter section corner
51.00 Leave bottom bearing E & W
80.00 Set a ~~Sand~~ stone 20 in. long 9 in wide 5 in thick for Corner to Sects. 28, 29, 32, 33
Bottom land level and dry
Upland rolling
Soil 1st rate

Township 7 N Range 10 E 6th Prin. Md.

East on a random line between Sections 28 and 33
Variation 11° East

15.30 A creek 15 links wide Runs South
18.40 Same creek 35 links wide Runs N.E.
19.40 Same Creek 15 links wide Runs South
40.00 Set a temporary quarter section Corner
51.10 Drain 20 links wide runs South
79.70 Intersect N & S line 28 links South of the corner to Sections 27, 28, 33, 34 from which corner I run West on true line between sections 28 And 33
Variation 11° 12' East
39.85 Set a Boulder stone 14 in long 10 in wide 6 in thick for quarter section corner
79.70 The Corner to Sections 28, 29, 32, 33
Land rolling prairie
Soil 1st rate

Township 7 N Range 10 E 6th Pr. Mer.

North between Sections 28 & 29
Variation 11° 25' East

40.00 Set a lime stone 15 in long 9 in wide 5 in thick for quarter section corner

80.00 Set a lime stone 18 in long 7 in wide 6 in thick for corner to Sections 20, 21, 28, 29
Land rolling prairie, 1st rate

East on a Random line between Sections 21 and 28
Variation 11° East

22.40 A Creek 10 links wide Runs South

40.00 Set a post for temporary quarter section

79.90 Intersect N and S line 12 links South the Corner to Sections 21, 22, 27, 28. from which corner I run West on true line between Sections 21 and 28
Variation 11° 5' East

Township 7 N Range 10 E 6th Pr. Mer.

39.95 Set sand Stone 20 in long 7 in wide 6 in thick for quarter section corner

79.90 The Corner to Sections 20, 21, 28, 29
Land rolling prairie Soil 1st rate

North between Sections 20 and 21
Variation 11° 5' East

40.00 Set a sand stone 14 in long 13 in wide 4 in thick for quarter sec. Cor.

80.00 Set a Sand stone 15 in long 10 in wide 5 in thick for corner to Sections 16, 17, 20, 21
Land rolling Soil 1st rate.

East on a Random line between Sections 16 and 21
Variation 11° East

18.25 Run 20 links wide bears South

40.00 Set a post for temporary quarter section corner

79.98 Intersect N and S line 12 links

Township 7 N Range 10 E 6th Prin Merid.

South of the corner to Sections 15, 16, 21, 22 from which corner I run West on true line between Sections 16 And 21

Variation 11° 5' East

39,99 Set a boulder stone 22 in long 9 in wide 6 in thick for quarter section corner

79,98 The Corner to Sections 16, 17, 20, 21

Land rolling prairee Soil 1st rate

North between Sections 16 And 17

Variation 10° 50' East

40.00 Set a Red lime stone 20 in long 8 in wide 7 in thick for quarter section corner

71.00 Ravine 50 links wide Runs N E

80.00 Set a boulder 14 in long 8 in wide 4 in thick for corner to Sections 8, 9, 16, 17

Land rolling prairie, 1st rate

Township 7 N Rang 10 E. 6th Pr. Md.

East on a Random line between sections 9 and 16

Variation 11° East

8,50 A ravine 50 links wide Runs N E

17,50 Same ravine 30 links wide Runs S E

19,00 Same ravine 100 links wide Runs N E

20,00 Same ravine 100 links wide Runs S E

29,00 Same ravine 100 links wide Runs N E

40,00 Set a post for temporary quarter Sec. Corner

79,48 Intersect the N and S line 44 links S of the corner to Sections 9, 10, 15, 16 from which corner I run West on true line between sections 9 And 16

Variation 11° 19' East

39,74 Set a boulder stone 20 in long 10 in wide 6 in thick for quarter sect. corner

79,48 The corner to Sections 8, 9, 16, 17

Land rolling prairie

Soil 1st rate

Township 7 N Range 10 E 6th Prin Mer

North between Sections 8 and 9
Variation 10° 45' East

24,79 A Run 12 links wide runs East
40,00 Set a boulder stone 18 in long 14 in wide 12 in thick for quarter section corner
80,00 Set a boulder stone 15 in long 8 in wide 5 in thick for corner to Sections 4, 5, 8, 9
1st rate rolling prairie

East on a Random line between Sections 4 and 9
Variation 11° East

40,00 Set a post for temporary quarter section corner
57,00 Enter bottom land bearing N 48 E.
57,50 A creek 10 link wide runs S E
63,65 A creek 10 links wide runs N E
68,74 Same creek 12 links wide runs South

Township 7 N Range 10 E 6th Pr. Mer

77,56 Intersect N and S line 93 links south of the corner to Sections 3, 4, 9, 10 from which corner I run West on a true line between Sections 4 and 9
Variation 11° 40' East
39,78 Set Red lime stone 17 in long 8 in wide 5 in thick for quarter section corner
79,36 The Corner to Sections 4, 5, 8, 9
Surface undulating dry bottom
1st rate

North on a random line between Sections 4 and 5
Variation 10° 30' East

40,00 Set a post for temporary quarter sec. Cor.
43,60 A creek 25 links wide runs N E
79,85 Intersect the North boundary of the Township 33 links west of

Township 7 N Range 10 E 6th Pr. Mer

the stone corner to Sections 4, 5, 32, 33 from which corner I run South on a true line between Sections 4 and 5

Variation 10° 16' East

39,85 Set a Red lime stone 22 in long 14 in wide 8 in thick for quarter section corner

79,85 The Corner to Sections 4, 5, 8, 9 1st rate rolling prairie

May 16th 1857

Township 7 N Range 10 E 6th Prin Mer

North between sections 31 & 32

Variation 11° 25' East

0,80 A creek 10 links wide Runs East

3,20 Same creek 20 links wide Runs S W

4,25 Same creek 15 links wide Runs N E

9,00 A creek 12 links wide Runs East

9,30 Leave bottom & Enter upland bearing East and west

40,00 Set a lime stone 11 in long 11 in wide 6 in thick for quarter section corner

80,00 Set a boulder stone 11 in long 11 in wide 6 in thick for corner to sections 29, 30, 31, 32

Land rolling Soil 1st rate

Township 7 N Range 10 E 6th Pr. Md.

East on a random line between sections 29 and 32

Variation 11° East

17.00 Enter bottom land bearing N and S

40.00 Set a post for temporary quarter Sec. Corner

46.00 Little Nemaha River 15 links wide runs South

58.00 Leave bottom land bearing N & S E

79.76 Intersect N and S line 2 links South of the corner to sections 28, 29, 32, 33 from which corner I run Weston true line between sections 29 and 32

Variation 11° 1' East

39.88 Set Sand stone 18 in long 7 in wide 7 in thick for quarter section corner

79.76 The corner to sections 29, 30, 31, 32 1st rate undulating prairie

Township 7 N Range 10 E 6th Pr. Md

West on a random line between sections 30 and 31

Variation 11° East

40.00 Set a post for temporary quarter section corner

77.38 Intersect the West boundary of the township 26 links North of the corner to sections 25, 30, 31 36 from which corner I run East on a true line between sections 30 and 31

Variation 11° 11' East

37.38 Set a Boulder stone 14 in long 7 in wide 7 in thick for quarter section corner

77.38 The corner to sections 29, 30, 31, 32 Land rolling Soil 1st rate

Township 7 N Range 10 E 6th Prin Md.

North between sections 29 and 30
Variation 11° 25' East

24.80 Slough 40 links wide Runs S E
40.00 Set a Red lime stone 19 in long 10 in wide 3 in thick for quarter section corner
45.00 Brush thicket bears N W and S E
51.00 Enter bottom bears N W and S E
51.10 Little Nemaha River 20 links wide runs S E
54.00 Leave brush bearing N W & S E
80.00 Set a lime stone 25 in long 12 in wide 3 in thick for corner to Sections 19, 20, 29, 30
Upland rolling. bottomland level
Soil 1st rate

Township 7 N Range 10 E 6th Prin. Md

East on a random line between sections 20 and 29
Variation 11° East

25.00 Intersect upland bearing N W and S E
40.00 Set a post for temporary quarter section corner
79.58 Intersect N and S line 21 links South of the corner to Sections 20, 21, 28, 29. from which corner I run West on a true line between sections 20 and 29
Variation 11° 9' East

39.79 Set a lime stone 13 in long 12 in wide 4 in thick for quarter section corner
79.58 The corner to Sections 19, 20, 29, 30
Upland rolling
Bottomland level and dry
Soil 1st rate

Township 7 N Range 10 E 6th Pr. Mer

West on a random line between
sections 19 and 30
Variation 11° East

22.79 South Fork of Little Nemaha River
15 links wide runs South

23.00 Perpendicular lime stone bluff
60 feet high. bears North and South

40.00 Set a post for temporary quarter
section corner

76.76 Intersect the West boundary of
the township 5 links North of
the corner to sections 19 and 30
from which corner I run
East on a true line between
sections 19 and 30
Variation 11° 2' E

36.76 Set a lime stone 22 in long 10 in
wide 3 in thick for quarter
section corner

76.76 The corner to sections 19.20.29.30
Bottomland level and dry. Upland
rolling Soil 1st rate

Township 7 N Rang 10 E 6th Pr. Mer

North between sections 19 and 20
Variation 11° 5' East

25.00 Leave bottom and Enter up land
bearing N W and S E

40.00 Set a lime stone 19 in long 12 in
wide 4 in thick for quarter
" section corner

80.00 Set a lime stone 17 in long 13
in wide 3 in thick for corner
to sections 17.18.19.20
Bottom level. Upland rolling
Soil 1st rate

Township 7 N Range 10 E 6th P.M.

East on a Random line between
sections 17 and 20
Variation 11° East

40,00 Set a post for temporary
quarter section corner

79,60 Intersect the N & S line
21 links south of the corner
to sections 16, 17, 20, 21 from
which corner I run
West on a true line between
sections 17 and 20
Variation 11° 9' East

39,80 Set a line stone 13 in long 12 in
wide 4 in thick for quarter
section corner

79,60 The Corner to sections 17, 18, 19, 20
Land rolling Soil 1st rate

May 17th 1857

Township 7 N Rang 10 E 6th Pr. Md.

West on a random line between
sections 18 and 19
Variation 11° East

13,75 A Creek 5 links wide runs South

15,80 Leave up land and Enter bottom land
bearing N and S

31,15 A Creek 9 links wide runs South

31,25 Leave bottom and Enter upland
bearing N and S

40,00 Set a post for temporary
quarter section corner

60,00 Enter bottom land bearing N W
and S E

76,22 Intersect the West boundary
of the Township 18 links North
of the Corner to sections 18, 19, 13, 24
from which corner I run
East on a true line between
sections 18 and 19
Variation 11° 7' East

36,22 Set a line stone 18 in long 11 in

Township 7 N Range 10 E 6th P.M.

wide 3 in thick for quarter section corner

76.22 The corner to sections 17, 18, 19, 20
Bottom dry. Up land rolling
1st rate

North between sections 17 and 18
Variation 10° 30' East

16.60 A creek 5 links wide runs West

40.00 Set a lime stone 17 in long 9 in wide 4 in thick for quarter section corner

56.96 A Drain bears S W.

80.00 Set a lime stone 20 in long 11 in wide 5 in thick for corner to sections 7, 8, 17, 18
1st rate rolling prairie

Township 7 N Range 10 E 6th P.M.

East on a random line between sections 8 and 17
Variation 11° East

40.00 Set a post for temporary quarter section corner

80.40 Intersect N and S line 52 links North of the corner to sections 8, 9, 16, 17 from which corner I run West on a true line between sections 8 and 17
Variation 10° 38' East

40.20 Set a lime stone 22 in long 7 in wide 5 in thick for quarter section corner

80.40 The corner to sections 7, 8, 17, 18
1st rate rolling prairie

Township 7 N Range 10 E 6th Pr. Mer.

West on a Random line
between sections 7 and 18
Variation 11° East

15,30 A Drain bearing S W

24,94 A Creek 10 links wide runs S

40,00 Set a post for temporary
quarter section corner

75,90 Intersect the West boundary of
the township 12 links South
of the corner to sections 7, 18
12, 13. from which corner I run
East on a true line between
sections 7 and 18
Variation 10° 55' East

33,90 Set a line stone 18 in long 10
in wide 3 in thick for quarter
section corner

75,90 The corner to sections 7, 8, 17, 18
Land rolling Soil 1st rate

Township 7 N. Range 10 E 6th Pr. Mer.

North between Sections 7 & 8
Variation 10° 40' East

40,00 Set a line stone 20 in long 12
in wide 3 in thick for quarter
section corner

80,00 Set a line stone 20 in long 7 in
wide 5 in thick for corner to
Sections 5, 6, 7, 8
Land rolling Soil 1st rate

East on a random line between
Sections 5 and 8
Variation 11° East

14,50 A Drain bearing N W

40,00 Set a post for temporary quarter
section corner

80,54 Intersect the N and S line ten
links North of the corner to
sections 4, 5, 8, 9 from which
corner I run West on a true
line between Sections 5 and 8

Township 7 N Range 10 E 6th P.M.

Variation 10° 56' East

40.27 Set a lime stone 19 in long 9 in wide 3 in thick for quarter section corner

80.54 The corner to Sections 5, 6, 7, 8 1st rate rolling prairie

---

West on a random line between Sections 6 and 7

Variation 11° East

40.00 Set a post for temporary quarter section corner

72.75 A creek 5 links wide Runs South

75.73 Intersect the West boundary of the township 32 links South of the corner to Sections 6 and 7 from which corner I run East on a true line between sections 6 and 7

Variation 10° 46' East

Township 7 N Range 10 E 6th P.M.

35.73 Set a lime stone 22 in long 15 in wide 3 in thick for quarter section corner

75.73 The corner to Sections 5, 6, 7, 8 1st rate high rolling prairie

---

North on a random line between sections 5 and 6

Variation 10° 20' East

40.00 Set a post for temporary quarter section corner

44.30 A creek 10 links wide Runs East

80.00 Intersect the North boundary of the township 28 links West of stone corner to Sections 5 and 6, from which corner I run South on a true line between sections 5 and 6

Variation 10° 08' East

40.00 Set a lime stone 24 in long

Township 7 N Range 10 East

16 in ~~long~~ wide and 3 in thick for
quarter section corner
80.00 The corner to sections 5, 6, 7, 8
1st rate, rolling prairie

May 18th 1857

General Description

The land in this township
is chiefly upland, rolling
and 1st rate.
The South Fork of the Little
Nemaha River runs through
the South Westerly portion
of the township. Along the
banks of which there a little
Elm Walnut and Oak timber
comprised principally in
sections 32, 33 and 34.
There is lime stone in sections
19, 20 and 30

A list of the names of the individuals employed to assist in running, measuring and marking the lines and corners described in the foregoing field notes of Township No 7 North of the Base line of Range No 10 East of the 6th Principal Meridian showing the respective capacities in which they acted

John H Barnum Chainman
Rasselas Swallow Chainman
Alfred Gail axeman
Randolph Wamsley Flagman

We hereby certify that we assisted Charles W Pierce Deputy Surveyor in surveying and subdividing Townships number five (5) six (6) seven (7) and eight (8) of Range 108 and Townships number ~~six~~ (6) seventy (7) and eight (8) of Range 9 East of the 6th P. M. Territory of Nebraska and that said Townships has been in all respects, to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General

Chainman John H. Burnam

Chainman Rastelas D. Swallow

Axeman Alfred Gale

Flagman Randolph J. Ramsey

United States of America

Territory of Nebraska (over)

County of Clay } ss
Subscribed and Sworn
to before me this 30th day of
May AD 1857 John H Mason
Justice of the Peace

I Charles W Pierce Deputy Surveyor do solemnly swear that in pursuance of a Contract with John Calhoun Surveyor General of public lands of the United States for Kansas and Nebraska Territories bearing date the first day of November A.D. 1856 and in strict conformity to the laws of the United States and the instructions furnished by the said Surveyor General, I have faithfully surveyed the subdivision lines in Townships 6. 7. 8. North of Range 9 East of the 6th Principal Meridian And Townships 5. 6. 7 and 8 North of Range 10 East of the 6th Principal Meridian in the Territory of Nebraska.

And do further solemnly swear that the foregoing are the true and original field notes of such survey

Charles. W. Pierce
Deputy Surveyor

Subscribed by said Charles W. Pierce Deputy Surveyor and sworn to before me a Justice of the Peace for Otoe County in the Territory of Nebraska this 16th day of June AD, 1857

John H Mason
Justice of the Peace

Surveyor Generals Office
Lecompton K.T. 31 July 1857

The foregoing field notes of the Survey of the Subdivision lines of Townships Six Seven and Eight North of Ranges Nine and Ten East and Township Five (Rep. Seven and eight) North of Range Ten East of the Sixth Principal Meridian in the Territory of Nebraska - executed.

by Charles W Pierce DS under his Contract - No 172 dated 1st Nov 1856 during the months of November December 1856 and March April May 1857 having been critically examined the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved

J. Calhoun
Surveyor Genl.

Copia

4

compr. Brent & McMurray

Platted

a

242

D. L. Compd.

No 172

Contract No. 172

Field Notes
of the
Survey of the Subdivision Lines
in Township 8 N Range 10 E
of the 6th Principal Meridian
in Nebraska Territory
By Charles W. Pierce
Under his contract bearing
date the first day of November 1856
Subdivisions Commenced May 1st 1857
Subdivisions completed May 10th 1857

Exd and found correct
June 22d 1857 Vanzandt

Names and Duties of Assistants

John H. Burnum	Chainman
Rasselas D. Swallow	Chainman
Alfred Gale	Axeman
Randolph Wamsley	Flagman

Township 8 N. Range 10 East

6	57	5	41	4	30	3	21	2	12	1
56		55		40		28		20		11
7	54	8	39	9	28	10	19	11	10	12
53		52		38		27		18		8
18	51	17	37	16	26	15	17	14	8	13
49		48		36		25		16		7
19	48	20	36	21	25	22	16	23	7	24
47		46		35		24		15		6
30	45	29	34	28	23	27	14	26	5	25
44		43		33		22		13		4
31	42	32	32	33	22	34	13	35	4	36

Field Notes of the Survey of the Subdivision Lines in Township 8 North of Range 10 East of the 6th Principal Meridian in Nebraska Territory

To determine the proper adjustment of my Compass for subdividing this township I commence at the South East corner of the Township and run North on a blank line along the East side of section 36

Variation 10° 45' E

40.06 To a point 3 links E. of the quarter section corner

80.15 To a point 5 links East of the corner to sections 25 and 36

To retrace this line or run parallel thereto my compass must be adjusted to a

Variation 10° 47' East

Township 8 N Range 10 E 6th P. M.

From the South East Corner of the township I run West on a blank line along the South side of section 36

Variation 10° 45' East

39.88 To a point 14 links South of the quarter section corner

79.75 To a point 32 links South of the corner to sections 35 & 36

To retrace this line or run parallel thereto my compass must be adjusted to a variation of 10° 31' East

Subdivisions Commenced May 1st 1857

Township 8 N Range 10 E 6th P. M.

North between sections 35 and 36

Variation 10° 45' East

6.90 A Creek 3 links wide runs N W

40.00 Set a lime stone 21 in long 10 in wide 4 in thick for quarter section corner

80.00 Set a lime stone 34 in long 10 in wide 8 in thick for corner to sections 25, 26, 35, 36

Land rolling Soil 1st rate

East on a random line between sections 25 and 36

Variation 10° 30' East

40.00 Set a post for temporary quarter section corner

47.20 A Drain bears North

79.61 Intersect the East boundary of the township 37 links S of the corner to sections 25 & 36

Township 8 N Range 10 E 6th Pr. M.

from which corner I run
West on a true line between
Sections 25 and 36

Variation 10° 47' East

39.80½ Set a lime stone 18 in long
10 in wide 7 in thick for
quarter section corner

79.61 The corner to sections 25.26.35.36
Land rolling soil 1st rate

North between Sections 25 & 26

Variation 10° 50' East

40.00 Set a lime stone 21 in long 6 in wide
5 in thick for quarter section corner

65.84 A Creek 10 links wide Runs East

80.00 Set a lime stone 28 in long 10 in
wide 6 in thick for corner to Sections
23.24.25.26.

Land rolling Soil 1st rate

Township 8 N Range 10 E 6th Pr. Md

East on a Random line between
sections 24 and 25

Variation 10° 30' East

40.00 Set a post for temporary quarter
section corner

79.96 Intersect the East boundary of the
township 25 links south of the
corner to sections 24 and 25, from
which corner I run
West on a true line between
Sections 24 and 25

Variation 10° 41' East

39.98 Set a lime stone 20 in long 14 in
wide 3 in thick for quarter Sec. Corner

79.96 The corner to Sections 23.24.25.26
Land rolling Soil 1st rate

Township 8 N. Range 10 E. 6th P. Mo

North between sections 23 and 24
Variation 10° 45' East

40.00 Set a lime stone 23 long 9 in wide 6 in thick for quarter section corner

80.00 Set a lime stone 22 in long 10 in wide 5 in thick for corner to sections 13, 14, 23, 24

Land rolling Soil 1st rate

East on a random line between sections 13 and 24
Variation 10° 30' East

40.00 Set a post for temporary quarter section corner

80.05 Intersect the East boundary of the township 14 links North of the corner to sections 13 and 24 from which corner I run West on a true line between sections 13 and 24

Township 8 N Range 10 E. 6th P. Mo

Variation 10° 24' East

40.02½ Set a lime stone 22 in long 8 in wide 5 in thick for quarter section corner

80.05 The corner to sections 13, 14, 23, 24

Land rolling Soil 1st rate

May 1st 1857

North between Sections 13 and 14
Variation 10° 40' East

40.00 Set a lime stone 17 in long, 10 in wide, 3 in thick for quarter section corner

74.63 A creek 25 links wide runs North East

80.00 Set a lime stone 55 in long 10 in wide 9 in thick for corner to sections 11, 12, 13, 14

Land rolling, Soil 1st rate

East on a Random line between sections 12 and 13
Variation 10° 30' East

2.35 A creek 15 links wide runs North

Township 8 N Range 10 E 6th Prin. Merid.

40.00 Set a post for temporary quarter section corner

44.25 Leave upland and Enter bottom land bearing North and South East

59.30 Little Nemaha River 35 links wide Runs South East

67.00 Same Stream Runs N. 20 lks wide

71.95 Same stream 20 links wide Runs S E

80.80 Intersect the East boundary of the township 18 links North of the corner to sections 12 and 13 from which corner I run West on a true line between sections 12 and 13

Variation 10° 22' East

40.40. Set a lime stone 22 in long 11 in wide 3 in thick for quarter section corner

80.80 The corner to Sections 11, 12, 13, 14

Land rolling Soil 1st Rate

There is a salt spring 30 links SW of the corner to section 12, 13, 7, 18

Township 8 N Range 10 E 6th Prin. Meridian

North between Sections 11 and 12

Variation 10° 20' East

2.47 A creek 4 links wide runs East

29.00 Leave upland and Enter bottom bearing East and West

34.00 Little Nemaha River 38 links wide Runs East

40.00 Set a lime stone 25 in long 8 in wide 5 in thick for quarter section corner at the south East corner of the town site of Syracuse

44.36 Slough 10 links wide Runs East

52.00 Leave bottom and Enter upland bearing East and West

80.00 Set a lime stone 31 in long 8 in wide 4 in thick for corner to sections 1, 2, 11, 12

Bottom land level and wet.

Upland rolling. Soil 1st rate

The SE 1/4 of Sec 12 and the NE 1/4 of Sec 13 have been selected as a town site, Named Saltville

There ~~is~~ are two buildings on the town site

Township 8 N Range 10 East 6th Prin. Mer.

East on a Random line between sections 1 and 12

Variation 10° 30' East

9.40 A ravine 65 links wide Bears South

40.00 Set a post for temporary quarter section corner

62.34 A road bears North West and S E

73.34 Leave prairie and Enter timber bearing N W and S E.

80.55 Intersect the East boundary of the Township 16 links south of the corner to sections 1 and 12 from which corner I run West on a true line between Sections 1 and 12

Variation 10° 37' East

40.27½ Set a lime stone 17 in long 10 in wide 4 in thick for quarter Section Corner

80.55 The corner to Sections 1, 2, 11, 12

Land rolling. Soil 1st rate

Township 8 N Range 10 E 6th Prin. M.

North on true line between Sections 1 and 2

Variation 10° 20' East

40.00 Set a lime stone 27 in long 7 in wide 4 in thick for quarter section Corner

67.20 A road bearing N W and S E

81.16 Intersect the Second Standard parallel N. 4.38 links W. of the Standard corner to Sections 35 and 36. At which point I set a lime stone 25 in long 10 in wide 3 in thick for Corner to Sections 1 and 2

Land Rolling Soil 1st rate

May 2nd 1857

Township 8 N Range 10 E 6th Prin. Md.

North between Sections 34 and 35
Variation 10° 45' East

40.00 Set a lime stone 28 in long 11 in wide 4 in thick for quarter section corner
63.14 A creek 3 links wide runs S W
64.64 A creek (same) 8 links wide runs S. E
80.00 Set a lime stone 25 in long 8 in wide 5 in thick for corner to sections 26, 27, 34, 35
Land rolling Soil 1st rate

East on a Random line between sections 26 and 35
Variation 10° 30' East

40.00 Set a post for temporary quarter section corner
79.60 Intersect the N and S line 28 links South of the corner to sections 25, 26, 35, 36 from which corner I run West on a true line

Township 8 N Range 10 E 6th Prin. Md.

between Sections 26 and 35
Variation 10° 42' East

39.80 Set a lime stone 22 in long 11 in wide 3 in thick for quarter section corner
79.60 The corner to sections 26, 27, 34, 35.
Land rolling Soil 1st rate

North between Sections 26 and 27
Variation 10° 50' East

40.00 Set a lime stone 20 in long 7 in wide 5 in thick for quarter section corner
41.25 A creek 8 links wide Runs N E
41.42 Same creek 8 links wide Runs N W
41.84 Same creek 10 links wide Runs N E
42.25 Same creek 10 links wide Runs N W
42.70 Same creek 10 links wide Runs N E
80.00 Set a lime stone 18 in long 9 in wide 7 in thick for corner to sections 22, 23, 26, 27
Land rolling. Soil 1st rate

Township 8 N Range 10 E 6th Pr. Md.

East on a random line between
Sections 23 and 26
Variation 10° 30' East

7.13 A creek 38 links wide runs S E
8.21 Same creek 4 links wide Runs
North
10.42 Same creek 10 links wide Runs S E
40.00 Set a post for temporary quarter section
corner
40.20 A Drain bears South
79.43 Intersect N and S line 4 links
south of the corner to Sections. 23. 24
25. 26. from which corner I run
West on a true line between
Sections 23 and 26
Variation 10° 32' East
39.71½ Set a lime stone 24 in long 8 in wide
5 in thick for quarter section corner
79.43 The corner to Sections 22. 23. 26. 27
Land rolling Soil 1st rate

Township 8 N Range 10 E 6th Pr. Md.

North between Sections 22 & 23
Variation 10° 30' East

40.00 Set a lime stone 19 in long 7 in wide
5 in thick for quarter section corner
80.00 Set a lime stone 24 in long 7 in wide
4 in thick for corner to Sections
14. 15. 22. 23
Land rolling Soil 1st rate

East on a random line between
Sections 14 and 23
Variation 10° 30' East
40.00 Set a post for temporary quarter
section corner
80.16 Intersect N and S line 4 links
south of the corner to Sections 13.
14. 23. 24 from which corner I run
West on a true line between
sections 14 and 23
Variation 10° 32' East

Township 8 N Range 10 E 6th P. Md

40.08 Set a limestone 20 in long 9 in wide 5 in thick for quarter section corner

80.16 The corner to Sections 14.15.22.23

Land rolling Soil 1st rate

North between Sections 14 and 15

Variation 10° 40' East

40.00 Set a lime stone 27 in long 7 in wide 4 in thick for quarter section corner

58.60 A ravine 10 links wide bears East

80.00 Set a lime stone 23 in long 7 in wide 5 in thick for corner to Sections 10, 11 14, 15

Land rolling Soil 1st rate

Township 8 N Range 10 E 6th P. Md

East on a random line between sections 11 and 14

Variation 10° 30' East

40.00 Set a post for temporary quarter section corner

77.50 A Creek 10 links wide Runs North

79.87 Intersect North and South line 22 links North of the corner to Sections 11.12.13.14 from which corner I run West on a true line between sections 11 and 14

Variation 10° 21' East

39.93½ Set a lime stone 20 in long 7 in wide 4 in thick for quarter section corner

79.87 The corner to sections 10.11.14.15

Land rolling Soil 1st rate

Township 8 N Range 10 E 6th Pr. Md

North between Sections 10 and 11

Variation 10° 15' East

28.00 Leave upland and Enter bottom land bearing NE and SW

40.00 Set a lime stone 33 in long 6 in wide 3 in thick for quarter Sec. Corner it being the south west corner of the town of Syracuse

47.40 Little Nimaha River 45 links wide Runs South East

76.00 Leave bottom and Enter upland bearing Bearing North West and East

80.00 Set a lime stone 24 in long 10 in wide 3 in thick for corner to sections 2. 3. 10 and 11

Upland rolling. bottomland level Soil 1st rate

The North half of Section 11 has been selected as a town site by the name of Syracuse. There is one dwelling in the town.

Township 8 N Range 10 E 6th Prin. Md

East on a Random line between Sections 2 and 11

Variation 10° 30' East

40.00 Set a post for temporary quarter section corner

79.85 Intersect the North and South line 23 links North of the Corner to Sections 1. 2. 11. 12. from which corner I run West on a true line between Sections 2 and 11

Variation 10° 20' East

39.92½ Set a lime stone 25 in long 7 in wide 3 in thick for quarter section corner

79.85 The corner to Sections 2. 3. 10. 11

Sand rolling Soil 1st rate

On the NW ¼ of the NE ¼ of Sect 11 there is a pond of Salt water, without an outlet, in which there boils up a spring of Salt water. The pond contains an area of about ⅛ of an acre

Township 8 N Range 10 E 6th Pr. Md.

North on a true line between sections 2 and 3

Variation 10° 15' East

40.00 Set a lime stone 21 in long 16 in wide 2 in thick for quarter section corner

51.10 A Creek 10 links wide runs S. W

72.75 A ravine 20 links wide, bears S E

81.09 Intersect the Second Standard parallel N. 4 30 links West of the corner to sections 34 and 35. At which point I set a lime stone 34 in long 10 in wide 2 in thick for corner to sections 2 and 3

Land rolling Soil 1st rate

May 3rd 1857

Township 8 N Range 10 E 6th Pr. Md.

North between sections 33 and 34

Variation 10° 30' East

40.00 Set a lime stone 30 in long 9 in wide 4 in thick for quarter section corner

80.00 Set a lime stone 26 in long 9 in wide 3 in thick for corner to sections 27. 28. 33. 34.

Land rolling Soil 1st rate

East on a Random line between sections 27 and 34

Variation 10° 30' East

21.43 A ravine 10 links wide bears North

40.00 Set a post for temporary quarter section corner

80.07 Intersect the N and S line 12 links south of the corner to sections 26. 27 34. 35 from which corner I run West on a true line between sections 27 and 34

Township 8 N Range 10 E 6th Pr. Mc

Variation 10° 35' East

40.03½ Set a lime stone 20 in long 8 in wide 4 in thick for quarter section corner

80.07 The corner to sections 27.28.33.34

Land rolling Soil 1st rate

North between Sections 27 and 28

Variation 10° 30' East

40.00 Set a lime stone 17 in long 8 in wide 4 in thick for quarter section corner

75.74 A Ravine 8 links wide Bears N E

80.00 Set a lime stone 22 in long 9 in wide 4 in thick for corner to sections 21.22.27.28

Land rolling Soil 1st rate

Township 8 N Range 10 E 6th Prin Mc.

East on a random line between Sections 22 and 27

Variation 10° 30' East

5.00 A Ravine 10 links wide bears N.E.

40.00 Set a post for temporary quarter section corner

80.13 Intersect the N and S line 22 links north of the corner to sections 22.23 26.27. from which corner I run West on a true line between sections 22 and 27

Variation 10° 21' East

40.06½ Set a lime stone 18 in long 8 in wide 4 in thick for quarter section corner

80.13 The corner to sections 21.22.27.28

Land rolling Soil 1st rate

Township 8 N Range 10 E. 6th P. M.

North between Sections 21 & 22
Variation 10° 30' East

40.00 Set a lime stone 30 in long 9 in wide 4 in thick for quarter section corner

80.00 Set a lime stone 20 in long 10 in wide 4 in thick for corner to sections 15, 16, 21, 22

Land rolling Soil 1st rate

East on a Random line between Sections 15 and 22
Variation 10° 30' East

32.50 A ravine 30 links wide, bears N W

40.00 Set a post for temporary quarter section corner

80.08 Intersect N and S line 69 links North of the corner to Sections 14 15, 22, 23 from which corner I run West on true line between Sections 15 and 22
Variation 10° East

Township 8 N Range 10 E 6th Pr. Mer.

40.04 Set a lime stone 26 in long 8 in wide 4 in thick for quarter section corner

80.08 The corner to Sections 15, 16, 21, 22

Land rolling Soil 1st rate
May 10th 1857

North between Sections 15 and 16
Variation 10° 45' East

0.34 A creek 3 links wide runs N E

2.25 Same creek 10 links wide runs North West

2.78 Same stream 5 links wide runs N E.

40.00 Set a red lime stone 17 in long 8 in wide 6 in thick for quarter section corner

80.00 Set a lime stone 22 in long 8 in wide 6 in thick for corner to sections 9, 10, 15, 16.

Land rolling Soil 1st rate

Township 8 N Range 10 E 6th Pr. Md

East on a Random line between
Sections 10 and 15
Variation 10° 30' East

40.00 Set a post for temporary quarter section corner

47.49 A creek 15 links wide Runs North

80.53 Intersect N and S line 87 links North of the corner to sections 10, 11, 14, 15 from which corner I run west on a true line between sections 10 and 15

Variation 9° 54' East

40.26½ Set a boulder stone 14 in long 9 in wide 6 in thick for quarter section corner

80.53 The corner to Sections 9, 10, 15, 16

Land rolling Soil 1st rate

Township 8 N Range 10 E 6th Pr. Md

North between sections 9 and 10
Variation 10° 10' East

15.62 A creek 13 links wide Runs N E

40.00 Set a lime stone 18 in long 8 in wide 3 in thick for quarter section corner

80.00 Set a boulder stone 20 in long 15 in wide 6 in thick for corner to sections 3, 4, 9, 10

Land rolling Soil 1st rate

East on a random line between sections 3 and 10
Variation 10° 30' East

34.00 Leave uplands and Enter bottom land bearing N & S.

40.00 Set a post for temporary quarter section corner

58.57 Little Nemaha River 30 links wide Runs South East

73.15 A creek 15 links wide Runs S E.

Township 8 N Range 10 E 6th Pr. Md

~~73.15~~	~~A creek 8 links wide~~
79.00	Leave bottom land Enter a plain bearing North and South
80.80	Intersect the N and S line 17 links North of the corner to Sections 2.3.10.11 from which corner I run West on a true line between Sections 3 and 10
	Variation 10° 23' East
40.40	Set a limestone 20 in long 10 in wide 3 in thick for quarter section corner
80.80	The corner to sections 3.4.9.10
	Upland rolling. Botton level & dry. Soil 1st rate

Township 8 N Range 10 E 6th Pr. Md.

	North on a true line between Sections 3 and 4
	Variation 10° East
20.70	Indian trail bears N E and S. W.
38.00	Leave upland and enter botton land bearing N E and West
40.00	Set a limestone 19 in long 11 in wide 4 in thick for quarter section corner
43.03	A creek 6 links wide runs East
44.55	Same creek 10 links wide runs N W
45.11	Same creek 10 links wide runs N E
64.84	Little Nemaha River 25 links wide Runs East
73.50	Intersect Left bank of same stream flowing S W
76.00	Leave left bank of same stream coming from the N W
81.21	Intersect the Second Standard parallel North 469 links West of the mounted standard corner

Township 8 N Range 10 E 6th Pr. Md.

to sections 33 & 34 At which point I set a lime stone 16 in long 12 in wide 3 in thick for closing corner to section 3 and 4

Bottomland level and dry
Upland rolling
Soil 1st rate

May 5th 1857

Township 8 N Range 10 E 6th Pr. Meridian

North between Sections 32 and 33
Variation 10°50' East

7.70	A creek 5 links wide runs East
8.42	Same creek 10 links wide runs SW
8.75	Same creek 5 links wide runs East
25.35	A creek 8 links wide runs East
36.45	A ravine 20 links wide runs SW
40.00	Set a lime stone 26 in long 6 in wide 4 in thick for quarter section corner
80.00	Set a lime stone 27 in long 7 in wide 6 in thick for corner to section 28 29, 32, 33.

Land rolling, prairie
Soil 1st rate

Township 8 N Range 10 E 6th Pr. Mer.

East on a random line between sections 28 and 33

Variation 10° 30' East

40,00 Set a post for temporary quarter section corner

79,85 Intersect N and S line 16 links south of the corner to sections 27.28.33.34 from which corner I run West on a true line between sections 28 and 33

Variation 10° 37' East

39,92½ Set a lime stone 24 in long 8 in wide 3 in thick for quarter section corner

79,85 The corner to sections 28.29.32.33

Land rolling, Soil 1st rate,

Township 8 N Range 10 E 6th Pr. Mer

North between Sections 28 and 29

Variation 10° 50' East

11,40 A ravine 50 links wide bears S W

40,00 Set a lime stone 17 in long 10 in wide 4 in thick for quarter section corner

80,00 Set a lime stone 16 in long 9 in wide 3 in thick for corner to Sections 20.21.28.29

Land rolling prairie

Soil 1st rate

Township 8 N Range 10 E 6th P. M.

East on a random line
between sections 21 and 28
Variation 10° 30' East

40.00 Set a post for temporary quarter
section corner

79.40 Intersect the N and S line
43 links North of the corner
to Sections 21, 22, 27, 28 from
which corner I run
West on a true line between
sections 21 and 28
Variation 10° 12' East

39.70 Set a line stone 26 in long 8 in
wide 3 in thick for quarter section
corner

79.70 The corner to sections 20, 21, 28, 29
Land rolling prairie
Soil 1st rate

Township 8 N Range 10 E 6th P. M.

North between Sections 20 and 21
Variation 10° 50' East

40.00 Set a line stone 14 in long 11 in wide
4 in thick for quarter section corner

70.92 A creek 6 links wide Runs N E.

80.00 Set a line stone 25 in long 9 in wide
5 in thick for corner to Sections
16, 17, 20, 21
Land rolling, Soil 1st rate

East on a Random line between
Sections 16 and 21
Variation 10° 30' East

26.73 A creek 10 links wide runs N. E

36.20 A creek 10 links wide Runs North

40.00 Set a post for temporary quarter
section corner

80.00 Intersect N and S line 52 links
N of corner to Sections 15, 16, 21, 22
from which corner I run

Township 8 N Range 10 E 6th Pr. Md.

West on true line between
Sections 16 and 21
Variation 10° 8' East

40.00 Set a boulder stone 20 in long
10 in wide 6 in thick for quarter
section corner

80.00 The corner to Sections 16.17.20.21
Land rolling Soil 1st rate
May 6th 1857

North between Sections 16 and 17
Variation 10° 35' East

40.00 Set a boulder stone 17 in long 14
in wide 10 in thick for quarter
section corner

50.67 A creek 7 links wide runs East

64.11 A creek 13 links wide runs S. E.

80.00 Set a line stone 17 in long 7 in
wide 5 in thick for corner to
sections 8.9.16.17
Land rolling Soil 1st rate

Township 8 N Range 10 E 6th Pr. Md.

East on a Random line between
Sections 9 and 16
Variation 10° 30' East

30.03 A creek 35 links wide Runs N E

31.06 Same Creek 15 links wide Runs S E

38.35 A ravine 10 links wide bears
South East

40.00 Set a post for temporary
quarter section corner

42.30 A creek 6 links wide runs S E

43.30 Same creek 8 links wide runs N E

44.22 Same creek 10 links wide runs South

56.00 Same creek 20 links wide runs North

80.12 intersect N and S line 30 links North
of the corner to sections 9.10.15.16
from which corner I run
West on a true line between
sections 9 and 16
Variation 10° 17' East

40.06 Set a boulder 14 in long 10 in
wide 8 in thick for quarter

Township 8 N Range 10 E 6th Pr. Md

section corner

80.12 The corner to Sections 8.9.16.17
Land rolling Soil 1st rate

North between Sections 8 and 9
Variation 10° East

40.00 Set a lime stone 19 in long 10 in wide 6 in thick for quarter section corner

43.05 Indian trail bearing NE and SW

80.00 Set a lime stone 25 in long 9 in wide 8 in thick for corner to Sections 4.5.8.9.
Land rolling Soil 1st rate

Township 8 N Range 10 E 6th Pr. Md

East on a Random line between Sections 4 and 9
Variation 10°30' East

40.00 Set a post for temporary quarter section corner

62.78 Indian trail bearing NE and SW

79.88 Intersect N and S line 11 links South of the corner to Sections 3.4.9.10 from which corner I run West on a true line between Sections 4 and 9
Variation 10°35' East

39.94 Set a lime stone 20 in long 8 in wide 6 in thick for quarter section corner

79.88 The corner to Sections 4.5.8.9
Land rolling Soil 1st rate

Township 8 N Range 10 E 6th Pr. Md

North on a true line between Sections 4 and 5

Variation 10° 00 East

14.41 A Creek 24 links wide Runs East

40.00 Set a lime stone 16 in long 9 in wide 4 in thick for quarter section corner

69.00 Intersect bottom land bearing N E & S W

81.00 Intersect the Second Standard parallel N 502 links West of the corner to Sections 32 and 33 at which point I set a lime stone 17 in long 9 in wide 4 in thick for corner to Sections 4 and 5

Land rolling Soil 1st rate

May 8th 1857

Township 8 N Range 10 E 6th Pr. Md.

North between Sections 31 & 32

Variation 10° 50' East

23.70 Ravine 10 links wide Bears East

40.00 Set a red lime stone 15 in long 7 in wide 5 in thick for quarter section corner

80.00 Set a red lime stone 13 in long 8 in wide 8 in thick for corner to sections 29. 30. 31. 32 from which A walnut 6 in diam bears S 34° E 226 links distant

A Walnut 8 in diam bears N 27° 15' W 170 lks dist No other trees near

Land rolling Soil 1st rate

A few Walnut and Elm trees along the creek

Township 7 N Range 10 E 6th Pr. Md

East on a Random line between Sections 29 and 32

Variation 10°30' East

1.20	A creek 30 links wide Runs South
4.23	Same creek 6 links wide Runs N. E.
5.40	Same creek 10 links wide Runs South
8.92	Same creek 10 links wide Runs N E
9.56	Same creek 10 links wide Runs South
10.23	Same creek 8 links wide Runs N E
11.86	Same creek 14 links wide Runs S E
16.70	A Ravine 40 links wide Runs South
39.45	A Ravine 25 links wide Runs South
40.00	Set a post for temporary quarter section corner
70.40	A ravine 32 links wide Runs S W
79.88	Intersect N and S line 6 links S of the corner to Sections 28, 29 32. 33 from which corner I run West on a true line between Sections 29 and 32.

Variation 10°33' East

Township 7 N Rang 10 E 6th Pr. Md

39.94	Set a ~~stand~~ stone 20 in leng 12 in wide 4 in thick for quarter section corner
79.88	The corner to Sections 29. 30. 31. 32 Land rolling Soil 1st rate

---

West on a Random line between sections 30 and 31

Variation 10°30' East

2.44	A creek 16 links wide runs N E
8.15	A ravine 10 links wide runs S E
40.00	Set a post for temporary quarter section corner
72.04	Same creek 10 links runs S E
77.73	Intersect the West boundary of the township 3 links North of the corner to sections 30 and 31 from which corner I run East on a true line between Sections 31 and 31

Township 8 N Range 10 E 6th Pr. Mer.

Variation 10° 31' East

37.73 Set a boulder stone 18 in long 11 in wide 7 in thick for quarter section corner

77.73 The corner to sections 29.30.31.32

Land rolling Soil 1st rate

North between sections 29 and 30

Variation 10° 50' East

1.66 A creek 15 links wide runs SE

8.90 Ravine 5 links wide runs SE

40.00 Set a boulder stone 14 in long 10 in wide 7 in thick for ~~corner~~ quarter section corner

80.00 Set a boulder stone 14 in long 8 in wide 7 in thick for corner to sections 19.20.29.30.

Land rolling Soil 1st rate

Township 8 N Range 10 E 6th Pr. Mer

East on a random line between sections 20 and 29

Variation 10° 30' East

40.00 Set a post for temporary quarter section corner

80.20 Intersect N and S line 68 links North of the corner to Sections 20.21.28.29 from which corner I run

West on a true line between Sections 20 and 29

Variation 10° 1° East

40.10 Set a boulder stone 15 in long 11 in wide 6 in thick for quarter section corner

80.20 The corner to Sections 19.20.29.30

Land Rolling Soil 1st rate

Township 8 N Range 10 E 6th Pr. Mrd

West on a random line between sections 19 and 30

Variation 10° 30' East

23.25 A ravine 10 links wide bears North

40.00 Set a post for temporary quarter section corner

66.00 A ravine 30 links wide bears N & S

76.00 Intersect the west boundary of the township 90 links South of the corner to Sections 19 and 30 from which corner I run

East on a true line between sections 19 and 30

Variation 9° 51' East

36.00 Set a red lime stone 17 in long 7 in wide 5 in thick for quarter section corner

76.00 The corner to Sections 19, 20, 29, 30

Land rolling Soil 1st rate

May 9th 1857

Township 8 N. Range 10 E 6th Pr. Merid

North between sections 19 and 20

Variations 10° 40' East

40.00 Set a boulder stone 21 in long 15 in wide 10 in thick for quarter section corner

80.00 Set a boulder stone 20 in long 12 in wide 8 in thick for corner to sections 17, 18, 19, 20

Land rolling. Soil 1st rate

East on a random line between sections 17 and 20

Variation 10° 30' East

27.99 A creek 10 links wide runs N E.

40.00 Set a post for temporary quarter section corner

79.80 Intersect N and S line 41 links North of the corner to Sections 16, 17, 20, 21 from which corner I run

West on a true line between Sections 17 and 20

Township 8 N Range 10 E 6th Pr. Md.

Variation 10°12' East

39.90 Set a boulder stone 13 in long 7 in wide 5 in thick for quarter section corner

79.80 The corner to Sections 17, 18, 19, 20

Land rolling Soil 1st rate

West on a Random line between Sections 18 and 19

Variation 10°30' East

19.95 A creek 5 links wide runs North

20.64 A creek 25 links wide runs N E

20.89 Leave prairie and Enter timber bearing N and S

22.45 Same creek 45 links wide runs S E

23.04 Same creek 10 links wide runs N E

26.15 Same creek 35 links wide runs S E

30.10 Same creek 35 links wide runs North

30.30 Leave timber Enter prairie bearing N E and S W.

Township 8 N Range 10 E 6th Pr. Md.

75.51 Intersect the west boundary of the township 61 links South of the corner to Sections 18 and 19 from which corner I run East on a true line between Sections 18 and 19

Variation 10°04' East

35.51 Set a red lime stone 25 in long 13 in wide 6 in thick for quarter section Corner

75.51 The corner to Sections 17, 18, 19, 20

Land rolling Soil 1st rate

Timber Elm. Oak and Walnut

Township 8 N Range 10 E 6th Pr. Md

North between Sections 17 and 18
Variation 10° 35' East

18.70 A creek 15 links wide runs N E
A few scattering trees along this creek
20.38 Same creek 25 links wide runs N W
22.11 Same creek 8 links wide runs N E
40.00 Set a red lime stone 17 in long 10 in wide 6 in thick for quarter section corner
47.80 A creek 5 links wide runs runs N E
80.00 Set a boulder stone 15 in long 10 in wide 6 in thick for corner to Sections 7, 8, 17, 18
Land rolling Soil 1st rate
Timber Oak and Walnut

Township 8 N Range 10 E 6th Pr. Md

East on a ~~random~~ line between Sections 8 and 17
Variation 10° 30' East

40.00 Set a post for temporary quarter section corner
79.90 Intersect N and S line 6 links S. of the corner to sections 8, 9, 16, 17 from which corner I run
West on a true line between Sections 8 and 17
Variation 10° 33' East

39.95 Set a Sand Stone 24 in long 12 in wide 5 in thick for quarter section corner
79.90 The corner to Sections 7, 8, 17, 18
Land rolling Soil 1st rate

Township 8 N Range 10 E 6th Pr. Mer

West on a random line between Sections 7 and 18

Variation 10° 30' East

39.03 Indian trail bearing N E and S W

40.00 Set a post for temporary quarter section corner

74.58 Intersect the West boundary of the Township 53 links south of the corner to Sections 7 and 18

from which corner I run East on a true line between Sections 7 and 18

Variation 10° 8' East

34.58 Set a boulder stone 13 in long 9 in wide 8 in thick for ~~corner~~ quarter section corner

74.58 The corner to Sections 7, 8, 17, 18

Land rolling Soil 1st rate

Township 8 N Range 10 E 6th Pr. Mer.

North on a true line between Sections 7 and 8

Variation 10° East

11.50 Indian trail bearing N E and S W

35.60 A creek 8 links wide runs East

40.00 Set a boulder 17 in long 10 in wide 8 in thick for quarter section corner

80.00 Set a sand stone 19 in long 8 in wide 6 in thick for corner to Sections 5, 6, 7, 8

Land rolling Soil 1st rate

Township 8 N Range 10 E 6th Pr. Md

East on a random line between
Sections 5 and 8

Variation 10° 30' East

40.00 Set a post for temporary quarter
section corner

62.45 A creek 10 links wide runs North

79.85 Intersect N and S line 59 links
N of the corner to Sections 4, 5, 8, 9 from
which corner I run
West on a true line between Sections
5 and 8

Variation 10° 5' E

39.92½ Set a sand stone 20 in long 10 in wide
5 in thick for quarter section corner

79.85 The corner to Sections 5, 6, 7, 8
Land rolling Soil 1st rate

Township 8 N Range 10 E 6th Pr. Md

West on a random line between
Sections 6 and 7.

Variation 10° 30' East

40.00 Set a post for temporary quarter
section corner

74.72 Intersect the W. boundary of the
Township 65 links south of the
corner to Sections 6 and 7
from which corner I run
East on a true line between
Sections 6 and 7

Variation 10° 02' East

34.72 Set a ~~sand~~ stone 21 in
long 8 in wide 6 in thick
for quarter section corner

74.72 The corner to sections 5, 6, 7, 8
Land rolling Prairie
Soil 1st rate

Township 8 N Range 10 E 6th P.M.

North on true line between Sections 5 and 6

Variation 10° East

39,00 Enter bottom land bearing E and W

40,00 Set a boulder stone 16 in long 8 in wide 7 in thick for quarter section corner

61,26 Little Nemaha river 14 links wide runs East

81,11 Intersect the Second Standard parallel N. 505 links west of the corner to sections 31 and 32

At which point I set a boulder stone 12 in long 9 in wide 5 in thick for corner to sections 5 and 6

Land rolling Soil 1st rate

May 10th 1857

General Description

The land in this township is generally rolling prairie. and 1st rate

The township is almost entirely destitute of timber

The Little Nemaha river runs through the northerly portion of the township

There are good lime stone quarries in sections 13 and 14.

A list of the names of the individuals employed to assist in running measuring and marking the lines and courses described in the foregoing field notes of Township No. 8 North of the Base Line of Range No 10 East of the 6th Principal Meridian, showing the respective capacities in which they acted

John H Burnum Chainman
Rasselas Swallow Chainman
Alfred Gull axeman
Randolph Wamsly Flagman

For Oaths and Surveyor General Approval see
T. 7 N., R 10 E

General Land Office • Original Field Notes

Book Number

101

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.