General Land Office • Original Field Notes

Book Number

109

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

65

Wal 4. R 11 E

Descriptive Notes made out

Boards

Compⁿ

Contract No. 65

Field Notes of the Subdivisional Lines in Township 13 S. of Range 11 East of the Sixth Principal Meridian, in the Territory of Nebraska. By Asahel S. Wagner, Deputy Surveyor Under his Contract bearing date October 31st 1855.

Began July 1st 1856

Finished July 10th 1856

No 65

Corrections Examined April 30th 1857

Van

Index.
Referring the lines to
the pages of the field notes.

6 50 1-2	5 50 36	4 36 27	3 26 18	2 18 10	1 9
7 48 49	8 47 35-	9 34 26	10 25- 17	11 16 8	12 7
18 45- 46	17 43 33	16 32 24	15 23 16	14 15	13 6
19 42 42	20 41 32	21 31 23	22 22 14	23 13 5	24 4
30 39 40	29 38 30	28 29 21	27 20 12	26 12 3	25 2
31 37	32 28	33 19	34 11	35	36

A list of the names of the
Individuals employed to assist
In running Measuring and Marking
The lines and Corners described
In the within Field Notes of
Township 43 S. of Range
11 East of the Sixth Principal
Meridian, Showing the
Respective Capacities in
Which they Served.

Thurman Kelsey. Chainman
C.E. Davison . Chainman
Cicero Card . Flagman
John A Godlett Compass Man

d

Field Notes of the Subdivision Lines in Township 13. S. Range 11. East. 6th Principal Meridian

Chains		Chains	
	To determine the proper Adjustment of Dey Compass For Subdividing this Township I Commence at the Corner to Township 12 and 13. South Range 12 and 11 East, and Run North on a Blank Line, along the East boundary of Section 36. Variation 11° 30' East		Thence I Return to South East Corner of Section 36. and Run West on a Blank Line Along South boundary of Section 36
39.99	To a Point at the Quarter Section Corner	39.96	To a point 1 Link North of the Quarter Section Corner.
79.96	To a Point at the Corner of Sections 25 and 36 To retrace this Line as run Parallel Chain, Dey Compass Must be adjusted to a Variation 11° 30' East Subdivision Commenced July 1st 1856	79.95	To a point 1 Link South of the Corner to Section 35 and 36 To retrace this Line as run Parallel Chain, Dey Compass Must be adjusted to a Variation 11° 30' East From the Corner to Sections 35 and 36 on the South boundary of the Township. I run North Between Sections 35 & 36. Variation 11° 31' East
		1400	To Buffalo Creek 75 Links Wide. Runs East, Clear Water and South Course. Banks high

Township 13 S. Range

40.00	Set Stone Stone 16 in Long.
	14 in Mile. 14 in Chick. for
	Quarter Section Corner.
42.00	Leave Platte River Bottom.
	And Enter Rolling Prairie
	Bears East and West
80.00	Set Stone Stone. 20 in Long.
	14 in Mile. 3 in Chick. for Corner
	to Sections 25. 26. 35 and 36
	Land Rolling in both parts.
	Land in the South. Soil 1st Rate
	East on a Random Line
	Between Sections 25 and 36
	Variation 11° 30' East
25.00	To Small Creek. Runs South
	30 Links Wide. Clear Water. Swift
	Current and High Lands
27.00	Enter Platte Bottom. bears S 70 E
40.00	Set a Post for Temporary
	Quarter Section Corner

11 East. 6th Principal Meridian

46.00	Enter Tiny Slough. 11 Links
	Wide. bears North and South.
56.00	Leave Slough.
80.00	Intersected North and South Line
	5 Links South of the Corner to
	Sections 25 and 36 from which
	Corner A Tree Elm. Ons a
	True Line. between Sections
	25 and 36
	Variation 11° 32' East
40.00	Set Stone Stone. 16 in Long.
	12 in Wide. 3 in Chick. for Quarter
	Section Corner
80.00	The Corner to Sections 25. 26
	35. and 36.
	Land Generally Level. Soil 1st Rate
	Starch between Sections
	25 and 26
	Variation 11° 30' East
22.00	Cross Small Creek

Town Ship 13 N. Range 11. East 6th Principal Meridian

Chains	Links East. 10 Links Wide.
41.50	Set Lime Stone, 15 in Long
	10 in Wide, 5 in Thick. For
	Quarter Section Corner
80.00	Set Lime Stone, 19 in Long
	7 in Wide 5 in Thick. For
	Corner to Sections 23. 24.
	25 and 26
	Land Rolling. Soil 1st Rate
	East on a Random Line
	Between Sections 24 and 25
	Variation 11° 31' East
3.00	To Small Brook 30 Links
	Wide. Runs South. Near
	Stake.
41.50	Set a Post For Temporary
	Quarter Section Corner
80.00	Intersected East boundary of
	The Township. 4 Links North
	Of the Corner to Sections 24 25 26

Chains	From which Corner A
	Run West on a True Line
	Between Sections 24 and 25
	Variation 11° 28' East
41.50	Set Lime Stone 11 in Long. 11
	Wide. 6 in Thick. For quarter Section
	Corner.
80.00	The Corner to Sections 23. 24. 25 & 26
	Land Rolling. Soil 1st Rate
	North 4 Miles Sections
	23 and 24
	Variation 11° 31' East
40.00	Set Lime Stone. 20 in Long.
	12 in Wide. 3 in Thick. For
	Quarter Section Corner
80.00	Set Lime Stone. 25 in Long
	13 in Wide. 3 in Thick. For
	Corner to Sections 13. 14. 23
	And 24
	Land Rolling. Soil 1st Rate

Township 14 S. Range 11 East 6th Principal Meridian

Chains	
	East on a Random Line Between Section 13 and 24 Variation 11° 30' East
13.00	Do Creek 50 Links Wide Runs South. High Banks. Clear Water. Swift Current.
4.00	Set a Post for Temporary Quarter Section Corner
7.98	Intersected East Boundary of the Township 10 Links North of the Corner to Sections 13 and 24 From which Corner A Pine Bears East on a Pine Line between Sections 13 and 24 Variation 11° 30' East
39.98	Set Lime Stone 14 in Long 10 in Wide. 6 in Thick for Quarter Section Corner
7.98	The Corner to Sections 13. 14 23 and 24 Land Rolling Soil 1st Rate

Chains

July 2nd 1856

North between Sections 13 and 14 Variation 11° 30' East

4.00	Set Lime Stone. 18 in Long. 10 in Wide. Pit Click. for Quarter Section Corner.
80.00	Set Lime Stone. 18 in Long. 10 in Wide. Pit Click. for Corner to Sections 11. 12. 13 and 14 Land Rolling. Soil 1st Rate
	East on a Random Line Between Section 12 and 13 Variation 11° 30' East
26.00	Enter Bottom. Bears North And South.
40.00	Set a Post for Temporary Quarter Section Corner
48.00	Do Creek Runs South 30

Township 13 S. Range 11 East 6th Principal Meridian

Chains	Links	Hills.
79.	74	Intersected East boundary of the Township, at Corner to Sections 12 and 13, from which Corner S. Rem. West on a True Line between Sections 12 and 13 Variation 11° 30' East
29.	87½	Set Lime Stone 13 in. long 13 in. Wide, 3 in. Thick, for Quarter Section Corner
79.	74	The Corners to Sections 11, 12, 13, and 14 Land Rolling. Soil 1st Rate
		South between Sections 11 and 12, Variation 11° 30' East
4.	00	Set Lime Stone 17 in. long 11 in. Wide, 4 in. Thick, for Quarter Section Corner

Chains	Links	
		Set Lime Stone 15 in. long, 12 in. Wide, 3 in. Thick, for Corner to Sections 1, 2, 11 and 12 Land Gently Rolling Soil 1st Rate
		East on a Random Line Between Sections 1 and 12 Variation 11° 30' East
40.	00	Set a Post for Temporary Quarter Section Corner
8.	00	Intersected East boundary of Township, 20 Links North of Corner to Sections 1, and 12. From which Corner Rem. West on a Due Line between Sections 1 and 12 Variation 11° 21' East
4.	00	Set Lime Stone 13 in. long 11 in. Wide, 6 in. Thick, for Quarter Section Corner

Township 13 N. Range 11 East 6th Principal Meridian

Chains	Links	
	8.00	The Corner to Sections 1. 2. 11. and 12 Land Rolling. Soil 1st Rate
		North on a Random Line Between Sections 1 and 12 Variation 11° 30' East
	4.00	Set a Post for Temporary Quarter Section Corner.
	79.94	Intersected West Boundary of the Township, at the Corner to Sections 1 and 2 From Which Corner Bears South on a true Line between Sections 1 and 2 Variation 11° 30' East
	39.94	Set Pine Stone. 12 in Long. 7 in Wide. 6 in Thick. for Quarter Section Corner.
	79.94	The Corner to Sections 1. 2. 11 and 12

Chains	Links	
		Land Rolling Soil 1st Rate July 3rd 1856
		South between Sections 35 and 35 Variation 11° 31' East
	4.00	Set Pine Stone. 15 in Long. 5 in Wide. 5 in Thick. for Quarter Section Corner
	5.00	Do Buffalo Creek. 50 Links Wide. Runs East. High Banks. Clear Water and Swift Current
	5.00	Set Pine Stone. 24 in Long. 13 in Wide. 4 in Thick. for Corner to Sections 26. 27. 34. & 35.
		Land Mostly Rolling. Soil 1st Rate

Township 13 S. Range

Chains

East on a Random Line
Between Sections 26 and 35
Variation 11° 30' East

40.00 Set a post for temporary
Quarter Section Corner.

79.96 Intersected North and South Line
10 Links South of the Corner
to Sections. 25. 26. 35 and 36
From which Corner
Run West on a True Line
Between Sections 26 and 35
Variation 11° 30' East.

39.78 Set Stone Mound. 13 in Long
13 in Wide. Cut Chick. for
Quarter Section Corner.

79.96 The Corner to Sections 26.
27. 34 and 35
Land Rolling. Soil 1st Rate

North Between Sections 26 &

Variation 11° 30' East

11. East. of the Principal Meridian

Chains

40.00 Set Stone Mound. 16 in Long.
9 in Wide. Cut Chick. for Quarter
Section Corner.

80.00 Set Stone Mound. 20 in Long
8 in Wide. 4 in Chick. for Corner
to Sections 22. 23. 26 and 27
Land Rolling. Soil 1st Rate

East on a Random Line
Between Sections 23 and 26
Variation 11° 30' East

1.00 Do Creek 50 Links Wide.
Runs South East.

4.00 Set a post for temporary
Quarter Section Corner

80.00 Intersected North and South
Line 20 Links South of the
Corner to Sections 23. 24.
25 and 26 From which Corner
I run West on a True Line
Between Sections 23 and 26

Township 13. N. Range 11. East 6th Principal Meridian

Chains

Variation 11° 30' East

4.00 Set Lime Stone. 1½ in Long. 1 in Wide. 6 in Thick. For Quarter Section Corner.

8.00 The Corner to Sections 22. 23. 26 and 27. Land Rolling. Soil 1st Rate

North between Sections 22 and 23

Variation 11° 30' East

5.00 To Creek 50 Links Wide. Runs South East.

40.00 Set Lime Stone. 16 in Long 12 in Wide. 3 in thick. For Quarter Section Corner

80.00 Set Lime Stone. 20 in Long. 10 in Wide. 3 in thick. For Corner To Sections. 14. 15. 22. and 23 Land Rolling. Soil 1st Rate

Chains

East on a Random Line Between Sections 14 and 23

Variation 11° 30' East

40.00 Set a Post for temporary Quarter Section Corner

79.90 Intersected North and East Line. 15 Links South of the Corner to Sections 13. 14. 23 and 24. From which Corner I run West on a Due Line Between Sections 14 & 23

Variation 11° 30' East

39.95 Set Lime Stone 13 in Long. 13 in Wide. 4 in thick. For Quarter Section Corner.

79.90 The Corner to Sections 14. 15. 22 and 23. Land Rolling. Soil 1st Rate

July 4th 1856

Township 13 N. Range 11 East 6th Principal Meridian

Chains	North between Sections 10 and 15)
	Variation 11° 30' East
40.00	Set Line Stone 18 in Long. 11 in Wide, 5 in Chick. For Quarter Section Corner
80.00	Set Line Stone 20 in Long 10 in Wide, 4 in Chick. For Corner to Sections 10. 11. 14 and 15.
	Land Rolling Soil 1st Rate
	East On a Random Line Between Sections 11 and 14
	Variation 11° 30 East
40.00	Set a post for temporary Quarter Section Corner
80.00	Intersected North and South Line. 20 Links South of the Corner to Sections 11. 12. 13. and 14 From which Corner

Chains	North On a Random Line between Sections 11 and 14
	Variation 11° 30' East
40.00	Set Line Stone. 20 in Long 12 in Wide. 9 in Chick. For Quarter Section Corner
80.00	The Corner to Sections 10. 11. 14 and 15.
	Land Rolling Soil 1st Rate
	North between Sections 10 and 11.
	Variation 11° 30' East
40.00	Set Line Stone. 16 in Long 15 in Wide, 4 in Chick. For Quarter Section Corner
80.00	Set Line Stone. 20 in Long 8 in Wide, 6 in Chick. For Corner to Sections 2. 3. 10. and 11
	Land Rolling Soil 1st Rate.

Township 13. S. Range

	East on a Random Line
	Between Sections 2 and 11
	Variation 11° 30' East
2,00	Set a post for temporary
	Quarter Section Corner.
79.88	Intersected North and South
	Line 15 Links South of
	Corner to Sections 1. 2. 11
	And 12. From which Corner
	A Grun Ash an a true line
	Between Sections 2 and 11
	Variation 11° 36' East
37.94	Set Stone Stone 13 in Long.
	12 in Wide. 4 in Thick. for
	Quarter Section Corner
79.88	The Corner to Sections 2. 3.
	10 and 11.
	Land Rolling. Soil 1st Rate

	North On a Random Line
	Between Sections 2 and 3
	Variation 11° 31' East

Township 13. S. Range 11. East 6th Principal Meridian

2,00	Set a post for temporary
	Quarter Section Corner
79.96	Intersected North boundary
	of the Township 20 Links
	East of the Corner to Sections
	2 and 3. From which Corner
	A Run South on a true
	Line between Sections 2 and 3
	Variation 11° 39' East
39.96	Set Stone Stone 19 in Long.
	16 in Wide. 5 in Thick. for
	Quarter Section Corner
79.96	The Corner to Sections 2. 3. 10 and 11
	Land Rolling. Soil 1st Rate
	July 6th 1853

	North between Sections
	33 and 34
	Variation 11° 30' East
40.00	Set Stone Stone 16 in Long
	9 in Wide. 5 in Thick. for Quarter

Township 13. S. Range

Chs	Section Corner
80.00	Set Stone Blaze 17 in Long 8 in Wide. 6 in thick. Pits Corners to Sections 27, 28, 33 and 34. Land Rolling. Soil 1st Rate
	East on a Random Line Between Sections 27 and 34 Variation 11° 30' East
27.00	To Buffalo Creek. 50 Links Wide. Runs South East. High Banks. Clear Water. Swift Current
29.00	Cross Same Creek Runs North East
31.00	Cross Same Creek. Runs South
41.00	Set a Post for Temporary Quarter Section Corner
80.00	Intersected North and South Line 11 Links North of the

11 East. 6th Principal Meridian

Chs	Corners to Sections 26 27. 34 and 35. From which Corner a Burr Oak 8 ins Diam bears a line Line between Sections 27 and 34 Variation 11° 22½' East
40.00	Set Stone Blaze. 14 in Long 13 in Wide. 3 in thick. Pits Quarter Section Corner.
80.00	The Corners to Sections 27. 28. 33 and 34 Land Rolling. Soil 1st Rate
	North between Sections 27 and 28 Variation 11° 30' East
17.00	To Buffalo Creek 50 Links Wide. Runs East. High banks Swift Current. Clear Water
40.00	Set Stone Blaze. 16 in Long 9 in Wide. 6 in thick. Pits Quarter Section Corner

Township 13 S. Range

Station		
	Set a Line Stone 1 Foot Long 10 Ins Wide 5 Ins Thick. Post Corner to Sections 21. 22. 27 and 28. Land Rolling. Soil 1st Rate
	East on a Random Line Between Sections 22 and 27 Variation 11° 30' East.
40.00	Set a Post for Temporary Quarter Section Corner
80.00	Intersected North and South Line 11 Links North of the Corner to Sections 22. 23. 26 and 27 From Which Corner a Pine 18 Inches in Diameter Bears North 1 Link Distant Sections 22 and 27. Variation 11° 30' East
41.50	Set Line Stone 16 Ins Long. 10 Ins Wide, 5 Ins Thick Post Quarter Section Corner

11 East of the Principal Meridian

Variation

	The Corner to Sections 21. 22. 27 and 28 Land Rolling. Soil 1st Rate
	North between Sections 21 and 22 Variation 11° 30' East
40.00	Set Line Stone 14 Ins Long 12 Ins Wide 6 Ins Thick. Post Quarter Section Corner
80.00	Set Line Stone. 2 Ins Long 10 Ins Wide. 6 Ins Thick. Post Corner to Sections. 15. 16. 21 and 22. Land Rolling. Soil 1st Rate
	East on a Random Line Between Sections 15 and 22 Variation 11° 31' East
41.00	Set a Post for temporary Quarter Section Corner

Township 13 N. Range 11 East 6th Principal Meridian

Chains	Links	
	Sec.	Intersected North And South
		Line 16 Links North of the
		Corner to Sections 14. 15. 22
		And 23. From which Corner
		A Corn Pine 4in Diam Bears
		Between Section 15 And 22
		Variation 11° 23' East
	North	Set Stone Mound. 21in Long.
		11in Wide. 6in Thick. For
		Quarter Section Corner.
	21.00	The Corner to Sections 15
		16. 21 And 22
		Land Rolling. Soil 1st Rate
		Dug Ditch 5 6
		North between Sections
		15 And 16.
		Variation 11° 31' East
	40.00	Set Stone Mound. 20in Long.
		9in Wide 6in Thick. For Quarter
		Section Corner

Chains	Links	
	Sec.	Set Stone Mound. 16in Long
		16in Wide. 5in Thick. For
		Corner to Sections 9. 10
		15. And 16
		Land Rolling. Soil 1st Rate
		East On a Random Line
		Between Sections 10 And 15
		Variation 11° 31 East
	40.00	Set a Post For Corner
		Quarter Section Corner
	79.96	Intersected North And South
		Line 20 Links North of the
		Corner 10. 11. 14 And 15. From
		Which Corner A Corn Pine
		On a true Line. Between
		Sections 10 and 15
		Variation 11° 21' East
	32.98	Set Stone Mound. 12in Long.
		12in Wide. 5in Thick. For Quarter
		Section Corner.

Township 13 S. Range 11 East 6th Principal Meridian

1894 The Corner to Sections 9, 10, 15 and 16 Land Rolling. Soil 1st Rate

North Between Sections 9 and 10

Variation 11° 30' East

Set Stone 15 in long, 8 in Wide, 8 in Thick, for Quarter Section Corner

Set Stone 15 in long, 12 in Wide, 8 in Thick, for Corner to Sections 3. 4. 9 and 10

Land Rolling Soil 1st Rate

East On a Random Line Between Sections 3 and 10

Variation 11° 30' East

Set a Post for temporary Quarter Section Corner

Range 11 East 6th Principal Meridian

1894 Intersected North and South Line 20 Links West of Corner to Sections 2. 3. 10. and 11. from which Corner a Tree Bears South 25 East Between Sections 3 and 10.

Variation 11° 21' East

Sept 3 Set Stone 12 in long, 8 in Wide, 8 in Thick, for Quarter Section Corner,

Sept 3 The Corners to Sections 3. 4. 9 and 10 Land Rolling Soil 1st Rate

North On a Random Line Between Sections 3 and 10

Variation 11° 30' East

Sept 4 Set a Post for temporary Quarter Section Corner

Sept 10 Intersected North Boundary of the Township 25 Links

Township 13. N. Range 11 East, 6th Principal Meridian

Chains	
	East of the Corner to Sections 3 & 4. From Which Corner A Pine 6 Inches Diameter Bears South On a True Line between Sections 3 and 4. Variation 11° 41' East
39.00	Set Lime Stone 12 in Long 12 in Wide 4 in thick. For Quarter Section Corner.
79.00	The Corner to Sections 3. 4. 9 and 10 Land Rolling. Sent 1st Part July 4th 1856
	North between Sections 32 and 33 Variation 11° 30' East
40.00	Set Lime Stone 14 in Long 12 in Wide 4 in thick. For Quarter Section Corner
81.00	Set Lime Stone 13 in Long

Chains	
	12 in Wide 3 in Thick. For Corner to Sections 28, 29 32 and 33. Land Rolling Sent 1st Part
	East on a Random Line between Sections 28 and 27 Variation 11° 31' East
40.00	Set a Post For Compass Quarter Section Corner
79.90	Intersected North and South Line. At Corner to Sections 27. 28. 33 and 34 From Which Corner A Pine West On a True Line between Sections 28 and 33. Variation 11° 30' East
39.95	Set Lime Stone 13 in Long 10 in Wide 4 in thick. For Quarter Section Corner.
79.90	The Corner to Sections. 28. 29 32 and 33

Township 13. N. Range 11 East 6th Principal Meridian

Chains	
	Land Rolling Soil 1st Rate
	North between Sections 28 and 29
	Variation 11° 30' East
7.00	Cross Creek N. 21 Links Wide, Runs North East
13.00	Cross branch 11 Links Wide, Runs East.
14.00	Set a Lime Stone 4 in Long 1 in Wide, 1 in thick For Quarter Section Corner.
16.00	Cross brook 15 Links Wide Runs East
5.00	Set Lime Stone 23 in Long 12 in Wide 3 in Thick For Corner to Sections 20. 21 28 and 29
	Land Rolling Soil 1st Rate

Chains	
	East on a Random Line Between Sections 21 and 28
	Variation 11° 30' East
27.00	Enter Timber bears N. & S.
36.00	Cross Buffalo Creek. Runs South East.
36.50	Leave Timber bears North And South
40.00	Set a Post for temporary Quarter Section Corner
60.00	Intersected North and South Line at the Corner to Sections 21. 22. 27 and 28 From Which Corner A Pine 18 East and a Pine 1 link West are a True Line between Sections 21 and 28.
	Variation 11° 30' East
44.00	Set Lime Stone 20 in Long 10 in Wide, 3 in Thick For Quarter Section Corner
80.00	The Corner to Sections 20. 21

Township 13 Or. Range 11 East 6th Principal Meridian

Chains

28 and 29

Land Rolling. Soil 1st Rate
Timber, Walnut, and Hickory

North on a True Line
Between Sections 21 and 21
Variation 11° 30' East

60 Set Lime Stone, 15 in
Long 10 in Wide, 6 in Thick
For Quarter Section Corner
80.00 Set Lime Stone 17 in Long,
12 in Wide, 3 in Thick, for Corner
To Sections 16, 17, 20 and 21
Land Rolling. Soil 1st Rate

East on a Random Line
Between Sections 16 and 21
Variation 11° 30' East

41.00 Cross Buffalo Creek, 20 Links
Wide. Runs South East.
40.00 Set a Post for Temporary

Chs. Links

Quarter Section Corner
79 85 Intersected North and South
Line, 20 Links East of
Corner to Sections 15, 16,
21 and 22 From which
Corner I Run West on a
True Line between Sections
16 and 21
Variation 11° 30' East
34 72½ Set Lime Stone 15 in Long
10 in Wide 6 in Thick for
Quarter Section Corner
79 85 The Corner to Sections 16, 17,
20 and 21
Land Rolling. Soil 1st Rate

North between Sections
16 and 17
Variation 11° 30' East
5.00 Cross Buffalo Creek 20
Links Wide. Runs South East

Town Ship 13 N. Range 11 East 6th Principal Meridian

Variation	West [illegible] and Smith Quarter
1.00	Set Lime Stone 18 in long
	9 in Wide 5 in Thick. For Quarter
	Section Corner
8.00 W	Set Lime Stone 20 in long.
	11 in Wide, 4 in Thick. For Corner
	To Sections 8. 9. 16 and 17
	Land Rolling. Soil 1st Rate
	East on a Random Line
	Between Section 9 and 16
	Variation 11° 30' East
4.50	Set a post for temporary
	Quarter Section Corner
39.00	Intersected North and South
	Line 40 Links South of Corner
	To Sections 9, 10, 15 and 16 From
1/2	Which Corner I run West
	On a True Line between
	Sections 9 and 16
	Variation 11° 47' East

Variation 34.95	Set Lime Stone 16 in Long
	11 in Wide, 4 in Thick. For
	Quarter Section Corner
79.90	The Corners to Sections 8. 9
	16. and 17.
	Land Rolling. Soil 1st Rate
	North between Sections 8.
	And 9
	Variation 11° 31' East
2.50	Cross Slough. 1 Chain Wide
	Bears South East.
4.00	Set Lime Stone 20 in long
	12 in Wide. 5 in Thick. For
	Quarter Section Corner
8.00	Set Lime Stone 20 in long
	15 in Wide. 6 in Thick For
	Corner to Sections 4. 5. and 9.
	Land Rolling. Soil 1st Rate

Township 13. S. Range 11 East 6th Principal Meridian

	Chains East on a Random Line between Sections 4 and 9 Variation 11° 30' East
4.00	Set a post for temporary Quarter Section Corner
79.85	Intersected North and South Line 8 Links South of Corner to Sections 3. 4. 9 and 10 From which Corner I Run West on a True Line between Sections 4 and 9. Variation 11° 27' East
39.92½	Set Limestone Stone. 17 in long. 11 in Wide. 3 in Thick. For Quarter Section Corner
79.85	The Corners to Sections 4 5. 8 and 9 Land Rolling. Soil 1st Rate
	North on a Random Line Between Sections 4 and 5

Chains	Variation 11° 30' East
4.00	Set a post for temporary Quarter Section Corner
79.70	Intersected North boundary of the Township 30 Links East of the Corner to Sections 4 and 5 From which Corner I Run South on a True Line between Sections 4 and 5 43 Variation 11° 27' East
39.70	Set Limestone Stone. 15 in long. 14 in Wide. 3 in Thick. For Quarter Section Corner
79.70	The Corners to Sections 4. 5. 8 and 9 Land Rolling. Soil 1st Rate July 7th 1856
	North between Sections 31 and 32 Variation 11° 30' East
35.00	Cross brook 10 Links Wide.

Township 13 North Range

Chains Bears West

40.00 Set Lime Stone 15 in Long.
15 in Wide, 5 in Thick. For
Quarter Section Corner

60.00 Set Lime Stone, 20 in Long.
10 in Wide, 4 in Thick For Corner
To Sections 29. 30. 31 and 32
Land Rolling Soil 1st Rate

East on a Random Line
Between Sections 29 and 32
Variation 11° 30 East

40.00 Set a Post for Temporary
Quarter Section Corner.

78.00 Cross Creek. Runs North
East. 10 Links Wide

79.50 Intersected North and South
Line. 4 Links North of
Corner to Sections 28, 29,
32 and 33. From Which Corner
I Run West on a True Line

11 East. 6th Principal Meridian

Chains Between Sections 29 and 32
Variation 11° 28' East

39.90 Set Lime Stone 16 in Long
11 in Wide, 3 in Thick. For
Quarter Section Corner

79.80 The Corners to Sections
29. 30. 31 and 32
Land Rolling Soil 1st Rate

West on a Random Line
Between Section 30 and 31
Variation 11° 31' East

40.00 Set a Post for Temporary
Quarter Section Corner

79.60 Intersected West boundary of
the Township 6 Links
North of Corner to Section
30 and 31 From which
Corner I Run East on a
True Line between Sections
30 and 31

Township 13 S. Ranges 11 East 6th Principal Meridian

Chains	
	Variation 11° 33' East
39.60	Set Lime Stone. 13 in Long. 11 in Wide. 5 in Thick. For Quarter Section Corner
79.60	The Corners to Sections 29. 30. 31 and 32 Land Rolling. Soil 1st Rate
	North between Sections 29 and 30 Variation 11° 31' East
36.00	Cross Creek 10 Links Wide. Runs East
40.00	Set Lime Stone 15 in Long 11 in Wide. 4 in Thick. For Quarter Section Corner
80.00	Set Lime Stone. 19 in Long 11 in Wide. 3 in Thick. For Corner to Sections 19. 20. 29 and 30 Land Rolling Soil 1st Rate

11 East 6th Principal Meridian

Chains	
	East On a Random Line Between Sections 20 and 29 Variation 11° 30' East
40.00	Set a Post For Temporary Quarter Section Corner
84.10	Intersected North and South Line 2 Links South of the Corner to Sections 20. 21 28 and 29 From which Corner I Run West on a True Line between Section 20 and 29 Variation 11° 31' East
41.05	Set Lime Stone. 15 in Long. 11 in Wide. 4 in Thick. For Quarter Section Corner
84.10	The Corners to Sections 19, 20. 29 and 30 Land Rolling. Soil 1st Rate

Township 1 S. 4 Range

	Chains West on a Random
	Between Sections 19 and 30
	Variation 11° 30' East
40.00	Set a Post for Temporary
	Quarter Section Corner
79.21	Intersected West boundary of the
	Township 25 Links North of
	Corner to Sections 19 and 30 from
	which Corner a Pine East 40
	A Pine Line between Sections
	19 and 30
	Variation 11° 41' East
39.21	Set Line Stone 23 in Long
	10 in Wide. 6 in Thick. for Quarter
	Section Corner
79.21	The Corner to Sections 19
	20. 29 and 30
	Land Rolling Soil 1st Rate
	North between Sections 19 and 30
	Variation 11° 30' East

11 East. 6th Principal Meridian

40.00	Set Line Stone. 16 in Long.
	13 in Wide. 3 in Thick. for Quarter
	Section Corner
65.00	Cross Creek 5 Links Wide.
	Runs East
80.00	Set Line Stone 20 in Long.
	13 in Wide 3 in Thick for Corner
	To Sections 17. 18. 19 and 20
	Land Rolling Soil 1st Rate
	July 8th 1856
	East on a Random Line
	Between 17 and 20
	Variation 11° 30' East
12.00	Cross Buffalo Creek 10
	Links Wide. Runs South.
13.00	Cross Same Creek Runs
	North
27.00	Cross Same Creek 10 Links
	Wide Runs South East
28.00	Cross Same Creek 10 Links

Township 13 N. Range 11 East 6th Principal Meridian

Chains	
	Wide. Runs South East.
31.00	Cross Same Creek Runs South East
52.00	Cross Same Creek 12 Links Wide Runs South East
33.00	Cross Same Creek 13 Links Runs ~~North~~ South East
27.00	Cross Same Creek 13 Links Wide. Runs South East
40.00	Set a post for temporary Quarter Section Corner
8.75	Intersected North and South Line at Corner to Sections 16. 17. 20 and 21 From which Corner I run West on a True Line between Sections 17 and 20
	Variation 11° 30' East
40.02½	Set Stone Stone. 16 in Long. 13 in Wide. 3 in Thick. For Quarter Section Corner

Chains	
Varies 15	The Corner to Sections 17. 18. 19 and 20 Land Rolling Soil 1st Rate
	West on a Random Line between Sections 18 and 19 Variation 11° 30' East
48.00	Set a post for temporary Quarter Section Corner
18.00	Cross brook 8 Links Wide Runs North East
79.20	Intersected West boundary of the Township 12 Links North of the Corner to Sections 18. and 19. From which Corner I Run East on a True Line between Sections 18 and 19 Variation 11° 35' East
39.20	Set Stone Stone 15 in Long 9 in Wide 5 in Thick For Quarter

Township 13 N. Range 11 East 6th Principal Meridian

Chains	
	Section Corner
19.20	The Corner to Sections 17, 18, 19 and 20 Land Rolling. Soil 1st Rate
	North between Sections 17 and 18 Variation 11° 30' East
6.00	Cross brook 7 Links Wide. Runs South East.
18.00	Cross brook 9 Links Wide. Runs South East
40.00	Set Lime Stone. 18 in Long. 11 in Wide. 3 in Thick. For Quarter Section Corner.
80.00	Set Lime Stone. 20 in Long. 20 in Wide. 3 in Thick. For Corner to Sections 7, 8, 17 and 18. Land Rolling. Soil 1st Rate

Chains	
	East on a Random Line Between Sections 8 and 17 Variation 11° 30' East
4.00	Cross Slough 1 Chain Wide Bears North and South.
40.00	Set a Post for Corner Common to Section Corners
52.00	Cross brook. Runs South 5 Links Wide.
77.00	Cross Slough 2 Chains Wide Bears North and South
80.00	Intersected North and South Line 11 Links West of Corner to Sections 8, 9, 16 and 17 from which Corner I Run West on N. Line between Sections 8 and 17. Variation 11° 26' East
40.00	Set Lime Stone 15 in Long 11 in Wide 4 in Thick. For

Township 13 N. Range

Chains. Quarter Section Corner
Set. The Corner to Sections 7 & 18 and 18
Land Rolling Soil 1st Rate
Surg 9th 1856

West on a Random Line
Between Sections 7 and 18
Variation 11° 30' East

40.00 Set a Post for temporary
Quarter Section Corner
42.00 Cross Creek 12 Links Wide
Runs South East
79.28 Intersected the West boundary of
The Township 16 Links
North of the Corner to
Sections 7 and 18 From
Which Corner 2 Pecan East
One a Dist Line between
Sections 7 and 18
Variation 11° 30' East

11 East 6th Principal Meridian

Chains.
79.28 Set Lime Stone 16 in Long. 10 in Wide. 5 in Thick For Quarter Section Corner
79.28 The Corner to Sections 7. 8 18 and 18.
Land Rolling Soil 1st Rate

North between Sections
7 and 8
Variation 11° 30' East
40.00 Set Lime Stone 17 in Long
5 in Wide. 6 in Thick For
Quarter Section Corner
80.00 Set Lime Stone 20 in
Long 10 in Wide 3 in Thick
For Corner to Sections
5. 6. 7. and 8.
Land Rolling Soil 1st Rate

Township 13. S. Range 11 East 6th Principal Meridian

Chains	
	East on a Random line between Sections 5 and 8 ^
	Variation 11° 30' East
40.00	Set a post for temporary Quarter Section Corner
79.90	Intersected North and South Line 20 Links North of the Corner to Sections 4. 5. 8. and 9 From which Corner I Run West on a True Line Between Sections 5 and 8
	Variation 11° 30' East
3.75	Set Lime Stone 15 in Long 12 in Wide. 4 in thick. For Quarter Section Corner
79.90	The Corner to Sections 5. 6 7 and 8
	Land Rolling Soil 1st Rate
	West on a Random Line Between Sections 6 and 7

Chains	
	Variation 11° 30' East
40.00	Set a post for temporary Quarter Section Corner
40.50	Crossbrook 7 Links Wide Runs South
79.11	Intersected West boundary of the Township 20 Links North of the Corner to Sections 6 and 7 from which Corner I Run East on a True Line between Sections 6 and 7
	Variation 11° 39' East
3.11	Set Lime Stone 15 in long 12 in Wide. 5 in thick For Quarter Section Corner
79.11	The Corner to Sections 5. 6. 7 and 8. Land Rolling. Soil 1st Rate

Township 13 South Range 11 East 6th Principal Meridian

Chains		Chains	
	North on a Random Line Between Sections 5 & 6 Variation 11° 30' East		General Description. This Township is nearly all prairie, with a rolling surface and a soil of good quality and is generally well watered. There is little or no timber or settlements in this Township.
40.00	Set a post for temporary Quarter Section Corner		
79.35	Intersected North boundary of the Township 30 Links East of Corner to Sections 5 and 6. from which Corner I run South on a true Line between Sections 5 and 6 Variation 11° 43' East		
39.35	Set a Lime Stone 15 in long 10 in Wide 6 in thick for Quarter Section Corner		
79.35	The Corner to Sections 5. 6. 7 and 8 Land Rolling Soil 1st Rate July 10th 1856		

List of names.

A list of the names of the individuals employed to assist in running, measuring, or marking the lines and corners described in the forgoing field notes of Township No 13 North, of Range No 11 East of the 6th Principal Meridian, showing the respective capacities in which they acted,

Thurman Kelsey. Chainman
C. E. Davison. Chainman.
Cicero Card. Flagman.
John A. Goodlett. Compassman.

No 2
55

Descriptive list made out.
Cmp.d
Field notes of the Subdivision
Lines in Township 14. South
& Range 11 East of the
Sixth Principle Meridian,
In the Territory of Nebraska
By John A. Taylor
Deputy Surveyor Under
his Contract bearing date
Oct 31st 1855. No 65
Began June 27th 1856
Finished June 28th 1856.

Examined Jan 30th 1857
Corrections Examined 30th June 1857
Van

Index.

Referring the lines to the pages of the field notes.

6 49 (30)	5 48 (36)	4 35 (27)	3 26 (18)	2 17 (10)	1 8
7 46 (48)	8 45 (34)	9 33 (25)	10 24 (17)	11 16 (8)	12 7
18 44 (45)	17 43 (33)	16 32 (24)	15 23 (13)	14 14 (6)	13 5
19 41 (42)	20 40 (31)	21 30 (22)	22 21 (14)	23 13 (4)	24 3
30 39 (40)	29 38 (30)	28 29 (21)	27 20 (12)	26 11 (3)	25 2
31 37	32 (28)	33 (19)	34 (11)	35 (1)	36

A list of the names of the Individuals employed to Assist in running, Measuring And marking the Lines and Corners described in the Within Field notes of Township 14, South of Range 11 East of the Sixth Principal Meridian, Showing the respective Capacities in Which they Served

Thurman Kelsey, Chainman
C.E. Davison, Chainman
Cicero Card, Flagman
John K Goodlett, Compassman

Field notes of the Subdivision Lines in

Township 14 N. Range 11 East 6th Principal Meridian

Chains	
	To determine the proper adjustment
	of my Compass for Subdividing
	this Township I Commence
	At the Corner to Townships 13
	And 14 North Range 11 and 12
	East and Run North on a
	Blank Line along the East
	Boundary of Section 36.
	Variation 11° 30' East
39.96	To a point, at the quarter Section
	Corner
80.00	To a point at the Corner of
	Sections 25 and 36 to retrace this
	Line or Run parallel thereto
	my Compass must be
	Adjusted to a
	Variation 11° 30' East
	Thence I return to South
	East Corner of Section 36 and
	Run West on a Blank Line along
	the South Boundary of Section

Chains	
	26.
39.93	To a point at the
	Quarter Section Corner
79.97	To a point at the Corner to
	Sections 35 and 36 to retrace
	this Line or run parallel
	thereto my Compass must
	Be adjusted to a
	Variation 11° 30' East
	Subdivision Commenced
	June 23rd 1855
	From the Corner to Sections
	1. 2. 35 and 36 on the South
	Boundary of the Township
	I run North Between
	Sections 35 and 36
	Variation 11° 30' East
26.00	To Lieu Slough Runs East
	And West
34.00	Leave Slough
40.00	Set Sand Stone 16 in Long

Town Ship 14. N. Range 11 East 6th. Principal Meridian

Chains		11 in Wide, 6 in Thick. for Quarter Section Corner
31.00		Set Sand Stone. 20 in Long. 11 in Wide. 3 in Thick. for Corner Do Sections 25. 26. 35 and 36 Land Rolling. Soil 1st Rate.
		East on a Random Line between Sections 25 and 36 Variation 11° 31' East
40.00		Set a post for temporary Quarter Section Corner
56.00		Cross Small Creek. 11 Links Wide. Runs North.
80.00		Intersected East boundary of the Township. 20 North of the Corner to Sections 25 and 36. From which Corner I run West on a Base line. between Sections 25 and 36 Variation 11° 21' East

Chains 40.15		Set Sand Stone. 1 in Long. 6 in Wide 6 in Thick. for Quarter Section Corner
80.30		The Corner to Sections 25. 26. 35 & 36 Land Rolling. Soil 1st Rate
		North between Sections 25 and 26 Variation 11° 30' East
46.00		Set Sand Stone. 20 in Long. 11 Wide. 6 in Thick. for Quarter Section Corner
144.00		Cross Little Slough. 4 Chains Wide. Runs East and West
80.00		Set Sand Stone. 18 in Long. 5 in Wide. 4 in Thick. for Corner Do Sections 23. 24. 25 and 26 Land Gully Rolling Soil 1st Rate
		East on a Random Line Between Sections 24 and 25 Variation 11° 30' East

4/62

Township 14 N. Range 11. East 6th Principal Meridian

Chains	
40.00	Set a post for temporary Quarter Section Corner
80.16	Intersected East boundary of the Township 15 Links North of the Corner to Sections 24 and 25, from which Corner I Run West on a True Line, between Sections 24 and 25
	Variation 11° 24' East.
40.05	Set Sand Stone 12 in long 7 in Wide 6 in Thick, for Quarter Section Corner.
80.10	The Corner to Sections 23, 24 25 and 26
	Land Rolling Soil 1st Rate
	North between Sections 23 and 24
	Variation 11° 30' East
40.00	Set Sand Stone 15 in long 12 in Wide 5 in Thick, for Quarter

5/63

Chains	
80.00	Corner Set Sand Stone 12 in long 12 in Wide, 5 in Thick, for Corner to Sections 13, 14, 23 and 24. Land Rolling Soil 1st Rate
	East on a Random Line between Sections 13 and 24
	Variation 11° 30' East
5.00	Enter Section, Runs South East and North West.
40.00	Set a post for temporary Quarter Section Corner.
64.00	To South Bank of Big Papillion 1 Chain Wide Runs South East
80.00	Intersected East boundary of the Township, 15 North of the Corner to Sections 13 and 24 From which Corner I Run West on a Due Line, between Sections 13 and 24

Township 14. S. Range 1 E. 6th Principal Meridian

Chains	
6	Variation 11° 22' East
10.05	Set Sand Stone 15 in Long 7 in Wide 7 in Thick For Quarter Section Corner.
30.10	The Corners to Sections 13. 14. 23. and 24 Land Level Soil 1st Rate
	North between Sections 13 and 14 Variation 11° 30' East
2.00	Enter Papillion Bottom a Pine Tree West and South East
23.00	To South Fork of Big Papillion 1 Chain Wide. Runs South East High Lands and Muddy Bottom
24.00	Pine Bottom. and Enter Rolling Prairie. Pine Tree North West and South East.
41.00	Set Sand Stone, 15 in Long, 14 in Wide, 6 in Thick. For Quarter Section Corner.

Chains	
80.00	Set Pine Stone 13 in Long 11 in Wide. 7 in Thick. For Corner to Sections 11, 12, 13 and 14 Land Gently Rolling Soil 1st Rate
	East on a Random Line Between Sections 12 and 13 Variation 11° 30' East
40.00	Set a Post for Temporary Quarter Section Corner
57.00	Cross Omaha and Iron Bluffs Road. Pine Trees North West.
80.00	Intersected East Boundary of the Township. 30 Links North of the Corners to Sections 12 and 13 From which Corner I Pine Tree on a true line Between Sections 12 and 13 Variation 11° 17' East

8/66

Township 11 N. R Range.

Chains 40.00	Set Sand Stone. 14 in Sing 11 in Wide, 6 in Thick. For Quarter Section Corner.	
8.00	The Corner to Sections 11, 12, 13 & 14. Land Rolling. Soil 1st Rate.	
	North between Sections 11 and 12 Variation 11° 30' East	
40.00	Set Sand Stone. 13 in Sing. 12 in Wide. 5 in Thick. For Quarter Section Corner	
43.00	Cross Omaha and Sioux Bluffs Road. Course East and West.	
8.00	Set Sand Stone. 18 in Sing. 15 in Wide 5 in Thick. For Corner Do Sections 1. 2. 11 and 12 Land Rolling. Soil 1st Rate	
	East on a Random Line Between Sections 1 and 12 Variation 11° 30' East	

9/67

11 East 6th Principal Meridian

Chains 40.00	Set a Post for Corner of Quarter Section Corner	
41.00	Enter Papillion 6 Links Wide	Course N.W.
4.00	Do Cross Papillion 1 Chain Wide. Runs South.	
19.90	Intersected East Boundary Line of the Township. 2 Links North of the Corner to Sections 1 and 12 From which Corner A tree West on a true line. Between Sections 1 and 12 Variation 11° 21' East	
39.95	Set Sand Stone 13 in Sing 10 in Wide 5 in Thick. For Quarter Section Corner	
19.90	The Corner to Sections 1. 2 11 and 12 Land Western part Rolling Eastern part Level Soil 1st Rate	

10/68

Township 11th Range

Chains | North on a Random Line
Between Sections 1 and 2
Variation 11° 31' East
4.00 | Set a post for temporary
Quarter Section Corner
42.00 | Enter Papillion Bottom Swamp
East and West
79.86 | Intersected North Boundary of
the Township 3 Links West
of the Corner to Sections 1 and 2
From which Corner a
Run South on a true
Line Between Sections 1 and 2
Variation 11° 29' East
3956 | Set Sand Stone 18 in long
10 in Wide 6 in thick for
Quarter Section Corner
7956 | The Corner to Sections
1 and 2, 11 and 12
Land Northern part Level
Southern part Rolling
Soil 1st Rate
Dem 24th 1856

11/69

11 East 6th Principal Meridian

Chains | North between Sections
31 and 35
Variation 11° 31' East
4.00 | Set Sand Stone 18 in long
12 in Wide, 6 in thick, for
Quarter Section Corner
80.00 | Set Sand Stone 24 in long
12 in Wide, 8 in thick, for
Corner to Sections 26, 27,
34 and 35
Land Rolling, Soil 1st Rate

East on a Random Line
between Sections 26 and 35
Variation 11° 30' East
10.50 | Cross Slough 10 chains and 50 links
Wide Course North and South, at
About 2 Chains North of Line it
Runs West.
40.00 | Set a post for temporary
Quarter Section Corner

12/70

Township 14 S. Range 11 East 6th Principal Meridian

13/71

Chains	
79.75	Intersected North and South Lines 15 Links South of Corner to Sections 25, 26, 35 and 36 from which Corner A Run West on a true line between Sections 26 and 35. Variation 11° 30' East
39.87½	Set Sand Stone 16 in long, 11 in Wide, 3 in Thick, for Quarter Section Corner
79.75	The Corners to Sections 26, 27, 34 and 35 Land Rocking Set 1½ Pole
	North between Sections 26 and 27. Variation 11° 30' East
4.00	Cross Small Creek 10 Links Wide. Runs W.
46.00	Set Sand Stone, 20 in long, 10 in Wide 3 in Thick. for Quarter

Chains	
	Section Corner
54.00	Cross Creek, 30 Links Wide. Runs North East. Sandy Ridge
80.00	Set Sand Stone 19 in long 11 in Wide, 11 in Thick, for Corner to Sections 22, 23, 26 and 27. Land Rocking. Set 1½ Pole
	East on a Random Line Between Sections 23 and 26 Variation 11° 30' East
20.50	Cross Creek 50 Links Wide Runs North East.
48.00	Set a post for temporary Quarter Section Corner
80.00	Intersected North and South Line, 25 Links South of Corner to Sections 23, 24, 25 and 26 from which Corner A Run West on a true line between Sections 23 and 26

14
72

Township 14 S. Range 11. East. 6th Principal Meridian

Chains

Variation 11° 00' East

40.00 Set Sand Stone. 12 in Long. 12 in Wide. 5 in Thick. For Quarter Section Corner.

56.00 The corner to Sections 22. 23. 26 and 27. Land Rolling. Soil 1st Rate.

North Between Sections 22 and 23. Variation 11° 30' East

40.00 Set Sand Stone. 23 in Long. 12 in Wide. 5 in Thick. For Quarter Section Corner.

42.00 Cross Small Creek 5 Links Wide. Runs South East.

80.00 Set Sand Stone. 18 in Long. 15 in Wide. 5 in Thick. For corner to Sections 14. 15. 22. and 23. Land Rolling. Soil 1st Rate.

East on a Random Line between Section 14 and 23

15
73

11. East. 6th Principal Meridian

Chains

Variation 11° 30' East

40.00 Set a Post for Temporary Quarter Section Corner.

52.00 Cross Creek 35 Links Wide. Runs South East.

84.00 Intersected South Old Land Line 20 Links South of Corner to Sections 13. 14. 23 and 24. From which Corner A Run West on a True Line. Between Sections 14 and 23

Variation 11° 30' East

48.00 Set Sand Stone. 14 in Long. 12 in Wide. 5 in Thick. For Quarter Section Corner.

80.00 The Corner to Sections 14. 15. 22. and 23. Land Rolling. Soil 1st Rate

North Between Sections 14 and 15

Variation 11° 30' East

16/74

Township 14 S. Range 11 East. 6th Principal Meridian

Chains	
41.00	Set Sand Stone, 1 Bin Long. 1 Bin Wide, Bin Chick. For Quarter Section Corner
52.10	Cross Small Creek 75 Links Wide, Runs North East.
58.00	Set Sand Stone 1 Bin Long, 1 Bin Wide, Bin Chick. For Corner to Sections 10, 11, 14 and 15. Land Rolling. Soil 1st Rate
	East on a Random Line between Sections 11 and 12 Variation 11° 30' East
41.00	Set a Post for temporary Quarter Section Corner
80.10	Intersected North and South Line 5 Links South of the Corner to Sections 11, 12, 13 and 14 From which Corner I Run West on a true line between Sections 11 and 10 Variation 11° 30' East

17/75

Chains	
40.05	Set Sand Stone 1 Bin Long. 1 Bin Wide, Bin Chick For Quarter Section Corner
80.10	The Corner to Sections 10, 11, 14 & 15 Land Rolling, Soil 1st Rate
	North between Sections 10 and 11 Variation 11 30 East
40.00	Set Sand Stone, 1 Bin Long. Bin Wide, Bin Chick, For Quarter Section Corner
77.00	Cross Omaha and Iron Bluff Road. Bears East and West
80.00	Set Sand Stone. 2 Bin Long. 1 Bin Wide, Bin Chick. For Corner to Sections 2, 3, 10 and 11 Land Rolling. Soil 1st Rate
	East on a Random Line Between Sections 2 and 11 Variation 11° 30' East

Township 14 S. Range 11 East of Principal Meridian

6 chains	Set a post for temporary	6 chains	Of the Township 14 S. Range East
40.00	Quarter Section Corner,		Of the Commo to Sections 2 and 3
80.00	Intersected North and South		Direction which Course S. Run
	Line 5 Links South of the		South as a true line between
	Corner to Sections 1. 2. 11 and 12		Sections 2 and 3
	From which Corner Pecan		Variation 11° 36' East
	Post on N. true line between	38.00	Set Sand Stone, 18 ins. long, 10 ins.
	Sections 2 and 11		Wide, 7 ins. thick, for Quarter Section
	Variation 11° 33' East		Corner.
40.03	Set Sand Stone, 18 ins. long, 10 ins.	78.00	The Corner to Sections, 2. 3. 10
	Wide, 7 ins. thick, for Quarter Section		And 11.
	Corner.		Land Rolling. Soil 1st Rate
80.00	The Corner to Sections 2. 3 10 and 11		Variation 11° 30' East
	Land Rolling. Soil 1st Rate		
	North on a Random Line		North between Section
	Between Sections 2 and 3		33 and 34.
	Variation 11° 30' East		Variation 11° 30' East
40.00	Set a post for temporary	29.00	Cross Creek, 20 Links Wide.
	Quarter Section Corner		Runs East
78.00	Intersected the North boundary	40.00	Set Sand Stone, 14 ins. long, 12 ins.
			Wide, 7 ins. thick, for Quarter
			Section Corner

Township 14 S. Range 11 East of the Principal Meridian

6 Links S.&E.	Set Sand Stone 22 in long 11 in Wide 5 in Thick. for Corner to Sections 27. 28. 33 and 34 Land Rolling. Soil 1st Rate.
	East on a Random Line Between Section 27 and 34 Variation 11° 30' East
40.00	Set a Post for temporary Quarter Section Corner
42.50	Cross Creek 25 Links Wide. Runs North.
79.80	Intersected North and South Line 25 Links South of the Corner to Sections 26. 27. 34 and 35. From which Corner a run West on a true line Between Sections 27 and 34 Variation 11° 40' East
39.80	Set Sand Stone. 18 in long. 11 in Wide. 5 in Thick. for

6 Links	Quarter Section Corner
79.80	The Corner to Sections 27. 28. 33. and 34 Land Rolling. Soil 1st Rate
	North between Sections 27 and 28 Variation 11° 30' East
40.00	Set Sand Stone. 18 in long 11 in Wide. 7 in Thick. for Quarter Section Corner
80.00	Set Sand Stone 23 in long 9 in Wide. 3 in Thick. for Corner to Sections 21. 22. 27. And 28. Land Rolling. Soil 1st Rate
	East on a Random Line Between Sections 22 and 27 Variation 11° 30' East.
41.00	Set a Post for temporary Quarter Section Corner.

Township 14. N. Range 11 East 6th Principal Meridian

Chains	
77.72	Intersected North and South line 30 Links South of the Corner to Sections 22. 23. 26 and 27. From Which Corner I Run West on a True line Between Sections 22 and 27 Variation 11° 43' East
39.86	Set Sand Stone 15 in long. 10 in Wide. 4 in Thick. for Quarter Section Corner.
79.72	The Corner to Sections 21, 22 27 and 28 Land Rolling. Soil 1st Rate
	North Between Sections 21 & 22 Variation 11° 31' East
40.00	Set Sand Stone 14 in long. 12 in Wide. 3 in Thick for Quarter Section Corner.
80.00	East Sand Stone. 20 in long. 14 in Wide. 5 in Thick. for Corner to Sections 15. 16. 21 and 22

Chains	
	Land Rolling. Soil 1st Rate
	East on a Random Line Between Section 15 and 22 Variation 11° 31' East
40.00	Set a Post for temporary Quarter Section Corner
79.48	Intersected North and South Line 99 Links South of Corner to Sections 14, 15, 22, and 23. From Which Corner I Run West on a true line between Sections 15 and 22 Variation 11° 34' East
39.74	Set Lime Stone 15 in long 10 in Wide 5 in thick. for quarter Section Corner
79.48	The Corner to Sections 15. 16 21 and 22 Land Rolling Soil 1st Rate
	Timber 27 & 1556

Township 14 S. Range 11. East. 6th Principal Meridian

Chains		Chains	
	North between Sections 15 and 16 Variation 11° 30' East	39.92	Intersected North and South Line, 20 Links South of the Corner to Sections 10, 11, 14, and 15. From which Corner A Pine 10 Ins Dia bears West on a true line. Between Sections 10 and 15 Variation 11° 30' East
40.00	Set Limestone Stone, 16 in long 12 in Wide, 5 in thick. For Quarter Section Corner.	39.96	Set Limestone Stone, 16 in long 12 in Wide, 5 in thick. For Quarter Section Corner
54.00	Cross Depression. Branch, 25 Links Wide, 4 high Banks, Runs East	79.92	The Corner to Sections 9, 10, 15 and 16 Land Rolling. Soil 1st Rate.
80.00	Set Limestone Stone, 16 in long, 14 in Wide, 5 in thick. For Corner to Sections 9, 10, 15 and 16 Land Rolling. Soil 1st Rate.		North between Sections 9 and 10 Variation 11° 30' East
	East on a Random Line Between Sections 10 and 15 Variation 11° 30' East	16.00	Cross Creek 5 Links Wide Runs South East.
16.00	Cross Creek 10 Links Wide Runs South East	40.00	Set Limestone Stone 16 in long,
40.00	Set a Post for temporary Quarter Section Corner		

Township 14 N. Range

Chains	
	Iron Mile Iron Stick. for
	South Section Corner
80.00	Set Lime Stone. 18 in long.
	12 in Mile. Stick for
	Corner to Sections 3.4.9 and 10
	Land Rolling. Soil 1st Rate
	East on a Random Line
	Between Section 3 and 10
	Variation 11° 30' East
Begin	
40.00	Set a post for temporary
	Quarter Section Corner
70.00	Intersected North Bank of
	Line. 25 Links South of
	Corner to Sections 2.3.10. and 11
	Bears which Corner is Rock
	West One Chain Line between
	Sections
	Variation 11° 41' East
40.00	Set Lime Stone 18 in long
	9 in Mile. 4 in thick for Quarter

11 East 6th Principal Meridian

Chains	
	Section Corner
76.00	Cross Omaha Rd Iron Bluffs
	Road. Bears South 45 East
80.00	The Corner to Sections 34. 3 and 10
	Land Rolling. Soil 1st Rate
	North on a Random Line
	Between Sections 3 and 10
	Variation 11° 30' East
2.00	Cross Omaha Rd Iron Bluffs Road
	Bears West
40.00	Set a post for temporary
	Quarter Section Corner
78.78	Intersected North Boundary of
	the Township 26 North Range 4
	The Corner to Sections 3 and 4
	From which Corner a Pine
	South on a true Line between
	Sections 3 and 4
	Variation 11° 19' East
38.78.	Set Lime Stone 18 in long

Township 14. North Range 11 East 6th Principal Meridian

6 Links 9 in Wide 6 in Thick for Quarter Section Corner

Do Sections 25. 29. 32 and 33 Land Rolling. Soil 1st Rate

Y.S. 18 We Corner to Sections 3. 4. 9 and 10 Land Rolling Soil 1st Rate Done 25th 1856

East on a Random Line Between Sections 28 and 33 Variation 11° 30' East

North 4 Miles Cross Small Creek Runs North East.

40.00 Set a Post for Temporary Quarter Section Corner.

32.00 Cross Brook 8 Links Wide. Runs South East

24.00 Intersected North Bound Line at Corner to Sections 27. 28. 33 and 34 From which Corner a Pine 12 Ins Diameter Bears South East 1/2 a Mile Distant Pine 12 Ins Diameter Bears North East 1/2 a Mile Distant Sections 28 and 33. Variation 11° 30' East

40.00 Set Limestone Stone 13 in Long 10 in Wide 6 in Thick. for Quarter Section Corners.

40.00 Set Limestone Stone 16 in Long 10 in Wide 5 in Thick for Corner

75.00 Enter Slough 4 Chains Wide. Runs South East

8.00 Set a Post for Temporary Quarter Section Corner.

80.00 Set Limestone Stone 16 in Long 10 in Wide 5 in Thick for Corner

Intersected North Bound Line at Corner to Sections 28 and 33

Land Rolling Soil 1st Rate

Township 14 N. Range 11 East 6th Principal Meridian

Chains		Links
	North between Sections 28 and 29	
	Variation 11° 30' East	
40.00	Set Line Stone 12 in Long. 10 in Wide 6 in Thick. For Quarter Section Corner	
80.00	Set Line Stone 14 in Long. 10 in Wide. 4 in Thick For Corner to Sections 20. 21. 28 and 29. Land Rolling. Soil 1st Rate	
	East on a Random Line between Sections 21 and 28	
	Variation 11° 30' East	
40.00	Set a post for temporary Quarter Section Corner	
80.00	Intersected North and South Line 11 Links West of the Corner to Sections 21. 22. 27. and 28. From which Corner A Run West on a true Line between Sections 21 and 20	

Chains		Links
	Variation 11° 34' East	
40.00	Set Line Stone 16 in Long. 10 in Wide. 4 in Thick. For Quarter Section Corner	
80.00	Set Corner to Sections 20. 21 28 and 29 Land Rolling. Soil 1st Rate	
	North between Sections 21 and 21	
	Variation 11° 30' East	
24.00	Cross Creek 6 Links Wide. Runs North East	
40.00	Set Line Stone 16 in Long. 10 in Wide. 4 in Thick For Quarter Section Corner	
80.00	Set Line Stone 18 in Long. 10 in Wide. 4 in Thick For Corner to Sections 16. 17. 20 and 21 Land Rolling Soil 1st Rate	

Township 14 S. Range 11 East 6th Principal Meridian

Chains	
	East on a Random Line between Sections 16 and 21
	Variation 11° 30' East
46.00	Set a Post for Temporary Quarter Section Corner
46.00	Cross a Creek 12 Links Wide Runs North East
10.20	Intersected North and South Line 7 Links South of the Corner to Sections 15.16.21 and 22
	From which Corner a Run East on a true Line Between Sections 16 and 21
	Variation 11° 33' East
40.00	Set Line Stone 15 in Long. 10 in Wide, Five Inches for Quarter Section Corner
8.20	The Corner to Sections 16.17 20 and 21
	Land Rolling, Soil 1st Rate
	June 26th 1856

Township 14 South Between Sections 16 and 17

Variation 11° 30' East

Chains	
16.00	Cross Pavilion Creek 20 Links Wide. Runs East
40.00	Set Line Stone 18 in Long. Five Wide & Six Thick. For Quarter Section Corner
80.00	Set Line Stone 23 in Long. 8 in Wide & in Thick. For Corner to Sections 8.9.16 and 17
	Land Rolling Soil 1st Rate

East on a Random Line between Sections 9 and 16

Variation 11° 31' East

Chains	
40.00	Set a post for temporary Quarter Section Corner
63.00	Cross Creek 12 Links Wide Runs South East
79.66	Intersected North and South Line

Township 14 S. Range

Chains	23 Links South of the Corner
	Of Sections 9. 10. 15 and 16 from
	Which Corner A Pine 18 in Dia
	Bears East Between Sections
	9 and 16
	Variation 11° 40' East
39.83	Set Lime Stone 1 Pin Long
	1 Pin Wide 6 in Thick For Quarter
	Section Corner
41.66	The Corner to Sections 8. 9. 16
	And 17
	Land Rolling. Soil 1st Rate
	South between Sections
	8 and 9
	Variation 11° 30' East
39.00	Cross Slough. Bears East
	And West 1 Chain wide.
41.00	Set Lime Stone 18 in Long
	1 in Wide 6 in Thick For Quarter
	Section Corner

11 East 6th Principal Meridian

Chains	Cross Omaha and Iron Bluffs
7.00	Road. Bears South East and
	South West.
0.50	Set Lime Stone 18 in Long
	12 in Wide 7 in Thick For Corner
	To Sections 4. 5. 8 and 9.
	Land Rolling. Soil 1st Rate.
	East on a Random Line
	Between Sections 4 and 9
	Variation 11° 30' East
5.00	Cross Omaha and Iron Bluffs
	Road. Bears South West
14.00	Cross Omaha and Iron Bluffs
	Road. bears N. W.
30.00	Cross Brook 6 Links Wide
	Runs South East
40.00	Set a post For temporary
	Quarter Section Corner
85.00	Cross Road 8 Links Wide
	Runs South East
68.00	Omaha & Iron Bluffs Road bears N. E. & S. W.

Township 11 S. Range 11 East 6th Principal Meridian

79.60	Intersected North and South Chs
	31 Links South of Corner to
	Sections 3.4.9. and 10 from which
	Corner A Run West on a Line Cts
	Between Sections 3 and 9
	Variation 11° 45' East
39.80	Set Stone Stone, 15 in Long
	15 in Wide, 4 in Thick for Quarter
	Section Corner
79.60	The Corner to Sections 4. 5. 8
	And 9
	Land Rolling, Soil 1st Rate
	North on a Random Line
	Between Sections 4 and 5
	Variation 11° 30' East
40.00	Set a post for temporary
	Quarter Section Corner
79.60	Intersected North Bounding
	Of the Township 36 Links
	East of the Corner to Sections

11 East 6th Principal Meridian

Varies	4 and 5. from which Corner
	A. Run South on a Line
	Line between Sections 4 & 5
End	Variation 11° 45' East
38.64	Set Stone Stone, 18 in Long
	12 in Wide, 5 in Thick for
	Quarter Section Corner
79.64	The Corner to Sections 4. 5. 8
	And 9.
	Land Rolling Soil 1st Rate
	June 26th 1856
	North between Sections 31
	And 32.
	Variation 11° 30' East
40.00	Set Line Stone 20 in Long
	10 in Wide 3 in Thick for
	Quarter Section Corners
73.00	To Small Creek 8 Links
	Wide Runs North East
80.00	Set Line Stone 16 in Long

Township 14 S. Range 11. East. 6th Principal Meridian

Chains	
	West Side Cor Chick Fox
	Corner to Sections 29 30 31 & 32
	Land Rolling. Soil 1st Rate
	East on a Random Line
	Between Sections 29 & 32
	Variation 11° 30' East
40.00	Set a post for temporary
	Quarter Section Corner
79.74	Intersected North and South
	Line 4 Links North of the
	Corner to Sections 25. 29 32 & 33
	From which Corner I Run
	West on a True Line. Between
	Sections 29 and 32
	Variation 11° 28' East
39.88½	Set Sand Stone, 12 in
	Long. 12 in Wide. Cor Chick
	For Quarter Section Corner
79.74	The Corner to Sections 29.
	30. 31 and 32.

Chains	Land Rolling. Soil 1st Rate
	West on a Random Line
	Between Sections 30 and 31
	Variation 11° 30' East
40.00	Set a post for temporary
	Quarter Section Corner
1.74	Intersected West Bearing Line
	30 Links North of Corner to Sec
	30 and 31. From which Corner
	I Run East on a True Line
	Between Sections 30 and 31
	Variation 11° 30' East
37.14	Set Sand Stone 14 in Long, 12 in
	Wide. Cor Chick. For Quarter
	Section Corner
1.74	The Corner to Sections 29 30
	31 and 32
	Land Rolling. Soil 1st Rate

Township 14 S. Range 11. East 6th Principal Meridian

Chains	North Between Sections 20 and 29 and 30 Variation 11° 30' East	Chains	Do Sections 20. 21. 28 and 29 Thence Which Corner I Run West on a One Line Between Sections 20 and 29 Variation 11° 21' East
19.20	Set Sand Stone. 15 in Long. 10 in Wide. 6 in Thick. for Quarter Section Corner.	32.80	Set Sand Stone. 15 in Long. 10 in Wide. 6 in Thick for Quarter Section Corner
5.00	Set Sand Stone 14 in Long. 10 in Wide. 6 in Thick. for Corner to Sections 19 20 29 and 30	19.60	The Corner to Sections 19 20 29 and 30
	Land Rolling. Soil 1st Rate		Land Rolling. Soil 1st Rate
	East on a Random Line Between Sections 20 and 29 Variation 11° 31 East		West on a Random Line Between Sections 19 and 30 Variation 11° 30' East
11.00	Set a post for temporary Quarter Section Corner	26.00	Cross Creek. 10 Links Wide Runs North.
5.00	Cross Slough. 6 Chains Wide. Runs North East and South West	4.00	Set a post for temporary Quarter Section Corner.
79.00	Intersected. North and South Line 22 Links West of Corner	77.00	Intersected the West Boundary of Township 21 Links North

Township 14. S. Range

Chains	
	At the Corner to Sections 19. and 30, from which Corner I Run East on a true Line between Sections 19 and 30. Variation 11° 39' East.
3.00	Set Sand Stone 15 in Long. 10 in Wide. 4 in Thick. For Quarter Section Corner.
7.00	The Corner to Sections 19. 20. 29. and 30 Land Rolling. Soil 1st Rate
	North between Sections 19 and 20 Variation 11° 30' East
40.00	Set Sand Stone. 12 in Long 10 in Wide. 4 in Thick. For Quarter Section Corner
13.00	Cross Papillion Branch 75 Links Wide. Runs East.
80.00	Set Sand Stone 13 in Long

11 East. 6th Principal Meridian

Chains	
	12 in Wide Bur Oak For Corner to Sections 17. 18. 19 And 20 Land Rolling. Soil 1st Rate
	East on a Random Line Between Sections 17 and 20 Variation 11° 31' East
4.00	Set a Post for Company Quarter Section Corner
6.00	To Papillion Branch. Runs North East 75 Links Wide.
7.52	Intersected North and South Line 23 Links South. Of Corner to Sections 16. 17. 20 and 21. From which Corner I Run West on a true Line between Sections 17 and 20 Variation 11° 40' East
39.76	Set Sand Stone. 19 in Long

Town Ship 10 S. Range 11. East 6th Principal Meridian

Chains	
	10 in Mile. 3 in Chick. For Quarter Section Corner
79.52	The Corner to Sections 17, 18, 19 and 20 Land Rolling. Soil 1st Class
	West On a Random Line Between Sections 18 and 19 Variation 11° 30' East
24.00	Cross Small Ravine Runs South.
4.00	Set a post for temporary Quarter Section Corner
7.00	Intersected West Boundary of Township 25 Links North of the Corner to Sections 18 And 19, From Which Corner a Run East on a true Line Between Sections 18 and 19 Variation 11° 40' East
3.00	Set Sand Stone. 12 in Long

Chains	
	10 in Mile. 3 in Chick. For Quarter Section Corner
79.00	The Corners to Sections 17, 18, 19 and 20. Land Rolling. Soil 1st Rate
	North Between Sections 17 and 18 Variation 11° 30' East
46.00	Set Sand Stone. 16 in Long 10 in Mile. 3 in Chick. For Quarter Section Corner
8.00	Set Lime Stone 13 in Long 10 in Mile. 3 in Chick. For Corner to Sections 7. 8. 17 and 18 Land Rolling. Soil 1st Rate
	East on a Random Line Between Sections 8 and 17 Variation 11° 30' East

Down Ship 14 R. Rang

Chains 12.00	Cross Small Creek Runs South East.
40.00	Set a post for Temporary Quarter Section Corner
79.66	Intersected North and South Line 22 Links South of Corner to Sections 8. 7. 16 and 17. From Which Corner I Run West on a true Line Between Sections 8 and 17 Variation 11° 39' East
39.83	Set Lime Stone 12 in Long. 3 in Wide, 6 in Thick. For Quarter Section Corner.
79.66	The Corner to Sections 7. 8. 17 and 18. Land Rolling. Soil 1st Rate
	West on a Random Line Between Sections 7 and 18 Variation 11° 30' East

11 East. 6th Principal Meridian

Chains 40.00	Cross Creek 4 Links Wide Runs North East.
40.00	Set a post for temporary Quarter Section Corner
77.42	Intersected West boundary of the Town Ship. 22 Links North of the Corner to Sections 7 and 18. From Which Corner I Run East on a True Line Between Sections 7 and 18. Variation 11° 39' East
37.42	Set Lime Stone 16 in Long. 13 in Wide. 4 in Thick. For Quarter Section Corner.
77.42	The Corner to Sections 7. 8. 17 and 18 Land Rolling. Soil 1st Rate June 27th 1856

Down Ship 14 Ch. Range 11. East. 6th Principal Meridian

Chains	North between Sections 7 and 8. Variation 11° 30' East.
4.50	Set Lime Stone 14in long. 14in Hide. 6in thick. For Quarter Section Corner.
65.00	Cross Omaha Old Iron Stage Road. Bears East And West.
80.00	Set Lime Stone. 14in long. 13in Hide. 4in thick. For Corner to Sections 5. 6. 7 and 8. Land Rolling. Soil 1st Rate
	East on a Random Line Between Sections 5 and 8 Variation 11° 30' East
40.00	Set a post for temporary Quarter Section Corner.
79.50	Intersected North and East Line

Chains	69 Links South of Corner
2 0 7/2	Do Sections 4. 5. 8 and 9 from Which Corner B. Ram West On a Line Line between Sections 5 and 8. Variation 12° East
39.75	Set Lime Stone. 23in long. 12in Hide. 4in thick. For quarter Section Corner.
79.50	The Corner to Sections 5. 6. 7 and 8 Land Rolling. Soil 1st Rate
	West on a Random Line Between Sections 6 and 7 Variation 11° 30' East
32.00	Cross Creek Runs North
40.00	Set a post for temporary Quarter Section Corner
79.50	Intersected West Boundary of the Township. 25 Links North Of the Corner to Sections 6 and 7

Township 11 N. Range 11 East 6th Principal Meridian

Chains	
	From which Corner D Run East and a Brs Line between Sections 6 and 7. Variation 11° 41' East
37.50	Set Stone 2 Cor Long. 12 in Wide. 6 in Thick. For quarter Section Corner
77.50	The Corner to Sections 5. 6. 7. and 8 Land Rolling. Soil 1st Rate
	Search On a Random Line Between Sections 5 and 6 Variation 11° 31' East
34.00	Cross Slough 4 Chains Wide Bears North West and South East
41.00	Set a Post for temporary Quarter Section Corner
78.92	Intersected North boundary of Township 34 Links East of the Corner to Sections 5 and 6 From which Corner D Run

Chains	
	Course between Sections 5 and 6 Variation 11° 45' East
38.92	Set Stone Mound. 2 Cor Long. 12 in Long. 4 in Thick. For quarter Section Corner
78.92	The Corner to Sections 5. 6. 7. and 8 Land Rolling. Soil 1st Rate Dun 25 Lks 155 E

52
14 R.

General Description.

This Township is nearly all high rolling prairie of a good quality, and generally well watered.

There is but very little timber in this Township. there are no settlements or improvements of any consequence.

53

List of Names.

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the foregoing field notes of Township 14 North of Range No 11 East of the 6th Principal Meridian.

Thurman Kelsey, Chainman.
C. E. Davison, Chainman
Cicero, Card, Flagman.
John A Goodlett, Compassman.

Contract No. 59

Field Notes
of the subdivision lines on
Township 15 North
Range 11 East
of the Sixth Principal Meridian
in Nebraska Territory
Survey commenced July 1 1856
Survey ended July 9 1856
Edward Evans
Deputy U. S. Surveyor

(No. 59)

Read correct

114

Township 15t. Range 11E of the Sixth Principal Meridian

List of Names

A list of the names of the individuals employed to assist in running measuring & marking the lines and corners described in the following field notes of Township 15 South Range 11 East of the Sixth Principal showing the respective capacities in which they acted

J. D. North Chainman
Jas E. North Chainman
P. Morris Dans Axeman
Daniel W. Shaw Flagman

114

117

T 15 N. R 11 E

6	37	5	26	4	19	3	13	2	7	1	
36	+	36	+	26	+	19	+	12	+	6	
7	35	8	25	9	18	10	12	11	6	12	
34	+	34	+	24	+	17	+	11	+	5	
18	33	17	24	16	17	15	11	14	5	13	
32	+	31	+	23	+	16	+	10	+	4	
19	31	20	23	21	16	22	10	23	4	24	
30	+	30	+	22	+	15	+	9	+	3	
30	29	29	21	28	14	27	9	26	3	25	
28	+	28	+	21	+	14	+	8	+	2	
31	27	32	20	33	13	34	7	35	1	36	

Township 15 N. Range 11 E of the Sixth Principal Meridian

To determine the proper adjustment of my compass for subdividing this Township I commence at the comm to Townships 14 and 15 N. Ranges 11 and 12 E. and run (sighting to the quarter section post) North along the East Boundary of section 36

Variation 11° 32' East

39.98 The quarter section comm

79.93 The comm to sections 25 and 36

To retrace or run parallel to this line my compass must be adjusted to a

Variation of 11° 32' East

Subdivision commenced July 1st 1856

From the comm to sections 1. 2. 35 and 36 on the South Boundary of the Township I run North between sections 35 and 36

Var 11° 32' East

7.82 a creek 50 links wide S° and runs E then S.E.

18.10 on edge of creek which runs S. then W

19.00 Lean bottom trees S. E. and NW

40.00 Iron charred stake and set post in

Township 15 N. Range 11 E. of the Sixth Principal Meridian

Chains	
	mound as pr instructions for quarter section corner
50.20	A brook 3 links wide runs S.W
80.00	Drove charred stake and set post in mound as pr instructions for corner to sections 25. 26. 35 and 36
	Land Level and rolling soil 1st rate
	East on a random line between sections 25 & 36
	Variation 11° 45' East
12.70	A brook 3 links wide runs S.W
40.00	Set a post for temporary quarter section corner
79.37	Intersect the East Boundary of the Township 57 links south of post corner to sections 25 and 36. from which corner I run
	West on a true line between sections 25 and 36
	Variation 12° 09' East
39.68½	Drove a charred stake and set a post in mound as pr instructions for quarter section corner
79.37	The corner to sections 25. 26. 35 and 36
	Land rolling soil 1st rate

Township 15 N. Range 11 E. of the Sixth Principal Meridian

Chains	
	North between sections 25 and 26
	Variation 12° 15' East
40.00	Drove a charred stake and set a post in mound as pr instructions for quarter section corner
40.40	A brook 3 links wide runs S.E.
80.00	Drove a charred stake and set a post in mound as pr instructions for corner to sections 23. 24. 25 and 26
	Land rolling – soil 1st rate
	East on a random line between sections 24 & 25
	Variation 12° 15' East
40.00	Set a post for temporary quarter section corner
58.00	Slough 7 chains wide bears S.E. and N.W
79.28	Intersect East. Boundary of the Township at the post corner to sections 24 & 25 from which corner I run
	West on a true line between sections 24 & 25
	Variation 12° 15' East
39.64	Drove charred stake and set post in mound as pr instructions for quarter section corner
79.28	The corner to sections 23. 24. 25 and 26

4/20

Township 15 N. Range 11 E. of the Sixth Principal Meridian

Chains	Land rolling. soil 1st rate July 1st 1856
	North between sections 23 and 24 Variation 12° 15' East
40.00	Drove chaned stake and set post in mound as pr instructions for quarter section corner
80.00	Drove chaned stake and set post in mound as pr instructions for corner to sections 13. 14. 23. 24
	Land rolling soil 1st rate
	East on a random line between sections 13 & 24 Variation 12° East
10.75	Road from Omaha bears N.W. and S.E
40.00	Set a post for Temporary quarter section corner
79.80	Intersected East Boundary of Township 23 links North of post corner to sections 13 and 24. from which corner I run West on a true line between sections 13 and 24 Variation 11° 50' East
39.90	Drove chaned stake and set post in mound as pr instructions for quarter section corner
79.80	The corner to sections 13. 14. 23 and 24

5
121

Township 15 N. Range 11 E. of the Sixth Principal Meridian

Chains	Land rolling soil 1st rate
	North between sections 13 and 14 Variation 12° East
10.00	Road from Omaha bears N.W. and S.E
40.00	Drove chaned stake and set post in mound as pr instructions for quarter section corner
80.00	Drove chaned stake and set post in mound as pr instructions for corner to sections 11. 12. 13 & 14
	Land rolling soil 1st rate
	East on a random line between sections 12 & 13 Variation 11° 45' East
6.20	Trail bears S.E. and N.W
40.00	Set a post for temporary quarter section corner
80.00	Intersect the East Boundary of Township 26 links North of post corner to sections 12 and 13. from which corner I run West on a true line between section 12 & 13 Variation 11° 34' East
40.00	Drove chaned stake and set post in mound as pr instructions for quarter section corner
80.00	The corner to sections 11. 12. 13 and 14

Township 15 N. Range 11 E. of the Sixth Principal Meridian

Chains	
	Land rolling soil 2nd rate
	North between sections 11 and 12
	Variation 11° 50' East
4.75	Trail bears S.E. and N.W.
10.60	A brook 2 links wide runs E
40.00	Drove chained stake and set post in mound as per instructions for quarter section corner
67.00	A brook 2 links wide runs N.E.
80.00	Drove chained stake and set post in mound as per instructions for corner to sections 1.2.11.12
	Land rolling soil 2nd rate
	East on a random between sections 1 and 12
	Variation 11° 30' East
40.00	Set a post for temporary quarter section corner
52.00	A brook 2 links wide bears S.
80.00	Intersected the East Boundary of Township at post corner of sections 1 and 12 from which corner I ran
	West on a true line between sections 1 & 12
	Variation 11° 30' East
40.00	Drove chained stake and set post in

Township 15 N. Range 11 E. of the Sixth Principal Meridian

Chains	
	mound as per instructions for quarter section corner
80.00	The corner to sections 1.2.11. and 12
	Land rolling. soil 1st rate
	North on a random between sections 1 and 2
	Variation 11° 55' East
40.00	Set a post for temporary quarter section corner
79.50	Intersected North Boundary of Township 74 links East of post corner to sections 1 and 2 from which corner I ran
	South on a true line between sections 1 and 2
	Variation 11° 25' East
39.50	Drove chained stake and set post in mound as per instructions for quarter section corner
79.50	The corner to sections 1.2.11 and 12
	Land rolling soil 2nd rate
	July 2nd 1856.
	North between sections 34 and 35
	Variation 11° 45' East
10.20	A creek 9 links wide bears E. Meanders on both sides of creek bears E & W
40.00	Drove chained stake and set post in mound

Township 15 N. Range 11 E. of the Sixth Principal Meridian

Chains	
	as pr instructions for quarter section corner
53.00	Enter bottom bears S.E. & N.W.
73.00	A creek 15 links wide bears E. soon S.E.
80.00	Drove chained stake and set post in mound
	as pr instructions for corner to sections 26.27.34.35
	Land rolling and bottom - soil 1st rate
	East on a random line between sections 26 & 35
	Variation 12° 30' East
7.00	Lean bottom - bears S.E and N.W.
21.50	A brook 2 links wide bears S.W.
40.00	Set a post for temporary quarter section corner
79.14	Intersected B & S. Line 32 links south of post
	corner to sections 25.26.35.36. from which corner bears
	West on a true line between sections 26 and 35
	Variation 12° 44' East
39.57	Drove chained stake and set post in mound
	as pr instructions for quarter section corner
79.14	The corner to sections 26.27.34.35
	Land North rolling, soil 1st rate East
	Hilly soil 2nd rate

Township 15 N. Range 11 E. of the Sixth Principal Meridian

Chains	
	North between sections 26 and 27
	Variation 12° 45' East
3.00	Lean bottom bears N.W. & S.E
40.00	Drove chained stake and set post in mound
	as pr instructions for quarter section corner
57.50	A creek 3 links wide bears S.W
80.00	Drove chained stake and set post in mound
	as pr instructions for corner to sections 22.23.26.27
	Land South rolling, soil 1st rate North
	hilly, soil 2nd rate
	East on a random line between sections 23 and 26
	Variation 12° 15
13.50	A creek 3 links wide runs S.
40.00	Set a post for temporary quarter section corner
80.04	Intersect N & S line 30 links North of post corner
	to sections 23.24.25.26. from which corner bears
	West on a true line between sections 23 and 26
	Variation 12° 02' East
40.02	Drove a chained stake and set post in
	mound as pr instructions for quarter section corner
80.04	The corner to sections 22.23.26 and 27

Township 15 N. Range 11 E. of the Sixth Principal Meridian

chains	Land. West p.l. line, on the South side of a narrow valley, soil 1st rate East half hilly, soil 2d rate
	North between sections 22 and 23
	Variation 12° 15' East
40.00	Dron chaind stake and set post in mound as pr instructions for quarter section corner
80.00	Dron chaind stake and set post in mound as pr instructions for corner to sections 14. 15. 22 and 23
	Land rolling 1st rate soil
	East on a random line between sections 14 and 23
	Variation 12° East
40.00	Set a post for Temporary quarter section corner
80.26	Intersected N & S. line at post corner to sections 13. 14. 23 & 24. from which corner I run
	West on a true line between sections 14 and 23
	Variation 12° East
40.13	Dron chaind stake and set post in mound as pr instructions for quarter section corner
80.26	Thence corner to sections 14. 15. 22. and 23
	Land West & rolling East & mostly land soil 1st rate

Township 15 N. Range 11 E. of the Sixth Principal Meridian

chains	North between sections 14 and 15
	Variation 12° East
40.00	Dron chaind stake and set post in mound as pr instructions for quarter section corner
80.00	Dron chaind stake and set post in mound as pr instructions for corner to sections 10. 11. 14 and 15
	Land rolling - soil 1st rate
	East on a random line between sections 11 and 14
	Variation 12° East
4.00	Enter flaggy marsh. 10 chains wide bears S. E. & W.
40.00	Set a post for temporary quarter section corner
47.50	Road from Omaha bears N. & S.
80.15	Intersected N and S. line 5 links south of post corner to sections 11. 12. 13 and 14 from which corner I run
	West on a true line between sections 11 & 14
	Variation 12° 02' East
40.07½	Dron chaind stake and set post in mound as pr instructions for quarter section corner
80.15	Thence corner to sections 10. 11. 14. and 15

Township 15 N. Range 11 E. of the Sixth Principal Meridian

Chains	Land hilly - soil 2nd rate
	North between sections 10 and 11
	Variation 11° 45' East
2.50	Outlet of Marsh 6 links wide bears W
40.00	Iron charred stake and pit post in mound
	as per instructions for quarter section corner
80.00	Iron charred stake and pit post in mound
	as per instructions for corner to sections 2. 3. 10 & 11
	Road from Omaha bears N. W and S. E
	Land hilly and soil 2d rate
	East on a random line between sections 2 and 11
	Variation 12° East
40.00	Set a post for temporary quarter section corner
80.18	Intersected N and S. line at post corner to
	sections 1. 2. 11 & 12. from which corner I run
	West on a true line between sections 2 & 11
	Variation 12° East
40.07½	Iron charred stake and pit post in mound
	as per instructions for quarter section corner
80.15	The corner to Sections 2. 3. 10. and 11
	Land rolling soil 2nd rate

Township 15 N. Range 11 E. of the Sixth Principal Meridian

Chains	North on a random line between sections 2 and 3
	Variation 11° 30' East
40.00	Set a post for temporary quarter section corner
58.70	A brook 2 links wide runs E.
79.85	Intersected North Boundary of Township 8
	links West of post corner to sections 2 and
	3. from which corner I run
	South on a true line between sections 2 and 3
	Variation 11° 27' East
39.85	Iron charred stake and pit post in mound
	as per instruction for quarter section corner
79.85	The corner to sections 2. 3. 10 and 11
	Land rolling soil 2nd rate
	July 3d 1856
	North between sections 33 and 34.
	Variation 11° East
10.60	A creek 7 links wide runs S.
18.00	Clear bottom bears E. and W.
40.00	Iron charred stake and pit post in mound
	as per instruction for quarter section corner
80.00	Iron charred stake and pit post in

Township 15 N. Range 11 E. of the Sixth Principal Meridian

Chains	
	mound as pr instruction for comm
	to sections 27. 28. 33. and 34
	Land - bottom and rolling soil 1st rate
	East on a random line between sections 27 and 34
	Variation 12° East
40.00	Set a post for a temporary quarter section comm
65.70	Enter bottom. bears N & S
66.00	A creek 15 links wide runs S. E
80.02	Intersect N & S line 5 links North of post
	comm to sections 26. 27. 34. 35. from which comm I mm
	West on a true line between sections 27 and 34
	Variation 11° 58' East
40.01	Dron channa stake and set post in mound
	as pr instructions for quarter section comm
80.02	The comm to sections 27. 28. 33 and 34
	Land rolling and a little bottom soil 2nd rate
	North between sections 27. and 28
~~40.00~~	Variation 12° 15' East
40.00	Dron channa stake and set post in mound
	as pr instructions for quarter section comm
80.60	A brook 2 links wide runs N. E.

Township 15 N. Range 11 E. of the Sixth Principal Meridian

Chains	
57.75	Same brook 2 links wide runs N. W
53.75	Same brook 2 links wide runs N. E
80.00	Dron channa stake and set post in mound
	as pr instructions for comm to sections 21. 22. 27
	and 28
	Land rolling and hilly soil 2d rate
	East on a random line between sections 22 & 27
	Variation 12° East
25.75	A brook 2 links wide runs N. E.
	trees S. W. and N. E
35.00	A Creek 20 links wide runs S. W. Enter bottom,
40.00	Set a post for temporary quarter section comm
56.00	Land bottom bears S 30° E and N 30° W
79.56	Intersect N & S line 9 links North of
	post comm to sections 22. 23. 26 and 27
	from which comm I mm
	West on a true line between sections 22 & 27
	Variation 11° 56' East
39.78	Dron channa stake and set post in mound
	as pr instructions for quarter section comm
79.56	The comm to sections 21. 22. 27 and 28
	Land. ~~The boot~~ The bottom land and upland ~~and~~ rolling soil 1st rate

Township 15 N. Range 11 E. of the Sixth Principal Meridian

Chains	
	North between sections 21 & 22
	Variation 12° 15' East
27.65	A brook 5 links wide runs E.
40.00	Iron chaina stake and set post in mounds as pr instruction fa quarter section comm
8000	Iron chaina stake and set post in mounds as pr instructions fa comm to sections 15. 16. 21 and 22.
	Land South pr hilly North pr rolling, soil 1st rate
	East on a random line between sections 15 & 22
	Variation 12° East
8.00	Enter bottom bears S. E and N.W.
13.00	A creek 10 links wide runs S
30.00	Lian bottom bears S. E and N.W
40.00	Set a post for temporary quarter section comm
79.20	Intersect N & S. line at post comm to sections 14. 15. 22 and 23. from which comm I run
	West on a true line between sections 15 and 22
	Variation 12° East
39.60	Iron chaina stake and set post in mounds as pr instructions fa quarter section comm

Township 15 N. Range 11 E of the Sixth Principal Meridian

Chains	
79.20	The comm to sections 15. 16. 21. and 22
	Land West pr bottom, land, upland, and, soil rolling, soil 1st rate
	East pr hilly, soil 2nd rate
	North between sections 15 and 16
	Variation 12° 15' East
7.00	Enter bottom bears E and W
14.50	A Creek 10 links wide runs E
19.00	Lian bottom bears W & E iron A runs N
40.00	Iron chaina stake and set post in mounds as pr instruction fa quarter section comm
80.00	Iron chaina stake and set post in mounds as pr instructions fa comm to sections 9. 10. 15 and 16
	Land bottom, land, and, rolling, soil 1st rate
	East on a random line between section 10 and 15
	Variation 12° East
35.00	Enter bottom bears N & S.
39.75	A creek 10 links wide runs S 80° W
40.00	Set a post for temporary quarter section comm
46.00	Lian bottom bears S.W. and N E
70.00	Enter Valley bears S. E and N.W

Township 15 N. Range 11 E. of the Sixth Principal Meridian

Chains	
79.62	Intersect the N and S. line 33 links North of post comm to sections 10. 11. 14 and 15 from which comm I run West on a true line between sections 10 & 15
	Variation 11°46' East
39.81	..falling on the steep bank of the creek. set I dun a chama stake, and set post in mound as per instructions for a witness comm to the quarter section comm between true comm sections 10 & 15 1 chain West of the point for
79.62	the comm to section 9. 10. 15. and 16 Land..hilly with some limestone bottom East of the creek the banks of the ridge show some granite - soil 1st ~~and~~ 2nd rate
	North between sections 9 and 10
	Variation 12° East
40.00	Dron chama stake and set post in mound as per instructions for quarter section comm
80.00	Dron chama stake and set post in mound as per instructions for comm to sections 3. 4. 9 and 10
	Land rolling soil 2nd rate

Township 15 N. Range 11 E. of the Sixth Principal Meridian

Chains	
	East on a random line between sections 3 and 10
	Variation 12° E.
8.00	a creek 6 links wide runs S. with bottom, banks pr & S.
24.00	Lean bottom bears S.E and N.W.
40.00	Set a post for temporary quarter section comm
80.00	Intersect N & S. line 33 links North of post comm to sections 2. 3. 10. 11. from which comm I run West on a true line between sections 3 and 10
	Variation 11°46' East
40.00	Dron chama stake and set post in mound as per instructions for quarter section comm
80.00	The comm to sections 3. 4. 9. and 10 Land. ~~bad~~ bottom, soil 1st rate and the rest hilly soil 2nd rate
	North on a random line between section 3 & 4
	Variation 11°30' East
12.00	Enter bottom bears S.E and N.W.
24.00	a creek 6 links wide runs S. 30 E
40.00	Set a post for temporary quarter section comm
46.00	Lean bottom bears SE ~~west~~ S. and N.W.
54.00	Indian trail bears S.E. & N.W

Township 15 N. Range 11 E. of the Sixth Principal Meridian

Chains	
79.65	Intersecta North Boundary of Township 47. links West of comm to section 3 and 4 from which comm I sun South on a true line between sections 3 & 4
	Variation 11° 10' East
39.65	Dron chama stake and set post in mound as pr instructions for quarter section comr
79.65	The comr to sections 3. 4. 9 and 10 Land bottom land & the nor hilly soil 1st rate
	July 5th 1856
	North between sections 32 and 33
	Variation 11° 30' East
36.00	Enter bottom bears E & W
40.00	Dron chama stake and set post in mound as pr instructions for quarter section comr
45.60	A creek 6 links wide bears E
56.00	Enter bottom bears E & W
80.00	Dron chama stake and set post in mound as pr instructions for comr to sections 28. 29. 32. 33 Land bottom land and the nor rolling 1st rate soil

Township 15 N. Range 11 E of the Sixth Principal Meridian

Chains	
	East on a random line between sections 2 and 33
	Variation 12° East
7.00	A creek 2 links wide runs S.
35.30	A creek 4 links wide runs S.E
40.00	Set a post for temporary quarter section comr ~~Dron chama stake and set post in mound as pr instructions for quarter section comr~~
80.06	Intersecta N. and S. line 7 links South of post comr to sections 27. 28. 33 & 34 from which comr I sun West on a true line between sections 28 & 33
	Variation 12° 05' East
40.03	Dron chama stake and set post in mound as pr instruction for quarter section comr
80.06	The comr to sections 28. 29. 32 and 33 Land rolling ~~and hilly~~ soil 2nd rate
	North between sections 28 and 29
	Variation 12° 15' East
37.50	A creek 2 links wide runs S.E.
40.00	Dron chama stake and set post in mound as pr instructions for quarter section comr

Township 15 N. Range 11 E of the Sixth Principal Meridian

Chains	
63.75	Trail bears S. 30 E and N 30 W
80.00	Dron charna stake and set post in mounds as pr instructions for comm to sections 20. 21. 28. and 29 Land hilly, soil 2nd rate
	East on a random line between sections 21 & 28 Variation 12° East
~~40.00~~	~~Dron charna stake and set post in mound as pr instructions for quarter section comm~~
40.00	Set a post for a temporary quarter section comm
80.25	Intersected N and S. line 18 links North of post comm to sections 21. 22. 27. and 28 from which comm I run West on a true line between sections 21 and 28 Variation 11°54' East
40.12½	Dron charna stake and set post in mound as pr instructions for quarter section comm
80.25	The comm to sections 20. 21. 28 and 29 Land hilly soil 2nd rate

Township 15 N. Range 11 E. of the Sixth Principal Meridian

Chains	
	North between sections 20 and 21 Variation 12° 15' East
40.00	Dron charna stake and set post in mound as pr instructions for quarter section comm
60.00	Enter bottom bears N.E. and S.W.
65.50	a creek 4 links wide runs N.E
80.00	Dron charna stake and set post in mound as pr instructions for corner to sections 16. 17. 20. and 21 Land North quarter line bottom, soil 1st rate the rest hilly, soil 2nd rate
	East on a random line between sections 16 and 21 Variation 12° East
13.00	S/mng brook runs S.E. heads about 8 chains up
14.25	a creek 4 links wide runs N.E.
23.00	Lear bottom bears N E and S W
40.00	Set a post for temporary quarter section comm
80.09	Intersected N & S line 46 links North of post comm to section 15. 16. 21 and 22 from which comm I run

Township 15 N. Range 11 E. of the Sixth Principal Meridian

chains	
	West on a true line between sections 16 and 21
	Variation 11° 40' East
40.04	Iron chained stake and set post in mound
	as per instructions for quarter section corner
80.09	The corner to sections 16. 17. 20 and 21
	Land ~~bottom~~ level, ~~line and~~ ~~the west~~ rolling soil 1st rate
	North between sections 16 and 17
	Variation 12° 15' East
2.00	Clear bottom bears E & W
40.00	Iron chained stake and set post in mound
	as per instructions for quarter section corner
66.00	Enter bottom bears S.E and N.W
70.75	A creek 6 links wide runs S.E
80.00	Iron chained stake and set post in mound
	as per instructions for corner to sections
	4. 9. 16 and 17
	Land mostly hilly corner line bottom
	all 1st rate soil
	East on a random line between sections 9 and 16
	Variation 11° 45' East
2.50	A creek 4 links wide runs S. bears N & S clear bottom

Township 15 N. Range 11 E. of the Sixth Principal Meridian

chains	
40.00	Set a post for temporary quarter section corner
80.06	Intersected the N & S. line at post corner to
	sections 9. 10. 15. 16. from which corner I run
	West on a true line between sections 9 and 16
	Variation 11° 45' East
40.08	Iron chained stake and set post in mound
	as per instructions for quarter section corner
80.06	The corner to sections 4. 9. 16. and 17
	Land ~~rolling and~~ hilly soil 2d rate
	North between sections 8 and 9
	Variation 12° East
10.00	Clear bottom bears E. & W ~~creek N~~
40.00	Iron chained stake and set post in mound
	as per instructions for quarter section corner
50.00	Enter a net valley bears S.E. and N.W.
80.00	Iron chained stake and set post
	in mound as per instructions for
	corner to sections 4. 5. 8 and 9
	Land South half rolling soil 1st rate
	North half wet and boggy. unfit for
	cultivation soil 1st rate

Township 15 N. Range 11 E. of the Sixth Principal Meridian

Chains	
	East on a random line between sections 4 and 9
	Variation 11° East
10.00	Lean low, wet valley bears S. E & N. W.
40.00	Set a post for temporary quarter section comm
80.15	Intersected N and S. line 33 links
	South of post comm to sections
	3. 4. 9. and 10 from which comm I nun
	West on a true line between sections 4 & 9
	Variation 11° 14' East
40.07½	Dron chaned stake and set post in mound
	as per instructions for quarter section comm
80.15	The comm to sections 4. 5. 8 and 9
	Land hilly 2nd rate soil

North on a random line between sections 4 & 5

Variation 11° 15' East

11.00	Lean low, wet valley bears S. E and N. W.
40.00	Set post for temporary quarter section comm
79.12	Intersected North Boundary of Township
	70 links West of post comm to
	sections 4 and 5. from which comm I nun
	South on a true line between sections 4 and 5

Township 15 N. Range 11 E. of the Sixth Principal Meridian

chains	
	Variation 10° 45 East
39.12	Dron chaned stake and set post in mound
	as per instructions for quarter section comm
79.12	The comm to sections 4. 5. 8. and 9
	Land rolling soil 1st rate
	July 7th 1856

North between sections 31 and 32

Variation 11° 45' East

40.00	Dron chaned stake and set post
	in Mound as per instructions for
	quarter section comm
62.00	Enter bottom bears E & W
65.50	A creek 6 links wide runs E. a forks
	from the N. W empties here
66.50	On edge of bank of last creek which runs
	S. E. & N. W.
72.00	Lean bottom bears E & W
80.00	Dron chaned stake and set post
	in mound as per instructions for
	comm to sections 29. 30. 31 and 32
	Land, north half rolling, soil 1st rate the remainder soil and hilly 2nd rate

Township 15 N. Range 11 E. of the Sixth Principal Meridian

chains	
	East on a random line between sections 29 & 32
	Variation 12° East
40.00	Set a post for temporary quarter section corner
80.23	Intersects N and S. line 5 links South of post corner to sections 28. 29. 32 and 33. from which corner I saw
	West on a true line between sections 29 & 32
	Variation 12° 02' East
40.11½	Down channd stake and set post in mound as per instructions for quarter section corner
80.23	The corner to sections 29. 30. 31 and 32
	Land hilly 2nd rate soil

West on a random line between section 30 & 31

Variation 12° East

13.00	Enter Valley bears S.E. and N.W.
40.00	Set a post for temporary quarter section corner
77.00	A creek 5 links wide runs S.
78.82	Intersects the West Boundary of Township 35 links N of post corner to sections 30 and 31. from which corner I saw

Township 15 N. Range 11 E of the Sixth Principal Meridian

Chains	
	East on a true line between sections 30 and 31
	Variation 12° 15' East
38.82	Down channd stake and set post in mound as per instructions for quarter section corner
78.82	The corner to sections 29. 30. 31. and 32
	Land rolling, 1st rate soil

North between sections 29 and 30

Variation 12° East

40.00	Down channd stake and set post in mound as per instructions for quarter section corner
58.50	A creek 2 links wide runs S.E. to 63.50 the line is on the left bank of creek
59.50	A creek empties here from the N.W.
80.00	Down channd stake and set post in mound as per instructions for corner to sections 19. 20. 29. and 30
	Land rolling 1st rate soil

Township 15 N. Range 11 E. of the Sixth Principal Meridian

Chains	
	East on a random line between sections 20 and 29
	Variation 12° East
35.50	Trail bears S.E and N.W
40.00	Set a post for temporary quarter section corner
79.92	Intersected N and S. line 8 links South of post comm to sections 20. 21. 28 and 29. from which corner I run West on a true line between sections 20 & 29
	Variation 12° 03' East
39.96	Drove charred stake and set post in mound as per instructions for quarter section corner
79.92	The corner to sections 19. 20. 29 & 30
	Land. Nat/r rolling East/n hilly 2nd rate soil
	West on a random line between sections 19 & 30
	Variation 12° 15' East
40.00	Set a post for temporary quarter section corner
78.83	Intersected West Boundary of Township 7 links South of post comm to sections 19 and 30. from which corner I run East on a true line between sections 19 and 30

Township 15 N. Range 11 E. of the Sixth Principal Meridian

Chains	
	Variation 12° 12' East
38.83	Drove charred stake and set post in mound as per instructions for quarter section corner
78.83	The corner to sections 19. 20. 29. and 30
-	Land slightly rolling 1st rate soil
	North between sections 19 and 20
	Variation 12° 15' East
10.50	Trail bears N.E. and S.W
28.00	A Spring run 2 links wide runs N.E
40.00	Drove charred stake and set post in mound as per instruction for quarter section corner
80.00	Drove charred stake and set post in mound as per instructions for corner to sections 17. 18. 19. and 20
	Land high rolling 2nd rate soil
	East on a random line between sections 17 & 20
	Variation 12° East
40.00	Set a post for temporary quarter section corner
72.00	Enter bottom bears S.W and N.E

Township 15 N. Range 11 E. of the Sixth Principal Meridian

Chains	
80.03	Intersected the N and S. line at post corner of sections 16. 17. 20 & 21. from which corner I run West on a true line between sections 17 and 20
	Variation 12° East
40.01½	Iron chaned stake and set post on mound as per instructions for quarter section corner
80.03	The corner to sections 17. 18. 19 and 20 Land mostly high rolling 2nd rate soil
	West on a random line between sections 18 & 19.
	Variation 12° East
40.00	Set a post for Temporary quarter section corner
46.00	Enter bottom bears N.E and S.W.
57.00	A creek 2 links wide bears N. General course is North East
64.00	Leave bottom bears N. & S.
78.24	Intersect West Boundary of Township 30 links South of post corner to sections 18 and 19 from which corner I run East on a true line between sections 18 and 19
	Variation 12° 15' East

Township 15 N. Range 11 E. of the Sixth Principal Meridian

Chains	
38.24	Iron chaned stake and set post in mound as per instructions for quarter section corner
78.24	The corner to sections 17. 18. 19. and 20 Land. bottom land, the rest hilly ~~1st and~~ soil 1st rate 2nd rate soil
	North between sections 17 and 18
	Variation 12° 15' East
35.00	Enter bottom bears N.E. and S.W.
40.00	Iron chaned stake and set post in mound as per instruction for quarter section corner
56.35	A creek 6 links wide bears N.E.
63.00	Point of ridge 4 chs wide. South side bears N.E. North side bears S.E
71.90	A creek 4 links wide runs S. 60° E
80.00	Iron chaned stake and set post in mound as per instructions for corner to sections 7. 8. 17. and 18 Land South half hilly 2nd rate soil North half land and rest 2nd rate soil

July 8 1856

Township 15 N. Range 11 E. of the Sixth Principal Meridian

Chains	
	East on a random line between sections 8 & 17
	Variation 12° East
3.00	Lian bottom bears ~~S. 200 E.~~ N & S
36.00	Entn bottom ~~from the N.~~ bears N. E & S. W.
40.00	Set a post fa temporary quarter section corner
80.24	Intersected North and South line at post corner to sections 8. 9. 16 and 17. from which corner I run West on a true line between sections 8 and 17
	Variation 12° East
40.12	Down chained stake and set post in mound as per instructions for quarter section corner
80.24	The corner to sections 7. 8. 17. and 18 Land West half rolling East half land soil 1st rate
	West on a random line between sections 7 & 18
	Variation 12° 15' East
11.60	A brook 4 links wide runs S. E
13.50	A brook 2 links wide runs S. E
14.30	Same brook 2 links wide runs N. E

Township 15 N. Range 11 E of the Sixth Principal Meridian

Chains	
16.40	Same brook 2 links wide bears S. E
27.00	Lian bottom bears N. W. and S. E
40.00	Set a post fa temporary quarter section corner
77.29	Intersected West Boundary of Township 16 links North of post corner to sections 7 and 18. from which corner I run East on a true line between sections 7 and 18
	Variation 12° 22' East
37.29	Down chained stake and set post in mound as per instructions for quarter section corner
77.29	The corner to sections 7. 8. 17. and 18 Land East half line bottom West half rolling all 1st rate soil
	North between sections 7 and 8
	Variation 11° 50' East
15.00	Lian bottom bears S. E and N. W.
40.00	Down chained stake and set post in mound as per instructions for quarter section corner
80.00	Down chained stake and set post

Township 15 N. Range 11 E. of the Sixth Principal Meridian

Chains	
	on mounds as per instructions for comm to sections 5. 6. 7. and 8. Land mostly hilly 2nd rate soil
	East on a random line between sections 5 & 8 Variation 12° E
40.00	Set a post for temporary quarter section comm
75.00	Enter low wet valley bears S. E. and N. W.
79.80	Intersect N & S. line 22 links North of post comm to sections 4. 5. 8. and 9. from which comm I run West on a true line between sections 5 and 8 Variation 11° 57' East
39.90	Drove charred stake and set post in mound as per instructions for quarter section comm
79.80	The comm to sections 5. 6. 7. and 8 Land high rolling 2nd rate soil
	West on a random line between sections 6 & 7 Variation 12° 15' East
9.00	Enter low wet valley bears S. 25 chains wide
40.00	Set a post for Temporary quarter section comm

Township 15 N Range 11 E. of the Sixth Principal Meridian

Chains	
~~34.00~~	~~Leave low valley bears S~~
77.00	Intersect West Boundary of Township 13 links North of post comm to sections 6 and 7 from which comm I run East on a true line between sections 6 and 7 Variation 12° 22' East
37.00	Drove charred stake and set post on mound as per instructions for quarter section comm
77.00	The comm to sections 5. 6. 7. and 8 Land East half low and wet West half hilly all 2nd rate soil
	North on a random line between sections 5 & 6 Variation 11° East
40.00	Set a post for Temporary quarter section comm
79.00	Intersect North Boundary of Township 11 links West of post comm to sections 5 and 6. from which comm I run South on a true line between section 5 and 6 Variation 10° 55' East
39.00	Drove charred stake and set post

Township 15 N. Range 11 E. of the Sixth Principal Meridian

Chains	
	on mound as per instructions for
	quarter section corner
79.00	The corner to sections 5. 6. 7 and 8
	Land ~~rolling and~~ hilly 2nd rate soil

July 9 1856.

Township 15 N. Range 11 E of the Sixth Principal Meridian

List of Names

A list of the names of the individuals employed to assist in running measuring and marking the lines and corners described in the foregoing field notes of Township No 15 North of the base line of Range No 11 East of the Sixth Principal Meridian. showing the respective capacities in which they acted

J. F. North	Chainman
Jas E. North	Chainman
D Morris Davis	Axeman
Daniel M. Shaw	Flagman

40
156

Township 15 S. Range 11 E. of the Principal Meridian

General Description

This Township has a soil of more than average goodness for upland which is rolling and all arable There is but little bottom land It is fairly watered but is entirely destitute of timber

4 f.
157

3

Township 15 S Range 11 E of the 6th Principal Meridian

List of Names

A list of the names of the individuals employed to assist in running, measuring and marking the lines and corners of the foregoing field notes of Township No. 15 S of Range No 11 E of the 6th Principal Meridian showing the respective capacities in which they acted

T. J. North Chainman
Jas. E. North Chainman
J Morris Davis Axeman
Daniel W Shaw Flagman

Contract No 59

Field Notes
of the subdivision lines in
Township 16 North
Range 11 East
of the Sixth Principal Meridian
in Nebraska Territory
Survey commenced July 10. 1856
Survey ended July 21. 1856
Edward Evans
(No 59) Deputy U. S. Surveyor

Approved & found correct

Township 16 N. Range 11 E of the Sixth Principal Meridian

List of Names

A list of the names of the individuals employed to assist in running measuring and marking the lines and corners described in the following field notes of Township 16 North Range 11 East of the Sixth Principal Meridian, showing the capacities in which they acted

L. D. North Chainman
Jas. E. North Chainman
E. Morris Davis Axeman
Daniel M. Shaw Flagman

Meridian

r of my
nship
nships
East and
East

s line
vation

1856
35 and
ship 5 nor
e 36

T 16 N. R 11 E



Township 16 N. Range 11 E. of the Sixth Principal Meridian

To determine the proper adjustment of my compass for subdividing this Township I commence at the comn to Townships 15 and 16 N. Ranges 11 and 12 East and ran North on a blank line along the East Boundary of section 36.

Variation 11° 55' East

39.95 Quarter section comn

79.89 The comn to sections 25 and 36

To retrace or run parallel to this line my compass must b adjustid to a variation of 11° 55' East

Subdivision commencd July 10. 1856

From the comn to sections 1.2. 35 and 36 on the South Boundary of the Township I run North between sections 35 and 36

Variation 11° 55' East

14.50 Small lava slide. showing grand in the bank. Enter bottom which bears N.E. and S.W.

16.50 Sandstone rock 5' below the surface in the bed of dry water comn

Township 16 N. Range 11 E. of the Sixth Principal Meridian

Chains	
25.70	A creek 4 links wide runs E. from N.E.
30.00	Lava bottom bears N.E and S.W
40.00	Iron chaina stake and set post in mound as pr instruction for quarter section corner
45.80	A creek 3 links wide bears E.
80.00	Iron chaina stake and set post in mound as pr instructions for corner to sections 25. 26. 35 and 36
	Land rolling, soil 2nd rate
	East on a random line between sections 25 and 36
	Variation 11° 40' East
26.00	Mormon Road to Utah bears N.W. & S.E
40.00	Set post for temporary quarter section corner
79.81	Intersected East Boundary of Township 14 links South of post corner to sections 25 and 36 from which corner I run West on a true line between sections 25 and 36
	Variation 11° 46' East
39.90½	Iron chaina stake and set post in mound as pr instructions for quarter section corner

Township 16 N. Range 11 E. of the Sixth Principal Meridian

Chains	
79.81	The corner to sections 25. 26. 35 and 36
	Land rolling. Soil 2nd rate
	North between sections 25 and 26
	Variation 11° 55' East
20.50	Mormon Road to Utah bears N 30 W & S 30 E
40.00	Iron chaina stake and set post in mound as pr instructions for quarter section corner
80.00	Iron chaina stake and set post in mound as pr instructions for corner to sections 23. 24. 25 and 26
	Land rolling, soil 2nd rate
	East on a random line between sections 24 and 25
	Variation 11° 30' East
17.00	Entra bottom low and wet bears S.E & N.W
~~42.15~~	~~Big Papillon creek 20 links wide bears S 40° E~~
40.00	Set a post for temporary quarter section corner
42.15	Big Papillon creek 20 links wide runs S 40° E
45.30	Entra breaking 3 50/100 chains wide bears S.E & N.W
72.00	Lava bottom bears S.E and N.W
80.08	Intersected East Boundary of Township 40 links South of post corner to sections

Township 16 N. Range 11 E. of the Sixth Principal Meridian

Chains	
	24 and 25 from which corner I run
	West on a true line between sections 24 and 25
	Variation 11° 13' East
40.04	Drove chaina stake and set post in mound
	as per instructions for quarter section corner
80.08	The corner to sections 23. 24. 25 and 26
	Land mostly level bottom, wet from springs,
	and some rolling all 1st rate soil
	North between sections 23 and 24
	Variation 11° 15' East
24.00	Enter bottom 13 chains wide bears E. & N.
30.70	Spring brook 4 links wide runs E
40.00	Drove chaina stake and set post in mound
	as per instructions for quarter section corner
67.00	Enter bottom bears S. 70 E and N 70 W
69.30	Spring brook 3 links wide bears E
80.00	Drove chaina stake and set post in
	mound as per instructions for corner
	to sections 13. 14. 23. and 24
	Land rolling and level bottoms
	Soil 1st rate

Township 16 N. Range 11 E. of the Sixth Principal Meridian

Chains	
	East on a random line between sections 13 and 24
	Variation 11° 11' East
5.50	Big Papillon Creek 20 links wide runs S. E
40.00	Set a post for temporary quarter section corner
48.00	Level bottom bears S. E. and N W
80.00	Intersected East Boundary of Township at post. corner
	to sections 13 and 24 from which corner I run
	West on a true line between sections 13 and 24
	Variation 11° 11' East
40.00	Drove chaina stake and set post in mound
	as per instructions for quarter section corner
80.00	The corner to sections 13. 14. 23 and 24.
	Land ~~level~~ bottom ~~and~~ level the rest some rolling -
	soil 1st rate - July 10 1856
	North between sections 13 and 14
	Variation 11° 20' East
8.00	Big Papillon creek 15 links wide runs S
10.00	Same creek 25 links wide runs S W.
15.70	Same creek 25 links wide runs S E
17.50	A brook 3 links wide runs S E.
18.00	Same brook 3 links wide runs S W

Township 16 N Range 11 E of the Sixth Principal Meridian

Chains	
35.00	Lean bottom bears S.E. and N.W
40.00	Dron chaina stake and set post in mound as pr instructions for quarter section corner
80.00	Dron chaina stake and set post in mound as pr instructions for corner to sections 11. 12. 13 and 14. Land South half bottom low. soil 1st rate North half rolling 2nd rate
	East on a random line between sections 12 & 13
	Variation 11° 20' East
40.00	Set a post for temporary quarter section corner
46.00	Entr wet valley 11 chains wide bears N & S.
57.00	Lean wet valley bears N & S.
80.23	Intersect East Boundary of the Township 70 links North of post corner to sections 12 and 13 from which corner I corner West on a true line between sections 12 and 13
	Variation 10° 50' East
40.11½	Dron chaina stake and set post in mound as pr instructions for quarter section corner
80.23	The corner to sections 11. 12. 13 and 14 Land high rolling, soil 2nd rate

Township 16. N. Range 11. E. of the Sixth Principal Meridian

Chains	
	North between sections 11 and 12
	Variation 11° 05' East
40.00	Dron chaina stake and set post in mound as pr instructions for quarter section corner
80.00	Dron chaina stake and set post in mound as pr instructions for corner to sections 1. 2. 11. and 12 Land high rolling, soil 2nd rate
	East on a random line between sections 1 and 12
	Variation 10° 50' East
40.00	Set a post for temporary quarter section corner
80.80	Intersects East Boundary of Township 18 links North of post corner to sections 1 and 12 from which corner I corner West on a true line between sections 1 and 12
	Variation 10° 42' East
40.40	Dron chaina stake and set post in mound as pr instructions for quarter section corner
80.80	The corner to sections 1. 2. 11 and 12 Land high rolling, 2nd rate soil

Township 16. N. Range 11. E. of the Sixth Principal Meridian

Chains	
	North between sections 1 and 2
	Variation 10° 35' East
35.00	Enter ret valley 17 chains wide bears N 30° E, and S 30° W
40.00	Iron chained stake and set post in mound
	as per instructions for quarter section corner
	the fourth Standard Parallel
77.22	Intersected ~~North Boundary of Township~~, 10.22 chains West of post comm to sections 35 and 36
	Iron chained stake and set post in mound
	as per instructions for comm to sections 1 and 2
	Land rolling, soil 2nd rate
	East on the fourth Standard parallel
	along the North Boundary of section 1
	Variation 10° 50' East
10.89	Post in mound. Standard Parallel comm
	to sections 35 and 36. Township 17 N Range 11 E
40.00	Set a post for temporary quarter section comm
50.80	Pen N. Standard Parallel quarter section comm
80.71	The comm to Township 16. N. Ranges 11 & 12. E
	From which comm I run
	West along the North Boundary of Section 1
	Variation 10° 50' East
40.85½	Iron chained stake and set post in mound

Township 16 N. Range 11. E. of the Sixth Principal Meridian

Chains	
	as per instructions for quarter section comm
80.71	The comm to sections 1 and 2
	North between sections 34 and 35
	Variation 12° 05' East
40.00	Iron chained stake and set post in mound
	as per instructions for quarter section corner
80.00	Iron chained stake and set post in
	mound as per instructions for comm
	to sections 26. 27. 34 and 35
	Land rolling, 2nd rate soil
	East on a random line between sections 26 & 35
	Variation 12° 05' East
40.00	Set a post for temporary quarter section comm
80.43	Intersected N and S. line 63 links North
	of post comm to sections 25. 26. 35 and
	36. from which comm I run
	West on a true line between sections 26 and 35
	Variation 11° 38' East
40.21½	Iron chained stake and set post in mound
	as per instructions for quarter section comm

Township 16 N. Range 11 E of the Sixth Principal Meridian

Chains	
80.43	The comm to sections 26. 27. 34 and 35
	Land rolling, 2nd rate soil
	July 15 1856
	North between sections 26 and 27
	Variation 11° 35' East
5.50	A spring brook 3 links wide runs ~~E~~ S.W.
40.00	Down chained stake and set post in mound
	as per instructions for quarter section corner
71.00	Enter a flag swamp bears S.E and N.W.
80.00	Down chained stake and set post in mound
	as per instructions for comm to sections
	22. 23. 26 and 27
	Land rolling soil 2nd rate
	East on a random line between sections 23 and 26
	Variation 11° 35' East
4.50	Left flag swamp bears E & N & S.
25.30	Mormon Road to Utah bears N.W & S.E
40.00	Set a post for temporary quarter section corner
80.72	Intersected N and S. line 7 links North
	of post comm to sections 23. 24. 25
	and 26. from which comm I run

Township 16 N. Range 11 E. of the Sixth Principal Meridian

Chains	
	West on a true line between sections 23 and 26
	Variation 11° 32' East
40.36	Down chained stake and set post in mound
	as per instructions for quarter section corner
80.72	The comm to sections 22. 23. 26 and 27
	Land rolling, soil 2nd rate
	North between sections 22 and 23
	Variation 11° 20' East
4.00	Left flag swamp bears N.E & S.W.
37.80	Mormon Road to Utah bears N.W & S.E
40.00	Down chained stake and set post in mound
	for quarter section corner as per instructions
80.00	Down chained stake and set post in
	mound as per instructions for corner
	to sections 14. 15. 22 and 23
	Land rolling 2nd rate soil
	East on a random line between sections 14 and 23
	Variation 11° 35' East
40.00	Set a post for temporary quarter section corner
	a good spring 1 chain North
45.00	Enter spouty bottom bears N. ~~E~~ S.E

Township 16 N. Range 11 E. of the Sixth Principal Meridian

Chains	
80.73	Intersect N and S. line 48 links South of post comm to sections 13. 14. 23. and 24. from which comm I run West on a true line between sections 14 and 23
	Variation 11° 14' East
40.36½	Iron chaina stake and set post in mound as per instructions for quarter section comm
80.73	The comm to sections 14. 15. 22 and 23 Land West half rolling. East half line bottom not from springs - ~~soil 2nd and~~ 1st rate soil

North between sections 14 and 15

Variation 10° 55' East

34.00	Enter bottom bears S.E & N.W
40.00	Iron chaina stake and set post in mound as per instructions for quarter section comm
67.50	Big Papillon Creek 25 links wide bears E
80.00	Iron chaina stake and set post in mound as per instructions for comm to sections 10. 11. 14. ~~and~~ 15

Land South half rolling. North hay bottom 1st rate soil

Township 16 N. Range 11 E. of the Sixth Principal Meridian

Chains	
	East on a random line between sections 11 and 14
	Variation 11° 20' East
1.00	Lean bottom bears S.E. and N.W
22.00	Enter valley 6 chains wide bears N. & S
40.00	Set a post for temporary quarter section comm
47.00	Enter a valley 10 chains wide bears N & S
55.00	A brook 2 links wide runs S.
80.07	Intersect N & S. line at post comm to sections 11. 12. 13 and 14. from which comm I run
	West on a true line between section 11 and 14
	Variation 11° 20' East
40.05½	Iron chaina stake and set post in mound as per instruction for quarter section comm
80.07	The comm to sections 10. 11. 14 and 15 Land - hilly except bottoms which are low ~~and some but~~ 2nd rate soil

North between sections 10 and 11

Variation 10° 55' East

1.00	Lean bottom bears N.W. & S.E
40.00	Iron chaina stake and set post in mound as per instructions for quarter section corner
80.00	A brook 1 link wide runs S. 10 E. this the point for comm to sections 2. 3. 10 and 11 falling not being a proper place to build a mound. Set

Township 16 N. Range 11 E. of the Sixth Principal Meridian

Chains	
	on creek I Iron a chama stake and set post in mound as pr instructions for a witness corner to sections 2. 3. 10. and 11 30 links South of the true point for corner Land rolling soil 2nd rate
	East on a random line between sections 2 and 11 Variation 11° 20' East
40.00	Set a post for temporary quarter section corner
62.50	Enter low, wet valley bears N & S
74.00	a creek 10 links wide (a pool) runs S.
79.00	Leave Wet valley bears N. W. and S. W
79.25	Intersected and S. line 45 links North of post corner to sections 1. 2. 11. 12. from which corner Some West on a true line between sections 2 and 11 Variation 11° 01' East
39.62½	Down chama stake and set post in mound as pr instructions for quarter section corner
79.25	The corner to sections 2. 3. 10 and 11 Land hilly 2nd rate soil
	North between sections 2 and 3 Variation 11° 05' E
40.00	Down chama stake and set post in mound

Township 16 N. Range 11 E. of the Sixth Principal Meridian

Chains	
	as pr instructions for quarter section corner
62.00	Old Mormon Road bears N. W. and S. E
77.27	Intersected ~~South Boundary of Township~~ the Fourth Standard Parallel 10 76 chains West of post corner to sections 34 and 35 Down chama stake and set post in mound as pr instructions for corner to sections 2 and 3 Land hilly, soil 2nd rate
	East on the fourth Standard parallel along the North boundary of section 2 Variation 10° 50' E
10.76	Pin M. the Standard Parallel corner to sections 34 and 35 Township 17 N Range 11 E
40.00	Set a post for temporary quarter section corner
50.66	Pin M. Standard Parallel quarter section corner
79.73	Pin M. Corner to sections 1 & 2. Township 16 N Range 11 E From which corner I run West along the North Boundary of section 2 Variation 10° 50' East
39.86½	Down chama stake and set post in mound as pr instructions for quarter section corner
79.73	The corner to sections 2 and 3

July 16 1856

Township 16 N. Range 11 E. of the Sixth Principal Meridian

chains	
	North between Sections 33 and 34
	Variation 11° 50' East
40.00	Iron chaina stake and set post in mound
	as pr instructions for quarter section corner
80.00	Iron chaina stake and set post in
	mound as pr instructions for corner
	to sections 27. 28. 33 and 34
	Land hilly 2nd rate Soil
	East on a random line between sections 27 & 34
	Variation 11° 35' East
5.50	Road from Omaha bears N. W & S. E.
40.00	Set a post for Temporary quarter section corner
72.00	a Spring brook 2 links wide runs S. W.
80.25	Intersecting N and S. line at post corner to sec
	tions 26. 27. 34 and 35 from which corner I run
	West on a true line between sections 27 and 34
	Variation 11° 35' East
40.12½	Iron chaina stake and set post in mounds
	as pr instructions for quarter section corner
80.25	The corner to sections 27. 28. 33 and 34
	Land hilly, soil 2nd rate

Township 16 N. Range 11 E. of the Sixth Principal Meridian

chains	
	North between section 27 and 28
	Variation 11° 35' East
10.00	Road from Omaha bears N. W and S. E
40.00	Iron chaina stake and set post in mounds
	as pr instructions for quarter section corner
80.00	Iron chaina stake and set post in mound as
	pr instructions for corner to sections 21. 22. 27 and 28
	Land rolling, soil 2nd rate
	East on a random line between sections 22 and 27
	Variation 11° 35' East
40.00	Set a post for temporary quarter section corner
64.00	Enter wet valley 9 chains wide bears S. E and N. W
77.00	Enter flag swamp bears N and S
79.48	Intersecting N and S. line 12 links North
	of post corner to sections 22. 23. 26 and
	27 from which corner I run
	West on a true line between sections 22 and 27
	Variation 11° 30' East
39.74	Iron chaina stake and set post in mounds
	as pr instructions for quarter section corner
79.48	The corner to sections 21. 22. 27. and 28

Township 16 N. Range 11 E. of the Sixth Principal Meridian

Chains	
	Land rolling and some low and wet, soil 2nd rate
	North between sections 21 and 22
	Variation 11° 20' East
21.00	Enter wet valley 12 chains wide bears N. E & S W.
40.00	Iron chaina stake and set post in mounds as per instructions for quarter section corner
42.00	Enter wet valley 8 chains wide bears S. E & N. W.
79.00	Mormon Road to Utah bears N and E
80.00	Iron chaina stake and set post in mounds as per instructions for corner to sections 15. 16. 21 and 22
	Land rolling, soil 2nd rate
	East on a random line between sections 15 and 22
	Variation 11° 20' East
2.50	Mormon Road to Utah bears S. 70° W & N 70° E
16.00	Enter valley 6 chains wide bears N & S
19.00	Mormon Road to Utah bears N. W & S E
40.00	Set a temporary post for quarter section corner
79.54	Intersects N and S. line 16 links South of post corner to sections 14. 15. 22. and

Township 16 N. Range 11 E. of the Sixth Principal Meridian

Chains	
	23. from which corner I run West on a true line between sections 15 and 22
	Variation 11° 15' East
39.77	Iron chaina stake and set post on mound as per instructions for quarter section corner
79.54	The corner to sections 15. 16. 21. and 22
	Land hilly, soil 2nd rate
	North between sections 15 and 16
	Variation 11° 20' East
40.00	Iron chaina stake and set post on mound as per instructions for quarter section corner
80.00	Iron chaina stake and set post in mounds as per instructions for corner to sections 9. 10. 15 and 16
	Land hilly, 2nd rate soil
	East on a random line between sections 10 and 15
	Variation 11° 05' East
13.00	Enter bottom bears N and S.
36.50	Spring brook 3 links wide runs N.
40.00	Set a post for temporary quarter section corner
54.75	Big Papillon Creek 25 links wide runs S. E

Township 16 N. Range 11 E. of the Sixth Principal Meridian

Chains	
57.00	Same creek 20 links wide runs N.E.
62.70	Same creek 20 links wide runs S.E
80.36	Intersects N and S. line at post comm to sections 10. 11. 14 and 15 from which comm I run West on a true line between sections 10 and 15
	Variation 11° 05' East
40.18	Iron charcoal stake and set post in mound as per instructions for quarter section comm
80.36	Thence comm to sections 9. 10. 15 and 16. Land Level bottom, soil 1st rate

North between sections 9 and 10

Variation 11° 05' East

17.00	Enter bottom bears S.E and N.W.
37.00	Big Papillon Creek 25 links wide runs S.E
40.00	Iron charcoal stake and set post in mound as per instructions for quarter section comm
41.00	On side of Creek bank for 5 chains flows from N.W.
62.00	Leave bottom bears S.E & N.W
68.00	Ravine 3 chains wide bears S.W. head 2 chains N.E
69.50	A good spring runs S.W.
74.00	A Trail bears N.W. and S.E

Township 16 N. Range 11 E. of the Sixth Principal Meridian

Chains	
80.00	Iron charcoal stake and set post in mound as per instructions for comm to sections 3. 4. 9 and 10 Land mostly level bottom soil 1st rate

East on a random line between sections 3 and 10

Variation 11° 05' East

40.00	Set a post for temporary quarter section comm
80.37	Intersects N and S. line 25 links South of post (5 links N of the true comm) the witness comm to sections 2. 3. 10. and 11. from which true comm I run West on a true line between sections 3 and 10
	Variation 11° 05' East
40.18½	Iron charcoal stake and set post in mound as per instructions for quarter section comm
80.37	Thence comm to sections 3. 4. 9 and 10 Land hilly 2nd rate soil

North between sections 3 and 4

Variation 11° 05' East

33.00	Old Mormon Road bears S. 70 W and N 70 E
35.00	Enter bottom bears E and W

Township 16. N. Range 11 E. of the Sixth Principal Meridian

Chains	
40.00	Iron charcoal stake and set post in mound as per instructions for quarter section corner
62.75	A branch of Papillion Creek 6 links wide runs N
77.78	Intersected fourth Standard Parallel 11 chains West of post corner to sections 33 and 34 ~~South Boundary of the Township~~ Iron charcoal stake and set post in mound as per instructions for corner to sections 3 and 4 Land South half rolling. North half low bottom soil 1st rate
	East on the South Standard Parallel along the North Boundary of section 3 Variation 10° 50' East
11.15	Pin M. Standard Parallel corner to Sections 33 and 34. Township 17 N Range 11 E
40.00	Set a post for temporary quarter section corner
51.14	Pin M Standard Parallel quarter section corner
80.27	Pin M. corner to sections 2 & 3. Township 16 N Range 11 E From which corner 8 inches Iron Post along the North Boundary of section 3 Variation 10° 50' East

Township 16 N. Range 11 E. of the Sixth Principal Meridian

Chains	
40.13½	Iron charcoal stake and set post in mound as per instructions for quarter sections corner
80.27	Pin corner to sections 3 and 4 July 17 1856
	North between sections 32 and 33 Variation 12° 05' East
22.75	Indian trail bears N & E
40.00	Iron charcoal stake and set post in mound as per instructions for quarter section corner
80.00	Iron charcoal stake and set post in mound as per instructions for corner to sections 28. 29. 32 and 33. Land rolling, 2nd rate soil
	East on a random line between sections 28 and 33 Variation 11° 35' East
18.00	Enter valley 11 chains wide bears S. E & N. W
21.20	A brook 6 links wide runs S.
40.00	Set a post for temporary quarter section corner
79.57	Intersected Standard S. line at post corner to sections 27. 28 & 33 & 34. from which corner 8 inches Iron Post West on a true line between sections 28 and 33

Township 16. N. Range 11 E. of the Sixth Principal Meridian

Chains	
	Variation 11° 35' East
39.75	Iron chains stake and set post in mound
	as pr instructions for quarter section corner
79.57	The comm to sections 28. 29. 32 and 33
	Land mostly hilly, soil 2nd rate
	North between sections 28 and 29
	Variation 11° 50' East
5.00	Enter bottom 6 chains wide bears S. E & N. W.
25.00	Enter bottom bears S. E and N. W
29.40	A brook 8 links wide runs S. E.
30.00	Same brook 5 links wide runs W
31.80	Same brook 6 links wide runs S. E
40.00	Iron chains stake and set post in Mound
	as pr instructions for quarter sections corner
60.00	Enter bottom bears W W ~~thro~~ S E and S. E
80.00	Iron chains stake and set post in
	mound as pr instructions for comm
	to sections 20. 21. 28. and 29
	Land mostly level soil 1st rate

Township 16. N. Range 11. E of the Sixth Principal Meridian

chains	
	East on a random line between sections 21 and 28
	Variation 11° 35' East
27.50	Road from Omaha bears N W and S E
40.00	Set a post for temporary quarter section corner
79.87	Intersected N and S line 65 links North of post
	comm to sections 21. 22. 27. 28. from which comm I run
	West on a true line between sections 21 and 28
	Variation 11° 07' East
39.93½	Iron chains stake and set post in mound
	as pr instructions for quarter section comm
79.87	The comm to sections 20. 21. 28 and 29
	Land rolling, soil 2nd rate
	North between sections 20 and 21
	Variation 11° 35' East
35.00	Road from Omaha bears N W. and S E
40.00	Iron chains stake and set post in mound
	as pr instructions for quarter section corner
79.50	Mormon Road to Utah bears E & W
80.00	Iron chains stake and set post in mound as
	pr instructions for comm to sections 16. 17. 20 & 21
	Land slightly rolling, soil 1st rate

Township 16 N. Range 11 E. of the Sixth Principal Meridian

Chains	
	East on a random line between sections 16 & 21
	Variation 11° 05' East
0.15	Mormon Road to Utah bears S.W & N.E
40.00	Set a post for temporary quarter section corner
65.00	Mormon Road to Utah bears N.W & S.E
80.35	Intersected the N and S. line 7 links
	South of post comm to sections 15. 16
	21 and 22. from which comm I run
	West on a true line between sections 16 and 21
	Variation 11° 08' East
40.17½	Down chains stake and set post in mound
	as per instructions for quarter section corner
80.35	Wh. comm to sections 16. 17. 20 and 21
	Land rolling soil 2nd rate
	North between sections 16 and 17
	Variation 11° 20' East
40.00	Down chains stake and set post
	in manner as per instructions for
	quarter section corner
66.00	A hook 1 link wide runs N.E
80.00	Down chains stake and set post

Township 16 N. Range 11 E. of the Sixth Principal Meridian

Chains	
	in mound as per instructions for corner
	to sections 8. 9. 16. and 17
	Land rolling, soil 2nd rate
	East on a random line between sections 9 and 16
	Variation 11° 05' East
40.00	Set a post for temporary quarter section corner
43.00	A hook 2 links wide runs N
57.00	Indian trail bears N & S
80.10	Intersected the N and S. line 5 links
	South of post comm to sections 9-
	10. 15 and 16. from which comm I run
	West on a true line between sections 9 and 16
	Variation 11° 07' East
40.05	Down chains stake and set post
	in mound as per instructions for
	quarter section corner
80.10	Wh comm to sections 8. 9. 16. and 17
	Land hilly, soil 2nd rate
	North between sections 8 and 9
	Variation 11° 05' East
17.50	A hook 2 links wide runs N.E.

Township 16 N. Range 11 E. of the Sixth Principal Meridian

Chains	
35.50	a hook 5 links wide runs E – Entr bottom which has E and N
40.00	Dron chama stake and set post in mound as pr instructions for quarter section corner
46.00	Lian bottom has E & W
80.00	Dron chama stake and set post in mound as pr instructions for corner to sections 4. 5. 8. and 9 except bottom which is Land rolling ~~stone~~ Land, soil 1st rate

East on a random line between sections 4 and 9

Variation 11° 05' East

16.75	a hook 5 links wide runs S.E
22.75	Indian trail bears S.E & N.W.
40.00	Set a post for temporary quarter section corner
42.00	Entr bottom bears S. & N
62.00	Big Papillon Creek 20 links wide runs S 20° W
71.00	Indian trail bears N.W. and S.E
73.00	Lian bottom bears S.E and N.W
80.05	Intersecting N and S. line at post corner to sections 3. 4. 9. and 10. from which corner I run West on a true line between section 4 and 9

Township 16 N. Range 11 E. of the Sixth Principal Meridian

Chains	
	Variation 11° 05' East
40.02½	Dron chama stake and set post in mound as pr instructions for quarter section corner
80.05	The corner to sections 4. 5. 8 and 9 Land West half rolling East half Land bottom, soil 1st rate

North between sections 4 and 5

Variation 11° 05' East

7.00	a spring brook 6 links wide runs E
37.00	Old Mormon Road bears N.E and W.
40.00	Dron chama stake and set post in mound as pr instructions for quarter section corner
78.14	Intersecting South Standard Parallel 11.43 chains West of post corner to section 32 and 33 ~~the South Boundary of the Township~~ which runs N.E. This point being in a creek, where it is impossible to make a mound. I, Dron a chama stake and set a post in mound as pr instructions for witness corner to sections 4 and 5 50 links South of the point for true corner

Township 16 N. Range 11 E. of the Sixth Principal Meridian

chains	
	Land rolling soil 2nd rate
	East on the South Standard Parallel along the South Boundary of section 4
	Variation 10° 50' East
11.43	Pon M. Standard Parallel comr to sections 32 and 33 Township 17 N Range 11 E
40.00	Set a post for temporary quarter section comr
51.43	Pon M. Standard Parallel quarter section comr
80.20	Pon M. Comr to sections 3 & 4 Township 16 N Range 11 E From which comr I run West along the South Boundary of Section 4
46.10	Down chain stake and set post in mound as per instructions for quarter section comr
80.20	The comr to sections 4 and 5

July 18 1856

North between sections 31 and 32

Variation 12° 05' East

40.00	Down chain stake and set post in mound as per instructions for quarter section comr

Township 16 N. Range 11 E. of the Sixth Principal Meridian

Chains	
62.00	Indian trail bears E and N
80.00	Down chain stake and set post in mound as per instructions for comr to sections 29. 30. 31. 32
	Land rolling, soil 1st rate
	East on a random line between sections 29 and 32.
	Variation 11° 20' East
40.00	Set a post for temporary quarter section comr
79.80	Intersects N and S. line 26 links South of post comr to sections 28. 29 32 and 33. from which comr I run West on a true line between sections 29 and 32
	Variation 11° 31' East
39.90	Down chain stake and set post in mound as per instructions for quarter section comr
79.80	The comr to sections 29. 30. 31 and 32
	Land rolling, soil 2nd rate
	West on a random line between section 30 and 31
	Variation 11° 35' East
20.00	A hook 2 links wide bears N

Township 16 N. Range 11 E of the Sixth Principal Meridian

Chains	
40.00	Set a post for temporary quarter section corner
42.65	A brch 5 links wide runs N.E.
77.13	Intersected the West Boundary of Township 10 links South of post comm to sections 30 and 31. from which corner I run East on a true line between sections 30 and 31
	Variation 11° 39' East
37.13	Down chained stake and set post in mound as per instructions for quarter section corner
77.13	The corner to sections 29. 30. 31. 32
	Land hilly, soil 2nd rate
	North between sections 29 and 30
	Variation 11° 50' East
28.00	Enter valley 9 chains wide bears N.E & S.W
29.10	A brch 5 links wide runs N.E
40.00	Down chained stake and set post in mound as per instructions for quarter section corner
80.00	Down chained stake and set post in mound as per instructions for

Township 16 N. Range 11 E. of the Sixth Principal Meridian

Chains	
	corner to sections 19. 20. 29 and 30
	Land rolling, soil 1st rate
	East on a random line between sections 20 & 29
	Variation 11° 05' East
40.00	Set a post for temporary quarter section corner
57.00	Enter valley 12 chains wide bears S. & N.
57.00	A brch 5 links wide runs S.
79.78	Intersected N and S. line at post corner to sections 20. 21. 28. 29. from which corner I run West on a true line between sections 20 and 29
	Variation 11° 05' East
39.89	Down chained stake and set post in mound as per instructions for quarter section corner
79.78	The corner to Sections 19. 20. 29 and 30
	Land slightly rolling, soil 2nd rate
	West on a random line between sections 19 & 30
	Variation 11° 35' E
40.00	Set a post for temporary quarter section corner
76.35	Intersected West Boundary of Township 43 links South of post corner to sections

Township 16 N. Range 11 E of the Sixth Principal Meridian

Chains	
	19 and 30. from which comm I run
	East on a true line between sections 19 and 30
	Variation 11° 17' East
36.35	Dron chama stake and set post in mound as pr instructions for quarter section comr
76.35	The comr to sections 19. 20. 29 and 30
	Land rolling, soil 2nd rate
	North between sections 19 and 20
	Variation 11° 20' East
39.75	Indian trail bears N. W. and S E
40.00	Dron chama stake and set post in mound as pr instructions for quarter section comr
68.00	Enter bot valley 6 chains wide bears E & W
80.00	Dron chama stake and set post in mound as pr instructions for comr to sections 17. 18. 19. and 20
	Land rolling, soil 2nd rate

Township 16 N. Range 11 E. of the Sixth Principal Meridian

Chains	
	East on a random line between sections 17 and 20
	Variation 11° 05' East
16.00	Enter wet valley 15 chains wide bears N & S
40.00	Set a post for temporary quarter section comr
55.00	Road from Omaha bears N. W. and S E
79.77	Intersected N and S. line 48 links North of post comr to sections 16. 17. 20 and 21. from which comr I run
	West on a true line between sections 17 and 20
	Variation 10° 44' East
39.88½	Dron chama stake and set post in mound as pr instructions for quarter section comr
79.77	The comr to sections 17. 18. 19 and 20
	Land rolling, soil 2nd rate
	West on a random line between sections 18 and 19
	Variation 11° 05' East
16.50	Enter wet valley 8 50/100 chains wide bears N & S
40.00	Set a post for temporary quarter section comr
75.39	Intersected West Boundary of Township 10 links North of post comr to section

Township 16 N. Range 11 E. of the Sixth Principal Meridian

Chains	
	18 and 19 from which comm I run
	East on a true line between sections 18 and 19
	Variation 11° 09' East
35.39	Drive chaina stake and set post in mound as per instructions for quarter section corner
75.39	The corner to sections 17. 18. 19. and 20.
	Land mostly level, soil 2nd rate
	North between sections 17 and 18
	Variation 11° 20' East
40.00	Drive chaina stake and set post in mound as per instructions for quarter section corner
41.00	Mormon Road to Utah bears N.W. & S.E.
80.00	Drive chaina stake and set post in mound as per instructions for corner to sections 7. 8. 17. and 18
	Land mostly level, 1st rate soil
	July 19 1886

Township 16. N. Range 11 E. of the Sixth Principal Meridian

Chains	
	East on a random line between sections 8 and 17
	Variation 10° 50' East
40.00	Set a post for temporary quarter section corner
42.75	A Spring brook 2 links wide runs N.E.
71.50	A Spring brook 2 links wide runs N.W.
80.30	Intersects N & S. line at post corner to sections 8. 9. 16. and 17. from which corner I run
	West on a true line between sections 8 and 17
	Variation 10° 50' East
40.15	Drive chaina stake and set post in mound as per instructions for quarter section corner
80.30	The corner to sections 7. 8. 17. and 18
	Land rolling - 2nd rate soil
	West on a random line between sections 7 and 18
	Variation 11° 20' East
40.00	Set a post for temporary quarter section corner
72.00	Road from Omaha bears N.W. and S.E.
74.59	Intersects West Boundary of Township 15 links North of post corner to sections 7 and 18 from which corner I run

	East on a true line between sections 7 and 18
	Variation 11° 26'
34.59	Down chaina stake and set post
	in mound as per instructions for
	quarter section corner
74.59	The corner to sections 7. 8. 17 and 18
	Land. Northalf Land. East half hilly. 1st rate soil
	North between sections 7 and 8
	Variation 10° 50' East
20.75	A spring brook 2 links wide runs E
22.50	A spring brook 2 links wide runs E
40.00	Down chaina stake and set post
	in mound as per instructions for
	quarter section corner
57.00	A spring brook 5 links wide runs S. E
80.00	Down chaina stake and set post
	in mound as per instructions for
	corner to sections 5. 6. 7 and 8
	Land hilly 2nd rate soil

chains	East on a random line between sections 5 and 8
	Variation 10° 50' East
40.00	Set a post for temporary quarter section corner
80.26	Intersected the N and S. line 16. links
	South of post corner to sections 4. 5. 8. and
	9 from which corner I run
	West on a true line between sections 5 and 8
	Variation 10° 57' East
40.13	Down chaina stake and set post in
	mound as per instructions for quarter
	section corner
80.26	The corner to sections 5. 6. 7. and 8
	Land rolling soil 2nd rate
	West on a random line between sections 6 and 7
	Variation 11° 20' East
16.00	Old Mormon road bears S.W & N.E.
40.00	Set a post for temporary quarter section corner
61.50	A brook 2 links wide runs N 30° W
74.50	Intersected the West Boundary of the Township
	at post corner to sections 6 and 7. from
	which corner I run

Township 16 N. Range 9 E of the Sixth Principal Meridian

Chains	
	East on a true line between sections 6 and 7
	Variation 11° 20' East
34.50	Down chained stake and set post in mound
	as per instructions for quarter section corner
74.50	The corner to sections 5. 6. 7. and 8
	Land, hilly East half line. West half rolling
	soil 2nd rate
	North between sections 5 and 6
	Variation 10° 50' East
32.50	Ha Mormon road bears S.W and N.E
40.00	Down chained stake and set post in mound
	as per instructions for quarter section corner
78.52	Intersection the South Standard Parallel
	~~the North Boundary of the Township~~ 11.53 chains West of post corner to sections 31 and 32
	Down chained Stake and set post in mound
	as per instructions for corner to sections
	5 and 6
	Land rolling, soil 2nd rate
	East on the South Standard Parallel
	along the North Boundary of section 5
	Variation 10° 50' East

Township 16 N. Range 11 E. of the Sixth Principal Meridian

Chains	
11.53	Pin M. Standard Parallel corner to sections
	31 and 32 Township 17 N. Range 11 E
40.00	Set a post for temporary quarter section corner
57.50	Pin M Standard Parallel quarter section corner
80.00	Corner to sections 4 and 5. Township 16 N
	Range 11 E from which corner I run
	West along the North Boundary of section 5
	Variation 10° 50' East
40.00	Down chained stake and set post in
	mound as per instructions for quarter
	section corner
80.00	The corner to sections 5 and 6
	West on the South Standard Parallel along
	the North Boundary of section 6
	Variation 10° 50'
28.43	Pin M Standard Parallel quarter section corner
40.00	Set a post for temporary quarter section corner
68.42	Pin M. Standard Parallel corner to
	Township 17 N. Ranges 10 and 11 E
74.52	Pin M corner to Township 16. N. Ranges
	10 and 11 E. from which corner I run

Township 16 N. Range 11 E. of the Sixth Principal Meridian

chains	East along the North Boundary of section 6
	Variation 10° 50' E
34.52	Down chaned stake and set post
	on Mound as per instructions for
	quarter section corner
74.52	The corner to sections 5 and 6
	July 21 1856

Township 16 N Range 11 E of the Sixth Principal Meridian

List of Names

List of the names of the individuals employed to assist in running measuring and marking the lines and corners described in the foregoing field notes of Township N 16 North of the base line of Range N 11 East of the Sixth Principal Meridian showing the respective capacities in which they acted

T. S. North	Chainman
Jas E. North	Chainman
S. Morris Davis	Axeman
Daniel M. Shaw	Flagman

Township 16 N. Range 11 E of the Forth Principal Meridian

General Descriptions

The uplands in this Township are rolling and in the North part hilly The soil is of a good quality and mostly arable.

The big Papillon runs through a portion of the Township on a South East course.

There is but little timber, which is in the North part of the Township on the Big Papillon. it is chiefly of Black Walnut and Elm

Township 16 N. Range 11 E of the Forth Principal Meridian

List of Names

A List of the names of the individuals employed to assist in running measuring and marking the lines and corners described in the foregoing field notes of Township No 16 North of the base line of Range No 11 East of the Forth Principal Meridian showing the respective capacities in which they acted

J. D. North Chainman
Jas. D North Chainman
J. Morris Davis Axeman
Daniel W Shaw Flagman

General Land Office • Original Field Notes

Book Number

109

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.