General Land Office • Original Field Notes

Book Number

132

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

(Red) Subdivision of Otoe Indian Reserve

T. Wms
B (A)

T.1-2 N.
R. 4 E.
Otoe & Mo.
Ind.Res.
20-132

Field Notes
of

The Survey and
of
Fractional Township No 1. North of the Base Line
of
Range No 4 East of the 6th P.M.
Within the Otoe & Missouri Indian Reserve
In the
State of Nebraska.

Executed
By W. T. Hull deputy Surveyor under joint contract No 78. dated July 3rd 1873

Survey
Commenced September 3rd 1873
Completed September 16th 1873

PLAT S.S.

Index Diagram

T. 1. N. R. 4. E.

Referring the lines to the pages of the field notes.



Town No 1. N. Range No 4 E. 6th P.M.

	Chain	
		To determine the proper adjustment of my compass for the subdivision of this fractional Township I commenced at the cor to Township No 1 N. on the Base Line of Range 4 E. 6th P.M. and ran.
		North along the East boundary of sec 36. Va 11° 24' E —
	19.97	To a point 5 Lks E. of the 1/16 sec. cor.
	39.97	To a point 3 Lks East of the 1/4 sec. cor.
	60.15	To a point 4 Lks east of the 1/16 sec cor
	80.12	The cor to secs 25 & 36.
		To retrace this line or run parallel thereto my compass is in proper adjustment

Township No 1. N. Range No 4 E. 6th P.M.

Chains		
		Fourth cor to secs 35 & 36. on the Base Line North between secs 25 & 36.
		Va 11.° 21' E.
6.	60	Drain bears S.E. heavy brush.
12	30	Same drain bears N.W. heavy brush
14	40	Same drain bears S.E. do
27	00	Set Sandstone 18 x 12 x 5. - 8 in. deep. marked 1/16 for 1/16 sec. cor.
36.	25	Drain bears S.W.
40.	00	Set sandstone 19 x 11 x 5. 8 in: deep. marked 1/4 for 1/4 sec. cor.
60	00	Set sandstone 20 x 11 x 4. 8 in: deep marked 1/16 for 1/16 sec. cor.
80	00	Set sandstone 20 x 12 x 5. 8 in: deep marked 5 on N. 1 on S. 5 on W & 1 on E side for cor. to secs 25. 26. 35 & 36
		Land rolling Soil 2nd rate.

Township No 1. N. Range No 4 E.

Ch		
		From the 1/16. sec cor. on the W. side of S.W. 1/4 of sec 36. Drain.
		East on a random line through sec 36.
		Va 11.° 21' E.
20	00	Set Stone for temporary 1/16 sec. cor.
40	00	Do Do 1/4 Do
58	20	Drain bears S.
60	00	Set Stone for temporary 1/16 sec. cor.
64	80	Drain bears S.W.
79.	74	Intersect E. Boundary of Township & 1/4 South of the 1/16 sec cor. on E. boundary of S.E. 1/4 sec 36. from which cor. I run
		S. 89.° 05' West on a true line through sec 36.
		Va 11.° 21' E.
19.	94	Set Sandstone 18 x 12 x 5. 8 in: deep. marked 1/16. for 1/16. sec. cor.
39.	89	Set sandstone 20 x 11 x 4. 8 in: deep marked 1/4 for 1/4 sec. cor.
59.	85	Set sandstone 19 x 12 x 4. 8 in: deep: marked 1/16. for 1/16 sec. cor.
79.	89	The 1/16 sec cor. on W. side of S.W. 1/4 sec 36.
		Land rolling Soil 2nd rate.

Township No 1. N. Range No 4 E.-

Chains		
		From the 1/4 sec cor. between sec 35 & 36. I ran East on a random line through sec 36. Va 11° 21' E.
3	30	Drain bears S.W.
20	00	Set Stone for temporary 1/16 sec. cor.
40	00	Do Do 1/4 Do
58	00	Drain bears South
60	00	Set Stone for temporary 1/16 sec. cor.
72	20	Road between Ft Kearny & Leavenworth bears N.E. & S.W.
79	90	Intersect East Boundary of Township 4 N North of the 1/4 sec cor. on E. side of sec from which cor. I ran. N 89° 58' West on a true line through sec 36 Va 11° 21' E-
19	97	Set Sandstone 20x11x4.- 8 ins dep. marked 1/16 for 1/16 sec. cor.
39	95	Set Sandstone 18x12x4.- 8 ins dep. marked 1/4 for 1/4 sec cor.
59	93	Set Sandstone 20x11x3. 8 ins dep. marked 1/16. for 1/16 sec. cor.
79	90	The 1/4 sec. cor. between sec 35 & 36. Land rolling Soil 1st rate

Township No 1. N. Range No 4 E.

Chs		
		From the 1/16 sec cor. on the N. Boundary of the N W 1/4 of sec 36. I ran. East on a random line through sec 36. Va 11° 21' E-
16	25	Drain bears S-
20	00	Set Stone for temporary 1/16. sec. cor.
40	00	Do Do 1/4 Do
58	30	Road between Ft Kearny & Leavenworth bears E of S. & N of N.
60	00	Set Stone for temporary 1/16 sec cor.
66	58	Drain bears S.W.
79	85	Intersect E Boundary of Township 6 Lks south of the 1/16. sec cor on E.-side of N.E. 1/4 sec 36. from which cor I ran. S 89° 57' West on a true line through sec 36 Va 11° 21' E-
19	96	1/4 Set Sandstone 20x11x4. 8 ins dep. marked 1/16 for 1/16 sec. cor.
39	92	Set Sandstone 18x12x4. 8 ins dep. Marked 1/4 for 1/4 sec. cor.
59	88	3/4 Set sandstone 19x11x4. 8 ins dep marked 1/16 for 1/16 sec cor.
79	85	The 1/16 sec cor. on W. side N.W. 1/4 Sec 36. Land rolling Soil 1st rate

Township No 1 N. Range No 4 E.

Chains		
		East on a random line between sec 25 &
		Va 11° 21' E.
16	80	Drain bears W of S.
20	00	Set stone for temporary 1/16 sec. cor
27	50	Drain bears S.W.
40	00	Set stone for temporary 1/4 sec cor
52	25	Road between Ft Kearny & Leavenworth
		bears S.E. & N.W.
60	00	Set stone for temporary 1/16 sec. cor
79	79	I intersect E. boundary of Township 1 N
		North of the cor. to sec 25 & 36.
		from which cor. I run.
		N 89° 54' West on a true line between sec 25 &
		Va 11° 21' E.
19	94¾	Set Sandstone 20×11×4 – 8 ins. deep. marked
		1/16. for 1/16 sec. cor.
39	89	Set Sandstone 18×12×5. 8 ins. deep
		marked 1/4 for 1/4 sec cor.
59	44	Set Sandstone 19×11×4. 8 ins. deep marked
		1/16. for 1/16 sec. cor.
79	79	The cor. to secs 25. 26. 35 & 36.

Land rolling soil 1st rate

Town. No. 1. N. Range No 4 E. 6th P.M.

Chains		
		North between secs 25 & 26.
		Va 11° 21' E.
20	00	Set Sandstone 20×11×5. 8 ins. deep marked
		1/16 for 1/16. sec. cor.
40	00	Set Sandstone 18×12×4. 8 ins. deep marked
		1/4 for 1/4 sec. cor.
58	20	crossed drain bearing S.W.
60	00	Set stone 18×12×5. – 8 ins. deep. marked
		1/16 for 1/16 sec cor.
80	00	Set Sandstone 20×12×4. 8 ins. deep marked
		4 on N. 2 on S. 1 on E and 5 on W
		side for cor. to sec 23. 24. 25 & 26.

Land broken soil 2nd rate

Township No 1 N. Range No 4 E. 6th P.M.

Chains		
		From the 1/16 sec cor. on the W. side of S.W. 1/4 of said 25. I run.
		East on a random line through sec 25
		Va 11° 21' E.
20	00	Set Stone for temporary 1/16 sec. cor
20	00	Drain bears south
40	00	Set Stone for temporary 1/4 sec. cor.
44	70	Road between Ft Kearney and Leavenworth bears N of S. & E of N.
60	00	Set Stone for temporary 1/16 sec. cor
79	97	Intersect E. boundary of Township 12 Rds North of the 1/16 sec cor. on the E side of SE. 1/4 of sec 25. from which cor. I run.
		N 89° 55' West on a true line between sec 25
		Va 11° 21' E.
19	99	1/4 Set Sandstone 20 x 11 x 4. - 8 in: deep marked 1/16 for 1/16 sec. cor.
39	94	r Set Sandstone 18 x 12 x 5. - 8 in: deep marked 1/4 for qr. sec. cor.
59	97	3/4 Set Sandstone 19 x 12 x 4. - 8 in: deep marked 1/16. for 1/16 sec. cor.
79	97	The 1/16. sec. cor. on N. side of SW 1/4 sec 25.

Land rough soil 2nd rate

Township No 1. N. Range No 4 E.

Chains		
		From the 1/4 sec cor. between sec 25 & 26 I run
		East on a random line through sec 25.
		Va 11° 21' E.
20	00	Set Stone for temporary 1/16 sec. cor.
40	00	Do Do 1/4 sec cor.
51	60	Road between Ft. Kearney & Leavenworth bearing N & S.
60	00	Set Stone for temporary 1/16 sec. cor.
79	89	Intersect E boundary of Township 17, Lks N. of 1/4 cor. on E. side of sec 25 from which cor. I run.
		N 89° 53' West on a true line through sec 25
		Va 11° 21' E.
19	97	1/4 Set Sandstone 20 x 11 x 4 - 8 in: deep marked 1/16 for 1/16 sec. cor.
39	94	r Set Sandstone 17 x 12 x 4. - 8 in: deep marked 1/4 for qr. sec. cor.
59	91	3/4 Set Sandstone 18 x 12 x 4. - 8 in: deep marked 1/16. for 1/16. sec. cor.
79	89	The 1/4 sec cor. between sec 25 & 26.

Land rolling soil 2nd rate.

Township No. 1. N. Range No 4 E-

Chains

From the 1/16. sec cor. on the W. side of
N.W. 1/4 of sec 25. I run.
East on a random line through sec 2
Va 11° 21' E.

4 00 Drain bearing S.W.
20 00 Set stone for temporary 1/16 sec. cor.
40 00 Set stone for temporary 1/4 sec. cor
48.75 Road between Ft Kearney & Leavenwo
bears E of S.W. & W of N.
60 00 Set stone for temporary 1/16 sec. cor
79.94 Intersect E-boundary of Township 2
Lks N. of the 1/16 sec cor. on E sid
of N.E. 1/4 of sec 25. from whic
cor I run.
N 89° 50' West on a true line through sec 25.
Va 11° 21' E
19.98 Set Sandstone 20×12×4. 8 in: deep marked
for 1/16 sec. cor.
39.97 Set Sandstone 18×11×5. 8 in: deep. marked
for 1/4. sec. cor.
59.95 Set Sandstone 19.×12×4. 8 in: deep marked 1/16 for 1/16 sec
79.94 The 1/16 sec cor. bet the W. boundary of N W 1/4 s
Land rough soil 2nd rate.

Town. No 1. N. Range No 4 E. 6th S.M.

Chains

East on a random line between sec 25 & 24
Va 11° 21' E—

2.25 Drain bears South
17 50 Drain bears South
20 00 Set stone for temporary 1/16 sec-cor.
40 00 Do Do 1/4 Do
60 00 Do Do 1/16 Do.
79 88 Intersect East Boundary of Township 24 Lks N.
of the cor. to sec 24 & 25. from which
cor. I run.
N. 89° 50' West on a true line between sec 24 & 25
Va 11° 21' E—
19.97 Set Sandstone 20×12×4. 8 in: deep.
marked 1/16. for 1/16 sec. cor.
39.94 Set Sandstone 18×13×4. 8 in: deep. marked
1/4 for 1/4 sec. cor.
59.91 Set Sandstone 18×12×5. 8 in: deep. marked
1/16 for 1/16 sec. cor.
79 88 The cor. to sec 23. 24. 25. & 26.
Land rough soil 2nd rate—

Township No 1. N. Range No 4 E. 6th P.M.

Chains		
		North between sec 23. & 24
		Va 11° 21' E—
20	00	Set Stone 20×12×4 - 8 in: deep - marked
		1/16. for 1/16 sec. cor.
40	00	Set Stone 18×12×5,- 8 in: deep. marked
		1/4 for 1/4 sec. cor.
60	00	Set Stone 20×11×4. 8 in: deep. marked 1/16
		for 1/16 sec cor.
62	20	Road between Ft Kearney & Leavenworth
		bears S.E. & N.W.
80	00	Set Stone 20×12×4. 8 in: deep. marked
		3 on N. 3 on S. 1 on E. and 5 on W.
		side for cor. to sec 23, 14, 23 & 24
		Land rough soil 2nd rate
		September 3, 1873.

Town. 1 N. Range 4 E. 6th P.M.

Chains		
		From the 1/16. sec cor. on the W. side of S.W. 1/4
		of sec 24 I run.
		East on a random line through sec 24
		Va 11° 21' E—
15	30	Drain S.E.
20	00	Set Stone for temporary 1/16 sec. cor.
21	80	Drain S.E.
36	00	Road from Ft Kearney to Leavenworth
		bears E of S. & N of W.
40	00	Set Stone for temporary 1/4 sec. cor.
60	00	Set Stone for temporary 1/16 sec. cor.
79.95		Intersect East boundary of Township
		& 12 N. of the 1/16 sec cor on E side
		of S.E. 1/4 sec 24. from which cor.
		I run.
		N 89° 5' West on a true line through sec 24.
		Va. 11° 21' E—
19.94	1/4	Set Sandstone 20×12×4. 8 in: deep marked 1/16 for 1/16 sec cor.
39.97	1/4	Set Sandstone 18×12×5 in × 8 in: deep marked 1/4 for 1/4 sec cor.
59.96	1/4	Set Sandstone 18×12×4 in. 8 in: deep. marked
		1/16. for 1/16 sec. cor.
79.95		The 1/16. sec cor. on W. side of S.W. 1/4 sec 24.
		Land rough Soil 2nd rate.

Town. No 1. N. Range No 4 E. 6th P.M.

Chains

From the 1/4 sec cor. on the W. side of sec 24 I run
East on a random line through sec 24
Va 11° 21' E.

20 00 Set stone for temporary 1/16 sec. cor.
21 50 Road between Ft Kearney & Leavenworth
bears S.E. & N.W.
40 00 Set stone for temporary 1/4 sec. cor.
51 70 Drain bears S.W.
60 00 Set stone for temporary 1/16 sec. cor.
80.07 Intersect E. Boundary of Township 17 Lks
N. of 1/4 sec cor. on E. side of sec 24
from which cor. I run.
N 89° 53' West on a true line through sec 24
Va 11° 21' E —
20 01 1/4 Set Sandstone 18×12×5. 8 in: deep. marked
1/16. for 1/16. sec. cor.
40.03 1/2 Set Sandstone 20×11×4. 8 in: deep. marked
1/4 for 1/4 sec. cor.
60.05 1/4 Set Sandstone 18×10×4. 8 in: deep marked
1/16. for 1/16. sec. cor.
80.07 The 1/4 sec cor. on W. side of sec 24.
Land rough & stony soil 2nd rate

Township No 1. N. Range No 4. E. 6th P.M.

Chains

From the 1/16. sec cor. on the W. side of N.W. 1/4
of sec 24. I run.
East on a random line through sec 24.
Va 11° 21' E —
3.75 Road between Ft Kearney & Leavenworth
bears S.E. & N.W.
20 00 Set stone for temporary 1/16 sec. cor.
40 00 Set stone for temporary 1/4 sec cor.
60 00 Set stone for temporary 1/16 sec. cor.
74 60 Drain bears S.W.
80.23 Intersect E. boundary of Township 8 Lks
N. of the 1/16. sec cor. on E. side of N.E. 1/4
of sec 24. from which cor. I run.
N 89° 57' West on a true line through sec 24.
Va 11° 21' E —
20 05 3/4 Set Sandstone 20×12×4. 8 in: deep. marked
1/16. for 1/16. sec cor. c
40.11 Set Sandstone 18×11×6. 8 in: deep. marked 1/4
for 1/4 sec. cor.
60.17 Set Sandstone 19×12×4. 8 in: deep. marked
1/16. for 1/16. sec. cor.
80.23 The 1/16 sec cor. on W. side of N.W. 1/4 sec 24
Land rough soil 2nd rate —

Township No 1. N. Range No 4 E. 6th P.M.

Chains

East on a random line between sec 13. & 24.
Va 11° 21' E —

20 00 Set stone for temporary 1/16 sec. cor.
40 00 do do 1/4 do
60 00 do do 1/16 do
80.11 Intersect East Boundary of Township 13 [illegible]
N. of cor. to sec 13 & 24 from which cor [illegible]
N. 89° 54' West on a true line between sec 13 & 2[illegible]
Va 11° 21' E —

20 02¾ Set sandstone 20×12×4, - 8 in: deep marked 1/16
for 1/16 sec. cor.
40.05½ Set sandstone 18×12×4. 8 in: deep. marked
1/4 for gr. sec. cor.
60.08¼ Set sandstone 20×11×4. - 8 in: deep marked
1/16. for 1/16 sec. cor.
80.11 The cor. to secs 13. 14. 23. & 24.
Land rolling soil 2nd rate.

Township No 1. N. Range No 4 E.

Chains

North between sec 13. & 14.
Va 11° 21' E —
20 00 Set sandstone 20×12×4. 8 in: deep. marked
1/16. for 1/16 sec. cor.
40 00 Set sandstone 18×12×5. 8 in: deep. marked
1/4 for 1/4 sec cor.
60 00 Set sandstone 19×12×4 - 8 in: deep marked
1/16. for 1/16 sec. cor.
80 00 Set sandstone 20×12×4. 8 in: deep. marked
2 on N. 4 on S. 1 on E. and 5 on W side
for cor. to secs 11. 12. 13 & 14.
Land rolling soil 1st rate.

16.

Township No 1. N. Range No 4 E. 6th P.M.

Chains		
		From the 1/16 sec cor. on the W. side of the SW of sec 13. I run.
		East on a random line through sec 13. Va 11° 21' E —
4	00	Drain bears N.E.
20	00	Set stone for temporary 1/16 sec. cor.
40	00	do do 1/4 do
54	75	Old road S.E. & N.W.
60	00	Set stone for temporary 1/16 sec. cor.
79.97		Intersect E. boundary of Township 14 Lks N. of the 1/16 sec cor. on the E. side of the E 1/4 of sec 13, from which cor. I run N 89° 54' West on a true line through sec 13. Va 11° 21' E —
19.99	1/4	Set stone 20 x 12 x 4, - 8 in: dep. marked 1/16. for 1/16. sec. cor.
39.98	1/2	Set stone 18 x 13 x 4. 8 in: dep. marked 1/4 for 1/4. sec. cor.
59.97	3/4	Set sandstone 18 x 12 x 5. 8 in: dep. marked 1/16 for 1/16 sec. cor.
79.97		The 1/16. sec cor. on N. side of S W. 1/4 of sec 13

Land rolling Soil 1st rate

Township No 1. N. Range No 4 E.

Chains		
		From the 1/4 sec cor. on the N. side of sec 13. I run.
		East on a random line through sec 13. Va 11° 21' E —
20	00	Set stone for temporary 1/16 sec. cor.
40	00	do do 1/4 do.
41	60	Old road bears S.E. & N.W.
60	00	Set stone for temporary 1/16 sec cor.
79.92		Intersect E. boundary of Township 15 Links N. of the 1/4 sec cor. on E side of sec 13. from which cor. I run N 89° 54' West on a true line through sec 13. Va 11° 21' E.
19.98		Set sandstone 20 x 12 x 4. 8 in: dep. marked 1/16. for 1/16 sec cor.
39.96		Set sandstone 20 x 11 x 5. - 8 in: dep. marked 1/4 for 1/4 sec. cor.
59.94		Set sandstone 20 x 13. x 4. 8 in: dep. marked 1/16. for 1/16. sec cor.
79.92		The 1/4. sec cor. between secs 13 & 14

Land rolling soil 1st rate.

16.

Township No 1. N. Range No 4 E. 6th P.M.

Chains		
		From the 1/16. sec cor. on N. side of SW 1/4 of sec 13, I run.
		East on a random line through sec 13. Va 16° 21' E.
14	50	Old road bears S.E. & N.W.
20	00	set stone for temporary 1/16 sec cor.
40	00	Do Do 1/4 Do
60	00	Do Do 1/16 Do
74	50	Drain bears N.E.
79	44	Intersect E. boundary of Township 25. Lks N. of the 1/16 sec. cor. on E. bound of NE 1/4 of sec 13. from which cor I run.
		N. 89° 50' West on a true line between sec 13. Va 11° 21' E.
19.96		Set sandstone 20+12+4. 8 in: deep marked 1/16 for 1/16. sec. cor.
39.92		Set sandstone 20+10+5. 8 in: deep marked 1/4 for 1/4 sec. cor.
59.88		Set sandstone 20+11+4. 8 in: deep marked 1/16. for 1/16. sec. cor.
79	44	The 1/16. sec cor. on N. side of NW 1/4 of sec 13.
		Land rolling soil 1st rate

Township No 1. N. Range No 4 E.

Chains		
		East on a random line between sec. 13 & 18. Va 11° 21' E.
20.00		Set stone for temporary 1/16 sec cor.
40.00		Do Do 1/4 Do.
60.00		Do Do 1/16. Do.
80.02		Intersect E. boundary of Township 24 Lks N. of cor. to sec 13 & 18. from which cor. I run.
		N. 89° 50' West on a true line between sec. 13 & 18. Va 11° 21' E.
20.00		Set sandstone 20+11+4. 8 in: deep marked 1/16. for 1/16. sec. cor.
40.01		Set sandstone 20+12+4. 8 in: deep marked 1/4 for qr sec. cor.
60.01		Set sandstone 18+12+5. 8 in: deep marked 1/16. for 1/16., sec. cor.
80.02		The cor. to secs 11, 12, 13, & 14.
		Land rolling soil 1st rate
		September 4th 1873.

16.

Township No 1, N. Range No 4 W.

Chains	
	North between sec 11 & 12. Va 11° 21' E.
20.00	Set sandstone 20+12+4. marked 1/16. for 1/16. sec. cor.
40.00	Set sandstone 20+12+4 - marked 1/4 and set 8 in. dep. for 1/4 sec. cor.
60.00	Set Sandstone 20+11+4 - 8 in. dep. mark 1/16 for 1/16. sec. cor.
80.00	Set sandstone 20+12+4. - 8 in. dep. marked 1 on N. 5 on S. 1 on E. 5 on W. side for cor to secs 1. 2. 11. & 12.
	Land rolling soil 1st rate.

Township No 1. N. Range No 4 E. 6th P.M.

Chains	
	From the 1/16. sec cor. on the W. side of the NW. 1/4 of sec 12. I run.
	East on a random line through sec 12. Va 11° 21' E.
20.00	Set stone for temporary 1/16. sec. cor.
40.00	do do 1/4 do
60.01	do do 1/16 do.
79.96	Intersect East boundary of Township 18. Leo N. of the 1/16. sec cor. on E. side of the S.E. 1/4 of sec 12, from which cor I run.
	N 89° 54' West on a true line through sec 12. Va 11° 21' E.
19.99	Set sandstone 20+11+4. - 8 in. dep. marked 1/16 for 1/16 sec. cor.
39.98	Set sandstone 18+12+4 - 8 in. dep. marked 1/4 for 1/4 sec. cor.
59.97	Set sandstone 20+11+4. - 8 in. dep. marked 1/16. for 1/16. sec cor.
79.96.	The 1/16. sec cor. on W. side of S.W. 1/4 sec 12.
	Land rolling soil 1st rate.

16.

Township No 1. N. Range No 4 W.

Chains

From the 1/4 sec cor. on the W. side of sec 12
I run.
East on a random line through sec 12
Va 11° 21' E.

20.00 Set stone for temporary 1/16 sec. cor.
40.00 Do Do 1/4 Do
60.00 Do Do 1/16. Do.
79.89 Intersect E. boundary of Township 11.2
N. of the 1/4 sec cor. on the E side
of sec 12. from which cor. I run
N 89° 55' West on a true line through sec 12
Va 11° 21' E.
19.97 1/4. Set Sandstone 20×11×4, - 8 in: deep. marked
1/16. for 1/16. sec. cor.
39.94 1/2 Set sandstone 18×12×4, - 8 in. deep
marked 1/4 for 1/4. sec. cor.
59.91 3/4 Set sandstone 20×12×4, - 8 in: deep marked
1/16 for 1/16. sec. cor.
79.89 the 1/4 sec cor. on W. side of sec 12.

Land rolling Soil 1st rate

Township No 1. N. Range No 4 E.

Chains

From the 1/16. sec cor. on the W. side of the N.W.
1/4 of sec 12. I run.
East on a random line through sec 12.
Va 11° 21' E.

20.00 Set stone for temporary 1/16 sec. cor.
40.00 Do Do 1/4 Do
60.00 Do Do 1/16. Do.
80.03 Intersect E. boundary of Township 18 Lks N.
of the 1/16. sec cor. on E. side of the N E 1/4
of sec 12. from which cor. I run.
N 89° 52' West on a true line through sec 12.
Va 11° 21' E.
20.00 3/4 Set sandstone 20×12×4, - 8 in: deep. marked
1/16. for 1/16. sec. cor.
40.01 1/2 Set sandstone 18×12×4, - 8 in: deep. marked
1/4 for 1/4. sec. cor.
60.02 1/4 Set sandstone 20×11×4, - 8 in: deep. marked
1/16. for 1/16. sec. cor.
80.03 The 1/16. sec. cor. on the W. side of N.W. 1/4 of
sec 12.

Land rolling Soil 1st rate.

16.

Township No. 1. N. Range No. 4 E.

Chains	
	East on a random line between secs. 1 & 2. Va. 11° 21' E.
5.25	Drain bears E. of N.
20.00	Set stone for temporary 1/16. sec. cor.
37.60	Drain bears N. E.
40.00	Set stone for temporary 1/4 sec. cor.
41.80	Drain bears N.
48.50	Drain bears N.
60.00	Set stone for temporary 1/16 sec. cor.
80.09	Intersect E. boundary of Township 5 Lks. N. of the cor. to secs. 1 & 12. from which cor. I run.
	N. 89° 58' West on a true line between secs. 1 & 12. Va. 11° 21' E.
20.02¼	Set sandstone 20×11×4. – 8 in. deep. marked 1/16. for 1/16 sec. cor.
40.04	Set sandstone 20×11×4. – 8 in. deep. marked 1/4 for 1/4 sec. cor.
60.06¾	Set sandstone 20×11×4. in. + 8 in. deep. marked 1/16. for 1/16 sec. cor.
80.09	The corner to secs. 1. 2. 11 & 12.
	Land rolling. Soil 1st rate.

Township No. 1. N. Range No. 4 E.

Chains	
	North on a random line between secs. 1 & 2. Va. 11° 21' E.
14.25	Drain bears N. E.
20.00	Set stone for temporary 1/16. sec. cor.
40.00	Do. Do. 1/4 Do.
60.00	Do. Do. 1/16. Do.
79.72	Intersect N. boundary of Township 26. Lks. E. of the cor. to secs. 1 & 2 from which cor. I run.
	South 11' E. on a true line between secs. 1 & 2. Va. 11° 21' E. –
19.72	Set sandstone 20×12×4. – 8 in. deep. marked 1/16. for 1/16. sec. cor.
39.72	Set sandstone 20×11×4. – 8 in. deep. marked 1/4 for 1/4 Sec. cor.
59.72	Set sandstone 20×11×4. – 8 in. deep. marked 1/16. for 1/16. sec. cor.
79.72	Corner to secs. 1. 2. 11. & 12.
	Land rolling. Soil 1st rate.

16.

Township No 1. N. Range No 4 E.

Chains	
	From the 1/16. sec cor. on the W. side of the S.W. 1/4 of sec 1 I ran.
	East on a random line through sec 1 Va 11° 21' E.
20.00	Set stone for temporary 1/16 sec. cor
37.75	Drain bears N.E.
40.00	Set stone for temporary 1/4 sec. cor.
41.80	Drain bears North.
48.00	Drain bears N.
60.00	Set stone for temporary 1/16 sec. cor
78.50	branch runs N.E. some timber
79.98	Intersect E. boundary of Township 24 N. N. of the 1/16 sec cor. on the E boundary of the S.E. 1/4 sec 1, from which cor. I ran N. 89° 55' West on a true line through sec 1. Va 11° 21' E —
19.99	Set sandstone 20 x 11 x 4, — 8 in: deep marked 1/16. for 1/16. sec. cor.
39.99	Set sandstone 20 x 11 x 4. 8 in: deep. marked 1/4 for 1/4 sec. cor.
59.98	Set sandstone 19 x 12 x 4 — 8 in: deep. marked 1/16. for 1/16. sec. cor.
79.98	The 1/16. sec. cor. on W. side of S.W. 1/4 sec 1.

Land rolling Soil 1st rate

Township No 1. N. Range No 4 E.

Chains	
	From the 1/4 sec cor. between sec 1 & 2 I ran.
	East on a random line through sec 1. Va 11° 21' E —
20.00	Set stone for temporary 1/16 sec. cor.
40.00	Do Do 1/4 Do
60.00	Do Do 1/16. Do.
80.21	Intersect E. boundary of Township 1 N. Lks North of the 1/4 sec cor. on E. side of sec 1. from which cor. I ran N. 89° 55' West on a true line through sec 1. Va 11° 21' E —
20.05	Set sandstone 20 x 11 x 4, — 8 in: deep. marked 1/16. for 1/16. sec. cor.
40.10½	Set sandstone 21 x 11 x 4, — 8 in: deep. marked 1/4 for 1/4 sec. cor.
60.15¾	Set sandstone 20 x 12 x 4 — 8 in: deep — marked 1/16. for 1/16. sec. cor.
80.21	The 1/4 sec cor. between sec 1 & 2.

Land rolling. Soil 1st rate

16.

Township No. 1. N. Range No. 4 E.

Chains		
		From the 1/16. sec cor. on the N. side of the N.W. 1/4 of sec 1, I ran.
		East on a random line through sec 1. Va 11.° 21' E.
20.00		Set stone for temporary 1/16 sec cor.
40.00		Do Do 1/4 Do
60.00		Do Do 1/16. Do
80	14	Intersect E. boundary of Township 2 N. of the 1/16. sec cor. on the E. side of the N.E. 1/4 sec 1. from which cor. N. 89.05' West on a true line through sec 1 Va 11° 21' E.
20	03	Set sandstone 20+12+4.- 8 in: deep. marked 1/16. for 1/16. sec. cor.
40	07	Set sandstone 18+12+5.- 8 in: deep. marked 1/4 for qr. sec. cor.
60	10	Set sandstone 20+12+4.- 8 in: deep. marked 1/16. for 1/16. sec. cor.
80	14	The 1/16. sec cor. on N. side of N. line of sec 1.

Land rolling Soil 1st rate.

Sept. 5th 1873.

Township No. 1. N. Range No. 4 E.—

Chains		
		From the cor. to sec 34 & 35. in Base line I ran.
		North between sec 34 & 35. Va 11° 21' E.—
20.00		Set sandstone 20+12+4.- 8 in: deep. marked 1/16. for 1/16. sec. cor.
40.00		Set sandstone 18+12+5.- 8 in: deep marked 1/4 for 1/4. sec. cor.
60.00		Set sandstone 18+12+5.- 8 in: deep marked 1/16. for 1/16. sec. cor.
80.00		Set sandstone 20+12+5. 8 in: deep marked 5 on N. 1 on S. 2 on E. and 4 on W. side for cor to sec 26, 27, 34 & 35.

Land rolling Soil 1st rate.

16.

Township No 1. N. Range No 4 E.

Chains

From the 1/16. sec cor. on the W. side of the S.W. 1/4 of sec 35. I run.
East on a random line through sec 35'
Va 11° 21' E—

20 00 Set Stone for temporary 1/16 sec cor.
37 50 Drain bears south.
40 00 Set Stone for temporary 1/4 sec. cor.
52 25 Drain bears S.E.
60 00 Set stone for temporary 1/16 sec. cor.
78 75 Drain bears S.E. thick heavy under brush
80 20 Intersect North and South Line 5 Lks South of the 1/16. sec. cor. on the E side of the S.E. 1/4 of sec 35, from which cor. I run.
S 89° 58' West on a true line through sec 35.
Va 11° 21' E.
20.05 Set sandstone 20×12×4. 8 in: deep. marked 1/16. for 1/16 sec. cor.
40 10 Set sandstone 20×11×4. 8 in: deep. marked 1/4 for 1/4 sec. cor.
60 15 Set Sandstone 19×12×4, 8 in: deep. marked 1/16. for 1/16 sec
80 20 The 1/16. sec cor. on the W. side of the S.W. 1/4 sec 35
Land rolling Soil 1st rate—

Township No 1. N. Range No 4 E—

Chains

From the 1/4 sec cor. between secs 34 & 35. I run.
East on a random line through sec 35.
Va 11° 21' E—

20 00 Set Stone for temporary 1/16. sec. cor.
40 00 Do Do 1/4 Do.
42 25 Drain bears S.E.
60 00 Set stone for temporary 1/16 sec. cor.
80.09 Intersect No. S. Line 8 Lks South of the 1/4 sec cor. between secs 35 & 36. from which cor. I run.
S 89° 57' West on a true line through sec 35.
Va 11° 21' E—
20 02 4 Set sandstone 18×12×4.— 8 in: deep. marked 1/16 for 1/16 sec. cor.
40.04 2 Set sandstone 20×12×4.— 8 in: deep. marked 1/4 for gr. sec. cor.
60 66 3/4 Set sandstone 19×11×5. 8 in: deep. marked 1/16. for 1/16. sec. cor.
80.09 The 1/4 sec cor. between secs 34 & 35.
Land rolling Soil 1st rate.

16.

Township No 1. N. Range No 4 E.

Chs	
	From the 1/16. sec cor. on the W. side of the N.W. 1/4 of sec 35. I run.
	East on a random line through sec 35. Va 11° 21' E—
20.00	Set stone for temporary 1/16 sec. cor.
40.00	Do Do 1/4 Do.
60.00	Do Do 1/16. Do.
68.75	Drain bears E of S.
76.25	Drain bears South
80.15	Intersect W. & S. line 4 Lks N. of the 1/16 cor. on the E side of the N.E. 1/4 of sec 35. from which cor. I run.
	N 89° 58' West on a true line through sec 35 Va 11° 21' E—
20.03 1/4	Set sandstone 20+12+4.—8 in: dep. marked 1/16 for 1/16 sec. cor.
40.07 1/2	Set sandstone 18+14+5. 8 in: dep. marked 1/4 for 1/4. sec. cor.
60.12 3/4	Set sandstone 20+11+4.—8 in: dep. marked 1/16. for 1/16. sec. cor.
80.15	The 1/16. sec. cor. on the W. side of the N.W. 1/4 of sec 35.
	Land rolling soil clay

Township No 1. N. Range No 4 E.

Chains	
	East on a random line between sec 35 & 26. Va 11° 21' E.
20.00	Set stone for temporary 1/16 sec. cor.
40.00	Do Do 1/4 Do.
54.25	Drain bears S.E.
60.00	Set stone for temporary 1/16 sec. cor.
75.50	Drain bears S.E.
80.18	Intersect W. & S. line 6 Lks N. of the cor. to sec 25. 26. 35 & 36. from which cor. I run.
	N. 89° 57' West on a true line between sec 26 & 35 Va 11° 21' E—
20.04 1/2	Set sandstone 20+11+4.—8 in: dep. marked 1/16. for 1/16 sec. cor.
40.09	Set sandstone 18+13.+4.—8 in: dep. marked 1/4 for ~~1/4.~~ 1/4 sec. cor.
60.13 1/2	Set sandstone 19+12+4. 8 in: dep. marked 1/16 for 1/16 sec. cor.
80.18	The cor. to sec 26. 27. 34 & 35.

Township No 1. N. Range No 4 E —

Chains

North between secs 26 & 27.
Va 11° 21' E.

20.00 Set sand stone 20×12×4 - 8 in: deep. marked 1/16. for 1/16. sec. cor.

40.00 Set sand stone 20×11×5. - 8 in: deep. mark 1/4 for 1/4. sec. cor.

43.75 Drain bears W.

46.75 Drain bears S.W.

54.50 Drain bears S.E.

58.25 Drain bears S.W.

60.00 Set sand stone 20×12×4. - 8 in: deep marked 1/16. for 1/16. sec. cor.

63.75 Drain bears S.E.

80.00 Set sandstone 20×12×4. - 8 in: deep marked 4 on N. 2 on S. 2 on E and 4 on W. side for cor to sec 22. 23. 26 & 27.

Land rough & stony soil 2nd rate

Township No 1. N. Range No 4 E. —

Chains

From the 1/16. sec cor. on the W. side of the S.W. 1/4 of sec 26. I run.

East on a random line through sec 26.
Va 11° 21' E —

20.00 Set stone for temporary 1/16 sec. cor.

40.00 Set stone for temporary 1/4 sec cor.

60.00 Set stone for temporary 1/16 sec. cor.

80.04 Intersect N. & S. line & Lks N. of the 1/16. sec cor. on the E. side of S.E. 1/4 of sec 26. from which cor. I run.

√ N 89° 57' West on a true line through sec 26.
Va 11° 21' E —

20.01 Set stone 20×12×4 - 8 in deep. marked 1/16 for 1/16 sec. cor.

40.02 Set sandstone 20×12×4 - 8 in deep. marked 1/4 for qr. sec. cor.

60.03 Set Limestone 21×12×4. - 8 in. deep marked 1/16. for 1/16 sec. cor.

80.04 The 1/16 sec cor. on the W. side of S.W. 1/4 sec 26.
Land rough soil 2nd rate.

Township No 1. N. Range No 4 E. 6th Prin

Chains		
		From the 1/4 sec cor. on the W. side of sec 26. I run.
		East on a random line through sec 26, Va 11° 21' E.
8.75		Drain bears N.W.
20.00		Set Stone for temporary 1/16 sec cor.
40.00		Do Do 1/4 Do
60.00		Do Do 1/16 Do
71.25		Drain bears south.
80.00		Intersect N & S. line 6 Lks N. of the 1/4 sec cor between secs 25 & 26. from which cor I run.
		N. 89° 55' West on a true line through sec 26 Va 11° 21' E —
20.02		Set Sandstone 20×12×4. 8 ins. deep. marked 1/16. for 1/16 sec. cor.
40.04		Set sandstone 20×12×4. - 8 ins. deep. marked 1/4 for 1/4 sec cor.
60.06		Set Sandstone 21×12×4 - 8 ins. deep. marked 1/16. for 1/16. sec. cor.
80.08		The 1/4 sec cor. between secs 26 & 27. Land rough soil 2nd rate.

Township No 1. N. Range No 4 E. —

Chains		
		From the 1/16. sec cor. on the W. side of the NW 1/4 of sec 26. I run.
		East on a random line through sec 26. Va 11° 21' E.
1.75		Drain bears S.W.
20.00		Set Stone for temporary 1/16 sec. cor.
40.00		" " " 1/4 " "
60.00		" " " 1/16 " "
71.75		Drain bears south.
80.02		Intersect N & S. line 12 Lks N. of the 1/16. sec cor. on the E. side of the N.E. 1/4 of sec 26. from which cor. I run
		N. 89° 55' West on a true line through sec 26. Va 11° 21' E —
20.00½		Set sandstone 20×12×4 - 8 ins. deep. marked 1/16 for 1/16 sec. cor.
40.01		Set Sandstone 21×11×4. - 8 ins. deep. marked 1/4 for 1/4 sec. cor.
60.01½		Set sandstone 20×11×4. - 8 ins. deep. marked 1/16. for 1/16 sec. cor.
80.02		The 1/16 sec cor. on the N. side of the NW 1/4 sec 26. Land rough soil 2nd rate.

Township No 1. N. Range No 4 E.

Chains

East on a random line between sec 23 & 26
Va 11° 21' E.

20 00 Set stone for temporary 1/16 sec. cor.
23 50 Drain bears N.W.
32 75 Drain bears N.W.
40 00 Set stone for temporary 1/4 sec. cor.
60 00 " " " 1/16 " "
77 25 Drain bears south.
80 11 Intersect N & S. line 17 Lks N. of cor to
secs 23 & 26. from which cor true
N 89° 53' West on a true line between sec 23 & 26
Va 11° 21' E
20.03 3/4 Set sandstone 21 + 11 + 3. - 8 in: deep marked
1/16 for 1/16 sec. cor.
40.05 1/2 Set sandstone 20 + 12 + 4 - 8 in: deep marked
1/4 for 1/4 sec. cor.
60.08 1/4 Set sandstone 20 + 12 + 4 - 8 in: deep. marked
1/16 for 1/16 sec. cor.
80 11 Corner to secs 22. 23. 26. & 27.
Land rough soil 2nd rate.

September 6th 1873.

Township No 1. N. Range No 4 E —

Chains

North between secs 22. & 23.
Va 11° 21' E —

8.25 Drain bearing S.W. thick under brush.
20 00 Set sandstone 20 + 12 + 4. - 8 in: deep marked
1/16. for 1/16 sec. cor.
40 00 Set sandstone 19 + 13 + 4. - 8 in: deep
marked 1/4 for 1/4 sec cor
60 00 Set sandstone 20 + 11 + 5. - 8 in: deep marked
1/16. for 1/16 sec. cor.
80 00 Set sandstone 20 + 13 + 4 - 8 in: deep.
marked 3 on N. 3 on S. 2 on E.
and 4 on W. side for cor to
secs 14. 15. 22. & 23.

Land rough soil 2nd rate.

Township No 1. N. Range No 4 E.

Chains		
		From the 1/16 sec cor. on W. side of S.W. 1/4 of sec 23. I run.
		East on a random line through sec 23. Va 11° 21' E.
4.75		Crossed Drain bearing south.
20.00		Set Stone for temporary 1/16 sec cor.
40.00		" " " " 1/4 " "
60.00		" " " " 1/16. " "
74.00		Drain bears south.
80.03		Intersect N. & S. line 3 Lks W. of the 1/16. sec cor. on the E side of the S.E 1/4 of sec 23. from which cor. I run.
		N. 89° 59' West on a true line through sec 23. Va 11° 21' E.
20.00	1/4	Set sandstone 20×12×4. - 8 in: deep marked 1/16 for 1/16 sec. cor.
40.00	1/4	Set sandstone 20×11×4. - 8 in: deep marked 1/4 for 1/4 sec. cor.
60.02	1/4	Set sand stone 20×12×4 - 8 in: deep marked 1/16. for 1/16. sec. cor.
80.03		The 1/16 sec cor. on the N. side of S.W 1/4 sec 23.
		Land rough. Soil 1st rate.

Township No 1. N. Range No 4 W.

Chains		
		From the 1/4 sec cor. between secs 22 & 23 I run. East on a random line through sec 23. Va 11° 21' E.
9.25		Large Drain bears S. heavy under brush
20.00		Set Stone for temporary 1/16 sec cor.
40.00		Set Stone for temporary 1/4 sec cor.
60.00		Set Stone for temporary 1/16 sec. cor.
79.90		Intersect N. & S. line 20 Lks N. of the 1/4 sec cor. between secs 23 & 24. from which cor. I run.
		N. 89° 51' West on a true line through sec 23. Va 11° 21' E.
19.97	1/4	Set Sandstone 20×11×5. - 8 in: deep marked 1/16. for 1/16 sec. cor.
39.95		Set Sand stone 21×11×4. 8 in: deep. Marked 1/4 for 1/4 sec. cor.
59.92	1/4	Set Sandstone 19×13×4 - 8 in: deep marked 1/16 for 1/16 sec. cor.
79.90		The 1/4 sec cor. between secs 22 & 23.
		Land rolling Soil 2nd rate.

Township No 1. N. Range No 4 E.—

Chains	
	From the 1/16 sec cor. on the W. side of the N.W.1/4 of sec. 23. I run.
	East on a true line through sec 23. Va 11° 21' E.
8.75	Drain bears south thick underbrush.
20.00	Set stone for temporary 1/16. sec. cor.
40.00	" " " 1/4 " "
60.00	" " " 3/16 " "
79.79	Intersect N. & S. line 12 Lks N. of the 1/16 sec cor. on the E. side of the N.E. 1/4 of sec 23. from which cor. I run N. 89°55' West on a true line through sec 23 Va 11° 21' E.
19.94	Set sandstone 20×12×4.– 8 in: deep. marked 1/16. for 1/16 sec. cor.
39.89	Set sandstone 19×15×4.– 8 in: deep marked 1/4 for 1/4 sec cor.
59.84	Set sandstone 20×12×4.– 8 in: deep. marked 3/16 for 3/16 sec cor.
79.79	The 1/16 sec cor. on W. side of N.W.1/4 of sec 23

Land rough soil 2nd rate

Township No 1. N. Range No 4 E.

Chains	
	East on a random line between sec 14 & 23 Va 11° 21' E.—
5.75	Drain bears south.
18.50	Drain bears south.
20.00	Set stone for temporary 1/16 sec cor.
20.30	Drain bears S.W.
40.00	Set stone for temporary 1/4 sec. cor.
60.00	" " " 3/16 " "
63.00	Road between Ft Kearney & Leavenworth bears S.E. & N.W.
79.88	Intersect N. & S. line 10 Lks N. of the cor to sec° 14 & 23. from which cor I run N. 89°56' West on a true line between sec 14 & 23. Va 11° 21' E.
19.97	Set sandstone 20×12×4.– 8 in: deep. marked 1/16 for 1/16 sec. cor.
39.94	Set sandstone 19×14×4.– 8 in: deep. marked 1/4 for 1/4 sec cor.
59.91	Set sandstone 20×11×4.– 8 in: deep. marked 3/16. for 3/16 sec cor
79.88	The cor. to sec° 14. 15. 22 & 23.

Land rough soil 2nd rate

Township No 1. N. Range No 4 E – 6th P.M.

Chains

North between secs 14 & 15.
Va 11° 21' E –

20.00 Set sandstone 20+12+5.–8 in: deep.
marked 1/16 for 1/16 sec. cor.

3+ 20 Road between Ft. Kearney & Leavenworth
bears S.E. & N.W.

40.00 Set sandstone 20+13+4 8 in: deep.
marked 1/4 for 1/4 sec. cor.

60.00 Set sandstone 21+12+3.–8 in: deep.
marked 1/16. for 1/16. sec. cor.

68.75 Drain bears E of W.

80.00 Set sandstone 20+12+4.–8 ins deep.
marked 2 on N. 4 on S. 2 on E.
and 4 on W. side for cor to secs
10. 11. 14 & 15.

Land rolling Soil 1st rate.

Township No 1. N. Range No 4 E. –

Chains

From the 1/16. sec cor. on the W. side of the S.W.
1/4 of sec 14 I run.
East on a random line through sec 14.
Va 11° 21' E –

20.00 Set stone for temporary 1/16 sec cor.

28.25 Road from Ft. Kearney to Leavenworth
bears S of E. and N of W.

40.00 Set stone for temporary 1/4 sec. cor.

60.00 Set stone for temporary 1/16 sec. cor.

80.03 Intersect N & S. line. 5 Lks N. of the 1/16 sec
cor. on the E. side of the S.E. 1/4 of sec 14
from which cor. I run.
N. 89° 58' West on a true line through sec 14
Va 11° 21' E –

20.00 3/4 Set sandstone 21+11+4–8 ins deep. marked
1/16. for 1/16 sec. cor.

40.01 Set sandstone 20+12+4.–8 ins deep. marked
1/4 for 1/4 sec. cor.

60.02 Set sandstone 20+12+4.–8 ins deep marked
1/16. for 1/16. sec. cor.

80.03 The 1/16 sec cor. on the W. side of the S.W. 1/4 of sec 14

Land rolling. Soil 1st rate
September 8th 1873.

Township No. 1. N. Range No. 4. E.

Chains

From the ¼ sec cor. between sec 14 & 15 I run.

East on a random line through sec 14 Va 11° 21' E.

20.00 Set stone for temporary ¼6 sec cor

40.00 " " " ¼4 "

60.00 " " " ¼6 "

80.00 Intersect N. & S. line 6 links W. of the ¼4 cor bet. sec 13 & 14. from which cor. I run.

N. 89° 05' West on a true line through sec 14 Va 11° 21' E.

20.02 Set sandstone 20+12+4 - 8 in: dep. marked ¼6 for ¼6. sec. cor.

40.04 Set sandstone 20+12+4 - 8 in dep. marked ¼4 for ¼4 sec cor.

60.06¾ Set sandstone 21+12+4, 8 in: dep marked ¼6. for ¼6 sec. cor.

80.09 The ¼4 sec cor. between secs 14 & 15.

Land rolling soil 1st rate.

Township No. 1. N. Range No. 4 E.

Chains

From the ¼6 sec cor. on the W. side of the N.W. ¼4. sec 14 I run.

East on a random line through sec 14 Va 11° 21' E.

20.00 Set stone for temporary ¼6 sec. cor.

40.00 " " " " ¼4 " "

60.00 " " " " ¼6 " "

80.06 Intersect N. & S. line 12. Lks N. of the ¼6. sec cor. on the E side of the N.E. ¼4 of sec 14. from which cor. I run.

N. 89° 05' West on a true line through sec 14 Va 11° 21' E—

20.01 Set Sandstone 20+12+4 - 8 in: dep. marked ¼6 for ¼6. sec cor.

40.03 Set sandstone 21+11+4 - 8 in: dep. marked ¼4 for ¼4 sec. cor.

60.04 Set sandstone 19+13+4. - 8 in: dep. marked ¼6. for ¼6. sec cor.

80.06 The ¼6. sec cor. on the W. side of the N.W. ¼4 of sec 14.

Land rolling Soil 1st rate.

Township No 1. N. Range No 4 E.

Chains

Easterna random line between secs 11 & 14
Va 11° 21' E.

7.00 Drain bears E of N.

20.00 Set stone for temporary 1/16 sec. cor.

40.00 Set stone for temporary 1/4 sec cor.

51.80 Old road bears S of E. and N. of W.

60.00 Set stone for temporary 1/16 sec. cor.

79.98 Intersect No S. line at (20 Lks N) cor to secs 11, 12, 13 & 14
from which cor. I run
N. 89° 51' West on a true line ~~between~~ sec 11 & 14
Va 11° 21' E.

19.99 Set sandstone 21 + 12 + 4. – 8 in: deep. marked
1/16 – for 1/16. sec cor

39.99 Set Sandstone 20 + 12 + 4. – 8 in: deep. Marked
1/4 for 1/4 sec. cor.

59.98 Set sandstone 19 + 13 + 4. – 8 in: deep marked
1/16. for 1/16. sec. cor.

79.98 the corner to secs 10, 11, 14 & 15.

Land rolling rail 1st rate.

Township No 1. N. Range No 4 E.

Chains

North between secs 10 & 11.
Va 11° 21' E.

4.50 Old road bears E & W.

20.00 Set Sandstone 20 x 12 x 4 ins 8 in: deep.
marked 1/16. for 1/16. sec. cor.

40.00 Set Sandstone 21 x 11 x 5. 8 in: deep marked
1/4 for 1/4 sec. cor.

60.00 Set Sandstone 20 x 12 x 4. – 8 in: deep.
Marked 1/16 for 1/16 sec cor

74.50 Old road from Beatrice to Steele City
bears S. W. & N. E.

78.75 Drain bears N. W.

80.00 Set Sandstone 20 x 10 x 3. – 8. in: deep.
marked 1 on N. 5 on S. 2 on E and
4 on N. side for cor to sec
2. 3. 10 & 11

Land rolling rail 1st rate

Township No 1. N. Range No 4 E.

Chains

From the 1/16 sec cor. on the W. side of the S.W. 1/4 of sec 11, I run.

East on a random line through sec 11,
Va 11° 21' E.—

19.60 Drain bears North

20.00 Set stone for temporary 1/16 sec. cor.

40.00 " " " 1/4 "

60.00 " " " 1/16 "

80.05 Intersect No S line 11 Lks N. of the 1/16 sec cor. on the E side of the S.E. 1/4 sec 11, from which cor I run.

N. 89° 55' West on a true line through sec 11.
Va 11° 21' E.—

20.01 Set Sandstone 20×12×4.—8 in deep. marked 1/16 for 1/16. sec cor.

40.02 Set Sandstone 21×12×4.—8. in. deep. marked 1/4 for 1/4 sec. cor.

60.03 Set sandstone 19×12×4.—8 in. deep. marked 1/16. for 1/16 sec. cor.

80.00 The 1/16. sec cor. on the W. side of the S.W. 1/4 of sec 11.

Land rolling soil 1st rate.

Township No 1. N. Range No 4. E.

Chains

From the 1/4 sec cor. between secs 10 & 11 I run.

East on a random line through sec 11.
Va 11° 21' E.—

18.30 Drain bears North.

20.00 Set stone for temporary 1/16 sec. cor.

40.00 Set stone for temporary 1/4 sec cor.

60.00 Set stone for temporary 1/16 sec cor.

80.09 Intersect N. & S. 1/2 Lks N. of the 1/4 sec cor. between secs 11 & 12. from which cor. I run

N. 89° 55' West on a true line through sec 11.
Va 11° 21' E.—

20.02 Set sandstone 20×12×4.—8 in. deep. marked 1/16. for 1/16 sec. cor.

40.04 Set sandstone 21×11×5.—8 in. deep. marked 1/4 for 1/4 sec. cor.

60.06¾ Set sandstone 19×13×4.—8 in. deep. marked 1/16 for 1/16 sec cor.

80.09 The 1/4 sec cor. between secs 10 & 11.

Land rolling soil 1st rate.

Township N. 1. N. Range No 4 E.

Chains		
		From the 1/16 sec cor. on the W. side of the N.W. 1/4 of sec 11. I run East on a random line through sec 11 Va 11° 21' E.
16	80	Drain bears N. W.
20	00	Set stone for temporary 1/16 sec. cor.
40	00	Set stone for temporary 1/4 sec. cor.
60	00	Set stone for temporary 1/16. sec. cor.
79	91	Intersect N. & S. line 22. Lks N. of the 1/16 sec cor. on the E. side of the N.E. 1/4 of sec 11. from which cor. I run N. 89° 51' West on a true line through sec 11 Va 11° 21' E.
19	98	Set sandstone 19+13+4-8 in: deep marked 1/16 for 1/16. sec cor.
39	97	Set sandstone 21+12+4.-8 in: deep marked 1/4 for qr. sec. cor.
59	95	Set sandstone 20+12+4. 8 in: deep marked 1/16. for 1/16 sec. cor.
79	91	The 1/16. sec cor. on the N. side of the N.W. 1/4 of sec 11.
		Land rolling Soil 1st rate

Township No 1. N. Range No 4 E. 6th P.M.

Chains		
		East on a random line between secs 2 & 11. Va 11° 21' E
4	75	Road from Beatrice to Steele City bears S.E. N.E.
20	00	Set stone for temporary 1/16. sec. cor.
40	00	" " " 1/4 "
60	00	" " " 1/16 "
71	50	Drain bears N. E.
79	91	Intersect N. & S. line 29 Lks N. of the cor to secs 1. 2. 11. & 12. from which cor I run.
		N. 89° 48. West on a true line bet. secs 2 & 11. Va 11° 21' E.
19	97 3/4	Set sandstone 21+12+4.-8 in: deep marked 1/16 for 1/16 sec. cor.
39	95	Set sandstone 21+12+4.-8 in: deep marked 1/4 for qr. sec. cor.
59	93	Set sandstone 19+11.+5-8 in: deep marked 1/16. for 1/16. sec. cor.
79	91	The cor. to secs 2. 3. 10 & 11.
		Land rolling Soil 1st rate.

Town. 1 N. Range 4 E. 6th P. M.

Chs		
		North on a random line between secs 2 & 3. Va 11° 21' E.
20	00	Set Stone for temporary 1/16 sec. cor.
40	00	" " " 1/4 "
60	00	" " " 1/16 "
79	55	Intersect North boundary of Township 33 Lks East of the cor. to secs 2 & 3. from which cor. I run. South 14' E. on a true line between secs 2 & 3. Va 11° 21' E.
19	55	Set sandstone 20 x 12 x 4 - 8 in: deep. marked 1/16. for 1/16 sec. cor.
39	55	Set Sandstone 20 x 12 x 4 - 8 in: deep. marked 1/4 for qr. sec. cor.
59	55	Set Sandstone 20 x 12 x 4. - 8 in: deep. marked 1/16. for 1/16. sec. cor.
79	55	Corner to secs 2. 3. 10 & 11. Land rolling soil 1st rate Sept. 9. 1873.

Township No 1. N. Range No 4. E.

Chains		
		From the 1/16. sec cor. on W. side of the S.W. 1/4 of sec 2. I run. East on a random line through sec 2. Va 11° 21' E.
20	00	Set Stone for temporary 1/16 sec. cor.
28	00	Road between Beatrice & Steele City S.W. & N.E.
40	00	Set stone for temporary 1/4 sec. cor.
60	20	Set Stone for temporary 1/16 sec cor.
80	12	Intersect N. & S. line 24 Lks N. of the 1/16 sec cor. on E. side of the S.E. 1/4 of sec 2. from which cor. I run N. 89 55' W. on a true line through sec 2. Va 11° 21' E.
20	03	Set Sandstone 20 x 12 x 4. - 8 ins deep. marked 1/16 for 1/16 sec sec. cor.
40	06	Set Sandstone 20 x 12 x 4. - 8 ins: deep. marked 1/4 for 1/4 sec. cor.
60	09	Set Sandstone 20 x 12 x 4. - 8 in: deep marked 1/16. for 1/16 sec. cor.
80	12	The 1/16. sec cor. on N. side of S.W. 1/4 sec. 2 Land rolling soil 1st rate.

Township No 1. N. Range No 4. E.

Chains		
		From the 1/4 sec cor. between sec 2 & 3 I run Eastern random line through sec 2 Va 11° 21' E.
20.00		Set Stone for temporary 1/16 sec. cor.
38.75		Road from Beatrice to Steele City bears N. & S.
40.00		Set Stone for temporary 1/4 sec. cor.
60.00		" " " 1/16 " "
79.80		Intersect N. & S. line 12 lks North of the 1/4 sec cor. between sec 1 & 2. from which cor I run
N. 89° 55'		West on a true line through sec 2 Va 11° 21' E.
19.95		Set Sandstone 20+12+4. 8 in: deep. marked 1/16 for 1/16. sec. cor.
39.90		Set Sandstone 21+11+5. - 8 in: deep. marked 1/4 for 1/4 sec. cor.
59.85		Set Sandstone 18+13+5. 8. in: deep marked 1/16. for 1/16 sec. cor.
79.80		The 1/4 sec cor. between sec 2 & 3.

Land rolling Soil 1st rate.

Township No 1. N Range No 4 E.

Chains		
		From the 1/16. sec. cor. on the N. side of the N.W. 1/4 of sec 2. I run Eastern random line through sec 2. Va 11° 21' E.
20.00		Set Stone for temporary 1/16 sec. cor.
40.00		" " " " 1/4 " "
29.25		Road from Beatrice to Steele City bears E. of S. & N. of E.
60.00		Set Stone for temporary 1/16 sec. cor.
79.90		Intersect N. & S. line 18 lks N. of the 1/16. sec cor. on the E. side of N.E. 1/4 sec 2. from which cor. I run
N. 89° 52'		West on a true line through sec 2. Va 11° 21' E.
19.97		Set Sandstone 20+13+4. - 8 in: deep. marked 1/16 for 1/16. sec. cor.
39.90		Set Sandstone 19+13+4. - 8 in: deep. marked 1/4 for 1/4 sec. cor.
59.92		Set Sandstone 20+12+4. - 8 in: deep. marked 1/16 for 1/16. sec. cor.
79.90		The 1/16. sec cor. on N. side of N.W. 1/4 sec 2.

Land rolling Soil 1st rate

Township No 1. N. Range No 4. E

Chains		
		From the cor to sec 33 & 34. on Base Line S. North between sec 33 & 34.
		Va 11.° 21' E
10	25	Drain bears S.W.
20	00	Set Sandstone 20+12+4. - 8 in: deep marked 1/16. for 1/16 sec. cor.
40	00	Set Sand stone 21+11+4. - 8 in: deep marked 1/4 for 1/4 sec. cor.
60	00	Set Sand stone 21+11+4 - 8 in: deep marked 1/16. for 1/16 sec. cor.
80	00	Set Sandstone 20+12+4. - 8 in. deep Marked 5 on N. 1 on S. 3 on E and 3 on W. side for cor to secs 27. 28. 33 & 34.
		Land rolling Soil 2nd rate.

Township No 1. N. Range No 4. E

Chains		
		From the 1/16. sec cor. on the W. side of the S.W. 1/4 of sec 34 I run.
		Eastwa random line through sec 34
		Va 11.° 21' E.
20	10	Set Stone for temporary 1/16 sec. cor.
31	20	Drain bears S.
40	00	Set Stone for temporary 1/4 sec. cor.
60	00	" " " 1/16 "
79	89	Intersect the S. line 7 Lks to L. of the 1/16 sec cor. on the E. side of S.E. 1/4 of sec 34 from which cor. I run.
		N. 89.° 57' West on a true line through sec 34
		Va 11.° 21' E.
19.97	4	Set sandstone 19+14+4. 8 in: deep. marked 1/16. sec. cor.
39.94	4	Set Sandstone 20+13+4. - 8 in: deep marked 1/4 for qr. sec. cor.
59.91	3/4	Set Sandstone 20+12+4. - 8 in: deep marked 1/16. for 1/16. sec. cor.
79.89		The 1/16. sec cor. on the W. side of the S.W. 1/4 of sec 34.
		Land rolling soil 1st rate.

Township No 1. N. Range No 4. E. 6th P.M.

	Chains	
		From the 1/16 sec cor. on the E. side of the S.E. 1/4 of sec 33. I run.
		West on a true line through sec 33. Va 11° 21' E
	20.00	Set Sandstone 20+12+4. 8 in: deep. Marked 1/16. for 1/16. sec. cor.
	35.07	Intersect W. Boundary of Reservation
		Set Sandstone 20+12+4. in: - 8 in: deep Marked O.C. for closing corner.

Township No. 1. N. Range No 4. E.

	Chains	
		From the 1/4 sec cor. between sec 33 & 34 I run.
		East on a random line through sec 34 Va 11° 21' E
	14.25	Drain bears south
	20.00	Set Stone for temporary 1/16 sec. cor.
	40.00	" " " 1/4 "
	60.01	" " " 3/16 "
	79.96	Intersect N & S. line 6 Lks south of the 1/4 sec cor between sec 34 & 35 from which cor. I run.
		S 89° 57' West on a true line through sec 34 Va 11° 21' E
	19.99	Set Sandstone 20+12+4. - 8 in: deep marked 1/16. for 1/16 sec. cor.
	39.99	Set Sandstone 20+12+4 - 8 in: deep. marked 1/4 for 1/4 cor. sec cor.
	59.98	Set Sandstone 20+12+4. - 8 in: deep marked 1/16. for 1/16 sec. cor.
	79.98	The 1/4 sec cor. between sec 33 & 34
		Land rolling Soil 1st rate.

Township No 1. N. Range No 4 E.

From the 1/4 sec cor. between sec 33 & 34
I run.
West on a true line through sec 33
Va 11° 21' E.

20.00 Set Sandstone 20 x 12 x 4 in: x 8 in: deep.
marked 1/16. for 1/16 sec. cor.

34.54 Intersect West Boundary of Reserve where
Set Sandstone 18 x 13 x 5. 8 in: deep. marked
C. C. for closing cor.
Land rolling soil 1st rate.
Sept 10th 1873.

Township No 1. N. Range No 4 E.

Chains

From the 1/16. sec. cor. on the W. side of
of the N.W. 1/4 of sec 34 I run.
East on a random line line through sec 34.
Va 11° 21' E.

20.00 Set Stone for temporary 1/16 sec. cor.
40.00 " " " 1/4 "
60.00 " " " 1/16. "
79.91 Intersect N. & S. line 11 Lks South of the 1/16.
sec cor. on the E. side of N E 1/4 of sec
34 from which cor. I run.
S 89° 55' West on a true line through sec 34
Va 11° 21' E.

19.97 3/4 Set Sandstone 21 x 12 x 4. - 8 in. deep. marked
1/16 for 1/16 sec. cor.

39.95 2 Set Sandstone 21 x 11 x 4. - 8 in: deep. marked 1/4
for 1/4 sec. cor.

59.93 4 Set Sandstone 21 x 12 x 4. - 8 in: deep. marked
1/16 for 1/16. sec. cor.

79.91 The 1/16. sec cor. on W. side of the N W. 1/4 of
sec 34.
Land rolling soil 1st rate.

Town 1. N. Range No 4 E. 6th Prin.

Chains		
		From the 1/16 sec cor. on the E side of the N.E. 1/4 of sec 33 I run.
		West on a true line through sec 33 Va 11° 21' E.
20 00		Set Sandstone 20 x 13 x 4, - 8 in: deep. marked 1/16, for 1/16, sec. cor.
33 58		Intersect W. boundary of Reserve Set Sandstone 20 x 12 x 5. 5 in: deep marked R.C. for closing cor.
Land rolling		Soil 1st rate.

Township No 1. N. Range No 4. E—

Chains		
		East on a random line between sec 27 & 34 Va 11° 21' E
20 00		Set Stone for temporary 1/16 sec. cor.
40 00		" " " 1/4 "
60 00		" " " 1/16 "
79.90		Intersect N. & S. line 15 links South of the cor. to sec 26. 27. 34 & 35. from which cor. I run.
		S 89° 54' West on a true line between sec 27 & 34 Va 11° 21' E.
19.98		Set Sandstone 19 x 13 x 4. 8 in: deep. marked 1/16. for 1/16 sec. cor.
39.97		Set Sandstone 21 x 11 x 4. 8 in: deep. marked 1/4 for 1/4 sec. cor.
59.96		Set Sandstone 20 x 11 x 5. 8 in: deep. marked 1/16 for 1/16 sec. cor.
79.95		Ch. cor. to sec 27. 28. 33 & 34.
		Land rough Soil 2nd rate

Township No 1. N. Range No 4. E.

Chains

West on a random line between secs 28 & 33
Va 11° 21' E.

20 00 Set stone for temporary 1/16 sec. cor.
33 10 Intersect West Boundary of the Otoe & Missouri Indian Reserve. 2 L. N. of the sandstone cor. to secs 28 & 33. from which cor. I. run.
N 89° 58' East on a true line between secs 28
Va 11° 21' E —
13 10 Set sandstone 20 + 12 + 4. 8 in: deep. marked 1/16 for 1/16. sec. cor.
33. 10 Corner to secs 27. 28. 33. & 34.
Land rolling soil 1st rate.

Township No 1. N. Range No 4 W.

Chains

North between secs 27 & 28.
Va 11° 21' E.

20 00 Set sandstone 20 + 12 + 4. - 8 in: deep. marked 1/16. for 1/16 sec. cor.
26 80 Drain bears S of W.
40 00 Set sandstone 21 + 12 + 4. - 8. in: deep — marked 1/4 for 1/4. sec. cor.
60 00 Set sandstone 19 + 12 + 4. - 8 in: deep. marked 1/16 for 1/16. sec. cor.
64 50 Drain bears S of W. Heavy under brush.
80 00 Set sandstone 21 + 13 + 4. - 8 in: deep. marked 4 on N. 2 on S. 3 on E. and 3 on W. side for cor to secs 21. 22. 27. & 28.
Land rough soil 2nd rate.

Township No 1. N. Range No 4. E.

Chains

From the 1/16 sec cor. on the W. side of the S.W. 1/4 of sec 27. I run.
Easton a random line through sec 27
Va 11° 21' E.

20.00 Set temporary 1/16 sec. cor.
40.00 " " 1/4 " "
60.00 " " 1/16 " "
80.03 Intersect N. & S. line 5 Lks North of the 1/16 sec cor. on the E. side of the S.E. 1/4 of sec 27. from which cor. I run.
N. 89° 58' Weston a true line through sec 27
Va 11° 21' E
20.00 3/4 Set sandstone 20×12×4. 8 in: deep. marked 1/16. for 1/16. sec. cor.
40.01 1/2 Set sandstone 20×12×4. 8 in: deep. marked 1/4 for 1/4 sec. cor.
60.02 1/4 Set sandstone 20×12×4. 8 in: deep. marked 1/16. for 1/16. sec. cor.
80.03 The 1/16. sec cor. on the W. side of the S.W. 1/4 of sec 27.
Land rough soil 2nd rate.

Township No 1. N. Range No 4. E.

Chains

From the 1/16. sec cor. on the E. side of the S.E. 1/4 of sec 28. I run.
Weston a true line through sec 28.
Va 11° 21' E.

20.00 Set sandstone 20×12×4. 8 in: deep. marked 1/16. for 1/16 sec. cor.
32.86 Intersect West boundary of Reservoir
Set Sandstone 19×12×5. 8 in: deep. marked C. C. for closing cor.
Land rough soil 2nd rate
September 11th 1873.

Township No 1. N. Range No 4. E.

Chains	
	From the ¼ sec cor between secs 27 & 28 I run.
	East on a random line through sec 27 Va 11° 21' E—
20.00	Set Stone for temporary ¼6 sec. cor.
40.00	" " " ¼ "
60.00	" " " ¼6 "
79.97	Intersect N & S. line 19 Lks N. of the ¼ sec cor. between secs 26 & 27, from which cor. I run.
	N 89° 55' West on a true line through sec Va 11° 21' E.
19.99	Set Sandstone 20×14×4.—8 in: deep— marked ¼6 for ¼6 sec. cor.
39.98	Set Sandstone 21×12×4.—8 in: deep. marked ¼ for ¼ sec. cor.
59.97	Set Sandstone 21×11×4—8 in: deep marked ¼6. for ¼6 sec. cor.
79.97	The ¼ sec cor. between secs 27 & 28.

Land rough soil 2nd rate

Township No 1. N. Range No 4. E.

Chains	
	From the ¼ sec cor. between secs 27 & 28. I run.
	West on a true line through sec 28. Va 11° 21' E—
21.00	Set Sandstone 20×11×5. 8 in: deep. marked ¼6. for ¼6 sec. cor.
32.47	Intersect West Boundary of Reserve where Set Sandstone 20×12×4—8 in: deep marked C. C. for closing cor.

Township No 1. N. Range No 4. E.

Chains	
	From the 1/16. sec cor. on the W. side of the N.W. 1/4 of sec 27. I run.
	Eastowa random line through sec 27. Va 11.° 21' E.
20.00	Set stone for temporary 1/16 sec cor.
40.00	" " " 1/4 "
60.00	" " " 1/16 "
80.10	Intersect N & S. line 17. Lks N. of the 1/16 sec cor. on the E. side of the N.E. 1/4 of sec 28. from which cor. I run
	N. 89° 53' Westowa true line through sec 27 Va 11° 21' E.
20.02	Set sandstone 20×12×4. 8 in: deep. marked 1/16. for 1/16 sec. cor.
40.05	Set sandstone 20×13.×4. 8 in: deep marked 1/4 for 1/4 sec. cor.
60.07	Set sandstone 21×11×4. 8 in: deep. marked 1/16 for 1/16. sec. cor.
80.10	The 1/16. sec cor. on the W. side of the N.W. 1/4 of sec 27.
	Land rolling soil 2nd rate.

Township No 1. N. Range No 4 E.

Chains	
	From the 1/16. sec cor. on the E. side of the N.E. 1/4 of sec 28. I run.
	Westowa true line through sec 28. Va 11° 21' E.
4.80	Large Drain bears S of W. with thick underbrush.
20.00	Set sandstone 20×11×5. 8 in: deep. marked 1/16. for 1/16 sec. cor.
23.50	Drain bears S.W.
32.15	Intersect West boundary of Reserve
	Set Sandstone 20×12×4. – 8 in: deep. marked C.C. for closing corner.
	Land rough soil 2nd rate

Township No. 1. N. Range No. 4 W.

Chains	
	East on a random line between secs 22. & 27
	Va 11° 21' E.
14.50	Drain bears W. of S.
20.00	Set Stone for temporary 1/16 sec cor.
32.25	Drain bears N. & S.
40.00	Set Stone for temporary 1/4 sec. cor.
60.00	" " " 1/16. "
61.80	Drain bears S.W. thick under brush.
80.12	Intersect N. & S. line 20 Lks N. of the cor to secs 22. 23. 26 & 27. from which cor. I run.
	N. 89° 51' West on a true line between secs 22 & 27
	Va 11° 21' E.
20.03	Set sandstone 19 + 12 + 6. - 8 in. deep marked 1/16. for 1/16. sec. cor.
40.06	Set sandstone 18 + 12 + 5. 8 in. deep. marked 1/4 for 1/4 sec. cor.
60.09	Set sandstone 17 + 9 + 4. - 8 in. deep. marked 1/16. for 1/16. sec. cor.
80.12	The cor. to secs 21. 22. 27. & 28.
	Land rolling Soil 1st rate.

Township No. 1. N. Range No. 4 E.

Chains	
	West on a random line between secs 21 & 28.
	Va 11° 21' E.
12.50	Drain bears E.
20.00	Set stone for temporary 1/16. sec. cor.
31.70	Intersect West Boundary of Reservoir 1 Lk South of the closing cor. between sec 21 & 28. from which cor. I run.
	S 89° 59' East on a true line between secs 21 & 28
	Va 11° 21' E.
11.70	Set sandstone 17 + 9 + 6. - 8 in. deep. marked 1/16. for 1/16. sec. cor.
31.70	Corner to secs 21. 22. 27. & 28.
	Land rolling Soil 1st rate.

Township No 1. N. Range No 4 E.

Chains

North between secs 21 & 22.
Va 11° 21' E.

20.00 Set sandstone 21×12×4. – 8 in: deep.
marked 1/16 for 1/16. sec. cor.

40.00 Set sandstone 21×11×4. – 8 in: deep
marked 1/4 for 1/4 sec cor.

60.00 Set sandstone 21×11×5. 8 in: deep.
marked 1/16 for 1/16 sec cor.

80.00 Set sandstone 20×12×4. – 8 in: deep
marked 3 on N. 3 on S. 3 on E and
3 on W side for cor. to sec
15. 16. 21 & 22.

Land rough and stony soil 2nd rate

Township No 1. N. Range No 4. E.

Chains

From the 1/16. sec cor. on the W. side of the
S.W. 1/4 of sec 22. I run
East on a random line through sec 22
Va 11° 21' E.

17.25 Drain bears South
20.00 Set stone for temporary 1/16 sec. cor.
28.75 Drain bears south
40.00 Set stone for temporary 1/4 sec cor.
60.00 " " " 1/16 "
79.87 Intersect N & S. line 8 links W. of the 1/16.
sec. cor. on the E side of the SE 1/4
of sec 22. from which cor I run.
N 89° 57. West on a true line through sec 22.
Va 11° 21' E.

19.96 3/4 Set sandstone 20×12×4 8 in: deep
marked 1/16. for 1/16. sec. cor.

39.93 Set sandstone 20×12×4 – 8 in: deep
marked 1/4 for 1/4 sec. cor.

59.90 Set sandstone 20×12×5. 8 in: deep. marked
1/16. for 1/16. sec cor.

79.87 The 1/16. sec cor. on the W. side of S.W. 1/4 sec 22.
Land rough soil 2nd rate.

Township No 1. N. Range No 4 E.

Chs		
		From the 1/16. sec cor. on the E. side of the S.E. 1/4 of sec 21 I run.
		Westerva true line through sec 21. Va 11° 21' E.
11	25	Drain bears South
20	00	Set Sandstone 20+12+4.- 8 ins. dep. marked 1/16. for 1/16 sec cor
31	55	Intersect N. boundary of Reserve Set Sandstone 17+10+6.- 8 ins. dep. marked C. C. for closing cor

Township No 1. N. Range No 4. E.

Chains		
		From the 1/4 sec cor. between secs 21 & 22. I run.
		Easterwa random line through sec 22 Va 11° 21' E.
4	80	Drain bears south.
20	00	Set Stone for temporary 1/16 sec. cor.
35	25	Drain bears south
40	00	Set Sandstone for temporary 1/4 sec. cor.
60	00	" " " 1/16 "
80	06	Intersect N & S. line it lies N. of the 1/4 sec cor. between secs 22 & 23. from which cor. I run.
		N. 89° 55' Westerwa true line through sec 22. Va 11° 21' E —
20	01	Set Sandstone 20+12+4.- 8 ins. dep. marked 1/16 for 1/16. sec. cor.
40	03	Set Sandstone 20+12+4.- 8 ins. dep. marked 1/4 for 1/4 sec. cor.
60	04	Set sandstone 20+11+4.- 8 ins. dep. marked 1/16 for 1/16. sec. cor.
80	06	The 1/4 sec cor. between secs 21 & 22. Land rough Said 2nd race

September 12th 1873.

Township No 1. N. Range No 4 W.

Chains	
	From the ¼ sec cor. between Sec. 21 & 22 I run.
	West on a true line through Sec 21. Va 11° 21' E
4.50	Drain bears E of S.
20.00	Set sandstone 20+12+4 – 8 in: dep. marked ¼. for ¼. sec. cor.
31.06	Intersect W. boundary of Reserve. where I set sandstone 20+12+4. – 8 in: dep. marked C.C. for closing cor.
	Land rough Soil 2nd rate.

Township No 1. N. Range No 4. E.

Chains	
	From the ¼. sec cor. on the N. side of the N½ of sec 22. I run. East on a random line through sec 22. Va 11° 21' E —
3.80	Drain bears E of S.
21.00	Set Stone for temporary ¼ sec. cor.
34.50	Drain bears E of S.
40.00	Set Stone for temporary ¼ sec. cor.
60.00	" " " " ¼ "
79.90	Intersect N & S. line 10 Lks N. of the ¼ sec cor. on the E boundary of NE¼ of sec 22. from which cor. I run. N 89° 56' West on a true line through sec 22. Va 11° 21' E.
19.97	Set Sandstone 20+12+4. – 8 in: dep. marked ¼. for ¼ sec. cor.
39.95	Set Sandstone 20+12+4 – 8 in: dep. marked ¼ for qr. sec. cor.
59.92	Set sandstone 20+12+4. – 8 in: dep marked ¼. for ¼. sec. cor.
79.90	The ¼. sec. cor. on the N. side of the NW¼ of sec 22.
	Land rough & stony soil 2nd rate.

Township No 1. N. Range No 4. E.

Chains	
	From the 1/16. sec cor. on the E. side of the NE 1/4 of sec 21. I run.
	West on a true line through sec 21
	Va 11° 21' E
12.50	Drain bears E. of S.
20.00	Set Sandstone 20+12+4.-8 in: dep. marked 1/16. for 1/16 sec. cor.
30.49	Intersect West Boundary of Reserve
	Set Sandstone 20+12+4.-8 in: dep. marked C.C. for closing. cor.

Township No 1. N. Range No 4 E.

Chains	
	East on a random line between sec 15 & 22
	Va 11° 21' E.
15.50	Drain bears S.W.
20.00	Set sandstone for temporary 1/16 sec. cor.
38.50	Drain bears S.W.
40.00	Set Stone for temporary 1/4 sec cor.
60.00	" " " 1/16 "
79.87	Intersect N. & S. line 4 Lks N. of the cor. to sec 14. 15. 22 & 23. from which cor. I run.
	N. 89°58' West on a true line between sec 15 & 22
	Va 11° 21' E.
19.96¾	Set sandstone 20+11+4.-8 in: dep. marked 1/16 for 1/16 sec. cor.
39.93½	Set sandstone 21+11+4.-8 in: dep. marked 1/4 for qr sec. cor.
59.90¼	Set sandstone 21+11+5.-8 in: dep. marked 1/16 - for 1/16. sec cor.
79.87	The corner to sec 15. 16. 21 & 22.
	Land rough & stony. Soil 2nd rate.

Township No 1. N. Range No 4 E.

Chains

West on a random line between Secs 16 & 21
Va 11° 21' E.

13.25 Drain bears N. of S.

20.00 Set stone for temporary 1/16 sec. cor.

30.01 Intersect West Boundary of the Old Missouri Indian Reserve 2 Lks N. of the sandstone cor. between Secs 16 & 21, from which cor. I run N. 89° 55' East on a true line between Secs 16 &
Va 11° 21' E.

40.01 Set sandstone 20 + 12 + 4. - 8 in: deep marked 1/16. for 1/16. sec. cor.

50.01 The corner to secs 15. 16. 21 & 22.

Land rough soil 2nd rate.

Township No 1. N. Range No 4 W.

Chains

North between Secs 15 & 16.
Va 11° 21' E.

20.00 Set sandstone 20 + 12 + 4. - 8 in: deep marked 1/16. for 1/16. sec. cor.

23.80 Drain bears S. W.

40.00 Set sandstone 20 + 12 + 4. - 8 in: deep marked 1/4 for 1/4. sec. cor.

58.60 Drain bears S. W.

60.00 Set sandstone 20 + 12 + 4. - 8 in: deep. marked 1/16. for 1/16 sec. cor.

72.50 Old road from Ft Kearney to Leavenworth bears S of E. and N of W.

80.00 Set sandstone 20 + 12 + 4. - 8 in: deep marked 2 on N. 4 on S. 3 on E. & 3 on W. side for cor to secs 9. 10. 15. & 16.

Land rolling soil 1st rate.

Township No 1. N. Range No 4 E.

Ch.

From the 1/16. sec cor. on the W. side of the S.W. 1/4 of sec 15. I run.
East on a random line through sec 15.
Va 11° 21' E.

20.00 Set stone for temporary 1/16. sec. cor.
31.80 Drain bears S.W.
40.00 Set stone for temporary 1/4 sec. cor.
55.25 Drain bears S.W.
60.00 Set stone for temporary 1/16 sec. cor.
79.83 Intersect N & S. line 11 Lks N. of the 1/16 sec. cor. on the E. side of the S.E. 1/4 of sec 15. from which cor. I run.
N 89° 55' West on a true line through sec 15
Va 11° 21' E.
19.95 3/4 Set sandstone 20+12+4. – 8 in: deep. Marked 1/16. for 1/16 sec. cor.
39.91 " Set sandstone 21+11+4 – 8 in: deep. marked 1/4 for 1/4 sec. cor.
59.87 4 Set sandstone 20+12+4 – 8 in: deep. marked 1/16. for 1/16 sec. cor.
79.83 The 1/16. sec cor. on the W. side of the S.W. 1/4 of sec 15.
Land rolling soil 1st rate.

Township No 1. N. Range No 4 W.

Ch.

From the 1/16. sec cor. on the E. side of the S.E. 1/4 of sec 16. I run.
West on a ~~true~~ line through sec 16.
Va 11° 21' E.

4.25 Drain bears W. of S.
5.50 Drain bears south
20.00 Set sandstone 20+12+4. – 8 in: deep. marked 1/16. for 1/16 sec cor
29.72 Intersect West Boundary of ~~Otoe~~ and Missouri Reserve where
Set sandstone 20+12+4. – 8 in: deep. Marked C. C. for closing corner.
September 13th 1873.

Township No 1 N. Range No 4 E.

Chains	
	From the 1/4 sec. cor. between secs 15 & 16 I run.
	Eastern a random line through sec 15 Va 11° 21' E.
8.50	Drain bears W. of E.
20.00	Set Stone for temporary 1/16 sec. cor.
40.00	" " " " 1/4 "
60.00	" " " " 1/16 "
78.50	Road from Ft Kearney to Leavenworth bears S.E. & N.W.
79.87	Intersect N & S. line 17 Lks N. of the 1/4 sec cor. between secs 14 & 15. from which cor. I run.
	N 89° 53' Western a true line through sec 15 Va 11° 21' E.
19.96 3/4	Set sandstone 20+12+4. - 8 in: deep. marked 1/16. for 1/16. sec. cor.
39.93 1/2	Set sandstone 21+12+4. - 8 in deep. marked 1/4 for 1/4 sec. cor.
59.91 1/4	Set sandstone 21+13+4. - 8 in: deep. marked 1/16. for 1/16. sec. cor.
79.87	The 1/4 sec cor. between secs 15 & 16. Land rolling soil 1st rate.

Township No 1. N. Range No 4. E.

Chains	
	From the 1/4 sec cor. sec ~~cor~~ between secs 15 & 16 I run.
	Western a true line through sec 16. Va 11° 21' E.
6.75	Drain bears South.
20.00	Set sandstone 20+12+4 - 8 in: deep. marked 1/16 for 1/16. sec. cor.
29.81	Intersect West boundary of Otoe & Mo Indian Reserve where I.
	Set sandstone 20+12+4 - 8 in: deep. marked C. C. for closing Corner

Township No 1. N. Range No 4 E.

Chains		
		From the 1/16. sec cor. on the W. side of the N.W.¼ of sec 15. I run.
		East on a random line through sec 15 Va 11° 21' E.
20.00		Set Stone for temporary 1/16 sec cor.
40.00		" " " 1/4 "
48.60		Road between Ft Leavenworth & Lars S of E. & N of W.
60.00		Set Stone for temporary 1/16 sec. cor.
79.93		Intersect N. & S. line 20 Lks North of the 1/16. sec cor. on the E. side of the N.E.¼ of sec 15. from which cor. I run.
		N. 89° 51' West on a true line through sec 15. Va 11° 21' E.
19.98		Set Sandstone 20+12+4,-8 in. deep marked 1/16. for 1/16. sec. cor.
39.96		Set Sandstone 21+12+4,-8 in. deep. marked 1/4 for 1/4 sec. cor.
59.94		Set Sandstone 20+12+4,-8 in. deep. marked 1/16. for 1/16. sec cor.
79.93		The 1/16 sec cor. on W. side of the N.W.¼ of sec 15
		Land rolling soil 1st rate.

Township No 1. N. Range No 4. E.

Chains		
		From the 1/16. sec cor. on the E side of the N.E.¼ of sec 16. I run.
		West on a true line through sec 16. Va 11° 21' E.
20.00		Set Sandstone 20+12+4,-8 in. deep. marked 1/16. for 1/16 sec cor
29.90		Intersect the West Boundary of the Otoe & Mo. Indian Reserve where I set Sandstone 20+12+4,-8 in. deep. marked C. C. for closing corner

Township No 1. N. Range No 4 W. 6th P.M.

Chains

Eastonia random line between sec 10 & 15
Va 11° 21' E.

20.00 Set Stone for temporary 1/16 sec. cor.
38.25 Drain bears N.E.
40.00 Set Stone for temporary 1/4 sec. cor.
49.80 Old Trail bears N of E. & S. of W.
60.00 Set Stone for temporary 1/16 sec. cor.
79.89 Intersect N & S. line 22 Lks North of the cor. to secs 10.11.14. & 15. from which cor. I run.
N 89° 51' West on a true line between secs 10 & 15
Va. 11° 21' E.
19.97 4 Set sandstone 20 x 11 x 5. - 8 in: deep. marked 1/16. for 1/16 sec. cor.
39.94 2 Set sandstone 21 x 12 x 4. - 8 in: deep. marked 1/4 for 1/4 sec. cor.
59.91 3/4 Set sandstone 20 x 12 x 4. in. x 8 in: deep. marked 1/16. for 1/16. sec cor.
79.89 The corner to secs 9. 10. 15 & 16.
Land rolling Soil 1st rate.

Township No 1. N. Range No 4 E. -

Chains

West on a random line between secs 9 & 16.
Va 11° 21' E.

14.50 Road from Ft Kearney to Leavenworth bears S of E. and N of W.
20.00 Set Stone for temporary 1/16 sec. cor.
30.04 Intersect West Boundary of the Otoe & Mo Indian Reserve 2 Lks N. of cor. to secs 9 & 16. from which cor. I run.
N 89° 58. East on a true line bet. secs 9 & 16.
Va. 11° 21' E.
10.04 Set sandstone 20 x 12 x 4. - 8 in: deep. marked 1/16. for 1/16. sec. cor.
30.04 Corner to secs 9. 10. 15. & 16.
Land rolling Soil 1st rate.

Township No 1. N. Range No 4 E.

Chains

North between secs 9 & 10.
Va 11° 21' E.

7.75 Road from Beatrice to State City
bears S.W. & N.E.

20.00 Set sandstone 21+12+4 - 8 in: dep.
Marked 1/16. for 1/16 sec. cor.

35.50 Drain bears N.E.

40.00 Set sandstone 20+13+4 - 8 in: dep.
Marked 1/4 for 1/4 sec. cor.

60.00 Set sandstone 20+12+6 - 8 in dep.
Marked 1/16. for 1/16 sec. cor.

80.00 Set sandstone 20+12+4. - 8 in dep marked
1 on N. 5 on S. 3 on E. and 3 on W
side for cor. to secs 3. 4. 9 & 10.

Land rolling soil 1st rate.

Township No 1. N. Range No 4 E.

Chains

From the 1/16. sec cor. on the N. side of the
S.W. 1/4 of sec 10. I run.
Easterly random line through sec 10.
Va 11° 21' E.

10.80 Road between Beatrice & State City
bears N.E. & S.W.

20.00 Set stone for temporary 1/16. sec cor.

22.25 Drain bears E. of N.

40.00 Set stone for temporary 1/4 sec cor.

53.50 Drain bears N.E.

60.00 Set stone for temporary 1/16 sec cor.

80.03 Intersect N. & S. line 10 Lks E. of the 1/16
sec cor on the E. side of the 1/16. 1/4 of sec 10
from which cor. I run.
N 89° 56' West on a true line through sec 10
Va 11° 21' E.

20.00 1/4 Set sandstone 20+11+5. - 8 in: dep marked
1/16. for 1/16. sec. cor.

40.01 1/4 Set sandstone 21+12+4. - 8 in: dep. marked
1/4 for 1/4 sec. cor.

60.02 1/4 Set sandstone 20+12+4. - 8 in: dep. marked
1/16. for 1/16 sec. cor.

80.03 The 1/16. sec cor. on the W. side of the S.W. 1/4 of sec 10.
Land rolling soil 1st rate.

Township No 1. N. Range No 4. E.

Chains

From the 1/16 sec cor. on the E. side of the S.E. 1/4 of sec 9. I run.
Weston a true line through sec 9.
Va 11° 21' E.

20.00 Set sandstone 20+12+4.-8 in: deep. marked 1/16 for 1/16. sec. cor.

29.81 Intersect West Boundary of the Otoe & Mo Indian Reserve. where I
Set sandstone 20+12+4.-8 in: deep marked C.C. for closing corner

Township No 1. N. Range No 4 W.

Chains

From the 1/4 sec cor. between secs 9 & 10. I run
East on a random line through sec 10.
Va 11° 21' E.

5.80 Drain bears E of N.

20.00 Set stone for temporary 1/16 sec. cor.

28.25 Drain bears N.

32.50 Road from Beatrice to Steele City bears S.W. & N. E.

40.00 Set stone for temporary 1/4 sec. cor.

60.00 " " " 1/16 "

79.89 Intersect N & S. line 8 Lks N. of the 1/4 cor bet. secs 10 & 11. from which cor. I run
N 89° 57' West on a true line through sec 10.
Va 11° 21' E.

19.97 Set sandstone 20+12+4.-8 in: deep marked 1/16. for 1/16. sec. cor.

39.94 Set sandstone 20+12+5.-8 in: deep marked 1/4 for 1/4 sec. cor.

59.91 3/4 Set sandstone 20+12+4-8 in: deep marked 1/16. for 1/16. sec. cor.

79.89 The 1/4 sec cor between secs 9 & 10.
Land rolling soil 1st rate.

Township No. 1. N. Range No 4. E.

Chains

From the 1/4 sec cor. between secs 9 & 10.
I run.
Weston a true line through sec 9.
Va 11° 21' E.

20.00 Set Sandstone 20×12×4. - 8 in: deep
marked 1/16. for 1/16. sec. cor.

29.53 Intersect West Boundary of the Otoe
& Mo Indian Reserve where
Set sandstone 20×12×4. - 8 in: deep.
marked C.C. for closing corner.

Land rolling Soil 1st rate.

September 15th 1873.

Township No. 1. N. Range No 4. E.

Chains

From the 1/16. sec cor. on the W. side of the
N.W. 1/4 of sec 10. I run.
East on a random line through sec 10.
Va 11° 21' E.

18.25 Drain bears N.E.
20.00 Set stone for temporary 1/16 sec. cor.
27.75 Drain bears North.
40.00 Set stone for temporary 1/4 sec. cor.
50.50 Road from Beatrice to Steele City bears N.E. & S.W.
60.00 Set stone for temporary 1/16 sec. cor.
72.50 Drain bears N.
79.90 Intersect N. & S. line 11 lks N. of the 1/16. sec cor.
on E. side of N.E. 1/4 Sec 10. from which I run.
N 89° 55' West on a true line through sec 10
Va 11° 21' E.

19.97 Set sandstone 21×11×5. - 8 in: deep marked
1/16. for 1/16. sec. cor.

39.95 Set sandstone 20×12×4. - 8 in: deep. marked
1/4 for 1/4 sec. cor.

59.92 Set stone 20×12×4. - 8 in: deep. marked
1/16 for 1/16. sec. cor.

79.90 The 1/16. sec cor. on W. side of N.W. 1/4 sec 10.
Land rolling. Soil 1st rate

Township No 1, N. Range No 4. E.

Chains

From the 1/16. sec cor. on the E. side of NE¼ of sec 9. I run.

West on a true line through sec 9.
Va 11° 21' E.

20.00 Set Sandstone 20+12+4.– 8 ins dup. marked 1/16. for 1/16 sec. cor.

29.21 Intersect the N. Boundary of the Otoe and Mo. Indian Reserve. where Set sandstone 20+12+4.– 8 ins. dup. marked S.C. for closing corner.

Township No 1, N. Range No 4. E.

Chains

Eastern random line between sec 3 & 10.
Va 11° 21' E.

20.00 Set stone for temporary 1/16. sec. cor.

21.25 Drain bears E. of N.

40.00 Set stone for temporary ¼ sec cor.

43.75 Drain bears N.E.

60.00 Set stone for temporary 1/16 sec. cor.

51.80 Drain bears N.

79.50 Drain bears N.W.

80.12 Intersect N. & S. line 6 Lks N. of cor to secs 2. 3. 10. & 11. from which cor. I run.

N 89° 57' West on a true line between secs 3 & 10.
Va 11° 21' E.

20.03 Set sandstone 19+12+4 8 ins. dup. marked 1/16 (for 1/16) sec. cor.

40.06 Set sandstone 20+12+4 8 ins. dup. marked ¼ for qr. sec. cor.

60.09 Set sandstone 20+12+4.– 8 ins. dup. marked 1/16. for 1/16. sec. cor.

80.12 The corner to secs 3. 4. 9 & 10.
Land rolling Soil 1st rate.

Township No 1. N. Range No 4 E.

Chains	
	West on a random line between secs 4 & 9.
	Va 11° 21' E.
20.00	Set Stone for temporary 1/16 sec. cor.
28.97	Intersect West Boundary of the State Mississippi Indian Reserve 2 Lks S. of the cor. to secs 4 & 9. from which cor. I run.
	S. 89° 05' East on a true line between secs 4 & 9.
	Va. 11° 21' E.
8.97	Set Sandstone 17+9+4.- 8 in: deep. marked 1/16. for 1/16. sec. cor.
28.97	The corner to secs 3. 4. 9 & 10.
	Land rolling Soil 1st rate.

Township No 1. N. Range No 4. E.

Chains	
	North on a random line between secs 3 & 4
	Va. 11° 21' E.
20.00	Set Stone for temporary 1/16 sec. cor.
40.00	" " " 1/4 " "
60.00	" " " 1/16 " "
79.42	Intersect North boundary of Township 22. 2 Lks East of cor. to secs 3 & 4 from which cor. I run.
	South 9' E. on a true line between secs 3 & 4
	Va 11° 21' E.
19.48	Set Sandstone 20+12+4.- 8 in: deep. marked 1/16. for 1/16. sec. cor.
39.48	Set Sandstone 20+12+4.- 8 in: deep marked 1/4 for 1/4. sec. cor.
59.48	Set Sandstone 20+12+4.- 8 in: deep. marked 1/16 for 1/16 sec. cor.
79.42	The corner to secs 3. 4. 9 & 10.
	Land rolling Soil 1st rate.

Township No 1. N. Range No 4 E.

Chains

From the 1/16. sec cor. on the W. side of the S.W. 1/4 of sec 3. I run.
East on a random line through sec 3.
Va 11° 21' E—

20.00 Set Stone for temporary 1/16 sec. cor.
30.50 Drain bears E. of N.
39.25 Drain bears W of N.
40.00 Set Stone for temporary 1/4 sec. cor.
60.00 " " " 1/16. "
79.95 Intersect N. & S. line 20 Lks N. of the 1/16. sec cor. on the E. side of the S.E. 1/4 of sec 3. from which cor. I run.
N 89° 51' West on a true line through sec 3.
Va 11° 21' E.
19.98 3/4 Set Sandstone 20×12×4 – 8 in: deep marked 1/16. for 1/16 sec. cor.
39.97 1/2 Set Sandstone 20×12×4 – 8 in: deep. marked 1/4 for 9 r sec. cor.
59.96 1/4 Set Sandstone 20×12×4. – 8 in: deep marked 1/16. for 1/16. sec cor.
79.95 The 1/16 sec cor. on the W. side of S.W. 1/4 of sec 3.
Land rolling soil 1st rate.

Township No 1. N. Range No 4 E—

Chains

From the 1/16. sec cor. on the E. side of the S.E. 1/4 of sec 4. I run.
West on a true line through sec 4
Va 11° 21' E—

20.00 Set Sandstone 17×10×6. – 8 in: deep marked 1/16. for 1/16 sec. cor.
28.11 Intersect West Boundary of Otoe & Mo Indian Reserve where I.
Set Sandstone 19×10×6. – 8 in: deep. marked C.C. for closing corner.
Land gently rolling soil 1st rate

Township No 1. N. Range No 4 E.

Chains

From the 1/4 sec cor. on the W side of sec 3 I run East on a random line through sec 3. Va 11° 21' E.

20.00 Set Stone for temporary 1/16 sec. cor.

31.50 Drain bears North

40.00 Set Stone for temporary 1/4 sec cor.

60.00 " " " 1/16 "

80.16 Intersect H.O.S. line 6 lks N. of the 1/4 cor. between secs 2 & 3. from which cor. I run.

N 89° 57' West on a true line through sec 3. Va 11° 21' E.

20.04 Set Sandstone 20×12×4. - 8 in: deep. marked 1/16 for 1/16 sec. cor.

40.08 Set Sandstone 20×12×4. 8 in: deep. marked 1/4 for 1/4 sec. cor.

60.12 Set Sandstone 20×12×4. 8 in: deep. marked 1/16 for 1/16 sec. cor.

80.16 The 1/4 sec cor. on W. side of sec 3.

Land rolling Soil 1st rate.

Township No 1. N. Range No 4. E.

Chains

From the 1/4 sec cor. on the E. side of ~~the~~ sec 4. I run West on a true line through sec 4 Va 11° 21' E

20.00 Set Sandstone 17×9×6. - 8 in: deep marked 1/16. for 1/16 sec cor.

28.29 Intersect West Boundary of the Otoe & Mo Indian Reserve.

Set Sandstone 17×10×6. - 8 in: deep marked P.C. for closing corner.

Land level soil 1st rate.

Township No 1. N. Range No 4. E.

Chains	
	From the 1/16. sec cor. on the W. side of the N.W. 1/4 of sec 3 I ran East on a random line through sec 3. Va 11° 21' E.
19.25	Drain bears N. W.
20.00	Set stone for temporary 1/16. sec cor.
40.00	" " " 1/4 "
60.00	" " " 1/16 "
80.02	Intersect W. bds. line 17. lks N. of the 1/16. sec cor on E. side of N.E. 1/4 of sec 3. from which cor. ran N 89° 53' West on a true line through sec 3. Va. 11° 21' E.
20.00	Set sandstone 20+12+4 - 5 in. deep marked 1/16. for 1/16 sec cor.
40.01	Set sandstone 21+11+5. - 5 in. deep. marked 1/4 for 1/4 sec cor.
60.01	Set sandstone 20+11+5 - 5 in. deep marked 1/16. for 1/16 sec cor.
80.02	The 1/16. sec. cor. on the W. side of the N.W. 1/4 of sec 3.
	Land rolling soil 1st rate.

Township No 1. N. Range No 4. E.

Chains	
	From the 1/16. sec cor. on the E side of the N.E. 1/4 of said 4. I ran West on a true line through sec 4. Va 11° 21' E.
20.00	Set sandstone 17+12+6. - 8 in. deep. marked 1/16. for 1/16 sec. cor.
27.98	Intersect West Boundary of Sac & Fox Indian Reserve where I. Set sandstone 19+10+4. - 8 in. deep. marked C. C. for closing corner.
	Land rolling soil 1st rate.

September 16. 1878.

General Description

The land in this Fractional Township is generally good except in sections 22. 23. 26 and 27. where it is rough and stony it is all uplands and is good 1st rate and 2d rate land. adapted to the growing of all kinds of grain

There is very little timber that and being on the East line of section 1. on Rynders Branch it being small and scrubby. consisting of Elm. oak and cottonwood

The old Military road between between Fort Kearny and Fort Leavenworth runs diagonally through from N.W. to S.E.

List of Names

a list of the names of the individuals employed to assist in running, measuring and marking the lines and corners described in the forgoing field notes of the Fractional Township 1 N. R. 4 E of the 6th P. M. showing the respective capacities in which they acted

W. H. Chain Chainman
G. W. Warren Chainman
P. P. Rynders Flagman
O. Kinney Moundman

We hereby certify that we assisted W. T. Hull Deputy Surveyor in Surveying the interior line of Township 1. North of the Base line of Range No 4. East of the 6th Pincipal Mirideau and that said Township has been in all respects to the best of our knowledge and belief well and faithfully Surveyed and the Boundery Monuments planted according to the instructions furnished by the Surveyor General and of dimensions, character, Construction and Working and in the manner as Specifically described in the foregoing field notes

W. H. Chunn Chainman
G. W. Warren Chainman
P. P. Rynders Flagman
O. Kenney Moundman

Subscribed and Sworn to before me this 18th day of November 1875
R. P. Beecher
Notary Public

1 N - 4 E

Transcribed, &c
Jan 26. 1874

PLAT S.S.

Field Notes
of
The Survey and Subdivision
of the
Fractional Township No 2. North of the Base Line
of
Range No 4 East of the 6th P.M. within the Otoe and
Missouri Indian Reserve.
In the
State of Nebraska

Executed
By W. T. Hull under joint contract No 78
bearing date the 3rd day of July 1873.

Survey
Commenced Sept. 13th 1873
Completed September 22d 1873.

List of names
A list of the names of the persons employed to
assist in the survey of this Fractional Township
showing the respective capacities in which they acted.

W. H. Chain Chainman
G. W. Warren Chainman
P. P. Rinders Flagman
C. Kinney Mountaineer

Index Diagram

T. 2. N. R. 4 E.

Referring the lines to the pages of the field notes



Town. 2 N. Range 4 E. 4th P.M.

Chains

To determine the proper adjustment of my compass for the Subdivision of this Fractional Township I commenced at the cor to Secs 13 & 24 on the east boundary of the Township and ran.

South along the East Boundary of sec 24 Va 11° 3' E

40.05 To a point 20 lks east of the gr sec cor. stone

71.00 To a point 42 lks East of the closing cor to secs 19 & 24 on the North boundary of the reserve.

80.07 To a point 44 lks east of cor. to secs 24 & 25.

To retrace this line or run parallel thereto my compass must be adjusted to a Va. 10° 42' East.

Town No 2. N. Range No 4 E. 6th P.M.

Chains

From the closing cor. to secs 23 & 24. on North Bo
of the Otoe & Mo Indian reserve I run
South between secs 23 & 24.
Va 10° 42' E.

5.54 Set Sandstone 17×10×7 - 8 in. deep marked
4 on N. 2 on S. 1 on E and 5 on W. side
for cor. to secs 23. 24. 25 & 26.
Land level soil 1st rate.

Town 2. N. Range No 4 E. 6th P.M.

Chains

East on a random line between secs 24 & 25.
Va 10° 42' E

20.00 Set Stone for temporary 1/16. sec. cor.
23.00 Big Indian Creek bears N.E. with heavy
timber principally, Oak. Elm. Hickory
ash & Cottonwood & thick under brush.
28.25 Creek bears S.E.
29.60 Same Creek bears N.E.
33.40 Do Do Do S.E.
38.65 Do Do Do NE Some good Oak Elm
and Cottonwood timber
40.00 Set Stone for temporary qr sec cor.
60.00 Do Do 1/16 sec. cor.
73.00 Creek bears S.E. Oak Elm Hickory & Cottonwood
timber
80.29 Intersect East Boundary of Township 16. Lks South
of cor. to secs 24 & 25. from which cor. I run
S. 89° 53' West on a true line between secs 24 & 25
Va 10° 42' E.
120.07 Set Sandstone 16×10×6. - 8 in. deep. marked 1/16
for 1/16 sec cor.
40.14 1/2 Set Sandstone 17×12×5. - 8 in. deep. marked 1/4
for qr. sec. cor.

Township No 2. N. Range No 4 E. 6th P.M.

Chains		
42	13	Oak Tree 26. in: dia: blazed on E & W sides as a line tree —
56	34	Elm Tree 22. in: dia blazed on E & W. sides as a line tree
60	21 3/4	Set sandstone 16×11×6 — 8 in. deep. marked 1/16 for 1/16 sec cor.
80	29	Corner to secs 23. 24. 25 & 26.
		Land gently rolling soil 1st rate.

Town. No 2. N. Range No 4 E. 6th P.M.

Ch		
		South between secs 25 & 26.
		Va 10° 42' E.
18	00	Enter Creek bottom bears N E & S W.
20	00	Set stone for temporary 1/16 sec. cor.
40	00	Set stone for temporary 1/4 sec. cor.
60	00	Set stone for temporary 1/16 sec. cor.
66	70	Big Indian Creek bears N. E. Timber Oak Elm cottonwood Hickory & ash.
71	85	Same creek bears N. W.
72	26	White Oak tree 24 in. dia blazed on N & S. sides for a line tree
77	60	Same Creek bears N. E.
80	00	Set sandstone 22×10×5. 10 in. deep marked 5 on N. 1 on S. 1 on E and 5 on W. side for cor. to secs 25 26. 35 & 36. from which
		A Black Oak tree 22 in. dia bears N. 57° 30' W. 49 Lks dist.
		Land level bottom soil 1st rate.

Town No 2 N. Range No 4 ~~X~~ 6th P.M.

Chains		
		From the 1/16 sec cor. on the West Boundary of the N.W. 1/4 of sec 25. I run East on a random line through sec 25 Va 10° 42' E —
7.50		Big Indian creek bears N. timber Oak Elm. Walnut & Cottonwood & thick underbrush.
20.00		Set Stone for temporary 1/16 sec cor.
40.00		do do 1/4 sec. cor.
60.00		do do 1/16. do
80.07		Intersect East Boundary of Township 25 S. of the 1/16. sec cor. on E. Boundary of N.E. 1/4 of sec 25. from which cor S89°49' West on a true line through secs 25. Va 10° 42' E —
20.00	1/4	Set Sandstone 16×10×6. - 8 in: deep marked 1/16 for 1/16. sec. cor.
40.00	3/4	Set Sandstone 17×11×5. - 8 in: deep marked 1/4 for qr sec. cor.
60.00	6/4	Set Sandstone 16×12×4. - 8 in: deep marked 1/16. for 1/16. sec. cor.
80.07		The 1/16 sec. cor. on W Boundary of N.W. 1/4 sec 25 Land level bottom soil 1st rate.

Township No 2 N. Range No 4 E. 6th P.M.

Chains		
		From the 1/4 sec cor. between secs 25 & 26. I run East on a random line through sec 25. Va 10° 42' E —
6.80		Big Indian Creek bears N. timber Oak Elm Walnut Cottonwood & thick underbrush.
20.00		Set Stone for temporary 1/16 sec cor.
37.00		Leave creek bottom
40.00		Set Stone for temporary 1/4 sec. cor.
60.00		do do 1/16 do
68.50		Drain bears N.E.
80.27		Intersect E. Boundary of Township 5 Lks south of the 1/4 sec cor on E. Boundary of sec 25. from which cor I run. S89°58' West on a true line through sec 25. Va 10° 42' E —
20.00	3/4	Set Sandstone 16×12×6. - 8 in: deep marked 1/16. for 1/16 sec. cor.
40.00	1 3/4	Set Sandstone 18×10×4. - 8 in: deep marked 1/4 for qr sec. cor.
60.00	2 3/4	Set Sandstone 17×10×5. - 8 in. deep marked 1/16. for 1/16 sec. cor.
72.58		An Elm tree 2 feet in dia blazed on E & W. side for Line tree —

Town. 2 N. Range 4 E. 6th P.M.

Chs		
73	11	On Oak tree 18 in: dia blazed on S side for line tree
80	27	The 1/4 sec cor between secs 25 & 26.
		Land. on W. end of line level } soil 1st rate.
		" E " " rolling }

Township No 2. N. Range No 4 E 6th P.M.

Chs		
		From the 1/16 sec cor. on the W. Boundary of N.W. 1/4 of sec 25. I ran.
		East on a random line through sec 25. Va 10° 42' E —
6	20	Big Indian Creek bears N.E. now dry timber Oak Elm walnut & Hickory and Cottonwood. thick underbrush.
20	00	Set stone for temporary 1/16 sec. cor.
24	50	Leave creek bottom bears N.E. & S.W.
33	50	Drain bears N.W.
40	00	Set stone for temporary 1/4 sec cor.
60	00	Set stone for temporary 1/16 sec. cor.
80	30	Intersect East Boundary of Township 15 Lks south of the 1/16 sec cor. on E. Boundary of S.E. 1/4 sec 25 from which cor. I ran
		S. 89° 54' West on a true line through sec 25 Va 10° 42' E —
20	07	Set Sandstone 16×11×5. — 8 in: deep. marked 1/16 for 1/16 sec cor.
40	15	Set Sandstone 17×12×5. 8 in: deep. marked 1/4 for qr. sec. cor.
60	22	Set Sandstone 16×10×6. — 8 in: deep. marked 1/16. for 1/16 sec cor.
73	35	On Oak tree 20 in: dia blazed on E & W sides for line tree
80	30	The 1/16 sec cor. on W. Bdy of S.W. 1/4 of sec 25
		Land mostly rolling soil 1st rate —

Township No 2. N. Range No 4 W. 6th P.M.

Chains		
		East on a random line between secs 25 & 36. Va 10° 42' E.
20	00	Set Stone for temporary 1/16 sec. cor.
40	00	Set Stone for temporary 1/4 sec. cor.
41	50	Drain North
48	25	Drain N.W.
60	00	Set Stone for temporary 1/16 sec. cor.
64	30	Enter bottom bears N & S.
73	20	Road between Beatrice and still city bears N.E. & S.W.
80	09	Intersect East Boundary of Township 4 Lks N. of cor. to secs 25 & 36. from which cor. I run.
		N. 89° 58' West on a true line between secs 25 & 36. Va 10° 42' E.
20	02 4	Set Sandstone 16 x 11 x 5. 8 in: deep. marked 1/16 for 1/16 sec. cor.
40	04 2	Set Sandstone 17 x 10 x 4. 8 in: deep. marked 1/4 for 1/4 sec. cor.
60	06 3/4	Set Sandstone 17 x 9 x 5. 8 in: deep. marked 1/16 for 1/16 sec. cor.
80	09	The cor. to secs 25. 26. 35 & 36.
		Land rolling gently soil 1st rate

Town No 2 N. Range N 4 E. 6th P.M.

Chs		
		South on a random line between secs 35 & 36. Va 10° 42' E.
7	10	Deep Drain bears N.
12	50	Leave Drain
20	00	Set Stone for temporary 1/16 sec. cor.
40	00	Do Do 1/4 Do
60	00	Do Do 1/16 Do
67	25	Road between Beatrice & Steel City bears S.W. & N.E.
79	71	Intersect South Boundary of Township 40 Lks E. of cor. to secs 35 & 36. from which cor. I run.
		North 17' E. on a true line between secs 35 & 36. Va 10° 42' E.
19	71	Set Sandstone 17 x 9 x 11 8 in: deep. marked 1/16. for 1/16. sec. cor.
39	71	Set Sandstone 17 x 10 x 5. 8 in: deep marked 1/4 for gr. sec. cor.
59	71	Set Sandstone 16 x 12 x 6. 8 in: deep marked 1/4 for ~~1/16~~ 1/4 sec. cor.
79	71	The cor. to secs 25. 26. 35 & 36.
		Land rolling soil 1st rate.
		September 18th 1873.

Town 2. N. Range 4 E. 6th P.M.

Chains	
	From the 1/16 sec cor. on the W. Boundary of N.W. 1/4 of sec 36 I ran East on a random line through sec. 36. Va 10° 42' E —
9.00	Drain N.W.
20.00	Set Stone for temporary 1/16 sec. cor.
27.00	Drain bears N.
40.00	Set Stone for temporary 1/4 sec cor.
60.00	Set Stone for temporary 1/16 sec. cor.
62.25	Road Beatrice to Steel City bears N.E. & S.W.
78.35	Rynders Branch bears N.E. some few Elm Oak Walnut & Cottonwood Trees and thick under brush.
80.19	Intersect East Boundary of Township 26 Lts South of the 1/16 sec cor. on the E. Bdy of the N.E. 1/4 of sec 36. from which cor. I run. S 89° 51' West on a true line through sec 36. Va 10° 42' E —
20.04	3rd Set Sandstone 16 x 10 x 6 - 8 in: deep. marked 1/16. for 1/16 sec. cor.
40.09	4th Set Sandstone 17 x 10 x 5. 8 in: deep. marked 1/4 for 1/4 sec cor.
60.14	4th Set Sandstone 17 x 9 x 5, 8 in: deep. marked 1/16. for 1/16 sec cor.
80.19	The 1/16 sec cor. on W. Bdy of ~~N.W.~~ 1/4 sec 36. Land rolling Soil 1st rate

Town No 2. N. Range No 4 E. 6th P.M.

Ch.	
	From the 1/4 sec cor. on the N. Bdy of sec 36. I ran East on a random line through sec 36. Va 10° 42' E —
13.01	Drain bears North
20.00	Set Stone for temporary 1/16 sec. cor.
26.51	Drain bears North
40.00	Set Stone for temporary 1/4 sec. cor.
43.40	Road from Beatrice to Steel City bears N.E. & S.W.
60.00	Set Stone for temporary 1/16 sec cor.
80.10	Intersect East Boundary of Township 26 Lts South of the 1/4 sec cor on E. side of sec 36. from which cor. I run. S 89° 49' West on a true line through sec 36. Va 10° 42' E.
20.02	2nd Set Sandstone 16 x 11 x 5, 8 in: deep. marked 1/16 for 1/16 sec. cor.
40.05	Set Sandstone 17 x 12 x 6 - 8 in: deep marked 1/4 for 1/4 sec. cor.
60.07	2nd Set Sandstone 16 x 10 x 4. 8 in deep. marked 1/16. for 1/16 sec. cor.
80.10	The 1/4 sec cor between secs 35 & 36. Land Rolling soil 2nd rate

Township No 2 N Range No 4 E 6th P.M.

Chs		
		From the 1/16 sec cor. on the N. Boundary of the S W 1/4 of sec 36. I run.
		East on a random line through sec 36.
		Va 10° 42' E —
13	60	Road between Beatrice & Steele City bears N E & S
16	75	Drain bears N —
20	00	Set Stone for temporary 1/16 sec. cor.
26	50	Drain bears N.
40	00	Set Stone for temporary 1/16 sec. cor.
60	00	Set Stone for temporary 1/16 sec. cor.
77	10	Rynders branch bears N. thick underbrush
		and small grove of timber about 12 chs
79	97	Intersect East Boundary of Township 1/4 chs
		south of the 1/16 cor. on E. Boundary of S E 1/4
		of sec 36. from which cor. I run
		S. 89° 54' West on a true line through sec 36
		Va 10° 42' E —
19	99	Set Sandstone 16 x 10 x 6. - 8 in: deep marked
		1/16 for 1/16 sec. cor.
39	98	Set Sandstone 18 x 9 x 4. - 8 in: deep marked
		1/4 for 1/4 sec cor.
59	97	Set Sandstone 17 x 10 x 5. 8 in: deep. marked
		1/16 for 1/16 sec cor.
79	97	The 1/16 sec cor. on W. Bdy of S W 1/4 of sec 36.

Land rolling Soil 2nd rate

Township No 2 N. Range No 4 E

Chs		
		From the closing cor. to secs 22 & 23. on the North
		Boundary of the Otoe & Missouri Indian
		Reserve I run.
		South between secs 22 & 23.
		Va 10° 42' E —
8	92	Set Sandstone 18 x 9 x 3. - 8 in: deep. marked
		4 on N. 2 on S. 2 on E. and 4 on W side
		for cor to secs 22. 23. 26 & 27.

Land level soil 1st rate —

Town No 2. N. Range No 4 E. 6th P.M.

Chs		
		East on a random line between secs 23 & 26.
		Va 10° 42' E.
20	00	Set stone for temporary 1/16 sec cor
40	00	do do 1/4 sec cor
60	00	do do 1/16 do
79	61	Intersect N & S. line 27. Lks south of cor. to secs 23. 24. 25 & 26. from which cor I run
		S 89° 48' West on a true line between secs 23 & 26.
		Va 10° 42' E.
19.	90	Set sandstone 16 × 11 × 5 – 8 in: deep marked 1/16 for 1/16 sec. cor.
39	80	Set sandstone 17 × 10 × 6. – 8 in: deep. marked 1/4 for gr. sec. cor.
59.	70 3/4	Set sandstone 16 × 12 × 6. – 8 in: deep. marked 1/16 for 1/16 sec. cor.
79	61	The cor. to secs 22. 23. 26 & 27.
		Land rolling soil 1st rate.

Town 2. N. Range 4 E. 6th P.M.

Chains		
		South between secs 26 & 27.
		Va 10° 42' E.
20	00	Set sandstone 16 × 10 × 6. in: 8 in: deep. marked 1/16 sec. cor.
24	00	Drain bears W.
40	00	Set sandstone 17 × 9 × 5. – 8 in: deep marked 1/4 for gr. sec. cor.
53.	50	Enter bottom bears E & W.
60	00	Set sandstone 17 × 10 × 6. – 8 in: deep marked 1/16 for 1/16 sec. cor.
70	25	Big Indian Creek bears E. No timber on line a grove about 8 chs west of Oak Elm. Walnut Hickory & Cottonwood. at the intersection of a branch coming from N. W.
80.	00	Set sandstone 20 × 10 × 3. – 8 in: deep 5 on N. 1 on S. 2 on E and 4 on W. side for cor. to secs 26. 27. 34 & 35
		Land gently rolling soil 1st rate.

Township No 2 N. Range No 4 E. 6th P.M.

Chs		
		From the 1/16 sec cor. on the N. Boundary of the N.W. 1/4 of sec 26. I run.
		East on a random line through sec 26.
		Va 10° 42' E.
17.00		Drain bears W by S.
20.00		Set stone for temporary 1/16 sec cor.
40.00		do do 1/4 do
60.00		do do 1/16 do
74.50		Enter creek bottom bears N.E. & S.W.
79.79		Intersect No S. line 18 lks South of the 1/16 sec cor on E. Boundary of N.E. 1/4 sec 26. from which cor. I run.
		S 89° 52' West on a true line through sec
		Va 10° 42' E.
19.94	3/4	Set Sandstone 16 x 10 x 6. - 8 in: deep. marked 1/16 for 1/16 sec. cor.
39.89	1/4	Set Sandstone 17 x 10 x 4. 8 in: deep. marked 1/4 for qr. sec. cor.
59.84	1/4	Set Sandstone 16 x 9 x 4. - 8 in: deep. marked 1/16 for 1/16. sec. cor.
79.79		The 1/16 sec cor. on W. Boundary of N.W. 1/4 sec 26.
		Land rolling Soil 2nd rate.

Town 2 N. Range No 4 E. 6th P.M.

Chs		
		From the 1/4 sec cor. between sec 26 & 27 I run East on a random line through sec 26.
		Va 10° 42' E.
20.00		Set stone for temporary 1/16 sec cor.
40.00		do do 1/4 do
60.00		do do 1/16 do
63.00		Enter bottom bears N.E. & S.W.
79.73		Intersect No S. line 10 lks south of 1/4 sec cor between secs 25 & 26. from which cor. I run.
		S 89° 56' West on a true line through sec 26.
		Va 10° 42' E.
19.93	1/4	Set Sandstone 16 x 11 x 5. 8 in: deep. marked 1/16 for 1/16 sec cor.
39.86	1/4	Set Sandstone 17 x 9 x 4. - 8 in: deep marked 1/4 for qr. sec. cor.
59.79	3/4	Set Sandstone 16 x 10 x 5. 8 in: deep. marked 1/16. for 3/16 sec. cor.
79.73		The 1/4 sec cor. on N. Boundary of sec 26.
		Lands Rolling Soil 2nd rate

Township No 2 N. Range No 4 E.

Chs		
		From the 1/16 sec cor. on the N. Boundary of S.W. 1/4 of sec 26. I run.
		Eastwa random line through sec 26. Va 10° 42' E.
7	50	Leave bottom bears N.W. & S.E.
20	00	Set Stone for temporary 1/16 sec. cor.
40	00	Set Stone for temporary 1/4 sec. cor.
52	00	Enter bottom bears N.E. & S.W.
60	00	set stone for temporary 1/16 sec cor.
79.67		Intersect W. & S. line 5 Lks South of 1/16 sec cor on the E Boundary of S.E. 1/4 of sec 26. from which cor. I run.
		S 89° 05' West on a true line through sec 26. Va 10° 42' E.
19.91¼		Set Sandstone 16 x 10 x 5. 8 in. deep. marked 1/16 for 1/16 sec. cor.
39.83		Set Sandstone 17 x 10 x 4. 8 in. deep. marked 1/4 for qr. sec. cor.
59.75		Set Sandstone 16 x 12 x 5. 8 in. deep. marked 1/16 for 1/16 sec. cor.
79.67		The 1/16 sec cor. on N. Boundary of S.W. 1/4 sec 26.
		Land rolling soil 2nd rate.

Township No 2. N. Range No 4 E. - 6th P.M.

Chs		
		Eastwa random line between sec 26 & 35 Va 10° 42' E.
12	00	Drain bears N.E.
16	75	Drain bears N.
20	00	Set Stone for temporary 1/16 sec. cor.
25	50	Leave bottom bears N.E. & S.W.
40	00	Set Stone for temporary 1/4 sec. cor.
60	00	Set Stone for temporary 1/16. sec. cor.
77	50	Deep drain bears north.
79	81	Intersect W. & S. line 26 Lks south of cor to secs 25. 26. 35 & 36. from which cor. I run
		S 89° 49' West on a true line between sec 26 & 35 Va 10° 42' E.
19.95¼		Set Sandstone 16 x 10 x 6. - 8 in. deep marked 1/16 for 1/16. sec cor.
39.90		Set Sandstone 17 x 10 x 4 marked 1/4 - 8 in. deep for qr sec cor.
59.85¾		Set Sandstone 17 x 9 x 4. - 8 in. deep. marked 1/16 for 1/16. sec. cor.
79.81		Corner to secs 26. 27. 34 & 35.
		Land rolling soil 1st rate.

Township No 2 N. Range No 4 E.

Ch

South on a random line between sec 34 & 3:
Va 10° 42' E—

11.50 Drain bears N.E.
16.50 Leave bottom bears N.E. & W.
20.00 Set Stone for temporary 1/16 sec. cor.
40.00 Set Stone for temporary 1/4 sec. cor.
60.00 Set Stone for temporary 1/16 sec. cor.
79.95 Intersect South Boundary of Township
17. lks East of cor. to sec 34 & 35
from which cor. I ran.
North E. on a true line between secs 34 & 35
Va 10° 42' E.
19.95 Set Sandstone 18×10×3. ins. + 8 ins. deep.
marked 1/16 for 1/16 sec. cor.
39.95 Set Sandstone 17×10×4. 8 ins. deep marked
1/4 for qr. sec. cor.
59.95 Set Sandstone 16×11×5.-8 ins. deep. marked
1/16 for 1/16 sec. cor.
79.95 Corner to secs 26. 27. 34 & 35.

Land rolling Soil 2nd rate.

Towns 2. N. Range No 4 E. 6th P.M.

Ch

From the 1/16 sec. cor. on the W. Boundary of the W 1/4
of sec 35 I ran.
East on a random line through sec 35
Va 10° 42' E—

20.00 Set Stone for temporary 1/16 sec. cor.
22.25 Drain bears N.W.
40.00 Set Stone for temporary 1/4 sec. cor.
60.00 do do. 1/16 do
72.50 Drain bears N.E.
76.25 Drain bears North.
79.90 Intersect N & S. line 22 lks South of the
1/16 sec. cor. on the East Boundary of
N.E. 1/4 of secs 35. from which cor. I ran.
S 89° 51' West on a true line through secs 35.
Va 10° 42' E—

19.97 Set Sandstone 16×10×6.-8 ins. deep. marked 1/16
for 1/16. sec cor.
39.95 Set Sandstone 17×9×4. 8 ins. deep marked
1/4 for qr. sec. cor.
59.92 Set Sandstone 16×12×5.-8 ins. deep. marked
1/16 for 1/16 sec. cor.
79.90 The 1/16 sec cor. on W. Boundary of N.W. 1/4 sec 35.
Soil 1st rate
Land rolling
September 19. 1873.

Town. No 2 N. Range No 4 E.

Chains		
		From the 1/4 sec cor. between sec 34 & 35 I run.
		East on a random line through sec 35. Va 10° 42' E.
20	00	Set Stone for temporary 1/16 sec. cor.
23	50	Drain bears N.
40	00	Set Stone for temporary 1/4 sec. cor.
52	75	Drain bears N.E.
60	00	Set stone for temporary 1/16 sec. cor
76	75	Drain bears N.
79	07	Intersect N. & S. line 12 Lks. south of 1/4 sec cor. between sec 35 & 36. from which cor. I run.
		S 89° 55' West on a true line through sec 35. Va 10° 42' E.
19.96	1/4	Set Sandstone 17 + 9 + 4. - 8 in: deep - marked for 1/16 sec. cor.
39.93	1/2	Set Sandstone 16 + 10 + 5. - 8 in: deep. marked 1/4 for qr. sec. cor.
59.90	3/4	Set Sandstone 17 + 9 + 6. - 8 in: deep. marked 1/16. for 1/16. sec. cor.
79.87		The 1/4 sec cor. between sec 34 & 35
		Land rolling soil 2nd rate

Township No 2. N. Range No 4 E.

Chs		
		From the 1/16 sec cor. on the W. Boundary of the S.W. 1/4 of sec 35 I run
		East on a random line through sec 35. Va 10° 42' E.
20	00	Set Stone for temporary 1/16 sec. cor.
40	00	Set Stone for temporary 1/4 sec cor.
60	00	Set Stone for temporary 1/16 sec. cor.
80.04		Intersect N. & S. line 2 Lks South of 1/16 sec cor. on the East Boundary of S.E. 1/4 of sec 35. from which cor. I run.
		S 89° 55' West on a true line through sec 35. Va 10° 42' E.
20.01		Set Sandstone 16 + 11 + 4 8 in deep. marked 1/16 for 1/16 sec. cor.
40.02		Set Sandstone 17 + 10 + 5. 8 in deep. marked 1/4 for qr. sec. cor.
60.03		Set Sandstone 17 + 9 + 4. - 8 in: deep. marked 1/16 for 1/16. sec. cor.
80.06		The 1/16 sec cor. on W. Boundary of S.W. 1/4 of sec 35.
		Land gently rolling soil 1st rate.

Township No 2. N. Range No 4 E — —

Chains		
		From the closing cor. to sec 21 & 22. on the N. Boundary of the Otoe & Missouri Indian Reserve I run.
		South between secs 21 & 22.
		Va 10° 42' E —
7.	12	Set Sandstone 18 x 10 x 5 — 8 ins: deep. 4 on N. 2 on S. 3 on E and 3 on W sides for cor. to secs 21. 22. 27 & 28.
		Land level soil 1st rate —

Town. No 2. N. Range No 4 E. 6th P.M.

Chains		
		East on a random line between secs 22 & 27
		Va 10° 42' E.
18	00	Euler bottom bears N & S.
20	00	Set Stone for temporary 1/16 sec. cor.
32	30	Cross branch bears S. thick Underbrush.
40	00	Set stone for temporary 1/4 sec. cor.
47	00	Leave bottom bears N & S.
60	00	Set Stone for temporary 1/16 sec. cor.
80.	03	Intersect N & S. line 22. 23 & South of cor. to secs 22. 23. 26. & 27. from which cor. I run.
		S 89° 51' West on a true line between secs 22 & 27
		Va 10° 42' E —
20	00 3/4	Set Sandstone 16 x 10 x 6 — 8 ins: deep. marked 1/16. for 1/16 sec. cor.
40.	01 1/2	Set Sandstone 17 x 10 x 6. — 8 ins deep. marked 1/4 for qr. sec. cor.
60.	02 1/4	Set sandstone 17 x 10 x 3. — 8 ins: deep. marked 1/16. for 1/16 sec. cor.
80.	03	Corner to secs 21. 22. 27 & 28.
		Land rolling soil 1st rate. —

Township 2 N. Range No 4 E. 6th P.M.

Chains	
	West on a random line between secs 21 & 2[illegible]
	Va 10° 42' E
20.00	Set stone for temporary 1/16 sec. cor
27.55	Intersect West Boundary of Otoe & Missouri Indian Reserve 3 Lks N. of the closing cor. (to secs 21 & 28) from which cor. I run
	N 89° 56' East on a true line between secs 21 & 2[illegible]
	Va 10° 42' E
7.55	Set sandstone 17×10×5. 8 in: deep marked 1/16. for 1/16 sec. cor.
27.55	The cor. to secs 21. 22. 27, & 28.
	Land rolling soil 1st rate.

Township No 2. N. Range No 4 E.

Chains	
	South between secs 27 & 28.
	Va 10° 42' E
20.00	Set sandstone 16×12×4. 8 in: deep. marked 1/16 for 1/16 sec. cor.
31.50	Drain bears E
40.00	Set sandstone 16×15×5. 8 in: deep marked 1/4 for gr. sec. cor.
60.00	Set sandstone 17×9×5. 8 in: deep marked 1/16. for 1/16. sec. cor.
80.00	Set sandstone 18×9×4. 8 in: deep marked 5 on N. 1 on S. 3 on E and 3 on W. side for cor to secs 27. 28. 33 & 34
	Land rolling soil 1st rate

Township 2 N. Range 4 E. 6th P.M.

Chains	
	From the 1/16 sec cor. on the N. Boundary of the N.E. 1/4 of sec 27, I run.
	Eastwa random line through sec 27 Va 10° 42' E.
15.00	Enter bottom bears South
20.00	Set stone for temporary 1/16 sec cor.
26.65	Branch bears S.E. with thick brush
40.00	Set stone for temporary 1/4 sec cor.
52.00	Leave bottom N. & S.
60.00	Set stone for temporary 1/16 sec. cor.
79.95	Intersect W. & S. line 12 lks south of 1/16 sec cor. on the East side of the N.W. 1/4 of sec 27. from which cor. I run
	S. 89° 55' West on a true line through sec 27. Va 10° 42' E.
19.94	Set Sandstone 16+12+5. - 8 in. deep. marked 1/16 for 1/16 sec. cor.
39.97	Set Sandstone 17+9+4. - 8 in. deep. marked 1/4 for qr. sec. cor.
59.96	Set Sandstone 17+10+5. 8 in. deep. marked 1/16 for 1/16 sec. cor.
79.90	N. 1/16 sec cor. on N. side of N.W. 1/4 sec 27.
	Land gently rolling soil 1st rate.

Township No 2. N. Range No 4 E. 6th P.M.

Lks	
	From the 1/16 sec cor. on the East boundary of the N.E. 1/4 of sec 28 I run.
	Westwa true line through sec 28. Va 10° 42' E.
20.00	Set Sandstone 16+12+5. - 8 in. deep. Marked 1/16 for 1/16 sec cor.
28.70	Intersect West Boundary of Otoe & Nemaha Indian reserve. thence
	Set Sandstone 18+8+5. - 8 in. deep. marked C.C. for closing cor.
	Land gently rolling soil 1st rate.

Township 2 N. Range No 4 E. 6th P.M.

Chains	
	From the ¼ sec cor. between secs 27 & 28, I ran East on a true line through sec 27 Va 10° 42' E.
18 50	Enter bottom bears N & S.
20 00	Set post for temporary ¼6 sec. cor.
25 00	Drain bears S. E.
40 00	Set stone for temporary ¼ sec. cor.
44 40	Branch bears N & S. with thick under brush
53 00	Leave bottom bears N & S.
60 00	Set stone for temporary ¼6 sec. cor.
79 86	Intersect N & S. line & 2 chs south of the ¼ sec cor. between secs 26 & 27, from which cor. I ran.
	S 89° 57' West on a true line through sec 27. Va 10° 42' E.
19.96	Set sandstone 16 x 10 x 6.– 8 in: deep marked ¼6 for ¼6 sec. cor.
39.93	Set sandstone 17 x 9 x 6.– 8 in: deep marked ¼ for ¼ sec. cor.
59.89	Set sandstone 17 x 8 x 7.– 8 in: deep. marked ¼6 for ¼6 sec. cor.
79.86	The ¼ sec cor. between secs 27 & 28.
	Land rolling soil 2nd rate.

Township No 2. N. Range No 4 E. 6th P.M.

	From the ¼ sec cor. between secs 27 & 28 I ran. West on a true line between secs 28. Va 10° 42' E.
20 00	Set sandstone 16 x 12 x 6.– 8 in: deep marked ¼6 for ¼6 sec. cor.
28 54	Intersect West Boundary of Pottawatomie Indian Reserve where Set Sandstone 18 x 10 x 4. 8 in: deep. marked C.C. for closing cor.
	Land rolling Soil 1st rate.

Township No 2. N. Range No 4 ~~W.~~ E. 6th P.M.

Chs		
		From the 1/16 sec cor. on the West Boundary of the S.W. 1/4 of sec 27, I ran East on a random line through sec 27 Va 10° 42' E.
20	00	Set stone for temporary 1/16 sec cor.
26	50	Cedar bottom bears N. 50.
40	00	Set stone for temporary 1/4 sec cor.
49	60	Branch bears N. 50. thick brush & grove of timber about 15 chs S.E.
60	00	Set stone for temporary 1/16 sec. cor.
79	94	I intersect N. & S. line 5 Lks N. of 1/16 sec cor on the E. Boundary of S.E. 1/4 of sec 27 from which cor I run N. 89° 58' West on a true line through sec 27 Va 10° 42' E.
19.99		Set sandstone 16+10+5. 8 in. deep. marked 1/16 for 1/16 sec. cor.
39.99		Set sandstone 16+12+4. 8 in. deep. marked 1/4 for qr. sec. cor.
59.94		Set sandstone 17+9+5. 8 in. deep. marked 1/16 for 1/16 sec cor.
79.90		The 1/16 sec cor. on W. Boundary of S.W. 1/4 of sec 27.

Land rolling Soil 1st rate

Township No 2 N. Range No 4 ~~W.~~ E. 6th P.M.

Chains		
		From the 1/16 sec cor. on the E. Boundary of S.W. 1/4 of sec 28. I ran West on a random line through sec 28. Va 10° 42' E.
20	00	Set sandstone 17+9+5. 8 in. deep. marked 1/16 for 1/16 sec. cor.
28	38	Intersect West Boundary of Otoe & Missouri Indian Reserve, where Set sandstone 17+10+6. 8 in. deep. marked C.C. for closing cor.

Land rolling Soil 1st rate

September 20th 1873.

Town. No 2. N. Range No 4 E 6th P.M. –

Chains		
		East on a random line between secs 27
		Va 10° 42' E.
20	00	Set Stone for temporary 1/16 sec. cor.
25	00	Enter bottom bears N & S.
41	00	Set stone for temporary 1/4 sec. cor.
46	65	Cross big Indian Creek bears N.E. with good Oak. Elm. Walnut. Hickory and cottonwood timber thick brush.
56	00	Cross creek bears S.E.
59	55	Creek bears N.E.
60	00	Set Stone for temporary 1/16. sec. cor.
80	14	Intersect N & S. line 9. Lks. N. of cor to secs 26. 27. 34 & 35. from which cor I re
		N 89° 56' West on a true line between secs 27
		Va 10° 42' E –
20	03	Set Sandstone 16 x 12 x 6 – 8 in. deep. mar 1/16 for 1/16 sec. cor.
20	07	An Oak tree 26 in. dia blazed on E. & W side for line tree.
		A Water Elm tree 20 in. dia bears N. 56° W. 109 distant
33	22	A Walnut tree 2 feet in dia blazed on S edge for line tree.

Township 2 N. Range 4 E. 6th P.M.

Chains		
40	07	Set sandstone 17 x 9 x 4 x 8 in. deep marked 1/4 for 1/4 sec cor.
60	10	Set sandstone 17 x 10 x 6. – 8 in. dia marked 1/16 for 1/16 sec cor.
80	14	The cor. to secs 27. 28. 33 & 34
		Land gently rolling soil 1st rate.

Township No. 2 N. Range No. 4 E.

Chains	
	West on a random line between sec. 28 & 33
	Va 10° 42' E.
20.00	Set stone for temporary 1/16 sec. cor.
28.22	Intersect West Boundary of the Otoe & Missouri Indian Reserve 3 Lks South of the stone cor. from which cor. Ir
	S 89° 56' East on a true line between sec. 28 &
	Va 10° 42' E.
8.22	Set sandstone 16 x 12 x 6. 8 in: deep. marked 1/16 for 1/16 sec. cor.
28.22	The corner to sec. 27, 28, 33 & 34
	Land gently rolling soil 1st rate

Township No. 2. N. Range No. 4 E.

Chains	
	South on a random line between sec. 33 & 34
	Va 10° 42' E.
20.00	Set stone for temporary 1/16 sec. cor.
22.50	Enter bottom bears N.E. & S.W.
33.55	branch bears N.E. some good Oak & Elm timber
40.00	set stone for temporary 1/4 sec. cor.
42.25	Branch bears N.E. thick brush
52.00	Along east bank of branch
57.00	Leave branch
60.00	Set stone for temporary 1/16 sec. cor.
79.87	Intersect South boundary of Township 26 Lks east of cor. to sec. 33 & 34. from which cor. Ir
	North 11' E. on a true line between sec. 33 & 34
	Va 10° 42' E.
19.87	Set Sandstone 16 x 10 x 5. 8 in: deep. marked 1/16 for 1/16 sec. cor.
39.87	Set Sandstone 17 x 9 x 5. 8 in: deep marked 1/4 for 1/4 sec. cor.
59.87	Set Sandstone 17 x 11 x 5. 8 in: deep. marked 1/16. for 1/16 sec. cor.
79.87	The cor. to sec. 27, 28, 33 & 34.
	Land gently rolling soil 2nd rate

Town. 2 N. Range No 4 W. 6th P.M.

Chains	
	From the 1/16 sec cor. on the W boundary of the NW 1/4 sec 34 I run.
	East on a random line through sec 34 Va 10°-42' E.
3.50	Enter bottom N.E. & S.W.
17.50	Enter timber & thick under brush.
20.00	Set stone for temporary 1/16 sec cor.
22.35	Branch bears N.E. good grove of Oak Ash Walnut Hickory Elm & Cottonwood
23.75	Leave timber
40.00	Set stone for temporary 1/4 sec cor. - bottom bears N.E.
60.00	Set stone for temporary 1/16 sec. cor.
65.50	Drain bears N.E.
77.50	Drain bears N.
80.05	Intersect N & S. line 5 Lks south of (1/16 sec) cor. on East boundary of NE 1/4 sec 34, from which cor.
	S 89° 58' West on a true line through sec 34. Va 10° 42' E.
20.01	Set sandstone 16×10×5. - 8 in: deep. marked 1/16 for 1/16 sec. cor.
40.02	Set Sandstone 17×9×4. - 8 in: deep. marked 1/4 for gr. sec. cor.
60.03 3/4	Set sandstone 16×12×6. - 8 in: deep. marked 1/16. for 1/16 sec. cor.
80.05	The 1/16 sec cor. on W. boundary of NW 1/4 of sec 34.
	Land gently rolling soil 1st rate.

Township 2 N. Range 4 E. 6th P.M.

Chains	
	From the 1/16 sec cor. on the E. Boundary of the NE 1/4 of sec 33 I run.
	West on a true line through sec 33. Va 10° 42' E.
20.00	Set Sandstone 16×10×5. - 8 in: deep. marked 1/16 for 1/16 sec. cor.
27.80	Intersect West Boundary of Otoe & Missouri Indian Reserve. Where
	Set Sandstone 17×9×4. - 8 in: deep. marked C.C. for closing corner.
	Land gently rolling soil 1st rate.

Township No 2. N. Range No 4 W. 6th P.M.

Chains		
		From the ¼ sec cor. between secs 33 & 34 I run
		East on a random line through sec 34
		Va 10° 42' E.
3	40	branch bears N.E.
16	35	branch bears N. heavy growth of timber
		about 8 chs North. thick under brush at this point
20	00	Set Stone for temporary ¼16 sec cor
33	00	Leave bottom bears N. & S.
40	00	Set Stone for temporary ¼ sec. cor.
55	50	Drain bears. N
60	00	Set stone for temporary ¼16 sec. cor.
72	00	Drain bears N.
79	97	Intersect N. & S. line 16 chs South of the ¼ sec
		cor. between secs 34 & 35. from which corner
		S 89° 53' West on a true line through sec 34
		Va 10° 42' E.
19	99¼	Set Sandstone 16 x 12 x 5, 8 ins deep. marked
		¼16 for ¼16 sec. cor.
39	97½	Set Sandstone 17 x 11 x 6. - 8 ins deep. marked
		¼ for qr. sec. cor.
59	97¾	Set sandstone 16 x 10 x 5, 8 ins deep. marked
		¼16 for ¼16 sec. cor.
79	97	The ¼ sec cor. between secs 33 & 34,
		Land gently rolling soil 1st rate.

Township No 2. N. Range No 4 E.

		From the ¼ sec cor. on the East boundary
		of sec 33 I run
		West on a true line through sec 33.
		Va 10° 42' E.
7	50	branch bears N.E. thick brush.
17	50	Drain bears S.E.
20	00	Set Sandstone 16 x 12 x 6. - 8 ins deep. marked
		¼16 for ¼16 sec. cor.
20	75	Leave bottom bears N.E. rds N.
27	50	Intersect N. boundary of Otoe Missouri
		Reserve where
		Set Sandstone 17 x 10 x 5 ins. 8 ins. deep. marked
		C.C. for closing corner.
		Land gently rolling soil 1st rate.

Township No 2. N. Range No 4 E. 6th P.M.

Chains

From the 1/16 sec cor. on the W. boundary of the S.W. 1/4 of sec 34, I run.
East on a random line through sec 34
Va 10° 42' E —

14 35 branch bears N. thick under brush.
20 00 Set stone for temporary 1/16 sec cor.
27 50 Leave bottom bears N & S.
40 00 Set stone for temporary 1/4 sec. cor.
60 00 Do Do 1/16 Do
80.12 Intersect N & S. line 6 Lks South of the 1/16 sec cor on the E Boundary of S.E. 1/4 of sec 35 from which cor. I run.
S 89° 57' West on a true line through sec 34,
Va 10° 42' E —
20 03 Set Sandstone 16 x 11 x 5. 8 in: deep. marked 1/16 for 1/16 sec. cor.
40.06 Set Sandstone 17 x 9 x 6. - 8 in: deep marked 1/4 for qr. sec. cor.
60.09 Set Sandstone 17 x 9 x 4. 8 in: deep, marked 1/16 for 1/16 sec. cor.
80.12 The 1/16 sec. cor. between secs 33 & 34 on W boundary of S.W. 1/4 sec 34
Land gently rolling soil 1st rate.

Township No 2. N. Range No 4 E. 6th P.M.

Chains

From the 1/16 sec cor. on the E. boundary of S.E. 1/4 of sec 33. I run.
West on a true line through sec 33.
Va 10° 42' E. -

5 45 Branch bears N.E. with brush on banks
20 00 Set Sandstone 17 x 10 x 4. 8 in: deep. marked 1/16 for 1/16 sec. cor.
22 00 branch bears N.E. thick brush.
27.15 Intersect West Boundary of Otoe & Missouri Indian Reserve where
Set sandstone 17 x 11 x 4. 8 in: deep marked C. O. for closing cor.
Land level bottom soil 1st rate.
September 22nd 1873.

General Description

In this fractional Township there are some beatiful peices of Land expecially in sections 25. 34. & 36. which are well timbered and in most seasons of the year well watered by "Big Indian Creek and its branches. There is not any of this Town but what is a No 1 soil and adapted to growing all kinds of grain and fruits — The majority of the timber is white Oak. which is along all the branches — There is also a good supply of Elm Walnut Hickory and Cottonwood.

List of Names

A list of the names of the individuals employed to assist in running measuring and marking the lines and corners described in the foregoing field notes of Fractional Township No 2 North of the Base Line of Range No 4 East of the 6th P.M. showing the respective capacities in which they acted.

W. H. Chain Chainman
G. W. Warren Chainman
P. P. Rynders Flagman.
O. Kinney Mounderman.

We hereby certify that we assisted W. F. Hall Deputy Surveyor in surveying the interior Lines and corners of Township No 2. N. of the Base Line of Range No 4 East of the 6th P.M. and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the Boundary Monuments planted according to the instructions furnished by the Surveyor General of dimension character construction and marking and in the manner as specifically described in the foregoing field notes.

W. H. Chain Chainman
G. W. Warren Chainman.
P. P. Rynders Flagman.
O. Kinney Mounderman.

Subscribed and sworn to before me this 18 day of Nov 1875.
S. S. Beecher

2 N - 4 E

I W. T. Hull Deputy Surveyor do solemnly swear that in pursuance of a joint Contract wherein C. F. White & W. T. Hullan joint contractors with E. E. Cunningham Surveyor General for the District of Nebraska & Iowa bearing date the 3rd day of July 1873. I have well faithfully and truly in my own proper person and in strict conformity with the instructions furnished by the Surveyor General the Surveying Manual and the Laws of the United States surveyed all those parts or portions of fractional Township No 2 North of the Base Line of Range No 4 E of the 6th Principal Meridian as are represented in the foregoing field notes as having been surveyed under my direction. And I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the surveying Manual printed instructions and special instructions of the Surveyor General of dimension character construction and marking and in the manner as specifically described in the foregoing field notes and that the

I. W. T. Hull Deputy Surveyor do solemnly swear in pursuance of a joint Contract wherein C. F. White and W. T. Hull are joint Contractors with E. E. Cunningham Surveyor General for the District of Nebraska and Iowa bearing date the 3 day of July 1873; I have well faithfully and truly in my own proper person and in strict conformity with the instructions furnished by the Surveyor General the Surveying Manual and the Laws of the United States surveyed all those parts or portions of the fractional Township No 2 North of the Base Line of Range No 4 East of the 6th Principal Meridian as are represented in the foregoing field notes as having been surveyed under my direction. And I do further solemnly swear that all

the corners of said survey have been established and perpetuated in strict accordance with the Surveying Manual printed instructions and special instructions of the Surveyor General of Dimensions character construction and Marking and in the manner as specifically described in the foregoing field notes. and the foregoing are the true and original field notes of such survey.

W. T. Hull
Deputy Surveyor

Subscribed to by the said W. T. Hull Deputy Surveyor as sworn to before me a Notary Public in and for Lancaster County in the State of Nebraska this 18th day of Nov A.D. 1873

R. P. Beecher
Notary Public

this

foregoing are the true and original field notes of such survey.

W. T. Hull
Deputy Surveyor.

Subscribed to by the said W. T. Hull Deputy Surveyor and sworn to before me a Notary Public in and for Lancaster County in the State of Nebraska this 18th day of October 1873.

R. P. Beecher
Notary Public

Survey
Seal
Form

54
175

Surveyor Generals Office
Plattsmouth 1873

The foregoing field notes of Fractional Township No 2 North of the Base Line of Range No 4 East of the 6th Principal Meridian, within the Otoe & Missouri Indian Reserve in the State of Nebr Executed by W. D. Hull, deputy Surveyor under joint contract No 78 of July 3d 1873. in the month of September 1873. Having been critically examined the necessary corrections and explanations made, the said field notes and the Survey they describe are hereby approved

E. E. Cunningham
Surveyor General

General Land Office • Original Field Notes

Book Number

132

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.