

# GENERAL LAND OFFICE • ORIGINAL FIELD NOTES

BOOK NUMBER

**139**

---

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.



(7)  
a  
Field Notes of the Range, and Township  
lines included within the Winnebago Indian  
Reservation in the State of Nebraska

Surveyed by John W. Beaman U.S. Deputy Surveyor  
under his Contract No 87 bearing date the 6<sup>th</sup>  
day of October 1874

Survey commenced April 24<sup>th</sup> 1875  
Survey completed June 26<sup>th</sup> 1875  
List of names next

1  
Township No 26 North Eastern

Index



2  
Range and 10 East of the 6<sup>th</sup> Principal Meridian

Ch<sup>o</sup> W<sup>o</sup> No corner on the Range line was found and the two nearest surviving corners were the Meander corner to Sec 14 & 18 Township 26 North Range 10 East; on the Right Bank of the Missouri River; and the 1/4 Section corner Sec 1 and 12 Township 26 North Range 9 East. From these corners drawn as follows.

From the Meander corner to Sec 14 & 18 drawn on a blank line with the variation shown on the government plat of previous survey, 12° East, (setting temporary corner at 14.3<sup>59</sup> and 14.9 Ch<sup>o</sup>) with old beared line mostly to the West.

From temporary corner to Sec 14 and 18 drawn on Sec 14 and 18 West, on old beared line 400 Ch<sup>o</sup> finding no corner. Thence South 4000 Ch<sup>o</sup> Thence West 40 Ch<sup>o</sup> and set post for temporary 1/4 Sec corner on range line between Sec 12 Township 26 Range 10 and Section 12 Township 26 Range 9. No corner found. From the 1/4 Sec corner between Sec 1 and 12 Township 26 Range 9 drawn

Township No 26 North, T34 West

Chs 1/4 Sec 2000 Chs. Thence South 2000 Thence East 2000 Thence South 2000 Chs. To a point 214 Ws East and 27 1/2 Ws South of center of Sec 2000 on range line lot Sec 7+12, At a point 214 Ws East temporary 1/4 Sec Corner set Chained from 4 ft long 3 in wide spruce ground for 1/4 Section Corner on Range line lot Sec 7+12 from which:

- An ash, 3 in dia, base S. 6 1/2 N. 47 Ws dist.
- A Willow 4 in dia, base N. 84 E. 40 Ws dist.

From the 1/4 Sec Corner lot Sec 7+12 run South on a true line lot Sec 7+12 Va 12° East

4 27 1/4 Impassable Slough, Marsh & a Cottonwood 12 in dia for corner tree, for Meander Corner lot Sec 7 and 12 from which:  
 - A Cottonwood, 24 in dia, base N. 41 1/2 N. 143 Ws dist.  
 - A Cottonwood, 24 in dia, base S. 57 E. 95 Ws dist.

Range 9 and 10 East of the 6th Principal Meridian

Chs 1/4 Sec From the 1/4 Sec Cor T34 West Sec 7 and 12 Draw North on a true line

Va 12° East

- 2000 Set post 4 ft long 3 in wide spruce ground for Meander Corner from which, An Elm 24 in dia base N. 83 N. 258 Ws dist
- 2700 A Willow 3 in dia, base N. 41 E. 140 Ws dist
- Right Bank Missouri River, and set post 4 ft long 3 in wide spruce ground for Meander Corner to fractional Sec 7+12 from which. An Elm 2 in dia, base N. 85 1/2 N. 158 Ws dist.
- A Box Elder 4 in dia, base S. 44 E. 83 Ws dist.

Surface, river bottom, Soil, dark gray alluvium of great depth and well adapted to the cultivation of corn and vegetables, and is 1/2 acre Timber, Scattered Cottonwood, Elm and Box Cedars.

April 24th, 1875

## Township No 26 North, between

Chs UKs From the Meander Corner on the  $\frac{1}{4}$  Sec line through the  $\frac{1}{2}$  of Section 15 and 68.64 chains West of the  $\frac{1}{4}$  Sec line between 17 & 18 Drains S. 80  $\frac{3}{4}$  West 14.52 Chs to a point. By Traverse the bearing of which course is 143° 3' etc.  $65.64 + 14.33 = 80.00$  Distance West of the Sec line for Sec 17 & 18, the bearing of the corner is 2.33 chs  $20.00 + 2.33 = 22.33$  South of the point for corner to Sec 7, 12, 13 & 18, in Impassible Slough.

South on a true line for Sec 13 & 18  
Va 12' East.

22 33 Near Impassible Slough but for a long 3 or 4 mile open ground, for Meander Corner for fractional Sec 13 & 18 from which a Willow in dia, trans N 50° E 56 W dist. A Willow in dia trans N 54  $\frac{1}{2}$  W 22 W dist

28 22 Edge of Impassible Slough, but for 4 or 5 mile open ground for Meander Corner for fractional Sec 13 and 18 from which:

Range No 9, 10 East of the 6<sup>th</sup> Principal Meridian

Chs UKs a Cottonwood, in dia, trans, S 2° N, 54 W dist  
A Cottonwood, in dia, trans N 20° E 58 W dist

Surface Line

Soil Alluvial,

Timber Willow and young Cottonwood.

June 26<sup>th</sup> 1875

Between Townships 26 and 27 north

Ch Wks From the corner to Sec 2, 3, 34 + 35 Draw  
 East on random line for Sec 2 + 35  
 To 110° 15' East.  
 Through dead Oak timber and dense brush  
 2 55 Deep ravine drains S.E.  
 9 00 Deep ravine drains S.  
 20 00 Set temporary 1/6 Sec Corner  
 31 25 Nagaw road bears N. 80° W and S. E and  
 lean brush and ruled young & also killed timber  
 40 92 Point 35 Wk point of the 1/4 Sec Corner. To  
 reestablish the corner set for 4 ft long 3 in  
 wide 2 ft in ground and took bearings to the  
 old bearing trees:  
 A R. Oak 24 in dia, bears S. 7 1/2° E, 50 1/2 Wk dist.  
 A R. Oak 14 in dia bears N. 66 1/2° W, 17 1/4 Wk dist.  
 From the point to gnw. Knowing that the  
 Meander Corner on the Wisconsin River was on  
 East on true line To 110° 45' East  
 Along old blazed line.  
 4 50 Ravine 80 ft deep drains North,  
 15 50 Ravine 80 ft deep drains North

of Range No 9 East of the 6th Principal Meridian.

Ch Wks  
 20 00 Set for 4 ft long 3 in wide 2 ft in ground, for  
 1/6 Section Corner from which:  
 An Elm, 14 in dia bears S. 79° E, 57 1/2 Wk dist  
 a Basswood, 5 in dia bears N. 68 1/2° E, 18 Wk distant  
 28 84 Deep Ravine drains North and cross Sec line  
 trail bears N. 80° W  
 34 50 Top of Sandstone bluff 10 ft high  
 35 34 Wisconsin River at foot of bluff. Set for 4  
 ft long 3 in wide 2 ft in ground for Meander Cor  
 from fractional Sec 2 and 35 from which:  
 A Red Elm, 16 in dia bears N. 66 1/2° W, 13 1/2 Wk dist  
 A Rock Elm, 14 in dia bears S. 66° W, 40 Wk dist.  
 From the 1/4 Section for Secs 2 + 35 ran:  
 That on a true line for Secs 2 and 35  
 To 110° 45' East.  
 20 46 Set Chained point for long 3 in wide 1 ft in ground  
 in mound 4 ft. from base of high dug 2 pit 48 x 20  
 x 4 and 2 pit 20 x 20, 2 in for 1/6 Sec Corner  
 40 92 The Corner to Secs 2, 3, 34 and 35

3 3 3 4 7 6 2 6

Between Township 1 N 26 and 27 North

Chs Ws. Surface Very broken.  
Soil dark clay loam best adapted for wheat  
Timber Elm, Oak and Hickory.

Castana random line cor. Sec 50 34  
T<sub>11</sub> 11° 15' E. 100

4 00 Nagaw road line N 70° 0' E  
5 00 Lean Oak openings  
17 00 Ravine drains South  
15 00 Cross fence to plowd field line N 70°  
14 50 Open fence and open plowd field  
20 00 Set temporary 1/6 Sec corner  
25 00 Lean prairie and open brush & oak timber  
31 00 Deep Ravine drains S.  
33 00 Deep Ravine drains S.  
35 00 Deep Ravine drains S.  
40 00 To point 54 Ws South of sec 1/4 Sec corner  
To reestablish the corner set new post  
4 ft long 3 in wide 2 ft in ground and look bearing  
to old bearing tree as follows:  
An Oak 6 in dia, bears S 6 1/2° W. 20 1/2 Ws dist.  
and to new bearing tree.  
An Oak 6 in dia, bears N 5 1/2° W. 89 Ws dist.

of Range 10 9 East of the 6<sup>th</sup> Principal Meridian

Chs Ws from which corner draw Castana random  
line T<sub>11</sub> 11° 15' E. 100  
5 00 Top of Ridge line S. E. and N. W.  
11 50 Ravine 80 ft deep drains South  
14 50 Top of Ridge line S. E. and N. W.  
20 00 Set temporary 1/6 Sec corner  
23 40 Ravine drains S.  
32 00 Ridge line S. E. and N. W.  
35 00 Ravine 60 ft deep drains S. E.  
39 66 To point 54 Ws South of corner to Sec 34 + 35. To  
reestablish the corner set post 4 ft long  
3 in diameter in ground from which look  
bearings to the following new trees  
An Oak 6 in dia, bears S 15° 7' 38 Ws dist  
An Oak 12 in dia, bears S 33° E. 138 Ws dist  
An Oak 4 in dia, bears N 66° 9' 46 Ws dist  
An Oak 8 in dia, bears N 13° E. 102 Ws dist  
from this corner draw:  
Post on a tree line between Sec 30 34  
12° 01' E. 100  
4 83 Set post 4 ft long 3 in wide 2 ft in ground for

## Between Townships 26 and 27 North of

- Chs Ws 1/6 Sec Corner from which  
 a Red Oak 5 in dia base  $N 26^{\circ} E$  58 Ws dist  
 a Red Oak 8 in dia base  $S 22^{\circ} E$  45 Ws dist  
 39 66 The Old 1/4 Sec Cor, Van Dusen at base 1/2 mile  
 59 66 Six Chained  $\frac{1}{2}$  or  $\frac{1}{4}$  for long 3 in mile, from ground  
 in 2 round 4 1/2 from base of high, deep pits  
 48 x 20 x 12 in and 2 pits 20 x 20 x 12 in for 1/6 Sec Cor  
 79 66 The Corner to Sec 34, 33 & 34

Soil surface mostly too rough for cultivation,  
 timber brush and prairie  
 Soil good & water

West on a random line for Secs 4 & 33  
 T $\alpha$  11 $^{\circ} 15'$  East

- 2 00 Deep Ravine drains from N. to S.  
 5 00 Top of Ridge base N. to S.  
 11 00 Deep Ravine drains from N. to S.  
 16 00 Top of Ridge base N. to S.  
 15 50 Wagon Road base N. to S.  
 20 00 Six temporary 1/6 Sec Corner

Range No 9 East of the 6<sup>th</sup> Principal Meridian

- Chs Ws  
 24 00 Ravine drains from N. to S.  
 30 00 Large Oak opening and sub-timber & thick brush,  
 30 10 Creek 2 link mile runs S. E.  
 39 78 From point 22 Ws N. of old 1/4 Sec Corner to re-  
 establish the corner see from 1/4 long 3 in mile of  
 injured, from which:  
 a Red Oak 2 in dia base  $N 10^{\circ} E$  58 Ws dist  
 a Red Oak 6 in dia base  $S 04^{\circ} E$  8 1/2 Ws dist  
 First one old and last one new bearing true, from  
 the corner draw the same random line  
 T $\alpha$  11 $^{\circ} 15'$  East  
 9 00 Large timber and brush and sub-timber prairie with  
 a few scattering Oaks base  $N 11^{\circ} S$   
 10 00 Top of ridge N. to S.  
 11 00 Wagon Road base N. W. and S. E.  
 20 00 Six temporary 1/6 Sec Corner  
 23 00 Cuts equal 5 Ws mile runs S. E.  
 40 24 From point 28 Ws N. of corner to Secs 4, 5, 32 & 33  
 from which corner draw:

East on a true line between Secs 4 and 33  
 T $\alpha$  11 $^{\circ} 39'$  East

## Between Townships N 26 and 27 West

20	12	See post 4 1/2 ft long 3 in wide 2 ft in ground for 1/16 Sec Corner from which An Oak 14 in dia base S 58 1/2° E 193 lbs dia A Willow 8 in dia base S 53 1/2° W 296 lbs dia
40	24	The 1/4 Sec Corner from which draw  Carroll a true line for Secs 4 & 33 Ta 11° 34' East
60	<del>72</del> <sup>113</sup>	See post 4 1/2 ft long 3 in wide 2 ft in ground for 1/16 Sec Corner from which: An Oak 6 in dia base S 29 1/2° W 18 lbs dia An Oak 4 in dia base N 15 1/2° E 123 lbs dia
80	02	The Corner to Secs 3, 4, 33 and 34. See post 4 1/2 ft long 3 in wide 2 ft in ground from which: A Red Oak 8 in dia base S 69 1/4° W 39 1/2 lbs dia A Red Oak 9 in dia base S 5° N 143 lbs dia An Oak 14 in dia base N 31° E 297 lbs dia An Oak 6 in dia base S 70 1/2° E 149 lbs dia First two old and last two new bearing trees.

of Range 4 to 9, East of the 6<sup>th</sup> Principal Meridian,

		Surface rough and hilly, too rough for successful cultivation, Soil dark clay loam with clay subsoil well adapted to wheat, 2 <sup>d</sup> rate. Timber scattering bur oak of poor quality, and some brush.
		West on a random line for Secs 5 & 32 through Prairie, with brush. Ta 11° 15' East.
	8 50	Rainie drain from S. 7 to N. 8
	12 50	Hagen Road base stand S.
	19 00	Top of ridge base stand S.
	20 00	Set temporary 1/16 Sec corner
	32 00	Course 2 1/2 mile runs S 20° W.
	40 00	At a point 2 1/2 miles S of old 1/4 Sec corner, 70 or 80 establish the corner with a granite corner 18 1/2 x 6 in 1 in in the ground for 1/16 Sec corner from which corner draw West on a random line Ta 11° 15' East
	49 00	Rainie base stand S.
	18 00	Top of Ridge base stand S.
	20 00	Set temporary 1/16 Sec corner.

Between Townships 26 and 27 north of

Ch Wk  
31 00 Met Ranier drains N 20° W.  
40 12 The Cor to Secs 5, 6, 31 and 32 from which  
Draw:

East on a true line Cor Sec 5 & 32  
Pa 11° 15' East

20 06 Set Stake stone 15 x 12 x 8 in in ground for  
1/4 Section Corner  
40 12 The 1/4 Sec Corner from which Draw

East on a true line Cor Secs 5 & 32  
Pa 11° 15' East

60 27 Set Check pass for long 3 in wide, 3 in ground  
in mound 4 1/2 ft from base of high dug 2 pits  
48 x 20 x 12 in & 2 pits 20 x 20 x 12 in for 1/4 Sec Cor

80 12 The Corner to Secs 5, 32 & 33, Set 4 post 4 ft  
long 3 in square & 3 in ground and took  
bearings to post old bearing trees as follows.  
An Oak 8 in dia base, S 54° W, 165 W dist.  
An Oak 14 in dia base N 50° W 86 1/2 ft W dist.  
No other true corners for marking dug

Range No 9 East of the 4<sup>th</sup> Principal Meridian

Ch Wk  
any pit 2 fragments of deep 8 W. S. of Post  
Surface prairie, very rolling.  
Soil dark loam & adapted to wheat.  
10<sup>th</sup> Grade

West on a random line Cor Sec 6 & 31  
Pa 11° 15' East

16 50 Head of Ranier drains S 10° W.  
20 00 Set stump 1/6 Sec Corner  
40 00 To old 1/4 Sec Cor found. Set stump 1/4 Sec Cor.  
41 00 Ranier drains S  
55 00 Top of ridge base stand S.  
Wood Set stump 1/6 Sec Corner  
68 40 Station on base of 80° East & N.

79 50 From point 10 W. S. of Corner to Townships 26 &  
27 Range 9 and 9 To meet at the Corner  
Set Check pass for long 4 in sq. 3 in ground in  
mound 5 ft base of high dug 2 pits 54 x 20 x 12 in  
from which Corner Draw.

Between Townships 26 & 27 North of  
Range 49 East of the 6<sup>th</sup> Principal Meridian

East on a true line to Sec 6 & 3/  
Pat 119° East

19 50 Sec 15 & 10 + 3 in, 10 in in ground  
for  $\frac{1}{16}$  Sec Corner

39 50 Sec 4 & 1 long 3 in side of in  
ground in mound  $4\frac{1}{2}$  ft or base 2 ft high  
diag 2 pits 48 x 24 + 12 in & 2 pits 24 x 24 + 12 in  
for  $\frac{1}{16}$  Sec Corner

59 50 Sec 17 & 12 + 12 in  $11\frac{1}{2}$  in in ground  
for  $\frac{1}{16}$  Sec Corner

49 50 The Corner to Secs, 5, 6, 8, 1, and 3, Sec  
4 & 1 long 3 in square 1 ft in ground  
in mound  $4\frac{1}{2}$  ft or base 2 ft high diag 2 pits  
48 x 24 + 12 in and 2 pits 24 x 24 + 12 in.

Surface Rolling Prairie.

Soil dark loam well adapted to wheat  
1<sup>st</sup> row

Range 18 Meridian East  
Township 26 North Meridian  
Range 80 East of the 6<sup>th</sup> Principal Meridian

do do From the Corner to Sec 13, 15, 19 & 24 Draw

South on a true line to Sec 19 and 24  
Pat 120° East

49 50 The Corner to Sec 19 & 24 on South Boundary  
Reservation and 16.71 chs Marshall White Corner  
do 5. The corner to Sec 19 & 24 on S. B. Sec  
Res. Sec 4 for long 3 in side of in ground from  
which

An Oak 5 in dia base N  $74\frac{1}{2}$ ° W. 11 7/16 dist

An Oak 3 in dia base S  $10$ ° E 120 W dist

Pat with the additional Marks, S. B., N. R. & O. R.  
Surface prairie on a steep side hill sloping  
South East.

Soil 2<sup>nd</sup> row pale clay loam best adapted to  
grazing.

Pat Timber Sec 15 containing 2 comb oak.

19  
 Guide Meridian, East  
 Township No 26 North, Beltrami Range

- | Co    | W | Description   |
|-------|---|---|
|       |   | Bank on a random line for Sec 13 & 18<br>Pa 12° East.   |
| 20 00 |   | Set temporary 1/4 Sec Corner  |
| 27 40 |   | Range road to Pine City N. 60° 30' 5" W. E.   |
| 27 90 |   | Range line S. E. & N. W.  |
| 37 50 |   | Range line S. 80° 11' 45" E.  |
| 39 58 |   | To a point 10 W. East of 1/4 Sec Corner to<br>reestablish the corner for Chained point for<br>long 3 1/2 mile from ground in mound 4 1/2 ft<br>bar of high dug 2 pits 48 x 20 x 12 in and 2 pits<br>20 x 20 x 12 in, from which corner drawn South<br>on a random line Pa 12° East. |
| 47 50 |   | Out 1/2 W. mile, runs from S. 80° E. to N. 70° N.<br>and 2 pits high bars E & N.  |
| 10 00 |   | Lean back bar S. E. and N. W.   |
| 11 50 |   | Top of ridge bar E & N.   |
| 20 00 |   | Set temporary 1/4 Sec Corner  |
| 31 00 |   | Out 10 W. mile runs from S. E. to N. W.   |
| 39 60 |   | A point 6 W. East of corner to Sec 13, 18<br>19 and 24, to reestablish the corner for<br>Chained point for long 3 1/2 mile from ground<br>in mound 4 1/2 ft bar of high dug 2 pits  |

20  
 Guide Meridian, East  
 to 8 and 9 East of the 6<sup>th</sup> Principal Meridian

- | Co    | W | Description   |
|-------|---|---|
|       |   | 48 x 20 x 12 in and 2 pits 48 x 20 x 12 in, from<br>which corner drawn  |
|       |   | Archaic true line for Sec 13 & 18<br>Pa 11° 55' East.   |
| 19 80 |   | Set Chained point for long 3 1/2 mile, from ground<br>in mound 4 1/2 ft bar of high dug 2 pits<br>48 x 20 x 12 in & 2 pits 20 x 20 x 12 in for 1/4 Sec Corner     |
| 39 60 |   | The 1/4 Section corner from which drawn;  |
|       |   | Archaic true line for Sec 13 & 18<br>Pa 11° 51' East.   |
| 39 39 |   | Set Chained point for long 3 1/2 mile, from ground<br>in mound 4 1/2 ft bar of high dug 2 pits 48 x 20 x<br>12 in and 2 pits 20 x 20 x 12 in for 1/4 Section Cor. |
| 79 18 |   | The Corner to Sec 11, 12, 13 and 18   |
|       |   | Surface broken.   |
|       |   | Soil 1 <sup>st</sup> rate. best adapted for wheat.  |

21  
 under Meridian, East  
 Township N 26 North, 10<sup>th</sup> Meridian

Ch	W	Description
		North on a random line for Dec 7, 12 <span style="float: right;">Ta 12° East.</span>
5	30	Nagon road from S. 71° E and N 40° N.
2	20	Post tempy 1/6 Sec Corner
2	22	00 Cypress fence to Cornfield from S 60° E or N 60° W.
2	24	20 Ranier drains from N 60° E to N.
3	33	07 To Big Bear Brothers frame house, offset East 15 Ws, thence S. 25 Ws thence N 15 Ws to random line
33	33	00 West side of house
39	40	00 Cross fence from S 71° E, To 1/4 Sec Cor. Re-established corner by setting sand stone 20 x 12 x 6 in, 12 in in ground, from which Cor D ran south on a random line <span style="float: right;">Ta 12° East.</span>
5	10	Nagon road from S 81° E or N 80° W.
7	10	Ranier with feathering trees again from E to W.
4	40	Cypress fence S. East N. N. to plowed field
12	30	Lean plowed field and cross fence S 81° E or N 80° W.
13	00	Nagon Road S. & W.
20	00	Set tempy 1/6 Sec Corner
33	00	Nagon road from S. 11° E & N 11° W.

22  
 under Meridian, East  
 Range 8 & 9 East of the 6<sup>th</sup> Principal Meridian

Ch	W	Description
39	66	00 A Point 10 W E of corner to Dec 7, 12, 13 & 18 To re-establish this corner for Chained from 4 ft long 3 in square iron ground in ground 4 1/2 in from base of high dug 2 pit 25 x 12 in + 2 pit 27 x 24 x 12 in, from which corner drawn
		North on a true line for Dec 7 and 12 <span style="float: right;">Ta 10 57' East.</span>
19	13	00 Set quartz plate 16 x 12 x 9 in, 16 in in ground for 1/6 Sec Corner
39	66	00 The 1/4 Sec Corner from which I draw
		North on a true line for Dec 7 and 12 <span style="float: right;">Ta 12° East</span>
59	57	00 Set Chained post 4 ft long 3 in wide, from ground in ground 4 1/2 in from base of high dug 2 pit 25 x 27 x 2 pit 27 x 27 x 12 in for 1/6 Sec Corner
44	36	00 The Corner to Sections 1, 6, 7 and 12.
		Surface rolling Prairie Soil dark clay loam but adapted to wheat 1 <sup>st</sup> rate

23  
Guide Meridian, East  
Township No 26 North, Belwin

- | Ch | Wk | Description   |
|----|----|---|
|    |    | Brush on section line for Sec 106<br>Ta 11° 45' East  |
| 13 | 56 | Haym road cross 4 <sup>th</sup> St. N.  |
| 20 | 00 | Set temporary Sec Corner  |
| 32 | 70 | Creek 1/2 mile run from 4 <sup>th</sup> St. to S. N.  |
| 33 | 00 | Creek 1000 yds run from E to W,<br>with scrub willow  |
| 39 | 55 | Point 32 Ws East of 1/4 Sec corner, 70 un-<br>tabled. This corner for Sand Stone 20 x 20 x 6 1/2 in<br>14 in in ground from which corner draw<br>Sarkona section line. Ta 11° 45' East. |
| 7  | 40 | Haym road cross East N.   |
| 10 | 60 | Haym road cross N. W. Sec.  |
| 16 | 45 | Haym road cross 4 <sup>th</sup> St. N.  |
| 18 | 00 | Head of ravine with brush cross of rd. down<br>ravine to Creek  |
| 20 | 00 | Set temporary Section corner 42 Ws West   |
| 28 | 00 | Creek 5/8 mile run from 6 <sup>th</sup> St. to N. and set brush<br>East and N.  |
| 26 | 30 | Ravine drains from S. E. to N. W.   |
| 31 | 00 | Clear brush, begin East N.  |
| 39 | 57 | The Corner to Secs 1, 6, 7 and 12, Sec 4 and  |

24  
Guide Meridian, East.  
Ranges 8<sup>th</sup>, 8 and 9 East of the 6<sup>th</sup> Principal Meridian

- | Ch | Wk | Description  |
|----|----|--|
|    |    | Point 44 ft long 3 in dia, from ground in mound<br>4 1/2 ft from base of high dug 2 pits 28 x 20 1/2 in<br>and 2 pits 20 x 20 1/2 in from which Cor. Draw.   |
|    |    | Sarkona true line for East and 6<br>Ta 11° 45' East  |
| 11 | 54 | Point for 1/4 Sec corner as a point 42 Ws from<br>Sec 4 and 4 ft long 3 in dia, from ground<br>in mound 4 1/2 ft from base of high dug 2 pits 28 x 20<br>1/2 in and 2 pits 20 x 20 1/2 in for 1/4 Sec corner |
| 39 | 57 | The 1/4 Sec corner from which draw.  |
|    |    | Sarkona true line for East and 6<br>Ta 11° 28' East.   |
| 57 | 35 | Set corner. Point 44 ft long 3 in dia, from ground<br>in mound 4 1/2 ft from base of high dug 2 pits 28 x 20<br>1/2 in and 2 pits 20 x 20 1/2 in for 1/4 Sec corner.   |
| 99 | 12 | The Corner to Township 26 and 27 North, of<br>Range 8 and 9 East.  |
|    |    | Surface rolling and broken prairie<br>with dark clay loam deposited to where<br>I was May 12 <sup>th</sup> 1875  |

Br. Townships No 26 and 27 North of

Ch W of Corner to Sec 1, 2, 35 + 36 on the line  
br Townships 26 + 27 being found  
Commenced at the cor to Sec, 2, 3, 34 + 35  
and ran.

Carroll random line for Sec 2 + 35  
Ta 110° 30' East

20 00 Set temporary 1/6 Sec Corner  
29 50 Equal plowed land to Sec 4 + 5  
41 00 Lean plowed land from N 10° E to S 10° W + 7/8  
Old 1/6 Sec Corner, set a gravity stone 15 x 12 x  
10 1/2 in, 10 in in the ground from which draw  
Carroll random line for Sec 2 + 35  
Ta 110° 30' East

10 00 Ravine drain from N. W to N. E  
+ 23 00 1/2 Sec Corner of plowed land 30 40s Dist  
29 90 Quaker Creek, runs from N 10° E to N 10° W  
30 40s wide + Center Creek bottom

46 00 Set temporary Corner to Sec 1, 2, 35 + 36 from  
which draw Carroll random line for  
Sections 1 + 36 Ta 110° 30' East

3 00 Nagon S. E + N. W. and plowed land at N. W  
+ 20 00 Set temporary 1/6 Sec Corner

Range No 8 East of the 67 Principal Meridian.

Ch W of  
15 00 Lean creek bottom from N. W.  
20 00 Set temporary 1/6 Sec Corner  
21 20 Copse fence from N 10° W + S 10° E  
21 20 Lean plowed land N 10° W + S 10° E.  
21 50 Nagon road from Agency to Sioux City, from  
N 10° W and S 10° E

39 67 The 1/4 Section Corner, Set Chained post for  
long 300 wide, from ground in mound 4 1/2 ft  
at base of high dug 2 pits 48 x 20 x 12 in + 2 pits 20 x  
20 x 12 in from which Cor draw East on a ran-  
dom line br Sec 1 and 36

20 00 Set temporary 1/6 Sec Cor Ta 110° 30' East  
46 11 a grain 2 1/6 Sec East of Corner to Townships, 26 +  
27 Ranges 8 + 9 from which Corner draw

A. 89° 42' W on a true line for Sec 10 36  
Ta 120° 06' East

20 05 Set Chained post for long 300 wide, from  
ground in mound 4 1/2 ft from base of high  
dug 2 pits 48 x 20 x 12 in + 2 pits 20 x 20 x 12 in  
for 1/6 Section Corner

## Between Township No 26 &amp; 27 North,

- | Co | W  |   |
|----|----|---|
| 46 | 11 | The $\frac{1}{4}$ Sec Corner from which I ran   |
| 60 | 02 | Set a true line for Sec 10 36<br><sup>Pa. 11° 43' 8" East</sup><br>Set chained from a long 3 in side 1 ft in<br>ground in mound $\frac{1}{4}$ from base of high dug<br>2 pits 48 x 20 x 12 in & 2 pits 20 x 20 x 12 in for<br>$\frac{1}{16}$ Sec Corner   |
| 79 | 94 | Set chained from a long 3 in side 1 ft in<br>ground in mound $\frac{1}{4}$ from base of high<br>dug 2 pits 48 x 20 x 12 in & 2 pits 20 x 20 x 12 in<br>for Corner to Secs 1, 2, 35 & 36, being on<br>line & midway bet. the two $\frac{1}{4}$ Sec Corners |
|    |    | From the Corner to Secs 1, 2, 35 & 36 I ran   |
|    |    | Set a true line for Secs 30 & 35<br><sup>Pa. 11° 04' 8" East</sup>  |
| 19 | 91 | Set granite stone 14 x 12 x 8 in $9\frac{1}{2}$ in in<br>ground for $\frac{1}{16}$ Sec Corner   |
| 39 | 82 | The $\frac{1}{4}$ Sec Corner  |
| 59 | 82 | Set Granite Stone 14 x 8 x 6 in, $9\frac{1}{2}$ in ground   |

of Range No 8 East of the 7<sup>th</sup> Principal Meridian

- | Co | W  |   |
|----|----|---|
|    |    | for $\frac{1}{16}$ Section Corner.  |
| 79 | 82 | The Corner to Secs 21, 3, 34 & 35,<br>Surface along line of Sec 36, Tully, Mass position<br>Appand stable Creek bottom,<br>Soil Carpenter's & Grade best for grass,<br>Soil best position best for Corn & Grade<br>Surface along line of Section 35 Rolling<br>prairie<br>Soil & Grade best for wheat,<br>May 14 <sup>th</sup> 1845 |
|    |    | East on a random line for Secs 30 & 34<br><sup>Pa. 11° 30' East</sup>   |
| 20 | 01 | Set temporary $\frac{1}{16}$ Sec Corner   |
| 39 | 67 | A point 500 yds North of old $\frac{1}{4}$ Sec Corner to be<br>established which set chained from a long 3 in<br>side 1 ft in ground in mound $\frac{1}{4}$ from base of<br>high dug 2 pits 48 x 20 x 12 in & 2 pits 20 x 20 x 12 in<br>from which<br>A Willow tree line, bearing $197\frac{1}{2}^{\circ}$ E 265 yds dist           |

Between Township 26 + 27 North

Chs Ws A Millers 10 in dia brass 176° E 307 lbs dia  
from which corner draw East on a random line  
Pd 11030° East

2 75 Cont 5 Ws side runs from N to S.

14 00 Repairs from N to S.E.

20 00 Set temporary 1/4 Sec Corner

40 28 A point 10 Ws East of corner to Sec 2, 3, 34

55 To reestablish the corner per chand post  
4 ft long 3 in square, 1/2 in ground in mound  
4 ft from base of high dug 2 pit 48 x 20 x 12 in  
+ 2 pit 20 x 12 in from the corner draw

As 9.42' Non a true line for Sec 3 + 34  
Pd 11054° East

20 14 Set chand post 4 ft long 3 in dia, from  
ground in mound 4 ft from base of high  
dug 2 pits 48 x 20 x 12 in + 2 pit 20 x 12 in  
for 1/4 Sec Corner

40 28 The 1/4 Sec Corner from which Cor draw

As 9.42' Non a true line for Sec 3 + 34  
Pd 11144° East

of Range 8 East of the 67<sup>th</sup> Principal Meridian

Chs Ws

60 11 Set chand post 4 ft long 3 in dia, from  
ground in mound 4 ft from base of high dug  
2 pits 48 x 20 x 12 in and 2 pit 20 x 12 in for  
1/4 Sec Corner

49 95 The corner to Sec 3, 4, 34 and 34  
Surface rolling prairie,  
Dirt 1<sup>st</sup> rate bar for wheat.

Castora random line from Sec 4 + 33  
Pd 11115° East

45 00 Range drain from S to N.

20 00 Set temporary 1/4 Sec Corner

40 26 A point 14 Ws South of 1/4 Sec Corner  
To reestablish the corner per granite stone  
12 x 12 x 12 in, 8 in in ground, from which Cor  
draw Castora random line Pd 11015° East.

20 00 Set temporary 1/4 Sec Corner

20 10 Drain, from N to S.E.

39 69 A point 13 Ws East of corner to Sec 1, 3, 24 33  
and 34. To reestablish the corner per chand

Between Township Nos. 26 + 27 North

d. W. Post 4 ft long 3 in dia. from ground in mound 4 1/2 ft from base of high dug 2 pits 48 x 20 x 12 in + 2 pits 20 x 20 x 12 in, from which corner drawn.

S. 89° 42' Monument line for Secs 4 + 33  
Ta 110° 44' East.

19 84 1/2 Set granite block 14 1/2 x 10 in, 9 1/2 in in ground, for 1/4 Sec Corner

34 69 Chy 1/4 Sec Corner

59 82 Set a granite stone 20 x 18 x 14 in for 1/4 Sec Cor.

49 95 The Corner to Secs 4, 5, 32 + 33

Surface very rolling.  
Soil pale clay loam best for grazing  
2 c. rati

of Range No 8 East of the 6<sup>th</sup> Principal Meridian

d. W. Met on a random line for fract. Secs 5 + 32  
Ta 110° 30' East.

20 00 Set temporary 1/4 Sec Corner

41 05 To a point 79 like West of Corner to Township 26 + 27 Range 8 N. 8. To reestablish the corner set chauld post 4 ft long 4 in square, from ground in mound 5 ft from base 2 1/2 ft from high dug 4 pits 54 x 20 x 12 in. from which corner drawn.

S. 89° 42' Monument line for Secs 5 + 32  
Ta 100° 40' East.

05 Set chauld post 4 ft long 3 in wide, from ground in mound 4 1/2 ft from base of high dug 2 pits 48 x 20 x 12 in + 2 pits 20 x 20 x 12 in for 1/4 Sec Cor.

20 05 Set chauld post 4 ft long 3 in wide, from ground in mound 4 1/2 ft from base of high dug 2 pits 48 x 20 x 12 in + 2 pits 20 x 20 x 12 in for 1/4 Sec Corner

40 05 The Corner to Secs 4, 5, 32 + 33, set chauld post 4 ft long 3 in dia. from ground in mound 4 1/2 ft from base of high dug 2 pits 48 x 20 x 12 in + 2 pits 20 x 20 x 12 in.

Surface broken prairie with scattering brush.  
Soil pale yellow clay best for grazing, 2 c. rati

May 18<sup>th</sup> 1893

33  
Guide Meridian, East  
Township No 24 North Bemis Range

Ch W From the Corner to Townships 26 & 27 N.  
Range 8 & 9 East Draw.

North on a random line for Sec 31 & 36  
Ta 11025 East

- 580 Magna road E & N.  
2000 Set temporary to Sec Corner  
3950 Deep ravine with broad drainage from E to West.  
4100 Hold the Sec Corner found. Set temporary to Sec Cor  
5450 Deep ravine with scattering trees from east to west.  
7389 Intersect North Boundary Reservation 10400  
Part of Omule Sec 31 & 36. To reestablish the  
Corner set Chained post 4 ft long 3 in wide  
1 ft in ground in mound 4 1/2 ft from base of  
high dug 3 pits 54 + 20 + 12 in. Post with the  
additional marks A. B. W. R. from which  
Corner Draw.

South on a true line for Sec 31 & 36  
Ta 12015 East

- 1389 Set Chained post 4 ft long 3 in wide for  
in ground in mound 4 1/2 ft from base of

34  
Guide Meridian, East  
8 and 9 East of the 6th Principal Meridian.

Ch W High dug 2 pits 48 + 20 + 20 + 20 + 20 in  
for the Section Corner for 1/4 Sec Cor

3389 Set Chained post 4 ft long 3 in wide 2 ft in ground  
Cottonwood 26 in, dia from S 50 1/2 W 27 ft 6 in dia  
Oak 3 in dia, base S 42 E, 34 ft 6 in dia

5389 Set Chained post 4 ft long 3 in wide 1 ft in ground  
in mound 4 1/2 ft from base of high dug 2 pits 48 + 20  
x 12 + 2 pits 20 + 20 + 20 in for 1/4 Sec Corner

7389 The Corner to Township No 26 & 27 North  
Range 8 & 9 East  
Surface rolling prairie,  
Soil, best adapted to grass 2000

May 14<sup>th</sup> 1895



Between Township No 25 + 26 North

Ch 145  
39 82 The Corner to Secs 2, 3, 34 + 35, from which  
draw:

N 89° 56' E, on a true line for Secs 2 + 35  
Pa 12° 11' East

19 91 Sec granite Stone 15 + 10 + 6 in 10 in the  
ground for 1/6 Sec Corner

39 82 The 1/4 Sec Corner from which draws

N 89° 56' East true line for Secs 2 + 35  
Pa 11° 39' East

39 80 1/2 Sec granite Stone 14 + 12 + 9 in 9 1/2 in in  
ground for 1/6 Sec Corner

4 2 4  
79 79 The Corner to Secs 1, 2, 35 + 36. Set a chalk  
line for long 3 in deep in ground in corner  
1/4 from base of high auger pit 48 x 20 x 12 in  
+ 2 pits 20 x 20 x 12 in.

Surface fine rolling Prairie + Creek  
bottom.

Soil 10' or less best for hay and corn

of Range No 4 East of the 6<sup>th</sup> Principal Meridian

Ch 145  
39 82 From a random line for Secs 31 + 34  
Pa 12° 11' East

20 00 Set temporary 1/6 Sec Corner

40 00 To a point 6 in back of old 1/4 Sec Corner  
To reestablish the corner set granite  
stone 12 + 8 + 6 in, 8 in in the ground  
from which draw from a random line  
Pa 12° 10' East

5 00 Again corner of to ch.

20 00 Set temporary 1/6 Sec Corner

34 05 back 4 blocks wide runs from No 20

40 03 The old Corner to Secs 3, 4, 33 and 34 To re-  
establish the corner set Chalk post + long  
3 in square for ground in corner 1/4 fr  
at base of high auger pit 48 x 20 x 12 in +  
pit 20 x 20 x 12 in from which corner draw

N 89° 56' East true line for Secs 3 and 34  
Pa 12° 6' East

20 01 1/2 Set a Quartz Stone 12 + 12 + 4 in, 8 in in  
ground for 1/6 Sec Corner

40 03 The 1/4 Section Corner from which draw

Between Smuships 25 and 26 north of

Ch W A 89° 56' E on a true line for Decs 3 + 34.  
Ta 12° 01' East

60 03 Set quartz stone 14 + 104 4 in 9/16 in in  
ground for No 46 Sec Corner

80 03 The Corner to Decs 2, 3, 34 and 35. Set  
Chained post 4 ft long 3 in dia 1/4 in ground  
in mound 4 1/2 ft as base for high dug  
pit 48 x 20 x 12 in + 2 pit 20 x 20 x 12 in,

Surface rolling prairie.  
Soil clay loam, best adapted to the cul-  
tivation of wheat & Oats

Wagon road line for Decs 40 + 33  
Ta 12° 10' East

20 01 Set temporary No 46 Sec Corner

35 00 Creek bottom from N.E. + N.W.

38 80 Run Creek 500 yds wide runs from S. 40° W. to  
N. 40° E

41 01 My old No 46 Sec Corner Set temporary No 46 Sec Corner

42 75 Run Creek bottom from N.E. + N.W.

Range No 4 East of the 6th Principal Meridian

Ch W

60 02

79 90

Set temporary No 46 Sec Corner

Original point 53 1/2 miles south of old Corner to  
Decs 45, 32 + 33. Set Chained post 4 ft long  
3 in dia, 1/4 in ground in mound 4 1/2 ft as base  
for high dug pit 48 x 20 x 12 in + 2 pit 20  
x 20 x 12 in from which Corner drawn;

N. 89° 56' E on a true line for Decs 40 + 33

Ta 11° 43' East

19 94 1/2

Set Chained post 4 ft long 3 in dia, 1/4 in ground in  
mound 4 1/2 ft as base for high dug pit 48 x 20  
+ 2 pit 20 x 20 x 12 in for No 46 Sec Corner

39 95

Set Chained post 4 ft long 3 in dia, 1/4 in  
ground in mound 4 1/2 ft as base for high dug  
2 pit 48 x 20 x 12 in and 2 pit 20 x 20 x 12 in from Sec Corner

59 92

Set Chained post 4 ft long 3 in dia, 1/4 in  
ground in mound 4 1/2 ft as base for high dug  
2 pit 48 x 20 x 12 in + 2 pit 20 x 20 x 12 in for No 46 Sec Corner

79 90

The Corner to Decs 3, 4, 33 and 34

Surface rolling prairie. Soil pale clay  
loam best for wheat & Oats

Belmont Homesteads 4020 & 26 tract

- Ch. No. Not on a standard line for Sec 5 + 32  
T<sub>11</sub> 12° East.
- 20 00 Set temporary 7/6 Sec Corner
- 59 91 In a point 35 W. side of old 7/6 Sec Cor  
to establish the corner to be changed from  
4 1/2 long 3 in wide 1 ft in ground in around 4 1/2  
from base of high dug 2 pits 48 x 20 x 12 in  
+ 2 pits 20 x 20 x 12 in from which draw. Not  
on a standard line  
T<sub>11</sub> 12° East
- 19 10 Slough meadow tract NW + NE .3 ch side
- 20 00 Set temporary 7/6 Sec Corner
- 39 82 The corner to Sec 5, 6, 31 + 32 Sec changed  
from 4 1/2 long 3 in sq ft in ground in around  
4 1/2 from base of high dug 2 pits 48 x 20 x 12 in  
+ 2 pits 20 x 20 x 12 in from which corner  
draw.
- As 9 56 On a true line for Sec 5 + 32  
T<sub>11</sub> 56° East
- 19 91 Set changed from 4 1/2 long 3 in wide 1 ft in  
ground in around 4 1/2 from base of high

of Range 49 East of the 6<sup>th</sup> Principal Meridian

- Ch. No. dug 2 pits 48 x 20 x 12 in for 7/6 Sec Corner  
39 82 The 7/6 Sec Corner from which draw:
- As 9 56 On a true line for Sec 5 + 32  
T<sub>11</sub> 26° East.
- 59 91 Set a granite stone 14 x 7 x 6 in 9 ft in in  
ground for 7/6 Section Corner
- 79 93 To Corner to Secs 4, 5, 32 and 33  
Surface rolling prairie and meadow  
Soil light and dark clay loam, 2<sup>nd</sup> rate  
best for hay and pasture  
May 24<sup>th</sup> 1895
- Not on a standard line for Sec 6 + 31  
T<sub>11</sub> 26° East.
- 72 5 Origin bears from N to N.E.
- 20 00 Set temporary 7/6 Sec Corner
- 40 00 My old 7/6 Sec Corner found Set temporary 7/6 Sec Corner
- 60 00 Set temporary 7/6 Sec Corner
- 49 86 The corner to Homesteads 25 + 26 north of  
Range 6 + 49 East. Set changed from 4 1/2 ft  
long 4 x 4 in sq 1 ft in ground in around 5 ft  
base 2 1/2 ft high dug 4 pits 54 x 20 x 12 in

Benning Township No 25 + 26 North of  
Range 26 East of the 6<sup>th</sup> Principal Meridian

Ch W from which draw:

19 86 Sec 56 to one true line for Sec 6 + 31  
Ta 11° 56' East.

19 86 Sec 56 from 4 fr long 3 in wide 1 fr in  
ground in mound 4 1/2 fr base 2 fr high  
dug 2 pits 4 8 x 20 x 12 in + 2 pits 24 x 20 x 12 in in  
for 1/4 Sec Corner

39 86 Sec 56 from 4 fr long 3 in wide 1 fr in  
ground in mound 4 1/2 fr base 2 fr  
high dug 2 pits 4 8 x 20 x 12 in + 2 pits 24 x 20 x 12 in  
for 1/4 Sec Corner

57 86 Sec granite Stone 12 x 8 + line 8 in in the  
ground for 1/4 Sec Corner

19 86 The Corner to Sec 5, 6, 31 and 32,

Surface fine rolling prairie  
Soil 2<sup>d</sup> rate but has adapted to  
wheat.

May 24<sup>th</sup> 1876

Benning Township No 26 North Benning Range  
27 East of the 6<sup>th</sup> Principal Meridian

Ch W

To reestablish the Corner of Sec 20, 21, 26 R.  
8 + Sec 24 + 26 R 7, on the South Boundary  
of reservation for Chaud Post 4 fr long  
3 in wide 1 fr in ground in mound 4 1/2 fr  
base 2 fr high dug 3 pits 54 x 24 x 12 in. Post  
with the additional Mark S. B. N. R. + O. R.  
from which Corner draw:

North one true line between Sec 20 + 24  
Ta 11° 30' East

500 The Corner to Sec 18, 19, 20 + 24 on Range  
line, Sec 56 from 4 fr long 3 in wide 1 fr  
in ground in mound 4 1/2 fr base 2 fr high  
dug 2 pits 4 8 x 24 x 12 in + 2 pits 24 x 24 x 12 in

Surface rolling prairie

Soil 2<sup>d</sup> rate but adapted to wheat  
2<sup>d</sup> rate

## Township No 26 North, of Range

As Wk North on a random line Lot Dec 13+17  
Ta 11015 East

2000 Sixteen 1/6 Sec Corner

39 95 To old 1/4 Sec Corner, hexagonal stone  
14 x 9 x 7 in, 9 1/2 in ground, found which  
corner drain North on a random line

18 55 Six 2 1/2 mile corner S. N. Ta 11015 East

2000 Sixteen 1/6 Sec Corner

39 89 The corner to Dec 8, 12, 13+17. Set chain  
post 4 ft long 3 in dia 2 ft in ground in ground  
4 1/2 ft from base of high dug pit 4 8 x 20 x 20  
2 ft 20 x 20 x 12 in from which drain.

South on true line Lot Dec 13+17

Ta 11015 East

19 93 1/2 Set post 4 ft long 3 in wide 2 ft in ground  
for 1/6 Sec Cor from which

a columned, 5 in dia brass S. 20° E 265  
Wk distant, No other lines commensurate  
for marking dug one pit 24 x 24 x 12 in  
8 Wk S of post.

39 84 The 1/4 Sec Corner

Between Ranges 7 and 8 East of the 6<sup>th</sup> Prin Mer.

As Wk

39 84 1/2 Hexagonal Stone 14 x 12 x 8 in, 4 1/2 in in  
ground for 1/6 Sec Corner

39 82 The corner to Dec 13, 17 20 x 20

Surface rolling prairie.

Brit Clay loam, best adapted to the cul-  
tivation of wheat, & oats

North on a random line Lot Dec 8+12  
Ta 11015 East

15 62 Rainie drain from N.E. to S. N.

39 81 A Point 4 Wk N.W. of old 1/4 Sec Corner. To es-  
tablish this corner set granite Stone 16 x  
12 x 10 in 10 in in ground from which cor-  
ner drain North on a random line.

Ta 11015 East

9 02 Rainie drain from E. to W.

2000 Sixteen 1/6 Sec Corner

39 48 3/4 Point, 12 Wk N.W. of corner to Dec  
To establish this cor-  
1.5, 8 1/2 x 2, set chain post 4 ft long 3 in dia  
4 ft in ground in ground 4 1/2 ft from base of

## Township No 26 North, Sec. Range

Ch. Ws 2<sup>d</sup> high dug pits 48 x 20 x 12 in + 2 pits 20 x 10  
x 12 in from which Cornu draws

South on a true line for Sec 8 + 12  
Ta 11° 05' East

19 99 Sec a granite Strata 28' x 4 in, 15 in in  
ground for 1/6 Sec Corner

39 98<sup>th</sup> the 1/4 Sec Corner

South on a true line  
Ta 11° 12' East

7 59 88<sup>th</sup> Sec a granite Strata 24 x 14 x 10 in, 18 in in  
ground for 1/6 Sec Corner

49 99 The Corner to Sec 8, 12, 13 + 17

Surface rolling prairie.

Soil grey clay loam, 2' or less

best adapted to the cultivation of wheat

May 24<sup>th</sup> 1845

7 + 8 East of the 6<sup>th</sup> Principal Meridian

Ch. Ws South on a random line for Sec 1 + 5  
Ta 11° 15' East

20 60 Sec temporary 1/6 Section Cor

33 85 Quik s.l.c. side runs from N.E. to S.W.

39 88 A point 10 W. West of old 1/4 Sec Corner

Reposited a granite Strata 8 x 84 in 2 marked (X)  
and for point for long 3 in wide from

ground in mound 4<sup>th</sup> from bar of high dug  
pits 48 x 20 x 12 in + pit 20 x 20 x 12 in from which Cornu draws

South on a random line Ta 11° 15' East

20 60 Sec temporary 1/6 Sec Corner

39 72 To a point 8 W. East of the Corner to Township  
26 and 27 of Range 14 and 8 East from  
which Cornu draws

South on a true line for Sec 1 and 5  
Ta 11° 22' East

19 72 Sec Chained point for long 3 in wide from  
ground in mound 4<sup>th</sup> from bar of high  
dug pits 48 x 20 x 12 in + pit 20 x 20 x 12 in of 1/6 Sec Cor.

39 72 the 1/4 Sec Corner from which draw

Tomahawk No 26, depth, between Ranges  
No 7 and 8 East of the 6<sup>th</sup> Principal Meridian

Ch Ws South on a true line for Dec 1 + 36  
Ta 110° 06' East.

59 66 Sec granite Corn 16 x 14 x 8 in 10 in in  
ground for the sec corner

44 60 Thy corner to Dec, 15, 8, 57 2

Surface rolling prairie  
Soil, clay loam, Crato best adapted  
to the cultivation of wheat.

May 1<sup>st</sup> 18<sup>th</sup> 1875

Between Tomahawk No 26 and 24 North of  
Range No 7 East of the 6<sup>th</sup> Principal Meridian

Ch Ws North on a true line for Dec 1 + 36  
Ta 110° East.

20 00 Sec temporary 1/6 Sec corner

39 46 To a point 4 Ws North of old 1/4 Section corner  
To re-establish the corner deposited granite  
stone 10 x 6 x 6 in, marked (+) for  
1/4 long 3 in wide, 1/4 in ground in mound 2 1/4  
ft above surface dug 2 pits 21 1/2 x 20 x 12 in & 2 pits  
20 x 20 x 12 in from which corner drawn, North on  
a true line Ta 110° East.

1 00 Drain, across from S. W. to N. E.

20 00 Sec temporary 1/6 Sec corner

39 90 A point 8 Ws North of old corner to Dec  
1, 21, 35 and to re-establish the corner for  
chain point for long 3 in square for in ground  
in mound 2 1/4 ft above surface, dug 2 pits  
48 x 20 x 12 in and 2 pits, 20 x 20 x 12 in, from  
which corner drawn.

S 89° 55' East on a true line for Dec 1 + 36  
Ta 110° 49' East.

19 95 Deposited a granite stone 6 x 6 x 6 in marked

## Between Townships No 26 and 27

Chs. Ws. (+) and Sec from 4 ft long 3 in  
wide of pin ground in mound 4 1/2 ft from base  
of high dug pits 48 x 24 x 12 in & 2 pit 20 x  
20 x 12 in for 1/4 Sec Corner.

39 90 The 1/4 Section Corner from which draw:

S 89° 55' East on a true line to Secs 1 + 36  
T 11° 11' East

59 78 Deposited a granite Stone 6 x 6 x 6 in marked  
(+) & Sec from 4 ft long 3 in wide of  
pin ground in mound 4 1/2 ft from base of  
high dug pits 48 x 24 x 12 in & 2 pit 20 x 20 x 12 in  
for 1/4 Sec Corner

79 64 The Corner to Townships 26 + 27 of Range  
7 and 8 East

Surface fine rolling prairie  
Soil clay loam State for farms

North of Range No 7 East of the 6<sup>th</sup> Pine Mer.

Chs Ws West on a random line to Secs 2 and 35  
T 11° East

20 00 Set empty 1/4 Section Corner

27 10 Dug creek bed 2 1/2 miles wide drains N.E. to Sec 37.  
It appears a few chains South

39 90 In a point 9 1/2 miles North of old 1/4 Sec Corner  
To reestablish this corner, deposited a granite  
Stone 6 x 6 x 6 in marked (+) and Sec

from 4 ft long 3 in wide of pin ground in mound  
4 1/2 ft from base of high dug 2 pit 48 x 24 x 12 in  
and 2 pit 20 x 20 x 12 in from which corner  
draw West on a random line  
T 11° East

20 00 Set empty 1/4 Sec Corner

39 95 In a point 19 1/2 miles North of Corner to Secs  
2, 3, 34 + 35 To reestablish this corner per  
chained from 4 ft long 3 in square of pin ground  
in mound 4 1/2 ft from base of high dug 2 pit  
48 x 24 x 12 in and 2 pit 20 x 20 x 12 in from which  
corner draw.

S 89° 55' East on a true line to Secs 2 + 35

## Bismarck Township 26 and 27 North

- Ch W Va 11° 21' East
- 19 9 7/8 Deposited granite Stone 6 x 5 1/4 in, marked (+) and set post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft from base of high dug 2 pits 48 x 20 x 12 in and 2 pits 20 x 20 x 12 in from top of cone.
- 39 95 The 1/4 Section corner from which draw
- 39 55 Corner true line between Secs 24 & 25 - 11° 15' East
- 59 90 Deposited a granite Stone 6 x 6 x 6 in marked (+) set post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft from base of high dug 2 pits 48 x 20 x 12 in and 2 pits 20 x 20 x 12 in from top of cone.
- 79 85 The corner to Secs 1, 2, 35 & 36
- Surface rolling prairie.  
Soil light clay loam, best for wheat or grazing. 2<sup>d</sup> draw

of Range to N. East of the 6<sup>th</sup> Principal Meridian

- Ch W Met on a random line between Secs 34 & 35 - Va 11° 15' East.
- 20 00 Set temporary 1/6 Sec corner
- 21 00 Corner Creek bottom between Secs 34 & 35
- 24 50 Creek 5 1/2 mile runs from N.E. to S.W.
- 30 55 Creek 10 1/2 mile runs from N.W. to S.E. the top creek runs two Ch. South of line
- 33 00 Near creek bottom between Secs 34 & 35
- 39 80 To old 1/4 Sec corner, To reestablish this corner deposited granite Stone 6 x 4 x 4 in marked (+) set post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft from base of high dug 2 pits 48 x 20 x 12 in and 2 pits 20 x 20 x 12 in from which corner draw. Met on a random line Va 11° 15' East.
- 20 00 Set temporary 1/6 Sec corner
- 39 88 To a pair 82 1/2 mile South of corner to Secs 34 & 35 and 34 To reestablish this corner set chained post 4 ft long 3 in square 1 ft in ground in mound 4 1/2 ft from base 2 ft high dug 2 pits 48 x 20 x 12 in and 2 pits 20 x 20 x 12 in from which corner draw;

Belmont Township No 26 & 27 South

Ch W S 89° 55' E on a true line for Dec 30 34  
Va 10° 53' East

19 94 Set Chained post 4 ft long 3 in wide, for  
in ground in mound 4 1/2 ft from base of  
high dug 2 pits 48 x 20 x 12 in + 2 pits 20 x 20  
x 12 in for 1/6 Sec Corner.

39 88 The 1/4 Sec Corner, from which I draw:

S 89° 55' E on a true line for Dec 30 34  
Va 11° 25' East

59 78 Deposited granite from 6 x 8 x 4 in marked  
(+) Set post 4 ft long 3 in wide, for in  
ground in mound 4 1/2 ft from base of  
high dug 2 pits 48 x 20 x 12 in and 2 pits  
20 x 20 x 12 in for 1/6 Sec Corner

79 68 The Corner to Dec 1, 2, 3, 34 + 35  
Surface fine rolling granite, Soil  
clay loam, 1<sup>st</sup> rate land for wheat.

of Range No 4 East of the 6<sup>th</sup> Pair Meridian

Ch W N 101° 25' E on a standard line for Dec 4 and 33  
Va 11° 25' East

20 00 Set temporary 1/6 Sec Corner

39 83 Old 1/4 Sec Corner, Set Chained post 4 ft  
long 3 in wide, for in ground in mound 4 1/2 ft  
from base of high dug 2 pits 48 x 20 x 12 in  
and 2 pits 20 x 20 x 12 in for 1/4 Sec Corner from  
which I draw Norton standard line  
Va 11° 25' East

20 00 Set temporary 1/6 Sec Corner

40 66 To a point 30 W North of Corner to Dec,  
4, 5, 32 and 33. It is established this corner  
Set Chained post 4 ft long 3 in square, for  
in ground in mound 4 1/2 ft from base of high  
dug 2 pits 48 x 20 x 12 in + 2 pits 20 x 20 x 12 in  
from which I draw.

S 89° ~~55'~~<sup>55'</sup> E on a true line for Dec 14 83  
Va 11° 56' East

20 13 Set Chained post 4 ft long 3 in wide, for in  
ground in mound 4 1/2 ft from base of high  
dug 2 pits 48 x 20 x 12 in and 2 pits 20 x 20 x 12 in  
for 1/6 Section Corner.

## Between Township No 26 + 27 1/2 N

- | Chs   | Wks |  |
|-------|-----|--|
| 40    | 06  | The 1/4 Section Cor from which drawn:<br>S 87° 05' East two line for Dec 4 + 33<br>Ta 11° 30' East   |
| 59    | 97  | Set Chained from 4 fr long 3 in wide, from ground in mound 4 1/2 fr at base of high dug 2 pits 48 x 20 x 12 in and 2 pits 20 x 20 x 12 in for 1/6 Sec Corner   |
| 49    | 19  | The Corner to Dec 3, 4, 5 and 6 1/2<br>Surface fine rolling prairie,<br>Soil clay loam, 1/2 raw hard apter for wheat.  |
| <hr/> |     |  |
|       |     | <i>Norma vandoulin</i> between Dec 5 + 32<br>Ta 11° 30' East   |
| 30    | 00  | Set temporary 1/6 Sec Corner   |
| 41    | 00  | Set 1/4 Sec Corner, Set Chained from 4 fr long 3 in wide, from ground in mound 4 1/2 fr at base of high dug 2 pits 48 x 20 x 12 in and 2 pits 20 x 20 x 12 in from which corner drawn: <i>Norma vandoulin</i><br>Ta 11° 30' East |

## off Range No 29 East of the 6 1/2 Prin N

- | Chs | Wks |   |
|-----|-----|---|
| 1   | 00  | Grain base from N to S E  |
| 20  | 00  | Set temporary 1/6 Sec Corner  |
| 39  | 97  | Old Corner to Dec 5, 6, 31 and 32; Set Chained from 4 fr long 3 in wide, from ground in mound 4 1/2 fr at base of high dug 2 pits 20 x 20 x 12 in and 2 pits 48 x 20 x 12 in from which corner drawn. |
|     |     | S 87° 05' East two line for Dec 5 and 32<br>Ta 11° 35' East   |
| 14  | 98  | Set Chained from 4 fr long 3 in wide, from ground in mound 4 1/2 fr at base of high dug 2 pits 48 x 20 x 12 in and 2 pits 20 x 20 x 12 in for 1/6 Sec Corner  |
| 39  | 97  | The 1/4 Sec Corner  |
| 59  | 97  | Set Chained from 4 fr long 3 in wide, from ground in mound 4 1/2 fr at base of high dug 2 pits 48 x 20 x 12 in and 2 pits 20 x 20 x 12 in for 1/6 Sec Corner  |
| 14  | 97  | The Corner to Dec 4, 5, 32 and 33<br>Surface very rolling. Soil good clay loam<br>1/2 raw for wheat   |

Between Township 26 & 27 N.

Ch W New on random line between 6031  
 Va 12°30' East

20 00 Set temporary 1/2 sec corner  
 31 00 a drain with meadow bottom 2 cts  
 wide from 480° E. to 80° W.

40 00 Quick 2 cts wide from 4 to 5.  
 40 23 finding 200 old 1/4 sec cor for temporary 1/2 sec cor  
 and near meadow from 4 to 5.

60 00 Set temporary 1/2 sec corner  
 72 00 Meadow bottom from 4, W + S. E.  
 77 50 Near meadow bottom from 4 N + S. E.  
 79 40 On a pair 5 like bench of corner to  
 Township 26 and 27, Range 6 & 4  
 East. To meet at old the corner set and  
 post 4 ft long 4 x 4 in wide, 1 ft in ground  
 in mound 6 ft base 2 ft high dug 4  
 pits 54 x 20 x 12 in from  
 which corner drawn.

Set 9°55' East a true line bet. Sec 6031  
 Va 12°33' East

19 70 Set chanced post 4 ft long 3 in wide 3 in

of Range 2 to East of the 6<sup>th</sup> Principal Meridian

Ch W ground in mound 4 1/2 ft from base of high  
 dug 2 pits 48 x 20 x 12 in and 2 pits 20 x 20 x 12 in  
 for 1/2 sec corner

39 40 Point for corner set and 23 like corner for  
 Chanced post 4 ft long 3 in wide 3 in ground in  
 mound 4 1/2 ft from base of high, dug 2 pits 48 x  
 20 x 12 in and 2 pits 20 x 20 x 12 in for witness  
 corner to the Sec corner

59 70 Set Chanced post 4 ft long 3 in wide 3 in  
 ground in mound 4 1/2 ft from base of high  
 dug 2 pits 48 x 20 x 12 in and 2 pits 20 x 20 x 12 in  
 for 1/2 sec corner

79 70 The corner to Sec 5, 6, 31 & 32

Surface very rolling  
 Soil 1<sup>st</sup> rate best for wheat.  
 May 17<sup>th</sup> 1845

## Township 27 North Range 7 East

Ch Wk From the Cor to Townships 26 & 27 North  
Range 7 and 8 East Draw.

Without a sandow line for Sec <sup>34+36</sup> 34 & 36  
Ta 11015 East

2000 Sixteen  $\frac{1}{6}$  Sec Corner

2525 Drain Course from N.E. to N.W.

4000 Old  $\frac{1}{4}$  Sec Corner. Sec Chained from fr  
long 3 in side from ground in mound  
 $4\frac{1}{2}$  ft or less up high dug 2 pits  $48 \times 20$   
 $+ 12$  in and 2 pit  $24 \times 12$  in from which  
Corner Draw Without a sandow line  
Ta 11015 East

2000 Sixteen  $\frac{1}{6}$  Sec Corner

3582 Iron point 18 Wk East of Cor to Secs  
31 and 36 on West Boundary. Reclamation  
By mistake the corner Sec Chained  
post 4 ft long 3 in side from ground  
in mound  $4\frac{1}{2}$  ft or less up high  
dug 3 pits  $54 \times 21 \times 12$  in. Put with the  
additional Marks N.B.W.R.  
from this Corner Draw

Range 7 and 8 East of the 6<sup>th</sup> Town Mer.

Ch Wk S. E. on a true line for Sec 35 & 36  
Ta 11074 East

1582 Iron granite point 15 & 9 & 7 in 10 in in  
ground for  $\frac{1}{6}$  Sec Cor.

3582 The  $\frac{1}{4}$  Sec Corner from which Draw

S. E. on a true line for Sec 32 & 36.

Ta 15007 East

5582 Detached granite point 14 & 14 in  $\frac{1}{6}$  in in  
ground for  $\frac{1}{6}$  Sec Cor.

9582 The Corner to Townships 26 & 27 North,  
of Range 7 and 8

Surface very rolling prairie dotted  
with oak brush  
Soil light clay loam 2<sup>nd</sup> rate for  
wheat

May 19<sup>th</sup> 1845

## Townships to 25 North to 25 West

Chs Wc To meet at the Corner to Secs 1 & 12 T25  
R6 and Sec 6 & 7 S 25 R. 4<sup>th</sup> Sec Chained from  
4 ft long 3 in pipe in ground in mound 4 1/2  
ft above surface high dug 2 pits 48 x 20 x 12 in and  
2 pits 20 x 20 x 12 in from which Corner drain

South on a true line for Sec 7 and 12  
Ta 110° 50' East

5 00 The Corner to Secs 7 & 12 on the South Boundary of  
Reservation and 20 Ch East of old mile corner  
No. 20. To meet at the Corner to Secs 7 and 12 on  
S. 4 day var. Sec Chained from 4 ft long 3 in pipe  
in ground in mound 4 1/2 ft above surface high  
dug 3 pits 54 x 20 x 12 in, 2 pits with the a dot  
typical marks S. B. N. R. and R.

Surface is rolling prairie  
Soil is No 1 best for wheat

June 8<sup>th</sup> 1875

From the Corner to Secs 1, 6, 7 & 12 draw  
down on a random line for Secs 1 & 6

20 00 Set temporary 1/6 Sec Corner  
Ta 110° 30' East

Range to 6 and <sup>40<sup>th</sup></sup> East of the 6<sup>th</sup> Principal Meridian.

No Wc  
39 00 Meadow from E to W.  
39 48 The Old Indian Corner Sec Chained from 4 ft long 3 in pipe in  
ground in mound 4 1/2 ft above surface high dug 2 pits  
48 x 20 x 12 in and 2 pits 20 x 20 x 12 in for the Sec Corner  
from which Corner drain  
South on a random line Ta 110° 30' East  
3 00 Rear meadow from E to W.  
10 00 Set temporary 1/6 Sec Corner  
39 83 The Corner to Townships 25 and 26 Range 6 & 7 East  
from which Corner drain

South on a true line for Secs 11 and 6  
Ta 110° 30' East

19 83 Sec Chained from 4 ft long 3 in pipe in ground  
in mound 4 1/2 ft above surface high dug 2 pits 48 x 20  
x 12 in and 2 pits 20 x 20 x 12 in for the Sec Corner  
39 83 The 1/4 Section Corner  
59 72 Sec Chained from 4 ft long 3 in pipe in ground  
in mound 4 1/2 ft above surface high dug 2 pits 48 x  
20 x 12 in and 2 pits 20 x 20 x 12 in for the Sec Corner  
79 61 The Corner to Secs 1, 6, 7 and 12  
Surface fine rolling prairie, Soil is No 1 best  
adapted to wheat June 8<sup>th</sup> 1875

## Between Townships No 25 &amp; 26 North

- Ch W From the Co to Townships No 25 & 26 North,  
of Range No 6 and East Draw:  
That on a random line for Sec 10 36  
Ta 11 440 East.
- 20 00 Sec tempy 1/6 Sec Corner  
39 82 The old 1/4 section corner ditched for  
long 3 in wide spring ground in mound 4 1/2 ft  
at base of high dug 2 pits 48 x 20 x 12 in & 2 pits  
20 x 20 x 12 in from which corner draw That on a  
random line Ta 11 440 East.
- 20 00 Sec tempy 1/6 Sec Corner  
39 82 The old corner to Secs 12, 35 and 36. Ditch  
for 1/4 along 3 in wide spring ground in mound 4 1/2 ft  
at base of high dug 2 pits 48 x 20 x 12 in and 2  
pits 20 x 20 x 12 in from which corner draw:  
S 89° 53' E on true line for true Sec 10 36  
Ta 11 447 East.
- 19 91 Ditch and post 1/4 along 3 in wide spring ground  
in mound 4 1/2 ft at base of high dug 2 pits 48 x 20  
x 12 in and 2 pits 20 x 20 x 12 in for 1/6 Sec Corner.

of Range No 6 East of the 6<sup>th</sup> Principal Mer.

- Ch W  
39 82 The 1/4 Section Corner  
59 43 Ditch and post 1/4 along 3 in wide spring ground  
in mound 4 1/2 ft at base of high dug 2 pits 48 x  
20 x 12 in and 2 pits 20 x 20 x 12 in for 1/6 Sec Corner  
79 64 The corner to Townships 25 & 26, Range 6 & 7  
Surface rolling prairie.  
Soil dark clay loam, 1 Crat. chert for wheat.
- 
- That on a random line for Sec 2 and 35  
Ta 10 45 East
- 16 00 Creek bottom bear hole  
18 49 Creek 10 ft wide runs from N to S.  
20 00 Sec tempy 1/6 Sec Corner  
21 00 Bear creek bottom bear hole and S. 20° N.  
39 44 The old 1/6 Sec corner, Ditch and post 1/4 for long  
3 in wide spring ground in mound 4 1/2 ft at base  
of high dug 2 pits 48 x 20 x 12 in & 2 pits 20 x 20 x 12 in from  
which corner draw That on a random line  
Ta 10 45 East
- 20 00 Sec tempy 1/6 Sec Corner

## Between Townships Nos. 25 and 26 North,

Ch	Wk	
39	82	The Corner to Secs 2, 3, 34 and 35 Set Chained post 4 ft long 3 in dia, 1 ft in ground in mound 4 1/2 ft at base of high dugr pit 48 x 20 x 12 in and 2 pits 20 x 20 x 12 in from which Cor Draw.
		S 87° 05' E on a true line bet Secs 2 & 35 Ta 10° 52' East
19	41	Set Chained post 4 ft long 3 in dia, 1 ft in ground in mound 4 1/2 ft at base of high dugr pit 48 x 20 x 12 in and 2 pits 20 x 20 x 12 in for the Sec Cor.
39	82	The 1/4 Sec Corner
59	40	Set Chained post 4 ft long 3 in dia, 1 ft in ground in mound 4 1/2 ft at base of high dugr pit 48 x 20 x 12 in and 2 pits 20 x 20 x 12 in for the Sec Corner
74	57	The Corner to Secs 1, 2, 35 and 36 Surface fine rolling prairie Soil 10 rate bet for wheat.

## of Range No. 6 East of the 6th Principal Meridian

Ch	Wk	
		West on a random line bet Secs 3 and 34 Ta 12° 15' East.
20	00	Set temporary 1/4 Sec Corner
39	80	The old 1/4 Section Corner, Set Chained post 4 ft long 3 in dia, 1 ft in ground, in mound 2 1/2 ft at base of high dugr pit 48 x 20 x 12 in and 2 pits 20 x 20 x 12 in from which Corner Draw. Start on a random line bet Secs 3 and 34 Ta 12° 15' East.
20	00	Set temporary 1/4 Section Corner
37	95	at <sup>Sec 3</sup> <sup>and 34</sup> <sup>of Range No. 6 East</sup> <sup>of the 6th Principal Meridian</sup>
39	79	The Corner to Secs 3, 4, 33 and 34, Set Chained post 4 ft long 3 in dia, 1 ft in ground, in mound 2 1/2 ft at base of high dugr pit 48 x 20 x 12 in and 2 pits 20 x 20 x 12 in, from which Corner Draw.
		S 89° 05' E, on a true line bet Secs 3 and 34 Ta 12° 22' East
19	78	Set Chained post 4 ft long 3 in dia, 1 ft in ground in mound 4 1/2 ft at base of high dugr pit 48 x 20 x 12 in and 2 pits 20 x 20 x 12 in for the Sec Corner
39	79	The 1/4 Sec Corner
59	69	Set Chained post 4 ft long 3 in dia, 1 ft in ground in mound 4 1/2 ft at base of high dugr pit 48 x 20 x 12 in and 2 pits 20 x 20 x 12 in for the Sec Corner.

Between Townships 25 and 26 North,

- Ch W 44 57 The Corner to Sec 2, 3, 34 and 35  
Surface rolling prairie,  
Soil pale sandy loam, 2<sup>d</sup> rate best for cow.

---

- Wet on a random line bet. Sec 4 & 33  
Ta 12° 10' East
- 20 00 Set trap for 1/6 Sec Corner
- 39 77 The old 1/4 Section Corner Set Chained for 1/4 long 3 in wide, from ground in mound 4 1/2 ft from base of high dug 2 pits 48 x 20 x 12 in and 2 pits 20 x 20 x 12 in from which Cor Draw Wet on a random line Ta 12° 10' East
- 19 00 Drain base from N. to S.
- 20 00 Set trap for 1/6 Sec Corner
- 28 60 High road base of N. & S.
- 39 73 The old Corner to Sec 4, 5, 32 and 33, Set Chained for 1/4 long 3 in wide, from ground in mound 4 1/2 ft from base of high dug pits 48 x 20 x 12 in and 2 pits 20 x 20 x 12 in from which Cor Draw.

of Range No 6 East of the 6<sup>th</sup> Principal Meridian

- Ch W 89 0 53 Elevation line bet Sec 4 and 33  
Ta 12° 14' East
- 19 86 1/2 Set Chained for 1/4 long 3 in wide, from ground in mound 4 1/2 ft from base of high dug pits 48 x 20 x 12 in and 2 pits 20 x 20 x 12 in for 1/6 Sec Corner
- 39 73 The 1/4 Section Corner
- 59 61 1/2 Set Chained for 1/4 long 3 in wide, from ground in mound 4 1/2 ft from base of high dug pits 48 x 20 x 12 in and 2 pits 20 x 20 x 12 in for 1/6 Sec Corner
- 79 50 The Corner to Sec 3, 4, 33 and 34  
East 1/2 Surface rolling, Soil Pale & 2<sup>d</sup> rate  
West 1/2 Surface level, Soil 1<sup>st</sup> rate

---

- Wet on a random line between Sec 5 & 32  
Ta 12° 10' East
- 12 00 Creek bottom base of and bet N. and S. and S. & E. base of Sec 6. N. and S. 6° E.  
Offset, West 1 chain, thence N. 20 1/4 Ch. thence South 1 Ch. to random line bet Sec 5 and 32
- 16 00 The edge of blough base of 6 N. to creek bottom base N. and S. E.

Between Townships 20 and 26 North,

- | Ch. Wk. |   |
|---------|---|
| 18 00   | Set temporary Wilkes Corner.  |
| 18 50   | Circular pond 200 W across  |
| 32 65   | Logan Creek, 45 W wide runs from N. to S.   |
| 39 95   | The old 1/4 Sec Corner, Set Chained post 4 ft long 3 in wide, 1 ft in ground in mound 4 1/2 ft from base of high dug pit 48 x 20 x 12 in and 2 pits 20 x 20 x 12 in from which Cor draw Met on a random line. Pa 120° 10' East.   |
| 20 00   | Set tempy 1/6 Sec Corner.   |
| 39 61   | To a point 178 W North of old corner to Sec 5, 6, 31 & 32. To re-establish this corner set Chained post 4 ft long 3 in 1 ft in ground in mound 4 1/2 ft from base of high dug pit 48 x 20 x 12 in and 2 pits 20 x 20 x 12 in from which Cor draw. S 87° 03' E on a true line to Sec 5 & 32 Pa 14° 49' East. |
| 19 50   | Set Chained post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base of high dug pit 48 x 20 x 12 in and 2 pits 20 x 20 x 12 in for the Sec Cor.   |
| 39 61   | The 1/4 Section Corner from which I ran   |

of Range No. 6 East of the 6<sup>th</sup> Principal Meridian

- | Ch. Wk. |   |
|---------|---|
|         | S 89° 53' E on a true line to Sec 5 and 32 Pa 120° 14' East.  |
| 61 56   | Four points for corner being in pond, one at point 19 4 W East set Chained post 4 ft long 3 in wide, 1 ft in ground in mound 4 1/2 ft from base of high dug pits 48 x 20 x 12 in and 2 pits 20 x 20 x 12 in for Wilkes Cor. to the Sec Cor. |
| 74 56   | Old Corner to Sec 4, 5, 32 and 33 Surface creek bottom. Soil 1/2 rate.  |
|         | Met on a random line from Sec 6 & 31 Pa. 110° 55' East.   |
| 20 00   | Set tempy 1/6 Sec Corner  |
| 39 67   | The old 1/4 Sec Corner Set Chained post 4 ft long 3 in wide, 1 ft in ground in mound 4 1/2 ft from base of high dug pits 48 x 20 x 12 in and 2 pits 20 x 20 x 12 in from which Cor draw Met on a random line Pa 11° 55' East.               |
| 20 00   | Set tempy 1/6 Sec Corner  |
| 30 00   | Learn creek bottom from N. to and S. W.   |
| 39 21   | To a point 28 W North of old Cor to Townships No 25 and 26 North of Range 5 and 6 East to   |

Between Townships Nos. 25 and 26 North of  
Range No 6 East of the 6<sup>th</sup> Principal Meridian

Chs Ws. Located at the corner to be changed from 4 ft long  
4 1/2 x 4 1/2 in of iron ground pin surrounded 5 ft from base  
high dug 4 pits 5 1/2 x 20 x 12 in from which Cor Draw:

S 87° 53' East true line bet Sec 6 + 31  
Ta 12° 26' East

19 21 Set changed from 4 ft long 3 in wide iron ground  
pin surrounded 4 1/2 ft from base of high dug 2 pits 4 1/2 x  
20 x 12 in and 2 pits 20 x 20 x 12 in for the Sec 6.

39 21 The 1/4 Sec Corner from which Cor Draw:

S 89° 58' East true line bet Sec 6 + 31  
Ta 12° 02' East

59 04 Set changed from 4 ft long 3 in wide iron ground  
pin surrounded 4 1/2 ft from base of high dug 2 pits  
4 1/2 x 20 x 12 in and 2 pits 20 x 20 x 12 in for the Sec 6.

48 88 The Corner to Sec 5, 6, 31 and 32

Surface mostly arable creek bottom  
Soil 1<sup>st</sup> rate best for Hay and Corn,  
June 2<sup>d</sup> 1875

Township No 26 North, between Ranges  
Nos. 6 and 7 East of the 6<sup>th</sup> Principal Meridian

Chs Ws. From the Corner to Townships No 25 and 26 North of  
Range No 6 and 7 East base:

North on random line bet Sec 31 and 36  
Ta 10° 10' East

20 00 Set temporary the Sec Corner  
39 86 The old 1/4 Sec Corner, Set changed from 4 ft long  
3 in wide iron ground pin surrounded 4 1/2 ft from base  
of high dug 2 pits 4 1/2 x 20 x 12 in and 2 pits 20 x 20 x  
12 in from which Cor Draw North and random line  
Ta 10° 10' East

20 00 Set temporary the Sec Corner  
39 86 The old Corner to Sec 25, 26, 31 + 36, Set changed  
from 4 ft long 3 in square iron ground pin surrounded  
4 1/2 ft from base of high dug 2 pits 4 1/2 x 20 x 12 in  
and 2 pits 20 x 20 x 12 in from which Cor Draw

South on true line between Secs 31 + 36  
Ta 10° 10' East

19 93 Set changed from 4 ft long 3 in wide iron ground  
pin surrounded 4 1/2 ft from base of high dug 2 pits  
4 1/2 x 20 x 12 in and 2 pits 20 x 20 x 12 in for the Sec 6.

## Township No 26 North, between Ranges

Ch. 06

39 86

The  $\frac{1}{4}$  Sec Corner

59 79

Set Chained Post 4 ft long 3 in wide, firm ground in mound  $\frac{1}{4}$  ft from base of high dug 2 pits 48 x 20 x 12 in and 2 pits 20 x 20 x 12 in for  $\frac{1}{16}$  Sec Corner

44 42

The Corner to Townships 25 & 26 N Ranges 6 and 7 East  
Surface fine rolling prairie, Soil dark clay loam 1 $\frac{1}{2}$  rate best for wheatNorth on a random line between Sec 25 & 31  
T<sub>11040</sub> East

20 01

Set temporary  $\frac{1}{16}$  Sec Corner

39 94

To a point like Norfolk  $\frac{1}{4}$  Sec Cor. to rec-  
tabish this corner. Set Chained Post 4 ft long  
3 in wide, firm ground in mound  $\frac{1}{4}$  ft from  
base of high dug 2 pits 48 x 20 x 12 in and 2 pits  
20 x 20 x 12 in from which to draw North on  
a random line T<sub>11040</sub> East

20 02

Set temporary  $\frac{1}{16}$  Sec. CornerNo 6 and 7 East of the 6<sup>th</sup> Principal Meridian

Ch. 06

39 80

The old Corner to Secs 19, 24, 25 and 30, Set  
Chained Post 4 ft long 3 in wide, firm ground, in  
mound  $\frac{1}{4}$  ft from base of high dug 2 pits 48 x 20  
x 12 in + 2 pits 20 x 20 x 12 in from which to draw.South on a true line between Secs 25 & 31  
T<sub>11040</sub> East

14 90

Set Chained Post 4 ft long 3 in wide, firm ground  
in mound  $\frac{1}{4}$  ft from base of high dug 2 pits 48 x 20  
x 12 in and 2 pits 20 x 20 x 12 in for  $\frac{1}{16}$  Sec Corner

39 80

The  $\frac{1}{4}$  Sec Corner from which to draw.South on a true line between Secs 25 & 31  
T<sub>11038</sub> East

59 67

Set Chained Post 4 ft long 3 in wide, firm ground  
in mound  $\frac{1}{4}$  ft from base of high dug 2 pits 48 x  
20 x 12 in and 2 pits 20 x 20 x 12 in for  $\frac{1}{16}$  Sec Corner

44 52

The Corner to Secs 25, 30, 31 and 36

Surface rolling prairie.  
Soil 1 $\frac{1}{2}$  rate best for wheat

Township No 26 North, T32N Range 22

C 3 Ch W North on a random line between Sec 19 + 24  
Ta 12° East

9 01 Plough meadow Grass E + N

9 95 Legn plough meadow Grass E + N

20 01 Sec tempy 1/6 Sec Corner  
34 00  
39 86 The old 1/4 Sec Cor. Set Chained post + flang  
3 in wide 3/4 in ground in mound 4 1/2 ft from base  
2 ft high dug pit 48 x 20 x 12 in and 2 pit 20 x 20 x 12 in  
from which Cor drawn North on a random line  
Ta 12° East

20 01 Sec tempy 1/6 Sec Corner

21 50 Meadow Grass E and N

25 00 Lean meadow Grass E + N

39 90 In a point 1/4 Sec NW of Corner to Sec 13, 18,  
19 and 24. To establish this corner set chained  
post + flang 3 in wide 3/4 in ground in mound  
4 1/2 ft from base 2 ft high dug 2 pits 48 x 20 x 12 in  
and 2 pit 20 x 20 x 12 in from which corner drawn

North on a true line between Sec 19 + 24  
Ta 11° 48' East

20 19 95 Set Chained post + flang 3 in wide, spring round

6 and 7 East of the 6th Principal Meridian

Ch W in mound 4 1/2 ft from base 2 ft high dug 2 pits 48 x  
20 x 12 in and 2 pit 48 x 20 x 12 in and 2 pit 20 x 20 x 12 in  
for 1/6 Section Corner

39 90 The 1/4 Section Corner from which I draw

South on a true line between Sec 19 + 24  
Ta 12° East

39 83 Set Chained post + flang 3 in wide, spring round  
in mound 4 1/2 ft from base 2 ft high dug 2 pits  
48 x 20 x 12 in and 2 pit 20 x 20 x 12 in for 1/6 Sec Corner

44 76 The corner to Sec 19, 24, 25 and 30

Surface rolling prairie  
Dirt water hot for wheat

North on a random line for Sec 13 + 18  
Ta 12° East

20 01 Sec tempy 1/6 Sec Corner

39 89 In a point 3/4 Sec East of old 1/4 Sec Cor. To establish  
this corner set chained post + flang 3 in wide, spring  
ground in mound 4 1/2 ft from base 2 ft high dug 2 pits

Transection No 26 North, Laramie Range

Chs UKs 48 x 20 x 12 in and 2 pits 20 x 20 x 12 in for  $\frac{1}{6}$  Sec Cor  
from which Cor drawn; North on a random  
line:  
Ta 12° East

20 00 Set tempy  $\frac{1}{6}$  Sec Corner

39 59 To a point 8 UKs East of Corner to Secs 7, 12, 13  
and 18. To reestablish the corner set chanced from  
4 ft long 3 in dia, 1 ft in ground in mound  
4 ft apart base 2 ft high dug 2 pits 48 x 20 x 12 in  
and 2 pits 20 x 20 x 12 in from which Cor drawn;

South on a true line for Secs 13 and 18

Ta 12° 03' East

19 45<sup>1/2</sup> Set chanced from 4 ft long 3 in dia, 1 ft in  
ground in mound 4 ft apart base 2 ft high dug  
2 pits 48 x 20 x 12 in & 2 pits 20 x 20 x 12 in for  $\frac{1}{6}$  Sec Cor

39 89 The  $\frac{1}{6}$  Section Corner

59 82<sup>3/4</sup> Set chanced from 4 ft long 3 in dia, 1 ft in  
ground in mound 4 ft apart base 2 ft high  
dug 2 pits 48 x 20 x 12 in & 2 pits 20 x 20 x 12 in for  
 $\frac{1}{6}$  Sec Cor

49 78 The Corner to Secs, 13, 18, 19 and 24

Surface rolling prairie, Soil  $\frac{1}{2}$  to 1 in for 2000

Contd of East of the 6<sup>th</sup> Principal Meridian

Chs UKs North on a random line for Secs 7 and 12  
Ta 12° 05' East

20 00 Set tempy  $\frac{1}{6}$  Sec. Cor

23 10 Drain, water in holes, corner from N. to E.

39 94 To a point 16 UKs East of old  $\frac{1}{6}$  Sec Cor. To re-  
establish the corner set chanced from 4 ft long  
3 in dia, 1 ft in ground in mound 4 ft apart base  
2 ft high dug 2 pits 48 x 20 x 12 in & 2 pits 20 x 20 x 12 in  
from which Cor drawn North on a random line  
Ta 12° 05' East.

20 00 Set tempy  $\frac{1}{6}$  Sec Corner

39 85 To a point 10 UKs East of old Cor. to Secs, 16, 17 and 18  
To reestablish this corner set chanced from 4 ft long  
3 in dia, 1 ft in ground in mound 4 ft apart  
base 2 ft high dug 2 pits 48 x 20 x 12 in and 2  
pits 20 x 20 x 12 in from which Cor drawn

South on a true line for Secs 7 and 12

Ta 13° 13' East

19 92<sup>1/2</sup> Set chanced from 4 ft long 3 in dia, 1 ft in  
ground in mound 4 ft apart base 2 ft high dug  
2 pits 48 x 20 x 12 in & 2 pits 20 x 20 x 12 in for  $\frac{1}{6}$  Sec Corner



Between Townships 26 and 27 North,

chs	Wks	From the Cor. Townships 26 + 27 North of Range 6 + 7 East Draw.
		Not on a random line for Dec 2 + 36 Ta 12° E
20 00		Set temporary 1/6 Sec Corner
39 88		To a point 10 W of South of Corner, To reestablish the 1/4 Sec Corner Set Chained stake 4 ft long 3 in wide, 1 ft in ground, in mound 4 1/2 ft from base 2 ft high dug 2 pits 48 x 20 x 12 in and 2 pits 20 x 20 x 12 in from which Cor Draw was on a random line Ta 12° East.
3 00		Blough <sup>measured</sup> corner from N. H. to S. E.
20 00		Set temporary 1/6 Sec Corner
22 00		To a point 10 W of South of Corner from N. H. to S. E.
40 00		To old Corner to Dec 2, 1857. 36 Set temporary Sec Corner, from which Draw.
		Not on a random line for Dec 2 + 35 Ta 12° East.
20 00		Set temporary 1/6 Sec Corner
40 00		No old 1/4 Section Cor found, Set temporary Sec Corner

of Range No 6 East of the 6<sup>th</sup> Principal Meridian

chs	Wks	
60 00		Set temporary 1/6 Sec Corner
74 54		To a point 22 W of South of Corner to Dec 2 + 3, 34 + 35 To reestablish the corner per Chained post 4 ft long 3 in sq ft in ground, in mound 4 1/2 ft from base 2 ft high dug 2 pits 48 x 20 x 12 in + 2 pits 20 x 20 x 12 in from which Corner Draw.
		S 89° 05' E on a true line for Dec 2 + 35 Ta 11° 55' East.
14 92		Set Chained post 4 ft long 3 in wide ft in ground in mound 4 1/2 ft from base 2 ft high dug 2 pits 48 x 20 x 12 in and 2 pits 20 x 20 x 12 in for 1/6 Sec Corner
34 84		Set Chained post 4 ft long 3 in wide, 1 ft in ground in mound 4 1/2 ft from base 2 ft high dug 2 pits 48 x 20 x 12 in and 2 pits 20 x 20 x 12 in for 1/6 Sec Corner
54 76		Set Chained post 4 ft long 3 in wide, 1 ft in ground, in mound 4 1/2 ft from base 2 ft high dug 2 pits 48 x 20 x 12 in + 2 pits 20 x 20 x 12 in for 1/6 Sec Corner.
74 69		Set Chained post 4 ft long 3 in square, 1 ft in ground, in mound 4 1/2 ft from base 2 ft high dug 2 pits 48 x 20 x 12 in + 2 pits 20 x 20 x 12 in

## Between Townships Nos 26 + 27 North, of

Ch No for corner to Sec 1, 6, 7 and 12 from which corner drawn:

S 89° 59' E on a true line for Sec 1 + 36  
Ta 110° 53' East

19 42 Set Chained post 4 ft long 3 in wide, 1/2 in ground  
in ground 4 1/2 ft from base of high dug 2 pit 48 x  
20 x 12 in + 2 pits 20 x 20 x 12 in for 1/4 Sec Cor.

39 85 The 1/4 Section Corner from which draw:

S 89° 59' E on a true line for Sec 1 + 36  
Ta 110° 52' East

59 74 Set Chained post 4 ft long 3 in wide, 1/2 in ground  
in ground 4 1/2 ft from base of high dug 2 pit 48 x  
20 x 12 in + 2 pits 20 x 20 x 12 in for 1/4 Sec Cor.

44 63 The Cor. to Townships 26 + 27 N. Ranges  
6 + 7 East.

Surface for Sec 1 + 36 Rolling prairie + meadow  
soil 1<sup>st</sup> rate, best for hay and wheat.

Surface for Sec 2 + 35. Surface rolling  
prairie, soil 2<sup>nd</sup> rate.

Range No. 6 East of the 6<sup>th</sup> Principal Meridian

Ch No That our standard line between Sec 3 + 34  
Ta 110° 40' East.

20 00 Set temporary 1/2 Sec Corner

39 88 To a point 8 1/2 miles north of old 1/4 Sec Cor. To re-  
establish the corner per Chained post 4 ft long  
3 in wide, 1/2 in ground, in ground 4 1/2 ft from  
base of high dug 2 pit 48 x 20 x 12 in + 2 pits 20 x 20 x  
12 in from which Cor draw  
Ta 110° 40' East

12 50 Meadow Grass N + S.

20 00 Set temporary 1/2 Sec Corner

28 50 Length 15 1/2 miles from N. 100° 27' + S. 110° E.

35 80 Clear meadow Grass N + S.

39 92 To a point 4 1/2 miles north of Cor to Secs 34, 33 + 34

To reestablish the corner per Chained post 4 ft  
long 3 in sq ft in ground, in ground 4 1/2 ft from base  
of high dug 2 pit 48 x 20 x 12 in + 2 pits 20 x 20 x 12 in  
from which Cor draw:

S 89° 59' E on a true line for Sec 3 + 34  
Ta 110° 38' East

19 46 Set Chained post 4 ft long 3 in wide, 1/2 in ground

## Between Townships No 26 + 27 North,

- Ch W in mound 4 1/2 ft from base of high dugr pits  
48 x 20 x 12 in 4 pits 20 x 20 x 12 in for 1/6 Sec Cor.
- 39 92 The 1/4 Sec Corner from which draw;  
S 89° 05' E on true line for Sec 31 32  
Pa 120° 08' East
- 59 86 Set Chained post 4 ft long 3 in wide, spring ground  
in mound 4 1/2 ft from base of high dugr pits 48 x  
20 x 12 in 4 pits 20 x 20 x 12 in for 1/6 Sec Corner
- 49 80 The Corner to Sec 2, 3, 34 and 35  
Surface rolling prairie + meadow, (level)  
Soil, of rolling prairie + rate best for wheat  
of meadow 1<sup>st</sup> rate best for hay
- 
- Next on a random line for Sec 44 33  
Pa 11° 10' East
- 20 01 Set temporary 1/6 Sec Corner
- 22 00 Meadow Grass from N to N.E.
- 25 00 Lean meadow grass from N to N.E.
- 39 86 The old 1/4 Sec Corner, Set Chained stake 4 ft  
long 3 in wide, spring ground in mound 4 1/2

of Range No 6 East of T 6<sup>th</sup> Principal Meridian

- Ch W from base of high dugr pits 48 x 20 x 12 in 4  
pits 20 x 20 x 12 in from which Cor 2 ran from  
any random line Pa 11° 10' East
- 20 00 Dec temporary 1/6 Sec Corner
- 30 00 Meadow Grass from N. to S.
- 35 00 Lean meadow Grass from N to S.
- 39 94 The old corner to Sec 4, 5, 32 + 33 Set Chained post  
4 ft long 3 in square from ground in mound 4 1/2 ft  
6 in base of high dugr pits 48 x 20 x 12 in 4 pits 20  
x 20 x 12 in from which Corner draw;
- S 89° 05' E on true line for Sec 44 33  
Pa 11° 11' East.
- 14 97 Set Chained post 4 ft long 3 in wide, spring ground in  
mound 4 1/2 ft from base of high dugr pits 48 x 20 x 12 in  
and 2 pits 20 x 20 x 12 in for 1/6 Sec Corner
- 39 94 The 1/4 Section Corner
- 59 84 Set Chained post 4 ft long 3 in wide, spring ground  
in mound 4 1/2 ft from base of high dugr pits 48 x  
20 x 12 in 4 pits 20 x 20 x 12 in for 1/6 Sec Cor
- 49 80 The Corner to Sec 3, 4, 33 and 34  
Surface rolling prairie. Soil 1<sup>st</sup> rate

## Between Townships No 26 and 27 North

- Ch Ws Not on a random line for Dec 5732  
Pa 11° East.
- 20 00 Set temporary 1/6 Sec Corner  
39 84 Set old 1/4 Sec Corner. Set Chained from 4 ft long  
3 in wide 1 ft in ground in mound 4 1/2 ft from base  
of high dug 2 pits 48 x 20 x 1 in and 2 pits 20 x 20 x 1 in  
from which Cor drawn Not on a random line  
Pa 11° East.
- 20 00 Set temporary 1/6 Sec Corner  
39 91 The Corner to Decs 576, 31 & 32. Set Chained  
post 4 ft long 3 in square 1 ft in ground, in  
mound 4 1/2 ft from base of high, dug 2 pits 48 x  
20 x 1 in and 2 pits 20 x 20 x 1 in from which Cor drawn.
- 58 90 59' E and true line between Decs 5732  
Pa 11° 01' East.
- 19 95 Set Chained post 4 ft long 3 in wide 1 ft in  
ground, in mound 4 1/2 ft from base of high  
dug 2 pits 48 x 20 x 1 in and 2 pits 20 x 20 x 1 in for 1/6 Sec Cor
- 39 90 The old 1/4 Sec Corner  
59 84 Set Chained post 4 ft long 3 in wide 1 ft in ground  
in mound 4 1/2 ft from base of high dug 2 pits

of Range No 6 East of the 6<sup>th</sup> Principal Meridian

- Ch Ws 48-20 x 12 in and 2 pits 20 x 20 x 1 in for 1/6 Sec Cor.  
79 47 The Corner to Decs 445, 32 and 33

Surface polling, prairie. Set 2 Corals  
June 5<sup>th</sup> 1845

Not on a random line for Decs 6031  
Pa 11° East

- 20 00 Set temporary 1/6 Sec Cor  
39 83 From point 14 Ws north of old 1/4 Sec Cor. To one  
establish which post 4 ft long 3 in wide  
1 ft in ground, in mound 4 1/2 ft from base of high  
dug 2 pits 48 x 20 x 1 in and 2 pits 20 x 20 x 1 in from  
which Corner drawn Not on a random line  
Pa 11° East.
- 20 00 Set temporary 1/6 Sec Corner.  
38 00 The Corner to Townships 26 & 27 North of Range  
5 and 6 East. To one establish the corner Set Chained  
post 4 ft long 4 in square 1 ft in ground, in mound 5 ft  
from base of high dug 4 pits 54 x 20 x 1 in, from which  
Corner drawn.

Bellevue Township, No 26 & 27 North of Range  
No 6 East of the 6<sup>th</sup> Principal Meridian

- Chs W. S. 89° 59' E on a true line for <sup>6031</sup> ~~36~~  
Ta 11° 51' East
- 18 00 Set chamed for 4 ft long 3 in wide, for in  
ground in mound 4 1/2 ft from base of high dug  
2 pits 48, 24, 12 in & 2 pits 24, 24, 12 in for 1/6 Sec. Co.
- 38 00 The 1/4 Sec Corner from which draws:  
S 89° 59' E on a true line to <sup>6031</sup> ~~36~~  
Ta 11° 13' East
- 59 91 Set chamed for 4 ft long 3 in wide, for in  
ground in mound 4 1/2 ft from base of high  
dug 2 pits 48, 24, 12 in & 2 pits 24, 24, 12 in for 1/6 Sec. Co.
- 77 83 The Corner to Secs. 5, 6, 31 and 32.  
Dry face rolling prairie,  
Dark clay loam, 1<sup>st</sup> & 2<sup>nd</sup>  
June 7<sup>th</sup> 1875

Stop

Township No 27 North of Range No 6  
East of the 6<sup>th</sup> Principal Meridian

- Chs W. From the Corner to Township No. 26 & 27  
North of Range 607 East Draw.
- North on a random line to <sup>31136</sup> ~~36~~  
Ta 12° 30' East
- 4 90. Slough meadow trace from N. 20° W. to S 20° E.
- 10 90. Same Slough meadow trace from N. 20° W. to S 20° E.
- 20 00 Sec tempy 1/6 Sec. Corner
- 40 00 No old 1/4 Sec. Corner, Sec tempy 1/6 Sec. Corner
- 60 00 Sec tempy 1/6 Sec. Corner
- 78 92 Intersect North boundary monument 3 1/2 ft  
N. of Cor to Secs 31 & 36. To reestablish the corner  
Set chamed for 4 ft long 3 in wide, for in ground  
in mound 4 1/2 ft from base of high dug 3 pit  
54 + 24, 12 in, Post with the additional 20 rods N. B.  
N. R. from which corner draws.
- S. 12' Now a true line for Secs 31 & 36  
Ta 12° 29' East
- 15 92 Set chamed for 4 ft long 3 in wide, for in ground  
in mound 4 1/2 ft from base of high dug 2 pits 48  
+ 24, 12 in & 2 pits 24, 24, 12 in for 1/6 Sec. Corner

Township No 27 North, Range No 6  
East of the 6<sup>th</sup> Principal Meridian

Ch. No.

35-92 Sec Chained front of long 3 in wide, from ground in mound 4 1/2 ft from base of high dug 2 pits 48 x 20 + 12 in + 2 pits 20 x 20 + 12 in for 1/4 Sec Corner

55-92 Sec Chained front of long 3 in wide, from ground in mound 4 1/2 ft from base of high dug 2 pits 48 x 20 + 12 in + 2 pits 20 x 20 + 12 in for 1/4 Sec Corner

75-92 The Corner to Townships No 26 + 27 North of Range No. 6 and 7 East.

Surface rolling prairie.  
Soil 1<sup>st</sup> rate best for wheat  
June 5<sup>th</sup> 1895

Township No 25 North, Range No 5 + 6  
East of the 6<sup>th</sup> Principal Meridian

Ch. No.

By established the Corner to Sec 1, 6, 7 + 12 Sec Chained front of long 3 in wide, from ground in mound 4 1/2 ft from base of high dug 2 pits 48 x 20 + 12 in + 2 pits 20 x 20 + 12 in, from which Cor. drawn

South on true line from Sec 7 + 12  
Pa 12° East.

4-97

The corner to Sec 7 + 12 on North Side of R. Sec Chained front of long 3 in wide, from ground in mound 4 1/2 ft from base of high dug 2 pits 54 x 24 + 12 in, from which the additional 20 yds S. B. N. R. O. R.

Surface rolling prairie. Soil 1<sup>st</sup> rate

Corner to Township No 25 + 26 North of Range No 5 + 6 East drawn.

South on a random line for Sec 10 6  
Pa 12° East

10-01 Curve bottom from S. N. + N. E.

20-02 Sec 10 + 11 Sec Corner

26-25 Dry drain, course from N. to East

Township No 25 North, Section Range  
No 5 & 6 East of the 6th Principal Meridian

- Ch W  
31 00 Bear creek follows Line E & N  
39 90 The old 1/4 Sec Cor. Sec Chained from 4 ft long  
3 in wide, from ground in mound 4 1/2 ft  
at base of high dug pit 48 x 20 x 12 in + 2  
pits 20 x 20 x 12 in from which Cor drawn  
Battina random line Pa 12' East
- 2 00 Set temporary 1/4 Sec Corner  
39 92 The Corner to Sec 1, 6, 7 & 12 from which  
drawn:  
Mark a true line to Sec 1 + 6  
Pa 12' East
- 19 96 Sec Chained from 4 ft long 3 in wide, from ground  
in mound 4 1/2 ft from base of high dug  
pits 48 x 20 x 12 in + 2 pits 20 x 20 x 12 in for 1/6 Sec Cor
- 39 93 The 1/4 Sec Corner  
59 84 Sec Chained from 4 ft long 3 in wide, from ground  
in mound 4 1/2 ft from base of high dug pit 48 x  
20 x 12 in + 2 pits 20 x 20 x 12 in for 1/6 Sec Cor
- 44 82 The Cor to Townships 25 & 26 N. Range 5 & 6 E.  
Surface, mud & pling prairie about creek bottom  
will create loss for hay. June 19th

Between Townships No 25 and 26 North of  
Range No 5 East of the 6th Principal Meridian

- do Ws. To reestablish the Corner to Secs. 1, 2, 3, 5 & 36, I  
Sec Chained from 4 ft long 3 in wide, from ground  
in mound 4 1/2 ft from base of high dug pit 48 x  
20 x 12 in + 2 pits 20 x 20 x 12 in, from which Cor  
drawn:  
Battina random line to Sec 1 + 36  
Pa 11' 45' East
- 20 00 Set temporary 1/6 Sec Corner  
39 81 The old 1/4 Sec Corner, Sec Chained from 4 ft long  
3 in wide, from ground, in mound 4 1/2 ft from base  
of high dug pit 48 x 20 x 12 in + 2 pits 20 x 20 x 12 in  
from which Cor drawn Battina random line  
Pa 11' 45' East
- 20 00 Set temporary 1/6 Sec Corner  
39 81 The Corner to Townships No. 25 & 26 North  
Range 5 and 6 East from which draw  
N. 89° 29' W on a true line to Sec 1 + 36  
Pa 12' 16' East
- 19 90 Sec Chained from 4 ft long 3 in wide, from ground  
in mound 4 1/2 ft from base of high dug pit 48 x 20 x  
12 in + 2 pits 20 x 20 x 12 in for 1/6 Sec Corner

## Bismarck Tomuships No 25726 West

- Ch No  
39 81 The 1/4 Sec Corner  
359 71<sup>2</sup> Sec Chained post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft from base of high dug 2 pits 48 x 24 12 in and 2 pits 20 x 20 12 in for 1/6 Sec Corner  
79 62 The Corner to Secs. 1, 2, 35 & 36  
Surface fine rolling prairie.  
Soil 12<sup>th</sup> rate, best for wheat

East and random line between Secs 2 & 35  
Ta 110° 45' East

- 7 01 Legn creek bottom near S. W. N. E.  
20 00 Sec tempy 1/6 Sec Corner  
39 74 To old 1/4 Sec Corner, Sec Chained post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft from base of high dug 2 pits 48 x 24 12 in and 2 pits 20 x 20 12 in from which Cor drawn.  
East and random line Ta 110° 45' East  
20 00 Sec tempy 1/6 Sec Corner

of Range No 5 East of the 6<sup>th</sup> Principal Meridian

- Ch No  
39 48 The Corner to Secs 1, 2, 35 and 36 from which Cor drawn  
A. 89° 29' N. on a true line for Secs 2 & 35  
Ta 12° 16' East  
14 89. Sec Chained post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft from base of high dug 2 pits 48 x 24 12 in and 2 pits 20 x 20 12 in for 1/6 Sec Corner.  
39 48 The 1/4 Section Corner  
59 65 Sec Chained post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft from base of high dug 2 pits 48 x 24 12 in and 2 pits 20 x 20 12 in for 1/6 Sec Corner  
49 52 The Corner to Secs. 2, 3, 34 and 35 on West Boundary Curvature.

Surface rolling prairie. Soil clay loam (dark) 12<sup>th</sup> rate best for wheat.

Township No 26 North, 6<sup>th</sup> Range

Ch	Wk	From the Corner to Township No 25 & 26 North, Range 5 and 6 East Draw;
		North on a random line for Sec 31 & 26 Ta 11° 30' East.
10	50	Creek bottom from N.W. and S.E.
12	60	By drain course from N. to S.E.
20	00	Set temporary 7/6 Sec Corner
39	83	At a point 13 W. West of old 7/4 Sec Cor. To reestablish this corner Set Chained post 4 ft long 3 in wide, firm ground, in ground 4 1/2 ft from base of high dug 2 pits 48 x 24 x 12 in and 2 pits 20 x 20 x 12 in from which Cor Draw North on a random line Ta 11° 30' East.
20	00	Set temporary 7/6 Sec Corner
39	30	Corner Logan Creek 4 1/2 mile run from S 70° 58' to S 40° E.
40	00	W. Corner to Secs 25, 30, 31 and 36 found Set temporary Section Corner from which Draw; North on a random line for Secs 25 & 30 Ta 11° 30' East.

5 and 6 East of the 6<sup>th</sup> Principal Meridian

Ch	Wk	
14	90	Logan creek, 4000 mts run from E. to W.
20	00	Set temporary 7/6 Sec Corner
24	00	Logan Creek 6 1/2 mile run from N.W. to S.E.
32	00	Logan Creek, 1 ch West running South.
39	80	<sup>To a point</sup> 6 W. West of 7/4 Sec Corner, Set Chained post 4 ft long 3 in wide, firm ground, in ground 4 1/2 ft from base of high dug 2 pits 48 x 24 x 12 in and 2 pits 20 x 20 x 12 in from which, Corner Draw North on a random line Ta 11° 30' East.
20	00	Set temporary 7/6 Sec Corner
39	85	At a point 6 W. West of Corner to Secs 19, 24 25 and 30. To reestablish this corner set Chained post 4 ft long 3 in wide, firm ground, in ground 4 1/2 ft from base of high dug 2 pits 48 x 24 x 12 in and 2 pits 20 x 20 x 12 in from which Corner Draw;
		Draw on a true line between Secs 25 & 30 Ta 11° 25' East.
19	92	Set Chained post 4 ft long 3 in wide, firm ground, in ground 4 1/2 ft from base of high dug 2 pits 48 x 24 x 12 in and 2 pits 20 x 20 x 12 in for 7/6 Sec Corner

Township No 26 North, Range 5 and 6 East of the 6<sup>th</sup> Principal Meridian

Ch 39 85 The old 1/4 Sec Corner from which I draw;  
 South on a true line lat Dec 25 + 30  
 Ta 10° 24' East

14 59 80 Set Chained from 4 f long 3 in wide, from  
 ground in mound 4 1/2 ft from base 2 ft high  
 dug 2 pits 48 x 24 x 12 in and 2 pits 24 x 24 x 12 in for  
 1/6 Sec Corner

24 79 75 The Corner to Secs 25, 30, 31 + 32 Set Chained  
 from 4 f long 3 in sq from ground in mound  
 4 1/2 ft from base 2 ft high dug 2 pits 48 x 24 x 12 in  
 and 2 pits 24 x 24 x 12 in from which I draw

14 19 95 Set Chained from 4 f long 3 in wide, from  
 ground in mound 4 1/2 ft from base 2 ft high  
 dug 2 pits 48 x 24 x 12 in and 2 pits 24 x 24 x 12 in for  
 1/6 Sec Corner

3 39 90 The 1/4 Sec Corner from which I draw;  
 South on a true line lat Dec 31 + 36

5 and 6 East of the 6<sup>th</sup> Principal Meridian

Ch 59 80 Set Chained from 4 f long 3 in wide, from  
 ground in mound 4 1/2 ft from base 2 ft high  
 dug 2 pits 48 x 24 x 12 in and 2 pits 24 x 24 x 12 in for  
 1/6 Sec Corner  
 Ta 110 19' East

14 79 75 The Corner to Townships No 25 and 26 Ranges  
 5 and 6 East  
 Line between Secs 25 + 30 and 30 + 31, East;  
 surface, creek bottom  
 Soil 1<sup>st</sup> rate best for hay and wheat

20 00 North on a true line lat Dec 19 + 24  
 Ta 110 20' East

21 00 Set Chained from 4 f long 3 in wide, from  
 ground in mound 4 1/2 ft from base 2 ft high  
 dug 2 pits 48 x 24 x 12 in and 2 pits 24 x 24 x 12 in for  
 1/6 Sec Corner

39 64 The old 1/4 Sec Corner, Set Chained from 4 f long  
 3 in wide, from ground in mound 4 1/2 ft from  
 base 2 ft high dug 2 pits 48 x 24 x 12 in and 2 pits  
 24 x 24 x 12 in from which I draw South on a  
 true line  
 Ta 110 29' East

44 45 The corner to Secs 25, 30, 31 + 32  
 from 4 f long 3 in wide, from ground in mound  
 4 1/2 ft from base 2 ft high dug 2 pits 48 x 24 x 12 in  
 and 2 pits 24 x 24 x 12 in from which I draw

## Township No 26 North Common Range

Chs Wk  
 20 00 Set temporary  $\frac{1}{16}$  Sec Corner  
 39 42 The old corner to Dec, 13, 18, 19 & 24 Sec  
 Chained post  $\frac{1}{4}$  for long 3 in square from ground  
 in mound  $\frac{1}{4}$  from base of high dug pit  
 $48 \times 20 \times 12$  in & pit  $20 \times 20 \times 12$  in from which  
 corner drawn;

South on a true line for Dec 19, 24  
 Ta  $11^{\circ} 20'$  East.

14 86 Set Chained post  $\frac{1}{4}$  for long 3 in wide, from  
 ground in mound  $\frac{1}{4}$  from base of high dug  
 pit  $48 \times 20 \times 12$  in & pit  $20 \times 20 \times 12$  in for  $\frac{1}{16}$  Sec Cor.

39 42 The  $\frac{1}{4}$  Sec Corner

57 55 Set Chained post  $\frac{1}{4}$  for long 3 in wide, from  
 ground in mound  $\frac{1}{4}$  from base of high  
 dug pit  $48 \times 20 \times 12$  in & pit  $20 \times 20 \times 12$  in for  
 $\frac{1}{16}$  Sec Corner

79 37 The Corner to Dec, 19, 24, 25 & 30

Surface rolling prairie and creek bottom  
 soil  $1\frac{1}{2}$  mile but for wheat and corn.

5 and 6 East of the 6<sup>th</sup> Principal Meridian

Chs Wk North on a standard line Common Dec 13 & 18  
 Ta  $11^{\circ} 45'$  East.

20 00 Set temporary  $\frac{1}{16}$  Sec Corner

39 87 The old  $\frac{1}{4}$  Sec Corner, Set Chained post  $\frac{1}{4}$  for long  
 3 in wide, from ground in mound  $\frac{1}{4}$  from base of  
 high dug pit  $48 \times 20 \times 12$  in and pit  $20 \times 20 \times 12$  in from  
 which Cor drawn North on a standard line Ta  $11^{\circ} 45'$  East.

15 80

20 00

39 85

Drain with water in holes corner from S. to N. W.  
 The old corner to Dec 7, 12, 13 and 18, Set Chained  
 post  $\frac{1}{4}$  for long 3 in square, from ground in mound  
 $\frac{1}{4}$  from base of high dug pit  $48 \times 20 \times 12$  in and  
 2 pits  $20 \times 20 \times 12$  in from which Cor drawn;

South on a true line for Dec 13 & 18

Ta  $11^{\circ} 45'$  East.

14 97 Set Chained post  $\frac{1}{4}$  for long 3 in wide, from  
 ground in mound  $\frac{1}{4}$  from base of high dug  
 pit  $48 \times 20 \times 12$  in & pit  $20 \times 20 \times 12$  in for  $\frac{1}{16}$  Sec Cor.

39 85 The  $\frac{1}{4}$  Sec Corner

59 98 Set Chained post  $\frac{1}{4}$  for long 3 in wide, from  
 ground in mound  $\frac{1}{4}$  from base of high dug pit  $48 \times 20 \times 12$  in  
 & 2 pits  $20 \times 20 \times 12$  in for  $\frac{1}{16}$  Sec Corner.

Ship No 26 North Prairie Range

Ch W  
79 72

The Corner to Secs 13, 18, 19 & 24  
Surface fine rolling prairie,  
Soil dark clay loam,  $\frac{1}{2}$  rate best for wheat.

North on a random line between Secs 7 & 12  
T<sub>11</sub> 110° 45' East

20 00 Set temporary  $\frac{1}{16}$  Sec corner

39 84 The old  $\frac{1}{4}$  Sec corner. Set chanced post 4 ft  
long 3 in wide, 3 in ground, in mound  $\frac{1}{4}$  ft  
or less up high dug spits 48 x 20 x 12 in and 2  
spits 20 x 20 x 12 in from which corner drawn North  
on a random line to Secs 7 & 12  
T<sub>11</sub> 110° 45' East.

6 00 Meadow trace from N. 10° E to S. 75° W.

37 98 To old corner to Secs, 6, 7, 11 & 12. Set chanced  
post 4 ft long 3 in diam, 3 in ground, in mound  
 $\frac{1}{4}$  ft or less up high dug spits 48 x 20 x 12 in  
and 2 spits 20 x 20 x 12 in from which cor drawn

South on a true line between Secs 7 & 12

S. 11° 45'

No. 5 and 6 East of the 6th Principal Meridian

Ch W

14 99

Set chanced post 4 ft long 3 in wide, 3 in ground  
in mound  $\frac{1}{4}$  ft or less up high dug spits 48 x  
20 x 12 in and 2 spits 20 x 20 x 12 in from  $\frac{1}{16}$  Sec corner

39 98 The  $\frac{1}{4}$  Section corner

59 90

Set chanced post 4 ft long 3 in wide, 3 in ground  
in mound  $\frac{1}{4}$  ft or less up high dug spits 48 x  
20 x 12 in and 2 spits 20 x 20 x 12 in from  $\frac{1}{16}$  Sec corner

44 82

The corner to Secs, 7, 12, 13 and 18  
Surface rolling prairie. Soil clay loam  
 $\frac{1}{2}$  rate best for wheat

North on a random line between Secs 1 & 6  
T<sub>11</sub> 110° East.

5 00

Lean meadow trace N. 10° E to S. 25° W.

17 00

Reputed meadow trace N. 20° W to S. 10° E.

20 00

Set temporary  $\frac{1}{16}$  Sec corner

33 00

Lean meadow trace from E. to S. 15° W.

39 76

To old  $\frac{1}{4}$  Section cor. Set chanced post 4 ft  
long 3 in wide, 3 in ground, in mound  $\frac{1}{4}$  ft or  
less up high dug spits 48 x 20 x 12 in & 2 spits 20 x  
20 x 12 in from which cor drawn North on a random line

Township No 26 North by Range 506  
East of the 6<sup>th</sup> Principal Meridian.

Ta 110 East.

20 05 Set temporary 1/6 Sec Corner  
39 86 The Corner to Townships 26 & 27 North  
of Range 506 East from which draw;

Draw a true line by Sec 10 6

Ta 110 East.

19 93 Set Chained post 4 ft long 3 in wide, from  
ground in mound 4 1/2 ft as base of high dug  
2 pits 48 x 20 x 12 in & 2 pits 20 x 20 x 12 in for the Sec Cor.

39 86 The 1/6 Sec Corner

59 94 Set Chained post 4 ft long 3 in wide from  
ground in mound 4 1/2 ft as base of high dug  
2 pits 48 x 20 x 12 in and 2 pits 20 x 20 x 12 in  
for 1/6 Sec Corner

79 62 The Corner to Sec 1, 6, 9 and 12

Surface rolling prairie and meadow  
land.

Soil 1<sup>st</sup> rate land for hay & wheat.  
June 14<sup>th</sup> 1895

Between Townships 26, 26 and 27 North of  
Range No 5 East of the 6<sup>th</sup> Principal Meridian

Sec 10 6 East on a random line by Sec 10 36

Ta 110 15 East.

9 05 Draw a random line N. to East.

15 00 Meadow draw from N. 10° E. to S. 70° N.

20 00 Set temporary 1/6 Sec Corner

23 00 Draw meadow line N. 10° E. to S. 10° N.

39 84 The old mound 1/6 Sec corner. Set Chained post 4 ft  
long 3 in wide, 4 ft in ground in mound 4 1/2 ft as base  
of high dug 2 pits 48 x 20 x 12 in & 2 pits 20 x 20 x 12 in  
from which draw East on a random line  
Ta 110 15 East.

10 00 Meadow draw from N. E. to S. 80° N.

14 50 Draw meadow draw from N. E. to S. 10° N.

20 00 Set temporary 1/6 Sec Cor

39 86 The Corner to Townships 26 & 27 North Range  
5 and 6 East from which Corner draw;

At 8904 9 N. on a true line by Sec 10 36  
Ta 110 26 East

19 93 Set Chained post 4 ft long 3 in wide, from  
ground in mound 4 1/2 ft as base of high dug 2  
pits 48 x 20 x 12 in & 2 pits 20 x 20 x 12 in for the Sec Cor

## Between Townships No 26 and 27 North

- Ch W  
39 86 The  $\frac{1}{4}$  Sec Corner  
59 48 Set Chained post 4 ft long 3 in wide, 1 ft in ground  
in mound  $\frac{1}{4}$  ft from base of high dug pit  
 $48 \times 20 \times 12$  in 2 pits  $20 \times 20 \times 12$  in for the Sec Cor  
49 40 The corner to Secs 1, 2, 35 + 36. Set Chained  
post 4 ft long 3 in dia 1 ft in ground in  
mound  $\frac{1}{4}$  ft from base of high dug pit  
 $48 \times 20 \times 12$  in 2 pits  $20 \times 20 \times 12$  in for Corner  
Surface rolling.  
Dirt straw hat for hay and wheat.

That is a random line for Secs 2 + 35  
Ta 11015 East

- 8 00 Legn run and Grass N + S.  
20 00 Set temporary  $\frac{1}{6}$  Sec Corner  
39 86 The old  $\frac{1}{4}$  Sec Corner. Set Chained post  
4 ft long 3 in wide, 1 ft in ground, in mound  
 $\frac{1}{4}$  ft from base of high dug pit  $48 \times 20 \times 12$   
in and 2 pits  $20 \times 20 \times 12$  in from which corner  
Dirt straw hat for wheat  
That is a random line Ta 11015 East

Range No 5 East of the 6<sup>th</sup> Principal Merid.

- Ch W  
21 00 Set temporary  $\frac{1}{6}$  Sec Corner  
36 45 Delimit West Boundary Reclamation at  
old corner Secs 2 + 35. Set Chained post 4 ft  
long 3 in wide, 1 ft in ground, in mound  $\frac{1}{4}$  ft  
from base of high dug 3 pits  $54 \times 20 \times 12$  in, post  
with the additional marks N. B., W. R. from  
which Cor Draw:

899049 E. on a true line for Secs 2 + 35  
Ta 11026 East

- 16 45 Set Chained post 4 ft long 3 in wide, 1 ft in ground  
in mound  $\frac{1}{4}$  ft from base of high dug 2 pits  $48 \times 20 \times 12$   
in and 2 pits  $20 \times 20 \times 12$  in for the Sec Corner  
36 45 The  $\frac{1}{4}$  Sec Corner  
36 68 Set Chained post 4 ft long 3 in wide, 1 ft in ground in mound  $\frac{1}{4}$  ft from  
base of high dug pits  $48 \times 20 \times 12$  in 2 pits  $20 \times 20 \times 12$  in for the Sec Cor  
76 61 The Cor to Secs 1, 2, 35 + 36  
Dirt dark sandy loam 11" rate hat for wheat.  
Surface fine rolling prairie

## Township No 27 North, Section

Ch 80 From the corner to Township No 26 + 27  
North of Range No 5 + 6 <sup>East</sup> Draw;

North on a random line to Dec 31 + 36  
Ta 11° East

20 00 Set temporary 1/6 Sec Corner

39 82 The 1/4 Section Corner. Set Chained Post 4 ft  
long 3 in wide 1 ft in ground in mound 1/4  
of a bar of high dug 2 pits 48 x 20 x 12 in  
and 2 pits 20 x 20 x 12 in from which corner  
draw North on a random line. Ta 11° East.

20 00 Set temporary 1/6 Sec Corner

24 00 Meadow Cross from E to W.

36 84 Distance North Boundary Reservation at  
corner to Dec 31 + 36, Set Chained Post 4 ft  
long 3 in wide 1 ft in ground in mound 1/4  
of a bar of high dug 3 pits 54 x 20 x 12 in  
from which Cor Draw;

South on a true line to corner Dec 31 + 36  
Ta 11° East

14 84 Set Chained Post 4 ft long 3 in wide 1 ft in

Range 5 and 6 East of the 6<sup>th</sup> Principal Meridian

Ch 80 ground in mound 1/4 of a bar of high dug 2  
pits 48 x 20 x 12 in & 2 pits 20 x 20 x 12 in from 1/6

Sec Corner

36 84 The 1/4 Sec Corner

56 75 Set Chained Post 4 ft long 3 in wide 1 ft in  
ground in mound 1/4 of a bar of high dug 2  
pits 48 x 20 x 12 in & 2 pits 20 x 20 x 12 in  
from 1/6 Sec Corner

74 66 The Corner to Township No. 26 + 27 North,  
of Range No 5 and 6 East

Surface rolling prairie.  
Soil 2 or 3 in, best for wheat & hay.

June 18<sup>th</sup> 1875

## General Description

The surface of the country through which the foregoing Township and Range line passes is as follows. Eastern to the rolling timber and prairie lands, and Missouri River and river bottom. The bluffs along the river are from 150 to 250 ft. high. Much of the country is too rough for successful cultivation.

The soil in river bottom is a black loam, and is very rich being about 3 ft. deep, and well adapted to the production of corn and vegetables, and that in the creek bottom is much the same.

The soil of the uplands is a pale clay loam with clay subsoil, but adapted to the production of wheat.

There is a fair growth of Burr Oak, Red Oak, Hickory, Red and White Elm, Black and Sugar Elm, Ironwood, Coffinwood, Basswood, Hackberry, Ash, Cottonwood and Willow. See some

localities the timber is open, but has generally a thick undergrowth.

Water is supplied by the Missouri River on the East and numerous Springs and small streams in other localities.

The surface of the M. 43 is rolling prairie and bottoms and meadow lands.

The soil is a dark loam from 12 to 20 inches deep and is slightly mixed with sand. That of the uplands is best adapted to the production of wheat. That of the creek bottoms is darker, richer and deeper than the upland soil, making it better adapted to the production of corn. Much of the meadow land is too wet for cultivation being valuable hay land.

The country is well watered by numerous creeks and Springs.

List of Names,  
 A List of the names of the individuals  
 employed to assist in running, measuring,  
 or marking the lines and corners described  
 in the foregoing field notes of the following  
 described Townships and Range lines, in-  
 cluded within the boundaries of the Winne-  
 bago Indian Reservation. The range line  
 for ranges 5, 6, and 6 + 7 through Townships, 25,  
 26 and 27, the range line for ranges 7 and 8  
 and 8 and 9 through Townships No 26 and 27,  
 the range line for ranges 9 + 10 from Right  
 Bank Missouri River, to Right Bank Missouri  
 River, through fractional Township No 26 West.  
 The township lines for townships 25 and 26  
 of Ranges 5, 6 and 7 and the township lines  
 for townships 26 and 27 of Ranges 5, 6, 7, 8 + 9,  
 all North of the base line and East of the  
 6<sup>th</sup> Principal Meridian, showing the respective  
 capacities in which they acted

A. H. Niccox, Comptroller

H. P. Pike, Chairman,  
 James E. Rocky, Chairman,  
 T. T. Bennett, Moundman and appraiser,  
 Anthony Benson, Moundman and appraiser,

## Certificate of Assistant

We hereby certify that we assisted J. N. Blain and  
 W. J. DePuey Surveyor, in surveying the follow-  
 ing Township and Range lines; The range  
 line for Ranges 5+6, 6+7 through Townships  
 25, 26, and 27, The Range line for Ranges 7+8,  
 8+9 through Townships 26 and 27, The Range line  
 between Ranges 9+10 from Right bank Missouri  
 River, to Right bank Missouri River, through frac-  
 tional Townships 26, The Township line be-  
 tween Townships 25 and 26, of Ranges 5, 6+7,  
 and the Township line between Townships 26+27  
 of Ranges 5, 6, 7, 8 and 9, all north of the base  
 line and East of the 6<sup>th</sup> Principal Meridian, and  
 included within the boundaries of the Win-  
 nebago Indian Reservation, and that said  
 Township and Range lines have been in all re-  
 spects to the best of our knowledge and belief  
 well and faithfully surveyed, and the boundary  
 monuments placed according to the instruc-  
 tions of the Surveyor General.

Alvin H. Wilcox    Comptroller

W. P. Pike Chairman  
 and James E. Roche Chairman  
 T. R. Bennett in Presence of W. H. Marshall Wounded man  
 and Anthony Benson Wounded man

Subscribed and sworn to, by the  
 above named persons, before me, Justice of  
 the Peace, for the County of Dakota, in the State of  
 Nebraska, this 28<sup>th</sup> day of June 1875

A. S. Manchester  
 Justice of the Peace

I John W. Beaman Deputy Surveyor do solemnly swear  
 that in pursuance of a contract with E. E. Cunningham  
 Surveyor General for the District of Nebraska and Iowa  
 bearing date the 6<sup>th</sup> day of October 1874 I have  
 will, faithfully and truly and in strict conformity with  
 the instructions furnished by the Surveyor General  
 Surveying Manual and the Laws of the United States  
 retraced and reestablished the following Range and  
 Township lines; viz, the range line between ranges  
 5 and 6, and 6 and 7, through Townships No. 25, 26 and 27.  
 The range line between ranges 7 and 8, and 8 and 9, through  
 Townships No. 26 and 27. And the range line between ranges  
 9 and 10, from the Right bank of the Missouri River  
 to the Right bank of the Missouri River through  
 fractional townships No. 26; the township lines between  
 Townships No. 25 and 26 of Ranges 5, 6 and 7, and the  
 township lines between Townships No. 26 and 27 of Ranges  
 No. 5, 6, 7, 8, and 9, all North of the Base Line and East  
 of the 6<sup>th</sup> Principal Meridian and included  
 within the town lines of the Minnesota Indian  
 Reservation Nebraska as are represented in  
 the foregoing field notes as having been  
 retraced and reestablished under my direction

And I do further solemnly swear that all the corners of said lines have been established and perfected in strict accordance with the Surveying Manual, printed instructions, and special instructions of the Surveyor General, of dimensions, character, construction and marking, and in the manner specifically described in the foregoing field notes, and that the foregoing are the true and original field notes of such surveying, original survey.

J. W. Beaman

Subscribed in my presence and sworn to before me in the County of Cass, State of Nebraska this the 29<sup>th</sup> day of July, A.D. 1875

Wm. Pollock  
Notary Public

Surveyor General's Office,  
Platteauith Neb Jan 25<sup>th</sup> 1876

The foregoing field notes of the survey of the retracing and reestablishing the Range Line, between Ranges 5+6 and 6+7 through Townships No 25, 26+27;

The Range Line between Ranges 7+8 and 8+9 through Townships No. 26+27; and the Range Line between Range 9+10 from the Right bank of the Missouri River to the Right bank of the Missouri River through fractional Townships No 26; the Township lines between Townships No 25+26 of Ranges 5, 6+7, and the Township Lines between Townships No. 26+27 of Ranges No. 5, 6, 7, 8+9;

All North of Base Line and East of the 6<sup>th</sup> Principal Meridian, and within the Kinnepago Indian Reservation, in the State of Nebraska, executed by John W. Beaman Deputy Surveyor under Contract No. 87, dated Oct 6<sup>th</sup> 1874 in the months of April, May and June 1875, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

J. M. Clark

Surveyor General

# GENERAL LAND OFFICE • ORIGINAL FIELD NOTES

BOOK NUMBER

**139**

---

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.