General Land Office • Original Field Notes

Book Number

142

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

a

Field notes of the section lines & the lines subdividing sections of fractional Township, number 25 north of Range number 7 East of the 6th Principal Meridian included within the Winnebago Reservation Nebraska

Surveyed by John H. Beaman U.S. Deputy Surveyor under his Contract No 87 bearing date October 6th 1874

Survey Commenced May 31st 1875
Survey Completed June 3d 1875

PLAT 5.5

Township No 25 North of

Chs	lks	

Index



Range, No 7 East of the 6th Principal Meridian

Chs	lks	
		To reestablish the Corner to Secs 11 + 12 on the South Boundary Reservation, Set Chained post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft at base 2 ft high dug 3 pits 54 × 20 × 12 in Post with the additional marks S. B. W.R. + D.R. Said Corner being 21.24 Chs East of Mile Corner No 15 from the River.
		From the Cor to Secs 11 + 12 on South Boundary Train
		North on a true line bet Secs 11 + 12
		Va 12° East.
5	70	The Corner to Secs. 1, 2, 11 + 12, Set Chained post 4 ft long 3 in 29. 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 pits 48 × 20 × 12 in and 2 pits 20 × 20 × 12 in
		Surface rolling Prairie
		Soil Clay loam Rate best for wheat.

Township No 25 North of Range

Chs	Lks	
		East on a random line for Secs 1 & 12 Va 12° East
20	00	Set temp 1/16 Sec Corner
34	20	Cross Creek 5 lks wide N to S, scattering trees
34	25	Creek Bottom Trav N & S.
39	75	Old 1/4 Sec Corner, Set Chained posts 4 p long 3 in wide 1 p in ground in mound 4 1/2 ft or base 2 ft high dug 2 pits 48 x 20 x 12 in & 2 Pits 30 x 20 x 12 in, from which Cor Drawn East on a random line Va 12° East
19	05	To old Corner between Secs 1 & 12 on East Boundary of Reservation and 4.80 Chs North of S.E. Corner of Winnebago Indian Reservation. To reestablish old Corner Set Chained post 4 p long 3 in wide 1 p in ground in mound 4 1/2 p for base 2 p high, dug 3 Pits 54 x 24 x 12 in, from which Corner Drawn. For next the additional Marks, C.B. N.R. O.R. N 89° 2 in. West a true line for Secs 1 & 12 Va 12° 36' East
19	05	1/4 Sec Cor
38	91	Set Chained post 4 p long 3 in wide, 1 p in ground in mound 4 1/2 p for base 2 p high dug 2 pits 48 x 20 x 12 in & 2 pits 30 x 20 x 12 in for 1/16 Sec Cor

No 7 East of the 6th Principal Meridian

Chs	Lks	
58	80	The corner to Secs 1, 2, 11 & 12 Rolling Prairie and Creek bottom Soil of bottom dark clay loam 1st rate but for corn. On Prairie, mark soil 2nd rate but for grazing
		North on a random line between Secs 1 & 2 Va 12° East
20	00	Set temp 1/16 Sec Corner
39	60	Creek bottom trav N E & N W.
41	00	No old 1/4 Section Corner Set temp 1/4 Sec Cor
44	20	Creek 5 lks wide from W to E
58	10	Large Creek bottom E and N. W.
60	00	Set temp 1/16 Sec Corner
48	69	Intersect North Boundary Township at Corner to Secs 1 and 36. from which trav
		S 11° E on a true line for Secs 1 and 12 Va 11° 49' East
18	69	Set Chained post 4 p long 3 in wide 1 p in ground in mound 4 1/2 p for base 2 p high dug 2 pits 48 x 20 x 12 in

Township No 25 North of Range

Chs	lks	
		12 pits 20×20×12 in for 1/16 Sec Corner
38	69	Set Chained post 4 ft long 3 in wide, 1 ft in ground in mound 4½ feet base 2 ft high dug 2 pits 48×20×12 in & 2 Pits 20×20×12 in for 1/4 Section Corner from which
		An Elm 12 in dia bears N 44½° W 357 lks dist.
58	69	Set Chained post 4 ft long 3 in wide, 1 ft in ground in mound 4½ feet base 2 ft high dug 2 pits 48×20×12 & 2 pits 20×20×12 in for 1/16 Section Corner
78	69	To the Corner to 1, 2, 11 and, 12
		Surface Rolling Prairie and creek bottom level
		Soil 1st rate best for wheat

No 7 East of the 6th Principal Meridian

Chs	lks	
		To re establish the Corner to Secs 10 and 11 on South Boundary Reservation, Set Chained post 4 ft long 3 in wide, 1 ft in ground in mound 4½ feet base 2 ft high dug 2 pits 54×20 Post with the additional Marks S. B. W R & O R +12 in Said Corner being 20.80 Chs. East of the 16th Mile Corner from the River
		From the Corner bet Secs 10 & 11 on South Boundary Trav; North on a true line bet Secs 10 & 11
		Va 12° East
5	63	The Corner to Secs 2, 3, 10 & 11 Set post 4 ft long 3 in wide 2 ft in ground from which
		A Box Elder 3 in dia bears N 89° E 47½ lks dist
		No other three convenient for Marking, dug One pit 2 ft square 1 ft deep, 8 lks S of post
		Surface prairie,
		Soil Clay loam 1st rate best for wheat

Township No 25 North, of

Chs	lks	
		East on a random line for Secs 2 & 11 Va 12°15' East
20	00	Set temp 1/16 Sec Corner
40	00	Point 1/16 Cor South of old 1/4 Sec Cor Set Chained post 4 ft long 3 in side 1 ft in ground in mound 4 1/2 ft for base 3 ft high dug 2 pits 48 x 30 x 12 in & 2 pits 20 x 20 x 12 in from which Cor Drawn East Same Var
20	00	Set temp 1/16 Sec Corner
21	50	Drain Course from N.W. to S.E.
39	90	Intersect N & S line at Corner to Secs 1, 2, 11 and 12 from which Drawn
		S 89° 45' W on a true line for Secs 2 & 11 Va 11°45' East
19	95	Set Chained post 4 ft long 3 in side 1 ft in ground in mound 4 1/2 ft for base 3 ft high dug 2 pits 48 x 30 x 12 in & 2 pits 20 x 20 x 12 in for 1/16 Section Corner
39	90	The 1/4 Section Corner from which Drawn
		S 89° 45' W on a true line for Secs 2 & 11 Va 11°58' East

Range No 7 East of the 6th Prin. Mer

Chs.	lks.	
59	90	Set Chained post 4 ft long 3 in side 1 ft in ground in mound 4 1/2 ft for base 3 ft high dug 2 pits 48 x 30 x 12 in & 2 pits 20 x 20 x 12 in for 1/16 Section Corner
79	90	The Corner to Secs. 2, 3, 10 and 11
		Surface quite rolling Soil gray loam (clay) 1st rate but for wheat.
		North on a random line for Secs 2 & 3 Va 12° East
	90	Cross 4 lks wide, runs from S 25° E. to N 25° W.
20	00	Set temp 1/16 Sec Corner
40	00	Tacp our 6 lks West of old 1/4 Sec Corner To re-establish the Corner Set Chained post 4 ft long 3 in side 1 ft in ground in mound 4 1/2 ft for base 3 ft high dug 2 pits 48 x 30 x 12 in from which Corner Drawn: North on a random line Va 12° East
	50	Ravine, water in holes drains from N to East.

Township No 25 North of

Chs	Lks	
20	00	Set temp 1/16 Sec Corner
38	89	Intersect North Boundary Township at Corner to Secs 2 and 3 from which Dran:
		S. 5' E on a true line bet Secs 2 & 3 Va 11°50' East.
18	89	Set chained post 4 ft long 3 in wide, fr in ground in mound 4½ ft at base 2 ft high dug 2 pits 48 x 20 x 12 in & 2 pits 20 x 20 x 12 in for 1/16 Sec Corner.
38	89	The 1/4 Section Corner from which Dran
		S. 5' E on a true line bet Secs 2 & 3 Va 11°50' East.
58	89	Set chained post 4 ft long 3 in wide, fr in ground in mound 4½ ft at base 2 ft high dug 2 pits 48 x 20 x 12 in & 2 pits 20 x 20 x 12 in for 1/16 Sec Corner
78	89	The Corner to Secs 2, 3, 10 and 11
		Surface very rolling. Soil pale Clay loam and thin 2d rate best for grass

Range No 7 East of the 6th Principal Meridian

Chs	Lks	
		To reestablish the corner to Secs 9 & 10 on the South Boundary Reservation, Set chained post 4 ft long 3 in wide, fr in ground in mound 4½ ft at base 2 ft high dug 3 pits 54 x 20 x 12 in. Post with the additional marks S. B. W. R. C. R. Mile Corner No 17 from the Missouri River not found
		From the Corner to Secs 9 & 10 on South Bdry. Dran. North on a true line bet Secs 9 & 10 Va 12° East.
5	94	The Corner to Secs 3, 4, 9 & 10, Set chained post 4 ft long 3 in square fr in ground in mound 4½ ft at base 2 ft high dug 2 pits 48 x 20 x 12 in & 2 pits 20 x 20 x 12 in.
		Surface rolling Soil pale and thin 2d rate best for Grazing

Township No 25 North, of Range

Chs	Lks	
		East on a random line for Secs 3 & 10 Va 12° East
20	00	Set temp 1/16 Sec Corner
39	96	Up old 1/4 Sec Corner, Set Chained post 4 p long 3 in mide, pring ground in mound 1½ p or base 2 p high dug 2 pits 48 x 20 x 12 in + 2 pits 20 x 20 x 12 in from which draw East on random line Va 12° East
15	21	Drain, water in holes, 15 Lks wide course from S 65° W to N 65° E
20	00	Set temp 1/16 Sec Corner
39	20	Creek 5 Lks wide runs from NW to SE
39	46	Intersect N + S line at Corner to Secs 2, 3, 10 and 11 from which draw:
		S. 89° 49' West a line line for Secs 3 & 10 Va 11° 49' East
19	98	Set Chained post 4 p long 3 in mide, pring mud in mound 1½ p or base 2 p high dug 2 pits 48 x 20 x 12 in + 2 pits 20 x 20 x 12 in for 1/16 Section Corner
39	96	The 1/4 Section Corner

No 7 East of the 5th Principal Meridian

Chs	Lks	
59	94	Set Chained post 4 p long 3 in mide, pring ground in mound 1½ p or base 2 p high dug 2 pits 48 x 20 x 12 in + 2 pits 20 x 20 x 12 in for 1/16 Sec Corner
79	92	The Corner to Secs 3, 4, 9 & 10 Surface rolling Prairie. Soil poor and thin 2d rate for grazing
		North on a random line for Secs 3 & 4 Va 12° East
20	00	Set temp 1/16 Sec Corner
36	00	Meadow brush N & S. E.
39	95	Old 1/4 Sec Corner Set Chained post 4 p long 3 in mide, pring ground in mound 1½ p or base 2 p high dug 2 pits 48 x 20 x 12 in + 2 pits 20 x 20 x 12 in, from which Corner draw North on random line Va 12° East
8	00	Leave meadow bearing N 25° W & 25° E.
20	00	Temp 1/16 Sec Corner
27	30	Creek N 10° E. 3 Lks wide
29	10	Recross creek 3 Lks wide, N. 10° W

Township No 25 North of Range

Chs	lks	
32	00	Recross Meadow 3 lks wide bears N 10° E.
39	04	Intersect North Boundary Township at Corner to Secs 3 & 4 from which I ran
		S. 36' E on a true line bet Secs 3 & 4 Va 11° 24' East
19	04	Set chained post 4 ft long 3 in wide 1 fr in ground in mound 4½ ft at base 2 ft high dug 2 pits 48 x 20 x 12 in & 2 pits 20 x 20 x 12 in for 1/16 Section Corner
39	04	The 1/4 Section Corner
59	02	Set chained post 4 ft long 3 in wide 1 fr in ground in mound 4½ ft at base 2 ft high dug 2 pits 48 x 20 x 12 in & 2 pits 20 x 20 x 12 in for 1/16 Sec Corner
78	99	The Corner to Secs 3, 4, 9 & 10
		Surface rolling Prairie Soil pale clay loam and weak 2d rate best for grazing May 31st 1875

No 7 East of the 6th Principal Meridian

Chs	lks	
		To reestablish the Corner bet Secs 8 & 9 on South Boundary Reservation Set chained post 4 ft long 3 in wide 1 fr in ground in mound 4½ ft at base 2 ft high dug 3 Pits 54 x 20 x 12 in, Poor with the additional Marks J. B. W. R. O. R. Said Corner being 20.27 chs East of the 18th Mile Corner from the Missouri River
		From the corner to Secs 8 & 9 on on the South Boundary Reservation I ran
		North on a true line between Secs 8 & 9 Va 12° East
6	38	The Corner to Secs 4, 5, 8 & 9. Set chained post 4 ft long 3 in square fr in ground in mound 4½ ft at base 2 ft high dug 4 pits 48 x 20 x 12 in & 2 pits 20 x 20 x 12 in,
		Surface fine rolling Prairie, Soil clay loam 1st rate best for wheat.

Township No 25 North, of Range

Chs	lks	
		East on a random line bet Secs 4 & 9 Va 12° East
20	00	Set temp 1/16 Sec Corner
39	90	Old 1/4 Sec Corner, Set Chained post 4 ft long 3 in wide, 1 ft in ground in mound 4 1/2 ft at base 2 ft high dug 2 pits 48 x 20 x 12 in & 2 pits 20 x 20 x 12 in, from which Drain East on a random line Va 12° East.
20	00	Set temp 1/16 Sec Corner
39	90	Intersect N & S line 16 lks North of Cor to Secs 3, 4, 9 & 10 from which Drain:
		N 89° 27' W on a true line bet Secs 4 & 9 Va 12° 19' East.
19	95	Set Chained post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high dug 2 pits 48 x 20 x 12 in & 2 pits 20 x 20 x 12 in for 1/16 Sec Corner
39	90	1/4 Sec Corner from which Drain
		N 89° 27' W on a true line bet Secs 4 & 9 Va 12° 33' East.

No 7 East of the 6th Principal Meridian

Chs	lks	
59	85	Set a Granite Stone 15 x 11 x 6 in, 10 in in the ground for 1/16 Sec Corner
79	80	Tho Corner to Secs 4, 5, 8 and 9 Surface fine prairie nearly level. Soil dark Clay loam, 1st rate, best for Wheat.
		North on a random line bet Secs 4 & 5 Va 12° 30' East
	10	A Drain, Course from W to E.
20	00	Set temp 1/16 Sec Corner
39	90	Old 1/4 Sec Corner. Set Chained post 4 ft long 3 in wide 1 ft in ground, in mound 4 1/2 ft at base 2 ft. high dug 2 pits 48 x 20 x 12 in & 2 pits 20 x 20 x 12 in for 1/4 Section Corner from which Drain North on a random line Va 12° 30' East
4	00	Drain, Course from W to E
20	00	Set temp 1/16 Sec Corner
30	00	Drain from N 80° E to S 80° W.

Township No 25 North of Range

Chs	Lks	
38	66	Intersect North Boundary Reservation 16 Lks East of the Cor to Secs 4 & 5 from which I ran,
		S 26' E on a true line bet Secs 4 & 5 Va 12° 18' East.
18	66	Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 pits 48 x 20 x 12 in & 2 pits 48 x 20 x 12 in for 1/16 Sec Cor.
38	66	The ¼ Section Corner from which I ran
		S 26' E on a true line bet Secs 4 & 5 Va 12° 04' East.
58	61	Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/16 Section Corner,
78	56	The Corner to Secs 4, 5, 8 and 9 Surface rolling prairie, Soil pale and thin, best for wheat, 2 Crate June 1st 1875

No 7 East of the 5th Principal Meridian

Chs	Lks	
		To restablish the Corner to Secs 7 & 8 on South Boundary Reservation, Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 3 pits 54 x 20 x 12 in, Pon with additional marks S.B.W.R.O.R. The 19th Mile Corner from the Missouri River not found.
		From the Corner to Secs 7 & 8 on the South Boundary, I ran North on a true line between Secs 7 & 8 Va 12° East,
6	72	The Corner to Secs, 5, 6, 7 & 8, Set chained post 4 ft long 3 in square, 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 pits 48 x 20 x 12 in & 2 pits 20 x 20 x 12 in.
		Surface Prairie Soil pale clay, 2 Crate Best for wheat.

Township No 25 North of Range

Ch	lk	
		East on a random line bet. Secs 5 & 8 Va 12° East.
20	00	Set temp 1/16 Sec Corner
40	10	Old 1/4 Sec Cor. Set Chained post 4 ft long 3 in wide, 1 ft in ground, in mound 4½ ft at base 2 ft high dug 2 pits 48 x 20 x 12 in for 1/4 Sec Cor. East with Same Var.
20	00	Set temp 1/16 Sec. Cor.
39	70	Intersect N & S line at Corner to Secs 4, 5, 8 & 9 from which Dran:
		N. 89° 53' W on a true line bet Secs 5 & 8 Var. 12° 7' East.
19	85	Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 pits 48 x 24 x 12 in & 2 pits 20 x 20 x 12 in for 1/16 Sec Corner
39	70	The 1/4 Section Corner
59	75	Set Chained Stake 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 pits 48 x 20 x 12 in & 2 pits 20 x 20 x 12 in for 1/16 Section Corner
79	80	The Corner to Secs 5, 6, 7 and 8
		Surface fine prairie, nearly level. Soil 1st rate best for wheat

No 7 East of the 6th Principal Meridian

Ch	lk	
		West on a random line bet Secs 6 & 7 Va 12° East.
20	00	Set temp 1/16 Sec Corner
39	95	Old 1/4 Sec Corner Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 pits 48 x 20 x 12 in & 20 x 20 x 12 in, From this Corner Dran: West on a random line Va 12° East.
20	00	Set temp 1/16 Sec Corner
40	01	Intersect West Boundary Township at Cor. to Secs 6 & 7 from which Dran:
		N 89° 52' E on a true line bet Sec 6 & 7 Va 11° 52' East.
20	01	Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 pits 48 x 20 x 12 in and 2 pits 20 x 20 x 12 in for 1/16 Sec Cor
40	01	The 1/4 Sec Corner
59	98	Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 pits 48 x 20 x 12 in & 2 pits 20 x 20 x 12 in for 1/16 Sec Cor.
79	96	The Corner to Secs 5, 6, 7 and 8
		Surface quite rolling. Soil good gray loam 1st rate

Township No 25 North, of Range

Chs	lks	
		North on a random line bet Secs 5 & 6
		Va 12° East
20	00	Set temp 1/16 Sec Corner
39	94	Old 1/4 Sec Cor. Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 pits 48 x 20 x 12 in & 2 pits 20 x 20 x 12 in from this corner Trav: North on a random line
		Va 12° East
20	00	Set temp 1/16 Sec Corner
38	22	Intersect North Boundary Township 9 lks East of Corner to Secs 5 & 6 from which Trav:
		South 18' East on a true line bet Sec 5 & 6
		Va 11° 50' East
18	22	Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 pits 48 x 20 x 12 in & 2 pits 20 x 20 x 12 in for 1/16 Section Corner
38	22	The 1/4 Sec Corner from which Trav
		South 18' East on a true line bet Secs 5 & 6

No 7 East of the 6th Principal Meridian

Chs	lks	
		Va. 11. 42' East.
58	19	Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 pits 48 x 20 x 12 in & 2 pits 20 x 20 x 12 in for 1/16 Section Corner
78	16	The Corner to Sections 5, 6, 7 & 8
		Surface; fine rolling prairie
		Soil; light clay loam 1st rate, best for Wheat.
		June 2nd 1875

Township No 25 North, of Range No

4 East of the 6th Principal Meridian

Part. 2.

Township No 25 North of Range

Chs	Lks	
		East on a true 1/16 sec. line through S½ of sec. 7 va 12° East.
6	00	Creek bottom bears N. and S.
20	00	Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high. dug 4 pits 24 x 24 x 12 in. for 1/16 sec. cor.
29	10	Creek running S. 15 lks wide
40	00	Leave Creek bottom bears N. and S.
		Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 4 pits 24 x 24 x 12 in. for 1/16 sec. cor.
58	98	Intersect East Boundary of Winnebago Reservation 21.09 chs. north of corner bet. secs 1 and 12
		Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high. dug 3 pits 48 x 24 x 12 in for. C. C. Post marked dist. (C.B.M.R. 2 + 0.195)
		Surface rolling and Creek bottom
		Soil 1st rate. good timber well adapted to the cultivation of wheat.
		June 24 1895

No 7 East of the 6th Principal Meridian

Chs	Lks	
		East on a true 1/16 sec. line through middle sec 1 va 11° 48' East
19	03	Creek Running S. 12 lks wide
19	03	Enter Creek bottom bears N.W. + S.E.
20	00	Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft base 2 ft high dug 4 pits 24" x 24" x 12 in for 1/16 sec cor.
21	54	Creek Running N 20° E 15 lks wide
25	44	Creek Running South 12 lks wide
33	88	Leave Creek bottom bears N.W. + S.
40	00	Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft base 2 ft high dug 4 pits 24" x 24" x 12 in for 1/16 sec cor.
49	94	Drain Running South 10 lks wide
58	88	Intersect East Boundary of Reservation 90 lks North of cor 1/2 mile cor
		Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft base 2 ft high dug 3 pits 48 x 24 x 12 in for CC. Post with additional marks C.B.M.R. 2 + 0.195
		Surface Rolling & Creek bottom
		Soil 1st rate Best for wheat.
		Scattering willow along Creek
		June 24 1895

Township No 5 North of Range 7 East of the 4th Principal Meridian

Chs	Lks	
		East on a true Meas line through N½ of sec 1
		Va. 11° 10' East
14	10	Cross a Running S 5 lks wide
20	00	set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft base 2 ft high Dug 4 pits 24"x24"x12" in for M&B Co.
26	00	Drain Running from North to S 3 chs wide
40	00	Cross Creek bottom 1 chain wide set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft base 2 ft high Dug 4 pits 24"x24"x12" for M&B Co
59	12	Intersect East Boundary of Reservation 19.60½ South of Corner between 1 & 36
		set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft base 2 ft high Dug 3 pits 48"x24"x12" for C.C. Post with additional Stamp E.B. M.R & O.R
		Surface Rolling
		Soil 1st rate
		Best adapted to the cultivation of wheat.
		June 2d 1875

Chs	Lks	
		East on a Random M&B line through S½ of sec 2
		Va 12° East.
10	45	Creek Running N 20° E. 10 lks wide 30 lks to mile
14	75	Gully water in holes Bears N 30° W & S 30° E
20	00	set temp M&B Co.
40	00	set temp M&B Co.
60	00	set temp M&B Co.
80	22	Intersect N & S line 4 chs North of M&B Co. from which I Run
		N 89° 40' W on a true M&B line through S½ of sec 2
		Va 12° East.
20	05½	set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft base 2 ft high Dug 4 pits 24"x24"x12" for M&B Co.
40	11	set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft base 2 ft high Dug 4 pits 24"x24"x12" for M&B Co.
60	16½	set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft base 2 ft high Dug 4 pits 24"x24"x12 in for M&B Co.
80	22	The S M&B Co. bet secs 2 & 3.
		Surface Rolling Prairie
		Soil 1st rate Best for wheat June 2d 1875

Township No. 25 North of Range No.

		Westerna Random 1/16 sec line through middle of sec 2
		ta 11° 40' East
20	00	set temp 1/16 sec Cor
40	00	set temp 1/16 sec Cor
60	00	set temp 1/16 sec Cor
62	40	Cree flows N 10° W 8 Chs wide
78	19	Cree flows S 70° East 5 Chs wide
80	24	Intersect N & S line 12 Chs North of 1/16 sec Cor from which I Run
		N 89° 55' East the 1/16 sec line through middle of sec 2
		ta 11° 40' East
20	06	set chained post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft base 2 ft high Dig 4 pits 24" x 24" x 12" in for 1/16 sec Cor
40	12	set chained post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft base 2 ft high Dig 4 pits 24" x 24" x 12" for 1/16 sec Cor
60	18	set chained post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft base 2 ft high Dig 4 pits 24" x 24" x 12" for 1/16 sec Cor

of East of the 6th Principal Meridian

80	24	The 1/16 sec Cor bet secs 1 & 2. Surface Rolling Soil 1st rate Best adapted to the Cultivation of wheat. June 21st 1875
		East on a Random 1/16 sec line through N 1/2 of sec 2.
		ta 11° 40' East
20	00	Enter Cree bottom bears N W & S E.
20	00	set temp 1/16 sec Cor
25	14	Cree Running North 12 Chs wide
40	00	set temp 1/16 sec Cor
55	21	Cree Running N 30° E. 3 Chs wide
60	00	set temp 1/16 sec Cor
65	40	Cree Running S E 12 Chs wide
78	00	Leave Cree bottom bears N & S
79	90	Intersect N & S line 5 Chs North of 1/16 sec Cor from which I Run
		N 89° 55' W on a true 1/16 sec line through N 1/2 of sec 2.
		ta 11° 40' East

Township No 25 North of Range

19	97½	set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft base 2 ft high Dug 4 pits 24"x24"x12" for 1/16 sec cor
39	95	set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft base 2 ft high Dug 4 pits 24"x24"x12" for 1/16 sec cor
59	92½	set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft base 2 ft high Dug 4 pits 24x24x12 in for 1/16 sec cor
79	90	The N 1/16 sec cor between 2 & 3. Surface Rolling & the bottom Soil 1st rate Best for hay & wheat. June 2nd 1875

East on a random 1/16 sec line through N½ of sec 3

Va 11° 30' East.

20	00	set temp 1/16 sec cor
40	00	set temp 1/16 sec cor
60	00	set temp 1/16 sec cor
80	11	Intersect N & S line 137 lks South of 1/16 sec cor from which I Run

No 7 East of the 6th Principal Meridian

S 89° 1' W on a true 1/16 sec line through S½ of sec 3

Va 11° 30' East.

20	02 3/4	set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft base 2 ft high Dug 4 pits 24"x24"x12 in for 1/16 sec cor
40	05½	set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft base 2 ft high Dug 4 pits 24 x 24 x 12 in for 1/16 sec cor
60	05½	set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft base 2 ft high Dug 4 pits 24"x24"x12 in for 1/16 sec cor
80	11	The S 1/16 sec cor between 3 & 4. Va 12° 15' at end of line local attraction Surface Rolling Soil 1st rate Best adapted to the Cultivation of wheat. June 2nd 1875

Township 25 North of Range No. 7

Chs	Lks	
		West on a Random 1/16 sec line through middle of Sec 3 Va 11°40' East.
20	00	set temp 1/16 sec Cor.
40	00	set temp 1/16 sec Cor
60	00	set temp 1/16 sec Cor.
79	00	Enter Meadow bear N 75
80	06	Intersect N & S line 4 Chs South of 1/16 sec Cor from which I Run.
		N 89°58' E on a true 1/16 sec line through middle of Sec 3 Va 11°40' East
20	03½	set chaned post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft base 2 ft high Dug 4 pits 24" X 24" X 12" for 1/16 sec cor
40	03	set chaned post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft base 2 ft high Dug 4 pits 24 X 24 X 12 in for 1/16 sec
60	04½	set chaned post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft base 2 ft high Dug 4 pits 24" X 24 X 12 in for 1/16 sec Cor.
80	06	The 1/16 sec Cor set at 2 73 Surface Rocking. Dug 1 Pit Rocky Bert for that not which. June 2d 1895

East of the 6th Principal Meridian

		East on a Random 1/16 sec line through N½ of Sec 3 Va 11°40' East.
20	00	set temp 1/16 sec Cor.
40	00	set temp 1/16 sec Cor.
60	00	set temp 1/16 sec Cor.
80	14	Intersect N & S line 7 Chs South of 1/16 sec Cor from which I Run.
		S 89°27' W on a true 1/16 sec line through N½ of Sec 3 Va 11°40' East.
20	03½	set chaned post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft base 2 ft high Dug 4 pits 24" X 24" X 12" for 1/16 sec cor
40	07	set chaned post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft base 2 ft high Dug 4 pits 24" X 24" X 12" for 1/16 sec cor
60	10½	set chaned post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft base 2 ft high Dug 4 pits 24 X 24 X 12 in for 1/16 sec cor.
80	14	The N 1/16 sec Cor between Va 12°15' and the local attraction

Township No. 25 North of Range No. 7 East of the 4th Principal Meridian

Chs	Lks	
		Surface Rolling Soil 1st rate Best for wheat June 2d 1875
		East on a Random 1/16 sec line through S 1/2 of sec 4 Va 12° East.
20	00	set temp 1/16 sec cor
40	00	set temp 1/16 sec cor
60	00	set temp 1/16 sec cor
79	66	Intersect N & S line 74 lks North of 1/16 sec cor from which I Run
		N 89° 28' West on a true 1/16 sec line through S 1/2 of sec 4 Va 12° East
19	91 1/2	set stake and post 4 for long 3 in wide 1 ft in ground in mound 1 1/2 ft base 2 ft high Dug 4 pits 24 x 24 x 12 for 1/16 sec cor
39	83	set stake and post 4 for long 3 in wide 1 ft in ground in mound 1 1/2 ft base 2 ft high Dug 4 pits 24 x 24 x 12 for 1/16 sec cor.
59	74 1/2	set stake and post 4 ft long 3 in wide 1 ft in ground in mound 1 1/2 ft base 2 ft high

Chs	Lks	
		Dug 4 pits 24 x 24 x 12 in for 1/16 sec cor.
79	66	The N 1/16 sec cor between 4 & 5. Surface Rolling Soil 1st rate Best for wheat. Va 11° 35' East and of line local attraction June 2d 1875.
		West on a Random 1/4 sec line through middle of sec 4 Va 11° 40' East.
3	00	Leave Meadow Bears N & S
20	00	set temp 1/16 sec cor
40	00	set temp 1/4 sec cor.
60	00	set temp 1/16 sec cor.
79	84	Intersect N & S line 18 lks South of 1/4 sec cor from which I Run.
		S 89° 52' East on a true 1/4 sec line through middle of sec 4 Va 11° 40' East.
19	96	set stake and post 4 ft long 3 in wide 1 ft in ground in mound 1 1/2 ft base 2 ft high Dug 4 pits 24" x 24" x 12" for 1/16 sec cor.

Township No 25 North of Range No 7 East of the 6th Principal Meridian

39	92	set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft base 2 ft high Dug 4 pits 24" X 24 X 12 in for 1/4 sec cor
59	88	Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft base 2 ft high Dug 4 pits 24 X 24 X 12 in for 1/16 sec cor.
79	84	The 1/4 sec cor between 3 & 4.
		Surface Rolling
		Soil 1st rate Best for wheat.
		June 2d 1875

East on a Random 1/16 sec line through N ½ of sec 4
va 11° 40' East

20	00	set temp 1/16 sec cor.
25	38	Over Flowing N 20° E 3 lks wide
40	00	set temp 1/16 sec cor.
60	00	set temp 1/16 sec cor.
78	00	Drain Running North 3 lks wide
80	30	Intersect 2 N & S line 72 lks North of 1/16 sec cor from which I Run

N 89° 29' W on a true 1/16 sec line through N ½ of sec 4

va 11° 40' East.

20	07½	set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft base 2 ft high Dug 4 pits 24 X 24 X 12 for 1/16 sec cor
40	15	set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft base 2 ft high Dug 4 pits 24" X 24 X 12 in for 1/16 sec cor
60	22½	set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft base 2 ft high, Dug 4 pits 24 X 24 X 12 for 1/16 sec cor
80	30	The N 1/16 sec cor between 4 & 5
		Surface Rolling
		Soil 1st rate Best for wheat.
		June 2d 1875

East on a Random 1/16 sec line through S ½ of sec 5
va 12° East

20	00	set temp 1/16 sec cor.
40	00	set temp 1/16 sec cor.
60	00	set temp 1/16 sec cor
80	18	Intersect N & S line 72 lks North of 1/16 sec cor from which I Run

Township No. 25 North of Range No. 7 East of the 6th Principal Meridian

		N 89° 29' W on a true 1/16 sec line through S 1/2 of sec 5
		Va 12° East
20	04 1/2	set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft base 2 ft high Dug 4 pits 24 X 24 X 12 in for 1/16 sec Cor
40	09	Set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft base 2 ft high Dug 4 pits 24 X 24 X 12 in for 1/16 sec cor
60	13 1/2	Set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft base 2 ft high Dug 4 pits 24 X 24 X 12 in for 1/16 sec cor
80	18	The S 1/16 sec cor bet secs 5 & 6
		Surface very Rolling
		Soil 2nd rate Best for grazing
		June 3rd 1875
		West on a Random 1/4 sec line through middle of sec 5
		Va 12° East
20	00	set temp 1/16 sec cor
40	00	set temp 1/4 sec cor
60	00	set temp 1/16 sec cor

63	50	Slough meadow Bears N 30° E & S 60° W.
68	00	Leave Slough meadow bears NE & SW
80	14	Intersect N & S line 1 Elk or South of 1/4 sec cor from which I Run
		S 89° 51 E on a true 1/4 sec line through middle of sec 5
		Va 12° East.
20	03 1/2	Set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft base 2 ft high Dug 4 pits 24 X 24 X 12 in for 1/16 sec cor
40	07	Set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 base 2 ft high Dug 4 pits 24 X 24 X 12 in for 1/4 sec cor
60	10 1/2	Set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft base 2 ft high Dug 4 pits 24 X 24 X 12 in for 1/16 sec cor
80	14	The 1/4 sec cor bet secs 4 & 5.
		Surface Rolling
		Soil 1st rate Best for hay & wheat.
		June 3rd 1875

Township No. 25 North of Range No. 7

		West on a Random 1/16 sec line through N 1/2 of sec 5
		Va 12° East
20	00	set temp 1/16 sec cor.
40	00	set temp 1/16 sec cor
60	00	set temp 1/16 sec cor
60	56	Creek water in holes bears N & S 90° E 40 lks wide
80	00	Intersect N & S line 14 lks North of 1/16 sec cor from which I Run.
		N 89° 54' East on a true 1/16 sec line through N 1/2 of sec 5.
		Va 12° East
20	00	Set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft base 2 ft high Dug 4 pits 24 x 24 x 12" for 1/16 sec cor
40	00	Set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 base 2 ft high Dug 4 pits 24" x 24" x 12 in for 1/16 sec cor.
60	00	set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft base 2 ft high Dug 4 pits 24 x 24 x 12 in for 1/16 sec cor.
80	00	The N 1/16 sec cor bet secs 4 & 5.
		Surface Rolling
		Soil 1st rate. Best for wheat. June 3rd

4/21

East of the 6th Principal Meridian

chs	lks	
		West on a random 1/16 sec line through S 1/2 of Sec 6.
		Va 12° 45' East.
20	00	Set temp 1/16 sec. cor.
40	00	Set temp 1/16 sec. cor.
60	00	Set temp 1/16 sec. cor.
80	28	Intersect West Boundary of Township 33 lks south of 1/16 sec. cor. from which I run
		S. 89° 46' E. on a true 1/16 sec line through S 1/2 of sec. 6
		Va 12° 45' East.
20	28	Set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft. high dug 4 pits 24 x 24 x 12 in for 1/16 sec cor.
40	28	Set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high dug 4 pits 24 x 24 x 12 in for 1/16 sec cor.
60	28	Set charred post 4 ft. long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high dug 4 pits 24 x 24 x 12 in for 1/16 sec. cor.
80	28	The S 1/16 sec cor bet secs 5 and 6
		Surface rolling
		Soil 1st rate; best for wheat
		June 3rd 1875

Township No. 25 North of Range

Chs	Lks	
		West on a random ¼ sec line through the middle of sec. 6. Va 12° 45' East.
20	00	Set temp 1/16 sec. cor.
40	00	Set temp ¼ sec. cor.
52	00	Meadow land bears N. 60° W. and S. 60° E.
60	00	Set temp 1/16 sec cor.
60	50	Leave Meadow bears N.W. and S.E.
66	00	To Slough bears N. and S.
79	98	Intersect West Boundary of Township 39 lks north of ¼ sec cor.
		from which Iron N. 89° 45' E on a true ¼ sec line through middle of sec 6 Va 12° 45' East.
19	98	Set charred post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high. dug 4 pits 24 x 24 x 12 in for 1/16 sec. cor.
39	98	Set charred post 4 ft. long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 4 pits 24 x 24 x 12 in for ¼ sec. cor.

No. 7 East of the 6th Principal Meridian

Chs	Lks	
59	98	set charred post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft base 2 ft high dug 4 pits 24 x 24 x 12 in for 1/16 sec cor.
79	98	The ¼ sec cor bears S 86. Surface Rolling & Meadow Soil 1st rate. Best for wheat & hay. June 3rd 1845
		West on a Random 1/16 sec line through N ½ of sec 6. Va 12° East
20	00.	set temp 1/16 sec cor
40	00	set temp 1/16 sec cor
60	00	set temp 1/16 sec cor
79	86	Intersect West Boundary of Township 10 lks South of 1/16 sec cor from which Iron
		S 89° 56' E on a true 1/16 sec line through N ½ of sec 6 Va 12° East
19	86	set charred post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft base 2 ft high Dug 4 pits 24 x 24 x 12 in for 1/16 sec corner

Township No. 25 North of Range

39	86	set chain post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft base 2 ft high Dug pits 24 x 24 x 12 in for 1/16 corner.
59	86	set chain post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft base 2 ft high Dug pits 24 x 24 x 12 in for 1/16 corner.
79	86	The N 1/16 sec cor between 5 & 6.

Surface Rolling
Soil 1st rate. Best for wheat.
June 3rd 1895

As 4th East of the 6th Principal Meridian

General Description
The surface of this township is rolling prairie. with scattering cottonwood trees along the streams
The soil is dark clay loam 12 to 20 inches deep with clay subsoil. best for wheat.
1st Rate in valleys and lower slopes. and 2nd Rate. on the higher elevations
Water. This town is well supplied with water in all localities both by springs and small streams of pure running water

Township No 25 North, of Range

List of Names.

A list of the names of the individuals, employed to assist in running, measuring, or marking the lines and corners, described in the foregoing field notes of Fractional Township No 25 North, of Range No 7 East of the 6th Principal Meridian; included within the boundaries of the Winnebago Indian Reservation; showing the respective capacities in which they acted.

Alvin H. Wilcox,	Compassman,
C. W. Torres,	Compassman,
W. P. Pike	Chainman,
James E. Roche,	Chainman,
J. H. Stewart,	Chainman,
Wm McDavit,	Chainman,
William Lindley,	Flagman,
T. T. Bennett,	Moundman,
Charles J. Roche,	Moundman,
Anthony Benson,	Moundman,
Frank Campbell	Moundman,
Michael Hagen	Moundman

No 7 East of the 6th Principal Meridian

Certificate of Assistants.

We hereby certify that we assisted J. W. Beaman U. S. Deputy Surveyor in the survey of the Section lines of Fractional Township No 25 North of the base line of Range No 7 East of the 6th Principal Meridian, included within the boundaries of the Winnebago Indian Reservation, and that said lines have been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the boundary monuments planted according to the instructions of the Surveyor General.

Alvin H. Wilcox	Compassman
W. P. Pike	Chainman,
James E. Roche	Chainman
Anthony Benson	Moundman
T. F. his Bennett mark	Moundman
Charles J. Roche	Moundman

Subscribed and Sworn to, by the above named persons, before me, a Justice of the Peace, for the County of Dakota in the State of Nebraska, this 28th day of June 1875.

A. G. Manchester
Justice of the Peace

Township No 25 North of Range

No 7 East of the 6th Principal Meridian

Certificate of Assistants

We hereby certify that we assisted J. W. Beaman U. S. Deputy Surveyor in surveying the Sectional-Subdivisional lines of fractional Township No 25 North of the base line, of Range No 7 East of the 6th Principal Meridian, included within the boundaries of the Winnebago Indian Reservation, and that said lines have been in all respects to the best of our knowledge and belief well and faithfully surveyed, and the boundary monuments planted according to the instruction of the Surveyor General

C. W. Somes — Compassman
J. H. Stewart — Chainman
W. his mark McDavitt in presence of C. W. Somes — Chainman
Frank Campbell — Moundman
William Lindley — Flagman & Moundman

Subscribed and sworn to, by the above named persons, before me, a Justice of the Peace, for Dakota County in the State of Nebraska, this 28th day of June, 1875.

A. G. Manchester
Justice of the Peace

Township No 25 North, of Range

No 7 East of the 6th Principal Meridian

Affidavit.

I, John N. Beardsley, Deputy Surveyor, do solemnly swear, that in pursuance of a contract with E. E. Cunningham, Surveyor of the public lands of the United States, in the States of Iowa and Nebraska, bearing date the 6th day of October 1844, and in strict conformity to the laws of the United States, and the instructions furnished by the said Surveyor General, I have faithfully surveyed the section lines and the subdivisional lines of fractional Township No 25 North of the base line, of Range No 7 East of the 6th Principal Meridian, included within the boundaries of the Winnebago Indian Reservation, in the State of Nebraska, and do further solemnly swear that the foregoing are the true and original field notes of such survey.

John W. Beaman Deputy Surveyor do solemnly swear that in pursuance of a contract with E. E. Cunningham Surveyor General for the District of Nebraska and Iowa bearing date the 6th day of October 1874. I have well, faithfully, and truly, and in strict conformity with the instructions furnished by the Surveyor General, Surveying Manual, and the Laws of the United States surveyed all those parts, or portions of fractional Township 25 North of the Base line of Range No 7 East of the 6th Principal Meridian as are represented on the foregoing field notes as having been surveyed under my direction And I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Surveying Manual, printed instructions and special instructions of the Surveyor General of dimensions, character, construction, and marking and in the manner specifically described in the foregoing field notes and that the foregoing are the true and original field notes of such survey.

J W Beaman

Subscribed in my presence and sworn to before me in Cass County Nebraska this the 29th day of July A.D. 1875

Jas M Chapman
Notary Public

Surveyor Generals Office
Plattsmouth Neb Jan. 25th 1876

The foregoing field notes of the survey and subdivision into 40 Acre tracts of Fractional Township No 25 North of the Base Line of Range No 7 East of the 6th Principal Meridian in the Winnebago Indian Reservation in the State of Nebraska Executed by John W. Beaman under his Contract No 87 dated Oct 6th 1874 in the Months of May and June 1875 having been critically examined the necessary corrections and explanations made the said field notes and the Surveys they describe are hereby approved

J. W. Clark
Surveyor General

PLAT. HS

Field notes of the section lines and the lines subdividing sections of fractional Township number 26 N of Range number 7 east of the 6th Principal Meridian included within the Winnebago Reservation Nebraska.

Surveyed by John W. Seaman U.S. Deputy Surveyor under his Contract No 87 having date October 6th 1874

Survey Commenced May 21st 1875
Survey Completed June 8th 1875

Township No 26 North of Range No 7 East of the 6th Principal Meridian

Index.

275	248	221	194	167	142
6-273-111	5-246-80	4-219-60	3-192-40	2-166-20	1-140
272	245	218	191	164	139
109	107	78	58	38	18
270	243	216	189	163	137
7-269-105	8-242-76	9-215-56	10-188-36	11-161-16	12-136
267	240	213	186	160	134
104	102	75	54	35	15
266	239	212	185	158	133
18-264-100	17-237-73	16-210-52	15-183-33	14-157-13	13-132
263	236	209	182	155	130
98	96	71	51	31	11
261	234	207	180	154	129
19-260-94	20-233-69	21-206-49	22-179-29	23-152-9	24-128
258	231	204	178	151	127
92	90	67	48	27	7
257	230	203	176	150	126
30-255-88	29-228-65	28-201-46	27-175-25	26-149-5	25-125
254	227	200	173	148	124
86	84	64	44	24	4
252	225	198	172	146	123
37-251-83	32-224-62	33-197-42	34-170-22	35-145-2	36-122
249	222	195	169	143	121

Chs	Lks	
		North on a random line bet Secs 35 & 36 Va 12° East
20	00	Set temp 1/16 Sec Corner
33	00	A creek 8 lks wide N. 20° E. S 20° W.
39	94	The old 1/4 Sec Cor. To restablish the Corner Set Granite Stone 14 x 12 x 4 in 9 1/2 in in ground from the Corner Draw North on a random line Va 12° East
15	92	Cross Creek N 10° E S. 10° W.
14	36	Recross Creek N 10° W to S. 10° E
20	00	Set temp 1/16 Sec Corner
23	00	Meadow N 10° E S. 10° W.
30	00	Leave meadow S. 10° E. & S 25° W.
39	90	To a point 33 lks East of old Cor to Secs 25, 26 35 and 36, To restablish the Corner I Set Chand post 4 ft long 3 in sq, 1 ft in ground in mound 2 1/2 ft at base 1 ft high dug 2 Pits 48 x 20 x 12 2 Pits 20 x 20 x 12 in front this Cor Draw;
		South on a true line bet Secs 35 & 36 Va 12° 28' East

Township No 26 North of Range

Chs	Lks	
19	95	Set a granite Stone 14x8x8 in, 9½ in ground for 1/16 Sec Corner
39	90	To 1/4 Sec Corner from which I run
		South on a true line Va 12° East
59	84	Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft dia at base 2 ft high, dug 2 Pits 48x20x12, 2 Pits 20x20x12
79	84	To Corner to Sec 35 + 36 on South Boundary of Township
		Surface rolling Prairie Soil fair Clay loam, but adapted to wheat. 1st rate

No 7 East of the 6th Principal Meridian

		East on a random line bet Sec 25 + 36 Va 12° East
20	00	Set temp 1/16 Sec Corner
39	77	To 1/4 Sec Corner To restablish this Corner Set granite Stone 18x12x6 in 12 in in ground From this Corner East on a random line Va 12° East
14	00	A drain S.W. + N.E.
19	26	Intersected East Boundary Reservation at Corner to Sec 25 + 36, To restablish this Corner, Set chained post 4 ft long 3 in wide 1 ft in ground with the additional marks, E.B. W.R. O.R. in mound 4½ ft at base 2 ft high dug 3 pits 54x20x12 in, From this Corner I run;
		N. 89° 57' W on a true line bet Sec 25 + 36 Va. 12° 09' East
19	26	To old 1/4 Sec Corner
39	12½	Set a granite Stone 18x12x6 in 12 in in ground for 1/16 Sec Cor
59	03	The Cor to Sec. 25. 26. 35 + 36 Surface rolling Prairie. Soil Clay loam, but adapted to wheat. 1st rate

Township No 26 North of Range No

Chs	Lks	
		North on a random line bet Sec 25 & 26 Va 12° East
20	00	Set temp 1/16 Sec. Corner
40	00	To a point 6 lks West of old 1/4 Sec Cor To reestablish this corner Set granite stone 16x10x10 in 10½ in in ground from this corner Draw North on a random line Va 12° East
7	50	a Drain S. 10° W. to N. 10° E.
20	00	Set temp 1/16 Sec Corner
39	98	To a point 17 lks East of Corner to Sec 23, 24, 25 & 26, To reestablish this Corner Set post 4 ft long 3 in square, 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 Pits 48x20x12 in 2 Pits 20x20x12 in. from this corner Draw: South on a true line bet Sec 25 & 26 Va 12° 15' East
19	99	Set a granite Stone 15x12x8 in 10 in in ground for 1/16 Sec Corner

of East of the 6th Principal Meridian

Chs	Lks	
39	98	The 1/4 Sec Cor from which Drawn: South on a true line Va 11° 55' East
59	99	Set a granite Stone 14x10x4 in 9½ in in ground for 1/16 Sec Corner
79	98	The Cor to Sec 25, 26, 35 & 36 Surface rolling Prairie, Soil Pale Clay loam but adapted for wheat, 1st rate

Township No 26 North of Range No

Chs	Lks	
		East on a random line bet Sec 24 & 25 Va 12° East
20	00	Set temp 1/16 Sec Corner
40	02	To ed 1/4 Section Corner. To restablish this Corner Set post 4 ft long 3 in wide, 1 ft in ground in mound 4 1/2 ft at base 2 ft high 2 Pits 48 x 20 x 12 2 Pits 20 x 20 x 12 From this Corner Draw East on a random line
10	50	Wagon Road N & S.
19	14	Intersect East Boundary Reservation at Corner to Sec 24 & 25. To restablish this Corner. Set post 4 ft long 3 in wide, 1 ft in ground, with the additional marks E. B. N. R and Q. R. in mound 4 1/2 ft at base 2 ft high 3 Pits 54 x 20 x 12, From this Corner Draw N 89° 54' W, on a true line bet Sec 24 & 25 Va. 12° 6 East
19	14	To 1/4 Sec Cor.
39	15	Set post 4 ft long 3 in wide, 1 ft in ground in mound 4 1/2 ft at base 2 ft high, 2 pits

of East of the 6th Principal Meridian

Chs	Lks	
		48 x 20 x 12 & 2 Pits 20 x 20 x 12 in for 1/16 Sec Cor
59	16	To Corner of Sec 23, 24, 25 & 26
		Surface rolling Prairie
		Soil Clay loam, best adapted to wheat Crop

Township No 26 North, of Range

Chs	lks	
		North on a random line between Secs 23 and 24
		Va 11° 50' East.
20	00	Set temp 1/16 Sec Corner.
39	94	Old 1/4 Sec Corner To reestablish this Corner Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high, dug 2 pits 48 x 20 x 12 in & 2 pits 20 x 20 x 12 in from this Corner I ran: North on a random line.
		Va 11° 50' East
15	00	a Ravine drains S. E & N. W.
20	00	Set temp 1/16 Sec Corner
35	50	Creek Bottom bears E & W.
39	95	The Corner to Secs 13, 14, 23 & 24, To reestablish this Corner Set chained post 4 ft long 3 in sq 1 ft in ground in mound 4½ ft at base 2 ft high, dug 2 pits 48 x 20 x 12 in 2 Pits 20 x 20 x 12 in from this Corner I ran: From this Corner an elm 9 in dia bears S 61° E, 3.21 lks, dist.
		South on a true line bet Secs 23 & 24
		Va 11° 50' East

No 7 East of the 6th Principal Meridian

Chs	lks	
19	97½	Set chained Post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/16 Sec Corner
39	95	The 1/4 Sec Corner
59	92	Set chained Post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft at base 2 ft high, dug 2 Pits 48 x 20 x 12 in and 2 Pits 20 x 20 x 12 in for 1/16 Section Corner.
79	89	The Corner to Secs 23, 24, 25 and 26.
		Surface fine rolling prairie
		Soil, clay loam, 1st rate, best adapted to wheat,

Township No 26 North of Range No

chs	lks	
		East on a random line bet Secs 13 & 24 Va 12° East
		Ire creek bottom.
20	00	Set temp 1/16 Sec Corner
24	40	Cross Creek bears N. 10° W & S. 10° E.
38	32	Old 1/4 Sec Corner. To reestablish this Corner Set Granite Stone 14 x 12 x 6 in 9 1/2 in in ground. From this Corner I ran: East on a random line Va 12° East.
10	00	Cross Creek 4 lks wide N & S.
12	00	Leave creek bottom bears N & S.
20	00	Set temp 1/16 Sec Corner
40	02	Intersect East Boundary Township 114 lks North of Corner to Secs 13 & 24 from which corner I ran;
		West on a true line bet Secs 13 & 24 Va 10° 22' East
20	01	Set Chained Post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high, dug 2 Pits 48 x 20 x 12 in for 1/16 Sec Cor

7 East of the 6th Principal Meridian

Chs	lks	
40	02	The 1/4 Sec Corner from which I ran
		West on a true line bet Secs 13 and 24 Va 12° East.
59	18	Set post 4 ft long 3 in wide 2 ft in ground dug One Pit 2 ft Square 1 ft deep, 8 lks South, From Corner,
		A Box Elder 6 in dia bears N. 13 1/2 West, 182 lks dist. No other trees convenient to be marked, dug one Pit 2 x 2 ft 1 ft deep 8 lks S.
79	34	The Corner to Secs, 13, 14, 23 and 24
		Surface fine Prairie and Creek bottom Soil Rt rate best for corn
		This agrees with the Map
78	34	

Township No 26 North of Range No

Chs	Lks	
		North on a random line bet Secs 13 & 14 Va 11° 40' East
11	00	Cross Creek 10 lks wide runs S.W.
20	00	Set temp 1/16 Sec Corner
39	80	The 1/4 Sec Corner. To reestablish which Set Granite Stone 20 x 12 x 12 in, 15 in in ground From this Corner I ran North on a random line Va 11° 40' East
10	00	Leave Creek bottom bears E & W.
20	00	Set temp 1/16 Sec Corner
38	50	Drain, drains from N.E. to S.W.
39	59	To a point 58 lks West of Corner to Secs 11, 12, 13 & 14 To reestablish this Corner Set post 4 ft long 3 in Cg 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 Pits 48 x 20 x 12 in, From this Corner I ran South on a true line bet Secs 13 & 14 Va 10° 50' East.
19	79½	Set a Granite Stone 20 x 12 x 10 in 15 in in ground for 1/16 Sec Corner

7 East of the 6th Principal Meridian

Chs	Lks	
39	59.	The 1/4 Sec Corner from which I ran; South on a true line bet Secs 13 & 14 Va 11° 40' East.
59	49	Set Granite Stone 18 x 12 x 8 in 12 in in ground for 1/16 Sec Corner
79	39	The Corner to Secs 13. 14. 23 & 24
		Surface, South half level, North half rolling Prairie. Soil 1st rate. good for Corn and wheat.

Township No 26 North of Range

Ch.	lks	
		East on a random line bet Secs 12+13 Va 11°20' East
2	00	Drain bears N.E. to S.W.
20	00	Set temp 1/16 Sec Corner
38	20	Drain bears from N.E. to S.W.
40	00	No old 1/4 Sec Corner found Set temp 1/4 Sec Cor
60	00	Set temp 1/16 Sec Corner
72	40	Creeks 3 lks wide Course N. to South
79	98	Intersect East Boundary of Township 43 lks South of Cor to Secs 12+13 from this Corner Tran;
		West on a true line bet Secs 12+13 Va 11°32' East
19	99½	Set a granite Stone 20×12×6 in 15 in in ground for 1/16 Sec Corner
39	99	Set a Granite Stone 16×14×7 in 10½ in in ground for 1/4 Sec Corner
59	98½	Set a granite Stone 14×10×7 in 9½ in in ground for 1/16 Sec Corner
79	98	The Corner to Secs 11, 12, 13+14

Surface very rolling Prairie. Soil Pale clay loam 2d rate Best for grazing

No 7 East of the 6th Principal Meridian

Chs	lks	
		North on a random line bet Secs 11+12 Va 11°30' East
20	00	Set temp 1/16 Sec Corner
39	77	The Old 1/4 Sec Corner To reestablish this Corner, Set Granite Stone 20×20×20 in 15 in in ground From the Corner Tran; North on a random line Va 11°30' East
11	00	Drain bears N.E. + S.W.
20	00	Set temp 1/16 Sec Corner
39	65	To old Corner to Secs 1, 2, 11+12. To re-establish the corner, Set chained post 4 ft long 3 in sq, 1 ft in ground in mound 4½ ft at base 2 ft high, dug 2 Pits 48×20×12 in & 2 Pits 20×20×12 in From this Corner Tran:
		South on a true line bet Secs 11+12 Va 11°30' East
19	82½	Set chained Post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 Pits 48×20×12 in for 1/16 Sec Corner
39	65	The 1/4 Sec Corner

Township No 26 South of Range

Chs	Lks	
59	53½	Set a Granite Stone 14×12×12 in 9½ in in the ground for 1/16 Sec Corner
79	42	The Corner to Secs 11, 12, 13 & 14
		Surface Very rolling Prairie
		Soil pale Clay 2d rate, but for grazing

No 4 East of the 6th Principal Meridian

Chs	Lks	
		East on a random line bet Secs 1 & 12 Va 11°45' East
20	00	Set temp 1/16 Sec Corner
40	00	Found stone old 1/4 Sec Cor, Set Temp 1/4 Sec Cor
56	00	Prairie, brass from N. W. to S. E.
60	00	Set temp 1/16 Sec Corner
64	10	Creek 5 lks wide brass N. 10° E & S. 10° W.
79	87	Intersect East Boundary Township 15 lks South of Corner to Secs 1 & 12, from which Corner 2 raw;
		S 89°58' W. on a true line bet Secs 1 & 12 Va 11°49' East.
19	98¾	Set Chained Post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft dia at base 2 ft high dug 2 Pits 48×20×12 in + 2 Pits 20×20×12 in for 1/16 Sec Corner
39	93½	Set Chained Post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft dia at base 2 ft high, dug 2 Pits 48×20×12 in + 2 Pits 20×20×12 in for 1/4 Sec Corner
59	90¼	Set Chained Post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft at base 2 ft

Township No 26 North, of Range 2

Chs	Lks	
		high dug 2 Pits 48 x 20 x 12 + 2 Pits 20 x 20 x 12 in for 1/16 Sec Corner
79	84	The Corner to Secs 1, 2, 11 and 12
		Surface rolling Prairie.
		Soil grey loam 2nd rate, best for grazing.

No 4 East of the 6th Principal Meridian

Chs	Lks	
		North on a random line bet Secs 1 + 2 Va 11° 20' East
12	00	Drain, course N.E. to S.W.
20	00	Set temp 1/16 Sec Corner
39	84	Old 1/4 Sec Corner, To reestablish this Corner, Set post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft at base 2 ft high, dug 2 Pits 48 x 20 x 12 in + 2 Pits 20 x 20 x 12 in, From the Corner ran North on a random line Va 11° 20' East
20	00	Set temp 1/16 Sec Corner
40	02	Intersected North Boundary Township at Corner to Secs 1 + 2 from which Corner I ran:
		S. 8° E on a true line bet Secs 1 + 2 Va 11° 12' East
20	02	Set chained Post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 Pits 20 x 20 x 12 in + 2 Pits 48 x 20 x 12 in for 1/16 Sec Corner
40	02	1/4 Sec Corner

Township No 26 North, of Range No

Chs	lks	
59	9 6½	Set Post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft at base 2 ft high 2 pits 48×20×12 + 2 Pits 20×20×12 in for 1/16 Sec Cor
79	91	The Corner to Secs 1, 2, 11 + 12
		Surface rolling
		Soil Clay loam best adapted to wheat, 1st rate
		May 21st 1875

7 East of the 6th Principal Meridian

Chs	lks	
		North on a random line bet Secs 34 + 35 Va 11°40' East
2	50	A creek 5 lks wide runs from W. to East Creek Bottom bears E + W
11	00	Leave creek bottom
20	00	Set temp 1/16 Sec Corner
39	46	Old ¼ Sec Corner, To reestablish this Corner Set granite 10×8×8 in 6½ in in ground, from this Corner run North on a random line Va 11°40' East
20	00	Set temp 1/16 Sec Corner
40	51	To a point 31 lks East of old corner to Secs 26, 27, 34 + 35. To reestablish this corner Set hand Post 4 ft long 3 in sq 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 pits 48×20×12 in, + 2 Pits 20×20×12 in From this Corner Run
		South on a true line bet Secs 34 + 35 Va 12°07' East
20	25½	Set granite Stone 16×10×8 in 10½ in in ground for 1/16 Sec Corner

Township No 26 North, of Range No

Ch	Lk	
40	51	The 1/4 Sec Corner from which Drawn
		South on a true line bet Secs 34 + 35 Va 11°40 East
60	24	Set Granite Stone 12 x 9 x 5 in 8 in in ground for 1/16 Sec Corner
79	97	The Corner bet Secs 34 + 35 on South Boundary Township
		Surface rolling Prairie Soil, but for wheat, 2nd rate

of East of the 6th Principal Meridian

Ch	Lk	
		East on a random line bet Secs 26 + 35 Va. 11°40 East
20	00	Set temp 1/16 Sec Corner
30	00	Meadow brass A + S
33	50	Leave Meadow brass A + S
39	80	Old 1/4 Sec Corner, To re-establish the Cor Set Granite Stone 14 x 10 x 8 in 9 1/2 in in ground From the Corner Draw East on a random line Va 11°40 East
20	00	Set temp 1/16 Sec Corner
40	21	Intersect N + S line at Corner to Secs 26 + 35 + 25 + 36 from which Corner Drawn
		S 89°53' W. on a true line bet Secs 26 + 35 Va 11°33 East
20	10 1/2	Set Granite Stone 15 x 8 x 6 in 10 in in ground for 1/16 Sec Corner
40	21	The 1/4 Sec Corner
60	11	Set Granite Stone 14 x 8 x 5 in 9 1/2 in ground for 1/16 Sec Corner
80	01	The Corner to Secs. 26, 27, 34 + 35
		Surface rolling Prairie, 2d rate but for wheat

Township No 26 North, of Range

Chs	lks	
		North on a random line bet Secs 26 & 27 Va 11°45' East
20	00	Set temp 1/16 Sec Corner
40	00	No 1/4 Sec Cor, found Set temp 1/4 Sec Cor,
60	00	Set temp 1/16 Sec Corner
79	33	To a Point 2 1/2 lks West of old post (no mound) Corner to Secs 22, 23, 26 & 27, To reestablish this Corner Set chained post 4 ft long 3 in sq 1 ft in ground in mound 4 1/2 ft at base 2 ft high dug 2 pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in From this Corner Draw
		South on a true line bet Secs 26 & 27 Va 11°44' East
19	83 1/2	Set chained Post 4 ft long 3 in wide, 1 ft in ground in mound 4 1/2 ft at base 2 ft high dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/16 Sec Corner
39	66 1/2	Set chained Post 4 ft long 3 in wide, 1 ft in ground in mound 4 1/2 ft base 2 ft high dug 2 Pits 48 x 20 x 12 in for 1/4 Sec Cor 2 Pits 20 x 20 x 12 in

No ~~26~~ 7 East of the 6th Principal Meridian

Chs	lks	
59	49 3/4	Set chained Post 4 ft long 3 in wide, 1 ft in ground in mound 4 1/2 ft base 2 ft high dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/16 Sec Corner
79	33	The Corner to Secs 26, 27, 34 & 35,
		Surface very rolling
		Soil good Quality bet for wheat,

Township No 26 North, of Range

Chs	lks	
		East on a random line bet Secs 23 + 26 Va 11°45' East
20	00	Set temp 1/16 Sec Corner
40	09	To a point 6 lks North of old 1/4 Sec Cor. To reestablish this corner Set Granite Stone 16×7×7 in 10½ in ground. From this Corner Dran East on a random line Va 11°45' East.
3	50	Drain, course S. 20° E. to N. 20° W.
20	00	Set temp 1/16 Sec Corner
40	45	Intersect N + S line 25 lks North of Corner to Secs, 23, 24, 25 + 26 from which Dran;
		N. 89° 57' W on a true line bet. Secs 23 + 26 Va 11°27' East
20	22½	Set granite Stone 14×10×7 in 9½ in in ground for 1/16 Sec Corner
40	45	The 1/4 Sec Corner from which Corner Dran
		N 89° 57' West on a true line bet Secs 23 + 26 Va 11. 43' East
60	49½ ~~50~~	Set Chained Post 4 ft long 3 in wide 1 ft

No 7 East of the 6th Principal Meridian

Chs	lks	
		in ground in mound 4½ ft base 2 ft high dug 2 Pits 48×20×12 + 2 Pits 20×20×12 in for 1/16 Sec Corner
80	54	The Corner to Secs, 22, 23, 26 + 27
		Surface rolling Prairie
		Soil Crate, best for Wheat.

Township No. 26 North of Range

chs	lk	
		North on a random line bet Secs 22 & 23 Var 11° 30' East
20	00	Set temp 1/16 Sec Cor
34	04	Creek 5 lks wide runs from West to East.
40	00	No 1/4 Sec Cor found, set temp 1/4 Sec Cor
60	00	Set temp 1/16 Sec Cor
79	36	To a Point 39 lks West of Corner of Secs 14, 15, 22 & 23, To reestablish this Corner Set Post 4 ft long 3 in sq, ft in ground in mound 4 1/2 ft dia at base 2 ft high dug 2 Pits 48 x 20 x 12 & 2 Pits 20 x 20 x 12 in From this Corner Iran;
		South on a true line bet Secs 22 & 23 Var. 11° 13' East.
19	84	Set Post (charred) 4 ft long 3 in wide, ft in ground in mound 4 1/2 ft at base 2 ft high, dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/16 Sec Cor
39	68	Set charred Post 4 ft long 3 in wide, ft in ground in mound 4 1/2 ft at base 2 ft high, dug 2 Pits 48 x 20 x 12 in for 1/16 Sec Cor & 2 Pits 20 x 20 x 12 in

No 7 East of the 6th Principal Meridian

chs	lk	
59	52	Set charred Post 4 ft long 3 in wide, ft in ground in mound 4 1/2 ft base 2 ft high, dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/16 Sec Cor,
79	36	The Corner to Secs 22, 23, 26 & 27,
		Surface fine rolling Prairie,
		Soil 2d rate best for wheat,

Township No 26 North of Range

Chs	lks	
		East on a random line bet Secs 14 & 23 Va. 11°45' East
3	00	Drain, drains from N.W. to S.E.
20	00	Set temp 1/16 Sec Corner
40	30	To a Point 6 lks South of old 1/4 Sec Cor To restablish this Corner I Set a granite Stone 14×10×6 in, 9 1/2 in in ground From this Corner I ran East on a random line Va 11°45' East
20	00	Set temp 1/16 Sec Corner
30	00	Creek bottom N & S
36	56	Creek 8 lks wide, runs from S. to N. Scattering timber
40	06	Intersect N & S line at Corner to Secs 13, 14, 23 & 24 from which I ran:
		N. 89°57' W on a true line bet Secs 14 & 23 Va 11°48' East.
20	03	Set charred Post 4 ft long 3 in wide, ft in ground in mound 4 1/2 ft dia at base 2 ft high, dug 2 Pits 48×20×12 & 2 Pits 20×20×12 in for 1/16 Sec Corner

No 7 East of the 6th Principal Meridian

Chs	lk	
40	04	The 1/4 Sec Corner from which I ran:
		N. 89°57' W on a true line bet Secs 14 & 23 Va 11°53' E.
60	20	Set Granite Stone 12×10×8 in, 8 in in ground for 1/16 Sec Corner
80	36	The Corner to Sect. 14, 15, 22 & 23
		Surface rolling Prairie
		Soil weak Clay loam best for grazing 2d rate

Township No 26 North, of Range No

Chs	Lks	
		North on a random line bet Secs 14 & 15 Va 11° East
9	50	Drain, drains from W to East
20	00	Set temp 1/16 Sec Corner
40	00	No old Corner found Set temp 1/4 Sec Cor
60	00	Set temp 1/16 Sec Corner
73	25	Ravine, Water in holes, drains from S.W. to N.E.
79	95	The old Corner to Secs 10, 11, 14 & 15 To re-establish this Corner Set chained Post 4 ft long 3 in sq 1 ft in ground in mound 4 1/2 ft at base 2 ft high dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in. From this Corner Iran;
		South on a true line bet Secs 14 & 15 Va 11° East
19	98 3/4 ~~99~~	Set chained Post 4 ft long 3 in wide, 1 ft in ground in mound 4 1/2 ft at base 2 ft high dug 2 Pits 48 x 20 x 12 & 2 Pits 20 x 20 x 12 for 1/16 Sec Corner
39	97 1/2 ~~99~~	Set chained Post 4 ft long 3 in wide, 1 ft in ground in mound 4 1/2 ft at base 2 ft

7 East of the 6th Principal Meridian

Chs	Lks	
		high, dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/4 Sec Corner
59	96 1/4 ~~97~~	Set chained Post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high, dug 2 Pits 48 x 20 x 12 & 2 Pits 20 x 20 x 12 in for 1/16 Sec Corner
79	95	The Corner to Secs 14, 15, 22 & 23
		Surface fine rolling Prairie
		Soil first rate, best adapted to wheat,

Township No 26 North, of Range No

Chs	lks	
		East on a random line bet Secs 11+14 Va 11°40' East
10	00	Ravine drains from S.W to N.E. with Brushand Scant timber
20	00	Set tempy 1/16 Sec Corner
28	00	Creek Bottom N+S (bearing)
40	00	No old Corner found Set tempy 1/4 Sec Corner
41	50	Creek 10 lks wide N.W+S.E
56	00	Leave Creek bottom bears N.+S.
60	00	Set tempy 1/16 Sec Corner
81	30	Intersect N+S line 10 lks North of Cor to Secs 11, 12, 13+14 from which Iran;
		S 89°58' W. on a true line bet Secs 11+14 Va 11°34' East
20	32½	Set a granite Stone 16×14×6 in 10½ in ground for 1/16 Sec Cor
40	65	Set a Granite Stone 15×10×8 in 10 in in ground for 1/4 Sec Cor
60	97½	Set Chained Post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft dia 2 ft high dug 2 pits 48×20×12 in + 2 Pits 20×20×12 in for 1/16 Sec Corner
81	30	The Corner to Secs 10, 11, 14+15 Surface Very rolling, best for grazing Soil 2d rate

7 East of the 6th Principal Meridian

Chs	lks	
		North on a random line bet Secs 10+11 Va 11°15' East
19	00	Creek bottom E+W.
20	00	Set tempy 1/16 Sec Corner
40	00	No 1/4 Sec Corner, Set tempy 1/4 Sec Corner
40	75	Creek, 20 lks wide, runs from W. to E.
41	50	Recross Creek runs from E. to W.
43	00	Recross Creek runs from W. to E with scant. cottonwood
60	00	Set tempy 1/16 Sec Corner
63	70	Cross Creek 10 lks wide, runs from N.E. to S.W.
69	00	Recross Creek runs from N.W. to S.E.
79	62	To a Point 215 lks West of Corner to Secs 2, 3, 10+11, To reestablish this Corner. Set Chained Post 4 ft long 3 in sq, 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 Pits 48×20×12 in + 2 Pits 20×20×12 in From this Corner Iran
		South on a true line Va 9°43' East
19	90½	Set Granite Stone 16×12×12 in, 10½ in in ground for 1/16 Section Corner

Township No 26 North of Range No

Chs	Lks	
.39	81	Set Post 4 ft long 3 in wide 2 ft in ground for 1/4 Sec Corner from which A. Cottonwood 24 in dia bears N. 58° W. 146 lks dist. Trees convenient for marking. Dug One Pit 2 ft sq, 1 ft deep 8 lks South of Post
.59	71½	Set Chained Post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high, dug 2 Pits 48 x 20 x 12 in + 2 Pits 20 x 20 x 12 in for 1/16 Sec Corner
.79	62	The Corner to Secs 10, 11, 14 + 15

Surface level bottom land, best adapted to grazing. Soil 1st rate

of East of the 6th Principal Meridian

Chs	Lks	
		East on a random line bet Secs 2 + 11 Va 11° 45' East
		Dry Creek Bottom
4	50	Dry Creek Bottom bears N + S
20	00	Set temp 1/16 Sec Cor
40	00	No 1/4 Sec Corner. Set temp 1/16 Sec Corner
48	50	Creek 1 lk wide, runs South
50	50	Creek 5 lks wide runs from N. to S. N.
60	00	Set temp 1/16 Sec Corner
80	00	Intersect N + S line 94 lks North of Corner to Secs 1, 2, 11 + 12 from which Corner bears:
		N 89° 47' W on a true line bet Secs 2 + 11 Va 11° 18' East
20	00	Deposited Granite Stone 6 x 6 x 6 in quarried x + Set Post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 Pits 48 x 20 x 12 in + 2 Pits 20 x 20 x 12 in for 1/16 Sec Corner
40	00	Set Granite Stone 15 x 12 x 10 in 10 in in ground for 1/4 Sec Corner

Township No 26 North of Range No

Ch	Lks	
60	00	Set Granite Stone 14x10x8 in 9½ in in ground for 1/16 Sec Corner
80	00	The Corner of Sec 2.3.10 & 11
		Surface rolling (Hay)
		Soil Pale Clay Loam, 2nd rate, best adapted to wheat or grazing

W East of the 6th Principal Meridian

Ch	Lks	
		North on a random line bet Secs 2 & 3 Va. 11°15' East
		Creek Bottom
20	00	Set temp 1/16 Sec Corner
29	80	Leave Creek Bottom bearing N 10° W, to S 10° E.
40	00	Hay 1/4 Sec found, set temp 1/4 Sec Corner
52	00	Ravine draining from E. to W.
60	00	Set temp 1/16 Sec Corner
80	24	Intersect North Boundary Township 4 Lks West of Corner to Secs 2 & 3 from which Drawn;
		S. 17' W on a true line bet Secs 2 & 3 Va 10°57' East
20	24	Set Cased Post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft at base 2 ft high, dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/16 Sec Cor
40	24	Deposited Granite Stone 10 x 7 x 7 in marked X Set Post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/4 Section Corner

Township No 26 North, of Range No

Ch	Chs	lk	
6	60	24	Set chained Post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft at base 2 ft high
8			dug 2 Pits 48×20×12 & 2 Pits 20×20×12 in for 1/16 Sec Corner
	80	24	The Corner to Secs 1, 2, 11 & 12

Surface fine rolling Prairie & creek bottom, Soil best adapted to Corn and grass. Soil 1st rate

May 22nd 1875

7 East of the 6th Principal Meridian

Chs	lks	
		North on a random line bet Secs 33 & 34 Va 11°45' East
20	00	Set temp 1/16 Sec Corner
35	00	Creek Bottom E and West (bearing)
40	00	The old 1/4 Sec Corner, To reestablish this Corner Set chained Post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft dia at base 2 ft high dug 2 Pits 48×20×12 in & 2 Pits 20×20×12 in, from this Corner Train North on a random line Va 11°45' East.
5	50	Creek 1 lk Wide runs from W. to E.
11	20	Creek 5 lks wide runs from N. W to S. E. unite 4 chs. S.E.
18	00	Leave Creek Bottom E & W.
20	00	Set temporary 1/16 Sec Corner
20	20	Drain Course N E to S. W.
39	76	To Old Corner, To Secs 27, 28, 33 & 34, To reestablish this Corner, Set chained Post 4 ft long 3 in sq 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 Pits 48×20×12 & 2 Pits 28×20×12, from this Corner Train

South on a true line bet Secs 33 & 34 Va 11°45' East.

Township No 26 North, of Range

Chs	Lks	
19	88	Set a Granite Stone 13×10×7in, 9in in ground for 1/16 Sec Corner
39	76	The 1/4 Sec Corner
59	76	Set a granite Stone 13×10×4in, 9in in ground for 1/16 Sec Corner
79	76	The Corner to Secs 33 & 34 on South Boundary of Township

Surface rolling Prairie,
Soil best adapted to wheat or grazing
" 2nd rate

No 7 East of the 6th Principal Meridian

Chs	Lk	
		East on a random line bet Secs. 27 & 34 Va. 11°45' East
20	00	Set tempy 1/16 Sec Corner
39	77	Old 1/4 Sec Corner, To reestablish this old Corner Deposited granite Stone (marked x) 8×8×8in Set [illegible] Post 4 ft long 3in wide, 1 ft in ground in mound 4½ ft at base 2 ft high, dug 2 Pits 48×20×12in & 2 Pits 20×20×12in, From this Corner Dean: East on a random line Va 11°45' East
4	50	Drain, course N. to S.
20	00	Set tempy 1/16 Sec Corner
21	00	Drain Course N. to South
39	55	Intersected N & S line 8 Lks South of Corner to Secs 26, 27, 34 & 35 from which Dean;
		N. 89°56' W. on a true line bet Secs 27 & 34 Va 11.56' East
19	77½	Deposited Granite Stone 8×6×6in marked x Set Post 4 ft long 3in wide 1 ft in ground in mound 4½ ft at base 2 ft high, dug 2 Pits 48×20×12in & 2 Pits 20×20×12in for 1/16 Sec Cor
39	55	The 1/4 Section Corner From this Corner Dean:

Township No 26 North of Range

Chs	Lks	
		N 89° 56' W. on a true line bet Secs 27 & 34 Va 11° 49' East
59	43½	Deposited a granite Stone 8 x 8 x 8 in marked x Set Post 4 ft long 3 in wide, firm ground in mound 4½ feet base 2 ft high, dug 2 Pits 48 x 20 x 12 in, & 2 Pits 20 x 20 x 12 in for ¼ Sec Cor
79	32	The Corner to Secs 27, 28, 33 & 34
		Surface rolling Prairie
		Soil Clay loam, good for wheat Prairie

No 7 East of the 6th Principal Meridian

Chs	Lks	
		North on a random line bet Secs 27 & 28 Va 12° 15' East
8	00	Meadow drains East to West
12	00	Same Meadow draining East & West
20	00	Set temporary ¼ Sec Corner
28	00	Meadow bears N and S. 10° W. } drains S. W.
33	00	Meadow bears N & S. W. }
38	00	Low Meadow bears E & W. }
40	00	No old ¼ Sec Corner Set temporary ¼ Sec Corner
52	00	Drain, Course from N E to S. W.
60	00	Set temporary ¼ Sec Corner
79	32	To a Point 18 Lks West of old Corner to Secs 21, 22, 27 and 28. To reestablish this Corner, Set Squared Post 4 ft long 3 in sq, firm ground in mound 4½ feet base 2 ft high, dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in, From this Corner I run
		South on a true line bet Secs 27 & 28 Va 12° 07' East
19	83	Set Granite Stone 14 x 18 x 5 in 9½ in in ground for ¼ Section Corner

Township No 26 North, of Range No

Chs	lks	
39	66	Set Granite Stone 15×7×7 in 10 in in ground for 1/4 Sec Corner
59	49	Set a granite Stone 12×9×7 in 8 in in ground for 1/16 Sec Corner
79	32	The Corner to Secs 27, 28, 33 & 34
		Surface rolling Prairie Soil Clay loam 1st rate, best adapted to Wheat

7 East of the 6th Principal Meridian.

Chs	lks.	
		East on a random line bet Secs 22 & 27 Va 11°15' East
20	00	Set tempy 1/16 Sec Corner
40	00	No Old 1/4 Sec Corner found. Set tempy 1/4 Sec Cor.
60	00	Set tempy 1/16 Sec Corner
70	50	Creek 5 lks wide, runs from S 10° W to N 10° E.
79	31	Intersect N & S line at Corner to Secs 22, 23 26 and 27 from which Corner Iran;
		West on a true line bet Secs 22 and 27 Va. 11°15' East
19	82 3/4 ~~83~~	Set a granite Stone 12×8×6 in, 8 in in ground for 1/16 Sec Corner
39	65 1/2	Set a Granite Stone 17×10×5 in 11 1/2 in in ground for 1/4 Sec Corner
59	48 1/4	Set a granite Stone 15×10×5 in 10 in in ground for 1/16 Sec Corner
79	31	The Corner to Secs, 21, 22, 27 & 28
		Surface rolling Prairie Soil light Clay loam. 2d rate best for grazing

Township No 26 North of Range

Chs	Lks	
		North on a random line bet Sec 21 + 22. Va 12° East
20	00	Set juniper 1/16 Sec Corner
39	61	The 1/4 Sec Corner. To reestablish the Cor Set Chained Post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 Pits 48 x 20 x 12 in + 2 Pits 20 x 20 x 12 in From the Corner Draw North on a random line to
		Va 12° East.
4	00	a Ravine with brush, bears S. 20° W to N. 20° E
4	80	a Ravine with brush bears from W to E.
20	00	Set temporary 1/16 Sec Corner in Ravine
39	62	To a point 66 Lks East of Corner to Sec 15, 16, 21 and 22 To reestablish the Corner Set chained Post 4 ft long 3 in square 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 Pits 48 x 20 x 12 + 2 Pits 20 x 20 x 12 in, from the Corner Draw:
		South on a true line bet Sec 21 + 22 Va. 12° 56 East

No 4 East of the 6th Principal Meridian

Chs	Lks	
~~20~~ 19	~~00~~ 81	True Point for Corner being unfit for building mound at point 19 Lks S. or 20 Set Chained Post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high, dug 2 pits 48 x 20 x 12 in and 2 Pits 20 x 20 x 12 in for Witness to 1/16 Sec Cor from which.
		A Cottonwood 20 in dia bears S 16½ East 333 Lks distant
39	62	To 1/4 Sec Corner from which Draw.
		South on a true line between 21 and 22 Va 12° East.
59	42½	Set granite Stone 15 x 10 x 4 in 10 inches in ground for 1/16 Sec Corner
79	23	The Corner to Sec 21, 22, 27 and 28
		Surface Very rolling Prairie Soil good, but adapted to wheat Stone

Township No. 26 North, of Range

Chs	lks	
		East on a random line bet Secs 15 & 22 Va. 11° 45' East
14	20	A Ravine drains from N. to E.
20	00	Set temp 1/16 Sec Corner.
28	50	A drain N to South
40	00	No old 1/4 Sec Corner, Set temp 1/4 Sec Cor
60	00	Set temp 1/16 Sec Corner
79	32	Intersect N & S line 6 lks South of the Corner to Secs 14, 15, 22 & 23 from which I can;
		N. 89° 40' W. on a true line bet Secs 15 & 22 Va 12° 08' East
19	83	Set a Granite Stone 14×9×4 in 9½ in in ground for 1/16 Sec Corner
39	66	Set a Granite Stone 14×12×8 in, 9½ in ground for 1/4 Sec Corner
59	49	Set a Granite Stone 14×12×10 in 9½ in in ground for 1/16 Sec Corner
79	32	The Corner to Secs. 15, 16, 21 & 22
		Surface Very rolling Prairie
		Soil best for Wheat or grazing 2nd rate

No 7 East of the 5th Principal Meridian

Chs	lks	
		North on a random line bet Secs 15 & 16 Va. 12° 15' East
20	00	Set temp 1/16 Sec. Corner
39	97	To a Point 6 lks West of old 1/4 Sec Corner To reestablish this Corner Set Chained Post 4 ft long 3 in wide 1 ft in ground in mound 4½ at base 2 ft high deg 2 Pits 48×20×12 in & 2 Pits 20×20×12 in for 1/4 Sec Corner, From this Corner I ran North on a random line Va 12° 15' East.
14	00	Ravine, drains from W. to E.
20	00	Set temp 1/16 Sec Corner
40	05	To a Point 18 lks West of Corner to Secs 9, 10, 15 and 16 To reestablish this Corner Set Post 4 ft long (Chained) 3 in square ft in ground in mound 4½ ft at base 2 ft high, deg 2 Pits 48×20×12 in & 2 Pits 20×20×12 in From this Corner I ran:
		South on a true line bet Secs 15 & 16 Va 12° East
20	02½	Set Chained Post 4 ft long 3 in wide 1 ft in

Township No 26 North, of Range No

Chs	Lks	
		ground in mound 4½ feet base 2 ft high. dug 2 Pits 48×20×12 in & 2 Pits 20×20×12 in for 1/16 Sec Corner
40	05	The 1/4 Sec Corner from which Drew
		South on a true line bet Secs 15 & 16 Va 12° 10' East,
60	02½	Set Chamfered Post 4 ft long 5 in wide, firm ground in mound 4½ ft at base 2 ft high dug 2 Pits 48×20×12 in & 2 Pits 20×20×12 in for 1/16 Sec Corner
80	02	The Corner to Secs, 15, 16, 21 and 22
		Surface level Prairie Soil light gray loam, 2d rate but adapted to wheat or grazing

4 East of the 6th Principal Meridian.

Chs	Lks	
		East on a random line bet Secs 10 & 15 Va 12° East.
20	00	Set temp 1/16 Sec Corner
32	25	Cross 3 Lk wide runs from N. W. to S. E.
39	90	Old 1/4 Sec Corner, To reestablish this Corner Deposited Granite Stone 10×8×2 in marked X. Set post 4 ft long 5 in wide firm ground in mound 4½ feet base 2 ft high, dug 2 Pits 48×20×12 in & 2 Pits 20×20×12 in, from the Corner Drew East on a random line, Va 12° East,
20	00	Set temp 1/16 Sec Corner
39	86	Intersect A & I line 14 Lks North of Cor to Secs 10, 11, 14 & 15 from which Drew;
		N. 89° 52' W. on a true line bet Secs 10 & 15 Va. 11° 56' East,
14	93	Set a granite Stone 24×18×12 in 18 in in ground, for 1/16 Sec Corner
39	86	The 1/4 Sec Corner from which Drew
		N 89° 52' E on a true line bet Secs 10 & 15 Va 12° 08'

Township No 26 North of Range No

Chs	Lks	
59	81	Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 Pits 48×20×12 in & 2 Pits 20×20×12 in for 1/16 Sec Corner
79	76	The Corner to Secs 9, 10, 15 & 16.
		Surface rolling Prairie
		Soil 2nd rate best adapted to wheat.

7 East of the 6th Principal Meridian

Chs	Lks	
		North on a random line bet Secs 9 and 10 Va 10°30 East.
3	00	Drain, course from S. 75° W. to N. 75° E.
40	27	The old 1/4 Sec Corner To reestablish this Corner set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 Pits 48×20×12 in & 2 Pits 20×20×12 in from this corner Drain North on a random line, bet Va 11°30 East
13	85	A Creek, in Creek bottom bears from W to E
20	00	Set temp 1/16 Sec Corner
33	00	Leave Creek Bottom bears E & W
39	97	To Corner of Secs 3, 4, 9 & 10, To reestablish this Corner, Set chained post 4 ft long 3 in square 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 Pits 48×20×12 in & 2 Pits 20×20×12 in from this Corner Drain:
		South on a true line bet Secs 9 and 10 Va 11°30 East.
19	~~99~~ 98½	Set chained Post 4 ft long 3 in wide, ft in ground in mound 4½ ft at base 2 ft high dug 2 Pits 48×20×12 & 2 Pits 20×20×12 in for 1/16 Sec Corner

Township No 26 North, of Range

Chs	lks	
39	97	The 1/4 Sec Corner
60	10½	Set Chained Post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 Pits 48×20×12 in & 2 Pits 20×20×12 in for 1/16 Sec Corner
80	24	The Corner to Secs, 9, 10, 15 & 16
		Surface rolling Prairie & Creek bottom Soil best adapted to wheat 1st rate

No 7 East of the 6th Principal Meridian

Chs	lks	
		East on a random line bet Secs 3 and 10 Va. 11° East.
20	00	Set temp 1/16 Sec Corner
40	10	Old 1/4 Sec Corner To reestablish this corner Set Chained Post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 Pits from which a Oak 4 in dia bears N 80° E 30 2 lks dist. 48×20×12 in & 2 Pits 20×20×12 in for in this Corner
		ran East on a random line Va 11° East.
20	00	Set temp 1/16 Sec Corner
32	75	Creek Bottom bears N & S
36	25	Cross Creek 5 lks wide runs from N. to S.
40	00	Intersect N & S line 3 lks South of Cor to Secs 2, 3, 10 & 11 from which I ran:
		N. 89° 57' W. on a true line bet Secs 3 & 10 Va 11° 06' East
20	00	Deposited Granite Stone 8×6×4 in, marked X Set Chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft dia at base 2 ft high dug 2 Pits 48×20×12 in & 2 Pits 20×20×12 in for 1/16 Sec Corner
40	00	The 1/4 Sec Corner from which I ran;

Township No 26 North, of Range

Chs	Lks	
		S. 89° 57' W. on a true line bet Secs 3 & 10 Va 11° 03' East
60	05	Set a hand post 4 for long 3 in wide, from ground in mound 4½ from base 2 ft high dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/16 Sec Corner
80	10	The Corner to Secs 3, 4, 9 & 10
		Surface rolling prairie and Creek Bottom Soil best adapted to grass or wheat Timber

No 4 East of the 6th Principal Meridian

Chs	Lks	
		North on a random line bet Secs 3 and 4 Var 11° East
20	00	Set temp 1/16 Sec Corner
39	80	Old 1/4 Sec Corner. To re-establish the Corner Set a hand Post 4 for long 3 in wide, from ground in mound 4½ from base 2 ft high dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in, from this Corner random back on a random line bet Secs 3 and 4 Va 11° East
20	00	Set temp 1/16 Sec Corner
39	93	Intersect North Boundary Township at Corner to Secs 3 and 4 from which Draw:
		S. 15' W on a true line bet Secs 3 and 4 Va. 11° 15' East
19	93	Set a hand Post 4 for long 3 in wide, from ground in mound 4½ from base 2 ft high - dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/16 Sec Cor.
39	93	The 1/4 Sec Corner
59	83	Set a hand Post 4 for long 3 in wide, from ground in mound 4½ from base 2 ft high, dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/16 Sec Cor.

Township No 26 North, of Range No

Chs	Lks	
79	73	The Corner to Secs. 3, 4, 9 and 10
		Surface fine rolling Prairie Soil rich Clay loam, Well watered and best adapted to wheat growing.
		May 26th 1875

4 East of the 6th Principal Meridian

Chs	Lks	
		North on a random line bet. Secs. 32 & 33 Var 11° 35' East
7	05	Old Wagon trail bears N. & N.E.
20	00	Set temp 1/16 Sec Corner
39	88	To a point 18 lks East of old 1/4 Sec Corner, To restablish the Corner Set Hewed Post 4 fr long 3 in wide, 1 fr in ground in mound 1½ fr at base 2 fr high dug 2 Pits 28 x 20 x 12 in & 2 Pits 20 x 20 x 12 in, from the Corner Draw North on a random line Var 11° 35' East.
20	00	Set temp 1/16 Sec Cor
39	79	The Corner to Secs 28, 29, 32 and 33, To re-establish this Corner set Hewed Post 4 fr long 3 in sq 1 fr in ground in mound 1½ fr at base 2 fr high dug 2 Pits 28 x 20 x 12 in & 2 Pits 20 x 20 x 12 in, from this Corner Draw; North on a true line bet Secs 32 & 33 Var. 11° 35' East
19	8 9/10	Set granite Stone 20 x 12 x 8 in, 10 in in ground for 1/16 Section Corner

Township No 26 North, of Range

Chs	Lks	
39	79	The 1/4 Sec Corner from which I ran
		South on a true line bet Secs 32 & 33 Va 11°50 East.
59	73	Set Granite Stone 18×12×8 in 12 in in ground
79	67	The Corner to Secs 32 & 33 on South Boundary Township
		Surface fine Rolling Prairie Soil, Clay loam, best adapted to wheat 1st rate

No 7 East of the 6th Principal Meridian

Ch.	Lks	
		East on a random line bet Secs 28 & 33 Va. 11°45 East.
		In Meadow S. 80° W & N. 80° E.
20	00	Set temp 1/16 Sec Corner
22	00	Leave Meadow bears N & S.
40	00	No old 1/4 Sec Corner, Set temporary 1/4 Sec Cor
60	00	Set temp 1/16 Sec Corner
68	00	Slough, bears N. 10° E. & S. 10° W.
72	50	Leave Slough bears N & S
78	90	Intersect N & S line 70 Lk North of Corner to Secs, 27, 28, 33 and 34 from which I ran:
		N. 89°38' W. on a true line bet Secs 28 & 33 Va 11°53' East.
19	72½	Set Granite Stone 18×12×8 in 12 in in ground for 1/16 Sec Corner
39	45	Set a Granite Stone 2 ~~12~~ × 12 in 15½ in in ground for 1/4 Sec Corner
59	17½	Set Granite Stone, 18×12×8 in, 12 in in ground for 1/16 Sec Corner
78	90	The Corner to Secs 28, 29, 32 and 33. Surface Rolling Prairie and fine Meadow Soil best for hay and wheat 1st rate

Township No 26 North of Range No

Chs	Lks	
		North on a random line bet. Secs 28 & 29 Va 12°15' East
		Dry Meadow
11	00	Leave Meadow bears N. 25° W & S. 25° E.
20	00	Set temp'y 1/16 Sec
39	80	To a Point 26 Lks East of 1/4 Sec Corner To reestablish this Cor. Set Chained Post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft at base 2 ft high, deg 2 Pits 48×20×12 in & 2 Pits 20×20×12 in, from this corner I run North on a random line Va 12°15' East
20	00	Set temporary 1/16 Sec Corner
39	88	To a Point 33 Lks East of Corner to Secs 20, 21, 28 and 29. To reestablish this Corner Set Chained Post 4 ft long 3 in dy, 1 ft in ground in mound 4½ ft at base 2 ft high deg 2 Pits 48×20×12 in & 2 Pits 20×20×12 in From this Corner I run
	—	South on a true line bet Secs 28 & 29 Va 12°43 East

7 East of the 6th Principal Meridian

Chs	Lks	
19	94	Set Chained Post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft at base 2 ft high deg 2 Pits 48×20×12 in & 2 Pits 20×20×12 in for 1/16 Sec Corner
39	88	The 1/4 Sec Corner from which I run:
		South on a true line Va 12°37' East.
59	78	Set a granite Stone 18×10×8 in, 12 in in ground for 1/16 Sec Corner
79	68	The Corner to Secs 28, 29, 32 and 33
		Surface fine rolling Prairie
		Soil Pale Clay, 2d rate and best adapted to wheat or grass

Township No 26 North of Range

Chs	Lks	
		East on a random line bet Secs 21 & 28
		Va. 12° 15' East
20	00	Set temp 1/16 Sec Corner
39	36	To a Point 10 Lks North of 1/4 Sec Corner, To re-establish this Corner Set chained Post 4 ft long 3 in wide, 1 ft in ground in mound 4 1/2 ft at base 2 ft high dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in from this Corner Drain East on a random line
		Va 12° 15' East
13	00	Drain, Course from N. W. to S. E.
20	00	Set temp 1/16 Sec Corner
39	49	Intersect No 1 line 10 Lks North of Corner to Secs 21, 22, 27 and 28 from which Drain:
		West on a true line bet Secs 21 & 28
		Va 12° 06' East
19	~~45~~ 74 1/2	Set chained Post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high, dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/16 Sec Corner
39	49	1/4 Sec Corner,
		Va Same on least 1/2 mile

No 7 East of the 6th Principal Meridian

Chs	Lks	
59	17	Set chained Post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high dug 2 Pits 48 x 20 x 12 & 2 Pits 20 x 20 x 12 in for 1/16 Sec Corner.
79	85	The Corner to Secs, 20, 21, 28 & 29
		Surface Rolling Prairie,
		Soil best adapted to wheat or grazing
		2nd rate

Township No 26 North of Range No

Chs	Lks	
		North on a random line bet Secs 20 & 21 Va 12° 15 East.
20	00	Set temp 1/16 Sec Corner
39	82	The Old 1/4 Sec Corner, To restablish this Corner, Set Chaned Post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in & 2 Pits 20 x 20 x 12 in from this Corner Iran North on a random line Va 12° 15 East
20	00	Set temp 1/16 Sec Corner
39	87	To a point 9 lks West of Corner to Secs 16, 17 20 & 21, To restablish this Corner Set Chaned Post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft base 2 ft high dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in, from this Corner Iran:
		South on a true line bet Secs 20 & 21 Va 12° 07 East
19	93 1/2	Set Chaned Post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 for 1/16 Sec Cor

7 East of the 6th Principal Meridian

Chs	Lks	
39	87	The 1/4 Sec Corner from which Iran
		South on a true line Va 12° 15 East.
59	78	Set Chaned Post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/16 Sec Cor
79	69	The Corner to Secs. 20, 21, 28 & 29 Surface, fine prairie, gently Rolling, Soil best for wheat, 1st rate.

Township No 26 North, of Range No

Chs	lks	
		East on a random line bet Secs 16 & 21 Va 12° 15' East
2	00	Drain Course S. 20° W, to N. 20° East
20	00	Set tempy 1/16 Sec Corner
40	00	No 1/4 Sec Corner found. Set tempy 1/4 Sec Cor
60	00	Set tempy 1/16 Sec Corner
67	90	Ravine, 25 lks wide, Water in holes bears S.E.
78	95	Intersect N & S line 108 lks North of Corner to Secs 15, 16, 21 & 22 from which Dean;
—		N. 89° 24' W. on a true line bet Secs 16 & 21 Va 12° 05' East
19	~~72~~ 73 3/4	Set chained Post 4 ft long 3 in wide, fringground in mound 4 1/2 ft at base 2 ft high, dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/16 Sec Corner
39	47 1/2 ~~48~~	Set chained post 4 ft long 3 in wide, fringground in mound 4 1/2 ft at base 2 ft high dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/4 Sec Corner
59	22 1/4	Set chained post 4 ft long 3 in wide, fringground in mound 4 1/2 ft at base 2 ft high dug 2 Pits 48 x 20 x 12 in, & 2 Pits 20 x 20 x 12 in for 1/16 Sec Cor

7 East of the 6th Principal Meridian

Chs	lks	
79	85	The Corner to Secs 16, 17, 20 and 21
		Surface very rolling
		Soil, best for grazing. 2d rate

Township No 26 North, of Range

Chs	Lks	
		North on a random line bet Secs 16 & 17 Va 12° 30' East
13	00	Meadow } bears N. W. & S. E.
16	00	Leave Meadow } drains N. W.
20	00	Set temp 1/16 Sec Corner
39	90	To a Point 7 Lks West of old 1/4 Sec Corner, To reestablish this Corner Set Chained post 4 ft long 3 in wide, ft in ground in mound 4 1/2 ft at base 2 ft high, dug 2 Pits 48 x 20 x 12 in and 2 Pits 20 x 20 x 12 in, from this Corner I ran North on a random line Va 12° 30' East
20	00	Set temporary 1/16 Sec Corner
39	91	To a point 55 Lks East of Old Corner to Secs 8, 9, 16 and 17, To reestablish this Corner Set Chained post 4 ft long 3 in square, ft in ground in mound 4 1/2 ft at base 2 ft high dug 2 Pits 48 x 20 x 12 & 2 Pits 20 x 20 x 12 in. From this Corner I ran South on a true line Va 13° 17' East

No 7 East of the 6th Principal Meridian

Chs	Lks	
19	95 1/2	Set Chained post 4 ft long 3 in wide, ft in ground in mound 4 1/2 ft at base 2 ft high dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/16 Sec Corner
39	91	The 1/4 Sec Corner from which I ran South on a true line bet Secs 16 & 17 Va 12° 24' East.
59	86	Set Chained post 4 ft long 3 in wide, ft in ground in mound 4 1/2 ft at base 2 ft high dug 2 pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/16 Sec. Corner
79	81	The Corner to Secs, 16, 17, 20 & 21,
		Surface very rolling.
		Soil pale clay loam, 2d rate, best for wheat.

Township No 26 North, of Range

Chs.	Lks.	
		East on a random line bet Secs 9 & 16 Var 12 East.
5	50	Drain course from S. to N.
20	00	Set temp 1/16 Sec Corner
40	00	No old 1/4 Sec Corner found Set temp 1/4 Sec Cor
40	50	Drain, from S. to N.
60	00	Set temp 1/16 Sec Corner
78	97	Intersect N & S line at Corner to Secs 9, 10, 15 and 16 from which Draw;
		N 89°46' W on a true line bet Secs 9 & 16 Va 12°14 East
19	74½	Set charred post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 Pits 48 x 20 x 12 and 2 Pits 20 x 20 x 12 for 1/16 Sec Corner
39	48½	Set charred post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 Pits 48 x 20 x 12 & 2 Pits 20 x 20 x 12 for 1/4 Sec Cor
59	22¾	Set charred post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 pits 48 x 20 x 12 & 2 Pits 20 x 20 x 12 for 1/16 Sec Corner
79	87	The Corner to Secs 8, 9, 16 and 17 Surface rolling prairie Soil pale Clay loam bev for wheat 2d rate

No 7 East of the 6th Principal Meridian

Chs.	Lk.	
		North on a random line bet Secs 8 & 9 Va 11°45' East.
20	00	Set temp 1/16 Sec Corner
41	00	Creek bottom bears East & West
40	19	To a point 16 lk West of old 1/4 Sec Corner, To reestablish this Corner. Set charred post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in, from this Corner Draw North on a random line Va 11°45' East.
18	00	Creek 5 lk wide runs from N. W. to S. E.
20	00	Set temp 1/16 Sec Corner
39	90	Old Corner to Secs 4, 5, 8 and 9 To reestablish this Corner, Set Charred post 4 ft long 3 in sq 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 pits 48 x 20 x 12 in & 2 pits 20 x 20 x 12 in. From this Corner Draw;
		South on a true line bet Secs 8 & 9 Va 11°45' East

Township No 26 North, of Range

Chs	Lks	
19	95	Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high, dug 2 Pits 48 x 20 x 12 in & 2 pits 20 x 20 x 12 in for 1/16 Sec Corner
39	90	The 1/4 Sec Corner from which I ran;
		South on a true line bet Secs 8 & 9 Va 11° 31' East,
59	99½	~~60 00~~ Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 pits 48 x 20 x 12 in for 1/16 Sec Corner
80	09	The Corner to Secs, 8, 9, 16 & 17
		Surface rough prairie
		Soil pale clay loam, best for grass 2nd rate

No 7 East of the 5th Principal Meridian.

Chs	Lks	
		East on a random line bet Secs 4 & 9 Va 11° East
10	00	Leave creek bottom, bears S 80° E & N 80° W.
20	00	Set tempy 1/16 Sec Corner
40	00	No old 1/4 Sec Corner, Set tempy 1/4 Sec Corner
57	10	Creek 2 lks wide runs from N. to S.
60	00	Set tempy 1/16 Sec Corner
77	00	Ravine Course from N to S.
79	60	Intersect No Line 26 lks South of Corner to Secs 3, 4, 9 & 10 from which Corner I ran
		N. 89° 27' W. on a true line bet Secs 4 & 9 Va 11° 44' East,
19	90	Set chained Post 4 ft long 3 in wide, ft in ground in mound 4½ ft at base 2 ft high dug 2 pits 48 x 20 x 12 in, 2 pits 20 x 20 x 12 in for 1/16 Section Corner
39	80	Set chained post 4 ft long 3 in wide, ft in ground in mound 4½ ft at base 2 ft high dug 2 pits 48 x 20 x 12 in, 2 pits 20 x 20 x 12 in for 1/4 Sec Corner
59	70	Set chained post 4 ft long 3 in wide, ft in ground in mound 4½ ft at base 2 ft high dug 2 pits 48 x 20 x 12 in, 2 pits 20 x 20 x 12 in

Township No 26 North, of Range

Chs	lks	
		for 1/16 Sec Corner
79	60	The Corner to Secs 4, 5, 8 and 9.
		Surface fine rolling prairie and creek bottom.
		Soil Ⓥ rate best for wheat & Corn.

No 7 East of the 6th Principal Meridian

Chs	lks	
		North on a random line bet Secs 4 & 5 Va 11° East
4	00	Leave creek bottom, bears. S.E & N.W.
20	00	Set temp 1/16 Sec Corner
40	05	Old 1/4 Sec Corner. To reestablish this Corner Set charred post 4 ft long 3 in wide, 1 ft in ground in mound 4 1/2 ft at base 2 ft high deg 2 Pits 48 x 20 x 12 in for 1/4 Sec Corner from which I Ran North on a random line. Va 11° East
20	00	Ravine, Course N 10° E & S 10° W.
20	00	Set temp 1/16 Sec Corner
38	91	Intersect North boundary 5 lks West of the Corner to Secs 4 & 5, from which Ran:
		South on a true line bet Secs 4 & 5 Va 10°56' East
18	91	Set charred post 4 ft long 3 in wide, 1 ft in ground in mound 4 1/2 ft at base 2 ft high deg 2 pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/16 Sec Corner
38	91	The 1/4 Sec Corner from which Ran:

Township No 26 North of Range

Ch	Lks	
		South on a true line for Secs 4 + 5 Va 11° East
58	93	Set Chained post 4 ft long 5 in wide 1 ft in ground in mound 4½ ft for base 2 ft high dug 2 Pits 48 x 20 x 12 + 2 pits 20 x 20 x 12 for 1/16 Sec Corner
48	96	The Corner of Secs 4, 5, 8 and 9

Surface fine rolling Prairie, Soil best adapted to wheat 1st rate

May 26th 1875

No 4 East of the 5th Principal Meridian

Ch	Lks	
		North on a random line for Sec 31 + 32 Va 12° East
20	00	Set temp 1/16 Sec Corner
26	00	A Slough Meadow with water in holes trav Wpt + N.E. Drains N.E.
29	00	Clear Meadow trav N 80° W + N.E.
39	82	Old 1/4 Sec Corner. To reestablish the Cor. Set Chained post 4 ft long 5 in wide 1 ft in ground in mound 4½ ft for base 2 ft high dug 2 pits 48 x 20 x 12 in 2 pits 20 x 20 x 12 in from the Corner trav North on a random line Va 12° East
20	00	Set temp 1/16 Sec Corner
39	97	To a point 24 lks Westerly Corner to Secs 29, 30, 31 and 32, to reestablish the Corner Set Chained post 4 ft long 5 in square 1 ft in ground in mound 4½ ft for base 2 ft high dug 2 pits 48 x 20 x 12 in + 2 pits 20 x 20 x 12 in from this Corner trav
		South on a true line for Secs 31 and 32 Va 11° 37' East

Township No 26 North, of Range No

Chs	Lks	
19	98½	Set Chained post 4 ft long 3 in wide, 1 ft in ground in mound 4½ feet at base 2 ft high dug 2 pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/16 Sec Corner
39	97	The 1/4 Sec Corner from which Drawn:
		South on a true line for Sec 31 & 32 Va 12° East
59	88	Set Chained post 4 ft long 3 in wide, 1 ft in ground in mound 4½ feet at base 2 ft high dug 2 pits 48 x 20 x 12 in & 2 pits 20 x 20 x 12 in for 1/16 Sec Corner
79	79	The Corner to Secs 31 & 32 on South Boundary Township,
		Surface fine rolling prairie,
		Soil, Clay loam but adapted to wheat Crops

4 East of the 6th Principal Meridian

Chs	Lks	
		East on a random line for Secs 29 & 32 Va 12° East
10	00	Drain from No 24 to E.
20	00	Set temp 1/16 Sec Corner
40	06	To a point 96 lks South of old 1/4 Sec Cor To establish this Corner Set Chained post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in, from the Corner run East on a random line. Va 12° East
20	00	Set temp 1/16 Sec Corner
30	00	Slough Meadow with heavy grass & crane meadows bears N. 30° W. and S. 80° E.
36	15	Leave Meadow bears S. 80° W. & N. 80° E.
40	05	Intersect N & S line 23 lks South of Corner to Secs, 28, 29, 32 & 33 from which Drawn:
		S. 89° 48' W. on a true line for Secs 29 & 32 Va 12° 08' East
20	0 2½	Set Chained post 4 ft long 3 in wide, 1 ft in ground, in mound 4½ ft at base 2 ft high

Township No 26 North, of Range

chs	lks	
		dug 2 Pits 48x20x12in + 2 Pits 20x20x12in for 1/16 Sec Corner
40	05	The 1/4 Sec Corner from which I ran
		S. 89°48' W. on a true line bet Secs 29 + 32 Va. 12°54' East.
60	08	Set chained post 4 ft long 3in wide, 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 Pits 48x20x12 + 2 pits 20x20x12in for 1/16 Sec Corner
80	11	The Corner to Secs 29, 30, 31 and 32
		Surface fine rolling Prairie Soil Clay loam best for wheat, R^n rate

No 7 East of the 6th Principal Meridian

chs	lks	
		West on a random line bet Secs 30 + 31 Va 12° East.
20	00	Set temp 1/16 Sec Corner
39	61	To a point 5 lks South of old 1/4 Sec Corner To reestablish this corner, set chained post 4 ft long 3in wide, 1 ft in ground in mound 4½ ft at base 2 ft high, dug 2 Pits 48x20x12in + 2 Pits 20x20x12in, from this Corner ran West on a random line; Va. 12° East.
20	00	Set temp 1/16 Sec Corner
27	00	A Slough, 320 lks wide, Drains S.E.
40	70	Intersect West Boundary Township 10 lks South of Corner to Secs 30 + 31 from which I ran:
		S 89°52' E on a true line bet Secs 30 + 31. Va 11°43' East.
20	70	Set chained post 4 ft long 3in wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 Pits 48x20x12in, 2 Pits 20x20x12in for 1/16 Sec Corner
40	70	The 1/4 Sec Corner, from which I ran

Township No. 26 North of Range

Chs	Lks	
		N 89° 52' E. on a true line bet Secs 30 & 31 Va 11° 48' East.
60	50½	Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/16 Section Corner
80	31	The Corner to Secs 29, 30, 31 & 32
		Surface rolling Prairie
		Soil 1st rate, Best adapted to wheat.

No 7 East of the 5th Principal Meridian

Chs	Lks.	
		North on a random line bet Secs 29 & 30 Va. 12° East.
20	00	Set temp 1/16 Sec Corner
39	83	The old ¼ Sec Corner, To reestablish this Corner, Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in from this corner run North on a random line Va 12° East.
20	00	Set temp 1/16 Sec Corner
30	40	Slough, Meadow, 4 chs wide, drains S. 60° E.
39	95	The Corner to Secs 19, 20, 29 & 30, To reestablish this corner Set chained post 4 ft long 3 in Square 1 ft in ground in mound 4½ ft at base 2 ft high, dug 2 Pits 48 x 20 x 12 in & 2 pits 20 x 20 x 12 in from this Corner Run
		South on a true line bet Secs 29 & 30 Va 12 East.
19	47½	Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/16 Section Corner

Township No 26 North of Range

Chs	lks	
39	95	The 1/4 Sec Corner.
59	8 1/2	Set Chained Post 4 ft long 3 in wide, ft in ground in mound 4 1/2 ft at base 2 ft high dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/16 Sec. Corner
79	98	The Corner to Secs, 29, 30 31 & 32

Surface fine rolling Prairie

Soil best adapted to wheat 1st rate

No 7 East of the 6th Principal Meridian

Chs	lks	
		East on a random line bet Secs 20 & 29 Va 12° East.
20	00	Set temp 1/16 Sec Corner
29	50	Meadow, bottom with coarse weeds bears N. 10° W & S 10° E.
37	00	Leave Meadow bears N. 20° W & S. 10° E.
39	67	To a point 41 lks South of old 1/4 Sec Corner To reestablish this Corner, Set chained Post 4 ft long 3 in wide, ft in ground in mound 4 1/2 ft at base 2 ft high, dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in, from this Corner I ran East on a random line Va 12° East
20	00	Set temporary 1/16 Sec Corner
39	61	Intersect N & S line 77 lks South of Corner to Secs 20, 21, 28 & 29 from which I ran:
		S 89° 45' W. on a true line bet Secs 20 & 29 Va. 12° 51' East
19	8 0 1/2	Set chained Post 4 ft long 3 in wide, ft in ground in mound 4 1/2 ft at base 2 ft high dug 2 Pits 48 x 20 x 12 in for 1/16 Sec Corner
39	61	The 1/4 Sec Corner from which I ran

Township No 26 North, of Range

Chs	Lks	
		S 89° 45' W on a true line bet Secs 20 & 29 Va 12° 20' East
59	44½	Set Chained post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/16 Sec Corner
79	28	To Corner to Secs. 19, 20, 29 and 30 Surface rolling Prairie Soil grey Clay loam, but adapted to which I value

No 7, East of the 6th Principal Meridian

Chs	Lks	
		West on a random line bet Secs 19 & 30 Va 12° East
12	00	Meadow (Slough) } Drains S. 70° East
16	00	Leave Same
20	00	Set temp 1/16 Sec Corner
20	00	Meadow, Drain, S. 70° E. & N 88° W.
23	00	Leave meadow drain, drains S. E.
40	00	To Old 1/4 Sec Corner Set temp 1/16 Sec Corner
60	00	Set temp 1/16 Sec Corner
80	21	Intersect West Boundary Township at Corner to Secs 19 & 30 from which I run:
		N. 89° 48' East on a true line bet Secs 19 & 30 Va 11° 48' East
20	21	Set Chained post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft at base 2 ft high 2 pits 48 x 20 x 12 & 2 Pits 20 x 20 x 12 in for 1/16 Sec Corner
40	21	Set Chained post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/16 Sec Cor
60	21	Set Chained post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 pits 48 x 20 x 12 & 2 Pits 20 x 20 x 12 in for 1/16 Sec Cor

Township No 26 North of Range

Chs	Lks	
80	21	The Corner to Secs, 19, 20, 29 & 30
		Surface fine rolling Prairie Soil, but adapted to wheat Crop

No 4 East of the 6th Principal Meridian

Chs	Lks	
		North on a random line bet Secs 19 & 20 Va. 12° 15' East
20	00	Set temporary 1/16 Sec Corner.
39	67	To a point 4 Lks East of old 1/4 Sec Corner. To reestablish this Corner, set Chained post 4 ft long 3 in wide, firm ground in mound 4½ from base 2 ft high dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in, from this Corner Draw North on a random line Va. 12° 15' East
18	75	Drain, Course from S. 80° W. to N. 80° E.
20	00	Set temporary 1/16 Sec Corner
40	00	The Corner to Secs 17, 18, 19 and 20. To re-establish this Corner set Chained post 4 ft long 3 in sq firm ground in mound 4½ from base 2 ft high dug 2 pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in, From this Corner Draw:
		South on a true line bet. Secs 19 & 20 Va 12° 15' East
20	00	Set Chained post 4 ft long 3 in wide, firm in ground in mound 4½ from base 2 ft high dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/16 Sec. Cor,

Township No 26 North, of Range

Chs	Lks	
40	00	The 1/4 Sec Corner from which Drain;
		South on a true line bet Secs 19 & 20 Va 12° 22' East
59	~~53~~ 83 1/2	Set Chained post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/16 Sec Corner
79	67	The Corner to Secs, 19, 20, 29 & 30
		Surface rolling Prairie. Soil pale Clay loam, best for wheat.

No 7 East of the 5th Principal Meridian

Chs	Lks	
		East on a random line bet Secs 17 & 20 Va, 12° 15' East.
9	00	Meadow, drains from S.W. to N.E.
15	00	Leave " " " " " "
20	00	Set temporary 1/16 Sec Corner
40	00	No 1/4 Sec Corner, Set tempy 1/4 Sec Corner
51	00	Drain, Course from S.E. to N.W.
60	00	Set tempy 1/16 Sec Corner
78	92	Intersect N & S line 143 lks North of Corner to Secs 16, 17, 20 & 21 from which Drain;
		S 89° 22' W. on a true line bet Secs, 17 & 20 Va, 10° 36' East.
19	73	Set Chained post 4 ft long, 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high dug 2 pits 48 x 20 x 12 in. & 2 Pits 20 x 20 x 12 in for 1/16 Sec Corner
39	46	Set Chained post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high dug 2 Pits 48 x 20 x 12 in for 1/4 Section Corner
59	19	Set Chained post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high dug

Township No 26 North of Range No

Chs	lks	
		2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/16 Sec Corner
78	92	The Corner to Secs 17, 18, 19 and 20
		Surface fine rolling Prairie. Soil Pale Clay loam, Cr rate, best adapted to wheat

7 East of the 6th Principal Meridian

Chs	lks	
		West on a random line bet Secs 18 & 19 Va. 12° 15' East.
20	00	Set temporary 1/16 Sec Corner
40	12	To a point 38 lks North of 1/4 Sec Corner, To reestablish this Corner Set chained post 4 ft long 3 in wide, 1 ft in ground in mound 4 1/2 ft at base 2 ft high, dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in from this Corner Drawn West on a random line Va 12° 15' East.
20	00	Set temporary 1/16 Sec. Corner
40	60	Intersect West Boundary Township 44 lks North of Corner to Secs 18 & 19 from which Drawn; N 89° 45' E on a true line bet Secs 18 & 19 Va 12° 38' East
20	60	Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high, dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/16 Sec Cor.
40	60	The 1/4 Sec. Corner from which Drawn: N 89° 45' E. on a true line bet Secs 18 & 19 Va 12° 33' East

Township No 26 North, of Range No

Chs	Lks	
60	66	Set Chained Post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 Pits 48×20×12 in, 2 Pits 20×20×12 in for 1/16 Sec Corner
80	72	To Corner of Secs 17, 18, 19 and 20
		Surface fine rolling Prairie, best for wheat & rate.

7 East of the 6th Principal Meridian

Chs	Lks	
		North on a random line bet Secs 17 & 18 Va, 12° 30' East
20	00	Set temp 1/16 Sec Corner
39	73	To a point 29 Lks East of old 1/4 Sec Corner To reestablish this Corner Set Chained Post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 Pits 48×20×12 in & 2 Pits 20×20×12 in, from this Corner ran North on a random line Va 12° 30' East,
20	00	Set temp or any 1/16 Sec Corner
40	13	To a point 25 Lks West of Corner to Secs 7, 8, 17 & 18, To reestablish this Corner Set Chained Post 4 ft long 3 in square, 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 Pits 48×20×12 in & 2 Pits 20×20×12 in, from this Corner Ran;
		South on a true line bet Secs 17 & 18 Va 12° 9 East,
20	06½	Set Chained Post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 Pits 48×20×12 in & 2 Pits 20×20×12 in for 1/16 Sec Corner

Township No 26 North of Range No

Chs	lks	
40	13	The 1/4 Sec Corner from which Drawn;
		South on a true line bet Secs 17 & 18 Va 12°55' East
59 60	99½ 00	Set chained post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 Pits 48, 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/16 Sec Corner
79	86	The Corner to Secs, 17, 18, 19 & 20
		Surface rolling Prairie, best for grazing Soil 2d rate

7 East of the 6th Principal Meridian

Chs	lks	
		East on random line bet Secs 8 & 17 Va 12°30' East
20	00	Set temp'y 1/16 Sec Corner
35	00	Drain, course from S. 10° E. to N. 10° W.
39	60	Old 1/4 Sec Corner. To reestablish this Corner Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in, from this Corner Drawn. East on a random line Va 12°30' East
20	00	Set temporary 1/16 Sec Corner
39	62	Intersect N & S line 33 lks South of Corner to Secs 8, 9, 16 & 17 from which Drawn;
		N. 89°41' W. on a true line bet Secs 8 & 17 Va 13°17' East
19	81	Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/16 Sec Corner
39	62	The 1/4 Sec Corner from which Drawn;

Township No 26 North of Range No

Chs	lks	
		N 89°41' W. on a true line bet Secs 8 & 17 Va 12°49' East.
59	42	Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/16 Sec Corner
79	22	The Corner to Secs. 7, 8, 17 and 18,
		Surface rolling Prairie. Soil pale clay loam, 2d rate best for grass
		May 28th 1875

7 East of the 6th Principal Meridian

Chs	lks	
		West on a random line bet Secs 7 & 18 Va 12° 30' East.
20	00	Set temporary 1/16 Sec Corner
34	25	Creek 3 lks wide runs from S. to North.
40	00	No old 1/4 Sec Corner, Set temp 1/4 Sec Corner
50	00	Drain bears S.W & N.E.
60	00	Set temporary 1/16 Sec Corner
80	20	Intersect West Boundary 20 lks North of Cor to Secs 7 & 18 from which Man;
		N. 89°42' E. on a true line bet Secs 7 & 18 Va 12° 21' East.
20	20	Set chained post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/16 Sec Corner
40	20	Set chained post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/16 Sec Cor
60	20	Set chained post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/16 Sec Corner
80	20	The Corner to Secs 7, 8, 17 & 18.
		Surface rolling Prairie & Soil pale, best for wheat or grass 2d rate

Township No 26 North, of Range

Chs	Lks	
		North on a random line bet Secs 7 & 8 Va. 12° East
20	00	Set temporary 1/16 Sec Corner
39	94	To a point 28 lks East of Old 1/4 Sec Cor To reestablish this Corner, Set chained post 4 ft long 3 in wide, 1 ft in ground in mound 4 1/2 ft at base 2 ft high, dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in from this Cor Drawn North on a random line Va 12° East,
20	00	Set tempy 1/16 Sec Corner
36	16	Creek 5 lks wide runs from W. to E. and Enter Creek bottom.
39	75	To a point 15 lks East of old Corner to Secs 5, 6, 7 and 8. To reestablish this Corner Set chained post 4 ft long 3 in sq 1 ft in ground in mound 4 1/2 ft at base 2 ft high dug 2 pits 48 x 20 x 12 in & 2 pits 20 x 20 x 12 in from this Corner Drawn;
		South on a true line bet Secs 7 & 8 Va 12° 13' East

No 7 East of the 6th Principal Meridian

Chs	Lks	
19	87 1/2	Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/16 Sec Corner
39	75	The 1/4 Sec Corner from which Drawn;
		South on a true line bet Secs 7 & 8 Va 12° 24 East
59	72	Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high, dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/16 Sec Cor.
x 79	62	The Corner to Secs 7, 8, 17 and 18
		Surface of S 1/2 Very rough & Soil Pale Clay N. 1/2 Creek bottom. Soil Rr rate, adapted to wheat or corn.

79.69 2/1

Township No 26 North of Range

chs	lks	
		East on a random line bet Secs 5 & 8 Va. 12° 30' East
2	25	Creek 5 lks wide runs N. 80° E
12	00	Recross creek 5 lks wide runs S. E.
12	60	Recross creek 5 lks wide runs N. E.
20	00	Set temp 1/16 Sec Corner
29	00	Leave creek bottom bears S. W & N. E.
36	50	Creek bottom bears N W & S E.
40	00	Creek 10 lks wide bears N. 70° W to S 70° E.
41	59	Set temp Witness Corner to 1/4 Sec Corner
60	00	Set temp 1/16 Sec Corner
64	50	Creek 2 lk wide bears N & S.
79	00	Intersect N & S line 50 lks South of Corner to Secs 4, 5, 8 and 9 from which Cor Dr an;
		N. 89° 56' W. on a true line bet Secs 5 & 8 Va. 12° 55 East
19	75	Set post 4 ft long 3 in wide 2 ft in ground for 1/16 Sec Corner from which An Elm, 8 in dia bears S. 14° E. 236 lks dist There being no other trees convenient for marking dug one Pit 2 ft square 1 ft deep 8 lks South of post

No 7 East of the 6th Principal Meridian

chs	lks.	
37	41	Point 209 lks East of 1/4 Sec Corner Set chased post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in, for Witness Corner to 1/4 Sec Corner,
59	25	Set chased post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high dug 2 Pit 48 x 20 x 12 in & 2 pits 20 x 20 x 12 in for 1/16 Sec Corner
79	00	The Corner to Secs, 5, 6, 7 and 8
		Surface level creek bottom. Soil Rr rate best adapted to hay.

Township No 26 North of Range

Chs	lks	
		West on a random line bet Secs. 6 & 7 Va. 12° 30' East
10	50	Creek 5 lks wide runs from N. W. to S. E.
16	00	Leave Creek bottom, brass N & S.
20	00	Set temporary 1/16 Sec Corner
40	00	No Ed 1/4 Sec Corner Set temp 1/4 Sec Cor
60	00	Set temp 1/16 Sec corner.
66	52	Drain with water in holes Course N.W. & S.E.
80	48	Intersect West Boundary Township 65 lk North of Corner to Secs 6 & 7 from which Drain:
		N. 89° 42' E on a true line bet Secs 6 & 7 Va. 12° 40' East
20	48	Set chained Post 4 ft long 3 in wide, ft in ground in mound 4½ ft at base 2 ft high dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 in for 1/16 Sec Corner
40	48	Set chained Post 4 ft long 3 in wide, ft in ground in mound 4½ ft at base 2 ft high dug 2 pits 48 x 20 x 12 & 2 Pits 20 x 20 x 12 in for 1/4 Sec Corner
60	48	Set chained post 4 ft long 3 in wide, ft in ground in mound 4½ ft at base 2 ft high dug 2 Pits 48 x 20 x 12 in & 2 Pits 20 x 20 x 12 for 1/16 Sec Cor
80	48	The Corner to Secs 5, 6, 7 and 8

No 7 East of the 6th Principal Meridian

Surface level bottom and very rough Prairie,
Soil bottom Rich & dark, 1st rate best for Corn,
Soil upland thin and grey, 2d rate best for grazing.

Township No 26 North of Range

Ch	Lks	
		North on a random line bet Secs 5+6 Va. 12° 30' East.
15	00	Leave creek bottom bears S. W + N E.
20	00	Set temporary 1/16 Sec Corner
21	75	Drain course N. 10° E + S. 10° W.
40	00	To a point 8 lks East of old 1/4 Sec Cor To restablish this corner Sec chained post 4 ft long 3 in wide, 1 ft in ground in mound 4 1/2 ft at base 2 ft high dug 2 Pit 24 x 12 x 12 in + 2 Pits 20 x 20 x 12 in, From this Corner Drain;
		North on a random line bet Secs 5+6 Va 12° 30' East
20	00	Set temporary 1/16 Sec Corner
39	62	Intersect North Boundary Township 105 lks East of Corner to Secs 5+6 from which Drain;
		S. 32' E on a true line bet Secs 5+6 Va 13° 28' East.
19	62	Set chained post 4 ft long 3 in wide, ft in

No 7 East of the 6th Principal Meridian

Ch	Lks	
		ground in mound 4 1/2 ft at base 2 ft high dug 2 pits 48 x 20 x 12 in + 20 x 20 x 12 in for 1/16 Section Corner
59	62	The 1/4 Sec Corner from which Drain.
		S. 32' East on a true line bet Secs 5+6 Va 12° 05' East
59	62	Set chained Stake 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high dug 2 Pits 48 x 20 x 12 in + 2 Pits 20 x 20 x 12 in for 1/16 Sec Corner
79	62	The Corner to Secs 5, 6, 7 and 8.
		Surface fine rolling Prairie + creek bottom Soil light and dark clay loam, 1st rate best adapted to the cultivation of wheat and corn.
		May 29th 1875

Township No. 26 North of Range

No. 7 East of the 6th Principal Meridian

Township No 26 North of Range

No 4 East of the 6th Principal Meridian

Township No 26 North, of Range

No 7 East of the 6th Principal Meridian

Township No 26 North of Range No

West of the 6th Principal Meridian

Part. 2.

Township No 26 North of Range No 7

Chs	lks	
		East on a true 1/16 Sec line through South 1/2 of Sec 36 –
		Var. 11°48' East
6	36	Creek. water in holes, 5 lks wide bears N20°W. + S20°E
20	00	Set Charred Post 4 ft long 3 inches wide. 1 ft in ground. in mound 4 1/2 ft at base, 2 ft high Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor.
40	00	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor.
59	21	Intersect Reservation boundary 20.02 chs. N of Cor to Sec # + 36
		Set granite Stone 14 X 12 X 12 inches 9 1/2 inches in ground. for Closing Corner
		Surface Rolling Prairie
		Soil Clay loam 1st Rate good for Wheat

East of the 6th Principal Meridian

Chs	lks	
		East on a true 1/4 Sec line through Middle of Sec 36
		Var. 11°35' East
20	00	Set Charred Post 4 ft long. 3 inches wide 1 ft in ground in mound 4 1/2 ft at base. 2 ft high. Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor
40	00	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound. 4 1/2 ft at base. 2 ft high Dug 4 Pits 24 X 24 X 12 inches for 1/4 Sec Cor
59	12	Intersect East Boundary of Reservation 32 lks South of old 1/4 Sec Cor –
		Set granite Stone 26 X 12 X 6 inches 19 inches in ground for Closing Corner
		Surface Rolling Prairie
		Soil Pale Clay loam. 1st rate, well adapted to Wheat

Township 26 North, Range No 4

Chs	Lks	
		East on a true 1/16 Sec line through North 1/2 of Sec 36 Var. 11°23' East
20	00	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor
40	00	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor.
59	21	Intersect East boundary of reservation 20.19 Chs. S of Cor to Sec ~~24 &~~ 36
		Set granite stone 15 X 12 X 12 inches 10 inches in ground for Closing Corner.
		Surface Rolling. Soil Pale Clay loam 1st Rate
		Well adapted to Wheat

East of the 6th Principal Meridian

Chs	Lks	
		East on a true 1/16 Sec line through S 1/2 of Sec 25 Var. 11°23' East
20	00	Set granite stone 20 X 12 X 3 inches 15 inches in ground for 1/16 Sec Cor.
40	00	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4 1/2 ft at base. Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor.
59	43	Intersect East boundary of Reservation 20.04 Chs. North of Cor to Sec 25 & 36.
		Set granite stone 15 X 8 X 6 inches 10 inches in the ground for C.C.
		Surface Rolling Soil Pale Clay loam 1st Rate.
		Well adapted to Wheat

Township No. 26 North of Range No. 7

Chs	Lks	
		East on a true 1/4 Sec line through Middle of Sec 25 Var 11° 15' East
20	00	Set a granite Stone 16 X 10 X 8 inches 11 inches in ground for 1/16 Sec Cor
40	00	Set a granite Stone 18 X 12 X 6 inches 13 inches in ground for 1/4 Sec Cor.
59	90	Intersect East boundary of Reservation 20 lks South of old 1/4 Sec Cor
		Set a granite Stone 15 X 9 X 9 inches 10 inches in ground for C. C.
		Surface Rolling. Soil Full Clay loam 1st Rate
		Well adapted to Wheat

East of the 6th Principal Meridian

Chs	Lks	
		East on a true 1/16 sec line through North 1/2 of Sec 25 Var 11° 8' E
20	00	Set granite Stone 12 X 12 X 6 inches 8 inches in ground for 1/16 Sec Cor
40	00	Set granite Stone 16 X 10 X 5 inches 11 inches in ground for 1/16 sec cor
59	10	Intersect East boundary of Reservation 20.11 Chs South of Cor to Sec 24 + 25
		Set granite Stone 12 X 12 X 12 inches 8 inches in ground for Closing Corner
		Surface Rolling Prairie Soil Clay loam 1st Rate
		Well adapted to Wheat

Township No. 6 North of Range No. 7

Chs	Lks	
		East on a true 1/16 Sec line through South 1/2 of Sec 24 Var. 11°08' East
20	00	Set granite Stone 16 X 10 X 10 inches 11 inches in ground for 1/16 Sec Cor.
40	00	Set granite Stone 15 X 11 X 5 inches 10 inches in ground for 1/16 Sec Cor.
59	51	Intersect East boundary of Reservation 19.93 Chs North of Cor to Sec 24 + 25
		Set Charred Post 4 ft long - 3 inches wide - 1 ft in ground in Mound 4 1/2 ft at base - 2 ft high - Dug 3 Pits 48 X 24 X 12 inches for Closing Corner
		Post With additional Marks E B. W R. + O R
		Surface of East 20 chs level. of West 40 chs Rolling
		Soil - Rich Clay loam 1st Rate Well adapted to Wheat + Hay

East of the 6th Principal Meridian

Chs	Lks	
		East on a true 1/4 Sec line through Middle of Sec 24 Var 11°08' East
20	00	Set granite Stone 18 X 10 X 6 inches 12 inches in ground for 1/16 Sec Cor
40	00	Set granite Stone 20 X 15 X 15 inches 15 inches in ground for 1/4 Sec Cor
49	70	A Creek 30 lks wide runs S 30° E
59	70	Intersect East boundary of Reservation at old 1/4 Sec Cor.
		Surface of West 14 chs Rolling Surface of East 40 chs level - Soil dark rich loam - in level portion 1st Rate - for Wheat Corn or Hay - Soil of West Part grey Clay loam 2nd Rate

Township No. 26 North of Range No 7

Chs	Lks	
		East on a true 1/16 Sec line through North 1/2 of Sec 24 Var. 11°21' East
17	50	Enter level Creek Bottom bears N + S.
20	00	Set granite Stone 14X10X8 inches - 9 inches in ground for 1/16 Sec Cor
35	86	a Creek 10 lks wide runs South
40	00	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high. Dug 4 Pits 24X24X12 inches for 1/16 Sec Cor.
49	62	a Creek 10 lks wide runs South
59	16	Intersect East boundary of Reservation 1462 lks S. of N.W. Corner of Omaha Reservation in Sec 24 Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4 1/2 ft at base. 2 ft high - Dug 3 Pits 48X24X12 inches For Closing Corner Post with additional Marks C.B. W.R. + G.R. Surface alternating - Rolling and level Soil dark loam 1st Rate Suitable for Corn wheat or vegetables -

East of 6th Principal Meridian

Chs	Lks	
		East on a Random 1/16 Sec line through South 1/2 of Sec 13 Var. 11°19'E
20	00	Set Temporary 1/16 Sec Cor.
30	00	Leave level bottom bears N + S.
40	00	Set temporary 1/16 Sec Cor
50	00	a Creek 3 lks wide runs S.
60	00	Set temporary 1/16 Sec Cor.
61	10	a creek 3 lks wide runs S.W. originating in a spring 4 chs N.E.
80	63	Intersect East boundary of Township 46 lks North of S 1/16 Sec Cor. from which I ran
		N 89°40' W on a true 1/16 Sec line through S 1/2 of Sec 13. Var 11°19'E.
20	15 3/4 / 15	Set charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high. Dug 4 Pits 24X24X12 inches 26 lks North of true line for witness to 1/16 Sec Cor

Township No 26 North of Range No 17

Chs	Lks	
40	31½	Set Charred Post 4 ft long 3 inches wide. 1 ft in ground in mound 4½ ft at base 2 ft high. Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor
60	47½	Set Charred Post 4 ft long - 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high. Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor
80	13	The 3/16 Sec Cor on N + S line between Sec 13 + 14
		Surface level for West 30 chs Rolling for East 50 chs
		Soil. Clay loam 1st Rate
		Suitable for corn or wheat

East of the 6th Principal Meridian

Chs	Lks	
		West on a Random 1/4 Sec line through middle of Sec 13 Var. 11° 19' East
17	50	a Creek 15 lks wide runs South
20	00	Set Temporary 1/16 Sec Cor -
30	00	a Creek. Water in holes 10 lks wide Runs N+S
40	00	Set Temporary 1/4 Sec Cor -
60	00	Set Temporary 1/16 Sec Cor -
75	00	Enter level bottom Bears N+S -
81	07	Intersect N + S line 22 lks N of 1/4 Sec Cor - from which I run -
		N 84° 51' E on a true 1/4 Sec line through middle of Sec 13. Var. 11° 19' East.
20	26 3/4	Set granite Stone 12 X 11 X 4 inches 8 inches in ground for 1/16 Sec Cor -
40	53½	Set granite Stone 14 X 12 X 4 inches 9½ inches in ground for 1/4 Sec ~~Cor~~ Cor
60	80¼	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at Base. Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor
81	07	The 1/4 Sec Cor on East boundary of Township between Sec 13 + 18
		Surface Rolling. Soil Clay loam 1st Rate Good for wheat or corn

Township No. 26 North of Range No. 7

Chs	lks	
		East on a Random 1/16 Sec line through N 1/2 of Sec 13 Var - 12° East.
20	00	Set Tempy 1/16 Sec Cor -
40	00	Set Tempy 1/16 Sec Cor
45	25	Creek Water in Holes 10 lks wide bears N+S
60	00	Set Tempy 1/16 Sec Cor
75	90	Creek 2 lks wide runs South
80	82	Intersect East boundary of Township 95 lks North of North 1/16 Sec Cor - from which I ran
		N 89° 19' West on a true 1/16 Sec line through N 1/2 of Sec 13 Var 12° East
20	20 1/2	Set Charred Post 4 ft long 3 inches wide - 1 ft in ground in mound 4 1/2 ft at base 2 ft high, Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor
40	41	Set Charred Post 4 ft long 3 inches wide. 1 ft in ground in mound 4 1/2 ft at base 2 ft high. Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor

East of the 6th Principal Meridian

Chs	lks	
60	61 1/2	Set charred Post 4 ft long 3 inches wide. 1 ft in ground in mound 4 1/2 ft at base. Two ft high Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor -
80	82	The North 1/16 Sec Cor on N+S line between Sec 13 + 14 Surface, Rolling Soil Clay loam 1st Rate Suitable for Wheat and Corn May 25th 1875
		East on a Random 1/16 Sec line through South 1/2 of Sec 12 Var 11° 30' East
20	00	Set Tempy 1/16 Sec Cor
40	00	Set Tempy 1/16 Sec Cor -
60	00	Set Tempy 1/16 Sec Cor
69	00	Dry Creek. 10 lks wide Willow timber bears N+S
79	89	Intersect East Boundary of Township 7 lks South of South 1/16 Sec Cor from which I ran

Township 26 North Range No 7

		S 89°55' W on a true 1/16 sec line through S 1/2 of sec 12 Var. 11°31' E
19	97 1/4	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in Mound 4 1/2 ft at base, 2 ft high. Dug 4 Pits 24 X 24 X 12 inches for 1/16 sec cor
39	94 1/2	Set Charred Post 4 ft long 3 inches wide, 1 ft in ground in Mound 4 1/2 ft at base. 2 ft high. Dug 4 Pits 24 X 24 X 24 inches for 1/16 sec cor
59	91 3/4	Set granite Stone 14 X 10 X 5 inches 9 1/2 inches in ground for 1/16 sec cor
79	89	The S 1/16 sec Cor on N + S line between sec - 11 + 12 Surface fine Rolling Prairie Soil Clay loam 1st Rate
		Well adapted to Cultivation of Wheat or Corn

East of the 6th Principal Meridian

Chs	lks	
		West on a Random 1/4 sec line through middle of sec 12 Var 11°31 East
9	90	Dry Creek 10 lks wide bears N + S.
20	00	Set Umpty 1/16 sec Cor
40	00	Set Umpty 1/4 sec Cor.
60	00	Set Umpty 1/16 sec Cor
80	92	Intersect N + S line at 1/4 sec Cor. from which I ran
		East on a true 1/4 sec line through middle of sec 12 Var 11°31 East
20	28	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in Mound 4 1/2 ft at base 2 ft high. Dug 4 Pits 24 X 24 X 12 inches for 1/16 sec Cor
40	46	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in Mound 4 1/2 ft at base. 2 ft high. Dug 4 Pits 24 X 24 X 12 inches for 1/4 sec Cor.

Township No 26 North of Range No 7

Chs	lks	
60	69	Set Stone 14 X 10 X 6 inches 9½ inches in ground. for 1/16 Sec Cor
80	92	The 1/4 Sec Cor on East boundary of Township between Sec 7 & 12
		Surface Rolling Prairie Soil Clay loam 1st Rate well adapted to wheat
		East on a Random 1/16 Sec line through N ½ of Sec. 12 Var. 11° 31' East
20	00	Set Tempy 1/16 Sec Cor
40	00	Set Tempy 1/16 Sec Cor
59	58	Creek 5 lks wide runs. 320°2
60	00	Set Tempy 1/16 Sec Cor
80	29	Intersect East boundary of Township 24 lks South of North 1/16 Sec Cor From which I run
		S 89° 50' W on a True 1/16 Sec line through N ½ of Sec 12 Va. 11° 31' East.

East of the 6th Principal Meridian

Chs	lks	
20	07¼	Set Charred Post 4 ft long. 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high. Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor –
40	14½	Set Charred Post 4 ft long, 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor –
60	21¾	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor
80	29	The North 1/16 Sec on N & S line between Sec. 11 & 12
		Surface Rolling Soil Clay loam 1st Rate well adapted to wheat

Township No 26 North of Range

Chs	Lks	
		West on a Random 1/16 Sec line through S 1/2 of Sec 1
		Var 11° 45' East
9	68	A Creek 10 lks wide runs. South
20	00	Set Tempy 1/16 Sec Cor
40	00	Set Tempy 1/16 Sec Cor.
60	00	Set Tempy 1/16 Sec Cor
70	10	A Creek 5 lks wide runs S.W.
80	35	Intersect N + S line 31 lks North of S 1/16 Sec Cor. From which I ran
		N 89° 47' E on a true 1/16 Sec line through S 1/2 of Sec 1
		Var 11° 45' East
20	08 3/4 09	Set Charred Post 4 ft long 3 inches wide, 1 ft in ground in mound 4 1/2 ft at base 2 ft high, Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor
40	17 1/2	Set Charred Post 4 ft long 3 inches wide, 1 ft in ground, in mound 4 1/2 ft at base. 2 ft high. Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor

No 7 East of the 6th Principal Meridian

Chs	Lks	
60	26 1/4	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high. Dug 4 Pits 24 X 24 X 12 inches. for 1/16 Sec Cor
80	35	The South 1/16 Sec Cor. on East boundary line of Township between Sec 1 + 6
		Surface Rolling Prairie Soil: Clay loam 1st Rate Well adapted to wheat
		East on a random 1/4 Sec line through middle of Sec 1
		Var 11° 58' East
20	00	Set Tempy 1/16 Sec Cor
40	00	Set Tempy 1/4 Sec Cor
60	00	Set Tempy 1/16 Sec Cor
80	18	Intersect East boundary of Township 22 lks North of 1/4 Sec Cor. From which I ran

Township No. 6 North of Range No. 7

Chs	Lks	
		N 89°51' W on a true 1/4 Sec line through middle of Sec 1 Var 11°58' East
20	04½	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high, Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor
40	09	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in Mound 4½ ft at base 2 ft high. Dug 4 Pits 24 X 24 X 12 inches. for 1/4 Sec Cor
60	13½	Set Charred Post 4 ft long 3 inches wide. 1 ft in ground in Mound 4½ ft at base. 2 ft high Dug 4 Pits 24 X 24 X 12 inches. for 1/16 Sec Cor
80	18	The 1/4 Sec Cor on N + S line between Sec 1 + 2
		Surface Rolling Prairie Soil Clay loam 1st Rate well adapted to wheat

East of the 6th Principal Meridian

Chs	Lks	
		West on a random 1/16 Sec line through North 1/2 of Sec 1 Var. 11°50' East.
20	00	Set Temp 1/16 Sec Cor
40	00	Set Temp 1/16 Sec Cor
60	00	Set Temp 1/16 Sec Cor
79	90	Intersect N + S line 15 lks. North of N 1/16 Sec Cor From which Pran
		N 89°54' East on a true 1/16 Sec line through North 1/2 of Sec 1 Var 11°50' East
19	97½	Set Charred Post 4 ft long 3 inches wide, 1 ft in ground in mound 4½ ft at base 2 ft high Dug 4 Pits 24 X 24 X 12 inches, for 1/16 Sec Cor
39	95	Set Charred Post 4 ft long 3 inches wide. 1 ft in ground, in Mound 4½ ft at base. 2 ft high Dug 4 Pits 24 X 24 X 12 inches For 1/16 Sec Cor

Township No 26 North of Range No 17

Ch.	Lks.	
59	92½	Set Charred Post 4 ft long 3 inches wide, 1 ft in ground, in mound 4½ ft at base, 2 ft high. Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor.
79	90	The North 1/16 Sec Cor on East boundary line of Township - between Sec 1 + 6.
		Surface Rolling - Soil Clayloam 1st Rate
		Well adapted to wheat or corn
		West on a Random 1/16 Sec line through S ½ of Sec 35 Var 11° 49' East
20	00	Set temp 1/16 Sec Cor
40	00	Set temp 1/16 Sec Cor
60	00	Set temp 1/16 Sec Cor
80	20	Intersect N + S line 8 Lks North of South 1/16 Sec Cor - from which I ran

East of the 6th Principal Meridian

Ch.	Lks.	
		N 89° 57' East on a true 1/16 Sec line through S ½ of Sec 35 Var 11° 49' East
20	05	Set Charred Post for 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high. Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor.
40	10	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high. Dug 4 Pits 24 X 24 X 12 inches - for 1/16 Sec Cor
60	15	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor
80	20	The S 1/16 Sec Cor on N + S line between Sec. 35 + 36.
		Surface Rolling. Soil - Clay loam 1st Rate Good for Wheat

Township No 6 North, Range No 7

Chs	Lks	
		East on a random 1/4 Sec line through Middle of Sec 35 Var 11°49' East
20	00	Set Temp 1/16 Sec Cor
40	00	Set Temp 1/16 Sec. Cor
60	00	Set Temp 1/16 Sec Cor
18	33	Creek water in holes 5 lks wide bears N+S
80	11	Intersect N+S line 15 lks S of 1/4 Sec Cor. from which 2 sun
		S 89°54' E on a true 1/4 Sec line through Middle of Sec 35 Var 11°49' East
20	02 ~~05~~ 1/4	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high. Dug 4 Pits 24 X 24 X 24 inches. for 1/16 Sec Cor
40	05 1/2	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high. Dug 4 Pits 24 X 24 X 12 inches for 1/4 Sec Cor -

East of the 6th Principal Meridian

Chs	Lks	
60	08 1/4	Set Charred Post 4 1/2 ft long 3 inches wide - 1 ft in ground in mound 4 1/2 ft at base 2 ft high Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor
80	11	The 1/4 Sec Cor on N+S line between Sec 34+35 Surface: Rolling Prairie Soil Clay loam 1st Rate Good for Wheat
		West on a random 1/16 Sec line through N 1/2 of Sec 35 Var 11°30' East
20	00	Set Temp 1/16 Sec Cor
40	00	Set Temp 1/16 Sec Cor
56	48	Creek water in holes 15 lks wide bears N+S
60	00	Set Temp 1/16 Sec Cor -
80	26	Intersect N+S line 44 lks North of North 1/16 Sec Cor From which 2 sun -

Township No 2 6 North of Range No 7

Chs	Lks	
		N 89°41' E on a true 1/16 Sec line through N 1/2 of Sec 35
		Var 11°30' East
20	06½	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high Dug 4 Pits 24 x 24 x 12 inches for 1/16 Sec Cor
40	13	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high Dug 4 Pits 24 x 24 x 12 inches for 1/16 Sec Cor
60	19½	Set Charred Post 4 ft long 3 inches wide, 1 ft in ground in mound 4½ ft at base 2 ft high, Dug 4 Pits 24 x 24 x 12 inches for 1/16 Sec Cor
80	26	The N 1/16 Sec Cor on N + S line between Sec 35 + 36
		Surface Rolling Prairie
		Soil Pale Clay loam 1st Rate
		good for Wheat

East of the 5th Principal Meridian

Chs	Lks	
		East on a Random 1/16 Sec line through South 1/2 of Sec 26
		Var 11°35' East
20	00	Set Temp'y 1/16 Sec Cor
40	00	Set Temp'y 1/16 Sec Cor
60	00	Set Temp'y 1/16 Sec Cor
80	34	Intersect N + S line 17 lks North of S 1/16 Sec Cor - from which I ran
		N 89°53' W on a true 1/16 Sec line through S 1/2 of Sec 26
		Var 11°35' East
20	08½	Set granite Stone 16 x 10 x 8 inches, 11 inches in ground for 1/16 Sec Cor
40	17	Set granite Stone 15 x 10 x 8 inches, 10 inches in ground for 1/16 Sec Cor
60	25½	Set granite Stone 15 x 12 x 5 inches, 10 inches in ground for 1/16 Sec Cor
80	34	The S 1/16 Sec Cor on N + S line between Sec 26 + 27
		Surface Rolling Prairie
		Soil Clay loam 1st Rate
		good for Wheat

Township No. 26 North, Range No 7

Chs	lks	
		West on a random 1/4 Sec line through Middle of Sec. 26. Var 11° 35' East
20	00	Set Temp'y 1/16 Sec Cor
40	00	Set Temp'y 1/4 Sec Cor.
60	00	Set Temp'y 1/16 Sec Cor.
80	74	Intersect N & S line 16 lks N of 1/4 Sec Cor. - from which I run
		N 89° 55' Ea on a true 1/4 Sec line through Middle of Sec 26 Var 11° 35' East
20	18½	Set Granite Stone 18 x 13 x 6 inches 13½ inches in ground for 1/16 Sec Cor.
40	37	Set granite Stone 18 x 14 x 4 inches 13½ inches in ground for 1/4 Sec Cor
60	55½	Set granite Stone 22 x 12 x 3 inches 16½ inches in ground for 1/16 Sec Cor.
80	74	The 1/4 Sec Cor on N & S line between Sec. 25 & 26. Surface. Rolling Prairie Soil Clay loam 2nd Rate Fair for Wheat. May 26th 1875.

East of the Principal Meridian

Chs	lks	
		East on a random 1/16 Sec line through North 1/2 of Sec 26 Var 11° 22' East
20	00	Set temp'y 1/16 Sec Cor
40	00	Set Temp'y 1/16 Sec Cor. -
46	08	a Creek Water in Hole 15 lks wide runs N & S.
60	00	Set Temp'y 1/16 Sec. Cor. -
80	71	Intersect N & S line 34 lks. South of North 1/16 Sec Cor. from which I run
		S 89° 45' West on a true 1/16 Sec Cor through N 1/2 of Sec. 26 Var 11° 22' East
20	17 3/4 / 18	Set Charred Post 4 ft long, 3 inches wide 1 ft in ground in Mound 4½ ft at base - 2 ft high, Dug 4 Pits 24 x 24 x 12 inches for 1/16 Sec Cor
40	35½	Set Charred Post 4 ft long, 3 inches wide. 1 ft in ground in Mound 4½ ft at base. 2 ft high. Dug 4 Pits 24 x 24 x 12 inches for 1/16 Sec Cor

Township No. 26 North of Range No 7

Chs	Lks	
60	55½	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in Mound 4½ ft at base. 2 ft high. Dug 4 Pits 24 x 24 x 12 inches for 1/16 Sec Cor
80	71	The North 1/16 Sec Cor on N + S line between Sec. 26 + 27
		Surface Rolling
		Soil Clay loam. 1st Rate
		good for Corn.

		East on a Random 1/16 Sec line through S ½ of Sec 23
		Var. 11° 47' East.
20	00	Set Temp'y 1/16 Sec Cor
40	00	Set Temp'y 1/16 Sec Cor
60	00	Set Temp'y 1/16 Sec Cor.
81	00	Intersect N + S line 46 lks. North of South 1/16 Sec Cor
		From which Corn
		N 89° 42' W on a true 1/16 Sec line through S ½ of Sec 23

East of the 2d Principal Meridian

Chs	Lks	
		Var 11° 47' East.
20	24	Set granite Stone 15 x 8 x 8 inches 10 inches in ground for 1/16 Sec Cor.
40	50	Set granite Stone 16 x 11 x 8 inches 11 inches in ground for 1/16 Sec Cor.
60	75	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in Mound 4½ ft at base. 2 ft high. Dug 4 Pits 24 x 24 x 12 inches for 1/16 Sec Cor.
81	00	The S 1/16 Sec Cor on N + S line between Sec. 22 + 23.
		Surface Rolling Prairie
		Soil Clay loam. 1st Rate
		good for Wheat

		West on a random 1/4 Sec line through Middle of Sec 23
		Var. 11° 32' East
20	00	Set Temp'y 1/16 Sec Cor.
40	00	Set Temp'y 1/4 Sec Cor.
60	00	Set Temp'y 1/16 Sec Cor
68	35	a Creek 5 lks wide runs. N E.

Township No. 26. North of Range No 7

Chs	Lks	
81	02	Intersect N & S line. 37 lks. North of 1/4 Sec Cor. From which I run.
		N 89° 44' E on a true 1/4 Sec line through middle of Sec. 23. Var. 11° 32' East
20	25½	Set Charred Post 4 ft long 3 inches wide. 1 ft in ground in mound 4½ ft at base. 2 ft high Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor.
40	51	Set granite Stone 15 X 10 X 8 inches 10 inches in ground for 1/4 Sec Cor.
60	76½	Set granite Stone 18 X 9 X 5 inches. 13 inches in ground for 1/16 Sec Cor
81	02	The 1/4 Sec Cor on N & S line between Sec. 23 & 24
		Surface Rolling Prairie Soil Clay loam 1st Rate Good for Wheat

East of the 6th Principal Meridian

Chs	Lks	
		East on a random 1/16 Sec line through N ½ of Sec 23 Var. 11° 32' East.
20	00	Set Temporary 1/16 Sec Cor.
22	13	a Creek 15 lks wide runs N
40	00	Set Temporary 1/16 Sec Cor
40	00	Enter Creek Bottom land bears N & S.
55	64	a Creek 2 lks wide runs N.
60	00	Set Temporary 1/16 Sec Cor.
60	00	Leave Creek Bottom bears N & S
80	93	Intersect N & S. line 5 lks S of North 1/16 Sec Cor. From which I run.
		S 89° 58' W on a true 1/16 Sec line through N ½ of Sec 23 Var 12° 32' East
20	23¼	Set Charred Post 4 ft long 3 inches wide. 1 ft in ground in mound. 4½ ft at base. 2 ft high Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor.

Township No 6 North of Range No 7

Chs	Lks	
40	41½	Set Charred Post 4 ft long 3 inches wide. 1 ft in ground in mound 4½ ft at base. 2 ft high - Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor -
60	69¾	Set Charred Post 4 ft long. 3 inches wide 1 ft in ground - in Mound - 4½ ft at base. 2 ft high - Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor -
80	93	The North 1/16 Sec Cor. on N + S - line between Sec 22 + 23 Surface Rolling Prairie + Creek bottom Soil - Rich Clay loam 1st Rate for general Cultivation
		East on a random 1/16 Sec line Through S ½ of Sec. 14 Var. 11°22' East
20	00	Set Pumpy 1/16 Sec Cor
40	00	Set Pumpy 1/16 Sec Cor
60	00	Set Pumpy 1/16 Sec Cor -
74	30	Creek 15 lks wide Runs S 15° E. + Enter level bottom land. bears S 20° E + N 20° W

East of the 6th Principal Meridian

Chs	Lks	
80	82	Intersect N + S line 8 lks. South of South 1/16 Sec Cor. from which I ran.
		S 89° 56' W on a true 1/16 Sec line Through S ½ of Sec 14 Var 11°22' East
20	20½	Set Charred Post 4 ft long 3 inches wide. 1 ft in ground in mound 4½ ft at base. 2 ft high. Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor -
40	41	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high. Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor -
60	61½	Set Charred Post 4 ft long 3 inches wide. 1 ft in ground in mound 4½ ft at base 2 ft high Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor -
80	82	The S 1/16 Sec Cor on N + S line between Sec. 14 + 15 Surface Rolling Prairie + Creek Bottom Soil Clay loam 1st Rate to cultivate

Township No 26 North of Range No 4

Chs	lks	
		West on a Random 1/4 Sec line through Middle of Sec 14 Var. 11°22' East.
20	00	Set Tempy 1/16 Sec Cor
20	40	a Creek 15 lks wide runs S-
39	00	Leave Bottom land. bears NW+SE
40	00	Set Tempy 1/4 Sec Cor -
60	00	Set Tempy 1/16 Sec Cor -
80	48	Intersect N+S line 111 lks North of 1/4 Sec Cor. from which B ran
		N84°12' E - on a true 1/4 Sec line through Middle of Sec 14 Var 11°22' East
20	12	Set Charred Post 4 ft long 3 inches wide. 1 ft in ground in mound 4 1/2 ft at base 2 ft high. Dug 4 Pits 24x24x12 inches for 1/16 Sec Cor
40	24	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4 1/2 ft at base. 2 ft high. Dug 4 Pits 24x24x12 inches. for 1/4 Sec Cor -

East of the 6th Principal Meridian

60	36	Set Charred Post 4 ft long 3 inches wide. 1 ft in ground in mound 4 1/2 ft at base. 2 ft high - Dug 4 Pits 24x24x12 inches for 1/16 Set Cor -
80	48	The 1/4 Sec Cor on N+S line between Sec. 13 + 14. Var 12°47' E owing to local attraction Surface Rolling Prairie + Creek Bottom Soil Rich loam 1st Rate Suitable for Wheat
		East on a Random 1/16 Sec line through North 1/2 of Sec. 14. Var 11°30' East
20	00	Set Tempy 1/16 Sec cor.
21	00	Enter Creek Bottom bears N20°W+S20°E.
40	00	Set Tempy 1/16 sec cor -
54	60	Creek 10 lks wide runs S20°E -
60	00	Set Tempy 1/16 sec cor.
75	00	Leave Creek Bottom bears N+S.
80	87	Intersect N+S line. 20 lks North of N 1/16 Sec Cor - from which B ran

Township No 26 North of Range No 7

Chs	Lks	
		N 89°51' W. on a true 1/16 Sec line through N 1/2 of Sec 14
		Var. 11°30' East
20	21 3/4	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high - Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor -
40	43 1/2	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high - Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor
60	65 1/4	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor -
80	87	The North 1/16 Sec Cor on N + S line between Sec. 14 + 15
		Surface Rolling Prairie Creek Bottom Soil Rich Clay loam 1st Rate Good for Wheat or Corn

East of the 4th Principal Meridian

Chs	Lks	
		East on a random 1/16 Sec line through S 1/2 of Sec 11
		Var 11°40' East
15	00	a Creek 20 lks wide runs S
20	00	Set Temp Cor 1/16 Sec Cor
20	64	a Creek 2 lks wide runs S.
40	00	Set temp Cor 1/16 Sec Cor
60	00	Set temp Cor 1/16 Sec Cor
81	00	Intersect N + S line 22 lks North of S 1/16 Sec Cor - from which I run
		N 89°51' W on a true 1/16 Sec line through South 1/2 of Sec 11
		Var. 11°40' East
20	25	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor -
40	50	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor

Township 26 North of Range No 7

Chs	Lks	
60	75	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high. Dug 4 pits 24 x 24 x 12 inches for 1/16 Sec Cor
81	00	The South 1/16 Sec Cor on N + S line between Sec. 10 + 11 Surface. Rolling + level Soil rich loam. 1st rate Good for wheat
		West on a random 1/4 Sec line through middle of Sec 11 Var 11°31' East
20	00	Set temp 1/16 Sec Cor
40	00	Set temp 1/4 Sec Cor.
48	00	Enter level bottom land bears N + S.
53	60	A creek 5 lks wide runs S 30° W
60	00	Set temp 1/16 Sec Cor.
77	60	A creek 20 lks wide runs S 20° E
81	03	Intersect N + S line 7 lks south of 1/4 Sec Cor
		From which I ran

East of the 6th Principal Meridian

Chs	Lks	
		S 89° 57' E on a true 1/4 Sec line through middle of Sec 11 Var. 11°31' East
20	20 3/4	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high. Dug 4 Pits 24 x 24 x 12 inches for 1/16 Sec Cor.
40	41½	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high. Dug 4 Pits 24 x 24 x 12 inches for 1/4 Sec Cor.
60	77 41/100	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high. Dug 4 Pits 24 x 24 x 12 inches for 1/16 Sec Cor.
81	03	The 1/4 Sec Cor on N + S line between Sec. 11 + 12
		Surface Rolling Prairie + Creek Bottom Soil Rich Clay loam 1st Rate Well adapted to Corn or Wheat

Township No 6 North of Range No 7

Chs	lks	
		East on a Random 1/16 Sec line through N ½ of Sec 11 Var. 11°31' East
20	00	Set Temp'y 1/16 Sec Cor.
36	00	Leave Creek Bottom bears N + S
40	00	Set Temp'y 1/16 Sec Cor.
41	62	a Creek. 10 lks wide runs S.
60	00	Set Temp'y 1/16 Sec Cor.
80	22	Intersect N + S line 24 lks North of N 1/16 Sec Cor. From which B ran
		N 89°50' W on a true 1/16 sec line through North ½ of Sec 11 Var 11°31' East
20	0.51 links	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high Dug 4 Pits 24 x 24 x 12 inches for 1/16 Sec Cor
40	11	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high Dug 4 Pits 24 x 24 x 12 inches for 1/16 Sec Cor

East of the 6th Principal Meridian

Chs	lks	
60	16½	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high Dug 4 Pits 24 x 24 x 12 inches for 1/16 Sec Cor
80	0.2	The North 1/16 Sec Cor on N + S line between Sec. 10 + 11 Surface Rolling - + Creek bottom Soil Rich Clay loam 1st Rate Good for Wheat
		West on a Random 1/16 Sec line through S ½ of Sec 2 Var 11°25' East
20	00	Set Temp'y 1/16 Sec Cor.
29	40	a Dry Creek 10 lks wide bears N + S.
40	00	Set Temp'y 1/16 Sec Cor.
60	00	Set Temp'y 1/16 Sec Cor.
68	00	Leave level bottom land bears N + S.
79	58	Intersect N + S line 42 lks. South of S 1/16 Sec Cor. From which A ran

Township 26 North of Range No 7

Chs	Lks	
		S 89°42' E on a true 1/16 Sec line through South ½ of Sec 2 Var 11°25' East
19	97	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high. Dug 4 Pits 24x24x12 inches for 1/16 Sec Cor
39	94	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high. Dug 4 Pits 24x24x12 inches for 1/16 Sec Cor
59	91	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high Dug 4 Pits 24x24x12 inches for 1/16 Sec Cor -
79	88	The S 1/16 Sec Cor on N + S line between Sec. 1 + 2.
		Surface Rolling + Creek Bottom Soil good clayloam 1st Rate good for wheat
		May 27th 1875

East of the 6th Principal Meridian

Chs	Lks	
		East on a random 1/4 Sec line through middle of Sec 2 Var 11°7' East.
20	00	Set Temp 1/16 Sec Cor
40	00	Set Temp 1/4 Sec Cor
60	00	Set Temp 1/16 Sec Cor.
80	10	Intersect N + S line at 1/4 Sec Cor. from which I run
		West on a true 1/4 Sec line through middle of Sec 2 Var 11°7' East
20	02½	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high Dug 4 Pits 24x24x12 inches for 1/16 Sec Cor.
40	05	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high Dug 4 Pits 24x24x12 inches for 1/4 Sec Cor -
60	07½	Set Charred Post 4 ft long 3 inches wide. 1 ft in ground in mound 4½ ft at base 2 ft high

Township 26 North of Range No 7

		Dug 4 Pits 24X24X12 inches for 1/16 Sec Cor
80	10	The 1/4 Sec Cor on N + S line between Sec. 2 + 3
		Surface Rolling
		Soil Clay loam 1st Rate
		good for Wheat
		East on a random 1/16 sec line through North 1/2 of Sec 2
		Var. 11° 7' East.
20	00	Set temp 1/16 Sec Cor
40	00	Set temp 1/16 Sec Cor
60	00	Set temp 1/16 Sec Cor
80	00	Enter Sect N + S line 9 lks North of N 1/16 Sec Cor
		From which I ran
		N 89° 56' West on a true 1/16 sec line through North 1/2 of Sec 2
		Var 11° 7' East

East of the 6th Principal Meridian

20	00	Set Charred Post 4 ft long 3 inches wide. 1 ft in ground in mound 4 1/2 ft at base 2 ft high. Dug 4 Pits 24X24X12 inches for 1/16 Sec Cor.
40	00	Set Charred Post 4 ft long 3 inches wide. 1 ft in ground in mound. 4 1/2 ft at base 2 ft High Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor.
60	00	Set Charred Post 4 ft long 3 inches wide. 1 ft in ground. in mound 4 1/2 ft at base 2 ft high Dug 4 Pits 24X24X12 inches for 1/16 Sec Cor.
80	00	The North 1/16 Sec Cor on N + S line between Sec. 2 + 3
		Surface Rolling
		Soil Clay loam 1st Rate
		good for Wheat

Township No 26 North of Range No 7

Chs	Lks	
		East on a random 1/16 Sec line through South ½ of Sec 34 Var 11°55' East
12	00	Enter Meadow land bears N30°E + S30°W.
20	00	Set Tempy 1/16 Sec Cor
32	10	A Creek 20 lks wide runs S30°E
40	00	Set Tempy 1/16 Sec Cor-
56	00	Leave Meadow land
60	00	Set Tempy 1/16 Sec Cor
80	08	Intersect N+S line. 36 lks. South of South 1/16 Sec Cor- From which Trun
		S89°45'W on a true 1/16 Sec line through S ½ of Sec 34 Var 11°55' East
20	02	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high. Dug 4 Pits 24X24X12 inches. for 1/16 Sec Cor
40	04	Set Charred Post 4 ft long 3 inches wide. 1 ft in ground in mound 4½ ft at base. 2 ft high.

East of the 6th Principal Meridian

		Dug 4 Pits 24X24X12 inches for 1/16 Sec Cor-
60	06	Set Charred Post 4 ft long 3 inches wide. 1 ft in ground in mound 4½ ft at base. 2 ft high. Dug 4 Pits 24X24X12 inches - for 1/16 Sec Cor
80	08	The South 1/16 Sec Cor on N+S line between Sec 33 + 34 Surface Rolling. + Creek bottom Soil rich Clayloam Good for wheat
		West on a random 1/4 Sec line through Middle of Sec 34. Var 11°55' East
20	00	Set Tempy 1/16 Sec Cor
40	00	Set Tempy 1/4 Sec Cor-
56	40	Creek in bottom 15 lks wide runs S15°E
60	00	Set Tempy 1/16 Sec Cor-
79	80	Intersect N+S line 1.10 lks South of 1/4 Sec Cor From which Tran

Township No. 26 North of Range No 7

Chs	Lks	
		S 89°13' E on a true 1/4 Sec line through Middle of Sec 34 Var 11°55' East
19	95	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high. Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor.
39	90	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high. Dug 4 Pits 24 X 24 X 12 inches for 1/4 Sec Cor
59	85	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high. Dug 4 Pits 24 X 24 X 12 inches. for 1/16 Sec Cor
79	80	The 1/4 Sec Cor on N + S line between Sec. 34 + 35 - Var 11°10' owing to local attraction Surface Rolling Soil Clay loam 2nd Rate Fair Wheat land

East of the 4th Principal Meridian

Chs	Lks	
		East on a random 1/16 Sec line through N ½ of Sec. 34 Var. 11°55' East
20	00	Set Temporary 1/16 Sec Cor.
40	00	Set Temporary 1/16 Sec Cor.
60	00	Set Temporary 1/16 Sec Cor.
79	89	Intersect N + S line at North 1/16 Sec Cor. from which. Scan.
		West on a true 1/16 Sec Cor through N ½ of Sec 34 Var 11°55' East
19	94	Set Charred Post 4 ft long 3 inches wide. 1 ft in ground in mound 4½ ft at base 2 ft high. Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor.
39	94½	Set Charred Post 4 ft long 3 inches wide. 1 ft in ground in mound 4½ ft at base. 2 ft high Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor.

Township 16 North Range No

Chs	Lks	
59	91 3/4	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high. Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor -
79	89	the North 1/16 Sec Cor on N + S line between Sec. 33 + 34
		Surface Rolling
		Soil Clay loam 1st Rate
		Good for wheat
		West on a random 1/16 Sec line through South ½ of Sec 27
		Var. 12°15' East
20	00	Set temp 1/16 Sec Cor
40	00	Set temp 1/16 Sec Cor.
60	00	Set temp 1/16 Sec Cor
79	46	Intersect N + S line 100 lks South of South 1/16 Sec Cor from which I ran
		S 89° 17' E on a true 1/16 Sec line through South ½ of Sec 27

7 East of the 6th Principal Meridian

Chs	Lks	
		Var 12° 15' East
19	86½	Set Charred Post 4 ft long. 3 inches wide. 1 ft in ground in mound 4½ ft at base 2 ft high. Dug 4 Pits 24 X 24 X 12 inches. for 1/16 Sec Cor -
39	73	Set Charred Post 4 ft long. 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high. Dug 4 Pits 24 X 24 X 12 inches. for 1/16 Sec Cor -
59	59½	Set Charred Post 4 ft long. 3 inches wide 1 ft in ground in Mound 4½ ft at base 2 ft high. Dug 4 Pits 24 X 24 X 12 inches. for 1/16 Sec Cor -
79	46	the South 1/16 Sec Cor on N + S line between Sec 26 + 27
		Var 11° 30' East owing to local attraction
		Surface Rolling
		Soil Clay loam 1st Rate
		Good for wheat

Township 6 North of Range No 7

Chs	Lks	
		East on a random 1/4 Sec line through middle of Sec 27 Var. 11° 58' East.
20	00	Set temp 1/16 Sec Cor
40	00	Set temp 1/4 Sec Cor
60	00	Set temp 1/16 Sec Cor
79	45	Intersect N + S line 47 lks South of 1/4 Sec Cor From which Elm
		S 89° 40' W on a true 1/4 Sec line through middle of Sec 27 Var 11° 58' East
19	86 1/4	Set granite stone 14 X 9 X 5 inches 9 1/2 inches in ground for 1/16 Sec Cor.
39	72 1/2	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high. Dug 4 Pits 24 X 24 X 12 inches for 1/4 Sec Cor.
59	58 3/4	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4 1/2 ft at base. 2 ft high. Dug 4 Pits 24 X 24 X 12 inches. for 1/16 Sec Cor.

East of the 5th Principal Meridian

Chs	Lks	
79	45	The 1/4 Sec Cor on N + S line between Sec. 27 + 28 Surface Rolling Soil Clay loam 1st Rate Good for Wheat
		East on a Random 1/16 Sec line through North 1/2 of Sec 27 Var. 11° 35' East
20	00	Set temp 1/16 Sec Cor.
40	00	Set temp 1/16 Sec Cor.
60	00	Set temp 1/16 Sec Cor.
79	62	Intersect N + S line 24 lks South of N 1/16 Sec Cor. From which Elm
		S 89° 50' W on a true 1/16 Sec line through N 1/2 of Sec 27 Var. 11° 35' East
19	20 1/2	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor

Township No 6 North of Range No 7

Chs	Lks	
39	81	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft High Dug 4 Pits 24×24×12 inches for 1/16 Sec Cor –
59	71½	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft High Dug 4 Pits 24×24×12 inches for 1/16 Sec Cor
79	62	The North 1/16 Sec Cor on N+S line between Sec 27+28

Surface Rolling Prairie

Soil Clay loam 1st Rate well adapted to cultivation of Wheat

East of the 6th Principal Meridian

Chs	Lks	
		West on a Random 1/16 Sec line through S½ of Sec 22 Var. 11°56' East
5	80	A Creek 2 lks Wide runs North
20	00	Set Tempy 1/16 Sec Cor.
35	30	A Creek 15 lks wide runs N20°E
40	00	Set Tempy 1/16 Sec Cor
60	00	Set Tempy 1/16 Sec Cor
79	42	Intersect N+S line 45 lks South of South 1/16 Sec Cor from which I ran
		S89°19'E on a true 1/16 Sec line through S½ of Sec. 22 Var. 11°56' East
19	85½	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high dug 4 pits 24×24×12 inches for 1/16 Sec Cor
39	71	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high. dug 4 pits 24×24×12 inches for 1/16 Sec Cor
59	56½	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 4 Pits 24×24×12 inches for 1/16 Sec Cor
79	42	The S 1/16 Sec Cor on N+S line between Sec 22+23

Surface Rolling. Soil 1st Rate. Good for wheat

Township 26 North of Range N. 7

Chs	Lks	
		East on a random 1/4 Sec line through middle of Sec. 22 Var. 11°50' East
20	00	Set Temporary 1/16 Sec Cor
21	76	Creek water in holes 10 lks wide bears N30°E + S30°W
40	00	Set Temporary 1/4 Sec Cor.
52	00	a Dry Creek bed. 40 lks wide bears. N2 + S2W
60	00	Set Temporary 1/16 Sec Cor -
69	00	a Creek 6 lks wide runs S.50°E
79	00	Intersect N + S line 14 lks South of 1/4 Sec Cor. From which I run
		S89°54'W on a true 1/4 Sec line through middle of Sec 22 Var 11°50' East
19	75	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4 1/2 ft at base. 2 ft high dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor
39	50	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high Dug 4 pits 24 X 24 X 12 inches for 1/4 Sec Cor

East of the 6th Principal Meridian

Chs	Lks	
49	25	Set Charred Post 4 ft long 3 inches wide. 1 ft in ground - in mound 4 1/2 ft at base - 2 ft high. Dug 4 Pits 24 X 24 X 12 inches. for 1/16 Sec Cor.
79	00	The 1/4 Sec Cor on N + S line between Sec 21 + 22. Surface Rolling Soil Clay loam 1st Rate adapted to Corn
		East on a Random 1/16 Sec line through N 1/2 of Sec 22 - Var 11°50' East
1	00	Dry Creek 50 lks wide bears S2 + N2W.
10	94	a Dry Creek 10 lks wide bears N2 + S2W
20	00	Set Temporary 1/16 Sec Cor.
34	50	Dry Creek 15 lks wide bears S2 + N2W.
40	00	Set Temporary 1/16 Sec Cor -
60	00	Set Temporary 1/16 Sec Cor -
78	90	Intersect N + S line 40 lks North of North 1/16 Sec Cor - From which I run.

Township No. 6 North of Range No 7

		N 89° 48' W on a true 1/16 Sec line through North ½ of Sec 22 Var. 11° 50' East
19	72½	Set Charred Post 4 ft long 3 inches wide. 1 ft in ground. in Mound. 4½ ft at base 2 ft high Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor
39	45	Set Charred Post 4 ft long, 3 inches wide 1 ft in ground. in Mound 4½ ft at base. 2 ft high. Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor.
59	11½	Set Charred Post 4 ft long 3 inches wide, 1 ft in ground. in Mound 4½ ft at base, 2 ft high. Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor.
78	90	The North 1/16 Sec Cor on N & S. line between Sec 21 & 22

Surface Rolling Prairie
Soil Clay loam 1st Rate
Good for Wheat.

East of the 4th Principal Meridian

Chs	Lks	
		West on a random 1/16 Sec line through S ½ of Sec 15 Var. 11° 22' East
20	00	Set Temp 1/16 Sec Cor
40	00	Set Temp 1/16 Sec Cor
60	00	Set Temp 1/16 Sec Cor
79	51	Intersect N & S line 81 lks South of South 1/16 Sec Cor. from which a tree
		S 89° 25' E on a true 1/16 Sec line through South ½ of Sec 15 Var 11° 22' East
19	87¾	Set Charred Post 4 ft long 3 inches wide, 1 ft in ground in Mound 4½ ft at base. 2 ft high Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor
39	75½	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in Mound 4½ ft at base. 2 ft high Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor

Township 26 North of Range No 7

Chs	Lks	
59	6	Set Charred Post 4 ft long - 3 inches wide. 1 ft in ground in mound 1½ ft at base, 2 ft high. Dug 4 Pits 24 x 24 x 12 inches for 1/16 Sec Cor -
79	51	The South 1/16 Sec Cor on line between Sec 14 + 15
		Surface Rolling Prairie Soil Clay loam 1st Rate Good for Wheat
		East on a Random 1/4 Sec line through middle of Sec 15
		Var. 11°22' East
20	00	Set temp 1/16 Sec Cor
40	00	Set temp 1/4 Sec Cor -
60	00	Set temp 1/16 Sec Cor
79	54	Intersect N + S line 20 lks South of 1/4 Sec Cor from which Drum
		S 89°51' W on a true 1/4 Sec line through middle of Sec 15

East of the 6th Principal Meridian

Chs	Lks	
		Var. 11°22' East
19	88½	Set Charred Post 4 ft long - 3 inches wide. 1 ft in ground - in mound 1½ ft at base. 2 ft high. Dug 4 Pits 24 x 24 x 12 inches for 1/16 Sec Cor
39	77	Set Charred Post 4 ft long - 3 inches wide 1 ft in ground, in mound 1½ ft at base. 2 ft high Dug 4 Pits 24 x 24 x 12 inches for 1/4 Sec Cor -
59	65½	Set Charred Post 4 ft long. 3 inches wide 1 ft in ground, in mound - 1½ ft at base, 2 ft high Dug 4 Pits 24 x 24 x 12 inches. for 1/16 Sec Cor -
79	54	The 1/4 Sec Cor on N + S line between Sec - 15 + 16
		Surface Rolling Prairie Soil. Clay loam. 1st Rate Good for Wheat
		May 28th 1875

Township No 6 North of Range No 7

Chs	Lks	
		West on a Random 1/16 Sec line through N ½ of Sec 15 Var 11°30' East
20	00	Set Temp'y 1/16 Sec Cor.
40	00	Set Temp'y 1/16 Sec Cor
60	00	Set Temp'y 1/16 Sec Cor
79	79	Intersect N + S line 80 lks South of North 1/16 Sec Cor From which Bran
		S 84°26' Wes. on a true 1/16 Sec line through N ½ of Sec 15 Var 11°30' East
19	94 34/100	Set Charred Post 4 ft long 3 inches wide. 1 ft in ground. in mound 4½ ft at base 2 ft high Dug 4 Pits 24 X 24 X 12 inches For 1/16 Sec Cor
39	89½	Set Charred. Post 4 ft long 3 inches wide. 1 ft in ground in mound 4½ ft at base. 2 ft high Dug 4 Pits 24 X 24 X 12 inches For 1/16 Sec Cor.

East of the 6th Principal Meridian

Chs	Lks	
59	94½	Set Charred Post 4 ft long 3 inches wide 1 ft in ground. in mound 4½ ft at base. 2 ft high. Dug 4 Pits 24 X 24 X 12 inches. For 1/16 Sec Cor.
79	79	The North 1/16 Sec Cor on N + S line between Sec 14 + 15 Surface Rolling Prairie Soil Clay loam 1st Rate Suitable for Corn + Wheat
		East on a random 1/16 Sec line through S ½ of Sec. 10 Var. 11° 7' East
20	00	Set Temp'y 1/16 Sec Cor
34	48	a Creek. 5 lks wide runs N.
40	00	Set Temp'y 1/16 Sec Cor.
60	00	Set Temp'y 1/16 Sec Cor.
80	20	Intersect N + S line 12 lks North of South 1/16 Sec Cor From which a run.

Township No 26 North of Range No 7

Chs	Lks	
		N 89° 55' W on a true 1/16 Sec line through S 1/2 of Sec 10 Var 11° 7' East
20	05	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high Dug 4 Pits 24x24x12 inches for 1/16 Sec Cor
40	10	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base, 2 ft high Dug 4 Pits 24x24x12 inches for 1/16 Sec Cor
60	15	Set Charred Post 4 ft long 3 inches wide 1 ft in Ground in Mound 4½ ft at base. 2 ft high. Dug 4 Pits 24x24x12 inches for 1/16 Sec Cor.
80	20	The South 1/16 Cor on N + S line between Sec 9 + 10
		Surface, Rolling Prairie Soil Clay Loam 2nd Rate Good for Wheat

East of the 6th Principal Meridian

Chs	Lks	
		West on a Random 1/4 Sec line through Middle of Sec. 10 Var. 11° 7' East
16	00	Leave level Bottom land. bras N + S.
20	00	Set Temp'y 1/16 Sec Cor
37	85	A creek 15 lks wide runs N 20° W.
40	00	Set Temp'y 1/4 Sec Cor.
40	40	A creek 8 lks wide runs SW.
41	10	A creek 10 lks wide runs N 2 -
50	50	A gulch bears N + S.
60	00	Set Temp'y 1/16 Sec Cor.
80	08	Intersect N + S line 57 lks South of 1/4 Sec Cor. from which I run
		S 89° 36' East on a true 1/4 Sec line through Middle of Sec 10 Var 11° 7' East
20	02	Set Charred post 4 ft long. 3 inches wide. 1 ft in ground. in mound 4½ ft at base 2 ft high. Dug 4 Pits 24x24x12 inches for 1/16 Sec Cor -

Township 26 North of Range No 4

40	04	Set Charred Post 4 ft long. 3 inches wide. 1 ft in ground in mound 4½ ft at base. 2 ft high. Dug 4 pits 24 X 24 X 12 inches for ¼ Sec Cor.
60	06	Set charred post 4 ft long 3 inches wide. 1 ft in ground. in mound. 4½ ft at base. 2 ft high. Dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor
80	08	The ¼ Sec Cor on N + S line between Sec. 10 + 11
		Surface: Rolling Prairie + Creek bottom
		Soil: Clay loam 1st Rate
		Suitable for Wheat
		East on a Random 1/16 Sec line through North ½ of Sec 10
		Var 10° 56' East
20	00	Set Temp'y 1/16 Sec Cor
40	00	Set Temp'y 1/16 Sec Cor
60	00	Set Temp'y 1/16 Sec Cor.
65	33	O Creek 15 lks wide runs S 20° W
69	20	Cross Creek 25 lks wide runs N W.

East of the 4th Principal Meridian

70	90	Cross Creek 10 lks wide runs S 30° W
80	14	Enters Sec N + S line 16 lks North of North 1/16 Sec Cor
		from which I run
		N 89° 45' W on a true 1/16 Sec line through North ½ of Sec 10
		Var - 10° 56' East
20	03½	Set Charred post 4 ft long. 3 inches wide - 1 ft in ground in mound 4½ ft at base 2 ft high. Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor
40	07	Set Charred post 4 ft long. 3 inches wide 1 ft in ground. in mound 4½ ft at base 2 ft high. Dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor
60	10½	Set Charred post - 4 ft long. 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high Dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor
80	14	The North 1/16 Sec Cor on N + S line between Sec 9 + 10
		Surface Gently Rolling
		Soil Clay loam 1st Rate good for Wheat

Township 26 North of Range No 7

Chs	Lks	
		West on a random 1/16 Sec line through South 1/2 of Sec 3
		Var 10°50' East
10	20	a Creek 12 lks wide runs S-
20	00	Set Tempy 1/16 Sec Cor
20	00	Leave Creek bottom N+S-
40	00	Set Tempy 1/16 Sec Cor-
60	00	Set Tempy 1/16 Sec Cor
80	39	Intersect N+S line 47 lks South of South 1/16 Sec Cor.
		From which a ran
		S 89°40' E on a true 1/16 Sec line through South 1/2 of Sec 3
		Var 10°50' East
20	06 1/4	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high Dug 4 pits 24 x 24 x 12 inches for 1/16 Sec Cor-
40	16 1/2	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high- Dug 4 pits 24 x 24 x 12 inches for 1/16 Sec Cor

East of the 6th Principal Meridian

60	24 1/2	Set Charred post 4 ft long, 3 inches wide 1 ft in ground. in mound 4 1/2 ft at base. 2 ft high. Dug 4 pits 24 x 24 x 12 inches for 1/16 Sec Cor
80	39	The South 1/16 Sec Cor on N+S line between Sec 2 + 3 -
		Surface: Rolling Prairie + Creek bottom
		Soil, Rich Clay loam 1st Rate
		Suitable for Wheat or Corn
		East on a random 1/4 Sec line through Middle of Sec 3
		Var. 10°25' East
20	00	Set Tempy 1/16 Sec Cor-
40	00	Set Tempy 1/4 Sec Cor-
60	00	Set Tempy 1/16 Sec Cor-
66	70	Creek 20 lks wide runs. South
80	25	Intersect N+S line 52 lks South of 1/4 Sec Cor- From which a ran
		S 89°38' West on a true 1/4 Sec line through Middle of Sec 3

Township 26 North of Range No 7

Chs	Lks	
		Var. 10° 25' East
20	01½	Set Charred Post 4 ft long. 3 inches wide 1 ft in ground. in Mound 4½ ft at base. 2 ft high. Dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor
40	12½	Set Charred Post 4 ft long 3 inches wide 1 ft in ground. in mound 4½ ft at base 2 ft high. Dug 4 pits 24 X 24 X 12 inches for 1/4 Sec Cor
60	18¾	Set Charred Post 4 ft long 3 inches wide 1 ft in ground. in mound 4½ ft at base. 2 ft high. Dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor
80	25	The 1/4 Sec Cor on N & S line between Sec 3 & 4
		Surface. Rolling Prairie Soil. Clay loam 1st Rate Suitable for wheat

East of the 4th Principal Meridian

Chs	Lks	
		West on a random 1/16 Sec line through N ½ of Sec 3
		Var. 10° 50' East
20	00	Set Temp 1/16 Sec Cor
21	92	A creek 20 lks wide runs S 20° E
40	00	Set Temp 1/16 Sec Cor
60	00	Set Temp 1/16 Sec Cor -
80	33	Intersect N & S line at N 1/16 Sec Cor from which I can
		East on a true 1/16 Sec line through N ½ of Sec 3
		Var 10° 50' East
20	08½	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base - 2 ft high Dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor -
40	16½	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base - Dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor -

Township 26 North of Range No 7

Chains	Links	
60	24¾	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high. Dug 4 pits 24×24×12 inches. for 1/16 Sec Cor
80	33	The North 1/16 Sec Cor on N+S. line between Sec 2+3
		Surface, Rolling Prairie Soil, Clay Loam. 1st Rate Suitable for Wheat
		East on a random 1/16 Sec line through South ½ of Sec. 33 Var. 11°55' East
20	00	Set Temp 1/16 Sec Cor.
40	00	Set Temp 1/16 Sec Cor
46	00	Enter Meadow bears N+S
60	00	Set Temp 1/16 Sec Cor.
60	00	Leave meadow bears NE+SW
79	76	Intersect N+S line 66 lks South of south 1/16 Sec Cor from which I ram

East of the 4th Principal Meridian

Chs	Lks	
		S 89° 33' W on a true 1/16 Sec line through South ½ of Sec 33 – Var. 11°55' East
19	94	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high. Dug 4 pits 24×24×12 inches for 1/16 Sec Cor
39	88	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high. Dug 4 pits 24×24×12 inches for 1/16 Sec Cor.
59	82	Set Charred post 4 ft long. 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high. Dug 4 pits 24×24×12 inches for 1/16 Sec Cor
79	76	The South 1/16 Sec Cor on N+S line between Sec. 32+33
		Surface, Rolling Prairie Soil, Clay Loam 1st Rate well adapted to wheat

Township No 6 North of Range No 7

Chs	Lks	
		West on a random 1/4 Sec line through middle of Sec 33 Var. 11°55' East
2	10	a Creek 10 lks wide runs North
20	00	Set Temp'y 1/16 Sec Cor.
40	00	Set Temp'y 1/4 Sec Cor
60	00	Set Temp'y 1/16 Sec Cor.
79	48	Intersect N+S line 5 lks North of 1/4 Sec Cor. From which I ran
		N 89°58' E on a true 1/4 Sec line through middle of Sec 33 Var 11°54' East
19	87	Set Charred post 4 ft long 3 inches wide. 1 ft in ground. in mounded 4½ ft at base. 2 ft high. Dug 4 pits 24 x 24 x 12 inches for 1/16 Sec Cor
39	74	Set Charred post 4 ft long 3 inches wide 1 ft in ground, in mounded 4½ ft at base. 2 ft high. Dug 4 pits 24 x 24 x 12 inches. for 1/4 Sec Cor

East of the 5th Principal Meridian

Chs	Lks	
39	61	Set Charred post 4 ft long 3 inches wide. 1 ft in ground in mounded 4½ ft at base. 2 ft high. Dug 4 pits 24 x 24 x 12 inches for 1/16 Sec Cor.
79	48	The 1/4 Sec Cor on N+S line between Sec 33 + 34. Surface. Fine rolling prairie Soil Clay loam 1st rate good for wheat
		East on a random 1/16 Sec line through N½ of Sec 33 Var. 11°45' East
20	00	Set Temp'y 1/16 Sec Cor
40	00	Set Temp'y 1/16 Sec Cor.
54	80	Enter Creek bottom. bears NE + SW
57	80	Cross Creek 12 lks wide runs SW.
60	00	Set Temp'y 1/16 Sec Cor.
79	00	Leave Creek bottom bears NE + SW
79	40	Intersect N+S line 40 lks. South of North 1/16 Sec Cor. From which I ran

Township 26 North of Range No. 7

		S 89° 43' W on a true 1/16 Sec line through North 1/2 of Sec 33 Var. 11° 45' East
19	85	Set Charred Post 4 ft long 3 inches wide. 1 ft in ground in mound 4½ ft at base. 2 ft high Dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor
39	70	Set Charred post 4 ft long 3 inches wide. 1 ft in ground in mound 4½ ft at base. 2 ft high. Dug 4 pits 24 X 24 X 12 inches. for 1/16 Sec Cor.
59	55	Set Charred Post 4 ft long. 3 inches wide 1 ft in ground. in mound 4½ ft at base. 2 ft high. Dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor.
79	40	The North 1/16 Sec Cor on N + S line between Sec. 32 + 33 Surface, Rolling prairie + Creek bottom Soil Clay loam 1st rate well adapted to wheat

East of the Principal Meridian

Chs	Lks	
		West on a random 1/16 Sec line through South 1/2 of Sec 28 Var. 11° 38' East
20	00	Set Temp'y 1/16 Sec Cor.
40	00	Set Temp'y 1/16 Sec Cor.
60	00	Set Temp'y 1/16 Sec Cor.
79	21	Intersect N + S. line 19 lks North of South 1/16 Sec Cor. from which Ran.
		N 89° 52' E on a true 1/16 Sec line through South 1/2 of Sec 28 Var 11° 38' East
19	80½	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor.
39	60½	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor

Township No 26 North of Range No 7

Chs	lks	
59	40¾	Set charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 4 pits 24 x 24 x 12 inches for 1/16 Sec Cor -
79	21	The South 1/16 Sec Cor. on N + S line between Sec. 27 + 28.
		Surface rolling prairie and creek bottom
		Soil Clay loam 1st rate, good for wheat
		May 31st 1875
		East on a random 1/4 Sec line through middle of Sec 28
		Var 11° 38' East
20	00	Set Tempy 1/16 Sec Cor
40	00	Set Tempy 1/4 Sec Cor -
60	00	Set Tempy 1/16 Sec Cor
79	25	Intersect N + S line 55 lks South of 1/4 Sec Cor
		From which I ran
		S 84° 36' W on a true 1/4 Sec line through middle of Sec 28

East of the 6th Principal Meridian

Chs	lks	
		Var - 11° 38' East
19	81¼	Set charred post 4½ ft long 3 inches wide. 1 ft in ground. in mound 4½ ft at base. 2 ft high - dug 4 pits 24 x 24 x 12 inches for 1/16 Sec Cor
39	62½	Set charred post 4½ ft long 3 inches wide. 1 ft in ground. in mound 4½ ft at base, 2 ft high dug 4 pits 24 x 24 x 12 inches for 1/4 Sec Cor.
59	43¾	Set charred post 4 ft long 3 inches wide 1 ft in ground. in mound 4½ ft at base. 2 ft high. dug 4 pits 24 x 24 x 12 inches for 1/16 Sec Cor
79	25	The 1/4 Sec Cor on N + S line between Sec - 28 + 29
		Surface Rolling prairie
		Soil Clay loam 1st rate
		good for wheat

Township 26 North of Range No 1

Chs	Lks	
		West on a random 1/16 Sec line through North 1/2 of Sec 28. Var. 11° 38 East
20	00	Set Temp'y 1/16 Sec Cor.
40	00	Set Temp'y 1/16 Sec Cor.
60	00	Set Temp'y 1/16 Sec Cor
77	17	Intersect N + S line 7 lks South of North 1/16 Sec Cor. from which I run
		S 89° 57' East on a true 1/16 Sec line through North 1/2 of Sec 28 Var 11° 38' East
19	79¾	Set Charred post 4 ft long. 3 inches wide. 1 ft in ground, in mound 4½ ft at base. 2 ft high. Dig 4 pits 24 X 24 X 12 inches. for 1/16 Sec Cor.
39	59½	Set Charred post 4 ft long 3 inches wide 1 ft in ground, in mound 4½ ft at base. 2 ft high Dig 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor.

East of the 6th Principal Meridian

Chs	Lks	
59	39¾	Set Charred post 4 ft long 3 inches wide. 1 ft in ground in mound 4½ ft at base. 2 ft high. Dig 4 pits 24 X 24 X 12 inches. for 1/16 Sec Cor.
79	17	the North 1/16 Sec Cor. on N + S line between Sec. 27 + 28. Surface Rolling prairie. Soil. Clay loam 1st rate. Good land for Wheat
		East on a random 1/16 Sec line through South 1/2 of Sec 21 Var. 11° 50' East
20	00	Set Temp'y 1/16 Sec Cor.
40	00	Set Temp'y 1/16 Sec Cor.
60	00	Set Temp'y 1/16 Sec Cor.
77	30	Intersect N + S line 58 lks South of South 1/16 Sec Cor. from which I run
		S 89° 35' W on true 1/16 Sec line through South 1/2 of Sec 21

Township 26 North, Range No 7

Chs	Lks	
		Var 11° 50' East
19	82½	Set Charred post 4 ft long, 3 inches wide 1 ft in ground, in mound 4½ ft at base. 2 ft high. Dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor.
39	65	Set Charred post 4 ft long 3 inches wide, 1 ft in ground, in mound 4½ ft at base, 2 ft high. Dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor.
59	47½	Set Charred post 4 ft long 3 inches wide 1 ft in ground, in mound. 4½ ft at base. 2 ft high. Dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor.
79	30	The South 1/16 Sec Cor. on N + S line between Sec 20 + 21.
		Surface, Rolling prairie Soil, Clay loam 1st Rate Good for Wheat

✓ 5/9/08.

East of the 6th Principal Meridian

Chs	Lks	
		West on a random 1/4 Sec line through middle of Sec 21
		Var. 11° 53' East
20	00	Set Temp 1/16 Sec Cor.
38	90	Q. Creek 5 lks wide runs S E
40	00	Set Temp 1/4 Sec Cor –
60	00	Set Temp 1/16 Sec Cor –
79	58	Intersect N + S. line 13 lks South of 1/4 Sec Cor. from which I ran.
		S 89° 54' E on a true 1/4 Sec line through middle of Sec. 21
		Var 11° 53' East
19	89½	Set Charred post 4 ft long 3 inches wide 1 ft in ground, in mound 4½ ft at base. 2 ft high Dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor –
39	79	Set Charred post 4 ft long 3 inches wide, 1 ft in ground, in mound 4½ ft at base, 2 ft high Dug 4 Pits 24 X 24 X 12 inches for 1/4 Sec Cor –

Township No 26 North Range No 7

Chs	Lks	
59	68½	Set Charred Post 4 ft long 3 inches wide 1 ft in ground. in mound 4½ ft at base. 2 ft high. dug 4 pits 24 x 24 x 12 inches for 1/16 Sec Cor.
79	55	The 1/4 Sec Cor on N + S line between Sec 21 + 22 Surface. Rolling prairie Soil. Clay loam 1st rate good for Wheat.
		East on a random 1/16 sec line through N½ of Sec 21 Var 11° 30' East
20	00	Set temp. 1/16 sec Cor
40	00	Set temp 1/16 sec Cor.
60	00	Set temp 1/16 sec Cor.
79	35	Intersect N + S line. 20 lks South of North 1/16 Sec Cor. From which I ran
		S 89° 51' W on a true 1/16 sec line through North ½ of Sec 21

East of the 4th Principal Meridian

Chs	Lks	
		Var 11° 30' East
19	53.24 84	Set Charred Post 4 ft long 3 inches wide 1 ft in ground. in mound 4½ ft at base. 2 ft high. dug 4 pits 24 x 24 x 12 inches for 1/16 sec Cor.
39	67½	Set Charred post 4 ft long 3 inches wide 1 ft in ground. in mound 4½ ft at base. 2 ft high. dug 4 pits 24 x 24 x 12 inches for 1/16 sec Cor.
59	51½	Set Charred P 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 4 pits 24 x 24 x 12 inches for 1/16 sec Cor.
79	35	The North 1/16 Sec Cor on N + S line between Sec 20 + 21 Surface. Rolling prairie Soil Clay loam 1st rate good for Wheat

Township 26 North of Range No 7

Chs	Lks	
		West on a random 1/16 Sec line through South 1/2 of Sec 16 Var. 10° 58' East
20	00	Set Lempry 1/16 Sec Cor -
40	00	Set Lempry 1/16 Sec Cor -
60	00	Set Lempry 1/16 Sec Cor -
79	00	Intersect N+S line 30 lks South of South 1/16 Sec Cor From Which I ran -
		S 89° 41' E. On a true 1/16 Sec line through South 1/2 of Sec 16 Var 10° 58' East.
19	75	Set Charred post 4 ft long 3 inches wide. 1 ft in ground in mound 4 1/2 ft at base. 2 ft high. dug 4 pits 24 X 24 X 12 inches. for 1/16 Sec Cor
39	50	Set Charred post 4 ft long 3 inches wide 1 ft in ground. in mound 4 1/2 ft at base. 2 ft high dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor

East of the 4th Principal Meridian

Chs	Lks	
39	25	Set Charred post 4 ft long. 3 inches wide. 1 ft in ground. in mound 4 1/2 ft at base 2 ft high dug 4 Pits 24 X 24 X 12 inches for 1/16 Sec Cor
79	00	The South 1/16 Sec Cor on N+S line between Sec 15 + 16 Surface. Rolling prairie Soil Clay loam. 2nd rate Suitable for Wheat
		West on a random 1/4 Sec line through Middle of Sec 16 Var 10° 58' East
20	00	Set Lempry 1/16 Sec. Cor -
40	00	Set Lempry 1/4 Sec. Cor -
60	00	Set Lempry 1/16 Sec Cor
79	03	Intersect N+S line 20 lks South of 1/4 Sec Cor. from which I ran -
		S 89° 51' E On a true 1/4 Sec line through Middle of Sec 16 Var 10° 58' East

Township 26 North of Range No 7

Chs	Lks	
19	7.5 1/4 ~~76~~	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base - 2 ft high. Dug 4 Pits 24x24x12 inches for 1/16 Sec Cor.
39	51½	Set Charred post 4 ft long 3 inches wide 1 ft in ground. in mound 4½ ft at base. 2 ft high. dug 4 pits 24x24x12 inches for 1/4 Sec Cor.
59	27¼	Set Charred post 4 ft long 3 inches wide. 1 ft in ground in mound 4½ ft at base. 2 ft high. Dug 4 pits 24x24x12 inches for 1/16 Sec Cor.
79	03	The 1/4 Sec Cor on N+S line between Sec. 15+16 Surface Rolling Prairie Soil. Clay loam 1st rate good for wheat

East of the 6th Principal Meridian

Chs	Lks	
		West on a random 1/16 Sec line through North ½ of Sec 16
		Var 10°53' East
20	00	Set Temp'y 1/16 Sec Cor.
38	04	A Drain Water in holes. 7 lks wide bears N+S
40	00	Set Temp'y 1/16 Sec Cor
60	00	Set Temp'y 1/16 Sec Cor.
79	14	Intersect N+S line 22 lks South of North 1/16 Sec Cor. from which Pran
		S 89°51' E on a true 1/16 Sec line through N ½ of Sec 16.
		Var 10°53' East
19	78½	Set Charred post 4 ft long, 3 inches wide 1 ft in ground in mound. 4½ ft at base 2 ft high - dug 4 pits 24x24x12 inches for 1/16 Sec Cor.
39	57	Set Charred post 4 ft long 3 inches wide 1 ft in ground. in mound 4½ ft at base 2 ft high - dug 4 Pits 24x24x12 inches for 1/16 Sec Cor.

Township No 26 North Range No 7

Chs	Lks	
59	34½	Set Charred post 4 ft long 3 inches wide. 1 ft in ground in mound 4½ ft at base. 2 ft high. dug 4 pits 24x24x12 inches for 1/16 Sec Cor
79	14	The North 1/16 Sec Cor on N+S line between Sec 15+16
		Surface. Rolling prairie
		Soil Clay loam 1st Rate
		Good for Wheat
		East on a random 1/16 Sec line through South ½ of Sec 9
		Var. 11°12' East
20	00	Set Tempy 1/16 Sec Cor
40	00	Set Tempy 1/16 Sec Cor
42	00	Drain. water in holes 100 lks wide bears N+S
60	00	Set Tempy 1/16 Sec Cor
79	33	Intersect N+S line 50 lks South of South 1/16 Sec Cor from which Gran
		S89°39'W on a true 1/16 Sec line through South ½ of Sec 9

East of the 6th Principal Meridian

Chs	Lks	
		Var 11°12' East
19	83¼	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high. dug 4 pits 24x24x12 inches for 1/16 Sec Cor
39	66½	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high. dug 4 pits 24x24x12 inches for 1/16 Sec Cor
59	49¾	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high. dug 4 pits 24x24x12 inches for 1/16 Sec. Cor
79	33	The South 1/16 Sec Cor on N+S line between Sec 8+9
		Surface Rolling prairie
		Soil Clay loam 1st Rate
		Good for Wheat

Township 26 North of Range No 7

Chs	Lks	
		West on a random 1/4 Sec line through middle of Sec 9 Var. 10°50' East
20	00	Set temp'y 1/16 Sec Cor
30	25	Q Creek 12 lks wide runs N20°E
40	00	Set Temp'y 1/4 Sec Cor.
60	00	Set Temp'y 1/16 Sec Cor.
68	20	Q Creek 2 lks wide runs N.
79	75	Intersect N+S line 28 lks South of 1/4 Sec Cor. from which I run
		S 89°48' East on a true 1/4 Sec line through middle of Sec 9 Var 10°50' East
19	93 3/4 / 94	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound. 2 ft high. 4½ ft at base. Dug 4 pits 24x24 12 inches for 1/16 Sec Cor.
39	81½	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high. Dug 4 pits 24x24x12 inches for 1/4 Sec Cor.

East of the 6th Principal Meridian

79	75	The 1/4 Sec Cor on N+S line between Sec 9 + 10 Surface Rolling prairie Soil Clay loam 1st Rate good for wheat. June 3rd 1875
		East on a random 1/16 Sec line through N ½ of Sec 9 Var 10°58' East
20	00	Set Temp'y 1/16 Sec Cor.
40	00	Set Temp'y 1/16 Sec Cor.
55	54	Q Creek 8 lks wide runs S80°W.
60	00	Set Temp'y 1/16 Sec Cor
79	37	Intersect N+S line 9 lks North of N 1/16 Sec Cor. from which I run
		N 89°56' W on a true 1/16 Sec line through N ½ of Sec 9 Var. 10°58' East

Township No 26 North of Range No 7

Chs	Lks	
19	84½	Set Charred post 4 ft long 3 inches wide. 1 ft in ground in mound 4½ ft at base. 2 ft high. dug 4 pits 24 x 24 x 12 inches for 1/16 Sec Cor
39	68½	Set Charred post 4 ft long 3 inches wide. 1 ft in ground in mound 4½ ft at base. 2 ft high. dug 4 pits 24 x 24 x 12 inches for 1/16 Sec Cor
59	52½	Set Charred post 4 ft long 3 inches wide. 1 ft in ground in mound. 4½ ft at base. 2 ft high. dug 4 pits 24 x 24 x 12 inches for 1/16 Sec Cor-
79	87	Intersect N 1/16 Sec Cor- on N & S line between Sec 8 & 9
		Surface pretty rolling Soil Clay loam - 1st rate good for wheat

East of the 6th Principal Meridian

Chs	Lks	
		West on a random 1/16 Sec line through S ½ of Sec 4 Var 10° 45' East
20	00	Set Temp 1/16 Sec Cor-
30	20	a creek 15 lks wide runs S 25° E
40	00	Set Temp 1/16 Sec Cor-
60	00	Set Temp 1/16 Sec Cor-
79	90	Intersect N & S line 55 lks S of South 1/16 Sec Cor. from which 2 pos.
		S 89° 36' E on true 1/16 Sec line through South ½ of Sec 4 Var 10° 45' East
19	97½	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high. dug 4 pits 24 x 24 x 12 inches for 1/16 Sec Cor-
39	95	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 4 pits 24 x 24 x 12 inches for 1/16 Sec Cor-

Township 26 North of Range No 7

Chs	Lks	
59	92½	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 4 pits 24X24X12 inches for 1/16 Sec Cor
79	90	The South 1/16 Sec Cor. on N + S. line between Sec 3 + 4. Surface Rolling prairie Soil Clay loam. 1st Rate except on top of ridge good for wheat
		East on a random 1/4 Sec line through middle of Sec 4 Var 10° 22' East
20	00	Set Temp 1/16 Sec Cor
40	00	Set Temp 1/4 Sec Cor
60	00	Set Temp 1/16 Sec Cor
80	12	Intersect N + S. line 22 lks S. of 1/4 Sec Cor. from which Bran
		S 89° 57' W on a true 1/4 Sec line through middle of Sec 4

East of the 6th Principal Meridian

Chs	Lks	
		Var 10° 22' East
20	03	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 4 pits 24X24X12 inches for 1/4 Sec Cor
40	06	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high. dug 4 pits 24X24X12 inches for 1/4 Sec Cor
60	09	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high. dug 4 pits 24X24X12 inches for 1/16 Sec Cor
80	12	The 1/4 Sec Cor on N + S line between Sec 4 + 5 Surface Rolling prairie Soil Clay loam 1st Rate good for wheat

Township 26 North of Range 7

Chs	Lks	
		West on a random 1/16 Sec line through North ½ of Sec 4 Var. 10°30' East
20	00	Set Tempy 1/16 Sec Cor
40	00	Set Tempy 1/16 Sec Cor
60	00	Set Tempy 1/16 Sec Cor
80	35	Intersect N + S line 86 lks. South of North 1/16 Sec Cor from which I ran
		S 89°23' E on a true 1/16 Sec line through North ½ of Sec 4 Var 10°30' East
20	08¾ 08	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor
40	17½ 18	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor

East of the 6th Principal Meridian

60	27½	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor.
80	35	The North 1/16 Sec Cor on N + S line between Sec 3 + 4. Surface Rolling Prairie Soil Clay loam 1st rate good for Wheat June 4th 1875
		West on a random 1/16 Sec line through S ½ of Sec 32 Var. 11°55' East
20	00	Set Tempy 1/16 Sec Cor
40	00	Set Tempy 1/16 Sec Cor
47	00	Enter Meadow land bears N + S
53	00	Leave Meadow land bears N + S.
60	00	Set Tempy 1/16 Sec Corner
80	12	Intersect N + S line 5 lks North of South 1/16 Sec Cor from which I ran

Township 26 North of Range No 7

Chs	Lks	
		N 89° 58' E on a true 1/16 Sec line through South 1/2 of Sec 32 Var. 11° 55' East
20	03	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high Dug 4 pits 24 X 24 X 12 inches. for 1/16 Sec Cor
40	06	Set Charred post 4 ft long 3 inches wide. 1 ft in ground in mound 4½ ft at base 2 ft high - Dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor -
60	09	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound. 4½ ft at base. 2 ft high dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor -
80	12	the South 1/16 Sec Cor on N + S. line between Sec 32 + 33 Surface. Rolling Soil Clay loam 1st rate

East of the 5th Principal Meridian

Chs	Lks	
		East on a random 1/4 Sec line through middle of Sec. 32, Var. 11° 55' East
20	00	Set Temp 1/16 Sec Cor.
34	00	Enter Meadow land bears N + S.
40	00	Set Temp 1/4 Sec Cor -
48	00	Leave Meadow land bears N + S.
60	00	Set Temp 1/16 Sec Cor.
80	44	Intersect N + S line 19 lks South of 1/4 Sec Cor. from which I ran
		S 89° 52' W on a true 1/4 Sec line through middle of Sec 32 Var 11° 55' East
20	11	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high. dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor.
40	22	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high Dug 4 pits 24 X 24 X 12 inches for 1/4 Sec Cor -

Township No 26 North of Range No 7

Chs	Lks	
60	33	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base, 2 ft high, dug 4 pits 24×24×12 inches for 1/16 Sec Cor.
80	44	The 1/4 Sec Cor on N+S line between Sec 31+32
		Surface. Rolling
		Soil Clay loam 1st rate
		Good for Wheat and hay
		West on a random 1/16 Sec line through North ½ of Sec 32
		Var 11° 55' East
12	05	Enter Meadow land. bears NE+SW
19	60	Creek water in holes 12 lks wide bears N+S, 60° W
20	00	Set Tempy 1/16 Sec Cor
27	00	Leave Meadow land. bears NE+SW
40	00	Set Tempy 1/16 Sec Cor
60	00	Set Tempy 1/16 Sec Cor
80	26	Intersect N+S line 16 lks North of North 1/16 Sec Cor
		From which Pran

East of the 6th Principal Meridian

Chs	Lks	
		N 89° 53' E on a true 1/16 Sec line through North ½ of Sec 32
		Var. 11° 55' East
20	06½	Set Charred post 4 ft long 3 inches wide. 1 ft in ground in mound 4½ ft at base 2 ft high dug 4 pits 24×24×12 inches for 1/16 Sec Cor
40	13	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 4 pits 24×24×12 inches for 1/16 Sec Cor.
60	19½	Police Con in creek, 10 lks South Set Charred post 4 ft long 3 inches wide. 1 ft in ground in mound 4½ ft at base. 2 ft high. dug 4 pits 24×24×12 inches for Witness Corner to 1/16 Sec Corner
80	26	The North 1/16 Sec Cor on N+S line between Sec 32+33
		Surface. Rolling prairie
		Soil Clay loam 1st rate
		Good for wheat

Township 26 North of Range No 7

Chs	Lks	
		East on a random 1/16 Sec line Through S 1/2 of Sec 29. Var. 11°45' East
20	00	Set Temp 1/16 Sec Cor.
40	00	Set Temp 1/16 Sec Cor.
60	00	Set Temp 1/16 Sec Cor.
69	50	Enter Meadow land. bears N+S.
76	00	Leave Meadow land bears N+S.
80	20	Intersect N+S line 62 lks South of South 1/16 Sec Cor. from which 2 ran.
		S 89°33' W on a true 1/16 sec line Through South 1/2 of Sec. 29 Var 11°40' East
20	05	Set Charred post 4 ft long, 3 inches wide 1 ft in ground in mound 4 1/2 ft at base. 2 ft high. dug 4 pits 24x24x12 inches for 1/16 Sec Cor.
40	00.	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4 1/2 ft at base. 2 ft high. dug 4 pits 24x24x12 inches for 1/16 Sec Cor

East of the 6th Principal Meridian

Chs	Lks	
60	15	Set Charred post 4 ft long, 3 inches wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high dug 4 pits 24x24x12 inches for 1/16 Sec Cor.
80	20	The South 1/16 Sec cor on N+S line between Sec 29+30 Surface rolling prairie Soil Clay loam 1st class Good for Wheat and Corn.
		West on a random 1/4 Sec line Through Middle of Sec 29 Var 12° East
20	00	Set Temp 1/16 Sec Cor
32	00	Enter Meadow land bears N+S
40	00	Set Temp 1/4 Sec Cor
40	30	Leave Meadow land bears N+S
60	00	Set Temp 1/16 Sec Cor.
79	86	Intersect N+S line 45 lks North of 1/4 Sec Cor. from which 2 ran

Township No 26 North of Range No 4

Chs	Lks	
		N 89° 41' E on a true 1/4 Sec line through middle of Sec. 29 Var. 12° East.
19	90½	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 4 pits 24 x 24 x 12 inches for 1/16 Sec cor.
39	93	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high dug 4 pits. 24 x 24 x 12 inches for 1/4 Sec. Cor.
59	89½	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound. 4½ ft at base. 2 ft high dug 4 pits 24 x 24 x 12 inches for 1/16 Sec Cor.
79	86	The 1/4 Sec Cor on N + S line between Sec. 28 & 29.
		Surface Rolling. Soil. Clay loam 1st Rate good for Wheat and hay

East of the 6th Principal Meridian

Chs	Lks	
		East on a random 1/16 Sec line through North ½ of Sec 29 Var. 12° 8' East
19	00	Enter Meadow land bears N + S.
20	00	Set Temp 1/16 Sec Cor.
36	00	Leave Meadow bears N + S.
40	00	Set Temp 1/16 Sec Cor.
60	00	Set Temp 1/16 Sec Cor.
79	49	Intersect N + S line 19 lks. North of North 1/16 Sec Cor. From Which I Ran
		N 89° 42' W on a true 1/16 Sec line through North ½ of Sec 29 Var 12° 8' East
19	87½	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high. dug 4 pits 24 x 24 x 12 inches for 1/16 Sec Cor
39	74½	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high. dug 4 pits 24 x 24 x 12 inches for 1/16 Sec Cor.

Township No 26 North of Range No 7

Chs	Lks	
59	61¾	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high. dug 4 pits 24 x 24 x 12 inches for 1/16 Sec Cor.
79	44	The North 1/16 Sec Cor on N + S line between Sec 29 + 30 Surface Rolling Soil Clay loam 1st rate good for Wheat
		West on a random 1/16 Sec line through South ½ of Sec 20 Var 12°29' East, by sight
20	00	Set temp 1/16 Sec Cor.
40	00	Set temp 1/16 Sec Cor
55	80	Enter Meadow land bears N + S.
58	00	Leave Meadow land bears N + S.
60	00	Set temp 1/16 Sec Cor.
79	53	Intersect N + S line at South 1/16 Sec Cor.
		From which I ran

East of the 4th Principal Meridian

		East on a line 1/16 Sec line through South ½ of Sec 20 Var 12°29' East
19	88¾	Set charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high. dug 4 pits 24 x 24 x 12 inches for 1/16 Sec Cor.
39	76½	Set Charred post 4 ft long 3 inches wide. 1 ft in ground. in mound 4½ ft at base 2 ft high dug 4 pits 24 x 24 x 12 inches for 1/16 Sec Cor.
59	64¾	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high. dug 4 pits 24 x 24 x 12 inches for 1/16 Sec Cor
79	53	The South 1/16 Sec Cor on N + S line between Sec. 20 + 21 Surface Rolling Soil Clay loam 1st rate good for Wheat.

Township No 6 North of Range No 17

Chs	Lks	
		East on a random 1/4 Sec line through middle of Sec 20 Var 12° 30' East by sight
20	00	Set temp. 1/16 Sec Cor
40	00	Set temp. 1/4 Sec Cor
60	00	Set temp. 1/16 Sec Cor -
79	13	Intersect N + S line at 1/4 Sec Cor - from which I ran
		West on a true 1/4 Sec line through middle of Sec 20 Var 12° 30' East
19	78 1/2	Set charred post 4 ft long 3 inches wide. 1 ft in ground. in mound 4 1/2 ft at base. 2 ft high - Dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor -
39	56 1/2	Set charred post 4 ft long 3 inches wide 1 ft in ground in mound 4 1/2 ft at base. 2 ft high Dug 4 pits 24 X 24 X 12 inches for 1/4 Sec. Cor

East of the 5th Principal Meridian

Chs	Lks	
59	34 3/4	Set charred post 4 ft long 3 inches wide 1 ft in ground. in mound 4 1/2 ft at base. 2 ft high Dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor -
79	13	The 1/4 Sec Cor on N + S line between Sec. 19 + 20 Surface Rolling Soil Clay loam. 1st rate good for wheat
		West on a random 1/16 Sec line through North 1/2 of Sec 20 Var 12° 45' East. by sight
20	00	Set temp. 1/16 Sec Cor.
40	00	Set temp. 1/16 Sec Cor.
60	00	Set temp. 1/16 Sec Cor
79	12	Intersect N + S line at N 1/16 Sec Cor. from which I ran
		East on a true 1/16 Sec line through North 1/2 of Sec 20

Township No 6 North of Range No 7

Chs	Lks	
		Var. 12° 45' East
19	78	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor.
39	56	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor
59	34	Set Charred post 4 ft long, 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor.
79	12	The North 1/16 Sec cor on N & S line between Sec. 20 & 21
		Surface Rolling Soil Clay loam 1st rate good for wheat

East of the Principal Meridian

Chs	Lks	
		East on a random 1/16 Sec line through South ½ of Sec 17 Var 12° 40' East
20	00	Set temp 1/16 Sec Cor.
40	00	Set temp 1/16 Sec Cor.
72	00	Enter Slough bears N & S.
46	75	Leave Slough bears N & S.
60	00	Set temp 1/16 Sec Cor.
64	50	Enter Slough bears N 60° W & S 2.
71	50	Leave Slough bears N & S
79	24	Intersect N & S line 26 lks South of South 1/16 Sec Cor.
		From which I run
		S 89° 49' W on a true 1/16 Sec line through South ½ of Sec 17 Var 12° 40' East
19	81	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high dug 4 pits 24 X 24 X 12 for 1/16 Sec Cor

Township 26, North of Range No 7

Chs	Lks	
39	62	Set Charred post 4 ft long 3 inches wide. 1 ft in ground in mound 4½ ft at base. 2 ft high dug 4 pits 24 x 24 x 12 inches for 1/16 sec Cor.
59	48	Set Charred post 4 ft long 3 inches wide 1 ft. in ground in mound 4½ ft at base 2 ft high dug 4 pits 24 x 24 x 12 inches for 1/16 sec Cor.
79	24	The South 1/16 Sec Cor on N + S line between Sec 17 + 18
		Surface Rolling
		Soil Clay loam 1st rate
		Good for wheat
		West on a random 1/4 Sec line through middle of sec 17. Var 12° 50' East
20	00	set Empty 1/16 Sec Cor.
31	00	a drain 4 lks wide runs N
40	00	Set Empty 1/4 Sec Cor.
60	00	Set Empty 1/16 Sec Cor.
67	86	a drain 4 lks wide runs N

East of the 6th Principal Meridian

Chs	Lks	
79	65	Intersect N + S line at 1/4 sec Cor. From which Bran
		East on a true 1/4 Sec line through middle of sec 17 Var. 12° 50' East
19	91¼	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 4 pits 24 x 24 x 12 inches for 1/16 sec Cor
39	83½	Set Charred post 4 ft long 3 inches wide. 1 ft in ground in mound 4½ ft at base. 2 ft high dug 4 pits 24 x 24 x 12 inches for 1/4 Sec Cor
59	73¾	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high dug 4 pits 24 x 24 x 12 inches for 1/16 sec Cor
79	65	The 1/4 sec Cor on N + S line between Sec 16 + 17
		Surface very Rolling
		Soil clay loam 1st rate except on top of ridges. Good for grazing

Township 6 North of Range No 7

Chs	Lks	
		East on a random 1/16 Sec line through North 1/2 of Sec 17 Var. 12°50' East
20	00	Set Temp'y 1/16 Sec Cor
40	00	Set Temp'y 1/16 Sec Cor
40	83	a drain 10 lks wide runs N.
60	00	Set Temp'y 1/16 Sec Cor
79	41	Intersect N + S line 8 lks South of North 1/16 Sec line from which Ream.
		S 89°57' W on a true 1/16 Sec line through North 1/2 of Sec 17 Var 12°50' East
14	85½	Set Charred post 4 ft long 8 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high. dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor.
39	70½	Set Charred post 4 ft long 8 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor

East of the 6th Principal Meridian

Chs	Lks	
59	5-8½	Set Charred post 4 ft long 8 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor
79	41	The North 1/16 Sec Cor on N + S line between Sec 17 + 18 Surface very rolling Soil Clay loam 1st Rate except on top of bluffs good for Wheat.
		West on a random 1/16 Sec line through S 1/2 of Sec 8 Var. 12°50' East
20	00	Set Temp'y 1/16 Sec Cor
40	00	Set Temp'y 1/16 Sec Cor
47	50	Dry drain. 50 lks wide bears N 45° E + S 15° W
60	00	Set Temp'y 1/16 Sec Cor
79	41	Intersect N + S line 56 lks South of South 1/16 Sec Cor. from which Ream

Township No 26 North of Range No 7

Chs	Lks	
		S 89° 23' E on a true 1/16 Sec line through South 1/2 of Sec 8 Var. 12° 50' East
19	85¼	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high, dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor.
39	70½	Set Charred Post 4 ft long 3 inches wide 1 ft in ground, in mound 4½ ft at base. 2 ft high dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor
59	55¾	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base, 2 ft high dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor
79	41	The South 1/16 Sec Cor on N + S line between Sec 8 + 9 Surface very rolling Soil clay loam 1st rate except on tops of ridges Good for grazing June 5th 1875

East of the 6th Principal Meridian

Chs	Lks	
		East on a random 1/4 Sec line through middle of Sec 8 Var. 12° 15' East
20	00	Set Temp 1/16 Sec Cor.
40	00	Set Temp 1/4 Sec Cor
40	20	A dry Creek 10 lks wide bears N 15° E + S 15° W
60	00	Set Temp 1/16 Sec Cor.
79	29	Intersect N + S line 70 lks. South of 1/4 Sec Cor from which I ran.
		S 89° 30' W on a true 1/4 Sec line through middle of Sec 8 Var 12° 15' East
19	82¼	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high. dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor
39	64½	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high. dug 4 pits 24 X 24 X 12 inches for 1/4 Sec Cor

Township 26 North Range No 7

Chs	lks	
59	45½	Set charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high. dug 4 pits 24 x 24 x 12 inches for 1/16 Sec Cor -
79	29	The 1/4 Sec Cor on N + S line between Sec. 7 + 8 Surface Rolling Soil Clay loam. 1st rate Good for wheat
		West on a random 1/16 Sec line through N½ of Sec 8 Var. 12° E
5	20	a creek 12 lks wide runs S E.
20	00	Set temp 1/16 Sec Cor -
33	80	Creek water in holes. 10 lks wide Runs N + S
40	00	Set temp 1/16 Sec Cor
60	00	Set temp 1/16 Sec Cor
79	44	Intersect N + S line 65 lks. South of North 1/16 Sec Cor. from which pr ram

East of the Principal Meridian

		S 89° 32' E on a true 1/16 Sec line through North ½ of Sec 8 Var. 12° E.
19	86	Set charred post 4 ft long 3 inches wide. 1 ft in ground in mound 4½ ft at base 2 ft high. dug 4 pits 24 x 24 x 12 inches for 1/16 Sec Cor
39	72	Set charred post 4 ft long 3 inches wide. 1 ft in ground in mound 4½ ft at base 2 ft high. dug 4 pits 24 x 24 x 12 inches for 1/16 Sec Cor
59	58	Set charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 4 pits 24 x 24 x 12 inches for 1/16 Sec Cor -
79	44	The North 1/16 Sec cor on N + S line between Sec - 8 + 9 Surface - very rolling Soil Clay loam 1st rate 200 broken for culture Best for grazing

Township No 6 North of Range No 7

Chs	Lks	
		West on a random 1/16 Sec line through S 1/2 of Sec 5 Var. 12°25' East
20	00	Set temp'y 1/16 Sec Cor
20	25	Drain water in holes. 5 lks wide bears N 20° W. + S.
40	00	Set temp'y 1/16 Sec Cor -
60	00	Set temp'y 1/16 Sec Cor -
79	44	Intersect N + S line 110 lks. South of South 1/16 Sec Cor from which I ran
		S 89°13' E on a true 1/16 Sec line through South 1/2 of Sec 5 Var 12°25' East
19	86	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high. dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor
39	72	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high. dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor

East of the 4th Principal Meridian

Chs	Lks	
59	58	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high. dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor
79	44	The South 1/16 Sec Cor on N + S line between Sec. 4 + 5 Surface. Rolling Soil Clay Loam 1st rate Good for Wheat
		East on a random 1/4 Sec line through middle of Sec 5 Var 12°45' East
20	00	Set temp'y 1/16 Sec Cor
40	00	Set temp'y 1/4 Sec Cor
60	00	Set temp'y 1/16 Sec Cor -
79	44	Intersect N + S line 30 lks South of 1/4 Sec Cor from which I ran
		S 89°47' W on a true 1/4 Sec line through middle of Sec 5

Township 26 North of Range No 7

Chs	Lks	
		Var 12°45' East
19	83½	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor
39	74½	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 4 pits 24 X 24 X 12 inches for 1/4 Sec Cor
59	61½	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor -
79	49	The 1/4 Sec cor on N + S line between Sec. 5 + 6
		Surface very rolling Soil Clay loam 2nd rate best for grazing

East of the 4th Principal Meridian

Chs	Lks	
		West on a random 1/16 Sec line through North 1/2 of Sec 5 Var. 11°40' East
20	00	Set temp 1/16 Sec Cor
40	00	Set temp 1/16 Sec Cor
60	00	Set temp 1/16 Sec Cor
79	73	Intersect N & S line 45 lks North of North 1/16 Sec Cor from which I ran
		N 89°41' E on a true 1/16 Sec line through North 1/2 of Sec 5 Var 11°40' East
19	93½	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 1½ ft at base 2 ft high dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor
39	86½	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor.

Township 26 North of Range No 7

Chs	Lks	
59	79 3/4	Set Charred Post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 4 pits 24x24x12 inches for 1/16 Sec Cor
79	38	The North 1/16 Sec Cor on N & S line between Sec 4 & 5
		Surface rolling
		Soil clay loam 1st rate
		good for wheat
		West on a random 1/16 Sec line through the South ½ of Sec 31
		Var 11°55' East
20	00	Set temporary 1/16 Sec Cor
40	00	Set temporary 1/16 Sec Cor
60	00	Set temporary 1/16 Sec. Cor.
80	04	Intersect West boundary of Township 28 Lks North of South 1/16 Sec Cor from which Iram
		N 89°48' E on a true 1/16 Sec line through South ½ of Sec 31

East of the 5th Principal Meridian

Chs	Lks	
		Var 11°55' East
20	04	Set Charred post 4 ft long 3 inches wide, 1 ft in ground in mound 4½ ft at base. 2 ft high, dug 4 pits 24x24x12 inches. for 1/16 Sec Cor
40	04	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high. dug 4 pits 24x24x12 inches for 1/16 Sec Cor
60	04	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 4 pits 24x24x12 inches for 1/16 Sec Cor.
80	04	The South 1/16 Sec Cor on N & S line between Sec 31 & 32
		Surface rolling prairie
		Soil clay loam 1st rate
		good for wheat

Township 6 North of Range No 7

Chs	Lks	
		West on a random 1/4 Sec line through middle of Sec 31 Var. 11°55' East
20	00	Set Temp 1/16 Sec Cor
31	87	Enter Meadow land bears N+S
40	00	Set Temp 1/4 Sec Cor
40	57	Leave Meadow land bears N+S
60	00	Set Temp 1/16 Sec Cor
79	87	Intersect West boundary of Township 39 lks North of 1/4 Sec Cor from which Pran
		N 84°43' E on a true 1/4 Sec line through middle of Sec 31 Var 11°55' East
19	87	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor
39	87	Set charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base, 2 ft high dug 4 pits 24 X 24 X 12 inches for 1/4 Sec Cor

East of the 5th Principal Meridian

Chs	Lks	
59	87	Set charred post 4 ft long 3 inches wide 1 ft in ground, in mound 4½ ft at base 2 ft high, dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor.
79	87	The 1/4 Sec Cor on N+S line between Sec 31 + 32 Surface rolling prairie Soil clay loam 1st rate Best for wheat or hay
		West on a random 1/16 Sec line through North ½ of Sec 31 Var 11°55' East
20	00	Set Temp 1/16 Sec Cor
40	00	Set Temp 1/16 Sec Cor
60	00	Set Temp 1/16 Sec Cor
80	33	Intersect West boundary of Township 5 lks North of North 1/16 Sec Cor from which Pran
		N 89° 58' E on a true 1/16 Sec line through North ½ of Sec 31

Township 6 North of Range No 7

Chs	Lks	
		Var 11°45' East
20	33	Set Charred post 4 ft long 3 inches wide, 1 ft in ground in mound 4½ ft at base. 2 ft high. dug 4 pits 24x24x12 inches for 1/16 Sec Cor
40	33	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base, 2 ft high. dug 4 pits 24x24x12 inches for 1/16 Sec Cor.
60	33	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high. dug 4 pits 24x24x12 inches, for 1/16 Sec Cor
80	33	The North 1/16 Sec Cor on N & S line between Sec 31 & 32
		Surface rolling prairie Soil Clayloam 1st rate good for wheat -

East of the 6th Principal Meridian

Chs	Lks	
		West on a random 1/16 Sec line through South ½ of Sec 30
		Var. 11°55' East
20	00	Set temporary 1/16 Sec Cor.
40	00	Set temporary 1/16 Sec Cor.
60	00	Set temporary 1/16 Sec Cor.
80	57	Intersect West boundary of Township 39 lks North of South 1/16 Sec Cor. from which I ran.
		N 89°43' East on a true 1/16 Sec line through South ½ of Sec 30
		Var. 11°55' East
20	57	Set Charred post 4 ft long 3 inches wide, 1 ft in ground. in mound 4½ ft at base. 2 ft high. dug 4 pits 24x24x12 inches for 1/16 Sec Cor -
40	57	Set Charred post 4 ft long 3 inches wide. 1 ft in ground in mound 4½ ft at base. 2 ft high. dug 4 pits 24x24x12 inches for 1/16 Sec Cor.

Township 26 North Range No 7

60	57	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high. dug 4 pits 24x24x12 inches for 1/16 Sec Cor-
80	57	The South 1/16 Sec Cor on N+S line between Sec. 29+30 Surface rolling, Soil 1st rate but for wheat.
		West on a random 1/4 sec line through middle of Sec 30 Var. 11° 55' East
20	00	Set Temporary 1/16 Sec Cor.
40	00	Set Temporary 1/4 Sec Cor
60	00	Set Temporary 1/16 Sec Cor.
80	46	Intersect West boundary of township 30 lks North of 1/4 Sec Cor.
		From which I ran
		N 89°47' on a true 1/4 sec line through middle of Sec 30 Var. 11° 55 East

East of the 6th Principal Meridian

20	46	Set Charred post 4 ft long 3 inches wide. 1 ft in ground 1 in mound 4½ ft at base. 2 ft high. dug 4 pits 24x24x12 inches for 1/16 Sec Cor.
40	46	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high. dug 4 pits 24x24x12 inches for 1/4 Sec Cor.
60	46	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high. dug 4 pits 24x24x12 inches for 1/16 Sec Cor.
80	46	The 1/4 Sec Cor on N+S line between Sec. 29+30 Surface. gently rolling Soil Clay loam 1st rate good for wheat

Township 26 North Range No 7

Chs	Lks	
		West on a random 1/16 Sec line through North 1/2 of Sec 30 Var 12°18' East
20	00	Set Temp'y 1/16 Sec Cor.
40	00	Set Temp'y 1/16 Sec Cor.
60	00	Set Temp'y 1/16 Sec Cor.
80	49	Intersect West boundary of Township 52 lks. North of North 1/16 Sec Cor. From which Trees
		N 89°38' E. on a true 1/16 Sec line through North 1/2 of Sec 30 Var 12° 18' East
20	49	Set Charred post 4 ft long, 3 inches wide 1 ft in ground in mound 4½ ft at base, 2 ft high. dug 4 pits 24 x 24 x 12 inches for 1/16 Sec. Cor.
40	49	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound. 4½ ft at base, 2 ft high. dug 4 pits 24 x 24 x 12 inches. for 1/16 Sec Cor.

East of the 6th Principal Meridian

Chs	Lks	
60	49	Set Charred post 4 ft long 3 inches wide, 1 ft in ground in mound 4½ ft at base. 2 ft high. dug 4 pits 24 x 24 x 12 inches. for 1/16 Sec Cor.
80	49	The North 1/16 Sec Cor on N & S line between Sec 29 & 30. Surface gently rolling Soil. clay loam 1st class good for Wheat
		West on a random 1/16 Sec line through South 1/2 of Sec 19 Var. 11°42' E.
16	75	Enter Meadow. land bears N & S
20	00	Set Temp'y 1/16 Sec Cor.
21	00	Leave meadow bears N & S
40	00	Set Temp'y 1/16 Sec Cor.
60	00	Set Temp'y 1/16 Sec Cor.
80	42	Intersect West boundary of Township 19 lks North of South 1/16 Sec Cor. From which Trees

Township 26 North Range No 7

Chs	Lks	
		N 89°52' E on a true 1/16 Sec line through South 1/2 of Sec 19 Var 11°42' East
20	42	Set Charred post 4 ft long 3 inches wide. 1 ft in ground in mound 4 1/2 ft at base, 2 ft high Dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor
40	42	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4 1/2 ft at base, 2 ft high Dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor -
60	42	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high. Dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor
80	42	The South 1/16 Sec Cor on N + S. line between Sec. 19 + 20 Surface Rolling Soil Clay loam - Good for wheat

East of the 4th Principal Meridian

Chs	Lks	
		West on a random 1/4 Sec line through middle of Sec 19 Var. 11°42' East
20	00	Set Temp 1/16 Sec Cor -
40	00	Set Temp 1/4 Sec Cor
60	00	Set Temp 1/16 Sec Cor
80	40	Intersect West boundary of Township 16 lks South of 1/4 Sec Cor. from which a ran.
		S 89°52' E on a true 1/4 Sec line through middle of Sec 19 Var 11°42' East
20	40	Set Charred post 4 ft long 3 inches wide. 1 ft in ground in mound 4 1/2 ft at base. 2 ft high dug 4 pits 24 X 24 X 12 inches for 1/16 Sec Cor -
40	40	Set Charred post 4 ft long 3 inches wide. 1 ft in ground in mound 4 1/2 ft at base, 2 ft high dug 4 pits 24 X 24 X 12 inches for 1/4 Sec Cor -

Township No 26 North of Range No 7

Chs	Lks	
60	40	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 4 pits 24×24×12 inches for 1/16 sec cor.
80	40	The ¼ sec cor on N+S line between sec 19+20 Surface rolling Soil clay loam. 1st rate best for wheat
		West on a random 1/16 sec line through North ½ of sec 19 Var 12°45' East
20	00	Set Tempy 1/16 sec cor
40	00	Set Tempy 1/16 sec cor.
60	00	Set Tempy 1/16 sec cor.
80	46	Intersect West boundary of township 52 lks South of North 1/16 sec cor. From which Fran

East of the 6th Principal Meridian

Chs	Lks	
		S 89°38' E on a true 1/16 sec line through North ½ of sec 19 Var. 12°45' East
20	46	Set Charred post 4 ft long 3 inches wide. 1 ft in ground in mound. 4½ ft at base 2 ft high. dug 4 pits 24×24×12 inches for 1/16 sec cor
40	46	Set Charred post 4 ft long. 3 inches wide, 1 ft in ground in mound. 4½ ft at base. 2 ft high dug 4 pits 24×24×12 inches for 1/16 sec cor.
60	46	Set Charred post 4 ft long. 3 inches wide. 1 ft in ground in mound. 4½ ft at base. 2 ft high dug 4 pits 24×24×12 inches for 1/16 sec cor.
80	46	The North 1/16 sec cor on N+S line between sec. 19+20 Surface rolling prairie Soil. clay loam. 1st rate best for wheat. June 7th 1875

Township No 26 North of Range No 7

Chs	Lks	
		West on a random on 1/16 Sec. line through South 1/2 of Sec 18 Var. 11°42' East
20	00	Set Temp'y 1/16 Sec Cor.
40	00	Set Temp'y 1/16 Sec Cor.
60	00	Set Temp'y 1/16 Sec Cor.
81	09	Intersect West boundary of Township 24 Lks South of South 1/16 Sec Cor. From which I ran
		S 89°28' E on a true 1/16 Sec line through South 1/2 of Sec 18 Var 11°42' East
21	09	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high. dug 4 pits 24x24x12 inches for 1/16 Sec Cor.
41	09	Set Charred post 4 ft long 3 inches wide. 1 ft in ground in mound 4½ ft at base. 2 ft high dug 4 Pits 24x24x12 inches for 1/16 Sec Cor.

East of the 6th Principal Meridian

Chs	Lks	
61	09	Set Charred post 4 ft long 3 inches wide. 1 ft in ground in mound 4½ ft at base 2 ft high. dug 4 pits 24x24x12 inches for 1/16 Sec Cor
81	09	The South 1/16 Sec Cor on N + S line between Sec. 17 + 18 surface rolling prairie soil clay loam 1st rate good for wheat
		West on a random 1/4 Sec line through middle of Sec 18 Var. 12°50' East
20	00	Set Temp'y 1/16 Sec Cor
40	00	Set Temp'y 1/4 Sec Cor
60	00	Set Temp'y 1/16 Sec Cor
80	49	Intersect West boundary of Township. 48 Lks South of 1/4 Sec Cor. from which I ran
		S 89°39' E on a true 1/4 Sec line through middle of Sec 18

✓5/13

Township 26 North Range No 7 East of the Principal Meridian

Chs	Lks	
		Var 12°50' East
20	59	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high. dug 4 pits 24×24×12 inches for 1/16 sec cor
40	59	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high dug 4 pits 24×24×12 inches for 1/4 sec cor
60	59	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high dug 4 pits 24×24×12 inches for 1/16 sec cor
80	59	The 1/4 sec cor on N + S line between sec. 17 + 18
		Surface rolling prairie
		Soil. Clay loam.
		Best for wheat

Chs	Lks	
		West on a random 1/16 sec line through North ½ of sec. 18
		Var. 12° East
20	00	Set temp'y 1/16 sec cor.
27	62	a drain. course. N20°E. 4 lks wide
40	00	Set temp'y 1/16 sec cor
60	00	Set temp'y 1/16 sec cor.
61	82	a drain course N10°E 4 lks wide
80	42	Intersect West boundary of Township 23 lks. South of North 1/16 sec cor
		From which I run
		S 89°51' E on a true 1/16 sec line through North ½ of sec 18
		Var. 12° East
20	42	Set charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 4 pits 24×24×12 inches for 1/16 sec cor.
40	42	Set charred post 4 ft long 3 inches wide 1 ft in ground.

Township 26 North of Range No 7

Chs	Lks	
		in mound 4½ ft at base 2 ft high. dug 4 pits 24 X 24 X 12 inches. for 1/16 sec cor
60	42	Set Charred post 4 ft long 3 inches wide. 1 ft in ground in mound. 4½ ft at base. 2 ft high. dug 4 pits. 24 X 24 X 12 inches for 1/16 sec cor.
80	42	The. North 1/16 sec. cor. on N + S line between sec 17 + 18
		Surface rolling prairie Soil Clay loam 1st rate good for wheat
		West on a random 1/16 sec line through South ½ of sec 7
		Var. 12° 50' East.
20	00	Set Temp 1/16 sec cor.
22	80	a creek. 10 lks wide runs. N 25° E.
32	75	Meadow land. bears NW + SE
40	00	Set Temp 1/16 sec cor.
47	00	leave meadow land bears NW + SE
60	00	Set temp 1/16 sec cor

East of the 6th Principal Meridian

Chs	Lks	
80	15	Intersect west boundary of township 2 lks North of South 1/16 sec cor. from Stick 9 ran.
		At 89° 59' E on a true 1/16 sec line through South ½ of sec 7
		Var. 12° 50' East
20	15	Set Charred post 4 ft long 3 inches wide 1 ft in ground. in mound 4½ ft at base. 2 ft high. dug 4 pits 24 X 24 X 12 inches for 1/16 sec cor.
40	15	Set charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 4 pits 24 X 24 X 12 inches for 1/16 sec cor
60	15	Set charred post 4 ft long 3 inches wide. 1 ft in ground in mound 4½ ft at base 2 ft high dug 4 pits 24 X 24 X 12 inches for 1/16 sec cor
80	15	The south 1/16 sec cor on N + S line between sec. 7 + 8.
		Surface very rolling. Soil clay loam 1st rate except on top of bluffs. not for grazing

Township No 6 North of Range No 7

Chs	Lks	
		West on a random 1/4 Sec line through middle of Sec. 7 Var 12°15' East.
19	45	a creek 10 lks wide runs. N20°E
20	00	Set Temp'y 1/16 Sec Cor.
40	00	Set Temp'y 1/4 Sec Cor.
60	00	Set Temp'y 1/16 Sec Cor.
80	36	Intersect West boundary of Township 12 lks South of 1/4 Sec Cor from which I ran.
		S89°55'E on a true 1/4 Sec line through middle of Sec 7 Var 12°15' East
20	36	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high. dug 4 pits 24x24x12 inches for 1/16 Sec Cor
40	36	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 4 pits 24x24x12 inches for 1/4 Sec Cor.

East of the 1st Principal Meridian

Chs	Lks	
60	36	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high dug 4 pits 24x24x12 inches for 1/16 Sec Cor.
80	36	The 1/4 Sec Cor on N+S line between Sec. 7+8 Surface very rolling, Soil clay loam. 1st rate except on top of bluffs best for grazing
		West on a random 1/16 Sec line through North 1/2 of Sec. 7 Var. 12°40' East
13	58	a creek 5 lks wide runs N bears N+S
18	45	Enters meadow land creek bottom,
20	00	Set Temp'y 1/16 Sec Cor.
21	52	leave creek bottom bears N+S
40	00	Set Temp'y 1/16 Sec. Cor.
60	00	Set Temp'y 1/16 Sec. Cor.
80	42	Intersect West boundary of Township 13 lks South of North 1/16 Sec Cor

Township No 26 North of Range No 4

Chs	Lks	
		from which I ran
		S 89°54' E on a true 1/16 Sec line through North ½ of Sec 7
		Var 12°40' East
20	42	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high dug 4 pits 24x24x12 inches for 1/16 Sec Cor.
40	42	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base, 2 ft high, dug 4 pits 24x24x12 inches for 1/16 Sec Cor
60	42	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base, 2 ft high, dug 4 pits 24x24x12 inches for 1/16 Sec Cor
80	42	The North 1/16 Sec Cor on N + S line between Sec 7 + 8
		Surface rolling prairie and Creek bottom
		Soil clay loam 1st rate
		best for wheat and hay

East of the 6th Principal Meridian

Chs	Lks	
		West on a random 1/16 Sec line through South ½ of Sec 6
		Var 12°30' East
17	34	a Creek 10 lks wide runs N 2 -
20	00	Set Tempy 1/16 Sec Cor -
20	70	a Creek 12 lks wide runs S 2 -
40	00	Set Tempy 1/16 Sec Cor -
42	00	a Creek 10 lks wide runs S 2
60	00	Set Tempy 1/16 Sec Cor
80	71	Intersect West boundary of Township 14 lks North of South 1/16 Sec Cor. from which I ran
		N 89°54' E on a true 1/16 Sec line through South ½ of Sec 6
		Var 12°30' East
20	71	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 4 pits 24x24x12 inches for 1/16 Sec Cor
40	71	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high

Township No 6 North of Range No 7

Chs	Lks	
		dug 4 pits 24x24x12 inches for 1/16 Sec Cor.
60	71	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 4 pits 24 x 24 x 12 inches for 1/16 Sec Cor.
80	71	The South 1/16 Sec Cor on N + S line between Sec 5 + 6 Surface rolling prairie soil Clay loam 1st rate best for wheat
		West on a random 1/4 Sec line through middle of Sec 6 Var. 12°30' East
20	00	Set temp 1/16 Sec Cor
36	38	a Creek 15 lks wide runs S.E.
40	00	Set Temp 1/4 Sec Cor.
56	78	Enter Creek bottom bears NW + SE
60	00	set temp 1/16 Sec Cor.
60	78	Leave creek bottom bears NW + SE

East of the 6th Principal Meridian

Chs	Lks	
80	78	Intersect West boundary of Township 84 lks South of 1/4 Sec Cor. from which Iran S 89°45' E on a true 1/4 Sec line through middle of Sec 6 Var 12°30' East
40	78	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base. 2 ft high dug 4 pits 24x24x12 inches for 1/16 Sec Cor.
41	78	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 4½ ft at base 2 ft high. dug 4 pits 24x24x12 inches. for 1/4 Sec Cor.
100	78	Set Charred post 4 ft long 3 inches wide. 1 ft in ground in mound 4½ ft at base. 2 ft high dug 4 pits 24x24x12 inches. for 1/16 Sec Cor.
80	78	The 1/4 Sec Cor on N + S line between Sec 5 + 6. Surface rolling. Soil clay loam 1st rate. Good for wheat.

Township No 6 North of Range No 3

Chs	Lks	
		West on a random 1/16 Sec line through North ½ of Sec 6 Var. 12°30' East
20	00	Set Temp'y 1/16 Sec Cor.
40	00	Set Temp'y 1/16 Sec Cor.
45	59	A drain 10 lks wide water in holes bears N & S
60	00	Set Temp'y 1/16 Sec Cor.
61	00	Enter Meadow land bears N & S
79	00	Leave Meadow land bears N & S.
80	11	Intersect west boundary of township at North 1/16 Sec Cor. From which I ran
		East on a true 1/16 Sec line through North ½ of Sec 6 Var 12°30' East
20	11	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound 1½ ft at base. 2 ft high dug 4 pits 24 x 24 x 12 inches for 1/16 Sec Cor.
40	11	Set Charred post 4 ft long 3 inches wide. 1 ft in ground in mound

East of the 6th Principal Meridian

Chs	Lks	
		1½ ft at base. 2 ft high dug 4 pits 24 x 24 x 12 inches for 1/16 Sec Cor.
60	11	Set Charred post 4 ft long 3 inches wide 1 ft in ground in mound. 1½ ft at base. 2 ft high. dug 4 pits 24 x 24 x 12 inches for 1/16 Sec Cor
80	11	The North 1/16 Sec Cor. on N & S line between Sec 5 & 6 Surface rolling prairie Soil clay loam 1st rate well adapted to cultivation of wheat or hay June 8th 1875

Township No 26 North of Range No 7

General Description

The surface of this township is rolling prairie with a few scattering Cottonwood trees along the banks of the streams

The soil is a dark clay loam. 12 to 20 inches deep with clay subsoil.

1st Rate in small valleys and lower slopes

2nd Rate on higher elevations

Water this town is well supplied with water in all localities both by springs and small streams of pure running water

In section ten of this township was discovered a vertebra complete of some extinct species of animal. with the spinous process measuring 18 inches

East of the 6th Principal Meridian

List of Names.

A list of the names of the individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field notes of township No 26 North of the base line, of Range No 7 East of the 6th Principal Meridian, included within the boundaries of the Winnebago Indian Reservation, showing the respective capacities in which they acted:

Alvin H. Wilcox,	Compassman,
C. W. Frones,	Compassman,
James E. Roche,	Chainman,
W. P. Pike,	Chainman,
J. H. Stewart,	Chainman,
Calvin Fague,	Chainman,
Wm. McDavit,	Mounderman & flagman,
Anthony Benson,	Mounderman,
Charles J. Roche,	Mounderman,
Frank Campbell,	Mounderman,
T. T. Bennett,	Mounderman,
Michael Fague	Mounderman

Township No 26 North, of Range No

7 East of the 6th Principal Meridian

Certificate of Assistants.

We hereby certify that we assisted J. W. Beaman U. S. Deputy Surveyor in surveying the section lines of Fractional Township No 26 North of the base line of Range No 7 East of the 6th Principal Meridian included within the boundaries of the Winnebago Indian Reservation, and that said lines have been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions of the Surveyor General

Alvin H. Wilcox Compassman
W. P. Pike Chainman
James E. Roche Chainman
his Anthony Benson Moundman
T. T. Bennett mark J. Presence of F. H. Marshall Moundman
Charles J. Roche Moundman

Subscribed and sworn to, by the above named persons, before me a Justice of the Peace, for the County of Dakota in the State of Nebraska, this 28th day of June 1875.

A G Manchester
Justice of the Peace

Township 26 North, of Range

No 7 East of the 6th Principal Meridian

Certificate of Assistants.

We hereby certify that we assisted J. W. Beaman U. S. Deputy Surveyor in surveying the Sectional subdivisional lines of Fractional Township No 26 North of the base line, of Range No 7 East of the 6th Principal Meridian included within the boundaries of the Winnebago Indian Reservation, and that said lines have been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions of the Surveyor General.

C. W. Somes.	Compassman
J. H. Stewart	Chainman
Calvin his X mark Jaque in presence of C. W. Somes.	Chainman
Frank Campbell	Moundman
Wm his X mark McDavitt in presence of C. W. Somes.	Moundman & Flagman

Subscribed and sworn to, by the above named persons, before me, a Justice of the Peace, for the County of Dakota, in the State of Nebraska, this 28th day of June, 1875.

A. G. Manchester

Justice of the Peace

Township No 26 North of Range

No 7 East of the 6th Principal Meridian

Affidavit.

I, John H. Brannan, Deputy Surveyor, do solemnly swear that in pursuance of a contract with E. E. Cunningham, Surveyor of the public lands of the United States, in the State of Iowa and Nebraska, bearing date the 6th day of October 1874, and in strict conformity to the laws of the United States, and the instructions furnished by the said Surveyor General, I have faithfully surveyed the system lines and the sectional subdivisional lines of Township No 26 North of Range No 7 East of the 6th Principal Meridian, included within the boundaries of the Winnebago Indian Reservation, in the State of Nebraska; and do further solemnly swear that the foregoing are the true and original field notes of such survey.

I John W. Beaman Deputy Surveyor do solemnly swear that in pursuance of a contract with E. E. Cunningham Surveyor General for the District of Nebraska and Iowa bearing date the 6th day of October 1874 I have well, faithfully, and truly and in strict conformity with the instructions furnished by the Surveyor General, the Surveying Manual and the Laws of the United States, surveyed all those parts or portions of Fractional Township 26 North of the Base Line of Range No 7 East of the 6th Principal Meridian as are represented in the foregoing field notes as having been surveyed under my direction.

And I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Surveying Manual, printed instructions and special instructions of the Surveyor General, of dimensions, character construction and marking and in the manner specifically described in the foregoing field notes. and that the foregoing are the true and original field notes of such survey.

J. W. Beaman

Subscribed in my presence and sworn to before me in Cass County Nebraska this the 27th day of July A.D. 1875

James M Chapman
Notary Public

Surveyor Generals Office
Plattsmouth Neb Jan. 25th 1876

The foregoing field notes of the survey and subdivision into 40 Acre tracts of Fractional Township No 26 North of the Base Line of Range No 7 East of the 6th Principal Meridian in the Winnebago Indian Reservation in the State of Nebraska Executed by John W Beaman under his Contract No 87 dated Oct 6th 1874 in the Months of May and June 1875. having been critically examined the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved

J. W. Clark
Surveyor General

PL. H.S.

Field notes of the section lines and the lines subdividing sections of fractional Township number 27 north of Range number 7 East of the 6th Principal Meridian included within the Winnebago Reservation, Nebraska

Surveyed by John H Beaman U. S. Deputy Surveyor under his contract No 87 bearing date October 6th 1874.

Survey Commenced May 19th 1875
Survey Completed. June 2nd 1875

Index

42	37	33	27	22	17
31-40-8	32-36-6	33-31-4	34-25-2	35-21-1	36-15
39	35	29	23	19	13

Township No 27 North, of Range No 7 East of the 6th Principal Meridian

Chs	lks	
		North on a random line bet Secs 35 & 36 Va 11° 15' East.
20	00	Set temp 1/16 Sec Corner
35	50	Creek 5 lks wide runs from E to West
40	00	No old corner found. Set temp 1/4 Sec Cor
60	00	Set temp 1/16 Sec Corner
75	67	Intersect North Boundary Reservation 47 lks West of Corner to Secs 35 & 36, To establish which Set Chaned Stake 4 ft long 3 in wide, 1 ft in ground (with the additional marks (N. B and W. R.) in mound 4 1/2 ft at base 2 ft high dug 3 pits 54 x 20 x 12 in, from which Cor Iran
		S. 32' E on a true line bet Secs 35 & 36 Va 10° 22' East.
15	67	Set Granite Stone 15 x 6 x 6 in dia, 10 in in ground for 1/16 Sec Cor.
35	~~57~~ 57	Set Chaned post 4 ft long 3 in wide, 1 ft in ground in mound 4 1/2 ft at base 2 ft high dug 2 pits 48 x 20 x 12 in & 2 pits 20 x 20 x 12 in for 1/4 Sec Cor
55	67	Set Chaned post 4 ft long 3 in wide, 1 ft in ground in mound 4 1/2 ft at base 2 ft high

Chs	lks	
		dug 2 pits 48 x 20 x 12 in & 2 pits 20 x 20 x 12 in for 1/16 Sec Corner
75	67	The Corner to Secs 35 & 36 on South Boundary of Township
		Surface fine rolling prairie, Soil clay loam 1st rate, best adapted to wheat. May 19th 1875
		From the Corner to Secs 34 & 35 on South Boundary Township Iran
		North on a random line bet Secs 34 & 35 Va 11° 30' East.
20	00	Set temp 1/16 Sec Cor
40	00	No old 1/4 Sec Corner found Set temp 1/4 Sec Cor
50	55	Creek, 5 lks wide runs from N 10° E to S 10° W.
60	00	Set temp 1/16 Sec Corner
75	40	Intersect North Boundary Township 58 lks West of old Corner to Secs 34 & 35. To establish this Corner Set Chaned post 4 ft 3 in wide, 1 ft in ground in mound 4 1/2 ft at base 2 ft high dug 3 pits 54 & 20 x 12 in, The post having the additional marks, N. B and W. R. From this Corner Iran.

Township No 27 North of Range

Chs	Lks.	
		S. 4' E on a true line bet Secs 34 & 35 Va 10°59' East
15	40	Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 pits 48×20×12 in & 2 pits 20×20×12 in for 1/16 Sec Corner
35	40	Deposited a granite stone 4×4×3 in and set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 pits 48×20×12 in & 2 pits 20×20×12 in for 1/4 Section Corner
55	40	Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 pits 48×20×12 in & 2 pits 20×20×12 in for 1/16 Sec Corner
75	40	The Corner to Secs 34 & 35 on South Boundary Township
		Surface rolling Prairie, Soil Clay loam 1st rate best adapted the cultivation of wheat

No 7 East of the 6th Principal Meridian

Chs	Lks	
		From the Corner to Secs 33 & 34 on South Boundary Township Iran
		North on a random line bet Secs 33 & 34 Va 11°15' East
16	30	Drain, Course from S. W to N. E.
20	00	Set temp 1/16 Sec Corner
40	00	The old 1/4 Sec Corner, Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 pits 48×20×12 in & 2 pits 20×20×12 in, From which Corner Iran North on a random line Va 11°15' East.
15	00	Top of bluff bears E and W
16	00	Foot of bluff, bears E & W.
16	25	Creek 10 lks wide runs from W to E.
20	00	Set temp 1/16 Sec Corner
35	31	Intersect North Boundary Reservation at Corner to Secs 33 & 34, To reestablish which set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 3 Pits 54×20×12 in, Post having the additional mars, A B & W R, from which Corner Iran.

Township No 27 North of Range

Ch	Lk	
		S 7' E on a true line bet Secs 33 & 34 Va 11° 8' East
15	31	Set chained post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft at base & ft high dug 2 pits 48 × 20 × 12 in & 2 Pits 20 × 20 × 12 in for 1/16 Sec
30	31	The 1/4 Section Corner
55	31	Set chained post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft at base & ft high dug 2 pits 48 × 20 × 12 in & 2 pits 20 × 20 × 12 in for 1/16 Sec Corner
75	31	The Corner to Secs 33 & 34 on South Boundary Township.
		Surface rolling prairie
		Soil good, clay loam, 1st rate, best for wheat

No 7 East of the 5th Principal Meridian

Ch	Lk	
		From the Corner to Secs 32 and 33 on South Boundary Township Drain
		North on a random line bet Secs 32 & 33 Va 11° 25' East
20	00	Set temp 1/16 Sec corner
36	00	Ravine drains from S 10° E to N 10° W.
40	00	No 1/4 Sec Cor found, Set temp 1/4 Sec Cor.
54	00	Creek 5 lk wide runs from W to E.
60	00	Set temp 1/16 Sec corner
75	45	Intersect North Boundary Reservation 44 lk West of Corner to Secs 32 and 33. To reestablish this corner set chained post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft at base & ft high dug 3 pits 54 × 20 × 12 in, Post with additional Marks marks, N. B & W. R. From which Drain;
		S 20' W. on a true line bet Secs 32 & 33 Va 11° 25' East
15	45	Set chained post 4 ft long 3 in wide, 1 ft in ground in mound 4½ ft at base & ft high dug 2 pits 48 × 20 × 12 in & 2 pits × 20 × 20 × 12 in for 1/16 Sec Corner

Township No 27 North of Range

Chs	lk	
35	45	Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ feet base 2 ft high dug 2 pits 48 × 20 × 12 in and 2 pits 20 × 20 × 12 in for 1/4 Section Corner
55	45	Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ feet base 2 ft high dug 2 pits 48 × 20 × 12 in + 2 pits 20 × 20 × 12 in for 1/16 Section Corner
75	45	The Corner to Secs 32 + 33 on South Boundary Township
		Surface rolling. Soil Rx rate best for wheat

No 7 East of the 6th Principal Meridian

Chs	lk	
		From the Corner to Secs 31 + 32 on South Boundary Township Train;
		North between Sections 31 + 32 Va 12° 30' East.
20	00	Set temp 1/16 Sec Corner
37	50	Weedy bottom drains North,
40	00	No old 1/4 Sec Corner found Set temp 1/4 Sec Cor
45	00	Leave bottom bears N 10° E
57	00	Meadow bears from N 10° W. to S 10° E
60	00	Set temp 1/16 Section Corner
62	00	Creek 2 lks wide runs from W. to E.
63	50	Leave Meadow bears E & W.
75	68	Intersect North Boundary Reservation 42 lks East of Corner to Secs 31 + 32. Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ feet base 2 ft high, dug 3 pits 54 × 20 × 12 in Post with the additional marks N.B. W.R.
		S 36' E on a true line bet Secs 31 + 32 Va 12° 13' East.
15	68	Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ feet base 2 ft high dug 2 pits 48 × 20 × 12 in + 2 pits 20 × 20 × 12 in for 1/16 Sec Corner

Township No 27 North of Range

Chs	Lks	
35	68	Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 pits 48 x 20 x 12 in + 2 pits 20 x 20 x 12 in for ¼ Sec Corner
55	68	Set chained post 4 ft long 3 in wide 1 ft in ground in mound 4½ ft at base 2 ft high dug 2 pits 48 x 20 x 12 + 2 pits 20 x 20 x 12 in for 1/16 Sec Corner.
75	68	The Corner to Secs 31 + 32 on South Boundary Township

Surface fine rolling prairie
Soil dark clay loam, 1st rate, best adapted to the cultivation of wheat.
May 20th 1875

No 7 East of the 6th Principal Meridian

11/299

Township No 27 North of Range No 7 East of the 6th Principal Meridian

12/306

Part. 2.

PL. H. S.

Township No. 27 North of Range No. 7 East of the 6th Principal Meridian

13/301 14/302

lks	lks	
		West on a Random 1/16 sec line through S 1/2 of sec 36. ba 11° East.
6	24	Creek Running North 6 lks wide
20	00	set temp 1/16 sec Cor
40.	00	set temp 1/16 sec Cor.
60	00	set temp 1/16 sec Cor.
80.	06	Intersect N & S line 89 lks north of S. 1/16 sec Cor from which Trun
		N 89° 22' E on a true 1/16 sec line through S 1/2 of sec 36 ba 11° East.
20	01 1/2	set charred post 4 ft long. 3 in wide 1 ft in ground. in mound 4 1/2 ft at base 2 ft high. Dug 4 pits 24" x 24" x 12" for 1/16 sec Cor.
40.	03	set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high. Dug 4 pits 24" x 24" x 12" for 1/16 sec Cor.
60.	04 1/2	set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high. Dug 4 pits 24" x 24" x 12" for 1/16 sec Cor.
80.	06	The S 1/16 sec Cor bet secs 31 & 36
		Surface Rolling
		Soil 1st rate on East 1/2 of sec.
		Soil 2nd rate on West 1/2 of sec.
		Best adapted for wheat.
		June 1st 1875

Township No. 27 North Range No. 7 East of the 6th Principal Meridian

Chs.	Lks.	
		East on a Random 1/4 sec line through middle of sec 36
		va 11°38' E
9	17	Creek Running SW. 12 lks wide
20	00	set temp 1/16 cor.
40	00	set temp 1/4 cor
60	00	set temp 1/16 sec Cor.
64	64	Creek Running SW 12 lks wide
80	15	Intersect N & S line 26 chs North of 1/4 sec Cor from which I run
		N 89°49' W on a line 1/4 sec line through middle of sec 36
		va 11°38' E
20	0.33 1/4	set charred post 4 ft long 3 in wide 1 ft in ground, in mound 4 1/2 ft at base 2 ft high. Dug 4 pits 24"x24"x12" for 1/16 sec Cor.
40	0.7 1/2	set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high. Dug 4 pits 24"x24"x12" for 1/16 sec Cor.
60	11 1/2	set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high. Dug 4 pits 24"x24"x12" for 1/16 sec Cor.
80	15	The 1/4 sec Cor bet secs. 35 & 36
		Surface Rolling
		Soil 1st rate for 50 chs
		2nd rate last 30 chs.
		Best for wheat
		June 12th 1845

Chs	Chs	
		West on a Random 1/16 sec line through N 1/2 of sec 36 va 11° 27' East
9	60	Creek Running North 5 Chs wide
20	00	set temp 1/16 cor.
40	00	set temp 1/16 cor
60	00	set temp 1/16 cor.
80.	40	Intersect N & Line 5 Chs North of 1/16 sec Cor from which I run N 89° 58' E on a line 1/16 sec line through N 1/2 of sec 36 va 11° 27' East
20	10	set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 feet base 2 ft high. Dug 4 pits 24" x 24" x 12" for 1/16 sec Cor.
40	20	set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 feet base 2 ft high Dug 4 pits 24" x 24" x 12" for 1/16 sec Cor.
60.	30.	set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 as base

Chs	Chs	
		2 ft high Dug 4 pits 24" x 24" x 12" for 1/16 sec Corner.
80	40	The N 1/16 bet secs 31 & 36. Surface Rolling Soil 1st rate best adapted for the cultivation of wheat June 1st 1845

Township No. 27 North of Range No. 7 East of the 6th Principal Meridian

chs	lks	
		West on a Random 1/16 sec line through S 1/2 of sec 35 va 11° 38' East
20	00	set temp 1/16 cor.
21	92	Creek Running South 5 lks wide
40	00	set temp 1/16 cor.
60	00	set temp 1/16 cor.
80	00	Intersect N & S line 36 lks North of Squat 1/16 sec Cor from which Inn-
		N 89° 45' E on a true 1/16 sec line through S 1/2 of sec 35 va 11° 38' East.
20	00	set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high Dug 4 pits 24" x 24" x 12" for 1/16 sec Cor
40	00	set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high. Dug 4 pits 24" x 24" x 12" for 1/16 sec Cor
60	00	set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 at

chs	lks	
		base 2 ft high. Dug 4 pits 24" x 24" x 12" for 1/16 sec Cor.
80	00	The S 1/16 bet secs 35 & 36.
		Surface Rolling
		Soil 1st rate. best for wheat.
		June 1st 1875

Township No 27 North of Range No 7 East of the 4th Principal Meridian

Chs	Lks	
		East on a Random 1/4 sec line through middle of sec 35
		Va 11°22' East
20	00	set temp 1/16 cor
40	00	set temp 1/4 sec Cor.
60	00	set temp 1/16 sec Cor.
80	04	Intersect N & S line 16 chs North 1/4 sec Cor from which Iron
		N 89°51' W on a true 1/4 sec line through middle of sec 35
		Va 11°22' East
20	01	set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high Dug 4 pits 24"x24"x12" for 1/16 sec Cor.
40	02	set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high Dug 4 pits 24"x24"x12" for 1/4 sec Cor
60.	03	set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high Dug 4 pits 24"x24"x12" for 1/16 sec Cor.
80.	04	The 1/4 sec Cor between 34 & 35
		Surface Rolling
		Soil 1st rate best for wheat June 7th 1875

Chs	Lks	
		West on a Random 1/16 sec line through N 1/2 of sec 35. by sight on Corner
		Va 11°28' E
20	00	set temp 1/16 sec Cor.
40	00	set temp 1/16 sec Cor.
60	00	set temp 1/16 sec Cor.
70.	68	Creek Running S 35° W 15 chs wide
79.	95	Intersect N & S line at Cor from which Iron
		East on a true 1/16 sec line through N 1/2 of sec 35
		Va 11°28' E
19.	98 34/74	set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft base 2 ft high Dug 4 pits 24"x24"x12" for 1/16 sec Cor.
39	97 1/2	set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high Dug 4 pits 24"x24"x12" for 1/16 sec Cor
59	96 1/2	set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high Dug 4 pits 24"x24"x12" for 1/16 sec Cor
79.	95	The N 1/16 sec cor between 35 & 36.
		Surface Rolling June 7th 1875
		Soil 1st rate best for wheat.

Township No 27 North of Range No 7

chs	lks	
		West on a Random 1/16 sec line through S 1/2 of sec 34 by sight on corner va 11° 22' E
15	98	Creek Running South 3 lks wide
20	00	set temp 1/16 sec. cor.
40	00	set temp 1/16 sec Cor.
48	64	Creek Running S 30' E 15 lks wide
60	00	set temp 1/16 sec Corner
80	17	Intersect N & S line at Cor from which I run
		East on a true 1/16 sec line through S 1/2 of sec 34 va 11° 22' E
20	04 1/2	set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high. Dug 4 pits 24" x 24" x 12" for 1/16 sec Cor.
40	08 1/2	set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft base 2 ft high Dug 4 pits 24" x 24" x 12" for 1/16 sec Cor
60	12 3/4	set charred post 4 ft long 3 in wide

East of the 6th Principal meridian

chs	lks	
		1 ft in ground in mound 4 1/2 ft at base 2 ft high Dug 4 pits 24" x 24" x 12" for 1/16 sec Cor.
80	17	The S 1/16 sec Cor bet secs 33 & 34.
		Surface Rolling
		Soil 1st rate.
		Well adapted to the cultivation of wheat
		June 1st 1895

Township No. 27 North of Range No 7 East of the 6th Principal Meridian

25/313 26/314

chs	lks	
		East on a Random 1/4 sec line through middle of sec 34
		va 11° 22' East
14	15	Creek Running S & SE 5 lks wide
20	00	temp 1/16 sec cor
36	42	Creek Running S & SW 8 lks wide
40	00	temp 1/4 sec Cor.
60	00	set temp 1/16 sec Cor.
73	62	Creek Running South 5 lks wide
80	00	Intersect N & S line 50 lks South of 1/4 sec cor from which Inn
		S 89° 39' W on a true line through middle of sec 34
		va 11° 22' East
20	00	set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high dug 4 pits 24" x 24" x 12" for 1/16 sec Cor.
40	00	set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft base 2 ft high Dug 4 pits 24" x 24" x 12" for 1/4 sec Cor
60	00	set charred post 4 ft long 3 in wide

chs	lks	
		1 ft in ground in mound 4 1/2 ft base 2 ft high Dug 4 pits 24" x 24" x 12" for 1/16 sec Cor.
80	00	The 1/4 sec Cor be[illegible] sec 33 & 34.
		Surface for 40 chs level last 40 chs Rolling
		Soil 1st rate.
		Best adapted for the cultivation of wheat.
		June 1st 1875

Township No 2 North of Range No. 7 East of the 6th Principal Meridian

Chs	Lks	
		West on a Random 1/16 sec line through N 1/2 of sec 34
		Va 11° 22' East
20	00	set temp 1/16 cor.
40	00	set temp 1/16 cor.
47	60	Creek Running South 5 Chs wide
60	00	set temp 1/16 sec Cor.
80	03	Intersect N & S line 42 Chs North of 1/16 sec Cor from which Iron
		N 89° 42' E on a true 1/16 sec line through N 1/2 of sec 34
		Va 11° 22' East.
20	01 3/4	set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft base 2 ft high Dug 4 pits 24" x 24" x 12" for 1/16 sec Cor.
40	01 1/2	set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft base 2 ft high Dug 4 pits 24" x 24" x 12" for 1/16 sec Cor.
60	02 1/4	set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft base

		2 ft high Dug 4 pits 24" x 24" x 12" for 1/16 sec Corner.
80	03	The N 1/16 sec Cor bet secs 34 & 35
		Surface Rolling
		Soil 1st rate. well adapted for the cultivation of wheat.
		June 1st 1875

Township No. 27 North of Range No. 7. 29/317 East of the 6th Principal Meridian 30/318

chs	lks	
		East on a Random 1/16 sec line through S 1/2 of sec 33 va 11° 24' E.
20	00	set temp 1/16 sec Cor
40	00	set temp 1/16 sec Cor
60	00	set temp 1/16 sec Cor.
80	04	Intersect N & S line 28 lks South of 1/16 sec Cor from which I run
		South 89° 48' W on a true 1/16 sec line through S 1/2 of sec 33 va 11° 24' E.
20	01	set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high dug 4 pits 24" x 24" x 12" for 1/16 sec Cor.
40	02	set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high. Dug 4 pits 24" x 24" x 12" for 1/16 sec Cor.
60	03	set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high Dug 4 pits 24" x 24" x 12" for 1/16 sec Cor.
80	04	The S 1/16 sec Cor bet 32 & 33. Surface Rolling Soil 1st rate best adapted for the cultivation of wheat.

Jun 1st 1875

chs	lks	
		West on a Random 1/4 sec line through middle of sec 33 va 11° 17' East
20	00	set temp 1/16 sec Cor.
40	00	set temp 1/4 sec Cor.
60	00	set temp 1/16 sec Cor.
79	94	Intersect N & S line 19 chs North of 1/4 sec Cor from which Inv.
		N 89° 52' E on a true 1/4 sec line through middle of sec 33. va 11° 17' East.
19	98 1/2	set Chamd post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft base 2 ft high. Dug 4 pits 24" x 24" x 12" for 1/16 sec Cor.
39	97	Set chamd post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high. Dug 4 pits 24" x 24" x 12" for 1/4 sec Cor.
59	95 1/2	set Chamd post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high. Dug 4 pits 24" x 24" x 12" for 1/16 sec Cor.

chs	chs	
79	94	The 1/4 sec line between 33 & 34. Surface Rolling Soil 1st rate best adapted for the Cultivation of wheat. June 2d 1845

Township No. 27 North of Range No. 7 East of the 6th Principal Meridian

Chs	Lks	
		West on a Random 1/16 sec line through N 1/2 of sec 33 va 12° E.
16	87	Creek Running South 4 lks wide
20	00	set temp 1/16 sec cor
38	40	Creek Running S. & S 60° E 15 lks wide
40	00	set temp 1/16 sec Cor.
43	20	Creek Running N E 5 lks wide
43	20	Enter Meadow bottom bears N E & S W.
58	00	leave Meadow bottom bears N & S.
60	00	set temp 1/16 cor
68	86	Road bears N 30° E & S 50° W.
78	86	Intersect N & S line 90 lks South of 1/16 sec Cor from which Iron
		S 89° 21' E on a true 1/16 section line through N 1/2 of sec 33 va 12° E.
19	71 1/2	set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft. at base 2 ft high Dug 4 pits 24"x24"x1 for 1/16 section line
39	43	set charred post 4 ft long 3 in wide

Chs	Lks	
		1 ft in ground in mound 4 1/2 ft at base 2 ft high dug 4 pits 24"x24"x12" for 1/16 section Cor
59	14 1/2	set charred post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high Dug 4 pits 24"x24"x12" for 1/16 sec cor.
78	86	The N 1/16 sec cor bet secs 33 & 34
		Surface gently Rolling
		Soil 1st rate best adapted to the cultivation of wheat.
		June 2d 1875

Township No. 27 North Range No 7 East of the 4th Principal Meridian

chs	lks	
		East on a Random 1/16 section line through S 1/2 of sec 32.
		Va 12° 5' East.
20	00	set temp 1/16 sec Cor
40	00	set temp 1/16 sec Cor
60	00	set temp 1/16 sec Cor
79	98	Intersect N & S line 26 lks South of 1/16 sec Cor from which I run
		S 89° 49' W on a true 1/16 section line through S 1/2 Sec 32
		Va 12° 5' E.
19	99 1/2	set chaned post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high dig 4 pits 24" x 24" x 12" for 1/16 section Cor.
39	99	set chaned post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft base 2 ft high dig 4 pits 24" x 24" x 12" for 1/16 section cor.
59	98 1/2	set chaned post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high dig 4 pits 24" x 24" x 12" for 1/16 section Cor.
79	98	the S 1/16 sec Cor bet secs 31 & 32
		Surface Rolling 1st rate June 1st 1895
		Soil 1st rate best for wheat

chs	lks	
		West on a Random 1/4 sec line through middle of sec 32
		Va 11° 24' E.
20	00	set temp 1/16 sec Cor
40	00	set temp 1/4 sec Cor
60	00	set temp 1/16 sec Cor
80	00	Intersect N & S line 22 lks North of 1/4 sec Cor from which I run
		N 89° 51' E on a true 1/4 sec line through middle of sec 32
		Va 11° 24' E.
20	00	set chaned post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft base 2 ft high dig 4 pits 24" x 24" x 12" for 1/16 sec Cor.
40	00	set chaned post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high. dig 4 pits 24" x 24" x 12" for 1/4 sec Cor
60	00	set chaned post 4 ft long 3 in wide 1 ft in ground in mound 4 ft at base 2 ft high dig 4 pits 24" x 24" x 12" for 1/16 sec Cor
80	00	the 1/4 Sec. Cor. bet Secs 31 & 32
		Surface Rolling
		Soil 1st rate best adapted to the cultivation of wheat
		June 2d 1895

Township No. 27 North of Range No 7

Lkr	Lks	
		West on a Random 1/16 sec line through N 1/2 of sec 32 va 11° 45' East
18	50	Road bears N W & S 70° E
20	00	set temp 1/16 sec cor
26	30	Creek water in holes, bears N W & S E.
40	00	set temp 1/16 sec cor
60	00	set temp 1/16 sec Cor
77	00	Enter Meadow bears E & S
80.	07	Intersect N & S line 5 lks South of 1/16 sec cor from which Iron
		S 89° 58' E on a true 1/16 sec line through N 1/2 of sec 32 va 11° 45' East.
20	01 3/4 ~~02~~	set charred stake 4 ft long 3 in wire 1 ft in ground in mound 4 1/2 ft at base 2 ft high Dug 4 pits 24" x 24" x 12" for 1/16 sec corner.
40	03 1/2	set charred stake 4 ft long 3 in wire 1 ft in ground in mound 4 1/2 ft at base 2 ft high Dug 4 pits 24" x 24" x 12" for 1/16 sec cor
60	05 1/4	set charred stake 4 ft long 3 in wide

East of the 6th Principal Meridian

Lkr	Lks	
		1 ft in ground in mound 4 1/2 ft at base 2 ft high Dug 4 pits 24" x 24" x 12" for 1/16 sec cor
80	07	The N 1/16 sec cor between 32 & 33
		Surface Rolling
		Soil 1st rate best adapted to the cultivation of wheat.
		June 2d 1875

chs	lks	
		West on a Random 1/16 sec Cor through S 1/2 of sec 31 va 12° 30' East
20	00	set temp 1/16 sec Cor.
40	00	set temp 1/16 sec Cor.
60	00	set temp 1/16 sec Cor.
79	69	Intersect N & S line 57 lks South of 1/16 sec Cor from which Inn
		South 89° 36' East on a true 1/16 sec line through S 1/2 of sec 31. va 12° 30' East.
19.	69	set chamd post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high. Dug 4 pits 24" x 24" x 12" for 1/16 sec cor.
39.	69	set chamd post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high dug 4 pits 24" x 24" x 12" for 1/16 sec Cor.
59	69	set chamd stake 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base 2 ft high
79	69	Dug 4 pits 24" x 24" x 12" for 1/16 sec Cor. Lot 1, secs 31 & 32 June 15th 1875
		Surface Rolling. Soil, rich 1st rate best for wheat.

chs	lks	
		West on a Random 1/4 sec line through middle of sec 31 va 12° East
20	00	set temp 1/16 sec Cor.
40	00	set temp 1/4 sec Cor.
60	00	set temp 1/16 sec Cor.
79	35	Intersect N & S line 27 lks North of 1/4 sec Corner. from which Inn
		North 89° 48' E on a true 1/4 sec line through middle of sec 31 va 12° East
19	35	set chamd post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft at base. 2 ft high Dug 4 pits 24" x 24" x 12" for 1/16 sec Cor.
39	35	set chamd post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft base 2 ft high. Dug 4 pits 24" x 24" x 12" for 1/4 sec cor.
59	35	set chamd post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft base 2 ft high. Dug 4 pits 24" x 24" x 12" for 1/16 sec Corner June 24th 1875

Township 127 North of Range 07 East of the 6th Principal Meridian

41/328 42/329

79	35	The 1/4 sec. Cor bet secs 31 + 32. Surface Rolling Soil 1st rate best adapted for the cultivation of wheat. June 24 1845

chs	lks	
		West on a Random 1/16 sec line through N 1/2 of sec 31 va 11° 45' East
2	00	have Meadow bearing N + S.
20	00	set temp 1/16 sec Cor.
40	00	set temp 1/16 sec Cor.
60	00	set temp 1/16 sec Cor
79	11	Intersect N + S line 40 lks South of 1/16 cor. from which I run
		South 89° 43' E on a true 1/16 sec line through N 1/2 of sec 31 va 11° 45' East.
19	11	set chained stake 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft base 2 ft high Dug 4 pits 24" x 24" x 12" for 1/16 sec Cor
39	11	set chained post 4 ft long 3 in wide 1 ft in ground in mound 4 1/2 ft base 2 ft high Dug 4 pits 24" x 24" x 12" for 1/16 sec Cor.
59	11	set chained post 4 ft long 3 in wide 1 ft in ground in mound 4 ft base 2 ft high dug 4 pits 24" x 24" x 12" for 1/16 section Corner.
79	11	The N 1/16 sec Cor bet secs 31 + 32

Township No 27 North of Range No. 7 East of the 6th Principal Meridian

43/330 44/331

Surface Rolling
Soil 1st rate best adapted for the cultivation of wheat.
June 2nd, 1845

General Description
The surface of this township is Rolling Prairie
The soil is a dark clay loam. 12 to 20 inches deep. with Clay Subsoil.
1st Rate in small valleys and lower slopes.
2nd Rate on higher elevations best adapted to cultivation of Wheat
This town is well supplied with Water. in all localities both by Springs and Streams of pure running water

List of Names.

A list of the names of the individuals employed to assist in running, measuring or marking the line and corners described in the foregoing field note of fractional Township No 2 of North of Range No 7 East of the 6th Principal Meridian, included within the boundaries of the Winnebago Indian Reservation, showing the respective capacity in which they acted

Alvin H. Wilcox,	Compassman,
C. H. Jones,	Compassman,
H. P. Pike,	Chainman,
James E. Roche,	Chainman,
J. H. Stewart,	Chainman,
Calvin Hague,	Chainman,
Anthony Benson,	Moundman,
T. T. Bennett,	Moundman,
Charles J. Roche,	Moundman,
Frank Campbell,	Moundman,
Wm. McDart,	Flagman & Moundman,
Michael Hague	Moundman

Certificate of Assistants,

We hereby certify that we assisted J. W. Beaman U. S. Deputy Surveyor in surveying the section line of Fractional Township No 27 North of the base line, of range No 7 East of the 6th Principal Meridian, included within the boundaries of the Winnebago Indian Reservation, and that said lines have been in all respects to the best of our knowledge and belief well and faithfully surveyed, and the boundary monuments planted according to the instructions of the Surveyor General

Alvin H. Wilcox	Compassman
W. P. Pike	Chainman
James E. Roche	Chainman
Anthony Benson	Mounderman
his T. F. Bennett mark	Mounderman
J. F. Marshall	Mounderman
Charles J. Roche	Mounderman

Subscribed and sworn to, by the above named persons, before me, a Justice of the Peace for the County of Dakota, in the State of Nebraska, this 28th day of June, 1875.

A. G. Manchester
Justice of the Peace

Certificate of assistants

We hereby certify that we assisted J. N. Blaman U. S. Deputy Surveyor in surveying the sectional subdivisional lines of Fractional Township No 27 North of the base line, of Range No 7 East of the 6th Principal Meridian included within the boundaries of the Winnebago Indian Reservation, and that said lines have been in all respects, to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General.

C. W. Jones.	Compassman
J. H. Stewart	Chainman
Calvin his X mark Tayne	in presence of C. W. Jones Chainman
Frank Campbell	Moundman
Wm his X mark McDavitt	in presence of C. W. Jones Flagman & Moundman

Subscribed and sworn to, by the above named persons, before me, a Justice of the Peace, for the County of Dakota, in the State of Nebraska, this 28th day of June 1875.

A. G. Manchester
Justice of the Peace

Affidavit

I John H. Brannan, Deputy Surveyor do solemnly swear that, in pursuance of a contract with E. D. Cunningham, Surveyor of the public lands of the United States, in the state of Iowa and Nebraska, bearing date the 6th day of October, 1874, and in strict conformity to the laws of the United States, and the instructions furnished by the said Surveyor General, I have faithfully surveyed the section lines, and the line subdividing sections, of fractional Township No 24 North of the base line, of Range No 4 East of the 6th Principal Meridian, included within the boundaries of the Winnebago Indian Reservation, in the State of Nebraska, and do further solemnly swear that the foregoing are the true and original field notes of said survey.

I John W. Beaman Deputy Surveyor, do solemnly swear that pursuance of a contract with E. E. Cunningham Surveyor General for the District of Nebraska and Iowa, bearing date the 6th day of October 1874. I have well faithfully and truly and in strict conformity with the instructions furnished by the Surveyor General the Surveying Manual and the Laws of the United States, surveyed all those parts or portions of fractional Township 27. North of the Base Line of Range No 7. East of the 6th Principal Meridian as represented in the foregoing field notes as having been surveyed under my direction. And I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Surveying Manual printed instructions and special instructions of the Surveyor General of dimensions, character, construction, and marking and in the manner specifically described in the foregoing field notes and that the foregoing are the true and original field notes of such survey.

J W Beaman

Subscribed in my presence and sworn to before me in Otoe County Nebraska this 27th day of July AD, 1875

Jas M Chapman
Notary Public

Surveyor Generals Office
Plattsmouth Neb Jan. 25th 1876

The foregoing field notes of the surveyed subdivision into 40 Acre tracts of Fractional Township No 27 North of the Base Line of Range No 7 East of the 6th Principal Meridian in the Winnebago Indian Reservation in the State of Nebraska Executed by John W. Beaman under his Contract No 87 dated Oct 6th 1874 in the Months of May and June 1875 having been critically examined the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved

Jas M Chapman
Surveyor General

General Land Office • Original Field Notes

Book Number

142

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.