General Land Office • Original Field Notes

Book Number

147

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.



OMAHA & WINNEBAGO
RESERVATION.

Subdivision Lines

Tps. 24–27 N.

Ranges 5–7 E.

PART 1.

148

T.24, R.5 | T.25, R.5 | T.26 R.5 | T.27 R.5

Index Diagram.

T. 27 N.

T. 26 N.

T. 25 N.

6th St'd Par'l

NORTH BOUNDARY WINNEBAGO RESERVE.

North Boundary Omaha Reserve

T. 27 N.

T. 26 N.

T. 25 N.

6th St'd Par'l

North Boundary Omaha Reserve

T. 25 N.

T. 24 N.

T. 24 E.

6th St'd Par'l

6th St'd Par'l

South Boundary Omaha Reserve

R. 5 E.

R. 6 E.

R. 7 E.

No-1 — R5

PART-1

T.24, R.5

T.25, R.5

Omaha Indian Reservation

Field Notes

of

The Survey

of

Township 24 North

of

Range 5 West

of the

6th Principal Meridian

in

Nebraska.

By

Theodore H. Barrett

Survey Commenced November 7 1866

Survey Completed November 11 1866

T. 25, R. 5
T. 26 R. 5
T. 27 R. 5
T. 28 R. 6

Omaha Reservation, Fractional Township 24 N. Range 9 E. of 6th Principal Meridian

This page copied from Exterior Lines of T. 24 N. R. 5 East 6th P.M. (East Boundary) VOL. 147 Page 138

List of Names.

A list of the names of the individuals employed to assist in running, Measuring or Marking the lines and corners, described in the following field Notes of Fractional Township No 24 North of the base line of Range No. 5 East of the 6th Principal Meridian Showing the respective capacities in which they acted

Stephen Guter	Chainman
Charles W. King	do
A Englebright	do
Geo. Eglestow	do
H. Archambolt	Mound Builder
Frederick. Gearwick	do
J. W. Smith	Axeman
S. J. Reynolds	Flagman
John R. Wells	Flagman
Richard Crank	Compassman

"Having previously run the East Boundary of this Township with the Solar Compass and retraced a portion of the South Boundary with the same instrument. I find the variation changeable, varying from 11° 45' East to 12° 30' East.

I therefore determine upon 12° 15' E. as a suitable Variation with which to Commence the subdivision of this Township.

Subdivision Commenced November 7th 1866.

A portion only of this Township is embraced in the Omaha Reservation, which I subdivide as follows;

Begin at a point on the South Boundary of the Omaha Reservation where it intersects the section line between sections 35 and 36 the same being a post in a mound, 75.60 chains North of the South West corner of---

(See page 5.)

Omaha Reservation Fractional Township 24 Range 5 East 6th Principal Meridian

	Sections 36 - and run North between fractional sections 35 and 36. Va 12°15' East.
4.40	Establish corner to sections 25, 26, 35 and 36. by a post. mound, four pits & charcoal as per instructions Rolling prairie: 2nd rate Soil
	East. on a random line between sections 25 and 36. Va. 12°15' East,
7.60	A Dry Run. bears N. E. & S. W.
20.00	Set a post for temporary 1/16 sec. corner.
40.00	Set a post for temporary 1/4 sec. corner.
60.00	Set a post for temporary 1/16 sec corner
79.48	Intersect N & S line. (East Boundry) 71 links South of the corner to Section 25 and 36. from which corner & run South 89°30' West on a true line between section 25 and 36. Va. 12°15' East.
19.87	Set a post in mound. dug four pits and deposited charcoal for 1/16 section corner.
39.74	Set a post in mound, dug four pits and deposited charcoal for 1/4 sec. corner.
59.61	Set a post in mound, dug four pits and deposited charcoal for 1/16 sec. corner.
79.48	The corner to sections 25, 26, 35 and 36. Rolling prairie: 1st rate Soil.
	North between Sections 25 and 26. Va 12° 15' East,
20.00	Set a post in mound. dug four pits and deposited charcoal for 1/16 sec. corner.
40.00	Set a post in mound. dug four pits and deposited charcoal for 1/4 sec. corner.
60.00	Set a post in mound. dug four pits and deposited charcoal for 1/16 sec corner
80.00	Establish the corner to sections 23, 24, 25 and 26 by a post. mound four pits and charcoal. as per instructions Rolling prairie: 1st rate Soil

T. 25 N. R. 5 E.
T. 26 N. R. 5 E.

Omaha Reservation Fractional Township 24. N Range 5 E 6th Principal Meridian

East on a random line between sections 24 and 26. Va 12° 15' East.

20.00 Set a post for temporary ¼ sec. corner.

40.00 Set a post for temporary ¼ sec. corner.

60.00 Set a post for temporary ¼ sec. corner.

79.00 A Dry run or water course. bears N. & S.

80.40 Intersect East Boundary of Township 60 links South of the corner to sections 24 and 25. from which corner Bears South 89° 34' West. on a true line between Sections 24. and 26. Va. 12° 15' East.

20.10 Set a post in mound. dug four pits and deposited charcoal for ¼ sec. corner.

40.20 Set a post in mound. dug four pits and deposited charcoal for ¼ sec. corner.

60.90 Set a post in mound. dug pits and deposited charcoal for ¼ sec. corner.

80.40 The corner to sections 23. 24. 25 & 26. Rolling prairie: 1st rate Soil.

Nov. 7. 1866.

North. between Sections 23 and 24. Va 11° 59' East.

20.00 Set a post, raised mound. dug four pits and deposited charcoal for ¼ sec. cor.

40.00 Set a post. raised mound. dug four pits and deposited charcoal ¼ section corner

60.00 Set a post in mound. dug pits and deposited charcoa for ¼ sec. corner.

80.00 Establish the corner to sections 13. 14. 23 and 24. by a post. mound, four pits and aind. charcoal as per instructions. Rolling prairie: Soil 1st and 2d rate.

East. on a random line between sections 13 & 24.

	Va 12°15' East.
20.00	Set a post for temporary 1/16 sec. corner.
40.00	Set a post for temporary 1/4 sec. corner.
60.00	Set a post for temporary 1/16 sec. corner.
77.00	A Dry run (water course) bears N. & S.
79.96	Intersect East Boundary of Township 13. 1 link South of the corner to sections 13 and 24. from which corner Chas run South 89°54' West, on a true line between Section 13 and 24. Va. 12° 15 East.
19.99	Set a post raised mound. dug four pits and deposited charcoal for 1/16 sec. corner
39.98	Set a post in mound. dug four pits and deposited charcoal for 1/4 section cor.
59.97	Set a post in mound. dug four pits and deposited charcoal for 1/16 section cor
79.96	The corner to sections 13. 14. 23 and 24. Rolling prairie: 1st rate Soil.
	North between Sections 13 and 14. Va. 17°50' East.
17.50	Enter meadow. bears E. and W.
20.00	Set a post. raised mound. dug four pits and deposited charcoal for 1/16 sec. cor.
22.50	Leave meadow bears E. & W.
40.00	Set a post. raised a mound. dug four pits and deposited charcoal for 1/4 sec. cor.
60.00	Set a post. raised mound. dug four pits and deposited charcoal for 1/16 sec corner
80.00	Establish the corner to sections 11. 12. 13 and 14. by a post. mound. four pits and charcoal as per instructions. Rolling prairie: 1st rate Soil.
	East on a random line between sections 12 and 13. Va 12°15' East.
20.00	Set a post for temporary 1/16 sec. corner
40.00	Set a post for temporary 1/4 sec. corner.

T. 25, R. 5 | T 26 R. 5 | T 27 R. 5 | T 28 R. 5

Omaha Reservation Fractional Township 24 N.R. 5 E 6th Principal Meridian

60.00 Set a post for temporary 1/16 section corner
64.50 A Dry water course bears N. E. & S. W.
79.02 Intersect East Boundary 49 links South of the corner to sections 12 and 13. from which corner a run South 89 1/4 West on a true line between sections 12 and 13. Va. 12°15' East.
19.75 Set a post. raised mound dug four pits and deposited charcoal for 1/16 sec corner
39.51 Set a post. raised mound. dug four pits and deposited charcoal for 1/4 section corner
59.26 Set a post. raised a mound. dug four pits and deposited charcoal for 1/16 sec. cor.
79.02 The corner to sections 11.12.13. and 14. Rolling prairie: 1st rate Soil.

North between sections 11. and 12. Va 12°5' East.
20.00 Set a post in mound. dug four pits and deposited charcoal for 1/16 section corner.
40.00 Set a post in mound. dug four pits and deposited charcoal for 1/4 sec! corner.
60.00 Set a post in mound. dug four pits and deposited charcoal for 1/16 sec. corner
80.00 Establish the corner to sections 12. 11. 7. 12. by a post. mound. four pits and charcoal as per instructions Rolling prairie: 1st rate Soil,

---

East on a random line between sections 1 and 12. Va 12°15' East.
20.00 Set a post for temporary 1/16 section corner
40.00 Set a post for temporary 1/4 section corner.
60.00 Set a post for temporary 1/16 section corner.
79.08 Intersect East Boundary of Township 5 S. links South of the corner to section 1 and 12. from which corner a run. South 89°35' West on a true line between Sections 1 and 12. Va 12°15' East.
19.77 Set a post, raised a mound. dug four pits and deposited charcoal for 1/16 sec corner

Omaha Reservation Fractional Township 24 N R.5. E 6th
Principal Meridian

39.54	Set a post in mound. dug four pits and deposited charcoal for 1/4 Sec. corner
59.31	Set a post in mound. dug four pits and deposited charcoal for 1/16 sec. corner.
79.08	The corner to section 12. 11. and 1. Rolling prairie: 1st rate and 2d rate Soil

North. between Section 1 and 2. Va. 1230' East.

20.00	Set a post in mound dug four pits and deposited charcoal for 1/16 sec. corner.
40.00	Set a post in mound. dug four pits and deposited charcoal for 1/4 sec. corner.
60.00	Set a post in mound. dug four pits and deposited charcoal for 1/16 Section corner.
79.70	Intersect Standard Parallel 7.90 chains West of the Standard corner to sections 35 and 36. T. 24 N. R. 5 E. Established the closing corner to sections 1 and 2 by a Post. mounds, three pits and charcoal as per instructions Rolling prairie: 1st and 2d rate Soil.

Nov. 8. 1866.

Begin at a point on the South Boundary of the Omaha Reservation at its intersection with the section line between Sections 34. and 35 - the same being a post and mound (per field notes furnished me by the Commissioner of the General Land (Office) 74.85 chains North of the South West corner of the South West corner of section 35 From the above described point I run North between fractional Sections 34 & 35 Va. 12°15' East

5.15	Establish the corner to sections 26. 27. 34 and 35. by a post, mound, four pits and charcoal as per instructions. Nearly level prairie. Good Soil.

T. 25. R. 5
T. 25. R. 5
T. 25. R. 5
T. 25. R. 5

Omaha Reservation Fractional Township 24 N. Range 5 E 6th Principal Meridian

East. on a random line between sections
26 and 35. Va 12° 22' East.
20.00 Set a post for temporary 1/16 section corner.
40.00 Set a post for temporary 1/4 section corner.
60.00 Set a post for temporary 1/16 section corner
79.88 Intersect N and S. line 95 links South of the corner to sections 25. 26. 35 and 36. from which corner 8 pin.
South 89° 19' West on a true line between Sections 26 and 35. Va. 12° 22' East,
19.97 Set a post, raised a mound. dug four pits and deposited charcoal for 1/16 sec cor,
39.94 Set a post. raised a mound, dug four pits and deposited charcoal for 1/4 sec. cor
59.91 Post, mound, pits & charcoal for 1/16 sec. cor.
79.88 The corner to sections 26. 27. 34 and 35.
Rolling prairie: 1st rate Soil.

North between Sections 26. and 27. Va 12°
East.
20.00 Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.
40.00 Set a post in mound. dug four pits and deposited charcoal for 1/4 sec. corner
43.50 Enter meadow bears S.W. and N.E.
60.00 Set a post. raised a mound. dug four pits and deposited charcoal for 1/16 sec corner, at same point bears meadow bears N.E. & S.W.
80.00 Establish the corner to sections 22. 23. 26 and 27. by a post, mound, four pits and charcoal as per instructions, Rolling prairie, 1st rate Soil.

East on a random line between sections
23 and 26, Va 12° 15' East.
20.00 Set a post for temporary 1/16 section corner.
40.00 Set a post for temporary 1/4 section corner.
60.00 Set a post for temporary 1/16 section corner
79.52 Intersect North and South line 60 links South of the corner to sections 23. 24. 25 and 26. from which corner 8 pin.

Fractional

Omaha Reservation Township 24 N. Range 6 E 6th Principal Meridian

T. 25. R. 5

T. 26 R. 5

T. 27 N. R. 5

T. 28 N. R. 5

	South 89°34' West on a true line between Section 23 and 26 Va 12°15' East.
19.88	Establish 1/16 sec. corner by a post mound four pits and charcoal.
39.76	Establish 1/4 section corner by a post mound four pits and charcoal
59.64	Establish 1/16 section corner by a post mound four pits and charcoal
79.52	The corner to sections 22. 23, 26, and 27. Rolling prairie: 1st and 2d rate Soil.
	North between sections 22 and 23. Va 11°30' East
20.00	Establish 1/16 sec corner by a post mound four pits and charcoal
23.00	Enter meadow. bears N. E & S. W.
32.00	Leave meadow bears N E & S W.
40.00	Establish 1/4 section corner by a post, mound, four pits and charcoal, as per instructions,
60.00	Establish 1/16 sec. corner by a post, mound, four pits and charcoal
80.00	Old mound and four pits well defined. Near the mound lying on the ground I found an old post. it had been burnt off. The field notes furnished for my guidance by the Commissioner of the Land Office show this mound to be the corner to sections 15 & 22. The old post also show that this mound is on the West Boundary of the Omaha Reservation. I therefor set new post for corner to sections 14, 15, 22, and 23 & rebuilt the mound, I also marked the post N. B. O. R. for West boundary of the Omaha Reservation and established it as a point on said boundary Rolling prairie: 1st rate Soil.
	East on a random line between sections 14 and 23. Va. 12°15' East.
20.00	Set a post for temporary 1/16 section. corner
40.00	Set a post for temporary 1/4 section. corner.

Omaha Reservation Fractional Township 24 N. Range 5 E. 6th Principal Meridian

60.00	Set a post for temporary 1/16 sec. corner
79.04	Intersect N. and S line 49 links South of the corner to sections 13. 14. 23. and 24. from which corner Iron. South 89° 41' West on a tone line between sections 14 and 23. Va 12° 15' East.
19.76	Establish the corner to ~~sections~~ 1/16 sec. by a post, mound. four pits & charcoal.
39.62	Establish 1/4 sec. corner. by a post, mound, four pits and charcoal.
59.48	Establish 1/16 sec. corner by a post, mound, four pits and charcoal
79.04	The corner to sections 14. 15, 22 and 23 Rolling prairie, 1st rate Soil.

Note

The two Sixteenth corners and the quarter sec corner on this line were first established by error. West of where they now are, I caused the mounds to be destroyed and the pits filled up.

The Field Notes furnished for my Guidance by the Commissioner of the General Land office show that the section line between Sections 11 and 14 intersects the West Boundary of the Omaha Reservation at 1.78 chains East of the corner to sections 10. 11. 14 & 15 from which point of intersections on the W. B. O. R. I run East on a random line between Fractional sections 11. and 14. Va 12° E East.

18.22	Set a post for temporary 1/16 sec. corner at same point Enter meadow, bears N.E. & S.W.
21.50	Leave meadow. bears N. E. and S. W.
38.22.	Set post for temporary 1/4 sec. corner.
58.22	Set post for temporary 1/16 sec corner
77.24	Intersect N. and S line 60 lks South of corner to sections 11. 12. 13. and 14 from which corner Iron South 89° 33' West on a tone

Omaha Reservation Fractional Township 24. N. Range 5 E 6th Principal Meridian

	line between fractional section 11 and 14. Va 12° 15' East.
19.75	Establish 1/16 sec. corner. by a post in mound. four pits and charcoal
39.51	Establish 1/4 sec. corner by a post, mound, four pits and charcoal
59.26	Establish 1/16 sec. corner by a post, mound. four pits & charcoal
77.24	Point of intersection with West Boundary of Omaha Reservation. This line produced, intersects the corner to sections 10. 11. 14. and 15 at 79.02 chains Rolling prairie: good 2nd rate Soil.

The Field notes furnished for my guidance by the Commissioner of the General Land Office show that the section line between sections 2 and 11. intersects the West Boundary of the Omaha Reservation at 3.56 chains East of the corner to sections 2. 3. 10. and 11. from which point of intersection on the West Boundary of the Omaha Reservation I run East on a random line between sections (fractional) 2 and 11. Va 12° 15' East.

16.44	Set a post for temporary 1/16 sec. corner.
36.44	Set a post for temporary 1/4 sec corner.
56.44	Set a post for temporary 1/16 sec. corner.
75.48	Intersect N. & S. line 29 links South of the corner to sections 1. 2. 11. and 12. from which corner I run South 89° 47' West on a stone line between Fractional sections 2 and 11.
19.76	Set a post for 1/16 sec. cor. raised mound. dug four pits and deposited charcoal.
39.52	Set a post for sec. corner. raised mound, dug four pits and deposited charcoal.
59.28	Set a post for 1/16 sec. cor. raised mound. dug four pits. and deposited charcoal
75.48	The point of intersection with the West Boundary of the Omaha Reservation.

T. 25 N. R. 5 E. T. 25 N. R. 5 E. T. 25 N. R. 5 E.

Omaha Reservation Fractional Township 24 N. R. 5 E. 6th Principal Meridian Oma

This line produced intersects the corner to sections 2. 3. 10. and 11. at 79.04. chains. High rolling prairie. 1st and 2. rate.

From the corner to sections 26. 27. 34 and 35. Run North 61½° West, between sections 27 and 35. Va 12° 15' East.

3. 70 To an old mound on the West Boundary of the Omaha Reservation. Found this mound by actual measurement to be 76.45. chains East of the North West corner of section 34. The distance noted in the field note furnished me by the Commissioner of the General Land Office is the same: nearly level prairie. 1st rate.

From the corner to sections 22. 23. 26 and 27 Run West between fractional sections 22 and 27. Va. 12° 15 East

1. 22 Old mound on West Boundary of Omaha Reservation. According to the field notes furnished for my guidance by the Commissioner of the General Land Office this mound is 78.28 chains East of the North West corner of sec. 27. High prairie. 1st rate Soil.

November 10 1866.

Subdivision of Fractional Section 36.

(Subdivision Section)

Begin at a point on the South Boundary of the Omaha Reservation where the quarter Section line running North through Section 36 intersects the same. and run North through Fractional Section 36 Va. 12° 15' East

4. 70 To the quarter Section corner between sections 25 and 36. High prairie. 1st rate Soil.

Subdivision of Section 25.

Omaha Reservation Fractional Township 24 N. R 5 E 6th Principal Meridian

T. 25 N. R. 5 E. T. 26 N. R. 5 E. T. 27 N. R. 5 E.

	North through Section 25 Va 12° 15' East
20.00	Set a post in mound for 1/16 sec. cor four pits & charcoal as per instructions
27.00	A Dry Run bears N. E. and S. W.
40.00	Establish 1/4 Section corner by a post, mound, 4 pits & deposited charcoal as per instructions.
60.00	Establish 1/16 section corner by a post, mound pits & charcoal.
80.00	The quarter Section corner between sections 24 and 25 Rolling prairie: 1st rate Soil
	East on a random quarter section line through section 25. Va 12°15' East
20.00	Set a post for temporary 1/16 sec corner
39.97	Intersect N & S quarter section line
59.75	A Dry Run bears N and S.
60.00	Set a post for temporary 1/16 sec. corner
79.94	Intersect East Boundary of Township 70 links South of 1/4 section. Corner on East side of sec. 25. from which a quarter Section corner bears S 89 30' West on a true quarter section line through section 25. Va 12° 15' East
1998 1/2	Establish 1/16 sec. cor. by a post mound: four pits & charcoal
39.97	The quarter section corner at the center of the sec
59.95 1/2	Establish 1/16 sec. cor. by a post. mound four pits and charcoal
79.94	To the 1/4 section corner between Sections 25 and 26. Rolling prairie: 1st rate Soil.
	Subdivision of Section 24.
	North on quarter Section line through Section 24 Va 12° East.
20.00	Set a post in mound. dug four pits and deposited charcoal for 1/16 sec. corner.
40.00	Set a post in mound dug four pits and deposited charcoal for 1/4 sec. corner.
60.00	Set a post in mound. dug four pits and deposited charcoal for 1/16 Sec corner.
80.00	To the quarter section corner between

Omaha Reservation Fractional Township 24 N.R. 5 E 6th Principal Meridian

sections 13 and 24. Rolling prairie; good Soil

East. on a random quarter Section line
through section 24 Va 12°05 East
20.00 Set a post for temporary 1/16 sec. corner.
40.19 Intersect Pt W & S sec line
60,00 Set a post for temporary 1/16 sec corner
80,18 Intersect East side of sec 24-5. links South
of this 1/4 sec corner between sections 24 & 19
from which quarter Section corner Brass
S 89° 58' West on a true quarter sec
Line through section 24. Va 12°05
East
2004½ Set a post in mound. dug four pits
and deposited charcoal for 1/16 sec. cor.
40.09 To the 1/4 sec. corner at center of the section
60,13½ Set a post in mound. dug four pits
and deposited charcoal for 1/16 sec corner.
80,18 To the quarter section corner on sec line
between sections 23 and 24. Rolling
prairie. 1st rate Soil.

Subdivision of Section 13.

North on quarter section line through
section 13. Va 1° 50' East
20.00 Set a post in mound. dug four pits and
deposited charcoal for sec. cor
40.00 Set a post in mound. dug four pits
and deposited charcoal for 1/4 sec cor.
60.00 Set a post in mound. dug four pits
and deposited charcoal for 1/16 section corner
80.00 The quarter section corner between sec
tions 12 and 13. High rolling prairie.
1st and 2d rate Soil

East on a random quarter section
line through section 13. Va 12° 15' East
2.00 Set a post for temporary 1/16 sec. cor.
39,74½ Intersect N & S. quarter sec line

Principal

Omaha Reservation Fractional Township 24 N.R. 5 E 6th Principal Meridian

60.00	Set a post for temporary 1/16 sec corner
79.49	Intersect the East boundary of section 13, 58 links South of the 1/4 section corner between section 13 and 18 from which quarter section corner Bears South 89° 35' West on a true quarter section line through section 13. Va 12° 15' East.
19.87½	Set a post in mound. dug four pits and deposited charcoal for 1/16 sec corner.
39.74½	Intersect N. & S. quarter sec line
59.61¾	Set a post in mound. dug four pits and deposited charcoal for 1/16 sec. corner
79.49	To the quarter sec corner on West side of section 13, Rolling prairie: 1st rate Soil.

(Duplicated above)

East on a random quarter Section line through section 13. Va 12° 15' East.

2.00	Set a post for temporary 1/16 sec. corner.
39.74½	Intersect N. & S. quarter sec. line
60.00	Set a post for temporary 1/16 sec corner
79.49	Intersect the East boundary of sec 13. 58 links South of the 1/4 sec corner between sections 13 and 18 from which quarter sec corner Bears South 89° 35' West on a true quarter section line through section. 13. Va 12° 15' East.
19.87½	Set a post in mound. dug four pits and deposited charcoal for 1/16 sec corner.
39.74¾	Set a post in mound. dug four pits and deposited charcoal for 1/16 sec cor
79.49	To the quarter sec. corner on West side of section 13. Rolling prairie: 1st rate Soil

Subdivision of Section 12.

Duplicated on following page

North on quarter Section line through section 12. Va 12.° 05' East.

2.00	Set a post in mound. dug four pits and deposited charcoal for 1/16 section corner
40.00	Set a post in mound dug four pits and deposited charcoal for 1/4 sec corner
60.00	Set a post in mound dug four pits

T. 25, R. 5 E. 6th P.M.

Omaha Reservation Fractional Township 24 N.R. 5 E 6th P.M. Omaha
Meridian

	and deposited charcoal for 1/16 sec. cor
80.00	The quarter section corner between sections
	1 & 12 ~~Rolling~~ rolling prairie: 1st rate and
	2d rate Soil.
	East on a random quarter Sect. on line
	through section 13. Va. 12° 15' East.
20.00	Set a for temporary 1/16 section corner.
39.74½	Intersect N. & S. quarter sec. line
60.00	Set a post for temporary 1/16 sec. corner.
79.49	Intersect the boundary of section 13. 58
	link South of the 1/4 sec cor. between
	Sections 13 and 18 from which a quarter
	Section corner bears South 89° 35' West
	on a true quarter Section line through
	Section 13 Va 12° 15 East
19.87½	Set a post in mound. dug four pits and
	deposited charcoal for 1/16 Sec corner
39.74½	Intersect N. & S. 1/4 sec. line
59.61¾	Set a post in mound. dug four pits and
	deposited charcoal for 1/16 Sec. corner.
79.49	By the quarter sec. corner on West side
	of section 13. Rolling prairie: 1st rate Soil.

Subdivision of Section 12.

	North on quarter section line through
	Section 12. Va 12° 05' East
20.00	Set a post in mound. dug four pits
	and deposited charcoal for 1/16 sec. corner.
40.00	Set a post in mound dug four pits
	and deposited charcoal for 1/4 sec corner
60.00	Set a post in mound dug four pits
	and deposited charcoal for 1/16 sec. corner.
80.00	The quarter section corner sections 1 and 12. Rolling
	prairie 1st rate and 2d rate Soil
	East on a random quarter section line
	through section 12. Va 12. 15' East

Surveyed as below and on following page

Omaha Reservation Fractional Township 24. N. R. 5 E 6th Principal Meridian

20.00	Set a post temporary 1/16 sec. corner.
39.52½	Intersect N. & S. quarter sec. line.
60.00	Set a post for temporary 1/16 sec corner.
79.05	Intersect East Boundary of sec. 12-38 links South of the 1/4 sec. corner from which quarter section corner Bears. South 89°44' West on a true quarter section line through section 12, Va 12°15' East.
19.76½	Set a post in mound. dug four pits and deposited charcoal for 1/16 section corner
39.52½	The 1/4 section corner at center of section
59.28¾	Set a post in mound. dug four pits and deposited charcoal for 1/16 section corner.
79.05	To the quarter section corner on the West side of the section. High rolling prairie Hilly and rough. 2d rate Soil

Nov 8. 1866.

Subdivision of Section 1.

North. on quarter Section line through Section 1. Va. 12°15' East.

20.00	Set a post in mound. dug four pits and deposited charcoal for 1/16 sec. corner.
40.00	Set a post in mound. dug four pits and deposited charcoal for 1/4 sec cor
60.00	Set a post in mound. dug four pits and deposited charcoal for 1/16 Sec. corner.
79.43	Intersect Sixth Standard parallel. 31.60. chain East of the Standard corner to sections 35 and 36. T 25. N. R. 5 E. Rolling prairie. Good 2d rate Soil

East on a random quarter section line through Section 1. Va 12°25' East.

20.00	Set a post for temporary 1/16 section. corner.
39.52	Intersect N. & S. quarter section line
60.00	Set a post for temporary 1/16 section corner.
79.04	Intersect N. & S line 20 Links South of the 1/4 section corner on East side of Section 1. Va 12°25' East.

from which 1/4 Sec Corner bears S 89°52' West True 1/4 Sec line through Section 1

T. 25, R. 5 | T. 26 R. 5 | T 27 R. 5 | T 24 R. 6

Omaha Reservation Fractional Township 24 N.R. 5 E 6th Principal Meridian

19.76	Set a post in mound. dug four pits and deposited charcoal for 1/16 section corner.
39.52	The quarter section corner at center of section
59.28	The 1/16 section corner on West side of section
79.04*	Rolling prairie: good 1st and 2 rate Soil

* 79.04 The 1/4 Section corner on the West side of section 35

Subdivision of Fractional Section 35.

Begin at a point on the South Boundary of the Omaha Reservation where the quarter Section line running North through section 35. intersects it the same being a post in mound. and run N on quarter section line through fractional sec. 35. Va 12°15' East

4.77 1/2	To the quarter section corner between sections 26 and 35. Rolling prairie. Good Soil.

Subdivision of Section 26.

North on quarter Section line through section 26 Va 12°10' East

20.00	Establish corner to 1/16 section by a post. mound. four pits and charcoal.
40.00	Establish the 1/4 section corner by a post. mound. four pits and charcoal as previous tions.
60.00	Establish 1/16 section corner by a post. mound four pits and charcoal
80.00	To the quarter section corner on the North side of section 26 Rolling prairie 1st rate Soil

East on a random quarter section line through Section 26. Va 12°18' East

20.00	Set a post for temporary 1/16 sec. corner
39.85	Intersect N. & S quarter sec. line
60.00	Set a post for temporary 1/4 sec. corner
79.70	Intersect N & S line 94 links South of the quarter section corner between section 25 and 26. from which quarter Section corner Bears South 89°1/2 0 West on a tree

Omaha Reservation Fractional Township 24 N Range 5 E 6th Principal Meridian

	quarter Section line through Section 26. Va 12° 18' East
19.92½	Set a post in mound four ⅛ section corner. Also dug four pits and deposited charcoal.
39.85	Intersect N & S quarter section line at ¼ section line at ¼ section corner at center of Section.
59.77½	Set a post in mound. dug four pits and deposited charcoal for ⅛ Section corner.
79.70	To the quarter section corner between sections 26 and 27. Rolling prairie. Good 2d rate Soil

Subdivision of Section 23.

	North, on the quarter Section line through Section 23. Va 1 15' East
20.00	Set a post in mound dug four pits and deposited charcoal for ⅛ section corner.
40.00	Establish quarter section corner by a post mound. four pits & charcoal
42.00	Enter low prairie or meadow. bears E & W.
48.00	Leave meadow & enter high prairie E & W.
60.00	Establish ⅛ section corner. by a post. mound. four pits and charcoal
80.00	The quarter Section corner between section 14 and 23.

Note

Both Sixteenth Section corner, and the quarter section corner on this line were first Established by Error West of the true corner & ~~caused~~ caused the mounds to be destroyed and the pits filled up. Rolling prairie and meadow land. good 2d rate Soil

East on a random quarter section line through Section 23. Va 12° 15 East

16.00	Enter low prairie or meadow bears North East and South West
20.00	Set a post for temporary ⅛ sec corner
22.00	Leave low prairie or meadow and Enter high prairie; bears N. E. & S. W.

T. 25, R. 5 | T. 26 R. 5 | T 27 R. 5 | T 24 R. 6

Omaha Reservation Fractional Township 24 N.R. 5 E 6th Principal Meridian

39.64	Intersect North and South quarter section line
60.00	Set a post for temporary one Sixteenth Section corner.
79.28	Intersect East boundary of section 23, 60 Links South of the quarter Section corner between Section 23 and 24. from which quarter sec corner Bears South 89 3/4 ' West on a true quarter Section line through Section 23. Va 12° 15' East.
19.82	Set a post in mound. dug four pits and deposited charcoal for 1/16 sec., corner.
39.64	Intersect N. & S. quarter section line at the quarter section corner
59.46	Set a post in mound. dug four pits and deposited charcoal. for 1/16 section corner.
79.28	The quarter section corner on the West side of section 23

* 79.04 Fds 1/4 Section of 16 section Mc

Note

The Sixteenth Section corner wherever each. by Error. Established 30 links West of the true Corner Caused the mounds to be destroyed and the pits to be filled up. Rolling prairie: good 2d rate Soil

Nov 10. 1866.

Subdivision of Fractional Sec 14.

North. on the quarter Section line through Section 14. Va 11°50' East.

20.00	Establish the 1/16 sec. corner. by a post. mound four pits and charcoal.
25.00	Enter Low prairie. or marsh bears East and West.
30.00	Leave marsh and enter high prairie. bears East and West.
40.00	Set a post in mound. dug four pits and deposited charcoal for 1/4 sec. corner.
60.00	Set a post in mound. dug four pits and deposited charcoal for 1/16 sec. corner.
80.00	The quarter section corner between sections 11 and 14. Rolling prairie. 1st and 2 rate Soil.

Omaha Reservation Fractional Township 24 N.R. 5 E 6th Principal Meridian

East on a random quarter section line through fractional Section 14. Va 12° 15 East.

Begin at a point on the true quarter Section line where the West Boundary of the Omak Reservation intersects it the same being a point 89 links East of the quarter section corner between Sections 14 and 15. and runs as follows

15.00 Enter meadow or low prairie bearing North and South

19.11 Set a post for temporary 1/16 section corner

33.00 Leave meadow and enter high prairie bearing North West and South East.

3862 ± Intersect North and South quarter Section line

59.11 Set a post for temporary 1/16 section corner.

78.14 Intersect East boundary of section 14. 5 4 links South of the quarter Section corner between Section 14 and 13 from which quarter section corner B run South 89°37' West on a true quarter section line through section 14. Va 12°15' East.

19.75½ Set a post in mound. dug four pits and deposited charcoal for 1/16 section corner.

39.51½ Intersect North & South quarter section line at quarter section corner.

59.27½ Set a post in mound. dug four pits and deposited charcoal for 1/16 sec. corner.

78.14 Intersect West Boundary of the Omaha Reservation.

Note.

The length of this line produced to the quarter post on the West of section 14. is 79.03 chains Rolling prairie: good Grate Soil.

Subdivision of Fractional Section 11.

North on the quarter Section line through section 11. Va 12° 15 East.

20,00 Set a post in mound. dug four

T. 25, R. 5 | T. 26 R. 5 | T 27 R. 5 | T 24 R 6

Omaha Reservation Fractional Township 24 N.R. 5 E 6th Principal Meridian Omaha

pits and deposited charcoal. as per instructions
for one sixteenth section corner.
40.00 Set a post in mound. dug four pits and
deposited charcoal for quarter section corner.
as per instructions
60.00 Set a post in mound. dug four pits and
deposited charcoal as per instructions for one
sixteenth section corner.
80.00 The quarter section corner on North boundary
of section 11. Rolling prairie State Soil

East on a random quarter section line through
Fractional Section 11.
Begin at a point on the true quarter sec.
line where the West Boundary of the Omaha
Reservation intersects it — the same being
2.67 chains East of the quarter section corner
between section 10 and 11. and run. East
on a random quarter section line through
Section 11. Va 12° 15' East.
17.33 Set a post for temporary one Sixteenth
Section corner.
36.84½ Intersect North and South quarter section
line
57.33 Set a post for temporary one Sixteenth
Section corner.
76.36 Intersect East Boundary of section 11. 40
links South of the quarter section corner
between sections 11 and 12. from which
corner ✠ run. South 89°42' West on a true
quarter section line through fractional
Section 11. Va. 12° 15' East.
19.75¾ Set a post in mound. dug four pits
and deposited charcoal as per instructions
for one Sixteenth section corner
39.57½ Intersect the North and South quarter section
line at the quarter section corner.
59.27¼ Set a post in mound. dug four pits and
deposited charcoal as per instructions for
1/16 section corner.

* 79.04 The 1/4 Section corner on the West side of Section

	76.36	Intersect the West Boundary of the Omaha Reservation

Note.

The length of this line produced to the 1/4 Section corner between sections 10 and 11 is 79.03 chains Rolling Prairie. good 2nd rate Soil.

	X	Subdivision of Fractional Section 2.

North. on the quarter Section line through Section 2. Va 12° 10' East.

20.00	Set a post in mound. dug four pits and deposited charcoal as per instructions for one Sixteenth section corner.
27.50	Enter meadow. bears East and West.
30.00	Leave meadow bears East and West.
40.00	Set a post in mound dug four pits deposited charcoal for 1/4 section corner. as per instructions
60.00	Set a post in mound. dug four pits and deposited charcoal as per instructions for 1/16 section corner.
80.10	Intersect the sixth standard Parallel 32.47 chains East of the standard corner to section 34 and 35. Township 25 North Range 5 East of the 6th Principal Meridian. & set a post in mound dug three pits and deposited charcoal. as per instructions for closing corner to one both sections moderately rolling Prairie 1st Rate Soil.

East. on a random quarter section line through Fractional section 2.

Begin at a point on the true quarter section line at its intersection with West Boundary of the Omaha Reservation. the same being 4.45 chains East of the quarter section corner between sections 2 and 3. and run East on a random quarter section line through fractional section 2. Va 12°15' East.

15.55	Set a post for temporary one sixteenth section corner.

T.25, R.5 | T.26 R.5 | T27 R.5 | T24 R.6

Omaha Reservation Fractional Township 24 N. R. 5 E 6th Principal Meridian

17.00	Enter meadow bearing North East and South West.
21.50	Leave meadow bearing North East and South West
35.14	Intersect the North and South quarter section line.
55.55	Set a post for temporary one sixteenth section corner.
74.73	Intersect the East Boundary of section 2. 20 links South of the quarter Section corner between sec 1 and 2. 1 from which quarter section corner I run South 89° 51' West on a true quarter Section line through Section 2 Va 12° 15' East.
19.79½	Set a post in mound. dug four pits and deposited charcoal as per instructions for 1/16 sec corner
39.59	Intersect the North and South quarter Section line at its quarter section corner
59.38½	Set a post in mound. dug four pits and deposited charcoal as per instructions for one Sixteenth section corner.
74.73	Intersect the West boundary of the Omaha Reservation 4.45 chains East of the quarter section corner between sections 2 and 3. moderatly rolling prairie 1st rate Soil.

Subdivision of Fractional Section 27

Begin at the quarter section corner between Sections 26 and 27 and run West on the quarter section line through fractional Section 27. Va 12° 15' East

2.23½	Intersect West Boundary of the Omaha Reservation High prairie: First rate Soil.

Subdivision of Fractional Section 22

* 79.04 To 4th Section Corner on the West side

Omaha Reservation Fractional Township 24 N.R. 5 E 6th Principal Meridian

Begin at the quarter section corner between Sections 22 and 23 and run West on the quarter Section line through Fractional Section 22. Va 12° 15' East.

0.61 Intersect the West Boundary of the Omaha Reservation High prairie: First rate Soil

Nov 14th 1866.

General Discription.

This part of Township Number 24 N. of Range 5 East the 6th Principal Meridian is entirely prairie. There is neither timber nor running water in it. Two or three dry runs Run in it during the Wet season. but at the time of surveying I saw no running water. The Soil is generaly fertile. being of a first rate and good second rate Quality The surface is high rolling prairie. intersected by belts of meadow or low prairie. Most of the meadow land would, except in a Wet season, be tillable, though much better adapted to grass than the plough.

Two surveying Parties were employed in subdividing this Township one instrument being used by Mr Cronk, Compassman, and the other by myself. The discrepancy in the variation of the needle in some instances noted between the section and quarter section lines is attributable to the fact that the quarter section lines were not run until after the section lines had been established and the subdivision of the sections often being made at a different hour of the day, the variation of the needle would be modified by the diurnal variation. Some of the North and South lines are necessarily run at a less Variation than the East and West lines in order to accomodate that part of the Township.

T.25, R.5 | T.26, R.5 | T27 R.5 | T24 R.6

Omaha Reservation.

previously surveyed West of the Reservation. This difficulty is remedied as much as possible, by shortening the East and West lines. The average amount of charcoal deposited in Each of the several mounds is equal to a cubic 2 X 2 X 2 inches and is made up of one or more pieces. Several farm houses could be seen from the high grounds near the South West corner of the Reservation. the nearest of which appeared to be about two miles distant and South of the South boundary. The extreme South Western corner of the Reservation is on Plum Creek bottom. a small stream along which are a few trees. Quite a large body of timber could be seen from the high ground near this corner. It lies South of the Reservation and is several miles distant. The water course in sections 13. 24. and 25 shown in the accompanying diagram. is simply a dry run. This Run becomes quite a prominent feature of the surface. in Range 6 East. extending through that Township a distance of several miles. In sections 24 and 25 it is bordered by low prairie.

* 7904 Feb 1/1 Section line between sections 13 & 24 on the East side

List of Names.

A list of names of the individuals employed to assist in running. measuring. or marking the lines and corners discribed in the foregoing field notes of Fractional Township. No 24. North of the base line of Range No 5 East of 6th Principal Meridian showing the respective capacites in which they acted

Stephen Guter	Chainman
Chas W. King	do
A Eggleston	do
H. Archambolt	moundbuilder
Frederick Garrick	moundbuilder.
J W Smith	axman

Omaha Reservation.

L G Reynolds Flagman
John R Wells do
Richard Lenk Compassman

We hereby certify that we assisted Theodore H Barrett, U. S Surveyor, in surveying the exterior boundaries and subdividing that portion of Township number twenty four North of the base line of Range number five East of the Sixth principal Meridian, embraced in the Omaha Indian Reservation. and that said Fractional Township has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Commissioner of the General Land Office.

Stephen Ester chainman
Chas W. King do
A. Englebaught. do
Geo Eggleston. do
H Archambault. mound builder
Frederick Garrick mound builder
G. W. Smith axman
L G Reynolds. flagman
John R Wells. flagman
Richard Lenk. leadsman

Territory of Nebraska, Burt County } ss
Subscribed and sworn to by the above named persons before me this 4th day of December, 1866.

Stamp

Albert White,
Justice of Peace

I, Theodore H Barrett, U.S. Surveyor. do solemnly swear that, in pursuance of a contract with G. N. Edmunds Commissioner of the General Land Office of the United States. bearing date August 14th 1866. and in strict conformity to the laws of the

T.25, R.5 T.26, R.5 T27 R.5 T24 R.6

United States and the instructions furnished by the said Commissioner of the General Land Office. I have faithfully surveyed the exterior boundaries and subdivision lines of that portion of Township number twenty four North of the base line, Range number five East of the 6th Principal Meridian, Embraced in the Omaha Indian Reservation, in the Territory of Nebraska. and do further solemnly swear that the foregoing are the true and original Field notes of such survey.

Theodore H Barrett.
U. S. Surveyor.

Subscribed by said Theodore H Barrett U. S. Surveyor and sworn to before me a Justice of the Peace for Whiteside County in the State of Illinois this 29 day of January 1867.



R. L. Mangan.
Justice of the Peace.

Department of the Interior, General Land Office. March 4th 1867.
The foregoing field notes of the Survey of the Subdivision and Exterior lines of Fractional Township 24 North Range 5 East 6th Principal Meridian Nebraska, executed by Theodore H Barrett, under his Contract of the 14th day of August, 1866. in the Month of November, 1866, having been critically examined, the necessary corrections and explanations made, the said field notes and the Survey they describe are hereby approved.

Jas S Wilson.
Commissioner.

Department of the Interior
General Land Office
Washington D.C.
Aug. 21. 1871

I Certify that the foregoing transcript of field notes of survey has been correctly copied from the original notes on file in this office

Wilbur D. Hammond
Commissioner

T.25, R.5 | T.26 R.5 | T27 R.5 | T24 R.6

T.25, R.5 | T.26 R.5 | T27 R.5 | T24 R.6

33

Compared and corrected

(Copy) No 2 - R 5 6 No 2

35

Omaha and Winnebago Reservation

T. 25, R. 5 | T. 26, R. 5 | T. 27, R. 5 | T. 24, R. 6

Field Notes of the Survey
of Subdivisional lines
of Township
25 North Range 5 East
of the
6th Principal Meridian
in the State of Nebraska
by Theodore H. Barrett
Surveyor under his contract
bearing date the 14th day of
August 1866

Survey commenced June 1st 1867
and
Completed June 5th 1867

Begin Subdivision of Sections pg-12

List of Names.

A list of names of the individuals employed to assist in running, measuring, or marking the lines and corners, described in the following Field Notes of Township Number 25 North. Range 5 East of the 6th Principal Meridian, Showing the capacities in which they acted

Henry H. Gilbert	Compassman
Richard Cronk	do
George Fox	Chainman
Orville Smith	do
Geo. Patterson	do
James Kennedy	do
Joseph F. Fluent	do
Andrew Armstrong	Flagman and axeman
Henry C. Williams	Mound Builder
Willie T. Trainer	" " and axeman
Karl Wilhelm Bekke	" "

Township 25 North Range 5 East of the 6th P. M

Chains	Before subdividing this Township I ran the Township line on the East side of Section 36 and retraced the Sixth Standard Parellel on the South side of the same Section as follows.
	North on the East side of Section 36
	Variation 12° 15' East
80.00	Point 6 links East of the Corner to Sections 30, 31, 25 and 36.
	West on the Sixth Standard Parellel on the South side of Section 36
	Variation 13° 30' East
80.00	The Corner to Sections 35 and 36. Township 25 N. R. 5 E. (Standard Corner)
	Begin at the Standard Corner to Sections 35 and 36. And run North between Sections 35 and 36.
	Variation 13° 15' East
20.00	Set post raised mound. dug four pits And deposited Charcoal for 1/16 Section Corner
	Note
	In the following field notes the Corners Established with Post and Mound, have also, four pits to each Mound except when otherwise noted. The quantity of Charcoal deposited in each Mound is equal to a solid 1 × 2 × 2 inches. but the coal is frequently made up of more than one piece. and of irregular shape. Hereafter in these field notes a Corner established according to the forgoing note, will be designated as "Post in Mound"
40.00	Post in mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
80.00	Post in Mound for Corner to Sections 25, 26, 35, and 36, High Rolling Prairie; 2d rate soil

T.26 R.5 | T27 R.5 | T24 R.6

Omaha Reservation

Township 25 North Range 5 East

chains	East on a random line between Sections 25 and 36
	Variation 12° 30' East
20.00	Temporary 1/16 Section corner
40.00	Temporary 1/4 Section corner
60.00	Temporary 1/16 Section corner
79.76	Intersect Range line 3 links north of the corner to Sections 25, 36, 30 & 31, from which corner 9 ores North 89° 59' West on a true line between Sections 25 and 36.
	Variation 12° 30' East
19.94	Post in mound for 1/16 Section Corner
39.88	Post in mound for 1/4 Section Corner
59.82	Post in mound for 1/16 Section Corner
79.76	The Corner to Sections 25, 26, 35 and 36,
	Rolling 2d rate prairie
	North between sections 25 and 26.
	Variation 13° 15' East
20.00	Post in mound for 1/16 Section Corner
40.00	Post in mound for 1/4 Section Corner
60.00	Post in mound for 1/16 Section Corner
60.40	Slough - widening of creek - Course East - 25 lks wide
80.00	Post in mound for corner to Sections 23, 24, 25 and 26
	Rolling prairie 2d rate
	East on a random line between Sections 24 and 25.
	Variation 12° 30' East
20.00	Temporary 1/16 Section Corner
40.00	Temporary 1/4 Section Corner
53.30	A Brook 2 links wide running N.E.
60.00	Temporary 1/16 Section Corner
79.48	Intersect Range line 4 links South of the Corner to Sections 24 25 19 and 30 from which Corner 9 ores
	South 89° 58' West on a true line between Sections 24 and 25
	Variation 12° 30' East

East

31.

of the 6th Principal Meridian

Chains	
19.87	Post in mound for 1/16 Section Corner
39.74	Post in mound for 1/4 Section Corner
59.61	Post in mound for 1/16 Section Corner
79.48	The corner to Sections 23, 24, 25, and 26, High rolling prairie 2d rate Soil.
	North between Sections 23 and 24 Variation 13° East
20.00	Post in mound for 1/16 Section Corner
40.00	Post in mound for 1/4 Section Corner
60.00	Post in mound for 1/16 Section Corner
80.00	Post in mound for Sections 13, 14, 23 and 24 High rolling prairie 2d rate
	East between Sections 13 and 24. Variation 12° 30' East
20.00	Temporary 1/16 Section Corner
40.00	Temporary 1/4 Section Corner
41.50	Enter meadow South and North West
60.00	Temporary 1/16 Section Corner
61.50	Leave meadow - North and South East 1 link wide
79.30	Intersect North and South line 70 links. North of the corner to sections 13, 24, 18, and 19. from which Corner 2 rem North 89° 30' West on a true line between Sections 13 and 24. Variation ———
19.83	Post in mound for 1/16 Section Corner
39.65	Post in mound for 1/4 Section Corner
59.48	Post in mound for 1/16 Section Corner
79.30	The corner to sections 13, 14, 23, and 24, High rolling prairie and meadow 2d rate June 1st 1867
	North between sections 13 and 14. Variation 12° 10' East

T.26.R.5 | T.27.R.5 | T.24.R.6

4
40

Township 25 North Range 5 East

Chains	
20.00	Post in mound for 1/16 Section corner
40.00	Post in mound for 1/4 Section corner
60.00	Post in Mound for 1/16 Section corner
80.00	Post in Mound for corner to Sections 11, 12, 13 and 14, High Rolling prairie 2d rate soil

East on random line between Sections 12 and 13.

Variation 12° 10' East

20.00	Temporary 1/16 Section corner
40.00	Temporary 1/4 Section corner
60.00	Temporary 1/16 Section corner
79.08	Intersect Range line 16 links North of the corner to sections 12, 13, 7, and 18, from which corner I run North 89° 53' West on a true line between Sections 12 and 13
19.77	Post in mound for 1/16 Section corner
39.54	Post in mound for 1/4 Section corner
59.31	Post in mound for 1/16 Section corner
79.08	The corner to Sections 11, 12, 13, and 14, High rolling prairie 2d rate soil

North between Sections 11 and 12

Variation 12° East

20.00	Post in Mound for 1/16 Section corner
40.00	Post in Mound for 1/4 Section corner
60.00	Post in Mound for 1/16 Section corner
72.00	Enter meadow N.E. and S.W.
73.59	Intersect Omaha and Winnebago line 21.90 chains East of Station 28. at which point I set post in mound — dug two pits and deposited charcoal for corner to fractional Sections 11 and 12.
80.00	Post in Mound for corner to Sections 1, 2, 11, and 12, High rolling prairie 2d rate soil

Winnebago Reserve

WINNEBAGO RESERVE

of the 6th Principal Meridian

Chains	East on random line between sections 12 & 1.
	Variation 12° East
7.00	Leave meadow bearing NE. and SW.
39.50	Enter meadow NE. and SW.
40.00	Temporary 1/4 Section corner
43.50	Leave meadow NE. and SW.
79.20	Intersect Range line at the corner to Sections 1, 12, 6, and 7, from which corner I run
	West on a true line between sections
	Sections 1 and 12
	Variation 12° East
39.60	Post in mound for 1/4 Section corner
79.20	The corner to Sections 1, 2, 11, and 12, High rolling prairie 2d rate soil
	North between sections 1 and 2. on a random line
	Variation 12° 15' East
10.00	Leave meadow. bearing N 70° E. & S 70° W.
40.00	Temporary 1/4 Section corner
78.83	Intersect the North boundary of the Township 14 links East of the corner to Sections 1, 2, 35, and 36, from which corner I run
	South 6' East on a true line between
	Sections 1 and 2
	Variation 12° 15' East
38.83	Post in mound for 1/4 Section Corner
78.83	The corner to Sections 1, 2, 11, and 12, High rolling prairie - 2d rate -

OMAHA RESERVE

	North between Sections 34 and 35.
	Variation 11° 45' East
20.00	Post in mound for 1/16 Section corner
40.00	Post in mound for 1/4 Section corner
60.00	Post in mound for 1/16 Section corner
80.00	Post in mound for corner to Sections 25, 26, 35, and 36, Moderately rolling prairie - good 2d rate soil

T.26.R.5. T.27.R.5. T.24.R.6.

Omaha Reservation

Township 25 North Range 5 East

chains	
	East on a random line between Sections 26 and 35.
	Variation 11° 45' East
20.00	Temporary 1/16 Section Corner
30.00	Enter meadow bearing N.E and S.W.
38.50	Leave same - bears same
40.00	Temporary 1/4 Section Corner
60.00	Temporary 1/16 Section Corner
79.76	Intersect N & S. line 60 links South of the corner to sections 35, 36, 25 and 26, from which corner 2 trees South 89° 34' West on a true line between sections 26 and 35.
	Variation ———
19.94	Post in mound for 1/16 Section Corner
39.88	Post in mound for 1/4 Section Corner
59.82	Post in mound for 1/16 Section Corner
79.76	The corner to Sections 26, 27, 34 and 35.
	Rolling prairie 2d rate
	North between Sections 26 and 27.
	Variation 11.° 04' East
20.00	Post in mound for 1/16 Section Corner
40.00	Post in mound for 1/4 Section Corner
60.00	Post in mound for 1/16 Section Corner
80.00	Post in mound for corner to Sections 26, 27, 23 and 22.
	Moderately rolling prairie.
	Good second rate
	East on random line between sections 23, and 26. Variation 12° East
20.00	Temporary 1/16 Section Corner
21.50	Enter meadow N 30° W. and S 30° E.
31.50	Leave meadow & enter nearly level prairie - N.W. and S.E.
40.00	Temporary 1/4 Section Corner
58.00	Enter meadow bearing N and S. extends 10 chains N and connects with creek bottom on the South

Of the 6th Principal Meridian

Chains	
60.00	Temporary 1/16 Section Corner
64.50	Leave Meadow
79.04	Intersect N. and S. line 82 links South of the corner to Sections 23, 24, 25 & 26, from which corner - I run South 89° 25' West on a true line between Sections 23 and 26. Variation 12° East
19.76	Post in Mound for 1/16 Section Corner
39.52	Post in Mound for 1/4 Section Corner
59.28	Post in Mound for 1/16 Section Corner
79.04	The Corner to Sections 22, 23, 26 and 27. Rolling prairie & Meadow 1st and 2d rate Soil
	North between sections 22 and 23. Variation 11.° 46' East
16.00	Enter Meadow bearing N 75° W and S 75° E
20.00	Post in Mound for 1/16 Section Corner
30.00	Leave meadow - bearing N 75° W & S 75° E.
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
80.00	Post in Mound for Corner to Sections 14, 15, 22, and 23, Rolling prairies and Meadow 2d rate Soil
	East on a random line between Sections 14 and 23. Variation 12° 15' East
20.00	Temporary 1/16 Section Corner
40.00	Temporary 1/4 Section Corner
60.00	Temporary 1/16 Section Corner
79.04	Intersect N. and S. line 23 links South of corner to sections 13, 14, 23 and 24. from which Corner I run South 89° 30' West on a True line between sections 14 and 23. Variation 12° 15' East

T.26.R.5. | T.27.R.5 | T.24.R.6

8
44

Omaha Reservation

Township 25 North Range 5 East of the

Chains	
19.76	Post in mound for 1/16 Section corner
39.52	Post in mound for 1/4 Section corner
59.28	Post in mound for 1/16 Section corner
79.04	The corner to Sections 14 15 22 and 23
	Rolling prairie 2d rate soil
	June 2d 1867

North between Sections 14 and 15
Variation 11° 30' East

20.00	Post in mound for 1/16 Section corner
40.00	Post in mound for 1/4 Section corner
60.00	Post in mound for 1/16 Section corner
80.00	Post in mound for corner to Sections 10 11 14 and 15
	Rolling prairie 2d rate soil

East on a random line between Sections 11 and 14. Variation 12° 30' East

20.00	Temporary 1/16 Section Corner
40.00	Temporary 1/4 Section corner
60.00	Temporary 1/16 Section corner
79.04	Intersect N and S. line 67 links South of the corner to Sections 11 12, 13 & 14, from which corner I run South 89° 31' West on a true line between Sections 11 and 14. Variation 12° 30' East
19.76	Post in mound for 1/16 Section corner
39.52	Post in mound for 1/4 Section corner
59.28	Post in mound for 1/16 Section corner
79.04	Post in mound for corner to Sections 10. 11. 13. and 14, previously established

Rolling Prairie
Second Rate Soil

of

the 6th Principal Meridian

Chains	North between Sections 10 and 11.
	Variation 12° East
20.00	Post in mound for 1/16 Section corner
40.00	Post in mound for 1/4 Section corner
60.00	Post in mound for 1/16 Section corner
75.00	Intersect the line between Omaha and Winnebago Reservations 30 links East of Station 29 on the West boundary of Reservation. Set post in mound dug 2 pits and deposited charcoal for corner to fractional Sections 10 and 11. Winnebago Res line
	WINNEBAGO RESERVE
80.00	Post in mound for corner to Sections 10. 11. 2 and 3.
	Rolling prairie 2d rate soil
	East on a random line between Sections 2 and 11.
	Variation 12° 30' East
40.00	Temporary 1/4 Section corner
78.00	Enter meadow bearing N & S.
79.12	Intersect N and S. line 38 links South of corner to Sections 1, 2, 11, and 12, from which corner I run South 89° 35' West on a true line between Sections 2 and 11 —
	Variation 12° 30' East
39.56	Post in mound for 1/4 Section corner
79.12	The corner to Sections 2, 3, 10, and 11.
	Rolling prairie 3d rate soil
	June 3rd 1867
	North on a random line between Sections 2 and 3
	Variation 12° 30' East
40.00	Temporary 1/4 Section corner
79.94	Intersect North Boundary of Township, 64 links East of corner to Sections 2, 3, 34, and 35, from which corner I run —

T.26.R.5. T27.R.5 T24.R.6

Omaha and Winnebago Reservation

Township 25 North Range 5 East of

South 27' East on a true line between
Sections 2 and 3.
Variation 12° 30' East

39.94 Post in mound for 1/4 Section corner
79.94 The corner to Sections 2, 3, 10, and 11,
Rolling prairie Second rate soil

From the corner to Sections 26,
27, 34, and 35 Run
West on a True line between Sections
27 and 34
Variation 11° 30' East

1.20 Intersect the west Boundary of
Omaha Reservation 155 chains
South of the old corner to fractional
Sections 27, 34.

Having remeasured the line
between Sections 27 and 34 and
finding it impractible to close
the line between fractional Sections
27 and 3~~4~~4. on the old corner.
I established a new closing corner
for that part of Sections 27 and 34
East of the Boundary 155 chains
South of the old corner by Setting
a post in mound with 3 pits and
deposited charcoal as per instructions.

West between fractional Sections 22 and
27. Variation 11° 55' East

1.25 Intersect the West Boundary of Omaha
Reservation 186 chains South of
the old corner to fractional Sections
22 and 27. and at the point of
Intersection set post in mound
dug 3 pits and deposited charcoal
for closing Corner to that part
of Sections 22 and 27 East
of the Boundary

the 6th Principal Meridian

	Chains	West between fractional Sections 15 and 22.
		Variation 12° East
	93	Intersect the West Boundary of Omaha Reservation 2.13 Chains South of the old corner to fractional Sections 15 and 22. and at the point of intersection. Set post in mound - dug 3 pits and deposited Charcoal for Closing Corner to that part of Sections 15 and 22. East of the Boundary.
		West between fractional Sections 10 and 15.
		Variation 12° East
	63	Intersect the west Boundary of Omaha Reservation 3.10 Chains South of the old Corner to fractional Sections 10 and 15. And at the point of intersection set post in Mound dug 3 pits and deposited Charcoal for Closing Corner to that part of Sections 10 and 15 East of the Boundary.

Winnebago Reservation

West between fractional Sections 3 and 10.
Variation 12° East

	26	Intersect the West Boundary of Winnebago Reservation 4.23 Chains South of the old corner to fractional Sections 3 and 10. and at the point of intersection set post in Mound dug 3 pits and deposited Charcoal for Closing Corner to that part of Sections 3 and 10. East of the Boundary

June 4th 1867

T.26, R.5 | T.27, R.5 | T.24, R.6

12
48

Omaha Reservation

Township 25 North Range 5 East of

chains	
	Subdivision of Sections
	Subdivision commenced June 1st 1867
	and
	Completed June 5th 1867
	Subdivision of Section 36.
	North on the quarter Section line through Section 36
	Variation 12° 2' East
20.00	Post in mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
80.00	Intersect the North line of the Section at the quarter Section Corner
	Rolling prairie 2d rate soil
	East on a random quarter Section line through Section 36
	Variation 12° 30' East
20.00	Temporary 1/16 Section Corner
39.94	Intersect N & S Quarter Section line
60.00	Temporary 1/16 Section Corner
79.88	Intersect the East line of the Section at the quarter Section Corner from which 3 trees
	West on a true quarter Section line through Section 36.
	Variation 12° 30' East
19.97	Post in mound for 1/16 Section Corner
39.94	Intersect N and S. Quarter section line at the Quarter Section Corner.
59.91	Post in mound for 1/16 Section Corner
79.88	The quarter section Corner on the West line of Section
	Rolling Prairie 2d rate soil

the 6th Principal Meridian

	chains	North on the quarter section line through Section 25
		Variation 12° 27' East
1	20.00	Post in Mound for 1/16 Section corner
	40.00	Post in Mound for 1/4 Section corner
	60.00	Post in Mound for 1/16 Section corner
	74.50	A Brook 2 lks wide running N.E.
	80.00	Intersect the North line of the Section at the quarter Section corner
		Rolling prairie 2d rate soil
		East on a random quarter Section line through Section 25.
		Variation 12° 30' East
	20.00	Temporary 1/16 Section corner
	39.81	Intersect N & S. line (quarter section)
	60.00	Temporary 1/16 Section corner
	79.62	Intersect the East line of the Section 19 links North of the quarter section corner from which corner I run North 89° 52' West on a true quarter Section line through Section 25
		Variation 12° 30' East
	19.90	Post in Mound for 1/16 Section corner
	39.81	Intersect the North and South quarter section line at the quarter Section corner
	59.71	Post in Mound for 1/16 Section corner
	79.62	The quarter section corner on the West line of the Section
		Rolling prairie 2d rate soil
		June 1st 1867
		North on the quarter Section line through Section 24 Variation 12° 38' East
	20.00	Post in Mound for 1/16 Section corner
	40.00	Post in Mound for 1/4 Section corner
	60.00	Post in Mound for 1/16 Section corner
	80.00	Intersect the North line of the Section at the quarter Section corner
		Rolling prairie. 2d Rate soil

T.26, R.5. T.27, R.5. T.24, R.6

Omaha Reservation

Township 25 North Range 5 East

chains	
	East on a random quarter section line through Section 24 Variation 12° 30' East
20.00	Temporary 1/16 Section Corner
39.69	Intersect A and S quarter Section line
60.00	Temporary 1/16 Section Corner
79.39	Intersect the East line of the Section 7 links South of the quarter Section Corner from which corner I run South 89° 57' West on a true quarter section line through Section 24. Variation 13° 30' East
19.85	Post in mound for 1/16 Section Corner
39.70	Intersect the A and S quarter section line at the quarter Section Corner
59.54	Post in Mound for 1/16 Section Corner
79.39	The quarter Section Corner on the West line of Section
	Rolling prairie - 2d rate soil.
	North on the quarter section line through Section 13 - Variation 12° 30' East
4.00	Enter meadow bearing N.W. and S.E.
13.00	Leave meadow bearing N.W. & S.E.
20.00	Post in mound for 1/16 Section corner
40.00	Post in mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section corner
80.00	Intersect the North line of the Section At the quarter section Corner Rolling prairie. Second rate soil
	East on a random quarter section line through Section 13. Variation 12° East
20.00	Temporary 1/16 Section Corner
39.59	Intersect A & S. Quarter section line
60.00	Temporary 1/16 Section Corner
79.19	Intersect the East line of the Section 37 links North of the quarter section corner from which corner I run.

of the 6th Principal Meridian

chains	North 89° 44' West on a true quarter Section line through Section 13 — Variation 12° East
19.80	Post in Mound for 1/16 Section Corner
39.60	Intersect N. & S. quarter section line at the quarter section corner
59.39	Post in Mound for 1/16 Section Corner
79.19	The quarter section corner on the West side of the Section Rolling Prairie — Second rate soil June 2d 1867
	North on the quarter section line through Section 12° Variation 12° 26' East
20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
62.00	Enter Meadow bearing E. & W.
73.38	Intersect the line between the Omaha and Winnebago Reservation and at point of Intersection set post in Mound - dug 2 pits. And deposited Charcoal for corner to 1/4 Sections (fractional) Rolling prairie Second rate soil
	East on a random quarter section line through Section 12 Variation 11° 45' East
20.00	Temporary 1/16 Section Corner
39.57	Intersect N & S. quarter Section line
60.00	Temporary 1/16 Section Corner
79.14	Intersect the East line of the Section 85 links North of the quarter section Corner from which Corner a tree North 89° 24' West on a true quarter section line through Section 12 — Variation 11° 45' East

T. 26. R. 5. | T. 27. R. 5. | T. 24. R. 6

Omaha Reservation

Township 25 North Range 5 East of

Chains	
19.79	Post in mound for 1/16 Section corner
39.57	Intersect the N. & S. Quarter section line at the quarter section corner
59.36	Post in mound for 1/16 Section corner
79.14	The quarter Section corner on the West side of the section – Rolling prairie – Second rate soil –
	North on the quarter Section line through Section 35. Variation 12° 40' East
20.00	Post in mound for 1/16 Section Corner
40.00	Post in mound for 1/4 Section Corner
60.00	Post in mound for 1/16 Section corner
80.00	Intersect the north line of the Section at the quarter section corner Rolling prairie 2d rate soil.
	East on a random quarter section line through Section 35. Variation 12° 30' East
20.00	Temporary 1/16 Section Corner
39.94	Intersect the N. and S. quarter Section line
60.00	Temporary 1/16 Section Corner
79.88	Intersect the east line of the Section 10 links south of the quarter section corner from which corner I run South 89° 56' West on a true quarter Section line through Section 35 – Variation 12° 30' East
19.97	Post in mound for 1/16 Section Corner
39.94	Intersect the N. & S. quarter section line at the quarter section corner
59.91	Post in mound for 1/16 Section corner
79.88	The quarter section corner on the West side of the Section Rolling prairie Second rate soil

of

the 6th Principal Meridian

chains	North on the quarter section line through Section 26
	Variation 12° 8' East
20.00	Post in mound for 1/16 Section corner
40.00	Post in mound for 1/4 Section corner
60.00	Post in mound for 1/16 Section corner
61.50	Enter meadow bears East and West
76.50	Leave same bears Same
80.00	Intersect the North line of the Section at the quarter Section Corner
	Rolling prairie Second rate soil
	East on a random quarter Section line through Section 26
	Variation 12° 30' East
20.00	Temporary 1/16 Section Corner
39.70	Intersect the N. & S. quarter Section line
60.00	Temporary 1/16 Section Corner
79.40	Intersect the East line of the Section 35 links South of the quarter Section Corner from which Corner I run South 89° 45' West on a true quarter section line through Section 26. Variation 12° 30' East
19.85	Post in mound for 1/16 Section corner
39.70	Intersect the N. & S. quarter section line at the quarter Section Corner
59.55	Post in mound for 1/16 Section corner
79.40	The quarter Section corner on the West side of the Section
	Rolling prairie. Second rate soil
	North on the quarter section line through Section 23. Variation 12° 10' East
20.00	Post in mound for 1/16 Section corner
40.00	Post in mound for 1/4 Section corner
60.00	Post in mound for 1/16 Section corner
80.00	Intersect the North line of the Section at the quarter section Corner
	Rolling prairie — Second rate soil

T.26, R.5. | T.27, R.5. | T.24, R.6

Township 25 North Range 5 East of the

Chains	East on a random quarter section line through Section 23. Variation 12° 15' East
20.00	Temporary 1/16 Section Corner
39.52	Intersect the N. & S. quarter Section line
60.00	Temporary 1/16 Section Corner
79.04	Intersect the East line of the section 14 links South of the quarter Section corner from which corner I run South 89° 54' West on a true line (quarter section) through Section 23. Variation 12° 15' East
19.76	Post in Mound for 1/16 Section Corner
39.52	Intersect the N. & S. quarter Section line at the Quarter Section Corner
59.28	Post in Mound for 1/16 Section Corner
79.04	The Quarter Section Corner on the West side of the Section Rolling prairie Second rate soil,

North on the quarter section line through Section 14
Variation 12° 17' East

20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
80.00	Intersect the North ~~line~~ of the section at the quarter section Corner Rolling prairie - Second rate soil

East on a random quarter section line through Section 14. Variation 12° East

20.00	Temporary 1/16 Section Corner
39.52	Intersect the N. & S. quarter Section line
60.00	Temporary 1/16 Section corner
79.04	Intersect the East line of the Section 80 links South of the quarter Section corner from which corner I run

6th Principal Meridian

Chains South 89° 26' West on a true
quarter section line through
Section 14. Variation 12° East
19.76 Post in Mound for 1/16 Section Corner
39.52 Intersect the N. & S. quarter section line at
the quarter section corner
59.28 Post in Mound for 1/16 Section Corner
79.04 The quarter section corner on the
West side of the Section
Rolling Prairie
Second rate soil
June 4th 1867.

North on the quarter section line through
Section 11. Variation 12° 35' East
20.00 Post in Mound for 1/16 Section Corner
40.00 Post in Mound for 1/4 Section Corner
60.00 Post in Mound for 1/16 Section Corner
74.57 Intersect the line between Omaha and
Winnebago Reservation, and at
point of intersection set post in
Mound — dug 2 pits and deposited
Charcoal for corner to fractional
quarter section
Rolling prairie.
Second rate soil

East on Random quarter section
line through section 11
Variation 12° 30' East
20.00 Temporary 1/16 Section Corner
39.54 Intersect N. & S. quarter Section line
50.50 Enter meadow bearing N. & S.
58.00 Leave meadow bearing N. & S.
60.00 Temporary 1/16 Section Corner
79.08 Intersect the East line of the section
35 links South of the Quarter Section
Corner, from which corner I run
South 89° 45' West on a true quarter
Section line through Section 11
Variation 12° 30' East

T.26, R.5. T.27, R.5. T.24, R.6

Township 25 North Range 5 East of the

Chains	
19.77.	Post in mound for 1/16 Section corner
39.54	Intersect the N. & S. quarter section line at the quarter section corner
59.31	Post in mound for 1/16 Section corner
79.08	The quarter section corner on the West side of the section
	Rolling prairie.- Record rate soil

West on true quarter section line through fractional Section 34
Variation 11° 45' East

1.54	Intersect the West Boundary of the Omaha Reservation and at point of intersection set post in mound, dug 3 pits, and deposited Charcoal for closing quarter Section Corner to that of Section 34 East of the Boundary

West on true quarter section line through fractional Section 27.
Variation 11° 35' East

1.20	Intersect the West Boundary of the Omaha Reservation, and at point of Intersection set post in mound. dug 3 pits and deposited charcoal for closing corner to quarter section for that part of Section 27. East of the Boundary.

West on true quarter Section line through fractional Section 22. Variation 12° 35' East

1.07	Intersect the West Boundary of the Omaha Reservation. and at point of intersection. set post in mound, dug 3 pits. and deposited charcoal for closing Quarter Section corner to that part of Section 22. East of the Boundary.

the 6th Principal Meridian

chains West on a true quarter Section line through fractional Section 15

Variation 12° East.

78 Intersect the West Boundary of the Omaha Reservation. and at point of intersection Set a post in Mound. dug 3 pits. and deposited charcoal for closing quarter Section Corner. to that part of Section 15 East of the Boundary

West on a true quarter section line through fractional Section 10.

Variation 12° East

54 Intersect the West Boundary of the Omaha Reservation. and at point of intersection. Set post in mound. dug 3 pits. and deposited charcoal for closing quarter Section Corner. to that part of Section 10. East of the Boundary

June 5th 1867

T.26, R.5. T.27, R.5. T.24, R.6 T25 R6

General Discription

This part of Township Number Twenty five North of the base line of Range Number five East of 6th PM. is wholly prairie.

Near the North East corner of the Township it reaches the bottom bordering Middle Creek.

There is a narrow belt of level Creek bottom extending through Sections 24. 25. and 26. which has a first rate soil. In Sections 23 and 26. there is some good meadow land.

The soil of the high rolling prairie is generally second rate - Sometimes, near the foot of the hills. the washings from the high land have made the soil first rate

Omaha Reservation

Township 25 North Range 5 East of the 6th P M.

I could not close the fractional part of the sections along the West Boundary upon the old corners. without deflecting the very short lines too much.

I therfore established closing corners upon the Boundary. Marking them "C. C." in addition to the proper section marks, these posts are also marked "W. B. O. R," and "W. B. W. R," for West Boundary of Omaha and Winnebago Reservations

This Township is devided by the line between the Omaha and Winnebago Reservations.

The Area of the Winnebago part being thirteen hundred and 65/100 acres, while that of the Omahas. is. Six thousand three hundred and forty Six & 81/100 acres.

Department of the Interior
General Land Office
October 3rd 1867

The foregoing field notes of the survey of Township 25 N. R. 5 East Nebraska executed by Theodore H. Burett under his contract of August 14 1866, in the month of June 1867. having been critically examined. the necessary corrections and explanations made the said field notes and the surveys they describe Are hereby approved

L S S Wilson
Commissioner

We hereby certify that we assisted Theodore H. Barrett U.S. Surveyor in subdividing that part of Township Number twenty five North of the base line of Range Number five East of the Sixth Principal Meridian embraced within the boundaries of the Omaha and Winnebago Indian Reservations and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Commissioner of the General Land Office.

Henry H. Gilbert
Richard Bronk
George Flot
Orville Smith
George Patterson
James Kennedy
Joseph F. Fehnel
Andrew Armstrong
H. C. Williams
Willie T. his x mark Frainer
Karl Wilhelm Bekke

Subscribed and sworn to by the above named persons before me a Notary Public for the County of Burt in the State of Nebraska this 27th day of June 1867.

Seal

Watson Parish
Notary Public

T.26, R.5.
T.27, R.5.
T.24, R.6
T25 R6

7 H
60

I Theodore H. Barrett Surveyor do
Solemnly swear, that in pursuance
of a contract with J. M. Edmunds
Commissioner of the General Land Office
of the United States bearing date
the 14th Day of August 1866 and
in strict conformity to the Laws of
the United States and the instructions
furnished by the said Commissioner
of the General Land Office. I have
faithfully surveyed the subdivision
lines of that part of Township
number twenty-five North of the base
line of Range number five East
of the Sixth Principal Meridian
in the State of Nebraska. and I
do further solemnly swear that the
foregoing are the true and original
field Notes of such survey.

Theodore H. Barrett
Surveyor

Subscribed by the said Theodore
H. Barrett Surveyor and sworn
to before me a Justice of the Peace
for Whiteside County in the State
of Illinois. this 10th day of
September 1867.

R. S. Mungan
Justice of the Peace

Department of the Interior
General Land Office
Washington D.C. Aug. 21, 1871

I Certify that the foregoing transcript of field notes
has been correctly copied from the original notes
on file in this office

Wells Drummond
Commissioner

25
61

T.26, R.5.

T.27, R.5.

T.24, R.6

T25 R6

6 r

Compared
Detail
Corrected

Compared and corrected (Copy)

103 - R5
42

103
63

T. 26 N. R. 5. E.

Field Notes of the

Winnebago Reservation

Township 26 North
Range 5 East

Nebraska

T.26, R.5.
T.27, R.5.
T.24, R.6
T.25 R.6
T.26 R.6

1
64

Township 26 North Range 5 East

chains

Field Notes of the Survey and Subdivision lines in Township No 26 North Range 5 East of the 6th Principal Meridian (Winnebago Reservation) in the State of Nebraska by Theodore H. Bennett Surveyor, under his Contract bearing Date August 14th 1866

Commenced June 6th 1867
And Completed June 8th 1867

List of Names

A list of names of the individuals employed in running - measuring & marking the lines and corners described in the following Field Notes of Township No 26 North of the base line of Range 5 East of the 6th Principal Meridian. showing the capacities in which they acted

Henry H. Gilbert Compassman
George Fox Chainman
Joseph F. Fluent do
Andrew Armstrong Axeman
Henry C Williams " Mound Builder
Willis T. Fraser " do
Karl Wilhelm Bekke do

3
7

of 6th Principal Meridian

Chains

Having previously run the South and East Boundary of this Township with the Solar Compass I find that the Variation of the Needle to be as follows

Lowest Variation 11° East
Highest Variation 11° 55 East

Beginning at the corner to Sections 35 - 36 - 1 and 2 on the South Boundary of the Township I run North between Sections 35 and 36 -

Variation 11° 45 East

13.00 Enter creek bottom N. 80° E.
18.40 A Brook 4 links wide runs N 80° E.
25.00 Leave creek bottom
40.00 Post in Mound for 1/4 Section Corner
42.00 Enter Middle creek bottom bearing N 15° W And S.E.
80.00 Post in Mound for corner to Sections 25 - 26 - 35 - and 36
Nearly Level prairie - 1st rate soil

East on a random line between Sections 25 and 36

Variation 11°. 45' East

40.00 Temporary 1/4 Section Corner
63.50 Middle Creek 50 links wide runs S.
79.95 Intersect N and S line 48 links North of true Corner to Sections 25 - 26 - 30 and 31 (being 8 links North of M. C.) from which Corner I run

North 89°. 30' West on a true line between Sections 25 and 36

Variation 11° 45' East

39.97 Post in Mound for 1/4 Section Corner
79.95 The corner to Sections 25 - 26 - 35 and 36
Level Middle creek bottom
1st rate soil.

T.27, R.5. T.24, R.6 T.25, R.6. T.26 R.6 T.27 R.6

Township 26 North Range 5 East of

chains	
	West on a random line between Sections 26 and 35 (fractional) Variation 11° 30' East
5.00	Leave Middle Creek bottom bearing S. W. & S. E.
40.00	Temporary ¼ Section Corner
78.48	Intersect West Boundary of the Winnebago Reservation 32 links North of the old Mound (not established) at the Corner of fractional Sections 26 and 35. from which Corner I run North 89° 46' East on a true line between fractional Sections 26 and 35. Variation 11° 30' East
38.48	Post in Mound for ¼ Section Corner
78.48	The Corner to Sections 25 - 26 - 35 and 36 - Creek bottom and Moderately rolling prairie 1st rate Soil
	North between Sections 25 and 26 Variation 11° 25' East
30.50	A Slough 3 feet deep
38.00	Same Slough
40.00	Post in Mound for ¼ Section Corner
80.00	Post in Mound for Corner to Sections 23 - 24 - 25 and 26. Middle Creek bottom Level 1st rate soil
	East on a random line between Sections 24 and 25 - Variation 11° 45' East
40.00	Temporary ¼ Section Corner
47.50	Middle Creek 50 links Wide runs S. E.
79.96	Intersect East boundary of Township 4 links North of Corner to Sections 19. 24. 30 and 25 from which corner I run North 89° 58' West on a true line between Sections 24 and 25 - Variation 11° 45' East

the 6th Principal Meridian

Chains	
39.98	Post in mound for 1/4 Section Corner
79.96	The Corner to Sections 23-24-25 and 26. Middle Creek bottom - Level First and Second rate soil

West on a random line between Sections 23 and 26.
Variation 11°. 45' East

14.00	A Slough from 3 to 4 feet deep bearing N and S.
29.00	Same slough bearing N and S.E.
40.00	Temporary 1/4 Section Corner
78.45	Intersect West Boundary of Winnebago Reservation 6 links North of the Corner Mound (re-established) at the old Corner of fractional Sections 23 and 26 - from which Corner I run

North 89° 57' East on a true line between Sections 23 and 26-
Variation 11° 45' East

38.45	Post in Mound for 1/4 Section Corner
78.45	The Corner to Sections 23-24-25 and 26 Middle Creek bottom 1st rate soil

North between Sections 23 and 24
Variation 11°. 22 East

25.00	Intersect Middle Creek running S.E.
30.50	Intersect Middle Creek running S.W.
36.50	Intersect Middle Creek running S.E.
40.00	Post in Mound for 1/4 Section Corner
59.50	Intersect Middle Creek running West
75.00	Intersect Middle Creek running N.E.
80.00	Post in Mound for Corner to Sections 13-14-23 and 24 Middle Creek bottom First rate Soil

T.27, R.5. T.24 R.6 T.25, R.6. T.26 R.6 T.27 R.6

5
68

Winnebago Reservation

Township 26 North Range 5 East

Chains	East on a random line between Sections 13 and 24
	Variation 11°. 45' East
2.20	Intersect Middle Creek running N.E.
7.00	Intersect Middle Creek running S.
18.00	Leave Middle Creek bottom bearing North 30° W. and South East
40.00	Temporary ¼ Section Corner
79.27	Intersect East Boundary of Township 31 links South of corner to Sections 13-18-19 and 24. from which corner I run
	South 89° 45' West on a true line between Sections 13 and 24
	Variation 11°. 45' East
39.63	Post in Mound for ¼ Section Corner
79.27	The corner to Sections 13-14-23 and 24 Middle Creek bottom - and Moderately rolling prairie 1st rate Soil

West on a random line between Sections 14 and 23 -

Variation 11° 45' East

2.00	Intersect Middle creek running South
40.00	Temporary ¼ Section Corner
53.00	Intersect Slough bearing North and South at the same point Leave bottom
56.00	Leave Slough bearing North and South
78.65	Intersect West Boundary of the Winnebago Reservation 35 links South of the Mound (re-established) at the old corner of fractional Sections 14 and 23 - from which corner I run
	South 89°. 45' East on a true line between Sections 14 and 23
	Variation 11° 45 East

of the 6th Principal Meridian

Chains	
38.65	Post in Mound for 1/4 Section Corner
78.65	The Corner to Sections 13-14-23 and 24 Middle Creek bottom and Moderately rolling prairie 1st rate soil
	June 6th 1867
	North between Sections 13 and 14 Variation 12° East
4.00	Intersect Middle Creek running S.W.
8.00	Intersect Middle Creek running East
40.00	Post in Mound for 1/4 Section Corner
42.40	A Brook 3 links wide runs West
45.00	Leave Middle Creek bottom bearing N.W. & S.E.
80.00	Post in Mound for Corner to Sections 11-12-13-and 14 Creek bottom and gently rolling prairie 1st rate soil
	East on a random line between Sections 12 and 13 Variation 11° 45' East
40.00	Temporary 1/4 Section Corner
79.84	Intersect East Boundary of Township 31 links South of Corner to Sections 7-12-13 and 18. from which Corner I own
	South 89° 47' West on a true line between Sections 12th and 13th Variation 11° 45' East
39.92	Post in Mound for 1/4 Section Corner
79.84	The Corner to Sections 11-12-13 and 14 Moderately rolling prairie 1st and 2nd rate soil

T.27, R.5. T.24, R.6 T.25, R.6. T.26 R.6 T.27 R.6

Township 26 North Range 5 East of

chains West on a random line between
Sections 11 and 14
Variation 11° 45' East
10.00 Enter Middle creek bottom bearing
North west and S.E.
40.00 Temporary 1/4 Section Corner
52.00 Intersect Middle creek running S.E.
59.00 Intersect Middle creek running N.E.
69.75 Intersect Middle creek running S.E.
78.16 Intersect the West Boundary of Winnebago
Reservation 4.64 chains South of the
Mound (re-established) at the old corner
Of fractional Sections - 11 and 14
from which Corner I run
South 86° 41' East on a true line
between Sections 11 And 14
Variation 11° 45' East
38.16 Post in Mound for 1/4 Section Corner
78.16 The Corner to Sections 11-12-13 And 14
except East End of Middle Creek bottom
the soil is first rate
June 7th 1867

North between Sections 11 and 12
Variation 11° 45' East
40.00 Post in Mound for 1/4 Section Corner
70.00 Enter Meadow bearing N.E. and N.W.
80.00 Post in Mound for Corner to Sections
1-2-11 And 12
Moderately rolling Prairie
First rate Soil

East on a random line between
Sections 1 and 12.
Variation 11° 30' East
14.00 Leave Meadow bearing N.E. and S.W.
40.00 Temporary 1/4 Section Corner
76.00 Enter Meadow bearing N and S.
80.39 Intersect the East Boundary of
the Township 55 links North

the 6th Principal Meridian

Chains	of Corner to Sections 1-6-7 and 12 from which Corner I run
	North 89° 36' West on a true line between Sections 1 and 12.
	Variation 11°30' East
40.19	Post in Mound for 1/4 Section Corner
80.39	The Corner to Sections 1-2-11 and 12 Rolling prairie 1st and 2d rate soil
	West on a random line between Sections 2 and 11 -
	Variation 11° 45' East
20.00	Leave meadow S.W. and N.E.
40.00	Temporary 1/4 Section Corner
72.00	Enter Middle creek bottom bearing N.W. and S.E.
77.95	Intersect the West boundary of Winnebago Reservation 4.70 chains South of the Mound (re-established) at the old Corner to fractional Sections 2 and 11 from which Corner I run
	South 86° 39' East on a true line between Sections 2 and 11.
	Variation 11° 45' East
37.95	Post in Mound for 1/4 Section Corner
77.95	The Corner to Sections 1-2-11 and 12 Moderately rolling prairie First and Second rate Soil
	North on a random line between Sections 1 and 2. Variation 11° 3' East
40.00	Temporary 1/4 Section Corner
80.18	Intersect the North Boundary of Townships at Corner to Sections 1-2-35 and 36. from which Corner I run
	South on a true line between Sections 1 and 2 -
	Variation 11° 3' East
40.18	Post in Mound for 1/4 Section Corner
80.18	The Corner to Sections 1-2-11 and 12 Good Meadow 1st rate soil. June 8th 1867

T.27, R.5. T.24. R.6 T.25, R.6. T.26 R.6 T.27 R.6

9/72

Township 26 North Range 5 East of

General Description

That part of Township number 26 North Range 5 East. embraced in the Winnebago Indian Reservation is prairie and creek bottom

Middle creek which enters it in Section 11. and leaves the Township at the corner to Sections 25 and 36 - is a rapid stream from 50 to 80 lks wide (when within its banks) and 4 to 8 feet deep. banks 25 to 30 feet high and steep

The bottom bordering this creek is from one to two miles wide and has a first rate soil -

It appears to be subject to inundation only at long intervals.

There are a few trees along the creek

The high prairie near the creek bottom. Slopes gently toward it Farther from the creek it becomes high and rolling - It has a first and 2d rate soil - being the best near the Creek bottom

The corners described as "Posts in Mound" have each four pits. the Charcoal deposited in each Mound is equal to a solid 1 x 2 x 2. inches

the 6th Principal Meridian

Claims

We hereby certify that we assisted Theodore H. Barrett U.S. Surveyor in subdividing that part of Township Number twenty Six North of the base line of Range Number five East of the Sixth Principal Meridian embraced within the boundaries of the Winnebago Reservation - and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the Boundary Monuments planted according to the instructions furnished by the Commissioner of the General Land Office

Henry H. Gilbert
George Fox
Joseph F. Folwell
Andrew Armstrong
H. C. Williams
Willie T. his Frainer
mark

Karl Wilhelem Bekke

Subscribed and sworn to by the Above named persons - before me a Notary Public - for the County of Burt in the State of Nebraska this 28th day of June 1867

Watson Parrish
Notary Public

Seal

T.27, R.5. T.24, R.6. T.25, R.6. T.26, R.6. T.27, R.6.

11
74

I Theodore H. Barrett Surveyor do solemnly swear that in pursuance of a contract with J. M. Edmunds Commissioner of the General Land Office of the United States - bearing date the 14th day of August 1866 and in Strict Conformity with the Laws of the United States and the instructions received from the said Commissioner of the General Land Office.

I have faithfully surveyed the Subdivision lines of that portion of Township Number twenty Six North of the base line of Range Number five East of the 6th Principal Meridian - embraced in the Winnebago Reservation in the State of Nebraska -

And I do further solemnly swear that the foregoing - are the true and original Field Notes of such Survey

Theodore H. Barrett
Surveyor

Subscribed by the said Theodore H. Barrett Surveyor and sworn to before me a Justice of the Peace for Whiteside County in the State of Illinois this the 10th Day of September 1867

R. S. Morgan
Justice of the Peace

12
75

Department of the Interior
General Land Office
October 2d 1867

The foregoing field notes of the
Survey of Fractional Township 26. North
Range 5 East Nebraska.
executed by Theodore H. Barrett
under his Contract of the 14th
day of August 1866. in the Month
of June 1867 having been critically
examined. the necessary corrections and
explanations made the said field
Notes and the Survey they describe
are hereby approved

Joel Morton
Commissioner

Department of the Interior
General Land office
Washington D.C.
Aug. 21. 1871

I Certify that the foregoing
transcript of field notes of survey
has been correctly Copied from the
original notes on file in this office

Wm Drummond
Commissioner

T.27, R.5. T.24. R.6 T.25, R.6. T.26 R.6 T.27 R.6

13/76

T.27, R.5. T.24 R.6 T.25, R.6. T.26 R.6 T.27 R.6

14/77

Compared and Corrected

(copy)

NO 4 — R 5

NO 4

— 79

T. 27 N. R. 5 East 6th P.M. Nebraska

Field Notes of the Survey of Township 27 North Range 5 East

Winnebago Indian Reservation

State of Nebraska

June 1867

18

T.27, R.5. T.24, R.6 T.25, R.6. T.26 R.6 T.27 R.6

Field Notes of the Subdivision lines in Fractional Township No 27 North. Range 5 East - the 6th Principal Meridian in the State of Nebraska (Winnebago Reservation) by Theodore H. Bamt Surveyor under his Contract bearing date August 14th 1866

Surveyed June 7th 1867

A List of the Names of the individuals employed to assist in running - Measuring or Marking the lines and Corners - described in the following Field Notes of Township 27 North of the base line of Range 5 East - the 6th Principal Meridian. showing the Capacities in which they acted

Henry H. Gilbert - Compassman
George Fox " Chainman
Joseph F Hunt " do
Andrew Armstrong " Axeman
Henry C. Williams " Mound Builder
Willie Trainer " do
Karl Wilhelm Bekke " do

Begin on the South line of the Township
at the Corner to Sections 35 and 36
and run
North on a random line between
Fractional Sections 35 and 36 -
Variation 11°. 45' East
35.00 Leave Meadow bears N 15° W and S 30° East
40.00 Temporary 1/4 Section Corner
77.02 Intersect the North line of the Winnebago
Reservation 158 links East of the old
Corner to Fractional Sections 35 and 36
from which Corner I run
S 1°. 10' East
on a true line between
Fractional Sections 35 and 36 -
Variation 11° 45' East
37.02 Post in Mound for 1/4 Section Corner
77.02 The Corner to Sections 35 - 36 - 1 and 2 -
Meadow and Moderately rolling prairie
1st rate soil
June 7th 1867 -

General Description

The Land in this fractional part of Township 27
North Range 5 East is first rate prairie
and Meadow
The Surface is Moderately rolling - the
South West Corner being on or near Middle
Creek bottom

T.24.R.6 T.25.R.6. T.26 R.6 T.27 R.6

We hereby certify that we assisted Theodore H. Barrett U.S. Surveyor, in subdividing that part of Township 27 North of the base line of Range 5 East of the 6th Principal Meridian - embraced within the Winnebago Boundaries of th Reservation. and that said Township has been in all respects to the best of our knowledge and belief well and faithfully Surveyed and the boundary Monuments planted according to the instructions furnished by the Commissioner of the General Land Office

Henry H. Gilbert
George Fox
Joseph F. Flumb
Andrew Armstrong
H. C. Williams
Willie his + mark Fraiser
Karl Wilhelm Bekke

Subscribed and Sworn to by the above named persons. before me A Notary Public for the County of Burt in the State of Nebraska this 28th day of June 1867

L.S.

Watson Parrish
Notary Public

I Theodore H. Barrett Surveyor do Solemnly swear that in pursuance of a contract with J. M. Edmunds Commissioner of the General Land Office of the United States bearing Date the 14th day of August 1866 and in Strict Conformity with the Laws of the United States and the instructions furnished by the Said Commissioner of the General Land Office I have faithfully surveyed the subdivision lines of that part of Township number twenty seven North of the base line of Range number Five East - the 6th Principal

Meridian - embraced within the Winnebago
Indian Reservation in the State of Nebraska.
And I do further solemnly swear that the
foregoing are the true and original Field
Notes of such Survey

Theodore H. Barrett
Surveyor

Subscribed by the said Theodore H. Barrett
Surveyor and sworn to before me a
Justice of the Peace for Whiteside
County in the State of Illinois this
the 10th day of September 1867

R. S. Morgan
J. P.

Department of the Interior
General Land Office
October 2d 1867

The foregoing field Notes of the Survey of
Fractional Township 27 North, Range 5 East
Nebraska executed by Theodore H. Barrett
under his contract bearing date of the 14th
day of August 1866 — in the Month of
June 1867 having been critically
examined the necessary corrections and
explanations made the said Field Notes
and the Survey the described are hereby
approved

Jos. S. Wilson
Commissioner

Department of the Interior
General Land Office
Washington D.C. Augt. 21. 1871.
I Certify that the foregoing transcript

T.24.R.6 T.25.R.6. T.26 R.6 T.27 R.6

4
84

of field notes of survey has been cor-
-rectly Copied from the original notes
on file in this Office

Wells Drummond
Commissioner

No 1 — R 6

No 6

4/85

Field Notes of the Subdivision of Township No 24 N. of Range No. 6. W. of the 6th Principal Meridian in Nebraska.

Executed by
Theodore H. Barrett under his contract bearing date the 14th day of August 1866.

Survey commenced October 29th 1866.
Survey completed November 9th 1866.

Subdivision of Section pg 121 — 166

T.24.R.6 T.25.R.6 T.26.R.6 T.27.R.6

4/86

Subdivision of Township 24 N. Range 6 East

List of Names.

A list of Names of the individuals employed to assist in running, Measuring or Marking the lines and corners described in the following Field Notes of Township No. 24 N. of the base line, of Range No. 6 East of the 6th Principal Meridian, showing the respective capacities in which they acted.

Stephen Gates	Chainman
Chas W. King	do
A. Englebright	do
Geo Eggleston	do
H. Archambault	Mound Builder
Frederick Garrick	do
J. W. Smith	Axeman
John R. Wells	Flagman
S. G. Reynolds	do
Richard Cranke	Compassman.

Oma

720

2.00

40.00

52.50

65.00

80.00

2.00

40.00

Omaha Reservation Township 24 Range 6 E 6th Principal Meridian 5th

Chains Having run the East boundary of this Township with the solar compass I retraced a portion of the South boundary in order to determine the proper variation for subdividing it, the variation on the East and South boundaries appears to be changeable, varying from 11°30 to 12°18' East Therefore set my compass at a variation of 12° as a proper adjustment with which to commence the subdivision.

Beginning at a point on the South Boundary of the Omaha Reservation at its intersection with the section line between sections 35 and 36 the same being a post in mound 72.80 chains North of the South West corner of section 36 and run North between sections 35 and 36 Fractional Variation 12° East

720 Set a post in mound, dug four pits and deposited charcoal for corner to sections 25, 26, 35 and 36. Rolling prairie, 1st rate Soil.

East on random line between sections 25 and 36. Variation 12° East

2000 Set a post for temporary 1/16 section corner,

4000 Set a post for temporary 1/4 section corner,

5250 Trail bears N. E. and S. W.

6000 Set a post for temporary 1/16 section corner

8000 Intersect N and S line 32 links South of the corner to sections 25 and 36 from which corner Brass S 89°46' West on true line between sections 25 and 36, Variation 12° East

2000 Set a post in mound, dug four pits, and deposited charcoal for 1/16 sec corner.

4000 Set a post in mound dug, four pits

T. 25, R. 6. T. 26 R. 6 T. 27 R. 6

6/88

Omaha Reservation Township 24 N Range 6 E 6th Prin. Meridian

Chains	
60 00	Set a post in mound dug four pits and deposited charcoal for 1/16 section corner
80.00	the corner to sections 25, 26, 35 and 36 moderatly rolling prairie 1st rate Soil & 2nd rate soil.

North between Sections 25 and 26.
Variation 12° East

20,00	Establish 1/16 section corner by a post, mound, four pits and charcoal
40,00	Establish 1/4 sectin corner by a post, mound, four pits and charcoal. as per instructions.
60.00	Establish 1/16 section corner by a post, mound, 4 pits and charcoal.
67,50	Enter meadow-bears N. E. and S. W.
75,00	Leave meadow-bears E and W.
80,00	Establish corner to sections 23. 24. 25. and 26 by a post, mound, 4 pits and charcoal as per instructions Rolling prairie 1st Good, 2nd rate Soil.

East on random line between sections 24 and 25 Variation 12°. East.

11.00	Enter meadow bears N. E, and S. W.
15.00	Leave meadow bears N E and S. W.
20.00	Set a post for temporary 1/16 sectin corner
40.00	Set a post for temporary 1/4 sectin corner
60.00	Set a post for temporary 1/16 section corner
80.20	Intersect N & S line 38 links South of corner to sections 24 and 25 from which corner Bmon South 89° 44' West on true line between Sections 24 and 25. Variation 12° East.
20.05	Set a post in mound, dug four pits & deposited charcoal for 1/16 Sectin corner.
40.10	Set a post in mound dug four pits and deposited charcoal for 1/4 sec corner
60.15	Set a post in mound, dug four pits and deposited charcoal for 1/16 sectin corner
80.20	the corner to sections 23, 24, 25, and 26. Rolling prairie 1st rate Soil

Omaha Reservation Township 24 N Range 6 E 6th Principal Meridian

Chains

North between Sections 23 and 24.
Variation 12° East.

20.00 Established 1/16 Sec corner by a post, mound four pits and charcoal as per instructions.

40.00 Establish 1/4 Section corner by a post in mound four pits and charcoal as per instructions.

60.00 Establish 1/16 Section corner by a post in mound four pits and charcoal.

80.00 Leave high prairie & enter meadow- bears North 80 E & South 70° W

80.00 Established the corner to Sections 13 14 23 and 24 by a post in mound, four pits, and charcoal as per instructions, high rolling prairie, 1st rate Soil.

October 29th 1866.

East on Random line between section 13 and 24. Variation 12° East

20.00 Set a post for temporary 1/16 Section corner.

40.00 Set a post for temporary 1/4 section corner.

60.00 Set a post for temporary 1/16 section corner.

79.92 Intersect N & S line 27 links North

Chains

of the corner to sections 13 & 24 from which corner Brun, N 89° 48 West on a true line between sections 13 and 24. Variation 12° East.

19.98 Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec corner.

39.96 Set a post in mound, dug four pits and deposited charcoal for 1/4 Section corner.

59.94 Set a post in mound dug four pits and deposited charcoal for 1/16 Sec corner.

79.92 The corner to sections 13 & 14 23 and 24. high rolling prairie, except about 25 chains at the West end of the line which runs along

T. 25, R. 6. T 26 R 6 T 27 R 6

8
90

8 Omaha Reservation Township 24 N Range 6 E Principal Meridian.

near the Edge of a meadow 1st rate Soil.

North between Sections 13 and 14.
Variation 12° East.

5,00 Leave meadow & enter high prairie, bears N. E. and West.

Chains

20,00 Establish 1/16 ——— section corner by a post, mound, four pits, and charcoal.

40,00 Establish a post in mound, dug four pits and deposited charcoal for 1/4 Sec corner.

60,00 Establish 1/16 Section corner by post in mound, four pits and charcoal.

80,00 Set a post in mound, dug four pits and deposited charcoal for corner to sections 11, 12, 13 & 14, meadows and high rolling prairie, 1st rate Soil.

East on Random line between Sections 12 and 13 Variation 11°30' East.

20,00 Set a post for temporary 1/16 Sec corner
40,00 Set a post for temporary 1/4 Sec corner
60,00 Set a post for temporary 1/16 Sec corner
Offline point intersect slough & marsh, bears N & S.
75,00 Leave marsh & enter bottom lands bearing N & S. E.

Chains

80,04 Intersect East Boundary of Tp at the corner to sections 12 & 13 from which corner I run West on true line between sections 12 and 13 Variation 11°30' East,
20,01 1/16 Section corner in slough,
21,00 Set a post in mound, dug four pits.

Omaha Reservation Township 24 N Range 6 E 6th Principal Meridian 9

	and deposited charcoal for witness corner to Sixteenth Section.
40.02	Set a post in mound dug four pits and deposited charcoal for 1/4 Section cor
60.03	Set a post in mound dug four pits and deposited charcoal for 1/16 sec corner
80.04	The corner to Sections 11. 12. 13. and 14 Rolling prairie-marsh and meadow-large growth of cane on the marsh.
	North between Sections 11 & 12 Variation 11°45' East
20.00	Set a post in mound dug four pits and
Chains	
	deposited charcoal for 1/16 section corner
40.00	Set a post in mound dug four pits. and deposited charcoal as per instructions for 1/4 section corner.
53.00	Enter meadow or bottom land bordering water course bears N. E. and S. W.
53.50	Intersect water course no current - 3 inches deep - 5 lks wide - grown up to grass -
60.00	Set a post in mound dug four pits and deposited charcoal for 1/16 Sec corner,
75.00	Leave bottom and meadow - N. E. & S. W.
80.00	corner to Sections 11. 12. 1 and 2 set a post in mound four pits and charcoal as per instructions, Rolling prairie, and meadow, 1st rate Soil.
	East on random line between Sections 1 and 12, Variation 11° 50' East.
5.00	enter bottom land, bears N. E & S. W.

T. 25, R. 6. T 26 R 6 T 27 R 6

10/92

to Omaha Reservation Township 24 Range 6 E 6th Principal Meridian

Chains	
14.00	Intersect dry run bears N. E. & S. W. at same point enter marsh - N. E. & S. W.
18.00	Leave marsh bears N. E. & S. W. again enter bottom land.
20.00	Set a post for temporary 1/16 Sec corner.
28.00	Enter marsh - bears N. E. & S. W.
32.00	Leave same & enter bottom N. E. & S. W.
35.00	Leave bottom & enter high prairie, bears N. 70° E & S W.
40.00	Set a post for temporary 1/4 Sec corner
58.00	Enter bottom land bears N. 80° W. & S. E.
60.00	Set a post for 1/16 Sec corner.
80.16	Intersect N & S line 54 links North of the corner to sections 1 and 12, from which corner Iron N 89° 37' West on true line between Sections 1 and 12. Variation 11° 50' East.
20.04	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec corner.
40.08	Set a post in mound dug four pits and deposited charcoal for 1/4 Sec corner
60.12	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
80.16	The corner to sections 1. 2. 11. and 12, Rolling prairie, marsh & bottom land, 1st rate soil

North, between Sections 1 & 2, Variation, 11 30' East.

20.00	Establish 1/16 Section corner by a post, mound, four pits and charcoal.
40.00	Established 1/4 section corner by a post, mound, four pits and charcoal,
57.00	Enter middle Creek bottom - bears East and West.
60.00	set a post in mound, dug four pits and deposited charcoal for 1/16 Section Corner.
78.70	Intersect standard Parallel 14.73 chains West of the standard corner to sections 35 & 36 - 25 N. R 6. East, & set a post,

E 6th M

11/93 11

Omaha Reservation Township 24 N Range 6 E 6th Principal Meridian

Chains built mound, dug 3 pits and deposited charcoal as fire witness, for closing corner to sections 1 and 2. Rolling prairie. & bottom land, 1st rate Soil.

October 30. 1866.

Begin at a point on the South Boundary of the Omaha Reservation, at its intersection with the section line between Sections 34 & 35, the same being a post in mound 72.60 chains North of the South West corner of sec 35 and run North ↑ between Fractional Secs 34 and 35, Variation 12° 05' East.

7.40 Set a post in mound, dug four pits, and deposited charcoal for corner to sections 26 27, 34 and 35. Rolling prairie, 1st rate Soil,

Chains

East between Sections 26 and 35; on random line.

Variation 12° 5' East.

20.00 Set a post for temporary 1/16 sec corner,

40.00 Set a post for temporary 1/4 Sec corner.

60.00 Set a post for temporary 1/16 Sec corner.

80.00 Intersect N & S line 20 links North of the corner to sections 25 26 35 and 36. from which corner Iron North 89° 2' West on stone line between Sections 35 and 36. Variation 12° 5' East.

20.00 Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec corner,

40.00 Set a post in mound, dug four pits and deposited charcoal for 1/4 Sec corner

* 80.00 The corner to sections 26 27, 34 & 35. moderatly rolling prairie, 1st rate Soil,

* 60.00 Set a post in mound, dug four pits and deposited charcoal for 1/16 Section corner.

T. 25, R. 6. T. 26 R. 6 T. 27 R. 6

12/964

12 Omaha Reservation Township 24 N Range 6 E 6th Principal Meridian

Chains

North between Sections 26 & 27
Variation 12° 5' East
20.00 Set a post for 1/16 Section corner, raised mound, dug four pits & deposited charcoal.
40.00 Establish 1/4 Sec corner by a post, mound, four pits and charcoal.
60.00 Establish the 1/16 Section corner by a post, mound, four pits and charcoal.
80.00 Set a post in mound, dug four pits and deposited charcoal for corner to sections 22, 23, 26 and 27, moderately rolling prairie, 1st rate Soil,

---

East on random line between Sections 23 and 26.
Variation 11°45' East
20.00 Set a post for temporary 1/16 Sec Corner.
40.00 Set a post for temporary 1/4 Sec Corner.
60.00 Set a post for temporary 1/16 Sec Corner.
79.80 Intersect N & S line 36 Links North

Chains

---

of the corner to sections 23, 24, 25 & 26.
from which corner Bears N 89°45' West on true line between sections 23 and 26. Variation 11°45' East.
19.95 Set a post in mound, dug four pits & deposited charcoal for 1/16 Section corner.
39.90 Established 1/4 Sec corner by a post, mound, four pits and charcoal as per instructions.
59.85 Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec cor.
79.80 The corner to Sections 22, 23, 26 and 27, high rolling prairie: first rate Soil,

Omaha Reservation Township 24 N Range 6 E 6th Principal Meridian

North, between Sections 22 and 23.
Variation 19° East.

20.00 Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec cor.
40.00 Set a post in mound, dug four pits and deposited charcoal for 1/4 Section cor.
60.00 Set a post in mound, dug four pits and deposited charcoal for 1/16 Section corner.
80.00 Set a post in mound, dug four pits and deposited charcoal for corner to Sections 14. 15. 22 and 23. high rolling prairie. 1st rate Soil.

East on random line between sections 14 and 23.
Variation 11°45' East.

20.00 Set a post for temporary 1/16 Sec cor.
40.00 Set a post for temporary 1/4 Sec cor.
60.00 Set a post for temporary 1/16 Sec cor.
72.50 Intersect meadow-bears N. & S.
79.82 Intersect N. & S. line, 92 links North of the corner to sections 13, 14, 23 and 24, from which corner Bears North 89½° West on true line between Sections 14 and 23. Variation 11°45' East.
19.95 Chains Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. corner.
39.91 Set a post in mound, dug four pits & deposited charcoal for 1/4 Sec cor.
59.86½ Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec cor.
79.82 At the corner to sections 14. 15. 22 and 23. high rolling prairie hills and valleys. 1st and 2nd rate Soil.

T. 25, R. 6. E. 26 R. 6. E. 27 R. 6.

14/96

14 Omaha Reservation Township 24 N Range E 6th Principal Meridian

North, between Sections 14 and 15.
Variation 12° 15' East.

20.00 Establish 1/16 section corner by a post in mound, four pits and charcoal.

40.00 Establish 1/4 section corner by a post, mound, four pits and charcoal,

60.00 Establish post in mound, dug four pits & deposited charcoal for 1/16 Sec. corner.

79.00 Intersect Creek bottom-bears N. E. & W.

80.00 Set a post in mound, dug four pits and deposited charcoal for corner to sections 10. 11. 14. and 15. high rolling prairie, 1st rate Soil,

Chains

East on random line between sections 11 and 14.
Variation 11° 45' East,

00.50 Leave bottom land & enter high prairie, bears N. E. & S. W.

20.00 Set a post for temporary 1/16 Sec corner.

40.00 Set a post for temporary 1/4 Sec corner,

60.00 Set a post for temporary 1/16 Sec corner.

79.96 Intersect N. & S. line, 52 Links North of the corner to Sections 11. 12. 13. and 14. from which corner Bears N. 89° 38' West on stone line between Sections 11 and 14. Variation 11° 45' East.

19.99 Set a post in mound, dug four pits & deposited charcoal for 1/16 Sec cor.

39.98 Set a post in mound, dug four pits and deposited charcoal for 1/4 Sec corner.

59.97 Set a post in mound, dug four pits & deposited charcoal for 1/16 Sec corner.

79.96 The corner to section 10. 11. 14. and 15, Rough rolling prairie, 1st & 2 rate Soil.

Omaha Reservation Township 24 N Range 6 E 6th Principal Meridian

Chains	North, between sections 10 and 11. Variation 12° East,
00.50	Intersect creek channel on water course from one to two feet deep, but has no current, bears N. E. 8 links wide good water.
1.50	Intersect same creek N. W.
3.00	Intersect same creek bears N. E,
4.50	Same creek channel N. W.
8.50	Same creek channel N. E.
20.00	Set a post in mound, dug four pits and deposited charcoal as per instructions for 1/16 Sec corner,
25.00	Leave creek bottom & enter high prairie, bears E & W.
36.00	Variation of needle 11°50' East.
40.00	Set a post in mound, dug four pits and deposited charcoal for 1/4 Sec corner.
60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 sec corner.
80.00	Set a post in mound, dug four pits and deposited charcoal for corner to sections 2.3.10. 11. Bottom land & high rolling prairie 1st rate.
Chains	

East on random line between Sections 2 and 11. Variation 11°30' East.

20.00	Set a post for temporary 1/16 Section corner.
40.00	Set a post for temporary 1/4 Section corner.
60.00	Set a post for temporary 1/16 Section corner.
79.72	Intersect N & S line 32 links North of the corner to sections 1.2.11.12 from which corner I run N 89°46' West on true line between sections 2 & 11. Variation 11°30' East.
19.93	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec corner.
39.86	Set a post in mound, dug four pits and deposited charcoal 1/4 Sec corner,
59.79	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec corner
79.72	The corner to sections 23.10.11, Rolling prairie 1st rate Soil.

T.25, R.6. T.26 R.6. T.27 R.6.

16/98

16 Omaha Reservation Township 26 N Range 6 E 6th Principal

Chains	
	North between sections 2 and 3. Variation 11°40' East.
10.00	Enter creek bottom - bears N. E. & S. W.
18.75	Intersect slough or creek with little or no current - 35 link wide - two to four feet deep - good water - is footably fed by springs.
20.00	Establish 1/16 section corner by a post in mound four pits and charcoal; at some points, leave bottom N. E. S. W.
40.00	Establish 1/4 Section corner by a post in mound, four pits and charcoal.
57.00	Enter middle Creek bottom - bears East & West.
60.00	Establish 1/16 Section corner by a post in mound, four pits and charcoal,
78.34	Intersect Standard parallel 14 30 chains West of the Standard corner to Sections 34 & 35, T. 25 N R. 6 E. Set a post in mound, dug three pits and deposited charcoal as per instructions for closing corner to Sections 2 and 3. Rolling prairie: & bottom land, 1st rate soil.

October 31, 1866.

Begin at a point in the South Boundary of the Omaha Reservation, at its intersection with the section line between sections 33 & 34 - the same being a post in mound 73.10 chains North of the West corner of section 34, and run North between Fractional sections 33 and 34. Variation 11°50' East.

6.90	Set a post, raised a mound dug four pits & deposited charcoal for corner to sections 27, 28, 33 and 34, Rolling prairie, 2d rate - East on random line between sections 27 and 34. Variation 12°5' East.
20.00	Set a post for temporary 1/16 section corner.

Omaha Reservation Township 24 N Range 6 E 6th Principal Meridian

Chain	40.00	Set a post for temporary 1/4 section corner.
	60.00	Set a post for temporary 1/16 section corner.
	80.00	Intersect N & S. line 48 links North of the corner to sections 2 6 27 34 & 35, from which corner Bears North 89° 39' West on true line between sections 27 and 34. Variation 12° 5' East.
	20.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.
	40.00	Set a post in mound, dug four pits and deposited charcoal for 1/4 section corner.
	60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.
	80.00	The corner to sections 27, 28, 33 and 34. moderately rolling prairie; 1st rate Soil.
		North, between sections 27 and 28, Variation. 11° 50' East.
	20.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Section corner.
	40.00	Set a post in mound, dug four pits and deposited charcoal for 1/4 section corner.
	60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner,
	80.00	Set a post for corner to sections 21, 22, 27 & 28, raised a mound, dug four pits and deposited charcoal as per instructions. Gently rolling prairie; 1st rate Soil.
		East, between sections 22 and 27, Variation. 12° East.
	20.00	Set a post for temporary 1/16 Section corner.
	40.00	Set a post for temporary 1/4 Section corner.
	60.00	Set a post for temporary 1/16 Section corner.
	80.48	Intersect N & S line, 22 Links North of the corner to sections 22, 23, 26, & 27 from which corner Bears North 89° 51' West on a true line between sections 22 & 27. Variation 12° East.
	20.12	Set a post in mound, dug four pits & deposited charcoal for 1/16 Section corner.
	40.24	Set a post in mound, dug four pits

T. 25, R. 6. T. 26 R. 6 T. 27 R. 6

18
1900

Omaha Reservation Township 24 N Range 6 E 6th Principal Meridian

Chains	
	and deposited charcoal for 1/4 Section cor
60.36	Set a post in mound, dug four pits and deposited charcoal for 1/16 sec corner
80.48	Elm corner to sections 21, 22, 27 and 28. Rolling prairie: 1st rate Soil.
	North between sections 21 and 22. Variation 11° 45' East.
20.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 sec corner.
30.00	Enter low prairie or meadow. N.E. & S.W.
40.00	Set a post in mound dug four pits & deposited charcoal for 1/4 sec corner.
48.00	Leave meadow and enter high prairie bears N.E. and S.W.
60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.
76.00	Enter low prairie or bottom land, bears N.W. & S.E.
80.00	Set a post in mound, dug four pits and deposited charcoal for corner to Sections 15, 16, 21 and 22. Rolling prairie & meadow land, 1st rate Soil.
	East on random between sections 15 & 22. Variation 12°. East.
3.00	Leave low prairie & enter high prairie. N & S.
20.00	Set a post for temporary 1/16 section cor.
40.00	Set a post for temporary 1/4 section cor.
60.00	Set a post for temporary 1/16 section cor.
80.44	Intersect N & S line 60 links South of the corner to sections 14, 15, 22 and 23, from which corner Elm bears S 89° 34' West
	on a true line between sections 15 & 22. Variation 12° E.
20.11	Set a post in mound, dug four pits and deposited charcoal for 1/16 sec corner.
40.22	Set a post in mound, dug four pits and deposited charcoal for 1/4 sec cor.

19

Omaha Reservation Township 24 N Range 6 E 6th Principal Meridian

1 chain 60.33	Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.
80.44	The corner to sections 15. 16. 21 and 22. Rough prairie, 1st and 2d rate Soil.
	North, between sections 15 & 16. Variation 12° East.
5.00	Enter high prairie & leave low prairie, bears N. E. & S. W.
20.00	Establish 1/16 section corner by a post, mound, four pits and charcoal.
40.00	Establish 1/4 section corner by a post in mound, four pits and charcoal.
55.00	Enter creek bottom, bears E. & W.
60.00	Establish 1/16 section corner by a post, mound, four pits and charcoal.
64.00	Intersect dry water channel, bearing E. & W.
77.00	Leave creek bottom bears E & W.
80.00	Establish this corner to sections 9. 10. 15 and 16. by a post, mound, four pits and charcoal, as per instructions, high Rolling prairie, with meadow land between the ridges, the water course intersects the bottom land 1st rate Soil, except on the highest ridges where it is only 2d rate.
	East on random line between sections 10 and 15. Variation 11°30' East.
20.00	Set a post for temporary 1/16 section corner,
40.00	Set a post for temporary 1/4 section corner,
60.00	Set a post for temporary 1/16 section corner,
66.00	Leave high prairie and enter bottom land bears N. & S.
79.50	Intersect creek channel bears N & S no current,
80.00	Intersect N & S line 50 links North of the corner to Sections 10. 11. 14. and 15 from which corner I run North 89° 39 West on true line between sections 10 and 15. Variation 11°30' East.
20.00	Establish 1/16 section corner by a post, mound and four pits, also deposited

T. 25, R. 6. T. 26 R. 6 T. 27 R. 6

20
102
20

Omaha Reservation Township 24 N Range 6 E 6th Principal Meridian

Chains. Charcoal.

40.00 Establish 1/4 section corner by a post, mound, four pits and charcoal.

60.00 Establish 1/16 section corner by a post, mound, four pits and charcoal.

80.00 The corner to sections 9. 10. 15 and 16.

Rolling prairie. 1st rate Soil.

North, between sections 9 and 10.
Variation 12° 10' East.

20.00 Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.

40.00 Set a post in mound, dug four pits and deposited charcoal for 1/4 sec. cor.

5.00 Intersect creek bottom bears N. E. and S. W.

58.00 water course — water only in places no current — from 10 to 30 links wide — bears N. E. & S. W.

60.00 Set a post for 1/16 section corner raised a mound — dug four pits and deposited charcoal.

65.00 Leave creek bottom and enter high prairie — N E & S W.

80.00 Set a post in mound for corner to sections 3. 4. 9. and 10. dug four pits & deposited charcoal as per instructions.

East, on random line between sections 9 and 10. Variation 12° East.

20.00 Set a post for temporary 1/16 sec corner.

40.00 Set a post for temporary 1/4 sec corner.

43.00 Enter creek bottom bears N E & S W.

60.00 Set a post for temporary 1/16 sec corner.

61.00 Intersect water course — bears N. E. & S. W. 15 links wide good water — no current —

64.50 Leave bottom and enter high prairie.

Omaha Reservation Township 24 N Range 6 E 6th Principal Meridian 21

bears N. E. & S. W.

80.16 Intersect N & S line, 32 links North of the corner ~~to section~~ to Sections 2, 3, 10 and 11, from which corner Bears North 89 46' W. on a true line between Sections 3 and 10 Variation 12° East.

20.04 Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.

40.08 Set a post in mound, dug four pits and deposited charcoal for 1/4 section corner.

60.12 Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.

80.16 The corner to sections 3, 4, 9, and 10. Rolling prairie and bottom land. 1st rate Soil.

North, between sections 3 and 4. Variation 12° 5' East.

20.00 Set a post in mound, dug four pits and deposited charcoal for 1/16 Section corner.

40.00 Set a post in mound, dug four pits and deposited charcoal for 1/4 section corner.

60.00 Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.

78.38 Intersect standard Parallel 14.12 chains West of the standard corner to sections 33 and 34, T 25 N, R 6, E. 5 set a post in mound, dug three pits and deposited charcoal for the closing corner to sections 3 and 4. T. 24 N. R. 6 E. Rolling prairie. 1st rate Soil.

Nov. 1st 1866.

Begin — at a point on the South Boundary of the Omaha Reservation, at its intersection with the section line between Sections 32 and 33 the same being a post in mound 73.80 chains

T. 25, R. 6. T 26 R 6 T 27 R 6

22
104

22

Omaha Reservation Township 24 N Range 6 E 6th Principal Meridian Oma

Chains	
	North of the South West corner of section 33. and run North between fractional sections 32 and 33. Variation 12° East
6.20	Set a post in mound, dug four pits and deposited charcoal for the corner to sections 28.29.32. and 33. high prairie. 1st rate Soil.
	East on random line between sections 28 and 33. Variation 12° 10' East
20.00	Set a post for temporary 1/16 sec corner,
40.00	Set a post for temporary 1/4 sec corner,
55.00	Enter meadow bears N. W. and S. E.
60.00	Set a post for temporary 1/16 sec corner.
63.00	Leave meadow bears N. W. and S. E.
80.00	Intersect N. and S. line at the corner to sections 27. 28. 33 and 34 from which corner Pawn West, on true line between sections 28 and 33 Variation 12° 10' East.
20.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Section corner.
40.00	Set a post in mound, dug four pits and deposited charcoal for 1/4 Section corner.
60.00	Set a post in mound, dug four pits and deposited charcoal 1/16 for section corner.
80.00	Is the corner to sections 28.29.32 and 33. Rolling prairie 1st rate Soil.
	North, between sections 28 and 29. Variation 12° East.
20.00	Set a post in mound, dug four pits and deposited charcoal for

Omaha Reservation Township 24 N Range 6 E 6th Principal Meridian

Chains	
	1/16 Section corner.
40.00	Set a post in mound, dug four pits and deposited charcoal for 1/4 section corner.
60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 section cor.
80.00	Set a post in mound, dug four pits and deposited charcoal for the corner to Sections 28. 29. 21. and (21) 20. Rolling prairie, 1st rate Soil.

East on random line between sections 21 and 28. Variation 12° East.

20,00	Set a post for temporary 1/16 section corner.
40.00	Set a post for temporary 1/4 section corner.
60.00	Set a post for temporary 1/16 section corner.
79.80	Intersect North & South line, 54 link North of the corner to sections 21. 22. 27. and 28. from which corner Iron North 89° 37' West on a true line between sections 21 and 28. Variation 12° East.
19.95	Set a post in mound, dug four pits and deposited charcoal for 1/16 section cor.
39.90	Set a post in mound, dug four pits and deposited charcoal for 1/4 section cor.
59.85	Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.
79.80	The corner to sections 20, 21, 28, and 29. Surface, very rolling prairie, Soil 1st rate.

North, between sections 20 and 21. Variation 12° East.

20.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.
40.00	Set a post in mound, dug four pits and deposited charcoal for 1/4 section corner.
60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.
72.00	Intersect bottom land or low prairie, bears S. E. & N. W.

T. 25, R. 6. T. 26 R. 6 T. 27 R. 6

24
106

24

Omaha Reservation Township 24 N Range 6 E 6th Prin. Mer. Omaha

Chains	
60.00	Set a post in mound, dug four pits and deposited charcoal for the corner to section 16. 17, 20 and 21, Rolling prairie, 1st rate Soil.
	East, on random line between sections 16 and 21 Variation 12° East.
2.00	Intersect dry run bears N. & S.
3.00	Leave Low prairie & enter high prairie, bears N. & S.
20.00	Set a post for temphoary 1/16 section corner.
40.00	Set a post for temphoary 1/4 section corner.
60.00	Set a post for temphoary 1/16 section corner.
76.00	Enter Low prairie bears N. & S.
80.20	Intersect North and South line at the corner to sections 15. 16 21. and 22. from which corner Town West on true line between sections 16 and 21. Variation 12°. East.
20.05	Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.
40.10	Set a post in mound, dug four pits and deposited charcoal for 1/4 Section corner.
60.15	Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.
80.20	The corner to sections 16. 17. 20 and 21. Rolling prairie, good 2nd rate Soil, and 1st rate. Nov. 2d. 1866.
	North between sections 16 and 17, Variation 12° East.
10.00	Leave low prairie and enter high prairie bears E. and W.
20.00	Set a post for 1/16 section corner, dug four pits and deposited charcoal. Raised mound.
40.00	Set a post for 1/4 Section corner, raised a mound, dug four pits and deposited charcoal.
60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16

Omaha Reservation Township 24 N Range 6 E 6th Principal Meridian

Chains	
	section corner &
8.000	Set a post for corner to sections 8, 9, 16, and 17, & mound which I raised a mound, as per instructions. I dug four pits and deposited charcoal
59.88	Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.
79.87	The corner to sections 8 9. 16 & 17. Rolling prairie, 1st rate Soil.

North, between sections 8 and 9, Variation 12° 30' East,

20.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.
40.00	Set a post in mound, dug four pits and deposited charcoal for 1/4 section corner.
60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.
70.00	Enter meadow bears N. E and S. W.
80.00	Set a post in mound, dug four pits and deposited charcoal for corner to sections 4, 5, 8 and 9, Rolling prairie and meadow. 1st rate Soil.

East on random line between sections 4 and 9. Variation 12° 30' East,

20.00	Set a post for temporary 1/16 section corner.
40.00	Set a post for temporary 1/4 section corner
55.00	Leave meadow bears N. W. and S. E.
60.00	Set a post for temporary 1/16 section corner.
80.00	Intersect N. & S. line 50 links North of the corner to sections 3, 4, 9 and 10, from which corner, a burr North 89 39' West, on true line between Sections 4 and 9 Variation 12° 30' East.
20.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.
40.00	Set a post in mound, dug four pits and deposited charcoal for 1/4 section corner.
60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.

East on random line between Sections 2 & 11 & 10 & 11 for temporary 1/4 Sec. Cor. 60.00 Set a post for Corner to Sections 9, 10, 15, & 16. From which a Burr Oak 6 Ins diam bears South 41° East 25 links distant. Set a post in mound, dug four pits & deposited charcoal for 1/4 Sec. Corner. Set a post for temporary 1/16 Sec. Corner.

* Rolling prairie, 1st rate soil.

20.00	Set a post for temporary 1/16 Sec. Cor.
39.84	Intersect Creek. 89°
19.96	Set a post
39.92	"

T.25, R.6. T.26 R.6 T.27 R.6

26
108
26

Omaha Reservation Township 24. N Range 6 E 6 Principal Meridian

Chains 0.00	The corner to sections 4.5.8 and 9, meadow land and rolling prairie the meadow is about 20 chains wide the line extending through it length ways Through — the meadow is a water course but being now dry I did not notice where it crossed the line between 8 and 9.
	North, between sections 4 and 5. Variation, 12° 5' 5" East.
8.00	Leave meadow and enter high prairie. bears N. E. and S. W.
20.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.
40.00	Set a post in mound, dug four pits and deposited charcoal for 1/4 Sec corner.
60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.
77.58	Intersect standard parallel. 14.44 chains West of the standard corner to sections 32 & 33. T. 25. N. R. 6. E. I set a post in mound, dug three pits and deposited charcoal for closing corner to sections 4 & 5 T. 24. N. R. 6. E. Rolling prairie 1st rate soil. Nov. 3rd. 1866.
	Begin — at a point on the South Boundary of the Omaha Reservation at its intersection with the section line between sections 31 and 32, the same being a point in mound 77.40 chains North of the South West corner of section 35, and run North, between Fractional Sections 31 and 32. Variation 12° 15' East.
5.60	Establish the corner to sections 29.30. 31 and 32, by a post, mound, four pits

Omaha Reservation Township 24 N Range 6 E 6th Principal Meridian

chains and chaincoal, as per instructions. Rolling prairie, 1st & 2d rate Soil.

East, on a random line between sections 29 and 32. Variation 12° 18' East.

20,00 Set a post for temporary 1/16 section cor.
40,00 Set a post for temporary 1/4 section cor.
60,00 Set a post for temporary 1/16 section cor.
79,88 Intersect N & S line 44 links South of the corner to sections 28.29.32 and 33 from which corner Sun S 89° 41' West or a true line between sections 29 and 32. Variation 12° 18' East.
19,97 Set a post in mound, dug four pits and deposited charcoal for the corner to 1/16 section.
39,94 Set a post in mound, dug four pits & deposited charcoal for 1/4 section corner.
59,91 Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.
79,88 The corner to sections 29.30.31.32.
Rough prairie, 1st rate & 2d rate Soil.

West on random line between Sections 30 and 31. Variation 12° 18' East.

20,00 Set a post for temporary 1/16 section cor.
29,50 Enter marsh bears N. & S.
32,50 Leave marsh N & S.
40,00 Set a post for temporary 1/4 section corner.
60,00 Set a post for temporary 1/16 section corner.
77,80 Intersected Range line 44 links North of the corner to sections 30 and 31, from which corner Sun N. 89° 41' East on true line between sections 30 and 31. Variation 12° 18' East.
17,80 Set a post in mound, dug four pits and deposited charcoal for 1/16 Section corner.

T.25, R.6. T.26 R.6 T.27 R.6

28/110

Omaha Reservation Township 24 N Range 6 E 6th Principal Meridian

Chains	
37,80	Set a post in mound, dug four pits and deposited charcoal for 1/4 section corner.
57.80	Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner-
77,80	The corner to sections 29.30.31.32. Rolling and rough prairie 1st and 2d rate Soil,

North between Sections 29 and 30. Variation 12° 15' East.

20,00	Set a post in mound, dug four pits and deposited charcoal for one sixteenth section corner as prescribed by instructions.
40,00	Set a post in mound, dug four pits and deposited charcoal for 1/4 section cor.
60,00	Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.
80,00	Set a post in mound, dug four pits and deposited charcoal for corner to sections 19, 20, 29 and 30. Rolling prairie, 1st and 2d rate Soil,

East, on random line between sections 20 and 29. Variation 12° 30' East,

20,00	Set a post for temporary 1/16 section cor.
40,00	Set a post for temporary 1/4 section cor.
60,00	Set a post for temporary 1/16 section cor.
80,16	Intersect R. R. Side 73 Links South of the corner to sections 20, 21, 28 & 29, from which corner Iron Bears South 89° 29' West on a True line between sections 20 and 29. Variation 12° 30' East.
20,04	Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.

Omaha Reservation Township 24 N 6th Principal Meridian

Chains	
4.0.08	Set a post in mound, dug four pits and deposited charcoal for 1/4 section corner.
60.12	Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.
80.16	The corner to sections 19.20.29. and 30. Rolling prairie, 1st and 2d rate Soil.
	West, on random line between sections 19 and 30. Variation, 12° 15' East.
20.00	Set a post for temporary 1/16 section corner.
40.00	Set a post for temporary 1/4 section corner.
60.00	Set a post for temporary 1/16 section corner.
76.88	Intersect Range line 50 links North of the corner to sections 19 and 30, from which corner Brun N 89° 38' East on true line between sections 19 and 30. Variation, 12° 15' East.
16.88	Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.
36.88	Set a post in mound, dug four pits and deposited charcoal for 1/4 section corner.
56.88	Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.
76.88	The corner to sections 19.20.29. and 30. Rolling prairie, 1st and 2d rate Soil.
	North, between sections 19 and 20. Variation 12° 26' East.
20.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.
22.50	Enter low prairie or meadow land - bears N. E. and S. W.
27.00	Leave meadow and enter high prairie - bears N. E. and S. W.
40.00	Set a post in mound, dug four pits and deposited charcoal for 1/4 section corner.
56.00	Enter meadow land or low prairie - bears East & West.

T. 25, R. 6. T 26 R 6 T 27 R 6

30
1/2
30

Omaha Reservation Township 24 N Range 6 E 6th Principal Meridian

Chains	
60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.
62.00	Leave meadow bears East and West.
80.00	Establish the corner to sections 17. 18. 19. and 20 by a post, mound, four pits and charcoal, as per instructions. Rolling prairie. 1st and 2d rate Soil. Nov. 5th 1866.

East on random line between sections 17 and 20. Variation, 12°45' East.

20.00	Set a post for temporary 1/16 section corner.
40.00	Set a post for temporary 1/4 section corner.
60.00	Set a post for temporary 1/16 section corner.
70.00	Enter meadow or low prairie bears North, East, & South, West.
79.84	Intersect North & South line 23 Links South of the corner to sections 16. 17. 20. and 21. from which corner Bears S 89°50' West on a stone line between Sections 17 and 20. Variation, 12°45' East.
19.96	Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.
39.92	Set a post in mound, dug four pits and deposited charcoal for 1/4 section corner.
59.88	Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.
79.84	The corner to sections 17. 18. 19. and 20. Rolling prairie. 1st and 2d rate Soil.

West on random line between sections 18 and 19. Variation, 12°25' East.

20.00	Set a post for temporary 1/16 section corner.
40.00	Set a post for temporary 1/4 section cor.

Omaha Reservation Township 24 N Range 6 E 6th Principal Meridian

chains	
60.00	Set a post for temporary 1/16 section corner.
76.29	Intersect Range line 23 links North of the corner to sections 18 and 19, from which corner I run North 89° 50' East on true line between sections 18 and 19. Variation 12° 25' East.
16.29	Set a post in mound, dug four pits and deposited charcoal for 1/16 section cor.
36.29	Set a post in mound, dug four pits and deposited charcoal for 1/4 section corner.
56.29	Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.
76.29	The corner to sections 17. 18. 19, and 20. Rolling prairie: 1st and 2 rate Soil.
	North between sections 17 and 18. Variation 12° 25' East.
20.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Section cor.
40.00	Set a post in mound, dug four pits and deposited charcoal for 1/4 section cor.
60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.
80.00	Set a post in mound, dug four pits and deposited charcoal for the corner to sections 7 8. 17. and 18. Rolling prairie, 1st rate Soil.
	East on vaudan line between section 8. and 17. Variation, 12° 25' East.
20.00	Set a post for temporary 1/16 section corner.
22.50	Intersect Dry run bears N. E. & S. W.
40.00	Set a post for temporary 1/4 section corner.
60.00	Set a post for temporary 1/16 section corner.
79.84	Intersect N & S line 45 lks South of the corner to sections 8. 9. 16 and 17. from which corner Run South 89° 41' West on true line between sections 8 and 17.

T. 25, R. 6. T 26 R 6 127 R 6

32
114
32

Omaha Reservation Township 24 N Range 6 E 6th Principal

Chains	
	Variation 12°25' East
19.96	Set a post in mound, dug four pits and deposited charcoal for 1/16 section cor.
39.92	Set a post in mound, dug four pits and deposited charcoal for 1/4 section corner.
59.88	Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.
79.84	The corner to sections 7, 8, 17 and 18. Rolling prairie, 1st and 2d rate Soil.
	West on random line between sections 7 and 18. Variation 12°45' East.
20.00	Set a post for temporary 1/16 section cor.
40.00	Set a post for temporary 1/4 section corner.
41.50	Intersect dry run bears N 21 East for about 5 chains then N. E. the run extends South with a bearing of South 5° West.
60.00	Set post for temporary 1/16 section corner.
75.95	Intersect Range line, 17 links North of the corner to sections 7 and 18. from which corner Brun North 89°55' East on true line between sections 7 and 18. Variation 12°45' East.
15.95	Set a post for corner to 1/16 section, raised mound, dug four pits and deposited charcoal.
35.95	Set a post in mound, dug four pits and deposited charcoal for 1/4 section corner.
55.95	Set a post in mound, dug four pits and deposited charcoal for 1/16 Section corner.
75.95	The corner to sections 7. 8. 18. and 17, Rolling prairie, 1st rate Soil,
	North between sections 7 and 8. Variation, 12°45' East.
20.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.
26.00	Intersect dry run bears S. W.

Omaha Reservation Township 24 N Range 6 E 6th Principal Meridian 33

Chains	
31.50	Same day run S. W. & N. E.
34.00	Same day run N. W. S. E.
40.00	Set a post in mound, dug four pits and deposited charcoal for 1/4 section corner.
46.50	Same day run N. E. & S. W.
48.00	Intersect 2d day run bears S. E. & N. W.
60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Section corner.
80.00	Set a post in mound, dug four pits and deposited charcoal for the corner to sections 5. 6. 7. and 8. Rolling prairie near the day runs the surface is low and about level, 1st rate Soil.

East on random line between sections 5 and 8. Variation 12° 45' East.

20.00	Set a post for temporary 1/16 section cor.
40.00	Set a post for temporary 1/4 section cor.
60.00	Set a post for temporary 1/16 section cor.
72.00	Enter meadow bears N & S.
79.60	Intersect N & S line 48 link South of the corner to sections 4. 5. 8 and 9. from which corner Bears South 89 39' West on true line between sections 5 and 8. Variation 12° 45' East.
19.90	Set a post in mound, dug four pits and deposited charcoal for 1/16 section cor.
39.80	Set a post in mound, dug four pits and deposited charcoal for 1/4 section corner.
59.70	Set a post in mound, dug four pits and deposited charcoal 1/16 section corner.
79.60	The corner to sections 5. 6. 7 and 8. Rolling prairie, 1st rate Soil.

West on random line between Sections 6 and 7. Variation 12° 45' East.

20.00	Set a post for temporary 1/16 section cor.
40.00	Set a post for temporary 1/4 section cor.

T. 25, R. 6. T. 26 R. 6 T. 27 R. 6

34
116
34

Omaha Reservation Township 24 N Range 6 E 6th Principal Meridian

chains	
60.00	Set a post for temporary 1/16 section corner.
75.32	Intersect Range line 20 links South of corner to sections 6 and 7, from which corner Sun S 89° 52' East on a true line between sections 6 and 7. Variation 12° 45' East.
15.32	Set a post in mound, dug four pits and deposited charcoal for 1/16 section cor.
35.32	Set a post in mound, dug four pits and deposited charcoal for 1/4 Section corner.
55.32	Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.
75.32	The corner to sections 5. 6. 7. and 8. Rolling prairie, 1st rate Soil.

Nov. 6. 1866.

North between sections 5 and 6, Variation 12° 45' E.

20.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.
40.00	Set a post in mound, dug four pits and deposited charcoal for 1/4 section cor.
60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner.
78.90	Intersect standard parallel 14.20 chains West of the standard corner to sections 31 and 32, T. 25 N. R. 6. E. & set a post in mound, dug 3 pits and deposited charcoal for closing corner to sections 5 and 6. Rolling Prairie. 1st and 2d rate Soil.

November 9, 1866.

Omaha Reservation Township 24 N 6 E 6th Principal Meridian

85

General Description

This Township has little variety; being chiefly high rolling prairie, intersected by belts of low prairie or meadow bottoms along the water courses. At the time of Surveying, these water courses were, in many places, completely dry; while, in others, good, pure water was found: but, in no case did I see running water, except in middle creek, at the North East corner of the Township; and in the slough or stream running South East through section 13. In some places the water in the creek channels appeared to be several feet deep, being evidently fed by springs. One of the principal water courses terminates in section 2, in a cow-break marsh, which marsh gradually changes to low creek bottom. I saw only one small tree in this Township, a willow near the center of the Township. The Soil is first rate and good second rate. The variation of the needle is changeable, being the lowest at this N. E. corner of the Township, & highest at the North west corner. The average amount of charcoal deposited in the several mounds is equal to a cube 2 X 2 X 2 inches, and is made up of one or more pieces. Two parties were employed in Subdividing this Township, one being under the direction of Mr. Crank, Chainsman. & the other under my own. Most of the quarter section line were run by Mr. Crank after the section lines had been established. The difference in the variation of the needle on the section & quarter section is attributable to their being run at different hours of the day.

T.25, R.6. T.26 R.6. T.27 R.6.

36/118

Omaha Reservation Township 24 N Range 6 E 6th Principal Meridian

List of Names

A list of the names of the individuals employed to assist in running measuring or marking the lines, and corners discribed in the foregoing field notes of Township, No. 24 North of the base line of Range No. 6, East, of the 6th Principal, Meridian, showing the respective capacities in which they acted

Stephen Gutar.	Chainman,
A Englebright.	do
Chas W King.	do
Geo Eggleston.	do
H Archambault.	mound builder,
Fredrick Gearwick.	do.
J. W. Smith.	Axman,
John R Wells	Flagman.
L. J. Reynolds	do.
Richard Crank	Compassman.

We hereby certify, that we assisted Theodore H. Barrett, U.S. Surveyor, in surveying the exterior boundaries and subdividing that portion of Township number twenty four, North, of the base line, of Range number six, East of the South Principal meridian, embraced within the limits of the Omaha Indian Reservation, and that said fractional Township has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the boundary monuments planted according to the instructions furnished by the Commissioner of the General Land Office,

Stephen Gutar.	Chairman.
A Englebright.	Chairman.
Chas W King.	Chairman.
Geo. Eggleston.	Chairman.

H Archambault, mound builder,
Frederick Gearwick. do.
J. W. Smith Axman.
John R Wells. Flag man.
L. G. Reynolds Flag man.
Richd Crank. Compassman.
Territory of Nebraska) Subscribed and Sworn
Burt County) to by the above named persons the 8th day
of December, 1866,

Albert White,
Justice of Peace.

I, Theodore H Bavett, U. S. Surveyor, do solemnly swear that in pursuance of a contract with J. M. Edmonds Commissioner of the General Land Office, of the United States, bearing date the 4th day of August, 1866, and in strict conformity to the laws of the United States and the instructions furnished by the said Commissioner of the General Land Office, I have faithfully surveyed the Exterior boundaries and Subdivision Section line of that portion of ——— Township number twenty four North of the base line of Range number six, East of the Sixth principal Meredian, Embraced within the boundaries of the Omaha Indian Reservation, in the Territory of Nebraska, and do farther solemnly swear, that the foregoing are the true and original field notes of such survey, Theodore H Bavett,
U. S. Surveyor.

T.25, R.6. T.26 R.6 T.27 R.6

Stamp

Subscribed by said Theodore H Bavett,
U. S. Surveyor, and sworn to before me a
Justice of the Peace, for Whiteside County,
in the State of Illinois, this 23rd day of
January, 1867 R. L. Morgan. J. P.

38
120

88

Department of the Interior.
General Land Office.
March 4th 1867.

The foregoing field notes of the survey of the Exterior and subdivision lines of Fractional Township 24. North Range 6. East, 6th Principal Meridian, State of Nebraska, executed by Theodore H Barrett, under his contract of the 14th day of August, 1866, in the months of October, and November, 1866, having been critically examined, the necessary corrections and explanations made, the said field notes and the Surveys they discribe are hereby approved.

Jos S Wilson,
Commissioner.

Department of the Interior
General Land Office
July 14, 1871

I hereby certify that the foregoing field notes are true Copies of the original on file in this office.

Willis, Deputy
Commissioner

final
Sel-
corrected

(Copy)

102 - R6

102-6

39
121

Omaha Reservation

Subdivision of Sections

T. 24 N.
R. 6 E.

T.24 N. R. 6 E.

Subdivision of Sections.

T.25, R.6. T.26 R.6 T.27 R.6

40
122

Omaha Reservation Township 24 N Range 6 E 6th Principal Meridian

Field Notes of the Subdivision of Sections in that portion of Township 24 North of Range 6 East of the Sixth principal Meridian embraced within the Omaha Indian Reservation in the Territory of Nebraska by Theodore D Bonett U.S. Surveyor under his contract bearing date the 14th day of August 1866.

Subdivision of sections commenced October 29th 1866 and completed November 11th 1866.

List of Names

A list of names of the individuals employed to assist in running measuring or marking the lines and corners described in the following Field Notes of subdivision of sections in Township No 24 North of the base line of Range No 6 E. of the Sixth principal Meridian. showing the respective capacities in which they acted

Stephen Guter Chainman
Chas W King do.
A Englebright do.
Geo Eggleston do.
H Archambault mound builder
Fredrick Garrick do
Jas W Smith axman
John R Wells Flagman
L G Reynolds do
Richard Crank Compassman

T.25, R.6. T.26 R.6. T.27. R.6.

42
124

Omaha Reservation Township 24 N Range 6 E 6th Principal Meridian

Chains

Subdivision of Section 36 (Fractional)

Begin at a point on the South Boundary of the Omaha Reservation where the quarter section line running North through section 36 intersects said Boundary and run North on quarter section line through section 36
Variation 12°. 10'. East

6.85 To the 1/4 section corner between sections 25 and 36 moderately rolling prairie good Soil

---

Subdivision of Section 25.

North on the quarter Section line through Section 25 Va 12° 10' East

20.00 Established 1/16 sec corner by a post mound four pits and Charcoal

40.00 Established the 1/4 section corner by a post mound four pits and charcoal

60.00 Established 1/16 section corner by a post mound four pits and charcoal

80.00 To the quarter section corner between sections 24 and 25. high Rolling prairie good 2d rate and 1st rate Soil

---

East on a random quarter section line through sec 25 Variation 12° East

20.00 Set a post for temporary 1/16 sec corner

40.05 Intersect N & S quarter section line

60.00 Set a post for temporary 1/16 sec corner

80.10 Intersect East Boundary of sec 25. 56. links South of the quarter section corner on the East line from which quarter section corner Iron South 89°36' West on a stone quarter section line through sec 25 Variation 12° East

20.02½ Establish 1/16 Sec corner by a post mound four pits and charcoal

Omaha Reservation Township 24 N Range 6 E 6th Principal Meridian

Chains	
40.05	The quarter sec corner at center of section
60.07½	Establish 1/16 sec corner by a post mound four pits and charcoal
80.10	The quarter sec corner between sections 25 and 26 high rolling prairie 1st and 2 rate Soil October 29 1866

Subdivision of Section 24.

North on the quarter section line through sec 24. Va 12° East

20.00	Establish 1/16 sec corner by a post mound four pits and charcoal
40.00	Establish Post in mound & four pits and deposited charcoal for ¼ section corner
60.00	Set a post in mound. dug four pits and deposited charcoal for 1/16 sec corner
80.00	The quarter section corner is between sections 13 and 24 Rolling prairie good 2nd rate Soil

East on a random quarter section line through Section 24 Va 12° East

20.00	Set a post for temporary 1/16 sec. corner
40.09	Intersect N & S quarter sec line
60.81	Set a post for temporary 1/16 sec corner
80.06	Intersect East Boundary of the section at the quarter section corner from which quarter section corner I run West on a true quarter section line through section 24. Va 12° East.
20.01½	Set a post raised mound dug four pits and deposited charcoal for 1/16 sec corner
40.03	Intersect N & S quarter sec line at 1/4 sec corner
60.04½	Set a post raised mound dug four pits and deposited charcoal for 1/16 sec corner
80.06	The quarter sec cor between sections 23 and

T.25, R.6. T.26 R.6. T.27 R.6.

44
126

Omaha Reservation Township 24 N Range 6 E 6th P.M. Principal Meridian

Chains and 24. Rolling prairie Good 2d rate Soil

Subdivision of Section 13.

North on the quarter section line through Section 13 Va 11°50' East

20.00 Set a post raised mound dug four pits and deposited charcoal for 1/16 sec cor

40.00 Set a post raised mound dug four pits and deposited charcoal for 1/4 section corner

60.00 Set a post raised mound dug four pits and deposited charcoal for 1/16 Section corner

70.00 enter meadow bears N. E. & S. W.

75.00 Dry run bears N. E. & S. W.

77.00 Leave meadow or low prairie bears N. E. & S. W.

80.00 The quarter section corner between Sections 12 and 13 high rolling prairie good 2d rate Soil

East on a random quarter section line through sec line through sec 13 Variation 11°45' East

20.00 Set a post for temporary 1/16 sec corner

25.00 Enter low prairie a meadow bears N. E. & S. W.

30.00 Leave same bears S. W. & N. E.

39.99 Intersect the N & S quarter sec line

60.00 Set a post for temporary 1/16 sec corner

79.98 Intersect East Boundary of section 13.23. link North of the quarter section corner from which corner 8 runs North 89°50' West on a true quarter section line through section 13. Va 11°45' East

19.99½ Post mound four pits and charcoal

Omaha Reservation Township 24 N Range 6 E 6th Principal Meridian

Chain	
	as per instructions for 1/16 sec corner
39,99	Intersect N & S quarter sec line at the quarter section corner
59,98½	post mound four pits and charcoal as per instruction for 1/16 section corner
79,88	The quarter section line between sections 13 and 14 Rolling prairie: good 2d rate Soil

Subdivision of Section 12

North through Section 12 on the quarter Section line Va 11°35 East

20.00	Set a post in mound dug four pits and deposited charcoal for 1/16 sec corner
40,00	Set a post in mound dug four pits and deposited charcoal for 1/4 section corner
60,00	Set a post in mound dug four pits and deposited charcoal for 1/16 section cor
80,00	Intersect section line at the quarter section corner between section 1 and 12 high rolling prairie 1st and 2d rate Soil

East on a Random quarter section line through sections 12: Variation 11°55 East

20,00	Set a post for temporary 1/16 section corner
40.15	Intersect N & S 1/4 sec line
60,00	Set a post for temporay 1/16 corner
65,00	Enter middle creek bottom bears N & S
80,10	Intersect East Boundary of section 12. 2 links North of the quarter section corner from which corner 8 ins North 89°59, West on a true quarter section line through section 12 Variation 11°35 East
20.02½	Set a post in mound dug four pits and deposited charcoal for 1/16 sec cor
40.05	Intersect N & S quarter section line at the quarter sec corner
60.07½	Set a post in mound dug four pits and deposited charcoal 1/16 Sec corner
80.10	the quarter section corner between sections

T. 25, R. 6. T. 26 R. 6. T. 27 R. 6.

46
T28

Omaha Reservation Township 24 N R 6 E 6th Principal Meridian

Chains 11 and 12 Rolling prairie except the East side which is middle creek bottom 1st and 2nd rate Soil

October 30/866

Subdivision of section 1.

North on the quarter section line through section 1. Va. 11°30' East

1,50 Enter middle creek bottom bears N. & W.
5,00 Dry run bears N E & S 70° W.
20,00 Set a post in mound dug four pits and deposited charcoal for 1/16 section corner
40,00 Established 1/4 section corner by a post in mound. four pits and charcoal. as per instructions.
60,00 Established 1/16 section corner by a post mound. four pits and charcoal
78,90 Set a post in mound, dug pits and deposited charcoal for corner to closing quarter section line the same being at the point where the quarter section line intersects standard Parallel 25 links 3½ chains East of the standard corner to sections 35 and 36 T 25 N. R. 6 E Middle creek bottom 1st rate Soil Surface level

East on a random quarter section line through section 1. Variation 11°30 East
5,00 Enter middle creek bottom. bears N. W. & South
20,00 Set a post for temporary 1/16 sec corner
40,17½ Intersect N & S quarter section line
60,00 Set a post for temporary 1/16 sec corner
74,50 Intersect water courses bearing South
80,34½ Intersect East Boundary of section 1. 35 lks North of the quarter section corner from which quarter section corner Elm

Omaha Reservation Township 24 N Range 6 E 6th Principal Meridian

	Chain	North 89° 45 West on a true line through section / Variation 11° 30' East
	20,08 5/8	Set a post in mound dug four pits and deposited charcoal for 1/16 section corner
	40,17 1/4	Intersect N & S. quarter-section line at the quarter section corner
	60,25 5/8	Set a post in mound dug four pits and deposited charcoal for 1/16 section corner
	80,34 1/2	The quarter section corner on the West side of section 1. middle creek bottom surface low & level first rate Soil

X

Subdivision of Fractional Sec. 35

Begin at a point on the quarter section line running North through 35 at its intersection with the South Boundary of the Omaha Reservation the same bearing a post in mound. and runs North on quarter section line through Fractional section 35 Va 12° 20' East.

7,30	Intersect E & W. line at 1/4 sec corner between sections 26 and 35 high prairie. Good Soil

Subdivision of Section 26

North on the quarter Section line through section 26 Va 12° 22' East

2000	Set a post in mound dug four pits and deposited charcoal for 1/16 sec corner.
4000	Set a post in mound. dug four pits and deposited charcoal for 1/4 sec corner
6000	Set a post in mound dug four pits and deposited charcoal for 1/16 sec corner
8000	The quarter section corner between sections 23 and 26 Rolling prairie. First and Second rate Soil

Compared to

T.25, R.6. T.26 R.6. T.27 R.6.

48
130

Omaha Reservation Township 24 N Range 6 E 6th Principal Meridian

East on a random quarter section line through section 26 Variation 12° East

20.00 Set a post for temporary 1/16 sec corner
39.96 Intersect N & S quarter section line
60.00 Set a post for temporary 1/16 sec corner
79.90 Intersect N & S line 29 links North of the quarter sec cor. between sections 25 and 26. from which quarter Section corner bears N 89° 48' West on a true quarter section line through section 26 Va 12° East
19.97½ Set a post in mound dug four pits and deposited charcoal for 1/16 sec corner
39.95 Intersect N & S quarter section line at the quarter section corner
59.92½ Set a post in mound dug four pits and deposited charcoal for 1/16 section cor
79.90 The quarter section corner between sections 26 and 27. Moderately rolling prairie; 1st and 2nd rate Soil

Subdivision of Section 23.

North on the quarter section line through section 23. Va 12° East

20.00 Set a post in mound dug four pits and deposited charcoal for 1/16 section cor
40.00 Set a post in mound dug four pits and deposited charcoal for 1/4 section corner
60.00 Set a post in mound dug four pits and deposited charcoal for 1/16 section corner
80.00 The quarter section corner on E & W line between sections 14 and 23. High rolling prairie 1st rate Soil

East on a random quarter section line through section 23. Va 11° 45 East

20.00 Set a post for temporary 1/16 sec corner
39.90½ Intersect N & S quarter section line

Omaha Reservation Township 24 N R 6 E 6th Principal Meridian

	Chain	
	0.00	Set a post for temporary 1/16 sec corner
	79.81	Intersect N & S line 6 lks North of the 1/4 sec corner between sections 23 and 24 from which quarter section corner bears
N		89° 57' West on a true line (quarter section) through section 23. Va 11° 45' East
	19.95 1/2	Set a post in mound. dug four pits and deposited charcoal for 1/16 section cor.
	39.90	Intersect the N & S. quarter sec line at 1/4 section corner
	59.85 3/4	Set a post in mound. dug four pits and deposited charcoal from pits and deposited charcoal for 1/16 sec corner
	79.81	The 1/4 Section corner between sections 23 and 22. Rolling prairie: 1st and 2d rate Soil

October 31. 1866.

Subdivision of Sec 14

North. on the quarter section line through sec. 14. Va 12° 08' East

3.00	Enter meadow bears E. W & N. E.
17.00	Leave meadow bears East & West.
20.00	Set a post in mound. dug four pits and deposited charcoal for 1/16 section cor
40.00	Set a post in mound. dug four pits and deposited charcoal for 1/4 sec corner
60.00	Set a post in mound dug four pits and deposited charcoal for 1/16 sec. corner
80.00	Intersect East & West line at the quarter section corner between sec 14 & 11 Rolling prairie: 1st & 2d rate Soil

---

East. on a random quarter section line through section 14 Va 1745' East

20.00	Set a post for temporary 1/16 sec corner
39.94 1/2	Intersect N & S 1/4 section line
60.00	Set a post for temporary 1/16 sec corner

T. 25, R. 6. T. 26 R. 6. T. 27 R. 6.

2

Omaha Reservation Township 24 N.R. 6 E 6th Principal Meridian

chains 79.89	Intersect North & South line 20 lks North of the 1/4 sec. corner between section 13 & 14 from which quarter section corner Bears North 89°52' West on a true quarter section line throng section 14. Va. 11°45' East
19.99 1/4	Set a post mound. dug four pits and deposited charcoal for sec cor
39.9 1/2	Intersect N. & S. quarter sec line at the quarter sec. corner.
59.9 3/4	Set a post in mound dug four pits and deposited charcoal for sec corner
79.89	The quarter sec. corner between sections 14 & 15 high rolling prairie 1st & 2d rate Soil

Subdivision of Section 11.

North. on the quarter section line through section 11 Va. 11°55' East.

20.00	Set a post in mound dug four pits and deposited charcoal for 1/16 section corner
25.00	Enter meadow bears N.E. and S.W.
36.00	Dry run bears N.E. and S.W.
40.00	Set a post in mound. dug four pits and deposited charcoal for 1/4 section corner
41.00	Same meadow bears N.E. & S.W.
60.00	Set a post in mound. dug four pits and deposited charcoal, for section corner
80.00	Intersect East & West line at the quarter sec corner between sections 2 and 11.

East. on a random quarter section line through sec 11, Variation 11°35' East

20.00	Set a post for temphorary 1/16 sec corner
39.50	Enter meadow bears N. E. and S. W.
39.92	Intersect N. & S. quarter section line
43.00	Dry run bears N & S South West
60.00	Set a post for temphoran 16 sec corner
65.00	Leave meadow bears N & S
79.84	Intersect N & S line 18 lks

51
13.3

Omaha Reservation Township 24 N.R. 6 E 6th Principal Meridian

	chains	North of the 1/4 sec cor between sections 11 and 12. from which corner I run North 89° 2' West on a true quarter section line through sec 11.
	19.96	Dist a post in mound. dug four pits and deposited charcoal for 1/16 sec corner
	39.92	Intersect the N. and S. 1/4 section line at the 1/4 sec corner
	59.88	Set a post in mound. dug four pits and deposited charcoal for 1/16 section corner
	79.84	The quarter sec. corner between sections 10 and 11. high rolling prairie. 1st and 2nd rate

Subdivision of Section 2

X

	North. on the quarter section line through Section 2. Va 1°35' East
20.00	Set a post in mound dug four pits and deposited charcoal for 1/16 sec corner
37.00	Enter cane break marsh bears N.E. & S.W. This marsh gradually changes to middle creek bottom
40.00	Set a post in mound. dug four pits and deposited charcoal for 1/4 sec corner.
60.00	Set a post in mound dug four pits and deposited charcoal for 1/16 sec cor
78.57	Intersect Sixth Standard parallel 25 48 1/2 chains East of the standard corner to sections 34 and 35. T. 25 N.R. 6 E: Set a post in mound dug three pits and deposited charcoal for closing quarter section corner. bluff South End of this line is on high prairie: after entering the cane break marsh. the ground gradually changes to middle creek bottom: 1st and 2nd rate Soil

East on a random quarter section line through section 2. Va 11°30' East

16.00	Enter cane break marsh bears N. 70° E. and South West
20.00	Set a post for temporary 1/16 sec corner

T. 25, R. 6. T. 26 R. 6. T. 27, R. 6.

57
134

Omaha Reservation Township 24 N Range 6 E 6th Principal Meridian

Chains 39.82½ Intersect N & S quarter sec. line.
45.00 Leave cane break marsh - bears N E & S W.
60.00 Set a post for temporary 1/16 sec corner
79.64 ± Intersect N & S line 35 lks north of the 1/4 sec. corner on the section line between sections 1 and 2 from which corner Pawn North 89° 45' West on a true line quarter section line through section 2. Va 11° 30' East
19.91/8 Set a post in mound, dug four pits and deposited charcoal for 1/16 sec corner
89.82¼ Intersect N & S. 1/4 sec line at the quarter sec corner
69.73⅜ Set a post in mound, dug four pits and deposited charcoal for 1/16 sec corner.
79.64 ± The quarter section corner between sections 2 and 3. rolling prairie & marsh 1st and 2nd rate Soil Nov 1st 1866

+

Subdivision of Fractional Section 34

Begin at a point on the quarter section line running North through section 34 at its intersection with the South Boundary of the Omaha Reservation the same being a post in mound and run North on the quarter section line through Fractional section 34, Va 12° 10' East
7.15 Intersect East & West line at the 1/4 sec post between sections 34 and 27 high prairie; Good 2nd rate Soil

Subdivision of Section 27.

North, on the quarter section line through section 27. Va 12° 10' East
20.00 Set a post in mound dug four pits and deposited charcoal for section corner
40.00 Set a post in mound dug four pits and deposited charcoal for 1/4 sec corner

Omaha Reservation Township 24 N Range 6 E 6th Principal Meridian

Chains	
0.00	Set a post in mound dug four pits and deposited charcoal for 1/16 section corner.
8 0.00	Intersect East & West line at the 1/4 section corner between sections 22 and 27. moderatly rolling prairie: 1st rate Soil
	East. on a random quarter section through section 22. Va 12° East
20.00	Set a post for temporary 1/16 sec. corner
40.12	Intersect N & S. quarter section line
60.00	Set a post for temporary 1/16 section corner
80.24	Intersect N & S. line at the quarter section corner between section 26 & 27 from which corner Bears West on a true line quarter section through section 27 Va 12° East
20.06	Set a post in mound dug four pits and deposited charcoal for 1/16 section corner
40.12	Intersect N & S. quarter section line at the quarter section corner
60.18	Set a post in mound dug four pits and deposited charcoal for 1/16 section corner
80.24	The corner to 1/4 section between sections 27 and 28 moderatly rolling prairie: 1st rate Soil

Subdivision Section 22.

	North. on the quarter section line through section 22. Va 12° East
20.00	Set a post in mound dug four pits and deposited charcoal for 1/16 sec corner
40.00	Set a post in mound dug four pits and deposited charcoal for 1/4 section corner
60.00	Set a post in mound dug four pits and deposited charcoal for 1/16 Section corner
80.00	Intersect East & West line at the quarter section corner between sections 15 & 22. Rolling prairie 1st and 2nd rate Soil
	East. on a random quarter section line through Section 22. Va 12° East
10.00	Leave low prairie on meadow bears N. E. and S. W.

T. 25, R. 6. T. 26 R. 6. T. 27 R. 6.

54
136

Omaha Reservation Township 24 N.R. 6 E 6th Principal Meridian

Chains	
20.00	Set a post for temporary 1/16 sec corner
40.23	Intersect N & S 1/4 sec line at 1/4 sec post
60.00	Set a post for temporary 1/16 sec corner
80.46	Intersect N. and S. line at the quarter section corner between sections 22 and 33. from which quarter section corner I run West on a true quarter Section line. through section 22 Va 12° East.
20.11½	Set a post in mound for 1/16 sec corner dug four pits and deposited charcoal
40.23	Intersect N & S. quarter sec line at the sec corner
60.34½	Set a post in mound dug four pits and deposited charcoal for 1/16 sec corner
80.46	The 1/4 section corner between sections 21 & 22 Rolling prairie. 1st and 2nd rate Soil.

Subdivision of Section 15.

North on the quarter Section line through sections 15. Variation 12° 18' East

20.00	Set a post in mound. dug four pits and deposited charcoal for 1/16 sec corner
40.00	Set a post in mound. dug four pits and deposited charcoal for 1/4 sec corner
45.00	Enter meadow a low prairie bears East and West.
50.00	Dry Run bears E & W
55.00	Leave meadow bears E & W.
60.00	Set a post in mound dug four pits and deposited charcoal for 1/16 sec corner
80.00	Intersect East and west line at the, quarter section corner between sections 10 and 15. Rolling prairie 1st and 2nd rate Soil.

East on a random quarter section line through section 15. Variation 11°45' East

20.00	Set a post for temporary 1/16 sec corner
40.11	Intersect N & S 1/4. sec line at the 1/4 sec corner
60.00	Set a post for temporary 1/16 sec corner

Omaha Reservation Township 24 N.R. 6 E 6th Principhae Meridian

	chains	
8	8.22	Intersect N & S line at the 1/4 sec cor between sections 14 and 15 from which quarter sec corner B. 25m West on true 1/4 sec line through sec 15 Va 11°45' East.
	20.05½	Set a post in mound dug four pits and deposited charcoal for 1/16 corner
	40.11	Intersect N & S 1/4 sec line at the 1/4 sec corner
	60.16½	Set a post in mound. dug four pits and deposited charcoal for 1/16 sec. corner
	80.22	The 1/4 sec corner between sections 15 & 16 High rolling prairie 1st & 2nd rate Soil.

Subdivision of Section 10.

North on the quarter section line through Section 10. Va 12° East

20.00	Set a post in mound. dug four pits and deposited charcoal for Section corner.
35.00	Enter low prairie on bottom bears N.E. and N.W.
40.00	Set a post in mound dug four pits and deposited charcoal for 1/4 sec corner
60.00	Set a post in mound dug four pits and deposited charcoal for 1/16 sec corner
70.00	Dry Run bears E & W.
78.50	Leave creek bottom & Enter high prairie bears N.E. & S.W.
80.00	Intersect East & West line at the 1/4 sec. corner between sections 3 and 10 high prairie & creek bottom 1st & 2nd rate Soil

East on a random quarter sec line through Sec. 10. Variation. 12 East.

20.00	Set a post for temphorary 1/16 sec corner
35.00	Enter creeks bottom bears N.W. & S.E.
40.04	Intersect N & S 1/4 sec line
44.00	Leave creek bottom & enter high prairie bears N. E. and S. W.
60.00	Set a post for temphorary 1/16 sec cor.
80.08	Intersect N & S line 14 Links North of

T.25, R.6. T.26.R.6. T.27.R.6.

56
138

Omaha Reservation Township 24 N Range 6 E 6th Principal Meridian

6chains	the 1/4 sec corner between section 10 & 11. from which 1/4 section corner E run North 89° 54' west in a true quarter section line through section 10. Va 12° East.
2 0,0 2	Set a post in mound dug four pits and deposited charcoal for 1/16 Sec corner
4 0.0 4	Intersect N & S 1/4 sec line at the 1/4 sec corner
6 0,0 6	Set a post in mound dug four pits and deposited charcoal for 1/16 section corner
8 0.0 8	The 1/4 sec corner between sections 9 and 10 Rolling prairie & bottom level 1st and 2nd rate Soil Nov 2nd 1866

Subdivision of Section 3.

North on the quarter section line through section 3 Va 11'5-5' East.

2 0,0 0	Set a post in mound. dug four pits and deposited charcoal for 1/16 Sec corner
4 0,0 0	Set a post in mound. dug four pits and deposited charcoal for sec cor
6 0.0 0	Set a post in mound dug four pits and deposited charcoal for 1/16 sec corner
78.38	Intersect standard parallel 25.79 chains East of the standard corner to sections 33 and 34 T 25 N. R. 6 East. S set a P set a post in mound dug three pits and deposited charcoal as per instructions for closing quarter sec corner Rolling prairie: 1st and 2nd rate Soil

East on a random 1/4 section line through sec 3 Va 12° East

2 0.0 0	Set a post for temporary 1/16 sec corner
39.9 9 1/2	Intersect N. & S. 1/4 sec line
6 0 0 0	Set a post for temporary 1/16 sec corner
79.99	Intersect N & S. line 28 links North of the 1/4 section corner between sections 2 and 3. from which quarter section corner E run North 89°50' West on a true quarter section line through

Omaha Reservation Township 24 N Range 6 E 6th Principle Meridian

	Chains	Section 3. Va 12° East.
	19.99 3/4	Set a post in mound dug four pits and deposited charcoal for 1/16 Section corner
	39.99 1/2	Intersect the North & South 1/4 section line
	59.99 1/4	Set a post in mound dug four pits and deposited charcoal for 1/16th Section corner at the 1/4 section corner
	79.99.	The 1/4 section corner between sections 3 and 4. Rolling prairie 1st & 2nd rate Soil
X		

Begin at a point on the 1/4 sec line running North through section 33 at its intersection with the South Boundary of the Omaha Reservation & run North on the quarter sec line through sec. 3. 3. Va 12° 05'. East

6,55	Intersect East & West line at the 1/4 sec corner between sections 28 & 33 High prairie. Good 2nd rate Soil

Subdivision of Section 28.

North on the quarter section line through section 28. Va 12° 05' East

20.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec corner
40.00	Set a post in mound. dug four pits and deposited charcoal for 1/4 sec corner
60.00	Set a post in mound dug four pits and deposited charcoal for 1/16 sec. corner.
80.00	Intersect East & West line at the 1/4 section corner between sections 21 & 28 High rolling prairie 1st and 2nd rate Soil

East on a random line (quarter sections) through section 28. Va 12° East

20.00	Set a post for temporary 1/16 sec corner
39.95	Intersect N & S. 1/4 sec line
60.00	Set a post for temporary 1/16 sec corner
79.90	Intersect N & S line 7 links North of the 1/4 sec corner between sections 27 & 28 from which 1/4 sec corner Scrub

T.25, R.6. T.26 R.6. 27 R.6.

58
140

Omaha Reservation Township 24 N Range 6 E 6th Principal Meridian

Chains
On 89°67' West on a true quarter section line through sections 28 Va 12° East.
19.97½ Set a post in mound dug four pits and deposited charcoal for 1/16 sec corner
39.95 Intersect N & S 1/4 sec. line at 1/4 sec. corner
59.92½ Set a post in mound. dug four pits and deposited charcoal for 1/16 sec corner
79.90 The 1/4 sec corner between sections 28 and 29. Rolling prairie 1st & 2nd rate Soil

---

Subdivision of Sections 21.

North. on the quarter section line through section 21. Va 11° 50' East
20.00 Set a post in mound. dug four pits and deposited charcoal for sec corner
40.00 Set a post in mound. dug four pits and deposited charcoal for 1/4 sec. corner
60.00 Set a post in mound dug four pits and deposited charcoal for 1/16 sec corner
80.00 Intersect the section line between sections 16 and 21 at the 1/4 sec corner High rolling prairie 1st rate and 2 rate Soil.

East on a random quarter section line through section 21. Va 12° East
20.00 Set a post for temporary 1/16 sec corner
40.00 Intersect N & S 1/4 section line
60.00 Set a post for temporary 1/16 sec corner
72.00 Enter low prairie a meadow bears N.E. & S.W.
80.00 Intersect N. & S. line 35 links North of the 1/4 sec corner between sections 21 and 22 from which corner 8 run North 89°45' West on a true quarter section line through section 21. Va. 12 East
20.00 Set a post in mound. dug four pits and deposited charcoal for 1/16 section corner

Omaha Reservation Township 24 Range 6 E 6th Principal Meridian

	Chains	
	40.00	Intersect North and South 1/4 section line at the 1/4 section corner
	60.00	Set a post in mound. dug four pits and deposited charcoal for 1/16 section corner
	80.00	The 1/4 sec. corner. between sections 2 0 & 21 Rolling prairie. Good 2nd rate Soil

Nov 3d 1866

Subdivision of Section 16.

North on the quarter section line through section 16. Va 12° East.

20.00	Set a post in mound dug four pits and deposited charcoal for 1/16 sec. corner
40.00	Set a post in mound. dug four pits and deposited charcoal for 1/4 sec. corner.
64.00	Enter meadow a brock bottom bears N. E. & S. W.
57.50	Dry Run bears N. E. & S. W.
60.00	Set a post in mound. dug four pits & deposited charcoal for 1/16 section corner
62.00	Leave brock bottom bears N. E. & S. W.
80.00	Intersect E. & W. line at 1/4 section corner between sections 16 and 9 Rolling prairie: 1st rate Soil.

East on a random quarter section line through section 16. Va 12° 10 East.

12.00	Dry Run bears N. E.
20.00	Set a post for temporary 1/16 sec corner
40.01	Intersect N. & S. 1/4 section line
60.00	Set a post for temporary 1/16 sec corner.
80.02	Intersect N. & S. line 68 links North of the 1/4 sec corner between sections 15 and 16 from which 1/4 section corner Elm bears N 8 9 3/4 W West on a true quarter section line through section 16. Va 12° 10' East.
20.00½	Set a post in mound, dug four pits and deposited charcoal for 1/16 section corner
40.01	Intersect N. & S. 1/4 sec line at the 1/4 sec cor
60.01½	Set a post in mound. dug four pits and deposited charcoal for 1/16 section corner
80.02	The 1/4 sec cor. between sections 16 & 17.

T. 25, R. 6. T. 26 R. 6. T. 27 R. 6.

60
142

Omaha Reservation Township 24 N Range 6 E 6th Principal Meridian

Chain | Rolling prairie. 1st and 2d rate Soil
Nov 5th 1866

Subdivision of Section 9.

North on the quarter section line through Section 9 Va. 12° 15 East

20,00 Set a post in mound. dug four pits and deposited charcoal for 1/16 sec corner
39,00 Prairie - bears East & West
40,00 Set a post in mound, dug four pits and deposited charcoal for 1/4 section corner
60,00 Set a post in mound dug four pits and deposited charcoal for 1/16 sec corner
62,00 Enter meadow a creek bottom bears East and West
75,00 Dry run, bears East & West
80,00 Intersect East & West line at the 1/4 section corner between section 4 & 9 Rolling prairie & low prairie on creek bottoms 1st rate Soil.

East on a random quarter section line through sec. 9. Va 12° 30' East

20,00 Set a post for temporary 1/16 sec corner
39,96 Intersect N & S 1/4 section line
41,00 Enter creek bottom bears N.E. & S.W.
43,50 Dry run bears N. 60. E & S. 60 W.
52,00 Leave creek bottom & Enter prairie bearing N. 60 E & S 60 W.
65,00 Temporary 1/16 sec corner
79,92 Intersect N & S line 14 links North of the 1/4 sec corner between sections 9 and 10. from which 1/4 section cor Corn North 89° 54' West on a true 1/4 section line through section 9. Va. 12° 30' East
19,98 Set a post in mound dug four pits and deposited charcoal for 1/16 sec corner
39,96 Intersect N. & S. 1/4 sec line at 1/4 sec post
54,94 Set a post for 1/16 sec corner raised mound

Omaha Reservation Township 27 N Range 6 E 6th Principal Meridian

	and dug four pits as per instructions
79.92	The 1/4 sec. corner between sections 4 and 9. Rolling prairie & Creek bottom. 1st rate

Subdivision of Section 4.

	North on the quarter Section line through Section 4. Va 12°36' East
10.00	Leave meadow bears E. & W.
20.00	Set a post in mound. dug four pits and deposited charcoal for 1/16 section corner
40.00	Set a post in mound. dug four pits and deposited charcoal for sec corner
60.00	Set a post for 1/16 sec. corner. Raised mound. dug pits and deposited charcoal
78.25	Intersect ~~South~~ Standard Parallel 26.76 chains East of the standard corner to sections 32 and 33 T 26 N. R. 6 E. Set a post in mound. dug three pits & deposited charcoal as per instructions for closing quarter section corner Rolling prairie 1st & 2nd rate Soil

East on a random quarter section through section 4 Va 12°30 East

20.00	Set a post for temporary 1/16 sec. corner
40.08	Intersect N & S 1/4 section line
60.00	Set a post for temporary 1/16 sec corner.
80.16	Intersect N & S. line 70 links North of the 1/4 section corner between sections 3 and 4 from which quarter section corner Bears N 89°30' West on a true 1/4 section line through section 4. Va. 12°30' East
20.04	Set a post in mound. dug four pits & deposited charcoal for 1/16 sec corner
40.08	Intersect N & S 1/4 sec. line at 1/4 sec. corner
60.12	Set a post in mound. dug four pits and deposited charcoal for 1/16 sec corner
80.16	The quarter section corner between sections 4 & 5 Rolling prairie. 1st and 2nd rate Soil

T. 25, R. 6. T. 26 R. 6. T. 27 R. 6.

144

Omaha Reservation Township 24 N. Range 6 E 6th Principal Meridian

Chains	Begin at the point on the quarter section line running North through section 32 where the South Boundary of the Omaha Reservation intersect and run North on the quarter Section line through Fractional Section 31 Va 12°07 East
5.90	Intersect E and West line at the quarter Section corner between section 29 and 32. High prairie 2d rate Soil

Subdivision of Sec 29.

	North on the quarter Section line through 29. Va 12°07' E
20.00	Set a post in mound. dug four pits and deposited charcoal for 1/16 sec corner.
40.00	Set a post in mound dug four pits and deposited charcoal for 1/4 sec corner
60.00	Set a post in mound dug four pits and deposited charcoal for 1/16 sec corner
80.00	Intersect E & West line at the 1/4 Section corner between 20 and 29 High rolling prairie 2d rate Soil.

	East on a random quarter Section line through Section 29. Va 12°20' East
20.00	Set a post for temporary 1/16 sec corner
21.00	Enter meadow bears N.& S.
24.00	Leave meadow bears N&E.
40.01	Intersect N.& S. 1/4 sec corner
60.00	Set a post for temporary 1/16 sec corner
80.02	Intersect N & S line 49 links South of the 1/4 sec corner between sections 28 and 29. from which quarter Section corner Bears South 89°39' West on a true quarter Section line through Section 29. Va 12°20 East.
2.00½	Set a post in mound. dug four pits and deposited for 1/16 sec corner

Omaha Reservation Township 24. N Range 6 E 6th Principal Meridian

chains	
40.01	Intersect N. & S. 1/4 section line at 1/4 sec corner.
60.01½	Set a post in mound dug four pits and deposited charcoal for 1/16 sec corner
80.02	The 1/4 sec. corner between sections 29 and 30. High rolling prairie: 2d rate Soil.

Nov 6 18.66

Subdivision of Section 20.

North on the quarter Section line through Sections 20. Va 12°30' East

20.00	Set a post in mound. dug four pits and deposited charcoal for 1/16 sec corner.
39.00	Enter low prairie a meadow bears N 70 E and S 70 W.
40.00	Set a post in mound. dug four pits and deposited charcoal for 1/16 sec cor
79.00	Leave low prairie bears N 70 E & S 70 W.
60.00	Set a post in mound. dug four pits and deposited charcoal for 1/16 sec corner.
80.00	Intersect East & West line at the 1/4 section corner between sections 20 and 17. Rolling prairie: 2d rate Soil

East on a random quarter Section line through Section 20. Va 12°45'. East,

20.00	Set a post for temporary 1/16 sec corner
29.00	Enter low prairie a meadow bears N. E & S W
40.00	Intersect N. & S. quarter line
52.50	Leave low prairie a meadow bears N. E. & S W.
60.00	Set a post for temporary 1/16 sec corner
80.00	Intersect N & S line 36 links South of the quarter section corner between section 20 & 21 from which quarter section corner Corn South 8 9/4 5' West on a true quarter section line through section 20. Va. 12°45' East

T.25, R.6. T.26.R.6. T.27.R.6.

64
146

2

Omaha Reservation Township 24 N Range 6 E 6th Principal Meridian

Chains	
20.00	Set a post in mound. dug four pits and deposited charcoal for 1/16 sec cor
40.00	Intersect N & S. 1/4 sec line at 1/4 post
60.00	Set a post in mound dug four pits and deposited charcoal for 1/16 sec. corner
80.00	The 1/4 sec corner between sections 19 and 20. Rough rolling prairie 2d rate

Subdivision of Section 17.

North on the quarter section line through Section 17. Va 12°35' East

20.00	Set a post in mound. dug four pits and deposited charcoal for 1/16 sec corner.
40.00	Set a post in mound. dug four pits and deposited charcoal for 1/4 sec. corner.
60.00	Set a post in mound. dug four pits and deposited charcoal for 1/16 sec. corner
80.00	Intersect East & West line at the 1/4 sec. corner between sections 8 & 17. Rolling prairie: 2d rate Soil

East on a random quarter section line through Section 17. Va 12°30' East

20.00	Set a post for temporary 1/16 sec corner.
39.92	Intersect N. & S. 1/4 section line
60.00	Set a post for temporary 1/16 sec corner
79.84	Intersect N. & S. line 85 links South of the 1/4 section corner between sections 16 and 17 from which corner 8 runs South 89°24' West on a true quarter section line through sec 17 Va 12°30' East
19.96	Set a post in mound. dug four pits and deposite charcoal for 1/16 sec corner
39.92	Intersect N. & S. 1/4 sec line at the 1/4 sec corner
59.88	Set a post in mound dug four pits and deposited charcoal for 1/16 sec corner
79.84	The 1/4 corner to section: between Sections 17 & 18. Rolling prairie: 2d rate Soil.

Omaha Reservation Township 24 N. Range 6 E 6th Principal Meridian

Subdivision of Section 8.

North on the quarter Section line through Section 8. Va. 13° East

20.00 Set a post in mound. dug four pits and deposited charcoal for 1/16 section corner

40.00 Set a post in mound. dug four pits and deposited charcoal for 1/4 sec cor.

41.00 Enter Creek bottom. bears N. E. & W.

50.00 Dry Run. bears N. E. and S. W.

60.00 Set a post in mound. dug four pits and deposited charcoal for 1/16 sec. corner

62.00 Leave creek bottom. bears N. E. & S. W.

80.00 Intersect E & W. line at the quarter Section corner between sections 5 and 8 Rolling prairie: 2d rate Soil

East on a random quarter section line through section 8. Va 12° 35' East

1.00 Leave creek bottom and enter high prairie bears N. & S.

20.00 Set a post for temporary 1/16 sec. corner.

39.86 Intersect N & S 1/4 sec line

60.00 Set a post in mound for 1/16 sec corner

79.72 Intersect N & S. line 83 links South of the 1/4 sec. corner. between Sections 8 and 9. from which corner Brears South 8 9/4 West on a true quarter section line through Section 8 Va 12° 35' East

19.93 Set a post in mound. dug four pits and deposited charcoal for 1/16 sec corner

39.86 Intersect N & S 1/4 sec line at the 1/4 sec post.

59.79 Set a post in mound. dug four pits and deposited charcoal for 1/16 sec corner

79.72 The 1/4 sec corner between sections 7 & 8 Rolling prairie: 2d rate Soil

Subdivision of Section 5.

T. 25, R. 6. T. 26 R. 6. T. 27 R. 6.

66
148

Omaha Reservation Township 24 N. Range 6 E 6th Principal Meridian

North on the quarter section line through Section 5. Va 12°45' East

20.00 Set a post in mound. dug four pits and deposited charcoal for 1/16 sec. corner

40.00 Pg 2 in Mound. pits. and charcoal for 1/4 section corner

60.00 Set a post in mound. dug four pits and deposited charcoal for 1/16 sec corner

78.54 Intersect ~~South~~ N with Standard Parallel 25.68 chains East of the Standard corner to sections 31 and 32. T. 25 N. Range 6 East. Set a post in mound. dug three pits and deposited charcoal for closing corner to quarter Sections High rolling prairie: 1st & 2d rate

---

East on a random quarter section line through Section 5. Va 12°45' East

20.00 Set a post for temporary 1/16 sec. corner

39.84 Intersect N & S 1/4 section line

60.00 Set a post in ~~xxxxxxx~~ for 1/16 sec corner

79.86 Intersect N & S line 33 links South of the 1/4 Section 4 and 5 from which 1/4 sec. corner bears South 89° 24' West on a true line quarter Section line through Section 5. Va. 12°45' East.

19.92 Set a post in mound. dug four pits and deposited charcoal for 1/16 sec corner

39.84 Intersect N & S 1/4 sec line at the 1/4 sec corner.

59.76 Set a post in mound. dug four pits and deposited charcoal for 1/16 sec corner.

79.68 The 1/4 sec. corner. between sections 6 & 6 Rolling prairie: 1st & 2d rate Soil.

Nov 7. 1866

+

Begin at the point on the quarter Section line running North through Section 31 where the South Boundary of the Omaha Reservation Intersects the same and run North on the quarter section line through Fractional Sections 31 Va 12°10' East

5.30 Intersect E. & W. line at the 1/4 sec corner

Omaha Reservation Township 24 N. Range 6 E 6th Principal Meridian

between sections 30 and 31 Rolling prairie: 2d rate Soil

Subdivision of Section 30.

North on the quarter Section line through Section 30 Va 12° 10' East

20.00 Set a post in mound. dug four pits and deposited charcoal for 1/16 sec corner

40.00 Set a post in mound. dug four pits and deposited charcoal for 1/4 sec corner

60.00 Set a post in mound dug four pits and deposited charcoal for 1/16 sec corner

80.00 Intersect the E. & W. sec line at the 1/4 section corner between sections 19 and 30. Rolling prairie 2d rate Soil.

West on a random quarter Section line through sec 30. Va. 12° 15' East.

20.00 Set a post for temporary 1/16 section corner

40.00 Intersect N. & S. 1/4 Sec. line

60.00 Set a post for temporary 1/16 sec. cor.

77.20 Intersect West Boundary of the Township 19 links North of the 1/4 Post between Sections 25 and 30. from which corner Pawn North 89° 52' East on a true quarter section line through Section 30. Va 12° 15' East

17.20 Set a post in mound dug four pits and deposited charcoal for 1/16 section corner

37.20 Intersect N. & S. section line at the 1/4 section corner

57.20 Set a post in mound. dug four pits and deposited charcoal for 1/16 section corner

77.20 The 1/4 Section corner between section 29 and 30. Rolling prairie: 2d rate Soil

Subdivision of Section 19.

T. 25, R. 6.

T. 26 R. 6.

T. 27 R. 6.

Omaha Reservation Township 24 N. Range 6 E 6th Principal Meridian

North on the quarter Section line
through Section 19. Va 12°35' East.
20,00 Set a post in mound dug four pits and
deposited charcoal for 1/16 sec. corner
40.00 Set a post in mound dug four pits and
deposited charcoal for 1/16 sec Cor
60,00 Set a post in mound dug four pits
and deposited charcoal for 1/16 sec corner.
80,00 Intersect East W. line at the 1/4 section corner
between sections 18 & 19 Rolling prairie: 2d rate

West on a random quarter section line
through sec 19. Va 12.20' East.
20,00 Set a post for temporary 1/16 sec cor.
40,00 Intersect N & S 1/4 sec line
60.00 Set a post for temporary 1/16 sec. cor.
76.47 Intersect West Boundary of Township
20 links North of the 1/4 sec. cor. between
Sections 19 & 24 from which 1/4 sec. cor. Bears
North 89°51' East on a true quarter
Section line through section 19. Va. 12°20'
East
16,47 Set a post in mound dug four pits and
deposited charcoal for 1/16 sec cor
36,47 Intersect N & S 1/4 sec. line at the 1/4 section
corner.
76,47 The 1/4 section corner between Sections 19 and
20: Rolling prairie: 2d rate

Subdivision of Section 18.

North on the quarter Section line through
Section 18. Va 12°24' East.
20,00 Set a post in mound dug four pits
and deposited charcoal for 1/16 sec. corner
40,00 Set a post in mound dug four pits
and deposited charcoal for 1/4 sec corner
60,00 Set a post in mound dug four pits
and deposited charcoal for 1/16 sec corner
80,00 Intersect East & West line at the 1/4 sec
corner between Sections 17 & 18 Rolling

prairie: 2d rate Soil.

West on a random quarter Section line through
sec. 18. Va. 12° 30' East
20.00 Set a post for temporary 1/16 sec corner
40.00 Intersect N. & S. sec. line
46.50 Dry Run - bears N & S.
60.00 Set a post for temporary 1/16 sec corner
76.05 Intersect West Boundary of Township 32 links
North of the 1/4 sec cor between sections 18 & 13
from which quarter Section corner Bears
North 8 9/16 East on a true quarter Section
line through Section 18. Va 12°30' East
16.05 Set a post in mound dug four pits and
deposited charcoal for 1/16 section corner.
86.05 Intersect N. & S. 1/4 Section line at the quarter
sec corner
56.05 Set a post in mound dug four pits and
deposited charcoal for section corner.
76.05 The 1/4 section corner on the East side of
Section 18. Rolling prairie: 2d rate Soil

Subdivision of Section 7.

North. on the quarter Section line through
Section 7. Va. 12° 54' East.
7.50 Dry Run N.E. & S.W.
20.00 Set a post in mound. dug four pits and
deposited charcoal for 1/16 section corner.
40.00 Set a post in mound dug four pits
and deposited charcoal for sec corner
60.00 Set a post in mound. dug four pits and
deposited charcoal for 1/16 sec. corner.
80.00 Intersect East & West line at the 1/4 sec. corner.
between sections 6 & 7. Rolling prairie. 2d rate
Soil

West on a random quarter Section line
through sec 7. Va 12° 35' East
3.50 Dry Run = N. E. & South
7.50 Leave Creek bottom and enter high prairie:

T.25, R.6. T.26 R.6. 27 R.6.

70
152

Omaha Reservation Township 24 N Range 6 E 6th Principal Meridian

	bears N. & S.
20.00	Set a post for temporary 1/16 sec. cor.
40.00	Intersect N. & S. 1/4 sec line
60.00	Set a post for temporary 1/16 sec. corner.
75.54	Intersect the West Boundary of Township at the 1/4 sec. corner between sections 7 and 12; from which corner Govn East on a true quarter section line through Section 7, Va 12°35' East
15,54	Set a post in mound. dug four pits and deposited charcoal for 1/16 sec corner
35.54	Intersect N. & S. 1/4 sec line at 1/4 sec corner
55.54	Set a post in mound. dug four pits and deposited charcoal for 1/16 sec corner
75.54	The 1/4 sec. corner between sections 7 and 8 Rolling prairie: 2d rate Soil.

Nov 9th 1866

Subdivision of Section 6.

North on the 1/4 Section line through Section 6. Va 13°15' East.

20.00	Set a post in mound dug four pits and deposited charcoal for 1/16 sec corner
40.00	Set a post in mound. dug four pits & deposited charcoal for 1/16 sec. cor.
60.00	Set a post in mound dug four pits and deposited charcoal for 1/16 sec corner.
79.11	Intersect Sixth Standard Parallel 25.80 chains East of standard corner to sections 31 & 36 T. 25 N. Range 6 & 5 E. at which point S set a post in mound. dug three pits and deposited charcoal as per instructions for closeing 1/4 section corner. Rolling prairie: 2d rate

West on a random quarter Section line through Section 6. Va 13° East.

20.00	Sets a post in for temporary 1/16 sec corner
40.00	Intersect N. & S. 1/4 section line

Omaha Reservation Township 24 N Range 6 E 6th Principal Meridian

71
153

6.000	Set a post for temporary 1/16 sec corner.
74.88	Intersect West Boundary of Township 15 links North of the 1/4 sec. corner between sections 1 and 6 from which 1/4 sec corner E run North 89°54' East on a true quarter section through Section 6. Va 13° East
14.88	Set a post in mound dug four pits and deposited charcoal for 1/16 Sec corner
34.88	Intersect N & S 1/4 sec line at 1/4 sec corner.
54.88	Set a post in mound. dug four pits and deposited charcoal for sec corner.
74.88	The 1/4 sec corner between sections 5 & 6. Rolling prairie 2d rate

Nov 11th 1866

X

Note

For General Discription. see Field Book No: 1. Containing Field notes of Exterior Boundary and Section Lines.

List of Names

A list of the names of the individuals employed to assist in running measuring or marking the lines and corners described in the foregoing field notes of Township 24 N of Range 6 E Sixth East of the Sixth principal meridian. Showing the respective capacities in which they acted.

Stephen Guter	Chainman
A Erghbright	do
Jer Eggleston	do
Chis W King	do
H Archambeault	mound builder
Frederick Garbrick	do
J. W. Smith	Axman
L G Reynolds	Flagman
John R Wells	do
Richard Crank	Compassman

T.25, R.6. T.26 R.6. T.27 R.6.

72
1.5.4

We hereby certify that we assisted Theodore D. Babcock U. S. Surveyor in subdividing the Sections in that portion of Township number twenty four North of the boundary line of Range number Six East of the Sixth Principal Meridian embraced within the limits of the Omaha Indian Reservation, and that the sections resulted, to the best of our knowledge and belief well and faithfully subdivided and the boundary mounds planted according to the instructions furnished by the Commissioner of the General Land Office

Stephen Guitar Chainman
A Engelbright Chainman
Geo Eggleston Chainman
Chas W. King Chainman
D Archambault mound builder
Frederick Garwick do
D. W. Smith Axman
L G Reynolds Flagman
John R Wells
Richard Frank

Territory of Nebraska
Burt County } Subscribed and sworn to by the above named persons before me the 8th day of December 1866

Albert White
Justice of Peace.

Stamp

I Theodore H Barett U. S. Surveyor do Solemnly Swear that in pursuance of a Contract with J. M. Edmonds Commissioner of the General Land Office of the United State bearing date August 14th 1866. and in strict Conformity to the laws of the United State and the instructions furnished by the said Commissioner of the General Land Office. I have faithfully Subdivided the sections of that portion of Township number 24 North of the born line of Range number Six of the Sixth principal meridian. embraced with in the limits of the Omaha Indian Reservation in the Territory of Nebraska. and do further solemnly swear that the foregoing are the true and original field notes of such survey

Theodore H Barett U. S.
Surveyor

Subscribed by said Theodore H Barett U S Surveyor and sworn to before me a Justice of the Peace for Whiteside County in the State of Illenois this 28th day of January 1867

R L Mangan
Justice of the Peace

Stamp

Department of the Interior General Land Office March 4th 1867

The foregoing field notes of the Survey of Fractional Township 24 South Range 6 East of the 6th Principal Meridian State of Nebraska executed by Theodore H Barrett under his Contract of the 14th day of Aug 1866. in the months of October and November 1866. having been critically examined the necessary corrections and explanations made the said field notes and the

T. 25, R. 6.
T. 26 R. 6.
T. 27 R. 6.

74/66 = 155

survey they discribe are hereby approved

Jos S Wilson
Commissioner

Department of the Interior
General Land Office
Washington D. C.
August 21. 1891

I certify that the foregoing transcript of field notes of survey has been correctly copied from the original notes on file in this office

Wm M Stone
Commissioner.

75
167

T.25, R.6. T.26.R.6. T.27.R.6.

compared and corrected

103 - R6

107

169

Omaha and Winnebago Reservations

Field Notes of the Subdivision lines in Township Number 25. North Range 6. East the 6th P. M. (Omaha and Winnebago Reservations) in the State of Nebraska, by Theodore H Barrett, Surveyor, under his contract, bearing date, August, 14th 1866:

Survey commenced, May, 28. 1867. and Completed June 8th 1867.

Subdivision of Sections

Page 25 to 51

T.25, R.6. T.26. R.6. T.27. R.6.

List of Names.

A list of the names of individuals employed to assist in running, measuring or marking the lines and corners described in the following Field Notes of Township No. 2 S. R. Range 6. E. the 6th Principal Meridian, showing the capacities in which they acted.

William J Allason	Compassman,
Richard Cronk	"
Philander Wright	Chainman,
John Rupp.	"
George Patterson	"
James Kennedy	"
Joseph T Fluent	"
Henry B Williams,	Mound Builder,
Willie T Trainer	" "
Karl Wilhelm Bekke	"
Andrew Armstrong.	Axman.
Conrad Scheffer,	"
George Fox.	Chainman,

Omaha Reservation.

Township 25 N. Range 6. East of the 6th P. M.

Chains	
	In running the Range line between Ranges 6 and 7 E I found the East Boundary of Section 36 to be as follows.
	Va. 10° 30' East.
80.00	Corner to Sections 25. 36. 30 and 31.
	In retracing the 6th Standard Parallel I found the South Boundary of Section 36. to be as follows.
	East on the South Boundary of Section 36. Va. 11° 30' East.
80.00	The corner to Sections 36. 31. 1. & 6.
	The field notes of the survey of the Township Boundaries show that the needle changes its variation considerably — being between 10° 20' E. & 12° 10' East.
	Begin at the corner to Sections 35 & 36. (Standard Corner) and run as follows.
	North, between Sections 35 & 36. Va. 11° 25' East.
17.00	Brook. 10 links wide, runs S.E.
20.00	Post in mound with four pits and a small deposit of Charcoal for corner to 1/16 Section.
	Note.
	In the following field notes, the corners established with Post and mound, have also four pits to each mound, except when otherwise noted.
	The quantity of charcoal deposited in Each mound is Equal to a solid 1 x 2 x 2 inches, made up of one or more pieces.
	Hereafter in these "Field Notes" a corner established according to the foregoing Note, will be designated as "Post in Mound"

T. 26. R. 6. E. 27. R. 6.

2
172

Omaha Reservation.

Township 25. North. Range 6. East the 6th P. M.

Chains	
10.00	Post in mound for ¼ Sec. Corner.
60.00	Post in mound for ½ Sec. Corner.
80.00	Post in mound for the corner to Sections 25. 26. 35 and 36. Middle Creek bottom. 1st rate soil.
	East on a random line between Sections 25 and 36. Va. 11° E.
20.00	Temporary ¼ Sec. Corner.
21.50	Middle Creek - 75 lks wide, course S.W.
40.00	Temporary ¼ Sec. Corner.
55.00	Leave Middle Creek bottom, N. and S.
60.00	Temporary ¼ Section Corner.
79.53	Intersect Range line 27 lks. N. of corner to Sections 25. 30. 31. 36. from which corner I run North 89° 48' W. on a true line between Secs 25 and 36. Va. 11° E.
19.88	Post in mound for ¼ Sec. corner.
39.76	Post in mound for ¼ Sec. Corner.
59.64	Post in mound for ¼ Sec. Corner.
79.53	The corner to Secs 25. 26. 35 and 36. Level middle Creek bottoms - moderately rolling prairie. A few trees along Middle Creek. 1st and 2nd rate soil.
	North. between Sections 25 and 26. Va. 11° 30' East.
20.00	Post in mound for ¼ Sec. corner.
40.00	Post in mound for ¼ Sec. Corner.
43.00	Middle Creek. 75 links wide, runs E.
60.00	Post in mound for ¼ Sec. corner.
67.00	Leave bottom, N. W. & S. E.
80.00	Post in mound for corner to Secs 23. 24. 25 and 26. Middle Creek bottom. Moderately rolling prairie 1st and 2nd rate soil.

Omaha Reservation

Township 25 N. of Range 6 E. of the 6th P. M.

Chains	
	East on a random line between Sections 24 & 25. Va. 11° E.
20.00	Temporary 1/16 Sec. Corner.
40.00	Temporary 1/4 Section Corner.
60.00	Temporary 1/16 Section Corner.
80.05	Intersect Range line 70 links North of corner to Sections 19. 24. 25 & 30. from which corner run North 89° 30' West on a true line, between Secs 24 & 25. Va. 11° E.
20.01	Post in mound for 1/16 Sec. Corner.
40.02	Post in mound for 1/4 Sec. Corner.
60.03	Post in mound for 1/16 Sec. Corner.
80.05	The Corner to Sections 23. 24. 25 & 26. Rolling Prairie. Good. 2nd rate soil.
	North between Sections 23 & 24. Va. 11° 15' East.
20.00	Post in mound for 1/16 Sec. Corner.
40.00	Post in mound for 1/4 Sec. Corner.
45.00	Brook 5 lks wide — runs S.W.
48.00	Same brook, runs S.E.
50.00	Same brook, " S. West.
54.00	Same brook " S. East.
59.50	Post in mound for witness corner to 1/16 Section.
60.00	Creek — True 1/16 Sec. Corner in the Creek — Creek runs S.W.
80.00	Corner to Sections. 13. 14. 23 & 24. Post in mound. Rolling Prairie: 1st & 2nd rate soil.
	East on a random line between Sections 13 and 24. Va. 11° E.
20.00	Temporary 1/16 Sec. Corner.
40.00	Temporary 1/4 Sec. Corner.
60.00	Temporary 1/16 Sec. Corner.
80.60	Intersect Range line 16 links South of corner to Sections

T. 26. R. 6. E. 27. R. 6.

4.
174

Omaha Reservation.

Township 25 North. Range 6. E. the 6th P. M.

Chains

13. 18. 19 and 24. from which Corner
I run South 84° 53' West on a
true line between Secs 13 & 24.
Va. 11° East.

20.15 Post in mound for 1/16 Sec. corner.
40.30 Post in mound for 1/4 Sec. corner.
60.45 Post in mound " 1/16 Sec. corner.
80.60 The Corner to Sections 13. 14. 23 & 24.
Rolling Prairie: good. 2nd rate soil.
May 28th 1867.

North between Sections 13 & 14.
Var. 11° East.

20.00 Post in mound for 1/16 Sec. Corner.
40.00 Post in mound for 1/4 Sec. corner.
60.00 Post in mound for 1/16 Sec. corner.
80.00 The corner to Secs 11. 12. 13 & 14.
Post in mound.
Rolling Prairie. 1st & 2nd rate soil.

East on a random line be
tween Sections 12 and 13.
Va. 11° E.

20.00 Temporary 1/16 Section corner.
40.00 Temporary 1/4 Sec. Corner.
60.00 Temporary 1/16 Sec. Corner.
80.21 Intersect Range line 84 links North
of corner to Sections 7. 12. 13 and 18.
from which corner I run
North 89° 22'
West on a true line between
Sections 12 and 13.
Va. 11° East.

20.05 Post in mound for 1/16 Sec. corner.
40.10 Post in mound for 1/4 Sec. corner.
60.15 Post in mound " 1/16 " "
80.21 The corner to Secs 11. 12. 13 & 14.
Rolling Prairie bottom.
1st 2nd rate soil.

Omaha & Winnebago Reservation. 5-175

Township 25 N. Range 6. E. the 6th P.M.

Chains	
	North between Sections 11 & 12, Va. 11° 20' E.
20.00	Post in mound for ¼ Sec. corner.
40.00	Post in mound for ¼ Sec. Corner.
60.00	Post in mound for ¼ Sec. corner.
74.10	Intersect the line between the Omaha and Winnebago Reservations. Winnebago Res line
	19.68 chains East of Station 22, and at the point of intersection set post in mound dug 2 pits and deposited charcoal for corner to fractional Sections 11 and 12.
80.00	Winnebago Indian Reserv Post in mound for corner to Sections 1. 2. 11 and 12.
	Land rolling; 2nd rate soil.
	East on a random line between Sections 1 and 12. Va. 11° East.
40.00	Temporary ¼ Section Corner.
80.32	Intersect Range line 87 links North of corner to Sections. 1. 6. 7 and 12. from which corner I run North 89° 23' West on a true line between Sections 1 & 12. Va. 11° East.
40.16	Post in mound for ¼ Sec. Corner.
80.32	The corner to Sections 1. 2. 11. and 12.
	Rolling prairie. 2nd rate soil.
	North on a random line between Sections 1 and 2. Va. 11° East.
38.10	Brook 8 lks wide, course N.W.
40.00	Temporary ¼ Section Corner,
78.40	Intersect North Boundary of Township 28 links West of Corner to Sections 1. 2. 35 & 36. from which corner I run South 0° 12' West on a true line between Sections 1 & 2. Va. 11° East.

T. 26. R. 6. T. 27. R. 6.

6.
176

Omaha and Winnebago Reservation.

Township 25 N. Range 6 E. the 6th Principal Meridian.

Chains	
38.40	Post in mound for ¼ Sec. Corner.
78.40	The corner to Secs. 1. 2. 11 & 12.
	Rolling Prairie. good. 2nd rate soil.

Omaha Indian Reservation

North between Secs 34 & 35.
Va. 11° 30' East.

20.00	Post in mound for 1/16 Sec. Corner.
40.00	" " " " ¼ " "
60.00	Post in mound for 1/16 " "
64.50	A creek 30 lks wide, course S.E.
80.00	The corner to Secs 34. 35. 26. 27
	Post in mound.
	Middle Creek bottom, level.
	1st rate soil.

East on random line between Sections 26 and 35.
Va. 11° E

20.00	Temporary 1/16 Section Corner.
40.00	Temporary ¼ Sec. Corner.
60.00	Temporary 1/16 Sec. Corner.
80.00	Intersect Section line at corner to Secs. 25. 26. 35 & 36. from which corner run.
	West on a true line between Secs 26 and 35. Va. 11° E.
20.00	Post in mound for 1/16 Sec. Corner.
40.00	" " " " ¼ Sec. Corner.
60.00	Post in mound for 1/16 Sec. Corner.
80.00	The corner to Secs. 26. 27. 34 & 35.
	Level, middle Creek bottom,
	1st rate soil.

North between Secs 26 & 27
Va. 11° 30' East.

20.00	Post in mound for 1/16 Sec. Corner.
40.00	Post in mound for ¼ Sec. Corner.
45.50	Enter high prairie. cl. E. & cl. W.
60.00	Post in mound for 1/16 Sec. Corner.
61.50	Enter bottom S.E. & S. Lks.
80.00	Post in mound for the corner to Sections. 22. 23. 26 & 27.

Omaha Reservation.

Township 25 N. Range 6 East the 6th P. M.

Chains	
	Bottom land and rolling prairie. 1st rate soil
	East on a random line between Sec's 23 and 26.
	Va. 11° East.
19.50	Middle Creek, runs S.E. 7s lks wide.
20.00	Temporary 1/16 Sec. Corner.
40.00	Temporary 1/4 " "
45.50	Brook 5 lks wide, S.W.
58.00	Leave Middle Creek Bottom, 1st.
60.00	Temporary 1/16 Sec. Corner.
79.50	Intersect Sec. line at corner of Sec's 23. 24, 25 & 26. from which corner A run
	West on a true line between Sections 23 & 26.
	Va. 11° E.
19.87	Post in mound for 1/16 Sec. Corner.
39.75	Post in mound for 1/4 Sec. "
59.62	Post in mound for 1/16 Sec. Corner.
79.50	The Corner to Secs 22. 23. 26 & 27.
	Middle Creek bottom land.
	1st rate rolling prairie.
	good. 2nd rate.
	North between Sec's 22 & 23.
	Va. 11° 45' East.
20.00	Post in mound for 1/16 Sec. Corner.
40.00	Post in mound for 1/4 " "
59.30	Middle Creek — running S.E.
60.00	True 1/16 Sec. Corner in the Creek.
60.50	Post in mound for Witness Corner of 1/16 Section.
67.00	Leave bottom. N.W. & S.E.
80.00	Post in mound for the corner to Sections, 14, 15, 22 & 23.
	Middle Creek bottom & rolling Prairie.
	1st & 2nd rate soil.

T. 26. R. 6. T. 27. R. 6.

8.
178

Omaha Reservation.

Township 25. N. R. 6 East the 6th P. M.

Chains	
	East on a random line between Sec's 14 and 23. Va. 10° 30' E.
20.00	Temporary 1/16 Sec. Corner.
40.00	Temporary 1/4 " "
60.00	Temporary 1/16 Sec. Corner.
80.25	Intersect Sec. line 97 links N. of cor. to Sec's 13. 14. 23 & 24. from which corner B run North 89° 15' West on a true line between Sec's 14 & 23. Va. 10° 30' East.
20.06	Post in mound for 1/16 Sec. Corner.
40.12	" " mound " 1/4 Sec. Corner.
60.18	Post in mound " 1/16 Sec. Corner.
80.25	The corner to Sec's 14. 15. 22 & 23.

May 29th 1867.

North between Sec's 14 and 15.
Va. 11° E.

20.00	Post in mound for 1/16 Sec. Corner.
40.00	" " " " 1/4 " "
60.00	Post in mound for 1/16 " "
80.00	Post in mound for the corner to Sections 11. 10. 14 & 15. Rolling. 2nd rate Prairie.

East on a random line between Sec's 11 and 14.
Var. 11° East.

20.00	Temporary 1/16 Sec. Corner.
40.00	Temporary 1/4 " "
60.00	Temporary 1/16 Sec. Corner.
80.80	Intersect Sec. line 23 links North of corner to Sec's 11. 12, 13 and 14. from which corner B run North 89° 50' West on a true line between Sec's 11 & 14, Va. 11° E.
20.20	Post in mound for 1/16 Sec. Corner
40.40	Post in mound for 1/4 Sec Corner.
60.60	Post in mound for 1/16 " Corner.

Omaha & Winnebago Reservations

Township 25 N. Range 6 E. the 6th P. Meridian.

Chains	
80.80	The corner to Secs 10, 11, 14, & 15. Rolling prairie. 2nd rate soil.
	North between Sections 10 & 11. Va. 11° East.
20.00	Post in mound for ¼ Sec. Corner.
30.00	Enter Creek bottom, N.E. & S.W.
40.00	Post in mound for ¼ Sec. Corner.
46.25	Creek 8 links wide – runs S.W.
60.00	Post in mound for ¼ Sec. Corner.
73.65	Intersect line between Omaha & Winnebago Reservations, 17.10 chains East of Station 23. and at point of intersection set post in mound, dug two pits and deposited charcoal for corner to Fractional Sections 11 & 12. Winnebago Line Line
	Winnebago Indian Reserv
80.00	Post in mound for corner to Sections 2. 3. 10 & 11. Creek bottom & rolling prairie. 2nd rate.
	East on a random line between Sec's 2 & 11. Va. 11° E.
14.90	Creek 8 links wide, runs S.W.
35.00	Leave Creek bottom, N.E. & S.W.
40.00	Temporary ¼ Sec. Corner.
80.60	Intersect Sec. line 93 lks N. of corner to Sec's. 1, 2. 11 & 12. from which corner I run North 89° 20' West, on a true line between Sec's 2 & 11. Va. 11° East.
40.30	Post in mound for ¼ Sec. Corner.
80.60	The corner to Sec's 2. 3. 10 & 11. East half rolling prairie. West half. Creek bottom. 1st and 2nd rate soil.
	North on a random line between Sec's 2 & 3. Va. 11° E.

T. 26. R. 6. T. 27. R. 6.

10.
T80

Winnebago Reservation.

Township 25 N. Range 6. E. the 6th P. Meridian.

Chains	
15.00	Leave Creek bottom. N. E. & S. W.
40.00	Temporary ¼ Sec. corner.
78.60	Intersect North Boundary of Township 10 links West of corner to Secs 34 and 35. from which corner I run South 0° 30' West, on a true line between Secs 2 and 3. Va, 11° East.
38.60	Post in mound for ¼ Sec. corner.
78.60	The corner to Secs 2. 3. 10 & 11. Land moderately rolling. good, 2nd rate prairie.

Omaha Indian Reserve

North between Secs 33 and 34. Va, 12° 30' East.

20.00	Post in mound for ¼ Sec. corner.
40.00	Post in mound for ¼ Sec. corner.
60.00	Post in mound for ¼ Sec. corner.
80.00	Post in mound for the corner to Sections 27. 28. 33 & 34. Rolling prairie, 1st rate soil.

East on a random line between Secs 27 & 34. Va, 12° 15' E.

2.00	Enter Middle Creek bottom, N.W. & S.E.
20.00	Temporary ¼ Sec. corner.
40.00	Temporary ¼ Sec. corner.
60.00	Temporary ¼ Sec. corner.
73.00	Brook 5 lks wide, runs South.
80.00	Intersect at the corner to Secs 26. 27. 34 & 35. from which corner I run West on a true line between Sections 27 and 34. Va, 12° 15' East.
20.00	Post in mound for ¼ Sec corner
40.00	Post in mound for ¼ Sec corner.
60.00	Post in mound for ¼ " Corner.
80.00	The corner to Sections 27. 28. 33 and 34. Middle Creek bottom — level — 1st rate soil.

Omaha Reservation.

Township 25 N. Range 6. E. the 6th Principal Meridian.

Chains	
	North between Secs 27 and 28. Var. 12 0/5° East.
3.00	Middle Creek bottom N.E. & S.W.
20.00	Post in mound for 1/16 Sec. Corner.
40.00	Post in mound for 1/4 Sec. Corner.
60.00	Post in mound for 1/16 Sec. Corner.
80.00	Post in mound for the corner to Sections 21, 22, 27 and 28. Middle creek bottom. Soil 1st rate.
	East on a random line between Secs 22 & 27. Va 12 0/5° E.
20.00	Temporary 1/16 Sec. Corner.
23.50	Brook 8 lks wide, runs S.E.
33.00	" 6 " wide, runs South.
40.00	Temporary 1/4 Sec. Corner.
60.00	Temporary 1/16 Sec. Corner.
79.55	Intersect at corner to Secs 22, 23, 26 & 27. from which corner run West on a true line between Secs 22 and 27.
19.88	Post in mound for 1/16 Sec. Corner.
39.77	Post in mound for 1/4 Sec. Corner.
59.66	Post in mound for 1/16 Sec. Cor.
79.55	The corner to Sections 21, 22, 27 & 28. Middle Creek bottom, Surface level. 1st rate soil.
	North between Sections 21 & 22. Va. 13° E.
12.50	A brook running E. 4 links wide.
20.00	Post in mound for 1/16 Sec. Corner.
39.00	Slough 1 chain wide, bearing S.E.
40.00	Post in mound for 1/4 Sec. Corner.
60.00	Post in mound for 1/16 Sec. Corner.
80.00	Post in mound for the corner to Secs 15, 16, 21 & 22. Level bottom. 1st rate soil.

T. 26. R. 6. E. 27. R. 6.

12.
182

Omaha Reservation

Township 25 North, Range 6. E. the 6th P. M.

Chains	
	East on a random line between Secs 15 and 22. Var. 13° E.
20.00	Temporary 1/16 Sec. Corner.
25.50	Middle Creek. 30 lks wide, runs South East.
29.00	Middle Creek. 30 links wide, runs North west.
40.00	Temporary 1/4 Sec. Corner.
60.00	Temporary 1/16 Sec. Corner and intersect Middle Creek, 30 lks wide, running South.
70.00	Leave Middle Creek bottom & enter high prairie, bears N. W. & S. E.
79.20	Intersect Sec. line 14 lks South of corner to Sects 14. 15. 22 and 23. from which corner run South 89° 54' West. on a true line between Sections 15 and 22. Var 13° East.
19.80	Set post for 1/16 Sec. Corner from which a Willow 6 inches in diameter, bears S. 58° E. 60 lks distant.
39.60	Post in mound for 1/4 Sec. Corner.
59.40	Post in mound for 1/16 " "
79.20	The corner to Secs. 15, 16. 21 & 22. Level bottom, 1st rate soil. May. 30th 1867.
	North between Secs 15 and 16. Var. 13° 18' East.
20.00	Post in mound for 1/16 Sec. Corner.
40.00	Post in mound " 1/4 " "
45.00	Middle Creek, 80 lks wide - runs S.E.
51.00	" " " " " S.W.
58.00	Middle Creek, runs S. E.
60.00	Post in mound for 1/16 Sec Corner.
62.75	Middle Creek. 80 lks wide, runs S.W.
80.00	Post in mound for the corner to Sections. 9. 10. 15 and 16. Level bottom, 1st rate soil.

Omaha Reservation.

Township 25 N. Range 6. East the 6th P. Meridian.

Chains	
	East on a random line between Secs 10 and 15. Va, 13° East.
9.70	Middle Creek, runs South 80 lks wide.
20.00	Temporary 1/16 section corner.
30.00	Leave Middle Creek bottom, bearing N. E. & S W.
31.00	Brook 6 links wide, runs S. W.
40.00	Temporary 1/4 section corner.
60.00	Temporary 1/16 Sec. corner.
79.40	Intersect Sec. line 60 lks South of corner to Secs. 10, 11, 14 & 15. from which corner I run South 89° 34' West on a true line between Secs 10 & 15. Var, 13° East.
19.85	Post in mound for 1/16 Sec. Corner.
39.70	Post in mound for 1/4 Sec. Corner
59.55	Post in mound for 1/16 Sec. Corner.
79.40	The corner to Sections, 9, 10, 15 & 16. Level bottom & rolling prairie: 1st and good 2nd rate soil.
	North between Sections 9 and 10. Va, 13° 30' East.
17.85	Middle Creek, 30 lks wide, runs E.
20.00	Post in mound for 1/16 Sec. Corner.
40.00	Post in mound for 1/4 Sec. Corner.
60.00	Post in mound for 1/16 Sec. Corner.
74.17	Intersect line between Omaha & Winnebago Reservations, 19.57 chains East of Station 24, and, at point of intersection, set post in mound, dug two pits and deposited charcoal for corner to fractional Sections 9 & 10. Winnebago Indian Reserv
80.00	Post in mound for corner to Sections 3, 4, 9 and 10. Level bottom & 1st rate soil.
	East on a random line between Sections 3 and 10. Va, 12° E.

Winnebago Res Line

T. 26. R. 6. E. T. 27. R. 6.

14.
184

Omaha and Winnebago Reservations.

Township 25 N. Range 6. East the 6th P. M.

Chains	
5.00	Leave Middle Creek bottom. N & S.
40.00	Temporary ¼ Sec. Corner.
70.00	Enter creek bottom. N.E. & S.W.
79.60	Intersect N & S. line at corner to Sections. 2. 3. 10 & 11. from which corner I run West on a true line between Sections 3 and 10. Va. 12° E.
39.80	Post in mound for ¼ Sec. Corner.
79.60	The corner to Secs 3. 4. 9 & 10. Rolling prairie & bottom land. 1st and good. 2nd rate soil.
	North on a random line between Sections 3 and 4. Va, 12° 15' East.
40.00	Temporary ¼ Sec. Corner.
79.10	Intersect North Boundary of Township 40 lks West of corner to Secs. 3. 4. 33 and 34. from which corner I run South 0° 17' West on a true line between Sections 3 and 4. Va 12° 15' East.
39.10	Post in mound for ¼ Sec. Corner.
79.10	The corner to Sections 3. 4. 10 & 11. Rolling prairie: 2nd rate soil.

May 31st 1867.

Omaha Indian Reserve

	North between Sections 32 & 33. Va, 13° 10' E.
20.00	Post in mound for ¼ Sec. Corner.
40.00	Post in mound for ¼ " "
60.00	Post in mound for ¾ Sec. Corner.
80.00	Post in mound for the corner to Sections 28. 29. 32 & 33. Rolling: Good 2nd rate & 1st rate soil.
	East on a random line between Secs 28 & 33. Va, 13° East.
20.00	Temporary ¼ Sec. Corner.
40.00	Temporary ¼ Sec. Corner.

Omaha and Winnebago Reservation

Township 25. N. Range 6. E the 6th P. M.

Chains	
60.00	Temporary 1/16 Section Corner.
79.75	Intersect N & S. line 15 links N. of corner to Secs. 27. 28. 32. & 33. from which corner & run North 89° 54' West on a true line between Secs. 28 & 33.
19.94	Post in mound for 1/16 Sec. Corner.
39.88	Post in mound for 1/4 Sec. Corner.
59.82	Post in mound for 1/16 Sec. Corner.
79.75	The corner to Secs. 28. 29. 32 & 33. Rolling prairie. 2nd rate soil.
	North between Secs 28 & 29. Va. 13° 15' East.
20.00	Post in mound for 1/16 Sec. Corner.
33.00	Brook 4 links wide, runs N. E.
40.00	Post in mound for 1/4 Sec. Corner.
60.00	Post in mound for 1/16 Sec. Corner.
80.00	Post in mound for the corner to Sections, 20, 21, 28 and 29. Rolling prairie. 1st & 2nd rate soil.
	East on a random line between Secs 21 and 28. Va. 13° 5' East.
20.00	Temporary 1/16 Sec. Corner.
37.00	Brook 5 links wide, runs N. E.
40.00	Temporary 1/4 Sec. Corner.
45.00	Enter Middle Creek bottom, bearing N. W & S. E.
60.00	Temporary 1/16 Sec. Corner.
80.15	Intersect at corner to Sections 21, 22, 27 & 28. from which corner & run West on a true line between Secs 21. and 28. Va. 13° 5' East.
20.04	Post in mound for 1/16 Sec. Corner.
40.08	Post in mound for 1/4 Sec. Corner.
60.09	Post in mound for 1/16 Sec. Corner.
80.15	The corner to Secs. 20. 21. 28 & 29.

T. 26. R. 6. E. 27. R. 6.

16.
186

Omaha Reservation.

Township 25 N. Range 6. East the 6th P.M.

Chains

West ½ rolling prairie, good 2nd rate soil. East ½, level bottom, 1st rate soil.

North between Sections 20 & 21.
Va, 13°; 30' E.

20.00 Post in mound for 1/16 Sec. Corner.
40.00 Post in mound for ¼ Sec. Corner.
60.00 Post in mound for 1/16 Sec. Corner.
62.80 Brook 8 links wide, runs East.
65.00 Enter Middle Creek bottom, bearing N.W. & S.E.
80.00 Post in mound, cor Secs 16, 17, 20 & 21.
Rolling prairie 1st & 2nd rate.

East on a random line between Secs 16 and 21.
Va, 13° 30' East.

20.00 Temporary 1/16 Sec. Corner.
40.00 Temporary ¼ Sec. Corner.
42.65 A Slough or water course, 30 links wide, course South East.
48.10 A Slough or water course, 30 links wide, course N.E.
53.45 A slough or water course 30 links wide, course S.E.
60.00 Temporary 1/16 Sec. Corner.
79.25 Intersect N & S line 8 links W. of corner to Sections 15, 16, 21, and 22. From which corner I run
North 89° 58' West on a true line between Sections 16 & 21.
Va, 13° 30' East.

19.81 Post in mound for 1/16 Sec. Corner.
39.63 Post in mound for ¼ Sec. Corner.
59.44 Post in mound for 1/16 Sec Corner.
79.25 The corner to Secs. 16, 17, 20 & 21.

Rolling Prairie,
1st and 2nd rate soil.

Omaha Reservation.

Township 25 N. Range 6. East the 6th P. M.

Chains	
	North between Sections 16 & 17. Va. 12° East.
20.00	Post in mound for 1/16 Sec. Corner.
40.00	Post in mound for 1/4 Sec. Corner.
60.00	Post in mound for 1/16 Sec. Corner.
80.00	Post in mound for the corner to Sections. 8. 9. 16 and 17. Level Middle creek bottom. 1st rate soil.
	East on a random line between Sections 9 & 16. Va. 12° E.
3.50	Brook 10 lks wide — runs South.
20.00	Temporary 1/16 Sec. Corner.
40.00	Temporary 1/4 Sec. Corner.
60.00	Temporary 1/16 Sec. Corner.
79.45	Intersect N & S line 59 links S. of corner to Sections. 9. 10. 15. & 16. from which corner I run South 89° 35' West on a true line between Sections 9 and 16. Va. 12° E.
19.86	Post in mound for 1/16 Sec. Corner.
39.72	Post in mound for 1/4 Sec. Corner.
59.58	Post in mound for 1/16 Sec Corner.
79.45	The corner to Sections. 8. 9. 16 & 17. Middle Creek Bottom. 1st rate soil. June, 1st 1867.
	North between Secs 8 & 9. Va. 13° 2' E.
6.00	Brook 20 lks wide, runs S.E.
20.00	Post in mound for 1/16 Sec. Corner.
40.00	Post in mound " 1/4 Sec. Corner.
60.00	Post in mound for 1/16 Sec Corner.
73.41	Intersect line between Omaha and Winnebago Reservations. 19.4 Chains East of Station 25. and at point of intersection set post in mound, dug two pits and deposited charcoal for corner to Fractional Sections 8 & 9. Winnebago Res. line

T. 26. R. 6. E. 27. R. 6.

18.
188

Winnebago Reservation.

Township 28 North, Range 6. E. the 6th Principal Meridian

Chains	
80.00	The corner to Secs 4.5. 8 & 9. Post in mound, Level Bottom land. First rate soil.
	East on a random line between Sec's 4 and 9. Va 12° 30' E.
7.50	Slough 100 links wide, bearing N.E. & S.W.
12.00	Same slough bearing N.W. & S.E.
17.00	Same slough " N.E. & S.W.
	water from 2 to 2½ feet deep in slough.
35.00	Middle creek, running S. E.
40.00	Temporary ¼ Sec Corner
80.00	Intersect N & S. line 51 lks North of corner to Sections 3. 4. 9 & 10. from which corner run North 89° 36' West on a true line between Sec's 4 & 9. Va 12° 30' E.
40.00	Post in mound for ¼ Sec corner.
80.00	The corner to Sec's 4. 5. 8 & 9. Middle Creek bottom. Surface level. 1st rate soil.
	North on a random line between Sections 4 and 5 Va. 12° E.
8.56	Middle Creek, runs East.
32.00	Enter Pond, bearing N.E. & S.W.
41.00	Leave Pond, " S.E. & N.W.
Note.	This Pond is probably dry in dry seasons.
41.50	Set post for temporary Witness ¼ Section Corner
41.50	Leave Middle Creek bottom. N.W. & South East.
78.60	Intersect North Boundary of the Township 51 links West of corner to Sec's 4. 5. 32 & 33. from which corner run South 0° 22' West on a true line between Sections 4 & 5. Va 12° East

Winnebago Reservation.
Township 25 North. Range 6 East the 6th P. M.

Chains	
37.10	Post in mound for witness ¼ Sec. corner
38.60	True ¼ Sec. corner in pond.
75.60	The corner to Sections. 4. 5. 8 & 9. Level bottom & Rolling prairie 1st and 2nd rate soil.

Omaha Indian Reserve

North between Sections 31 and 32.
Var. 13° East.

20.00	Post in mound for ¼ Sec. corner
40.00	Post in mound for ¼ Sec. corner.
60.00	Post in mound for ¼ Sec. Corner.
60.50	Enter Creek bottom, bearing E & W.
69.00	Dry bed of Creek, bearing E & W.
70.00	Leave bottom, bearing E. & W.
80.00	Post in mound for corner to Sections 29. 30. 31 & 32. Rolling prairie. Good. 2nd rate soil.

East on a random line between Sec's 29 & 32. Var. 12° 45' E.

16.50	Enter Creek bottom, bearing N. E. & S. W.
20.00	Temporary ¼ Sec. Corner.
34.00	Dry bed of Creek, bearing N. E. & S. W.
36.50	Leave Creek bottom, bearing N. E. & S. W.
40.00	Temporary ¼ Section Corner.
60.00	Temporary ¼ Sec. Corner.
80.06	Intersect N. & S. line 80 links North of corner to Sections 28. 29. 32 & 33 from which corner run North 89° 30' West on a true line between Sections 29 & 32. Var. 12° 45' East.
20.00	Post in mound for ¼ Sec. Corner
40.03	Post in mound for ¼ Sec. Corner.
60.04	Post in mound for ¼ Sec. Corner.
80.06	The corner to Sec's 29. 30. 31 & 32. Rolling prairie & Creek bottom. 1st & 2nd rate soil.

West on a random line between Sec's 30 & 31. Var. 12° 30' E.

T. 26, R. 6. T. 27, R. 6.

20.
190

Omaha Reservation.

Township 25 N. Range 6 East of the 6th P. M.

Chains	
11.00	Creek bottom, bearing S.E. & N.W.
20.00	Temporary 1/16 Section Corner.
39.50	Dry brook channel, bearing S.E. & N.W.
40.00	Temporary 1/4 Sec. Corner.
45.00	Dry brook channel bearing N.E. & South West.
57.50	Loam Creek bottom & extra high prairie bearing N.E. & S.W.
60.00	Temporary 1/16 Sec. Corner.
79 33/33	Intersect Range line 27 links north of corner to Secs. 25. 30. 31 & 36, from which corner run North 89° 48' East on a true line between Secs 30 and 31. Va. 12° 30' E.
19.33	Post in mound for 1/16 Sec. Corner.
39.33	Post in mound for 1/4 Sec. Corner.
59.33	Post in mound for 1/16 Sec. Corner.
79.33	The corner to Secs 29. 30. 31 & 32. Rolling prairie & creek bottom. 1st & 2nd rate soil.
	North between Sections 29 & 30. Va. 13° East.
20.00	Post in mound for 1/16 Sec. Corner.
40.00	Post in mound for 1/4 Sec. Corner.
60.00	Post in mound for 1/16 Sec. Corner.
80.00	Post in mound for corner to Sections 19. 20. 29 & 30. Rolling prairie. 1st & 2nd rate soil
	East on a random line between Sec's 20 & 29. Va. 13° East.
20.00	Temporary 1/16 Sec. Corner.
40.00	Temporary 1/4 Sec. Corner.
60.00	Temporary 1/16 Sec. Corner.
80.00	Intersect N & S. line 56 links North of Corner to Sections 20. 21. 28 & 29. from which corner I run North 89° 36' West on a true line between Sections 20 & 29. Va. 13° East.

Omaha Reservation.

Township 25 N. Range 6 East the 6th P. Meridian.

Chains	
20.00	Post in mound for 1/16 Sec. Corner.
40.00	Post in mound for 1/4 Sec Corner.
60.00	Post in mound for 1/16 Sec. Corner.
80.00	The corner to Sections. 19. 20. 29 & 30.

Rolling Prairie
Good. 2nd rate soil.
June. 2nd 1867.

West on a random line between Sections 19 and 30.

Var. 13° East.

20.00	Temporary 1/16 Sec. Corner.
40.00	Temporary 1/4 Sec. Corner.
60.00	Temporary 1/16 Sec. Corner.
79.05	Intersect Range line 52 links North of corner to Sections 19. 24. 25 and 30. from which corner run.

North 89° 38' East.

on a true line between Sections 19 and 30.

Var. 13° East.

19.05	Post in mound for 1/16 Sec. Corner.
39.05	Post in mound for 1/4 Sec Corner.
59.05	Post in mound for 1/16 Sec. Corner.
79.05	The corner to Sections 19. 20. 29. & 30.

Rolling Prairie. 1st & 2nd rate soil.

North between Sections 19 & 20.

Var. 13° 30' East.

20.00	Post in mound for 1/16 Sec. Corner.
40.00	Post in mound for 1/4 Sec. Corner.
60.00	Post in mound for 1/16 Sec. Corner.
80.00	Post in mound for the corner to Secs. 17. 18. 19 & 20.

Rolling Prairie. 1st & 2nd rate soil.

East on a random line between Sections 17 & 20.

Var. 12° 45' East.

20.00	Temporary 1/16 Sec. Corner.
40.00	Temporary 1/4 Sec. Corner.

T. 26. R. 6. T. 27. R. 6.

Omaha Reservation.

Township 25 N. Range 6. East the 6th P. M.

Chains	
60.00	Temporary ¼ Section Corner.
77.50	Enter middle Creek bottom, bearing
	N & S.
79.40	Intersect N & S. line 57 links
	N. of corner to Sec's. 16. 17. 20. & 21.
	from which corner I run
	North 89° 36 West. on a true line
	between Sections 17 and 20.
	Va. 12° 45' East.
19.85	Post in mound for ¼ Sec. Corner.
39.60	Post in mound for ½ Sec. Corner.
59.35	Post in mound for ¼ Sec. Corner.
79.40	The corner to Sections. 17. 18. 19 & 20
	Rolling Prairie.
	1st & 2nd rate soil.
	West on a random line between
	Sections 18 & 19.
	Va. 13° 30' East.
20.00	Temporary ¼ Sec. Corner.
40.00	Temporary ½ Sec. Corner.
56.00	Enter Creek bottom, bearing N & S.
60.00	Temporary ¾ Sec. Corner.
60.75	Small brook, runs North.
65.00	Leave Creek bottom, bearing N & S.
79.00	Intersect Range line 56 links
	North of corner to Sections 13.
	18. 19 & 24. from which corner
	I run North 89° 36' East on a
	true line between Sections 18 & 19.
	Va. 13° 30' East.
19.00	Post in mound for ¼ Sec. Corner.
39.00	Post in mound for ½ Sec. Corner.
59.00	Post in mound for ¾ Sec. Corner.
79.00	The corner to Sections. 17. 18. 19 & 20.
	Rolling prairie. 1st & 2nd rate soil.
	North between Sections 17 and 18.
	Va. 12° 38' East.
20.00	Post in mound for ¼ Sec. Corner.
28.00	Enter Creek bottom, bearing E & W.

Omaha Reservation

Township 25 N. Range 6 East the 6th Principal Meridian.

Chains	
24.00	Brook 20 links wide, runs East.
40.00	Post in mound for ¼ Sec. corner.
40.00	Leave Creek bottom, bearing E & W.
60.00	Post in mound for ⅛ Sec. corner.
80.00	Post in mound for the corner to Sec's. 7, 8, 17 and 18,
	Land, generally rolling prairie.
	1st & and 2nd rate soil.
	East on a random line between Sections 8 and 17.
	Va. 12° 30' East.
1.00	Enter Middle Creek bottom, N & S.
20.00	Temporary ⅛ Section Corner.
40.00	Temporary ¼ Sec corner.
60.00	Temporary ⅛ Sec Corner.
69.00	A Brook, 10 lks wide, runs North.
79.30	Intersect N & S. line 51 links North of corner to Sec's. 8. 9. 16 & 17. from which corner S run North 89° 38' West on a true line between Sec's. 8 & 17. Va. 12° 30' E.
19.82	Post in mound for ⅛ Sec. Corner.
39.65	Post in mound for ¼ Sec. corner
59.47	Post in mound for ⅛ Sec. Corner.
79.30	The corner to Sec's. 7. 8. 17 & 18. Middle Creek bottom 1st rate soil.
	West on a random line between Sec's. 7 and 18.
	Va. 13° East.
20.00	Temporary ⅛ Sec. Corner.
40.00	Temporary ¼ Sec. Corner.
60.00	Temporary ⅛ Sec. Corner.
79.10	Intersect Range line 69 lks North of corner to Sections 7. 12. 13 & 18. from which corner S run North 89° 30' East on a true line between Sec's. 7 & 18. Va. 13° East.

T. 26, R. 6. T. 27, R. 6.

24.
T94

Omaha & Winnebago Reservations

Township 25. N. Range 6. East the 6th Principal Meridian

Chains	
19.10	Post in mound for 1/16 Sec. Corner
39.10	Post in mound for 1/4 Sec. Corner.
59.10	Post in mound for 1/16 Sec. Corner.
79.10	The corner to Sections 7. 8, 17 & 18.
	Rolling prairie. 1st & 2nd rate soil.
	North between Sections 7 & 8.
	Va, 12° 45' East.
20.00	Post in mound for 1/16 Sec. Corner.
40.00	Post in mound for 1/4 Sec Corner.
60.00	Post in mound for 1/16 Sec Corner.
73.16	Intersect line between Omaha and Winnebago Reservations, 20.42 Chains East of Station 26 & at point of intersection set post in mound, dug 2 pits and deposited charcoal for corner to fractional Sections 7 & 8. Winnebago Res Line
80.00	Post in mound for corner to Secs. 5. 6. 7 & 8. Winnebago Indian Reserve
	This line is on & near middle Creek bottom. 1st rate soil.
	East on a random line between Sections 5 and 8.
	Va, 13° East.
40.00	Temporary 1/4 Sec. Corner.
79.10	Intersect N & S. line 50 lks North of corner to Secs. 4. 5. 8 & 9 from which corner I run
	North 89° 39' West on a true line between Secs. 5 & 8.
	Va, 13° E.
39.55	Post in mound for 1/4 Sec. Corner.
79.10	The corner to Secs. 5. 6. 7 & 8, Level bottom. 1st rate soil.
	West on random line between Secs. 6 & 7.
	Variation 13° 10' E.
40.00	Temporary 1/4 Sec. Corners
79.10	Intersect Range line 96 lks North of corner to Secs. 1. 6. 7 & 12.

Township 25 N. Range 6 East. 6th P Meridian

Chains	
	from which corner I run North 89° 19' East on a True line between Secs. 6 & 7. Va. 13° 10' E.
89.10	Post in mound for ¼ Sec. Corner.
79.10	The corner to Secs. 5. 6. 7 & 8. East ¼. Middle creek bottom. West ¼. rolling prairie. Soil. 1st rate.
	North on a random line between Secs 5 & 6. Va. 12° 45' E.
40.00	Temporary ¼ Sec. Corner.
77.40	Intersect North Boundary of the Township 32 lks West of Corner to Sections 5. 6. 31 & 32. from which corner I run South 0° 14' West on a True line between Secs 5 & 6. Va. 12° 45' E.
37.40	Post in mound for ¼ Sec. Corner.
77.40	Post in mound for corner to Sections. 5. 6. 7 & 8. Mostly middle creek bottom. 1st rate soil. June 3rd 1867.

T. 26, R. 6. T. 27, R. 6.

Subdivision of Sections.

Subdivision of Section 36.

North on the ¼ Sec. line through Sec. 36. Va. 11° E.

20.00	Post in mound for ¼ Sec. Corner.
40.00	Post in mound for ¼ Sec. Corner.
55.20	Middle Creek. 30 links wide, running E.
57.00	Middle Creek, running West.
60.00	Set post for ¼ Sec. Corner. from which A Box Alder 6 inches in diameter, bears N. 41° W. 126 links.

Omaha Reservation.

Township 25 N. Range 6. East the 6th P. Meridian.

Chains	
	A Box Alder, 6 inc in diam, bears N. 19° E. 24 lks
65.00	Middle Creek, running East.
80.00	Intersect the North line of the Section at the quarter Sec. Corner. Level bottom land. 1st rate soil.
	East on a random ¼ Sec. line through Sec. 36. Va. 11° E.
20.00	Temporary ⅛ Sec. Corner.
39.88	Intersect the N. & S. ¼ Sec. line.
54.00	Intersect Middle Creek, running South.
58.50	Intersect Middle Creek, running North.
60.00	Temporary ⅛ Section Corner.
61.60	Intersect Middle Creek, running South.
79.76	Intersect the East line of the Section 23 lks S. of the ¼ Sec. Cor from which corner I run
	South 89° 30' West on a true ¼ Sec. line through Sec. 36. Va. 11° E.
19.94	Set post for ⅛ Sec. Corner, from which A Box Alder, 8 inc in diameter, bears N. 80° W. 92 links. A Red Willow 8 inches in diameter, bears South 54° W. 125 lks.
39.88	Intersect the N. & S. ¼ Sec. line at the quarter Section Corner.
59.82	Post in mound for ⅛ Section Corner.
79.76	The quarter Section corner on the West side of the Section. Level bottom. 1st rate soil.
	Subdivision of Section 25.
	North on the quarter Sec. line through Sec. 25. Va. 11° 24' East.
20.00	Post in mound for ⅛ Sec. Corner.
38.00	Leave Creek bottom, bearing N. W. and South East.
40.00	Post in mound for ¼ Sec Corner.
60.00	Post in mound for ⅛ Sec Corner.

Omaha Reservation
Township 25 N. Range 6 E. the 6th Principal Meridian.

Chains	
80.00	Intersect the N. line of the Sec. at the ¼ Sec. Corner. South & land — N. & rolling prairie. First rate soil.
	East on a random ¼ Sec. line through Sec. 25. Va. 11° East.
5.00	Intersect Middle Creek, running S.
20.00	Temporary ¼ Sec. Corner.
38.00	Leave bottom land, bearing N.W. & S.E.
39.90	Intersect the N. & S. ¼ Sec. line.
60.00	Temporary ¼ Sec. Corner.
79.79	Intersect the East line of the Section 40 lks North of the ¼ Sec. Corner, from which corner I run North 89° 48' West on a true ¼ Sec line through Sec. 25. Va. 11° E.
19.95	Post in mound for ¼ Sec. Corner.
39.89	Intersect the N. & S. ¼ Sec. line at the quarter Sec. corner.
59.84	Post in mound for ¼ Sec. Corner.
79.79	The ¼ Sec. corner on the West side of the Section. West & level bottom. 1st rate soil East & rolling prairie. 2nd rate soil.
	Subdivision of Sec. 24.
	North on the ¼ Sec. line, through Sec. 24. Va. 11° 20' E.
20.00	Post in mound for ¼ Sec. Corner.
40.00	Post in mound for ¼ Sec. Corner.
60.00	Post in mound for ¼ Sec. Corner.
80.00	Intersect the North line of the Sec. at the ¼ Sec. Corner. Rolling prairie. 1st & 2nd rate soil.

¼ Sec. Corner.

T. 26, R. 6.
T. 27, R. 6.

29
198

Omaha Reservation

Township 25 N. R. 6 East the 6th P M

Chains	
	East on a random ¼ Sec. line through Sec. 24. Va. 11° E. (at east end of line)
20.00	Temporary 1/16 Sec. Corner.
40.16	Intersect the N & S. ¼ Sec. line.
60.00	Temporary 1/16 Sec. Corner.
80.32	Intersect the East line of the Section 70 lks North of the ¼ Sec. corner, from which corner I run North 89° 30' West on a true ¼ Sec. line, through Sec. 24. Va. 11° East.
20.08	Post in mound for 1/16 Sec. Corner.
40.16	Intersect the N & S. ¼ Sec. line at the ¼ Sec. Corner.
60.24	Post in mound for 1/16 Sec. Corner.
80.32	The ¼ Sec. corner on the West side of the Section.

Rolling Prairie: 1st & 2nd rate soil.

May. 28th 1867.

Subdivision of Sec. 13.

North on the ¼ Sec. line through Section 13. Va. 11° 10' East.

20.00	Post in mound for 1/16 Sec. Corner.
40.00	Post in mound for ¼ Sec Corner
60.00	Post in mound for 1/16 Sec. Corner.
80.00	Intersect the North line of the Section at the ¼ Sec. Corner.

Rolling Prairie. 1st & 2nd rate soil.

East on a random ¼ Sec. line through Sec. 13.

Va. 11° E.

20.00	Temporary 1/16 Sec. Corner.
40.20	Intersect the N & S. ¼ Sec. line
60.00	Temporary 1/16 Sec. Corner.
80.40	Intersect the East line of the Section 70 lks North of

Post in mound for 1/16 Sec. Corner.

Omaha Reservation

Township 25 N. Range 6 East the 6th P M

Chains	
	the quarter Section Corner, from which corner I run
	North 89° 30' West on a true ¼ Sec. line, through Sec. 13.
	Va. 11° East.
20.10	Post in mound for ⅛ Sec. Corner
40.20	Intersect the C. & S. ¼ Sec. line at the ¼ Sec. Corner.
60.30	Post in mound for ⅛ Sec. Corner.
80.40	The ¼ Sec. Corner on the West side of the Section.
	Rolling Prairie: 1st & 2nd rate soil.
	Subdivision of Sec. 12.
	North on the ¼ Sec. line through Sec. 12.
	Va. 11° East.
20.00	Post in mound for ⅛ Sec. Corner.
40.00	Post in mound for ¼ Sec. Corner.
60.00	Post in mound for ⅛ Sec. Corner.
74.57	Intersect the line between the Omaha & Winnebago Reservations. Set post in mound, dug two pits and deposited charcoal for corner to fractional ¼ Sections
	Rolling prairie, 1st & 2nd rate soil.
	East on a random ¼ Sec. line through Sec. 12.
	Va. 11° E.
20.00	Temporary ⅛ Sec. Corner.
40.13	Intersect the C. & S. ¼ Sec. line.
60.00	Temporary ⅛ Sec. Corner.
80.26	Intersect the East line of the Section, 63 links North of the quarter Section corner from which corner I run
	North 89° 33' West on a true
	¼ Sec. Corner.

T. 26, R. 6.
T. 27, R. 6.

30.
200

Omaha Reservation

Township 28 N. Range 6 E. the 6th P M.

quarter Section line through Secs
1/2. Va. 11° E.

20.07 Post in mound for 1/4 Sec. Corner.
40.13 Intersect the N. & S. 1/4 Sec. line at the 1/4 Sec. Corner.
60.19 Post in mound for 1/16 Sec. Corner.
80.26 The 1/4 Sec. Cor. on the W. side of the Sec. Rolling Prairie: 1st & 2nd rate soil.
May. 29th 1867.

Subdivision of Sec. 35.

North on the quarter Sec. line through Sec. 35.
Va. 11° 23' East.

20.00 Post in mound for 1/16 Sec. Corner.
40.00 Intersect the N. & S. 1/4 Sec. line.
58.05 A brook, 15 lks wide, runs E.
60.00 Post in mound for 1/16 Sec. Corner.
80.00 Intersect the North line of the Section at the quarter Sec. Corner. Level middle creek bottom, 1st rate soil.

East on a random 1/4 Sec. line through Sec. 35.
Va. 11° East.

20.00 Temporary 1/16 Sec. Corner.
40.00 Intersect N. & S. quarter Sec. line.
59.50 Temporary W. C. to 1/16 Sections.
60.00 Intersect Creek 15 lks wide, running S. E.
80.00 Intersect the East line of the Section at the quarter Sec. Corner, from which corner I run

West on a true quarter Sec. line through Sec. 35.
Va. 11° E.

20.00 1/16 Sec. Corner in the Creek.

[illegible] Post in mound for 1/16 Sec. Corner.

Omaha Reservation.

Township 25 N. Range 6. E the 6th P. Meridian.

Chains	
20.50	Post in mound for W. C. of Section
40.00	Intersect the N+S. ¼ Sec line at the ¼ Sec. Corner.
60.00	Post in mound for ¼ Sec. Corner
80.00	The ¼ Sec Corner on the west side of the Section.
	Middle Creek bottom.
	1st rate soil.
	Subdivision of Sec. 26.
	North on the ¼ Sec. line through Sec. 26.
	Va. 11° 38' E
20.00	Post in mound for ¼ Sec. Corner.
34.00	Intersect middle Creek, running N.E.
40.00	Post in mound for ¼ Sec. Corner.
48.50	Intersect Middle Creek, running S.W.
60.00	Post in mound for ¼ Sec. Corner.
62.50	Intersect Middle Creek, running S.E.
69.00	A Brook 10 lks wide, running West.
80.00	Intersect the North line of the Section at the quarter Sec. Corner.
	Level Middle Creek bottom.
	1st rate soil.
	East on a random ¼ Sec. line, through Sec. 26. Va 11° East.
20.00	Temporary ¼ Sec. Corner.
37.00	Intersect Middle Creek, running South
39.88	Intersect the N+S. ¼ Sec. line.
57.50	Intersect Middle Creek, running N.E.
60.00	Temporary ¼ Sec. Corner.
61.50	Intersect Middle Creek, running S.E.
72.00	Intersect Middle Creek, running N.E.
79.75	Intersect the East line of the Section 15 lks North of the quarter Sec. Corner from which corner run North 89° 54' West, on a true ¼ Sec. line through Sec. 26. Var. 11° East.
19.94	Post in mound for ¼ Sec. Corner.
39.87	Intersect the N+S ¼ Sec. line at the ¼ Sec. Corner.

T. 26, R. 6. T. 27, R. 6.

82.
202

Omaha Reservation

Township 25 N. Range 6. East the 6th P.M.

Chains	
59.81	Post in mound for ¼ Sec. Corner
79.75	The ¼ Sec. corner on the west side of the Section. Level Middle Creek bottom. 1st rate soil.

Subdivision of Sec. 23.

North on the ¼ Sec. line through Sec. 23. Va. 11° 15' East.

16.00	Leave Middle Creek bottom, bearing N.W. 45
20.00	Post in mound for ⅛ Sec. Corner.
40.00	Post in mound for ¼ Sec. Corner.
60.00	Post in mound for ⅛ Sec. Corner.
80.00	Intersect the North line of the Sec. at the ¼ Sec. Corner. Rolling Prairie. 1st & 2nd rate soil

East on a random ¼ Sec. line through Sec. 23. Va. 10° 45' East.

8.80	Intersect Middle Creek, running S.
19.55	Enter Slough, 1,25 lks wide, bearing N.S.
20.00	Temporary ⅛ Sec. Corner, in water
32.00	Leave Middle Creek bottom, bearing N.W. & S.E.
39.94	Intersect the N. & S. ¼ Sec. line.
60.00	Temporary ⅛ Sec. Corner.
70.25	A Brook 5 links wide, running South.
79.88	Intersect the East line of the Section. 40 links North of the ¼ Sec. Corner, from which corner I run North 89° 45' West on a true ¼ Sec. line through Sec. 23. Va. 10° 45' East.
19.97	Post in mound for ⅛ Sec. Corner.
39.94	Intersect the N. & S. ¼ Sec. line at the quarter Section Corner.
59.91	Point for ⅛ Sec. Corner in slough.
60.56	Post in mound for W. C. ⅛ Sec. Corner.
79.88	The ¼ Sec. Corner on the West side of the Section. Middle Creek bottom & rolling prairie.

Omaha Reservation.

Township 26 N. of R. 6. E. of the 6th P. M.

Chains	
	1st and 2nd rate soil.
	Subdivision of Sec. 14.
	North on the quarter Sec. line through Sec. 14. Va. 10° 30' East.
20.00	Post in mound for 1/16 Sec. Corner.
40.00	Post in mound for 1/4 Sec. Corner.
60.00	Post in mound for 1/16 Sec. Corner.
80.00	Intersect the N. line of the Section at the 1/4 Sec. Corner.
	Rolling prairie. 2nd rate soil.
	East on a random 1/4 Sec. line through Sec. 14. Va 10° 30' E.
2.00	Temporary 1/16 Sec. Corner.
40.26	Intersect the N.S. 1/4 Sec. line.
60.00	Temporary 1/16 Sec. Corner.
80.52	Intersect the East line of the Section, 10 lks North of the 1/4 Sec. Corner. from which corner I run
	North 89° 56' West on a true 1/4 Sec. line through Sec. 14. Va. 10° 30' East.
20.13	Post in mound for 1/16 Sec. Corner.
40.26	Intersect the N.S. 1/4 Sec. line at the quarter Sec. Corner.
60.39	Post in mound for 1/16 Sec. Corner.
80.52	The quarter Sec. corner on the West side of the Section.
	Rolling prairie. 2nd rate soil.
	May. 30th 1867.
	Subdivision of Sec. 11.
	North on the 1/4 Sec. line through Sec. 11. Va. 11° 7' E.
20.00	Post in mound for 1/16 Sec. Corner.

T.26, R.6.

T.27, R.6.

34.
204

Omaha Reservation

Township 25 N. Range 6. E. the 6th P. M.

Chains	
40.00	Post in mound for ¼ Sec. corner.
60.00	Post in mound for ½ Sec. Corner
73.85	Intersect the line between the Omaha & Winnebago Reservations. Set post in mound, dug two pits and deposited charcoal for corner to Fractional ¼ Section.
	Rolling prairie; 2nd rate soil.
	East on a random quarter Sec. line through Sec. 11. Va. 11° East.
14.00	Leave Creek bottom, bearing N. & S.
20.00	Temporary ¼ Sec. Corner.
40.35	Intersect the N. & S. ¼ Sec. line.
60.00	Temporary ¼ Sec. Corner.
80.70	Intersect the East line of the Section at the quarter Sec. Corner from which corners run
	West on a true quarter Sec. line through Sec. 11. Va. 11° East.
20.17	Post in mound for ¼ Sec. Corner.
40.35	Intersect the N. & S. ¼ Sec. line at the quarter Sec. Corner.
60.53	Post in mound for 1/16 Sec Corner.
80.70	The quarter sec. corner on the west side of the Section.
	Rolling prairie, good. 2nd rate soil.
	Subdivision of Sec. 34.
	North on the quarter Sec. line through Sec. 34. Va. 12° 25' East.
20.00	Post in mound for 1/16 Sec Corner.
40.00	Post in mound for ¼ Sec. Corners
60.00	Post in mound for ½ Sec. Corner.
80.00	Intersect the N. line of the Section at the ¼ Sec. Corner.
	Level bottom; 1st rate soil.

Omaha Reservation.

Township 25 N. Range 6 E. the 6th P. Meridian.

Chains	
	East on a random ¼ Sec. line through Sec. 34. Va. 12° 15' East.
20.00	Temporary ¼ Sec. Corner.
36.00	Enter Middle Creek bottom, S.E. & N.W.
40.00	Intersect the A & S. ¼ Sec. line.
60.00	Temporary ¼ Sec. Corner.
80.00	Intersect the East line of the Section, 13 links South of the quarter Section Corner, from which corner a run South 89° 54' West on a true line through Section 34. Var 12° 15' East.
20.00	Post in mound for ¼ Sec. Corner.
40.00	Intersect the A & S. ¼ Sec. line at the quarter Section Corner,
60.00	Post in mound for ¼ Sec. Corner.
80.00	The ¼ Sec. Corner on the N. side of the Sec. Rolling prairie & level bottom, 1st rate soil.

Subdivision of Sec. 27.

North on the quarter Sec. line through Sec. 27. Var. 12° 0' East.

* East on a random ¼ Sec. line through Sec. 27. Va. 12° 5' E.

20.00	Temporary ¼ Sec. Corner.
39.89	Intersect the A & S ¼ Sec. line.
53.50	A Brook 8 lks wide, running S.E.
60.00	Temporary ¼ Sec. Corner.
79.78	Intersect the East line of the Section, 10 links North of the ¼ Sec. Corner from which corner a run North 89° 56' West on a true line through Sec. 27. Va. 12° 5' East.
19.95	Post in mound for ¼ Sec. Corner.
39.89	Intersect the A & S ¼ Sec. line at the quarter Sec. Corner.
59.84	Post in mound for ¼ Sec. Corner.
79.78	The quarter Sec. Corner on the West side of the Section. Level bottom, 1st rate soil.

Post in mound for ¼ Sec. Cor. Post in mound for ¼ Sec. Cor. 18 lks wide & 18 lks running S.E. Post in mound for ¼ Sec. Cor. Intersect the Corner line of Sec. 27 at the ¼ Sec. Corner Slightly rolling. 1st & 2nd rate soil.

ch.	
20.00	39.89
40.00	53.50
60.00	79.78
*	

T. 26, R. 6. T. 27, R. 6.

36
206

Omaha Reservation.

Township 25 N. Range 6. East the 6th P. M.

Chains	
	Subdivision of Sec. 22.
	North on the ¼ Sec. line through Sec.
	22. Var. 12° 10' East.
20.00	Post in mound for ¼ Sec. Corner.
40.00	Post in mound for ¼ Sec. Corner.
60.00	Post in mound for ¼ Sec. Corner.
80.00	Intersect the North line of the Section at the ¼ Sec. Corner.
	Nearly level Prairie: 1st rate soil.
	East on a random ¼ Sec. line through Sec. 22.
	Var. 13° 5' East.
1.00	Intersect Creek – widening into Slough – 1 chain wide – course N. E.
6.00	Intersect Creek – widening into slough 1 chain wide – course S. E.
20.00	Temporary ¼ Sec. Corner.
39.69	Intersect N. & S. ¼ Sec. line.
60.00	Temporary ¼ Sec. Corner.
79.38	Intersect the East line of the Section at the quarter Sec. Corner, from which corner I run
	West on a true line through Sec. 22. Var. 13° 5' East.
19.85	Post in mound for ¼ Sec. Corner.
39.69	Intersect the N. & S. ¼ Sec. line at the quarter Sec. Corner.
59.54	Post in mound for ¼ Sec. Corner.
79.38	The ¼ Sec. Corner on the West side of the Section.
	Level land: 1st rate soil.
	Subdivision of Sec. 15.
	North on the ¼ Sec. line through Sec. 15. Var. 12° 30' East.
9.50	Intersect middle Creek, running E. at the same place – leave Middle Creek bottom.
20.00	Post in mound for ¼ Sec. Corner.
40.00	Post in mound for ¼ Sec. Corner.

Omaha Reservation.

Township 25 N. Range 6. East the 6th P. Meridian.

Chains	
60.00	Post in mound for ¼ Sec. Corner.
80.00	Intersect the North line of the Sec. at the ¼ Sec. corner.
	Land, mostly rolling prairie. Good 2nd rate soil. At the South End of line level Middle creek bottom. 1st rate soil.
	East on a random ¼ Sec. line through Sec. 18. Va. 13° E.
13.75	Intersect Middle creek, running South.
20.00	Temporary ¼ Sec. Corner.
30.00	Leave Middle creek bottom, bearing W. & S.
39.65	Intersect the W. & S. ¼ Sec. line.
60.00	Temporary ¼ Sec. Corner.
79.30	Intersect the East line of the Sec. at the ¼ Sec. corner, from which corner I run west on a true quarter Sec. line through Sec. 18. Variation, 13° E.
19.83	Post in mound for ¼ Sec. Corner.
39.65	Intersect the W. & S. ¼ Sec. line at the ¼ Sec Corner.
59.47	Post in mound for ¼ Sec. Corner.
79.30	The quarter Sec. corner on the West side of the Section. Creek bottom and rolling prairie. 1st and 2nd rate soil. May 31st 1867.
	Subdivision of Section 10. North on the quarter Sec. line through Sec. 10. Va. 12° 15' East.
19.00	A Brook 8 lks wide, running S.W. also at same place, enter creek bottom.
20.00	Post in mound for ¼ Sec. Corner.
40.00	Post in mound for ¼ Sec. Corner.
60.00	Post in mound for ¼ Sec. Corner.
73.85	Intersect the line between Omaha & Winnebago Reservations

T. 26, R. 6. T. 27, R. 6.

98.
208

Omaha Reservation.

Township 25. N. Range 6. East the 6th P. M.

Chains	
	At point of intersection, set post in mound, dug 2 pits and deposited charcoal for corner to fractional ½ Sections.
	Rolling prairie & creek bottom. 1st & 2nd rate soil.
	East on a random quarter Sec. line through Sec. 10. Var. 12° East.
20.00	Temporary ¼ Sec. Corner.
27.00	Leave Middle Creek bottom, bearing N. & S.
39.75	Intersect the N. & S. ½ Sec. line.
60.00	Temporary ¼ Sec. corner.
64.00	Enter Creek bottom, bearing N. E. & S. W.
72.80	A creek 8 links wide, runs S. W.
79.50	Intersect the East line of the section 20 lks South of the ¼ Sec. Corner, from which corner a true ¼ Sec. line through Sec. 10. South 89° 54' West on Var. 12° East.
19.88	Post in mound for ¼ Sec. Corner.
39.75	Intersect the N. & S. ¼ Sec. line at the ¼ Sec. Corner.
59.62	Post in mound for ¼ Sec. Corner.
79.50	The quarter Sec. Corner on the West side of the Section. Rolling prairie & creek bottom 1st & 2nd rate soil.
	Subdivision of Sec. 33. North on the quarter Sec. line through Sec. 33. Var. 12° 45' East.
20.00	Post in mound for ¼ Sec. Corner.
40.00	Post in mound for ¼ Sec. Corner.
60.00	Post in mound for ¼ Sec. Corner.
80.00	Intersect the North line of the Section at the ¼ Sec. Corner Rolling prairie. 1st & 2nd rate soil.

Omaha Reservation.

Township 25. North. Range 6. East the 6th P. Meridian.

Chains	
	East on a random quarter Sec. line through Sec. 33.
	Va. 13° 15' East.
20.00	Temporary 1/16 Sec. Corner.
39.94	Intersect the N. & S. 1/4 Sec. line.
60.00	Temporary 1/16 Sec. Corner.
79.88	Intersect the East line of the Sec. at the 1/4 Sec. Corner, from which corner I run
	West on a true quarter Sec. line through Sec. 33.
	Va. 13° 15' East.
19.97	Post in mound for 1/16 Sec. Corner.
39.94	Intersect the N. & S. 1/4 Sec. line at the 1/4 Sec. Corner.
59.91	Post in mound for 1/16 Sec. Corner.
79.88	The quarter Sec. Corner on the West side of the Section.
	Rolling prairie. 2nd rate soil.
	Subdivision of Sec. 28.
	North on the 1/4 Sec. line through Section 28.
	Va. 13° 10' E.
20.00	Post in mound for 1/16 Sec. Corner.
40.00	Post in mound for 1/4 Sec. Corner.
60.00	Post in mound for 1/16 Sec. Corner.
80.00	Intersect the E. line of the Sec. at the 1/4 Sec. Corner.
	Rolling prairie: 2nd rate soil.
	East on a random 1/4 Sec. line through Sec. 28.
	Va. 13° E.
5.75	A brook, 4 lks wide, running N.E.
20.00	Temporary 1/16 Sec. Corner.
39.77	Intersect the N. & S. 1/4 Sec. line.
56.00	Enter Middle Creek bottom, bearing N. & S.
60.00	Temporary 1/16 Sec. Corners.
79.75	Intersect the East line of the Section at the 1/4 Sec. Corner, from which corner

T. 26, R. 6.

T. 27, R. 6.

40.
240

Omaha Reservation.

Township 25 N. Range 6. East the 6th P. M.

Chains	
	I run
	West on a true quarter Sec. line
	through Sec. 28. Va 13° E.
19.99	Post in mound for ¼ Sec. Corner.
39.97	Intersect the C. & S. ¼ Sec. line at the quarter Sec. Corner.
59.96	Post in mound for ¼ Sec. corner.
79.95	The quarter Sec. corner on the west side of the Section.
	Rolling Prairie. 2nd rate soil.

Subdivision of Section 21.

	North on the ¼ Sec. line through Sec.
	21. Va. 13° 20' E.
3.50	A Brook, 8 lks wide, running East.
20.00	Post in mound for ¼ Sec. Corner.
35.00	Enter Middle Creek bottom, bearing N.W. & S.E.
40.00	Post in mound for ¼ Sec. Corner
55.00	A brook 8 links wide, running S.E.
59.50	A Slough 40 links wide, bearing S.W.
60.00	Post in mound for ¼ Sec. Corner.
80.00	Intersect the North line of the Section at the quarter Section Corner.
	Rolling Prairie & creek bottom.
	1st & 2nd rate soil.

	East on a random quarter Sec.
	line, through Sec. 21.
	Va. 13° 10' East.
20.00	Temporary ¼ Sec. Corner
36.00	Enter Middle Creek bottom, bearing N.W. & S.E.
39.85	Intersect the C. & S. ¼ Sec. line.
42.00	A Creek widening into Slough 1 chain Wide, bearing S.E.
55.00	A Creek, running S. East.
60.00	Temporary ¼ Sec. Corner.
79.70	Intersect the East line of the Section, at the ¼ Sec. corner, from which corner I run

Omaha Reservation.

Township 25 N. Range 6. E. the 6th P.M.

Chains	
	West on a true quarter Sec. line through Sec. 21. Va 13° 10' E.
19.93	Post in mound for 1/16 Sec. corner.
39.85	Intersect the N. & S. 1/4 Sec. line at the 1/4 Sec. corner.
59.77	Post in mound for 1/16 Sec. corner.
79.70	The 1/4 Sec. corner on the West side of the Section.
	Rolling Prairie & creek bottom. 1st & 2nd rate soil.
	June 1st 1867.
	Subdivision of Sec. 16.
	North on the 1/4 Sec. line through Sec. 16. Va. 13° 12' E.
6.00	A brook 6 links wide, runs S. E.
20.00	Post in mound for 1/16 Sec. Corner.
40.00	Post in mound for 1/4 Sec. corner.
60.00	Post in mound for 1/16 Sec. corner.
80.00	Intersect the North line of the Sec. at the 1/4 Sec. Corner.
	Level, creek bottom, 1st rate soil.
	East on a random 1/4 Sec. line through Sec. 16. Va. 12° 45' East.
20.00	Temporary 1/16 Sec. corner.
30.50	A brook, widening into Slough, 30 links wide, bearing S. E.
39.68	Intersect the N. & S. 1/4 Sec. line.
60.00	Temporary 1/16 Sec. Corner.
79.35	Intersect the East line of the Section 18 lks N. of the 1/4 Sec. Corner from which corner I run North 89° 52' West. on a true 1/4 Sec. line through Sec. 16. Va 12° 45' East.
19.84	Post in mound for 1/16 Sec. corner.
39.67	Intersect the N. & S. 1/4 Sec. line at the quarter Section corner.

T. 26, R. 6. T. 27, R. 6.

Township 2s. N. Range 6. E. the 6th P. Meridian

Chains	
59.54	Post in mound for 1/16 Sec. Corner
79.32	The quarter Sec. corner on the west side of the Section.
	Level bottom. 1st rate soil
	Subdivision of Sec. 9.
	North on the 1/4 Sec. line through Sec 9.
	Var. 13° 14' East.
20.00	Post in mound for 1/16 Sec. Corner.
39.00	Intersect Middle Creek, runs S.E.
40.00	1/4 Sec. Corner Post in mound for W. G. to 1/4 Sec. Corner 60 lks East of Tree Corner.
41.00	Intersect Middle Creek, running S.W.
50.00	Intersect " " running S.E.
60.00	Post in mound for 1/16 Section Corner.
72.50	Intersect the left bank of Middle Creek, running West.
73.40	Intersect the line between Omaha and Winnebago Reservations — no corner can be established it being so near the Creek as to render it of no permanence.
	Level bottom. 1st rate soil.
	East on a random 1/4 Sec. line through Sec. 9.
	Var. 12° 15' East
20.00	Temporary 1/16 Sec. Corner
39.00	Intersect Middle Creek, running S.E.
39.86	Intersect the N.S. 1/4 Sec. Line.
60.00	Temporary 1/16 Sec. Corner.
79.72	Intersect the East line of the Sec. 16 lks N. of the 1/4 Sec. corner, from which corner I run
	North 89° 45' West on a true 1/4 Sec. line through Sec. 9.
	Var. 12° 15' East
19.93	Post in mound for 1/16 Sec. Corner.
29.86	Post in mound for W.G. to 1/4 Sec. Corner.

Omaha Reservation.

Township 25. North. Range 6. E. the 6th P M.

Chains.	
39.86	Intersect N. & S. ¼ Sec. line at ¼ Sec. corner.
59.79	Post in mound for 1/16 Sec. corner.
79.72	The quarter Sec. corner on the W. side of the Section.
	Middle Creek bottom. 1st rate soil.
	June. 2nd 1867.
	Subdivision of Sec. 32.
	North on the quarter Sec. line through Sec. 32.
	Var. 13° 15' East.
20.00	Post in mound for 1/16 Sec. corner.
40.00	Post in mound for ¼ Sec. corner.
60.00	Post in mound for 1/16 Sec. corner.
80.00	Intersect the North line of the Sec. at the ¼ Sec. corner.
	Rolling Prairie. 2nd rate soil.
	East on a random ¼ Sec. line through Sec. 32.
	Var 12° 45' East.
20.00	Temporary 1/16 Sec. corner.
40.01	Intersect the N. & S. ¼ Sec. line.
60.00	Temporary 1/16 Sec. corner.
80.03	Intersect the East line of the Section 15 lks North of the ¼ Sec. corner, from which corner I run
	North 89° 54' West on a true ¼ Sec. line through Sec. 32.
	Var 12° 45' E.
20.01	Post in mound for 1/16 Sec. corner.
40.02	Intersect the N. & S. ¼ Sec. line at the ¼ Sec. corner.
60.02	Post in mound for 1/16 Sec. corner
80.03	The quarter Sec. corner on the West side of the Section.
	Rolling Prairie:
	Good. 2nd rate soil.

T.26, R.6.

T.27, R.6.

44
214

Omaha Reservation.

Township 25 North Range 6. E. the 6th P. M.

Chains	
	Subdivision of Sec. 29.
	North on the ¼ Sec. line through Sec. 29. Va. 13° 7' E.
2.50	Enter creek bottom, bearing N. E. & S. W.
18.30	Dry Run.
20.00	Post in mound for 1/16 Sec. corner.
20.50	Leave creek bottom, bearing E & W.
40.00	Post in mound for 1/4 Sec. corner.
60.00	Post in mound for 1/16 Sec. corner.
80.00	Intersect the North line of the Section at the ¼ Sec. corner. Rolling prairie & creek bottom. 1st & 2nd rate soil.
	East on a random quarter Sec. line through Sec. 29. Va. 12° 45' East.
20.00	Temporary 1/16 Sec. corner.
40.01	Intersect the N. & S. ¼ Sec. line.
60.00	Temporary 1/16 Sec. corner.
79.00	Enter Creek bottom, bearing N. & S.
80.03	Intersect the East line of the Section 21 lks North of the ¼ Sec. corner, from which corner a run North 89° 15' West on a true ¼ Sec. line through Sec. 29. Va. 12° 45' East.
20.01	Post in mound for 1/16 Sec. corner.
40.02	Intersect the N. & S. ¼ Sec. line at the ¼ Sec. corner.
60.02	Post in mound for 1/16 Sec. corner.
80.03	The quarter Sec. corner on the West side of the Section. Rolling prairie: 2nd rate soil.

Subdivision of Sec. 21.

North on the quarter Sec. line through Sec. 21.

Va. 13° 10' East.

Omaha Reservation. 4 51 / 21 5th

Township 25 N. R. 6 E. the 6th P. M.

Chains	
20.00	Post in mound for ¼ Sec. corner.
36.00	Dry water course, bearing N. E.
40.00	Post in mound for ¼ Sec. Corner.
60.00	Post in mound for ¼ Sec. Corner.
80.00	Intersect the north line of the Section at the quarter Sec. corner.
	Rolling prairie: 2nd rate soil.
	East on a random quarter Sec. line through Sec. 20.
	Va. 12° 45' East.
20.00	Temporary 1/16 Sec. Corner.
39.85	Intersect the N.S. ¼ Sec. line.
48.00	Dry water course, bearing N. E.
60.00	Temporary 1/16 Sec. Corner.
79.70	Intersect the East line of the Section, 35 lks North of the Sec. corner, from which corner I run
	North 89° 45' West on a true ¼ Sec. line through Sec. 20.
	Va. 12° 45' East.
19.93	Post in mound for ¼ Sec. Corner.
39.85	Intersect the N.S. ¼ Sec. line at the ¼ Sec. Corner.
59.77	Post in mound for ¼ Sec. Corner.
79.70	The quarter Sec. Corner on the West side of the Section.
	Rolling prairie. 1st & 2nd rate soil.
	Subdivision of Sec. 17.
	North on the ¼ Sec. line through Sec. 17.
	Va. 12° 45' East.
20.00	Post in mound for ¼ Sec. Corner
35.00	Intersect Creek 15 lks wide running N.E.
40.00	Post in mound for ¼ Sec. corner
46.00	Intersect Creek, 10 lks wide, running N.W.
60.00	Post in mound for ¼ Sec. corner.
76.00	Intersect Creek. 15 lks wide, running N.E.

T. 26, R. 6. T. 27, R. 6.

46.
216

Omaha Reservation.

Township 25. North, Range 6. E. the 6th P. M.

Chains	
80.00	Intersect the North line of the Section at the quarter Sec. corner. Rolling prairie; 1st & 2nd rate soil.
	East on the random ¼ Sec. line through Sec. 17. Va. 12° 30' East.
3.00	Intersect brook 15 links wide, running N. E.
20.00	Temporary 1/16 Sec. corner.
27.50	Intersect creek 15 lks wide, running S. E.
39.68	Intersect the N. & S. ¼ Sec. line.
44.00	A creek 10 lks wide, running N. E.
60.00	Temporary 1/16 Sec. corner.
79.35	Intersect the East line of the Section 57 links North of the ¼ Sec. corner, from which corner run North 89° 36' West on a true ¼ Sec. line through Sec. 17. Va. 12° 30' East.
19.84	Post in mound for 1/16 Sec. corner.
39.67	Intersect the N. & S. ¼ Sec. line at the quarter Sec. corner.
59.51	Post in mound for 1/16 Sec. corner.
79.35	The quarter Sec. corner on the West side of the Section. Rolling prairie; 2nd rate soil.

Subdivision of Sec. 8.

North on the quarter Sec. line through Sec. 8. Va. 12° 25' East.

20.00	Post in mound for 1/16 Sec. corner.
40.00	Post in mound for ¼ Sec. corner.
60.00	Post in mound for 1/16 Sec. corner.
73.28	Intersect the line between the Omaha & Winnebago Reservations Set post in mound, dug

Omaha Reservation.

Township 25 North, Range 6. E. of the 6th P. M.

2 pits and deposited charcoal for corner to Sections. (Fractional ¼).
Level middle creek bottom.
1st rate soil.

East on a random quarter Sec. line through Sec. 8.

Var. 12° East.

0.50	Enter Middle Creek bottom, bearing N & S.
20.00	Temporary 1/16 Sec. corner.
39.60	Intersect the N & S. ¼ Sec. line
60.00	Temporary 1/16 Sec. corner.
79.20	Intersect the East line of the Sec. at the ¼ Sec. corner. from which corner I run

West on a true ¼ Sec. line through Sec. 8.

Va. 12° E.

19.80	Post in mound for 1/16 Sec. corner.
39.60	Intersect the N & S. ¼ Sec. line at the quarter Sec. corner.
59.40	Post in mound for 1/16 Sec. corner.
79.20	The quarter Sec. corner on the West side of the Section.

Level bottom; 1st rate soil.
June 3rd 1867.

Subdivision of Sec. 31.

North on the ¼ Sec. line through Sec. 31. Va. 13° E.

20.00	Post in mound for 1/16 Sec. Corner.
40.00	Post in mound for ¼ Sec. Corner.
60.00	Post in mound for 1/16 Sec. Corner.
75.00	Enter creek bottom, bearing E & W.
80.00	Intersect the North line of the Sec. at the ¼ Sec. Corner.

Rolling prairie: 2nd rate soil.

T. 26, R. 6.
T. 27, R. 6.

48.
218

Omaha Reservation.

Township 25. N. R. 6. E. the 6th P M.

Chains

West on a random ¼ Section
line through Sec. 31.
Va. 12° 45' East.

20.00 Temporary 1/16 Sec. corner.
40.00 intersect N & S. ¼ Sec. line.
60.00 Temporary 1/16 Sec. corner.
78.50 intersect Dry Run, bearing N.E. & S.W.
79.80 intersect the Range line 12 lks
North of the quarter Sec. corner,
from which corner a run
North 89° 55' East on a true
quarter Sec. line through Sec. 31.
Va. 12° 45' E.
19.80 Post in mound for 1/16 Sec. corner,
39.80 intersect the N & S. ¼ Sec. line
at the quarter Sec. corner,
59.80 Post in mound for 1/16 Sec. corner,
79.80 The quarter Sec. corner on the
East side of the Section,
Rolling Prairie: 2nd rate soil,

Subdivision of Sec. 30.

North on the quarter Sec. line
through Sec. 30.
Va. 12° 45' East.
0.50 Dry Creek channel bearing S.E & N.W.
5.00 Leave Creek bottom, bearing E & W.
20.00 Post in mound for 1/16 Sec. corner.
40.00 Post in mound for ¼ Sec. corner,
60.00 Post in mound for 1/16 Sec. corner,
80.00 Intersect the North line of the
Sec. at the quarter Sec. corner.
Rolling Prairie: 2nd rate soil.

West on a random quarter
Sec. line through Sec. 30.
Va, 12° 45' E.
20.00 Temporary 1/16 Sec. corner
40.00 intersect the N & S. ¼ Sec line
60.00 Temporary 1/16 Sec corner.

Omaha Reservation. 49. 219

Township 25 N. Range 6. East the 6th P. M.

Chains	
19.14	Intersect the Range line 41 lks North of the ¼ Sec. corner from which corner I run North 89° 42' East on a true quarter Sec. line through Sec. 30. Va. 12° 45' East.
19.14	Post in mound for ⅛ Sec. Corner.
39.14	Intersect the N.S. ¼ Sec. line at the quarter Sec. corner.
59.14	Post in mound for ⅛ Sec. Corner.
79.14	The quarter Sec. corner on the East side of the Section. Rolling prairie: 2nd rate soil.

Subdivision of Sec. 19.

North on the quarter Sec. line through Sec. 19. Va, 12° 15' E.

20.00	Post in mound for ⅛ Sec. Corner.
40.00	Post in mound for ¼ Sec. corner.
60.00	Post in mound for ⅛ Sec. Corner.
80.00	Intersect the North line of the Section at the quarter Sec. corner. Rolling prairie. 2nd rate soil.

West on a random quarter Sec. line through Sec. 19. Va, 1° East.

20.00	Temporary ⅛ Sec. corner.
40.00	Intersect the N.S. ¼ Sec. line.
60.00	Temporary ⅛ Sec. Corner.
71.50	A creek, widening into Slough, 30 lks wide, bearing N.
79.00	Intersect the West line of the Section 70 lks North of the ¼ Sec. corner. from which corner I run North 89° 30' East on a true ¼ Sec. line through

T. 26, R. 6.

T. 27, R. 6.

50.
220

Omaha Reservation.

Township 25 N. R. 6 E. the 6th P. M.

Chains	
	Sec. 19. Va. 13° E.
19.00	Post in mound for ¼ Sec. Corner.
39.00	Intersect the N. & S. ¼ Sec. line at the ¼ Sec. corner.
59.00	Post in mound for ¼ Sec. Corner.
79.00	The quarter Sec. corner on the East side of the Section. Rolling Prairie; 1st & 2nd rate soil.
	Subdivision of Sec. 18.
	North on the quarter Sec. line through Sec. 18. Va. 12° 46' E.
20.00	Post in mound for 1/16 Sec. Corner.
20.50	Enter Creek bottom, bearing E & W.
23.00	A Creek 15 lks wide, running E.
30.00	Leave creek bottom, bearing E & W.
40.00	Post in mound for ¼ Sec. corner.
60.00	Post in mound for 1/16 Sec. Corner.
80.00	Intersect the North line of the Section at the quarter Sec. Corner. Rolling Prairie. 2nd rate soil.
	West on a random quarter Sec. line through Sec. 18. Va. 13° 15' East.
20.00	Temporary 1/16 Sec. Corner.
20.50	Leave creek bottom, bearing N.E. & S.W.
40.00	Intersect the N. & S. ¼ Sec. line
60.00	Temporary 1/16 Sec. Corner.
69.50	Enter marsh, bearing N.W. & S.E.
78.80	Intersect the West line of the Sec, 76 lks North of the quarter Sec. Corner, from which corner I run North 89° 27' East on a true quarter Sec. line through Sec. 18. Va. 13° 15' E.
18.80	Post in mound for ¼ Sec. Corner.
38.80	Intersect the N. & S. ¼ Sections at the quarter Section Corner.

Omaha Reservation.

Township 25 N. Range 6. E. the 6th P M.

Chains	
58.80	Post in mound for ¼ Sec. Corner.
78.80	The quarter Sec. Corner on the East side of the Section.
	Rolling Prairie.
	1st & 2nd rate soil.
	June 4th 1867.

Subdivision of Sec. 7.

North on the quarter Sec. line through Sec. 7. Va. 12° 25' E.

20.00	Post in mound for ⅛ Sec. Corner.
40.00	Post in mound for ¼ Sec. Corner.
60.00	Post in mound for ⅛ Sec. corner.
74.08	Intersect the line between the Omaha and Winnebago Reservations. Set post in mound, dug 2 pits and deposited charcoal for corner to Fractional ¼ Sections.
	Rolling prairie: 1st & 2nd rate soil.

West on a random quarter Sec. line through Sec. 7.

Va. 13° 15' East.

20.00	Temporary ⅛ Sec. corner.
40.00	Intersect the N & S. ¼ Sec. line.
60.00	Temporary ⅛ Sec. Corner.
78.90	Intersect the west line of the Sec. 83 links North of the quarter Sec. corner, from which corner I run North

89° 24' East on a true ¼ Sec. line through Sec. 7.

Va. 13° 15' East.

18.90	Post in mound for ⅛ Sec. Corner.
38.90	Intersect the N & S. ¼ Sec. line at the quarter Sec. corner.
58.90	Post in mound for ⅛ Sec. corner.
78.90	The quarter Sec. corner on the East side of the Section.
	Rolling prairie: 2nd rate soil. June 5. 1867.

T. 26, R. 6.

T. 27, R. 6.

52.
222

Omaha Reservation.

Township 25 N. Range 6. East the 6th P. M.

General Description.

Except a few small groves along the streams, this Township is Entirely destitute of Timber.

Middle Creek runs through the Township in a South Easterly direction, entering it in Sec. 5 and leaving it near the S. E. corner of Sec. 36. This Creek is from 50 to 100 links wide - 4 to 8 feet deep - swift current - muddy bottom. Has banks 25 to 35 feet high & steep.

The bottom bordering the Creek has an average width of about 2 miles. Its soil is first-rate but too wet for cultivation in places - Here it bears a heavy growth of grass.

The Creek which runs S. W. through Sections 2. 10 & 11. Emptying into Middle Creek in Sec. 15. is from 8 to 12 links wide, has a rapid current and is from one to two feet deep. It is bordered by a narrow belt of good bottom land.

The Creek which runs S E. nearly parallel with Middle Creek, leaving the Township in Sec. 36. although wide and deep, discharges no great volume of water, being in many places merely a Slough, with no current: it has marshy bottom and sides.

The high Prairie in the Township is generally of second rate quality.

The Timber along Middle Creek is very small and of little value.

The line between the Omaha and Winnebago Reservations divides this Township; the area of

the Winnebago part being 4063 37/100 acres, while that of the Omaha is 18873 30/100, making a total area of 22936 67/100 acres.

We hereby certify that we assisted Theodore H Barrett, U.S. Surveyor, in subdividing Township twenty five North of the base line & Range Number Six East of the Sixth Principal Meridian — (Omaha and Winnebago Reservations), and that said Township has been in all respects, to the best of our knowledge and belief well and faithfully surveyed and the Boundary Monuments planted according to the instructions furnished by the Commissioner of the General Land Office.

William J Allason
Richard Cronk.
Philander Wright.
John Rupp.
George Patterson.
James Kennedy.
Joseph F Fluent.
Henry C Williams
Willie Twiss x Trainer
Carl Wilhelm Bekke. mark
Andrew Armstrong.
Conrad Scheffer.
George Fox.

Subscribed and sworn to by the above named persons, before me a Notary Public for the County of Burt in the State of Nebraska. this 28th of June, 1867.

Watson Parrish
Notary Public.

Seal

T.26, R.6.
T.27, R.6.

54.
224

I, Theodore H Barrett Surveyor, do solemnly swear that in pursuance of a contract with J. M. Edmunds, Commissioner of the General Land Office of the United States, bearing date the 14th day of August. A.D. 1866. and in strict conformity to the laws of the United States and the instructions furnished by the said Commissioner of the General Land Office, I have faithfully surveyed the subdivision lines of that part of Township number twenty five North of the Base line of Range number 14 East of the sixth Principal Meridian, embraced in the Omaha and Winnebago Reservations in the State of Nebraska and do further solemnly swear that the foregoing are the true and original field notes of said survey.

Theodore H Barrett,
Surveyor.

Subscribed by the said Theodore H Barrett, Surveyor, and sworn to before me a Justice of the Peace for Whiteside County, in the State of Illinois, this 10th day of September. 1867.

K. S. Mangan. J. P.

55
225

T.26, R.6.

T.27, R.6.

56
226

Department of the Interior.
General Land Office.
October. 2nd 1867.

The foregoing field notes of the survey of Township 2 s North. Range 6. East in Nebraska, executed by Theodore H Barrett. under his contract of the 14th day of August. 1866. in the months of May and June. 1867. having been critically examined. the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Jos S Wilson
Commissioner.

Department of the Interior.
General Land Office
Washington D.C.
Aug. 21. 1871

I certify that the foregoing transcript of field notes of survey has been correctly copied from the original notes on file in this Office

Willis Drummond
Commissioner

57
227

T.26, R.6. T.27, R.6.

58
228

No. 4-R 6 3

108

W W 9

compared and corrected

Winnebago Indian Reservation

Field Notes of the Subdivision lines in Township No. 26. North. Range 6. East of the 6th Principal Meridian, in the State of Nebraska.

by

Theodore H Barrett
Surveyor
under his contract, bearing date the 14th day of Aug. 1866.

Survey Commenced June 4, 1867.
and
Completed. June. 11. 1867.

T. 26, R. 6.

T. 27, R. 6.

List of Names.

A list of names of the individuals employed to assist in running measuring or marking the lines and corners described in the following Field Notes of Town 26. North, Range 6. East the 6th Principal Meridian, showing the capacities in which they acted.

William J Allason,	Compassman.
Richard Cronk	"
John Rupp.	Chainman.
Philander Wright.	"
George Patterson.	"
James Kennedy.	"
James Shobe	"
Orville Smith.	"
Henry C Williams.	Mound Builder.
Willie J Trainer.	" "
Karl Wilhelm Bekke.	" "
Conrad Schaffer.	Axeman
Homer J Dale.	Flagman.

T 31

Winnebago Indian Reservation

Township 26. N. Range 6. E. the 6th P. M.

Chains	
	In surveying and establishing the Boundaries to this Township & found the South and East sides of Section 36 to be as follows.
	North on the East side of Section 36.
	Va. 11° 10' East.
80.00	Corner to Sections 25. 36. 30 and 31.
	East on the South side of Sec. 36.
	Va. 10° 26' East.
80.00	The corner to Sections 31. 36. 1 & 6.
	The field notes of the survey of the exterior boundaries of this township, show that the variation of the needle is from 10° 20' E. to 12° 10' East.
	Beginning at the corner to Secs 35. 36. 1 & 2. on the South Boundary of the Township & run
	North between Sec's 35 & 36.
	Va. 10° 25' East.
24.50	Enter meadow. S. 75° W.
32.50	Leave same — bears same.
40.00	Post in mound for ¼ Sec. Corner
80.00	Post in mound for corner to Sections 25. 26. 35 & 36.
	Surface rolling. 2nd rate prairie.
	East on a random line between Sec's 25 & 36.
	Va. 10° 55' East.
24.50	Enter long meadow — N. 20° E & S. 20° W.
28.50	Leave same — bears same.
	This meadow ends about 20.00 Chains North, but connects with Creek bottom on the South west.
40.00	Temporary ¼ Sec. Corner.
79.94	Intersect Range line 17 Chs South of corner to Sec's 25. 30. 31 & 36.

T. 27. R. 6.

2
737 Winnebago Reservation.

Township 26. North Range 6. E. 6th P.M.

Chains	
	from which corner I run South 89° 53' West on a true line between Sec's 25 & 36. Va. 10° 55' East.
39.97	Post in mound for ¼ Sec. Corner.
79.94	The corner to Sec's. 25. 26. 35 & 36. Rolling Prairie: 2nd rate soil.
	North between Sec's 25 and 26. Va. 10° 55' East.
40.00	Post in mound for ¼ Sec. Corner.
80.00	Post in mound for corner to Sec's 23. 24. 25 & 26. Rolling Prairie: 2nd rate soil.
	East on a random line between Sec's 24 and 25. Va. 11° 15' East.
40.00	Temporary ¼ Sec. Corner
44.00	Enter meadow, bearing N.W. & S.E.
48.00	Leave same — bears same. This meadow ends 10 chains S.E.
80.00	Intersect Range line 18 lks South of corner to Sec's. 19. 24. 25 and 30. from which corner I run South 89° 52' West on a true line between Sec's 24 and 25. Va. 11° 15' East.
40.00	Post in mound for ¼ Sec. Corner.
80.00	The corner to Sec's. 23. 24. 25 & 26. Rolling Prairie. 2nd rate soil.
	North between Sec's. 23 & 24. Va. 1° 20' E.
40.00	Post in mound for ¼ Sec. Corner.
80.00	Post in mound for corner to Sec's. 13. 14. 23 & 24. Rolling Prairie. 2nd rate soil.

Winnebago Reservation

Township 26. N. Range 6. E. the 6th P.M.

Chains	
	East on a random line between Sec's 13 and 24. Va. 12° 15' East.
40.00	Temporary ¼ Sec. Corner.
80.53	Intersect Range line 24 lks North of corner to Sec's 13. 18. 19 & 24. from which corner A run
	North 89° 30' West on a true line between Sec's 13 & 24. Va. 12° 15' East.
40.26	Post in mound for ¼ Sec. Corner.
80.53	The Corner to Sec's. 13. 14. 23 & 24. Rolling Prairie: 2nd rate soil.
	North between Sec's 13 & 14. Va. 12° 20' East.
40.00	Post in mound for ¼ Sec. Corner.
80.00	Post in mound for corner to Sec's. 11. 12. 13 & 14. Rolling Prairie: 2nd rate soil.
	East on a random line between Sec's 12 & 13. Va. 12° 20' E.
40.00	Temporary ¼ Sec. Corner.
80.10	Intersect A & S. line 23 links North of corner to Sec's. 7. 12. 13 & 18. from which corner A run
	North 89° 30' West on a true line between Sec's 12 & 13. Va. 12° 20' East.
40.05	Post in mound for ¼ Sec. Corner.
80.10	The corner to Sec's. 11. 12. 13 & 14. Rolling Prairie. 2nd rate soil.
	North between Sec's 11 & 12. Va 12° E.
40.00	Post in mound for ¼ Sec. Corner.
80.00	Post in mound for corner

T. 27. R. 6.

4/N 34

Winnebago Reservation.

Township 26. N. Range 4 E. 6th P M.

Chains	
	To Sections 1. 2. 11 & 12. Rolling Prairie. 2nd rate soil.
	East on a random line between Sections 1 & 12. Va. 12° East.
40.00	Temporary 1/4 Sec. Corner.
80.30	Intersect N & S. line 30 links South of Corner to Sec's. 1. 12. 6 & 7. from which corner & run South 89° 47' West
	on a true line between Sec's 1 & 12. Va. 12° E.
40.15	Post in mound for 1/4 Sec. Corner
80.30	Post in mound for corner to Sec's 1. 2. 11 & 12. Rolling prairie. 2nd rate soil.
	North on a random line between Sec's 1 & 2. Va. 12° E.
40.00	Temporary 1/4 Sec. Corner.
80.60	Intersect north Boundary of Township 18 links West of corner to Sec's. 1. 2. 35 & 36. from which corner & run South 0° 6' West on
	a true line between Sec's 1 & 2. Va. 12° E.
40.60	Post in mound for 1/4 Sec Corner.
80.60	The corner to Sec's. 1. 2. 11 & 12. Rolling prairie. 2nd rate soil. June 4th 1867.
	North between Sec's 34 & 35 Va. 10° 30' East.
40.00	Post in mound for 1/4 Sec. Corner.
80.00	Post in mound for corner to Sec's. 26. 27. 34 & 35. Rolling prairie. 2nd rate soil.

Township 26 N. Range 6. E. 6th P M.

Chains	
	East on a random line between Sec's 26 and 35.
	Va. 11° 35' East.
28.00	Enter Creek bottom, bearing N & S.
40.00	Temporary ¼ Sec. Corner.
49.65	A brook 8 lks wide runs South
55.00	Leave Creek bottom bearing N & S.
79.35	Intersect at corner of Sections 23. 26. 35 and 36. from which corner I run
	West on a true line between Sec's 26 & 35.
39.67	Post in mound for ¼ Sec. Corner.
79.35	The Corner to Secs. 26. 27. 34 & 35.
	Rolling prairie & level creek bottom. 1st and 2nd rate soil.
	North between Sec's 26 & 27.
	Va. 11° 15' East
40.00	Post in mound for ¼ Sec. Corner.
80.00	Post in mound for corner to Sec's 22. 23. 26 and 27.
	Rolling Prairie 2nd rate soil.
	East on a random line between Sec's 23 & 26.
	Va. 12° 7' E.
25.00	Enter Creek bottom, bearing N & S.
40.00	Temporary ¼ Sec. Corner.
57.50	A Brook 8 lks wide, runs South.
59.00	Leave Creek bottom, bearing N & S.
79.06	Intersect N & S. line at corner to Sections 23. 24. 25 & 26. from which corner I run
	West on a true line between Sec's 23 & 26.
	Va 12° 7' East.
39.53	Post in mound for ¼ Sec. Corner.
79.06	Post in mound for corner to Sections 22. 23. 26 & 27.
	Rolling prairie & bottom. 1st & 2nd rate.

T. 27 R. 6.

Winnebago Reservation.

Township 26. North. Range 6. E. 6th P.M.

Chains	
	North between Sec's 22 & 23. Va. 12° 45' East.
29.00	A Brook 2 lks wide, runs E.
40.00	Post in mound for ¼ Sec. Corner.
80.00	Post in mound for corner to Sections 14, 15, 22 & 23. Rolling prairie: 2nd rate soil.
	East on a random line between Sec's 14, & 23. Va. 12° 15' E.
34.00	Enter Creek bottom, bearing N & S.
40.00	Temporary ¼ Sec. Corner.
53.50	A Brook 4 links wide, runs South.
77.00	Leave Creek bottom, bearing N.W. & S.
79.50	Intersect N & S. line 20 lks South of corner to Sec's. 13, 14, 23 & 24. from which corner I run South 89° 51' West on a true line between Sec's. 14 and 23. Va, 12° 15' East.
39.75	Post in mound for ¼ Sec. Corner.
79.50	The corner to Sec's 14, 15, 22 & 23. Rolling prairie & Creek bottom. 1st & 2nd rate soil.
	North between Sec's 14 and 15. Va. 12° 30' East.
40.00	Post in mound for ¼ Sec. Corner.
50.00	Enter Creek bottom, bearing N.W. & S.E.
80.00	Post in mound for corner to Sec's. 10, 11, 14 & 15. Rolling prairie & Creek bottom. 1st and 2nd rate soil.
	East on a random line between Sec's 11 and 14. Va. 12° 20' East.
26.10	A brook 8 lks wide, runs S.
40.00	Temporary ¼ Sec. Corner.
46.00	Leave Creek bottom. N.W. & S.E.
80.25	Intersect N & S. line 40 lks

Winnebago Reservation.

Township 26. N. Range 6. E. 6th P. M.

Chains	
	South of corner to Sec's. 11, 12, 13 + 14, from which corner I run South 89° 43' West on a true line between Sections 11 + 14. Va. 12° 20' East.
40.12	Post in mound for ¼ Sec. Corner.
80.25	The corner to Sec's. 10, 11, 14 and 15. East half rolling prairie; 2nd rate soil. West half creek bottom, 1st rate soil.
	North between Sections 10 + 11. Va. 12° 20' E.
40.00	Post in mound for ¼ Sec Corner.
64.00	A Brook 8 lks wide, runs S.E.
80.00	Post in mound for corner to Sec's. 2, 3, 10 + 11. Level creek bottom; 1st rate soil.
	East on a random line between Sec's 2 + 11. Va 12° 20' E.
2.00	Leave Creek bottom, bearing N.W. + S.E.
40.00	Temporary ¼ Sec. Corner.
80.40	Intersect N + S. line 30 lks South of corner to Sec's. 1, 2, 11 + 12, from which corner I run South 89° 47' West on a true line between Sec's 2 + 11. Va. 12° 20' East.
40.20	Post in mound for ¼ Sec. Corner.
80.40	The corner to Sec's. 2, 3, 10 + 11. Rolling Prairie. 2nd rate soil.
	North on a random line between Sec's. 2 + 3. Va. 12° E.
3.00	Leave Creek bottom, bearing N.W. + S.E.
40.00	Temporary ¼ Sec. Corner.
80.70	Intersect north Boundary of Township 60 lks West of corner to Sections 2, 3, 34 + 35, from which corner I run

T. 27. R. 6.

8
238

Winnebago Reservation.

Township 26. N. Range 6. E. 6th P. M.

Chains	
	South 0° 26' West on a true line between Sec's 2 & 3. Va. 12° E.
40.70	Post in mound for ¼ Sec. Corner.
80.70	The corner to Sec's 2. 3. 10 & 11. Rolling Prairie. 2nd rate soil. June 5th 1867.
	North between Sec's 33 & 34. Va. 11° E.
40.00	Post in mound for ¼ Sec corner.
80.00	Post in mound for corner to Sec's. 27. 28. 33 and 34. Rolling Prairie. 2nd rate soil.
	East on a random line between Sec's 27 and 34. Va. 11° 40' E.
40.00	Temporary ¼ Sec. Corner.
79.70	Intersect N. & S. line 20 lks North of corner to Sec's. 26. 27. 34 & 35 from which corner I run North 89° 51' West on a true line between Sec's 27 & 34. Va. 11° 40' E.
39.85	Post in mound for ¼ Sec. Corner.
79.70	The corner to Sec's. 27. 28. 33 & 34. Rolling Prairie. 2nd rate soil.
	North between Sec's 27 & 28. Va. 13° E.
40.00	Post in mound for ¼ Sec. Corner.
80.00	Post in mound for corner to Sec's. 21. 22. 27 and 28. Rolling Prairie. 2nd rate soil.
	East on a random line between Sections 22 and 27. Va. 12° East.
40.00	Temporary ¼ Sec. Corner.

Winnebago Reservation.

Township 26. N. R. 6 & 6th P. M.

Chains	
80.20	Intersect N+S. line 23 lks South of corner to Secs. 22. 23. 26 + 27. from which corner I run South 89° 30' West on a true line between Sec's 22 and 27.
	Va. 12° East.
40.10	Post in mound for ¼ Sec. Corner
80.20	The corner to Secs 21. 22. 27 + 28. Rolling Prairie. 2nd rate soil.
	North between Secs 21 and 22.
	Va. 12° 45' East.
5.20	A Brook, 1 lk wide, runs E.
40.00	Post in mound for ¼ Sec. Corner,
80.00	Post in mound for corner to Secs. 15.16. 21 and 22. Rolling Prairie. 2nd rate soil.
	East on a random line between Sec's 15 and 22.
	Var. 12° 20' E.
40.00	Temporary ¼ Sec. Corner.
80.54	Intersect N+S. line 50 links North of corner to Secs. 14, 15. 22. + 23. from which corner I run North 89°, 30' West on a true line between Sec's. 15 and 22.
	Va. 12° 20' East.
40.27	Post in mound for ¼ Sec Corner.
80,54	The corner to Sec's 15. 16. 21 + 22. Rolling Prairie 2nd rate soil.
	North between Secs 15 and 16.
	Va. 12° 20' E
40.00	Post in mound for ¼ Sec. Corner.
80.00	Post in mound for corner to Sec's. 9. 10. 15 + 16. Rolling Prairie. 2nd rate soil.

T. 27. R. 6.

10
240

Winnebago Reservation.

Township 26. North Range 6. E. 4th P.M.

Chains	
	East on a random line between Secs. 10 and 15 Va, 12° 15' East.
40.00	Temporary ¼ Sec. Corner.
50.00	Enter Creek bottom, bearing N.W. & S. E.
80.00	Intersect Cr. & S. line 20 lks North of corner to Sections. 10. 11. 14 & 15. from which corner I run North 89° 51' West on a true line between Sections 10 & 15. Va, 12° 15' East.
40.00	Post in mound for ¼ Sec. Corner.
80.00	The corner to Secs. 9. 10. 15 & 16. Nearly all high, rolling Prairie. 2nd Rate soil.
	North between Secs. 9 & 10 Va, 12° E.
40.00	Post in mound for ¼ Sec. Corner
80.00	Post in mound for corner to Sec's. 3. 4. 9 & 10. Rolling Prairie; 2nd rate soil;
	East on a random line between Sec's 3 and 10. Va 12° 15' East.
40.00	Temporary ¼ Sec. Corner.
43.00	Enter Creek bottom, bearing N.W. & S.E.
50.50	A Creek 8 links wide, runs S.E.
80.10	Intersect Cr. & S. line 60 lks North of corner to Sec's. 2. 3. 10. & 11. from which corner I run North 89° 34' West on a true line between Sec's 3 & 10. Va. 12° 15' East.
40.05	Post in mound for ¼ Sec. Corner.
80.10	The corner to Sec's. 3. 4. 9 & 10. West ½ rolling prairie. 2nd rate. East ½ Sand Creek bottom, 1st rate.

Winnebago Reservation.

Township 26. N. Range 6 E. 6th P. M.

Chains	
	North on a random line between Sec's 3 and 4. Va. 11° 30' East.
40.00	Temporary ¼ Sec. corner.
78.00	Enter Creek Bottom, bearing N.W. & S.E.
80.65	Intersect N. Boundary of Township 60 lks west of corner to Sec's 3. 4. 33 and 34. from which corner I run South 0° 26' West on a true line between Sec's 3 & 4. Va. 11° 30' E.
40.65	Post in mound for ¼ Sec. Corner.
80.65	The corner to Sec's. 3. 4. 9 & 10. Rolling prairie. 2nd rate soil. June 6th 1867.
	North between Sec's 32 & 33. Va. 11° 25' E.
40.00	Post in mound for ¼ Sec. Corner.
80.00	Post in mound for corner to Sec's. 28. 29. 32 & 33. Rolling Prairie. 2nd rate soil.
	East on a random line between Sec's 28 & 33. Va. 12° E.
40.00	Temporary ¼ Sec. Corner.
49.00	Enter marsh, bearing N.W. & S.E.
60.00	Leave same, " " S.E. & N.W.
80.50	Intersect N & S. line 14 lks North of corner to Sections 27. 28. 33 and 34. from which corner I run North 89° 54' West on a true line between Sections 28 & 33. Va. 12° E.
40.25	Post in mound for ¼ Sec. Corner.
80.50	The corner to Sec's. 28, 29. 32 & 33. Rolling Prairie. 2nd rate.
	North between Sections 28 & 29. Va. 12° 15' East.

T. 27 R. 6.

12,
T 44 N

Winnebago Reservation

Township 26. N. Range 6. E. 6th P. M.

Chains	
2.75	A Brook 3 lks wide, runs S. W.
40.00	Post in mound for ¼ Sec. Corner.
80.00	Post in mound for corner to Secs. 20. 21. 28 & 29. Rolling Prairie. 2nd rate soil.
	East on a random line between Sec's. 21 and 28. Va. 10° 30' East.
40.00	Temporary ¼ Sec. Corner.
79.65	Intersect N & S. line 95 lks North of corner to Secs. 21. 22. 27 & 28. from which corner I run. North 89° 24' West on a true line between Sec's 21 & 28. Va. 10° 30' E.
39.82	Post in mound for ¼ Sec. Corner.
79.65	The corner to Secs. 20. 21. 28 & 29. Rolling Prairie. 2nd rate soil.
	North between Sec's 20 and 21. Va, 13° 4' E.
40.00	Post in mound for ¼ Sec. Corner.
80.00	Post in mound for corner to Sec's, 16, 17. 20 & 21. Rolling Prairie: 2nd rate soil.
	East on a random line between Sec's 16 & 21. Va, 10° 10' East.
8.50	Enter Marsh, bearing N & S.
12.00	Leave Marsh, " " " "
25.00	Enter Marsh bearing " " "
29.00	Leave Marsh " " " "
40.00	Temporary ¼ Sec. Corner.
80.00	Intersect N & S. line 95 lks North of corner to Secs. 15. 16. 21 & 22. from which corner I run North 89° 19' West on a true line between Sections 16 & 21. Va. 10° 10' E.
40.00	Post in mound for ¼ Sec. Corner.

Winnebago Reservation.
Township 26 N. Range 6. East the 6th P. M.

Chains	
8000	The corner to Sec's 16, 17, 20 & 21.
	Rolling prairie: 2nd rate soil.
	June. 7th 1867.
	North between Sec's. 16 and 17.
	Va. 12° 15' E.
40.00	Post in mound for ¼ Sec. Corner.
80.00	Post in mound for corner to Sec's.
	8. 9. 16 & 17.
	Rolling prairie: 2nd rate soil.
	East on a random line between
	Sections 9 and 16.
	Va. 10° 45' East.
40.00	Temporary ¼ Sec. Corner.
80.40	Intersect N & S. line 75 lks North
	of corner to Sec's. 9. 10. 15 & 16.
	from which corner B run
	North 89° 28' West on a true
	line between Sec's. 9 & 16.
	Va. 10° 45' E.
40.20	Post in mound for ¼ Sec. Corner.
80.40	The corner to Sec's. 8. 9. 16 & 17.
	Rolling prairie.
	2nd rate soil.
	North between Sec's 8 & 9.
	Va. 12° E.
40.00	Post in mound for ¼ Sec. Corner.
80.00	Post in mound for the corner to Sec's.
	4. 5. 8 & 9.
	Rolling prairie: 2nd rate soil.
	East on a random line between
	Sec's 4 and 9.
	Va. 11° E.
40.00	Temporary ¼ Sec. Corner.
79.60	Intersect N & S. line 70 lks North of
	corner to Sec's. 3. 4. 9 and 10. from
	which corner B run
	North 89° 30' West on a
	true line between Sec's. 4 & 9.

T. 27 R. 6.

14.
n44

Winnebago Reservation.

Township 26. N. Range. 6. E. 6th P. M.

Chains	
	Va. 11° E.
39.80	Post in mound for ¼ Sec. Corner.
79.60	The corner to Sec's. 4. 5. 8 & 9.
	High rolling prairie.
	2nd rate soil.
	North on a random line between
	Sec's 4 and 5. Va. 11° E.
10.00	Temporary ¼ Sec. Corner
78.60	Intersect North Boundary of Township
	22 lks East of corner to Sec's. 4. 5. 32
	and 33. from which corner I
	run South 0° 7' E.
	on a true line between Sec's.
	4 & 5. Va. 11° E.
38.60	Post in mound for ¼ Sec. Corner.
78.60	The corner to Sec's. 4. 5. 8 & 9.
	Rolling Prairie: 2nd rate soil.
	Dune. 8th 1867.
	North between Sections 31 and 32.
	Va. 11° 18' East.
40.00	Post in mound for ¼ Sec. Corner.
66.00	Intersect Middle Creek, running E.
80.00	Post in mound for corner to
	Sec's. 29. 30. 31 and 32.
	Middle Creek bottom. level.
	1st rate soil.
	East on a random line between
	Sec's. 29 and 32.
	Va. 12° East.
20.00	Leave Middle Creek bottom N. W. & S. E.
40.00	Temporary ¼ Sec. Corner.
76.00	A Brook 3 links wide, runs South.
80.25	Intersect N. & S. line 27 lks
	North of corner to Sec's 28. 29.
	32 and 33. from which
	corner I run
	North 89° 48' West on a
	true line between Sec's.
	29 and 32.

Winnebago Reservation.

Township 26. N. R. 6. E. 6th P. M.

Chains	
	Va. 12° East.
40.12	Post in mound for ¼ Sec. Corner.
80.25	The corner to Secs. 29. 30. 31 & 32. Creek bottom & rolling Prairie. 1st and 2nd rate soil.
	West on a random line between Sec's 30 and 31.
	Va. 11° 45' East.
40.00	Temporary ¼ Sec. Corner.
62.00	Intersect Middle Creek, running S.E.
67.50	Intersect Middle Creek, " N.W.
79.45	Intersect Range line 14 links North of true corner to Secs. 25. 30. 31 & 36 (26 lks South of N. C.) from which corner & run North 89° 54' East on a true line between Sec's 30 & 31.
	Va. 11° 45' East.
39.45	Post in mound for ¼ Sec. Corner.
79.45	The corner to Secs. 29. 30. 31 & 32. Middle Creek bottom. 1st rate soil.
	North between Sec's 29 & 30.
	Va. 13° 4' East.
27.00	Leave Middle Creek bottom bearing E. & W.
40.00	Post in mound for ¼ Sec. Corner.
80.00	Post in mound for corner to Sections. 19. 20. 29 and 30. Middle creek bottom & rolling prairie. 1st rate soil.
	East on a random line between Sec's 20 and 29.
	Va. 11° 45' E.
40.00	Temporary ¼ Sec. Corner.
79.85	Intersect N & S. line at corner to Sections 20. 21. 28 & 29. from which corner & run West on a true line between Sec's. 20 & 29.
	Va. 11° 45' East.

T. 27. R. 6.

16.
N46

Winnebago Reservation.

Township 26. N. Range 6. E. 6th P. M.

Chains	
39.92	Post in mound for ¼ Sec. Corner.
79.85	The corner to Secs. 19. 20. 29 & 30.
	Rolling prairie. 2nd rate soil.
	West on a random line between
	Sec's 19 and 30.
	Va. 12°15' East.
10.00	Temporary ¼ Sec. Corner.
60.00	Enter Middle Creek bottom bearing
	N & S.
78.50	Intersect Range line at corner to
	Sec's 19. 24. 25 & 30. from which
	corner B run East on a true
	line between Sec's. 19 & 30.
	Va. 12° 15' East.
38.50	Post in mound for ¼ Sec. Corner.
78.50	The corner to Secs. 19. 20. 29 & 30.
	Middle Creek bottom & rolling
	prairie 1st & 2nd rate soil.
	North between Sec's 19 and 20.
	Va. 12° 20' East.
24.00	A Brook 4 lks wide, runs West.
40.00	Post in mound for ¼ Sec. Corner.
80.00	Post in mound for corner to
	Sec's. 17. 18. 19 and 20.
	Rolling prairie: 2nd rate soil.
	East on a random line between
	Sec's 17 & 20.
	Va. 11° 45' East.
40.00	Temporary ¼ Sec. Corner.
80.00	Intersect N & S. line 46 links
	North of corner to Sec's. 16, 17.
	20 & 21. from which corner
	B run
	North 89° 40' West on a
	true line between Sec's 17 & 20.
	Va. 11° 45' East.
40.00	Post in mound for ¼ Sec. Corner.
80.00	The corner to Sec's. 17. 18. 19 & 20.
	Rolling prairie. 2nd rate soil.

Winnebago Reservation.

Township 26 N. R. 6 E. 6th P. M.

Chains	
	West on a random line between Sec's 18 and 19.
	Va. 12° 15' East.
40.00	Temporary ¼ Sec. Corner.
77.04	Intersect Range line 89 lks North of corner to Sec's. 13, 18, 19 & 24. from which corner 8 run
	North 89° 22' East on a true line between Sections 18 & 19.
	Va. 12° 15' East.
37.04	Post in mound for ¼ Sec. Corner.
77.04	The corner to Sec's 17, 18, 19 & 20
	Rolling Prairie: 2nd rate soil.
	June. 10th 1867.
	North between Sec's 17 & 18.
	Va. 11° 30' East.
40.00	Post in mound for ¼ Sec. Corner.
80.00	Post in mound for corner to Sec's 7, 8, 17 & 18.
	Rolling prairie: 2nd rate soil.
	East on a random line between Sec's 8 & 17.
	Va. 11° 15' East.
40.00	Temporary ¼ Sec. Corner.
80.00	Intersect N.S. line 92 links North of corner to Sec's. 8, 9, 16 & 17. from which corner 8 run
	North 89° 21' West on a true line between Sec's 8 & 17.
	Va. 11° 15' East.
40.00	Post in mound for ¼ Sec. Corner.
80.00	The corner to Sec's. 7, 8, 17 & 18.
	Rolling prairie. 2nd rate soil.
	West on a random line between Sec's. 7 & 18.
	Va. 12° 45' East.
16.50	Enter Meadow, bearing N.W. & S.E.

T. 27 N. R. 6.

Winnebago Reservation.

Township. 96. N. Range 6. E. 6th P M.

Chains	
29.00	Leave Meadow, bearing N & S.
40.00	Temporary ¼ Sec. Corner.
77.06	Intersect Range line 89 links North of corner to Sections 7. 12. 13. and 18. from which corner I run North 89° 22' East on a true line between Sec's 7 & 18. Va. 12° 45' East.
37.06	Post in mound for ¼ Sec. Corner.
77.06	The corner to Sec's. 7. 8. 17 & 18. Rolling Prairie: 2nd rate soil.
	North between Sections 7 and 8. Va. 11° 15' East.
40.00	Post in mound for ¼ Sec. Corner.
49.00	Enter marsh, bearing E & W.
55.00	Leave marsh, bearing E & W.
80.00	Post in mound for corner to Sec's 5. 6. 7 & 8. Rolling Prairie: 2nd rate soil.
	East on a random line between Sec's 5 and 8. Va. 10° 45' East.
12.00	Enter marsh, bearing N.W. & S.E.
15.00	Leave marsh, " N.W. & S.E.
40.00	Temporary ¼ Sec. Corner.
75.00	Enter marsh, bearing N.W. & S.E.
80.00	Intersect N & S. line 92 links North of corner to Sec's. 4. 5. 8 & 9. from which corner I run North 89° 21' West on a true line between Sec's 5 and 8. Va. 10° 45' East.
40.00	Post in mound for ¼ Sec Corner.
80.00	The corner to Sec's 5. 6. 7 & 8. Rolling Prairie: 2nd rate soil.

Winnebago Reservation.

Township 26. N. Range 6 E. the 6th P. M.

Chains	
	West on a random line between Sections 6 & 7. Va. 12° 30' East.
4.00	Enter marsh, bearing N.E. & S.W.
27.00	Leave marsh, " N.W. & S.E.
40.00	Temporary 1/4 Sec. corner.
44.00	Enter marsh, bearing N.E. & S.W.
51.00	Leave marsh " S.E. & N.W.
57.00	Enter " " N.E. & S.W.
64.50	Leave " " S.E. & N.
76.86	Intersect Range line 96 links North of corner to Secs. 1, 6, 7 & 12, from which corner I run North 89° 17' East on a true line between Secs 6 & 7. Va. 12° 30' East.
36.86	Post in mound for 1/4 Sec. Corner.
76.86	The corner to Sections 5, 6, 7 & 8, Rolling prairie: 2nd rate.
	North on a random line between Secs 5 and 6. Va. 10° 57' East.
2.50	Enter marsh, bearing N.E. & S.W.
11.00	Leave marsh, " E & W.
40.00	Temporary 1/4 Sec. Corner.
77.30	Intersect North Boundary of Township 97 the West of Corner to Secs. 5, 6, 31 and 32. from which corner I run South 0° 42' West on a true line between Secs 5 and 6. Va. 10° 57' East.
37.30	Post in mound for 1/4 Sec. Corner.
77.30	The corner to Secs 5, 6, 7 & 8.

Rolling Prairie: 2nd rate soil.
June 11th 1867.

T. 27. R. 6.

20.
2550

Winnebago Reservation.

Township 26 N. Range 6. E. 6th P. M.

General Description.

Township 26 N. Range 6. East the 6th Principal Meridian is mostly high rolling prairie.

Middle Creek runs through the S. W. quarter of the Township. Along this creek there is some good bottom land.

A Creek about 8 links wide extends from the north to the South boundary through Sections 3. 10. 11. 14. 23. 26 and 35. This Creek is bordered by some good bottom, generally too wet for cultivation but excellent meadow land.

The quality of the land, except along the creeks, is only 2nd rate

Along Middle Creek there are some small groves of poor timber.

The corners Established with "Posts and mounds" have also each four pits. The average amount of charcoal in each of the several mounds is Equal to a solid 1 x 2 x 2 inches.

We hereby certify that we assisted Theodore H Barrett, U S. Surveyor, in subdividing Township number twenty Six, North of the Base line of Range Number Six East of the Sixth Principal Meridian, Embraced within the boundaries of the Winnebago Reservation, and that said Township has been in all respects, to the best of our knowledge and

belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Commissioner of the General Land Office.

Wm J Allason.
Richard Cronk.
Philander Wright.
John Rupt.
George Patterson.
James Kennedy.
James Shake
Orville Smith.
H C. Williams.
Willis T. Trainer.
Karl Wilhelm Bekku.
Conrad Leheffer.
Homer T Dale

Subscribed and sworn to by the above named persons before me, a Notary Public for the County of Burt in the State of Nebraska. this 28th day of June 1867.

Watson Parrish.
Notary Public.

Seal.

T. 27. R. 6.

I, Theodore H Barrett, Surveyor, do solemnly swear that in pursuance of a contract with J. M. Edmunds. Commissioner of the General Land Office of the United States, bearing date the 14th day of August. 1866. and in strict conformity to the laws of the United States and the instructions furnished by the said Commissioner of the General Land Office I have faithfull surveyed the subdivisional lines of Township No. Twenty Six North of the Base line of Range No. 6 East the Sixth Principal Meridian, in the State of Nebraska, and do further solemnly swear that the foregoing are the true and original field notes of such survey.

Theodore H Barrett
Surveyor.

Subscribed by the said Theodore H Barrett, Surveyor, and sworn to before me a Justice of the Peace for Whiteside County in the State of Illinois, this 10th day of Sept. 1867.

R. L. Morgan J. P.

Department of the Interior
General Land Office
October 2nd, 1867.

The foregoing field notes of the survey of Township 26 North, Range 6. East, Nebraska, executed by Theodore H Barrett, under his contract of the 14th day of August, 1866, in the month of June, 1867, having been critically examined, the necessary corrections and explanations made, the said field notes and the surveys they describe are hereby approved.

Jos S. Wilson,
Commissioner.

Department of the Interior
General Land Office
Washington D.C.
Augst 21. 1871

I certify that the foregoing transcript of field notes of survey has been correctly copied from the original notes on file in this Office

Wells Drummond
Commissioner.

T. 27. R. 6.

T.27.R.6.

p. 56

(Copy)

Compared and Corrected

No-9

257

Winnebago Indian Reservation.

Field Notes of the
Subdivision lines in
Fractional Township
(Winnebago Reservation)
No. 27 North, Range 6. East
the 6th Principal Meridian,
in the State of
Nebraska by
Theodore H Barrett,
Surveyor,
under his contract
bearing date
Aug. 14th 1866.

Surveyed June, 11th 1867.

19

T. 27. R. 6.

List of Names.

A list of names of the individuals employed to assist in running, measuring, or marking the lines and corners described in the following Field Notes of Township No. 27. North of the base line of Range Six East the 6th Principal Meridian, showing the capacities in which they acted.

Henry H Gilbert. Compassman.
Richard Cronk Compassman.
George Fox. Chainman.
Joseph F Jelnent "
George Patterson "
James Kennedy "
Homer T Dale Flagman.
Andrew Armstrong "
Karl Wilhelm Bekke. Mound Builder.
Willie T Trainer " "
Henry C Williams " "

Winnebago Indian Reservation. T 99

Town 27 North Range 6 E. the 6th Principal Meridian

Chains	
	Begin on the South line of the Township at the corner to Sections 25 and 36 and run North on a random line between Sections 25 & 36. Va. 12° East.
40.00	Temporary ¼ Sec. Corner.
42.00	Meadow, bearing N.W. & S.E.
61.00	Leave meadow, bearing same.
76.08	Intersect the North line of the Winnebago Reservation 45 links East of the old corner to Fractional Sections 25 and 36. from which corner I run South 0° 12' East on a true line between Fractional Secs. 25 and 36. Va. 12° East.
26.08	Post in mound for ¼ Sec. Corner.
76.08	The corner to Sections 25 and 26, 1 and 2. Rolling Prairie & meadow. Good, 2nd rate soil.
	North on a random line between Sections 24 and 25. Va. 11° 40' East.
40.00	Temporary ¼ Sec. corner.
76.51	Intersect the North Boundary of the Winnebago Reservation 56 links E. of the old corner to Fractional Sections 24 & 25. from which I run 0° 25' East on a true line between Secs 24 & 25. on a true line between Sections 24 and 25. Va. 11° 40' East.
26.51	Post in mound for ¼ Sec. Corner.
76.51	The corner to Sections 24 & 25. 2 and 3. Rolling Prairie: Good, 2nd Rate soil.

2.
760

Winnebago Indian Reservation.
Town 27. N. R. 6. E. the 6th Principal Meridian.

Chains.	
	North on a random line between Sections 23 and 24. Va. 11° 40' East.
6.00	Enter low land or marsh, bearing S.E. and W.
6.50	Creek 5 links wide, running E.
27.50	Leave marsh, bearing East + NW.
40.00	Temporary ¼ Sec. Corner.
77.00	Intersect the North line of the Winnebago Reservation 225 links East of the old corner to Fractional Sections 23 and 24. from which corner I run South 1° 40' East on a true line between Fractional Sec's 22 and 24. Va. 11°40' East
37.00	Post in mound for ¼ Sec. corner.
77.00	The corner to Sections 23. 24. 344.
	Rolling prairie: 2nd rate soil.
	North on a random line between Sections 22 and 23. Va. 11° 10' E.
14.00	Enter marsh or meadow, bearing N.E. + S.W.
29.50	Leave same, bearing same.
38.50	Enter meadow, bearing N.E. + S.W.
40.00	Temporary ¼ Sec. Corner.
60.00	Leave meadow, bearing N.E. + S.W.
74.00	Enter low-land or meadow bearing E. and West.
76.84	Intersect the N. line of the Winnebago Reservation, 218 links E. of the old corner to Fractional Sections 22 and 23. from which corner I run S. 2° 21' E. on a true line between Fractional Sec's. 22 and 23. Va. 11° 10' E.

Winnebago Indian Reservation.

Town 27. North Range 6. E. the 6th P. M.

Chains	
26.84	Post in mound for ¼ Sec. corner,
76.84	The corner to Sec's 4 and 5. 32 and 33.
	Rolling prairie and meadow, 1st and 2nd rate soil.
	Northon a random line between Fractional Sections 31 and 32.
	Va. 11° East.
10.00	Temporary ¼ Sec. Corner,
44.00	Enter marsh bearing N. E. & S. W.
53.00	Leave marsh, bearing same.
77.08	Intersect the N. line of the Winnebago Reservation. 262 links E. of the old corner to Fractional Secs 31 and 32. from which corner I run
	South 1° 15' E.
	on a true line between Fractional Sec's 31 and 32.
	Va. 11° East.
87.08	Post in mound for ¼ Sec. Corner.
77.08	The corner to Secs. 31. 32. 5 & 6.
	Rolling prairie. 1st and 2nd rate soil.
	June. 11th 1867.

General Description.

This fraction of Township 27 N. Range 6. East, is high rolling prairie; intersected by low and level belts which form good meadow.

The soil is first and second rate.

The corners described as "Posts and Mounds" have each four pits - The amount of charcoal deposited in

4
26-2

Each mound is Equal to a
solid 1 x 2 x 2 inches.

5
263

We hereby certify that we assisted Theodore F. Barrett, U.S. Surveyor, in subdividing that part of Township Number twenty Seven North of the base line of Range number Six East of the Sixth Principal Meridian, Embraced within the limits of the Winnebago Reservation; and that said Township has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Commissioner of the General Land Office.

Henry H Gilbert
Richard Cronk.
George Fox.
Joseph Le Fluent.
George Patterson.
James Kennedy.
Homer I Dale.
Andrew Armstrong.
Karl Wilhelm Bekke.
Willie The Traine
Henry C mark Williams.

Subscribed and sworn to by the above named persons before me a Notary Public for the County of Burt in the State of Nebraska. this 28th day of June. 1867.

Watson Parrish
Notary Public.

Seal.

6
264

I, Theodore H Barrett, Surveyor, do solemnly swear that in pursuance of a contract with J. M. Edmunds, Commissioner of the General Land Office of the United States, bearing date the 14th day of August, 1866, and in strict conformity to the laws of the United States and the instructions furnished by the said Commissioner of the General Land Office, I have faithfully surveyed the subdivision lines of that portion of Township number twenty-seven North of the base line of Range number Six, East the 6th Principal Meridian, embraced in the Winnebago Reservation in the State of Nebraska, — and do further solemnly swear that the foregoing are the true and original field notes of such survey.

Theodore H Barrett,
Surveyor.

Subscribed by the said Theodore H Barrett, Surveyor, and sworn to before me, a Justice of the Peace for the County of Whiteside and State of Illinois, this 10th day of September, 1867.

R. L. Mangan,
J. P.

7
265

8
266

Department of the Interior.
General Land Office,
October. 2nd 1867.

The foregoing field notes of the survey of the Subdivisional lines of Township 27 North Range 6. East. Nebraska. Executed by Theo H Barrett, under his contract of the 14th day of August, 1866, in the month of June. 1867, having been critically Examined, the necessary corrections and explanations made, the said field notes and the surveys they describe, are hereby approved.

Jos S Wilson.
Commissioner.

Department of the Interior
General Land Office
Washington D.C.
August 21. 1871.

I certify that the foregoing transcript of field notes of survey has been correctly copied from the original notes on file in this office

Wilbur Dimmick
Commissioner.

Compared
Draft
Corrected

East Boundary T. 24 N. R. 7 E. of 6th P.M. — No. 1 — Rec. of Sur. — No. 10
267

Field Note Book. No 1.

Omaha Reservation.

Township 24. N. Range 7. E.

6th Principal Meridian.

Field Notes of the survey
of the
~~Exterior Boundary and~~ subdivision Section lines of that portion of Township 24 North of Range 7. E. the 6th Principal Meridian, embraced within the Omaha Indian Reservation in the Territory of Nebraska.
by
Theo H Barrett, U.S. Surveyor. under his contract bearing date the 14th day of August 1866.

~~Exterior Boundary surveyed Oct, 12th 1866.~~

Subdivision commenced Oct. 16th and completed Oct 27th 1866.

~~Subdivision into 1/4 sections~~

T.24, R.7. T.25.R.7. T.26 R.7.

3
2-68

4
269

T.25.R.7 T.26.R.7

5
270

Omaha Reservation Township 24 N. Range 7 E.

Having run the East Boundary of this Township with the Solar Compass and also retraced a portion of the South Boundary of the Township with the same instrument – I find the proper Variation for the subdivision of This Township to be 12° 15' East

Subdivision Commenced Oct. 16th 1866.

Begin at a point on the South Boundary of the Omaha Reservation at its intersection with the Section line between Sections 35 and 36 – the same being a post in mound 72.40 chains North of the South West corner of Section 36 and run North between fractional Sections 35 and 36

Variation 12° 15 East

7.60 Set a post in mound, dug four pits and deposited charcoal for corner to Sections 25. 26. 35 and 36

High rolling prairie, First rate soil

East on random line between Sections 25 & 36

Var. 12° 15' East

6.00 Leave high prairie & Enter Middle Creek bottom bears N.W. & S.E.

20.00 Set a post for temporary 1/16 Sec. Cor.

40.00 Set a post for " 1/4 " corner

60.00 Set a post for " 1/16 " corner.

60.50 Enter dry Slough, bears North & South

62.50 Leave Slough and again enter creek bottom bears N. & S.

80.00 Intersect North and South line 45 links North of the corner to Sections 25 & 36 from which corner Drum. North 89° 45' West on a true line between Sections 25 & 36

Var 12° 15' East

20.00 Set a post in mound dug pits and deposited charcoal for 1/16 Section Corner.

40.00 Set a post in mound dug pits - - - -

T. 6 E. 6 th Principal Meridian

Chs	and deposited Charcoal, as per instructions, for ¼ Sec. Corner.
60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Section corner.
80.00	The corner to Sections 25. 26. 35 & 36. Level Creek Bottom, 1st Rate Soil. North, between sections 25 & 26. Var 12° 15' East.
5.00	Enter bottom Land & leave high prairie — bears N. W. & S. E.
20.00	Set a post in mound dug pits and depasited Charcoal for 1/16 Section corner.
40.00	Set a post with a mound, dug four pits and depasited charcoal as per instructions for ¼ Sec. Corner.
60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
80.00	Set a post in mound, dug four pits and deposited charcoal for corner to sections 23. 24. 25 & 26. Except the extreme South End, this line is on Middle Creek Bottom, Surface level. Soil 1st Rate, but at times, in places, too wet for cultivation.

East on a Random line between Sections 24 & 25.

Var 12° 15' East.

20.00	Set a post for temporary 1/16 Sec. Cor.
24.50	Intersect Middle Creek, runs South East.
27.00	Again intersect Middle Creek, running S.
40.00	Set a post for temporary ¼ Sec Corner.
40.50	Intersect Middle Creek, running S. 80° E.
45.00	Bend of Middle Creek, line intersects the Creek, but does not cross it.
60.00	Set a post for temporary 1/16 Sec. Corner.

T. 25 R. 7 E. T. 26 R. 7 E.

7.
242

Omaha Reservation, Township 24 N of Range 7

Chs	
79.90	Intersect East Boundary of Township 20 links North of the corner to sections 24 & 25 from which raised ran North 89° 51' West on a true line between sections 24 & 25. Var. 12° 15' East.
19.97½	Set a post in mound, dug four pits and deposited Charcoal for 1/16 section Corner.
39.95	Set a post in mound, dug four pits and deposited charcoal as per instructions for 1/4 Sec. corner.
59.92½	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
79.90	The corner to sections 23. 24, 25 & 26. Level bottom land. 1st rate soil.

North between sections 23 & 24.
Var 12° 15' East.

8.50	Enter dry Slough — this Slough is about 3 chains wide, — bearing N. 20° East.
15.50	Leave Slough — bearing N.W. & S.E.
20.00	Set a post in mound, dug pits and deposited charcoal for 1/16 Section corner.
28.00	Intersect Middle Creek, running North East. — 80 links wide.
40.00	Set a post in mound, dug four pits and deposited charcoal for 1/4 Section Corner.
50.00	Enter low, dry marsh, nearly round — the line intersects the marsh a little West of the centre.
60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.

7 East of the 6th Principal Meridian.

Chains	
62.50	Leave round marsh.
80.00	Set a post in mound, dug pits and deposited charcoal for corner to Sections 13. 14. 23 & 24. South of Middle Creek Level Bottomland. North of the Creek, bottom and high rolling Prairie. 1st Rate Soil. Oct, 16th 1866.

East, on a random line between Sections 13 & 24. Var. 12° 15' East.

20.00	Set a post for temporary 1/16 Sec. Corner.
40.00	Set a post for temporary 1/4 Sec. Corner.
60.00	Set a post for temporary 1/16 Sec Cor.
79.92	Intersect East Boundary 30 links North of corner to sections 13 & 24 from which corner ℄ run N. 89° 47' W. on a true line between Sections 13 & 24. Var. 12° 15' East.
19.98	Set a post in mound, dug pits and deposited charcoal for 1/16 Sec. corner.
39.96	Set a post in mound, dug pits and deposited charcoal for 1/4 Section corner.
59.94	Set a post in mound dug four pits and deposited charcoal for 1/16 Section corner.
79.92	The corner to Sections 13, 14, 23 and 24. Rolling Prairie 1st Rate Soil.

North, between sections 13 & 14. Var, 12° East

12.00	Intersect Old Indian Trail, bears N. 70 W, & S. 70 E.
20.00	Set a post in mound, dug four pits and deposited charcoal

T. 25 R. 7 | T. 26 R. 7

Omaha Reservation, Township 24 N. Range 7. E.

Chs.	
	for 1/16 Section corner.
40.00	Set a post in mound, dug four pits and deposited charcoal for 1/4 Sec. Corner.
60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
80.00	Set a post in mound, dug four pits and deposited Charcoal for corner to sections 11. 12. 13 & 14. Gently rolling Prairie. Good. 2nd rate soil.
	~~East, on.~~ Random line between Sections 12 & 13. Var. 12° East.
20.00	Set a post for temporary 1/16 Sec. Cor.
40.00	Set a post for temporary 1/4 Sec. Corner
60.00	Set a " " " 1/16 Sec. Cor.
80.00	Intersect East Boundary of Township 35 links North of the corner to sections 12 & 13. from which corner I Run, North 89° 45' West on a true line between sections 12 & 13. Var. 12° East.
20.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Section corner.
40.00	Set a post in mound, dug four pits and deposited charcoal for 1/4 Section corner.
60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Section corner.
80.00	The corner to sections 11. 12. 13 & 14. Rolling Prairie. Good 2nd Rate soil.
	North, between sections 11 & 12. Var. 12° East. (changable)
20.00	Set a post in mound, dug four pits and deposited Charcoal for 1/16 Section Corner.
40.00	Set a post in mound, dug

6th Principal Meridian.

Chs	four pits and deposited charcoal for 1/4 Sec. Corner.
60.00	Set a Post in mound, dug four pits and deposited charcoal for 1/16 Section corner.
80.00	Set a Post in mound, dug four pits and deposited charcoal for corner to Sections 1. 2. 11 & 12. Rolling Prairie. Good. 2nd rate Soil. The needle showed a Variation of 12° - 11° 15' and 11° 30' East at different points on this line.
	East on random line between Sections 1 & 12. Var. 12° East.
20.00	Set a Post for temporary 1/16 Sec. Corner.
40.00	Set a Post for temporary 1/4 " "
60.00	Set a Post for " 1/16 " "
79.88	Intersect East Boundary of Township 69 links North of the corner to Sections 1 and 12 from which corner I ran North 89° 30' West on a true line between Sections 1 & 12. Var. 12° E.
19.97	Set a Post in mound, dug four pits, and deposited charcoal for 1/16 Sec. Corner.
39.94	Set a Post in mound, dug four pits and deposited charcoal for 1/4 Section corner.
59.91	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
79.88	The corner to Sections 1, 2, 11 & 12, Rolling Prairie. Good. 2nd rate Soil. North between Sections 1 & 2. Var. 12° East.
20.00	Set a Post in mound, dug four pits and deposited Charcoal for 1/16 Sec. Corner.

T.25.R.7. T.26.R.7.

Omaha Reservation. Township 24 N. Rang.

Chs. 40.00	Set a post in mound, dug four pits and deposited char coal for 1/4 Sec. corner.
5.00	Enter meadow, bears E. & W.
60.00	Set a post in mound, dug four pits and deposited charcoal. for 1/16 Sec. Corner.
62.50	Leave meadow and enter prairie, bears N. W. and S. E.
81.10	Intersect 6th Standard Parallel 15,40 Chains west of the Standard Corner to Sections 31 & 36 T. 25 N. R. 7. E. at which point I set a post, built mound and dug three pits and deposited charcoal as per instructions for closing corner to sections 1 & 2, T. 24 N. R. 7. E.

Moderately rolling Prairie
Good. 2nd rate soil.
Oct. 17. 1866.

Stakes Morgan 1919 R.M. X

Begin at a point on the South Boundary of the Omaha Reservation at its intersection with the Section line between Sections 34 & 35 - the same being a post in mound 72.80 Chains North of the South west corner of Sec. 35 - and Run

North between fractional Sections 34 & 35. Var. 12° 30' East.

7.20	Set a post, raised mound, dug four pits and deposited Charcoal as per instructions for corner to sections 26 & 27, 34 & 35.

Rolling Prairie.
Good. 2nd rate soil.

East on a raindom line between sections 26 & 35. Var. 12° East.

20.00	Set a post for temporary 1/16 Sec. Corner.

7 East the 6th Principal Meridian.

Chs.	
40.00	Set a post for temporary ¼ Sec. Cor.
60.00	Set a post for temporary 1/16 " "
80.28	Intersect N & S line 30 links North of the corner to Sections 25, 26, 35 & 36. from which corner I run N. 89° 47' West on a true line between Sections 26 & 35. Var. 12° East.
20.07	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
40.14	Set a post in mound, dug four pits and deposited charcoal for ¼ Sec. Corner.
60.21	Set a post in mound; dug four pits and deposited charcoal for 1/16 Section corner
80.28	The corner to Sections 26, 27, 34 & 35. Rolling Prairie. East End is near the foot of the high rolling prairie & just South of the bottom land. West End is on the high prairie 1st Rate Soil. North between Sections 26 & 27. Var. 12° 10' East
20.00	Set a post, raised mound, dug four pits and deposited charcoal for 1/16. Sec. Corner.
21.60	Cross dry run - bears N. E. & S. W. At same point leave high prairie and enter bottom land - bears N. W. & S. E.
40.00	Set a post in mound, dug four pits and deposited charcoal for ¼ Sec. Corner.
60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
80.00	Set a post in mound, dug four pits and deposited char-

T. 25 R. 7 T. 26 R. 7

Omaha Reservation. Township 24 N. Range 7 E.

coal as per instructions for
corner to Sections 22. 23. 26 and 27.
The South ¼ of this line is on
the high prairie: the remainder is
on Middle Creek Bottom.
1st Rate Soil.

East on random line between sections
23 and 26. Var. 12° 10' East.
20.00 Set a post for temporary 1/16 Sec. Cor.
40.00 Set a post for " ¼ " "
60.00 Set a post for " 1/16 " "
79.94 Intersect Sec. line at the corner
of Sections 23. 24. 25. and 26. from
which corner B run
West on true line between
Sections 23 & 26. Var. 12° 10' East.
19.78½ Set a post in mound, dug four
pits and deposited charcoal for
1/16 Sec. Corner
39.97 Set a post in mound, dug four
pits and deposited charcoal
for ¼ Section Corner.
59.95½ Set a post in mound, dug
four pits and deposited
charcoal for 1/16 Sec. corner.
79.94. The corner to sections 22. 23.
26 & 27.
Middle Creek Bottom, Cowsland
1st Rate soil.

North between sections 22 & 23.
Va. 12° East.
20.00 Set a post in mound, dug
four pits and deposited
charcoal for 1/16 Sec. Corner.
40.00 Set a post in mound, dug four
pits and deposited charcoal
for ¼ Section corner.
60.00 Set a post in mound, dug four
pits and deposited charcoal.

6th Principal Meridian.

Chs.	
	for 1/16 Section Corner,
73.60	intersect right Bank of Middle Creek 80 lks wide — runs S 20° E.
77.60	Line touches West or right Bank of Creek.
80.00	Corner to Sections 14. 15. 22 & 23. in Middle Creek.
80.80	Set a Post, Raised mound, dug four pits and deposited charcoal for Witness Corner to Sections 14, 15. 22 & 23. This mound is on the left bank of Middle Creek. Level Creek Bottom & 1st Rate Soil.

X East, on a random line between Sections 14 & 23. Va. 12° E.

The Corner to Sections 14. 15. 22 & 23 is in Middle Creek.

Left Bank of Creek.

00.60	
3.00	Leave Middle Creek bottom & enter high Prairie, bears N & S.
20.00	Set a Post for temporary 1/16 Sec. Cor.
22.00	Leave high Prairie and Enter meadow, bears N. E. & S. W.
40.00	Set a Post for temporary 1/4 Sec. Corner.
42.00	Enter Marsh, covered with Water from one to two feet deep, bears N & S. - This marsh is nearly round.
60.00	Set a Post for temporary 1/16 Sec. Corner.
70.00	Leave Round Marsh and Enter high Prairie. — bears N & S.
80.00	intersect N & S line at the corner to Sections 13. 14. 23 and 24 from which corner I run West on a true line between Sections 14 and 23. Va. 12° East
20.00	Point for 1/16 Sec Corner.

T. 25 R. 7 T. 26 R. 7

15
280

Omaha Reservation. Township 24 N Range 7 E

	This I found it impracticable to establish a corner at this point because of the water which is here nearly two feet deep.
40.00	Set a post in mound, dug four pits and deposited charcoal for 1/4 Section Corner.
60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
80.00	The corner to Sections 14. 15. 22. and 23 in Middle Creek. 80 lks South of Witness corner. High Prairie and low bottom and marsh. The bottom is covered with a dense growth of grass and reeds. 1st Rate soil. Oct. 15. 1866.

+

North between Sections 14 & 15.
Var. 12° 15' East.

	The corner to Sections 14. 15. 22 & 23 is in Middle Creek.
00.80	Witness corner to Sections 14. 15. 22 and 23, on left bank of Creek.
2.00	Enter high prairie. bears S.E. & N.
18.00	Intersect Old Indian Trail, bears E & W.
20.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Section Corner.
40.00	Set a post in mound, dug four pits and deposited charcoal for 1/4 Sec. Corner.
60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
80.00	Set a post in mound, dug four pits and deposited charcoal for Corner to Sections 10, 11, 14 & 15. Rolling Prairie. Slopes beautifully. 1st Rate Soil.

the 6th Principal Meridian.

Chs. East on random line between
sections 11 & 14. Va. 12° East. (Changeable)
20.00 Set a post for temporary 1/16 Sec. Cor.
40.00 Set a post " " 1/4 Sec. Cor.
60.00 Set a post " " 1/16 " "
79.44 Intersect W & S line 35 links South of
the corner to Sections. 11. 12. 13 & 14.
from which corner I run
S. 89° 45' West on a true line
between sections 11 & 14. Va 12°. E.
19.86 Set a post in mound, dug four
pits and deposited charcoal
for 1/16 Section Corner.
39.72 Set a post in mound, dug four pits
and deposited charcoal for 1/4
Section Corner.
59.58 Set a post in mound, dug
four pits and deposited charcoal
for 1/16 Sec. Corner.
79.44 The corner to Sections 10. 11. 14 & 15.
The variation of the needle
was 1/4 degree greater in some
places, on the line, being very
changeable.
Rolling Prairie. 1st Rate Soil.

North between sections 10 & 11.
Var. 12° East.
20.00 Set a post in mound, dug
four pits and deposited
charcoal for 1/16 Section Corner.
40.00 Set a post in mound, dug
four pits and deposited charcoal for 1/4 Sec. Corner.
60.00 Set a post in mound, dug
four pits and deposited char-
coal for 1/16 Section Corner.
80.00 Set a post in mound,
dug four pits and deposited
charcoal for corner to Sections
2. 3. 10 & 11.
Rolling Prairie. 1st Rate Soil.

T. 25 R. 7 E. T. 26 R. 7 E.

"17
282

Omaha Reservation. Township 24 N. R. 7

Chs East on a random line between
Sections 2 & 11. Var. 12° East.
20.00 Set a post for temporary 1/16 Sec. Cor.
40.00 Set a post for " 1/4 Sec. Cor.
60.00 Set a post " " 1/16 " "
80.16 Intersect N & S line 35 links South
of the corner to Sections 1, 2, 11 & 12.
from which corner I run
South 89° 45' West on a true
line between Sections 2 & 11.
Va. 12° East.
20.04 Set a post in mound, dug four
pits and deposited charcoal for 1/16 Sec. Cor.
40.08 Set a post in mound, dug four
pits, and deposited charcoal for
1/4 Section corner.
60.12 Set a post in mound, dug four
pits and deposited charcoal
for 1/16 Section Corner.
80.16 The corner to Sections 2, 3, 10 & 11.
Rolling Prairie. 1st rate soil.

North between Sections 2 & 3.
Var. 11° 30' East.
20.00 Set a post for 1/16 Section Corner,
raised mound & dug four pits; also depos-
ited charcoal.
40.00 Set a post in mound, dug
four pits and deposited char-
coal for 1/4 Sec. Corner.
60.00 Set a post in mound, dug four
pits and deposited charcoal
for 1/16 Sec. Corner.
82.10 Intersect Sixth Standard Parallel
18.69 chains West of the Standard
Corner to Sections 3 4 & 35. T.
25 N. Range 7 E 6th Principal
Meridian; at which point
I set a post in mound,
dug three pits and deposited
charcoal as per instruct-
ions for closing corner to

T. R. 7 E. 6th Principal Meridian.

Chains Sections 2 & 3.
Rolling Prairie. 1st Rate Soil
October 17th 1866.

Begin at a point on the South
Boundary of the Omaha Reservation
at its intersection with the
Section line between Sections 33
& 34 — The same being a Post
in mound 73. 00 Chains North
of the South west Corner of Section 34
and run
North, between Sections 33 and 34 Fractional.
Var. 12° 40' East
7.00 Set a Post in mound, dug
four pits and deposited Char-
coal for corner to sections
27, 28, 33 & 34.
Rolling Prairie, Good, 2nd Rate Soil.

East on random line between
Sections 27 and 34.
Var. 12° East.
20.00 Set a Post for temporary 1/16 Sec. Corner
40.00 " " " " " 1/4 " "
60.00 " " " " " 1/16 " "
68.00 Intersect Water Course, bears N.E.
There was water in places - but no
current.
79.84 Intersect N & S line 30 links N.
of the corner to Sections 26-27
34 & 35. from which corner
I run.
N. 89° 27' W on true line
between Sections 27 & 34.
Var. 12° East.
19.96 Set a Post in mound, dug
four pits and deposited
charcoal for 1/16 Sec Corner.
39.92 Set a Post in mound, dug four
pits and deposited charcoal for
1/4 Section Corner.

T. 25 R. 7 E. T. 26 R. 7 E.

19
284

Omaha Reservation. Township 24 N. R. 7 E.

Chains	
59.88	Set a post in mound, dug four pits and deposited charcoal for 1/16 Section Corner,
79.84	The corner to Sections 27, 28, 33,
	& 34. High rolling Prairie.
	Soil Good. 2nd rate.
	North, between Sections 27 and 28.
	Va. 12° 15' East.
20.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Section Corner.
40.00	Set a post in mound, dug four pits and deposited charcoal for 1/4 Section Corner.
60.00	Set a post, raised mound, dug four pits and deposited charcoal for 1/16 Section Corner,
	At this point also leave high Prairie and Enter middle Creek bottom. Bears N. W. & S. E.
80.00	Set a post, raised mound, dug four pits and deposited Charcoal for corner to sections 21, 22, 27 & 28. high rolling Prairie, Except the N. 1/4 which is Middle Creek bottom Soil 1st, and good 2nd Rate,
	East on random line between Sections 22 & 27. Va. 12° 15' E.
21.00	Set a post for temporary 1/16 Sec. Cor.
40.00	" " " " " 1/4 " "
60.00	" " " " " 1/16 " "
79.86	Intersect N & S line 23 links South of the corner to Sections 22, 23, 26 & 27. from which corner a run
	South 89° 30' West, on a true line between Sections 22 & 27.
	Var. 12° 15' East.

the 6th Principal Meridian.

Chains	
17.96	Set a post, raised mound, dug four pits and deposited charcoal for 1/16 Section Corner.
39.93	Set a post, raised mound, dug four pits and deposited charcoal for 1/16 Section Corner.
59.89	Set a post, raised mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
79.86	The corner to Sections 21. 22. 27 & 28. Level bottom land, 1st Rate Soil. North, between Sections 21 & 22. Va. 12° 15' East.
20.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
40.00	Set a post in mound, dug four pits and deposited charcoal for 1/4 Section Corner as per instructions.
60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Section Corner.
67.50	Intersect Indian Trail, bears North & W.
68.70	Intersect Middle Creek, running East.
74.50	Enter dry Marsh, bears E & W.
75.50	Leave dry Marsh (or Slough) same bearing.
77.00	Enter dry Marsh, bearing N.E. & S.W.
78.00	Leave dry Marsh, bears N.E. & S.W.
80.00	Corner to sections 15, 16. 21 & 22. Established by a post, mound, four pits & Charcoal, as per instructions. Middle Creek Bottom. Surface level. Soil 1st Rate, October 20th 1866.

T. 25 R. 7 T. 26 R. 7

21.
286

Omaha Reservation. Township 24 N. R. 7. E

Chains	
	East on a random line between sections 15 and 22. Va. 12° East.
2,50	Enter marsh or dry Slough, bears N.E. & S. W.
4,50	Leave same — bears same.
7,50	Intersect Indian Trail, bears N & S.
8,50	Intersect Middle Creek — 80 lks Wide — banks 25 feet high — bottom muddy — runs N.E.
19,50	Again intersect Middle Creek running S. East.
20,00	Point for temporary 1/16 Sec. Corner in the creek.
25,00	Intersect Middle Creek the 3rd time — running N.E.
40,00	Set a post for temporary 1/4 Section Corner.
45,00	Again intersect Middle Creek running South East.
55,20	Intersect Middle Creek, running N.E. about four chains South of this intersection the creek divides its channel forming an island, covered with timber.
60,00	Set a post for temporary 1/16 Sec. Cor.
65,50	Intersect Middle Creek again and leave the island and timber; Creek runs S.W.
76,00	Intersect left bank of Middle Creek — running N 80 E.
80,28	Intersect N & S line 24 links North of the Point for corner to sections 14, 15, 22 & 23. — from which corner I run N. 89° 50' West on a true line between sections 15 & 22.
	Var. 12° East.
20,07	Set a post for 1/16 Section Corner raised mound

R. 7. E. the 6th Principal Meridian.

Chs.	dug pits and deposited charcoal. From this corner, A Box Alder, 10 inches in diameter, bears N. 66° W. 1.21 Chains. This tree was blazed, but not marked with the marking iron.
40.14	Set a post in mound, dug four pits and deposited charcoal for 1/4 Section Corner.
60.21	Corner to 1/16 Section in Middle Creek.
61.08	Set a post for witness corner to 1/16 Section, from which, A Box Alder 15 inches in diameter, bears N. 1° E. 100 links A Box Alder 6 inches in diameter bears N. 80° E. 163 links.
80.28	The corner to sections 15, 16, 21 & 22. On the island, formed by the dividing creek channel is a grove of timber, mostly Box alder; also thick undergrowth of vines and plum thickets. Several small clusters of trees near this line along Middle Creek. 1st rate soil.
	North Between Sections 15 & 16, Va. 11° 40' East.
9.00	Enter Slough (dry) Bears N.E. & S.W.
11.00	Leave " — " Same.
20.00	Set a post in mound for 1/16 Sec. Corner, dug four pits and deposited charcoal.
40.00	Set a post for 1/4 Section Corner in mound, dug pits and deposited charcoal as per instructions.
60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Section Corner.
80.00	Set post in mound, dug four pits and deposited charcoal for corner to Sections 9, 10, 15 and 16

T. 25 R. 7. T. 26 R. 7.

Omaha Reservation. Township 24 N. Range 7

Chs.	Level bottom land, 1st Rate soil.
	East, on a random line between Sections 10 & 15. Va. 12.° East
20.00	Set a Post for temporary 1/16 Sec. corner.
40.00	Set a Post for " 1/4 " "
60.00	" " " " " 1/16 " "
73.00	Leave Middle Creek bottom and enter high Prairie - bears S.W. & S.E.
80.00	Intersect N & S line 24 lks North of the corner to Sections 10. 11. 14 and 15. from which corner I run
	North 89° 30' West on a true line between Sections 10 & 15.
	Va. 12° East.
20.00	Establish the corner to 1/16 Section by a Post, mound, four pits and charcoal.
40.00	Set a Post, raised mound, dug four pits and deposited charcoal as per instructions for 1/4 Section Corner.
60.00	Set a Post in mound, dug four pits and deposited charcoal for 1/16 Section Corner.
80.00	The corner to sections 9, 10. 15 & 16. Middle Creek bottom - except a few chains at the East end of the line. 1st rate soil.
	North between Sections 9 & 10.
	Va. 11° 30' East.
20.00	Set a Post, raised mound, dug four pits and deposited Charcoal for 1/16 Sec. Corner.
40.00	Established 1/4 Section corner, by a Post; mound, four pits, and charcoal as per instructions.

E. of the 6th Principal Meridian.

Chains	
60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Section Corner
80.00	Established corner to Sections 3, 4, 9 & 10. Post, mound, four pits and Charcoal as per instructions. Level Creek Bottom. 1st Rate soil. At the North End of the line the Va. is 1 2° East.
	East on a random line between Sections 3 & 10. Va. 11°40' East.
20.00	Set a post for temporary 1/16 Section Corner.
25.00	Leave Creek bottom and enter high Prairie — bears N.W. & S.E.
40.00	Set a post for temporary 1/4 Sec. Cor.
60.00	" " " " " 1/16 " "
79.90	Intersect N & S line 15 lks North of Section Corner to Sections 2, 3, 10 & 11. Var. at the East End of this line is 11° 55' East.
	From the corner to Sections 2, 3, 10 & 11 & run N. 89° 52' W. on a true line between sections 3 & 10. Va. 11° 55' East.
19.97½	Set a post in mound, dug four pits and deposited charcoal for 1/16 Section Corner.
39.95	Set a post in mound, dug four pits and deposited charcoal for 1/4 Sec. Corner.
59.92½	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
79.90	The corner to sections 3, 4, 9 & 10. West end of line is on the middle Creek Bottom.

T.25 R.7. T.26 R.7.

Omaha Reservation. Township 24 N. R. 7 E.

Chains | The East End is very hilly and uneven. 1st rate and good 2nd rate soil.

North between sections 3 & 4.
Va. 12° 15' East.

5.00 | Leave Middle Creek bottom & enter high prairie bears E & W.

20.00 | Set a post in mound dug four pits and deposited charcoal for 1/16 Sec. Corner.

40.00 | Set a post in mound, dug four pits and deposited charcoal for 1/4 Sec. Corner.

60.00 | Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.

75.00 | Variation of the needle here, is 11° 55' East.

82.35 | Intersect Sixth Standard Parallel 15.15 Chains West of the Standard Corner to sections 33 and 34. T 25 N Range 7 E.
Set a post in mound, dug ~~four~~ two pits and deposited charcoal for closing corner to Sections 3 & 4.
High rolling prairie. 2nd & 1st rate soil.
Some parts of the line are very hilly.
Oct. 22nd 1866.

Begin at a point on the South Boundary of the Omaha Reservation at its intersection with the section line between the sections 32 and 33 — the same being a post in mound 73.25 Chains North of the Southwest corner of Section 33, and run
North between fractional sections 32 and 33.

6th Principal Meridian.

Chains	
	Var. 12° 15' East
6.75	Set a post in mound, dug four pits and deposited charcoal for corner D Sections 28. 29. 32 & 33. Rolling Prairie Gd. 2nd rate soil. East, on random line between Sections 28 & 33.
	Var. 11° 15' East.
20.00	Set a post for temporary 1/16 Sec. Cor.
40.00	" " " " " 1/4 " "
60.00	" " " " " 1/16 " "
79.92	Intersect N & S line 40 lks North of the corner D Sections 27. 28. 33 & 34 from which corner D runs
	N. 89° 43. West on a true line between Sections 28 & 33. Va. 11° 25' East.
19.98	Set a post in mound, dug four pits and deposited Charcoal for 1/16 Section corner.
39.96	Set a post in mound, dug four pits and deposited charcoal for 1/4 Sec. Corner, as per instructions.
59.94	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
79.92	The corner D sections 28, 29, 32 & 33.

The variation of the needle changes from 11° 15' at west end of the line to 11° 25' at the East end, as given in the field notes above.

Rolling Prairie.
1st & 2nd rate soil.

North between Sections 28 & 29.
Var. 12° 15' East.

T. 25 R. 7 W. T. 26 R. 7 W.

Omaha Reservation. Township 24 N.

Chains	
20,00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
38,75	Intersect brook 5 lks wide, running N.E. good water.
40,00	Set a post in mound, dug four pits and deposited charcoal for 1/4 Sec. Corner.
60,00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner. At same point intersect trail, bearing N.E. & S.W.
72,00	Intersect Brook five links wide, runs N.E.
80,00	Set a post in mound, dug four pits and deposited charcoal for corner to Sections 20. 21. 28 & 29.

Rolling Prairie. Good 2nd rate soil.

East on a random line, between Sections 21 and 28.

Va. 12° East.

16,50	A brook five links wide - runs N.E. Good water.
20,00	Set a post for temporary 1/4 Sec. Cor.
23,50	Trail, bears N & S.
40,00	Set post for temporary 1/4 Sec. Corner.
60,00	Set a post " " 1/16 " "
67,00	Enter Middle Creek bottom, bears N.W. & S.E.
87,00	Intersect N & S line 28 links North of the Corner to Sections 21. 22. 27 & 28. from which Corner 8 runs

N. 89° 48' West on a true line between Sections 21 & 28.

Va. 12° East.

20,00	Set a post, raised mound, dug four pits and deposited charcoal for 1/4 Sec. Corner.
40,00	Set a post in mound, dug four

Range 7 E. 6th Principal Meridian

Chs	pits and deposited charcoal for 1/4 Sec. Corner.
60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
80.00	The corner to Sections 20. 21. 28 and 29. Soil good, 2nd rate. Rolling Prairie — except the east end of the line which is in Middle Creek bottom.
	North, between Sections 20 & 21. Var. 12° 15' East.
20.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
40.00	Set a post in mound, dug four pits and deposited Charcoal for 1/4 Sec. Corner.
43.00	Indian Trail N.E. & S.W.
60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
80.00	Set a post in mound, dug four pits and deposited Charcoal for corner to sections 16. 17. 20 and 21. Rolling Prairie. Good 2nd rate soil.
	East, on a Random line between Sections 16 and 21. Var. 12° East.
20.00	Set a post for temporary 1/16 Sec. Corner.
38.00	Leave high Prairie and enter Middle Creek bottom, — bears N.W. & S.E.
40.00	Set a post for temporary 1/4 Sec. Cor.
60.00	" " " " " 1/16 " "
76.50	Middle Creek, running S.
80.04	Intersect N & S line 15

T.25.R.7. T.26.R.7.

29
294

Omaha Reservation. Township 24 N

Chs. Links North of the corner to
Sections 15. 16. 21 and 22
from which corner I run
N. 89°54' West on a
true line between Sections 16 & 21.
Var. 12° East.

20.01 Set a post in mound, dug four
pits and deposited charcoal
for 1/16 Sec. Corner.

40.02 Set a post in mound, dug four
pits and deposited charcoal for
1/4 Section Corner.

60.03 Set a post in mound, dug
four pits and deposited
charcoal for 1/16 Sec. Corner.

80.04 The corner to sections 16.
17. 20 and 21.
West End is high rolling prairie.
Good, 2nd rate soil.
East End, Middle Creek Bottom,
1st rate soil. Oct 23rd 1866.

North between Sections 16 and 17.
Var. 12° 40' East.

20.00 Set a post in mound, dug
four pits and deposited Char-
coal for 1/16 Sec. Corner.

25.00 Leave high prairie and enter
Middle Creek Bottom.
Bears N. W. & S. E.

40.00 Set a post in mound,
dug four pits and deposited
charcoal for 1/4 Sec. Corner.

60.00 Set a post in mound, dug
four pits and deposited charcoal
for 1/16 Sec. Corner.

71.50 Middle Creek, running N. 70° E.

75.00 Middle Creek, running S. 10° W.

80.00 Set a post in mound, dug
four pits and deposited
charcoal for Corner to

R. 7 E. 6th Principal Meridian.

Chains	
	Sections 8, 9, 16 and 17, South End is rolling prairie Good, 2nd rate soil. North End. Middle Creek bottom; 1st rate soil.
	East, on a random line between Sections 9 and 16. Va. 12° East,
00,75	Middle Creek, running South.
2,00	" " " North,
4,00	" " " South East.
20,00	Set a post for temporary 1/16 Sec. Corner.
40,00	" " " " " 1/4 " "
60,00	" " " " " 1/16 " "
80,00	Intersect N & S line 16 links North of the corner to Sections 9, 10, 15 and 16. from which corner I run North
	89° 53' West
	on a true line between Sections 9 and 16. Va, 12° East.
2,00	Set a post in mound, dug four pits and deposited Charcoal for 1/16 Sec. Corner.
40,00	Set a post in mound, dug four pits and deposited charcoal for 1/4 Sec. Corner.
60,00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
80,00	The Corner to sections 8. 9. 16. and 17.
	Middle Creek bottom, — Surface level — Soil 1st rate.
	North, between Sections 8 & 9. Va, 12° 15' East,
5,75	Intersect Middle Creek, running East,
20,00	Set a post in mound, dug four pits and deposited

T. 25 R. 7 E. T. 26 R. 7 E.

Omaha Reservation. — Township 24 N.

here	Chains 40.00	Charcoal for 1/16 Sec. Corner. Set a post in mound, dug four pits and deposited charcoal for 1/4 Sec. Corner.
	60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
	80.00	Set a post in mound, dug four pits and deposited charcoal for the corner to Sections 4. 5. 8 and 9. Bottom near Middle Creek. Surface — lowland, Soil. 1st rate.
		East on a random line, between Sections 4 + 9. Var. 12° 15' East.
	20.00	Set a post for temporary 1/16 Section Corner.
	40.00	Set post for temporary 1/4 Sec. Cor.
	60.00	" " " " 1/16 " "
	80.00	Intersect N. & S. line 5 2 links North of corner to Sections 3. 4. 9 + 10. from which I run, N. 89° 38' West, on a true line between Sections 4 + 9. Var. 12° 15' East.
	20.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
	40.00	Set a post in mound, dug four pits and deposited charcoal for 1/4 Sec. Corner.
	60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
	80.00	The corner to Sections 4. 5. 8 + 9. Level bottom 1st Rate soil.

For line bet Secs 4 + 5 see pg 33

Bet Secs 4 & 5 See page 33

T. 25 R. 7 E. of the Principal Meridian.

T.25R.7E.26R.7

33
298

Omaha Reservation. Township 24 N R. 7 E

Chains	North, between Sections 4 & 5. Var 12° 15' East.
2.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
30.00	Leave Middle Creek bottom and Enter high Prairie. Bears N. W. & S. E.
40.00	Set a post in mound, dug four pits and deposited charcoal for 1/4 Sec. Corner.
60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Section Corner.
82.03	intersect Sixth Standard parallel 17.82 chains west of the Standard corner to Sections 32 and 33. T. 25. N. R. 7. E.
	& set a post in mound, dug three pits and deposited charcoal for closing Corner to Sections 4 & 5. as per instructions. Middle Creek bottom & rolling Prairie.
	1st rate soil. Oct 24. 1866.

Begin at a point on the S. Boundary of the Omaha Reservation at its intersection with the Section line between Sections 31 & 32. — the same being a post in mound. 13.50 Chains North of the South West Corner of Section 32, and run.

North between fractional Sections 31 & 32. Var. 12° 15' E.

6.50 Set a post in mound, dug four pits and deposited charcoal for corner to Sections 29. 30. 31 & 32.

R. 7 E. 6th Principal Meridian.

Chains	
	Rolling Prairie. 2nd rate soil.
	East, on a Random line between Sections 29 & 32,
	Var. 12° East.
20.00	Set a post for temporary ¼ Sec. Cor. at same point a Sap Indian Trail, bears S.W. and N. East.
40.00	Set a post for temporary ¼ Sec. Cor.
60.00	" " " " " ¼ " "
80.24	Intersect N & S line 51 links North of the Corner to Sections 28, 29, 32 and 33. from which Corner I run,
	N. 89° 38' West on a True line between Sections 29 & 32, Var. 12° East.
20.06	Set a post in mound, dug four Pits and deposited charcoal for ¼ Sec Corner.
40.12	Set a post in mound, dug four Pits and deposited charcoal for ¼ Sec. Corner.
60.18	Set a post in mound, dug four pits and deposited charcoal for ¼ Sec. Corner,
80.24	The Corner to Sections 29, 30, 31, & 32, Rolling Prairie Good, 2nd rate Soil.
	West, on a Random line between Sections 30 & 31,
	Var. 11° 30' East.
20.00	Set a post for temporary ¼ Sec. Cor.
40.00	" " " " " ¼ " "
60.00	" " " " " ¼ " "
77.00	Intersect N & S line 70 lks South of the Corner to Sections 30, 31, 25 and 36, from which Corner I run,

T. 25 R. 7 W. T. 26 R. 7 W.

35
300

Omaha Reservation Township 29. N. R.

Chains	South 89° 29' East. On a true line between Sections 30 & 31. Va. 11° 30' East.
17.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
37.00	Set a post in mound, dug four pits and deposited charcoal for 1/4 Sec. Corner.
57.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
77.00	The Corner to Sections 29. 30, 31 & 32. Rolling Prairie. 1st & 2nd rate Soil.
	North, between Sections 29 & 30. Va. 12° 10' East.
20.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
40.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
80.00 *	Set a post in mound, dug four pits and deposited charcoal for corner to Sections 19, 20, 29 and 30.
	At same point cross Indian trail, bears N.E. & S.W.
	Rolling Prairie. Good. 2nd rate Soil.
	East, on a random line between sections 20 and 29. Va. 12° East.
20.00	Set a post for temporary 1/16 Sec. Cor.
40.00	" " " " temporary 1/4 Sec. Cor.
60.00	" " " " " 1/16 " "

* 54.50 dug four pits and deposited charcoal for 1/16 Sec Corner
60.00 Set post in mound dug four pits and deposited charcoal for 1/16 Sec Corner

T. E. the 6th Principal Meridian

Chs.	
80.10	Intersect N. & S. line 76 lks North of the corner to Sections 20. 21. 28 & 29. from which corner I run North 87° 27' West on a true line between sections 20 & 29. Va. 12° East.
20.02½	Set a post in mound, dug four pits and deposited charcoal for ¼ Sec. Corner,
40.05	Set a post in mound, dug four pits, and deposited charcoal for ¼ Section Corner,
60.07½	Set a post in mound, dug four pits & deposited charcoal
80.10	The corner to Sections 19. 20. 29. & 30. Rolling Prairie
	Soil. 1st & 2nd rate,
	West on a random line between Sections 19 & 30.
	Va. 11° 30' E.
20.00	Set a post for temporary ¼ Sec. Cor.
40.00	" " " " " ¼ " "
60.00	" " " " " ¼ " "
76.90	Intersect West boundary of Township 73 links South of the corner to sections 19 & 30, from which corner I run South 89° 27' E. on a true line between sections 19 & 30. Va. 11° 30. East.
16.90	Set a post for corner to ¼ Sec, raised mound, dug four pits & deposited charcoal,
36.90	Set a post for ¼ Sec. Cor. raised mound, dug four pits and deposited charcoal for ¼ Sec Cor
56.90	Set a post in mound, dug four pits and deposited charcoal for ¼ Sec. Corner,
76.90	The corner to Sections 19. 20.

T. 25 R. 7 E. T. 26 R. 7 E.

37
30 w

Omaha Reservation. Township 24 N. R. 7. E. of

Chains 29 and 30, Rolling prairie.
1st and 2nd rate soil.
North, between Sections 19. and 20.
R. 12° East.

20.00 Set a post in mound, dug four pits and deposited charcoal for 1/16 Section Corner.

40.00 Set a post in mound, dug four pits and deposited charcoal for 1/4 Sec. Corner.

60.00 Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.

80.00 Set a post in mound, dug four pits & deposited charcoal for Corner to Sections 17, 18, 19 and 20.
Very rolling Prairie.
2nd Rate soil.

East, on a random line between Sections 17 and 20.
Va. 12° East.

20.00 Set a post for temporary 1/16 Sec. Corner
40.00 " " " " " 1/4 " "
60.00 " " " " " 1/16 " "
80.16 Intersect N & S line 64 links North of the corner to Sections 16, 17, 20 & 21. from which corner a run North 89° 33' west on a true line between sections 17 and 20.
Va. 12° East.

20.04 Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. corner
40.08 Set a post in mound, dug four pits and deposited charcoal for 1/4 Section corner.
60.12 Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.

T. 8 of the 6th Principal Meridian.

Chains	
80.16	The corner to Sections 17, 18, 19, & 20. Rough prairie. Soil 2nd rate.
	Weston a random line between Sections 18 & 19. Va. 11° 20' East.
20.00	Set a post for temporary 1/16 Sec. corner,
21.50	Slough 8 links wide — bears N. & S.
40.00	Set a post for temporary 1/4 Sec. Cor.
60.00	" " " " 1/16 " "
77.10	Intersect West Boundary of Township 90 links South of the corner of Sections 18 & 19. from which corner I ran South 89° 20' East.
	on a true line between Sections 18 & 19. Va. 11° 20' East.
17.10	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec corner.
37.10	Set a post in mound, dug four pits and deposited charcoal for 1/4 Sec. corner.
57.10	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
77.10	The corner to Sections 17, 18, 19 and 20. Rolling prairie, 1st & 2nd rate soil. Oct. 26th 1866.
	North, between sections 17 & 18. Va. 12° East.
20.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. corner
40.00	Set a post in mound, dug four pits and deposited charcoal for 1/4 Sec corner.
58.00	Leave high rolling prairie and enter Middle creek

T. 25 R. 7 T. 26 R. 7

89
304

Omaha Reservation. Township 24 N.

Chains	
60.00	Bottom — bears N.W. & S.E. Set a post for 1/16 Sec. Corner. Dug four pits — raised mound & deposited charcoal.
81.00	Set a post in mound, dug four pits and deposited charcoal for corner to sections 7. 8. 17 & 18. Rolling Prairie & Middle Creek Bottom, 1st & 2nd rate soil.
	East, on a random line, between Sections 8 & 17. Va. 12° East.
20.00	Set a post for temporary 1/16 Sec. Cor.
40.00	" " " " " 1/4 " "
55.50	Middle Creek, running S.E.
57.00	" " " North.
60.00	Set a post for temporary 1/16 Sec. Cor.
70.00	Middle Creek, running S.E.
73.00	" " " North
80.00	Intersect N.S line 64 lks north of the corner to Sections 8. 9. 16 & 17, from which corner I run, N. 89° 33' West, on a true line between Sections 8 & 17. Va. 12° East.
20.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
40.00	Set a post in mound, dug four pits and deposited charcoal for 1/4 Sec. Corner.
60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corn.
8000	The Corner to Sections 7. 8. 17 & 18. Middle Creek Bottom, Surface, low and level, Soil, 1st rate.

R. 7. E. 6th Principal Meridian

Chs.	West. on a random line between sections 7 & 18. Var. 11° 10' East
18.00	Leave Middle Creek Bottom & enter high, rolling prairie. — bears N. W. & S. E.
20.00	Set a post for temporary 1/16 Sec. Cor.
40.00	" " " " " 1/4 " " " — at same point enter meadow or arm of bottom land, — bears N & S.
48.50	Leave Meadow — bears N & S.
60.00	Set a post for temporary 1/16 Sec. Cor.
62.00	Again enter Middle Creek bottom — bears N. E. & S. W.
76.84	Intersect N & S line (West Boundary of Township) 99 links South of the corner to sections 7 & 18. from which corner I run South, 87° 19' E. on a true line between Sections 7 & 18. Var. 11° 10' East.
16.84	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
36.84	Set a post in mound, dug four pits and deposited charcoal for 1/4 Section Corner
56.84	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
76.84	The Corner to Sections 7. 8. 17 & 18. This line is near the foot of high prairie. Moderately rolling. 1st rate Soil.
	North, Between sections 7 & 8, Var. 12° E.
20.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
40.00	Set a post in mound, dug

T. 25 R. 7. T. 26 R. 7.

41
306

Omaha Reservation Township 24 N.

Chains	
	four pits and deposited Marcoal for 1/4 Section Corner.
60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Cor,
74.50	Middle Creek, running S. 30° E
80.00	Set a post in mound, dug four pits and deposited charcoal for corner to Sections 5. 6. 7 & 8.
	Level bottom land.
	1st Rate soil.
	East, on a random line between Sections 5 & 8. Var. 11° 45' East.
20.00	Set a post for temporary 1/16 Sec. Cor,
40.00	" " " " " 1/4 " "
60.00	" " " " " 1/16 " "
79.82	Intersect N & S. line 50 links North of the corner to Sections 4, 5, 8 and 9. from which corner I run
	North 89° 39' West on a true line between Sections 5 & 8
	Var. 11° 45' East.
19.95½	Set a post in mound, dug four pits, and deposited charcoal for 1/16 Sec. Corner,
39.91	Set a post in mound, dug four pits and deposited charcoal for 1/4 Sec. Corner.
59.86½	Set a post in mound, dug four pits and deposited charcoal for 1/16 Section Corner,
79.82	The Corner to Sections 5, 6, 7 & 8.
	Level Bottom — 1st Rate soil.
	West on a random line between Sections 6 & 7.
	Var. 11° East.
12.50	Intersect Middle Creek running South West 80 lks wide. This Creek bends S.W. about 150 chains and receives the

R. 7. E. 6th Principal Meridian

Chains	
	mouth of a Creek or Slough-
	20 & 40 lks wide — running nearly
	East.
20.00	Set a post for temporary 1/16 Sec. Cor.
40.00	" " " " " 1/4 " "
60.00	" " " " " 1/16 " "
60.50	Intersect Stream 40 lks wide,
	15 inches deep — Sluggish
	current. Channel grown
	up to wild rice; runs S.E.
76.98	Intersect West Boundary of Town-
	ship 94 lks South of the corner
	to Sections 7 & 6. from which
	Corner I run
	South 89° 18' East on a
	true line between Sections
	6 & 7. Var. 11° East.
16.98	Set a post in mound, dug four
	pits and deposited charcoal
	for 1/16 Sec. Corner.
36.98	Set a post in mound, dug four
	pits and deposited charcoal
	for 1/4 Sec. Corner.
56.98	Set a post in mound, dug
	four pits and deposited
	charcoal for 1/16 Sec. Corner.
76.98	The Corner to sections 5. 6. 7 & 8.
	Level bottom land,
	1st rate soil.
	North, between Sections 5 & 6.
	Var. 11° 45' East.
11.00	Middle Creek, — running West.
20.00	Set a post in mound, dug
	four pits and deposited
	charcoal for 1/16 Sec. Corner.
23.50	Middle Creek, running S.E.
27.00	Enter dry Slough — a bayou — bears
	N.E. & S.W.
30.00	Leave Same, bears N.E. & S.W.
38.00	Var. 11° 35' East.

T.25.R.7. T.26.R.7.

43
308

Omaha Reservation T. 24. N. R. 7 E. 6th Principal

Chains	
40.00	Set a post in mound, dug four pits and deposited char coal for 1/4 Section Corner.
51.00	Enter dry Slough — bears E. & W.
53.00	Leave Same — bears Same.
57.50	Enter dry Slough (Same one) bears N. E. & S. W.
59.75	Leave Same — bears same.
60.00	Set a post in mound, dug four pits and deposited char coal for 1/16 Sec. Corner.
68.00	Foot of hill
74.00	Top of Slope a hill.
80.90	~~Intersect~~ Sixth Standard Parallel 17.45 Chains west of the Standard Corner to Sections 31 & 32. T. 25 N. R. 7 E. Set a post in mound, dug three pits and deposited char coal for closing corner to Sections 5 & 6. Bottom - Sloughs & high prairie. 1st Rate soil. Oct 27, 1866.

General Description.

Except a few small groves along Middle Creek, this Township is Entirely Prairie.

Middle Creek is a ~~crooked~~, rapid stream from 50 & 80 lks wide, with muddy bottom & steep banks from 20 to 30 feet high. In Extreme high Water it Evidently overflows its banks. The bottom near Middle Creek is level, and, in places, low, being, in a Wet season, but little better than a meadow or marsh.

Some portions, however, are dry enough for Plough land.

It has a first rate soil and is covered with a dense

Meridian,

growth of grass and weeds.
The remainder of the Township has little variety, being high, rolling prairie, with a first and second rate soil.

List of Names.

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the foregoing field notes of Township No 24, North of the base line, of Range No. 7. East of the 6th Principal Meridian, Showing the respective capacities in which they acted,

A Englebright. Chainman
Chas W King "
Geo W Eggleston "
Edwin D Benjamin "
H. Archambault Mound Builder
Fred'k Gearwick. Mound Builder
J.W. Smith. Axman & Chainman
L. G. Reynolds Flagman
J.K. Wells "
Richard Cronk. Compassman

We hereby certify that we assisted Theo F. Barrett, U.S. Surveyor, in surveying the Exterior Boundaries and subdividing that portion of Township number Twenty four North of the base line, & Range number Seven East of the Sixth Principal Meridian — Embraced within the limits of the Omaha Indian Reservation, and that said Fractional Township has been, in all respects, to the best of our knowledge and belief, well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Commissioner of the General Land Office.

A Englebright, Chainman.
Chas W King "
George W Eggleston "
H. Archambault, Mound Builder
Frederick Gearwick " "
J.W. Smith, Chainman & Axman.
L.G. Reynolds, Flagman
Jno R Wells "
Richd Cronk Compassman.

Territory of Nebraska }
Burt County } Subscribed and sworn to by the above named persons, before me this 8th day of December, 1866.

Stamp

Albert White.
Justice of Peace.

T.25.R.7. T.26.R.7.

45
310

I, Theodore H Barrett, U.S. Surveyor, do solemnly swear that in pursuance of a contract with J. M. Edmunds, Commissioner of the General Land Office, of the United States, bearing date the 14th day of Aug, 1866, and in strict conformity to the laws of the United States and the instructions furnished by the said Commissioner of the General Land Office, I have faithfully surveyed the Exterior boundaries, and Subdivision Section lines of that portion of Township number twenty four, North of the base line of Range number Seven East of the Sixth Principal Meridian, embraced within the boundaries of the Omaha Indian Reservation in the territory of Nebraska, and do further solemnly swear that the foregoing are the true and original field notes of such survey.

Theodore H Barrett.
U.S. Surveyor.

Stamp

Subscribed by said Theodore H Barrett, U.S. Surveyor, and sworn to before me a Justice of the Peace for Whiteside County, in the State of Illinois this 23rd day of January, 1867.

R. S. Mangan
Justice of the Peace.

Department of the Interior.
General Land Office.
March, 4th 1867.

The foregoing field notes of the survey of the exterior and subdivision lines of Tract No Township 24 North, Range 7 East 6th Principal Meridian, Nebraska, executed by Theo H Barrett, under his contract of the 14th of August 1866, in the month of October 1866, having been critically examined and the necessary corrections and explanations made, the said field

notes and the surveys they describe,
are hereby approved,

Jos S Wilson,
Commissioner

Department of the Interior
General Land Office
July 14, 1871

I hereby certify that the foregoing field
notes, are true Copies of the Originals
on file in this Office.

Wm. Dennison
Commissioner

T. 25 R. 7. T 26 R 7

47
312

Compared and corrected

No 2 - R 7

No. 11

48
313

Field Note Book No 2.

Omaha Indian Reservation

Township 24 North
of
Range 7 East of the
6th Principal Meridian
State of Nebraska

Subdivision under Ju Instructions

Subdivision of Sections.

Page 48 to 84

T. 25 R. 7 E. T. 26 R. 7 E.

49
314

3/5 50

Omaha Reservation

T. 24 N Range 7 East 6th P. M.

Field notes of the subdivision of sections in that portion of Township 24 North of Range 7 East of the 6th Principal Meridian embraced within the Omaha Indian Reservation in the Territory of Nebraska by Theodore H. Barrett U. S. Surveyor under his contract bearing date the 14th day of August 1866.

Subdivisions of Sections
Commenced October 17th 1866.
and Completed October 29th 1866.

List of Names

A List of names of the individuals employed to assist in surveying, measuring & Marking the lines and corners described in the following Field Notes of the subdivision of sections in that portion of Township 24 N. Range 7 East of the 6th Principal Meridian, embraced within the boundaries of the Omaha Indian Reservation, showing the respective capacities in which they acted

A. Engelbright	Chainman
Chas W. King	do
George Eggleston	do
Edwin D. Benjamin	do
H. Archambault	Mound Builder
Fredrick Gearwick	do
J. W. Smith	Axeman & Chainman
L. G. Reynolds	Flagman
John R. Wells.	do
Richard Cronk	Compassman

T. 25 R. 7 T. 26 R. 7

2/51/316

Omaha Reservation

Township 24 N Range 7

chs

Subdivisional of Fractional Section 36

Begin at a point on the south Boundary of the Omaha Reservation where the quarter section line running North through Section 36 intersects Said Boundary. the same being a post in mound - and run North on the quarter section line through Fractional Section 36.
Variation 12° East

7.80 Intersect the East and West Section line at the quarter section corner between Sections 25 and 36.
Middle Creek Bottom 1st rate soil

Subdivision of Section 25

North on the quarter Section line through Section 25 Variation 12° 15' East

20.00 Set a post in mound dug four pits and deposited Charcoal for 1/16 Section Corner

40.00 Set a post in mound dug four pits and deposited Charcoal for 1/4 Section Corner

60.00 Set a post in mound dug four pits And deposited Charcoal for 1/16 Section Corner

67.30 Intersect right bank of Middle Creek 70 links wide running South East

70.00 Intersect Left bank of Middle Creek running South West

80.00 Intersect North boundary of the Section at the 1/4 Section Corner.
Middle Creek bottom. Low and level Soil 1st rate

East of 6th Principal Meridian

3
5 2
3 17

	Srs	East on a random quarter section line through section 25
		Variation 12° 15' East
20.00		Set a post for temporary 1/16 Section corner
39.97½		Intersect N & South quarter section line
60.00		Set a post for temporary 1/16 Section Corner
79.95		Intersect East Boundary of the Section 13 Links North of the 1/4 Section Corner from which quarter section corner 9 mrs North 89° 54' West on a true quarter section line through Section 25
		Variation 12° 15' East
19.98¾		Set a post in mound dug four pits and deposited Charcoal for 1/16 Section Corner
79.95		The quarter section corner between sections 25 and 26
		Middle creek bottom low and level, Soil 1st rate

39.97½ Intersect N. & S. 1/4 section line at 1/4 Sec Corner
59.96¼ Set a post in mound dug four pits and deposited Charcoal for 1/16 Section Corner

Subdivision of Section 24

	North on the quarter section line through Section 24.
	Variation 12° 15' East
.50	Intersect right bank of Middle Creek mrs East
20.00	Set a post in mound and dug four pits, and deposited Charcoal for 1/16 Section Corner
40.00	Set a post raised mound dug four pits and deposited Charcoal for 1/4 Section Corner
60.00	Set a post raised mound dug four pits and deposited Charcoal for 1/16 Sec Corner
62.00	Leave Middle creek bottom and enter high Prairie bears N.W. and S.E.
80.00	Intersect North boundary of the Section at the quarter Section Corner — Middle Creek bottom and rolling Prairie, Soil 1st rate

T. 25 R. 7. T. 26 R. 7.

4
53
318

Township 24 North Range 7

East on a Random quarter section line through Section 24.
Variation 12° 15' East

20.00 Set a post for Temporary 1/16 Section Corner
39.95 1/2 Intersect North & South quarter section line
55.00 Leave Dry bottom land and enter Meadow, bears South East and North West
60.00 Set a post for temporary 1/16 Section Corner
65.00 Leave Meadow and enter high rolling prairie. bearing N. W. & S. E.
79.91 Intersect East boundary of the section 41 links North of the 1/4 Section Corner from which quarter section Corner I run North 89° 42 West on a true quarter Section line through Section 24
19.97 3/4 Set a post in Mound dug four pits and deposited charcoal for 1/16 Sec Corner
39.95 1/2 Intersect N. & S. 1/4 section line at the 1/4 Sec Cor.
59.93 1/4 Set a post in Mound. dug four pits and deposited Charcoal for 1/16 Sec Corner
79.91 The quarter section Corner between sections 23 and 24.
Rolling Prairie and Middle Creek bottom 1st rate soil
October 17th 1866

Subdivision of Section 13
North on the quarter section line through Section 13
Variation 12° East
6.00 Indian trail bears East & West
20.00 Set a post raised Mound dug four pits and deposited charcoal for 1/16 Section Corner
40.00 Set a post raised mound dug four pits and deposited charcoal for 1/4 Section Corner
60.00 Set post raised mound. dug four pits and deposited charcoal for 1/16 Sec Corner
80.00 Intersect the North Boundary of the Section at the 1/4 Section Corner.
Rolling Prairie 1st and 2d Rate Soil

East of 6th Principal Meridian

Chains	East on a random quarter section line through Section 13
	Variation 12° East
20.00	Set a post for temporary 1/16 Section corner
39.98	Intersect North & South quarter section line
60.00	Set a post for temporary 1/16 Section corner
79.96	Intersect the East Boundary of the section 15 links North of the quarter section corner from which corner I own North 89° 3/4 West on a true quarter Section line through Section 13.
	Variation 12° East
19.99	Set a post in mound dug four pits and deposited charcoal for 1/16 Section corner
39.98	Intersect N & S. quarter section line at 1/4 Section corner
59.97	Set a post in mound dug four pits and deposited Charcoal for 1/16 Section corner
79.96	The quarter section corner between sections 13 & 14.
	Rolling prairie. 1st & 2d rate soil

Subdivision of Section 12.

North on the quarter Section line through Section 12. Variation 12° East

20.00	Set a post in mound. dug four pits and deposited charcoal for 1/16 Section corner
40.00	Set a post in mound. dug four pits and deposited charcoal for 1/4 Section corner
60.00	Set a post in mound dug four pits and deposited charcoal for 1/16 Section corner
80.00	Intersection the North Boundary of the Section at the 1/4 Section corner

Rolling Prairie 1st and 2d Rate soil

T. 25 R. 7. T. 26 R. 7.

6
55
320

Township 24 North Range 7

chains — East on a Random Quarter Section line through Section 12. Variation 12° East.

20.00 — Set a post for temporary 1/16 Section corner

39.97 — Intersect N. & S. 1/4 Section line

60.00 — Set a post for temporary 1/16 Section corner

79.94 — Intersected N. & S. line 35 links South of the 1/4 Section corner on the East side of the Section from which quarter section corner I run

North 89° 45' West on a true quarter Section line through Section 12. Variation 12° East

19.98½ — Set a post raised Mound dug four pits and deposited charcoal for 1/16 Sec. Cor.

39.97 — Intersect N. & S. 1/4 Section line at 1/4 Section corner

59.95½ — Set a post in Mound dug four pits, and deposited charcoal for 1/16 Section corner

79.94 — The quarter Section corner between Sections 11 & 12.

Rolling Prairie. 1st and 2d Rate Soil.

Subdivision of Section 1.

North on the quarter Section line through Section 1. Variation 12° 15' East

20.00 — Set post raised Mound. dug four pits and deposited charcoal for 1/16 Sec Cor.

40.00 — Set post raised Mound. dug four pits and deposited charcoal for 1/4 Section Corner

60.00 — Set post raised Mound dug four pits and deposited charcoal for 1/16 Sec. Corner

74.50 — Enter Meadow bears North East & South West

80.00 — Leave Meadow bears East and West

81.06 — Intersect Sixth Standard Parallel 21.20 chains East of the Standard Corner to Sections 35 & 36, Township 25 North Range 7 East.

Rolling prairie 1st and 2d Rate soil

East of 6th Principal Meridian

chains	East on a random quarter section line through Section 1. Variation 12° East
20.00	Set a post for temporary 1/16 Sec. corner
40.02	Intersect N. & S. 1/4 Section line
60.00	Set a post for temporary 1/16 Section corner
80.04	Intersect East Boundary of the section, 21 links North of the quarter section corner from which 1/4 Section corner I run North 89° 51' West on a true quarter section line through Section 1 Variation 12° East
20.01	Set a post raised mound, dug four pits and deposited charcoal for 1/16 section corner
40.02	Intersect N. & S. 1/4 Section line at the quarter Section corner.
60.03.	Set a post raised mound, dug four pits and deposited charcoal for 1/16 Section corner
80.04	The quarter Section corner between Sections 1 and 2,

Rolling Prairie. 1st and 2d Rate Soil
October 18th 1866

Subdivision of Fractional Section 35

Begin at a point on the South Boundary of the Omaha Reservation where the quarter Section line running North through Section 35, intersects said Boundary the same being a post in Mound - and run North on the quarter Section line through Section 35

Variation 12° 10' East

7.40	Intersect the North boundary of the Section at the 1/4 Section corner

High Prairie 1st & 2d rate soil

Subdivision of Section 26.

North on the quarter Section line through Section 26
Variation 12° 10' East

T.25.R.7. T.26.R.7.

8
57
372

Township 24 North Range 7 East

Chains	
1.00	Enter middle creek bottom bears E & W.
20.00	Set a post raised Mound dug four pits and deposited Charcoal 1/16 Sec. Corner
40.00	Set a post raised Mound. dug four pits & deposited charcoal for 1/4 Section Corner
60.00	Set post raised mound dug four pits and Deposited Charcoal for 1/16 Section Corner
80.00	Intersect the North boundary of the Section at the quarter section corner Middle Creek bottom 1st rate Soil
	East on a Random quarter section line through section 26.
	Variation 12° 10' East
20.00	Set a post for temporary 1/16 Section Corner
40,05 1/2	Intersect N & S. quarter section line
60.00	Set a post for temporary 1/16 Section Corner
80 11	Intersect East Boundary of the Section at the quarter section Corner. from which Quarter Section Corner I run West on a true quarter section line through Section 26
	Variation 12° 10' East
20.02 3/4	Set a post raised Mound and dug four pits and deposited. Charcoal for 1/16 Sec. Cor,
40,05 1/2	Intersect N & S 1/4 section line at 1/4 Section Corner
60,08 1/4	Set a post. raised a mound dug four pits and deposited charcoal for 1/16 Section Corner
80.11	The quarter section Corner between sections 26 & 27 Middle Creek bottom 1st rate soil
	Subdivision of Section 23
	North on the quarter Section line through Section 23
	Variation 12° East
20.00	Set a post in Mound. dug four pits and deposited Charcoal for 1/16 Section corner
20.20	Intersect right bank of Middle Creek 75 links wide running East

East

6th Principal Meridian

chains	
40.00	Set post raised mound dug four pits and deposited charcoal for 1/4 Section corner
60.00	Set post raised mound dug four pits and deposited charcoal for 1/16 Section corner
80.00	Intersect the North Boundary of the Section at the Quarter Section Corner
	East on a random quarter section line through Section 23
	Variation 12° 10' East
20.00	Set a post for temporary 1/16 Section Corner
32.50	Intersect Middle Creek running South
39.98 1/2	Intersect N & S 1/4 Section line
60.00	Set a post temporary 1/16 Section corner
79.97	Intersect East Boundary of the Section 51 links South of the 1/4 Section Corner from which Quarter Section Corner I run
	South 89° 38' West on a true quarter Section Corner line through Section 23.
	Variation 12° 10' East
19.99 1/4	Set a post in mound. dug four pits and deposited charcoal for 1/16 Section Corner
39.98 1/2	Intersected North & South quarter section line at the quarter section corner
59.97 3/4	Set a post raised mound. dug four pits and deposited charcoal for 1/16 Sec. Corner
79.97	The quarter section corner between Sections 22 & 23. Level Middle Creek bottom 1st rate soil
	Subdivision of Section 14
	North on the quarter Section line through Section 14
	Variation 12° 15' East
15.00	Leave Middle creek bottom and enter high prairie. bears East and West
19.00	Indian Trail bears East and West
20.00	Set a post raised a mound. dug four pits deposited charcoal for 1/16 Sec Corner

T. 25 R. 7. T. 26 R. 7.

10
59
324

Township 24 North Range 7

Chains

40.00 Set post raised mound dug four pits and deposited charcoal for 1/4 Section Corner

60.00 Set post raised mound. dug four pits deposited charcoal for 1/16 Section Corner

80.00 Intersect the North Boundary of the Section at the Quarter section Corner
Middle Creek bottom, and high rolling Prairie 1st and 2d rate soil
October 19th 1866

East on a random quarter section line through section 14
Variation 12° East

20.00 Set a post for temporary 1/16 Sec corner

39.86 Intersect N. & S. quarter section line.

60.00 Set a post for tempory 1/16 Section Corner

79.72 Intersect East Boundary of the section 35 links North of the quarter section corner from which quarter section corner I run
North 89° 45' West on a true quarter section line through section 14
Variation 12° East

19.93 Set post raised mound dug four pits and deposited charcoal for 1/16 Sec Cor

39.86 Intersect N. & S. quarter section line at the quarter section Corner

59.79 Set post raised mound. dug four pits and deposited charcoal for 1/16 Section Corner.

79.72 The quarter section corner on the west Boundary of the section
Moderately Rolling prairie
good 2d rate soil

Subdivision of Section 11.

North on the quarter section line through Section 11.
Variation 12° East

East of 6th Principal Meridian

11
60
325

Chains

20.00 Set a post in mound dug four pits and deposited charcoal for 1/16 Section Corner

40.00 Set post raised mound dug four pits and deposited charcoal for 1/4 Section Corner

60.00 Set post raised mound dug four pits & deposited charcoal for 1/16 Section Corner

80.00 Intersect the North boundary of the section at the Quarter section Corner

Rolling prairie good 2d Rate soil

East on a random quarter section line through Section 11

Variation 12° East

20,00 Set post for temporary 1/16 Section Corner

39.90 Intersect S. & S. 1/4 Section line

60.00 Set a post for temporary 1/16 Section Corner

79.80 Intersect S. & S. line 15 links North of the 1/4 Section Corner between sections 11 & 12 from which 1/4 Section Corner Bears

North 89° 54' West on a true quarter section line through Section 11

Variation 12° East

19.95 Set post raised mound. dug four pits and deposited charcoal for 1/16 Section Corner

39.90 Intersect S. & S. 1/4 Section line at the 1/4 Section Corner,

59.85 Set post raised mound dug four pits & deposited charcoal for 1/16 Section Corner,

79.80 The 1/4 Section Corner on the West Boundary of the Section

Rolling Prairie good 2d Rate soil

T. 25 R. 7.

T. 26 R. 7.

12
61
326

Township 24 North Range 7 East

Chains	
	Subdivision of Section 2
	North on the quarter Section line through Section 2 Variation 12° 10' East
20.00	Set post raised mound dug four pits and deposited charcoal for 1/16 Section Corner
40.00	Set post raised Mound dug four pits and deposited Charcoal for 1/4 Section Corner
60.00	Set post raised Mound dug four pits and deposited Charcoal for 1/16 Section Corner
81.86	Intersected Sixth Standard Parellel 21.20½ chains East of the Standard Corner to sections 34 and 35 Township 25 North Range 7 East 6th Principal Meridian at which point of intersection I set a post raised Mound dug three pits and deposited charcoal for closing 1/4 section Corner
	Rolling prairie good 2d rate soil
	East on a random quarter section line through Section 2
	Variation 12° East
20.00	Set a post for Temporary 1/16 Section Corner
39.98 3/4	Intersect North & South 1/4 Section line
60.00	Set a post for temporary 1/16 Section Corner
79.97½	Intersect East boundary of the section 36 links South of the 1/4 Section Corner from which 1/4 Section Corner I run
	South 89° 45' West on a true quarter section line through Section 2. Variation 12° East
19.99 3/8	Set a post raised Mound dug four pits and deposited Charcoal for 1/16 Section Corner
39.98 3/4	Intersected N. & S. quarter Section line at the Quarter Section Corner
59.98 1/8	Set post raised Mound dug four pits and deposited Charcoal for 1/16 Sec. Corner
79.97½	The 1/4 Section Corner on the west boundary of the Section
	Rolling Prairie good 2d Rate soil
	October 20th 1866

of 6th Principal Meridian

chains Subdivision of Fractional Section
34.
Begin at the point where the quarter
Section line running North through
Section 34. intersects the South
Boundary of the Omaha Reservation
the same being a post in mound,
and run North on quarter Section
line through Fractional Section 34.
Variation 12° 10' East
7.10 Intersect North boundary of the Section
At the quarter section corner.
Rolling Prairie 2nd rate Soil

Subdevision of Section 27.
N. on ¼ Sec line through Sec 27. Variation 12° 10' East
19.50 Intersect Dry run bears N.W. & S.E.
20.00 Set a post. raised Mound dug four
pits and deposited charcoal for 1/16 Sec Corner,
40.00 Set post raised Mound. dug four pits
and deposited charcoal for ¼ Section Corner,
55.00 Leave high prairie and enter Middle
Creek bottom bears East & West
60.00 Set post raised mound dug four pits
and deposited charcoal for 1/16 Section Corner.
80.00 Intersect the North boundary of the
Section at the quarter Section Corner
Rolling Prairie & Middle creek bottom
1st and 2d Rate Soil
East on a random quarter section line
through Section 27.
Variation 12° 10' East
20.00 Set a post for temporary 1/16 Section Corner
35.50 A Dry run bears North & South
39.92½ Intersect North & South quarter Section line
60.00 Set a post for temporary 1/16 Section Corner
79.85 Intersect East Boundary of the Section 7
links north of the ¼ Section Corner. from
which quarter section corner I run
North 89° 57' West on a true ¼ Section line
through Section 27.
Variation 12° 10' East

T.25.R.7. T.26.R.7.

14
63
328

Township 24 North Range 7 East

Chains

19.96¼ Set post raised mound. dug four pits and deposited charcoal for ¼6 Section corner

39.92½ Intersect N. & S. ¼ Section line at the ¼ Section Corner

59.88¾ Set post raised mound dug four pits and deposited Charcoal for ¼6 Section Corner

79.85 The ¼ Section Corner on the West Boundary of Section 27

Rolling prairie and Middle creek bottom 1st and 2d rate soil

Subdivision of Section 22.

North on the quarter section line through Section 22 Variation 17° East

20.00 Set post raised mound dug four pits and deposited Charcoal for ¼6 Sec. Corner

40.00 Set post raised mound dug four pits and deposited Charcoal for ¼ Section Corner

60.00 Set a post in mound. dug four pits and deposited Charcoal for ¼6 Section Corner

80.00 Intersect the North Boundary of the Section at the ¼ Section Corner Middle creek bottom. 1st rate soil

East on a random quarter section line through Section 22.

Variation 12° East

20.00 Set a post for temporary ¼6 Sec. Corner

40.03½ Intersect N. & S. ¼ Section line

60.00 Set a post for temporary ¼6 Sec. Corner

80.07 Intersect the East Boundary of the Section 7 links north of the ¼ Section Corner from which ¼ Section Corner bears

North 89° 56' West on a true ¼ Section line through Section 22

Variation 12° East

20.01¾ Set post. raised Mound. dug four pits and deposited Charcoal for ¼6 Section Corner

of 6th Principal Meridian

Chains

40.03½ Intersect North and South quarter Section line at the quarter Section corner

60.05¼ Set a post in mound dug four pits and deposited charcoal for ¼ Section Corner

80.07 The ¼ Section corner on the West Boundary side of the section

Level. Middle Creek bottom 1st rate soil

October 22. 1866

Subdivision of Section 15

North on the quarter section line through Section 15

Variation 12° East

6.00 Middle Creek running North East

18.00 Indian trail bears S 75° E. & N 75° W.

20.00 Set post. raised Mound. dug four pits and deposited Charcoal for ¼ Sec. Corner

40.00 Set post. raised Mound and deposited charcoal for ¼ Section Corner.

60.00 Set post raised mound dug four pits and deposited Charcoal for ¼ Sec. Corner

80.00 Intersect the North Boundary of the Section at the ¼ Section Corner

Level. Middle Creek bottom

Soil 1st rate

East on a random quarter section line through section 15.

Variation 11° 30' East

20.00 Set a post for temporary ¼ Section Corner

40.07 Intersect N. & S. ¼ Section line

60.00 Set a post for temporary ¼ Section Corner

68.00 Leave middle creek bottom bears N. & S.

80.14 Intersect N. & S. line 78 links north of the ¼ Section Corner between sections 14 & 15 from which ¼ Section Corner I own

North 89° 27' West on a true ¼ Section line through Sections 15.

Variation 11° 30' East

T. 25. R. 7. T. 26 R. 7.

16
65
330

Township 24 North Range

Chains

2003½ Set post raised mound dug four pits and deposited charcoal for 1/16 Sec Corner

40.07 Intersect N & S. 1/4 Section line at the 1/4 Section Corner

60 10½ Set post raised mound dug four pits and deposited charcoal for 1/16 Sec, Corner

80. 14 The 1/4 Section corner on the West Boundary of the Section.
Land. Middle Creek bottom 1st Rate soil

Subdivision of Section 10.

North on the quarter Section line through Section 10. Variation 11° 45' East

20,00 Set a post in mound dug four pits and deposited charcoal for 1/16 Section Corner

40.00 Set post raised mound dug four pits and deposited charcoal for 1/4 Section Corner

54.00 Leave Middle Creek bottom and enter high prairie bears N 70° W. & S 70° East

60.00 Set post raised Mound dug four pits and deposited charcoal for 1/16 Section Corner

80.00 Intersect the North Boundary of the Section at the 1/4 Section Corner
Middle Creek bottom and high rolling Prairie 1st rate. and good 2d rate soil

East on a random quarter Section line through Section 10
Variation 11° 45' East

20.00 Set a post for temporary 1/16 Section Corner

39.97½ Intersect N & S. 1/4 Section line

45.00 Leave Middle Creek bottom and enter high prairie bears N & S.

60.00 Set a post for temporary 1/16 Section Corner

79.93 Intersect the East Boundary of the Section 7 links North of the 1/4 Section Corner. from which 1/4 Section Corner
9 mm

North 89° 57' West on a true quarter section line through Section 10
Variation 11° 45' East

7 East of 6th Principal Meridian

Chains

19.98¾ Set post raised mound dug four pits and deposited charcoal for 1/16 Section corner

39.97½ Intersect N. & S. ¼ Sec line at the ¼ Section corner

59.96¼ Set post raised mound dug four pits and deposited charcoal for 1/16 Section corner

79.95 The ¼ Section corner on the west side of the Section.

Middle creek bottom and high rolling prairie. 1st rate and good 2d Rate Soil

Subdivision of Section 3
North. on the quarter Section line through Section 3

Variation 11° 55' East

20.00 Set a post raised mound dug four pits and deposited charcoal for 1/16 Section Corner.

40.00 Set post raised mound. dug four pits and deposited Charcoal for ¼ Section Corner

60.00 Set post raised Mound dug four pits and deposited charcoal for 1/16 Sec. Corner

70.00 Creek 5 links wide runs North East. (9 found water only in places and no current

82.25 Intersect Sixth Standard Parellel 21.58 Chains East of the Standard corner to Sections 33. & 34 Township 25 North Range 7 East of 6th Principal Meridian. at which point of intersection I set post raised Mound. dug three pits and deposited charcoal for closing quarter Section Corner.

Rolling Prairie 2d Rate Soil.

East on a random quarter section line through Section 3.

Vaination 11° 40' East

20 00 Set a post for Temporary 1/16 Sec. Corner

39.84 Intersect N. & S. quarter Section line

60.00 Set post for temporary 1/16 Sec. corner

79.68 Intersect East Boundary of the Section 4 links North of the ¼ Section Corner

T.25.R.7. T.26.R.7.

18
67
33 n

Township 24 North Range 7

Chains

from which 1/4 section corner I run North 89° 58' West on a true quarter Section line through Section 3

Variation 11° 40' East

19.92 Set a post in Mound dug four pits and deposited Charcoal for 1/16 Sec, Corner

39.84 Intersect N. & S. 1/4 section line at the 1/4 section corner

59.76 Set post raised Mound dug four pits and deposited Charcoal for 1/16 Sec corner

79.68 The 1/4 section corner on the west side of Section 3.

Rolling prairie Good 2d rate soil

October 23d 1866

Note - Mr Edwin D Benjamin one of the Chainman was here compelled to abandon the work on account of illness. His place was supplied by Joseph W. Smith. Axeman. who entered to act as Chainman through the remainder of this Township.

Subdivision of Fractional Section 33

Begin at the point where the 1/4 Section line running North through Section 33. intersects the South Boundary of the Omaha Indian Reservation the same being a post in Mound and run

North through Fractional Section 33 on the quarter section line

Variation 12° 15' East

6.87½ Intersect the North Boundary of Section 33 at the quarter section Corner

Rolling prairie 2d rate Soil

East of 6th Principal Meridian

Chains Subdivision of Section 28

North on the quarter section line through Section 28.

Variation 12° 15' East

20.00 Set post Raised Mound dug four pits and deposited Charcoal for 1/16 Sec. Corner.
35.50 Enter meadow bears East & West
40.00 Set post Raised Mound dug four pits and deposited Charcoal for 1/4 Sec. Corner
42.00 Leave Meadow & Enter Prairie bears N. 70 W. & S E.
60.00 Set post Raised Mound dug four pits and deposited Charcoal for 1/16 Sec. Corner
80.00 Intersect the North Boundary of the Section at the 1/4 Section Corner
Rolling Prairie good 2d Rate Soil

East on a random quarter Section line through Section 28

Variation 12° 10' East

2.00 A Brook 5 lks wide runs North
20.00 Set a post for Temporary 1/16 Sec. Corner
32.00 Enter Meadow bears S.E. & N.E.
39.98 Intersect N & S 1/4 Section Corner line
43.00 Leave Meadow bears S.E. & N.W.
60.00 Set a post for Temporary 1/16 Section Corner
79.96 Intersect N & S line 12 links North of the 1/4 Section Corner on East line of the Section from which 1/4 Section Cor 9 ins

North 89° 55' West on a true quarter section line through Section 28

Variation 12° 10' East

19.99 Set post Raised Mound dug four pits and deposited Charcoal for 1/16 Sec. Corner,
39.98 Intersect the N & S. quarter section line at the 1/4 Section Corner
59.97 Set post in mound dug four pits and deposited Charcoal for 1/16 Section Corner
79.96 The 1/4 Section Corner on the West side of the Section
Rolling Prairie. good 2d rate Soil,

T.25.R.7. T.26.R.7.

20
69
334

Township 24 North Range 7

Chains Subdivision of Section 21

North on the Quarter Section line through Section 21
Variation 12°. 3' East

20.00 Set post raised mound dug four pits and deposited charcoal for 1/16 Sec. corner
40.00 Set post raised mound dug four pits and deposited charcoal for 1/4 Sec. Corner
42.00 Indian trail North 60 East + S 60 W.
51.00 Creek 5 links wide running N.E.
52.50 Same brook running west
53.50 Same brook running N.E.
57.00 Leave high prairie & enter Middle Creek bottom bears E & West
60.00 Set a post raised a mound dug four pits and deposited Charcoal for 1/16 Sec. Corner
80.00 Intersect the North Boundary of the Section at the 1/4 Section Corner
Rolling prairie and Middle Creek bottom 1st & 2d Rate soil

East on a Random quarter section line through Section 21 -
Variation 12° East

20.00 Set a post for temporary 1/16 Sec corner
30.00 A Brook 5 links wide running north
32.00 Same brook running S.E.
33.00 Same brook running North
37.00 Indian trail bears N 38° E. & S 30° W.
40.01 Intersect N. & S. 1/4 Section line
56.00 Leave high Prairie and enter Middle Creek bottom bears N.W. & S.E.
60.00 Set a post for temporary 1/16 Sec. Corner
80.02 Intersect the East Boundary of the Section 31 links North of the quarter Section Corner. from which Quarter Section Corner. I run North 89° 47' West on a true 1/4 Section line through Section 21

21
70
335

East of 6th Principal Meridian

Chains	
	Variation 12° East
20.00	Set post raised Mound dug four pits and deposited charcoal for 1/16 Sec, Corner
40.01	Intersect the North and South quarter Section line
60.01½	Set post raised Mound dug four pits and deposited charcoal for 1/16 Sec. Corner
80.02	The quarter section corner on the west side of Section 21
	High rolling prairie and Middle Creek bottom 1st and 2d rate soil
	Subdivision of Section 16
	North on the quarter Section line through Section 16 Variation 12° 10' East
20.00	Set a post in Mound dug four pits and deposited charcoal for 1/16 Section Corner
36.00	Middle Creek Running S.E.
40.00	Set a post in mound dug four pits and deposited Charcoal for 1/4 Section Corner
60.00	Set post for 1/16 Section Corner around which I raised a Mound the earth of which was taken from four pits as per instructions I also deposited a small quantity of Charcoal as a Witness to the corner as directed by the printed instructions
80.00	Intersect North side of the Section at the quarter section corner.
	Level. Middle creek bottom, 1st rate soil
	East on a random quarter section line through Section 16 Variation 12° East
20.00	Set a post for temporary 1/16 Section Corner
31.50	Intersect Middle Creek running South East
40.01	Intersect N. & S. quarter section line
60.00	Set a post for temporary 1/16 Section Corner
80.02	Intersect the East Boundary of the Section 18 links North of the 1/4 section Corner. from which quarter section Corner. I run North 89° 52' West on a true quarter section

T.25.R.7.

T.26.R.7.

22
11
336

Township 24 North Range 7

Chains	
	line through section 16
	Variation 12° East
20.00 ½	Set post in mound dug four pits and deposited Charcoal for ¼16 Section Corner
40.01	Intersect N. & S. ¼ Section line at the ¼ Section corner
60.01½	Set post in Mound dug four pits and deposited Charcoal for ¼16 Section Corner
80.02	Intersect the west boundary of the section at the quarter section corner
	Middle creek bottom. Level. Soil 1st rate
	October 24th 1866

Subdivision of Section 9
North. on the quarter section line through
Section 9

Variation 12° East

20.00	Set post raised mound dug four pits and deposited Charcoal for ¼16 Section Corner
40.00	Set post raised mound dug four pits and deposited Charcoal for ¼ Section Corner
60.00	Set post raised mound dug four pits and deposited Charcoal for ¼16 Section Corner
80.00	Intersect North Boundary of the section at the quarter section corner
	Middle Creek bottom 1st rate soil

East on a random quarter section line
through Section 9

Variation 12° East

20.00	Set a post for Temporary ¼16 Section Corner
40.00	Intersect N & S. ¼ Section line
60.00	Set a post for Temporary ¼16 Section Corner
80.00	Intersect East Boundary of the Section 20 links North of the quarter section corner from which quarter section Corner. I run.
	North 89° 51' West on a true quarter Section line through Section 9
	Variation 12° East

East of 6th Principal Meridian

chains	
20.00	Set a post raised a mound and dug four pits for 1/16 Section Corner also deposited charcoal pr instruction
40.00	Intersect N. & S. 1/4 Section line at the 1/4 Sec Cor
60.00	Set a post raised Mound dug four pits and deposited Charcoal for 1/16 Section Corner
80.00	Intersect the West side of the Section at the 1/4 Section Corner
	Middle Creek bottom 1st rate soil
	Subdivision of Section 4
	North on the quarter section line through Section 4. Variation 12° 15' East
20.00	Set a post raised mound. dug four pits and deposited Charcoal. for 1/16 Sec Corner
40.00	Set a post raised mound dug four pits and deposited Charcoal for 1/4 Section Corner
60.00	Set post raised mound dug four pits and deposited Charcoal for 1/16 Section Corner
82.10	Intersect Sixth Standard parellel 22.01/2 Chains East of the Standard Corner between Sections 32 and 33. Township 25 North Range 7 E 6th Principal Meridian at which point of intersection I set a post dug three pits and deposited Charcoal for Closing 1/4 Section Corner Rolling Prairie except at South end of the line - 1st & 2d Rate Soil.
	East on a Random quarter section line through Section 4
	Variation 12° 15' East
20.00	Set a post for Temporary 1/16 Sec Corner
39.91 3/4	Intersect N. & S. 1/4 Section line
60.00	Set a post for Temporary 1/16 Section Corner
79.83 1/2	Intersect East Boundary of the Section at the 1/4 section Corner from which 1/4 Section Corner I run
	West on a true quarter section line through Section 4 -
	Variation 12° 15' East

T.25.R.7. T.26.R.7.

24
73
338

Township 24 North Range 7 East

Chains

19.95 7/8 Set a post. raised mound. dug four pits and deposited Charcoal for 1/16 Sec Cor

39.91 3/4 Intersect S & S. 1/4 Section line at the 1/4 Section corner

59.87 5/8 Set a post raised a mound dug four pits deposited Charcoal for 1/16 Section Corner

79.83 1/2 The quarter section corner on the west side of the section

Rolling Prairie 2d Rate soil

October 25th 1866.

Subdivision of Fractional Section 32

Begin at a point on the South Boundary of the Omaha Reservation where the quarter Section line running North through Section 32 intersects said Boundary. the same being a post in mound. and run North on the quarter section line through Fractional Section 32 Variation 12° 10' East

6.62 1/2 Intersect the North boundary of the Section at the quarter section corner

Rolling prairie 2d rate soil

Subdivision of Section 29.

North. on the quarter Section line through Section 29 Variation 12° 10' East

19.00 Indian trail bears N.E. & S.W

20.00 Set post raised mound dug four pits and deposited Charcoal for 1/16 Section Corner

40.00 Set post. raised mound dug four pits and deposited Charcoal for 1/4 Section Corner

55.00 Enter meadow or low prairie bears East & West

57.00 A Dry Run bears East & West

58.00 Leave Meadow or low Prairie bears East & West

60.00 Set post raised mound dug four pits and deposited Charcoal for 1/16 Section Corner

80.00 Intersect the North side of the section at the quarter section corner

Rolling Prairie. 2d rate soil

Of 6th Principal Meridian

Chains	East on a random quarter section line through Section 29 Variation 12° East
20.00	Set a post for temporary 1/16 Section Corner
21.50	A Brook 5 links wide runs North
40.08½	Intersect S. & S. 1/4 Section line
54.50	Indian trail bears S.E. & S.W.
60.00	Set a post for temporary 1/16 Section Corner
80.17	Intersect S. & S. line 67 links North of the 1/4 Section corner between Sections 28 and 29. from which 1/4 section corner 9 runs
	North 89° 31' West on a true 1/4 Section line through Section 29.
	Variation 12° East
20.04¼	Set a post raised mound dug four pits and deposited charcoal for 1/16 Section Corner
40.08½	Intersect S. & S. 1/4 Section line at the 1/4 Section Corner
60.12¾	Set a post raised a mound dug four pits and deposited charcoal for 1/16 Sec. Corner
80.17	The 1/4 Section Corner on the West Boundary of the Section
	Rolling prairie 2d rate Soil

Subdivision of Section 20.

North on the quarter Section line through Section 20. Variation 11° 51' East

20.00	Set a post raised mound, dug four pits and deposited charcoal for 1/16 Sec. Corner
30.00	Indian trail N 60° E. & S 60° W.
40.00	Set a post raised a mound dug four pits and deposited charcoal for 1/4 Section Corner
60.00	Set a post raised a mound dug four pits and deposited charcoal for 1/16 Sec. Cor.
80.00	Intersect the North Boundary of the Section at the quarter section Corner.
	Rolling Prairie, 2d Rate Soil

East on a random quarter section line through Section 20

Variation 12° East

T. 25 R. 7. T. 26 R. 7.

26
75
340

Township 24 North Range 7

Chains	
20.00	Set a post for temporary 1/16 Section Corner
40.06½	Intersect the N. & S. ¼ Section line
60.00	Set a post for temporary 1/16 Section Corner
60.50	Indian trail bears N.E. & S.W.
80.13	Intersect East Boundary of the Section 35 links North of the quarter section Corner from which Corner I run North 89° 45' West on a true quarter Section line through Section 20. Variation 12° East
20.03¼	Set post raised mound dug four pits and deposited Charcoal for 1/16 Section Corner
40.06½	Intersect N. & S. ¼ section line at the ¼ Section Corner
60.09¾	Set post raised mound dug four pits and deposited Charcoal for 1/16 Sec corner
80.13	The ¼ Section Corner on the West side of Section 20. Rolling Prairie 2d Rate Soil October 26th 1866

Subdivision of Section 17

North on the quarter section line through Section 17
Variation 12° East

20.00	Set post raised mound dug four pits and deposited Charcoal for 1/16 Sec. Corner
35.00	Leave high prairie and enter Middle creek bottom. bears E & W.
40.00	Set a post in Mound dug four pits and deposited Charcoal for ¼ Section Corner
80.33⅓	Intersect North Boundary of the Section at the ¼ Section Corner. High prairie and Middle creek bottom 2d and 1st rate soil.

East on a variation quarter section line through Section 17
Variation 12° East

* Set a post in Mound dug four pits and deposited Charcoal for 1/16 Section Corner. 60.09

East of 6th Principal Meridian

chains	
20.00	Set a post for temporary 1/16 Section Corner
30.00	Leave high Prairie and Enter Middle creek bears N.W. & S.E.
40.04	Intersect N. & S. 1/4 Section line
60.00	Set a post for temporary 1/16 Section Corner
80.08	Intersect East Boundary of the Section 52 links North of the 1/4 Section Corner from which 1/4 Section Corner, I run,

North 89° 38' West on a True quarter Section line through Section 17.
Variation 12° East

20.02	Set post Raised Mound dug four pits and deposited Charcoal for 1/16 Sec Corner
40.04	Intersect the North & South 1/4 Section line at the 1/4 Section Corner
60.06	Set a post. Raised a Mound dug four pits and deposited Charcoal for 1/16 Sec. corner
80.08	The 1/4 Section Corner on the West side of the Section High Prairie and Middle creek bottom 1st and 2d Rate soil

Subdivision of Section 8

North on the Quarter Section line through Section 8
Variation 12°. 15' East

4.50	Middle creek running East
16.55	Left Bank of Middle Creek runs nearly South
20.00	Point for 1/16 Section Corner falling in Middle Creek. I set a post in Mound dug four pits and deposited Charcoal for Witness Corner to 1/16 Section Corner 1.25 chains East of the true Corner
21.50	Leave Middle Creek & intersect left bank of same bears S 15° E. & North West
40.00	Set a post. Raised Mound dug four pits and deposited Charcoal for 1/4 Section Corner

T.25.R.7. T26R.7.

28
77
342

Township 24 North Range 7 East

chains	
60.00	Set post raised mound dug four pits and deposited Charcoal for 1/16 Sec Corner
80.00	Intersect the North Boundary of the Section at the 1/4 Section Corner Middle Creek bottom 1st rate soil
	East on a random quarter section line through Sections 8.
	Variation 11° 45' East
16.50	Middle Creek running South East
19.00	Set a post for witness corner to temporary 1/16 Section Corner
19.75	Middle creek running North East
20.00	Temporary 1/16 Section Corner in creek
37.75	Intersect Middle creek 75 links wide running South East ~~75 links wide~~ steep Banks muddy bottom & Swift Current
39.95 1/2	Intersect N. & S. 1/4 Section line
60.00	Set a post for Temporary 1/16 Section Corner
79.91	Intersect East Boundary of the Section 57 Links North of the 1/4 Section Corner from which quarter Section Corner, I run, North 89° 36' West on a true quarter Section line through Section 8
	Variation 11° 45' East
19.97 3/4	Set a post raised mound dug four pits and deposited Charcoal for 1/16 Sec Corner
39.95 1/2	Intersect N. & S. line at the quarter Sec. Corner
59.93 3/4	True 1/16 Section Corner in Middle Creek
60.91	Set a post in Mound dug four pits and deposited charcoal for Witness Corner to 1/16 Section
7991	The 1/4 Section Corner on the West Boundary of the Section. Level bottom near Middle Creek 1st rate soil

of 6th Principal Meridian

chains Subdivision of Section 5

North on the quarter Section line through Section 5

Variation 12° East

20.00 Set a post built Mound dug four pits and deposited Charcoal for 1/16 Section Corner

40.00 Set post raised Mound dug four pits and deposited Charcoal for 1/4 Section Corner

60.00 Set post in Mound dug four pits and deposited Charcoal 1/16 Section Corner

81.34 Intersect the Sixth Standard Parallel 22.35 chains East of the Standard Corner to Sections 31 & 32. T. 25. N. Range 7. E. 6th Principal Meridian. At the point of intersection I set a post raised Mound dug three pits and deposited Charcoal for Closing Quarter Section Corner Level Bottom Land Soil 1st Rate

East on a random quarter section line through Section 5.

Variation 11° 30' East

20.00 Set a post for temporary 1/16 Sec Corner

39.87 Intersect N. & S. 1/4 Section line

60.00 Set a post for temporary 1/16 Section Corner

72.50 Leave Bottom & enter high Prairie bears N. & S.

79.74 Intersect East Boundary of the Section 70 links North of the quarter Section Corner from which quarter section Corner, I run, North 89° 30' West on a true quarter Section line through Section 5

Variation 11° 30' East

19.93½ Set a post dug four pits and deposited Charcoal for 1/16 Section Corner

39.87 Intersect N. & S. 1/4 Section line at the 1/4 Section Corner

59.80½ Set post built Mound dug four pits and deposited Charcoal for 1/16 Section Corner,

T. 25. R. 7.

T. 26 R. 7.

30
79
344

Township 24 North Range 7

Chains

79.74 Intersect West Boundary of the Section at the quarter Section corner
Level Bottom Land & high Prairie
1st and 2d Rate Soil
October 27th 1866

Subdivision of Fractional Section 31

Begin at the point on the South Boundary of the Omaha Indian Reservation, where the quarter Section line running North through the Section ~~intersects~~ said Boundary the same being a post in Mound. And run North on the quarter Section line through Fractional Section 31.

Variation 12° 15' East

6.50 Intersect the North Boundary of the Section at the quarter section Corner
Rolling Prairie good 2d Rate Soil

Subdivision of Section 30

North on the quarter section line through Section 30

Variation 12° 05' East

20.00 Set a post raised Mound dug four pits and deposited Charcoal for 1/16 Section Corner

40.00 Set post raised Mound dug four pits and deposited Charcoal for 1/4 Section Corner

51.25 Indian trail bears N.E. & S.W.

60.00 Set a post in Mound dug four pits and deposited Charcoal for 1/16 Section Corner

80.00 Intersect the North Boundary of the Section at the quarter Section Corner
Rolling Prairie 2d Rate Soil

East of 6th Principal Meridian

31
80
345

chains West on a random quarter section line through Section 30

Variation 11° 30' East

20.00 Set a post for temporary 1/16 Section corner
40.00 Intersect N. & S. 1/4 Section line
50.00 Indian Trail bears N.E. & S.W.
60.00 Set a post for temporary 1/16 Sec Corner
77.25 Intersect the west Boundary of the Section 54 links South of the 1/4 Section Corner from which 1/4 Sec. Cor, I mm

South 89° 36' East on a true 1/4 Section line through Section 30.

Variation 11° 30' East

17.25 Set a post raised mound dug four pits and deposited Charcoal for 1/16 Sec Corner
37.25 Intersect the N. & S. 1/4 Section line at the 1/4 Section Corner
57.25 Set a post in mound dug four pits and deposited Charcoal for 1/16 Section Corner
77.25 The 1/4 Section corner on the East Boundary of the Section

Rolling Prairie 2d rate soil

Subdivision of Section 19

North on the quarter section line through section 19

Variation 12° 10' East

20.00 Set a post raised mound dug four pitts and deposited Charcoal for 1/16 Sec. Corner
40.00 Set a post raised mound dug four pits and deposited Charcoal for 1/4 Sec Corner
60.00 Set a post raised Mound dug four pits and deposited Charcoal for 1/16 Section Corner
66.00 Enter Meadow bears E & W.
75.00 Leave Meadow bears E & W.
80.00 Intersect North Boundary of the section at the quarter Section Corner

Rolling Prairie. Good 2nd Rate Soil

T. 25 R. 7.
T. 26 R. 7.

32
81
346

Township 24 North Range 7 East

West on a random quarter
Section line through Section 19
Variation 11° 20' East

20.00 Set post for Temporary 1/16 Section Corner
40.00 Intersect N. & S. 1/4 Section line
60.00 Set post for Temporary 1/16 Sec Cor.
65.00 Enter Meadow bears N.E. & S.W.
77.40 Intersect West Boundary of the Section
78 links South of the quarter section
Corner from which quarter Section
Corner 2 pine
South 89° 26' East on a true quarter
Section line through Section 19
Variation 11° 20' East
17.40 Set a post raised a mound and
dug four pits for 1/16 Section Corner
also deposited Charcoal for Witness
37.40 Intersect N. & S. 1/4 Section line at the
1/4 Section Corner
57.40 Set a post raised Mound dug four pits
and deposited Charcoal for 1/16 Section Corner
77.40 The quarter section corner on the East
side of the section
Rolling Prairie. good 2d Rate soil

Subdivision of Section 18.

North on the quarter section line
through Section 18
Variation 11° 45' East
20.00 Set a post in Mound. dug four pits
and deposited Charcoal for 1/16 Sec Cor.
40.00 Set a post in Mound dug four pits and
deposited Charcoal for 1/4 Section Corner
47.50 Enter Meadow bears N.W. & S.E.
58.00 Leave Meadow bears N.W. & S.E.
60.00 Set a post in Mound dug four pits and
deposited Charcoal for 1/16 Section Corner
80.00 Intersect the North Boundary of the Section
At the quarter Section Corner
Rolling Prairie, 2d Rate Soil

Of 6th Principal Meridian

Chains	West on a Random grantee section line through Section 18
	Variation 11° 15' East
20.00	Set a post for temporary 1/16 Section Corner
21.50	Enter Meadow bears North & South
30.50	Leave Meadow bears N & S.
40.00	Intersect North & South 1/4 Section line
60.00	Set a post for temporary 1/16 Section Corner
77.10	Intersect the West Boundary of the Section 45 links South of the 1/4 Section Corner from which Corner I run
	South 89° 40' East on a true quarter Section line through Section 18
	Variation 11° 15' East
17.10	Set a post raised Mound dug four pits and deposited Charcoal for 1/16 Section Corner
37.10	Intersect N. & S. quarter section line at the quarter section Corner
57.10	Set a post raised Mound. dug four pits and deposited Charcoal for 1/16 Sec. Corner
77.10	The 1/4 Section Corner on the East side of the section
	Rolling prairie 2d rate soil
	Subdivision of Section 7
	North on the quarter section line through Section 7
	Variation 12° 05' East
20.00	Set post in Mound dug four pits and deposited Charcoal for 1/16 Section Corner
40.00	Set a post dug four pits raised Mound and deposited Charcoal for 1/4 Section Corner
60.00	Set post dug four pits. raised Mound and deposited Charcoal for 1/16 Section Corner
71.00	Intersect brook 10 links wide flows East
80.00	Intersect the North Boundary of the Section at the quarter Section Corner Middle creek bottom
	1st rate Soil

T.25.R.7.

T26R7.

34
83
348

Township 24 North Range 7

Chains	West on a random quarter Section line through Section 7.
	Variation 11° 15' East
20.00	Set a post for temporary 1/16 Section Corner
40.00	Intersect the N. & S. 1/4 Section line
60.00	Set a post for temporary 1/16 Section corner
77.35	Intersect the West Boundary of the Section 58 links South of the quarter Section corner from which corner I run
	South 89° 34' East on a true quarter Section line through Section 7.
	Variation 11° 15' East
17.35	Set a post dug four pits and raised mound for 1/16 Section corner. deposited Charcoal for witness as per instructions
37.35	Intersect N. & S. quarter Section line at the quarter Section corner
57.35	Set a post built mound dug four pits and deposited Charcoal for 1/16 Sec corner
77.35	The quarter Section corner on the East side of the Section
	Middle creek bottom 1st rate, and 2d rate, soil

Subdivision of Section 6

North. on the quarter Section line through Section 6th

Variation 11° 15' East

20.00	Set a post in mound dug four pits and deposited Charcoal for 1/16 Section Corner
40.00	Set a post in mound dug four pits and deposited Charcoal for 1/4 Section Corner
60.00	Set a post in mound dug four pits and deposited Charcoal for 1/16 Section Corner
80.00	Intersect the Sixth Standard Parallel 22.52 Chains East of the Standard Corner to Sections 36 and 31. T. 25. N. Range 6 and 7. East of the 6th Principal Meridian and at the point of intersection I set a post raised a mound. dug three pits and

East of 6th Principal Meridian

Chains

deposited Charcoal as per instructions
for closing quarter Section Corner
Level, Middle creek bottom. 1st rate soil

West on a random quarter section
line through Section 6

Variation 10° 55' East

19.00 Intersect Middle creek running S.E.
20.00 Set a post for temporary 1/16 Section corner
40.00 Intersect N. & S. 1/4 Section Line
60.00 Set a post for temporary 1/16 Section corner
76.85 Intersect the west Boundary of the
Section 95 links South of the quarter
Section Corner from which quarter section
corner I run

South 89° 18' East on a true quarter
Section line through Section 6

Variation 10° 55' East

16.85 Set post in mound dug four pits and
deposited Charcoal for 1/16 Section Corner
36.85 Intersect N. & S. 1/4 Section line at the 1/4 Sec. Cor.
56.85 Set a post in mound dug four pits and
deposited charcoal for 1/16 Section corner
76.85 The 1/4 section corner on the West Boundary of
the section

Level. Middle Creek bottom
1st rate soil October 29th 1866.

=Note=

For General Description see Field Book
No 1 Containing the Field Notes
of the Survey of Exterior
Boundary and Section lines

List of Names.

A List of the Names of the individuals
employed to assist in running. measuring
or marking the lines and corners. described
in the foregoing field Notes of Township No 24 North
of the base line of Range No 7. East of the 6th Principal
Meridian. Showing the respective Capacities in which
they acted

(over)

T.25.R.7.

T.26.R.7.

36
85
350

A. Englebright Chas W. King } Chainman
George W. Eggleston Edwin D Benjamin
M. Archambault Frederick Gearwick } Mound Builders
J. W. Smith — Axeman & Chainman
L. G. Reynolds John R. Wells — Flagman
Richard Cronk Compassman

We hereby certify that we assisted Theodore M. Barrett U.S. Surveyor in subdividing the sections in the portion of Township No 24 North of the base line of Range No 7. East of the 6th principal Meridian embraced within the lines of the Omaha Indian Reservation and that the sections in said Fractional Townships have been in all respects to the best of our Knowledge and belief well and faithfully subdivided and the Boundary Monuments planted according to the instructions furnished by the Commissioner of the General Land Office

A. Englebright Chas W. King } Chainman
George W. Eggleston
M. Archambault Frederick Gearwick } Mound Builders
Jos W. Smith Axeman & Chainman
L. G. Reynolds & Jno R. Wells — Flagman
Richard Cronk Compassman

Territory of Nebraska }
Burt County } Subscribed and Sworn to by the above named persons before me the 8th Day of December 1866.

Albert White
Justice of Peace

Stamp

I Theodore M. Barrett U.S. Surveyor do solemnly swear that in pursuance of a Contract with J. M. Edmunds Commissioner of the General Land Office of the United States, bearing date the 14th Day of August 1866 And in Strict Conformity to the Laws of the United States and the instructions furnished by the said Commissioner of the General Land Office

37
86
351

I have faithfully Surveyed the subdivision quarter section lines of that portion of Township No 24 North of the base line of Range No 7. East of the 6th Principal Meridian. embraced within the Boundary lines of the Omaha Indian Reservation in the Territory of Nebraska. and I do further solemnly Swear that the foregoing field notes are the true and original ones of such survey

Theodore M. Barrett
U.S. Surveyor

Subscribed by said Theodore M. Barrett U.S. Surveyor and sworn to before me a Justice of the Peace for Whiteside County in the State of Illinois this 23d day of January 1867

Stamp

R. L. Mangan J. P.
Justice of the Peace

Department of the Interior
General Land Office
March 24th 1867

The foregoing field notes of the surveys of the Subdivision lines of Fractional Township 24 North Range 7. East of the 6th Principal Meridian State of Nebraska executed by Theodore M. Barrett under his Contract of the 14th day of August 1866 in the month of October 1866. having been critically examined the necessary Corrections and explanations made. the said field notes and the Surveys they describe are hereby

Approved.

Jos S Wilson
Commissioner
" "

T. 25. R. 7.
T. 26 R. 7.

38
87
352

Department of the Interior
General Land office
July 14, 1871

I hereby certify that the foregoing field notes are true Copies of the originals on file in this office.

Wills D Mummd
Commissioner

Omaha and Winnebago Reservation

103 - R7

(Copy)

Field Notes of the Survey of
Township 25 North of Range
7 East of 6th P. M.
Nebraska

Subdivision of Sections page 381

T.25.R.7.

T26R7.

1

1

354

Field Notes of the Subdivision lines in Township No 25 North Range 7 East of the 6th Principal Meridian (Omaha and Winnebago Reservations) in the State of Nebraska by Theodore H Barrett Surveyor. under his Contract bearing date.- August 14th 1866.-

Survey commenced June 17th 1867.
and
Completed June 27th 1867

List of Names of individuals employed to assist in running. measuring or marking the lines and Corners described in the following Field Notes of Township No 25 North Of the base line of Range seven East the 6th Principal Meridian. Showing the capacities in which they acted

Henry H. Gilbert	Compassman
Richard Cronk	Do
George Fox	Chainman
Joseph F. Flemt	Chainman
Homer F. Dale	Do
James Kennedy	Do
George Patterson	Cornerman
Andrew Armstrong	Flagman
Henry C. Williams	Mound Builder
Willie Framer	Do
Karl Wilhelm Bekke	Do
James Shobe	Do

Township 25 North Range 7 East of 6th Principal Meridian

Chains

Having previously retraced and reestablished the 6th Standard Parallel bounding this Township on the south. And run the East. North and West boundaries with the Solar Compass. I find the Variation of the Needle Changeable.

Highest Variation 12° 25' East
Lowest Variation 10° 35' East

Begin at the Standard corner to Sections 35 and 36 – and run as follows

North between Sections 35 and 36
Variation 12° 15 East

20.00 Post in Mound for 1/16 Section corner
40.00 Post in Mound for 1/4 Section Corner
60.00 Post in Mound for 1/16 Section Corner
80.00 Post in Mound for corner to Sections 25-26 35 and 36-
High rolling prairie - 2d rate soil

East on a random line between Sections 25 And 36.
Variation 12° 15' East

10.20 Enter slough about 3 feet deep with running water – runs S.E.
20.00 Temporary 1/16 Section Corner
40.00 Temporary 1/4 Section Corner
60.00 Temporary 1/16 Section Corner
80.17 Intersect Range Line 61 links North of Corner to Sections 25-36 - 32 and 29- from which Corner I run
North 89° 34' West on a True line between Sections 25 and 36
Variation 12° 15' East
20.04 Post in Mound for 1/16 Section Corner

Note.

In these Field Notes the corners established with Posts and Mounds have each four pits. except where

T.26 R.7.

3/356

Omaha Reservation

Township 25 North. Range 7 East

Chains	
	otherwise noted.
	The quantity of charcoal deposited in each Mound is equal to a solid 1 x 2 x 2 inches — made up of one or more pieces
	Corners established - hereafter (as heretofore) according to the foregoing Note will be designated as "Post in Mound".
40.08	Post in Mound for 1/4 Section Corner
60.12	Post in Mound for 1/16 Section Corner
80.17	The Corner to Sections 25 - 26 - 35 - and 36 -
	Rolling prairie 2d rate soil
	North between Sections 25 and 26
	Variation 11° 55' East
14.50	Slough 20 links wide 3 feet deep running S.E.
16.00	Brook 3 links wide runs S.W.
18.20	Brook running S.E.
20.00	Post in Mound for 1/16 Section Corner
24.50	Brook 3 links wide runs S.W.
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
61.00	Enter marshy meadow bearing N.W. and S.E.
80.00	Post in Mound for Corner to Sections 23 - 24 - 25 and 26 -
	Level and Wet second rate Meadow
	East on a Random line between Sections 24 and 25
	Variation 12° East
1.50	Leave marshy meadow bearing N. & S.
20.00	Temporary 1/16 Section corner
40.00	Temporary 1/4 Section Corner
60.00	Temporary 1/16 Section corner
80.09	Intersect Range line 30 links South of Corner to Sections 24 - 25 - 29 and 30.

Omaha Reservation

Of the 6th Principal Meridian

Chains from which corner I run
South 89° 47' West on a True line
between sections 24 and 25 -
Variation 12° East

20.02 Post in Mound for 1/16 Section Corner
40.05 Post in Mound for 1/4 Section Corner
60.07 Post in Mound for 1/16 Section corner
80.09 The corner to Sections 23 - 24 - 25 and 26,
High rolling prairie 2d rate soil

North between Sections 23 and 24
Variation 11° 40' East

12.50 Leave meadow bearing N.E. and S.W.
20.00 Post in Mound for 1/16 Section corner
30.00 Enter meadow bearing N.W. and S.E.
35.00 Leave meadow bearing N.E. and S.W.
40.00 Post in Mound for 1/4 Section Corner
60.00 Post in Mound for 1/16 Section corner
80.00 Post in Mound for corner to Sections 13 - 14 - 23.
and 24.
1st 1/2 Marshy 2d 1/2 Rolling prairie
Soil 2d rate

East on a random line between Sections 13 and
24 - Variation 12° 15' East

20.00 Temporary 1/16 Section Corner
40.00 Temporary 1/4 Section Corner
60.00 Temporary 1/16 Section Corner
80.40 Intersect Range line 85 links North of
Corner to Sections 13 - 24 - 17 and 20 -
from which Corner I run
North 89° 24' West on a true line
between sections 13 and 24 -
Variation 12° 15' East

20.10 Post in Mound for 1/16 Section Corner
40.20 Post in Mound for 1/4 Section Corner
60.30 Post in Mound for 1/16 Section Corner
80.40 The Corner to Sections 13 - 14 - 23 and 24
High rolling prairie - 2d rate Soil

T.26 R.7.

5
358

Township 25 North Range 8 East of

Chains	
	North between Sections 13 and 14.
	Variation 12° 40' East
20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
80.00	Post in Mound for Corner to Sections 11-12 13 and 14.
	Very rolling. — 2d rate Soil
	East on a random line between Sections 12 and 13.
	Variation 12° East
20.00	Temporary 1/16 Section Corner
38.50	Stream 3 links wide running North
40.00	Temporary 1/4 Section Corner
60.00	Temporary 1/16 Section Corner
80.02	Intersect Range line 25 links North of Corner to Sections 12-13- 7 and 18 from which Corner I run
	North 89° 49' West on a true line between Sections 12 and 13
	Variation 12° East
20.00	Post in Mound for 1/16 Section Corner
40.01	Post in Mound for 1/4 Section Corner
60.01	Post in Mound for 1/16 Section Corner
80.02	The Corner to Sections 12-13-11 and 14
	Very Rolling - 2d rate Soil
	North between Sections 11 and 12.
	Variation 12° 30' East
20.00	Post in Mound for 1/16 Section Corner
31.70	Creek 5 links wide running East
40.00	Post in Mound for 1/4 Section Corner
40.15	Creek 2 links wide running W.
55.00	Creek 2 links wide running S.E.
60.00	Post in Mound for 1/16 Section Corner
74.30	Intersect line between Omaha and Winnebago Reservations 21.09 chains East of Post Marked 16 ar which

Winnebago Res line

the 6th Principal Meridian

chains	point I set post dug two pits and deposited charcoal for corner to Fractional Sections 11 and 12 -
80.00	Post in Mound for corner to Sections 1-2- Winnebago Indian Reserve 11 and 12
	Hilly prairie - 2d rate soil
	North between Sections 1 and 2 - on a random line
	Variation 12° 20' East
40.00	Temporary 1/4 Section corner
45.80	Creek 6 links wide running East
79.07	Intersect North boundary of Township 25 links East of corner to Sections 1-2-35 and 36 from which corner I run
	South 0° 11' East
	on a true line between Sections 1 and 2. Variation 12° 20' East
39.07	Post in Mound for 1/4 Section Corner
79.07.	The corner to Sections 1-2-11 and 12. Hilly prairie - 2d rate soil.
	East on a random line between Sections 1 and 12
	Variation 11° 45' East
33.00	Creek 6 links wide running South.
34.00	Same Creek running North
35.50	Same Creek running South.
40.00	Temporary 1/4 Section corner
58.85	Intersect line between Omaha and Winnebago Reservations
65.00	Leave Creek bottom bearing North and South
79.70	Intersect Range line 85 Links North of corner to Sections 1-12-5 and 8 from which Corner I run
	North 89° 24' West on a true line between Sections 1 and 12
	Variation 11° 45' East

T.26 R.7.

7
360

Township 25 North Range 7 East of

chains	
20.85	Intersect line between Omaha and Winnebago Reservations 4.81 chains North of Post Marked 15 and at point of intersection Set post in Mound dug two feet and deposited charcoal for corner to Fractional Sections 1 and 12.
39.85	Post in Mound for 1/4 Section corner
79.70	The corner to Sections 1-2-11 and 12 West 30 chains rolling prairie and East part level Soil 1st and 2d rate

June 17th 1867

Omaha Indian Reserve

North between Sections 34 and 35
Variation 11° 45' East

20.00	Post in Mound for 1/16 Section corner
40.00	Post in Mound for 1/4 Section corner
60.00	Post in Mound for 1/16 Section corner
80.00	The corner to Sections 26-27-34 and 35. post in Mound Rolling prairie 2d rate Soil

East on a random line between Sections 26 and 35
Variation 11° 45' East

20.00	Temporary 1/16 Section corner
40.00	Temporary 1/4 Section corner
60.00	Temporary 1/16 Section corner
80.00	Intersect N. and S. Line 35 Links S. of corner to Sections 25-26-35 and 36. from which Corner I run South 89°-45' West on a true line between Sections 26 and 35 Variation 11° 45' East
20.00	Post in Mound for 1/16 Section corner
40.00	Post in Mound for 1/4 Section corner
60.00	Post in Mound for 1/16 Section corner
80.00	The corner to Sections 26-27. 34 and 35- High rolling prairie — 2d rate Soil

the 6th Principal Meridian

Chains	North between sections 26 and 27- Variation 11° 30' East
19.40	Enter Slough-running water. 3 links wide running East and at same- enter Meadow
20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
80.00	Post in Mound for Corner to Sections 22 - 23 - 26 and 27.
	Level - Meadow extends from 3 to 5 Chains West and 1 to 2 Chains East of line Soil 1st rate
	East on a random line between Sections 23 and 26. Variation 11° 45' East
1.00	Leave meadow bearing N. and S.
20.00	Temporary 1/16 Section Corner
40.00	Temporary 1/4 Section Corner
60.00	Temporary 1/16 Section Corner
75.00	Enter meadow bearing N. and S.
80.06	Intersect North and South line 17 links North of Corner to Sections 23 - 24 - 25 and 26 - from which Corner I run North 89° 53' West on a true line between Sections 23 and 26 - Variation 11° 45' East
20.01	Post in Mound for 1/16 Section Corner
40.03	Post in Mound for 1/4 Section Corner
60.04	Post in Mound for 1/16 Section Corner
80.06	The Corner to Sections 22 - 23 - 26 and 27 Slightly rolling Soil 1st and 2d rate

T.26 R.7.

9
36r

Township 25 North Range 7 East of

	Chains	North between Sections 22 and 23
		Variation 11° 30' East
	6.00	Leave meadow bearing N.E. and S.W.
	20.00	Post in mound for 1/16 Section Corner
	40.00	Post in mound for 1/4 Section Corner
	60.00	Post in mound for 1/16 Section Corner
	80.00	Post in mound for corner to Sections 14-15- 22 and 23-
		Slightly rolling
		Soil 1st and 2d rate
		East on a random line between Sections 14 and 23-
		Variation 11° 45' East
	20.00	Temporary 1/16 Section Corner
	40.00	Temporary 1/4 Section Corner
	60.00	Temporary 1/16 Section Corner
	79.98	Intersect North and South line 36 links South of Corner of Sections 13-14-23 & 24 from which Corner I run
		South 89° 45' West
		on a true line between Sections 14 & 23
		Variation 11° 45' East
	19.99	Post in Mound for 1/16 Section Corner
	39.99	Post in Mound for 1/4 Section Corner
Sec X	69.99	Post in Mound for 1/16 Section Corner
	79.98	The Corner to Sections 14-15- 22 & 23
		Rolling prairie 2d rate soil
		North between Sections 14 and 15-
		Variation 12° East
	20.00	Post in Mound for 1/16 Section Corner
	40.00	Post in Mound for 1/4 Section Corner
	60.00	Post in Mound for 1/16 Section Corner
	80.00	Post in Mound for corner to Sections 10-11-14 and 15.
		Rolling prairie 2d rate soil

the 6th Principal Meridian

Chains	
	East on a random line between Sections 11 And 14
	Variation 12° East
20.00	Temporary 1/16 Section Corner
40.00	Temporary 1/4 Section Corner
53.00	Creek 2 links wide running N
60.00	Temporary 1/16 Section Corner
60.50	Creek 2 links wide running N
80.57	Intersect North and South line 31 links South of Corner to Sections 11-12-13 and 14 from which Corner I run
	South 89° 46' West on a true line between Sections 11 and 14
	Variation 12° East
20.14	Post in Mound for 1/16 Section Corner
40.28	Post in Mound for 1/4 Section Corner
60.42	Post in Mound for 1/16 Section Corner
80.57	The Corner to Sections 10-11-14 and 15
	Hilly - 2d and 3rd rate soil
	North between Sections 10 and 11
	Variation 12° East
20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
74.36	Intersect Line between Omaha and Winnebago Reservation 20 99 chains East of Post Marked 17 - and at point of Intersection. I set post in Mound. dug two pits and deposited charcoal for Corner to Fractional Sections 10 and 11 - Winnebago Res Line
80.00	Post in Mound for Corner to Sections 2 - 3 - 10 and 11 - Winnebago & Judicial Descrn
	1st 1/2 Hilly 2d Level
	Soil 2d and 1st rate

T. 26 R. 7.

11
364

Township 25 North Range 7 East of the

Chains	East on a random line between Sections 2 and 11.
	Variation 12° East
40.00	Temporary ¼ Section Corner
79.94	Intersect North and South line 35 links South of corner to Sections 1-2-11 and 12 from which corner I run South 89° 45' West on a true line between Sections 2 and 11.
	Variation 12° East
39.97	Post in mound for ¼ Section corner
79.94	The corner to Sections 2-3-10 and 11 Slightly rolling - 2d rate soil
	June 20th 1867
	North on a random line between Sections 2 and 3
	Variation 12° East
.90	Creek 3 links wide running N.E.
40.00	Temporary ¼ Section corner
40.50	Creek 1 link wide running East
43.50	Same Creek heads 3 Chains West
79.14	Intersect North line of the Township 11 links E of corner to Sections 2-3-34 and 35. from which corner I run South 5' East on a true line between Sections 2 and 3-
	Variation 12° East
39.14	Post in mound for ¼ Section corner
79.14	The corner to Sections 2-3-10 and 11 Hilly - 2d and 3rd Rate soil

Omaha Indian Reserve

	North between Sections 33 and 34
	Variation 12° 5' East
20.00	Post in Mound for 1/16 Section corner
40.00	Post in Mound for ¼ Section corner
55.00	Enter Meadow bearing N.E. and S.W.

6th Principal Meridian

Chains

60 00 Post in Mound for 1/16 Section corner
60.00 Leave Meadow bearing same
80.00 Post in Mound for corner to Sections 27-28
33 and 34.
Rolling prairie 2d rate soil

East on a random line between Sections
27 and 34.
Variation 12° 15' East

20.00 Temporary 1/16 Section corner
40.00 Temporary 1/4 Section corner
60.00 Temporary 1/16 Section corner
79.75 Intersect North and South line 44 links
North of corner to Sections 26-27-34 and
35. from which corner Pecan
North 89° 41' West
On a true line between Sections 27 & 34
Variation 12° 15' East

19.94 Post in Mound for 1/16 Section corner
39.88 Post in Mound for 1/4 Section corner
59.82 Post in Mound for 1/16 Section corner
79.75 The corner to Sections 27-28-33 and 34
Rolling prairie 2d rate soil

North between Sections 27 and 28
Variation 12° East

20.00 Post in Mound for 1/16 Section corner
40.00 Post in Mound for 1/4 Section Corner
60.00 Post in Mound for 1/16 Section corner
80.00 Post in Mound for corner to Sections 21-22-
27 and 28.
Rolling prairie 2d rate soil

East on a random line between
Sections 22 and 27.
Variation 12° East

T. 26 R. 7.

13
366

Township 25 North Range 7 East of

chains	
20.00	Temporary 1/16 Section corner
27.00	Meadow bearing N.W. and S.E.
30.00	Creek or slough 4 links wide runs S.- General Course South East
30.50	Leave meadow bearing N.W. and S.E.
40.00	Temporary 1/4 Section corner
60.00	Temporary 1/16 Section corner
75.00	Enter Meadow bearing N. and S.
79.56	Intersect North and South line 17 links North of corner to Sections 22-23-26-27 from which corner I run North 89° 53' West on a true line between Sections 22 & 27.

Variation 12° East

19.89	Post in mound for 1/16 Sections corner
39.78	Post in mound for 1/4 Section corner
59.67	Post in Mound for 1/16 Section corner
79.56	The corner to Sections 21-22-27 and 28. Slightly rolling. 2d rate soil

North between Sections 21 and 22

Variation 12° East

20.00	Post in mound for 1/16 Section corner
24.00	Enter Meadow bearing N.W. & S.E.
31.00	Leave meadow bearing Same
40.00	Post in mound for 1/4 Section corner
60.00	Post in mound for 1/16 Section corner
61.00	Enter Meadow bearing E and W.
72.00	Leave meadow bearing Same
80.00	Post in Mound for corner to Sections 15-16-21 and 22. Slightly Rolling prairie Soil 1st and 2d rate

East on a random line between Sections 15 and 22

Variation 12° East

the 6th Principal Meridian

Chains	
20.00	Temporary 1/16 Section corner
40.00	Temporary 1/4 Section corner
60.00	Temporary 1/16 Section corner
62.00	Enter Meadow bearing North and South
68.50	Leave meadow bearing ~~bearing~~ N.E. and S.W.
79.86	Intersect North And South line at corner to Sections 14 - 15 - 22 and 23 from which Corner I run West on a true line between Sections 15 and 22.
19.96	Post in Mound for 1/16 Section Corner
39.93	Post in Mound for 1/4 Section Corner
59.89	Post in Mound for 1/16 Section Corner
79.86	The corner to Sections 15 - 16 - 21 and 22

Rolling Prairie
2d Rate Soil

North between Sections 15 and 16
Variation 12° East

20.00	Post in Mound for 1/16 Section corner
37.50	Enter Meadow bearing N.E. and S.W.
40.00	Post in Mound for 1/4 Section corner
46.50	Leave meadow bearing N.W. and S.E.
60.00	Post in Mound for 1/16 Section corner
80.00	Post in Mound for corner to Sections 9 - 10 - 15 and 16

Gently rolling or Generally Level
Soil 2d rate

East on a random line between Sections 10 and 15
Variation 12° East

20.00	Temporary 1/16 Section Corner
40.00	Temporary 1/4 Section Corner
60.00	Temporary 1/16 Section corner
79.80	Intersect North and South line 58 links South of Corner to Sections 14 - 15 - 10 and 11 from which Corner I run

T.26 R.7.

15
368

Township 25 North Range 7 East of the

chains South 89° 35' West on a true
line between sections 10 and 15
Variation 12° East
19.95 Post in Mound for 1/16 Section Corner
39.90 Post in Mound for 1/4 Section Corner
59.85 Post in Mound for 1/16 Section Corner
79.80 The corner to Sections 9-10-15 and 16
Hilly - 2d rate soil
June 22d 1867

North between sections 9 and 10 -
Variation 12° East
20.00 Post in Mound for 1/16 Section Corner
40.00 Post in Mound for 1/4 Section Corner
60.00 Post in Mound for 1/16 Section Corner
Winnebago Res line
74.51 Intersect line between Omaha and Winnebago Reservations - 20 51 chains East of Post Marked "18" and at point of intersection set post in Mound dug two pits and deposited charcoal for corner to Sections (fractional) 9 and 10 -
80.00 Post in Mound for corner to Sections 3-4 9 and 10.
Rolling prairie 2d rate soil

East on a random line between Sections 3 and 10.
Variation 12° East
40.00 Temporary 1/4 Section Corner
55.60 Slough 15 links wide running South 70° East
79.00 Creek 3 links wide running North
80.03 Intersect North and South line 25 links South of Corner to Sections 2-3-10 and 11- from which corner I run
South 89° 49' West
on a true line between Sections
3 and 10
Variation 12° East

6th Principal Meridian Nebraska

Chains	
40.01	Post in Mound for 1/4 Sections Corner
80 03	The Corner to Sections 3-4-9 and 10
	Rolling prairie 2d rate soil
	North on a random line between Sections
	3 and 4 Variation 12° East
35.00	Enter meadow bearing N.E. and S.W.
40.00	Temporary 1/4 Section Corner
48.00	Leave meadow bearing N.W. and S.E.
72.07	Creek 4 links wide running N.E.
79.17	Intersect North Boundary of Township 85
	links East of Corner to Sections 3-4-33
	and 34 from which Corner I run
	South 36' East on a true line
	between Sections 3 and 4 Variation 12° East
39.17	Post in Mound for 1/4 Section Corner
79.17	The Corner to Sections 3-4-9 and 10
	1st 1/2 Rolling - 2d 1/2 Level
	Soil 2d rate
	June 23d 1867

Omaha Indian Reserve

	North between Sections 32 and 33.
	Variation 12° 30' East
20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
80.00	Post in Mound for corner to Sections 29-
	28- 33 and 32
	Slightly rolling 2d rate Soil
	East on a random line between Sections
	28 and 33-
	Variation 12° 30' East
20.00	Temporary 1/16 Section Corner
40.00	Temporary 1/4 Section Corner
60.00	Temporary 1/16 Section Corner

T.26.R.7.

Township 25 North Range 7 East of the

Chains	
79.70	Intersect North and South line 50 links North of Corner to Sections 27-28-33. and 34 from which corner I rem North 89° 39' West on a true line between Sections 28 & 33.
19.92	Post in Mound for 1/16 Section Corner
39.85	Post in Mound for 1/4 Section Corner
59.77	Post in Mound for 1/16 Section Corner
79.70	The corner to Sections 28-29-32 and 33. Slightly rolling - Soil - 2d rate
	North between sections 28 and 29 Variation 12° East
20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
64.00	Creek 2 links wide running S.W.
66.50	Same Creek running S.E.
70 25	Same Creek running S.W.
80 00	Post in Mound for Corner to Sections 20-21-28 and 29 Slightly rolling - 2d rate soil
	East on a random line between Sections 21 and 28 Variation 12° East
3.40	Creek 2 links wide running S.W.
20.00	Temporary 1/16 Section Corner
40.00	Temporary 1/4 Section Corner
60.00	Temporary 1/16 Section Corner
79.96	Intersect the North and South line 44 links North of Corner to Sections 21-22-27 and 28 from which Corner I rem
	North 89° 41' West on a true line between Sections 21 and 28 Variation 12° East

6th Principal Meridian Nebraska

Chains	
19.99	Post in Mound for 1/16 Section Corner
39.98	Post in Mound for 1/4 Section Corner
59.97	Post in Mound for 1/16 Section Corner
79.96	The Corner to Sections 20-21-28 and 29
	Slightly rolling. 2d rate soil

North between Sections 20 and 21
Variation 12° East

20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
80.00	Post in Mound for Corner to Sections
	16-17-20 and 21.
	Slightly rolling - 2d rate soil

East on a random line between Sections
16 and 21
Variation 12° East

20.00	Temporary 1/16 Section Corner
40.00	Temporary 1/4 Section Corner
60.00	Temporary 1/16 Section Corner and enter Meadow
	bearing N.W. and S.E.
67.50	Leave Meadow bearing same
80.20	Intersect North and South line at Corner
	to Sections 15-16-21 and 22
	from which Corner I run
	West on a true line between Sections
	16 and 21-

Variation 12° East

20.05	Post in Mound for 1/16 Section Corner
40.10	Post in Mound for 1/4 Section Corner
60.15	Post in Mound for 1/16 Section Corner
80.20	The Corner to Sections 16-17-20 and 21
	Slightly rolling - 2d rate soil

T. 26 R. 7.

19
372

Township 25 North Range 7 East of

Chains	
	North between Sections 16 and 17.
	Variation 11°. 45' East
20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
47.00	Enter Meadow bearing N.W. and S.E.
54.00	Leave Meadow bearing Same
60.00	Post in Mound for 1/16 Section Corner
80.00	Post in Mound for Corner to Sections 8-9-16 and 17.
	Slightly rolling-Soil 2d rate
	East on a random line between Sections 9 and 16.
	Variation 11° 45' East
20.00	Temporary 1/16 Section Corner
35.00	Enter Meadow bearing N.W. and S.E.
40.00	Temporary 1/4 Section Corner
42.00	Leave Meadow bearing N and S.
60.00	Temporary 1/16 Section Corner
79.58	Intersect North and South line 38 links North of corner to Sections 9-10-15 and 16 from which Corner I run
	North 89° 44' West
	On a true line between Sections 9 and 16
19.89	Post in Mound for 1/16 Section Corner
39.79	Post in Mound for 1/4 Section Corner
59.68	Post in Mound for 1/16 Section Corner
79.58	The Corner to Sections 8-9-16 and 17
	Generally Level 2d rate Soil
	North between sections 8 and 9. Variation 12° East
20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
Winnebago Res line 73.61	Intersect line between Omaha and Winnebago Reservations 20.66 chains East of Post marked "19" and at point of Intersection I set a post in Mound. dug two pits and deposited charcoal for corner to Fractional Sections 8 and 9 —

Winnebago Indian Reserve

the 6th Principal Meridian Nebraska

chains	
80.00	Post in Mound for Corner to Sections 4 - 5 - 8 and 9.
	Generally Level - 2d rate soil
	East on a random line between Sections 4 and 9
	Variation 12° East
40.00	Temporary 1/4 Section Corner
79.84	Intersect North and South line 78 links North of Corner to Sections 3-4-9 and 10 from which Corner I run North 89° 27' West on a true line between Sections 4 and 9
	Variation 12° East
39.92	Post in Mound for 1/4 Section Corner
79.84	The Corner to Sections 4-5-8 and 9
	Rolling prairie 2d rate Soil
	North on a random line between Sections 4 and 5
	Variation 12° East
40.00	Temporary 1/4 Section Corner
79.10	Intersect North line of Township 60 links East of Corner to Sections 4-5-32 and 33 from which Corner I run
	South 26' East on a true line between Sections 4 and 5
	Variation 13° East
39.10	Post in Mound for 1/4 Section Corner
79.10	The Corner to Sections 4-5-8 and 9
	Hilly - 3rd rate Soil
	June 24th 1867.

T. 26 R. 7.

Township 25 North Range 7 East of

Chains	
	North between Sections 31 and 32
	Variation 12° East
20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
80.00	Post in Mound for Corner to Sections 29-30-31 and 32
	Rolling prairie 2d rate Soil
	East on a random line between Sections 29 and 32-
	Variation 12° East
20.00	Temporary 1/16 Section Corner
33.75	Enter meadow bearing N. and S.
38.25	Leave meadow bearing same
40.00	Temporary 1/4 Section Corner
47.38	Enter meadow bearing N. and S.
54.00	Leave meadow bearing Same
60.08	Temporary 1/16 Section Corner
79.50	Intersect North and South line 18 links South of Corner to Sections 28-29-32 and 33- from which Corner I own
	South 89° 30' West
	on a true line between Sections 29 and 32
	Variation 12° East
19.87	Post in Mound for 1/16 Section Corner
39.75	Post in Mound for 1/4 Section Corner
59.62	Post in Mound for 1/16 Section Corner
79.50	The Corner to Sections 29-30-31 and 32.
	Rolling prairie and meadow 2d rate Soil
	West on a random line between Sections 31 and 30-
	Variation 12° East
20.00	Temporary 1/16 Section Corner

the 6th Principal Meridian Nebraska

Chains	
40.00	Temporary 1/4 Section Corner
60.00	Temporary 1/16 Section Corner
79.92	Intersect West line of Township 28 links South of Corner to Sections 30 and 31 25 and 36. from which Corner I run South 89° 48' East on a true line between Sections 31 and 32.
19.92	Post in Mound for 1/16 Section corner
39.92	Post in Mound for 1/4 Section corner
59.92	Post in Mound for 1/16 Section corner
79.92	The Corner to Sections 29 - 30 - 31 and 32. Rolling Prairie 2d rate Soil

North between Sections 29 and 30-
Variation 12° East

20.00	Post in Mound for 1/16 Section corner
40.00	Post in Mound for 1/4 Section corner
60.00	Post in Mound for 1/16 Section corner
80.00	Post in Mound for Corner to Sections 19-20- 29 and 30 Rolling prairie - 2d rate Soil

East on a random line between Sections 20 and 29
Variation 11° 45' East

20.00	Temporary 1/16 Section Corner
35.75	Slough 15 links wide - about 3 feet deep bearing N. W. and S. E. - no Meadow
40.00	Temporary 1/4 Section Corner
60.00	Temporary 1/16 Section Corner
79.97	Intersect North and South line 32 links North of Corner to Sections 20 - 21 - 28 and 29. from which Corner I run

T. 26 R. 7.

Township 25 North Range 7 East of the

Chains	
	North 89° 46' West
	on a true line between Sections 20 and
	29- Variation 11° 45' East
19.99	Post in Mound for 1/16 Section corner
39.98	Post in Mound for 1/4 Section Corner
59.97	Post in Mound for 1/16 Section Corner
79.97	The Corner to Sections 19-20-29 and 30
	Rolling prairie 2d rate soil

West on a random line between Sections
19 and 30-
Variation 11° 45' East

20.00	Temporary 1/16 Section Corner
40.00	Temporary 1/4 Section Corner
60.00	Temporary 1/16 Section Corner
79.65	Intersect West line of Township 44 links
	North of Corner to Sections 19-30-
	24 and 25. from which Corner
	I run
	North 89° 41' East
	on a true line between Sections 19 and
	30
	Variation 11° 45' East
19.65	Post in Mound for 1/16 Section
39.65	Post in Mound for 1/4 Section Corner
59.65	Post in Mound for 1/16 Section Corner
79.65	The Corner to Sections 19-20-29 and
	30-
	Rolling prairie 2d rate soil

North between Sections 19 and 20
Variation 12° East

20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
80.00	Post in Mound for corner to Sections
	17-18-19 and 20-
	Rolling Prairie — 2d rate soil

6th Principal Meridian State of Nebraska

Chains East on a Random line between Sections
17 and 20
Variation 11° 30' East
20.00 Temporary 1/16 Section Corner
40.00 Temporary 1/4 Section Corner
60.00 Temporary 1/16 Section Corner
79.91 Intersect the North and South line 23 links
North of Corner to Sections 16-17-20 and
21 from which Corner I run
North 89° 30' West
on a true line between Sections 17 and 20
Variation 11° 30' East
19.98 Post in Mound for 1/16 Section Corner
39.96 Post in Mound for 1/4 Section Corner
59.94 Post in Mound for 1/16 Section Corner
79.91 The Corner to Sections 17-18-19 and 20
Rolling prairie 2d rate Soil

West on a random line between Sections 18-
and 19 Variation 12° East
20.00 Temporary 1/16 Section Corner and creek
2 links wide running South
40.00 Temporary 1/4 Section Corner
60.00 Temporary 1/16 Section Corner
79.30 Intersect West line of Township 27
links North of Corner to Sections 18-19-
13 and 24. from which Corner I run
North 89° 48' East
on a ~~random~~ true line between Sections 18
and 19
Variation 12° East
19.30 Post in Mound for 1/16 Section Corner
39.30 Post in Mound for 1/4 Section Corner
59.30 Post in Mound for 1/16 Section Corner
79.30 Post in Mound for Corner to Sections
17-18-19 and 20

Rolling prairie - 2d rate Soil

T.26 R.7.

25
378

Township 25 North Range 7 East of the

Chains	
	North between Sections 18 and 17
	Variation 12° East
20.00	Post in Mound for 1/16 Section corner
40.00	Post in Mound for 1/4 Section corner
60.00	Post in Mound for 1/16 Section corner
80.00	Post in Mound for corner to Sections 7-8-17. and 18
	Rolling prairie - 2d rate soil
	East on a random line between Sections 8 and 17
	Variation 12° East
20.00	Temporary 1/16 Section corner
40.00	Temporary 1/4 Section corner
60.00	Temporary 1/16 Section corner
65.00	Enter meadow bearing N.W. and S.E.
70.00	Leave meadow bearing same
80.20	Intersect North and South line at corner to Sections 8-9-16 and 17- from which corner I run
	West on a true line between Sections 8 and 17.
	Variation 12° East
20.05	Post in Mound for 1/16 Section corner
40.10	Post in Mound for 1/4 Section corner
60.15	Post in Mound for 1/16 Section corner
80.20	The corner to Sections 7-8-17 and 18
	Slightly rolling - 2 rate soil
	West on a random line between Sections 7 and 18 - Variation 12° East
10.00	Enter meadow bearing N and S.
13.00	Leave meadow bearing same
20.00	Temporary 1/16 Section corner
40.00	Temporary 1/4 Section corner
60.00	Temporary 1/16 Section corner
78.00	Enter meadow bearing N.W. and S.E.
79.57	Intersect West line of Township 25 links North of corner to Sections 7-18-

6th Principal Meridian Nebraska

Chains 12 and 13 from which corner 9 rem
North 89° 49' East
On a true line between Sections
7 and 18
Variation 12° East

19.57 Post in mound for 1/16 Section corner
39.57 Post in Mound for 1/4 Section corner
59.57 Post in Mound for 1/16 Section corner
79.57 The corner to Sections 7-8-17 and 18
Rolling prairie 2d rate Soil
June 26th 1867

North between Sections 7 and 8
Variation 12° East

20.00 Post in mound for 1/16 Section corner
40.00 Post in mound for 1/4 Section corner
60.00 Post in Mound for 1/16 Section corner
73.32 Intersect line between the Omaha and Winnebago Reservations 20.60 chains East of Post Marked 20. and at the point of Intersection I set post in Mound - dug two pits and deposited charcoal for corner to Sections (Fractional) 7 and 8. — Winnebago Res line
80.00 Post in Mound for Winnebago Indian Reserve Corner to Sections 5-6-7 and 8.
1st 1/2 Rolling - Last 1/2 Level
Said 2d rate

East on a random line between Sections
5 and 8. Variation 12° East
40.00 Temporary 1/4 Section Corner
80.10 Intersect North and South line 16 links North of corner to Sections 4-5-8 and 9 from which corner 9 rem
North 89° 53' West
on a true line between Sections
5 and 8
Variation 12° East

T. 26 R. 7.

27
380

Township 25 North Range 7 East of

40.05 Post in Mound for ¼ Section corner
80.10 The corner to sections 5-6-7 and 8
Level – 2d rate soil

West on a random line between sections
6 and 7-
Variation 12° East
40.00 Temporary ¼ Section corner
80.02 Intersect West line of Township 19
Links North of corner to Sections
6-7-1 and 12 from which corner
2 runs
North 89° 52' East on a true line
between Sections 6 and 7.
Variation 12° East
40.02 Post in Mound for ¼ Section corner
80.02 The corner to Sections 5-6-7 and 8
Rolling prairie 2d rate soil

North on a random line between
Sections 5 and 6-
Variation 12° East
40.00 Temporay ¼ Section corner
78.90 Intersect North ~~and South~~ line of
Township 43 links East of corner
to Sections 5-6-31 and 32
from which corner 2 runs
South 18' East on a true
line between sections 5 and 6-
Variation ———
38.90 Post in Mound for ¼ Section corner
78.90 The corner to sections 5-6-7 and
8
Rolling prairie 2d rate soil
June 27th 1867

the 6th Principal Meridian - Nebraska

Subdivision of Sections
Commenced June 18th 1867
And
Completed July 5th 1867

Subdivision of Section 36-

North on the quarter section line through Section 36

Variation 12° East

1.50 Leave Marshy meadow
20.00 Post in Mound for 1/16 Section Corner
40.00 Post in Mound for 1/4 Section Corner
60.00 Post in Mound for 1/16 Section Corner
67.00 Enter ~~timber~~ meadow running E and W
74.50 Leave meadow leaving Dame
80.00 Intersect the North line of the Section At the 1/4 Section Corner
Slightly rolling 2d rate Prairie

East on a random 17 20 line through Section 36 Variation 12° 15' East

20.00 Temporary 1/16 Section Corner
26.30 Slough 10 links Wide bearing S.E,
40.04 Intersect North and South 1/4 Section line
60.00 Temporary 1/16 Section Corner
80.08 Intersect E. line of Section 10 links North of 1/4 Section Corner from which Corner 2 ~~ash~~ pine
North 89° 56' West on a true 1/4 sec. line through Section 36.

Variation 12° 15' East

20.02 Post in Mound for 1/16 Section Corner
40.04 Intersect North And South 1/4 Section line At the 1/4 Section Corner
60.06 Post in Mound for 1/16 Section Corner
80.08 The quarter Section Corner on the West line of Section 36-
Gently rolling prairie - 2d rate soil

T.26.R.7.

Township 25 North Range 7 East of the

Chains	Subdivision of Section 25
	North on the ¼ Section line through Section 25.
	Variation 12° 6' East
20.00	Post in mound for 1/16 Section corner
40.00	Post in mound for ¼ Section corner
60.00	Post in mound for 1/16 Section corner
80.00	Intersect the North line of the Section at the quarter Section corner
	Land - slightly rolling
	Soil - 2nd rate
	East on a random ¼ Section line through Section 25
	Variation 12° 15' East
2.00	Creek 3 links wide running S.E.
20.00	Temporary 1/16 Section corner
40.06	Intersect North and South ¼ Section line
57.00	Enter meadow bearing N. and S.
60.00	Temporary 1/16 Section corner
62.00	Leave meadow bearing N.W. and S.E.
80.13	Intersect East line of the Section 19 links North of ¼ Section corner from which corner 2 run
	North 89° 52' West on a true ¼ Section line through Section 25
	Variation 12° 15' East
20.03	Post in mound for 1/16 Section corner
40.07	Intersect North and South ¼ Section line at the quarter Section corner
60.10	Post in mound for 1/16 Section corner
80.13	The ¼ Section corner on the West line of the Section
	Land - rolling - Soil - 2nd rate
	Subdivision of Section 24

6th Principal Meridian State of Nebraska

Chains	North on the 1/4 Section line through Section 24.
	Variation 12° 26' East
20.00	Post in mound for 1/16 Section corner
40.00	Post in mound for 1/4 Section corner
60.00	Post in mound for 1/16 Section corner
80.00	Intersect the North line of the Section at the 1/4 Section corner
	Rolling prairie - 2d rate soil
	East on a random 1/4 Section line through Section 24
	Variation 12° 15 East
20.00	Temporary 1/16 Section corner
40.13	Intersect North and South 1/4 Section line
60.00	Temporary 1/16 Section corner
61.50	Creek 2 links wide running North
80.25	Intersect East line of Section 31 links North of 1/4 Section corner from which Corner 2 mm
	North 89°. 47' West on a true 1/4 Section line through Section 24
	Variation 12° 15' East
20.06	Post in mound for 1/16 Section corner
40.12	Intersect North and South 1/4 Section line at the 1/4 Section corner
60.18	Post in mound for 1/16 Section corner
80.25	The 1/4 Section corner on the West line of the Section
	Very Rolling and hilly
	Soil - 2d and 3rd rate
	Subdivision of Section 13
	North on the 1/4 Section line through Section 13
	Variation 12° 15' East

T. 26 R. 7.

Township 25 North Range 7 East of the

Chains	
20.00	Post in mound for 1/16 Section corner
40.00	Post in mound for 1/4 Section corner
60.00	Post in mound for 1/16 Section corner
80.00	Intersect North line of Section at the 1/4 Section corner

Hilly prairie - 3rd rate Soil

East on a random 1/4 Section line through Section 13.

Variation 12° 15' East

20.00	Temporary 1/16 Section Corner
23.00	Enter Meadow bearing N and S
27.50	Leave Meadow bearing same
40.11	Intersect North and South 1/4 Section line
60.00	Temporary 1/16 Section corner
78.00	Creek 6 links wide running North
80.21	Intersect East line of Section, 31 links North of 1/4 Section corner from which corner I run

North 89° 47' West on a true 1/4 Section line through Section 13.

Variation 12° 15' East

20.05	Post in mound for 1/16 Section corner
40.10	Intersect North and South 1/4 Section line at the 1/4 Section corner
60.15	Post in mound for 1/16 Section corner
80.21	The 1/4 Section corner on the West line of the Section

Very rolling - 2nd and 3rd rate Soil

Subdivision of Section 12

North on the 1/4 Section line through Section 12

Variation 12° 49' East

6th Principal Meridian State of Nebraska

Chains	
15.75	Creek 3 links wide running East
20.00	Post in Mound for 1/16 Section corner
40.00	Post in Mound for 1/4 Section corner
60.00	Post in Mound for 1/16 Section corner
69.75	Creek 7 links wide running East
74.41	Intersect line between Omaha and Winnebago Reservations And at point of intersection I set a post in Mound dug 2 pits and deposited Charcoal for corner to Fractional 1/4 Sections. 1st 1/2 rolling prairie – 2d 1/2 Level Soil 1st 1/2 2d rate – 2d 1/2 2d rate

East on a random 1/4 Section Line through Section 12

Variation 12° 15' East

20.00	Temporary 1/16 Section Corner
39.93	Intersect North and South 1/4 Section line
60.00	Temporay 1/16 Section corner and Creek 7 links wide running S
79.86	Intersect East line of Section 53 links North of 1/4 Section Corner from which Corner I run

North 89° 38' West on a true 1/4 Sec Line through Section 12

Variation 12° 15' East

19.96	Post in mound for 1/16 Section Corner
39.93	Intersect North and South 1/4 Section line at 1/4 Section Corner
59.89	Post in mound for 1/16 Section corner
79.86	The 1/4 Section corner on the West side of the Section

Land 1st 3/4 very rolling
Last 1/4 Level.
Soil 1st 3/4. 2d rate. Last 1/4 1st rate

June 18th 1867

T.26 R.7.

Omaha Indian Reservation

Township 25 North Range 7 East of

Swains

Subdivision of Section 35.

North on the 1/4 Section line through
Section 35.
Variation 12° 17' East

20.00 Post in mound for 1/16 Section corner
40.00 Post in mound for 1/4 Section Corner
60.00 Post in mound for 1/16 Section Corner
80.00 Intersect the North line of the Section
at the 1/4 Section corner
Slightly rolling - 2d rate soil

East on a random 1/4 Section line
through Section 35
Variation 12° East

20.00 Temporary 1/16 Section corner
40.00 Intersect North and South 1/4 Section
line
60.00 Temporary 1/16 Section corner
80.00 Intersect East line of Section 31 links
North of 1/4 Section Corner
from which Corner I run
North 89° 47' West
on a line 1/4 Section line through
Section 35.
Variation 12° East
2000 Post in mound for 1/16 Section Corner
40.00 Intersect North and South 1/4 Section
line at 1/4 Section Corner
6000 Post in mound for 1/16 Section Corner
8000 The 1/4 Section Corner on the West line
of the Section
Slightly rolling - 2d rate soil

Subdivision of Section 26-

North on the 1/4 Section line through
Section 26
Variation 11° 55' East

Omaha Indian Reservation

the 6th Principal Meridian Nebraska.

34/387 1/19

chains	
13.10	Slough 8 links wide bearing East
20.00	Post in mound for 1/16 Section corner
40.00	Post in mound for 1/4 Section corner
60.00	Post in mound for 1/16 Section corner
80.00	Intersect North line of the Section at the 1/4 Section corner
	Rolling prairie - 2d rate soil
	East on a random 1/4 Section line through Section 26
	Variation 12° East
2.00	Leave meadow bearing North and South
20.00	Temporary 1/16 Section corner
40.01	Intersect North and South 1/4 Section line
60.00	Temporary 1/16 Section corner
80.03	Intersect East line of Section 30 links North of 1/4 Section corner from which Corner 3 runs
	North 89° 47. West on a true 1/4 sec. line through Section 26
	Variation 12° East
20.01	Post in mound for 1/16 Section corner
40.02	Intersect North and South line at the 1/4 Section corner
60.02	Post in mound for 1/16 Section corner
80.03	The 1/4 Section corner on the West line of the Section
	Rolling prairie - 2d rate soil
	Subdivision of Section 23.
	North on the 1/4 Section line through Section 23.
	Variation 12° East
20.00	Post in mound for 1/16 Section corner
40.00	Post in mound for 1/4 Section corner
60.00	Post in mound for 1/16 Section corner
80.00	Intersect North line of Section at the 1/4 Section corner
	Slightly rolling - 2d rate soil

T.26 R.7.

35
388

Omaha Indian Reservation

Township 25 North Range 7 East of the

chains	
	East on a random 1/4 Section line through Section 23
	Variation 11° 45' East
20.00	Temporary 1/16 Section corner
40.01	Intersect North and South 1/4 Section line
60.00	Temporary 1/16 Section corner
80.02	Intersect East line of Section 12 links South of 1/4 Section corner from which corner B rem
	South 89° 55' West on a true 1/4 Section line through Section 23 -
	Variation 11° 45' East
20.00	Post in Mound for 1/16 Section corner
40.01	Intersect North and South line at the 1/4 Section corner
60.01	Post in Mound for 1/16 Section corner
80.02	The 1/4 Section corner on the West line of the Section
	Rolling prairie 2d rate soil
	Subdivision of Section 14
	North on the 1/4 Section line through Section 14
	Variation 12° East
20.00	Post in Mound for 1/16 Section corner
40.00	Post in Mound for 1/4 Section corner
60.00	Post in Mound for 1/16 Section corner
73.70	Creek 2 links wide running N.E.
80.00	Intersect the North line of the Section at the 1/4 Section corner
	Rolling - last 3/4 oak under brush 2d rate soil
	East on a random 1/4 Section line through Section 14
	Variation 12° East
20.00	Temporary 1/16 Section corner

Omaha Indian Reservation

36
389

1
19

6th Principal Meridian Nebraska

chains	
21.50	Enter meadow bearing N and S
27.50	Leave meadow bearing same
40.14	Intersect North & South ¼ Section line
78.75	Creek 2 links wide running North
80.28	Intersect the East line of Section 53 links South of the ¼ Section corner from which corner 2 runs South 89° 37' West on a true ¼ Section line through Section

¼

Variation 12° East

20.07	Post in mound for ⅛ Section corner
40.14	Intersect North and South ¼ Section line at the ¼ Section corner
60.21	Post in mound for ⅛ Section corner
80.28	The ¼ Section corner on the West line of the Section

Rolling prairie 2d rate soil

Subdivision of Section 11 -

North on the ¼ Section line through Section 11 -

Variation 12° 2' East

20.00	Post in mound for ⅛ Section corner
40.00	Post in mound for ¼ Section corner
60.00	Post in mound for ⅛ Section corner
74.36	Intersect the line between the Omaha and Winnebago Reservations and at point of intersection set a post in mound, dug two pits and deposited charcoal for corner to fractional ¼ Sections

Hilly - 2d rate soil

June 21st 1867

T.26 R.7.

Omaha Indian Reservation

Township 25 North Range 7 East of the

chains	
	East on a random 1/4 Section line through Section 11.
	Variation 12° East
20.00	Temporary 1/16 Section corner
40.13	Intersect North and South 1/4 Section line
60.00	Temporary 1/16 Section corner
78.00	Creek 2 links wide running South
80.25	Intersect East line of the Section 16 links South of the 1/4 Section corner from which corner 2 run
	S 89° 53' West
	on a true 1/4 Section line through Section 11
	Variation 12° East
20.06	Post in mound for 1/16 Section corner
40.12	Intersect North and South 1/4 Section line at the 1/4 Section corner
60.18	Post in mound for 1/16 Section corner
80.25	The 1/4 Section corner on the West line of the Section
	Hilly – 3rd rate soil
	Subdivision of Section 34
	North on the 1/4 Section line through Section 34
	Variation 11° 32' East
9.30	Enter meadow bearing East and West
9.50	Creek 3 links wide bearing S 70° West
20.00	Post in Mound for 1/16 Section corner
32.00	Leave meadow bearing N.E. and S.W.
40.00	Post in mound for 1/4 Section corner
60.00	Post in mound for 1/16 Section corner
80.00	Intersect North line of Section at the 1/4 Section corner
	Rolling prairie 2nd rate soil
	East on a random 1/4 Section line through Section 34
	Variation 12° East

6th Principal Meridian Nebraska

Chains	
20.00	Temporary 1/16 Section Corner
39.94	Intersect North and South 1/4 Section line
44.00	Enter Meadow bearing N.E. and S.W.
48.00	Leave Meadow bearing N.E. and S.W.
60.00	Temporary 1/16 Section Corner
79.87	Intersect East line of Section at the 1/4 Section Corner - from which Corner I run West on a true line through Section 34
	Variation 12° East
19.96	Post in Mound for 1/16 Section Corner
39.93	Intersect North and South line at 1/4 Section Corner
59.90	Post in Mound for 1/16 Section Corner
79.87	The 1/4 Section Corner on the West line of the Section
	Rolling prairie - 2d rate soil

Subdivision of Section 27.

North on the 1/4 Section line through Section 27.

Variation 11° 56' East

20.00	Post in Mound for 1/16 Section Corner
39.00	Enter Meadow bearing N.W. and East
40.00	Post in Mound for 1/4 Section Corner
50.50	Water Course 5 links Wide bearing N.W. & S.E.
55.00	Leave Meadow bearing N.W. and East
60.00	Post in Mound for 1/16 Section Corner
80.00	Intersect the North line of the Section at the 1/4 Section Corner
	Rolling prairie - 2d rate soil

Easton a random 1/4 Section line through Section 27.

Variation 12° East

20.00	Temporary 1/16 Section Corner

T.26 R.7.

39
392

Township 25 North. Range 7 East of the

Chains	
39.00	Enter meadow bearing N.W. and S.E.
39.83	Intersect North and South ¼ Section line
54.20	Water course bearing N.W and S.E.
59.00	Leave meadow bearing N.W and S.E.
60.00	Temporary ¼16 Section Corner
79.66	Intersect East line of Section 5 links North of ¼ Section Corner from which corner 9 runs North 89° 58' West on a true ¼ Section line through Section 27. Variation 12° East.
19.91	Post in Mound for ¼16 Section Corner
39.83	Intersect North and South line at the ¼ Section Corner
59.74	Post in Mound for ¼16 Section Corner
79.66	The ¼ Section Corner on the West line of the Section

Rolling Prairie - 2d rate soil

Subdivision of Section 22

North on the ¼ Section line through Section 22

Variation 11° 30' East

20.00	Post in mound for ¼16 Section Corner
40.00	Post in mound for ¼ Section corner
44.00	Enter meadow bearing N.E. and S.W.
51.00	Leave meadow bearing East and West
60.00	Post in Mound. for ¼16 Section Corner
80.00	Intersect the North line of the Section at the ¼ Section Corner

Rolling prairie - 2d rate soil

East on a random ¼ Section line through Section 22

Variation 12° East

6th Principal Meridian Nebraska

Chains	
20.00	Temporary 1/16 Section corner
28.00	Enter meadow bearing N.W. and S.
38.50	Leave meadow bearing N.E. and S
39.85	Intersect North and South 1/4 Section line
60.00	Temporary 1/16 Section corner
79.71	Intersect East line of Section at 1/4 Section corner from which corner 9 mn West on a true line through Section 22 Variation 12° East
19.93	Post in mound for 1/16 Section corner
39.86	Intersect North and South 1/4 Section line at the 1/4 Section corner
59.79	Post in mound for 1/16 Section corner
79.71	The 1/4 Section corner on the West line of the Section

Rolling prairie - 2d rate soil

Subdivision of Section 15

North on the 1/4 Section line through Section 15.

Variation 11°. 45' East

20.00	Post in mound for 1/16 Section corner
40.00	Post in mound for 1/4 Section corner
60.00	Post in mound for 1/16 Section corner
80.00	Post in mound for Intersect North line of the section at the 1/4 Section corner

Rolling prairie - 3d rate soil

East on a random 1/4 Section line through Section 15.

Variation 12° East

20.00	Temporary 1/16 Section corner
39.91	Intersect North and South 1/4 Section line
60.00	Temporary 1/16 Section corner

T.26 R.7.

Township 25 North Range 7 East of the

Chains
79.83 Intersects East line of Section 9 links
South of ¼ Section Corner from which
Corner 2 runs
South 89° 36' West
on a true line through Section 15
Variation 12° East
19.96 Post in Mound for ⅛ Section Corner
39.92 Intersects North and South ¼ Section line
at the ¼ Section Corner
59.88 Post in Mound for ⅛ Section Corner
79.83 The ¼ Section Corner on the West line
of the Section
Rolling prairie – 2d rate soil

Subdivision of Section 10 –

North on the ¼ Section line through
Section 10
Variation 11° 57' East
20.00 Post in Mound for ⅛ Section Corner
37.50 Creek 5 links wide runs N.E.
40.00 Post in Mound for ¼ Section Corner
41.50 Creek 3 links wide running East
60.00 Post in Mound for ⅛ Section Corner
74.36 Intersects the line between the Omaha
and Winnebago Reservations and at
the point of intersection set a post
in Mound dug two pits and
deposited charcoal for corner to
Fractional ¼ Sections
Gently Rolling – 2d rate soil

East on a random ¼ Section line
through Section 10
Variation 12° East
20.00 Temporary ⅛ Section Corner
39.96 Intersects North and South ¼ Section line

6th Principal Meridian Nebraska

chains	
54.00	Creek 3 links wide running N. E.
60.00	Temporary 1/16 Section Corner
79.92	Intersect East line of the Section 17 links South of 1/4 Section Corner from which Corner 9 rm South 89° 53' West
	On a true 1/4 Section line through Section 10
	Variation 12° East
19.98	Post in Mound for 1/16 Section Corner
39.96	Intersect North and South 1/4 Section line at the 1/4 Section Corner
59.94	Post in Mound for 1/16 Section Corner
79.92	The 1/4 Section Corner one the West line of the Section
	Rolling prairie - 2d rate soil

Subdivision of Section 33-

North on the 1/4 Section line through Section 33.

Variation 12° 4' East

20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
80.00	Intersect the North line of the Section at the 1/4 Section Corner
	Rolling prairie - 2d rate soil

East on a random 1/4 Section line through Section 33

Variation 12° 10' East

20.00	Temporary 1/16 Section Corner
39.93	Intersect North and South 1/4 Section line
60.00	Temporary 1/16 Section Corner
79.85	Intersect East line of Section 18 links South of 1/4 Section Corner from which Corner 9 rm

T. 26, R. 7.

43
396

Township 25 North Range 7 East of

South 89° 52' West on a true
1/4 Section line through Section 33.
Variation 12° 10' East

19.96 Post in Mound for 1/16 Section corner
39.92 Intersect North and South 1/4 Section
line at the 1/4 Section corner
59.98 Post in Mound for 1/16 Section corner
79.85 The 1/4 Section corner on the West line of
the Section
Rolling prairie 2d rate soil

Subdivision of Section 28

North on the 1/4 Section line through
Section 28
Variation 12° 5' East

20.00 Post in Mound for 1/16 Section corner
40.00 Post in Mound for 1/4 Section corner
60.00 Post in Mound for 1/16 Section corner
80.00 Intersect the North line of Section at
the 1/4 Section corner
Rolling prairie - 2d rate soil

East on a random 1/4 Section line
through Section 28
Variation 12° East

20.00 Temporary 1/16 Section Corner
39.91 Intersect North and South 1/4 Section line
60.00 Temporary 1/16 Section corner
79.83 Intersect the East line of the Section
36 links North of the 1/4 Section
Corner from which Corner
I run
South 89° 45' West
on a true 1/4 Section line
through Section 28
Variation 12° East

the 6th Principal Meridian Nebraska

chains	
19.96	Post in Mound for 1/16 Section Corner
39.92	Intersect North and South 1/4 Section line at the 1/4 Section corner
59.88	Post in Mound for 1/16 Section Corner
79.83	The 1/4 Section Corner on the West line of the Section
	Rolling prairie — 2d rate soil

Subdivision of Section 21

North on the 1/4 Section line through Section 21

Variation 12° East

20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
80.00	Intersect the North line of the Section at the 1/4 Section Corner
	Rolling prairie - 2d rate soil

East on a random 1/4 Section line through Section 21

Variation 12° East

20.00	Temporary 1/16 Section Corner
40.04	Intersect North and South 1/4 Section line
60.00	Temporary 1/16 Section Corner
80.08	Intersect East line of the Section 7 links North of 1/4 Section Corner from which Corner I run North 89° 57' West on a true 1/4 Section line through Section 21 Variation 12° East
20.02	Post in Mound for 1/16 Section Corner
40.04	Intersect N. & S. 1/4 Sec line at the 1/4 Sec. Corner
60.06	Post in Mound for 1/16 Section Corner
80.08	The 1/4 Section Corner on the West line of the Section
	Rolling prairie - 2d rate Soil

T.26 R.7.

45
398

Township 25 North Range 7 East of

Chains. Subdivision of Section 16

North on the 1/4 Section line through
Section 16.
Variation 11° 57' East

20.00 Post in Mound for 1/16 Section corner
21.50 Enter meadow bearing N.W. and S.E.
28.00 Leave meadow bearing same
40.00 Post in Mound for 1/4 Section corner
60.00 Post in Mound for 1/16 Section corner
68.00 Enter meadow bearing N.W. and S.E.
80.00 Intersect North line of Section at the 1/4
Section corner
Rolling prairie - 2d rate soil

East on a random 1/4 Section line
through Section 16
Variation 12° East
1.50 Enter meadow bearing N and S.
17.50 Leave meadow bearing N.W. and S.E.
20.00 Temporary 1/16 Section corner
39.95 Intersect North and South 1/4 Section line
46.00 Enter meadow bearing N and S
53.00 Leave meadow bearing same
60.00 Temporary 1/16 Section corner
76.00 Enter meadow bearing North and South
79.89 Intersect East line of Section at the 1/4 Section
Corner from which corner
I run
West on a true line through
Section 16 - Variation 12° East
19.97 Post in Mound for 1/16 Section corner
39.94 Intersect North and South 1/4 Section
line at the 1/4 Section corner
59.91 Post in Mound for 1/16 Section corner
79.89 The 1/4 Section corner on the West line
of the Section
Rolling prairie 2d rate soil

the 6th Principal Meridian Nebraska

chains	
	Subdivision of Section 9
	North on the 1/4 Section line through Section 9 - Variation 12° East
20.00	Post in Mound for 1/16th Section Corner
25.00	Leave Meadow bearing N.W. and S.E.
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
73.90	Intersect line between the Omaha and Winnebago Reservations and at the point of intersection Set a post in Mound. Dug two pits and deposited charcoal for corner to fractional 1/4 Sections
	Rolling prairie and Meadow. 2d rate Soil
	East on a random 1/4 Section line through Section 9.
	Variation 12° East
20.00	Temporary 1/16 Section Corner
39.85	Intersect North and South 1/4 Section line
60.00	Temporary 1/16 Section Corner
79.71	Intersect East line of Section 20 links North of the 1/4 Section Corner from which Corner I run
	North 89° 52' West on a true line through Section 9
	Variation 12° East
19.93	Post in Mound for 1/16 Section Corner
39.86	Intersect North and South 1/4 Section line at the 1/4 Section Corner
59.79	Post in Mound for 1/16 Section Corner
79.71	The 1/4 Section Corner on the West line of the Section
	Rolling prairie.
	Second Rate Soil
	June 25 1867

T. 26, R. 7.

47
400

Township 25 North Range 7 East of the

Chains	Subdivision of Section 32
	North on the ¼ Section line through Section 32
	Variation 11°. 45' East
12.50	Leave Logan Bottom bearing N.E. and W.
20.00	Post in mound for ¼ Section corner
38.50	Creek 3 links wide running S.E.
40.00	Post in mound for ¼ Section corner
42.50	Creek 3 links wide running S.W.
55.50	Meadow bearing East and West
60.00	Post in mound for ¼ Section corner
78.00	Leave meadow N 60° W and S.E.
80.00	Intersect North line of Section at the ¼ Section corner
	Rolling prairie – 2d rate soil
	East on a random ¼ Section line through Section 32
	Variation 12° East
20.00	Temporary ¼ Section corner
39.30	Creek 3 links wide running South
39.87	Intersect North and South ¼ Section line
60.00	Temporary ¼ Section corner
67.00	Enter meadow bearing N and S
71.00	Leave meadow bearing same
79.75	Intersect the East line of Section 20 links North of ¼ Section corner from which corner I run
	North 89° 37' West
	on a true ¼ Section line through Section 32
	Variation 12° East
19.94	Post in mound for ¼ Section corner
39.88	Intersect North and South ¼ Section line at the ¼ Section corner
59.82	Post in Mound for ¼ Section Corner
79.75	The ¼ Section corner on the West line of the Section
	Rolling Prairie – 2d rate Soil

6th Principal Meridian State of Nebraska

Chains	Subdivision of Section 29
	North on the 1/4 Section line through Section 29
	Variation 11° 43' East
20.00	Post in Mound for 1/16 Section corner
40.00	Post in Mound for 1/4 Section corner
55.00	Enter meadow bearing N.W. and S.E.
60.00	Post in mound for 1/16 Section corner
75.00	Leave meadow bearing N.W. and S.E.
80.00	Intersect North line of Section at the 1/4 Section corner
	Rolling prairie. 2d rate soil
	East on a random 1/4 Section line through Section 29
	Variation 12° East
20.00	Temporary 1/16 Section corner
39.87	Intersect North and South 1/4 Section line
60.00	Temporary 1/16 Section corner
69.00	Enter meadow bearing N and S.
72.75	Creek 4 links wide running South
75.50	Leave meadow bearing North and S
79.74	Intersect East line of Section 29 links North of 1/4 Section corner from which corner I run
	North 89° 43' West
	on a true 1/4 Section line through Section 29
	Variation 12° East
19.93	Post in Mound for 1/16 Section corner
39.87	Intersect North and South 1/4 Section line at 1/4 Section corner
59.81	Post in Mound for 1/16 Section corner.
79.74	The 1/4 Section corner on the West side of the Section
	Rolling prairie
	Second rate soil

T. 26, R. 7.

Township 25 North Range 7 East of

Chains	Subdivision of Section 20
	North on the 1/4 Section line through Section 20
	Variation 11° 45' East
17.00	Enter meadow bearing N.E. and S.W.
20.00	Post in Mound for 1/16 Section corner
27.00	Leave meadow bearing N.E. and W.
40.00	Post in Mound for 1/4 Section corner
60.00	Post in Mound for 1/16 Section corner
80.00	Intersect North and South line at the Quarter Section corner
	Rolling prairie - 2d rate soil
	East on a random 1/4 Section line through Section 20 - Variation 11° 45' East
20.00	Temporary 1/16 Section corner
26.00	Enter meadow bearing N and S.E.
32.00	Leave meadow bearing Same
39.97	Intersect North and South 1/4 Section line
53.00	Enter meadow bearing N and S.W.
58.00	Leave meadow bearing Same
60.00	Temporary 1/16 Section Corner
79.94	Intersect the East line of the Section 24 links North of the 1/4 Section corner from which corner I run
	North 89° 50' West on a True 1/4 Section line through Section 20
	Variation 11° 45' East
19.98	Post in Mound for 1/16 Section Corner
39.97	Intersect North and South 1/4 Section line at the 1/4 Section Corner
59.95	Post in Mound for 1/16 Section corner
79.94	The 1/4 Section Corner on the West side of the Section
	Rolling Prairie
	Second Rate Soil

the 6th Principal Meridian Nebraska

chains	
	Subdivision of Section 17
	North on the ¼ Section line through Section 17 – Variation 11°. 42' East
20.00	Post in Mound for ⅛ Section corner
40.00	Post in Mound for ¼ Section corner
60.00	Post in Mound for ⅛ Section corner
80.00	Intersect the North line of the Section at the ¼ Section Corner
	Rolling prairie – 2d rate soil
	East on a random ¼ Section line through Section 17 –
	Variation 11°- 45' East
20.00	Temporary ⅛ Section corner
40.03	Intersect North and South ¼ Section line
60.00	Temporary ⅛ Section corner
80.05	Intersect East line of the Section 41 links North of the ¼ Section Corner from which Corner I run
	North 89° 42' West
	on a true line (¼ Sec) through Section 17 –
	Variation 11° 45' East
20.01	Post in Mound for ⅛ Section Corner
40.02	Intersect the North and South ¼ Section line at the ¼ Section Corner
60.03	Post in Mound for ⅛ Section Corner
80.05	The ¼ Section Corner on the West side of the Section
	Rolling prairie – 3d rate soil
	Subdivision of Section 8
	North on the ¼ Section line through Section 8 — Variation 11° 30' East
20.00	Post in Mound for ⅛ Section corner
27.50	Enter meadow bearing N W and S E.
34.00	Leave meadow bearing N W. and S E.
40.00	Post in Mound for ¼ Section Corner

T. 26, R. 7.

51
404

Township 25 North Range 7 East of the

Chains

60.00 Post in Mound for 1/16 Section corner
73.47 Intersect the line between the Omaha
and Winnibago Reservations 19 25 chains
West of post marked 19 and at the
point of Intersection set post in Mound
dug two pits and deposited charcoal
for corner to fractional 1/4 Sections
Level prairie - 2d rate soil

East on a random 1/4 Section line through
Section 8.

Variation 12° East

20.00 Temporary 1/16 Section Corner
30.00 Enter Meadow bearing N.W. and S.E.
33.50 Leave Meadow bearing same
40.07 Intersect North and South 1/4 Section line
60.00 Temporary 1/16 Section Corner
80.15 Intersect East line of Section 17 links
North of 1/4 Cor Corner from which Corner
I run
North 89° 53' West on a true
1/4 Section line through Section 8
Variation 12° East
20.04 Post in Mound for 1/16 Section corner
40.08 Intersect North and South 1/4 Section
line at the 1/4 Section Corner
60.12 Post in Mound for 1/16 Section corner
80.15 The 1/4 Section corner on the West line
of the Section
Generally Level - 2d rate soil
June 26th 1867.

Subdivision of Section 31

North on the 1/4 Section line through
Section 31
Variation 11° 5' East

6th Principal Meridian - Nebraska

Chains	
20.00	Post in mound for 1/16 Section corner
32.00	Leave Logan Bottom bearing N.W. and S.E.
40.00	Post in mound for 1/4 Section corner
60.00	Post in mound for 1/16 Section corner
80.00	Intersect the North ~~and South~~ line of the Section at the 1/4 Section corner
	Rolling prairie - after leaving the bottom - Second rate soil
	West on a random 1/4 Section line through Section 31 - Variation 12° East
20.00	Temporary 1/16 Section corner
40.00	Intersect North and South 1/4 Section line
60.00	Temporary 1/16 Section corner
65.50	Water Course bearing N.E. and S.W.
66.00	Enter Logan - or Middle creek bottom bearing North and South East
79.80	Intersect West line of the Section 30 links South of the 1/4 Section corner from which Corner 2 runs South 89° 47 East on a true 1/4 Section line through Section 31 Variation 12° East
19.80	Post in mound for 1/16 Section corner
39.80	Intersect North and South 1/4 Section line at the 1/4 Section corner
59.80	Post in mound for 1/16 Section corner
79.80	The 1/4 Section corner on the East line of the Section Rolling prairie - 2d rate soil
	Subdivision of Section 30
	North on the 1/4 Section line through Section 30 Variation 11° 15' East

T. 26, R. 7.

5`3
406

Township 25 North Range 7 East of the

Chains	
20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
80.00	Intersect the North line of the Section at the 1/4 Section Corner
	Rolling prairie - 2d rate soil
	West on a random 1/4 Section line through Section 30
	Variation 11° 45' East
8.00	Enter meadow bearing N and S.
13.00	Leave meadow bearing Same
20.00	Temporary 1/16 Section Corner
27.00	Enter Meadow bearing N.W. and S.E.
31.50	Leave Same bearing Same
40.00	Intersect North and South 1/4 Section line
60.00	Temporary 1/16 Section Corner
79.80	Intersect the West line of the Section 30 Links South of 1/4 Section Corner from which Corner 3 rem
	South 89° 39' East on a true 1/4 Section line through Section 30.
	Variation 11° 45' East
19.80	Post in Mound for 1/16 Section Corner
39.80	Intersect the North and South 1/4 Section line at the 1/4 Section Corner
59.80	Post in Mound for 1/16 Section Corner
79.80	The 1/4 Section Corner on the East line of the Section
	Rolling Prairie
	2d rate Soil

Subdivision of Section 19

North on the 1/4 Section line through Section 19

Variation 11° 30' East

6th Principal Meridian Nebraska

Chains	
20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
80.00	Intersect the North line of the Section at the 1/4 Section Corner
	Gently rolling — 2d rate soil
	West on a random 1/4 Section line through Section 19
	Variation 11° 45' East
20.00	Temporary 1/16 Section Corner
40.00	Intersect North and South 1/4 Section line
51.50	Enter meadow bearing N and S.
56.00	Leave meadow bearing same
60.00	Temporary 1/16 Section Corner
79.60	Intersect the W. line of the Section 17 links South of the 1/4 Section Corner from which corner I run
	South 89° 53' East on a true 1/4 Section line through Section 19
	Variation 11° 45' East
19.60	Post in Mound for 1/16 Section Corner
39.60	Intersect North and South 1/4 Section line at the 1/4 Section Corner
59.60	Post in mound for 1/16 Section Corner
79.60	The 1/4 Section Corner on the East side of the Section
	Rolling prairie - 2d rate soil
	Subdivision of Section 18
	North on the 1/4 Section line through Section 18
	Variation 11° 36' East
20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
80.00	Intersect the North line of the Section

T. 26, R. 7.

55
408

Omaha Indian Reservation

Township 25 North Range 7 East of the

Chains at the 1/4 Section Corner
Rolling prairie - 2d rate soil

West on a random 1/4 Section line through Section 18
Variation 12° East

9.00 Enter meadow bearing North and South
17.00 Leave meadow bearing Same
20.00 Temporary 1/16 Section Corner
40.00 Intersect North and South 1/4 Section line
60.00 Temporary 1/16 Section Corner
79.55 Intersect West line of the Section 7 links South of the 1/4 Section Corner from which Corner 2 runs
South 89° 57' East on a true 1/4 Section line through Section 18
Variation 12° East
19.55 Post in Mound for 1/16 Section Corner
39.55 Intersect North and South 1/4 Section line At the 1/4 Section Corner
59.55 Post in Mound for 1/16 Section Corner
79.55 The 1/4 Section Corner on the East line of the Section
Rolling prairie - 2d rate soil

Subdivision of Section 7.

North on the 1/4 Section line through Section 7.
Variation 11° 30' East
20.00 Post in Mound for 1/16 Section Corner
40.00 Post in Mound for 1/4 Section Corner
60.00 Post in Mound for 1/16 Section Corner
74.15 Intersect the line between the Omaha and Winnebago Reservations and at point of intersection set post in Mound dug two pits and deposited Charcoal for Corner to fractional 1/4 Sections.
Rolling prairie - 2d rate soil

6th Principal Meridian Nebraska

Chains	West on a random ¼ Section line through Section 7
	Variation 12° East
20.00	Temporary ⅟₁₆ Section corner
40.00	~~Intersect~~ North and South ¼ Section line
60.00	Temporary ⅟₁₆ Section corner – And Enter Meadow bearing N E and S W.
67.50	Leave Meadow bearing Same
79.63	Intersect West line of the Section 28 links South of the ¼ Section corner from which Corner I run
	South 89° 48' East on a true ¼ Section line through Section 7
	Variation 12° East
20.00	Temporary ⅟₁₆ Section corner
40.00	Intersect North and South ¼ Section line
60.00	Temporary ⅟₁₆ Section corner – And Enter Meadow bearing N E and S W.
67.50	Leave Meadow bearing Same
79.63	Intersect West line of the Section 28 links South of the ¼ Section corner from which Corner I run
	South 89° 48' East on a true ¼ Section line through Section 7.
	Variation 12° East
19.63	Post in Mound for ⅟₁₆ Section corner
39.63	Intersect North and South ¼ Sec. line at the ¼ Section Corner
59.63	Post in Mound for ⅟₁₆ Section Corner
79.63	The ¼ Section Corner on the East side of the Section
	Slightly rolling – 2d rate soil

(Traced by Supt. to below)

June 27th 1867.

From the East line of Section 1 I run West on a true ¼ Section line in Section 1 –

Variation 11° 10' East

20.78 Intersect the line between Omaha and Winnebago Reservations and set post in mound dug two pits and deposited Charcoal for corner to fractional ¼ Sections

Rolling prairie – 1st and 2d rate soil

July 5th 1867

T.26 R.7.

57
410

Omaha Indian Reservation

Township 25 North Range 7 East of the 6th Principal Meridian Nebraska

General Description

There are a few trees along the Creeks in the North East Corner of this Township. With this exception the Township is entirely prairie

The Township is intersected by Middle Creek in Section 31 - the bottom bordering the Creek having an area in the same Section of about 230 acres (estimated)

The center of this Township is drained by a meadow and slough extending in. and through Sections 8-16-22-27-26-25 and 36.

The soil is generally 2d rate - Surface rolling and hilly except in a part of the North West 1/4 of the Township where it is nearly level and gently undulating

The Water in the streams is clear and pure being fed by numerous springs

We Hereby Certify that we assisted Theodore H. Barrett U.S. Surveyor in subdividing Township twenty five North of the base line of Range Number Seven East of the Sixth Principal Meridian (Omaha and Winnebago Reservations) and that said Township has been in all respects to the best of our Knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Commissioner of the General Land Office

Henry H. Gilbert
Richard Cronk
George Fox
Joseph F. Flemb
Homer T. Dale
James Kennedy
George Patterson
Andrew Armstrong
Henry C. Williams
Willis Frainer
Karl Wilhelm Bekke
James Shobe

Subscribed and sworn to by the above named persons before me a Notary Public for the County of Burt in the State of Nebraska this 28th day of June 1867

Watson Parrish
Notary Public

Seal

I Theodore H. Barrett Surveyor do solemnly Swear that in pursuance of a Contract with J. M. Edmunds Commissioner of the General Land Office of the United States bearing date the 14th day of August 1866 - and in Strict Conformity to the Laws of the United States and the instructions received from the said Commissioner of the General Land Office. I have faithfully Surveyed all that part of Township No 25 North of the base line of Range No Seven East of the 6th Principal Meridian - embraced in the Omaha and Winnebago Reservations - in the State of Nebraska and I do further solemnly Swear that the foregoing are the true and original field Notes of Such Survey

Theodore H. Barrett
Surveyor

Subscribed by the said Theodore H. Barrett Surveyor and Sworn to before me a Justice of the Peace for Whiteside County in the State of Illinois this the 10th day of September 1867

R. S. Morgan
J. P.

T. 26, R. 7.

59
412

Department of the Interior
General Land Office
October 3rd 1867

The foregoing field Notes of the Survey of Township 25 North Range 7 East Nebraska executed by Theodore H. Barrett under his Contract of the 14th day of August 1866. In the month of June 1867 - having been critically examined. the necessary corrections and explanations made. the said Field Notes and the Survey they describe are hereby Approved

J. A. Wilson
Commissioner

Department of the Interior
General Land Office
Washington D. C.
Augt. 21. 1871

I Certify that the foregoing transcript of field notes of Survey has been correctly copied from the Original notes on file in this office

Wells A. Drummond
Surveyor Gen.

60
413

T.26,R.7.

61
414

otherwise noted

The quantity of charcoal deposited in each mound is equal to a solid 1 x 2 x 2 inches = made up of one or more pieces.

Corners established according to the foregoing note will be designated hereafter (as heretofore) as "Post in Mound"

6 N
4 E 5

T. 26, R. 7.

Prepared and Corrected

No-4—R7

No 13

1
19

417

Omaha and Winnebago Reservations.

Field Notes of the Subdivision lines in Township No. 26. North, Range 7 East of the 6th Principal Meridian.

(Omaha and Winnebago Reservations) in the State of Nebraska.

by

Theodore H Barrett.

Surveyor.

under his contract bearing date August. 14. th 1866.

Survey commenced June 11 th 1867.

and

Completed July 5 th 1867.

Subdivision of Sections.

on

Page 21

T.26, R.7.

List of Names

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the following Field Notes of Township No. 26 North of the base line of Range 7 East of the Sixth Principal Meridian, - showing the capacities in which they acted,

Henry H. Gilbert	Compassman.
Richard Cronk	"
William Allason.	"
George Fox	Chainman.
Joseph F. Fluent	"
Philander Wright	"
Conrad Scheffler	Flagman.
John Ruff.	Chainman.
Andrew Armstrong	Flagman.
James Shobe.	Chainman.
Orville Smith.	"
George Patterson.	"
James Kennedy.	"
Karl Wilhelm Bekke	Mound Builder.
Henry C Williams	" "
Willie Trainer	" "
Homer J Dale	Axeman.

Township 26 N. Range 7 E. 6th P. M.

Chains	
	Having previously run the boundaries of this Township with the Solar Compass: the variation of the needle on the East and North sides of Sec. 36. being 12° E. I begin at the corner to Sections 35 and 36, on the South Boundary of the Township and run
	North between Sec's. 35 & 36. Va. 12° E.
33.75	A creek 3 links wide, runs S.E.
40.00	Post in mound for ¼ Sec. Corner.
55.70	Head of creek, course S. N.
80.00	Post in mound for corner to Sec's. 35. 36 2S & 26.
	Rolling Prairie: 2nd rate soil.
	East on a random line between Sec's. 2S & 36. Va. 12° E.
40.00	Temporary ¼ Sec. Corner.
59.15	Intersect the line between Omaha & Winnebago Reservations.
79.95	Intersect the Range line 20 lks North of corner to Sec's. 25. 29. 32 & 36. from which corner I run
	North 89° 51' West on a true line between Sec's. 2S & 36. Va. 12° East.
120.80	Intersect the line between Omaha and Winnebago Reservations. 4.76 chains North of Station 18. Set post in mound, dug 2 pits and deposited charcoal for corner to Sec's. (Stac'l) 25 & 36.
39.97	Post in mound for ¼ Sec. Corner,

See Omaha Res

T07207

2
420

Omaha & Winnebago Reservations
Township 26. or. R. 7. E. 6th P. M.

Chains	
79.95	The corner to Sec's. 25, 26. 35 & 36. Rolling Prairie: 2nd rate soil.
	North between Sections 25 & 26. Va. 1/2° E.
40.00	Post in mound for ¼ Sec. Corner.
80.00	Post in mound for corner to Sections 23. 24. 25 & 26. Rolling Prairie: 2nd rate soil.
	East on a random line between Sec's 24 and 25. Va. 1/2° E.
40.00	Temporary ¼ Sec. Corner.
39.10	Intersect the line between Omaha and Winnebago Reservation
65.50	A creek. 2 lks wide, running N.E.
80.00	Intersect Range line 15 lks North of corner to Sec's. 20. 24. 25 & 29. from which corner 4 runs North 89° 54' West on a true line between Sec's. 24 and 25. Va. 1/2° E.
20.90	Intersect the line between the Omaha and Winnebago Reservations 3.04 chains North of Station 12. Set post in mound, dug two pits and deposited charcoal for corner to Sec's. (fractional) 24 and 25.
40.00	Post in mound for ¼ Sec. Corner.
80.00	The corner to Sec's 23. 24, 25 & 26. Rolling prairie: Good, 2nd rate soil.
	North between Sections 23 & 24 Va. 11° 50' East.
10.00	Post in mound for ¼ Sec. Corner.
80.00	Post in mound for corner

Re Omaha Res.

Omaha & Winnebago Reservation.

Township 26 N. Range 7 E. the 6th P M.

Chains	
	to Sections 13. 14. 23 and 24.
	Rolling prairie; good. 2nd rate soil.
	East on a random line between
	Sec's. 13 and 24.
	Va. 12° East.
2.00	Enter Creek bottom N.W. & S.E.
22.10	A creek 15 lks wide, runs S.E.
40.00	Temporary ¼ Sec. Corner.
45 00	Leave creek bottom, N.W. & S.E.
80.10	Intersect Range line at corner
	to Sec's. 13. 24. 17 & 20. from which
	corner & run
	West on a true line between
	Sec's. 13 & 24.
	Va. 12° East.
40.05	Post in mound for ¼ Sec. Corner.
80.10	The corner to Sec's. 13. 14. 23 & 24.
	Rolling prairie and level
	bottom: 1st and 2nd rate soil.
	North between Sec's 13. & 14.
	Va. 11° 40' East.
2.00	Enter Creek bottom, bearing N.W. & S.E.
9.75	A Creek 12 lks wide, runs S.E.
40.00	Post in mound for ¼ Sec. Corner.
48.00	Leave Creek bottom, bearing N.W. & S.E.
80.00	Post in mound for corner to Sec's.
	11. 12. 13. 14.
	Level and rolling prairie.
	1st rate soil.
	East on a random line between
	Sec's 12 and 13. Va. 11° 40' E.
10.00	Temporary ¼ Sec. Corner.
73.60	A Creek 6 lks wide, runs South.
80.20	Intersect at corner to Sec's. 12. 13.
	8 and 17 from which corner &
	run
	West on a true line between Sec's
	13 and 12.
	Va. 11° 40' E.

4.
4 2 2

Winnebago Reservation.
Township 26 N. Range 7. E. the 6th P. M.

Chains	
40.10	Post in mound for ¼ Sec. Corner.
80.20	The corner to Secs. 11. 12. 13 & 14, Moderately rolling prairie. Good. 2nd rate soil.
	North between Sec's, 11 & 12. Va 11° 20' East.
40.00	Post in mound for ¼ Sec. Corner.
80.00	Post in mound for corner to Sec's 1. 2. 11 & 12. Rolling prairie; 2nd rate soil.
	East on random line between Sec's. 1 & 12. Va. 11° 45' East.
40.00	Temporary ¼ Sec. Corner.
65.00	A Creek 2 links wide, runs S. 20° E.
80.00	Intersect Range line 16 lks South of corner to Sec's. 1. 12. 7 & 8. from which corner I run South 89° 53' West on a true line between Sec's 1 & 12. Va. 11° 45' E.
40.00	Post in mound for ¼ Sec. Corner.
80.00	The corner to Sec's. 1. 2. 11 & 12. Rolling Prairie; 1st good, 2nd 2nd rate soil.
	North on a random line between Sec's. 1 & 2. Va. 11° 20' East.
40.00	Temporary ¼ Sec. Corner.
80.20	Intersect the north Boundary of Township 18 lks East of corner to Sec's. 35. 36 1 & 2 from which corner I run South 0° 8' East on a true line between Sec's. 1 & 2. Va. 11° 20' East.
40.20	Post in mound for ¼ Sec. Corner.
80.20	The corner to Sec's. 1. 2. 11 & 12. Rolling Prairie: 2nd rate soil.

June 11th 1867.

Winnebago Reservation.

Township 26 N. Range 7. E. the 6th P.M.

Chains	
	North between Secs 34 and 35. Va. 11° 40' East.
1.50	A creek 6 lks wide, runs S.E.
12.40	Leave creek bottom, bearing E & W.
40.00	Post in mound for ¼ Sec Corner.
80.00	Post in mound for corner to Secs. 26, 27, 34 & 35.
	Rolling Prairie and bottom, 1st and 2nd rate soil.
	East on a random line between Secs 26 and 35. Va. 11° 40' E.
30.00	Enter marsh, bearing N & S.
35.00	Leave same, bears same.
40.00	Temporary ¼ Sec. Corner.
80.06	Intersect N & S. line 16 links South of corner to Secs. 25, 26, 35 & 36, from which corner run South 89° 53' West on a true line between Secs. 26 & 35. Va. 11° 40' East.
40.03	Post in mound for ¼ Sec. Corner.
80.06	The corner to Secs. 26, 27, 34 & 35. Rolling Prairie: 1st and 2nd rate soil.
	North between Secs. 26 and 27. Va. 11° 45' East.
40.00	Post in mound for ¼ Sec. Corner.
80.00	Post in mound for corner to Secs. 22, 23, 26 and 27. Rolling Prairie: 1st and 2nd rate.
	East on a random line between Secs. 23 and 26. Va. 11° 45' East.
40.00	Temporary ¼ Sec. Corner.
80.60	Intersect N & S. line 6 lks North of corner to Secs. 23, 24, 26 and 27, from which corner run North 89° 57' West on a true line between Secs 23 & 26

T 1707

6.
4R4

Winnebago Reservation

Township 26. N. Range 7. E. the 6th P. M.

Chains.	
	Va. 11° 45' East.
40.30	Post in mound for ¼ Sec. Corner.
80.60	The corner to Sec's. 22, 23. 26 & 27.
	Rolling Prairie.
	Good. 2nd rate soil.
	North between Sec's 22 & 23.
	Va. 11° 30' East.
34.00	A Creek. 10 lks wide, running E.
40.00	Post in mound for ¼ Sec Cor.
80.00	Post in mound for the Corner
	to Sec's. 14, 15 22 & 23.
	Rolling Prairie.
	1st and 2nd rate soil.
	East on a random line between
	Sec's 23 and 14.
	Va, 11° 45' East.
40.00	Temporary ¼ Sec. Corner.
77.25	A Brook 10 lks wide, running N.
80.45	Intersect N&S. line & links N.
	of corner to Sec's. 13. 14. 23 and 24.
	from which corner B run
	North 89° 57' West on a
	true line between Sec's. 14 & 23.
	Va, 11° 45' East.
40.22	Post in mound for ¼ Sec. Corner.
80.45	The corner to Sec's. 14, 15. 22. & 23.
	Rolling prairie.
	1st and 2nd rate soil.
	North between Sections 14 and 15.
	Va, 11° East.
40.00	Post in mound for ¼ Sec. Corner.
72.50	Intersect Creek 3 lks wide, runs N.E.
80.00	Post in mound for corner
	to Sections. 10. 11. 14 & 15.
	Rolling Prairie.
	1st and good 2nd rate soil.
	East on a random line
	between Sec's. 11 and 14.

Winnebago Reservation.

Township 26 N. Range 7. E. the 6th P. M.

Chains	
	Variation, 11° 40' East.
7.00	Intersect Creek 3 lks wide, running N.E.
82.00	Enter Creek bottom, bearing N.E. & S.E.
40.00	Temporary ¼ Sec. Corner.
43.25	Intersect Creek 10 lks wide, running South East.
18.00	Leave creek bottom, bearing N.E. & S.E.
80.60	Intersect N. & S. line 5 lks South of corner to Secs. 11. 12. 13 & 14. from which corner I run South 89° 58' West on a true line between Secs. 11 & 14. Va. 11° 40' East.
40.30	Post in mound for ¼ Sec. Corner.
80.60	The corner to Secs. 10. 11. 14 and 15. Creek bottom, level. 1st rate soil. Remainder, rolling prairie. Good, 2nd rate soil.
	North between Secs. 10 & 11. Va. 11° 15' East.
2.00	Enter Creek bottom, bearing E. & N.
40.00	Post in mound for ¼ Sec. Corner.
40.80	Intersect Creek 12 lks wide, running E.
42.00	Intersect Creek 12 lks wide, running N.
43.90	Intersect Creek 12 lks wide, running E.
80.00	Post in mound for corner to Sections. 2. 3. 10 & 11. Rolling prairie & creek bottom. 1st and 2nd rate soil.
	East on a random line between Sec's. 2 and 11. Va. 11° 45' East.
10.00	Leave creek bottom, bearing N. & S. E.
40.00	Temporary ¼ Sec. Corner.
42.00	Intersect creek 3 links wide, runs East.

S.
426

Winnebago Reservation.

Township 26. of R. 7 E. 6th P M.

Chains	
55.50	Intersect Creek. 3 links wide, running South East. These two creeks unite about 3 chains South of line.
80.19	Intersect N & S. line 31 links North of corner to sections. 1. 2. 11 & 12, from which corner I run North 89° 47' West on a true line between Sec's, 2 & 11. Va. 11° 45' East.
40.09	Post in mound for ¼ Sec. Corner.
80.19	The corner to Sec's, 2. 3. 10 & 11. Creek bottom & high rolling prairie. 1st & and 2nd rate soil.
	North on a random line between Sections 2 and 3. Va. 11° 30' East.
33.00	Leave creek bottom, bearing N.W. and S.E.
40.00	Temporary ¼ Sec. Corner.
80.37	Intersect North Boundary of Township 40 lks west of corner to Sec's. 2. 3. 34 and 35. from which corner I run South 0° 17' West on a true line between Sec's. 2 & 3. Va. 11° 30' E.
40.37	Post in mound for ¼ Sec. Corner.
80.37	The corner to Sec's 2. 3. 10 and 11. Creek bottom and rolling. prairie. Good 1st & and 2nd rate soil. June, 12th 1867.
	North between Sections 33 & 34. Va. 11° 30' East
33.00	Enter Creek bottom, bearing E & W.
40.00	Post in mound for ¼ Sec. Corner.
46.00	A Brook 3 lks wide, running N.E.
51.50	A Creek 15 " " running S.E.

Township 26. N. Range 7. E. 6th P. M.

Chains	
52.50	Leave Creek bottom, bearing N.W. & S.E.
80.00	Post in mound for corner to Sec's 27. 28. 33 and 34. Rolling prairie and creek bottom. 1st and good. 2nd rate soil.
	East on a random line between Sec's. 27 and 34.
	Va. 11° 45' East.
40.00	Temporary ¼ Sec. corner.
79.58	Intersect N & S. line 10 lks North of corner to Sec's 26. 27. 34 and 35. from which corner B run North 89° 56' West on a true line between Sec's. 27 & 34.
	Va. 11° 45' East.
39.79	Post in mound for ¼ Sec. Corner.
79.58	The corner to Sec's. 27. 28. 33 & 34. Rolling prairie. 1st and 2nd rate.
	North between Sec's 27 & 28.
	Va. 12° 15' East.
40.00	Post in mound for ¼ Sec. corner.
80.00	Post in mound for corner to Sec's. 21. 22. 27 and 28. Rolling prairie: good. 2nd rate soil.
	East on a random line between Sections 22 and 27.
	Va. 11° 15' East.
40.00	Temporay ¼ Sec. corner.
70.00	A Brook 4 lks wide, running N.E.
80.09	Intersect N & S. line at corner B Sec's. 22. 23. 26 and 27. from which corner B run West on a true line between Sec's. 22 and 27.
	Va. 11° 15' East.
40.04	Post in mound for ¼ Sec. Corner,
80.09	The corner to Sec's. 21. 22. 27 & 28. Rolling prairie: good. 2nd rate soil.

10.
428

Winnebago Reservation.

Township 26. N. Range 7. E. 6th P. M.

Chains	
	North between Sec's. 21 & 22.
	Va. 120 E.
40.00	Post in mound for ¼ Sec. corner.
60.00	Dry Creek channel. bearing E & W.
80.00	Post in mound for corner to Sec's. 15. 16. 21 and 22.
	Rolling Prairie: good. 2nd rate soil.
	East on a random line between Sec's 15 and 22.
	Va. 11° 45' East.
40.00	Temporary ¼ Sec. Corner.
79.82	Intersect N & S. line 46 lks North of corner to Sec's. 14. 15. 22 & 23. from which corner I run
	North 89° 40' West on a true line between Sec's 15 and 22.
	Va. 11° 45' East.
39.91	Post in mound for ¼ Sec. Corner.
79.82	The corner to Sec's. 15. 16. 21 and 22.
	Rolling Prairie; good. 2nd rate soil.
	North Between Sec's 15 and 16.
	Va. 12° 15' East.
40.00	Post in mound for ¼ Sec. Corner.
80.00	Post in mound for corner to Sec's. 9. 10. 15 and 16.
	Rolling Prairie. good. 2nd rate soil.
	East on a random line between Sec's. 10 and 15. Va. 11° 45' E.
32.00	A creek 4 lks wide, running N.
40.00	Temporary ¼ Sec. Corner.
79.89	Intersect N & S. line 66 links North of corner to Sec's. 10. 11. 14 & 15 from which corner I run
	North 89° 32' West on a true line between Sec's. 10 & 15.
	Va. 11° 45' East.
39.94	Post in mound for ¼ Sec. corner.

Winnebago Reservation.

Township 26. N. R. 7 E. 6th P. M.

Chains	
79,89	The corner to Sec's. 9. 10. 15 & 16. Rolling Prairie; good. 2nd rate soil.
	North between Sec's. 9 & 10. Va. 10° 30' E.
40.00	Post in mound for ¼ Sec. corner.
53.00	A Creek 10 lks wide, running N.E. general course E.
54.50	A small brook 2 lks wide. S. 45° E. empties into larger creek about 1,50 chains east of line.
80.00	Post in mound for corner to Sec's. 9. 10. 15 & 16. High, rolling prairie. South of Creek 2nd class 3rd rate soil. North of Creek, gentle sloping. 1st rate soil.
	East on a random line between Sec's 3 and 10. Va: 11° East.
40.00	Temporary ¼ Sec. Corner.
49.00	A Slough 125 links wide - Source of Creek. bearing N & S.
71.50	Enter Creek bottom, bearing N & S.
76.25	A branch of Omaha Creek 4 lks wide, running South.
79.94	Intersect N & S. line 54 links North of corner to Sections 2. 3. 10 & 11. from which corner run North 89° 37' West on a true line between Sec's. 3 and 10. Va. 11° East.
39.97	Post in mound for ¼ Sec Corner.
79.94	The corner to Sec's. 3. 4. 9 & 10. High rolling Prairie & Creek bottom. 1st rate soil.
	North on a random line between Sec's. 9 & 4.

12,
430

Winnebago Reservation.

Township 26. N. Range 7. E. 6th P. M.

Chains	
	Va. 11° East.
40.00	Temporary ¼ Sec. Corner.
79.70	Intersect north Boundary of Township 35 links West of corner. to Sec's. 3. 4. 33 & 34. from which corner I run South 0° 15' West on a true line between Sec's 3 & 4.
	Va. 11° East.
39.70	Post in mound for ¼ Sec. Corner.
79.70	The corner to Sec's. 3. 4. 9 & 10. Rolling Prairie; 2nd rate soil.
	June, 13th 1867.
	North between Sections 32 and 33.
	Va. 11° 45' East.
40.00	Post in mound for ¼ Sec. Corner.
79.00	Enter meadow, bearing E & W.
80.00	Post in mound for corner to Sections 28, 29, 32 and 33.
	Rolling Prairie. 2nd rate soil.
	East on a random line between Sec's. 28 and 33.
	Va. 11° 45' East.
21.00	Leave meadow, bearing S. E. & W.
40.00	Temporary ¼ Sec. Corner.
66.00	Enter meadow.
72.00	Leave meadow } Bearing N. E. & S. W.
79.49	Intersect N & S. line 52 links North of corner to Sections 27. 28. 33 and 34. from which corner I run North 89° 38' West on a true line between Sec's. 28 & 33.
	Va. 11° 45' East.
39.74	Post in mound for ¼ Sec. Corner.
79.49	The corner to Sec's. 28. 29. 32 & 33.
	Rolling Prairie, 2nd rate soil.

Winnebago Reservation.

Township 26. N. R. 7. E. 6th P. M.

Chains

North between Secs 28 & 29.
Va. 12° 15' East.

11.50 Leave meadow, bearing N.E. & S.W.
40.00 Post in mound for ¼ Sec. Corner.
80.00 Post in mound for corner to
Secs. 20. 21. 28. 29.
Rolling Prairie. good 2nd rate soil.

East on a random line between
Sections 21 and 28.
Va. 12° 15' East.

40.00 Temporary ¼ Sec. Corner.
79.41 Intersect at corner to Sec's. 21, 22.
27 & 28. from which corner
I run
West on a true line between
Sections 21 and 28.
Va. 12° 15' East.

39.70 Post in mound for ¼ Sec. corner.
79.41 The corner to Sec's 20. 21. 28 & 29.
Rolling, 2nd rate prairie.

North between Secs 20 & 21.
Va. 12° 15' East.

40.00 Post in mound for ¼ Sec. Corner
80.00 Post in mound for corner to
Sections. 16. 17. 20 & 21.
Rolling Prairie: 2nd rate soil.

East on a random line between
Secs 16 and 21.
Va. 12° 15' East.

40.00 Temporary ¼ Sec. Corner.
72.85 at Brook 4 lks. wide, running
S. E.
72.60 Intersect N. & S. line 85 links
North of corner to Secs. 15. 16.
21 and 22. from which corner
I run
North 89° 24' West on a true
line between Secs. 16 & 21.
Va. 12° 15' East.

T 26 R 7

14.
432

Winnebago Reservation.

Township 26. N. Range 1. East.

Chains	
39.80	Post in mound for ¼ Sec corner.
79.60	Post in mound for corner to Sections. 16. 17. 20 and 21. Rolling Prairie: 2nd rate soil.
	North between Sec's. 16 & 17. Va. 12° 30' East.
40.00	Post in mound for ¼ Sec. Corner.
80.00	Post in mound for corner to Sec's. 8. 9. 16 & 17. Rolling Prairie: 2nd rate soil.
	East on a random line between Sec's 9 and 16. Va. 12° E.
40.00	Temporary ¼ Sec. Corner.
79.55	Intersect N.S. line 32 links North of corner to Sec's. 9. 10. 15 and 16. from which corner 8 run North 89° 46' West on a true line between Sec's. 9 & 16. Va. 12° E.
39.77	Post in mound for ¼ Sec. Corner.
79.55	The corner to Sec's. 8. 9. 16 & 17. High, rolling Prairie; 2nd rate soil.
	North between Sec's 8 & 9. Va. 11° 45' E.
40.00	Post in mound for ¼ Sec. corner.
40.20	Enter Creek bottom, bearing S & W.
57.90	A Brook 6 lks wide, running East; general Course E & N.W.
80.00	Post in mound for corner to Sec's 4. 5. 8 & 9. Rolling prairie & creek bottom. 1st and 2nd rate soil.
	East on a random line between Sections 4 & 9. Va. 11° East.
10.00	Leave Creek bottom, bearing North West & South East.

East. of the 6th Principal Meridian.

Chains	
40.00	Temporary ¼ Sec. Corner.
54.75	At small brook 3 lks wide, running South East.
79.65	Intersect N&S. line 78 links North of corner to Secs. 3, 4, 9 & 10, from which corner I run North 89° 27' West on a true line between Secs. 4 & 9. Va. 11° East.
39.82	Post in mound for ¼ Sec. Corner.
79.65	The corner to Secs. 4, 5, 8 & 9. Creek bottom and moderately rolling prairie. Between creek bottom and the brook the line extends across a gentle slope midway between the high prairie and the creek. 1st and 2nd rate soil.
	North on a random line between Sections 4 and 5 Va. 11° 10' East.
4.50	Leave Creek Bottom.
40.00	Temporary ¼ Sec. Corner.
78.92	Intersect North of Boundary of Township at corner to Sections 4, 5, 32 and 33. from which corner I run South on a true line between Secs. 4 & 5. Va. 11° 10' East.
38.92	Post in mound for ¼ Sec. Corner.
78.92	The corner to Secs. 4, 5, 8 and 9. Rolling prairie. 2nd rate soil. June, 14th 1867.
	North between Secs 31 & 32. Va. 12° East
40.00	Post in mound for ¼ Sec. Corner.
80.00	Post in mound for corner to Secs. 29, 30, 31 & 32. Rolling prairie. 2nd rate soil.

T 17 N

16.
434

Winnebago Reservation.

Township. 26 North. Range 7. E. 6th P.M.

Chains	
	East on random line between Sec's. 21 and 22.
	Va. 12° East.
40.00	Temporary ¼ Sec. corner.
73.00	Enter meadow, bearing N.W. & S.E.
80.40	Intersect N. & S. line 41 links North of corner to Sec's. 28. 29. 32 & 33. from which corner & run North 89° 42' West on a true line between Sec's. 29 & 32.
	Va. 12° E.
40.20	Post in mound for ¼ Sec. corner.
80.40	The corner to Sec's 29. 30. 31 & 32. Rolling Prairie; 2nd rate soil.
	West on a random line between Sec's 30 & 31.
	Va. 12° E.
40.00	Temporary ¼ Section Corner.
80.60	Intersect west Boundary of Township 18 lks North of corner to Sec's 25. 36. 30 & 31. from which corner & run North 89° 52' East on a true line between Sections 30 & 31.
	Var. 12° East.
40.60	Post in mound for ¼ Sec. Corner.
80.60	The corner to Sec's 29. 30. 31 & 32. Rolling prairie; 2nd rate soil.
	North between Sec's 29 & 30.
	Va. 12° E.
40.00	Post in mound for ¼ Sec. corner.
80.00	Post in mound for corner to Sec's. 19. 20. 29 & 30. Rolling Prairie; 2nd rate soil.
	East on a random line between Sec's 20 & 29.
	Va. 12° E.
32.00	Enter meadow, bearing N.W. & S.E.
37.00	Leave meadow, bearing N.W. & S.E.

Winnebago Reservation.

Township 26 North Range 7 E. the 6th P M.

Chains	
40.00	Temporary ¼ Sec. Corner.
79.60	Intersect ch×s. line 36 lks South of corner to Sections 20, 21, 28 and 29. from which corner ✱ run South 89° 45' West on a true line between Sec's 20 & 29. Va. 12° E.
39.80	Post in mound for ¼ Sec. Corner.
79.60	The corner to Sec's. 19, 20, 29 & 30. Rolling prairie; good 2nd rate soil.
	West on a random line between Sections 19 & 30. Va. 12° East.
40.00	Temporary ¼ Sec. Corner.
80.64	Intersect the West Boundary of Township 28 the North & corner to Sec's, 24, 25, 19 & 30 from which corner ✱ run North 89° 45' East on a true line between Sec's, 19 & 20 Va. 12° E.
40.64	Post in mound for ¼ Sec. Corner.
80.64	The corner to Sec's, 19, 20, 29 and 30. Rolling prairie: 2nd rate soil.
	North between Sec's 19 and 20. Va. 12° 15' East.
40.00	Post in mound for ¼ Sec. Corner.
80.00	Post in mound for corner to Sec's, 17, 18, 19 and 20. Rolling prairie: 2nd rate soil.
	East on a random line between Sec's, 17 and 20. Va. 12° 15' East.
40.00	Temporary ¼ Sec. Corner.
79.65	Intersect ch×s. line 88 links South of corner to Sec's. 16, 17, 20 and 21. from which corner ✱ run South 89° 22' West on a true line between Sec's 17 and 20. Va. 12° 15' East.

T27N R7E

18
436

Winnebago Reservation.

Township 26 N. R. 7. E. 6th P. M.

Chains	
39.82	Post in mound for ¼ Sec. corner.
79.65	The corner to Secs. 17. 18. 19. 20.
	Rolling prairie: 2nd rate soil.
	West on a random line between
	Sec's 18 and 19.
	Va. 12° 15' East.
40.00	Temporary ¼ Sec. corner.
80.68	Intersect the West Boundary
	of Township 84 links North
	of corner to Sec's. 13. 24. 18 & 19.
	from which corner I run
	North 89° 45' East on a true
	line between Sections 18 & 19.
	Va. 12° 15' East.
41.68	Post in mound for ¼ Sec. Corner.
80.68	The corner to Sec's. 17. 18. 19 & 20.
	Rolling Prairie: 2nd rate soil.
	North between Sec's 17 & 18.
	Va. 12° 30' East.
40.00	Post in mound for ¼ Sec. corner.
80.00	Post in mound for corner
	to Sec's. 7. 8. 17 and 18.
	Rolling Prairie. 2nd rate soil.
	East on a random line between
	Sec's. 8 and 17.
	Va. 12° 30' East.
40.00	Temporary ¼ Sec. corner.
79.33	Intersect N & S. line 45 lks North of
	corner to Sec's. 8, 9. 16 & 17. from
	which corner I run
	North 89° 41' West on a true
	line between Sec's. 8 and 17.
	Va. 12° 30' East.
39.66	Post in mound for ¼ Sec Corner.
79.33	The corner to Sec's. 7. 8. 17 & 18.
	Rolling Prairie:
	2nd Rate soil.

Winnebago Reservation.

Township 26. N.R 7. E. 6th P.M.

Chains	
	West on a random line between Sec's. 7 & 18. Va. 12° 30' East.
24.00	A Creek 2 lks wide, runs N. 20 E.
40.00	Temporary ¼ Sec. Corner.
49.00	Enter meadow bearing N.E. & S.W.
50.25	A Brook 2 lks wide, running N.E.
55.50	Leave meadow, bearing N.E. & S.W.
80.36	Intersect the West Boundary of Township 41 lks North of corner to Sec's. 12. 13. 7 & 18, from which corner I run North 89° 42' East on a true line between Sec's 7 & 18. Va. 12° 30' East.
40.36	Post in mound for ¼ Sec. Corner.
80.36	The corner to Sections 7. 8, 17 and 18. Rolling Prairie: 2nd Rate soil. North between Sec's 7 and 8, Va. 12° East.
40.00	Post in mound for ¼ Sec. Corner,
76.60	A creek 7 lks wide, runs S.E.
80.00	Post in mound for corner to Sec's. 5. 6. 7 and 8. Rolling Prairie: 2nd rate soil.
	East on a random line between Sec's 5 and 8. Va 12° 30' East.
2.25	A Creek 7 lks wide, runs North.
11.30	A Creek 7 " " " South
12.75	A " 7 lks " " North.
39.50	A Creek 7 lks wide runs South.
40.00	Temporary ¼ Sec. Corner.
62.50	A Creek 7 lks wide, runs South.
77.29	Intersect N & S. line 10 lks North of corner to Sections 4, 5, 8 & 9. from which corner I run

20.
438

Winnebago Reservation

Township 26 N. R. 7 E. 6th P.M.

Chains	
	North 89° 56' West on a true line between Secs 5 & 8. Va 12° 30' East.
89.64	Post in mound for ¼ Sec. Corner.
79.29	The corner to Secs. 5. 6. 7 & 8. The line crosses and re-crosses a small creek. Surface low and nearly level: 1st rate soil.
	West on a random line between Secs. 6 & 7 Va. 12° 30' East.
11.70	A creek 2 lks wide, runs South.
40.00	Temporary ¼ Sec. Corner.
80.65	Intersect West Boundary of Township 4 2 lks North of corner to Secs. 1. 12. 6 & 7. from which corner 8 run North 89° 42' East on a true line between Secs 6 & 7. Va. 12° 30' East.
40.65	Post in mound for ¼ Sec. Corner.
80.65	The corner to Sections 5. 6. 7 & 8. Rolling Prairie: good 2nd Rate soil.
	North on a random line between Secs. 5 and 6. Va. 12° 30' East.
40.00	Temporary ¼ Sec. Corner
80.09	Intersect North Boundary of Township 75 lks East of corner to Secs. 5. 6. 31 & 32. from which corner 8 run South 0° 32' East on a true line between Secs. 5 and 6. Va. 12° 30' East.

Winnebago Reservation.
Township 26 N. Range 7. E. 6th P. M.

Chains	
40.09	Post in mound for ¼ Sec. corner.
80.09	The corner to Sec's 5, 6, 7 and 8.
	Rolling Prairie: 2nd rate soil.
	June. 15th 1867.

Subdivision of Sections. in Omaha Reservation T26 R7E

Subdivision of that part of Sections 24. 25 and #36.
Embraced in the Omaha Reservations. July 5th 1867.

Begin at the ¼ Sec. Cor. on the E. side of Sec. 36 and run
West on true ¼ Sec. line in Sec. 36. Va. 12° East.
20.72 Intersect the line between the Omaha and Winnebago Reservations and at point of intersection set post in mound, dug two pits and deposited Charcoal for corner to fractional ¼ Sec's.
High rolling Prairie.
2nd rate soil.

From the ¼ Sec. Corner on the E side of Sec. 25. & run
West on a true ¼ Sec line in Sec. 25.
Va. 12° East.
20.80 Intersect the line between the Omaha & Winnebago Reservations and at point of intersection, set Post in mound, dug 2 pits and deposited Charcoal for corner to fractional quarter Sec's.
High rolling Prairie.
Second rate soil.

From the quarter Sec. Corner on the East side of Sec. 24. & run
West on a true ¼ Sec. line

T26 R7E

22.
440

Omaha Reservation.

Township 26 N. Range 7. E. 6th P M.

in Sec. 24. Va. 12° East
21.05 & intersect the line between the Omaha and Winnebago Reservation, and at point of intersection set post in mound, dug 2. pits and deposited charcoal for cor. to fractional & Section.
Level bottom. 1st rate soil.
July 8th 1867.

General Description

This Township is nearly all prairie but there are along the streams some small grows of timber of inferio quality.

The surface, except near the creeks, is rolling and hilly prairie.

There is some first rate land in Sec's. 13, 14 & 24. Embracing the Creek bottom and the land adjacent to it.
The soil in the other parts of the Township near the creeks is also very good, but the land is generally second rate.
On the S.W. 1/4 of the Township there are some good meadows.

The streams are clear and pure, being fed by springs.
The corners described as "Posts & mounds" have also 4 pits to each mound; the average amount of charcoal in the several mounds is equal to a solid 1 x 2 x 2 inches in each mound.

× We hereby certify that we assisted Theodore H Barrett, U.S. Surveyor, in subdividing Township number twenty six North of the base line of Range number seven East

of the Sixth Principal Meridian.
(Omaha and Winnebago Reservation)
and that said Township has been
in all respects to the best of our
knowledge and belief well and
faithfully surveyed, and the boun-
dary monuments planted ac-
cording to the instructions fur-
nished by the Commissioner of
the General Land office.

Henry H Gilbert. Geo. Patterson.
Richard Cronk. James Kennedy.
William Allaton. Karl Wilhelm Bekke.
George Fox. Henry C Williams
Joseph F Fluent. Willis Trainum x.
Philander Wright. Homer J Dale.
John Rupp. Andrew Armstrong.
James Shobe. Conrad Schaffer.
Orville Smith.

Subscribed and sworn to by
the above named persons,
before me, a Notary Public for
the County of Burt in the State of
Nebraska, this 28th day of June,
1867.

(Seal) Watson Parrish.
Notary Public.

I. Theodore H Barrett, Surveyor,
do solemnly swear that in
pursuance of a contract with
J. M. Edmunds, Commissioner
of the General Land Office, of
the United States, bearing date the 14th
day of August, 1866, and in strict
conformity to the laws of the
United States and the instructions
furnished by the said Commis-
sioner of the General Land
Office I have faithfully
surveyed the subdivision lines

of that part of Township number Twenty-six North of the base line, of Range number Seven East the Sixth Principal Meridian. Embraced in the Omaha and Winnebago Reservations in the State of Nebraska, and do further solemnly swear that the foregoing are the true and original field notes of such survey.

Theodore H Barrett.
Surveyor.

Subscribed by the said Theodore H Barrett, Surveyor, and sworn to before me a Justice of the Peace for Whiteside County in the State of Illinois this 10th day of Sept. 1867.

R.S. Morgan J.P.

Department of the Interior.
General Land Office.
October. 2nd 1867.

The foregoing "Field Notes" of the survey of Township 26 North, Range 7 East the Sixth P.M. Nebraska, executed by Theodore H Barrett, under his contract with the Commissioner of the General Land Office, dated 14th August, 1866, in the months of June and July, 1867, having been critically examined, the necessary corrections and explanations made, the said field notes and the surveys they describe, are hereby approved.

Jos S. Wilson.
Commissioner

Department of the Interior
General Land Office
Washington D. C.
Aug. 21. 1871

I Certify that the foregoing
transcript of field notes of survey
has been correctly copied from the origin-
al notes on file in this office

Willis Drummond
Commissioner

T27 07

444

compared and corrected

(Copy)

No 5 – R 7

No. 14

4445

Field Notes

Winnebago Indian Reservation

Township 27 - North Range 7 East

Nebraska

20

T. 27 R. 7.

1
446

Township 27 North Range 7 East 6th Principal

Field Notes of
the Subdivision lines in Fractional Township
No 27 North Range 7 East - the 6th Principal
Meridian in the State of Nebraska
by Theodore H. Barrett Surveyor under his
contract bearing date August 14th - 1866
(Winnebago Reservation)

Survey commenced June 14th 1867
and
Completed June — 15th 1867

A List of the Names of the individuals employed
to assist in running measuring or marking
the lines and corners described in the
following Field Notes of Township No 27
North of the base line of Range Number
7 east the 6th Principal Meridian. Showing
the capacities in which they acted

Henry H. Gilbert	Compassman
Joseph F Fluent	Chainman
Orville Smith	Chainman
George Fox	Chainman
James Shobe	Chainman
Henry C Williams	Mound Builder
Karl Wilhelm Bekke	Mound Builder
Willie Trainer	Axeman

Meridian State of Nebraska

Chains Begin on the South line of the Township at the corner to Sections 35 and 36 and run North on a random line between Sections 35 and 36

Variation 11° 20' East

25.40 Creek 3 links wide running S.E.

40.00 Temporary ¼ Section corner

75.92 Intersect the north line of the Winnebago Reservation 72 links East of the old corner to Sections 35 and 36 from which Corner I run

S 0° 32' East

on a true line between Sections 35 and 36

Variation 11° 20' East

35.92 Post in Mound for ¼ Section corner

75.92 The corner to Sections 35-36- 1 and 2

Rolling prairie good 2d rate soil

North on a random line between Sections 34 and 35.

Variation 12° East

24.50 Creek 3 links wide running S.W.

40.00 Temporary ¼ Section Corner

75.76 Intersect the North line of the Winnebago Reservation 10 links east of the old Corner to Fractional Sections 34 and 35 from which Corner I run

S. 0° 4' East

on a true line between Sections 34 and 35.

Variation 12° East

35.76 Post in Mound for ¼ Section Corner

75.76 The Corner to Sections 34- 35- 2 and 3-

Rolling prairie

2d rate soil

June 14th 1867

3
448

Township 27 North Range 7 East of

Chains	North on a random line between Sections 33 and 34
	Variation 11° 05' East
40.00	Temporary ¼ Section Corner
51.60	Brook (widened to 30 links) runs East
75.35	Intersect the North line of the Winnebago Reservation 16 links East of the old corner to Fractional Sections 33 and 34 from which Corner 2 run
	S 0° 7' East
	on a true line
	between Sections 33 and 34
	Variation 11° 5' East
35.35	Post in Mound for ¼ Section Corner
75.35	The corner to Sections 33 - 34 - 3 and 4
	Rolling Prairie
	1st and 2d rate Soil

	North on a random line between Sections 32 and 33 -
	Variation 11° 25' East
40.00	Temporary ¼ Section Corner
54.30	Brook 5 links wide running East
75.30	Intersect the North line of the Winnebago Reservation 44 links West of the old Corner to Fractional Sections 32 and 33 from which corner 1 run
	S 0° 20' West
	on a true line
	between Sections 32 and 33 -
	Variation 11° 25' East
35.30	Post in Mound for ¼ Section Corner
75 30	The Corner to Sections 32 and 33. ~~and~~ 4 and 5 -
	Rolling prairie
	2d rate soil

the 6th Principal Meridian — Nebraska

Chains

North on a random line between Sections
31 and 32

Variation 12° East

32.00 Enter low land — Meadow at the South
end — the general course of which is N. and S.
40.00 Temporary 1/4 Section Corner
65.00 Leave Meadow bearing N.E. and S.W.
75.89 Intersect the North line of the Winnebago
Reservation 80 links East of the old Corner
to Fractional Sections 31 and 32 from which
Corner I run

S 0° 36' East

on a true line
between Sections 31 and 32

Variation 12° East

35.89 Post in Mound for 1/4 Section Corner
75.89 The Corner to Sections 31 - 32 - 5 and 6

Rolling prairie and Meadow
2d rate Soil

June 15th 1867

General Description

So much of Township 27 N. Range 7 East
the 6th Principal Meridian as is embraced in
the Winnebago Reservation is Simply high
Rolling prairie — Several Small brooks run
through it along which are usually narrow
creek bottoms having a first rate Soil
The Soil of the high prairie is generally
Second rate.

The Brookes are fed by numerous
Springs and have pure water —

The Corners described in the foregoing field
notes as being established with pits and
Mounds have each four pits

The ~~quality~~ quantity of Charcoal deposited
in each Mound is equal to a Solid
1 x 2 x 2 inches —

5
450

We hereby certify that we assisted Theodore H. Barrett U.S. Surveyor in Subdividing that part of Township Number twenty Seven North of the base line of Range Number Seven East of the Sixth Principal Meridian embraced within the boundaries of the Winnebago Reservation and that said Township has been in all respects to the best of our Knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Commissioner of the General Land Office

Henry H. Gilbert
George Fox
Joseph F. Flench
Orville Smith
James Shobe
Henry C. Williams
Karl Wilhelm Bekke
Willie Trainer x

Subscribed and sworn to by the above named persons before me a Notary Public for the County of Burt in the State of Nebraska this the 28th day of June 1867.

L.S.

Watson Parrish
Notary Public

I Theodore H. Barrett Surveyor do solemnly Swear that in pursuance of a contract with J. M. Edmunds Commissioner of the General Land Office of the United States - bearing date the 14th day of August 1866 - And in Strict Conformity to the laws of the United States and the instructions furnished by the said Commissioner of the General Land Office:

I have faithfully surveyed the subdivision lines of that part of Township Number twenty - Seven North of the base line of Range Seven East of the 6th Principal Meridian embraced in the Winnebago Reservation in the State of Nebraska and I do further solemnly Swear that the foregoing are the true and original Field Notes of such Survey

Theodore H. Barrett
Surveyor

Subscribed by the said Theodore H. Barrett Surveyor and sworn to before me a Justice of the Peace for Whiteside County in the State of Illinois this the 10th Day of September 1867

R. S. Morgan
J. P

7
452

Department of the Interior
General Land Office
October 2d 1867

The foregoing Field Notes of the Survey of Township 27 North. Range 7 East Nebraska executed by Theodore H Barrett under his contract of the 14th day of August 1866 in the Month of June 1867 having been critically examined the necessary corrections and explanations made the said field notes and the survey they describe are hereby approved

Jas. S. Wilson
Commissioner

Department of the Interior
General Land office
Washington D.C.
Augt. 21. 1871.

I certify that the foregoing transcript of field notes of Survey has been correctly copied from the original notes on file in this office

Wells Drummond
Commissioner.

General Land Office • Original Field Notes

Book Number

147

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.