General Land Office • Original Field Notes

Book Number

148

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

INDEX DIAGRAM.

T. 27.

T. 26.

T. 25.

NORTH BOUNDARY

SOUTH BOUNDARY

NORTH BOUNDARY

WINNEBAGO INDIAN RESERVE.

WINNEBAGO INDIAN RESERVE

OMAHA INDIAN RESERVE

6th PRINCIPAL MERIDIAN

6th S. TO P.

Elkhorn River

Logan

INDEX TO PAGES.

T. 24 N.	R. 8 E.	1
" 25 "	" "	60
" 26 "	" "	120
" 27 "	" "	164
T. 24 "	9 "	174
" 25 "	" "	258
" 26 "	"	326
" 27 "	"	394
T. 24 "	10 "	404
" 25 "	"	471
" 26 "	"	456
T. 24 "	11 "	514

T. 24	9	174
" 25	"	258
" 26	"	326
" 27	"	394
T. 24	10	404
" 25	"	471
" 26	"	456
T. 24	11	514

T. 25.

T. 24

6th S. to P.

GUIDE MERIDIAN

FIRST

Missouri R.

Lake

South Bdry Omaha Indian Reservation.

R. 8 E. R. 9 E. R. 10 E. R. 11 E.

GENERAL INDEX.

Subdivision into Sections T. 24 N. R. 8 E.	Page 1
" Quarter " " "	Page 25.
" into Sections T. 25 N. "	Page 60.
" " Quarters " " "	Page 84.
" " Sections T. 26 N. "	Page 120.
" " Quarters " "	Page 140.
" " " T. 27 N. "	Page 164.

--ooOoo--

Subdivision into Sections T. 24 N. R. 9 E.	Page 174.
" " Quarters " " "	Page 214.
" " Sections T. 25 N. "	Page 253.
" " Quarters " "	Page 286.
" " Sections T. 26 N. "	Page 326.
" " Quarters "	Page 364.
" " Sections T. 27 N. "	Page 394.

--ooOoo--

Subdivisions into Sections T. 24 N. R. 10 E.	Page 404.
" " Quarters " "	Page 433.
" " Sections T. 25 N. "	Page 471.
" Quarters " "	Page 478.
" " Sections T. 26 N. "	Page 506.
Meanders	Page 509.

--ooOoo--

Subdivisions into Sections T. 24 N. R. 11 E.	Page 514.
" " Quarters " "	Page 518.
" " Meanders "	518.

Compared & corrected

No1 - R 8

No. 1

I

PART II.

Omaha Reservation.

Field Notes of the Survey of the Subdivision & Quarter Section lines of Township 24. N. R. 8. East of the 6th Principal Meridian.

Subdivision of sections - page 25 - 53

Township 24 North. Range 8. E. 6th Principal Meridian.

Field notes of the Survey of the
Subdivision Section & Quarter Section lines of that portion of
Township 24. North of Range 8. East of the 6th Principal Meridian.
Embraces within the Omaha Indian Reservation, in the Territory of Nebraska:

by
Theodore H Barrett.
U.S. Surveyor.
under his contract bearing date, the 14th day of August 1866.

Subdivision commenced October 3rd 1866. and completed, October 16th 1866.

A list of names of the individuals employed to assist in running measuring or marking the lines and corners described in the following field notes of Township No. 24. North of Range No. 8. East of the 6th Principal Meridian, showing the respective capacities in which they acted.

Geo Eggleston.	Chainman.
A. Englebright.	"
Chas W King.	"
Edwin D Benjamin	"
Frederick Gearwick.	Mound Builder.
St. Archambault.	" "
J. W. Smith.	Axman.
L G. Reynolds.	Flagman.
Jno R Wells	"
Richard Cronk	Compassman.

Omaha Reservation

Township 24 N. Range 8 E. 6th Principal Meridian.

	Chains.	
		In retracing the Guide Meridian with the Solar Compass, I found the variation of the needle to be from 12° 12' East to 12° 30' East. I therefore assume 12° 20' to be a proper variation with which to commence the Subdivision of this Township.
		Subdivision Commenced, Oct. 3rd 1866.
		Begin at a point on the South Boundary of the Omaha Reservation where the Section line between Sections 35 & 36. intersects said boundary— the same being a post in mound 72. 30 Chains North of the South West corner of Section 36. and run
		North, between Fractional Sections 35 & 36. Var. 12° 20' East
7.70		Set a post in mound with pits, for corner to Sections 25, 26, 35 & 36, Rolling Prairie: Soil 2nd rate.
		East on a random line between Sections 25 & 36. Var. 12° 20' E.
20.00		Set a post for temporary 1/16 Sec. corner.
40.00		" " " " " 1/4 " " "
60.00		" " " " " 1/16 " " "
80.00		Intersect the Guide Meridian 6 links South of the corner to Sections 25 & 26, from which corner I run South 89° 57' West on a true line between Sections 25 & 36. Var. 12° 20' East.
20.00		Post mound. pits and charcoal for 1/16 Sec. Cor.
40.00		" " " " " 1/4 Sec. Cor.
60.00		" " " " " 1/16 Sec. "
80.00		The corner to Sections 25, 26, 35, 36. Rolling Prairie: 2nd rate soil.

Omaha Reservation.

Township 24 N. R. 8 E., 6th Principal Meridian.

Chains	
	North, between Sections 25 & 26. Va. 12° 20' East.
16.00	A new wagon trail bears E & W.
20.00	Post, mound, pits & charcoal for ¼ Sec. Cor.
40.00	" " " " " " ¼ " "
60.00	" " " " " " 1/16 " "
80.00	" " " " " " Corner
	to Sections 23. 24. 25 & 26.
	High rolling prairie. 2nd rate soil.
	East on a random line between Sections 24 & 25. Va. 12° 20' East.
20.00	Set a post for temporary ¼ Sec. Corner.
40.00	" " " " " ¼ " "
60.00	" " " " " 1/16 " "
79.30	Intersect Guide Meridian 21 lks South of the corner to Sections 24 & 25. from which corner I run
	South 89° 51' West on a true line between Sections 24 & 25. Va. 12° 20' East.
19.82½	Post, mound, pits and charcoal for ¼ Sec. Cor.
39.65	Post, mound, pits and charcoal for ¼ Sec. Cor.
59.47½	" " " " " 1/16 " "
79.30	The corner to Sections 23. 24. 25 & 26.
	Rolling prairie: 2nd rate soil.
	October 3rd 1866.
	North, between Sections 23 & 24. Va. 13° East.
20.00	Post, mound, pits and charcoal for ¼ Sec. Cor.
40.00	" " " " " ¼ Sec. "
60.00	" " " " " 1/16 " "
75.00	Enter meadow or dry marsh, bears S. E & W.
80.00	Post, mound, pits and charcoal for corner to Sections 13. 14. 23 & 24. Surface - rolling prairie: Marsh covered with a heavy growth of weeds.

Omaha Reservation. Township 24 N. Range

Chains	
	East, on a random line between Sections 13 and 24. Va. 12° 30' E.
5.00	Leave meadow or marsh - bears S.E. & N.W.
20.00	Set a post for temporary ¼ Sec. Corner
40.00	" " " " " ¼ " "
60.00	" " " " " ⅛ " "
80.00	Intersect the Guide Meridian at the corner to Sections 13 & 24. from which corner I run West on a true line between Sections 13 & 24. Va. 12° 30' East.
20.00	Post, mound, pits and charcoal for ⅛ Sec. Corner.
40.00	Post, mound, pits and charcoal for ¼ Sec. Corner.
60.00	" " " " " " ⅛ " "
80.00	The corner to Sections 13, 14, 23 & 24. Rolling prairie: 2nd rate soil.

	North between Sections 13 & 14. Va. 13° East.
5.00	Leave Marsh - bears N.W. & S.E.
20.00	Post, mound, pits & charcoal for ⅛ Sec. Cor.
40.00	" " " " " " ¼ " "
60.00	" " " " " " ⅛ " "
62.00	Old Indian Trail - bears E & W.
80.00	Post, mound, pits & charcoal for corner to Sections 11, 12, 13 & 14. Rolling prairie. 2nd rate soil.

	East on a random line between Sections 12 & 13. Va. 12° East.
20.00	Set post for temporary ¼ Sec. Cor.
40.00	" " " " ¼ " "
60.00	" " " " ⅛ " "
79.90	Intersect the Guide meridian 58 links north of the corner to Sections 12 & 13. from which corner I run North 89° 35' West

S. E. of 6th Principal Meridian

Chains	
	on a true line between Sections 12 + 13. Va. 120 East.
19.97½	Post, mound, pits + charcoal for 1/16 Sec. Cor.
39.95	" " " " " " 1/4 " "
59.92½	" " " " " " 1/16 " "
79.90	The Corner to Sections 11. 12. 13 + 14. High rolling Prairie. 2nd rate soil. Oct. 4. 1866.
	North, between Sections 11 + 12. Va. 120 30' East.
20.00	Post, mound, pits + charcoal for 1/16 Sec. Cor.
40.00	" " " " " for 1/4 Sec. Cor.
60.00	" " " " " " 1/16 " "
63.00	A brook five lks wide — runs West. Good water.
69.50	A brook 5 lks wide — runs S. W.
77.00	" " 10 " " " S. 15° W.
80.00	Post in mound, pits + charcoal for corner to Sections 1. 2. 11 + 12. Surface, rough Prairie; Soil. 2nd rate.
	East on a random line between Sections 1 + 12. Va. 12° E.
0.75	A Brook 10 lks wide, runs S. 15° W.
20.00	Set a Post for temporary 1/16 Sec. Corner.
40.00	" " " " " 1/4 " "
52.50	A brook 8 lks wide, runs S. W.
60.00	Set a Post for temporary 1/16 Sec. Corner.
80.05	Intersect the Guide Meridian 70 links North of the Corner to Sections 1 + 12. — from which corner I run North 89° 30' West on a true line between Sections 1 + 12. Va. 12° East.
20.01¼	Post, mound, pits + charcoal for 1/16 Sec. Cor.
40.02½	" " " " " " 1/4 " "
60.03¾	" " " " " " 1/16 " "
80.05	The corner to Sections 1. 2. 11 + 12.

Omaha Reservation. Township 24 N. R.

Chains	
	Surface, very rough Prairie.
	Soil, poor 2nd rate.
	Note:- The N.E. corner of Township 24 N. Range 8 E. being at the same point with the S.E. corner of Township 25 N Range 8 E; instead of Establishing Separate Closing Corners upon the Sixth Standard Parallel, & close the Section lines of this township upon the standard corners of Township 25; & therefore run North, on a random line, between Sections 1 + 2, Va, 12° East.
1.50	A small brook 10 links wide runs S E.
2.00	Same brook runs S.W. - 4 lks wide.
20.00	Set a post for temporary ¼ Sec. Corner
40.00	" " " " " ½ " "
60.00	" " " " " ¾ " "
78.30	Intersect Sixth Standard Parallel 23 links West of the Standard Corner to Sections 35 + 36, T. 25 N. R. 8 E. Having marked this corner C. C. for closing corner to Sections 1 + 2, of this Township, & run South 0° 10' West on a true line between Sections 1 + 2, Va, 12° E.
18.30	Post, mound, pits + charcoal for ¼ Sec. Cor.
38.30	" " " " " " ½ " "
58.30	" " " " " " ¾ " "
78.80	The corner to Sections 1. 2. 11 + 12.
	Rough Prairie: 2nd rate soil.
	October 5th 1866.

S. E. the 6th Principal Meridian.

Chains	
	Begin at the point on the South Boundary of the Omaha Reservation where the Section line between Sections 34 + 35 intersects said Boundary — the same being a post in mound 72.10 chains North of the South West corner of Section 35 — and run North, between Fractional Sections 34 + 35. Va. 12° 15' East.
7.90	Set a post in mound, with pits and charcoal for corner to Sections 26. 27. 34 + 35. Middle Creek Bottom. 1st rate soil.
	East on a random line between Sections 26 + 35. Va. 12° 20' East.
20.00	Set a post for temporary ¼ Sec. Cor.
40.00	" " " " " ¼ Sec. Cor.
58.00	Wagon Trail — bears N.E. + S.W.
59.00	Leave Middle Creek bottom + Enter high prairie — bears N.E. + S.W.
60.00	Set a post for temporary ¼ Sec. Cor.
80.00	Intersect N + S. line 23 links South of the corner to Sections 23. 26. 35 + 36. from which corner A run South 89° 50' West, on a true line between Sections 26 + 35. Va. 12° 20' E.
20.00	Post, mound, pits + charcoal for ¼ Sec. Cor.
40.00	" " " " " ¼ " "
60.00	" " " " " ¼ " "
80.00	The corner to Sections 26. 27. 34 + 35 The East end of this line is on the rolling prairie — The West ¾ of the line is on Middle Creek bottom. The soil is 1st rate — Surface nearly level + covered with a dense growth of weeds + grass.

Omaha Reservation. Township 24 N.R.

Chains	
	North between Sections 26 & 27.
	Va. 12° 20' East.
20.00	Post, mound, pits & charcoal for ¼ Sec. Cor.
40.00	" " " " " " ¼ " "
60.00	" " " " " " ⅙ " "
80.00	" " " " " " the corner
	to Sections 22. 23. 26 & 27.
	Rich bottom land, nearly level,
	covered with a heavy growth
	of grass & weeds.
	East, on a random line between
	Sections 23 & 26.
	Va. 12° 20' East.
19.80	Leave Middle Creek bottom &
	enter high prairie, bears N. 20°
	W. & S. 20° E.
20.00	Set a post for temporary ⅙ Sec. Corner.
40.00	" " " " " ¼ " "
60.00	" " " " " ⅙ " "
79.70	Intersect N & S line 25 links South
	of the corner to Sections 23. 24.
	25 & 26, from which corner
	I run
	South 89° 49' West on a
	true line between Sections
	23 & 26. Va 12° 20' East.
19.92½	Post, mound, pits & charcoal for ⅙ Sec.
39.85	" " " " " ¼ " "
59.77½	" " " " " ⅙ " "
79.70	The corner to Sections 22. 23. 26.
	& 27.
	The West ½ of the line is rich
	bottom land; the remainder
	is on high rolling prairie.
	North, between Sections 22 & 23.
	Va. 13° 15' East.

R.

S. E. of the 6th Principal Meridian

Chains	
20.00	Post, mound, pits & charcoal for 1/16 Sec. Cor.
40.00	" " " " " " 1/4 " "
60.00	" " " " " " 1/16 " "
80.00	" " " " " " the corner
	to Sections 14. 15. 22 & 23.
	South 3/4 ch. this line is low prairie
	the north 1/4 is high prairie.
	Soil good 2nd rate.
	October. 6th 1886.

East on a random line between
Sections 14 & 23.

Va. 12° 30' East.

20.00	Set a post for temporary 1/16 Sec. Cor.
40.00	" " " " " 1/4 " "
60.00	" " " " " 1/16 " "
70.00	Enter dry marsh - bears SW. & NE.
79.88	Intersect N & S. line 5 links South
	of the corner to Sections 13. 14. 23 &
	24. from which corner I
	run
	South 89° 38' West on a
	true line between Sections
	14 & 23. Va. 12° 30' East.
19.97	Post, mound, pits & charcoal for 1/16 Sec. Cor.
39.94	" " " " " 1/4 " "
59.91	" " " " " 1/16 " "
79.88	The corner to Sections 14. 15. 22
	& 23.
	The marsh at the East End
	of the line is dry at this
	season, and is covered with
	a dense growth of grass
	and weeds.
	The remainder of the line
	is high, rolling prairie.
	Soil good. 2nd rate.

North, between Sections 14 & 15
Va. 13° 15' E.

Omaha Reservation. Township 24. N. R.

Chains	
20.00	Post, mound, pits & charcoal for ¼ Sec. Cor.
40.00	" " " " " ¼ " "
42.00	Indian Trail - bears S. 60 W. & N. 80 E.
60.00	Post, mound, pits & charcoal for ¼ Sec. Cor.
80.00	" " " " " Corner
	to Sections 10. 11. 14 & 15.
	High, rolling Prairie - good 2nd rate soil.
	East on a random line between
	Sections 11 & 14. Var. 12° 30' East.
20.00	Set a post for temporary ¼ Sec. Corner.
40.00	" " " " " ¼ " "
60.00	" " " " " ¼ " "
80.60	Intersect N & S line 6 links South
	of the Corner to Sections 11. 12. 13 & 14.
	from which corner I run
	South 89° 57' West on a true line
	between Sections 11 & 14.
	Var. 12° 30' East.
20.15	Set a post in mound, with pits
	& charcoal for ¼ Section Corner.
40.30	Post, mound, pits & charcoal for ¼ Sec. Cor.
60.45	" " " " " ¼ " "
80.60	The corner to Sections 10. 11.
	14 & 15.
	Rolling Prairie: good 2nd rate
✓	North, between Sections 10 & 11.
	Var. 11° 30' East.
20.00	Post, mound, pits & charcoal for ¼ Sec. Cor.
40.00	" " " " " ¼ " "
60.00	" " " " " ¼ " "
80.00	" " " " " Corner to
	Sections 2. 3. 10 & 11.
	Rough Prairie — Soil, poor 2nd rate.
	East on a random line between
	Sections 2 & 11. Var. 12° 15' E.
18.00	A brook runs North - 5 lks wide.

8. E. of the 6th Principal Meridian.

Chains	
20.00	Set a post for temporary 1/16 Sec. Corner
40.00	" " " " " 1/4 " "
60.00	" " " " " 1/16 " "
80.90	Intersect N. & S. line 40 links South of the Corner to Sections 1, 2, 11 & 12. From which corner I run
	South 89° 43' West on a true line between Sections 2 & 11. Va. 12° 15' East.
20.22½	Post, mound, pits & charcoal for 1/16 Sec. Cor.
40.45	" " " " " 1/4 " "
60.67½	" " " " " 1/16 " "
80.90	The Corner to Sections 2, 3, 10 & 11. Rough prairie. — 2nd rate soil.

North, on a random line between Sections 2 & 3.
Va. 11° 30' East.

20.00	Set a post for temporary 1/16 Sec. Corner.
37.00	A creek 5 links wide — runs N.W.
39.00	Same creek, running nearly North.
40.00	Post for temporary 1/4 Sec. Corner.
44.50	Bend of Same creek — runs West.
47.00	Same Creek — runs N.E.
48.00	" " — " N.W.
51.00	" " — " N.E.
60.00	Post for temporary 1/16 Sec. corner.
70.00	Same creek — runs N.W.
75.00	" " — " N.E.
78.70	Intersect Sixth Standard Parallel 47 links West of the Standard Corner to Sections 34 & 35. T. 22 N. R. 8 E. Marking the Standard Corner, C. C. & run South 20' West on a true line between Sections 2 & 3. Va. 11° 30' E.
18.70	Post, mound, pits & charcoal for 1/16 Sec. corner.
38.70	Point for true 1/4 Sec. Corner —

Omaha Reservation. Township 24. N. R. 8.

Chains	
	owing to the Creek, & found it impracticable to establish the corner here, but at
40.20	Set a post in mound with pits & Charcoal as a witness corner to the ¼ Section corner.
58.70	Post, mound, pits & charcoal for ¼ Section Corner.
78.70	The corner to Sections 2. 3, 10 & 11. South end of line is on the side of a hill — North ¾ runs through a valley. Soil, good. 2nd rate. Oct. 8. 1864.

Begin at the Point on the South Boundary of the Omaha Reservation where the Section line between Sections 33 & 34. intersects said boundary — the same being a Post in mound 72 Chains North of the South West corner of Sec. 34. and run North between Fractional Sections 33 & 34.

Va. 12° 20' East.

4.30	Intersect Middle Creek — 80 links wide — steep banks 20 feet high — muddy bottom — swift Current — runs South East.
8.00	Post, mound, pits & charcoal for ¼ Sec. corner. Level bottom land, 1st rate soil

East on a random line between Sections 27 & 34.

Va. 12° 20' East.

20.00	Set a post for temporary ¼ Sec. Cor.
40.00	Set a post " " ¼ " "
60.00	" " " " " 1/16 " "

East of the 6th Principal Meridian.

Chains	
80.00	Intersect A+S. line 93 links South of the corner to Sections 26, 27, 34+35 from which corner I run South 89° 20' West on a true line between Sections 27+34. Va 12° 20' East.
20.00	Post, mound, pits + charcoal for 1/16 Sec. Cor.
40.00	" " " " " " 1/4 " "
60.00	" " " " " " 1/16 " "
80.00	The corner to Sections 27. 28. 33+34. Level bottom land, 1st rate soil.

North, between Sections 27+28. Va. 12° 20' East.

20.00	Post, mound, pits and charcoal for 1/16 Sec. Cor.
40.00	Post, " " " " " 1/4 " "
60.00	" " " " " " 1/16 " "
75.00	Leave bottom land + Enter high prairie, bears A 60° W. + S. 60° E.
80.00	Post, mound, pits and charcoal for corner to sections 21. 22. 27+28. Mostly bottom land, 1st " rate.

East on a random line between Sections 22+27. Va. 12° 20' East.

20.00	Post for temporary 1/16 Sec. corner.
40.00	Post " temporary 1/4 " "
56.00	Leave high prairie + Enter low land - arm of Middle Creek bottom - bears A + S.
57.00	Intersect a dry run - bears A + S.
60.00	Set a post for temporary 1/16 Sec. Cor.
80.60	Intersect A + S. line 75 links South of the corner to Sections 22. 23. 26, + 27, from which I run South 89° 28' West on a true line between Sections 22 + 27. Va 12° 20' E.

Omaha Reservation. Township 24 N. Range

Duplicate of Page 12.

Chains	
20.00	Post, mound, pits and charcoal for ¼ Sec. Cor.
40.00	Post, mound, pits and charcoal for ¼ Sec. Cor.
60.00	Post, mound, pits and charcoal for ¼ Sec. Cor.
80.00	The corner to Sections 27. 28. 33 & 34. Level bottom land 1st rate soil.
	North between Sections 27 & 28. Va. 12° 20' East.
20.00	Post, mound, pits and charcoal for ¼ Sec. Corner.
40.00	" " " " " " ¼ " "
60.00	" " " " " " ¼ " "
75.50	Leave bottom land and enter high prairie, bears N. 60 W. & S. 60 E.
80.00	Post, mound, pits and charcoal for corner to Sections 21. 22. 27 & 28. Mostly bottom land. 1st rate.
	East on a random line between Sections 22 & 27. Va. 12° 20' East.
20.00	Post for temporary ⅛ Section Corner.
40.00	Post for temporary ¼ Section Corner.
56.00	Leave high prairie & enter lowland. Arm of Middle Creek bottom. bears N & S.
57.00	Intersect a dry run - bears N & S.
60.00	Set a post for temporary ⅛ Sec. Corner.
80.60	Intersect N & S. line 75 links South of the corner to Sections 22. 23. 26 & 27. from which I run South 89° 28' West on a true line between Sections 22 & 27. Va. 12° 20' East.
20.18	Post, mound, pits and charcoal for ⅛ Section corner.
40.30	Post, mound, pits and charcoal for ¼ Section corner.
60.45	Post, mound, pits and charcoal for ⅛ Sec. Corner.
80.60	The corner to Sections 21. 22. 27 & 28. The land designated as "Low-land" is an arm of the

8° East of the 6th Principal Meridian.

Chains	
	bottom bordering Middle Creek and of similar character. The high Prairie is rolling with a good, 2nd rate soil.
	North, between Sections 21 & 22. Va. 13° 20' E.
20.00	Post, mound, pits and charcoal for 1/16 Sec. corner.
40.00	Post, mound, pits and charcoal for 1/4 Sec. Corner.
60.00	Post, mound, pits and charcoal
63.00	Leave high Prairie & Enter dry marsh, bears N.W. & S.E.
80.00	Post, mound, pits and charcoal for corner to sections 15, 16 21 & 22. Rolling Prairie. 1st & 2nd rate soil.
	East on a random line between Sections 15 and 22. Va. 12° 30' East.
4.00	Leave dry marsh and enter high Prairie - bears N 20 W & S. 20 E.
20.00	Set a post for temporary 1/16 Sec. Corner.
40.00	Set a post for temporary 1/4 Sec. Corner.
60.00	Set a post for temporary 1/16 Sec. Cor.
79.80	Intersect the N & S. line 20 links South of the corner to Sections 14, 15, 22 & 23 from which corner A run South 89° 51' West, on a true line between Sections 15 & 22. Va 12° 30' East.
19.95	Post, mound, pits and charcoal for 1/16 Sec. corner.
39.90	Post, mound, pits and charcoal for 1/4 Section corner.
59.85	Post, mound; pits and charcoal for 1/16 Sec. Corner.
79.80	The corner to Sections 15. 16. 21 & 22

Note. Both the 1/16 Sec. Cor, and the 1/4 Sec. Cor, were first built by Error, a

Omaha Reservation. Township 24. N. Range

Chains	
	few links west of the true corner. I caused the mounds to be destroyed and the pits filled up.
	Rolling Prairie: Soil. good. 2nd rate.
	October. 9th 1866.
	North, between Sections 15 & 16,
	Va. 12° 15' East.
10.00	Leave marsh & Enter high rolling
	Prairie. — bears N. W. & S. E.
14.50	Indian Trail — bears E & W.
20.00	Post, mound, pits and charcoal for ¼ Sec. Cor.
40.00	Post, mound, pits and charcoal for ¼ Sec. Cor
60.00	Post, mound, pits and charcoal for ¼ Sec. Cor.
80.00	Post, mound, pits and charcoal for Corner
	to Sections 9. 10. 15 & 16.
	High rolling Prairie 2nd rate soil.
	East, on a random line between Sections
	10 & 15. Va 12° 15' East.
20.00	Set a post for temporary ¼ Sec. Corner
40.00	Set a post for temporary ¼ " "
43.50	Enter meadow bears N & S.
48.00	Leave meadow bears N. & S.
60.00	Set a post for temporary ¼ Sec. Corner.
79.12	Intersect N & S. line 23 links South
	of the corner to Sections 10, 11. 14 & 15.
	South 89° 30' West on a true line
	between Sections 10 & 15.
	Va 12° 15' E.
19.78	Post, mound, pits & charcoal for ¼ Sec Cor.
39.56	Post, mound, pits & charcoal " ¼ " "
59.34	Post, mound, pits & charcoal " ¾ " "
79.12	The corner to sections 9. 10. 15 & 16.
	Rolling Prairie: good. 2nd rate soil.
	North. between Sections 9 & 10.
	Va. 12° East
20.00	Post, mound, pits and char-
	coal for ¼ Section corner,

Rang

8. East of the 6th Principal Meridian

Chains	
40.00	Post, mound, pits & charcoal for ¼ Section Corner.
60.00	Post, mound, pits & charcoal for ½ Sec. Cor.
80.00	Post, mound, pits & charcoal for Corner to Sections 3, 4, 9 & 10.
	High rolling Prairie. Good, 2nd rate soil.

East, on a random line between Sections 3 and 10. Va. 12° 10' East.

20.00	Set a post for temporary ¼ Sec. Cor.
40.00	Set a post for temporary ¼ Sec. Cor.
60.00	Set a post for temporary ¼ Sec. Cor.
79.20	Intersect N. & S. line 24 links North of the Corner to Sections 2, 3, 10 & 11, from which corner I run,

North 89° 50' West on a true line between Sections 3 & 10.

19.50	Post, mound, pits & charcoal for ¼ Sec. Cor.
39.60	Post, mound, pits & charcoal for ½ Sec "
59.40	Post, mound, pits & charcoal " ¼ " "
79.20	The corner to Sections 3, 4, 9 & 10. Surface very rolling. Soil. 2nd rate.

North, on a random line between Sections 3 & 4. Va 11° 45' East.

2.00	Set a post for temporary ¼ Sec. Corner.
36.50	Enter marsh — bears E & N.
39.50	Leave same — bears same.
40.00	Set a post for temporary ¼ Sec. Cor.
60.00	Set a post for temporary ¼ " "
68.00	Enter meadow — bears E & W.
76.00	Leave same — bears same.
79.32	Intersect the Sixth Standard Parallel at the Standard Corner to Sections 33 & 34. Township 2S. R. 8 E. Marking this corner S. C.

Omaha Reservation. Township 24 N.

Chains	
	for Closing corner to Sections 3 & 4. & run South on a true line between Sections 3 and 4. Va. 11° 45' East.
19.32	Post, mound, pits & charcoal for ¼ Sec Cor.
39.32	Post, mound, pits and charcoal for ¼ " "
59.32	Post, mound, pits & charcoal " ¼ " "
79.32	The corner to Sections 3. 4. 9 & 10. Surface hilly — no timber. Soil. 2nd rate. October 10th 1866.

✓

Begin at the point on the South Boundary of the Omaha Reservation where the Section line between Sections 32 & 33. intersects said Boundary — the same being a Post in mound. 72.06 chains North of the South West corner of Section 33, and run North between Fractional Sections 32 & 33. Va. 12° 30' East.

7.94	Post, mound, pits and charcoal for Corner to Sections 28. 29. 32 & 33. Middle Creek bottom land. 1st rate soil.

East, on a random line between Sections 28 & 33. Va. 12° 20' East.

20.00	Set a Post for temporary ¼ Sec. Cor.
40.00	Set a Post for temporary ¼ Sec. Cor.
52.50	Intersect Middle Creek running S.E.
60.00	Set post for temporary ¼ Sec. Corner.
80.00	Intersect N & S. line 27 links South of the corner to Sections 27. 28. 33 & 34. from which corner a run South 89° 48' West on a true line between Sections 28 & 33. Va. 12° 20' East.
20.00	Post, mound, pits & charcoal for ¼ Section corner.

R. 8 E. the 6th Principal Meridian

Chains	
40.00	Post, mound, pits & charcoal for ¼ Sec Cor.
60.00	Post, mound, pits & charcoal " ⅛ " "
80.50	The corner to Sections 27, 28, 33 and 34. Level bottom land, 1st rate soil.
	West, on a random line between Sections 29 & 32. Va. 12° 20' E.
20.00	Set post for temporary ¼ Sec. Cor.
40.00	Set post for temporary ¼ Sec. Cor.
59.53	Intersect Range line 65 links North of the corner to Sections 29 & 32 — from which corner a run North 89° 23' East, between Sections 20 & 29. Va 12° 20' East.
19.53	Establish the ¼ Sec. Corner by post, mound, pits and charcoal, as per instructions.
39.53	Post, mound, pits & charcoal for ⅛ Section Corner.
59.53	The corner to Sections 28, 29, 32 & 33. Level bottom land, 1st Rate soil.
	North, between Sections 28 & 29. Va. 11° 45' East.
20.00	Post, mound, pits & charcoal for ⅛ Sec. corner.
40.00	Post, mound, pits & charcoal for ¼ Section Corner.
50.50	Intersect Middle Creek running North East.
60.00	Post, mound, pits & charcoal for ⅛ Section corner.
80.00	Post, mound, pits & charcoal for corner to Sections 20, 21, 28 & 29. Level bottom land, 1st rate soil.
	East on a random line between Sections 21 & 28. Va. 12° 15' East.
20.00	Set a post for temporary ¼ Sec. Cor.

Omaha Reservation. Township 24 N.

Chains	
22.00	Leave Middle Creek bottom & enter high prairie - bears N.W. & S.E.
40.00	Set a post for temporary ¼ Sec. Cor.
60.00	Set a post for temporary ⅛ Sec. Cor.
80.56	Intersect N. & S. line 5 links South of the corner to Sections 21 & 22. 27 & 28. from which corner a run.
	South 89° 58' West on a true line between Sections 21 & 28.
	Va. 12° 15' East.
20.14	Post, mound, pits and charcoal for ⅛ Section corner.
40.28	Post, mound, pits & charcoal for ¼ Section Corner.
60.42	Post, mound, pits & charcoal for ⅛ Section corner.
80.56	The corner to Sections 20. 21. 28 & 29. Bottom land & moderately rolling prairie; Soil, 1st rate.

West, on a random line between Sections 20 & 29.

Va. 12° 15' East.

15.00	Enter marsh - bears N.W. & S.E.
20.00	Set a post for temporary ⅛ Sec Cor.
40.00	Set a post for temporary ¼ Sec Cor.
59.64	Intersect Range line 52 links North of the corner to Sections 20 & 29. from which corner a run.
	North 89° 30' East on a true line between Sections 20 and 29. Va. 12° 15' East.
19.64	Post, mound, pits and charcoal for ¼ Sec. corner.
39.64	Post, mound, pits & charcoal for ⅛ Sec. corner.
59.64	The corner to Sections 20. 21. 28 & 29. This line is on middle Creek bottom; the marsh noted as being entered

Range 8. East the 6th Principal Meridian.

Chains	
	at 15 chains from the East end of the line gradually becomes wet and lower until it is covered with water one foot deep;- it then gradually becomes higher until the water disappears and the character changes to something like a meadow.
	Near the West end of the line the ground is quite dry & hard.
	North between Sections 20 & 21. Va. 13°. East.
20.00	Post, mound, pits & charcoal for 1/16 Sec. Corner.
22.50	Leave bottom & Enter rolling prairie, bears N. 20° W. & S. 20° E.
40.00	Post, mound, pits & charcoal for 1/4 Sec. Corner.
60.00	Post, mound, pits & charcoal for 1/16 Sec. Corner.
80.00	Post, mound, pits & charcoal for corner to Sections 16. 17. 20 & 21. Rolling prairie. Soil. good. 2nd rate.
	East, on a random line between Sections 16 and 21. Va. 12° 30' East.
20.00	Set a post for temporary 1/16 Sec. Corner.
40.00	Set a post for temporary 1/4 Sec. Corner.
60.00	Set a post for temporary 1/16 Sec. Corner.
70.00	Leave high prairie & enter low flat marsh or meadow- bears N. 20° W. & S. 20° E.
80.10	Intersect N. & S. line 69 links South of the corner to Sections 15. 16. 21. & 22. from which corner I run South 89° 30' West on a true line between Sections 16 & 21. Va. 12° 30' East.

Omaha Reservation. Township 24. N. R.

Chains	
20.02½	Set a post in mound, with pits and charcoal for ¼ Sec. Corner.
40.05	Post, mound, pits & charcoal for ¼ Section corner,
60.07½	Post, mound, pits & charcoal for ¼ Sec. Corner,
80.10	The corner to Sections 16. 17. 20 & 21. Rolling Prairie. good. 2nd rate soil.

West on a random line between Sections 17 and 20.
Va. 12° 30' East.

20.00	Set a post for temporary ¼ Sec. Cor.
40.00	Set a post for " ¼ " "
59.18	Intersect the Range line between Ranges 7 & 8 54 links North of the corner to Sections 17 & 20, from which corner & run North 89° 29' East on a true line between Sections 17 & 20.

Va. 12° 30' East,

19.18	Post, mound, pits. & charcoal for ¼ Section Corner.
39.18	Post, mound, pits and charcoal for ¼ Sec. Corner,
59.18	The corner to Sections 16. 17. 20 & 21. High rolling Prairie. Good. 2nd rate soil. October 11. 1866.

North, between Sections 17 & 16.
Va. 11° 40' East,

3.80	Indian Trail — bears E & W.
20.00	Post, mound, pits & charcoal for ¼ Sec Corner
40.00	Post, mound, pits & charcoal for ¼ Sec. Corner,
60.00	Post, mound, pits & charcoal for ¼ Sec. corner,
80.00	Post, mound, pits & charcoal for corner to Sections

R.

8. East of the 6th Principal Meridian.

Chains	
	8. 9. 16 and 17. High rolling Prairie. 2nd rate soil.
	East, on a random line between Sections 9 & 16. Va. 12° 30' E.
20.00	Set a post for temporary ¼ Sec. Cor.
32.00	Enter meadow or marsh - bears N & S.
40.00	Set a post for temporary ¼ Sec. Cor.
54.00	Leave marsh - bears N.W. & S.E.
60.00	Set a post for temporary ¼ Sec. Corner.
79.40	Intersect N & S. line 24 links South of the corner to Sections 9. 10. 15 & 16. from which corner I run South 89° 30' West, on a true line between Sections 9 & 16. Va. 12° 30' East.
19.85	Post, mound, pits & charcoal for ¼ Section Corner.
39.70	Post, mound, pits & charcoal for ¼ Sec. corner.
59.55	Post, mound, pits and charcoal for ¼ Sec. corner.
79.40	The corner to Sections 8, 9, 16 & 17. Rolling prairie. 2nd rate soil. The marsh or meadow is covered with a dense growth of weeds and grass and has a first rate soil.
	West, on a random line between Sections 8 & 17. N. 12° 30' East.
20.00	Set a post for temporary ¼ Sec. Corner.
40.00	Set a post for temporary ¼ Section Corner.
59.60	Intersect the Range line 8 links North of the corner

Omaha Reservation. Township 24 N. R.

Chains	
	to Sections 8 & 17. from which corner I run North 89° 55' East on a true line between Sections 8 & 17. Va. 12° 30' E.
19.60	Post, mound, pits & charcoal for ¼ Sec. Corner.
39.60	Post, mound, pits & charcoal for ¼ Sec. Corner.
59.60	The corner to Sections 8, 9, 16 & 17. High, rolling prairie; Soil, good. 2nd rate.
	North between Sections 8 & 9. Va. 12° 15' East.
20.00	Post, mound, pits & charcoal for ¼ Section Corner.
40.00	Post, mound, pits & charcoal for ¼ Section corner.
60.00	Post, mound, pits & charcoal for ¼ Section corner.
65.00	Enter marsh — bears E & West.
75.00	Leave " — " " " "
80.00	Post, mound, pits and charcoal for the corner to Sections 4, 5, 8 & 9. South of the marsh, high rolling prairie, North of the marsh — beautiful level prairie Soil 1st & 2nd rate.
	East, on a random line between Sections 4 & 9. Va. 12° 15' E.
18.00	Leave level Prairie and enter rough Prairie.
20.00	Set a Post for temporary ¼ Sec. Corner.
40.00	Set a Post for temporary ¼ Sec Corner.
60.00	Set a Post for temporary ¼ Section corner.

R.

8: East of the 6th Principal Meridian.

Chains	
79.82	Intersect the N & S. line 40 links South of the corner to Sections 3, 4, 9 & 10. from which corner I run South 89° 43' West on a true line between Sections 4 & 9. Var. 12° 15' East.
19.95	Post, mound, pits and charcoal for ¼ Sec. Corner.
39.91	Post, mound, pits and charcoal for ¼ Sec. Corner.
59.86	Post, mound, pits and charcoal for ¼ Sec. Corner.
79.82	The corner to Sections 4. 5. 8 & 9. Level and high rolling prairie. 1st & 2nd rate soil.
	West on a random line between Sections 5 & 8. Var. 12° 30' East.
20.00	Set a Post for temporary ¼ Sec. Cor.
40.00	Set a Post for temporary ¼ Sec. Cor.
60.30	Intersect the Range line 12 links North of the corner to sections 5 & 8. from which corner I run, North 89° 53' East on a true line between Sections 5 & 8. Var. 12° 30' East.
20.30	Post, mound, pits and charcoal for ¼ Sec. Corner.
40.30	Post, mound, pits and charcoal for ¼ Section Corner.
60.30	The corner to Sections 4. 5. 8 & 9. This line leaves the level prairie about 10 or 15 chains West of the corner to Sections 4. 5. 8 & 9. — the remainder is high rolling prairie. Soil. 1st & 2nd rate. October. 12th 1866.

Omaha Reservation. Township 24 N.

Chains	
	North, on a random line between Sections 4 & 5, Var. 11° 50' E.
20.00	Set Post for temporary ¼ Sec. Corner.
40.00	Set Post for temporary ¼ Sec. Corner.
41.00	Leave prairie & enter Marsh — bears N 20 W & S 20 E.
59.50	Leave marsh — " " " " " " " "
60.00	Set a Post for temporary ¼ Sec. Cor.
80.10	Intersect the Sixth Standard Parallel at the Standard Corner to Sections 32 and 33, T. 25 N. R. 8 E. I marked the above corner C.C. for closing corner to Sections 4 & 5. and run South on a true line between Sections 4 & 5, Var. 11° 50' East.
20.10	Post, mound, pits and charcoal for ¼ Sec. corner
40.10	Post, mound, pits & charcoal for ¼ Sec. Corner,
60.10	Post, mound, pits and charcoal for ¼ Sec. corner.
80.10	The corner to Sections 4. 5. 8 & 9. High rolling Prairie: good 2nd rate soil. October, 13th 1866

Subdivision of Sections

Subdivision of Fractional Section 36.

Begin at the point on the South Boundary of the Omaha Reservation where the ¼ Sec. line running North through Section 36 intersects said boundary — the same being a Post in mound — and run

North on the quarter Section line through Fractional

Range 8 E. 6th Principal Meridian.

Chains	
	Section 36. Va. 12° 20' E.
4.27½	Intersect the North boundary of the Section at the quarter Section corner. Rolling prairie. 2nd rate soil.
	Subdivision of Section 25.
	North, on the ¼ Section line through Section 25. Va. 12° 20' East.
16.00	A wagon trail — bears E & W.
20.00	Post, mound, pits & charcoal for ¼ Sec. Corner.
40.00	Post, mound, pits & charcoal for ¼ Section corner.
60.00	Post, mound, pits and charcoal for ¼ Sec. Corner.
80.00	Intersect the North side of the Section at the ¼ Section Corner. Rolling prairie — 2nd rate soil.
	East, on a random quarter Section line through Section 25. Va. 12.° 20.' East.
20.00	Set a post for temporary ¼ Sec Cor.
39.82½	Intersect the N. & S. ¼ Sec. line.
60.00	Set a post for temporary ¼ Sec. Corner.
79.65	Intersect the East boundary of the Section 46 links North of the ¼ Sec. corner, from which ¼ Sec. corner B. run North 89° 40' West on a true ¼ Section line through Section 25. Va. 12° 20' East.
19.91¼	Post, mound, pits & charcoal for ¼ Sec. Corner.
39.82½	Intersect the N. & S. ¼ Sec. line at the ¼ Sec. corner.

Omaha Reservation, Township 24. N. R.

Chains	
59.93¾	Past, mound, pits and charcoal for ¼ Section Corner.
79.65	Intersect the West boundary of the Section at the ¼ Sec. Corner. Rolling prairie. 2nd rate soil. October, 8th, 1866

Subdivision of Section 24.

North, on the ¼ Section line through Section 24. Va. 13° East.

20.00	Post, mound, pits and charcoal for ¼ Section Corner.
40.00	Post, moand, pits & charcoal for ¼ Section corner.
60.00	Post, mound, pits & charcoal for ¼ Section Corner.
80.00	Intersect the North side of the Section at the ¼ Sec. Corner. Rolling Iriairie. 2nd rate soil.

East on a random ¼ Section line through Section 24. Va. 12° 30' East.

20.00	Set a Post for temporary ¼ Sec. Cor
39.82½	Intersect N. & S. ¼ Section line.
60.00	Set a Post for temporary ¼ Sec. Cor.
79.65	Intersect the East side of the Section at the ¼ Section corner from which a Section corner bears

West on a true ¼ Section line through Section 24. Va. 12° 30' East.

19.91¼	Post, mound, pits & charcoal for ¼ Sec Cor.
39.82½	Intersect the N & S. ¼ Sec. line at the ¼ Section Corner.
59.73¾	Post in mound, pits and charcoal for ¼ Section Corner.
79.65	The ¼ Sec. Corner on the West side of the Section.

S. East. 6th Principal Meridian.

Chains	
	Rolling Prairie: 2nd rate soil.
	Subdivision of Section 13. North, on the ¼ Section line through Sec. 13. Va. 12° 45' East
20.00	Post, mound, pits & charcoal for ¼ Sec. Cor.
40.00	Post, mound, pits & charcoal for ¼ " "
57.00	Indian Trail — bears E & W
60.00	Post, mound, pits & charcoal for 1/16 Sec. Corner.
80.00	Intersect the North side of the Section at the ¼ Section Corner.
	Rolling Prairie: 2nd rate soil
	East on a random ¼ Section line through Section 13. Va. 12° 30' East.
20.00	Set a post for temporary ¼ Sec. Corner.
39.97½	Intersect N. & S. ¼ Section line.
60.00	Set a post for temporary ¼ Sec. Cor.
79.95	Intersect the East boundary of the Section 10 links North of the ¼ Sec. Corner from which ¼ Sec. Cor. I run
	North 89° 56' West on a true ¼ Section line through Sec. 13. Va. 12° 30' East.
19.98¾	Post, mound, pits and charcoal for 1/16 Section Corner.
39.97½	Intersect the N. & S. ¼ Sec. line at the quarter Section corner.
59.96¼	Post, mound, pits & charcoal for 1/16 Section corner
79.95	Intersect the West side of the Section at the ¼ Sec. Corner.
	Rolling Prairie: 2nd rate soil.
	October 4th 1866.
	Subdivision of Section 12.
	North, on the ¼ Section line through Section 12. Va. 12° 28' East.

Omaha Reservation. Township 24 N. Range 8.

Chains	
20.00	Post, mound. pits & charcoal for ¼ Sec. Cor.
40.00	Post, mound, pits & charcoal for ¼ Sec "
57.50	A brook 10 links wide — runs West.
60.00	Post, mound. pits & charcoal for ¼ Sec.
	Corner.
80.00	Intersect the North side of the
	Section at the ¼ Section Corner.
	Rough Prairie — Soil. 2nd rate.

East, on a random quarter Section
line through Section 12. Va. 12° E.

20.00	Set a Post for temporary ¼ Sec. Cor.
33.00	A brook 5 links wide — runs North.
39.98¾	Intersect N & S. ¼ Section line.
60.00	Set a Post for temporary ¼ Sec. Corner.
75.50	A brook 10 links wide, runs N. 70.26
79.97½	Intersect the East side of the Section
	70 links North of the quarter Sec.
	Corner, from which ¼ Sec. Corner
	bears

North 89° 21' West, on a
true ¼ Section line through Section
12. Va. 12° East.

19.99⅜	Post, mound, pits & charcoal for ¼
	Section Corner.
39.98¾	Intersect the N & S. ¼ Sec. line at the
	¼ Section Corner.
59.98⅛	Post, mound, pits & charcoal for
	¼ Section Corner.
79.97½	The quarter Section corner on
	the West side of the Section.
	Rough Prairie: 2nd rate soil.

Subdivision of Section 1.

North, on a random quarter
Section line, through Section
1. Va. 12° 15' East.

20.00	Post for temporary ¼ Sec. Corner.
40.00	Post for temporary ¼ Sec. Corner.
60.00	Post for temporary ¼ Sec. Corner.

East of the 6th Principal Meridian.

Chains	
79.05	Intersect the Sixth Standard Parallel at the quarter Section (Standard) Corner, on the South side of Section 36, T. 25 N. R. 8 E.
	Marking this ¼ Section corner, C. C. for closing ¼ Section corner, & run South on a true quarter Section line through Section 1. Va. 12° 15' East.
19.05	Post, mound, pits and charcoal for 1/16 Sec. Corner.
39.05	Post, mound, pits and charcoal for ¼ Sec. Corner.
59.05	Post, mound, pits & charcoal for 1/16 Section corner.
79.05	The quarter Section corner on the South side of the Section.
	Rough Prairie. 2nd rate soil.

	East on a random ¼ Section line through Section 1. Va. 11° 30' East.
20.00	Set a Post for temporary ¼ Sec. Cor.
40.01¼	Intersect the A. & S. ¼ Section line.
60.00	Set a Post for temporary ¼ Sec. Cor.
80.02½	Intersect the East boundary of the Section 86 links North of the ¼ Section Corner, from which ¼ Sec. Corner bears
	North 89° 23' West, on a true ¼ Section line through Section 1. Va. 11° 30' E.
20.00⅞	Post, mound, pits & charcoal for 1/16 Section corner.
40.01¼	Intersect the A. & S. ¼ Sec. line at the ¼ Section corner.
60.01⅞	Post, mound, pits & charcoal for 1/16 Sec. Cor.
80.02½	The ¼ Section Corner on the West side of the Section.
	Rough Prairie: 2nd rate soil.
	October 5th 1866.

Omaha Reservation. Township 24 N. R

Chains	
	Subdivision of Fractional Sec. 35.
	Begin at the point on the South Boundary of the Omaha Reservation where the quarter Section line running North through Section 35, Intersects the said Boundary— the same being a post in mound, and run North on the Quarter Section line through Fractional Section 35. Va. 12° 30' E.
7.80	Intersect the North side of the Section at the quarter Section Corner. Bottom land, 1st rate soil.
	Subdivision of Section 26.
	North, on the quarter Section line through Section 26. Va. 12° 30' E.
6.00	Leave bottom and Enter high rolling prairie bears E & W.
20.00	Post, mound, pits & charcoal for 1/16 Section corner.
41.00	Post, mound, pits and charcoal for 1/4 Section corner.
60.00	Post, mound, pits and charcoal for 1/16 Section corner.
81.00	Intersect the North side of the Section at the 1/4 Sec. corner. Rolling prairie except at the South end of the line. 1st & 2nd rate soil.
	East, on a random quarter Section line through Section 26, Va. 1° 20' East.
10.00	Leave bottom & enter high prairie bears N.W. & S.E.
20.00	Set a post for temporary 1/16 Sec corner.

S. East. the 6th Principal Meridian.

Chains	
39.92½	Intersect W. & S. ¼ Section line.
60.00	Set a post for temporary ¼ Sec. Cor.
79.85	Intersect the W. & S. line, between Sections 25 & 26, 30 links South of the ¼ Sec. Corner; from which ¼ Section Corner I run South 89° 47' West, on a true ¼ Sec. line through Section 26, Va. 12° 20' East.
19.96½	Post, mound, pits & charcoal for ¼ Section Corner,
39.92½	Intersect the W. & E. ¼ Section line at the ¼ Section Corner.
59.88¾	Post, mound, pits & charcoal for ¼ Sec. Cor.
79.85	The ¼ Sec. Corner on the West side of the Section, Bottom land and high Prairie, 1st & 2nd rate soil. Oct. 6. 1866.

Subdivision of Section 23.

North, on the ¼ Section line, through Section 23. Va. 13° 45' East.

20.00	Post, mound, pits & charcoal for ¼ Sec. Cor.
40.00	" " " " " " ¼ " "
60.00	" " " " " " ⅛ " "
80.00	Intersect the North side of the Section at the quarter Section corner Rolling Prairie. 2nd rate soil.

East, on a random ¼ Section line, through Section 23. Va. 12° 30' East.

20.00	Set a post for temporary ¼ Sec. Cor.
39.89½	Intersect the W. & S. ¼ Section line.
60.00	Set a post for temporary ¼ Sec. Cor.
79.79	Intersect the East boundary of the Section 10 links South of the quarter Section corner, from which I run South 89° 54' West on a true ¼ Section line through Section 23. Va. 12° 30' East.

Omaha Reservation. Township 24. N. R.

Chains	
19.94 3/4	Post, mound, pits and charcoal for 1/16 Section corner.
39.89 1/2	Intersect N. & S. 1/4 Sec. line at the 1/4 Section corner.
59.84 1/4	Post, mound, pits & charcoal for 1/16 Section corner.
79.79	The quarter Section corner on the West side of Section 23.
	Rolling Prairie: 2nd rate soil.

Subdivision of Section 14.

North, on the quarter Section line through Section 14. Va. 12° 25' East.

20.00	Post, mound, pits & charcoal for 1/16 Sec. Cor.
40.00	Post, mound, pits & charcoal " 1/4 " "
60.00	Post, mound, pits and charcoal for 1/16 Sec. Corner.
63.00	Indian Trail — bears N. 70 W. and S. 70 E.
80.00	Intersect the North side of the Section at the quarter Section Corner.
	Rolling Prairie: 2nd rate.

✓

East on a random quarter Section line through Section 14.

Va. 12° 30' East.

20.00	Set a post for temporary 1/16 Sec. Corner
40.12	Intersect N. & S. 1/4 Section line.
60.00	Set a post for temporary 1/16 Section Corner.
80.24	Intersect East side of the Section 15 links North of the corner to 1/4 Section, from which 1/4 Sec. Corner I run

North, 89° 54' West on a true 1/4 Section line, through Section 14.

Va. 12° 30' East.

20.06	Post, mound, pits & charcoal for 1/16 Section corner.
40.12	Post, mound, pits and charcoal for 1/4 Section corner.

R. S. E. of the 6th Principal Meridian.

Chains	
60.18	Post, mound, pits and charcoal for ¼ Section corner.
80.24	The ¼ Sec. Corner on the west side of Section 14. Rolling Prairie. 2nd rate soil.
	Subdivision of Section 11. North, on the ¼ Section line through Section 11. Var. 12° 18' East.
20.00	Post, mound, pits and charcoal for 1/16 Section corner.
40.00	Post, mound, pits and charcoal for ¼ Sec. Cor.
60.00	" " " " " " 1/16 " "
64.00	A brook 8 lks wide — runs N. W.
80.00	Intersect the North boundary of the Section at the quarter Section corner. Rough Prairie. 2nd rate soil.
	East, on a random quarter Section line, through Section 11. Var. 12° 30' East.
20.00	Set a post for temporary 1/16 Sec. Cor.
40.37½	Intersect the N. & S. ¼ Section line.
58.00	A brook five links wide — runs North.
60.00	Set a post for temporary ¼ Sec. Corner.
80.75	Intersect the East side of the Section 28 links South of the ¼ Section Corner, from which ¼ Section Corner a run South 89° 45' West on a true line (quarter section) through Section 11. Var. 12° 30' E.
20.18¾	Post, mound, pits and charcoal for 1/16 Sec. Corner.
40.37½	Intersect the N. & S. ¼ Section line at the ¼ Section Corner.
60.56¼	Post, mound, pits & charcoal for 1/16 Sec. Corner.
80.75	The ¼ Sec. Corner on the West side of the Section. Rough Prairie. 2nd rate soil.

Omaha Reservation. Township 24. N. R.

Chains	
	Subdivision of Section 2.
	North, on a random quarter section line, through Section 2.
	Va. 12° 10' East.
20.00	Set a post for temporary 1/16 Sec. Corner.
40.00	Set a " " " 1/4 " "
60.00	Set a " " " 1/16 " "
77.00	Intersect a brook 10 lks wide - runs N. 10° W.
78.35	Intersect the Sixth Standard Parallel 41 links West of the Standard Quarter Section corner on the South side of Section 35. T 25 N. R. 8 E. Marking this corner C. C. for closing quarter Section Corner I run
	South 0° 15' West on a true quarter Section line through Section 2.
	Va. 12° 10' East.
18.35	Post, mound, pits and charcoal for 1/16 Section Corner.
38.35	Post, mound, pits and charcoal for 1/4 Section Corner.
58.35	Post, mound, pits and charcoal for 1/16 Section Corner.
78.35	The 1/4 Section corner on the South side of Section 2.
	Rolling Prairie. 2nd Rate soil.

Section	East, on a random quarter Section line through 2.
	Va. 12° 15' East.
2.00	Set a post for temporary 1/16 Sec. Cor.
40.22	Intersect the N. & S. 1/4 Sec. line.
60.00	Set a post for temporary 1/16 Sec. Corner.
80.45	Intersect the East side of the Section 47 links South of the 1/4 Section corner, from which 1/4 Section Corner I run
	South 89° 40' West on a true 1/4 Section line through Section 2.
	Va. 12° 15' East.

h. R. 8. East. 6th Principal Meridian.

20.11¼	Post, mound. Pits and charcoal for ¼ Sec Cor.
40.22½	" " " " " for ¼ Sec Cor.
61.33¾	" " " " " ⅙ " "
80.45	The ¼ Sec. corner on the west side of the Section, 1.50 chains North of the witness corner. Rough Prairie. 2nd rate soil. Oct. 8. 1866.

Subdivision of Fractional Section 34.

Begin at the point on the South Boundary of the Omaha Reservation, where the ¼ Section line running North, through Section 34, intersects said Boundary — the same being a Post in mound — and run North on the ¼ Sec. line through Fractional Section 34, Va. 12° 10' E.

7.95	Intersect the Section line on the North side of Section 34, at the ¼ Section Corner.

Bottom land. 1st rate soil.

Subdivision of Section 27.

North, on the ¼ Section line through Section 27. Va. 12° 10' East.

20,00	Post, mound. Pits & charcoal for ⅛ Section.
40,00	Post, mound, pits and charcoal for ¼ Section corner.
60.00	Post, mound, pits and charcoal for ⅛ Sec. Corner.
70.00	Cleave Middle Creek bottom — East & West.
80.00	Intersect the North side of the Section at the ¼ Section corner. Rolling Prairie &

Omaha Reservation. Township 24 N. R. 8.

Chains	
	middle creek bottom; 1st & 2nd rate soil.
✓	
	East, on a random quarter Section line through Section 27. Va. 12° 20' East.
20.00	Set a Post for temporary ¼ Sec. Cor.
40.15	Intersect the N. & S. ¼ Sec. line
60.00	Set a Post for temporay ¼ Sec. Cor.
80.30	Intersect the East boundary of the Section 15 links North of the quarter Section Corner, from which ¼ Section corner S run North 89° 54' West on a true quarter Section line through Section 27. Va. 12° 20' East.
20.07	Post, mound, pits and charcoal for ¼ Section Corner.
40.15	Intersect the N. & S. ¼ Section line at the ¼ Section corner.
60.22	Post, mound, pits and Charcoal for ¼ Section Corner.
80.30	Intersect the west side of the Section at the ¼ Sec. Corner.
	Rolling Prairie 2nd rate soil.
	Subdivision of Section 22.
	North, on the ¼ Sec. line, through Sec. 22. Va. 13° 20' East.
20.00	Post, mound, pits and charcoal for ¼ Section Corner.
40.00	Post, mound, pits and charcoal for ¼ Sec. corner.
55.00	A dry run — bears S 15 E & et 15 W.
60.00	Post, mound, pits and charcoal for ¼ Section Corner.
80.00	Intersect the North side of the Section at the ¼ Sec. Cor.

R. 8. East of the 6th Principal Meridian

Chains	
	Note: The posts on this line were first set and mound & pits built west of the true Corners, & caused the mounds to be destroyed and the pits filled up, establishing the true corners as in the foregoing notes. Low Prairie — Except the South End which is on high Prairie. 1st & 2nd rate soil.
	East, on a random quarter Section line through Section 22. Va. 12° 30' East.
20.00	Set a post for temporary 1/16 Sec. Cor.
40.10	Intersect N. & S. 1/4 Section line.
60.00	Set a post for temporary 1/16 Sec. Corner.
71.00	A dry run — bears N.W. & S.E.
80.20	Intersect the East side of the 6 links South of the quarter Section corner, from which quarter Section corner, I run.
	South 89° 57' West on a true 1/4 Section line through Section 22. Va. 12° 30' East.
20.05	Post, mound, pits and charcoal for 1/16 Section Corner.
40.10	Intersect the N. & S. 1/4 Section line at the quarter Section Corner.
60.15	Post, mound, pits & charcoal for 1/16 Section corner.
80.20	Intersect the west side of the Section at the quarter Section corner.
	Rolling Prairie — toward the East End the Prairie is low. 1st & 2nd rate soil. Oct. 9th 1866.
	Subdivision of Section 15. North, on the quarter Section line through Section 15 Va. 12° 20' East.

Omaha Reservation. Township 24. N. R.

Chains	
20.00	Set Post in mound, with Pits and Charcoal for 1/16 Sec. Corner.
40.00	Post, mound, Pits and Charcoal for 1/4 Section Corner.
60.00	Post, mound, Pits and Charcoal for 1/16 Sec. Corner.
80.00	Intersect the North side of the Section at the 1/4 Sec. Corner.

Rolling Prairie.
2nd rate.

East on a random quarter Sec. line through Section 15.

Va. 12° 30' East.

20.00	Set a Post for temporary 1/16 Sec. Cor.
39.73	Intersect N & S. line.
50.00	Enter Marsh — bears N & S.
58.00	Leave " — " " " "
60.00	Set a post for temporary 1/16 Sec Corner.
72.00	A Trail — bears N.E. & S.W.
79.46	Intersect the East boundary of the Section 38 links South of the 1/4 Section Corner, from which 1/4 Section Corner 6 runs.

South 89° 44' West on a true quarter Section line through Section 15. Va. 12° 30' East.

19.86½	Post, mound, Pits and Charcoal for 1/16 Section Corner.
39.73	Intersect the N & S 1/4 Sec. line at the 1/4 Sec. Corner.
59.59½	Post, mound, Pits and Charcoal for 1/16 Section Corner.
79.46	Intersect the West side of the Section at the quarter Section corner.

Rolling Prairie.
2nd Rate soil.

Subdivision of Section 10, North on the 1/4 Section line through Section 10.

Var. 12° East.

R. 8. East. 6th Principal Meridian.

Chains	
20.00	Post, mound, pits & charcoal for 1/16 Section corner.
40.00	Post, mound, pits and charcoal for 1/4 Section corner.
60.00	Post, mound, pits & charcoal for 1/16 Section corner.
72.00	Enter marsh- bears N.W. & S.E.
76.50	Leave " " " " " " " "
80.00	The quarter Sec. Cor, on the N. side of the Section. South half gently rolling. North " very rolling. Soil. 2nd rate.

East, on a random quarter Sec. line through Sec. 10. Var. 12° 10' E.

20.00	Set a post for temporary 1/4 Sec. Cor.
39.58	Intersect N. & S. 1/4 Section line.
60.00	Set a post for temporary 1/4 Sec. Corner.
79.16	Intersect East side of the Section at the quarter Section corner- from which 1/4 Sec. Cor. S. run.

West on a true 1/4 Sec. line through Section 10. Var. 12° 10' East.

19.79	Post, mound, pits & charcoal for 1/16 Sec. Cor.
39.58	Intersect N. & S. 1/4 Sec. line at the 1/4 Sec. Corner.
59.37	Post, mound, pits & charcoal for 1/16 Sec. Corner.
79.16	Intersect the West side of the Sec. at the 1/4 Sec. Cor. Moderately rolling Prairie. 2nd Rate soil.

Subdivision of Section 3.

North, on a random 1/4 Sec. line, through Sec. 3. Var. 11° 45' East.

20.00	Set a post for temporary 1/16 Sec. Cor.
40.00	" " " " " 1/4 Sec. Cor.

Omaha Reservation. Township 24 N. R. 8 E.

Chains	
51.00	At brook 3 links wide - runs N. E.
60.00	Set a post for temporary ¼ Sec. Corner.
79.50	Intersect Sixth Standard Parallel 47 links west of the Standard ¼ Section Corner on the South side of Section 34, T. 25 N. R. 8 E. Marking this ¼ Section corner. C. C. for closing ¼ Sec. Corner & run South 0° 20' West on a true quarter Section line through Section 3. Va. 11° 45' East.
19.00	Post, mound, pits and charcoal for ¼ Sec. Cor.
39.50	" " " " " " ¼ " "
59.00	Post, mound, pits and charcoal for ¼ Sec. Cor.
79.00	The ¼ Sec. Corner on the South side of the Section. Rolling Prairie. Soil rather rich.

East on a random quarter Sec. line, through Section 3. Va. 12° 20' East.

15.00	Enter meadow - bears S. 70° W. & N. 70° E.
20.00	Set a post for temporary ¼ Sec. Cor.
27.00	Leave meadow - bears N. 80° E. & S. 80° W.
39.80	Intersect the N. & S. ¼ Section line.
47.00	Enter low Prairie - bears N. & S.
60.00	Set a post for temporary ¼ Sec. Cor.
79.60	Intersect the East side of the Section 35 links South of the true ¼ Sec. Corner (the same being 1.15 chains North of the witness ¼ Sec. Corner)

From the true ¼ Sec. Corner run South 89° 45' West on a true ¼ Section line through Section 3. Va. 12° 20' E.

19.90	Post, mound, pits and charcoal for ¼ Sec. corner.
39.80	Intersect the N. & S. ¼ Sec. line at the ¼ Section corner.
59.70	Post, mound, pits and charcoal

6th Principal Meridian.

Chains	
	for ¼ Section corner.
79.60	Intersect the West side of the Section at the ¼ Section corner. Rolling Prairie & low Prairie near the brook. 1st & 2nd rate soil. October, 10th 1866.

Subdivision of Section 33. (Fractional)

Begin at the Point on the South Boundary of the Omaha Reservation where the ¼ Sec. line running North through Section 33, intersects said Boundary - the same being a Post in mound - and run North on the ¼ Sec. line, through Fractional Section 33.

Va. 12° 20' East.

7.97	Intersect the North side of the Section at the ¼ Section Corner. Level bottom land. 1st rate soil.

Subdivision of Sec 28. North, on the ¼ Section line through Section 28. Va. 12° 0' E.

7.50	Intersect Middle Creek, 50 links wide - runs South East.
15.00	Middle Creek, running N.W.
20.00	Post, mound, pits and Charcoal for ¼ Section Corner
35.00	Middle Creek - runs East.
40.00	Post, mound pits & charcoal for ¼ Section corner.
45.00	Middle Creek, running S. 70° W.
51.50	" " N.E.
60.00	Post, mound. pits & charcoal for ¼ Sec. corner.
63.00	Leave Middle Creek bottom & enter high Prairie. - bears E & N.
80.00	Intersect the North side of the Section at the ¼ Section corner.

Note The ¼ Sec. corners on this line were both first established

Omaha Reservation. Township 24. N. R.

Chains	
	22 links South of the true Corners. the quarter Section was also, by Error, established 45 links South of the true ¼ Sec. Corner. — I destroyed the mounds and filled up the pits, rebuilding the Corners at the true point. Level Middle Creek bottom rolling Prairie: 1st & 2nd rate soil.
	East, on a random ¼ Sec. line, through Section 28. Va. 12° 15' East.
19.40	Intersect Middle Creek, runs South 50 links wide.
2400	Set a Post for temporary ¼ Sec. Cor.
22.20	Middle Creek 50 lks wide — runs W.
32.90	Middle " 60 " " — " S.
40.14	Intersect N. & S. ¼ Section line.
60.00	Set a Post for temporary ¼ Sec. Cor.
80.28	Intersect the East side of the Section 17 links North of the ¼ Sec. Corner, from which ¼ Sec. Corner I run North 87° 05' West on a true ¼ Sec. line through Sec. 28. Va. 12° 15' East.
20.07	Post, mound, pits & charcoal for ¼ Sec. corner.
Note	This corner was first established by Error at a point S. 28° 45' West — distant 25 links from the true corner, I caused the mounds to be destroyed and the pits filled up.
40.14	Intersect the N. & S. ¼ Sec. line at the quarter Sec. Corner.
60.21	Set a Post in mound with pits & charcoal for ¼ Sec. Corner.
80.28	The ¼ Sec. Corner on the West side of Sec. 28. Level Middle Creek bottom, 1st rate soil.

R.

8. East the 6th Principal Maridian.

Chains	
	Subdivision of Section 21. North, on the ¼ Section line through Sec. 21. Va. 13° 18' E.
2.00	Post, mound, pits & charcoal for 1/16 Sec. Corner
40.00	Post, mound, pits & charcoal for ¼ Sec. Corner.
60.00	Post, mound, pits & charcoal for 1/16 Sec. Corner.
80.00	Intersect North side of the Section at the ¼ Sec. Corner.
	Rolling Prairie. 2nd rate soil.
	East, on a random quarter Section line through Section 21. Va. 12° 30' East.
20.00	Set a post for temporary ¼ Sec. Cor.
40.16 ±	Intersect the N. & S. ¼ Sec. line
60.00	Set a post for temporary ¼ Sec. Cor.
80.33	Intersect the East side of the Section 25 links South of the ¼ Sec. Cor. from which ¼ Sec. Corner a run South 89° 99' West on a true quarter Section line through Section 21.
20.08 ±	Post, mound, pits and charcoal for 1/16 Section Corner.
40.16 ±	Intersect N. & S. ¼ Sec. line at the ¼ Sec. corner.
60 24 ±	Post, mound, pits and charcoal for 1/16 Section Corner.
80.33	Intersect the west side of Sec. 21 at the ¼ Section corner.
	Rolling Prairie: 2nd rate soil Oct. 11. 1866.
	Subdivision of Section 16. North, on the ¼ Sec. line through Section 16. Va. 11° 52' East.
9.00	Indian Trail — bears E. & W.
20.00	Post, mound, pits & charcoal for 1/16 Sec. corner.
40.00	Post, mound, pits & charcoal for ¼ Sec. Cor.

Omaha Reservation. Township 24 & R.

Chains	
60.00	Post, mound, pits & charcoal for ¼ Sec. Cor.
67.00	Enter meadow — bears N.W. & S.E.
80.00	Intersect the North side of the Section at the ¼ Section Corner. Rolling Prairie & meadow, 1st & 2nd rate soil.
	East, on a random g'nar Sec. line through Sec. 16. Va. 12° 30' E.
20.00	Set a Post for temporary ¼ Sec. Cor.
39.87½	Intersect N & S. ¼ Sec. line.
60.00	Set a Post for temporary ¼ Sec. Cor.
61.00	Enter meadow — bears N & S.
76.00	Leave " " " " " "
79.75	Intersect the East side of the Section 90 links South of the ¼ Sec. Corner from which corner I run
	South 89° 21' West on a true ¼ Sec. line through Sec. 16. Va. 12° 30' East.
19.93¾	Post, mound, pits and charcoal for ⅛ Sec. Corner.
39.87½	Intersect N & S ¼ Sec. line at the ¼ Sec. Corner.
59.81¼	Post, mound, pits & charcoal for ⅛ Section corner.
79.75	Intersect the West side of the Section at the ¼ Section Corner. Rolling Prairie & Meadow lands 1st & 2nd rate soil.
	Subdivision of Section 9. North on the ¼ Sec. line through Section 9. Va. 12° 25' East.
20.00	Post, mound, pits & charcoal for ⅛ Sec. Corner.
30.00	Leave marsh bears N. 20° W & S. 30° E.
40.00	Post, mound, pits and charcoal for ¼ Sec. Corner.
60.00	Post, mound, pits and charcoal for ⅛ Sec. Corner.

R. 8. East of the 6th Principal Meridian.

Chains	
80.00	Intersect the North side of the Section at the ¼ Section Corner. Rolling Prairie & Marsh or Meadow 1st & 2nd rate soil.
	East on a random ¼ Section line through Section 9. Va. 12° 45' E.
20.00	Set a Post for temporary ¼ Sec. Cor
23.00	Enter Meadow — bears N. & S.
38.00	Leave same — " same
39.80	Intersect the N. & S. ¼ Sec. line.
60.00	Set a Post for temporary ¼ Sec. Cor.
79.61	Intersect the East side of the Section 48 links South of the ¼ Section corner from which corner a run South 89° 37' West on a run ¼ Sec line through Sec. 9. Va. 12° 45' East.
19.90	Post, mound, pits & charcoal for ¼ Section corner.
39.80	Intersect the N. & S. ¼ Sec. line at the ¼ Sec. corner.
59.70	Post, mound, pits and charcoal for ¾ Sec. corner.
79.61	Intersect the west side of Sec. 9. at the ¼ Sec. corner. Rolling Prairie & Meadow 1st & 2nd rate soil.
	Subdivision of Section 4. North, on a random ¼ Sec. line through Sec. 4. Va. 12° E.
20.00	Set a Post for temporary ¼ Sec. Cor.
40.00	" " " " " ¼ " "
60.00	" " " " " ¼ Sec Cor.
79.73	Intersect the Sixth Standard Parallel 6 links west of the Standard ¼ Section corner, on the South side of Sec 33. T. 2 S. R. 8 E. from which ¼ Sec. Corner (having marked

Omaha Reservation. Township 24 N. R.

Chains	
	the Post C. C. for closing corner to the ¼ Sections South of the Parallel) & run South 0° 3' West on a true ¼ Section line through Sec. 4. Va. 12° East.
19.73	Post, mound, pits and charcoal for 1/16 Sec. Corner.
39.73	Post, mound, pits & charcoal for ¼ Sec. corner.
59.73	Post, mound, pits & charcoal for 1/16 Sec. Cor.
79.73	The ¼ Sec. corner on South side of the Section. Rolling Prairie. 2nd rate soil.
	East on a random ¼ Sec. line through Section 4 Va. 12° 45' East
0 0.20	Enter Prairie — bears N. 20° W & S 20° E.
20.00	Point for temporary 1/16 Sec. corner. At same point a dry run & leave meadow, bears N & S.
39.95½	Intersect the N & S. ¼ Sec. line 29 lks South of the ¼ Sec. Corner.
60.00	Post for temporary 1/16 Sec. Corner.
63.00	Enter meadow — bears N. 70° E & S. 70° W.
79.91	Intersect the East side of the Section 38 links South of the ¼ Section corner from which 1/16 Section corner & run South 89° 35' West on a true ¼ Sec. line through Section 4. Va. 12° 45' East.
19.97½	Post, mound, pits & charcoal for 1/16 Sec. Corner.
39.95½	Intersect N & S. ¼ Sec. line at the ¼ Sec. Corner.
59.43	Post in mound, with pits & charcoal for witness corner to the
59.93¾	True corner to the Section.
79.91	Intersect the West side of the Section at the ¼ Sec. Corner. Rolling Prairie & meadow. 1st & 2nd rate soil. Oct 13. 1866.

8. East of the 6th Principal Meridian.

Chains	
	Subdivision of Fractional Section 32. Begin at a point on the South boundary of the Omaha Reservation, where the Section line running North through Section 32 intersects said boundary. — the same being a post in mound and run
	North, on the ¼ Section line through Fractional Sec. 32. Va, 12° 15' East.
7.98	Intersect E & W Section line at ¼ Sec. corner.
	Subdivision of Section 29.
	North, on the ¼ Sec. line through Section 29. Va, 12° 15' East.
20.00	Post, mound, pits & charcoal for 1/16 Sec. corner.
40.00	Point for ¼ Sec. Corner on the edge of Middle Creek — Set witness corner 50 links East of true corner, — the witness corner is a post & mound with pits & charcoal as per instructions.
	At the true corner intersect Middle Creek — running N.E. — 100 links wide.
54.00	Middle Creek, running S.W.
60.00	Post, mound, pits & charcoal for 1/16 Sec. Cor.
60.50	Middle Creek — running N.E.
61.50	Enter marsh covered with water. N.E. & W.
80.00	Intersect the North side of the Section at the ¼ Section corner. Level bottom land. North of the last crossing of Middle Creek the ground is low & covered with water. Soil, 1st rate.
	West, on a random ¼ Sec. line through Sec. 29. Va, 12° 15' East.

Omaha Reservation. Township 24 N R.

Chains	
17.70	Intersect Middle Creek, runs North.
20.00	Post for temporary Sec. Corner.
27.00	Middle Creek runs South.
39.50	Witness corner to ¼ Section.
40.00	Intersect Middle Creek, runs N.E.
44.00	Middle Creek runs South.
S 1.80	Enter dry Slough - bears S.70 E & D.70 W.
S 3.30	Leave Same — bears same.
S 9.79	Intersect the West boundary of the Section (Range line between ranges 7 + 8) at the ¼ Section corner from which ¼ Section corner I run East on a true ¼ Section line through Section 29. Va. 12°15' East.
19.79	True ¼ Sec. Corner on the S.E. edge of Middle Creek.
20.29	Post, mound & W. C. for ¼ Sec. Corner.
39.79	Post, mound, pits & charcoal for ½ Sec. corner.
S 9.79	Intersect the East side of the Section at the ¼ Section corner. Middle Creek bottom. 1st Natural.

Subdivision of Section 20.
North, on ¼ Sec. line through Sec. 20.
Va. 12°30' East.

15.00	Leave Marsh - bears E & N.
20.00	Post, mound, pits and charcoal for ¼ Sec. corner.
40.00	Post, mound, pits and charcoal for ¼ Sec. Corner.
60.00	Post, mound, pits and charcoal for ¼ Sec. corner.
80.00	Intersect the North side of the Section at the ¼ Sec. corner. The South end of this line is in low bottom - the ground gradually rises into high prairie - but at no point is the change marked by an abrupt rise as in most other places.

8. East of the 6th Principal Meridian.

Chains	Soil 1st and 2nd rate.
	West on a random 1/4 Section line through Section 20. Va. 12° 20' East.
20.00	Post for temporary 1/4 Sec. Corner.
40.00	Intersect N. & S. 1/4 Sec. line.
59.40	Intersect the west boundary of the Section (Range line between Ranges 7 & 8,) 55 links North of the 1/4 Sec. Corner, from which 1/4 Sec. Corner bears North 89° 29' East on a true 1/4 Sec. line through Sec. 20. Va. 12° 20' East.
19.40	Intersect the N. & S. 1/4 Sec line at the 1/4 Sec. Corner.
39.40	Post, mound, pits and Charcoal for 1/4 Sec. corner.
59.40	The 1/4 Sec corner on the East side of Section 20. Bottom land & rolling Prairie: 1st & 2nd rate soil. Oct. 15. 1866.

✓

Subdivision of Section 17.

	North, on the 1/4 Sec. line through Sec. 17. Va. 12° 10' East.
8.00	Indian Trail — bears E. & W.
20.00	Post, mound, pits and charcoal for 1/4 Sec. Corner
40.00	Post, mound, pits & charcoal for 1/4 Sec. Corner.
60.00	Post, mound, pits & Charcoal for 1/4 Sec. Corner.
80.00	Intersect the North side of the Section at the 1/4 Sec. Corner. Rolling Prairie. 2nd rate soil.

Omaha Reservation. Township 24 N.

Chains	
	West on a random ¼ Section line through Section 17. Va. 120 30' East.
20.00	Set a post for temporary ¼ Sec. Cor.
10.00	Intersect N. & S. ¼ Section line.
59.40	Intersect the West side of the Section (Range line between ranges 7 & 8) 56 links North of the ¼ Sec. corner, from which ¼ Sec. Corner B. run North 89° 28' East on a true ¼ Section line through Section 17. Va. 120 30' East.
19.40	Intersect the N. & S. ¼ Sec. line at ¼ Section corner.
39.40	Post, mound, pits & charcoal for ¼ Sec. Corner.
59.40	Intersect the East side of the Section at the ¼ Sec. corner. Rolling Prairie. — 2nd rate soil.

Subdivision of Section 8.

North on the ¼ Sec. line through Section 8. Va. 120 00' East.

20.00	Post, mound, pits & charcoal for ¼ Sec. Cor.
40.00	" " " " " " ¼ " "
60.00	" " " " " " ¼ " "
80.00	Intersect the North side of the Section at the ¼ Sec. corner. Rolling Prairie. 2nd rate soil.

✓ West on a random line through Section 8. Va. 12° 30' East.

20.00	Set a post for temporary ¼ Sec. Cor.
40.00	Intersect N. & S. ¼ Sec Line
59.50	Intersect the Range line between Ranges 8 & 7. 52 links North of the quarter post on the West side of Section 8. and from this ¼ Sec. post

R. 8 East of the 6th Principal Meridian.

Chains	
	I run North 89° 30' East on a true ¼ Section line through Section 8. Va. 12° 30' East.
19.50	Intersect the A & S. ¼ Sec. line at the ¼ Sec. Cor.
39.50	Post, mound, pits and charcoal for ⅛ Section Corner.
59.50	Intersect the East side of the Sec. or the ¼ Sec. Corner. Rolling Prairie: 2nd rate soil.

Subdivision of Section 5.
North, on the ⅛ Sec. line through Section 5. Va. 12° 30' East.

5.00	Enter low Prairie – bears E & W.
20.00	Post, mound, pits and charcoal for ⅛ Sec. corner.
40.00	Post, mound, pits & charcoal for ¼ Sec. Cor.
79.00	Leave low prairie – bears E & W.
60.00	Post, mound, pits and charcoal for ⅛ Section Corner.
80.64	Intersect Sixth Standard Parallel at the ¼ Section Corner on the South side of Section 32. T. 2 S. R. 8 E. I marked the Post C. C. for Closing Corner to ¼ Section. Rolling Prairie: 2nd rate soil.

West on a random ¼ Section line through Section 5. Va. 12° 30' East.

20.00	Post for temporary ¼ Sec. Corner.
33.00	Enter low Prairie, bears N. E. & W.
40.00	Intersect A & S. ¼ Section line.
60.50	Intersect the Range line between Ranges 7 & 8. 63 links North of the ¼ Sec. Corner, on the West side of Section 5. from which ¼ Section Corner I run North 89° 24' East on a true ¼ Sec. line through Sec. 5.

Omaha Reservation. Township 24 N.

Chains	
	Va. 12° 30' East.
20.50	Intersect the N. & S. ¼ Sec line
	at the ¼ Section Corner.
40.50	Post, mound, pits and charcoal. for ¼ Sec Cor
60.50	Intersect the East side of the
	Section at the ¼ Sec. Corner.
	Rolling Prairie & low
	Prairie. 2nd rate soil.
	Oct. 16th 1866.

General Description.

Middle Creek, which runs through the S. W. corner of this Township, is a rapid stream, from 2 to 4 feet deep - 50 to 100 links wide with abrupt banks, from 20 to 30 feet high. Its Channel is over quicksands and mud so that it is difficult to ford.

It evidently overflows its banks in the wet season.

It is known to the inhabitants by the name of "Logan Creek".

Along its banks are small groves of timber - Oak, Cotton-wood and Walnut being among the varieties. The bottom land through which it flows is from two to four miles wide & has an exceedingly fertile soil; some portions are dry enough for cultivation, while other portions could only be used for grazing and meadow.

At the time of surveying the entire bottom was covered with a dense growth of grass and weeds.

A belt of low land extends from near the N. W. Corner of the Township, about S. 30° E. until it inter-

Range 8 East of the 6th Principal Meridian

Chains

sects the middle Creek bottom in Section 27. this belt is, in places, very similar to the bottom with which it connects — in other places it is low and marshy. — It drains a considerable portion of the Township.

The streams in the N.E. part of the Township are pure and clear — issuing from numerous springs.

Aside from the bottom along Middle Creek, and the belt of lowland through Sections 4. 5. 8. 9. 16 & 22, this Township is principally high, rolling prairie — with a good, 2nd rate soil. It is roughest in the N.E. Corner.

The average amount of Charcoal deposited in the several mounds is Equal to a cube 2 x 2 x 2 inches, and it made up of one or more pieces.

A few of the 7/8 & 1/4 Section Corners have only two pits while others are established with four.

Two parties were employed in subdividing this Township; — the 1/4 Section lines having been run after the Section lines & at a different hour of the day.

We hereby certify that we assisted Theodore H Barrett, U.S. Surveyor, in surveying and subdividing that portion of Township Number 24 North of the Base line of Range number Eight East of the Sixth Principal Meridian, embraced within the Omaha Indian Reservation, and that said Township has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the boundary monuments planted according to the instructions furnished by the Commissioner of the General Land Office.

George Eggleston Chainman.
A. Englebright "
Chas W King "
Frederick Hearwick. Mound Builder.
H. Archambault " "
J. W. Smith. Axeman.
L. G. Reynolds Flagman
Jno K Wells "
Richard Cronk. Compassman.

Territory of Nebraska
Burt County } Subscribed and sworn to by the above named persons before me, the 8th day of December. 1866.

Albert White.
Justice of the Peace.

Stamp

I, Theodore H Barrett, U.S.
Surveyor, do solemnly swear
that, in pursuance of a contract
with J M. Edmunds, Commissioner
of the General Land Office of the
United States, bearing date
August 14. 1866. and in
strict conformity to the laws
of the United States and the
instructions furnished by the
said Commissioner of the
General Land Office, I have
faithfully surveyed the Subdivi-
sion lines of that portion
of Township number twenty-
four North of the base line
of Range number Eight East of
the Sixth Principal Meridian,
Embraced within the boundaries
of the Omaha Indian Reser-
vation in the Territory of
Nebraska, and do further
solemnly swear that the
foregoing are the true and
original field notes of
such survey.

Theodore H Barrett,
U. S. Surveyor.

Stamp

Subscribed by said Theodore
H Barrett, U.S. Surveyor, and
Sworn to before me a
Justice of the Peace for White-
side County this 23rd day
of January 1867.

R. L. Morgan J.P.

57.

Department of the Interior.
General Land Office
March. 4th 1867.

The foregoing Field Notes of the survey of the Subdivision of Township 24. North, Range 8. East, 6th. P. M. Nebraska, executed by Theodore H Barrett, under his contract of the 14th day of August, 1866. in the month of October 1866. having been critically examined, the necessary corrections and explanations made, the said field notes and the surveys they describe, are hereby approved.

Jas S Wilson
Commissioner.

Department of the Interior
General Land office
July 14, 1871

I hereby certify that the foregoing field notes, are true copies of the original on file in this office.

Wells Drummond
Commissioner

(2)

copy

No 2 — R 8

9

No 2

60.

Field Notes

Omaha Indian Reservation

Township 25 North
Range 8 East

Nebraska

Subdivision of Sections page 24-56

Survey commenced June 21 1867

" completed June 27 1867

Field Notes of the survey of
Subdivision lines in Township No 25
North Range 8 East of the 6th Principal
Meridian (Omaha Reservation) in the
State of Nebraska by Theodore H. Barrett
Surveyor. under his Contract bearing date
August 14. 1866.

Subdivision Commenced June 21st 1867
and
Completed June 27th 1867.

List of Names

A list of Names of the individuals employed
to assist in running. Measuring or Marking
the lines and Corners described in the following
Field Notes of Township N 25 North Range
8 East. the 6th Principal Meridian.
Showing the capacities in which they acted

William J. Allason	Compassman
Richard Cronk	do
Homer T. Dale	Chainman
James Kennedy	do
Philander Wright	do
John Rapejo	do
James Shobe	Mound builder
Orville Smith	Axeman
Henry L. Williams	Mound builder
Conrad Scheffer	Axeman
George Patterson	Flagman
Andrew Armstrong	do

Township 25 North Range 8 East of the 6th Principal Meridian

Chains	Having re-Surveyed and re-established the 6th Standard Parellel and the Guide Meridian on the South and East boundaries of this Township, and having Axes run with the Solar Compass the North and West boundaries. I begin at the Standard corner to Sections 35 and 36 on the South boundary of the Township and run -
	North between sections 35 and 36
	Variation 11° 30' East
20.00	Post in Mound for 1/16 Section corner
37.00	Creek 3 links wide running N.W.
40.00	Post in Mound for 1/4 Section corner
60.00	Post in Mound for 1/16 Section corner
80.00	Post in Mound for the corner to Sections 25. 26. 35. and 36.
	Rolling prairie 2d rate soil
	East on a random line between Sections 25 and 36.
	Variation 11°. 30' East
20.00	Temporary 1/16 Section corner
40.00	Temporary 1/4 Section corner
60.00	Temporary 1/16 Section corner
79.40	Intersect the East boundary of the Section, 12 links South of the corner of Sections 25 - 36 - 30 and 31 from which corner I run
	South 89° 55' West on a true line between Sections 25 and 36.
	Variation 11° 30' East
19.85	Post in Mound for 1/16 Section corner
	Note
	In the following Field Notes the corners established with posts and mounds have each four pits - except when otherwise noted. The quantity of charcoal deposited in each mound is equal

Omaha Reservation

Township 25 North Range 8 East of the 6th

to a solid of 1 x 2 x 2 inches. made up of one or more pieces -

Hereafter - as heretofore. in these Field Notes a Corner established according to the foregoing note will be designated as. "Post in Mound"

3

39.70	Post in Mound for 1/4 Section Corner
59.55	Post in Mound for 1/16 Section Corner
79.40	The Corner to Sections 25. 26, 35. and 36 -

Land rolling - Soil 2d rate

North between Sections 25 and 26 -

Variation 12° East

20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
80.00	Post in Mound for the Corner to Sections 23 - 24 - 25 and 26 -

Rolling prairie 2d rate soil

East on a random line between Sections 24 and 25.

Variation 11° 45' East

10.30	Creek 5 links wide running North
20.00	Temporary 1/16 Section Corner
40.00	Temporary 1/4 Section Corner
60.00	Temporary 1/16 Section Corner
79.80	Intersect the Guide Meridian 80 links North of the Corner to Sections 19. 2nd 30 - 24 and 25 from which Corner I ran

North 89° 26' West on a true line between Sections 24 and 25 -

Variation 11° 45' East

19.95	Post in Mound for 1/16 Section Corner
39.90	Post in Mound for 1/4 Section Corner
59.85	Post in Mound for 1/16 Section Corner
79.80	The Corner to Sections 23-24-25 and 26

Rolling prairie 2d rate soil

6th Principal Meridian

Chains	North between Sections 23 and 24
	Variation 11° 45' East
15.00	Creek 3 links wide running W.
20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
49.50	Enter Creek bottom bearing N.E. and S.W.
50.00	Creek 15 links wide runs N.E.
60.00	Post in Mound for 1/16 Section Corner
80.00	Post in Mound for corner to Sections 13-14-23- and 24.
	South 1/2 Rolling 2d rate soil
	East half Level 1st rate soil
	East on a random line between Sections 13 and 24.
	Variation 11° 30' East
10.50	Creek 15 links wide running North
11.00	Leave creek bottom bearing North and South
20.00	Temporary 1/16 Section Corner
40.00	Temporary 1/4 Section Corner
54.74	Creek 3 links wide running N.W.
60.00	Temporary 1/16 Section Corner
80.20	Intersect the Guide Meridian 16 links North of Corner to Sections 13-18-19- and 24 from which corner I run North 89° 53' West on a true line between sections 13 and 24.
	Variation 11° 30' East
20.05	Post in Mound for 1/16 Section Corner
40.10	Post in Mound for 1/4 Section Corner
60.15	Post in Mound for 1/16 Section Corner
80.20	The Corner to Sections 13-14-23 and 24
	West end bottom land, 1st rate soil
	East 1/2 end prairie 2d rate soil
	June 21st 1867

5
65

Omaha Reservation

Township 25 North Range 8 East

Chains	
	North between sections 13 and 14
	Variation 11° ± 5' East
20.00	Post in mound for 1/16 Section corner
37.36	Omaha Creek 15 links wide runs N 15° W.
± 40.00	Post in mound for 1/4 Section corner
± 43.00	Creek 4 links wide running West
60.00	Post in Mound for 1/16 Section Corner
80.00	Post in Mound for corner to Sections
	11 - 12 - 13 and 14.
	Level 1st rate soil
	East on a random line between Sections
	12 and 13 -
	Variation 11° 30' East
7.50	Leave creek bottom bearing N. and S.
20.00	Temporary 1/16 Section Corner
40.00	Temporary 1/4 Section Corner
46.80	Creek 4 links wide running S. W.
60.00	Temporary 1/16 Section corner
79.98	Intersect the Guide Meridian 50 links
	North of corner to Sections 12 and 13 -
	7 and 18 from which corner 2 run
	North 89° 39' West on a True line
	between Sections 12 and 13,
	Variation 11° 30' East
19.99	Post in Mound for 1/16 Section corner
39.99	Post in Mound for 1/4 Section corner
59.98	Post in Mound for 1/16 Section corner
79.98	The corner to Sections 11 - 12 - 13 and 14
	Land generally Level 1st rate soil
	North between Sections 11 and 12
	Variation 11° ± 5' East
20.00	Post in Mound for 1/16 Section Corner
30.00	Leave creek bottom bearing S.E. and N.W.
40.00	Post in Mound for 1/4 Section Corner
57.00	Enter creek bottom bearing N.E. and S.W.
60.00	Post in Mound for 1/16 Section Corner
65.69	Branch of Omaha Creek 15 Links
	Wide running North East

of the 6th Principal Meridian

Chains	
68.80	Same creek 15 links wide runs South West
69.40	Branch of Omaha Creek 15 links wide running N.E.
80.00	Post in Mound for Corner to Sections 1-2-11 and 12. Bottom and prairie 1st rate soil
	East on a random line between Sections 1 and 12 Variation 11° 15' East
1.80	South Branch of Omaha Creek 15 links wide running N. 30° W.
15.00	Leave creek bottom bearing N and S.
20.00	Temporary 1/16 Section Corner
40.00	Temporary 1/4 Section Corner
60.00	Temporary 1/16 Section Corner
80.03	Intersect Guide Meridian 95 links North of Corner to Sections 1-12-6 and 7. from which Corner I run North 89° 19' West on a true line between Sections 1 and 12. Variation 11° 15' East
20.00	Post in Mound for 1/16 Section Corner
40.01	Post in Mound for 1/4 Section Corner
60.02	Post in Mound for 1/16 Section Corner
80.03	The Corner to Sections 1-2-11 and 12 Rolling Prairie 2d rate soil
	North on a true line between Sections 1 and 2 Variation 11° 3-2' East
1.50	Creek 1 link Wide running North East
3.00	South Branch of Omaha Creek 15 lks Wide running N 20° W.
20.00	Post in Mound for 1/16 Section Corner
21.50	Creek 4 links Wide running W.
40.00	Post in Mound from which A Box Alder 12 inches in dia (on opposite side of creek) bears N 69° W. 141 lks distant

7/67

Omaha Reservation

Township 25 North Range 8 East of

Chains	
46.00	Main branch of Omaha Creek 20 links wide running N.E.
60.00	Post in mound for 1/16 Section corner
79.77	Intersect the N. line of the Township at the corner to Sections 1 - 2 - 35 and 36 -
	Land level - soil 2d rate
	North between sections 34 and 35
	Variation 12° East
20.00	Post in mound for 1/16 Section corner
29.25	Creek 3 links wide running East
40.00	Post in mound for 1/4 Section corner
57.20	Creek 3 links wide running East
60.00	Post in mound for 1/16 Section corner
80.00	Post in mound for corner to Sections 26 - 27 - 34 and 35
	Rolling prairie 2d rate soil
	East on a random line between Sections 26 and 35 -
	Variation 11° 45' East
20.00	Temporary 1/16 Section corner
27.50	Creek 5 links wide running North
38.00	Creek 2 links wide running N.W.
38.57	Same creek running S.W.
38.92	Same Creek running N.W.
40.00	Temporary 1/4 Section corner
40.50	Creek 2 links wide running S.W.
41.20	Same creek running N.W.
43.00	Same creek running S.W.
44.72	Same creek running N.W.
60.00	Temporary 1/16 Section Corner
80.32	Intersect East line of the Section at the corner of Sections 25 - 26 - 35 and 36 from which corner I. run
	West on a true line between sections

the 6th Principal Meridian

	Chains 26 and 35
	Variation 11° 45' East
20.08	Post in Mound for 1/16 Section Corner
40.16	Post in Mound for 1/4 Section Corner
60.24	Post in Mound for 1/16 Section Corner
80.32	The Corner to Sections 26-27-34 and 35-
	Rolling prairie 2d rate soil
	North between Sections 26 and 27
	Variation 11°. 30' East
16.80	Creek 4 links wide running East
20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
80.00	Post in Mound for Corner to Sections 22-23-26 and 27.
	Rolling prairie 2d rate soil
	East on random line between Sections 23 and 26
	Variation 12° East
20.00	Temporary 1/16 Section Corner
40.00	Temporary 1/4 Section Corner
45.15	Creek 6 links wide running North
60.00	Temporary 1/16 Section Corner
79.52	Intersect the East line of the Section 58 links South of the Corner to Sections 23-24-25 and 26 from which Corner I run
	South 89° 35' West on a true line between Sections 23 and 26.= Var 12° East
19.88	Post in Mound for 1/16 Section Corner
39.76	Post in Mound for 1/4 Section Corner
59.64	Post in Mound for 1/16 Section Corner
79.52	The Corner to Sections 22-23-26 and 27
	Rolling prairie 2d rate soil
	June 22d 1867

Omaha Reservation

Township 25 North Range 8 East of the

Chains	
	North between Sections 22 and 23. Variation 12° East
20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
47.60	Brook 2 links wide running S.E. and Enter Creek bottom
60.00	Post in Mound for 1/16 Section Corner
68.00	Leave creek bottom bearing E. and W.
80.00	Post in Mound for corner to Sections 14 - 15 - 22 - 23. Rolling and level land 1st and 2d rate soil
	East on a random line between Sections 14 and 23. Variation 12° East
20.00	Temporary 1/16 Section Corner
40.00	Temporary 1/4 Section Corner
54.00	Enter Creek bottom bearing N. and S.
60.00	Temporary 1/16 Section Corner
79.40	Intersect the East line of the Section 20 links South of Corner of Sections 13 - 14 - 23 - and 24 from which Corner I run South 89° 52' West on a True line between Sections 14 & 23 Var 12° East
19.85	Post in Mound for 1/16 Section Corner
39.70	Post in Mound for 1/4 Section Corner
59.55	Post in Mound for 1/16 Section Corner
79.40	The Corner to Sections 14 - 15 - 22 and 23 Rolling prairie 1st and 2d rate soil
	North between Sections 14 and 15 Variation 12° 10' East
20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
80.00	Post in Mound for Corner to Sections 10 - 11 - 14 and 15. Rolling prairie 2d rate soil

6th Principal Meridian

Chains	
	East on a random line between Sections 14 and 11. Variation 12° E
20.00	Temporary 1/16 Section Corner
40.00	Temporary 1/4 Section Corner
44.00	Enter Creek bottom bearing N and S.
60.00	Temporary 1/16 Section Corner
74.10	Creek 8 links wide running North
79.54	Intersect the East line of the Section 48 links South of the Corner to Sections 11 - 14 - 12 and 13. from which Corner I run South 89° 39' West
	on a true line between Sections 11 and 14 Variation 12° East
19.88	Post in Mound for 1/16 Section Corner
39.77	Post in Mound for 1/4 Section Corner
59.63	Post in Mound for 1/16 Section Corner
79.54	The Corner to Sections - 10 - 11 - 14 & 15.
	Rolling prairie and level bottom 1st and 2d rate soil
	North between Sections 10 and 11 - Variation 12° East
20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
80.00	Post in Mound for Corner to Sections 2 - 3 - 10 and 11.
	Rolling prairie - 2d rate Soil
	East on a random line between Sections 3 and 11 - Variation 12° East
20.00	Temporary 1/16 Section Corner
40.00	Temporary 1/4 Section Corner
60.00	Temporary 1/16 Section Corner
62.00	Enter Creek bottom
78.50	Creek 1 link Wide running N.E.
79.72	Intersect the East line of the Section 16 links South of Corner of Sections 1 - 2 - 11 and 12 from which Corner I run

11/71

Omaha Reservation

Township 25 North Range 8 East of

Chains	South 89° 53' West on a true line between sections 2 and 11 – Variation 12° East
19.93	Post in Mound for 1/16 Section Corner
39.86	Post in Mound for 1/4 Section Corner
59.79	Post in Mound for 1/16 Section Corner
79.72	The Corner to Sections 2 - 3 - 10 and 11 Rolling prairie 1st and 2d rate soil
	North on a random line between Sections 2 and 3. Variation 12° East
20.00	Temporary 1/16 Section Corner
38.75	Creek 8 links wide running S. E. Scattering timber along right bank. Also enter creek bottom.
40.00	Temporary 1/4 Section Corner
58.00	Leave creek bottom bearing E and W.
60.00	Temporary 1/16 Section Corner
79.76	Intersect the North line of the Township 65 links East of the Corner to Sections 2 - 3. 34 and 35 from which Corner I run
	S. 28' East on a true line between Sections 2 and 3 - Variation 12° East
19.76	Post in Mound for 1/16 Section corner
39.76	Set post for 1/4 Section Corner from which A Cottonwood 12 inches in diameter bears S 53° East - 28 links distant An Elm 14 inches in diameter bears S 26° W. 102 links distant both bearing trees are on the opposite side of Creek
41.00	Leave Creek bottom bearing E and W
59.76	Post in Mound for 1/16 Section Corner
79.76	The Corner to Sections 2 - 3 - 10 and 11
	Land Rolling 1st and 2d rate soil Good along the Creek

the 6th Principal Meridian

Chains	North between sections 33 and 34
	Variation 12° East
20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
53.55	Brook 2 links wide running N.E.
60.00	Post in Mound for 1/16 Section Corner
80.00	Post in Mound for corner to Sections 28-27-33 and 34.
	Rolling prairie 2d rate soil
	East on random line between Sections 27 and 34.
	Variation 12° East
2.70	Creek 2 links wide running S.E.
20.00	Temporary 1/16 Section Corner
40.00	Temporary 1/4 Section Corner
60.00	Temporary 1/16 Section Corner
80.20	Intersect East line of the Section 9 links South of the Corner to Sections 26-27-34 and 35. from which Corner 2 oak
	South 89° 56' West on a true line between Sections 27 and 34
	Variation 12° East
20.05	Post in Mound for 1/16 Section Corner
40.10	Post in Mound for 1/4 Section Corner
60.15	Post in Mound for 1/16 Section Corner
80.20	The Corner to Sections 27-28-33 and 34
	Rolling prairie 2d rate soil.
	North between Sections 27 and 28-
	Variation 12° East
1.25	Creek 2 links wide running South East
20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
44.75	Creek 2 links wide running East
60.00	Post in Mound for 1/16 Section Corner
80.00	Post in Mound for Corner to Sections 21-22-27 and 28

13/73

Omaha Reservation

Township 25 North Range 8 East

Chains	
	East on a random line between Sections 22 and 27- Variation 12° East
20.00	Temporary 1/16 Section Corner
38.30	Creek 2 links wide running S.E.
40.00	Temporary 1/4 Section Corner
60.00	Temporary 1/16 Section Corner
80.76	Intersect the East line of the Section 40 links North of the Corner to Sections 22- 23- 26 and 27- from which corner 2 rem North 89° 43' West on a true line between Sections 22 and 27 Variation 12° East
20.19	Post in Mound for 1/16 Section Corner
40.38	Post in Mound for 1/4 Section Corner
60.57	Post in Mound for 1/16 Section Corner
80.76	The Corner to Sections 21- 22- 27 and 28. Rolling prairie 2d rate Soil
	North between Sections 21 and 22- Variation 11° 45' East
20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
80.00	Post in Mound for Corner to Sections 15- 16- 21 and 22- Rolling prairie 2d rate soil
	East on a random line between Sections 15 and 22- Variation 12° East
20.00	Temporary 1/16 Section Corner
36.90	Creek 6 links wide running S.E. and enter creek bottom
39.00	Creek 2 links wide running S.
40.00	Temporary 1/4 Section Corner
55.00	Leave creek bottom bearing N.W. and S.E.
60.00	Temporary 1/16 Section Corner
80.40	Intersect the East line of the Section

of the 6th Principal Meridian

Chains	43 links South of the Corner to Sections 14 - 15 - 22 and 23. from which Corner I run South 89° 42' West on a true line between sections 15 and 22 Variation 12° East
20.10	Post in Mound for 1/16 Section Corner
40.20	Set post for 1/4 Section Corner from which A Box Alder 12 inches in diameter bears S 64° W. 49 links distant No other tree convenient to Mark
60.30	Post in Mound for 1/16 Section Corner
80.40	The Corner to Sections 15 - 16 - 21 & 22, Rolling prairie and level bottom 1st and 2d rate soil June 23rd 1867
	North between Sections 15 and 16 Variation 12° East
17.00	Enter creek 8 links wide running nearly South - follow up creek to -
20.15	Leave creek
21.00	Set a post for witness corner to 1/16 Section Corner (the true 1/16 Section Corner being in the creek) from which A Red Elm 20 inches in diameter bears S 59° W. 226 links distant No other tree West of creek and East of line within 5 Chains
22.15	Creek 6 links wide running E also enter creek bottom
34.00	Leave creek bottom bearing E and W.
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
80.00	Post in Mound for Corner to Sections 9 - 10 - 15 and 16. Rolling prairie and level bottom Land 1st And 2d rate Soil

13/73 15/75

Omaha Reservation

Township 25 North Range 8 East

Chains	
	East Random between Sections 10 and 15 — Variation 12° East
20.00	Temporary 1/16 Section Corner
40.00	Temporary 1/4 Section Corner
60.00	Temporary 1/16 Section Corner
80.07	Intersect East line of the Section 30 links S of the Corner to Sections 10-11- 14 and 15 from which Corner 9 run South 89° 47' West on a true line between sections 10 and 15 — Variation 12° E —
20.02	Post in Mound for 1/16 Section Corner
40.04	Post in Mound for 1/4 Section Corner
60.06	Post in Mound for 1/16 Section Corner
80.07	The Corner to Sections 9-10-15 and 16 — Rolling prairie — 2d rate soil
	North between Sections 9 and 10 — Variation 12° 35' East
20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
80.00	Post in Mound for Corner to Sections 3-4-9 and 10 Rolling prairie 3d rate soil
	East on a random line between Sections 3 and 10 — Variation 12° East
20.00	Temporary 1/16 Section Corner
40.00	Temporary 1/4 Section Corner
41.00	Creek 1 link Wide running North East
60.00	Temporary 1/16 Section Corner
80.40	Intersect the East line of the Section 20 links North of the Corner to Sections 2-3-10 and 11- from which Corner 9 run South 89° 51' West on a True line between Sections 3 and 10 —

of th

Chains	
20.10	
40.20	
60.30	
80 40	
20.00	
40.00	
60.00	
79.14	
19.14	
39.14	
59.14	
79.14	
20.00	
40.00	
60.00	
80.00	

Omaha Reservation

of the 6th Principal Meridian

Chains	
	Variation 12° East
20.10	Post in Mound for 1/16 Section Corner
40.20	Post in Mound for 1/4 Section Corner
60.30	Post in Mound for 1/16 Section Corner
80 40	The Corner to Sections 3 - 4 - 9 and 10.
	Rolling Prairie
	2d rate soil
	North on a random line between
	Sections 3 and 4
	Variation 12° 35' East
20.00	Temporary 1/16 Section Corner
40.00	Temporary 1/4 Section Corner
60.00	Temporary 1/16 Section Corner
79.14	Intersect the North Boundary of the
	Township 4 3 links East of the
	Corner to Sections 3 - 4 - 33 and 34
	from which Corner I run
	South 18' East on a true line
	between Sections 3 and 4
	Variation 12° 35' East
19.14	Post in Mound for 1/16 Section Corner
39.14	Post in Mound for 1/4 Section Corner
59.14	Post in Mound for 1/16 Section Corner
79.14	The Corner to sections 3 - 4 - 9 and 10
	Rolling prairie - 2d rate soil
	June 25th 1867
	North between Sections 32 and 33
	Variation 12° 20' East
20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
80.00	Post in Mound for Corner to Sections
	29 - 28 - 32 and 33
	Rolling prairie - 2d rate soil

Omaha Reservation

Township 25 North. Range 8 East of

Chains	
	East on a random line between Sections 28 and 33 Variation 12° 20' East
5.00	Enter meadow bearing N 30° W and S.E.
9.00	Leave meadow bearing N.W. and S.E.
20.00	Temporary 1/16 Section Corner
36.25	Creek 3 links wide running N 10° E
40.00	Temporary 1/4 Section Corner
60.00	Temporary 1/16 Section Corner
79.70	Intersect the East line of the Section 23 links South of the Corner to Sections 27-28-33 and 34- from which Corner 9 run South 89° 50' West on a true line between Sections 28 and 33 Variation 12° 20' East
19.92	Post in Mound for 1/16 Section Corner
39.85	Post in Mound for 1/4 Section Corner
59.77	Post in Mound for 1/16 Section Corner.
79.70	The Corner to Sections 28-29-32 and 33 Rolling Prairie 2d rate soil
	West on a random line between Sections 29 and 32 Variation 12° East
20.00	Temporary 1/16 Section Corner
40.00	Temporary 1/4 Section Corner
42.36	Intersect the Range line 6 links North of Corner to Sections 25-29-32 and 36. from which Corner 9 run North 89° 55' East on a true line between Sections 29 and 32- Variation 12° East
2.36	Post in Mound for 1/4 Section Corner
22.36	Post in Mound for 1/16 Section Corner
42.36	The Corner to Sections 28-29-32 and 33. Rolling prairie - 2d rate soil

The 6th Principal Meridian

Chains	
	North between Sections 28 and 29
	Variation 11° 40' East
10.50	Enter meadow bearing East and West
15.00	Leave meadow bearing same
20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
80.00	Post in Mound for Corner to Sections 20-21- 28 and 29-
	Rolling prairie 2d rate soil
	East on a random line between Sections 21 and 28.
	Variation 12° East
20.00	Temporary 1/16 Section Corner
40.00	Temporary 1/4 Section Corner
48.55	Creek 1 link wide running S.E.
60.00	Temporary 1/16 Section Corner
79.50	Intersect the East line of the Section 34 links S of the corner to Sections 21- 22- 28 and 27- from which Corner I run
	South 89° 45' West on a true line between Sections 21 and 28-
	Variation 12° East
19.87	Post in Mound for 1/16 Section Corner
39.75	Post in Mound for 1/4 Section Corner
59.62	Post in Mound for 1/16 Section Corner
79.50	The Corner to Sections 20- 21- 28 and 29
	Rolling prairie 2d rate soil
	West on a random line between Sections 20 and 29
	Variation 12° East
16.50	Enter meadow bearing S 50 W Ths N.E.
20.00	Temporary 1/16 Section Corner
30.00	Leave meadow bearing N.E. and S W
40.00	Temporary 1/4 Section Corner

19
79

Township 25 North Range 8 East

Chains	
42.28	Intersect the Range line 15 links North of the Corner to Sections 20-29-24 and 25 from which Corner I run
	North 89° 48' East on a true line between sections 20 and 29
	Variation 12° East
2.28	Post in Mound for 1/4 Section Corner
22.28	Post in Mound for 1/16 Section Corner
42.28	The Corner to Sections 20-21-28 and 29
	Rolling prairie 2d rate soil
	June 24th 1867
	North between sections 20 and 21
	Variation 12° 10' East
20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
80.00	Post in Mound for Corner to Sections 16-17-20 and 21.
	Rolling prairie 2d rate Soil
	East on a random line between Sections 16 and 21.
	Variation 12° East
20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
41.00	Elm and Walnut Grove 12 Chains long bearing North and South
43.00	Leave grove-bearing the same
60.00	Temporary 1/16 Section Corner
73.50	Creek 1 Link Wide running North
80.24	Intersect the East line of the Section At the Corner to Sections 15-16-21 & 22 from which Corner I run

of the 6th Principal Meridian

Chains	West on a true line between Sections 16 and 21 -
	Variation 12° East
20.06	Post in Mound for 1/16 Section Corner
40.12	Post in Mound for 1/4 Section Corner
60.18	Post in Mound for 1/16 Section Corner
80.24	The Corner to Sections 16 - 17 - 20 and 21
	Rolling prairie 2d rate soil
	West on a random line between Sections 17 and 20 -
	Variation 12° East
20.00	Temporary 1/16 Section Corner
40.00	Temporary 1/4 Section Corner
42.24	Intersect Range Line 25 links North of Corner to Sections 17 - 20 - 13 and 24. from which Corner
	2 oaks
	North 89° 39' East on a true line between sections 17 and 20 -
	Variation 12° East
2.24	Post in Mound for 1/4 Section Corner
22.24	Post in Mound for 1/16 Section Corner
42.24	The Corner to Sections 16 - 17 - 20 and 21 -
	Rolling Prairie 2d rate soil
	North between sections 16 and 17
	Variation 12° East
20.00	Post in mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
55.00	Enter Creek bottom bearing N.W. and S.E.
60.00	Post in Mound for 1/16 Section Corner
70.10	Creek 8 links wide running S.E. -
	Banks 8 feet high and 1 Chain Wide
78.00	Leave Creek bottom bearing N.W. & S.E.
80.00	Post in Mound for Corner to Sections 8 - 9 - 16 and 17
	Rolling prairie - 2d rate soil

Township 25 North Range 8 East

Chains	
	East on a random line between Sections 9 and 16
	Variation 12° East
20.00	Temporary 1/16 Section corner
40.00	Temporary 1/4 Section Corner
60.00	Temporary 1/16 Section Corner
80.30	Intersect the East line of the section 46 links S. of the Corner to Sections 9 – 10 – 15 and 16 – from which Corner I run
	South 89° 40' West on a true line between Sections 9 and 16
	Variation 13° East
20.07	Post in Mound for 1/16 Section Corner
40.15	Post in Mound for 1/4 Section Corner
60.22	Post in Mound for 1/16 Section Corner
80.30	The Corner to Sections 8 – 9 – 16 and 17
	Rolling prairie. 2d rate soil
	West on a random line between Sections 8 and 17.
	Variation 12° 20' East
5.00	Enter creek bottom bearing N.W. & S.E.
20.00	Temporary 1/16 Section Corner – Small grove 3 chains in diameter, 4 chains South of Temporary 1/16 Section Corner. on right bank of Omaha creek
25.03	Creek 10 links wide running S.E. no bottom on righ Bank
40.00	Temporary 1/4 Section Corner
42.20	Intersect the Range Line 46 links North of the Corner to Sections 8 – 17. 12 and 13 from which Corner I run
	North 89° 21' East on a True line between Sections 8 and 17 –
	Variation 12°. 20' East

of the 6th Principal Meridian

Chains	
2.20	Post in Mound for 1/4 Section Corner
22.20	Post in Mound for 1/16 Section Corner
42.20	The Corner to Sections 8-9-16 and 17
	Rolling prairie and Creek bottom
	1st Rate and 2d rate soil
	June 26th 1867
	North between Sections 8 and 9
	Variation 11° East
20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
80.00	Post in Mound for the Corner to
	Sections 4-5-8 and 9
	Rolling prairie 2d rate soil
	East on a random line between
	Sections 4 and 9
	Variation 12° 30' East
20.00	Temporary 1/16 Section Corner
40.00	Temporary 1/4 Section Corner
60.00	Temporary 1/16 Section Corner
80.70	Intersect the East line of the Section
	84 links South of the Corner to
	Sections 3-4-9 and 10. from
	which Corner I run
	South 89° 24' West on a true
	line between Sections 4 and 9
	Variation 12° 30' East
20.17	Post in Mound for 1/16 Section Corner
40.35	Post in Mound for 1/4 Section Corner
60.53	Post in Mound for 1/16 Section Corner
80.70	The Corner to Sections 4-5-8 and 9
	Rolling prairie. 2d rate Soil

Township 25 North Range 8 East of

Chains	
	West on a random line between Sections 5 and 8. Variation 12° 30' East
20.00	Temporary 1/16 Section Corner
40.00	Temporary 1/4 Section Corner
42.00	Intersect Range line 38 links North of Corner to Sections 5-8-1 and 12. From which Corner I run North 89° 29' East on a True line between Sections 5 and 8. Variation 12° 30' East
2.00	Post in Mound for 1/4 Section Corner
22.00	Post in Mound for 1/16 Section Corner
42.00	The Corner to Sections 4-5-8 and 9 Rolling prairie 2d rate soil
	North on a random line between Sections 4 and 5. Variation 12°-30' East
20.00	Temporary 1/16 Section Corner
40.00	Temporary 1/4 Section Corner
60.00	Temporary 1/16 Section Corner
80.11	Intersect the North boundary of the Township 70 links East of the Corner to Sections 4-5-32 and 33. From which Corner I run South 30' East on a true line between Sections 4 and 5- Variation 12° 30' East
20.11	Post in Mound for 1/16 Section Corner
40.11	Post in Mound for 1/4 Section Corner
60.11	Post in Mound for 1/16 Section Corner
80.11	The Corner to Sections 4-5-8 and 9. Rolling prairie - 2d rate Soil

June 27th 1867

the 6th Principal Meridian

chains Subdivision of Sections

Subdivision of Section 36

North on the 1/4 Section line through Section 36

Variation 11°. 38' East

20.00 Post in Mound for 1/16 Section Corner
25.50 Creek 3 links wide running W.
40.00 Post in Mound for 1/4 Section Corner
60.00 Post in Mound for 1/16 Section Corner
80.00 The corner to 1/4 Section on the North line of the Section.

Rolling prairie 2d rate soil

East on a random 1/4 Section line through Section 36-

Variation 11° 30' East

20.00 Temporary 1/16 Section corner
39.85 Intersect North and South 1/4 Section line
60.00 Temporary 1/16 Section Corner
79.70 Intersect the East line of the Section 19 links South of the quarter Section Corner from which Corner 2 rum South 89° 52' West on a true 1/4 Section line through Section 36. Vanation 11° 30' East
19.92 Post in Mound for 1/16 Section corner
39.85 Intersect North and South 1/4 Section line at the 1/4 Section Corner.
59.78 Post in mound for 1/16 Section Corner
79.70 The 1/4 Section corner on the West side of the Section

Rolling prairie: 2d rate soil

Subdivision of Section 25

North on the 1/4 Section line through Section 25
Variation 11° 51' East

25
85

Township 25 North Range 8 East

Chains	
20.00	Post in Mound for 1/16 Section Corner
28.50	Dry bed of creek bearing S.E. and N.W.
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
80.00	Intersect the North side of the section at the 1/4 Section Corner
	Rolling prairie 2d rate soil
	East on a random 1/4 Section line through Section 25
	Variation 11° 30' East
20.00	Temporary 1/16 Section Corner
28.00	Dry Creek channel running N.W.
39.80	Intersect the north and South 1/4 Section line
60.00	Temporary 1/16 Section Corner
79.60	Intersect the East line of the Section 25 links North of the 1/4 Section Corner from which corner I run
	North 89° 49' West on a true 1/4 Section line through Section 25
	Variation 11° 30' East
19.90	Post in Mound for 1/16 Section Corner
39.80	Intersect the North and South 1/4 Section line at the 1/4 Section Corner
59.70	Post in Mound for 1/16 Section Corner
79.60	The 1/4 Section Corner on the West line of the Section
	Rolling prairie 2d rate soil
	Subdivision of Section 24
	North on the 1/4 Section line through Section 24 - Variation 11° 45' East
17.00	Creek 4 links wide running West
20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
80.00	Intersect the North line of the Section

of the 6th Principal Meridian

chains	At the ¼ Section Corner Rolling prairie 2d rate soil
	East on a random ¼ Section line through Section 24 Variation 11°. 30' East
20.00	Temporary 1/16 Section Corner
40.00	Intersect North and South ¼ Section line
60.00	Temporary 1/16 Section Corner
80.00	Intersect the East line of the Section 32 links North of the ¼ Section Corner from which Corner I run North 89° 46' West on a true ¼ Section line through Section 24 Variation 11°. 30' East
20.00	Post in Mound for 1/16 Section Corner
40.00	Intersect the North and South ¼ Section line at the ¼ Section Corner
60.00	Post in Mound for 1/16 Section Corner
80.00	The ¼ Section Corner on the West line of the Section Rolling prairie 2d rate soil June 21st 1867

Subdivision of Section 13-

North on the ¼ Section line through
Section 13
Variation 11.47 East

1.20	Creek 1 link wide running N. W.
20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for ¼ Section Corner
60.00	Post in Mound for 1/16 Section Corner
80.00	Intersect the North line of the Section At the ¼ Section Corner Rolling prairie Second rate Soil

27
87

Township 25 North Range 8 East

Chains	
	East on a random 1/4 Section line through Section 13. Variation 11° 30' East
4.70	Creek 2 links wide running N W
20.00	Temporary 1/16 Section corner
22.00	Leave Creek bottom bearing N. and S.
40.04	Intersect N and S. 1/4 Section line
60.00	Temporary 1/16 Section corner
80.09	Intersect the East line of the Section 18 links N of the 1/4 Section corner from which corner I run South 89° 52' West on a true 1/4 Section line through Section 13 Variation 11° 30' East
20.02	Post in Mound for 1/16 Section corner
40.05	Intersect N & S. 1/4 Section line at the 1/4 Section corner
60.07	Post in Mound for 1/16 Section corner
80.09	The 1/4 Section corner on the West line of the Section.

Bottom land and rolling prairie
1st rate and 2d rate Soil

Subdivision of Section 12

North on the 1/4 Section line through Section 12
Variation 11°. 53' East

20.00	Post in Mound for 1/16 Section corner
40.00	Post in Mound for 1/4 Section corner
60.00	Post in Mound for 1/16 Section corner
62.90	Bdry bed of Creek bearing S W & N E General course S. W.
80.00	Intersect the North line of the Section at the quarter Section Corner

Rolling prairie
2d rate Soil

Of the 6th Principal Meridian

Chains	East on a random 1/4 Section line through Section 12.
	Variation 11° 15' East
20.00	Temporary 1/16 Section corner
40.00	Intersect N. & S. 1/4 Section line
60.00	Temporary 1/16 Section Corner
80.00	Intersect the East line of the Section 50 links North of 1/4 Section Corner from which Corner I run
	North 89° 39' West on a true 1/4 Section line through Section 12
	Variation 11° 15' East
20.00	Post in Mound for 1/16 Section Corner
40.00	Intersect the N. & S. 1/4 Section line at the 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
80.00	The Corner to 1/4 Section on the West line of the Section
	Rolling prairie 2d rate soil

Subdivision of Section 1

North on the 1/4 Section line through Section 1

Variation 11° 45' East

20.00	Post in Mound for 1/16 Section Corner
27.30	Creek 5 links wide running West
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
80.00	Intersect the N. & S. line of the Section at the 1/4 Section Corner
	Rolling prairie 2d rate soil

East on a random 1/4 Section line through Section 1

Variation 11° 15' East

3.00	Leave creek bottom bearing N. and S.
14.00	Enter brush - Small grove on line

29
89

Township 25 North Range 8 East

Chains	
20.00	Temporary 1/16 Section corner
24.14	Creek 4 links wide running N. W.
31.50	Leave scatering brush bearing North and South West
40.00	Intersect North and South 1/4 Section line
60.00	Temporary 1/16 Section corner
63.60	Creek 4 links wide runs S 60° West
68.00	Enter brush and young trees bearing N 65° E. and S 60° W.
80.01	Intersect the East line of the Section 27 links North of 1/4 Section corner from which corner I run North 89° 48' West on a true 1/4 Section line through Section 1 Variation 11° 15' East
20.00	Set post in Mound for 1/16 Section Corner
40.01	Intersect the North and South line at the 1/4 Section Corner
60.01	Set a post for 1/16 Section Corner from which An Oak 10 inches in diameter bears N 16° 20' W. 84 links distant
80.01	The corner to 1/4 Section on the West line of the Section Rolling prairie 2d rate soil June 22d 1867

Subdivision of Section 35

North on the 1/4 Section line through Section 35

Variation 11° 49' East

20.00	Post in mound for 1/16 Section corner
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
79.50	Creek 2 links wide running S.W.
80.00	Intersect the North line of the Section at the 1/4 Section Corner Rolling prairie 2d rate soil

of the 6th Principal Meridian

chains	
	East on a random 1/4 Section line through Section 35.
	Variation 11° 45' East
19.58	Creek 2 links wide running North
20.00	Temporary 1/16 Section Corner
40.08	Intersect N and S. 1/4 Section line
60.00	Temporary 1/16 Section Corner
78.75	Creek 2 links wide runs N.W.
80.16	Intersect the East line of the Section at the 1/4 Section Corner from which corner I run
	West on a true 1/4 Section line through Section 35.
	Variation 11° 45' East
20.04	Post in Mound for 1/16 Section Corner
40.08	Intersect the N and S. 1/4 Section line at the 1/4 Section Corner
60.12	Post in Mound for 1/16 Section Corner
80.16	The 1/4 Section Corner on the West side of the Section
	Rolling prairie 2d rate soil
	Land - Sloping - from Creeks

Subdivision of Section 26.

North on the 1/4 Section line through Section 26

Variation 11° 45' East

20.00	Post in Mound for 1/16 Section Corner
38.45	Brook 6 links wide runs N.E.
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
80.00	Intersect the North line of the Section at the 1/4 Section Corner
	Rolling prairie — 1st and 2d rate soil

Township 25 North Range 8 East

chains	
	East on a random 1/4 Section line through Section 26
	Variation 12° East
20.00	Temporary 1/16 Section Corner
39.96	Intersect N and S 1/4 Section line
42.84	Creek 6 links wide runs North
60.00	Temporary 1/16 Section Corner
79.92	Intersect the East line of the Section 16 links S of 1/4 Section Corner from which Corner I run
	South 89° 53' West on a true 1/4 Section line through Section 26
	Variation 12° East
19.98	Post in Mound for 1/16 Section Corner
39.96	Intersect the North and South 1/4 Section line at the 1/4 Section Corner
59.94	Post in Mound for 1/16 Section Corner
79.92	The 1/4 Section Corner on the West line of the Section
	Rolling prairie 2d rate soil

Subdivision of Section 23

North on the 1/4 Section line through Section 23.

Variation 12° 20' East

20.00	Post in Mound for 1/16 Section Corner
35.30	Creek 6 links wide runs East, and enter Creek Bottom
40.00	Post in Mound for 1/4 Section Corner
50.00	Leave creek bottom bearing North East and North West
60.00	Post in Mound for 1/16 Section Corner
80.00	Intersect North line of Section at the 1/4 Section Corner
	Rolling prairie. 1st And 2d rate soil

of the 6th Principal Meridian

chains	East on a random ¼ Section line through Section 23.
	Variation 12° East
20.00	Temporary 1/16 Section Corner
25.20	Creek 18 links wide - also creek bottom - bearing South East
39.73	Intersect N. and S. ¼ Section Line
58.83	Creek 12 links wide runs North
60.00	Temporary 1/16 Section Corner
65.00	Leave creek bottom bearing N. and S.
79.46	Intersect the East line of the Section 32 links South of the ¼ Section Corner from which Corner I run
	South 89°. 46' West on a true ¼ Section line through Section 23
	Variation 12° East
19.86	Post in Mound for 1/16 Section corner
39.73	Intersect the N and S. ¼ Section line at the ¼ Section corner
59.60	Post in Mound for 1/16 Section corner
79.46	The ¼ Section corner on the West line of the Section
	Rolling prairie and bottom
	1st and 2d rate soil
	June 23d 1867

Subdivision of Section 14

North on the ¼ Section line through Section 14

Variation 12°. 13' East

20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for ¼ Section Corner
60.00	Post in Mound for 1/16 Section Corner
80.00	Intersect the North line of the Section at the ¼ Section Corner
	Rolling prairie
	2d Rate Soil

Township 25 North Range 8 East

chains.	
	East on a random ¼ Section line through Section 14 Variation 12° East
20.00	Temporary ¼ Section Corner
39.73	Intersect N and S ¼ Section line
55.00	Enter creek bottom bears North & South
60.00	Temporary ¼ Section Corner
79.00	Creek 8 links wide running North.
79.47	Intersect the East line of the Section 63 links S of the ¼ Section Corner from which Corner I run South 89° 33' West on a true ¼ Section line through Section 14 Variation 12° East
19.87	Post in Mound for ¼ Section Corner
39.74	Intersect North and South ¼ Section line at the ¼ Section Corner
59.61	Post in Mound for ¼ Section Corner
79.47	The ¼ Section Corner on the West line of the Section Rolling prairie 2d rate Soil, and Bottom 1st rate

Subdivision of Section 11.

North on the ¼ Section line through Section 11. Variation 11° 50' East

20.00	Post in mound for ¼ Section Corner
40.00	Post in Mound for ¼ Section Corner
60.00	Post in Mound for ¼ Section Corner
80.00	Intersect the North line of the Section at the ¼ Section Corner Rolling prairie 2d rate soil.

of the 6th Principal Meridian

chains	East on a random ¼ Section line through Section 11
	Variation 12° East
20.00	Temporary ¼ Section Corner
39.81	Intersect N and S. ¼ Section line
57.00	Enter Creek bottom
60.00	Temporary ¼ Section corner
60.33	Creek 8 links wide runs North
79.63	Intersect the East line of the Section at 70 links South of the ¼ Section Corner from which Corner I run
	South 89° 30' West on a true ¼ Section line through Section 11
	Variation 12° East
19.91	Post in Mound for ¼ Section corner
39.82	Intersect N. & S. ¼ Section line at the ¼ Section Corner
59.73	Post in Mound for ¼ Section corner
79.63	The ¼ Section corner on the West line of the Section
	Rolling and level Prairie
	1st and 2d rate soil

Subdivision of Section 2

North on random ¼ Section line through Section 2

Variation 12° East

20.00	Temporary ¼ Section corner
34.55	Creek 6 links wide runs S.E. also creek bottom on the left side
40.00	Temporary ¼ Section Corner
58.00	Leave creek bottom bearing East & West
60.00	Temporary ¼ Section Corner
79.70	Intersect the North boundary of the Township 36 links East of the ¼ Section corner from which Corner I run
	South 15' East on a true ¼ Section line through Section 2.
	Variation 12° East

35
95

Township 25 North Range 8 East

Chains	
19.70	Post in Mound for 1/16 Section Corner
39.70	Post in Mound for 1/4 Section Corner
59.70	Post in Mound for 1/16 Section Corner
79.70	The 1/4 Section corner on the South line of the Section

Rolling prairie and bottom
1st and 2d rate Soil

East on a random 1/4 Section line through Section 2
Variation 12° East

.20	Creek 6 links wide runs N.E.
10.30	Same creek running S.E.
20.00	Temporary 1/16 Section corner
26.50	Creek 6 links wide running N.E.
34.28	Same creek running S.East
39.93	Intersect S and S 1/4 Section line
60.00	Temporary 1/16 Section corner
65.50	Creek 6 links wide running N.E.
69.25	Creek 8 links wide running North
79.86	Intersect the East line of the Section 14 links North of the 1/4 Section Corner from which Corner 2 runs

North 89° 54' West on a true 1/4 Section line through Section 2
Variation 12° East

19.96	Post in Mound for 1/16 Section Corner
39.93	Intersect North and South 1/4 Section line at the 1/4 Section Corner
59.90	Set a post for 1/16 Sec. corner from which

An Elm 12 in. dia bears S. 30° W 137 lks dist.

79.86	The 1/4 Section Corner on the West side of the Section

Level prairie and bottom
First rate Soil

of the 6th Principal Meridian

Chains Subdivision of Section 34

North on the 1/4 Section line through Section 34

Variation 12° East

20.00 Post in mound for 1/16 Section corner
40.00 Post in mound for 1/4 Section corner
57.75 Creek 3 links wide running E
60.00 Temporary 1/16 Section corner
80.00 Intersect the North line of the Section At the 1/4 Section corner
Rolling prairie; 2d rate Soil

East on a random 1/4 Sec. line through Section 34

Variation 12° East

20.00 Temporary 1/16 Section corner
40.05 Intersect N and S. 1/4 Section line
60.00 Temporary 1/16 Section corner
80.10 Intersect the East line of the Section at the 1/4 Section corner from which Corner I run

West on a true 1/4 Section line through Section 34

Variation 12° East

20.02 Post in mound for 1/16 Section corner
40.05 Intersect the N. & S. 1/4 Section line at the 1/4 Section corner
60.08 Post in mound for 1/16 Section corner
80.10 The 1/4 Section corner on the West line of the Section
Rolling prairie – 2d rate Soil

Subdivision of Section 27

North on the 1/4 Section line through Section 27

Variation 11° 35' East

37
97

Township 25 North Range 8 East

Chains	
20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
53.70	Creek 2 links wide running East
60.00	Post in Mound for 1/16 Section Corner
71.44	Creek 2 links wide running S.E.
80.00	Intersect the N. line of Section at the 1/4 Sec. Corner
	Rolling prairie 2d rate soil
	East on a random 1/4 Section line through Section 27
	Variation 12° East
13.30	Creek 2 links wide running S.E.
18.20	Creek 2 links wide running N.E.
20.00	Temporary 1/16 Section Corner
40.24	Intersect North & South 1/4 Section Line
55.70	Creek 2 links wide running S.E.
60.00	Temporary 1/16 Section Corner
80.48	Intersect the East line of the Section 16 links North of the 1/4 Section Corner from which Corner a Pine
	North 89° 53' West on a true 1/4 Sec. line through Section 27
	Variation 12° East
20.12	Post in Mound for 1/16 Section Corner
40.24	Intersect N. and S. 1/4 Section line at the 1/4 Section Corner
60.36	Post in Mound for 1/16 Section Corner
80.48	The Corner to 1/4 Section on the West line of the Section
	Rolling prairie — 2d rate soil
	June 24th 1867

Subdivision of Section 22

of the 6th Principal Meridian

Chains	North on the ¼ Section line through Section 22
	Variation 12° 3' East
20.00	Post in Mound for ⅛ Section corner
40.00	Post in Mound for ¼ Section corner
53.20	Creek 1 link wide running N.E.
60.00	Post in Mound for ⅛ Section corner
75.60	Creek 6 links wide running S 70° East
80.00	Intersect the North line of the Section at the ¼ Section corner
	Rolling prairie. 2d rate Soil
	East on a random ¼ Section line through
	Variation 12° East
20.00	Temporary ⅛ Section corner
40.29	Intersect N. and S. ¼ Section line
60.00	Temporary ⅛ Section corner
80.58	Intersect the East line of the Section at the ¼ Section corner from which corner I run
	West on a true ¼ Section line through Section 22
	Variation 12° East
20.14	Post in Mound for ⅛ Section corner
40.29	Intersect N. and S. ¼ Section line at the ¼ Section corner
60.44	Post in Mound for ⅛ Section corner
80.58	The ¼ Section corner on the West line of the section
	Rolling prairie 2d rate soil
	Subdivision of Section 15
	North on the ¼ Section line through Section 15
	Variation 12° 6' East
1.05	Creek 2 links wide running S.W.
19.00	Leave creek bottom bearing N.W. & S.E.
20.00	Post in Mound for ⅛ Section Corner

9 39/99

Township 25 North Range 8 East of

Chains	
	Post in Mound for 1/4 Section Corner
40.00	Post in Mound for 1/16 Section Corner
60.00	Intersect the North line of the Section at
80.00	the 1/4 Section Corner
	Rolling prairie 2d rate soil
	East on a random 1/4 Section line
	through Section 15.
	Variation 12° East
20.00	Temporary 1/16 Section Corner
40.12	Intersect N and S. 1/4 Section line
60.00	Temporary 1/16 Section Corner
80.24	Intersect the East line of the Section
	49 links South of the 1/4 Section
	Corner from which corner B run.
	South 89° 39' West on a true 1/4
	Section line through Section 15
	Variation 12° East
20.06	Post in Mound for 1/16 Section Corner
40.12	Intersect N and South 1/4 Section line
	at the 1/4 Section Corner
60.18	Post in Mound for 1/16 Section Corner
80.24	The 1/4 Section corner on the N. line of
	the Section
	Rolling prairie 2d rate soil
	Subdivision of Section 10
	North on the 1/4 Section line through
	Section 10
	Variation 17° 8' East
20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
47.50	Creek 1 link Wide running N.E.
60.00	Post in Mound for 1/16 Section Corner
67.74	Creek 1 link Wide runs N. W.

the 6th Principal Meridian

chains	
77.10	Same creek running N.E.
80.00	Intersect the North line of the Section at the 1/4 Section Corner
	Rolling prairie 2d rate soil
	East on a random 1/4 Section line through Section 10
	Variation 12° East
20.00	Temporary 1/16 Section Corner
36.45	Creek 1 link wide running N.E.
40.12	Intersect N and S. 1/4 Section line
60.00	Temporary 1/16 Section Corner
80.24	Intersect the N. and S. 1/4 Section line 46 links S of the 1/4 Section Corner from which corner I run
	South 89° 40' West on a true 1/4 Section line through Section 10
	Variation 12° East
20.06	Post in Mound for 1/16 Section Corner
40.12	Intersect N. & S. 1/4 Section line at the 1/4 Section Corner
60.18	Post in Mound for 1/16 Section Corner
80.24	The 1/4 Section Corner on the West line of the Section
	Rolling prairie - 2d rate Soil
	Subdivision of Section 3
	North on a random 1/4 Section line through Section 3
	Variation 12° 30' East
12.13	Creek 1 link wide running N.E.
20.00	Temporary 1/16 Section Corner
40.00	Temporary 1/4 Section Corner
48.52	Creek 2 links wide running S.E.
60.00	Temporary 1/16 Section Corner
71.50	Creek 8 links wide running S.E. Scattering trees on right bank - also Enter Creek bottom

41
101

Township 25 North Range 8 East

Chains	
79.48	Intersect the North Boundary of the Township 30 links East of the 1/4 Section corner from which corner I run South 13' East on a true 1/4 Section line through Section 3. Variation 12° 30' East
19.48	Post in Mound for 1/16 Section corner
39.48	Post in Mound for 1/4 Section corner
59.48	Post in Mound for 1/16 Section corner
79.48	The 1/4 Section corner on the South line of the Section. Rolling prairie 2d rate soil
	East on a random 1/4 Section line through Section 3. Variation 12° East
12.00	Creek 2 links wide running N.E.
20.00	Temporary 1/16 Section corner
40.10	Intersect N. and S. 1/4 Section line
42.00	Creek 2 links wide runs N.E.
60.00	Temporary 1/16 Section corner
72.30	Creek 8 links wide runs S.E. Scattering timber along the banks
80.20	Intersect the East line of the Section at the 1/4 Section Corner from which corner I run West on a true line through Section 3. Variation 12° East
20.05	Post in Mound for 1/16 Section Corner
40.10	Intersect N and S. 1/4 Section line at the 1/4 Section Corner
60.15	Post in Mound for 1/16 Section Corner
80.20	The 1/4 Section on the West line of the Section. Rolling prairie 2d rate soil

of the 6th Principal Meridian

Chains	Subdivision of Section 33
	North on the ¼ Section Line through Section 33.
	Variation 12° 5' East
20.00	Post in Mound for ¼ Section Corner
38.50	Enter Meadow bearing S.W. & N.E.
40.00	Post in Mound for ¼ Section Corner
44.00	Leave Meadow bearing East and West
60.00	Post in Mound for ¼ Section Corner
80.00	Intersect the North line of the Section at the ¼ Section Corner
	Rolling prairie - 2d rate soil
	East on a random ¼ Section line through Section 33
	Variation 12° East
20.00	Temporary ¼ Section Corner
36.00	Enter Meadow bearing N.E. and S.W.
39.97	Intersect North and South ¼ Section line
45.00	Leave Meadow bearing N.E. & S.W.
60.00	Temporary ¼ Section Corner
79.85	Intersect the East line of the Section 40 links North of the ¼ Section Corner from which Corner I run
	North 89° 45' West on a true ¼ Section line through Section 33
	Variation 12° East
19.96	Post in Mound for ¼ Section Corner
39.93	Intersect N. and S. ¼ Section line at the ¼ Section Corner
59.89	Post in Mound for ¼ Section Corner
79.85	The ¼ Section Corner on the West side of the Section
	Rolling prairie
	2d rate soil

June 25th 1867

43
103

Township 25 North Range 8 East of

Chains	
	Subdivision of Section 28
	North on the ¼ Section line through Section 28
	Variation 11° 45' East
5.00	Creek 2 links Wide running East
20.00	Post in Mound for ¼ Section Corner
40.00	Post in Mound for ¼ Section Corner
60.00	Post in Mound for ¼ Section Corner
80.00	Intersect the North line of the Section at the ¼ Section Corner
	Rolling prairie - 2d rate soil
	East on a random ¼ Section line through Section 28.
	Variation 12° 15' East
20.00	Temporary ¼ Section corner
39.80	Intersect N. and S. ¼ Section Line
60.00	Temporary ¼ Section Corner
79.00	Intersect the East line of the Section 23 links S of the ¼ Section Corner from which Corner I run -
	South 89° 30' West on a true ¼ Section line through Section 28
	Variation 12°. 15' East
19.90	Post in Mound for ¼ Section Corner
39.80	Intersect N. and S. ¼ Section line at the ¼ Section Corner
59.70	Post in Mound for ¼ Section Corner
79.60	The Quarter Section Corner on the West line of the Section
	Rolling prairie 2d rate soil
	Subdivision of Section 21
	North on the ¼ Section line through Section 21.
	Variation 11° 43' East

the 6th Principal Meridian

Chains	
2.15	A Brook 3 links wide running S.E.
20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
80.00	Intersect the North line of the Section at the 1/4 Section Corner
	Rolling prairie 2d rate soil
	East on a random 1/4 Section line through Section 21
	Variation 12° 15' East
20.00	Temporary 1/16 Section Corner
39.93	Intersect N. & S. 1/4 Section line
60.00	Temporary 1/16 Section Corner
79.87	Intersect the East line of the Section 12 links S of the 1/4 Section Corner from which Corner I run
	S 89° 55' West on a true 1/4 Section line through Section 21
	Variation 12° 15' East
19.97	Post in Mound for 1/16 Section Corner
39.94	Intersect North & South 1/4 Section line at the 1/4 Section Corner
59.91	Post in Mound for 1/16 Section Corner
79.87	The 1/4 Section Corner on the West line of the Section
	Rolling prairie 2d rate soil
	Subdivision of Section 16
	Variation —
	North on the 1/4 Section line through Section 16
	Variation 12° East
20.00	Post in Mound for 1/16 Section Corner
38.20	Creek 8 links wide running S.E. Also enter creek bottom

45
105

Township 25 North Range 8 East of

chains	
40.00	Post in Mound for 1/4 Section Corner
53.00	Leave Creek bottom bearing N.W. and S.E.
60.00	Post in Mound for 1/16 Section Corner
80.00	Intersect the North line of the Section. at the 1/4 Section Corner Rolling prairie - 2d rate soil

East on a random 1/4 Section line through Section 16.
Variation 12° East

20.00	Temporary 1/16 Section Corner
36.33	Oak 8 links wide running S.E. and enter Creek bottom
40.13	Intersect N and S 1/4 Section line
60.00	Temporary 1/16 Section Corner
65.00	Leave Creek bottom
80.27	Intersect the East line of the Section 20 links South of the 1/4 Section Corner from which Corner I run South 89° 51' West on a true 1/4 Section line through Section 16

Variation 12° East

20.07	Post in Mound for 1/16 Section Corner
40.14	Intersect N and S. 1/4 Section line at the 1/4 Section Corner
60.21	Post in Mound for 1/16 Section Corner
80.27	The 1/4 Section Corner on the West line of the Section

Rolling prairie
2d rate soil
June 26th 1867

Subdivision of Section 9

North on the 1/4 Section line through Section 9. Variation
12° 29' East

the 6th Principal Meridian

Chains	
20.00	Post in mound for 1/16 Section corner
28.00	Enter meadow bearing N.W. and S.E.
40.00	Post in mound for 1/4 Section corner
48.00	Leave meadow bearing N.W. and S.E.
60.00	Post in Mound for 1/16 Section corner
80.00	Intersect the North line of the Section at the 1/4 Section corner
	Rolling prairie 2d rate soil
	East on a random 1/4 Section line through Section 7
	Variation 12° 15' East
20.00	Temporary 1/16 Section Corner
39.00	Enter meadow bearing N and S.
40.25	Intersect N and S. 1/4 Section line
43.00	Leave meadow bearing N and S.
60.00	Temporary 1/16 Section Corner
80.50	Intersect the East line of the Section 24 links South of the 1/4 Section Corner from which Corner I run
	South 87° 30' West on a line 1/4 Section line through Section 7.
	Variation 12° 15' East
20.12	Post in mound for 1/16 Section Corner
40.25	Intersect North and South 1/4 Section line At the 1/4 Section Corner
60.38	Post in Mound for 1/16 Section Corner
80.50	The 1/4 Section Corner on the West line of the Section
	Rolling Prairie 2d rate soil
	Subdivision of Section 4.
	North on a random 1/4 Section line through Section 4.
	Variation 12° 15' East

47
107

Township 25 North Range 8 East

Chains	
20.00	Temporary 1/16 Section Corner
40.00	Temporary 1/4 Section Corner
60.00	Temporary 1/16 Section Corner
65.00	Enter Meadow bearing N.W. and S.E.
79.75	Intersect the North boundary of the Township 24 Links East of the 1/4 Section Corner from which Corner I run South 0° 10' East on a true 1/4 Section line through Section 4. Variation 12° 15' East
19.75	Post in Mound for 1/16 Section Corner
39.75	Post in Mound for 1/4 Section corner
59.75	Post in Mound for 1/16 Section Corner
79.75	The 1/4 Section corner on the S. line of the Section Rolling prairie - 2° rate soil
	East on a random 1/4 Section line through Section 4 Variation 12° 45 East
20.00	Temporary 1/16 Section Corner
40.17	Intersect N and South 1/4 Section line
60.00	Temporary 1/16 Section Corner
80.35	Intersect the East line of the Section 35 Links South of the 1/4 Section Corner from which Corner I run South 89° 45' West on a true 1/4 Section line through Section 4 Variation 12° 45' East
20.09	Post in Mound for 1/16 Section Corner
40.18	Intersect N. and S. 1/4 Section line at the 1/4 Section Corner
60.27	Post in Mound for 1/16 Section Corner
80.35	The 1/4 Section Corner on the West line of the Section Rolling prairie 2° rate soil

of the 6th Principal Meridian

Chains Subdivision of Section 32.

North on the ¼ Section line through
Section 32.
Variation 12° 4. East

20.00 Post in Mound for ¼ Section Corner
40.00 Post in Mound for ¼ Section Corner
60.00 Post in Mound for ¼ Section Corner
80.00 Intersect the North line of the Section
at the ¼ Section Corner
Rolling prairie – 2d rate soil

West on a random ¼ Section line through
Section 32.
Variation 12° East

20.00 Temporary ¼ Section Corner
40.00 Intersect N. and S. ¼ Section line
42.38 Intersect the West line of the ~~Section~~
Township 26 links North of ¼ Section
Corner from which Corner Ø runs
South 89° 39' East
on a true ¼ Section line through Section 32
Variation 12° East
2.38 Intersect N. and S. ¼ Section line at the ¼
Section Corner
22.38 Post in Mound for ¼ Section Corner
42.38 The ¼ Section Corner on the East line of
the Section
Rolling prairie – 2d rate soil

Subdivision of Section 29

North on the ¼ Section line through
Section 29.
Variation 12° 4' East
2000 Post in Mound for ¼ Section Corner
4000 Post in Mound for ¼ Section Corner
6000 Post in Mound for ¼ Section Corner

49
T09

Township 25 North Range 8 East

80.00 Intersect the North line of the Section at the ¼ Section Corner
Rolling prairie – 2d rate soil

West on a land on ¼ Section line through Section 29 –
Variation 12° East
20.00 Temporary ⅛ Section Corner
40.00 Intersect N. and S. ¼ Section line
42.32 Intersect West line of the Township 32 links S of the ¼ Section Corner from which Corner S run
South 89° 34' East
on a true ¼ Section line through Section 29
Variation 12° East
2.32 Intersect N. and S. ¼ Section line at the ¼ Section Corner
22.32 Post in Mound for ⅛ Section Corner
42.32 The ¼ Section Corner on the East line of the Section
Rolling prairie – 2d rate soil

Subdivision of Section 20

North on the ¼ Section line through Section 20 –
Variation 12° 5' East
20.00 Post in Mound for ⅛ Section Corner
40.00 Post in Mound for ¼ Section Corner
60.00 Post in Mound for ⅛ Section Corner
80.00 Intersect the North line of the Section at the ¼ Section Corner
Rolling Prairie – 2d rate soil

of the 6th Principal Meridian

Chains	West on a random ¼ Section line through Section 20
	Variation 12° 15' East
20.00	Temporary ¼ Section Corner
40.00	Intersect the N. and S. line (¼ Section)
42.26	Intersect the West line of the Section 21 links South of the ¼ Section corner from which Corner I run
	South 89° 45' East
	on a true ¼ Section line through Section 20.
	Variation 12° 15' East
2.26	Intersect N. and S. ¼ Section line at the ¼ Section Corner
22.26	Post in Mound for ¼ Section Corner
42.26	The ¼ Section Corner on the East line of the Section
	Rolling prairie - 2d rate soil
	Subdivision of Section 17
	North on the ¼ Section line through Section 17.
	Variation 12° 10' East
20.00	Post in Mound for ¼ Section Corner
40.00	Post in Mound for ¼ Section Corner
45.00	A small brook running East
46.00	Same brook running N.
49.50	Same brook running N.E.
50.60	Same brook running N.W.
54.20	Same brook running N.E.
60.00	Post in Mound for ¼ Section Corner
80.00	Intersect the North line of the Section At the ¼ Section Corner. Rough and rolling Prairie. Second Rate Soil
	West on a random ¼ Section line through Section 17
	Variation 12°. 20 East

57
777

Township 25 North Range 8 East

Chains	
20.00	Temporary 1/16 Section corner
40.00	Intersect the N. and S. 1/4 Section line
42.22	Intersect the West line of the Township at the 1/4 Section Corner from which corner I run
	East on a true 1/4 Section line through Section 17
	Variation 12°. 20' East
2.22	Intersect N. and S. 1/4 Section line at the 1/4 Section Corner
22.22	Post in Mound for 1/16 Section Corner
42.22	The 1/4 Section Corner On the East line of the Section
	Rolling prairie — 2d rate soil

Subdivision of Section 8

North on the 1/4 Section line through Section 8

Variation 12° 12' East

14.00	Creek 12 links wide running S.E.
20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
80.00	Intersect the North line of the Section at the 1/4 Section Corner
	Rolling prairie — 2d rate Soil

West on a random 1/4 Section line through Section 8.

Variation 12°. 15' East

20.00	Temporary 1/16 Section Corner
40.00	Intersect N. and S. 1/4 Section line at
42.10	Intersect the West line of the Township At the 1/4 Section Corner from which Corner I run
	East on a true line through Section 8.
	Variation 12°. 15' East

of the 6th Principal Meridian

Chains	
2.10	Intersect the N. and S. 1/4 Section line at the 1/4 Section Corner
22.10	Post in Mound for 1/16 Section Corner
42.10	The 1/4 Section Corner on the East line of the Section

Rolling prairie — 2d rate soil

Subdivision of Section 5

North on the 1/4 Section line through Section 5 —

Variation 11° 48' East

20.00	Post in Mound for 1/16 Section Corner
40.00	Post in Mound for 1/4 Section Corner
60.00	Post in Mound for 1/16 Section Corner
80.00	Intersect the North line of the Section at the 1/4 Section Corner

Rolling prairie — 2d rate soil

West on a random 1/4 Section line through Section 5

Variation 12°. 45' East

20.00	Temporary 1/16 Section Corner
40.00	Intersect N. and S. 1/4 Section line
41.74	Intersect the West line of the Township 3 links North of the 1/4 Section Corner from which Corner I run

North 89° 57' East on a true 1/4 Section line through Section 5 —

Variation 12° 45' East

1.74	Intersect the N. and S. 1/4 Section line at the 1/4 Section Corner
21.74	Post in Mound for 1/16 Section Corner
41.74	The 1/4 Section Corner on the East line of the Section

Rolling prairie — 2d rate soil

June 27th 1867.

53
113

Omaha Reservation

Township 25 North Range 8 East of 6th Principal Meridian

General description

This Township is well watered by the Omaha creek and its branches. Along these creeks are many small groves of timber - Oak and Walnut being the principle varieties.

Bordering the Omaha and its principel branches, are belts of rich bottom lands - in many places the land slopes gently from the bottom to the high prairie. the slope itself being of equal fertility to the bottom.

Omaha creek is a rapid stream, with banks about 25 feet high which have a slope of about 1 to 1. It is from ten to twenty links wide. in low water. but when swolen with rains is from one to two chains wide and ten to twenty feet deep.

The main portion of the Township is high rolling prairie - the soil being 2d and 3rd rate on the ridges. while in the lower places - it is often first rate - occasioned by the washing away of the surface from the higher portions

The water in the brooks and creeks is excellent - and springs of pure cold water are numerous

This Township lies wholly in the Omaha Reservation. and has some of its best Lands. within its Boundaries

There are no improvements of any kind in it. the Agency and principal Settlements of the Omaha Indians being in the Township East of it

The names of Patterson. Schaffer and Armstrong. assistants in surveying this Township. do not appear among those certifying to the Survey - the error was not discovered until they

T. 25 N. R. 8 East of 6th P. M.

had been discharged and there whereabouts
unknown
More than one party having been engaged
in subdividing this Township the routine
prescribed in the "Instructions was in some
instances necessarily departed from.
In consolidating the notes of the
Compassman this irregularity has been
remedied by placing them in their
regular order — in some instances
therefore the day of the actual survey
may differ from the date given
in the notes — this remark will apply
also to other Townships of this survey

We hereby certify that we assisted
Theodore H. Blewett. United States Surveyor
in subdividing Township Number
Twenty five North of the base line of
Range Number Eight East of the
Sixth Principal Meridian embraced
within the Boundaries of the Omaha
Reservation. and that said Township
has been in all respects to the best of
our Knowledge and belief well and
faithfully surveyed and the boundary Monuments
planted according to the Instructions furnished
by the Commissioner of the General Land Office

William J. Allason
Richard Cronk
Homer T. Dall
James Kenedy
Philander Wright
John Rupp
James Shobe
Orville Smith
Henry C. Williams

Subscribed And Sworn to by
the above named persons before
me a Notary Public for the
County of Burt in the State of
Nebraska this 28th Day
Of June 1867

Seal

Watson Parish
Notary Public

I Theodore H. Barrett Surveyor
do solemnly swear that in pursuance
of a contract with J. M. Edmunds
Commissioner of the General Land
Office of the United States, bearing
date the 14th day of August
1866. And in strict Conformity
to the Laws of the United States and
the instructions received from the
said Commissioner of the General
Land Office.

I have faithfully surveyed the
subdivision lines of Township Number
twenty five North of the base line of
Range Number Eight East of the
Sixth Principal Meridian embraced
within the Omaha Reservation in
the State of Nebraska. And I
do further solemnly swear that the
foregoing Field Notes are the true
And original notes of such survey

Theodore H Barrett
Surveyor

Subscribed by the said Theodore H Barrett and
Sworn to before me a Justice of the Peace for
Whiteside County in the State of Illinois. this
10th day of September 1867

R. S. Mangan
J. P.

Department of the Interior
General Land Office
October 2d 1867

The foregoing field notes of the survey of Township 25 N. R. 8 East. Nebraska executed by Theodore H. Barrett under his Contract of August 14th 1866, in the month of June 1867 having been critically examined the necessary corrections and explanations made the said Field Notes and the survey they describe are hereby approved

Joel S Wilson
Commissioner

Department of the Interior
General Land Office
Washington D.C.
Augt 21. 1871

I Certify that the foregoing transcript of field notes of survey has been correctly copied from the Original notes on file in this office

Wells Drummond
Commissioner.

57
1/7

58
118

59
119

(copy) prepared and corrected

No 3 — R 8

No 3
60
120

Omaha Indian Reservation.

Field Notes of the Subdivision Lines
in Township No 26 North
Range 8 East the 6th P. Meridian
(Omaha and Winnebago Reservations)
in the
State of Nebraska.
by
Theodore H Barrett.
Surveyor,
under his contract bearing date
Aug. 14, 1866.

Subdivision commenced June 14, 1867.
and
Completed June 20th 1867.

Subdivision of Sections pages 140—171

List of Names.

A list of the names of individuals employed to assist in running, measuring or marking the lines and corners described in the following Field Notes of Township No. 26. north of the base line & Range 8. East the 6th Principal Meridian, showing the capacities in which they acted.

William J Allason, Compassman
Richard Crank, "
George Patterson, Chainman
James Kennedy, "
Philander Dwight, "
John Rupp, "
James Shote, "
Orville Smith, "
Homer T Dale, Axman
Conrad Seiffer, "
Henry C Williams, Mound Builder
Andrew Armstrong, " "
George Fox, " "

Omaha Indian Reservation.

Township 26. N. R. 8 E. 6th P. M.

Chains	
	In retracing and re-establishing the Guide Meridian between Ranges 8 & 9. T. 26 North, I found the East side of Sec. 36. to be as follows.
	Va. 11° 58' East.
80.00	Point 8 links west of old corner to Sec's 25. 36. 30 & 31.
	In running the Township lines between Townships 25 & 26 N. Range 8. E. I found the South side of Sec. 36 to be as follows.
	Va. 11° 35' East.
80.00	Point 48 links North of the corner to Sec's. 31. 36. 1 & 6.
	From the corner to Sections 35. 36. 1 & 2, on the Township line I run North between Sec's. 35 & 36.
	Va. 11° 45' East.
16.40	A Brook 3 links wide, running S.E.
20.00	Set post, built mound, dug four pits and deposited charcoal for ¼ Sec. Corner.
Note.	In the following Field notes the corners established with posts and mounds have each four pits except when otherwise noted. The quantity of charcoal deposited in each mound is equal to a solid 1 x 2 x 2 inches made up of one or more pieces.
	Hereafter in these Field notes a corner established according to the foregoing note, will be designated as "Post in Mound"
40.00	Post in mound for ¼ Sec. Corner.
60.00	Post in mound for ⅛ Sec. Corner.
75.00	Clear Creek bottom, bearing N.E. & W.
80.00	Post in mound for corner to Sections 25. 26. 35 & 36.
	Creek bottom nearly level.
	1st rate soil.

Omaha Indian Reservation.

Township 26. N. Range 8. E. the 6th P. M.

Chains	
	East on random line between Sections 25 and 26.
	Var, 11°30' East.
11.50	A Brook 3 links wide, running N.E.
20.00	Temporary 1/16 Sec. Corner.
20.50	Omaha Creek, 10 lks wide, 2 to 6 feet deep, running North; when swollen with rains this creek is from 10 to 20 feet deep and 100 feet wide; swift current; muddy bottom.
26.40	Small brook 4 links wide, running S.W.
28.50	Same brook, running North
32.50	Same brook, running South West.
34.00	Same brook, running North.
40.00	Temporary 1/4 Sec. Corner.
60.00	Temporary 1/16 Sec. Corner.
80.30	Intersect the Guide meridian 32 links North of corner to Sections 25 & 26. 30 & 31, from which corner I run North 89° 35' West on a true line between Sec's. 25 and 26.
	Var, 11° 30' East.
20.07	Post in mound for 1/16 Sec. Corner.
40.15	Post in mound for 1/4 Sec. corner.
60.22	Post in mound for 1/16 Sec. corner.
80.30	The corner to Sec's. 25 and 26. 35 and 36. Creek bottom and rolling prairie; 1st and 2nd rate soil.
	North between Sections 25 and 26.
	Var, 11° 30' East
6.00	Brook 3 links wide, running N.E.
12.16	Brook 4 links wide, running East.
20.00	Post in mound for 1/16 Sec. Corner.
40.00	Post in mound for 1/4 Sec. Corner.
60.00	Post in mound for 1/16 Sec. Corner.
80.00	Post in mound for corner to Sections 23, 24, 25 and 26.
	Rolling Prairie; 2nd rate soil.
	East on a random line between Sec's 24 and 25 Var. 11° 30' East.

4.
123

Omaha Indian Reservation.

Township 26 N. Range 8. E. of the 6th P. M.

Chains	
15.00	Creek bottom bearing North & South.
20.00	Temporary 1/16 Sec. Corner.
21.00	Omaha Creek 12 lks wide, running N.
40.00	Temporary 1/4 - Section Corner.
50.00	Leave Creek bottom, bearing N & S.
60.00	Temporary 1/16 Sec. Corner.
79.83	Intersect Guide Meridian 60 lks North of corner of Sections 19 and 30, 24 and 25, from which corner I run North 89° 34' West on a true line between Sec's. 24 and 25. Va. 11° 30' East.
19.96	Post in mound for 1/16 Sec. Corner.
39.91	Post in mound for 1/4 Sec. Corner.
59.87	Post in mound for 1/16 Sec. Corner.
~~79.83~~	~~Intersect Guide Meridian 60 lks North of~~
79.83	The corner to Sec's. 23. 24. 25 & 26. Rolling prairie & Omaha Creek bottom. 1st rate and good. 2nd rate soil.
	North between Sections 23 and 24. Va. 11° 45' East.
20.00	Post in mound for 1/16 Sec. Corner.
21.15	Brook 3 lks wide, running N. E.
40.00	Post in mound for 1/4 Sec. Corner.
42.10	Brook 5 links wide, running E.
60.00	Post in mound for 1/16 Sec. Corner.
74.41	Intersect the line between the Omaha and Winnebago Reservations 16.11 chains West of Station 1. and at the point of intersection set post, built mound, dug two pits and deposited charcoal for corner to Sections (fractional) 23 and 24.
80.00	Post in mound for Corner of Sections 13 and 14. 23 and 24. Rolling prairie; 2nd rate soil.
	East on a random line between Sections 13 and 24. Va. 11° 30' E.

Winnebago Res Line

Winnebago Reserve

Winnebago Indian Reservation.

Township 26. N. R. 8. E. the 6th P. M.

Chains.	
40.00	Temporary ¼ Sec. corner.
44.25	Omaha Creek, 15 lks wide; running N.
79.70	Intersect Guide meridian 45 links North of corner of Sections 13 & 18, 19 & 24, from which corner & run North 89°.41' West, on a true line between Sections 13 & 24. Va, 11° 30' East.
39.85	Post in mound for ¼ Sec. Corner.
79.70	The corner of Sections 13 and 14, 23 & 24.
	Rolling prairie: 1st rate and good 2nd rate soil. June, 19th 1867.
	North between Sec's. 13 and 14, Va, 11° 30' East.
17.00	A brook 4 lks wide, running E.
40.00	Post in mound for ¼ Sec. Corner.
80.00	Post in mound for corner to Sec's, 11, 12, 13 & 14.
	Rolling Prairie: 1st & 2nd rate soil.
	East on a random line between Sec's. 12 & 13. Va, 11° 30' E.
5.00	Enter Omaha Creek bottom, bearing N & S.
22.40	Omaha Creek: 30 links wide and 4 feet deep; has steep banks and when swollen by rains is 150 links wide and 15 feet deep.
39.50	Leave Omaha Creek bottom bearing North and South.
40.00	Temporary Post for ¼ Sec. Corner.
79.73	Intersect Guide Meridian 30 links N. of corner of Sections 12, 13, 17 & 18 from which corner & run North 89°.47' West between Sec's. 12 and 13.
39.87	Post in mound for ¼ Sec. Corner.
79.73	The corner to Sec's. 11, 12, 13 & 14. Rolling prairie & Creek bottom. 1st and good 2nd rate soil.

6.
125

Winnebago Reservation.

Township 26. N. R. 8. E. th 6th P M.

Chains	
	North between Sections 11 & 12. Va. 11° 45' East.
5.00	Enter Omaha Creek bottom, bearing N. W. & S. E.
40.00	Post and mound for ¼ Sec. corner.
67.50	Brook 10 links Wide, running East.
80.00	Post in mound for corner to Sec's. 1. 2, 11 & 12, Rolling Prairie and 1st & and good 2nd rate soil.
	East on a random line between Sections 1 & 12. Va. 11° 30' East.
10.50	Omaha Creek 30 links wide, running North
27.50	Enter plowed field, bearing N.W. & S. E.
34.50	Board fence, bearing N. 23° W & S. 23° E.
40.00	Temporary ¼ Sec. corner,
52.00	Brook 8 links Wide, running S.W.
57.00	Road - bearing N.W. & S.E.
79.50	Intersect Guide Meridian at corner to Sections, 1, 6, 7 and 12. from which corners run West on a true line between Sec's 1 and 12. Va. 11° 30' E.
39.75	Post in mound for ¼ Sec. Corner,
79.50	The corner to Sections 1 and 2, 11 and 12, Creek bottom and moderately rolling prairie. 1st rate soil,
	North on a random line between Sec's. 1 and 2. Va. 12° East,
5.00	Enter Omaha Creek bottom, bearing N.W. & S. E.
40.00	Temporary ¼ Sec. corner,
41.15	Omaha Creek 20 links wide, 4 feet deep, running N.W. Banks 1 Chain wide, and 25 feet high and abrupt. bottom muddy and full of quicksands.

Winnebago and Omaha Reservation

Town 26. N. Range 8. East the 6th P. M.

Chains	
79.82	Intersect Township line 88 links East of corner of Sections 1. 2. 35 and 36. from which corner run South 0° 38' East on a true line between Sec's. 1 and 2. Va. 12° E.
39.82	Post and mound for ¼ Sec. Corner.
79.82	The corner of Sec's 1. 2. 11 and 12. Nearly level bottom; 1st rate soil. June 15th 1867.

Omaha Indian Reserve

North between Sec's 34 and 35. Va. 11° 45' East.

20.00	Post in mound for ¼ Sec. Corner.
40.00	Post in mound for ¼ Sec. corner.
60.00	Post in mound for ¼ Sec. Corner.
80.00	Post in mound for the corner of Sec's. 26. 27. 34 and 35. Rolling Prairie: good. 2nd rate soil.

East between Sections 26 and 35. Va. 11° 45' East.

20.00	Temporary ¼ Sec. Corner.
40.00	Temporary ¼ Sec. Corner.
60.00	Temporary ¼ Sec. Corner.
79.28	Intersect the O. & S. line 40 lks South of the corner of Sec's 25 & 26. and 35 & 36 from which corners run South 89° 45' West on a true line between Sec's 26 and 35. Va. 11° 45' East.
19.82	Post and mound for ¼ Sec. Corner.
39.64	Post and mound for ¼ Sec. Corner
59.46	Post and mound for ¼ Sec. Corner.
79.28	The corner of Sec's. 25. 26. 35 & 36. Rolling Prairie: 1st and 2nd rate soil.

North between Sections 26 & 27. Va. 12. East.

8
127

Omaha Indian Reservation.

Township 26. N. Range 8 East the 6th P.M.

Chains	
	Post and mound for ½ Sec. Corner.
20.00	Post and mound for ¼ Sec. Corner.
40.00	Brook 2 lks wide, running East.
50.56	Brook 4 links wide, running S.E.
56.00	Post and mound for ½ Sec. Corner.
60.00	Post and mound for corner to
80.00	Sections 22. 23. 26 and 27.
	Rolling prairie. 2nd rate soil.
	East on a random line between
	Sections 23 and 26.
	Va. 12° East.
20.00	Temporary ½ Sec. Corner.
40.00	Temporary ¼ Sec. Corner.
42.00	Brook 2 links wide, running N.E.
60.00	Temporary ½ Sec. Corner.
64.25	Brook 4 links wide, running S.E.
70.00	Brook 4 links wide, running N.E.
80.08	Intersect the North and South
	line 80 links South of corner of
	Sections 23, 24, 25 & 26. from which
	corner I run
	South 89°47' West on a true
	line between Sections 23 and 26.
	Va. 12° East.
20.02	Post in mound ½ Sec. Corner.
40.04	Post in mound for ¼ Sec. Corner
60.06	Post in mound for ½ Sec. Corner.
80.08	The corner of Sections 22. 23. 26 & 27.
	Rolling prairie; good. 2nd
	rate soil. Scattering timber on
	creeks.
	North between Sections 22 & 23.
	Va. 12° 20' East.
20.00	Post in mound for ½ Sec. Corner.
40.00	Post in mound for ¼ Sec. Corner.
60.00	Post in mound for ½ Sec. Corner.
Winnebago Res line 74.52	Intersect the line between the Omaha & Winnebago Reservations. 16.15 chains West of Station 8. and at the point of intersection, set

Winnebago Reservation.

Township 26. N. Range 8. E. the 6th P. M.

Chains

post, built mound, dug two pits and deposited charcoal for corner to fractional Sections 22 and 23.

80.00 Post in mound for corner of Winnebago Reserve Sections. 14, 15, 22 and 23.
Rolling prairie, 2nd rate soil.

East on random line between Sections 14 and 23.
Va. 12° East.

40.00 Temporary ¼ Sec. Corner.
79.96 Intersect North and South line 40 links South of the corner of Sections 13, 14, 23 & 24, from which corner I run
South 89° 43' West on a true line between Sections 14 & 23.
Va. 12° East.

39.98 Post in mound for ¼ Sec. corner.
79.96 Post in mound for corners of Sections 14, 15, 22 & 23
Rolling prairie, good 2nd rate soil.

North between Sections 14 & 15.
Va. 12° East.

40.00 Post in mound for ¼ Sec. Corner.
61.75 Brook 4 links wide, running East.
80.00 Post and mounds for corners of Sections. 10, 11, 14 & 15.
Rolling Prairie; good. 2nd rate soil.

East on a random line between Sections 11 and 14.
Va. 11° 30' East.

40.00 Temporary ¼ Sec. Corner.
80.48 Intersect N & S. line 60 links North of corners of Sections 11, 12, 13 & 14, from which corner I run
North 89° 34' West

10.
129 Winnebago Reservation

Township 26 N. R. 8 E. 6th P. M.

Chains	
	on a true line between Sections 11 and 14. Va. 11° 30' East.
40.24	Post in mound for ¼ Sec. Corner
80.48	The corner of Sections 10. 11. 14 & 15. Rolling Prairie: 2nd rate soil.
	North between Sec's 10 & 11. Va. 11° 45' East.
40.00	Post in mound for ¼ Sec. corner.
75.20	Brook 3 links wide, running N. E.
80.00	Post in mound for corner of Sections 2. 3. 10 & 11. Rolling prairie & 2nd rate soil.
	East on random line between Sections 2 & 11. Va. 11° East.
9.75	Brook 3 links wide, running N. E.
23.90	Brook 8 links wide, running S. E. Scattering timber on right bank
40.00	Temporary ¼ Sec. Corner,
80.16	Intersect A & S. line 20 links North of corner of Sections. 1. 2. 11. 12. from which corner & run. North 89° 15' West on a true line between Sections 11 and 2. Va. 11° East.
40.08	Post in mound for ¼ Sec. corner.
80.16	The corner of Sections 2. 3. 10 & 11. Rolling Prairie: 2nd rate soil.
	North on a random line between Sec's. 2 and 3. Va. 11° 45' East.
24.20	Creek 8 links Wide, running S.E.
40.00	Temporay ¼ Sec. Corner.
79.96	Intersect North Boundary of Township 52 links East of the corner of Sec's 2. 3. 34 and 35. from

Township 26. N. R. 8. E. 6th P. M.

Chains	
	which corner I run South 0° 22' East on a true line between Sections 2 & 3.
29.96	Post in mound for ¼ Sec. corner.
79.96	The corner of Sections 2. 3. 10 & 11. Rolling prairie — 2nd rate soil. June 17. 1867
	North between Sections 33 and 34. Va. 12° East.
15.00	Enter Creek bottom bearing N.W. & S.E.
20.00	Post in mound for ¼ Sec. Corner.
20.80	Break 3 links wide, running East.
21.50	Creek 10 lks wide, running S.E.
37.50	Leave creek bottom, bearing N.W. & S.E.
40.00	Post in mound for ¼ Sec. Corner.
60.00	Post in mound for ¼ Sec. Corner.
80.00	Post in mound for corner of Sections 27. 28. 33 and 34. Rolling prairie and creek bottom. 1st and good 2nd rate soil.
	East on random line between Sec's. 27 and 34. Va. 12° East.
20.00	Temporary ¼ Sec. Corner.
40.00	Temporary ¼ Sec. Corner.
60.00	Temporary ¼ Sec. Corner.
79.80	Intersects North and South line 56 links South of corner of Sections 26 - 27. 34 and 35. from which corner I run South 89° 36' West on a true line between Sections 27 & 34. Va. 12° East.
19.95	Post in mound for ¼ Sec. corner.
39.90	Post in mound for ¼ Sec. Corner.
59.85	Post in mound for ¼ Sec. Corner.
79.80	The corner of Sections 27. 28. 33 & 34. Rolling prairie; good second rate soil.

Copied on following page

Omaha Indian Reservation.

Town 26. N. Range 8 East the 6th P. M.

Chains	
	East on random line between Sections 27 and 34. Va. 12° East.
20.00	Temporary 1/16 Sec. Corner.
40.00	Temporary 1/4 Sec. Corner.
60.00	Temporary 1/16 Sec. corner.
79.80	Intersects North and South line 56 links South of corner of Sections 26. 27. 34 and 35 from which corners run South 89° 36' West on a true line between Sec's 27 & 34. Va. 12° East.
19.95	Post in mound for 1/16 Sec. Corner.
39.90	Post in mound for 1/4 Sec. Corner.
59.85	Post in mound for 1/16 Sec. Corner.
79.80	The corner of Sections 27. 28. 33 & 34. Rolling Prairie. Good 2nd Rate soil.
	North between Sections 27 & 28. Va. 12° 30' East.
20.00	Post in mound for 1/16 Sec. Corner. no coal.
40.00	Post in mound for 1/4 Sec. Corner.
60.00	Post in mound for 1/16 Sec. Corner.
80.00	Post in " " corner to Sec's. 21. 22. 27 & 28. Rolling Prairie: 2nd rate soil.
	East on random line between Sections 22 and 27. Va. 12° 30' East.
20.00	Temporary 1/16 Sec. Corner.
40.00	Temporary 1/4 Sec. Corner.
57.50	Enter Creek bottom bearing N.W. & S.E.
60.00	Temporary 1/16 Sec. Corner.
65.50	Creek 4 links wide, running S.E.
71.50	Leave Creek bottom, bearing N.W. & S.E.
79.80	Intersect N & S. line 44 links North of corner to Sections 22. 23. 26 and 27.

Omaha and Winnebago Reservations.

Town 26 North. Range 8. E. th 6th P. M.

Chains	
	from which corner I run North 89° 41' West on a true line between Sections 22 & 27. Va. 12° 30' East.
19.95	Post in mound for 1/16 Sec. Corner.
39.90	Post in mound for 1/4 Sec. Corner.
59.85	Post in mound for 1/16 Sec. Corner.
79.80	The corner of Sections 21. 22. 27 & 28. Rolling prairie & creek bottom. 1st rate and good 2nd rate soil.
	North between Sec's. 21 & 22. Va. 12° 30' East.
20.00	Post in mound for 1/16 Sec. Corner.
40.00	Post in mound for 1/4 Sec. Corner.
60.00	Post in mound for 1/16 Sec Corner.
74.49	Intersects the line between the Omaha and Winnebago Reservations. 16.30 chains West of Station 9. and at the point of intersection set post, built mound, dug two pits and deposited charcoal for corner to fractional Sections 21 and 22. Winnebago Res Surv
80.00	Post in mound for corner of Sections 15. 16. 21 and 22. Winnebago Reserv. Rolling Prairie — 2nd rate soil.
	East on random line between Sections 15 and 22. Va. 12° 10' East.
40.00	Temporary 1/4 Sec. Corner.
80.06	Intersect North and South line 40 lks South of corner to Sections 14. 15. 22 and 23. from which corner I run South 89° 43' West on a true line between Sec's. 15 and 22. Va. 12° 10' E.
4003	Post in mound for 1/4 Sec. Cor.
80.06	The corner of Sec's. 15. 16. 21 & 22.

133 Winnebago Indian Reservation.

Township 26. N. R. 8 E. 6th P. M.

Chains	
	Rolling prairie: 2nd rate soil.
	North between Secs 15 and 16.
	Va. 12° 30' East.
40.00	Post in mound for ¼ Sec. Corner.
61.75	Brook 2 links wide, running E.
80.00	Post in mound for corner to Sections 9. 10. 15 and 16.
	Rolling prairie: 2nd rate soil.
	East on random line between Sections 10 and 15.
	Va. 12° E.
20.10	Brook 2 links wide, running S.E.
40.00	Temporary ¼ Sec. Corner.
79.80	Intersect North and South line 20 links North of corner to Sections 10, 11, 14 and 15. from which corner & run
	North 89° 52' West on a true line between Sections 10 & 15.
	Va. 12° East.
39.90	Post in mound for ¼ Sec. Corner.
79.80	The corners of Sections 9-10-15 and 16.
	Rolling prairie. 2nd rate soil.
	North between Sections 9 & 10.
	Va 11° 55' East.
40.00	Post in mound for ¼ Sec. Corner
80.00	Post in mound for corner to Sections 3. 4. 9 & 10.
	Rolling prairie; 2nd rate soil.
	East on a random line between Sec's 3 and 10.
	Va. 11° 30' East.
40.00	Temporary ¼ Sec. Corner.
80.12	Intersect North and South line 38 links North of corner of Sections 2-3-10 & 11 from which corner & run

Winnebago Indian Reservation.

Township 26 N. R. 8 E. the 6th P. M.

Chains	
	North 89° 44' West on a true line between Sections 3 & 10. Va. 11° 30' East.
40.06	Post in mound for corner of ¼ Section.
80.12	The corner of Sections 3, 4, 9 & 10. Rolling Prairie: 2nd rate soil.
	North on a random line between Sections 3 and 4. Va. 11° 55' East.
40.00	Temporary ¼ Sec. Corner.
79.70	Intersects the North Boundary of township 68 links East of corner 3 Sections 3. 4. 33 & 34. from which corner 3 run South 0° 28' East on a true line between Sec's 3 & 4.
39.70	Post in mound for ¼ Sec. Corner.
79.70	The corner 3 Sec's. 3. 4. 9 & 10. Rolling Prairie: 2nd rate soil. Jun. 18th 1867.

Omaha Indian Reserve

North between Sec's 32 and 33. Va. 12° 40' East.

20.00	Post in mound for ¼ Sec Corner.
40.00	Post in mound for ¼ Sec. Corner.
57.10	Brook 2 links wide, running N. E.
58.50	Brook 2 " " running N.W.
60.00	Post in mound for ¼ Sec. Corner.
68.50	Brook 8 links wide, running E.
80.00	Post in mound for corner to Sections 32. 33. 28 and 29. Rolling Prairie: good. 2nd rate soil.
	East on a random line between Sections 28 and 33. Va. 12° East.
20.00	Temporary ¼ Sec. Corner.
33.50	Brook 4 links wide, running N.E.
40.00	Temporary ¼ Sec. Corner.
41.00	Enter Creek bottom, bearing N.W. & S.E.
52.70	Creek 10 links wide, running S.E.

Omaha Indian Reservation.

Town 26. North, Range 8 East the 6th P M,

Chains	
5'3.00	Leave Creek Bottom, bearing N.W. & S.E.
60.00	Temporary 1/16 Sec. Corner.
80.80	Intersect North and South line 15 links South of corner to Sections 27. 28. 33 and 34, from which corner I run South 89 34' West on a true line between Sections 28 and 33. Va. 12° East.
20.20	Post in mound for 1/16 Sec. corner
40.40	Post in mound for 1/4 Sec. corner,
60.60	Post in mound for 1/16 Sec. Corner
80.80	The corner to Sections 28. 29. 32 and 33. Rolling Prairie; 1st rate and good 2nd rate soil.
	West on a random line between Sec's 29 and 32. Va 12° E.
20.00	Temporary 1/16 Sec. Corner.
40.00	Temporary 1/4 Sec. Corner.
41.38	Intersect West boundary of Township 15 links South of corner to Sec's. 29. 32. 28 & 33. from which corner I run South 89° 47' East on a true line between Sec's. 29 & 32. Va. 12° E.
1.38	Post in mound for 1/4 Sec. Corner
21.38	Post in mound for 1/16 Sec. corner,
41.38	The corner to Sec's. 28. 29. 32 & 33. Rolling prairie: good 2nd rate soil.
	North between Sec's. 28 and 29. Va. 12° E.
20.00	Post in mound for 1/16 Sec. corner.
40.00	Post in mound for 1/4 Sec. corner
58.00	Intersect creek; at same place Enter Creek bottom, bearing South East.

Omaha Indian Reservation.

Town 26 North Range 8. East the 6th P. M.

Chains	
60.00	Post in mound for 1/16 Sec. Corner
80.00	Post in mound for corner to Sections 20. 21. 28 and 29. Rolling prairie and bottom 1st and good 2nd rate soil.
	East on a random line between Sections 21 and 28. Va. 12° East.
15.50	Leave Creek bottom bearing North 15° West and South.
20.00	Temporary 1/16 Sec. Corner.
40.00	Temporary 1/4 Sec. corner.
60.00	Temporary 1/16 Sec. Corner.
80.90	Intersect South and South line 48 links South of corner of Sections 21. 22. 27 and 28. from which corner I run South 89° 40' West.
	on a true line between Sections 21 and 28. Va. 12° East.
20.23	Post in mound for 1/16 Sec. corner.
40.48	Post in mound for 1/4 Sec. Corner.
60.67	Post in mound for 1/16 Sec. corner.
80.90	The corner of Sections 20. 21. 28 and 29. Bottom land and rolling prairie. 1st and 2nd rate soil.
	West on a random line between Sec's 20 and 29. Va. 12° East.
20.00	Temporary 1/16 Sec. Corner.
26.50	Creek 10 links wide, running S.E.
40.00	Temporary 1/4 Sec. Corner.
41.29	Intersect West boundary of Township at corner of Sections 20. 29. 24 and 25 from which corner I run East on a true line between Sections 20 and 29.

18.
137

Omaha Indian Reservation.

Township 26. N. Range 8. E. 6th P. M.

Chains	
	Va. 12° East.
1.29	Post in mound for ¼ Sec. corner.
21.29	Post in mound for ½ Sec. corner.
41.29	The corner of Sections 20-21-28 and 29.
	Level bottom - 1st rate soil.
	North between Sec's 20 and 21.
	Va. 11° 40' East.
20.00	Post in mound for ½ Sec. Corner.
40.00	Post in mound for ¼ Sec. Corner.
60.00	Post in mound for ½ Sec. corner.
75.20	Intersect the line between the Omaha and Winnebago Reservations 17 chains. 16 links West of Station 10, and at the point of intersection set post in mound, dug two pits and deposited charcoal for corner to fractional Sections 20 and 21.
	Winnebago Reserve
80.00	Post in mound for corner to Sections 20 and 21, 16 and 17.
	Rolling prairie & bottom.
	1st and good 2nd rate soil.
	East on a random line between Sections 16 and 21.
	Va. 12° East.
40.00	Temporary ¼ Sec. Corner.
80.66	Intersect North and South line 14 links South of corner of Sections 15-16-21 and 22 from which corner 8 runs
	South 89° 54' West on a true line between Sec's 16 & 21.
	Va. 12° E.
40.33	Post in mound for ¼ Sec. Corner.
80.66	The corner of Sections 16, 17, 20 and 21.
	Rolling prairie; 2nd rate soil.

Winnebago Res Fine

Winnebago Indian Reservation.

Township 26. N. R. 8 E. the 6th P.M.

Chains	
	West on a random line between Sections 17 and 20. Va. 12° East.
41.20	Intersect West boundary of the Township 27 links North of corner of Sections 17. 20. 13. and 24. from which corner I run
	North 89° 37' East on a true line between Sec's. 17 and 20. Va. 12° E.
41.20	The corner of Sections 16-17. 20 and 21.
	Rolling Prairie. good. 2nd rate soil.
	North between Sec's. 16 & 17. Va. 11° 45' East.
40.00	Post and mound for ¼ Sec. corner.
80.00	Post and mound for corner to Sections S. 9. 17 and 16.
	Rolling Prairie. 2nd rate soil.
	East on random line between Sec's 9 and 16. Va. 11° 35' East.
40.00	Temporary ¼ Sec. Corner.
80.48	Intersect North and South line 22 links North of corner of Sections 9. 10, 15 and 16. from which corner I run
	North 89° 30' West on a true line between Sec's. 9 & 16. Va. 11° 35' East.
40.24	Post and mond for ¼ Sec. Corner.
80.48	The corner of Sec's. S. 9. 16 & 17.
	High rolling Prairie. 2nd rate soil.
	West on a random line between Sections 8 and 17. Va. 11° 35' East.
17.30	Enter ravine 1 chain 30 links wide bearing North and South.

Winnebago Indian Reservation

Township 26. N. R. 8. E. the 6th P. M.

Chains	
18.60	Leave ravine.
40.24	Intersect west boundary of township 13 links South of corner of Sections 8. 12. 13 and 17. from which corner I run South 89° 49' East on a true line between Sec's. 8 and 17. Va. 11° 25' East.
40.24	The corner of Sections 8. 9. 16 & 17. Rolling Prairie. Good 2nd rate soil.
	North between Sections 8 & 9. Va. 11° 25' East.
40.00	Post in mound for 1/4 Sec. Corner
64.00	Enter Slough, running N.W. & S.E.
76.00	Leave Slough, bearing " N.W. & S.E.
80.00	Post in mound for corner to Sections 4. 5. 8 & 9. Rolling Prairie: 2nd rate soil.
	East on a random line between Sections 4 and 9. Va. 11° 15' East.
17.00	Enter meadow bearing S.E. & N.W.
21.00	Leave meadow, bearing S.E. & N.W.
32.00	Enter meadow, " S.W. & N.E.
38.00	Leave " " " " " " "
40.00	Temporary 1/4 Sec. Corner.
80.40	Intersect North and South line 78 lks North of corner to Sections 3. 4. 9 and 10. from which corner I run North 89° 27' West on a true line between Sections 4 and 9. Va. 11° 15' East.
40.20	Post and mound for 1/4 Sec. Corner
80.40	The corner to Sections 4. 5. 8 & 9.

Winnebago Reservation.

Town 26 N. R. 8. E. the Sixth P. M.

Chains	
	West on a random line between Sec's 5 and 8. Va. 11° 30' East
40.00	Intersect west boundary of township 44 links North of corner to Sections 5. 8. 7 & 12. from which corner 8 run North 8 9° 22' East.
	on a true line between Sections 5 and 8. Va. 11° 30' East.
40.00	The corner to Sections 5. 8. 4 & 9. Rolling prairie. 2nd rate soil. June. 19th 1867.
	North on a random line between Sec's. 4 and 5. Va. 11° 30' East.
40.00	Temporary 1/4 Sec. corner.
79.10	Intersect North Boundary of Township 15 links West of corner of Sections 4. 5. 32 & 33. from which corner I run South 0° 6' West on a true line between Sec's. 4 & 5.
39.10	Post in mound for 1/4 Sec. corner.
79.10	The corner to Sec's 4. 5. 8 & 9. Rolling prairie. 2nd rate soil. June. 20. 1867.

Omaha Indian Reserve

Subdivision of Sections

Subdivision of Sec. 36.

North on the quarter Section line through Sec. 36. Va. 11° 30' East.

20.00	Post in mound for 1/16 Sec. corner.
40.00	Post in mound for 1/4 Sec Corner

Omaha Indian Reservation.

Township 26 N. R. 8. E. 6th P M

Chains	
60.00	Post in mound for 1/16 Sec. Cor.
74.50	Brook 4 links wide, running W.
80.00	Intersect the North side of Sec. at the 1/4 Sec. Corner.
	Rolling Prairie: good 2nd rate soil.
	East on a random line through Sec. 26. Va. 11° 30' E.
20.00	Temporary 1/16 Sec. Cor.
20.50	Omaha Creek, 15 links wide, running N.
25.00	Leave Creek Bottom, bearing N 7 E.
40.07	Intersect North and South 1/4 Sec. line.
60.00	Temporary 1/16 Sec. Corner.
80.15	Intersect E. line of Sec. 26. at 40 links North of the 1/4 Sec. Corner, from which corner I run
	North 89° 43' West on a true 1/4 Sec line through Section 26. Va. 11° 30' East.
20.04	Post in mound for 1/16 Sec. Corner.
40.08	Intersect North and South quarter Sec. line at the quarter Sec. corner.
60.12	Post in mound for 1/16 Sec. Corner.
80.15	The 1/4 Sec. corner on the West side of the Section.
	Rolling prairie and bottom. 1st rate and good 2nd rate soil.
	June. 14th 1867.
	Subdivision of Sec. 25.
	North on quarter Sec. line through Sec. 25.
	Va. 11° East.

Omaha Indian Reservation.

Town 26 N. R. 8 E. 6th P. M.

Chains	
15.00	Leave bottom bearing N.W. & S.E.
20.00	Post in mound for 1/16 Sec. Corner.
28.00	Enter Creek bottom.
40.00	Post in mound for 1/4 Sec. Corner.
60.00	Post in mound for 1/16 Sec. Corner.
80.00	Intersect the North side of the Section at the quarter Sec. Corner. Rolling Prairie & Creek bottom. 1st & 2nd rate soil.
	East on a random line through Sec. 25. Va. 11° 20' East.
20.00	Temporary 1/16 Sec. Corner.
21.10	Intersects Omaha Creek 12 lks wide, running North and enter creek bottom.
40.02	Intersect N. & S. 1/4 Sec. line.
45.00	Leave creek bottom.
60.00	Temporary 1/16 Sec. corner.
80.06	Intersect the E. line of Sec. 25. at the 1/4 Sec. corner, from which corner run West on a true quarter Sec. line through Sec. 25.
20.02	Post in mound for 1/16 Sec. Cor.
40.02	Intersect N. & S. 1/4 Sec. line at the 1/4 Sec. corner.
60.05	Post in mound for 1/16 Sec. Corner.
80.06	The quarter Section corner on the West side of the Section. Rolling Prairie and bottom. 1st and 2nd rate soil.
	Subdivision of Sec. 24. North on the quarter sec line through Sec. 24. Va. 11° 55' East.
7.00	Leave Creek bottom, bearing

24.
143

Omaha Indian Reservation.

Township 26 N. R. 8. E. 6th P. M.

North West and South East.

2.00	Post in mound for 1/16 Sec. Corner.
40.00	Post in mound for 1/4 Sec. Corner.
60.00	Post in mound for 1/16 Sec. Corner.
65.60	Omaha Creek. 12 links wide, running N.E.
74.50	Intersect line between Omaha and Winnebago Reservations at which point I set post in mound dug three pits and deposited charcoal for corner to fractional 1/4 Section. Rolling prairie and bottom. 1st. and 2nd rate soil.
	East on random line through Sec. 24. Va. 11° 30' East.
16.40	Omaha Creek 8 links wide, running N.E. Timber on right bank extending 30 chains S. and is from 1 to 3 chains wide.
20.00	Temporary 1/4 Sec. Corner.
37.89	Intersect N. & S. 1/4 Sec. line.
60.00	Temporary 1/4 Sec. Corner.
68.00	Head of belt of timber bearing N. 45° W. is 10 chains wide and 30 chains long to the creek.
79.77	Intersect the East line of Sec. 24 at 20 lks N. of the quarter Section corner from which point I run North 89° 52' West on a true 1/4 Sec. line through Sec. 24. Va. 11° 30' East.
19.94	Post in mound for 1/4 Sec. Corner.
39.88	Intersect North and South quarter Sec. line at the quarter Section corner.

Omaha Indian Reservation.

Town. 26. N. R. 8. E. the 6th P. M.

Chains	
59.81	Post in mound for ¼ Sec. corner.
79.77	The quarter section corner on the West line of the Section.
	Rolling Prairie: 2nd rate soil.
	Subdivision of Sec. 35.
	North on the quarter Sec. line through Sec. 35.
	Va. 1 20' East.
20.00	Post in mound for ¼ Sec. Corner.
40.00	Post in mound for ¼ Sec. corner.
60.00	Post in mound for ¼ Sec. Corner.
80.00	Intersect the North side of the Section at the quarter Sec. corner.
	Rolling. 2nd rate Prairie.
	East on a random line through Sec. 35.
	Va. 12° East.
20.00	Temporary ¼ Sec. Corner.
39.82	Intersect N. & S. ¼ Sec. line.
60.00	Temporary ¼ Sec. corner.
76.00	Enter Creek bottom, bearing North and South.
79.64	Intersect the East line of the Section 35 — ten links North of the quarter Sec. Corner from which point a run North 89° 56' West on a true quarter Sec. line through Sec. 35.
	Va. 12° East.
19.91	Post in mound for ¼ Sec. Corner
39.82	Intersect North and South quarter Sec. line at the quarter Section corner.
59.73	Post in mound for ¼ Sec. corner.
79.64	The quarter Sec. corner on the

26.
145

Omaha Indian Reservation.

Town. 26. N. R. 8 E. of the 6th P. M.

West side of the Section.
Rolling Prairie. 2nd rate soil
June. 15th 1867.

Subdivision of Sec. 26.

North on the quarter Sec.
line through Sec. 26.
Va. 11° 52' East.

20.00	Post in mound for 1/16 Sec. Corner.
22.90	Creek 4 links wide, running S.E.
40.00	Post in mound for 1/4 Sec. Corner.
60.00	Post in mound for 1/16 Sec. corner.
79.00	Creek 2 links wide, running E.
80.00	Intersect the North line of the Section at the quarter Sec. Corner.

Rolling Prairie: 2nd rate soil.

East on a random line
through Sec. 26.
Va. 12° East.

20.00	Temporary 1/16 Sec. corner.
20.50	Creek 4 links wide, running South East.
39.83	Intersect North and South quarter Sec. line.
60.00	Temporary 1/16 Sec. Corner.
79.68	Intersect the East line of Sec. 26. — 20 links South of the quarter Sec. corner from which point I run

South 89° 47' West on
a true 1/4 Section line
through Sec. 26.

19.91	Post in mound for 1/16 Sec. Cor.
39.82	Intersect the North and South quarter Sec. line at the 1/4 Sec. corner.

Omaha Indian Reservation.

Town 26 N. R. 8. E. the 6th P M.

Chains	
5 9.73	Post in mound for 1/16 Sec corner
79.65	The quarter section corner on the West line of the Section. Rolling Prairie: 2nd rate soil.

Subdivision of Sec. 23.

North on the quarter Sec. line through Sec. 23.
Va. 12° East.

20.00	Post in mound for 1/16 Sec. corner.
40.00	Post in mound for 1/4 Sec. Corner.
60.00	Post in mound for 1/16 Sec. corner.
66.75	Creek 1 link wide, running E.
74.32	Intersect line between Omaha and Winnebago Reservations at which point I set post in mound, dug two pits and deposited charcoal for corner to fractional 1/4 Sections. Rolling Prairie. 1st & 2nd rate soil.

East on a random line through Sec. 23
Va. 12° East.

20.00	Temporary 1/16 Sec. Corner
40.01	Intersect North and South quarter Sec. line.
60.00	Temporary 1/16 Sec. corner.
80.02	Intersect the East line of Sec. 23. 47 links South of quarter Section corner from which point I run South 89° 40' West on a true quarter Section line through Sec. 23.
20.00	Post in mound for 1/16 Sec. corner.
40.01	Intersect North and South

Omaha Indian Reservation.

Town 26 N. Range. 8. E. 6th P. M.

Chains	
	quarter Section line at the quarter Section corner.
60.01	Post in mound for ¼ Sec. Corner.
80.02	The quarter Section corner on the West line of the Section. Rolling prairie. 1st and 2nd rate soil.
	June, 17th 1867.

Subdivision of Sec. 24.

North on the quarter Sec. line through Sec. 24.
Va. 11° 55' East.

10.00	Leave Creek bottom, bearing N. W. and S. E.
20.00	Post in mound for ¼ Sec. Corner.
40.00	Post in mound for ¼ Sec. Corner.
60.00	Post in mound for ¼ Sec. Corner.
80.00	Intersect the North line of the Section at the quarter Section corner. Rolling prairie and creek bottom, 1st and good 2nd rate soil.

East on a random line through Sec. 24
Va. 12° East.

20.00	Temporary ¼ Sec. Corner.
39.75	Intersect North and South quarter Sec. line.
60.00	Temporary ¼ Sec. corner.
79.90	Intersect the East line of Sec. 24 — 18 links South of quarter Sec. corner from which point I run South 89° 52' West on a true quarter Sec.

Omaha Indian Reservation.

Town 26 N. R. 8 E the 6th P. M.

Chains	
	line through Sec. 34.
	Va. 12° East.
19.97	Post in mound for 1/16 Sec. corner.
39.95	Intersect North and South quarter Sec. line at the quarter Sec. corner.
59.92	Post in mound for 1/16 Sec. corner.
79.90	The quarter Sec. corner on the West line of the Section.
	Rolling Prairie: 2nd rate soil.
	Subdivision of Sec. 27.
	North on the 1/4 Sec. line through Sec. 27.
	Va. 12° 20' East.
20.00	Post in mound for 1/16 Sec. corner.
40.000	Post in mound for 1/4 Sec. corner.
60.000	Post in mound for 1/16 Sec. corner.
80.00	Intersect the North line of the Section at the quarter Sec. corner.
	Rolling Prairie: 2nd rate soil.
	East on a random line through Sec. 27.
	Va. 12° 15' East.
20.00	Temporary 1/16 Sec. corner.
39.90	Intersect North and South quarter Sec. line.
60.00	Temporary 1/16 Sec. corner.
64.00	Enter Creek bottom, bearing N. E. and S. W.
67.00	Brook 2 links wide, running North East.
70.00	Leave creek bottom, bearing N. E. and S. W.
79.80	Intersect the East line of Sec. 27. 23 links North of quarter Sec. corner from which point a

30.
149

Omaha Indian Reservation

Town 26. N. R. 8. E. th 6th P. M.

Chains	
	run North 89° 30' West on a true quarter Sec. line through Sec. 27. Va. 12° 15' East.
19.95	Post in mound for ¼ Sec. corner.
39.90	Intersect North and South quarter Sec. line at the quarter Section corner.
59.85	Post in mound for ¼ Sec. corner.
79.80	The quarter Sec. corner on the West line of the Section.

Rolling prairie, 2nd rate soil.

Subdivision of Section 22.

North on the quarter Sec. line through Sec. 22. Va. 12° 29' East.

20.00	Post in mound for ¼ Sec. corner.
40.00	Post in mound for ¼ Sec. corner.
48.00	Brook 2 links wide, running S.E.
60.00	Post in mound for ¼ Sec. corner.
74.22	Intersect the line between the Omaha and Winnebago Reservations at which point I set post, built mound, dug two pits and deposited charcoal for corner to fractional ¼ Sec.

Rolling prairie. 2nd rate soil.

East on random line through Section 22. Va. 12° E.

20.00	Temporary 1/16 Sec. Corner.
39.76	Intersect North and South quarter Sec. line.

Omaha Indian Reservation.

Town 26. N. R. 8. E. 6th P M.

Chains	
42.50	Brook 2 links Wide, running S. E.
59.96	Temporary ¼ Sec. corner.
79.93	Intersect the East line of Sec. 22. — 28 links South of quarter Sec. corner. from which point I run South 89° 45' West on a true quarter Sec. line through Sec. 22. Va. 12° East.
19.98	Post in mound for ¼ Sec cor.
39.97	Intersect Chatta and South quarter Sec. line at the ¼ Sec. Corner.
59.95	Post in mound for ¼ Sec. Corner.
79.93	The quarter Sec. Corner on the West line of the Section. Rolling Prairie. 2nd rate soil. June 18th 1867.

Subdivision of Sec. 33.
Va. 12° East.

North on the quarter Sec. line through Sec. 33.

2000	Post in mound for ¼ Sec. Cor.
4000	Post in mound for ¼ Sec. corner.
60.00	Post in mound for ¼ Sec. Corner.
80.00	Intersect the Chatta line of the Section at the quarter Section corner. Rolling Prairie 1st and 2nd rate soil.

East on a random line through Section 33.
Va. 12° 20' East.

2000	Temporary ¼ Sec. Corner.

Omaha Indian Reservation.

Town 26. North. Range 8. E. the 6th P. M.

Chains	
40.20	Intersect North and South quarter Section line.
48.00	Enter Creek Bottom, bearing N.E. South East.
60.00	Temporary 1/16 Sec. Corner.
72.90	Creek 10 links Wide, running S. E. and at same place leave Creek bottom.
80.40	Intersect the East line of Sec. 33. Twenty links South of 1/4 Sec. corner- from which point a run South 89° 52' West on a true quarter Sec. line through Sec. 33. Var. 12° 20' East.
20.10	Post in mound for 1/16 Sec. Corner.
40.20	Intersect North and South quarter Sec. line at the quarter Sec. corner.
60.30	Post in mound for 1/16 Sec. corner.
80.40	The quarter Sec. corner on the West line of the Section. Bottom and prairie; 1st and good 2nd rate soil.

Subdivision of Sec. 28.

North on the quarter Sec. line through Sec. 28.
Var. 12° 20' East.

15.30	Intersect Creek 20 links Wide, running S.E.
20.00	Post in mound for 1/16 Sec. corner.
33.30	Leave creek bottom, bearing N.W. and S.E.
40.00	Post in mound for 1/4 Sec. corner.
45.30	Brook 2 links Wide, running S. W.
60.00	Post in mound for 1/16 Sec. corner.

Omaha Indian Reservation

Town 26 North. Range 8. E. 6th P M.

80.00	Intersect the North line of the Section at the ¼ Sec. corner. Creek bottom and rolling prairie. 1st and good 2nd rate soil.
	East on a random line through Section 28. Va. 12° 30' East.
18.65	Creek 20 links Wide, runs S.E.
20.00	Temporary 1/16 Sec. corner.
29.80	Creek 3 links Wide, running S.W.
37.35	Leave creek bottom, bearing N.W. & S.E.
40.42	Intersect North and South quarter Section line.
60.00	Temporary 1/16 Sec. Corner
80.85	Intersect East line of Sec. 28. 3 links South of quarter Sec. cor. from which point I run South 89° S 8' West on a true quarter Section line through Sec. 28. Va. 12° 30' East.
20.21	Post in mound for ¼ Sec. corner.
40.42	Intersect North and South quarter Sec. line at the ¼ Section corner.
60.64	Post in mound for 1/16 Sec. corner.
80.85	The quarter Section corner on the West line of the Section. Creek bottom and rolling prairie. 1st and good 2nd rate soil.

Subdivision of Section 21.

North on the quarter Sec. line through Sec. 21. Va. 11° 45' East.

20.00	Post in mound for 1/16 Sec. corner
40.00	Post in mound for ¼ Sec. corner.

24.
153

Omaha Indian Reservation.

Town 26 N. Range 8. East the 6th P. M.

Chains	
60.00	Post in mound for 1/16 Sec. Corner.
74.64	Intersect the line between the Omaha and Winnebago Reservations at which point I set post, built mound, dug two pits and deposited charcoal for corner to fractional quarter Section.
	Rolling Prairie. 2nd rate soil.
	East on a random line through Section 21. Va. 11° 45' East.
20.00	Temporary 1/16 Section Corner.
40.39	Intersect North and South quarter Sec line
60.00	Temporary 1/16 Sec. Corner.
80.78	Intersect the East line of Sec. 21— 47 links South of the 1/4 Section corner from which point I run South 89° 40' West on a true quarter Section line through Section 21.
	Va. 11° 45' East
20.19	Post in mound for 1/16 Sec. Corner.
40.39	Intersect North and South 1/4 Sec. line at the quarter Sec. corner.
60.58	Post in mound for 1/16 Sec. Corner.
80.78	The quarter Sec. corner on the West line of the Section.
	Rolling prairie.
	2nd rate soil.
	Subdivision of Fractional Section 22.
	Va. 12° 15' East.
	North on a quarter Section line through Section 22.
20.00	Post in mound for 1/16 Section corner.

Omaha Indian Reservation

G.L. 154

Town 26 N. Range 8. E. of 6th P. M.

Chains	
40.00	Post in mound for ¼ Sec. Corner
60.00	Post in mound for 1/16 Sec. corner.
75.25	Small marshy Creek, runs East.
80.00	Intersect the North line of the Section or the quarter Section corner.
	Rolling Prairie: good. 2nd rate soil.
	West on a random line through Section 22. Va. 11° 45' E.
20.00	Temporary 1/16 Sec. Corner.
40.00	Intersect North and South quarter Section line.
41.44	Intersect West line of the Township 22 links South of the quarter Sec. Corner. from which point I run South 89° 42' East on a true quarter Section line through Sec. 22. Va. 11° 45' East
1.44	Intersect North and South quarter Section line at the quarter Section corner.
21.44	Post in mound for 1/16 Sec. Corner.
41.44	The quarter Section corner on the East line of the Section.
	Rolling Prairie: good. 2nd rate soil.
	Subdivision of Fractional Section 29.
	North on the quarter Sec. line through Sec. 29. Va. 12° 4' East.
20.00	Post in mound for 1/16 Sec. Corner.
40.00	Post in mound for ¼ Sec. Corner.
60.00	Post in mound for 1/16 Sec. Corner.

Omaha Indian Reservation.

Town 26. Or. R. 8 E. 6th P. M.

63.00	Enter creek bottom, bearing N. W. & S. E.
80.00	Intersect the North line of the Section at the ¼ Sec. corner. Rolling prairie and bottom, 1st and 2nd rate soil.
	West on a random line through Sec. 29. Va. 12° East.
20.00	Temporary ¼ Sec. Corner.
20.50	Creek 1 link wide, running N. E.
40.00	Intersect N. & S. ¼ Sec. line at the ¼ Sec. Corner.
41.24	Intersect west boundary of Township at the quarter Sec. corner from which corner a run East on a true line through Section 29. Va. 12° East.
1.24	Intersect North and South quarter Section line at the quarter Section corner.
21.24	Post in mound for ¼ Sec. cor.
41.24	The quarter Section corner on the East line of the Section Rolling prairie. 2nd rate soil.
	Subdivision of Fractional Sec. 20.
	North on the quarter Sec. line through Sec. 20. Va. 12° E.
2.00	Branch of Omaha Creek, running East.
19.50	Small Creek running West.
20.00	Post in mound for ¼ Sec. Corner.

Omaha Indian Reservation.

Town 26. North R. 8 E. 6th P M.

Chains	
40.00	Post in mound for ¼ Sec. corner.
60.00	Post in mound for ½ Sec. corner.
75.00	Intersect the line between the Omaha and Winnebago Reservations, at which point I set post, built mound, dug two pits and deposited charcoal for corner to fractional quarter Section.
	Rolling Prairie.
	Good. 2nd rate soil.
	West on a random line through Sec. 20,
	Va. 11° 45' East.
20.00	Temporary ¼ Sec. Corner.
39.00	Creek bottom, bearing N.W. & S.E.
40.00	Intersect N. & S. ¼ Sec. line.
41.28	Intersect West line of Township 7 links North of ¼ Sec. Corner from which corner I run
	North 89° 54' East on
	a true ¼ Sec. line through Sec. 21
1.28	Intersect North and South ¼ Sec. line at the ¼ Sec. corner,
21.28	Post in mound for ½ Sec. Corner,
41.28	The quarter Section corner on the East line of the Section.
	Rolling Prairie.
	Good. 2nd rate soil.
	June, 19th 1867.

38
157

General Description.

On the East and South portions of this Township, along the Omaha Creek and its branches there are many small groves of poor timber, chiefly Oak & walnut.

Omaha Creek and its principal branches are bordered by a belt of rich bottom land, generally well adapted to cultivation.

The slopes of the high prairie, reaching to the bottom land are also of very good quality of soil.

The high prairie is generally second rate, but between the hills are patches of first rate land made rich by the washings from the adjoining ridges.

Omaha Creek is a rapid stream 20 to 30 lks wide; with a swift current; its banks are about 25 feet high and steep.

When swollen with rain this creek is 2 chains wide and many feet deep.

The field in Section One and twelve is cultivated for the Indians (Winnebagoes) under the direction of the Winnebago Indian agency.

The main road across the Reservation from Decatur to Dakota, runs through this Township near its North East corner.

The line between the Omaha and Winnebago Indian Reservations, runs through this Township, the part belonging to the Winnebagoes being the largest.

The Water in the streams is pure and cold. They are fed by

numerous springs.

Near the North West corner the land is the roughest and poorest, the soil being in some places not more than third rate.

We hereby certify that we assisted Theodore H Barrett, U.S. Surveyor, in subdividing Township No. Twenty six, North of the base line of Range number Eight East of the Sixth Principal Meridian. (Omaha and Winnebago Reservations) and that said Township has been, in all respects, to the best of our knowledge and belief, well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Commissioner of the General Land Office.

William J Allason
Richard Cronk
George Patterson
James Kennedy
Philander Wright
John Rupp
James Shobe
Orville Smith
Homer J Dale
Conrad Scheffer
Henry C Williams
Andrew Armstrong
George Fox

Subscribed and sworn to by the above named persons before me a Notary Public for the County of Burt in the State of Nebraska, this 28th

day of June, 1867.

Walson Parrish
Notary Public.

Seal

I, Theodore H Barrett, Surveyor, do solemnly swear that in pursuance of a contract with J. M. Edmunds, Commissioner of the General Land Office of the United States, bearing date the 14th day of August, 1866, and in strict conformity to the laws of the United States and the instructions furnished by the said Commissioner of the General Land Office, I have faithfully surveyed the subdivision lines of Township number twenty six North of the base line of Range number Eight East the Sixth Principal Meridian, Embraced in the Omaha and Winnebago Reservations, in the State of Nebraska. and do further solemnly swear that the foregoing are the true and original field Notes of such Survey.

Theodore H Barrett
Surveyor.

Subscribed by the said Theodore H Barrett, Surveyor, and sworn to before me a Justice of the Peace for Whiteside County, in the State of Illinois this 10th day of September, 1867.

R. S. Mangan J.P.

41/160

Department of the Interior
General Land Office.
October. 2nd 1867.

The foregoing "Field Notes" of the survey of Township 26 North, Range 8. East the 6th P.M. Nebraska, executed by Theodore H Barrett, under his contract the 14th day of August. 1866. in the month of June, 1867. having been critically examined, the necessary corrections and explanations made, the said field notes and the surveys they describe, are hereby approved.

Jos. S. Wilson.
Commissioner.

Department of the Interior
General Land Office
Washington D.C.
August 21. 1871

I certify that the foregoing transcript of field notes has been correctly copied from the original notes on file in this office.

Wells A Drummond
Commissioner.

T04 - R8

No. 4

164

2
66

(Copy)

Field Notes

Winnebago Indian Reservation

Township 27 North
Range 8 East 6th P M

Nebraska

Township 27 North Range 8 East of the

Field Notes of the
Subdivision lines in Fractional Township
(Winnebago Reservation) No 27 North Range
8 East - the 6th Principal Meridian in the
State of Nebraska - by Theodore H Barrett
Surveyor under his Contract bearing date
August 14th 1866

Surveyed June 20th 1867

List of Names
A list of Names of individuals employed
to assist in running. Measuring or
Marking the lines and corners described
in the following Field Notes of
Township 27 North of the base line of
Range 8 East - the 6th Principal
Meridian Showing the capacities
in which they acted

William S Allason - Compassman
Richard Cronk — do
George Patterson — Chainman
Philander Wright — do
James Kennedy — do
Orville Smith — do
James Shobe — do
John Rupp — do
Henry L Williams - Mound Builder
Andrew Armstrong Flagman
George Fox — Mound Builder

6th Principal Meridian - Nebraska

Chains

Begin on the South line of the Township at the corner to Sections 35 and 36 And run

North on a random line between Sections 35 and 36

Variation 11° 45' East

30.00 Enter plowed field bears N 50° West and S 50° East

40.00 Temporary 1/4 Section Corner

From this point the Trading House bears S 89° E distant 12 chains - (Estimated)

From the same point the center of Indian Village bears N 70° East - about 18 chains distant

A Frame House traders dwelling bears N 41° E about 13 chains distant

also a frame house (the most westerly building) bears N 14° East about 10 chains distant

47.50 Creek 10 links wide running West

67.70 Intersect board fence bears N 87½° West and S 87½° East - also at same place. Leave plowed field

75.40 Road bearing N 15° West and S 15° East.

75.69 Intersect the North boundary of the Winnebago Reservation 12 links West of the old corner to Fractional Sections 35 and 36 from which corner I run

S 0° 5' West

On a true line between Fractional Sections 35 and 36

Variation 11° 45' East

35.69 Post in Mound for 1/4 Section Corner.

75.69 The Corner to Sections 35 - 36 - 1 and 2

Level creek bottom 1st rate soil

North on a random line between fractional Sections 34 and 35

Variation 12° East

40.00 Temporary 1/4 Section Corner

3
167

Winnebago - Indian

Township 27 North Range 8 East of -

Chains	
75.10	Intersect the North line of the Winnebago Reservation 60 links East of the old Corner to Fractional Sections 34 and 35 from which corner I run S 0° 27' East on a true line between fractional Sections 34 and 35 Variation 12° East
35.10	Post in Mound for 1/4 Section Corner
75.10	The Corner to Sections 34 - 35 - 2 and 3. Rolling prairie 2d rate soil
	North on a random line between Fractional Sections 33 and 34 Variation 11° 55' East
40.00	Temporary quarter section Corner
75.86	Intersect the North Boundary of the Winnebago Reservation 50 links East of the old Corner to Fractional Sections 33 and 34 - from which Corner I run S 0° 23' East on a true line between Fractional Sections 33 and 34 Variation 11° 55' East
35.86	Post in Mound for quarter Section Corner
75.86	The Corner to Sections 33 - 34 - 3 - and 4 High Rolling Prairie Good 2d rate soil
	North on a random line between Sections 32 and 33 Variation 11° 30' East
40.00	Temporary Quarter Section Corner
40.90	Brook 5 links wide running N W.
46.50	Same Brook running North East General Course North

the 6th Principal Meridian—State of Nebraska

Chains	
76.50	Intersect the North Boundary of the Winnebago Reservation 15 links West of the corner to Fractional Sections 32 & 33- from which Corner 2 runs S 0° 7' West on a true line between Sections 32 and 33 Variation 11° 30' East
36.50	Post in Mound for 1/4 Section Corner
76.50	The corner to Sections 32 - 33 - 4 and 5- Rolling prairie 2d rate soil June 20th 1867

General Description

So much of Township 27 N Range 8 East as is embraced within the Winnebago Reservation is high rolling prairie intersected by narrow belts of bottom land bordering the streams which run through it. The principle stream is the Omaha Creek - When not swollen by rains: this creek is from 30 to 50 links wide and four to 8 feet deep. It has steep banks - about 25 feet high its bottoms is Muddy - current swift. The bottom bordering it has a first rate soil The soil of the high prairie is second rate in places - first rate

In Section 36 there is a Village of Winnebago Indians. The field in Section 36 and 35 is cultivated by the Indians under the superintendence of the Winnebago Agent

The road from Decatur to Dakota runs through this Township in Section 36 - There are a few trees along the Omaha Creek and its branches -

The corners described as "Post in Mound" have four pits - The amount of Charcoal deposited in the Several Mounds is Equal to a Solid 1x2x2 inches:-

We Hereby Certify that we assisted Theodore H. Barrett U.S. Surveyor in subdividing that part of Township twenty seven North of the base line of Range number Eight East of the Sixth principal Meridian embraced within the boundaries of the Winnebago Reservation and that said Township has been in all respects to the best of our Knowledge and belief - well and faithfully surveyed according to the instructions furnished by the Commissioner of the General Land Office

William J. Allason
Richard Cronk
George Patterson
Philander Wright
James Kennedy
Orville Smith
James Shobe
John Rupp
Henry C. Williams
Andrew Armstrong
George Fox

Subscribed And Sworn to by the above named persons - before me a Notary Public for the County of Burt in the State of Nebraska this 28th day of June 1867

L.S.

Watson Parish
Notary Public

I Theodore H. Barrett - Surveyor - do Solemnly swear - that in pursuance of a Contract with J. M. Edmunds Commissioner of the General Land Office of the United States - bearing date the 14th day of August 1866 - And in strict conformity to the Laws of the United States and the instructions furnished by the said Commissioner of the General Land Office. I have faithfully surveyed the subdivision lines of that part of Township Number twenty Seven North of the base line of Range Eight East - the 6th Principal Meridian embraced in the Winnebago Reservation in the State of Nebraska - And I do further solemnly swear that the foregoing are the true and original Field Notes of Such Survey

Theodore H. Barrett
Surveyor

Subscribed by the said Theodore H. Barrett Surveyor and Sworn to before me a Justice of the Peace for Whiteside County in the State of Illinois this 16th Day of September 1867 -

R. S. Morgan
J. P.

5
171

Department Of the Interior
General Land Office
October 2d 1867

The foregoing field Notes of the survey of Township 27 North Range 8 East in the State of Nebraska executed by Theodore H. Barrett under his Contract of the 14th day of August 1866 in the Month Of June 1867 - having been Critically examined - the Necessary Corrections and explanations made the said Field Notes and the survey they decribe Are hereby approved

Jos S Wilson
Commissioner

Department of the Interior
General Land Office
Washington D. C.
August 21. 1871

I Certify that the pregoing transcript of field notes of survey has been Copied correctly from the original notes on file in this office

Willy D Mmmmm
Commissioner.

T 01 — R 9

T 25 N
R 9 E
174

Omaha Reservation.

Field Notes
of
Township 24 North
of
Range 9 East
of the
6th Principal Meridian
in
Nebraska

174 G 210

Executed by
Theodore H. Barrett U.S. Deputy Surveyor
Under his Contract bearing date September 14
1866.

Survey Commenced November 15th 1866.
Survey Completed November 29th 1866.

Subdivisions of sections page 214—25A

4/175

List of Names.

A list of the Names of the individuals employed to assist in running, Measuring or Marking the lines and corners, described in the following field Notes of Township No 24 North of Base Line, of Range Number Nine East of the 6th Principal Meridian, Showing the Respective capacity in which they acted.

Stephen Gutar	Chainman
H. Englebright	
Geo. Eggleston	
Chas. W. King	
H. Archambault	Mound builders
Frederick Gearwick	
J. W. Smith	Axeman
L. G. Reynolds	Flagman
John R. Wells	do

Richard Cronk Compassman

6/177

A retracement of

Between Ranges 9 and 10 E. Townships

	Chains	
		Having retraced the South and East Boundary of Section 36 in order to ascertain the proper Variation for subdividing this Township I adjust my compass to a variation of 13° 15' East.
		Commencing at a point on the South Boundary of the Omaha Reservation at its intersection with the Section line between Sections 35 and 36, the same being a post in Mound 74.57 chains North of the South West corner of Sections 36 Irun
		North between Fractional Sections 35 and 36.
		Variation 11° 18' East
5.43		Set a post in Mound, dug four pits and deposited charcoal as per instructions for Section corner, Sections 25. 26. 35 and 36
		High prairie 2nd rate soil.
		East on a random line between sections 25 & 36 Variation 12° 15' East
20.00		Set a post for temporary 1/16 Section corner,
40.00		Set a post for temporary 1/4 Section corner.
60.00		Set a post for temporary 1/16 Section corner.
80.04		Intersect East Boundary of Township 30 lks. North of corner to Sections 25 and 36 from which Irun
		North 89° 47' West on true line between Sections 25 and 36
		Variation 12° 15' East.
20.01		Set a post in mound - dug four pits and deposited charcoal for 1/16 Sec. Corner.
40.02		Set a post in mound. dug four pits and deposited charcoal as per instructions for corner to 1/4 Section corner.

This page supplied from page - 150. of Extracts of T. 24 N. Between Ranges 9 & 10 E. (H.H.)

24 North

chains	
60.03	Se
	An
	S
80.04	T
	E
	N
20.00	Se
	du
40.00	Se
	pits
	Se
57.50	Po
60.00	Se
	Ch
80.00	Se
	du
	Co
	Re
	No
	Se
9.00	Se
	Be
19.50	Se
20.00	Se
40.00	Se
60.00	Se
79.78	Re
	of
	wh
	Se
19.94½	Se
	de

24 North 6th Principal Meridian

chains	
60.03	Set post in Mound dug four pits and deposited charcoal for 1/16 Section Corner
80.04	The Corner to Sections 25. 26, 35, and 36. High rolling prairie 1st and 2d Rate Soil
	North between Sections 25 and 26. Variation 12° 15' East
20.00	Set a post in Mound-dug four pits and deposited charcoal for 1/16 Section Corner
40.00	Set a post in Mound-dug four pits and deposited charcoal for Quarter Section Corner as per instructions-
57.50	Intersect Blackbird Creek bottom bears N.E. & S.W.
60.00	Set a post in Mound dug four pits & deposited Charcoal for 1/16 Section Corner.
80.00	Set a post in Mound-dug four pits and deposited Charcoal as per instructions for Corner to Sections 25, 26, 23, and 24. High rolling prairie at South end of line North end. bottom land near Blackbird creek 1st and 2d Rate Soil

	East on random line between Sections 24 and 25. Variation 12°, 30' East
9.00	Leave creek bottom and enter high rolling Prairie bearing N. & S.
19.50	Spring brook 5 links wide running N.E.
20.00	Set a post for temporary 1/16 Section Corner
40.00	Set a post for temporary 1/4 Section Corner
60.00	Set a post for temporary 1/16 Section Corner
79.78	Intersect East Boundary 9 links South of the Corner to sections 24 and 25. from which Corner I run S 89°. 36' West on true line between Sections 24 and 25 Variation 12° 30' East
19.94½	Set post in mound dug four pits and deposited charcoal for 1/16 Section Corner

Township 24 North Range 9 East

Chains	
39.89	Set post in Mound dug four pits and deposited Charcoal as per instructions for 1/4 Section Corner
59.83½	Set post in Mound dug four pits and deposited Charcoal for 1/16 Section Corner
79.78	The corner to Sections 23. 24. 25. & 26. A few chains at the west end of the line are bottom land. 1st rate soil The remainder of the line is hilly and rough prairie 2d and 3rd rate soil November 15th 1866

North between Sections 23 and 24
Variation 12° 30' East

20.00	Set a post in Mound dug four pits and deposited Charcoal for 1/16 Section Corner
34.00	Blackbird creek runs East. 20 lks wide
40.00	Set a post in Mound dug four pits and deposited Charcoal for 1/4 Section Corner
60.00	Set post in Mound dug four pits and deposited Charcoal for 1/16 Section Corner
75.00	Leave creek bottom and enter high rolling Prairie bears South west and North East
80.00	Set post in Mound dug four pits and deposited Charcoal for Corner to Sections 13, 14, 23, and 24, Bottom Land along and near Blackbird Creek. 1st rate soil. The North end of this line is on the high prairie

East on random line between Sections 13. and 24. Variation 12° 30' East

20.00	Set a post for temporary 1/16 Section Corner
35.00	Enter Creekbottom N.E. and S.W.
40.00	Set a post for Temporary 1/4 Section Corner
43.50	Intersect Blackbird Creek. runs N.E. 20 lks wide
60.00	Set a post for temporary 1/16 Section Corner
60.70	Indian trail bears N.E. & S.W.
79.76	Intersect East Boundary 10 links South of Corner to Sections 13 and 14. from which Corner I run

Of 6th Principal Meridian

Chains	S 89° 56' West on true line between Sections 13 and 24. Variation 12° 30' East
19.94	Set a post in Mound. dug four pits and deposited Charcoal for 1/16 Section Corner
39.88	Set post in Mound. dug four pits and deposited Charcoal for 1/4 Section Corner
59.82	Set a post in Mound - dug four pits And deposited Charcoal for 1/16 Sec. Corner
79.76.	The Corner to sections 13, 14, 23, and 24, Rolling Prairie & bottom Land 1st rate Soil. A few trees near Blackbird Creek. November 19th 1866

North between sections 13 and 14 Variation 12°, 15' East

20.00	Set a post in mound dug four pits and deposited Charcoal for 1/16 Section Corner
40.00	Set a post in Mound dug four pits and deposited Charcoal as per instructions for 1/4 Section Corner
60.00	Set a post in mound dug four pits and deposited Charcoal for 1/16 Section Corner
77.00	Enter Gulch or shot ravine bears S.E. & N.W.
77.50	Center of same bears S.E. & N.W.
78.00	Leave Gulch or ravine bears S.E. & N.W.
80.00	Set a post in mound dug four pits and deposited Charcoal for corner to sections 11, 12, 13, & 14, from which A Bur Oak 6 inches in diameter bears S 42° 30' East 258 lks A Hickory 4 inches in diameter bears S 9° W. 100 links Hilly prairie 2d rate soil

Township 24 North Range 9 East

Chains	East on random line between sections
	12 and 13 - Variation 12°. 30' East
20.00	Set a post for temporary 1/16 Section Corner
40.00	Set a post for temporary 1/4 Section Corner
46,50	Edge of ravine 25 feet deep bears N.W.
	and S.E.
48.00	Brook 6 links wide runs S.E.
59.00	Leave ravine bears N.W. & S.E.
60.00	Set post for temporary 1/16 Section Corner
64.00	Enter ravine bears North & South
65.00	Leave same bears N & S.
77.75	Blackbird Creek 20 links wide runs
	N.E. At same point enter grove of timber
79.20	Blackbird creek running South East
79.72	Intersect East Boundary 35 links North
	of the Corner to sections 12 and 13, from
	which Corner (in Blackbird Creek)
	9 runs
	North 89°. 45' West on true line
	between Sections 12 and 13
	Variation 12° 30' East
00.12	Post for witness Corner to sections 12, 13, 7,
	and 18.
19.93	Set a post for 1/16 Section Corner from
	which. A Bur Oak 30 inches in diameter
	bears S 42½° W. 82 links
	A Black Walnut 8 inches in
	diameter bears North 72° West 172 lks
39.86	Set a post in Mound. dug four pits.
	and deposited Charcoal for 1/4 Sec. Corner
59.79	Set a post in mound dug four pits and
	deposited Charcoal for 1/16 Section Corner
79.72	The Corner to sections 11, 12, 13, and 14.
	Rough Prairie. Hills and ravines
	a few trees near the brook and ravines
	Soil 2d rate.

Of 6th Principal Meridian

Chains	North between sections 11 & 12.
	Variation 12° 20' East
20.00	Set a post in Mound dug four pits and deposited Charcoal for 1/16 Sec. Corner
40.00	Set a post in Mound dug four pits and deposited Charcoal as per instructions for 1/4 Section Corner
60.00	Set post in Mound dug four pits and deposited Charcoal for 1/16 Sec. Corner.
80.00	Set a post in Mound dug four pits and deposited Charcoal for corner to Sections 1, 2, 11, and 12. Hilly prairie 1st & 2d rate soil
	East on Random line between Sections 1 & 12. Variation 12° 15' East
20.00	Set a post for temporary 1/16 Sec. Corner
40.00	Set a post for temporary 1/4 Sec. Corner
60.00	Set a post for temporary 1/16 Sec. Corner
68.50	Edge of ravine 40 feet deep - bears N.W. & S.E.
71.00	Small brook 3 lks wide in ravine runs S.E.
73.50	Leave ravine bears N.W. & S.E.
79.66	Intersect North and South line 82 links North of the Corner to Sections 1 and 12. from which Corner I run North 89° 25' West on true line between Sections 1 and 12. Variation 12° 15' East
19.91½	Set a post in mound dug four pits and deposited Charcoal for 1/16 Section Corner
39.83	Set post in mound dug four pits and deposited Charcoal for 1/4 Section Corner
59.74½	Set post in mound. dug four pits and deposited Charcoal for 1/16 Section Corner
79.66	The Corner to Sections 1, 2, 11, and 12, Rough and hilly prairie intersected by a ravine. 2d rate Soil

Township 24 North Range 9 East

chains	
	North between sections 1 and 2 Variation 12°.30' East
20.00	Set a post in mound dug four pits and deposited charcoal for 1/16 section corner
40.00	Set post in mound dug four pits and deposited charcoal for 1/4 Section corner
55.50	Wagon trail N.E. and S.W.
60.00	Set post in mound dug four pits and deposited charcoal for 1/16 Section Corner
81.32	Intersect parellel 1.70 chains west of the Standard corner to sections 35 & 36. T. 25 N. Range 9 East. Set post for closing corner to sections 1 and 2. built mound with three pits and deposited charcoal as per instructions high rolling prairie 1st & 2d rate soil November 20th 1866

Begin at a point on the South Boundary of the Omaha Reservation at its intersection with the section line between Sections 34 and 35 the same being a post in mound 76.15 chains North of the South West corner of section 35 and run North between fractional Sections 34 and 35.

Variation 12° 10' East

3.85	Set a post in mound for corner to sections 26. 27, 34, and 35. dug four pits and deposited charcoal as per instructions Soil 1st rate. Level Bottom land near Blackbird creek

East on random line between Sections 26 and 35. Variation 12°. 15' East

11.00	Intersect Blackbird creek running N.E.
20.00	Set post for temporary 1/16 Section corner
40.00	Set post for temporary. 1/4 Section Corner
60.00	Set post for temporary 1/16 Section Corner

of 6th Principal Meridian

Chains	
80.48	Intersect north and South line 45 links South of the corner to Sections 25, 26, 35 & 36, from which corner I run S 89° 45' W. on the line between Sections 26 & 35 Variation 12° 15' East
20.12	Set post in mound dug four pits and deposited Charcoal for 1/16 Section Corner
40 24	Set post in Mound, dug four pits and deposited Charcoal for 1/4 Section Corner
60,36	Set post in mound dug four pits and deposited Charcoal for 1/16 Section Corner
80,48	The corner to Sections 26, 27. 34. & 35. Creek bottom at west end of line The east end is on high prairie 1st and 2d Rate Soil

North between Sections 26 and 27.
Variation 12°. 10' East

20,00	Set post in mound dug four pits and deposited Charcoal for 1/16 Sec. Corner as per instructions
27.00	Leave Blackbird Creek bottom bears E & W.
40.00	Set post in Mound dug four pits and deposited Charcoal for 1/4 Section Corner
60.00	Set post in mound dug four pits and deposited Charcoal for 1/16 Section Corner
80.00	Set post in Mound dug four pits and deposited Charcoal for Corner to Sections 22, 23, 26, and 27. Rolling prairie 2d rate Soil

East on random line between Sections 23 and 26.
Variation 13°. 10' East

20.00	Set post for temporary 1/16 Section Corner
24.00	Brook 5 lks wide running S.E.
35.00	Leave high prairie & enter bottom land N.E.
40.00	Set post for Temporary 1/4 Section Corner
60.00	Set a post for temporary 1/16 Sec. Corner
73,25	Blackbird Creek 20 lks wide runs North

14
185

Township 24 North Range 9 East

Chains	
80, 12	Intersect N. and S. line 15 links North of the Corner to Sections 23, 24, 25, & 26, from which corner I run North 89° 54 West on true line between Sections 23 and 26 — Variation 12°, 10' East
20,03	Set post in mound dug four pits and deposited Charcoal for 1/16 Section Corner
40,06	Set post in mound dug four pits and deposited charcoal for 1/4 Section Corner
60,09	Set post in mound dug four pits and deposited Charcoal for 1/16 Section Corner
80,12	The corner to Section 22. 23. 26. and 27 — Rolling prairie on west end of line — East end Blackbird bottom 1st & 2d rate soil

North between Sections 22 & 23 —
Variation 12°. 10' East

20	Enter meadow bears East & West
12,00	Leave meadow bears East & West
14,00	Wagon Trail North East & S. West
20.00	Set a post in mound for 1/16 Section Corner dug four pits and deposited Charcoal &c
40.00	Set a post in mound dug four pits and deposited Charcoal for 1/4 Section Corner
60.00	Set a post in mound dug four pits and deposited Charcoal for 1/16 Section Corner
68.00	Enter meadow or low level prairie this meadow bends round & connects with the meadow first crossed, bears North West and South East —
80.00	Set post in mound for corner to Sections 14. 15, 22, and 23, Rolling Prairie And meadow Land — 1st and 2d Rate soil.

Of 6th Principal Meridian

chains	East on random line between Sections 14 & 23. Variation 12° 20' East
5.00	Leave low prairie or meadow and enter high prairie. N. 20° W. & S 20° E.
20.00	Set temporary 1/16 Section Corner
32.00	Wagon Trail N 10° W & S. 10° East
40.00	Set post for temporary 1/4 Section Corner
56.00	Variation of needle 11° 50' East
60.00	Set post for Temporary 1/16 Section corner
80.32	Intersect N. & S. line between Sections 23 & 24. 42 links South of corner to Sections 13, 14, 23 and 24.
	The Variation at the East end of this line is 12° East.
	From the Corner of Sections 13., 14, 23, and 24. I run ✓ South 89° 42' West on the line between Sections 14 and 23.
	Variation 12° East
20.08	Set post in Mound dug four pits and deposited Charcoal for 1/16 Section Corner
40.16	Set post in mound dug four pits and deposited Charcoal for 1/4 Section Corner
60.24	Set post in Mound dug four pits and deposited Charcoal for 1/16 Section Corner
80.32	The corner of Section 14, 15, 22, and 23, Hilly prairie. Soil 2d rate.
	North between sections 14 and 15.
	Variation 12° East
20.00	Set post in mound dug four pits and deposited Charcoal for 1/16 section Corner
27.00	Leave Meadow bears North West & S.E.
40.00	Set post in Mound for 1/4 Section Corner dug four pits and deposited Charcoal
60.00	Set post in Mound dug four pits and deposited Charcoal for 1/16 Section Corner
80.00	Set post in Mound dug four pits and deposited Charcoal for Corner to sections 10, 11, 14 and 15.
	Rough hilly prairie 2d Rate Soil

Township 24 North Range 9

Chains	
	East on random line between Sections 11 & 14. Variation 12° 15' East.
16.00	Wagon trail bears N & S.
20.00	Set post for temporary 1/16 Section corner
40.00	Set post for temporary 1/4 Section Corner
60.00	Set post for temporary 1/16 Section corner
73.00	Raoine bears N.W. and S.E.
80.36	Intersect N & S. line 39 links North of corner to Sections 11, 12, 13, and 14, from which corner I run North 89° 45' West on true line between Sections 11 and 14. Variation 12°. 15' East
20.09	Set post in mound dug four pits and deposited charcoal for 1/16 Section Corner
40.18	Set post in mound dug four pits and deposited charcoal for 1/4 Sec, corner
60.27	Set post in mound dug four pits and deposited charcoal for 1/16 Section Corner.
80.36	The corner to Sections 10, 11, 14, and 15. Rough rolling prairie. 2nd Rate Soil

November 21st 1866

North between Sections 10 and 11. Variation 12°. 20' East

Chains	
20.00	Set a post in mound dug four pits and deposited Charcoal for 1/16 Sec. Corner
40.00	Set a post in mound dug four pits and deposited charcoal for 1/4 Section Corner
60.00	Set a post in mound dug four pits and deposited charcoal for 1/16 Section Corner.
80.00	Set a post in mound dug four pits and deposited Charcoal for Corner to Sections 2, 3, 10, and 11. Hilly prairie. 2d rate soil.

East 6th Principal Meridian

Chains	East on random line between Sections 2 and 11. Variation 12° 25' East
20.00	Set post for temporary 1/16 Section Corner
40.00	Set post for Temporary 1/4 Section Corner
50.00	Wagon trail bears N.E. and S.W.
60.00	Set post for temporary 1/16 Section Corner
80.80	Intersect N. & S. line 8 links North of Corner to sections 1, 2, 11, and 12, from which Corner 2 run North 89° 57' West on true line between Sections 2 and 11. Variation 12° 25' East
20.20	Set a post in mound dug four pits and deposited Charcoal for 1/16 Section Corner
40.40	Set a post in mound dug four pits and deposited Charcoal for 1/4 Section Corner
60.60	Set a post in mound dug four pits and deposited Charcoal for 1/16 Section Corner
80.80	The Corner to Sections 2, 3, 10, and 11, Hilly prairie. 2d and 3rd rate Soil

	North between Sections 2 and 3. Variation 12° 15' East
20.00	Set post for 1/16 Section Corner raised mound dug four pits and deposited Charcoal
40.00	Set post in mound dug four pits and deposited Charcoal as per instructions
60.00	Set post in mound dug four pits and deposited Charcoal for 1/16 Section Corner
81.25	Intersect Standard Parellel 208 links West of the Section Corner, ~~Corner~~ to sections 34 & 35. Township 25 North Range 9 East. Set Post in Mound. dug 3 pits for Corner to Sections 2 & 3. High rolling prairie 2d rate soil

18
189

Township 24 North Range 9 East

	chains	Begin at a post on the South Boundary of the Omaha Indian Reservation at its intersection with the Section line between Sections 33 and 34. the same being a post in mound. 77. 40 chains North of the South west Corner of Sections 34. and run, North between fractional Sections 33 and 34 Variation 12° 15' East
2.60		Set post in mound dug four pits and deposited charcoal for Corner to Sections 34. 33. 27. and 28. High prairie. 1st rate Soil November 22nd 1866.
		East on random line between Sections 27 and 34. Variation 12° 15' East
20.00		Set post for temporary 1/16 Section Corner
40.00		Set post for temporary 1/4 Section Corner
44.00		Enter low prairie or meadow bears N. & S.
58.00		Leave Same - bears Same
60.00		Set a post for temporary 1/16 Section Corner
73.00		Enter creek bottom. bears N.E. & S.W.
80.16		Intersect North & South line 7 links South of the Corner to Sections 26. 27. 34 and 35.
		Rolling prairie — low prairie and bottom Land. 1st and 2d rate soil from. the corner. to sections 26. 27. 34 and 35. I run. South 89° 57' West on the line between Sections 27. and 34. Variation 12° 15' East
20.04		Set a post in Mound dug four pits and deposited Charcoal for 1/16 Section Corner
40.08		Set a post in Mound dug four pits and deposited Charcoal for 1/4 Section Corner
60.12		Set a post in Mound. dug four pits and deposited charcoal for 1/16 Section Corner.

of 6th Principal Meridian

chains	
80.16	The corner to sections 27, 28, 33, and 34, Rolling prairie — low prairie and bottom Land, 1st and 2nd Rate Soil.
	North between sections 27 and 28. Variation 12° 15' East
4.00	Wagon trail — bears N.E. + S.W.
20.00	Set post in mound dug four pits and deposited charcoal for 1/16 Sec — Corner
40.00	Set post in mound dug four pits and deposited charcoal for 1/4 Section Corner
60.00	Set post in mound dug four pits and deposited charcoal for 1/16 Section corner
80.00	Set post in mound and dug four pits and deposited charcoal for corner to sections 21, 22, 27, + 28, Rolling prairie 1st and 2d Rate Soil
	East on random line between Sections 22 and 27. Variation 12° 15' East
20.00	Set post for temporary 1/16 Section Corner
40.00	Set post for temporary 1/4 Section Corner
60.00	Set post for temporary 1/16 Section Corner
70.00	Wagon trail North East and South West
80.24	Intersect North and South line 23 links South of Corner to Sections 22, 23, 26, + 27, from which Corner I run South 89° 30' West on true line between Sections 22 + 27. Variation 12° 15' East
20.06	Set a post in mound dug four pits and deposited charcoal for 1/16 Section Corner
40.12	Set a post in Mound dug four pits and deposited charcoal for 1/4 Section Corner
60.18	Set post in mound dug four pits and deposited charcoal for 1/16 Sections Corner
80.24	The corner to Sections 21, 22, 27, and 28. Rolling prairie 2d Rate Soil

Township 24 North Range 9 East

chains	North between Sections 21 & 22, Variation 12° 10' East.
20.00	Set post in mound dug four pits and deposited Charcoal for 1/16 Section Corner
29.50	Brook 2 links wide runs South East
40.00	Set post in mound dug four pits and deposited Charcoal for 1/4 Section Corner
60.00	Set post in mound dug four pits and deposited Charcoal for 1/16 Sec Corner
80.00	Set post in mound for corner to Sections 15, 16, 21, & 22, dug four pits and deposited Charcoal as per instructions Rough rolling prairie 2d rate Soil
	East on Random line between Sections 15 and 22. Variation 12° 20' East
20.00	Set post for temporary 1/16 Section Corner
30.00	Variation of Needle 12° 5' East (Top or summit of high ridge
40.00	Set post for temporary 1/4 Section Corner
60.00	Set post for temporary 1/16 Section Corner
65.00	Variation of Needle 11° 50' East
72.00	Enter meadow bears North & South
79.86	Intersect N. & S. line 60 links South of corner to sections 14, 15, 22, and 23. from which corner 2 runs South 89° 34' West on true line between sections 15 & 22. Variation 12° East
19.96½	Set a post in mound dug four pits and deposited Charcoal for 1/16 Section Corner
39.93	Set a post in mound dug four pits and deposited Charcoal for 1/4 Section Corner
59.89½	Set post in mound dug four pits and deposited Charcoal for 1/16 Section Corner
79.86	The corner to Sections 15, 16, 21, and 22, Rolling Prairie High ridges and valleys Soil 2nd Rate Variation of needle at East end of line is 12° East

Of 6th Principal Meridian

	chains	North between Sections 15 and 16, Variation 12° 10' East
	20.00	Set a post in mound dug four pits and deposited charcoal for 1/16 Sec Corner
	40.00	Set a post in mound dug four pits and deposited Charcoal for 1/4 Section Corner
	60.00	Set a post in mound dug four pits and deposited Charcoal for 1/16 Section Corner
	62.50	Slough - 20 links wide - No current bears S 70° E. & at 80° W
	80.00	Set a post in mound dug four pits and deposited Charcoal for Corner to Sections 9, 10, 15, and 16, High rolling prairie 2d rate soil
		November 23rd 1866
		East on Random line between Sections 10 and 15. Variation 12° 20' East
	20.00	Set a post for temporary 1/16 Section Corner
	40.00	Set a post for temporary 1/4 Section Corner
	60.00	Set a post for temporary 1/16 Section Corner
	80.04	Intersect N. & S. line 54 links South of the Corner to Sections 10, 11, 14, and 15, from which corner I run South 89°, 36' West on True line between sections 10 and 15. Variation 12°, 20' East
	20.01	Set a post in mound dug four pits and deposited Charcoal for 1/16 Section Corner
	40.02	Set a post in mound dug four pits and deposited Charcoal for 1/4 Section Corner
	60.03	Set a post in mound dug four pits and deposited Charcoal for 1/16 Section Corner
	80.04	The Corner to Sections 9, 10, 15, & 16, Rough and hilly Prairie Soil 1st and 2d Rate

Township 24 North Range 9 East of

Chains	
	North between Sections 9 and 10 Variation 12° 20' East
20.00	Set a post in mound dug four pits and deposited charcoal for 1/16 Section corner
40.00	Set a post in mound dug four pits and deposited charcoal for 1/4 Section corner
60.00	Set a post in mound dug four pits and deposited charcoal for 1/16 Section corner
80.00	Set a post in mound dug four pits and deposited charcoal for the Corner to Sections 3, 4, 9, & 10, Rough rolling prairie 2d rate soil
	East on random line between Sections 3 & 10 - Variation 12° 25' East
20.00	Set a post for temporary 1/16 Sec. corner
40.00	Set a post for temporary 1/4 Sec. corner
60.00	Set a post for temporary 1/16 Sec. corner
79.64	Intersect N. & S. line 55 links South of the corner to Sections 2, 3, 10, and 11, from which corner I run South 89°. 36' West on true line between Sections 3 and 10. Variation 12°. 25' East
19.91	Set a post in mound dug four pits and deposited Charcoal for 1/16 Section corner
39.82	Set a post in mound dug four pits and deposited charcoal for 1/4 Section corner
59.73	Set a post in mound dug four pits and deposited charcoal for 1/16 Section corner
79.64	The corner to Sections 3, 4, 9, and 10. Rough rolling prairie 2d and 3rd rate soil
	North between sections 3 and 4. Variation 12°. 45' East
20.00	Set a post in mound dug four pits and deposited charcoal for 1/16 Section corner
40.00	Set a post in mound dug four pits and deposited charcoal for 1/4 Section corner
60.00	Set a post in mound dug four pits and deposited charcoal for 1/16 Section Corner

6th Principal Meridian

chains	
81.70	Intersect Standard parallel 2.24 chains West of the Standard corner to Sections 34 and 33. Township 25 North Range 9 East. Set a post in mound Marked "C. C."- dug three pits and deposited charcoal as per instructions for closing Corner to Sections 3 and 4. Rolling prairie, 1st And 2d rate Soil. November 24th 1866
	Begin at a point on the south Boundary of the Omaha Indian Reservation, at its intersection with the Section line between Sections 32 and 33.- the same being a post in mound 78.10 chains north of the South West Corner of Section 33 And run
	North between Fractional Sections 32 and 33.
	Variation 12° East
1.90	Set post in mound dug four pits and deposited charcoal for Corner to sections 28. 29. 32 and 33.
	Rolling prairie 2d rate soil
	East on random line between Sections 28 and 33. Variation 12° 10' East
20.00	Set a post for temporary 1/16 Section Corner
40.00	Set a post for temporary 1/4 Section Corner
60.00	Set a post for temporary 1/16 Section Corner
78.50	Wagon Trail bears S 20° E. and S. W.
80.08	Intersect N. & S. line 30 links North of the Corner to Sections 27. 28. 33. & 34. from which Corner I run
	North 89° 47' West on true line between Sections 28 and 33.
	Variation 12° 10' East
20.02	Set a post in mound. dug four pits and deposited Charcoal for 1/16 Sec Corner.

24
195

Township 24 North Range 9 East

chains	
40.04	Set a post in mound dug four pits and deposited charcoal for 1/4 Section Corner
60.06	Set a post in mound dug four pits and deposited charcoal for 1/16 Section corner
80.08	The corner to sections 28, 29, 32 and 33. Rolling prairie 1st & 2d Rate Soil

North between Sections 28 and 29.
Variation 12° 10' East

20.00	Set a post in mound dug four pits and deposited charcoal for 1/16 Section corner
40.00	Set a post in mound dug four pits and deposited charcoal for 1/4 Section corner
60.00	Set a post in mound dug four pits and deposited charcoal for 1/16 Section Corner
80.00	Set a post in mound dug four pits and deposited charcoal for Corner to Sections 20, 21, 28, and 29. Rolling prairie good 2nd rate soil

East on random line between sections 21 and 28.
Variation 12° 10' East

20.00	Set a post for temporary 1/16 Section Corner
40.00	Set a post for temporary 1/4 Section Corner
60.00	Set a post for temporary 1/16 Section Corner
80 04	Intersect N. & S. line 45 links North of the Corner to Sections 21. 22. 27 and 28. from which corner I run North 89° 41' West on true line between Sections 21 and 28.

Variation 12°. 10' East

20.01	Set post for 1/16 Section corner. raised mound dug four pits and deposited Charcoal
40.02	Set post in mound dug four pits and deposited Charcoal for 1/4 Section Corner
60.03	Set post in mound dug four pits and deposited Charcoal for 1/16 Section Corner
80.04	The Corner to Sections 20 21, 28, and 29. Dry rolling prairie 2d rate soil

of 6th Principal Meridian

chains	North between Sections 20 and 21
	Variation 12° 10' East
20.00	Set a post in mound dug four pits and deposited charcoal for 1/16 Section corner
40.00	Set a post in mound dug four pits and deposited charcoal for 1/4 Section Corner
60.00	Set a post in mound dug four pits and deposited charcoal for 1/16 Section Corner
80.00	Set a post in mound dug four pits and deposited charcoal for corner to Sections 16, 17, 20, and 21
	High rolling prairie 2nd rate Soil
	East on random line between Sections 16 and 21 Variation 12° 10. East
20.00	Set a post for temporary 1/16 Section corner
40.00	Set a post for temporary 1/4 Section corner
60.00	Set a post for temporary 1/16 Section corner
80.04	Intersect North and South line 60 links North of the corner to Sections 15. 16, 21, and 22, from which corner I run North 89° 34' West on true line between Sections 16 and 21 Variation 12° 10' East
20.01	Set a post in mound dug four pits and deposited charcoal for 1/16 Section Corner
40.02	Set post in Mound dug four pits and deposited charcoal for 1/4 Section corner
60.03	Set a post in Mound dug four pits and deposited charcoal for 1/16 Section corner
80.04	The corner to sections 16, 17, 20, & 21. Rolling prairie good 2nd rate Soil
	North between Sections 16 and 17 Variation 12° 20' East
20.00	Set a post in mound dug four pits and deposited charcoal for 1/16 Section Corner
40.00	Set a post in mound dug four pits and deposited charcoal for 1/4 Section corner
60.00	Set a post in mound dug four pits and deposited charcoal for 1/16 Section Corner

Township 24. North Range 9 East

Chains	
80.00	Set a post in mound dug four pits and deposited Charcoal for corner to Sections 8. 9. 16, and 17. Hilly prairie 1st & 2nd rate soil
	East on random line between Sections 9 and 16 — Variation 12° 25' East
20.00	Set a post for temporary 1/16 Section corner
35.50	Enter Marsh bears S.E. and N.W.
37.50	Leave same bears same. This marsh appears to become a water course as it runs S.E.
40.00	Set a post for temporary 1/4 Section corner
60.00	Set a post for temporary 1/16 Section corner
79.96	Intersect North and South line 40 links North of the corner to Sections 9, 10, 15, and 16. from which Corner 9 rem North 89° 43' West on true line between Sections 9 & 16 — Variation 12° 25' East
19.99	Set a post in mound dug four pits and deposited Charcoal for 1/16 Section Corner
39.98	Set a post in Mound dug four pits and deposited Charcoal for 1/4 Section corner
59.97	Set a post in mound, dug four pits and deposited Charcoal for 1/16 Section corner
79.96	The corner to sections 8, 9, 16, and 17. Rolling prairie good 2nd Rate Soil North between Sections 8 and 9 — Variation 12° 20' East
20.00	Set a post in Mound dug four pits and deposited Charcoal for 1/16 Section Corner
40.00	Set a post in Mound. dug four pits and deposited Charcoal for 1/4 Section Corner
60.00	Set a post in mound dug four pits and deposited Charcoal for 1/16 Section Corner
80.00	Set a post in Mound dug four pits and deposited Charcoal for corner to Sections 4, 5, 8, and 9. Hilly prairie 1st and 2d rate soil

6th Principal Meridian

	Chains East on random line between sections 4 and 9 Variation 12°. 20' East
20.00	Set a post for temporary 1/16 Section Corner
40.00	Set a post for temporary 1/4 Section Corner
60.00	Set a post for temporary 1/16 Section Corner
80.00	Intersect North and South line 90 links North of the corner to Sections. 3. 4. 9. and 10. from which corner I run North 89° 22' West on true line between Sections 4 and 9 Variation 12° 20' East
20.00	Set a post in mound dug four pits and deposited charcoal for 1/16 Section Corner
40.00	Set a post in mound. dug four pits and deposited charcoal for 1/4 Section Corner
60.00	Set a post in mound dug four pits and deposited charcoal for 1/16 Section Corner
80.00	The corner to Sections 4. 5. 8. and 9. Hilly prairie 2d rate Soil
	North between Sections 4 and 5 Variation 12°. 45' East
20.00	Set a post in mound dug four pits and deposited charcoal for 1/16 Section Corner
40.00	Set a post in mound dug four pits and deposited charcoal for 1/4 Section Corner
45.00	Enter Meadow bears North East & Southwest
50.00	Leave same bears N. E. and S. W.
60.00	Set post in Mound dug four pits and deposited charcoal for 1/16 Section Corner
67.50	Trail bears N. E. & S. W.
80.67	Intersect Standard parallel 1.20 chains West of the Standard corner between Sections 32 and 33. Township 25 North Range 9 East. I set a post marked "C.C." for closing corner. dug three pits raised mound and deposited charcoal as per instructions Hilly prairie. 1st and 2d rate soil November 26th 1866

28
199

East

Township 24 North Range 9

	Chains Begin at a point on the South Boundary of the Omaha Indian Reservation at its intersection with the section line between Sections 31 and 32. the same being a post in mound 78.63 Chains North of the South West corner of Section 32, and run
	North between Fractional Sections 31 and 32 Variation 12° East
1.37	Set a post in mound dug four pits and deposited charcoal for corner to Sections 29, 30, 31, and 32.
	High rolling prairie 1st rate soil

East Random line between sections 29 and 32. Variation 12° 05' East

20.00	Set a post for temporary 1/16 Section corner
40.00	Set a post for temporary 1/4 Section corner
41.00	Wagon Trail, N.E. and S.W.
42.00	Enter meadow bears N.E. and S.W.
45.50	Dry run – bears N.E. & S.W.
48.00	Leave meadow bears N.E. and S.W.
60.00	Set a post for temporary 1/16 Section Corner
80.08	Intersect N. & S. line 33 links North of the Corner to Sections 28, 29, 32 and 33 from which corner I run, North 89° 46' West on true line between Sections 29 & 32 Variation 12° 25' East
20.02	Set a post in mound dug four pits and deposited Charcoal for 1/16 Section Corner
40.04	Set a post in mound dug four pits and deposited Charcoal for 1/4 Section Corner
60.06	Set a post in mound dug four pits and deposited Charcoal for 1/16 Section Corner
80.08	The Corner to Sections 29, 30, 31, and 32, High rolling prairie 1st and 2d rate Soil

East of 6th Principal Meridian

Chains	West on random line between Sections 30 and 31 Variation 12° 05' East
15.00	Enter Meadow bears North and South
20.00	Set a post for temporary 1/16 Sec. Corner
25.00	Leave meadow bears North and South
40.00	Set a post for temporary 1/4 Section Corner
60.00	Set a post for temporary 1/2 Section Corner
60.15	Wagon trail bears N.E. and S.W.
63.00	Wagon trail N.W. and S.E.
68.00	Dry Run bears N. 20° W. & S. 20° E.
78.30	Intersect Guide Meridian 32 links South of the corner to Sections 30 and 31. from which corner 2 corn, S 89° 46' East on true line between Sections 30 and 31. Variation 12° 5' East
18.30	Set a post in mound dug four pits and deposited charcoal for 1/16 Section Corner
38.30	Set a post in mound dug four pits and deposited charcoal for 1/4 Section Corner
58.30	Set a post in mound dug four pits and deposited charcoal for 1/16 Section Corner
78.30	The corner to Sections 29, 30, 31, and 32, High rolling prairie. 1st and 2d rate soil

North between sections 29 and 30
Variation 12° East

16.50	Intersect wagon trail bears E and W.
20.00	Set a post in mound dug four pits and deposited charcoal for 1/16 Section Corner
40.00	Set a post in Mound dug four pits and deposited charcoal for 1/4 Section Corner
60.00	Set a post in Mound dug four pits and deposited charcoal for 1/16 Section Corner
80.00	Set a post in mound dug four pits and deposited charcoal for Corner to Sections 19, 20, 29, and 30. High rolling prairie 2nd Rate Soil

Township 24 North Range 9 East

Chains	
	East on random line between sections 20 and 29 Variation 12°. 10'. East
20.00	Set a post for temporary 1/16 Section Corner
40.00	Set a post for temporary 1/4 Section Corner
55.00	Enter Meadow bears North and South
58.00	Slough or water course 25 links wide one foot deep, no current, bears North & South
60.00	Set a post for temporary 1/16 Section Corner at same point leave Meadow bears N. & S.
80.00	Intersect N. & S. line 43 links North of the corner to Sections 20, 21, 28, & 29, from which corner I run North 89° 42' West on true line between sections 20 and 29 Variation 12° 10' East
20.00	Set a post in mound dug four pits and deposited Charcoal for 1/16 Section Corner
40.00	Set a post in mound dug four pits and deposited Charcoal for 1/4 Section Corner
60.00	Set a post in mound dug four pits and deposited Charcoal for 1/16 Section Corner
80.00	The corner to Sections 19, 20, 29 and 30. Rolling Prairie 2d Rate Soil

	West on random line between Sections 19 and 30 Variation 12° East
20.00	Set a post for temporary 1/16 Section Corner
40.00	Set a post for temporary 1/4 Section Corner
60.00	Set a post for temporary 1/16 Section corner
78.08	Intersect meridian 43 links South of the corner to Sections 19 and 30 from which corner I run S 89° 41' East on true line between Sections 19 and 30. Variation 12° East.
18.08	Set a post in mound dug four pits and deposited Charcoal for 1/16 Section Corner
38.08	Set a post in mound dug four pits and deposited Charcoal for 1/4 Section Corner
58.08	Set a post in mound dug four pits and deposited Charcoal for 1/16 Section Corner

of 6th Principal Meridian

Chains		
78.08	The corner to sections 19, 20, 29 and 30. Gently rolling prairie 1st and 2d rate soil	
	North between sections 19 and 20 — Variation 12° East	
20.00	Set a post in mound dug four pits and deposited charcoal for 1/16 Section corner	
40.00	Set a post in mound dug four pits and deposited charcoal for 1/4 section corner	
44.00	Enter meadow bears East and West	
50.00	Leave same bears E. & W.	
60.00	Set a post in mound dug four pits and deposited charcoal for 1/16 section corner	
80.00	Set a post in mound dug four pits and deposited charcoal for corner to Sections 17, 18, 19 and 20, Rolling prairie 1st and 2d rate soil.	
	East on random line between Sections 17 and 20. Variation 12° East	
20.00	Set a post for temporary 1/16 Section Corner	
40 00	Set a post for temporary 1/4 Section Corner	
50.00	Enter meadow N and South	
52 50	Slough 10 lks wide N & S. This slough is a water course but has no current at this season of the year	
55.00	Leave Meadow bears N and S.	
60.00	Set post for temporary 1/16 Section Corner	
79.88	Intersect North and South line 35 links North of the corner to Sections 16, 17, 20 and 21. from corner I run North 89° 45' West on True line between Sections 17 and 20. Variation 12° East	
19 97	Set a post in mound dug four pits and deposited Charcoal for 1/16 Section Corner	
39.94	Set a post in Mound dug four pits and deposited Charcoal for 1/4 Section Corner	
59.91	Set a post in mound dug four pits And deposited Charcoal for 1/16 Section Corner	

32
203

Township 24 North Range 9 East

6th

Chains	
79.88	The corner to Sections 17, 18, 19, and 20. Rolling prairie Good 2d rate soil
	West on random line between Sections 18 and 19. Variation 12° East
20.00	Set a post for temporary 1/16 Section Corner
21.00	Enter meadow bears N.W. and S.E. This meadow connects with the meadow on the line between Sections 19 and 20
24.00	Leave Meadow bears N 20° W. and S.E.
40.00	Set a post for temporary 1/4 Section Corner
42.00	Enter meadow bears N. & S.
47.00	Leave meadow bears N. & S.
60.00	Set a post for temporary 1/16 Section Corner
78.07	Intersect Meridian 56 links South of the Corner to Sections 18 and 19. from which corner I run South 89°. 36' East on the line between Sections 18 and 19. Variation 12° East
18.07	Set a post in mound dug four pits and deposited charcoal for 1/16 Section Corner
38.07	Set a post in mound dug four pits and deposited charcoal for 1/4 Section Corner
58.07	Set a post in mound dug four pits and deposited charcoal for 1/16 Section corner
78.07	The corner to Sections 17, 18, 19, and 20. Rolling prairie 2d rate Soil
	November 28th 1866
	North between Sections 17 and 18.
	Variation 12° 20' East
20.00	Set a post in mound dug four pits and deposited Charcoal for 1/16 Section Corner
25.00	Enter meadow bears N.W. & S.E.
30.00	Leave same bears N.W. & S.E.
40.00	Set post in mound dug four pits and deposited Charcoal for 1/4 Section Corner
60.00	Set a post in mound dug four pits and deposited Charcoal for 1/16 Section Corner

6th Principal Meridian

Chains	
80.00	Set a post in mound dug four pits and deposited Charcoal for corner to Sections 7. 8. 17. and 18. Rolling prairie 1st and 2nd Rate soil
	East on random line between Sections 8 and 17.
	Variation 12° 25' East
12.00	Enter meadow bears N.W. & S.E.
20.00	Set a post for temporary 1/16 Section corner
25.00	Leave meadow bears N.W. and S.E.
32.50	Enter meadow bears S 30° E. & N. 30° W.
38.00	Leave meadow same bearing
40.00	Set a post for temporary 1/4 Section corner.
60.00	Set a post for temporary 1/16 Section corner
79.74	Intersect N. & S. line 23 links North of the corner to Sections 8. 9. 16. and 17. from which corner I run
	North 89° 30' West on true line between Sections 8 and 17. Variation 12° 25' East
19.93½	Set a post in mound dug four pits and deposited Charcoal for 1/16 Section corner
39.87	Set a post in mound dug four pits and deposited Charcoal for 1/4 Section corner
59.80½	Set a post in mound dug four pits and deposited Charcoal for 1/16 Section Corner
79.74	The corner to Sections 7. 8, 17. and 18 High rolling prairie Good 2d rate Soil
	West on random line between Sections 7 and 18 Variation 12° 20' East
20.00	Set a post for temporary 1/16 Section Corner
40.00	Set a post for temporary 1/4 Section Corner
60.00	Set a post for temporary 1/16 Section corner
68.50	Trail N.E. and S.W.
78.20	Intersect Meridian line 29 links South of corner to Sections 8 & 17. from which corner I run
	South 89° 47' East on true line between Sections 7 and 18. Variation 12° 20' East

34
205

Township 24 North Range 9 East

Chains	
18.20	Set a post in mound dug four pits and deposited charcoal for 1/16 Section Corner
38.20	Set a post in mound dug four pits and deposited charcoal for 1/4 Section Corner
58.20	Set a post in mound dug four pits and deposited charcoal for 1/16 Section Corner
78.20	The corner to Sections 7, 8, 17, and 18. Moderately rolling prairie 1st and 2d rate soil

North between Sections 7 and 8
Variation 12° 20' East

20.00	Set post in mound dug four pits and deposited charcoal for 1/16 Section Corner
40.00	Set a post in mound dug four pits and deposited charcoal for 1/4 Section Corner
60.00	Set a post in mound dug four pits and deposited charcoal for 1/16 Section Corner
77.50	Intersect Trail bears N.E. and S.W.
80.00	Set a post in mound dug four pits and deposited charcoal for corner to Sections 5, 6, 7, and 8. Rolling prairie 1st and 2d Rate soil

East on random line between sections 5 and 8. Variation 12° 25' East.

20	Enter Meadow bears N.W. and S.E.
1.50	Intersect trail bears N 60 E. & S. 60 W.
10.00	Leave Meadow bears N 20 W and South
20.00	Set post for temporary 1/16 Section Corner
40.00	Set a post for temporary 1/4 Section Corner
60.00	Set a post for temporary 1/16 Section Corner
65.00	Enter Meadow bears N. and S.
68.00	Leave same bears same
80.00	Intersect N & S. line 30 links North of the Corner to sections 4, 5, 8, and 9, from which corner I run North 89° 47' West on the line between sections 5 and 8. Variation 12° 25' East

of 6th Principal Meridian

Chains	
20.00	Set a post in mound dug four pits and deposited charcoal for 1/16 Section corner
40.00	Set a post for 1/4 Section corner from which A Bur Oak 10 inches in diameter bears North 34° West 47 links A Bur Oak 8 inches in diameter bears N. 63° East 226 links No trees near. South of line
60.00	Set a post in mound dug four pits and deposited Charcoal for 1/16 Section Corner
80.00	The corner of Sections 5, 6, 7, and 8, Rolling Prairie. The Middle of the line is Gently rolling prairie and Slopes beautifully. Grove of Oak openings North of the quarter post. 1st rate Soil & good 2d rate.

West on random line between sections Sections 6 and 7.

Variation 12° 20' East

20.00	Set post for temporary 1/16 Section corner
40.00	Set a post for temporary 1/4 Section Corner
60.00	Set a post for temporary 1/16 Section corner
78.27	Fifteenth Meridian 35 links South of the Corner to sections 6 & 7. from which Corner I run South 8.9° 45' East on the line between sections 6 and 7.

Variation 12° 20' East

18.27.	Set a post in Mound dug four pits and deposited Charcoal for 1/16 Section Corner
38.27	Set a post in Mound dug four pits and deposited Charcoal for 1/4 Section Corner
58.27	Set a post in Mound dug four pits and deposited charcoal for 1/16 Section Corner
78.27	The Corner to sections 5, 6, 7, and 8, Rolling prairie - the West half of line gently rolling. 1st and 2d rate soil

36
207

Township 24 North Range 9 East of 6th Principal Meridian

Chains	North between Sections 5 and 6.
	Variation 12° 30' East
10	Enter Meadow bears N.W. & S.E.
5.00	Leave Meadow bears N.W. & S.E.
20.00	Set a post in Mound dug four pits and deposited Charcoal for 1/16 Section Corner
40.00	Set a post in Mound. dug four pits and deposited Charcoal for 1/4 Section Corner
60.00	Set a post in Mound dug four pits and deposited Charcoal for 1/16 Section Corner
80.37.	Intersect Standard Parallel 1.80 chains West of the Standard Corner to Sections 31 and 32. Township 25 N. R. 9 E. Set a post mark C C for closing Corner raised a Mound of earth, dug three pits and deposited Charcoal as per instructions High rolling prairie 2d Rate soil

November 29th 1866

General Discription

The quality of the land in this Township is chiefly good 2d rate. The bottom near Blackbird Creek has a 1st rate soil

The Land is mainly high rolling prairie There is considerable timber along Blackbird Creek – Oak and black Walnut being the principal varieties. Blackbird Creek is a rapid stream, about 20 links wide and at the time of surveying, about six inches deep, with steep banks fifteen to twenty feet high. The water is pure and sweet. Its numerous branches, issuing from springs in the hill sides. The timber along the creek is only in small groves, and is heaviest in Section 13. There is also, some timber in small groves, near the Standard Parallel, on the North side of the Township.

The South West portion of the Township is Moderately rolling. While in the North East, the surface is hilly and rough.

The Variation of the Needle is changable

particularly in the east half of the Township the difference. however between the Variation of the needle on the section and quarter section lines is to be attributed in part, to the fact that the quarter section lines were not run until after the section lines, and usually at a different hour of the day The amount of charcoal deposited in the ~~Several~~ Mounds is equal to a Solid 2×2×2 inches and is made up of one or more piece of coal.

I Saw no improvements of any kind in that portion of the Township on the Reservation. but just north of the South Boundary near the Blackbird a farm has been commenced.

We hereby certify that we assisted Theodore M. Barrett. U.S. Surveyor. in Surveying the Exterior Boundaries and subdividing that portion of Township No 24. North of the base line of Range No 1 East of the Sixth Principal Meridian Embraced within the limits of the Omaha Indian Reservation and that said Fractional Township has been in all respects to the best of Our knowledge and belief well and faithfully Surveyed. and the Boundary Monuments planted according to the instructions furnished by the Commissioner of the General Land Office

Stephen Guitar	Chainman
A Inglebright	Do
George Eggleston	Do
Chas W. King	Do
M. Archambault	Mound Builder
Fredrick Gearneck	Do

J. W. Smith Axeman
L. G. Reynolds Flagman
John R. Wells Do
Richard Cronk Compassman

Tendony of Nebraska
Burt County

Subscribed and sworn to by the above named persons before me the 8th day of December 1866

Albert White
Justice of the Peace

Stamp

I Theodore H. Barrett U. S. Surveyor, do solemnly swear that in pursuance of a contract with J. M. Edmunds Commissioner of the General Land Office of the United States, bearing date the 14th day of August 1866, and in strict conformity with the laws of the United States and the instructions furnished by the said Commissioner of the General Land Office. I have faithfully surveyed the exterior boundaries and subdivision Section Lines of that portion of Township Number twenty Four North of the base line of Range Number Nine East of the Sixth Principal Meridian embraced within the boundaries of the Omaha Indian Reservation in the Territory of Nebraska And I do further solemnly sweas. that the foregoing are the true and original field notes of such Survey.

Theodore H. Barrett
U. S. Surveyor

Subscribed by the said Theodore H. Barrett U.S. Surveyor and Sworn to before me a Justice of the Peace for Whiteside county in the State of Illinois. this 23d day of January 1867.

R. L. Mangan
J. P.

Stamps

Department Of the Interior
General Land Office
March 4th 1867

The foregoing field notes of the Survey of the Subdivision into Sections of Township 24 North Range 9 East of the 6th Principal Meridian Nebraska executed by Theodore H. Barrett under his Contract of the 14th day of August 1866 in the month of November 1866 having been critically examined and the necessary corrections and explanations made. the said field notes and the Survey they describe are hereby Approved

Joel S Wilson
Commissioner

Department of the Interior
General Land office
July 14. 1871

I hereby certify that the foregoing field notes are true Copies of the original on file in this office

Wells Drummond
Commissioner

38
209

40
211

41
2:12

10, 6
43
2:14

Compared and corrected

Subdivision of Sections
Omaha Reservation.
Township 24 N. R. 9. E. 6th Principal Meridian

10.6
43
214

Field Notes of the survey of the Subdivision of Sections in that portion of Township 24 North of Range 9. East of the 6th Principal Meridian, embraced within the Omaha Indian Reservation, in the Territory of Nebraska, by Theodore H. Barrett, U. S. Surveyor, under his contract bearing date the 14th day of August. 1866.

Subdivision of Sections commenced November 19th 1866. and completed December 4th 1866.

A list of names of the individuals employed to assist in running, measuring or marking the lines and corners described in the following Field notes of Subdivision of Sections in that portion of Township No 24. N. of the base line of Range number 9 East of the 6th Principal Meridian, showing the respective capacities in which they acted.

Stephen Guter. Chainman.
A. Englebright. "
Geo. Eggleston "
Chas W King "
H. Archambault. Mound Builder.
Frederick Gearwick "
J. W. Smith. Axman.
L. G. Reynolds. Flagman.
Jno R Wells "
Richard Cronk. Compassman.

X 44
315

Omaha Reservation.

Township 24 North Range 9 E. 6th Principal

Chains

Subdivision of Section 36. (Fractional)

Begin at the point on the South Boundary of the Omaha Reservation, where the quarter section line running North through Section 36, intersects said boundary - the same being a post in mound and run

North on the quarter Section line through Fractional Section 36, Va. 12° 29' East.

6.31½ Intersect the North boundary of the Section at the quarter Section Corner.

Rolling prairie. 2nd rate soil.

Subdivision of Section 25.

North, on the quarter section line through Section 25. Va. 12° 29' East.

20.00 Set a post, dug four pits - built mound, and deposited charcoal for 1/16 Sec. Corner.

40.00 Set a post, raised mound, dug four pits and deposited charcoal for 1/4 Sec. Corner.

60.00 Set post, built mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.

80.00 Intersect the North boundary of the Section at the quarter Section Corner.

Rolling prairie; 2nd rate soil.

East on a random quarter Section line through Section 25.

Va. 12° 30' East.

20.00 Set a post for temporary 1/16 Sec. Cor.

39.98½ Intersect C. & S. 1/4 Sec. line.

60.00 Set a post for temporary 1/16 Sec. Corner.

79.91 Intersect the East Boundary of the Section 28 links South of the 1/4 Section

Meridian.

Chains	corner, from which ¼ Sec. Cor. I run S. 89° 48' West on a true ¼ Section line through Section 25, Va. 12° 30' East.
19.97½	Set a post, raised a mound, dug four pits and deposited charcoal for ¼ Section Corner.
39.95	Intersect the N. & S. quarter Section line at the quarter Section Corner.
39.93¼	Set a post, dug four pits - built mound and deposited charcoal for ¼ Section Corner.
79.91	The Quarter Section Corner on the West side of the Section. Rolling Prairie, 2nd rate soil. Dec. 19th 1866.

Subdivision of Section 24.

	North, on the Quarter Section line through Section 24. Va. 12° 25' E.
20.00	Set a post, dug four pits and deposited charcoal for ¼ Sec. Cor.
40.00	Set a post, dug four pits, raised mound and deposited charcoal for ¼ Section Corner.
43.00	A brook five links wide - running West.
0.50.00	Indian Trail - bears N.E. & S.W.
60.00	Set a post, dug four pits raised mound, and deposited charcoal for ¼ Section Corner.
Note.	This corner was first established by error 8 links West of the true corner. I caused the mound to be destroyd and the pits filled up.
75.00	Blackbird Creek: 20 links wide, running North East.
80.00	Intersect the North boundary of the Section at the ¼ Sec. Corner.

X 4
215

346
217

Omaha Reservation. Township 24 N.

Chains	
	Rolling prairie & Middle Creek bottom. 1st rate soil near the Creek— the remainder, 2nd rate.
	East on a random quarter Section line through Section 24. Var. 12° 30' East.
5.00	Blackbird Creek — 20 links wide, runs N. E.
20.00	Set a post for temporary 1/16 Sec. Cor.
20.50	Leave Blackbird Creek bottom and Enter high prairie. — bears N.E. & S.W.
39.88 1/2	Intersect the N & S 1/4 Section line.
48.00	A brook 5 links wide; runs North.
50.00	Same brook running South.
51.50	Same brook, running North.
66.00	Set a post for temporary 1/16 Sec. Cor.
79.77	Intersect the East Boundary of the Section 43 links South of the Quarter Section corner, from which quarter Sec. Corner N run South 89° 42' West on a true Quarter Section line through Section 24.
19.94 1/2	Set post, raised mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
39.88 1/2	Intersect the N & S 1/4 Section line at the 1/4 Section Corner.
59.82 3/4	Set a post, raised a mound, dug four pits, and deposited charcoal for 1/16 Sec. Corner.
79.77	The 1/4 Section Corner on the West side of Section 24. Creek bottom is 1st rate Soil. The Rolling prairie is 2nd rate. Nov. 20th 1866

Subdivision of Section 13.

North, on the quarter Section line through Section 13. Va, 12° 20' East.

Range 9. E. the 6th Principal Meridian.

Chains	
10.00	Leave Blackbird Creek bottom-
	bears N.E. & S.W.
18.00	A Brook 5 links wide - running East.
20.00	Set Post for 1/16 Sec. Cor. from which
	A Bur Oak, 16 in in diameter,
	bears S. 8° 15' East, 148 links distant.
	A Bur Oak, 16 in in diameter, bears
	South 5° 45' West, 141 links distant.
31.00	A Brook 5 links wide, runs East.
40.00	Set a post for 1/4 Sec. Corner from
	which, A Bur Oak 16 in in diameter,
	bears S. 55° W. 115 links distant.
	A Bur Oak 18 in in diameter, bears
	N. 63½° West. 221 links distant.
60.00	Set a post in mound, dug four
	pits and deposited charcoal for 1/16
	Sec. Corner.
80.00	Intersect the North Boundary of the
	Section at the 1/4 Section Corner.
	That portion of the line on Black-
	bird Creek bottom has a 1st rate soil.
	The rolling prairie has a
	2nd rate soil.
	Near the Streams are small groves of
	timber.

	East on a random quarter Section
	line through Sec. 13. Va. 12° 30' East.
20.00	Set a post for temporary 1/16 Sec. Cor.
35.50	A brook, 5 links wide - runs S.E.
	At same place enter Blackbird
	Creek bottom, bears N & S
39.87	Intersect N & S. 1/4 Sec. line.
60.00	Set a post for temporary 1/16 Sec. Cor.
70.00	Blackbird Creek, 20 links wide -
	runs N.E.
79.65	Trail - bears N.E. & S.W.
79.74	Intersect the East Boundary of the
	Section 27 links South of the 1/4 Section
	corner, from which 1/4 Sec. Corner
	I run South 89° 48' West on
	a true quarter Section line

X 4
215

F 48
219

Omaha Reservation. Township 24 N.

	Chains	
		through Section 13.
		Va. 12° 30' East.
	19.93½	Set a post in mound, dug four pits and deposited charcoal for 1/16 Section Corner.
	39.97	Intersect the N. & S. 1/4 Sec. line at the 1/4 Section Corner.
	59.80½	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
	79.74	The quarter Section corner on the West Boundary of the Section. The rolling prairie has a 2nd rate soil. Blackbird Creek bottom has a first rate soil.
✓		Subdivision of Section 12.
		North, on the quarter Section line through Section 12. Va. 12° 35' East.
	20.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
	22.00	Trail— bears E° & W.
	25.00	A Brook 5 links wide, runs East.
	40.00	Set a post in mound, dug four pits and deposited charcoal for 1/4 Section Corner.
	43.00	Indian Trail— bears N.E. & S.W.
	60.00	Set a post, raised mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
	80.00	Intersect the North boundary of the Section at the quarter Section corner. Rolling Prairie: 2nd rate Soil.
		East on a random quarter Section line through Section 12. Va. 12° 30' East.
	20.00	Set a post for temporary 1/16 Sec. Cor.
	35.00	Indian Trail— bears N.E. & S.W.
	39.84½	Intersect the N. & S. 1/4 Sec. line.
	60.00	Set a post for temporary 1/16 Sec. Corner.

Range 9 E. the 6th Principal Meridian.

Chains	
70.00	A brook 5 links wide, runs S.E.
73.00	Same " runs N.E
74.50	" " " S.E.
75.50	" " " N.E.
79.00	" " " S.E.
79.69	Intersect the East Boundary of the Section 15 lks north of the 1/4 Section Corner, from which quarter Section Corner I run. North 89° 54' West on a true quarter Section line, through Section 12. Va. 12° 30' E.
19.92 1/4	Set a post in mound, dug four pits and deposited charcoal for 1/16 Section Corner.
39.84 1/2	Intersect the N. & S. 1/4 Section line at the 1/4 Section corner.
59.76 3/4	Set a post in mound, dug four pits and deposited charcoal for 1/16 Section Corner.
79.69	The quarter Section Corner on the west side of the Section. Rolling Prairie, intersected by ravine..... 2nd rate soil.

Subdivision of Section 1.

North, on the quarter Section line through Section 1. — Va. 12° 45' E.

20.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
28.00	At Ravine — bears N.W. & S.E.
40.00	Set a post in mound, dug four pits, and deposited charcoal for 1/4 Sec. Corner.
60.00	Set a post, dug four pits, built mound & deposited charcoal for 1/16 Sec. Corner.
81.70	Intersect the Sixth Standard Parallel. 38.23 Chains East of the Standard Corner to Sections 35 & 36. T. 24. N. R. 9. E. 6th P. M.

X 4
315

X50
221

Omaha Reservation. Township 24 N. Range

Chains	
	and at the point of intersection I set a post, dug three pits, raised a mound and deposited charcoal for closing 1/4 Sec. Cor. Rolling prairie. 2nd Rate Soil.
	East on a random quarter Section line through Section 1. Va. 12° 25' East.
20.00	Set a post for temporary 1/4 Sec. Cor.
30.00	A Ravine, bears Cr. N. & S. B.
39.88	Intersect the Cr. & S. 1/4 Sec. Line,
60.00	Set a post for temporary 1/4 Sec. Cor.
79.76	Intersect the East Boundary of the Section 35 lks North of the quarter Section corner, from which 1/4 Sec. Corner, I run,
	North 89° 45' West on a line quarter Section line through Section 1. Va. 12° 25' East.
19.94	Set a post, dug four pits, built a mound and deposited charcoal for 1/16 Sec Corner.
39.88	Intersect the Cr. & S. 1/4 Section line at the quarter Section Corner.
59.82	Set a post, dug four pits, built a mound, and deposited charcoal for 1/16 Sec. Corner.
79.76	The quarter Section corner on the West side of Section 1. Rolling prairie. 2nd Rate soil. Nov. 21. 1866.

Subdivision of Fractional Section 35.

Begin at the point on the South Boundary of the Omaha Reservation where the quarter Section line running North through Section 35, intersects said Boundary — the same being a post in mound — and run North on the quarter Section line through Section

9. East of the 6th Principal Meridian.

	Chains	(fractional) 35. Va. 12° 20' East.
	1.64	Intersect the North Boundary of the Section at the quarter Section Corner.
		Rolling Prairie, 2nd rate soil.
		Subdivision of Section 26.
		North, on the quarter Section line through Section 26. Va 12° 29' E.
	20.00	Set a Post, dug four pits, raised mound, and deposited charcoal for 1/16 Sec. Corner.
	28.00	Enter Blackbird Creek bottom, bears N.E. & S.W.
	40.00	Set a Post, dug four pits, raised a mound, and deposited charcoal for 1/4 Sec. Corner.
	56.00	Blackbird Creek - 20 links wide - runs N. East.
	60.00	Set a Post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
	70.00	A Brook, 10 lks wide, - runs East.
	80.00	Intersect the North boundary of the Section at the quarter Section Corner.
		High Prairie - and Blackbird Creek bottom - the high Prairie has a 2nd rate soil, - the bottom land a 1st rate soil.
		East on a random quarter Section line through Section 26. Va. 12° 15' East.
	20.00	Set a post for temporary 1/16 Sec. Corner.
	24.00	Enter Blackbird Creek bottom, bears N.E. & S.W.
	26.00	Blackbird Creek - running N.E.
	40.15	Intersect the N. & S. 1/4 Sec. line.
	54.00	Leave Blackbird Creek bottom, bears

X 4
215

T 5N
R 23

Omaha Reservation. Township 24 N. Range

Chains	
	N. E & S. W.
60.00	Set a post for temporary 1/16 Sec. Corner
66.00	At ravine- bears N.E. & S.W.
80.30	Intersect the East Boundary of the Section 26 links South of the quarter Section Corner, from which Quarter Section Corner I run South 89°49' West, on a true quarter Section line through Section 26. Va. 12° 15' East.
20.07½	Set a post, dug four pits, built mound, and deposited charcoal as per instructions for 1/16 Sec. corner.
40.15	Intersect the N. & S. ¼ Section line at the ¼ Sec. Corner.
60.22½	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
80.30	Intersect the West Boundary of the Section at the ¼ Sec. Corner. High rolling Prairie and bottom land near Blackbird Creek. The high Prairie has a 2nd rate soil. — bottom, 1st rate. Nov. 22nd 1866.

Subdivision of Section 23.
North on the quarter Section line through Section 23.
Va. 12° 20' East.

1.50	Leave Blackbird Creek bottom and enter high Prairie, bears N.E. & S.W.
20.00	Set a post for 1/16 corner - raised mound, dug four pits and deposited charcoal
40.00	Set a post, dug four pits and built mound — also deposited charcoal for ¼ Sec. Corner.
60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Section Corner.

5370
224

T. E. of the 6th Principal Meridian.

Chains 80.00	Intersect the North boundary of the Section at the 1/4 Sec. Corner. Rolling Prairie. 2nd rate soil.
	East on a random 1/4 Section line through Section 23. Va. 12° 25' East.
6.00	Enter Meadow – bears N.W. & S.E.
14.00	Leave " – " " " " " "
20.00	Set a Post for temporary 1/16 Sec. Cor.
25.50	A wagon Trail – bears N & S.
40.11	Intersect the N & S. 1/4 Sec. line.
60.00	Set a Post for temporary 1/16 Sec. Cor.
70.00	Enter Blackbird creek bottom – bears N & S.
71.00	A Brook – 5 links wide – runs South E.
80.22	Intersect the East Boundary of the Sec 27 links North of the quarter Sec corner, from which 1/4 Sec. Corner bears North 89° 48' West on a true quarter Section line through Section 23. Va. 12° 25' East.
20.05 1/2	Set a Post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
40.11	Intersect the N & S 1/4 Section line at the quarter Section Corner.
60.16 1/2	Set a Post, dug four pits, raised mound, and deposited charcoal for 1/16 Sec. Corner.
80.22	The quarter Section corner on the West side of the Section. High Rolling Prairie & Blackbird creek bottom. 1st and 2nd rate soil.
	Subdivision of Section 14. North on the quarter Section line through Section 14. Va 1.2° 10' E.
20.00	Set a Post, dug four pits, raised mound and deposited charcoal for 1/16 Sec. Corner.
40.00	Set a Post in mound, dug four pits and deposited charcoal

X 4
315

11 54
225

Omaha Reservation. Township 24 N. Range

Chains	
	for 1/4 Section Corner.
60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
80.00	Intersect the north boundary of the Section at the 1/4 Section Corner.
	Rolling Prairie.
	2nd rate soil.

East on a random quarter Section line through Section 14.
Va. 1 2° 15' East.

20.00	Set a post for temporary 1/16 Sec. Cor.
23.50	At wagon trail, bears N & S.
40.17	Intersect the N & S. 1/4 Sec. line
60.00	Set a post for temporary 1/16 Sec. Cor.
80.34	Intersect the East Boundary of the Section 21 lks South of the 1/4 Sec. Corner, from which Corner I run South 89° 51' West on a true quarter Section line through Section 14.

Var. 12° 15' East.

20.08½	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
40.17	Intersect the N & S 1/4 Sec. line at the quarter Section Corner.
60.25½	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
80.34	Intersect the West side of the Section at the quarter Sec. Corner.

Rolling Prairie. 2nd rate soil.

Subdivision of Section 11.

North on the quarter Section line through Section 11.
Va. 1 2° 40' East.

20.00	Set a post in mounds dug four pits and deposited

T. E. 6th Principal Meridian.

Chains	Charcoal for 1/16 Section Corner.
40.00	Set a post, dug four pits, built a mound and deposited charcoal for 1/4 Sec. Corner.
60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. corner.
65.00	A wagon trail — bears N.E. & S.W.
80.00	Intersect the North boundary of the Section at the quarter Section corner, Rolling Prairie 2nd rate soil. Nov. 25th 1866.

East, on a random quarter Section line through Section 11.
Va. 1 2° 25' East.

15.00	A wagon Trail; bears N.E. & S.
20.00	Set a post for temporary 1/16 Sec. Cor.
40.29	Intersect the N. & S. 1/4 Sec. line at the 1/4 Sec. Corner.
60.00	Set a post for temporary 1/16 Sec. Cor.
80.58	Intersect the East boundary of the Section 3 lks N. of the 1/4 Sec. Corner, from which quarter Section Corner I run North 89° 58' West on a true quarter Section line through Sec. 11. Va. 12° 25' E.
20.14½	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
40.29	Intersect the N. & S. 1/4 Sec. line at the 1/4 Sec. Corner.
60.43½	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
80.58	The quarter Section Corner on the West boundary of the Section. Rolling Prairie. 2nd rate soil.

X 4 / 215 — 1 / 2 — 13.56 / 229

Omaha Reservation. Township 24. N.

Chains	Subdivision of Section 2.
	North, on the quarter Section line through Section 2. Va. 12° 30' E.
20.00	Set a Post, raised mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
40.00	Set a Post in mound, dug four pits and deposited charcoal for 1/4 Sec. Corner.
60.00	Set a Post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
81.20	Intersect the Sixth Standard Parallel. 38.11 Chains East of the Standard Corner to Sections 34 & 35. T. 25 N. R. 9 E. and at the Point of intersection, set a Post in mound, dug three pits and deposited charcoal for closing 1/4 Sec. Corner.
	Rolling Prairie. 2nd rate soil.
	East, on a random quarter Sec. line through Section 2. Va. 12° 38' E.
20.00	Set a post for temporary 1/16 Sec. Cor.
40.29½	Intersect the N. & S. quarter Section line.
60.00	Set a Post for temporary 1/16 Sec cor.
80.59	Intersect the East boundary of the Section 5 links South of the 1/4 Sec. Corner, from which quarter Section corner S. run.
	South 89° 58' West on a true quarter Section line through Sec. 2. Va. 12° 35' East.
20.14¾	Set a Post in mound, dug four pits and deposited charcoal for 1/16 Section Corner.
40.29½	Intersect the N. & S. 1/4 Sec. line at the 1/4 Section Corner.
60.44¼	Set a Post in mound, dug

Range 9. E. of the 6th Principal Meridian.

	Chains	four pits and deposited Charcoal for 1/16 Sec. Corner.
	80.59	The quarter Section Corner on the west side of the Section. Rolling prairie: good, 2nd rate. Nov. 24th 1866.

Subdivision of Fractional Section 34.

Begin at the point on the South Boundary of the Omaha Reservation where the quarter Section line running North through Section 34. intersects said boundary, the same being a post in mound; and run North on the quarter Sec. line through Fractional Section 34. Va. 12° 15' E.

	the Section at the 1/4 Sec. Corner. Rolling prairie: good 2nd rate soil.

Subdivision of Section 27.

North on the quarter Section line through Section 27. Va. 12° 10' E.

5.00	Enter low prairie or meadow — bears E & W.
15.00	Leave same — bears same.
20.00	Set a post; dug four pits, raised a mound and deposited charcoal for 1/16 Sec. Corner.
40.00	Set a post, dug four pits, raised a mound and deposited Charcoal for 1/4 Sec. Corner.
51.50	A Wagon Trail — bears N.E. & S.W.
60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
80.00	Intersect the North boundary of the Section at the 1/4 Sec. Corner

Rolling Prairie
2nd rate soil.

X 4 1 15 58
21 2 229

Omaha Reservation. Township 24. North.

Chains	
	East on a random quarter Section line through Sec. 27. — Va. 12° 15' E.
20.00	Set a post for temporary 1/16 Sec. Corner
30.00	A wagon trail — bears N.E. & S.W.
40.10	Intersect the A. & S. 1/4 Sec. line.
50.00	Enter low Prairie — bears N.W. & S.E.
60.00	Set a post for temporary 1/16 Sec. Cor.
61.00	Leave low Prairie — bears N.W. & S.E.
80.20	Intersect A. & S. Section line 10 lks South of the quarter Section corner between Sections 26 & 27. from which 1/4 Sec. Corner bears run South 89° 56' West on a line 1/4 Sec. line through Sec. 27. Va. 12° 15' East.
20.05	Set a post, raised mound, dug four pits and deposited charcoal for 1/16 Section Corner.
40.10	Intersect A. & S. 1/4 Sec. line at the 1/4 Section Corner.
60.15	Set a post, raised a mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
80.20	The quarter Section corner on the west side of the Section.

Rolling Prairie: 2nd rate soil.

Subdivision of Section 22.

North on the quarter Section line through Section 22. Va. 12° 17' East.

20.00	Set a post, dug four pits, raised a mound, & deposited charcoal for 1/16 Sec. Corner.
40.00	Set a post in mound, dug four pits and deposited charcoal for 1/4 Sec. Corner.
60.00	Set a post in mounds dug four pits and deposited charcoal for 1/16 Section corner.
80.00	Intersect the North side of the Section at the 1/4 Sec. Corner.

59 16
230

Range 9 East of the 6th Principal Meridian.

Chains	
	Rolling Prairie. 1st & 2nd rate soil.
	East on a random quarter Section line, through Section 22.
	Va. 12° 15' East.
20.00	Set a Post for temporary ¼ Sec. Corner.
40.02½	Intersect the ct & S. ¼ Sec. line.
60.00	Set a Post for temporary ¼ Sec cor.
80.05	Intersect the East boundary of the Section 43 links South of the quarter Section corner, from which ¼ Sec. Corner I run
	South 89° 42' West on a true quarter Section line through Section 22.
	Var. 12° 15' E.
20.01¼	Set a Post in mound, dug four pits and deposited charcoal for ¼ Sec. Corner.
40.02½	Intersect the ct & S. ¼ Sec. line at the quarter Section corner.
60.03¾	Set a Post in mound, dug four pits and deposited charcoal for ¼ Sec. Corner.
80.05	The quarter Section corner on the West side of the Section.
	High Rolling Prairie; 1st and 2nd rate soil.
	Nov. 26th 1866.
	Subdivision of Section 15.
	North, on the quarter Section line through Section 15.
	Va. 12° East.
20.00	Set a Post in mound, dug four pits and deposited charcoal for ¼ Sec. Corner.
40.00	Set a Post in mound, dug four pits and deposited charcoal for ¼ Sec. Cor.
55.50	A dry Run — bears E & E.
60.00	Set a Post in mound, dug four pits and deposited charcoal for ¼ Sec. Corner.
80.00	Intersect the North boundary of the Section at the quarter Sec corner.
	Rolling Prairie. 2nd rate Soil.

47
231 60

Omaha Reservation, Township 24. N. Range

Chains	
	East on a random quarter Sec. line through Section 15. Va. 12° 30' East.
20.00	Set a post for temporary 1/16 Sec. Corner.
39.97½	Intersect the N & S 1/4 Section line.
60.00	Set a Post for temporary 1/16 Sec. Cor.
63.50	Enter meadow — bears N.W. & S.E.
75.00	Leave " — " "
79.75	Intersect the East boundary of the Section 25 lks North of the 1/4 Section corner, from which 1/4 Sec. cor, & run. North 89° 49' West on a true quarter Section line through Sec. 15 Va 12° 30' East.
19.98¾	Set a Post in mound, dug four pits and deposited Charcoal for 1/16 Sec. Corner.
39.97½	Intersect the N & S 1/4 Sec. line at the 1/4 Sec. Corner.
59.96¼	Set a Post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
79.95	The quarter Section corner on the West side of Section 15 Rolling prairie: 2nd rate soil.

Subdivision of Section 10.

North, on the 1/4 Sec. line through Sec. 10. Va. 12° 30' East.

20.00	Set a Post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
40.00	Set a post in mound, dug four pits and deposited charcoal for 1/4 Sec. Corner.
60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
80.00	Intersect the North boundary of the Section at the 1/4 Sec. corner.

T. E. 6th Principal Meridian.

Chains	
	Rolling Prairie: 2nd rate soil.
	East on a random ¼ Section line through Section 10. Va. 12° 30' East.
20.00	Set a post for temporary ¼ Sec. Cor.
39.92	Intersect the N. & S. ¼ Sec. line.
60.00	Set a post for temporary ¼ Sec Corner.
79.84	Intersect the East boundary of the Section 70 links South of the quarter Sec. Cor. from which ¼ Sec. Corner
	& run
	S. 89° 30' West on a true ¼ Sec. line, through Section 10.
	Va. 12° 30' East
19.96	Set a post in mound with pits & Charcoal for ¼ Sec Corner.
39.92	Intersect N. & S. ¼ Sec. line at the quarter Sec Corner.
59.88	Set a post in mound for ¼ Sec. Corner — dug four pits and deposited charcoal.
79.84	The quarter Sec. corner on the West side of the Section
	Rolling prairie: 2nd rate soil.
	Subdivision of Section 3.
	North, on the quarter Section line through Section 3. Va. 12.40 E.
20.00	Set a post in mound, dug four pits and deposited charcoal for ¼ Sec. corner.
40.00	Set a post for ¼ Sec. corner — raised mound, dug four pits and deposited charcoal.
50.50	A ravine — bears N.E. & S.W.
60.00	Set a post in mound, dug four pits and deposited charcoal for ¼ Sec. corner.
81.40	Intersect the Sixth Standard Parallel 37.84 chains East of the Standard corner to Sections 33 & 34 T. 25

X 4
31 3

1962
233

Omaha Reservation. Township 24. N. Range

Chains	
	North, Range 9. E. and at the point of intersection. Set a post, dug three pits, raised a mound, and deposited charcoal for closing ¼ Section Corner.
	Rolling Prairie - 1st & 2nd rate soil.
	East on a random ¼ Sec. line through Section 3. Va. 12° 30' East.
20.00	Set a post for temporary ¼ Sec. Cor.
39.75	Intersect the O & S ¼ Sec. line.
51.50	A Ravine — bears N.E. & S.W.
60.00	Set a post for temporary ¼ Sec. corner
60.20	A ravine and small spring brook; running N.E.
79.70	Intersect the O & S. Sec. line 81 links South of the ¼ Sec corner, between Sections 2 & 3, from which ¼ Sec. Cor. I run South 89° 25' West on a true ¼ Sec. line through Sec. 3. Va. 12° 30' East.
19.97½	Set a post in mound, dug four pits and deposited Charcoal for ¼ Sec. corner.
39.75	Intersect the O & S ¼ Sec. line at the ¼ Sec. Cor.
59.92½	Set a post in mound, dug four pits and deposited charcoal for ¼ Section corner.
79.90	Intersect the West side of the Section at the quarter Section corner.
	Rolling Prairie - 2nd rate soil.
	Nov. 28. 1866.

Subdivision of Fractional Section 33.

Begin at a point on the South boundary of the Omaha Reservation, where the ¼ Section line running North through Sec. 33. intersects said boundary — the same being a post in mound — and run North, on the ¼ Sec. line

9 E. of the 6th Principal Meridian.

	through Fract'l Section 33. Va. 12° 12' East.
2,25	Intersect the North boundary of the Section at the ¼ Section corner. High rolling prairie: 2nd rate soil.
	Subdivision of Section 28.
	North, on the ¼ Sec. line, through Sec. 28. Va. 12° 12' East.
20.00	Set a post in mound, dug four pits and deposited charcoal for ¼ Sec. corner.
40.00	Set a post in mound, dug four pits and deposited charcoal for ¼ Sec. corner.
42,00	Enter low prairie or meadow, bears N.W. & S.E.
5.00	Leave Same ——— bears same.
60.00	Set a post in mound, dug four pits and deposited charcoal for ¼ Sec. Corner.
80.00	Intersect the North boundary of the Section at the ¼ Sec. Corner. Rolling prairie: 2nd rate soil.
	East, on a random quarter Section line, through Sec. 28. Va 12° 15' East.
20.00	Set a post for temporary ¼ Sec. Cor.
40.03	Intersect the N. & S. ¼ Sec. line.
41.00	Enter meadow — bears N. W. & S. E.
46.00	Leave " ——— " "
60.00	Set a post for temporary ¼ Sec. Corner.
88.06	Intersect the East boundary of the Section 19 links South of the ¼ Sec. Corner from which ¼ Sec. Cor. I run South 89° 52' West on a true ¼ Sec. line through Sec. 28. Va. 12° 15' East.
20.01½	Set a post in mound, dug four pits and deposited charcoal

X
21

21
64
235

Omaha Reservation. Township 24. N. Range

Chains	
	for 1/16 Section corner.
40.03	Intersect the N & S. 1/4 Sec. line at the 1/4 Section corner
60.04	Set a post in mound, dug four pits and deposited charcoal for 1/16 Section corner.
80.06	The quarter Section corner on the West side of the Section.
	High rolling Prairie: 2nd rate soil.

Subdivision of Section 21.

North, on the quarter Section line through Sec. 21. Va. 1 2° 14' E.

20.00	Set a post in mound, dug four pits and deposited Char coal for 1/16 Sec. Corner.
40.00	Set a post in mound, dug four pits and deposited charcoal for 1/4 Sec. Corner.
47.50	Enter meadow — bears N.W. & S.E.
55.00	Leave " — " "
60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Section corner.
80.00	Intersect the North boundary of the Section at the 1/4 Sec. corner. High rolling prairie; 2nd rate soil.

East, on a random quarter Section line through Section 21.

Va. 1 2° 10' East.

20.00	Set a post for temporary 1/16 Sec. Corner.
40.52	Intersect the N & S. 1/4 Sec. line.
50.00	Enter meadow — bears N.W. & S.E.
59.00	Leave " — " "
60.00	Set a post for temporary 1/16 Sec. Cor.
80.04	Intersect the east boundary of the Section 40 links North of the 1/4 Section Corner, from which 1/4 Sec. Corner N rum. North 89° 43' West on

T. East of the 6th Principal Meridian

Chains	a true quarter Section line through Section 21.
20.01	Set a post in mound, dug four pits and deposited charcoal for ¼ Section.
40.02	Intersect the N & S ¼ Sec. line at the ¼ Section Corner.
60.03.	Set a post in mound, dug four pits and deposited Charcoal for ¼ Sec. corner.
80.04	The quarter section corner on the west side of Sec. 21. High rolling prairie; 2nd rate soil

Nov. 27th 1866.

Subdivision of Section 16.

North, on the quarter Section line through Section 16. Va. 12° 12' East.

20.00	Set a post in mound; dug four pits and deposited charcoal for ¼ Sec. corner.
40.00	Set a post in mound, dug four pits and deposited charcoal for ¼ Sec. corner.
60.00	Set a post in mound, dug four pits and deposited charcoal for ¼ Section corner.
65.00	Enter meadow — bears E & W.
70.00	Leave " — " " "
80.00	Intersect the North boundary of the Section at the ¼ Sec. corner.

Rolling Prairie: 1st & 2nd rate soil.

East, on a random quarter Sec. line through Section 16. Va. 12°. East.

20.00	Set a post for temporary ¼ Sec. cor
40.00	Intersect the N & S ¼ Sec. line.
60.00	Set a post for temporary ¼ Sec. cor.
80.00	Intersect the East boundary of Section 16. — 37 links North

X
31

2866
237

Omaha Reservation. Township 24 N. Range 9.

Chains	
	of the quarter Section corner from which quarter Sec. Cor. S rum. North 89° 44' West on a true ¼ Sec line through Section 16. Va. 12° E.
20.00	Set a post in mound, dug four pits and deposited charcoal for ¼ Sec. Corner.
40.00	Intersect the N. & S. ¼ Sec line at the ¼ Sec. corner.
60.00	Set a post in mound, dug four pits and deposited charcoal for ¼ Sec. corner.
80.00	The quarter section corner on the West side of the Sec. 16. Rolling prairie. 1st & 2nd rate soil.

Subdivision of Section 9.

	North, on the quarter Section line through Sec. 9. Va. 12° 16' E.
20.00	Set a post in mound, dug four pits and deposited charcoal for ¼ Sec. corner.
* 39.99	Intersect the N. & S. ¼ Sec. line.
60.00	Set a post for temporary ¼ Sec. Cor.
79.98	Intersect the East boundary of the Section 59 links North of the ¼ Section corner from which quarter Section Corner S rum. North 89° 35' West on a true ¼ Sec. line through Sec. 9. Va. 12° East.
19.99½	Set a post in mound, dug four pits and deposited charcoal for ¼ Sec. corner.
39.99	Intersect the N. & S. ¼ Section line at the ¼ Section corner.
59.98½	Set a post in mound, dug four pits and deposited charcoal for ¼ Sec. corner.

* 40.00 Set a post in mound, dug four pits and deposited charcoal for ¼ Sec. Cor. 60.00 Set a post for temporary ¼ Sec. Cor. 80.00 Intersect the East boundary of the Section 59 links North of the ¼ Section Corner. 80.00 Set a post in mound, dug four pits and deposited charcoal for ¼ Sec. Corner. 119.99 Intersect the N. & S. ¼ Sec. line at the ¼ Section Corner. 139.98½ Set a post in mound, dug four pits and deposited charcoal for ¼ Sec. Corner.

E. of the 6th Principal Meridian.

	Chains 19.98	The Quarter Section corner on the west side of the Section. Rolling Prairie — 2nd rate soil.
		Subdivision of Section 4.
		North on the 1/4 Sec line through Section 4. Va. 12° 45' East.
	20.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
	40.00	Set a post in mound, dug four pits and deposited charcoal for 1/4 Sec. corner
	60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. corner.
	70.00	A brook — 6 links wide — runs N. 70° E.
	80.50	Trail — bears E & W.
	81.24	Intersect Sixth Standard Parallel 37.72 chains East of the Standard Corner to Sections 32 & 33. T. 25 N. R. 7 E. at the point of intersection I set a post En. mound, dug three pits and deposited charcoal for closing quarter Section corner. Rolling Prairie: 2nd rate soil.
		East, on a random quarter Section line through Sec. 4. Va. 12° 40' East.
	20.00	Set a post for temporary 1/4 Sec Cor.
	39.91½	Intersect N. & S. 1/4 Sec. line.
	60.00	Set a post for temporary 1/16 Sec. Corner.
	79.83	Intersect the East boundary of the Section 50 links North of the Quarter Section corner, from which Quarter Section corner I run, North 89° 39' West on a true 1/4 Sec. line through

X
71

2568
239

Omaha Reservation. Township 24 N. R.

Chains	
	Section 4. Va. 12°10' East.
19.95 3/4	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
39.91 1/2	Intersect the N. & S. 1/4 Sec. line at 1/4 Sec. Cor.
59.87 1/4	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec corner.
79.83	Intersect the West boundary of the Section at the 1/4 Sec. Corner, between Sections 4 & 5.

Rolling Prairie; 2nd rate soil.
A few trees in the ravine in N. half of Section. Nov. 30th 1866.

Subdivision of Section 32.

Begin at a point on the South Boundary of the Omaha Reservation at its intersection with the 1/4 Sec. line, running North through Section 32. the same being a post in mound — and run North on the quarter section line through Section 32.

Va. 12° 8' East.

1.63 1/2	Intersect the North Boundary of the Section at the quarter Section corner.

Rolling Prairie: 2nd rate soil.

Subdivision of Section 29.

North on the 1/4 Sec. line through Sec. 29. Va. 12° 8' East.

19.00	Enter meadow — bears N. 80° W & SE.
20.00	Set a post in mound for 1/16 Sec. corner, dug four pits and deposited charcoal
37.00	Leave meadow — bears E & W.

9. E. the 6th Principal Meridian

Chains	
40.00	Set a post in mound, dug four pits and deposited charcoal for 1/4 Sec. corner.
60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. corner.
80.00	The quarter Sec. corner on the North boundary of the Section. Rolling Prairie: 1st & 2nd rate soil.

East on a random quarter Section line through Sec. 29. Va. 1/2° East.

20.00	Set a post for temporary 1/16 Sec. cor.
30.00	Enter meadow bears N.W. & S.E.
35.00	Leave " — " "
40.02	Intersect the N. & S. 1/4 Sec. line.
45.00	Enter meadow — bears N. & S.
59.50	Leave meadow — " Same.
60.00	Set a post for temporary 1/16 Sec. Cor.
80.04	Intersect the N. & S. line between Sections 28 & 29. 37 links North of the 1/4 Sec. Corner, from which 1/4 Sec. Corner bears North 89° 44' West

on a true 1/4 Sec. line through Sec. 29. Va. 12° East.

20.01	Set a post in mound, dug four pits and deposited Charcoal for 1/16 Sec. corner.
40.02	Intersect the N. & S. 1/4 Sec. line at the 1/4 Sec. corner.
60.03	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. corner.
80.04	Intersect the West boundary of the Section at the 1/4 Sec. Corner. Moderately rolling prairie; 2nd rate soil.

X
31

~~27.70~~
241

Omaha Reservation. Township 24 N. R.

Chains	Subdivision of Section 20.
	North, on the ¼ Section line through Section 20. Va. 12° East.
20.00	Set a post in mound, dug four pits and deposited charcoal for ¼ Section corner.
32.00	At brook - 5 lks wide, runs E.
40.00	Set a post in mound, dug four pits and deposited Charcoal for ¼ Sec. corner.
60.00	Set a post for ¼ Section Corner, around which I built a mound, also dug four pits and deposited charcoal as per instructions.
80.00	Intersect the North boundary of the Section at the ¼ Sec. Corner.
	Rolling Prairie. 1st & 2nd rate soil.
	East on a Random line through Section 20. Va. 12° East.
11.00	Enter Creek bottom - bears S. 70 E. & N 70 W.
12.00	At brook 5 lks wide - runs S. 70° E.
20.00	Set a post for temporary ¼ Sec. Cor.
29.00	Leave Creek bottom - bears S. 70° E. & N. 70° W.
39.97	Intersect N. & S. ¼ Section line.
58.00	At brook 5 lks wide - runs S. E.
60.00	Set a post for temporary ¼ Sec. Cor.
79.94	Intersect the East boundary of the Section 62 links North of the ¼ Sec. Corner, from which ¼ Sec. Corner, S. runs,
	North 84° 33' West on a true ¼ Section line through Section 20. Va. 12° East.
17.98½	Set a post in mound, dug four pits and deposited charcoal for ¼ Section corner.

W. P.

W. E. the 6th Principal Meridian.

Chains	
39.97	Intersect the N & S. ¼ Sec. line at the ¼ Sec. Corner.
59.95½	Set a Post in mound, dug four pits and deposited charcoal for ⅛ Sec. Corner.
79.94	Intersect the West boundary of the Section at the ¼ Sec. corner. Rolling Prairie. 1st & 2nd rate soil.

Subdivision of Section 17.

North, on the quarter Section line through Section 17. Va. 12° 07' E.

1.50	Enter meadow — bears E & W.
6.50	Leave same — " " " " .
20.00	Set a Post in mound, dug four pits and deposited charcoal for ⅛ Sec. corner.
40.00	Set a Post in mound, dug four pits and deposited charcoal for ¼ Section corner.
45.00	Enter meadow, bears N. 15° W & S, 15° E.
60.00	Set a Post in mound, dug four pits and deposited charcoal for ⅛ Sec. corner.
70.00	Leave meadow — bears N. 15 W. & S. 15° East.
80.00	Intersect the North boundary of the Section at the ¼ Sec. Cor. Rolling Prairie. 1st & 2nd rate soil.

East on a random ¼ Sec. line through Section 17.
Va. 12° 15' East.

20.00	Set a Post for temporary ⅛ Section Corner.
39.70½	Intersect the N & S. ¼ Sec. line.
40.50	Enter meadow bears N & S.
50.00	Leave " — " " "
60.00	Set a Post for temporary ⅛ Sec. Cor.

29
24 3

Omaha Reservation. Township 24. N

Chains	
79.81	Intersect the East boundary of the Section 11 links North of the ¼ Sec. corner from which ¼ Sec. Corner I run North 89° 55' West on a true ¼ Sec. line through Sec. 17. Va. 12° 15' East.
19.95½	Set a post in mound, dug four pits and deposited Charcoal for ¼ Section Corner.
39.90½	Intersect the N. & S. ¼ Sec. line at the ¼ Section corner.
59.85¾	Set a post in mound, dug four pits and deposited Charcoal for ¼ Sec. corner.
79.81	Intersect the West boundary of the Section at the ¼ Sec. corner.

Rolling Prairie.

2nd rate soil.

Subdivision of Section 8.

North through Section 8. on the ¼ Section line. Va. 12° 8' East.

20.00	Set a post in mound, dug four pits and deposited Charcoal for ¼ Section Corner.
40.00	Set a post in mound, dug four pits and deposited Charcoal for ¼ Sec. Corner.
60.00	Set a post for ¼ Sec. Corner. from which A Bur Oak 10 inches in diameter bears South 5¼° East 55 links distant. A Bur Oak 8 inches in diameter bears S. 35¾° West, 77 links distant.
80.00	Intersect the North boundary of the Section at the ¼ Section Corner.

Rolling Prairie — 2nd rate soil.

Range 9 E. of the 6th Principal Meridian

Chains	
	East, on a random quarter Section line through Section 8. Va. 12° 25' East.
20.00	Set a post for temporary 1/16 Sec. Corner.
25.00	Enter Meadow — bears N & S.
30.50	Leave same — bears same.
39.93½	Intersect the N & S. ¼ Sec. line
60.00	Set a post for temporary 1/16 Sec. Corner.
79.87	Intersect the East boundary of the Section 37 links North of the ¼ Sec. Corner from which ¼ Sec. corner. I run North 89° 45' West on a true quarter Section line through Sec. 8. Va. 12° 25' East.
19.96¾	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
39.93½	Intersect the N & S. ¼ Sec. line at the ¼ Sec. corner.
59.90¼	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
79.87	Intersect the west side of Section 8 at the quarter Section Corner. Rolling Prairie: 2nd rate soil.

Subdivision of Section 5.

North, on the quarter Section line through Section 5. Va. 12° 40' East.

20.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. Corner.
25.00	Indian Trail — bears N. E. & S. W.
40.00	Set a post in mound, dug four pits and deposited charcoal for ¼ Sec. Corner.
60.00	Set a post in mound dug four pits and deposited charcoal for 1/16 Sec. Corner.
80.65	Intersect the Sixth Standard Parallel 38.15 Chains East of the Standard

31. 74
245

Omaha Reservation. Township 24 N. R. 9

Chains	
	Corner to Sections 31 + 32, T. 25 N. N. Range 9 East and at the point of intersection. Set a post in mound, dug three pits and deposited charcoal for closing ¼ Sec. Corner. Rolling Prairie; 1st & 2nd rate soil.
	East on a random ¼ Section line through Section 5. Va. 12° 20' East.
20.00	Set a post for temporary ¼ Sec. corner.
39.97½	Intersect the N. & S. ¼ Sec. line.
60.00	Set a post for temporary ¼ Sec. Corner.
79.95	Intersect the East boundary of the Section at a point 72 links North of the ¼ Section corner, from which quarter Section Corner run North 89° 29' West on a true quarter Section line through Section 5, Va. 12° 20' East.
19.98¾	Set a post in mound, dug four pits and deposited charcoal for ¼ Section Corner.
39.97½	Intersect the N. & S. ¼ Section line at the ¼ Section corner.
59.96¼	Set a post in mound, dug four pits and deposited charcoal for ¼ Section Corner.
79.95	Intersect the West boundary of the Section at the ¼ Sec. corner. Rolling Prairie: 2nd rate soil. Dec. 1st 1866.

Subdivision of Fractional Section 31.

Begin at a point on the South boundary of the Omaha Reservation where the ¼ Sec. line running North through the Section intersects said boundary- the

R. 9 E. 6th Principal Meridian

Chains	
	Same being a post in mound, and run
	North on the 1/4 Sec. line through Fractional Section 31. Va. 12° East.
1,11	Intersect the North boundary of the Section at the 1/4 Sec. Corner.
	Rolling Prairie: 2nd rate soil.

Subdivision of Section 30.

	North on the quarter Section line through Section 30. Va. 12° East.
12.50	A wagon trail — bears E & W.
20.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Section corner.
40.00	Set a post in mound, dug four pits and deposited charcoal for 1/4 Section corner.
60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. corner.
80.00	Intersect the North boundary of the Section at the 1/4 Sec. Corner.
	Rolling Prairie. 2nd rate soil.

	West on a random 1/4 Sec. line through Section 30. Va. 12° E.
20.00	Set a post for temporary 1/4 Sec. Corner.
40.00	Intersect the N. & S. 1/4 Section line.
60.00	Set a post for temporary 1/4 Sec. Cor.
78.05	Intersect the West boundary of the Section 37 links South of the 1/4 Sec. corner, from which 1/4 Sec. Corner & run
	South 89° 44' East on a true 1/4 Section line through Section 30. Va. 12° East.
18.05	Set a post in mound, dug four pits and deposited Charcoal for 1/16 Sec. Corner.
38.05	Intersect the N. & S. 1/4 Sec. line

38.76
247

Omaha Reservation. Township 24 N. Range

Chains	
	at the ¼ Section corner.
58.05	Set a post for ¼ Section corner around which I raised a mound – also dug four pits and deposited charcoal.
78.05	Intersect the East boundary of the Section at the ¼ Sec. corner. Rolling Prairie: 2nd rate soil

Subdivision of Section 19.

North on the ¼ Sec. line through Section 19. Va. 12° East.

20.00	Set a post for ¼ Sec. corner – raised a mound, dug four pits and deposited charcoal.
40.00	Set a post in mound, dug four pits and deposited charcoal for ¼ Sec. corner.
60.00	Set a post in mound, dug four pits and deposited charcoal for ¼ Section corner.
65.50	Enter meadow – bears N.W. & S.E.
76.50	Leave " – " " " "
80.00	Intersect the North boundary of the Section at the ¼ Sec. corner. Rolling Prairie: 1st & 2nd rate soil.

West on a random ¼ Section line through Section 19. Va. 12° East.

20.00	Set a post in mound for ¼ Sec. corner.
40.00	Intersect the N. & S. ¼ Sec. line.
60.00	Set a post in mound for temporary ¼ Sec. corner.
77.75	Intersect the west boundary of the Section 46 links South of the ¼ Sec. corner, from which ¼ Sec. corner I run

9. East of the 6th Principal Meridian.

Chains	
	South 89° 40' East on a true ¼ Sec. line through Section 19. Va. 12° E.
17.95	Set a post in mound, dug four pits and deposited charcoal for ¼ Sec. corner.
37.95	Intersect the N. & S. ¼ Sec. line at the ¼ Section Corner.
57.95	Set a post in mound, dug four pits and deposited charcoal for ¼ Sec. corner.
77.95	Intersect the East boundary of the Section at the ¼ Sec. Corner. Rolling Prairie: 2nd rate soil.

✓ Subdivision of Section 18.

North, on the ¼ Sec. line through Sec. 18. Va. 12° 15' East.

20.00	Set a post in mound for ¼ Sec. Corner, dug four pits and deposited charcoal.
40.00	Set a post in mound, dug four pits and deposited charcoal for ¼ Sec. corner.
52.50	Enter meadow — bears E. & W.
59.00	Leave " — " "
60.00	Set a post in mound — dug four pits and deposited charcoal for ¼ Sec. corner.
80.00	Intersect the North boundary of the Section at the ¼ Sec. Corner. Rolling Prairie: 2nd rate soil.

West on a random ¼ Section line through Section 18. Va. 12° East.

6.50	Enter meadow — bears N.W. & S.E.
10.00	Leave same " " " "
20.00	Set a post for temporary ¼ Sec. Cor.
40.00	Intersect the N. & S. ¼ Section line.
60.00	Set post for temporary ¼ Sec. Corner.

Omaha Reservation. Township 24 N. Range

Chains	
78.15	intersect the West boundary of the Section 19 links South of the ¼ Sec. corner, from which ¼ Section corner, I run South 89° 52' East on a true ¼ Section line through Section 18. Va. 12.° E.
18.15	Set a post in mound, dug four pits and deposited charcoal for ¼ Section corner.
38.15	Intersect the N. & S. ¼ Sec. line at ¼ Section corner.
58.15	Set a post in mound, dug four pits and deposited charcoal for ¼ Sec. corner.
78.15	Intersect the East side of the Section at the ¼ Sec. corner.

Rolling prairie - 2nd rate soil.

Subdivision of Section 7.

North on the ¼ Section line through Section 7. Va. 12° 15' E.

20.00	Set a post in mound, dug four pits and deposited charcoal for ¼ Sec. corner.
34.50	Trail - bears N 30° E. & S.W.
40.00	Post, mound, pits and charcoal for ¼ Sec. corner.
60.00	Post, mound, pits and charcoal for ¼ Section corner.
80.00	Intersect the North side of the Section at ¼ Sec. corner.

Rolling prairie - 2nd rate soil.

West on a random quarter Section line through Section 7. Va. 12 15' East.

2.00	Set a post for temporary Sec. Corner.
37.00	Trail - bears N.E. & S 30° W.

W. E. of the 6th Principal Meridian.

Chains	
40.00	Intersect N+S. ¼ Section line.
60.00	Set a post for temporary ¼ Sec. Corner.
78.25	Intersect the West side of the Section 44 links South of the ¼ Sec. corner from which ¼ Sec. corner & run South 89° 41' East, on a true ¼ Section line through Section 7. Va. 12° 15' East.
18.25	Set a post in mound, dug four pits and deposited charcoal for ¼ Section corner.
38.25	Intersect the N+S. ¼ Sec. line at the ¼ Sec. Cor.
58.25	Set a post in mound, dug four pits and deposited charcoal for ¼ Sec. corner.
78.25	Intersect East side of the Section, at the ¼ Sec. corner. Rolling prairie. 2nd rate soil.

Subdivision of Section 6.

North, on the ¼ Sec. line through Sec. 6. Va. 12° 30' East.

20.00	Set a post in mound, dug four pits and deposited charcoal for ¼ Sec. corner.
40.00	Post, mound, four pits and charcoal for ¼ Sec. corner.
60.00	Post, mound, four pits and charcoal for ¼ Sec. corner.
80.36	Intersect Sixth Standard Parallel 38.20 Chains East of the corner to Townships 24 and 25 N. Ranges 8 and 9 East. at the point of intersection I set a post, dug three pits and deposited charcoal for closing ¼ Sec. corner.

Rolling prairie. 2nd rate soil.

37.80
257

Omaha Reservation. Township 24 N. Range

Chains	
	West on a random ¼ Sec. line through Sec. 6. Va. 12° 15' East.
20.00	Set a post for temporary ¼ Sec. Cor.
40.00	Intersect N. & S. ¼ Section line.
60.00	Set a post for temporary ¼ Sec. Corner.
78.24	Intersect the West side of the Section 32 lks South of the ¼ Sec. corner from which ¼ Sec. corner I run.
	South 89° 46' East on a true ¼ Section line through Sec. 6. Va. 12° 15' East.
18.24	Set a post in mound, dug four pits and deposited charcoal for ¼ Sec. corner.
38.24	Intersect N. & S ¼ Sec. line at the ¼ Sec. corner.
58.24	Set post in mound, with four pits and charcoal for ¼ Sec Cor.
78.24	Intersect the East side of Section 6 at the ¼ Sec. corner.

Rolling Prairie, 2nd Rate soil.
Dec. 4th 1866.

Note.

For General description, see Field book No 1 containing Field Notes of Exterior boundary and Section lines of Township 24 N. R. 7. E. 6th Principal Meridian.

9 E. the 6th Principal Meridian.

We hereby certify that we assisted Theodore H Barrett, U.S. Surveyor in subdividing the Sections in that portion of Township 24 North of the Base line, & Range No 9 East of the Sixth Principal Meridian, Embraced within the limits of the Omaha Indian Reservation, and that the sections in said Fractional Township have been in all respects, to the best of our knowledge and belief, well and faithfully subdivided, and the boundary monuments planted according to the instructions furnished by the Commissioner of the General Land Office.

Stephen Suter, Chainman
A Englebright "
Geo Eggleston "
Chas W King "
H. Archambault. Mound Builder.
Frederick Gearwick " "
J. W. Smith Axman.
L. G. Reynolds. Flagman.
Jno R Wells. "
Richard Cronk Compassman.

Territory of Nebraska
Burt County ss.

Subscribed and sworn to by the above named persons before me, this 8th day of December. 1866.

Albert White.
Justice of Peace.

Stamp

I, Theodore H Barrett, U.S. Surveyor, do solemnly swear, that, in pursuance of a contract with J.M. Edmunds, Commissioner of the General Land Office of the United States, bearing date the 14th day of August 1866, and in strict conformity to the laws of the United States and the instructions furnished by the said Commissioner of the General Land Office, I have faithfully surveyed the Subdivision quarter Section lines of that portion of Township Number twenty four North of the base line of Range Number Nine East of the Sixth Principal Meridian, Embraced within the boundaries of the Omaha Indian Reservation, in the Territory of Nebraska, and do further solemnly swear that the foregoing are the true and original Field notes of said survey.

Theodore H Barrett.
U.S. Surveyor.

Stamps

Subscribed by said Theodore H Barrett, U.S. Surveyor, and sworn to before me, a Justice of the Peace for Whiteside County, in the State of Illinois, this 23rd day of January, 1867.

R.L. Brangan.
Justice of the Peace.

Department of the Interior.
General Land Office.
March 4th 1867.

The foregoing field notes of the survey of the Subdivision into Sections of (40) Forty acres in Township 24 North. Range 7 East, Executed by Theodore H Barrett, under his contract of the 14th day of August, 1866, in the months of November and December, 1866, having been critically examined, the necessary corrections and explanations made, the said field notes and the surveys they describe, are hereby approved.

Jos S Wilson
Commissioner.

Department of the Interior
General Land Office
July 14, 1871

I hereby certify that the foregoing field notes are true Copies of the original on file in this office.

Willis Drummond
Commissioner

X

21

~~44~~
~~255~~

CHECK LIST.

Township 24 N. Range 10 E.

Barrett's Survey 1867.

✓ 1—Copied—Subdivision of Townships———
✓ 2— " Affidavits of Assistants———
✓ 3— " Commissioner's Approval———
✓ 4— " Subdivision of Sections———
✓ 5— " Affidavits of Assistants———
✓ 6— " Commissioner's Approval———
✓ 1———Proofread———and corrected
✓ 2———Proof read———and corrected
✓ 3———Proof read———and corrected
✓ 4———Proof read———and corrected
✓ 1———Indexed
✓ 4———Indexed.
✓ 7—Township Lines Indexed in Township Index.

Beeman's Survey 1875.

1—Copied—Subdivision of Townships———
2— " Affidavits of Assistants———
3— " Commissioner's Approval———
4— " Subdivision of Sections———
5— " Affidavits of Assistants———
6— " Commissioner's Approval———
1———Proof read———and corrected
2——— " " ———and corrected
3——— " " ———and corrected.
4——— " " ———and corrected
1———Indexed
4———Indexed
7—Township Lines Indexed in Township Index.

COMPLETE———

Date———1908.

257

Compared & corrected

No 3 - R9E

No. 7

258

Copy.

Field Notes

Omaha Indian Reservation.

T. 25. N. R. 9. E.

258 - 286

Subdivision of sections pages 286 - 323

Field Notes of the
Subdivision lines and Meanders in Township
No 25 North Range 9 East the 6th Principal
Meridian. (Omaha Reservation) in the State
of Nebraska by Theodore H. Barrett Surveyor
under his contract bearing date August 14,
1866.

Survey commenced April 26. 1867
and
Completed May 4. 1867.

Omaha Indian Reservation.

Township 25. North Range 9 East the 6th. Principal Meridian.

List of Names.

A list of the names of individuals employed in running measuring or making the lines and corners described in the following Field Notes of Township number 25 North of the base line of Range 9 East the 6th. Principal Meridian showing the capacities in which they acted.

Henry A. Gilbert	—	Compassman
William J. Allasan	—	"
Richard Crook	—	"
Geroge Fox	—	Chainman
Orille Smith	—	"
James Slobe	—	"
Homer S. Dale	—	"
James Kennedy	—	"
Geroge Patterson	—	"
Willis Grainer	—	Axeman
Conrad Scheffer	—	Flagman
Andrew Armstrong	—	"
Henry C. Williams	—	Moundbuilder
John Rupp.	—	"

261

Omaha Indian Reservation.

Township 25 North Range 9 East the 6th Principal Meridian

Chains	Having previously retraced and reistablished the Standard Parallel on the South Boundary of Section 36 — and having also run the East Boundary of this Township with the solar compass, from the Standard corner to Secs 35 and 36 on the South Boundary of the Township I run.
	North between sections 35 and 36.
	Va 12° 30' East.
20. 00	Post mound four pits and charcoal for 1/16 section corner.
40. 00	Post mound four pits and charcoal for 1/4 section corner.
60. 00	Post mound four pits and charcoal for 1/16 section corner.
80. 00	Post mound four pits and charcoal for the corner to sections 25. 26. 35 & 36.
	High rolling prairie: 2d rate.

	East on a random line between sections 25 & 36.
	Va 12° 30' East.
20. 00	Sen spreany 1/16 section corner.
35. 00	Scattering oaks — Enter.
38. 50	Ravine one chain wide — course North.
40. 00	Sen spreany 1/4 Section corner.
47. 00	Leave scattering timber.
60. 00	Sen spreany 1/16 section corner.
80. 04	Intersect North and South line 27 links North of the corner to sections 30. 31. 25 & 36.
	Land hilly — 2d rate.
	From the above corner I run North 89° 48' W. on a true line between sections 25 and 36
	Va 12° 30' East.
20. 01	Post mound four pits and charcoal for 1/16 section corner.
40. 02	Post for quarter section corner from which A White Oak 18 in in dia bears N 67° W. 100 links A Bur Oak 20 in in dia bears N 82° E 190 links
60. 03	Post, mound, four pits & charcoal for 1/16 section corner.
80. 04	The corner to sections 25. 26. 35 & 36.

Omaha Indian Reservation.

Township 25. North Range 9. East 6th Principal Meridian

Chains.	
	North between sections 25 & 26.
	Va 12° 50' East.
20. 00	Post mound four pits and charcoal for 1/16 section corner.
29. 50	Creek 8 links wide running East, banks 1 chain wide. Enter improved land North of Creek.
40. 00	Post mound four pits and charcoal for 1/4 section corner.
60. 00	Post for 1/16 section corner from which An Elm 8 in in dia bears N 30° E. 40 links dist. A Bur Oak 6 in in dia bears S 42° W. 70 links dist
80. 00	Set post for corner to sections 23. 24. 25 & 26. from which. A Cottonwood 10 in in dia bears N 22° E. 225 lks A Basswood 14 in in dia bears S 83° E 475 links There being no trees near in Sections 23 & 26 I also built a mound dug four pits and deposited charcoal. Rolling prairie: 2d rate.

East on a random line between sections 24 & 25.
Va 12° 50' East.

2. 50	A fence and improved land.
4. 00	A ravine 2 chains wide in which is Oak and Cottonwood timber — course S. E.
19. 00	Clear improved land.
20. 00	Road - general course. N W. Temp. 1/16 Sec. Cor.
40. 00	Temporary 1/4 section corner.
60. 00	Temporary 1/16 section corner.
80. 34	Intersect N and S line 23 links North of the corner to sections 24. 25. 19 & 30. from which corner I run. North 89° 50' West on a true line between sections 24 & 25.
	Va 12° 50' East.
20. 08	Post Mound four pits & charcoal for 1/16 section corner.
40. 17	Post mound four pits & charcoal for 1/4 Section corner.
60. 25	Post mound four pits & charcoal for 1/16 Section corner.
80. 34	The corner to sections 23. 24. 25 and 26.
	Rolling prairie: 2d rate soil.

Omaha Indian Reservation.

Township 25. North Range 9 East 6th Principal Meridian.

Chains.	
	North between sections 23 & 24.
	Va 12° 30' East
4. 00	A ravine 150 chains wide course S. E.
5. 50	Enter improved field.
7. 50	A road between two fields
18. 20	Leave improved land.
20. 00	Post mound four pits & charcoal for 1/16 section corner
26. 00	Underbrush and scattering bur oaks.
31. 00	A ravine 2 chains wide, 30 feet deep, course North East.
32. 00	Leave timber.
40. 00	Set post for 1/4 Sec corner from which A white elm 14 in dia bears N 83° E 280 lks No other tree near.
46. 00	A ravine 1.50 chains wide. Course S. E.
60. 00	Post mound & four pits with charcoal for 1/16 section corner.
75. 00	A ravine 3 chains wide - course S. E. Cottonwood and oak along the ravine.
80. 00	Set a post for corner to sections 13. 14. 23 & 24 from which. A Cottonwood 12 in dia bears S 29 W 121 links A White Oak 20 inches S 15° E 100 links dist. No other trees near. Surface rolling. Soil 2nd rate.

East on a random line between Secs 13 & 24.

Va 12° 35' East.

15. 00	Enter Oak & Cottonwood timber North & South.
20. 00	Temporary 1/16 Section corner.
21. 00	Leave timber bearing N. and S.
40. 00	Temporary 1/4 Section corner.
46. 00	Enter timber bearing N. and S.
60. 00	Set post for temporary 1/16 section corner.
80. 20	Intersect N and S line 18 links South of the corner to Sections 13. 24. 18 & 19, from which corner I run, S 89° 52' West on a true line between sections 13 & 24.

Va 12° 35' East

20. 05	Set a post for 1/16 Section corner from which A White Oak 24 in dia bears N 75° E. 25 lks dist.

Omaha Indian Reservation.

Township 25. North Range 4 East the 6th Principal Meridian

Chains.	A Bur Oak 28 in dia bears S 45° W. 88 lks dist.
40. 10	Set post in mound with four pits for 1/4
	Sec. cor. also deposited charcoal as per instructions
60. 15	Set a post for 1/16 Section corner from which
	A Bur Oak 14 in dia bears S. 37° W. 49 lks dist.
	A Hickory 5 in dia bears N 84° E 25 lks dist.
80. 20	The corner to Sections 13. 14. 23 & 24.
	Rough and rolling - prairie & timber. 2d rate.

North between sections 13 and 14.

Va 12° 25' East.

20. 00	Set post in mound dug four pits and deposited charcoal for 1/16 section corner.

Note.

In the following Field Notes the corners established with posts and mounds have each four pits except when otherwise noted. The quantity of charcoal deposited in each mound is equal to a solid 1 x 2 x 2 inches made up of one or more pieces.

Hereafter in these "Field Notes" a corner established according to the foregoing note will be designated as "Post in Mound."

38. 00	Enter scattering timber.
40. 00	Set post for 1/4 section corner, from which
	A Walnut 14 in. in dia bears N 64° W. 49 lks.
	An Oak 15 in. in dia bears N 36° E 170 lks
45. 00	Leave timber.
60. 00	Set post for 1/16 section corner from which
	A Bur Oak 24 in. in dia bears N 24° W. 381 links
	No other convenient to mark.
80. 00	Set Post for corner to sections 11. 12. 13 & 14 from
	which
	An Oak 5 in in dia bears S 19° W. 155 links
	An Oak 6 in in dia bears N 20° E. 245 links.
	No other tree near.
	Land hilly: second rate soil.

East on a random line between sections 12 & 13.

Va 12° East.

10. 00	Enter marsh bearing N. W. and S. E. 10 chs wide.
20. 00	Temporary 1/16 section corner on bank of mounds.

6
2.65

Omaha Indian Reservation.

Township 25. North Range 9. East 6th Principal Meridian.

Chains	
40. 00	Temporary 1/4 section corner.
42.50	Brook 4 links wide runs S. E.
60. 00	Temporary 1/16 section corner.
80. 00	Intersect N and S line 35 links North of the corner to sections 12. 13. 7 & 18 from which corner I run,
	N. 89° 45' West on a true line between Sections 12 & 13.
	On 12° East.
20. 00	Post in mound for 1/16 section corner.
40. 00	Post in mound for 1/4 section corner.
60. 00	Post in mound for 1/16 section corner.
80. 00	The corner to sections 11. 12. 13 & 14.
	Hilly prairie: second rate soil.
	In the North East quarter of Section 13 there is an Indian village. The brook runs through the village.
	April 26th 1867.

North between section 11 and 12
Va 12° 20' East

1. 00	Small ravine — course N. E.
15. 00	Marsh 5 chains wide — bears N. W.
20. 00	Post in mound for 1/16 section corner.
39. 00	Enter timber - principally Oak.
40. 00	Post for 1/4 section corner from which A Bur Oak 14 in in dia bears S 77° W. 35 lks. A Bur Oak 16 in in dia bears N 85° E 7 lks.
60. 00	Post for 1/16 section corner from which An Oak 12 in in dia bears N 56° W. 145 links An Oak 10 in in dia bears S 18° E. 170 links
60. 50	Leave timber and enter marsh 5 chains wide bearing N. W. and S. E.
80. 00	Post in mound for corner to sections 1. 2, 11 & 12.
	Surface hilly: timber and prairie. Soil 2d rate.

East on a random line between sections 1 & 12.
Va 12° 5' East.

20. 00	Temporary 1/16 section corner.

Omaha Indian Reservation.

Township 25. North Range 9 East 6th Principal Meridian.

Chains	
40. 00	Temporary 1/4 section corner.
60. 00	Temporary 1/16 section corner.
65. 00	Top of bluff- enter timber.
75. 00	Foot of bluff and enter Missouri river bottom, bearing N. and S.
79. 20	Intersect range line at the corner to sections 6. 7. 1 & 12 from which corner I run West on a true line between sections 1 & 12. Va 12° 5' East.
19. 80	One sixteenth section corner.
39. 60	Post for 1/4 section corner from which A Bur Oak 6 in in dia bears S 86° W. 123 lks A Bur Oak 5 in in dia bears N 33° W. 289 lks.
59. 40	One Sixteenth section corner.
79. 20	The corner to sections 1. 2. 11 & 12. Missouri river bottom. bluffs and high rolling prairie. Bluffs and bottom wooded Soil 1st & 2d rate.

North between sections 1 & 2: true line.
Va 12° E.

20. 00	Set post for 1/16 section corner from which A Bur Oak 8 in in dia bears S 86° E. 184 links A Bur Oak 15 in in dia bears N 16 W. 210 lks.
40. 00	Set post for 1/4 section corner from which A Bur Oak 12 in in dia bears S. 9 E. 96 links
60. 00	Post in mound for 1/16 section corner.
81. 48.	Intersect the township line at the corner to sections 35. 36. 1 & 2. This line runs along a narrow slough length wise, for nearly a half mile leaving the slough just South of the quarter corner. A small brook flows through the slough. West of the slough is a fine grove of good timber. North half of line is low rolling prairie. Soil 2d rate.

North between sections 34 & 35.
Va 12° 50' East.

6. 00	To a brook 5 links wide, running East.
20. 00	Set post for 1/16 section corner from which

8
267

Omaha Indian Reservation.

Township 25. North Range 9 East the 6th Principal Meridian.

Chains	An Oak 10 in in dia bears S 30° W. 124 links
	An Oak 8 in in in dia bears N 51° E. 137 links.
23.50	A brook 10 links wide running East.
40.00	Set post for 1/4 section corner from which
	An Oak 8 in in dia bears N. 9° W. 95 links
	An Oak 7 in in dia bears N 34° E. 269 links
60.00	Post in mound for 1/16 section corner.
80.00	Post in mound for corner to sections 26. 27. 34 & 35.
	Hilly prairie: a few oaks near the stream.
	Second rate soil.

East on a random line between sections 26 & 35

Va 12° 52' East.

20.00	Temporary 1/16 section corner.
40.00	Temporary 1/4 section corner.
53.50	A brook 10 links wide running North.
60.00	Temporary 1/16 section corner.
79.40	Entered N and S. line 26 links South of the corner to sections 25. 26. 35 & 36 from which corner I run
	South 89° 49' West on a true line between sections 26 & 35.

Va 12° 52' E.

19.85	Post in mound for 1/16 section corner
39.70	Post in mound for 1/4 section corner
59.55	Post in mound for 1/16 section corner
79.40	The corner to sections 26. 27. 34 & 35.
	Rolling prairie: 2d rate.

North between sections 26 & 27.

Va 13° East.

15.00	Brook running East.
20.00	Post in mound for 1/16 section corner.
40.00	Post in mound for 1/4 section corner.
59.00	Brook running East.
60.00	Post in mound for 1/16 section corner.
80.00	Post in mound for corner to sections 22. 23. 26 & 27.
	High rolling prairie: 2d rate soil.

Omaha Indian Reservation.

Township 25. North Range 9. East the 6th Principal Meridian.

Chains.	
	East on a Random line between sections 23 & 26.
	Va 12° East.
4.72	A brook 6 links wide runs South.
20.00	Temporary 1/16 section corner.
40.00	Temporary 1/4 section corner.
60.00	Temporary 1/16 section corner.
79.96	Intersect N & S line 88 links North of the corner to sections 23. 24, 25 & 26 from which corner I run,
	North 89° 22' West on a true line between sections 23 & 26.
	Va 12° East.
19.99	Post in mound for 1/16 sec corner.
39.98	Post in mound for 1/4 sec corner.
59.97	Post in mound for 1/16 sec corner.
79.96	The corner to sections 22. 23. 26 & 27.
	Rolling prairie: good second rate soil.

	North between sections 22 & 23.
	Va 12° 30' East.
20.00	Post in mound for 1/16 section corner.
22.75	A Brook 6 links wide (North Blackbird Creek) runs S. E.
40.00	Post in mound for 1/4 section corner.
60.00	Post in mound for 1/16 section corner.
80.00	Post in mound for corner to sections 14. 15. 22 and 23.
	Rolling prairie: 1st and 2d rate soil.

	East on a random line between sections 14 and 23.
	Va 12° E.
20.00	Temporary 1/16 Sec. corner.
29.00	Road bearing N. W. and S. E.
40.00	Temporary 1/4 Section corner.
60.00	Temporary 1/16 section corner.
80.24	Intersect the N and S line 84 links North of the corner to sections 13. 14. 23 & 24 from which corner I run,
	North 89° 24' West on a true line between sections 14 & 23.
	Va 12° East.

Omaha Indian Reservation.

Township 25. North Range 9. East the 6th Principal Meridian

Chains	
20. 06	Post in mound for 1/16 sec corner.
40. 12	Post in mound for 1/4 sec corner.
60. 18	Post in mound for 1/16 sec corner.
80. 24	The corner to sections 14. 15. 22 & 23.
	High rolling prairie: 2d rate soil.
	April 27th 1867

North between sections 14 & 15.
Va 12° 30' East.

20. 00	Post in mound for 1/16 section corner.
40. 00	Post in mound for 1/4 section corner.
44. 00	Road from Decatur to Dakota bearing N.W. & S.E.
60. 00	Post in mound for 1/16 sec corner.
80. 00	Post in mound for corner to sections 10. 11. 14 & 15.
	High rolling prairie: second rate soil.

East on a random line between sections 11 & 14.
Va 12° East.

20. 00	Set pinney 1/16 sec corner.
24. 00	Enter heavy brush — Prickly Ash & Hazel.
33. 00	Leave brush.
40. 00	Set pinney 1/4 section corner.
60. 00	Set pinney 1/16 section corner.
65. 00	Enter heavy brush.
75. 00	Leave brush.
80. 08	Intersect the North & South line 85 links North of the corner to Sections 11. 12. 13 & 14 from which corner I run. North 89° 24' East on a true line between sections 11 & 14.
	Va 12° East.
20. 02	Post in mound for 1/16 section corner.
40. 04	Post in mound for 1/4 section corner.
60. 06	Post in mound for 1/16 section corner.
80. 08	The corner to sections 10. 11. 14 & 15.
	High rolling prairie & brush land: Soil good 2d rate.

North between sections 10 & 11.
Va 12° 25' E.

20. 00	Set a post for 1/16 section corner from which

Omaha Indian Reservation

Township 25. North Range 9. East 6th Principal Meridian.

Chains	A Bur Oak 10 in in dia bears S 80° W. 4.06 Lks
40.00	Post in mound for 1/4 sec corner.
60.00	Post for 1/16 section corner from which
	A Bur Oak 7 in. in dia bears N 7° W 1.18 Lks dist
	A Cottonwood 14 in in dia bears N 3° E. 1.70 Lks.
80.00	Corner to sections 2. 3. 10 & 11, at which point
	I set a post from which
	A Bur Oak 16 in in dia bears N 5° E 4.09 Lks dist.
	No other tree near.
	Land rolling: 2d rate soil.

East on a random line between sections 2 & 11.
Va 11° East.

7.50	Enter timber.
10.00	Ravine 2 chains wide. Course S. E.
15.00	Leave timber
20.00	Temporary 1/16 section corner.
26.00	Enter heavy timber: oak walnut and linden.
40.00	Temporary 1/4 section corner.
60.00	Temporary 1/16 section corner.
78.00	Leave timber and enter marsh 2 chains wide— course South, through which flows a small creek.
80.95	Intersect N. and S. line 78 links North of the corner to sections 1. 2. 11 & 12 from which corner I run,
	North 89° 27' West on a true line between sections 2 and 11.
	Va 11° East.
20.24	Post for 1/16 section corner from which.
	A Bur Oak 9 in in dia bears N 32° W. 23 Lks
	A Bur Oak 10 in in dia bears N 54° E 43 Lks
40.48	Post for 1/4 section corner from which.
	A Bur Oak 12 in in dia bears N 26° W 17 Lks dist
	A Bur Oak 12 in in dia bears N 32° E 52 Lks.
60.72	One sixteenth sec. corner.
80.95	The corner to sections 2. 3. 10 & 11.
	Surface hilly: prairie and some good timber. Soil 2d rate.

North between sections 2 & 3. Random line.
Va 11° East.

16.10	Ravine (enter) 40 feet deep, 3 chains wide —

Omaha Indian Reservation.

Township 25. North Range 9. East 6th Principal Meridian.

Chains.	course nearly South: along the ravine are a few trees.
20. 00	Temporary 1/16 section corner.
32. 00	Leave ravine.
40. 00	Temporary 1/4 section corner.
60. 00	Temporary 1/16 section corner.
79. 30	Intersect North boundary of the Township 20 links East of the corner to sections 2. 3. 34 & 35. from which corner I run, South 0° 9' East on a true line between sections 2 & 3. Va 11° East.
19. 30	Post in mound for 1/16 section corner.
39. 30	Post for 1/4 section corner from which A Poplar 5 in in dia bears S 72° W. 238 lks. A Poplar 8 in in dia bears N 53 W. 260 lks.
59. 30	Post for 1/16 section corner from which A Lind 4 in in dia bears S 58° E. 25 links. A Lind 10 in in dia bears S 37° W. 35 lks dist.
79. 30	The corner to sections 2. 3. 10 and 11. High rolling prairie and oak openings. Second rate soil.

North between sections 33 and 34.
Va 13° East.

13. 00	Creek 7 links wide, running S. E.
20. 00	Post in mound for 1/16 Sec. corner.
40. 00	Post in mound for 1/4 Sec. corner.
60. 00	Post in mound for 1/16 Sec. corner.
80. 00	Post in mound for corner to sections 27. 28 33 and 34. Rolling 2d rate prairie.

East on a random line between sections 27 & 34.
Va 13° East.

20. 00	Temporary 1/16 section corner.
40. 00	Temporary 1/4 section corner.
60. 00	Temporary 1/16 section corner.
80. 54	Intersect N. and S. line 30 links North of the corner to sections 26. 27. 34 & 35 from which corner I run. North 89° 47' West on a true line between Secs 27 & 34.

Omaha Indian Reservation.

Township 25. North Range 9 East the 6th Principal Meridian.

Chains	
	Va 13° East.
20. 13	Post in mound for 1/16 sec. corner.
40. 27	Post in mound for 1/4 sec. corner.
60. 40	Post in mound for 1/16 section corner.
80. 54	The corner to sections 27. 28. 33 and 34.
	Rolling prairie: 2d rate soil.

North between sections 27 and 28.

Va 11° 35' East.

20. 00	Post in mound for 1/16 sec. corner.
40. 00	Post in mound for 1/4 sec. corner.
60. 00	Post in mound for 1/16 sec. corner.
80. 00	Post in mound for corner to sections 21. 22. 27 and 28.

Rolling second rate prairie.

April 28th 1867.

East on a random line between sections 22 & 27

Va 11° 35' East.

12. 00	Enter heavy brush.
20. 00	Temporary 1/16 section corner.
29. 00	Clear brush.
40. 00	Temporary 1/4 section corner.
49. 00	Stream 5 links wide, course South.
60. 00	Temporary 1/16 section corner.
80. 36	Intersect N and S line 52 links South of the corner to sections 22. 23. 26 & 27 from which corner I run.

South 89° 38' West on a true line between sections 22 & 27

Va 11° 35' East.

20. 04	Post in mound for 1/16 section corner.
40. 18	Post in mound for 1/4 section corner.
60. 27	Set a post for 1/16 section corner from which. A Bur Oak 10 in in dia bears N 36½' E. 156 lks Linden 14 in in dia bears S 55° E 241 lks.
80. 36	The corner to sections 21. 22, 27 & 28.

Rolling prairie and brush land: hilly:
Soil 2d rate.

14
273

Omaha Indian Reservation.

Township 25. North Range 9 East the 6th Principal Meridian.

Chains	
	North between sections 21 & 22.
	Va 12° East.
19. 00	Enter bush land, bearing N. E. and W.
20. 00	Set post for 1/16 section corner from which
	A Bur Oak 8 in in dia bears S 56° W. 92 links
	A Bur Oak 11 in in dia bears N 75° E 226 lks.
27. 50	Leave bush, bearing N 60° W and S. 60° E.
28. 50	A Brook 10 links wide runs S. E.
40. 00	Post in mound for 1/4 sec. corner.
60. 00	Post for 1/16 section corner from which
	An Oak 20 in in dia bears S 75° W. 528 lks.
	An Oak 14 in in dia bears N 45° W 398 lks.
80. 00	Post in mound for corner to sections 15, 16, 21 & 22.
	Rolling prairie & bush land: 2d rate soil.

East on a random line between sections 15 & 22.

Va 12° East.

20. 00	Temporary 1/16 sec. corner.
40. 00	Temporary 1/4 sec. corner.
59. 00	A brook 15 links wide, 3 feet deep, running South East.
60. 00	Temporary 1/16 section corner.
80. 04	Intend N and S line 90 links North of the corner to sections 14, 15, 22 & 23 from which corner I run, North 89° 22' West on a true line between sections 15 & 22.
	Va 12° East.
20. 01	Post in mound for 1/16 sec. corner.
40. 02	Post in mound for 1/4 sec. corner.
60. 03	Post in mound for 1/16 sec. corner.
80. 04	The corner to sections 15, 16, 21 & 22.
	Rolling prairie: 2d rate soil.

North between sections 15 & 16.

Va 11° 30' East.

20. 00	Post in mound for 1/16 sec corner.
32. 50	A brook 5 links wide runs S. E.
40. 00	Post in mound for 1/4 sec corner.
60. 00	Post in mound for 1/16 sec. corner.
80. 00	Post in mound for corner to sections 9, 10, 15 and 16.

Omaha Indian Reservation.

Township 25, North Range 9, East the 6th Principal Meridian

Chains. High rolling prairie except near the creek where the land is nearly level: soil first and second rate.

East on a random line between sections 10 & 15.

Va 11° 20' East.

20. 00 Temporary 1/16 sec. corner.
32. 75 A brook 5 lks wide, 2 feet deep, running South.
40. 00 Temporary 1/4 sec. corner.
60. 00 Temporary 1/16 sec. corner.
72. 00 Road from Decatur to Dakotah
79. 98 Intersect N and S line 5 links North of the corner to sections 10. 11. 14. & 15 from which corner I run,
North 89° 58' West on a true line between sections 10 and 15.

Va 11° 20' East.

20. 00 Post in mound for 1/16 section corner.
39. 99 Set a post from which
An Elm 30 in in dia bears N 45° E.
40 links distant
A Black Walnut 3 inches in dia bears S 83° W.
82 links distant. This post is for 1/4 sec corner.
59. 99 Post in mound for 1/16 sec corner.
79. 98 The corner to sections 9. 10. 15 & 16.
Rolling prairie: 2d rate soil: near the brook 1st rate.

April 29th 1867.

North between sections 9 and 10

Va 11° 45' East.

20. 00 Post in mound for 1/16 sec. corner.
38. 00 Head of ravine with scattering oaks, course East.
40. 00 Set post for 1/4 sec corner from which,
A Bur Oak 8 in in dia bears S 44° E. 193 lks.
A Willow 6 in in dia bears S 46° W. 260 lks.
60. 00 Post in mound for 1/16 section corner.
73. 48 A brook 3 links wide course S. E.
80. 00 Post in mound for corner to sections 3. 4. 9 & 10.
Rolling prairie. Soil 2d rate.

16
275

Omaha Indian Reservation.

Township 25. North Range 9. East the 6th Principal Meridian.

Chains.	East on a random line between sections 3 & 10. Va 11° 30' East.
20. 00	Temporary 1/16 section corner.
25. 28	A brook 4 links wide running South.
40. 00	Temporary 1/4 Sec. corner.
54. 25	Road from Decatur to Dakota bearing North and South.
60. 00	Temporary 1/16 section corner.
79. 30	Intersect N and S line 78 links South of the corner to sections 2. 3. 10 & 11 from which corner I run. South 89° 27' West on a true line between sections 3 and 10. Va 11° 30' East
19. 82	Post in mound for 1/16 section corner.
39. 65	Post in mound for 1/4 section corner.
59. 47	Post in mound for 1/16 section corner.
79. 30	The corner to sections 3. 4. 9 & 10. Land rolling: second rate.

North between sections 3 and 4 (random) Va 11° East.

20. 00	Temporary 1/16 Sec. corner.
40. 00	Temporary 1/4 Sec. corner.
59. 90	A brook 3 links wide running East.
60. 00	Temporary 1/16 Sec. corner.
79. 20	Intersect the North line of the township at the corner to sections 3, 4. 33 & 34 from which corner I run. South on a true line between sections 3 & 4. Va 11° East.
19. 20	Set a post for 1/16 section corner from which A Linden 10 in in dia bears S 27° E 37 lks. A Red Willow 4 in in dia bears S 27 W 19 lks.
39. 20	Post in mound for 1/4 section corner.
59. 20	Post in mound for 1/16 section corner.
79. 20	The corner to sections 3. 4. 9 & 10. Rolling prairie: second rate soil.

North between Sections 33 and 32. Va 12° 15' East.

16. 00	A brook 8 links wide — course East.

Omaha Indian Reservation.

Township 25. North Range 9. East the 6th Principal Meridian.

Chains.	
20. 00	Set a post for 1/16 sec. corner from which A Cottonwood 14 in in dia bears S 36° E. 250 links distant.
40. 00	Post in mound for 1/4 sec. corner.
60. 00	Post in mound for 1/16 sec. corner.
80. 00	Post in mound for corner to sections 28. 29. 32 and 33.
	Rolling prairie: second rate soil.
	East on a random line between sections 28 & 33. Va 12° 15' East.
20. 00	Temporary 1/16 section corner.
40. 00	Temporary 1/4 section corner.
60. 00	Temporary 1/16 section corner.
79. 10	Intersect North and South line at the corner to sections 27. 28. 33 and 34 from which corner I run,
	West on a true line between sections 28 and 33. Va 12° 15' East.
19. 77	Post in mound for 1/16 section corner
39. 55	Post in mound for 1/4 sec. cor.
59. 32	Post in mound for 1/16 sec. cor.
79. 10	She corner to sections 28. 29. 32 and 33.
	Rolling prairie: second rate soil.
	North between sections 28 and 29. Va 13° East.
20. 00	Post in mound for 1/16 sec. corner.
40. 00	Post in mound for 1/4 sec. corner.
60. 00	Post in mound for 1/16 sec. corner.
80. 00	Post in mound for corner to sections 20. 21 28 and 29.
	Rolling prairie: second rate soil.
	East on a random line between sections 21 & 28 Va 12° 30' East.
20. 00	Temporary 1/16 section corner.
40. 00	Temporary 1/4 section corner.
60. 00	Temporary 1/16 section corner.
79. 75	Intersect N. and S. line 58 links North of the corner to sections 21. 22. 27 and 28 from

X
3

16
2

18
278

Omahaha Indian Reservation

Township 25. North Range 9. East the 6th Principal Meridian

6 Chains	which corner I run
	North 89° 35' West on a true line between
	sections 21 and 28.
	Va 12° 30' East.
19.99	Post in mound for 1/16 section corner.
39.98	Post in mound for 1/4 section corner.
59.97	Post in mound for 1/16 section corner.
79.95	The corner to sections 20. 21. 28 & 29.
	Rolling prairie: second rate.
	April 30th 1867.

	North between sections 20 and 21.
	Va 12° 45' East.
20.00	Post for 1/16 section corner from which.
	A Bur Oak 8 in in dia bears N 23° E. 182 lks dist.
	A Bur Oak 10 in in dia bears S 47° E 63 links.
21.00	Enter timber bearing East and West.
27.50	A brook 3 links wide, running East.
40.00	Set post for 1/4 section corner from which
	A Bur Oak 10 in in dia bears N. 80° E. 130 lks dist.
	A Bur Oak 8 in in dia bears N 21° W. 78 lks.
	Learn scattering timber at same place.
60.00	Post in mound for 1/16 section corner.
73.45	A brook 3 links wide running East.
80.00	Set post in mound for corner to sections
	16. 17. 20 and 21.
	Surface hilly: prairie and groves of timber.
	Soil second rate.

	East on a random line between sections 16 & 21.
	Va 12° East.
20.00	Temporary 1/16 section corner.
40.00	Temporary 1/4 section corner.
60.00	Temporary 1/16 section corner.
80.30	Intersect N and S line 66 links North of the
	corner to sections 15. 16. 21 & 22 from which
	corner I run
	North 89° 32' West on a true line between
	sections 16 and 21.
	Va 12° East.
20.07	Post in mound for 1/16 section corner.
40.15	Post in mound for 1/4 section corner.
60.22	Post in mound for 1/16 section corner.

Omaha Indian Reservation.

Township 25. North Range 9. East the 6th Principal Meridian.

Chains	
80. 30	Stn corner to sections 16. 21. 17 and 20. Rolling prairie: second rate soil.

North between sections 16 & 17.

Va 11° 35' East.

20. 00	Post in mound for 1/16 section corner.
40. 00	Post in mound for 1/4 sec. corner.
60. 00	Post in mound for 1/16 sec. corner.
80. 00	Post in mound for corner to sections 8. 9. 16 & 17. Rolling prairie: second rate soil.

East on a random line between sections 9 & 16

Va 11° 30' East.

14. 72	A brook 3 links wide running S. E.
20. 00	Temporary 1/16 sec corner.
40. 00	Temporary 1/4 sec. corner.
60. 00	Temporary 1/16 sec. corner.
79. 40	Intersect Ch and S line 30 links South of the corner to sections 9. 10. 15 & 16 from which corner I run South 89° 39' West on a true line between sections 9 & 16.

Va 11° 30' East.

19. 85	Post in mound for 1/16 section corner.
39. 30	Post in mound for 1/4 sec corner.
59. 55	Post in mound
79. 40	Stn corner to sections 8, 9. 16 & 17. Rolling prairie: second rate soil.

North between sections 8 and 9.

Va 11° 29' East.

20. 00	Post in mound for 1/16 section corner.
40. 00	Post in mound for 1/4 section corner.
60. 00	Post in mound for 1/16 section corner.
80. 00	Set a spot for corner to sections 4, 5, 8 & 9 from which. A Bur Oak 6 in in dia bears N 39 W. 496 lks dist A Bur Oak 5 in in dia bears S 29° W. 28 links dist. No other tree convenient to mark. Rolling 2d rate prairie.

20/279

Omaha Indian Reservation.

Township 25. North Range 9. East the 6th Principal Meridian

Chains	
	East on a random line between sections 4 & 9. Va 11° 30' East.
20. 00	Sem[porary] 1/16 section corner.
40. 00	Sem[porary] 1/4 sec. corner.
60. 00	Sem[porary] 1/16 section corner.
79. 20	Intersect R and S line 42 links South of the corner to sections 3, 4, 9 and 10 from which corner I run South 89° 42' West on a true line between sections 4 and 9. Va 11° 30' East.
19. 80	Post in mound for 1/16 section corner.
39. 60	Post in mound for 1/4 sec corner.
59. 40	Post in mound for 1/16 sec corner.
79. 20	The corner to sections 4. 5. 8 and 9. Rolling prairie: second rate soil.

North on a random line between sections 4 & 5. Va 11° 30' East.

Chains	
20. 00	Sem[porary] 1/16 sec corner.
22. 00	Enter meadow bearing N. W. and S. E.
26. 60	Leave meadow, same bearing.
40. 00	Sem[porary] 1/4 sec. corner.
60. 00	Sem[porary] 1/16 sec. corner.
69. 80	A Brook 5 links wide running East.
78. 65	Intersect North boundary of the township 75 links West of the corner to sections 4. 5. 32 and 33 from which corner I run. South 0° 32' West on a true line between sections 4 and 5. Va 11° 30' East.
18. 65	Post in mound for 1/16 section corner.
38. 65	Post in mound for 1/4 section corner.
58. 65	Post in mound for 1/16 section corner.
78. 65	The corner to sections 4. 5. 8 and 9. Rolling prairie: second rate soil. May 1st 1867.

66. 22 Set in mound for [illegible] sec. corner.

Omaha Indian Reservation.

Township 25. North Range 9. East the 6th Principal Meridian.

Chains.	
	North between sections 31 and 32.
	Va 12° 15' East.
20. 00	Post in mound for 1/16 sec. corner.
21. 50	Dry bed of creek bears East and West.
40. 00	Post in mound for 1/4 sec. corner.
60. 00	Post in mound for 1/16 sec corner.
80. 00	Post in mound for corner to Secs. 29. 30. 31 & 32
	Rolling prairie: second rate soil.

	East on a random line between Sections 29 & 32
	Va 12° 15' East.
20. 00	Post for temporary 1/16 sec. corner.
40. 00	Post for temporary 1/4 sec. corner.
60. 00	Post for temporary 1/16 sec. corner.
79. 26	Intersect the N and S line at the corner to sections 28. 29, 32 and 33 from which corner I run,
	West on a true line between sections 29 & 32.
	Va 12° 15' East.
19. 81	Post in mound for 1/16 section corner.
39. 63	Post in mound for 1/4 section corner.
59. 44	Post in mound for 1/16 section corner.
79. 26	The corner to sections 29. 30. 31 and 32.
	Rolling prairie: second rate soil.

	North between sections 29 and 30.
	Va 12° 45' East.
20. 00	Post in mound for 1/16 sec. corner.
40. 00	Post in mound for 1/4 sec. corner
60. 00	Post in mound for 1/16 sec corner
80. 00	Post in mound for the corner to sections 19. 20. 29 and 30.
	Rolling and hilly prairie: second rate soil.

	West on a random line between sections 30 & 31.
	Va 12° 15' East.
20. 00	Temporary 1/16 sec. corner.
40. 00	Temporary 1/4 sec. corner.
60. 00	Temporary 1/16 sec. corner.
78. 75	Intersect Range line 43 links North of the corner to sections 30. 31, 25 & 36 from which

22
281

Omaha Indian Reservation.

Township 25, North Range 9. East the 6th Principal Meridian

Chains corner I run,
North 89° 42' East on a true line between sections 30 and 31.

Va 12° 15' East.

18.75 Post in mound for 1/16 section corner.
38.75 Post in mound for 1/4 section corner.
58.75 Set a post for 1/16 sec. corner from which An Oak 7 in in dia bears S. 80° E. 85 links. No other tree near.
78.75 Corner to sections 29. 30. 31 and 32.
Rolling and hilly prairie: second rate soil

Remark.

The foregoing line is inserted here having been by error left out of its proper place in these field notes.

East on a random line between sections 29 & 20 30.

Va 12° 15' East.

20.00 Post for temporary 1/16 section corner.
40.00 Post for temporary 1/4 section corner.
60.00 Post for temporary 1/16 section corner.
79.40 Intersect N and S line 96 links North of the corner to Sections 20. 21. 28 & 29 from which corner I run,
North 89° 19' West on a true line between sections 29 and 30.

Va 12° 15' East.

19.85 Post in mound for 1/16 sec. corner.
39.70 Post in mound for 1/4 sec. corner.
59.55 Post in mound for 1/16 sec corner.
79.40 The corner to sections 19. 20. 29 and 30.
Hilly prairie: second rate soil.

West on a random line between sections 19 & 30.

Va 12° 15' East.

20.00 Temporary 1/16 section corner.
40.00 Temporary 1/4 sec. corner.
60.00 Temporary 1/16 sec. corner.
77.70 Intersect West Boundary of Township 13 links North of the corner to sections 19. 30, 24 & 25 from which corner I run,
60.22 Set in mound for [illegible]

Omaha Indian Reservation

Township 25 North Range 9 East the 6th Principal Meridian.

Chains	North 89° 54' East on a true line between Sections 19 and 30.
	Va 12° 15' East.
17. 70	Post in mound for 1/16 sec. corner.
37. 70	Post in mound for 1/4 sec. corner.
57. 70	Post in mound for 1/16 sec corner.
77. 70	Ybc corner to sections 19. 20. 29 & 30.
	Rolling prairie: second rate soil.
	North between Sections 19 & 20.
	Va 13° 15' East.
20. 00	Post in mound for 1/16 sec. corner.
40. 00	Post in mound for 1/4 sec. corner.
60. 00	Post in mound for 1/16 sec. corner.
80. 00	Post in mound for corner to Sections 17, 18, 19 and 20.
	Rolling prairie: second rate soil.
	East on a random line between sections 17 and 20.
	Va 12° 10' East.
20. 00	Temporary 1/16 sec. corner.
37. 00	Enter timber - small grove 2 chains wide.
39. 00	Leave timber.
40. 00	Temporary 1/4 sec corner.
43. 00	Enter timber.
59. 00	Leave timber.
60. 00	Temporary 1/16 sec. corner.
71. 00	A Creek 6 links wide runs S. 50° E.
80. 23	Intersect Pr and S line 93 links North of the corner to sections 16. 17. 20 & 21 from which corner S runs,
	North 89° 20' West on a true line between sections 17 and 20.
	Va 12° 10' East.
20. 06	Set a post for 1/16 sec corner from which An Oak 8 in in dia bears Pr 30° W. 91 links.
40. 11	Set a post for 1/4 sec corner from which A Lynd 9 in in dia bears N. 19½° W. 92 lks. A Lynd 12 in in dia bears S. 81½° W. 217 links.
60. 17	Post in mound for 1/16 section corner.

24
283

Omaha Indian Reservation.

Township 25. North Range 9. East the 6th Principal Meridian

Chains	
80.23	The corner to sections 17. 18. 19 and 20.
	Rolling prairie: also small groves of timber:
	Soil good second rate.
	May 2d 1867.

West on a random line between sections 18 and 19.

Va 12° 45'

20. 00	Temporary 1/16 section corner.
40. 00	Temporary 1/4 section corner.
60. 00	Temporary 1/16 section corner.
73.33	Intersect the range line 70 links North of the corner to Sections 18, 19. 13 & 24 from which corner I run
	North 89° 29' East on a true line between sections 18 and 19.
	Va 12° 45' East.
13.33	Post in mound for 1/16 section corner.
33.33	Post in mound for 1/4 sec. corner.
53.33	Post in mound for 1/16 sec. corner.
73.33	The corner to sections 17. 18. 19 and 20.
	Rolling prairie: second rate soil.

North between sections 17 and 18.

Va 11° 33' East.

20. 00	Post in mound for 1/16 section corner.
40. 00	Post in mound for 1/4 section corner.
60. 00	Post in mound for 1/16 section corner.
80. 00	Post in mound for corner to sections 17. 18. 7 & 8.
	Rolling prairie: second rate soil.

East on a random line between sections 8 & 17.

Va 11° 30' East.

20. 00	Temporary 1/16 sec. corner.
40. 00	Temporary 1/4 section corner.
60. 00	Temporary 1/16 section corner.
79.32	Intersect N. and S. line 28 links North of the corner to sections 8. 9. 16 and 17 from which corner I run.
	North 89° 48' West on a true line between
60.22	Post in mound for [illegible]

Omaha Indian Reservation.

Township 25. North Range 9. East the 6th Principal Meridian.

Chains	
	Sections 8 and 17.
	Va 11° 30' East.
19. 83	Post in mound for 1/16 section corner.
39. 66	Post in mound for 1/4 section corner.
59. 49	Post in mound for 1/16 section corner.
79. 32	The corner to sections 7. 8. 17 and 18.
	Rolling prairie: second rate soil.

West on a random line between sections 7 & 18.
Va 13° 20' East.

20. 00	Temporary 1/16 section corner.
40. 00	Temporary 1/4 section corner.
60. 00	Temporary 1/16 section corner.
76. 54	Intersect the West boundary of the Township 95 links North of the corner to sections 7. 18, 12 and 13, from which corner I run, North 84° 19' East on a true line between sections 7 and 18.

Va 13° 20' East.

16. 54	Post in mound for corner to 1/16 section.
36. 54	Post in mound for 1/4 sec. corner.
56. 54	Post in mound for 1/16 sec. corner.
76. 54	The corner to Sections 7. 8. 18 and 17.
	Rolling prairie: second rate soil.

North between sections 7 and 8.
Va 11° East.

19. 30	A small brook 3 links wide running East.
20. 00	Post in mound for 1/16 sec. corner.
40. 00	Post in mound for 1/4 sec. corner.
60. 00	Post in mound for 1/16 sec. corner.
80. 00	Post in mound for corner to sections 5. 6. 7 & 8
	Rolling prairie: second rate soil.

East on a random line between sections 5 and 8.
Va 11° East.

20. 00	Temporary 1/16 section corner.
40. 00	Temporary 1/4 section corner.
60. 00	Temporary 1/16 section corner.
79. 20	Intersect R and S line 32 links South of the corner to sections 4. 5. 8 and 9 from which cor-

26
285

Omaha Indian Reservation

Township 25. North Range 9. East the 6th Principal Meridian.

Chains.	
	run South
South 89° 46' West on a true line between sections 5 and 8.
Va 11° East.
19. 80	Post in mound for 1/16 section corner.
39. 60	Post in mound for 1/4 sec. corner.
59. 40	Post in mound for 1/16 sec. corner.
79. 20	The corner to Secs 5. 6, 7 and 8.
	Rolling prairie: second rate soil.

West on a random line between sections 6 & 7.
Va 13° 30' East.

20. 00	Post for temporary 1/16 section corner.
40. 00	Post for temporary 1/4 section corner.
60. 00	Post for temporary 1/16 section corner.
78. 10	Intersect the West boundary of the Township 92 links North of the corner to sections 6, 7, 1712 from which corner I run,
North 89° 21' East on a true line between sections 6 and 7.
Va 13° 30' East.
18. 10	Post in mound for 1/16 section corner.
38. 10	Post in mound for 1/4 section corner.
58. 10	Post in mound for 1/16 section corner.
78. 10	The corner to sections 5. 6. 7 and 8.
Rolling prairie: second rate soil.

North on a random line between sections 5 & 6.
Va 11° 30' East.

20. 00	Temporary 1/16 section corner.
40. 00	Temporary 1/4 section corner.
60. 00	Temporary 1/16 section corner.
77. 60	Intersect the North boundary of the township 86 links West of the corner to sections 5. 6. 31 and 32 from which corner I run.
South 0° 37 West on a true line between sections 5 and 6.
Va 11° 30' East.
17. 60	Post in mound for 1/16 section corner.
37. 60	Post in mound for 1/4 section corner.
57. 60	Post in mound for 1/16 section corner.
60. 22	Post in mound for [illegible]

Township 25. North Range 9. East the 6th Principal Meridian.

Chains.	
77. 60	She corner to sections 5, 6, 7 and 8. Rolling prairie: second rate soil. May 3d 1867.

Subdivision of Sections.

Subdivision of Section 36.

North on the quarter section line through Sec. 36 Va 12° 55' East.

20. 00	Post in mound for 1/16 sec. corner.
38. 00	Old trail bearing S. W. and N. E.
40. 00	Post in mound for 1/4 sec corner.
60. 00	Post in mound for 1/16 sec corner.
70. 00	Enter timber bearing N. W. and S. E dry ravine; principally bur oak and linden.
75. 00	Ravine, two chains wide, timbed bearing N. W. & S. E.
80. 00	She quarter section corner to the North line of the section. Rolling prairie: 2d rate soil.

East on a random quarter section line through section 36.

Va 12° 55' East.

20. 00	Sem porary 1/16 section corner.
40. 01	Intersect N and S line, quarter section line.
42. 50	Old trail bearing S. W. and N. E.
60. 00	Sem porary 1/16 section corner.
66. 00	Enter timber, bearing North and South.
80. 02	Intersect N and S line (East side of Sec.) 5 links South of the 1/4 sec corner from which 1/4 Sec. Cor. I ran.

South 89° 58' West on a true quarter section line through Section 36.

Va 12° 55' East.

20. 00	Post in mound for 1/16 sec. corner.
40. 01	Intersect N. & S. 1/4 Sec line at the 1/4 Section corner.
60. 01	Post in mound for 1/16 sec. corner.
81. 02	Intersect West line of the Section at the 1/4

28
287

Omaha Indian Reservation.

Township 25. North Range 9. East the 6th Principal Meridian.

Chains	
	Sec. corner. Rolling prairie: second rate soil. Grove at East end of the line principally oak.

Subdivision of Section 25.

North on the quarter section line through Section 25.

Va 12° 30' East.

3. 00	Leave timber bearing E. and W.
20. 00	Post in mound for 1/16 sec corner.
26. 20	North Blackbird Creek, 10 lks wide, banks 150 links wide & 15 feet high. Course N. 60° E.
27. 70	Enter improved land on Creek bottom.
40. 00	Post in mound for 1/4 sec. corner.
59. 90	Road from Decatur to Dakota, General course N. W. Fenced on both sides. West.
60. 00	Post in mound with 3 pits and coal for 1/16 section corner: the fourth pit would be in the travelled road and could not be permanent.
71. 25	Leave improved field, bearing mainly East & West.
80. 00	Intersect the North side of the Sec of 1/4 Sec Cor. South of creek rolling prairie; near the creek nearly level. North end moderately rolling. 1st rate soil.

East on a random quarter section line through Section 25.

Va 12° 30' East.

20. 00	Post for temporary 1/16 section corner.
33. 35	A small brook 3 links wide running S.
40. 09	Intersect N and S quarter section line.
59. 80	Leave improved land.
60. 00	Temporary 1/16 section corner.
63. 00	Intersect road from Decatur to Dakota bearing N 16° W. and South.
80. 19	Intersect the East end of the section 8 links North of the quarter section corner from which quarter section corner I run North 89° 57' West on a true quarter section

Omaha Indian Reservation.

Township 25. North Range 9 East the 6th Principal Meridian.

Chains	
	line through Section 25.
	Va 12° 55' East.
20. 05	Post in mound for 1/16 section corner.
40. 10	Intersect N. & S. 1/4 section at the 1/4 section corner.
60. 15	Post in mound for 1/16 section corner.
80. 19	The 1/4 section corner between sections 25 & 26. West 3/4 nearly level and under cultivation 1st rate soil. East 1/4 rolling prairie; good second rate soil.

Subdivision of Section 24.

North on the quarter section line through Sec. 24
Va 12° 40' East.

20. 00	Post in mound for 1/16 Sec. corner.
34. 40	Ravine 1 chain wide - along which are a few trees.
40. 00	Post and B. T's. Sec E. and W. 1/4 Sec. line.
60. 00	Post in mound for 1/16 sec corner.
80. 00	Intersect the North line of the section at the quarter section corner between sections 13 & 24. Rolling prairie - 2d rate soil.

East on a random quarter section line through Section 24.
Va 12° 40' E.

4. 25	A Ravine, 2 chains wide, along which is a small grove of scattering timber.
20. 00	Temporary 1/16 sec corner.
29. 00	Leave timber and cross a ravine 150 links wide course S. E.
40. 13	Intersect N. and S. quarter section line.
60. 00	Temporary 1/16 section corner.
80. 27	Intersect the East line of the section 8 links North of the 1/4 section corner between sections 24 and 19 from which quarter section corner A run

N 89° 57' West on a true quarter section line through Section 24.
Va 12° 40' East.

20. 07	Set a post for 1/16 Sec. corner from which

30
289

Omaha Indian Reservation.

Township 25. North Range 9. East the 6th Principal Meridian

Chains.	An Oak 12 in in dia bears S 29° E. 108 lks.
	An Oak 13 in in dia bears S 10° W. 88 links.
40. 14	Set a post for 1/4 section corner from which
	A Hickory 5 in in dia bears S. 70 E. 186 links.
	A Cottonwood 12 in in dia bears N 82° E 275 lks
60. 21	Set a post for 1/16 section corner from which
	An Oak 10 in in dia bears S 71° E. 150 links dist
	An Oak 8 in in dia bears S 69° W. 100 links.
80. 27	The quarter section corner between sections 23 & 24
	Rough and broken - ravines and hills.
	Second rate soil.

April 26th 1867.

Subdivision of Sec. 13.

North on the quarter section line through Section 13.

Va 12° 30' East.

5. 00	Enter timber.
20. 00	Set post for 1/16 sec corner from which
	A White Oak 10 in in dia bears S 38° E 70 links.
	A White Oak 12 in in dia bears S 88° W 11 links.
33. 00	Leave timber & scattering.
40. 00	Post set for 1/4 section corner from which
	An Oak 4 in in dia bears N 21° W 60 links
	An Oak 3 in in dia bears S 98° E. 150 links.
60. 00	Set a post for 1/16 sec corner from which,
	An Oak 14 in in dia bears S 46° W 95 links
	An Oak 12 in in dia bears N 48° W 120 links
77. 00	A brook 4 links wide running East.
80. 00	Intersect the North line of the section at the quarter section corner.
	Rough and hilly. Soil 2d rate.

East on a random quarter section line through Section 13.

Va 12° 25' East.

19. 00	Enter scattering timber
20. 00	Temporary 1/16 section corner.
40. 05	Intersect N. and S. 1/4 Sec. line.
60. 00	Temporary 1/16 section corner.

Omaha Indian Reservation.

Township 25. North Range 9. East the 6th Principal Meridian.

Chains	
80. 10	Intersect the East line of the section 12 links North of the quarter section corner from which 1/4 section corner bears North 89° 55' West on a true quarter section line through section 13.
	Va 12° 25' East.
20. 02	Set a post for 1/16 section corner from which A White Elm 10 in in dia bears N 38 W. 97 links An Oak 12 in in dia bears N 21° E. 117 links
40. 05	Intersect the N and S 1/4 section line at the quarter section corner.
60. 07	Set a post for 1/16 section corner from which An Oak 26 in in dia bears N 88° E. 30 lks. A Hickory 4 in in dia bears S 21° W. 44 links.
80. 10	The quarter section corner on the West line of the section.
	Land rough and rolling: covered with scattering timber — some heavy timber. Soil 2d rate.

Subdivision of Sec. 12

North on the quarter Sec line through Sec. 12.

Va 12° 20' East.

3. 00	A brook 10 links wide running S. E.
6. 50	Enter improved land - fenced.
20. 00	Post in mound for 1/16 sec corner.
37. 40	Leave improved field.
40. 00	Post in mound for 1/4 section corner.
60. 00	Post in mound for 1/16 section corner.
80. 00	Intersect the North line of the section at the quarter section corner.
	Rolling and hilly prairie: soil good 2d rate.

East on a random quarter section line through Section 12.

Va 12° 10' East.

18. 50	Slough 150 links wide & Leave scattering timber. S. E.
20. 00	Temporary 1/16 section corner.
39. 80	Intersect N. and S. 1/4 sec. line.

32/291

Omaha Indian Reservation

Township 25. North Range 9. East the 6th Principal Meridian.

Chains	
60.00	Set pinany 1/16 sec corner.
79.60	Intersect the East line of the section 15 lks South of the quarter section corner from which 1/4 section corner S run,
	South 89° 54' West on a true quarter section line through Section 12.
	Va 12° 15' East.
19.90	Set post in mound for 1/16 sec. corner.
39.80	Intersect N. and S. 1/4 section line at the quarter section corner.
59.70	Set post for 1/16 sec corner from which
	A Bur Oak 10 in in dia bears N 65° E 200 lks.
	A Bur Oak 12 in in dia bears S 76° W. 235 lks.
79.60	The quarter section corner on the West line of the section.
	Rolling prairie and grove of scattering timber
	Second rate soil.

Subdivision of Section 1.

North on the quarter section line through Section 1.

Va 12° 5' East.

20.00	Set post for 1/16 section corner from which
	An oak 8 in in dia bears N 13° W 83 links dist.
	No other tree convenient to mark.
40.00	Post in mound for 1/4 sec. corner.
54.00	Enter heavy timber.
60.00	Set post for 1/16 Sec corner from which
	A Cottonwood 12 in in dia bears N. 55° W. 14 lks
	A Cottonwood 13 in in dia bears S 54° E 27 lks.
77.50	Intersect right bank of the Missouri river and set post for meander corner and for corner to fractional 1/4 sections from which
	An Elm 16 in in dia bears S 45° W. 66 links
	A Black Oak 16 in in dia bears N 67° W 24 lks.
	At the river bank the bluff is 75 feet high Land rough and hilly. Soil 2d rate.

Omaha Indian Reservation.

Township 25. North Range 9. East the 6th Principal Meridian.

Chains. East on a true quarter section line through Section 1.

Va 12° 5' East.

20. 00 Set post for 1/16 section corner from which An Oak 4 in in dia bears S 52° E. 65 links dist.

22. 00 Enter scattering timber

33. 00 Leave scattering timber.

40. 00 Intersect N. and S 1/4 section line at the 1/4 section corner.

43. 00 Enter heavy timber.

60. 00 Intersect right bank of the Missouri river and set post for meander corner and for corner to fractional 1/4 sections from which
A Cottonwood 10 in in dia bears S. 70° W. 35 links.
A Cottonwood 18 in in dia bears N 25° W. 26 links.
The river bank is sloping and from 50 to 100 feet high.
Land rough and hilly: Soil 2d rate.

Subdivision of Section 35.

North on the quarter section line through Sec. 35.

Va 13° 13' East.

20. 00 Post in mound for 1/16 section corner.

40. 00 Post in mound for 1/4 section corner.

51. 15 Branch of Blackbird Creek 10 lks wide, running East.

60. 00 Post in mound for 1/16 section corner.

80. 00 Intersect North line of the section at the 1/4 section corner.
Rolling, 2d rate prairie.

East on a random quarter section line through Section 35.

Va 13° East.

14. 50 A Creek 10 links wide running N. E.

20. 00 Post for temporary 1/16 section corner.

39. 85 Intersect N. and S. 1/4 Sec. line.

60. 00 Post for temporary 1/16 section corner.

79. 70 Intersect N. and S. section line 35 links North of the 1/4 section corner between Secs 35 & 36 from which 1/4 Sec corner S run

34
293

Omaha Indian Reservation.

Township 25, North Range 9, East the 6th Principal Meridian

Chains	
	North 89° 45' West on a true quarter section line through Section 35.
	Va 13° East.
19. 92	Post in mound for 1/16 sec. corner.
39. 85	Intersect N and S 1/4 Sec line at the 1/4 section corner.
59. 77	Post in mound for 1/16 section corner.
79. 70	Intersect the West side of the section at the 1/4 section corner between sections 34 and 35.
	Rolling prairie: 2d rate soil.
	April 27th 1867.

Subdivision of Section 26.

	North on the quarter section line through Sec. 26.
	Va 13° 5' East.
4. 00	A Creek 6 links wide running East.
20. 00	Post in mound for 1/16 Sec corner.
35. 00	An old Fence.
40. 00	Post in mound for 1/4 section corner.
60. 00	Post in mound for 1/16 sec. corner.
80. 00	Intersect North line of the section at the 1/4 section corner.
	Rolling prairie: second rate soil.

	East on a random quarter section line through Section 26.
	Va 12° East.
20. 00	Temporary 1/16 section corner.
34. 00	A brook 6 lks wide running South.
39. 84	Intersect N and S 1/4 sec line.
60. 00	Temporary 1/16 Sec. corner.
72. 50	Intersect fence and intr. improved field bearing N. 85° E.
79. 68	Intersect N. and S. line 92 lks North of the 1/4 Sec. corner between sections 25 and 26 from which 1/4 section corner I run,
	North 89° 21' West on a true quarter section line through Section 26.
	Va 12° East.
19. 92	Post in mound for 1/4 sec corner.

Township 25, North Range 9, East the 6th Principal Meridian.

Chains.	
39.84	Intersect N. and S. 1/4 Sec line at the quarter section corner.
59.76	Post in mound for 1/16 sec. corner.
79.68	Intersect N. and S. line at the 1/4 section corner between sections 26 & 27.
	Rolling prairie: second rate and good second rate soil.

Subdivision of Section 23.

North on the quarter section line through Section 23.

Va 12° 55' East.

20.00	Post in mound for 1/16 sec. corner.
40.00	Post in mound for 1/4 sec. corner.
54.50	Road from Decatur to Dakota bearing N.W. & S.E.
60.00	Post in mound for 1/16 section corner.
80.00	Intersect North line of the section at the quarter section corner.
	High rolling prairie: 2d rate soil.

East on a random quarter section line through Section 23.

Va 11° 30' East.

20.00	Temporary 1/16 section corner.
40.05	Intersect N and S. 1/4 section line.
49.00	Road from Decatur to Dakota bearing S.E. and N.W.
60.00	Temporary 1/16 sec. corner.
80.10	Intersect N. & S. line 25 links North of the 1/4 Sec. corner between sections 23 and 24 from which 1/4 sec. cor. I run
	North 89° 49' West on a true line (quarter section) through Section 23.
20.02	Post in mound for 1/16 sec. corner.
40.05	Intersect N. and S. 1/4 section line at the 1/4 section corner.
60.07	Post in mound for 1/16 section corner.
80.10	The 1/4 Sec. cor: on the West side of the section.
	High rolling prairie: second rate soil.

36.
295

Omaha Indian Reservation.

Township 25. North Range 9. East the 6th Principal Meridian.

Subdivision of Section 14.

Chains	
	North on the quarter section line through Sec. 14 Va 12° 30' East.
15. 00	Enter brook.
20. 00	Set post for 1/16 section corner from which An oak 5 in in dia bears S 89° E. 39 lks dist.
40. 00	Post in mound for 1/4 section corner.
60. 00	Set post for 1/16 section corner from which An Oak 27 in in dia bears N. 50° W. 25 lks. A Walnut 14 in in dia bears N. 23° E. 84 lks
68. 00	Leave timber & brush continues four chains North of timber.
80. 00	Intersect North line of Section at the 1/4 Sec. Cor. between Secs 11 and 14. Rolling prairie: brush and timber. Soil 2d rate.

East on a random quarter section line through Section 14.

Va 11° 30' East.

10. 00	Intersect road from Decatur to Dakota N. W. and S. E.
20. 00	Post for temporary 1/16 section corner
31. 00	Enter brush.
40. 08	Intersect N. and S. 1/4 section line.
60. 00	Temporary 1/16 section corner.
80. 16	Intersect the East side of the section 7 links South of the 1/4 section corner between sections 13 and 14, from which quarter section corner I run,

South 89° 57' West on a true quarter section line through section 14.

Va 11° 30' East.

20. 04	Set post for 1/16 section corner from which An Oak 15 in in dia bears S 69° W. 83 links. No tree North of the line within 10 chains.
40. 08	Intersect N. and S. 1/4 section line at the quarter section corner.
60. 12	Post in mound for 1/16 section corner.
80. 16	The quarter section corner on the line between Secs 14 & 15. Rolling prairie & brush land: second rate soil.

Omaha Indian Reservation.

Township 25. North Range 9. East the 6th Principal Meridian.

Chains.	
	Subdivision of Section 11.
	North on the quarter section line through Sec. 11.
	Va 12° East.
11. 00	Enter timber, bearing N. W. and S. E.
20. 00	Set post for 1/16 sec. corner from which
	A Bur Oak 10 in in dia bears S 64° W 91 lks.
	A Bur Oak 10 in in dia bears N 32° W. 7 lks.
40. 00	Set post for 1/4 section corner from which
	A Linden 14 in in dia bears N 50° E 50 links.
	A Hickory 8 in in dia bears N 83 W 27 links.
46. 00	Leave heavy timber and cross marsh 3 chains
	wide bearing S. E.
60. 00	Set post for 1/16 section corner from which
	A Hickory 4 in in dia bears N 49° W. 135 links.
	An Oak 6 in in dia bears S 72° W. 187 links.
80. 00	Intersect North line of the section at the 1/4 sec.
	corner between sections 2 and 11.
	Rolling prairie and timber: soil 2d rate.

East on a random quarter section line through section 11.

Va 11° 30' East.

17. 00	A ravine two chains wide bearing North & South — a few trees along the ravine.
20. 00	Temporary 1/16 section corner.
28. 00	Enter timber: General course N. W. & S. E.
40. 26	Intersect N. and S. 1/4 section line.
49. 00	Leave timber and enter marsh two chains wide course South - Water course through the marsh.
60. 00	Post for Temporary 1/16 sec. corner.
74. 50	Enter timber bearing N. E. and S. W.
80. 52	Intersect the East line of the section 97 links North of the quarter section corner between sections 11 & 12 from which 1/4 sec. corner I run North 89° 18' West on a true 1/4 section line through Section 11.

Va 11° 30' East.

20. 13	Post in mound for 1/16 sec. corner.
40. 26	Intersect N. and S. 1/4 section line at the 1/4 section corner.

38
297

Omaha Indian Reservation.

Township 25. North Range 9 East the 6th Principal Meridian

Chains.	
60. 39	Set a post for 1/16 section corner from which An Elm 12 in in dia bears N 82° W. 4 12 lks. A Willow 8 in in dia bears S 79° W 4 00 lks. S 1/4 Sec. corner between sections 10 and 11.
80. 52	Rolling prairie and timber: 2d rate.

Subdivision of Section 2.

North on the quarter section line through section 2 (true line).

Va 10° 42' East.

20. 00	Set a post for 1/16 sec. corner from which A walnut 10 in in dia bears S 65° E. 75 links A walnut 16 in in dia bears S 32° W. 150 links. Leave heavy timber.
40. 00	Post in mound for 1/4 section corner.
47. 00	Enter timber.
60. 00	Set a post for 1/16 section corner from which A Linden 8 in in dia bears S 75° E 17 lks A Linden 12 in in dia bears S 46° W. 11 lks.
65. 00	Leave timber and cross ravine. Course S. E.
73. 00	Enter timber bearing N. W. and S. E.
80. 48	Intersect the North line of the section at the 1/4 Post on the township line between secs. 2 & 35. Rough and hilly: timber and prairie: 2d rate sil.

East on a random line (quarter section) through Sec. 2.

Va 10° 35' East.

20. 00	Post for temporary 1/16 section corner.
40. 24	Intersect N and S 1/4 section line.
48. 50	Enter heavy timber bearing N. W. and S. E.
60. 00	Temporary 1/16 section corner.
76. 00	Leave timber and enter slough (water course) three chains wide.
80. 47	Intersect N. and S. line 92 lks North of the 1/4 section corner between Sections 1 & 2, from which 1/4 section corner I run North 89° 21' West on a line 1/4 section line through Section 2.

Omaha Indian Reservation.

Township 25. North Range 9. East the 6th Principal Meridian.

Chains	
	Va 10° 35' East.
20. 12	Set a post for 1/16 sec corner from which
	A Stickory 10 in in dia bears N. 55° W. 39 lks dist.
	An Ironwood 6 in in dia bears S 77° E. 22 lks.
40. 23	Intersect N. and S. 1/4 Sec line at 1/4 Section corner.
60. 35	Post in mound for 1/16 Section corner.
80. 47	Intersect the West side of the section at the 1/4 Section corner between sections 2 and 3.
	Rolling prairie and groves of timber. Second rate soil.

April 28th 1867.

Subdivision of Section 34.

North on the quarter section line through Sec. 34.

Va 13° East.

9. 00	To a Creek 7 links wide running East.
20. 00	Post in mound for 1/16 section corner.
40. 00	Post in mound for 1/4 sec. corner.
60. 00	Post in mound for 1/16 sec. corner.
80. 00	Intersect the North line of the section at the 1/4 section corner between sections 27 & 34.
	High rolling prairie: second rate soil.

East on a random quarter section line through Section 34.

Va 13° East.

20. 00	Temporary 1/16 section corner.
40. 13	Intersect N. and S. 1/4 Sec. line.
60. 00	Temporary 1/16 section corner.
80. 27	Intersect N. and S. line 22 lks North of the quarter section corner between sections 34 & 35 from which quarter section corner I run.
	North 89° 50' West on a true 1/4 section line through Sec. 34.

Va 13° East.

20. 07	Post in mound for 1/16 section corner.
40. 14	Intersect N and S. 1/4 Sec line at the 1/4 Sec. corner.
60. 21	Post in mound for 1/16 section corner.
80. 27	The 1/4 Sec. corner on the West side of the section.
	Rolling prairie: second rate soil.

4°
N99

Omaha Indian Reservation

Township 25. North Range 9. East the 6th Principal Meridian.

Chains.

Subdivision of Section 27.

20. 00 Post in mound for 1/16 section corner.
40. 00 Post in mound for 1/4 section corner.
60. 00 Post in mound for 1/16 section corner.
67. 50 Enter timber bearing E. and W.
71. 50 Leave timber — same bearing.
80. 00 Intersect the North line of the section at the quarter section corner.
Rough rolling prairie & grove of pine timber.
Soil second rate.

East on a random quarter section line through Section 27.

Va 12° East.

20. 00 Temporary 1/16 section corner.
40. 22 Intersect N. and S. 1/4 sec. line.
60. 00 Temporary 1/16 section corner.
80. 45 Intersect the East line of the section 70 links South of the 1/4 section corner between sections 26 and 27 from which 1/4 section corner I run,
South 89° 30' West on a true quarter section line through Section 27.:

Va 12° East.

---

20. 11 Post in mound for 1/16 sec. corner.
40. 23 Intersect N. and S. 1/4 section line at the 1/4 Sec. corner.
60. 34 Post in mound for 1/16 sec. corner.
80. 45 Intersect the West line of the Section at the 1/4 Sec. corner.
Rolling and rough prairie: second rate soil.

Subdivision of Sec. 22.

North on the quarter section line through Section 22.

Va 12° 10' East.

6. 50 A brook 4 links wide: course S. E.
20. 00 Post in mound for 1/16 Sec. corner.
40. 00 Post in mound for 1/4 Sec. corner.
60. 00 Post in mound for 1/16 Sec. corner.

Omaha Indian Reservation.

Township 25. North Range 9. East the 6th Principal Meridian.

Chains.	
80. 00	Intersect the North line of the section at the 1/4 sec. corner.
	High rolling prairie: second rate soil.

East, on a random quarter section line through Section 22.

Va 12° East.

20. 00	Temporary 1/16 section corner.
40. 10	Intersect N. and S. 1/4 sec line.
60. 00	Temporary 1/16 section corner.
72. 50	A Creek 6 links wide - course S. E.
80. 20	Intersect the East side of the section 8 links South of the quarter section line between sections 22 and 23 from which 1/4 sec corner B. runs, South 89° 56' West on a true quarter section line through Section 22.

Va 12° East.

20. 15	Post in mound for 1/16 sec corner.
40. 10	Intersect N. & S. 1/4 Sec line at the 1/4 Sec corner.
60. 15	Post in mound for 1/16 sec. corner.
80. 20	The 1/4 Sec corner on the West side of the section Rolling prairie: second rate soil.

Subdivision of Sec. 15.

North on the quarter section line through Sec 15

Va 11° 30' East.

4. 50	A brook 10 links wide running S. E.
20. 00	Post in mound for 1/16 Sec. corner.
36. 00	A brook 5 links wide runs S. E.
40. 00	Post in mound for 1/4 Sec. corner.
60. 00	Post in mound for 1/16 Sec. corner.
80. 00	Intersect the North line of the section at the 1/4 Sec corner between sections 10 and 15. Creek bottom on North 3/4 nearly level. South 1/4 gently rolling. Soil 1st rate.

42.
301

Omaha Indian Reservation.

Township 25. North Range 9, East the 6th Principal Meridian

Chains

East on a random quarter section line through Section 15.

Va 11° 30' East.

20.00 Temporary 1/16 Sec. corner.
34.90 A brook 10 links wide running South.
40.01 Intersect N and S 1/4 Sec line at the 1/4 Sec. corner.
60.00 Temporary 1/16 sec. corner.
80.01 Intersect the East line of the section at the 1/4 sec. corner, from which 1/4 sec corner 8 rods, West on a true quarter section line through Section 15.

Va 11° 30' East.

20.00 Post in mound for 1/16 sec. corner.
40.00 Intersect N and S. 1/4 Sec line at the 1/4 Sec. corner.
60.00 Post in mound for 1/16 sec corner.
80.01 Intersect the West line of the section at the 1/4 section corner.

West half rough and hilly- East half nearly level. Soil of West half second rate. East half 1st rate soil.

April 29th 1867.

Subdivision of Section 10.

North on the quarter section line through Section 10.

Va 11° 52' East.

20.00 Post in mound for 1/16 sec. corner.
40.00 Post in mound for 1/4 sec. corner.
60.00 Post in mound for 1/16 sec corner.
80.00 The 1/4 sections corner between sections 3 and 10.

Nearly level. 1st rate soil.

East on a random quarter section line through Section 10.

Va 12° East.

20.00 Temporary 1/16 section corner.
30.10 A brook 4 links wide running South.
89.82 Intersect N. and S 1/4 section line.
60.00 Temporary 1/16 section corner.

Omaha Indian Reservation.

Township 25. North Range 9. East the 6th Principal Meridian.

Chains.	
68.50	Road from Decatur to Dakota. South
79.64	Intersect the East side of the section 49 links South of the quarter section corner between Section 10 and 11 from which quarter section corner I run.
	South 89° 39' West on a true quarter section line through Section 10.
	Va 12° East.
19.91	Post in mound for 1/16 sec. corner.
39.82	Post in mound on North & South quarter section line.
59.73	Post in mound for 1/16 sec. corner.
79.64	The 1/4 sec. corner on the West side of the Sec. Rolling prairie & creek bottom: 1st & 2d rate soil.

Subdivision of Sec. 3.

North on the quarter section line through Sec. 3. (True line)

Va 10° 50' East.

20.00	Post in mound for 1/16 sec corner.
40.00	Set post for 1/4 Sec. corner from which A Bur Oak 8 in in dia bears S. 77° E. 231 lks.
60.00	Set a post for 1/16 section corner from which An Elm 10 in in dia bears S 88° E. 241 links. A Bur Oak 5 in in dia bears N. 46° W. 258 links.
79.32.	Intersect the North side of the section at the 1/4 Sec cor between sections 3 and 34. Moderately rolling prairie: 1st & 2d rate soil.

East on a random quarter section line through Sec 3.

Va 11° 30' East.

20.00	Temporary 1/16 sec. corner.
22.60	A brook 6 lks wide running S. E.
28.60	A brook 4 lks wide, course S. W.
39.82	Intersect N. and S. 1/4 sec. line.
60.00	Temporary 1/16 sec. corner.
79.65	Intersect the East side of the section at the quarter section corner from which quarter section corner I run

Omaha Indian Reservation.

Township 25. North Range 9. East the 6th Principal Meridian

Chains. West on a true quarter section line through Section 3.

Va 11° 30' East.

19.91 Post in mound for 1/16 sec. cor.
39.83 Intersect R and S 1/4 Sec. line at the 1/4 section corner.
59.74 Post in mound for 1/16 section corner.
79.65. The 1/4 section corner on the West side of the section.

Rolling prairie: 1st and 2d rate soil.

Subdivision of Section 33.

North on the 1/4 Section line through Sec. 33.

Va 12° 30' East.

3.50 A brook 5 links wide- running East.
20.00 Post in mound for 1/16 Sec. corner.
40.00 Post in mound for 1/4 Sec. corner.
60.00 Post in mound for 1/16 Sec. corner.
80.00 Intersect the North line of the section at the 1/4 section corner.

Rolling 2d rate prairie.

East on a random quarter section line through Sec. 33.

Va 12° 15' East.

20.00 Temporary 1/16 section corner.
39.77 Intersect R and S 1/4 Sec. line.
60.00 Temporary 1/16 section corner.
79.55 Intersect the East side of the section 8 links South of the 1/4 section corner from which 1/4 Section corner I run.

S 89° 57' West on a true quarter section line through Sec. 33.

Va 12° 15' East.

19.89 Post in mound for 1/4 section corner.
39.78 Intersect R. and S. 1/4 Sec. line at the 1/4 section corner.
59.67 Post in mound for 1/16 section corner.
79.55 The quarter section corner on the line between sections 32 and 33.

Rolling and hilly prairie: 2d rate soil.

Omaha Indian Reservation.

Township 25. North Range 9. East the 6th Principal Meridian

Chains.	
	Subdivision of Section 28.
	North on the quarter section line through Section 28.
	Va 12° 42' East.
20. 00	Post in mound for 1/16 Sec. corner.
40. 00	Post in mound for 1/4 Sec. corner.
60. 00	Post in mound for 1/16 Sec. corner.
80. 00	Intersect the North line of the section at the quarter section corner.
	Rolling prairie: second rate soil.
	East on a random quarter section line through Section 28.
	Va 12° 10' East.
20. 00	Temporary 1/16 Sec corner.
39. 76	Intersect N and S 1/4 Sec line at the 1/4 Section corner.
60. 00	Temporary 1/16 Sec corner.
79. 53	Intersect the East side of the section at the 1/4 Section corner between sections 27 and 28 from which 1/4 Sec. corner S run,
	West on a true 1/4 section line through Sec 28.
	Va 12° 10' East.
19. 88	Post in mound for 1/16 Sec. corner.
39. 77	Intersect N. and S. 1/4 Sec line at the 1/4 section corner.
59. 65	Post in mound for 1/16 sec corner.
79. 53	The quarter Section corner on the West side of the Section.
	Rolling 2d rate prairie.
	April 30th 1867.

46/305

Omaha Indian Reservation.

Township 25. North Range 9 East the 6th Principal Meridian

Chains.	
	Subdivision of Sec. 21.
	North on the quarter Section line through Sec 21. Va 12° 25' East.
20. 00	Post in mound for 1/16 Sec. corner.
34. 50	Brook 4 links wide – Course East.
40. 00	Post in mound for 1/4 Sec. corner.
60. 00	Post in mound for 1/16 Sec. corner.
73. 00	A brook 3 links wide, running East.
80. 00	Intersect the North side of the Section at the 1/4 Sec corner.
	Rolling prairie: 2d rate soil.
	East on a random line through Section 21. (quarter sec line.) Va 12° East.
20. 00	Temporary 1/16 Sec. corner.
20. 95	Small brook 4 lks wide running N. E.
29. 05	Brook (same) 4 links wide running S. E.
40. 06	Intersect N. and S. 1/4 Section line.
60. 00	Post for temporary 1/16 Sec. corner.
64. 48	Small brook course S. East.
80. 12	Intersect the East side of the section 46 links North of the 1/4 Section corner between sections 21 and 22 from which 1/4 Sec. corner I run. North 89° 40' West on a true quarter section line through Section 21. Va 12° East.
20. 03	Post in mound for 1/16 Sec corner.
40. 06	Intersect N. and S. 1/4 Sec line at the 1/4 section corner.
60. 09	Post in mound for 1/16 Section corner.
80. 12	The 1/4 Sec corner on the West line of the Section. Rolling prairie: 2d rate soil.
	Subdivision of Section 16.
	North on the quarter section line through Section 16. Va 11° 43' East.
20. 00	Post in mound for 1/16 Sec. corner.
40. 00	Post in mound for 1/4 Sec. corner.
60. 22	Post in mound for [illegible]

Omaha Indian Reservation.

Township 25. North Range 9. East the 6th Principal Meridian.

Chains.	
56. 00	A small brook 3 lks wide running S. E.
60. 00	Post in mound for 1/16 Sec corner.
80. 00	Intersect the North line of the section at the 1/4 Section corner.
	Rolling prairie: 1st and 2d rate soil.

East on the quarter section line through Section 16. random line.

Va 11° 30' East.

20. 00	Post for temporary 1/16 sec. corner.
39. 43	Intersect N. and S. 1/4 section line.
60. 00	Post for temporary 1/16 section corner.
73. 66	A brook 3 links wide running S. E.
79. 85	Intersect the East line of the Sec. 25 links South the quarter Sec. corner from which quarter section corner I run,

S. 89° 49' West on a true 1/4 Sec line through Section 16.

Va 11° 30' East.

19. 96	Post in mound for 1/16 Sec. corner.
39. 92	Intersect N. and S. 1/4 Sec line at the quarter section corner.
59. 88	Post in mound for 1/16 Section corner.
79. 85	The quarter section corner on the West side of the section.

Rolling 2d rate prairie.

Subdivision of Sec. 9.

East on the quarter Sec line through Section 9- run down line.

Va 11° 30' East.

20. 00	Post for temporary 1/16 Section corner.
39. 65	Intersect N. and S. 1/4 Sec. line.
60. 00	Post for 1/16 Sec. corner- temporary.
79. 30	Intersect the East line of the Section 33 links South of the 1/4 Section corner from which quarter Section corner I run,

South 89° 46' West on a true quarter section line through Sec. 9.

48/307

Omaha Indian Reservation.

Township 25. North Range 9. East the 6th Principal Meridian

Va 11° 30' East.

Chains.	
19. 82	Post in mound for 1/16 Sec. corner.
39. 65	Intersect the North & South 1/4 section line at the quarter section corner.
59. 47	Post in mound for 1/16 Section corner.
79. 30	The quarter section corner on the West line of the section.

Rolling prairie: second rate soil.

North on the quarter section line through Section 9.

Va 11° 10' East.

20. 00	Post in mound for 1/16 Sec corner.
40. 00	Post in mound for 1/4 Sec. corner.
60. 00	Post in mound for 1/16 Sec. corner.
60. 50	Enter meadow bearing N. W. and S. E.
65. 00	Leave meadow – same bearing.
80. 00	Intersect the North line of the section at the quarter section corner.

Rolling prairie: second rate soil.

May 1st 1867.

Subdivision of Section 4.

North on the quarter section line through Sec. 4 random line.

Va 11° East.

20. 00	Temporary 1/16 Sec. corner.
40. 00	Temporary 1/4 Sec. corner.
60. 00	Temporary 1/16 Sec. corner.
72. 70	Enter Creek bottom bearing S. E. and W.
74. 70	A brook 5 links wide running East.
75. 70	Leave Creek bottom – bearing E and W.
78. 70	Intersect the North line of the section 70 links West of the quarter section corner between sections 4 and 33 from which quarter section corner I run.

South 0° 30' West on a true quarter section line through Section 4.

Va 11° East.

18. 70	Post in mound for 1/16 section corner.
60. 20	Set in mound for [illegible]

Omaha Indian Reservation.

Township 25. North Range 9. East the 6th Principal Meridian.

Chains.	
38.70	Post in mound for 1/4 Sec. corner.
58.70	Post in mound for 1/16 Sec. corner.
78.70	Intersect the South line of the Section at the 1/4 Section corner.
	Rolling prairie — second rate soil.

East on a random quarter section line through Section 4.

Va 11° 30' East.

20.00	Temporary 1/16 section corner.
39.80	Intersect the N. and S. 1/4 Sec. line.
60.00	Temporary 1/16 Sec. corner.
79.60	Intersect the East line of the section 36 links South of the quarter section corner between Secs 3 & 4 from which 1/4 section corner B ries, South 89° 45' West on a true quarter section line through Section 4.

Va 11° 30' East.

19.90	Post in mound for 1/16 section corner.
39.80	Post in mound at the intersection with North and South 1/4 Section line being the 1/4 Section corner.
59.70	Post in mound for 1/16 section corner.
79.60	The quarter section corner on the West side of the section.
	Rolling prairie : second rate soil.

Subdivision of Section 32.

North on the quarter section line through Sec 32.

Va 12° 16' East.

20.04	Post in mound for 1/16 Sec corner.
30.00	A brook 5 links wide running East.
40.00	Post in mound for 1/4 section corner.
60.00	Post in mound for 1/16 section corner.
80.00	Intersect the North side of the section at the quarter section corner.
	Rolling prairie : second rate soil.

58/309

Omaha Indian Reservation.

Township 25. North Range 9. East the 6th Principal Meridian

Chains.	East on a random quarter section line through Section 32. Va 12° 15' East.
20. 00	Temporary 1/16 sec corner.
39. 81	Intersect N and S 1/4 section line.
60. 00	Temporary 1/16 section corner.
79. 63	Intersect the East side of the section 14 links South of the quarter section corner from which quarter section corner I run. South 89° 54' West on a line quarter section line through Sec 32. Va 12° 15' East.
19. 91	Post in mound for 1/16 sec corner.
39. 82	Intersect N and S quarter section line at the quarter section corner.
59. 73	Post in mound for 1/16 sec corner.
79. 63	The quarter section corner on the West side of the section

Rolling prairie: second rate soil.

Subdivision of Sec. 29.

North on the quarter section line through Sec. 29. Va 13' 20' East.

20. 00	Post in mound for 1/16 Sec. corner.
40. 00	Post in mound for 1/4 Sec. corner.
60. 00	Post in mound for 1/16 Sec corner.
80. 00	Intersect the North line of the section at the quarter section corner between sections 20 and 29.

Rolling prairie: second rate soil.

East on a random quarter section line through Section 29. Va 12° East.

20. 00	Post for temporary 1/16 sec corner.
39. 67	Intersect the N. and S. 1/4 Sec. line.
60. 00	Post for temporary 1/16 sec. corner.
79. 33	Intersect the East line of the section 70 links North of the quarter section corner between sections 28 and 29 from which quarter section corner I run,
60. 00	Post in mound for [illegible]

Omaha Indian Reservation.

Township 25. North Range 25. East the 6th Principal Meridian

Chains. North 89° 30' West on a true quarter section line through Section 29.

Va 12° East.

19.83 Post in mound for 1/16 sec corner.
39.66 Intersect N and S 1/4 Sec line at the quarter section corner.
59.49 Post in mound for 1/16 section corner.
79.33 The quarter section corner on West line of the section.

Rolling second rate Prairie.

Subdivision of Section 20.

North on the quarter section line through Sec. 20.

Va 13° 15' East.

13.00 Enter timber - small grove
20.00 Set a post for 1/16 section corner from which An Oak 8 in in dia bears N 80° E 12 links. An Oak 8 in in dia bears N 20° W 145 links.
30.00 Leave timber.
40.00 Post in mound for 1/4 section corner.
60.00 Post in mound for 1/16 section corner.
80.00 Intersect the North side of the section at the quarter section corner.

Rolling prairie and timber: second rate soil.

East on a random quarter section line through Section 20.

Va 12° East.

20.00 Temporary 1/16 Section corner.
39.91 Intersect N and S 1/4 Sec line.
60.00 Temporary 1/16 Section corner.
79.82 Intersect the East line of the section 70 links North of the quarter section corner between sections 20 & 21 from which 1/4 Sec corner N run.

North 89° 30' West on a true quarter section line through Section 20.

Va 12° East.

19.95 Post in mound for 1/16 section corner.
39.91 Intersect N and S 1/4 Sec line at the quarter section corner.

52/311

X/21

Omaha Indian Reservation.

Township 25. North Range 9, East the 6th Principal Meridian

Chains.	
59.86	Post in mound for 1/16 Sec. corner.
79.82	The quarter section corner on the West side of the section.
	Rolling prairie: second rate soil.

May 2d 1867.

Subdivision of Sec. 17.

North on the quarter section line through Section 17.

Va 11° 49' East.

20.00	Post in mound for 1/16 Section corner.
40.00	Post in mound for 1/4 Section corner.
60.00	Post in mound for 1/16 Section corner.
80.00	Intersect North line of the Section at the quarter section corner between Sections 8 and 17.
	Rolling prairie: second rate soil.

East on a random quarter Section line through Section 17.

Va 11° 45' East.

20.00	Temporary 1/16 section corner.
39.89	Intersect N. and S. quarter section line.
60.00	Temporary 1/16 section corner.
79.78	Intersect the East line of the section 35 links North of the quarter section corner between sections 16 & 17 from which quarter section corner I run
	North 89° 45' West on a true quarter section line through Section 17.

Va 11° 45' East.

19.94	Post in mound for 1/16 Sec corner.
39.89	Intersect N and S 1/4 Section line at the quarter section corner.
59.83	Post in mound for 1/16 Sec. corner.
79.78	The quarter section corner on the West line of the Section.
	Rolling second rate prairie.

Omaha Indian Reservation.

Township 25. North Range 9. East the 6th Principal Meridian.

Chains	
	Subdivision of Sec. 8.
	North on the quarter section line through Sec. 8.
	Va 11° 13' East.
20. 00	Post in mound for 1/16 Sec corner.
27. 00	Enter meadow - bearing E. and W.
40. 00	Post in mound for 1/4 Sec. corner.
41. 00	Leave meadow.
60. 00	Post in mound for 1/16 Sec. corner.
80. 00	Intersect North line of the Section at the quarter section corner.
	Rolling second rate prairie.
	East on a Random quarter section line through Section 8.
	Va 11° 15' East.
20. 00	Temporary 1/16 Sec corner.
36. 00	Enter meadow bearing N. and S.
39. 63	Intersect N and S 1/4 Sec. line.
40. 10	Leave meadow.
60. 00	Temporary 1/16 Section corner.
61. 00	Enter meadow bearing N. and S.
66. 00	Leave meadow bearing N. and S.
79. 26	Intersect the North and South line 15 lks South of the 1/4 Section corner between sections 8 and 9 from which quarter section corner I run
	South 89° 54' West on a true quarter section line through Section 8.
	Va 11° 15' East.
19. 82	Post in mound for 1/16 Section corner.
39. 63	Intersect N. and S. 1/4 Sec line at the quarter section corner.
59. 45	Post in mound for 1/16 section corner.
79. 26	The quarter section corner on the West line of the Section.
	Rolling prairie - second rate soil.

54.
313

X
31

Omaha Indian Reservation

Township 25. North Range 9. East the 6th Principal Meridian.

Chains. Subdivision of Section 5.

North on a random quarter Section line through Sec. 5.

Va 11° 15' East

20. 00 Temporary 1/16 Sec. corner.
40. 00 Temporary 1/4 Sec corner.
60. 00 Temporary 1/16 Sec. corner.
77. 87 Intersect the North line of the Section 27 links West of the quarter section corner from which quarter section corner I run

S 0° 12' West on a true quarter section line through Section 5.

Va 11° 15' East.

17. 87 Post in mound for 1/16 Sec corner.
37. 87 Post in mound for 1/4 Sec corner.
57. 87 Post in mound for 1/16 Sec corner.
77. 87 The quarter section corner on the South side of the section.

Rolling prairie second rate soil.

East on a random quarter section line through Section 5.

Va 11° 15' East.

20. 00 Temporary 1/16 Section corner.
39. 80 Intersect N. & S. 1/4 Sec. line.
60. 00 Temporary 1/16 Section corner.
79. 60 Intersect the East line of the Section 6 links North of the quarter section corner from which I run

North 89° 57' West on a true quarter section line through Section 5.

Va 11° 15' East.

19. 90 Post in mound for 1/16 Sec corner.
39. 80 Intersect N. and S. 1/4 Sec. line at the quarter section corner.
59. 70 Post in mound for 1/16 Section corner.
79. 60 The quarter section corner on the West side of the section.

Rolling prairie: second rate soil.

60. 22 Set in mound for

Omaha Indian Reservation.

Township 25, North Range 9. East the 6th Principal Meridian

Chains.	
	Subdivision of Sec. 31.
	North on the quarter Sec line through Section 31.
	Va 12° 19' East.
20. 00	Post in mound for 1/16 section corner.
40. 00	Post in mound for 1/4 Sec. corner.
60. 00	Post in mound for 1/16 Sec. corner.
80. 00	Intersect the North line of the Section at the quarter section corner.
	Rolling prairie: second rate soil.
	West on a random quarter section line through Section 31.
	Va 12° 15' East.
20. 00	Temporary 1/16 Sec. corner.
40. 00	Intersect N. and S. 1/4 Sec line.
60. 00	Temporary 1/16 Sec. corner.
78. 68	Intersect the West line of the section 35 links North of the quarter section corner from which I run,
	North 89° 45' East on a true quarter section line through Section 31.
	Va 12° 15' East
18. 68	Post in mound for 1/16 Sec. corner.
38. 68	Intersect N and S 1/4 section line at the 1/4 section corner.
58. 68	Post in mound for 1/16 Sec. corner.
78. 68	The quarter section corner on the East line of the section.
	Rolling prairie: second rate soil.
	Subdivision of Section 30.
	North on the quarter section line through Sec. 30.
	Va 12° 45' East.
20. 00	Post in mound for 1/16 Sec. corner.
40. 00	Post in mound for 1/4 Sec. corner.
60. 00	Post in mound for 1/16 Sec. corner.
80. 00	Intersect N. line of the Sec at the 1/4 Sec. corner.
	Rolling prairie: second rate soil.

X
31

56.
315

Omaha Indian Reservation.

Township 25. North Range 9 East the 6th Principal Meridian

Chains.	West on a random quarter section line through Section 30. Va 12° East.
20. 00	Temporary 1/16 Section corner.
40. 00	Intersect N. and S. 1/4 Section line.
60. 00	Temporary 1/16 Section corner.
78. 32	Intersect the North & South line (West line of section) 70 links North of the quarter section corner from which I run. North 89° 30' East on a true quarter section line through Sec 30. Va 12°. East.
18. 32	Post in mound for 1/16 sec corner.
38. 32	Intersect N and S 1/4 section line at the quarter sec. corner.
58. 32	Post in mound for 1/16 Sec corner.
78. 32	The quarter Sec corner on the East line of the section. Rolling prairie; second rate soil.

Subdivision of Sec. 19.

North on the quarter section line through Sec. 19. Va 13° 30' East.

20. 00	Post in mound for 1/16 sec corner.
40. 00	Post in mound for 1/4 sec. corner.
60. 00	Post in mound for 1/16 sec. corner.
80. 00	The quarter sec corner on the North line of the section. Rolling second rate prairie.

West on a Random quarter section line through Sec 19. Va 12° 30' East.

20. 00	Temporary 1/16 Sec. corner.
40. 00	Intersect N. and S. 1/4 Sec line.
60. 00	Temporary 1/16 Sec. corner.
76. 81	Intersect the West line of the Section 78 links North of the quarter section corner from which I run, North 89° 25' East on a true quarter section
60. 00	Post in mound for [illegible]

Omaha Indian Reservation.

Township 25. North Range 9. East the 6th Principal Meridian

Chains.	
	line through Section 19.
	Va 12° 30' East.
16. 81	Post in mound for 1/16 Sec. corner.
36. 81	Intersect N and S 1/4 Sec line at the quarter Section corner.
56. 81	Post in mound for 1/16 Sec. corner.
76. 81	The quarter section corner on the East line of the section.
	Rolling prairie; 2d rate soil.
	May 3d 1867.

Subdivision of Sec 18.

North on the quarter section line through Sec 18.

Va 11° 28' East.

20. 00	Post in mound for 1/16 Sec. corner.
40. 00	Post in mound for 1/4 Sec. corner.
60. 00	Post in mound for 1/16 Sec. corner.
80. 00	Intersect the North line of the section at the quarter section corner.

West on a random quarter section line through Section 18.

Va 12° 47' East.

20. 00	Post for temporary 1/16 Section corner.
40. 00	Intersect N and S 1/4 Section line.
60. 00	Post for temporary 1/16 Section corner.
75. 92	Intersect the West line of the Section 65 links North of the quarter section corner from which S runs,
	North 89° 32' East, on a true quarter section line through Section 18.
	Va 12° 47' East.
15. 92	Post in mound for 1/16 Sec. corner.
35. 92	Post in mound at the intersection with N. and S. 1/4 Sec. line.
55. 92	Post in mound for 1/16 Section corner.
75. 92	The quarter section corner on the East side of the section.
	Rolling prairie: second rate soil.

X
21

58
317

Omaha Indian Reservation.

Township 25. North Range 9. East the 6th Principal Meridian

Chains.	
	Subdivision of Sec 7.
	North on the quarter Section line through Sec 7. Va 10° 15' East
20. 00	Post in mound for 1/16 Section corner.
40. 00	Post in mound for 1/4 Section corner.
60. 00	Post in mound for 1/16 Section corner.
80. 00	Intersect the North line of the section at the quarter section corner. Rolling prairie: second rate soil.
	West on a random quarter section line through Section 7. Va 13° East.
20. 00	Post for temporary 1/16 Section corner.
40. 00	Post for temporary 1/4 Section line
60. 00	Post for temporary 1/16 Sec corner.
77. 25	Intersect the West line of the Section 32 links South of the quarter section corner from which I run,
	South 89° 46' East on a true quarter section line through Section 7. Va 13° East.
17. 25	Post in mound for 1/16 Section corner.
37. 25	Intersect the North and South quarter section line at the quarter section corner.
57. 25	Post in mound for 1/16 Section corner.
77. 25	The quarter section corner on the East side the section. Rolling prairie: second rate soil.
	Subdivision of Sec. 6.
	North on a random quarter section line through Section 6. Va 11° 30' East.
16. 50	A brook 3 links wide running West - banks wide and about 50 feet high.
20. 00	Temporary 1/16 section corner.
40. 00	Temporary 1/4 section corner.
60. 00	Temporary 1/16 section corner.
60. 22	Post in mound for [illegible]

Omaha Indian Reservation.

Township 25, North Range 9, East the 6th Principal Meridian

Chains.	
79.56	Intersect the North line of the section 68 links East of the quarter section corner from which I run South 0° 29' East on a true quarter section line through Section 6. Va 11° 30' East.
19.56	Post in mound for 1/16 Sec. corner
39.56	Post in mound for 1/4 section corner.
59.56	Post in mound for 1/16 Sec. corner.
79.56	The quarter section corner on the South line of the section. Rough and rolling prairie: second rate soil.

West on a random quarter section line through Section 6.

Va 13° East.

20.00	Post for temporary 1/16 Sec corner.
40.00	Intersect N and S 1/4 Sec line.
60.00	Post for temporary 1/16 Sec corner.
74.00	A brook 8 links wide running N.W. At same place enter timber.
78.38	Intersect the West side of the section 35 links North of the quarter section corner from which I run. North 89° 45' East on a true quarter section line through Section 6. Va 13° East.
18.38	Post in mound for 1/16 section corner.
38.38	Intersect N and S 1/4 Sec line at 1/4 Sec. corner.
58.38	Post in mound for 1/16 section corner.
78.38	The quarter section corner on the East line of the Section. Rolling second rate prairie; small grove of timber near the West end of line. May 4th 1867

60
319

Omaha Indian Reservation.

Township 25. North Range 9. East the 6th Principal Meridian.

Chains — Meanders of the right bank of the Missouri River along the East Boundary of Fractional Section 1.

Begin at the corner to fractional sections 1 & 36 T. 25 & 26, N. Range 9 East and run along the right bank of the Missouri down the stream as follows.

Va 12° East.

Courses	Distances	Remarks.
S 19½° E	4.70	To the meander corner at the intersection with N and S ¼ Section line.
S 26½ E.	20. 00	
S 30¼ E	22. 80	To the meander corner at the intersection with ¼ section line running East through Section 1.
S 31° E.	38. 27	To the meander corner at the intersection of Range lines between ranges 9 & 10.

60. 22 [illegible]

Township 25. North Range 9. East the 6th Principal Meridian

General Description.

This Township is mainly high rolling prairie with small grows of timber along the streams and river. The timber near the North East corner of the township has a heavy growth consisting chiefly of Oak, Walnut, Ash, Ironwood and Linden; the other grows are principally oak with undergrowth of brush and vines.

The soil is generally second rate, but near the creks and on the bottoms 1st rate.

North Blackbird Creek is a rapid stream about 30 links wide with high steep banks. When swollen with rains this creek is fifteen to twenty feet deep and one chain wide.

The Omaha Indian Agency is located near the South East corner of Section 24: near the agency there is a block house.

The Indian village in the North East quarter of Section 13 has several framed buildings but is mostly made up of wigwams or Tepees

The Mission house is a large stone building with accommodations for seventy five pupils. the school and mission are under the superintendence of Mr. Lee who has also a large field under cultivation in the township East of this

Small patches of ground are cultivated by the Indians in many places; the large field in Section 25 is under the management of the Agency.

62.
321

We hereby certify that we assisted Theodore H. Barrett, U. S. Surveyor in subdividing Township Number twenty five North of the base line of Range number nine east of the sixth principal Meridian (Omaha Reservation) and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the Boundary Monuments planted according to the instructions furnished by the Commissioner of the Genl Land Office.

Henry H. Gilbert
William J. Allason
Richard Cronk
George Fox
Orville Smith
James Shobe
Homer T. Dale
James Kennedy x
George Patterson
Willis Grainer x
Conrad Scheffer.
Andrew Armstrong
Henry C. Williams
John Rapp.

Subscribed and sworn to by the above named persons, before me a Notary Public for the County of Burt in the State of Nebraska this 28th day of June 1867

Walton Parrish
Notary Public.

Seal

I Sheodore H. Barrett Surveyor do solemnly swear that in pursuance of a contract with J. M. Edmunds, Commissioner of the General Land Office of the United States bearing date the 14th day of August 1866 and in strict conformity to the Laws of the United States and the instructions received from the said Commissioner of the General Land Office I have faithfully surveyed the subdivision lines and meanders of that part of Township Number twenty five North of the base line of Range number nine East the sixth principal meridian embraced in the Omaha Reservation in the State of Nebraska, and do further solemnly swear that the foregoing are the true and original field notes of such survey.

Sheodore H. Barrett
Surveyor.

Subscribed by the said Sheodore H. Barrett Surveyor and sworn to before me a Justice of the Peace for Whiteside County in the State of Illinois this 10th day of September 1867.

R. S. Rangum J. P.

64
323

Department of the Interior
General Land Office
October 2d 1867.

The foregoing field notes of the survey
Township 25. North Range 9 East, Nebraska
executed by Thos H. Barrett under his
contract of the 14th August 1866, in the
months of April and May 1867 having
been critically examined the necessary
corrections and explanations made the
said field notes and the surveys they
describe are hereby approved.

Jno. S. Wilson
Commissioner.

Department of the Interior
General Land Office
August 21. 1871

I hereby certify that the foregoing
field notes, are true copies of the
originals on file in this office

Willis Drummond
Commissioner

65
324

No. 4 - R9

Omaha and Winnebago Reservation.

No. 8

326

1/8

Field Notes of the
Subdision lines and Meanders
in
Township No. 26 North Range
9 East the 6th Principal Meridian
(Omaha and Winnebago Reservations)
in the State
of
Nebraska.
by
Theodore W Barrett.
Surveyor.
under his contract bearing date
August. 14th 1866.

Subdivision commenced May 4th
1867. and
completed May. 15th 1867. 396-363

See subdivision of Sections pages 364 - 402

X
3

List of Names.

A list of names of the individuals employed to assist in running, measuring or marking the lines and corners described in the following Field Notes of Township No. 26. North of the base line of Range 9 East the 6th Principal Meridian, showing the capacities in which they were employed.

Henry H Gilbert. Compassman.
William Allason. "
Richard Cronk. "
George Fox. Chainman.
Orville Smith. Chainman.
Homer T Dale "
James Shobe "
Geo. Patterson "
Jas. Kennedy. "
Joseph T Florent " & Mound Builder.
Philander Wright Axeman.
Karl Wilhelm Bekke. Mound Builder.
Andrew Armstrong. Flagman.
Willie Traina Axeman.
Conrad Schaffer Flagman.
Henry C Williams. Mound Builder.

Omaha Indian Reservation.

Town 26. N. Range 9 E. the 6th Principal Meridian.

Chains

This Township being Fractional,
I begin at the corner to Sections
25 and 26. on the South boundary
of the Township and run
North between Sections
35 and 26.

Va. 12° 25' East.

20.00 Post in mound for 1/16 Sec. Corner,
40.00 Post in mound for 1/4 Sec. Corner
60.00 Set a post for 1/16 Sec. corner
from which
A Bur Oak, 10 inches in diameter,
bears S. 83° W. 300 links
A Bur Oak 12 inches in dia,
bears North, 16° E. 217 links.
80.00 Post for corner to Sections 25,
26, 35 and 36. from which
An Elm 10 inches in dia,
bears N. 27° E. 120 links
distant.
An Elm 12 in dia. bears S.
57° E. 190 links distant.
There being only two
bearing trees at this corner
I also built mound with
four pits.
Hilly — 2nd rate soil.

East on a true line between
Sections 25 and 26.

Va. 12° 15' East.

10.85 Intersect the right bank of
the Missouri River and set
post for corner to Fractional
Sec's. 25 and 36. from which
A Black Oak 14 inches
in diameter, bears N. 72° W.
119. links distant.
A Bur Oak, 4 inches in
diameter, bears S. 45° W.
10 links distant.

2/379

Omaha Indian Reservation.

Township 26 N. Range 9 E. the 6th P. M.

	Chains	
		Enter Timber near N. end of line.
		Surface broken and hilly; 2nd rate soil.
		North between Secs 25 & 26, Va. 12° 45' East.
20.00		Set post for 1/16 Sec. Corner. A Bur Oak, 12 in. dia. bears S. 30° E. 41 links distant. A Black Oak, 14 inches in diameter, bears N. 77° E. 60 links distant.
40.00		Set a post for 1/4 Sec. Corner, from which A Bur oak, 10 inches in dia- bears S. 80° E. 11 links dist. A Bur Oak 8 inches in diameter, bears S. 10° W. 11 links distant.
60.00		Set a post for 1/16 Sec. Corner from which A Hickory 8 inches in diam- eter, bears S. 220 E. 21 links distant. A Hickory 8 inches in dia- bears N. 44° E. 11 lks distant.
67.20		Creek 3 links wide, running E.
80.00		The corner to Sections 23. 24. 25 & 26. from which an Elm 18 inches in diameter, bearing S. 32° W. 16 lks distant. An Oak 3 inches in Dia bears S. 62° E. 21 links distant. A Elind 4 in dia bears N. 62° E. 19 links distant. A Black Oak 4 in. dia. bears N 23° W. 19 links distant.
		A succession of hills and ravines covered with timber and heavy brush; 2nd rate soil.

Omaha Indian Reservation.

Town 26. N. R. 9. E. 6th P. M.

Chains	
	The line E. between Sec's 24 and 25, will intersect the Missouri River in less than 80 chains I therefore run East between Sec's. 24 and 25, on a true line.
	Va. 11° 20' East.
16.65	Intersect the right bank of the Missouri River and set post for corner to fractional Sec's. 24 and 25. from which A Willow 9 inches, dia. bears N. 72° W. 19 links distant. An Elm 6 inches in dia, bears S. 45° W. 86 links distant.
	Very rough and hilly. 2nd rate soil. Good Timber, consisting of Oak, Elm, Walnut, Ironwood &c.
	May. 4th 1867.
	North between Sec's 23 & 24.
	Va. 12° 15' East.
20.00	Set post for ¼ Sec. corner from which A Bur Oak, 14 inches in diameter, bears South 30° West, 26 links distant. A Walnut 4 inches in diameter, bears S. 29° E. 20 links distant.
40.00	Set post for ¼ Sec. corner from which A Bur Oak, 14 inches in diameter, bears N. 37° E. 7 links distant. An Ironwood 6 inches in diameter, bears S. 48° E. 15 links distant.
47.10	Creek 4 links wide, running E.
60.00	Set a post for 1/16 Sec. corner from which A Cottonwood 8 inches in diameter, bears N. 29° W.

X
2

4.
331

Omaha Indian Reservation

Town 26. N. Range 9. E. the 6th P M.

Chains	
	27 links distant.
	A Black Oak 25 inches in dia.
	bears S. 49° W. 25 links dist.
Winnebago Res Surv 75.87	Intersect the line between
	the Omaha and Winnebago
	Reservations. 17.73 chains
	West of post marked 1– on
	right bank of Missouri River
	and set post for corner
	to Fractional Sections 23 and
	24. from which
	An Ironwood, 10 in dia.
	bears S. 13½° E. 25 links dist.
	A Hackberry, 18 inches in
	dia, bears N. 51½° W. 48
	links distant.
80.00	Set post Omaha Indian Reserv for corner to Sec's.
	13, 14, 23 and 24. from which
	an Elm 12 inches in dia,
	bears S. 89° W. 74 links distant.
	An Elm 4 inches in
	diameter, bears N. 5° W. 48
	links distant.
	A Lind 10 inches in dia.
	bears N. 85° E. 36 links dist.
	An Elm 10 inches in dia.
	bears S. 88° E. 24 links dist.
	Rough and hilly; covered
	with good timber consist-
	ing of Oak, Elm, Walnut,
	Ironwood &c.
	East on a true line between
	Sections 13 and 24.
	Va. 12° 15' East.
9.00	Brook 3 links wide, running
	S. E.
20.00	Intersect the right Bank of
	the Missouri River and
	set post for corner to
	Fractional Sections 13 & 24.

Winnebago Indian Reservation

Town 26 N. Range 9. E the 6th P. M.

Chains	
	from which A Black Oak 5 inches in dia, bears S. 72° W. 50 links dist. A Walnut 8 inches in diameter, bears N. 75° W. 50. links distant. Rough and hilly; covered with good timber. Soil. 2nd rate, The banks of the river at the point of intersection are 30 feet high. North between Sections 13 & 14. Var. 12° E.
3.00	Brook 3 links wide, runs E.
4.00	Set post for ¼ Sec. corner from which A Black Oak 3 inches in dia, bears S. 82° W. 12 links dist. A Linden 6 inches in dia. bears S. 78° E. 27 lks distant.
80.00	Set post for corner to Secs 11. 12. 13 & 14. from which An Ironwood 10 inches in diameter, bears S. 38° W. 33 links distant. A Linden 11 inches in diameter, bears S. 33° E. 92 links distant. A Bur Oak, 14 inches in diameter, bears N. 82° E. 48 links distant. A Bur Oak 10 inches in diameter, bears N. 23° W. 42 links distant. Very hilly and broken; 2nd rate soil. Heavy timber consisting of Oak. Walnut. Hickory. Elm &c.

X
3

6
333

Winnebago Indian Reservation

Town 26. North Range 9 E. the 6th P.M.

Chains	
	East on a true line between Sections 12 and 13. Va. 12° East.
14.50	Small brook 2 links wide running W. E.
17.50	Same brook, running S. E.
26.00	Enter Missouri River Bottom, bears W. & S.
40.00	Set post for ¼ Sec. Corner, from which A Cottonwood 6 inches in diameter, bears W. 50 W. 40 links distant. A Cottonwood 5 inches in diameter, bears S. 47° E. 32 links distant.
71.50	Intersect an impassable slough of mud and wata, bears W. & S.
80.00	The corner to Sections 12. 13. 7 + 18. in impassable slough, Hilly and level bottom, 2nd rate soil, Timber consisting of Oak, Elm, Cottonwood &c. May. 6th 1867.
	North between Sections 11 + 12. Va. 12° East.
1.70	Brook 2 links wide, running E.
40.00	Set post for ¼ Sec. corner, from which An Oak 20 inches in Dia, bears W. 25° N. 28 lks distant. An Ironwood, 10 in dia, bears S. 69° E. 50 links dist.
42.75	A Brook 2 links wide, runs E.
80.00	Set post for corner to Sections 1. 2. 11 and 12. from which A Cottonwood 12 inches in Dia, bears W. 76° E. 14 links distant. An Elm 8 inches in diameter, bears W. 28° W. 24 links distant.

Winnebago Indian Reservation.

Township 26. N. R. 9 E. 6th P. M.

Chains

An Ironwood 6 inches in diameter, bears S. 16° W. 38 links distant.

A Linden 15 inches in diameter, bears S. 270 E. 100 links dist. Hilly and broken. 2nd rate soil. Moderate growth of timber consisting of Oak, Elm, Linden &c. with heavy underbrush.

East on a true line between Sections 1 and 12.

Va. 12° East.

22.50 Bluff about 125 feet high and Enter Missouri River Bottom covered with scattering trees.

40.00 Set post for ¼ Sec. corner from which

A Red Elm 12 inches in diameter, bears S. 45° W. 197 links distant.

No other tree convenient to mark

69.50 Intersect the right bank of Missouri River and Set post for corner to Fractional Sections 1 & 12 from which

A Cottonwood 26 inches in diameter, bears N. 55° W. 99 links distant.

An Elm 9 inches in diameter, bears S. 2° W. 45 links distant.

Hilly, with scattering timber & also bottom land.

1st and 2nd rate soil.

8.
335

Winnebago Indian Reservation

Town 26 N. Range 9 E 6th P. Meridian.

Chains.	
	North on a true line between Secs 1 + 2. Va. 10° E.
12.00	Enter improved field.
14.00	Leave " "
16.00	Enter irregular field.
19.60	Creek 6 links wide, runs N.W.
21.00	A Creek, bearing N.E.
30.00	Leave field.
33.00	Enter irregular field.
35.00	Leave same and enter burnt timber.
40.00	Set post for 1/4 Sec. Corner from which A Hickory 5 in. diameter bears N. 75° W. 102 links distant An Oak 5 inches in dia. bears N. 50° E. 90 links dist.
77.50	Bluff 300 feet high, nearly perpendicular.
79.00	Intersect the right bank of the Missouri River and set post for corner to Fractional Secs. 1 & 2. from which An Elm 18 inches in diameter, bears N. 68½ W. 139 links distant. No other tree suitable. Rough and rocky with high and steep hills! South End of line rolling and covered with brush and scattering trees. 2nd and 3rd rate soil. May. 7th 1867.

North between Secs 34 & 35.
Va. 11° 40' East.

19.00	Enter brush land, bearing N. W. & S. E.
20.00	Set post for 1/16 Sec. corner from which A Bur Oak 12 inches in diameter, bears N. 70° W. 82 links distant.

Town 26. N R. 9 E. the 6th P M.

Chains	
	A Bur Oak 12 inches in dia. bears N. 87° E. 151 links dist.
80.00	Enter timber bears N. 30° W. and S. 80° E.
210.00	Set post for 1/4 Sec. Corner from which A Bur Oak 10 inches in diameter, bears N. 25° E. 21 links distant.
	A White Oak 8 inches in diameter, bears S. 78° E. 48 links distant.
41.00	Leave timber bears E & W.
43.00	Leave brush " E & W.
60.00	Post in mound for 1/4 Sec. Corner.

Note:

In these Field Notes the corners established with posts and mounds, have each four pits except when otherwise noted.

The quantity of charcoal deposited in each mound is equal to a solid 1 x 2 x 2 inches, made up of one or more pieces.

Hereafter, as heretofore, in these Field notes a corner Established according to the foregoing note will be designated as "Post in mound".

80.00 Post in mound for corner to Sections 26, 27, 34 and 35.

Rolling prairie - brush and timber - Timber principally Walnut and Oak south East of the line. Soil, 2nd rate.

East on a random line between Sec's 26 & 35. Va. 1/2° East.

10.
337

Omaha Indian Reservation.

Town. 26. N. R. 9. E. the 6th Principal Meridian.

Chains	
20.00	Temporary 1/16 Sec. Corner.
22.50	Road bears N.W. & S.E.- little travelled.
23.00	Enter timber, bearing S.E. & W.
40.00	Temporary 1/4 Sec. Corner.
60.00	Temporary 1/16 Sec. Corner.
80.00	Intersect N & S. line 38 links North of corner to Sec's. 25.26. 35 and 36. from which corner I run N. 89° 45' W. on a true line between Sections 26. & 35. Va. 12° E.
20.00	Set post for 1/16 Sec. corner, from which A Bur Oak 5 inches in diameter, bears S. 21° E. 57 links distant. A Bur Oak 10 inches in diameter, bears S. 38° W. 107 links distant.
40.00	Set post for 1/4 Sec. Corner from which An Ironwood 9 inches in diameter, bears South, 21° E. 92 links distant. An Elm 10 in diameter, bears S. 20° W. 56 links distant.
60.00	Set post for 1/16 Sec. corner from which An Oak, 10 inches in diameter, bears South 89° E. 200 links distant.
80.00	The corner to Sections 26. 27. 34 and 35. — West end of line high, rolling prairie: last 3/4 Oak. Walnut, Ironwood & c. timber. 2nd rate soil.

Omaha Indian Reservation.

Town 26. N. Range 9. E. 6th P.M.

Chains	
	North between Sections 26 and 27. Va. 11° 30' E.
20.00	Post in mound for 1/4 Sec. corner,
22.00	Road bearing N. W. & S. East.
33.50	Enter timber bearing N.W. & S.E.
40.00	Set post for 1/4 Section corner from which A Red Elm 24 inches in dia. bears S. 78° E. 27 links dist. A Lind 18 inches in dia. bears N. 70° W. 24 links dist.
60.00	Set post for 1/4 Sec. corner from which A Black Walnut 8 inches in diameter, bears N. 89° E. 35 links distant. A Black Walnut 8 in. dia, bears S. 72° W. 34 links distant.
80.00	Set post for corner to Secs 22. 23. 26 & 27. from which A White Oak 16 inches, dia bears N. 76° W 52 lks distant. A Black Oak 15 inches in dia, bears N. 54° E. 48 links distant. A White Oak 20 inches in dia, bears S. 42° E. 52 links distant. A White Oak 15 inches in dia, bears S. 9° W 40 links distant. Prairie at South End and timber at the North — mostly E. of the line. Surface — rough and rolling. 2nd rate soil.
	East on a random line between Secs 23 and 26. Va. 11° 35' East.
20.00	Temporary 1/16 Sec. corner
40.00	Temporary 1/4 Sec. Corner.
60.00	" 1/16 " "
80.00	Intersect N.& S. line at the corner to Sec's 23. 24. 25 & 26. from which I run West on a

12
339

Omaha Indian Reservation.

Town 26 North, Range 9 East

Chains	
	True line between Secs 23 & 26, Va. 11° 35' East.
20.00	Set Post for 1/16 Sec. Corner from which
	An Oak 10 inches in diameter, bears S. 5½° E. 22 links distant.
	An Oak 18 inches in dia, bears N. 44° W. 47 links dist.
40.00	Set post for 1/4 Sec. Corner from which
	An Elm 16 inches in dia, bears N. 10° W. 31 links dist.
	A Red Oak 24 inches in dia, bears S. 10° E. 33 lks distant.
60.00	Set post for 1/16 Sec. Corner from which
	A Red Oak 20 inches in dia, bears due East. 20 links distant.
	A White Oak 8 inches in dia, bears N. 19° E. 13 lks distant.
80.00	The corner to Sections 22. 23. 26 and 27.

Very rough and rolling with Steep hills. 2nd rate Soil.

Good timber of Oak. Walnut, Lind. Ironwood &c &c.

North between Sections 22 & 23.
Va. 12° E.

20.00	Set post for 1/16 Sec. Cor. from which A hickory 7 in dia. bears S. 32° E. 42 lks dist.
	A Linden 14 inches in dia. bears N. 79° W. 6 lks dist.
26.00	Creek 2 lks. runs East banks wide and steep.
40.00	Set post for 1/4 Sec. Corner from which A Linden 12 inches in dia, bears N. 65° E. 9 lks distant.
	An Ironwood 12 inches in diameter, bears N. 76° W.

6th Principal Meridian

Chains	
	26 links distant.
60.00	Set post for 1/16 Sec. Corner from which A Linden 9 inches in dia. bears S. 81° E. 14 links distant.
	An Ironwood 7 in dia. bears S. 82° W. 21 lks distant.
75.60	Intersect the line between the Omaha and Winnebago Reservations 17.15 chains West of post marked 2 and set post for corner to Fractional Sections 22 and 23. from which
	A Hickory 7 in dia. bears S. 70° E. 10 links distant.
	A Linden 12 in dia. bears S. 41° W. 10 links dist.
80.00	Set post for Winnebago Indian Reservation corner to Sec's. 14. 15. 22 and 23. from which A Walnut 10 in dia. bears S. 49° E. 20 links dist.
	A Lind 10 in dia. bears S. 8° W. 26 links distant.
	A Bur Oak 8 in dia. bears N. 73° W. 27 lks dist.
	A Walnut 15 in dia. bears N. 10° E. 17 links dist.
	Very hilly; 3rd rate soil, Timber; consisting of Oak, Elm, Walnut, Hickory & Linden.
	East on a random line between Sections 14 and 23.
	Va. 12° E.
40.00	Temporary 1/4 Sec. corner
79.28	Intersect N & S. line 45 lks S. of corner to Sec's 13. 14. 23 & 24. from which corner a run South 89° 40' West on a true line between Sections 14 and 23

Winnebago Res Survey

X
21

56.
313

14.
341

Winnebago Indian Reservation,

Town 26 N. Range 9 E. 4th P. M.

Chains	
	Va. 12° E.
39.64	Set post for ¼ Sec. Corner from which An Elm 16 in dia. bears S. 5° E. 56 lks distant. An Elm 4 inches in dia. bears N. 15° W. 28 lks distant.
79.28	The corner to Sec's. 14, 15, 22 & 23. Hilly & broken; 3rd rate soil. Timber; consisting of Oak, Elm, Walnut & Linden.

Diag. 8th 1867.

North between Sec's. 14 & 15.

Va. 12° E.

40.00	Set post for ¼ Sec. Corner, from which A Bur Oak 14 inches in diameter, bears S. 75° E. 5 lks distant. A Red Elm 8 inches in dia, bears N. 20° W. 48 links distant.
50.00	Creek 8 links wide, runs N. 15° E.
53.75	" " " " Running E.
56.00	Leave timber, bears N. 20° E.
65.00	Enter timber, bearing E & W.
80.00	Set post for corner to Sec's. 10, 11, 14 & 15. from which An Ironwood 10 in dia, bears S. 65° E. 23 links distant. A White Oak 14 in dia, bears N. 7¾° E. 21 lks distant. A White Oak, 16 inches in diameter, bears N. 77¼° W. 4 links distant. An Ironwood 6 inches in dia. bears S. 17½° W. 40 lks distant.

Hilly and broken, 3rd rate soil

Oak, Elm, Hickory, Walnut and Lindin trees and under brush.

Winnebago Indian Reservation

Town 26 - N. R. 7. E. of the 6th P. M.

Chains	
	East on a random line between Sections 11 and 14. Va. 12° S. E.
12.50	Creek 3 lks wide, runs N.E.
40.00	Temporary ¼ Sec. Corner.
76.30	Creek 2 links wide, runs N. 65° E.
79.74	Intersect the N. & S. line 78 lks N. of the corner to Sections 11, 12, 13 and 14. from which corner A run
	N. 89° 27' W. on a true line between Sec's 11 & 14. Va. 12° S. E.
39.87	Set post for ¼ Sec. Corner;
79.74	The corner to Sections 10, 11, 14 & 15. Broken, bushy and almost impassable. Oak, Elm, Lind and Cottonwood trees on W. End of line. burned and nearly all dead.
	North between Sections 10 & 11. Va. 12° E.
40.00	Set post for ¼ Sec. Corner from which An Ironwood 10 in. dia. bears S. 33° W. 19 lks dist. A Black Walnut 15 in dia, bears N. 36° E. 36 links distant.
52.62	Slough 20 links wide, bearing E & W.
54.70	Creek 2 lks wide, runs S.E. also Enter plowed land, bearing same
59.00	Leave plowed land, bearing S.E. & W.
80.00	Set post for corner to Sections 10, 11, 2 & 3. from which A Bur Oak 30 in dia, bears N. 84 ½° W. 40 links distant. A Bur Oak 15 in dia, bears S. 61 ½° W. 23 links distant. A Black Walnut 10 in dia. bears N. 9 ½ E. 42 links dist.
	Rough and hilly. 2nd Rate soil.

16.
343

Winnebago Indian Reservation.

Town 26 N. R. 9 E. th 6th P. M.

Chains

Timber, consists of Oak, Ironwood, Walnut &c.

East on a random line between Sections 2 and 11.

Va. 12° E.

37.50 Creek 4 links wide, running S.E.
40.00 Temporary 1/4 Sec. Corner.
80.70 Intersect N. & S. line 12 lks N. of the corner to Sections 1, 2, 11 & 12. from which corner a run

N. 89° 55' West on a true line between Sections 2 and 11. Va. 12° E.

40.35 Set post for 1/4 Sec. corner from which an Elm 15 in dia bears N. 32½° W. 21 lks distant.

An Elm 11 in dia. bears S. 27½° W. 19 links distant.
80.70 The corner to Secs. 2, 3, 10 & 11.
Rough and broken with timber and brush.
2nd rate soil.

North on a random line between Sections 2 & 3.

Va. 11° E.

40.00 Temporary 1/4 Sec. Corner.
49.00 Bluff 125 feet high bears S.E. & N.W.
52.58 Creek 5 lks wide running E.
81.20 Intersect the N. line of Township 20 lks E. of the corner to Secs. 2, 3, 34 & 35. from which a run

South 0° 9' East on a true line between Secs. 2 and 3. Va. 11° E.

41.20 Set post for 1/4 Sec. Corner from which A Hickory.

Winnebago Indian Reservation

Town 26 N. R. 7 E. 6th P. M.

Chains

6 in dia. bears S. 67½° E. 11 links distant.

A Hickory 7 in dia. bears N. 8 3¾ W. 2 lks distant.

81.20 The corner to Secs. 2. 3. 10 & 11.
Rough & Broken: with timber and brush. 2nd rate soil.
May. 9. 1867.

North between Secs 33 & 34.
Va. 12° E.

20.00 Set Post for 1/16 Sec. Corner from which An Oak 5 in dia. bears S. 4½° E. 90 links distant.

An Oak 5 in dia bears N. 9° W. 83 links distant.

28.00 Brook 4 links wide, running S.E.

40.00 Post in mound for ¼ Sec. Corner.

60.00 Post in mound for 1/16 Sec. Corner.

80.00 Post " " " Corner to Secs 27, 28. 33 and 34.
Rolling Prairie: 2nd rate soil.
A few small groves of poor timber near the line.

East on a random line between Secs 27 and 34.
Va. 12° E.

13.40 Ravine 1 chain wide, bearing S.E.

20.00 Temporary 1/16 Sec. Corner.

28.40 Brook 4 links wide, running S.E. Banks 15 feet high and from 3 to 4 chains wide. with timber.

40.00 Temporary ¼ Sec. Corner

60.00 " 1/16 " "

73.00 Intersect road. Bearing S.

80.00 Intersect the E. line of the Sec., at the corner to Secs. 26. 27. 34 & 35.

X
31

56
31

18.
345

Omaha Indian Reservation.
Town 26. N. Range 9. E. the 6th P. M.

Chains	
	From which corner A run West on a true line between Secs. 27 and 34. Va. 12° E.
20.00	Post in mound for ¼ Sec Corner.
40.00	" " " " 4 " "
60.00	" " " " ¼ " "
80.00	The corner to Secs. 27. 28. 33 and 34. Rolling prairie; 2nd rate soil.
	North between Secs 27 + 28. Va. 11° 40' E.
20.00	Post in mound for ¼ Sec. Cor.
40.00	Set post for ¼ Sec. Cor. from which A Linden 8 in dia. bears N. 37° E. 8 lks distant.
	An Ironwood, 18 in dia. bears S. 32° W. 20 lks dist.
42.00	Creek 4 lks wide, running East. Banks 2 chs wide, with timber.
58.60	Brook 3 links wide, running S.E. Banks 3 chs wide. with timber.
60.00	Set post for ¼ Sec. Cor. from which An Elm 8 in dia, bears N. 87° W. 20 lks distant.
	A Poplar 12 in dia, bears S. 3° E. 20 lks distant.
80.00	Post in mound for Corner to Sections 21. 22. 27 + 28. Rolling Prairie with streams along which are small groves of timber. 2nd rate soil.
	East on a random line between Sections 22 + 27. Va. 11° 30' E.
20.00	Temporary ¼ Sec. Corner.
32.40	Brook 4 lks wide, running South.

Omaha Indian Reservation 19. 346

Town 26 N. R. 9. E the 6th P. M.

Chains	
40.00	Temporary ¼ Sec Corner.
42.50	Larine – Timbered – 1 chain wide, runs nearly West.
53.10	Intersect Road, bearing S.E.
60.00	Temporary 1/16 Sec Corner.
67.00	Intersect road, bearing S.
68.00	Enter timber, bearing S.
79.90	Intersect the E. line of the Section 10 lks N. of the cor. to Sections 22, 23, 26 and 27.

from which corner I run

N. 89° 56' W. on a true line between Secs 22 & 27.

Va. 110 80' E.

19.97	Post in mound for ¼ Sec. Cor.
39.95	Set post for ¼ Sec Corner from which A Bur Oak 20 in dia, bears S. 51° E. 181 lks dist.

A Bur Oak 18 in. dia, bears S. 80 W. 147 links dist.

59.93	Post in mound for ¼ Sec. Corner.
79.90	The corner to Secs. 21, 22, 27 & 28.

Rolling Prairie.

East End 2nd rate timber

Soil 2nd rate.

North between Secs 21 & 22,

Va. 120 E.

20.00	Post in mound for ¼ Sec. Corner.
40.00	Set post for ¼ Sec Corner from which An Elm 10 in dia, bears S. 61° W. 7 links distant.

An Elm 9 in dia. bears S. 88° E. – 15 links distant.

41.00	Brook 4 links wide, runs East.
60.00	Set post for 1/16 Sec Corner from which A Dogwood 5 in dia bears N. 12° W. 30 links distant.
60.50	Creek 4 lks wide. Runs S. 30° E.

20.
347

Winnebago Indian Reservation.

Town 26 N. R. 9 E. 6th P. M.

Chains	
69.50	Spring brook, 1 link wide, runs S W.
75.79	Intersect the line between Omaha and Winnebago Reservations 16.97 chains West of post marked "3" and at the point of intersection a set post in mound, dug two pits and deposited charcoal for corner to Fractional Sec's. 21 and 22 Winnebago Resvr line
80.00	Post in mound for corner to Sec's. 15. 16. 21 and 22. Rolling Prairie. 2nd rate soil.
	East on a random line between Sec's. 15 and 22. Va. 1/2° E.
16.60	Intersect Road, bearing S.
40.00	Temporary 1/4 Sec. Corner.
43.00	Enter timber, bearing S. 25° E. and N. W.
59.65	Brook 3 lks wide, running N.
80.10	Intersect the E. line of the section 13 lks S. of the corner to Secs. 15 22, 14 and 23 from which corner a run S. 89° 55. West on a true line between Sec's. 15 and 22. Va. 12° E.
40.05	Set post for 1/4 Sec bar from which A Bur Oak 6 in dia bears S. 82° E. 342 links distant. A Bur Oak 6 in dia bears N. 78° E. 400 lks distant.
80.10	The corner to Sections,

Winnebago Indian Reservation.

Town 26 - N. R. 7. E. 6th P. M.

Chains

Secs. 15. 16. 21 and 22.
East part heavy timber.
Remainder, hilly Prairie
2nd rate soil.

North between Secs 15 & 16.
Va. 120 E.

20.00 Road, bearing S.E.
40.00 Set post for ¼ Sec. Corner from which A Bur Oak 8 in dia. bears N. 1° E. 278 lks distant. No other tree convenient to mark.
78.00 East edge of a small grove which extends W. about ¼ mile.
80.00 Set post for cor to Secs. 9. 10. 15 & 16. from which A Bur Oak 10 in dia. bears N. 49° E. 18 lks distant. A Bur Oak 14 in dia. bears N. 63° W. 77 lks distant. A Bur Oak 12 in dia. bears S. 80 W. 55 lks dist. A Bur Oak 13 in dia. bears S. 22° W 220 lks dist. Rolling Prairie: 2nd rate soil. also scattering timber.

East on a random line between Secs 10 & 15.
Va. 12° E.

40.00 Temporary ¼ Sec Corner.
60.00 Enter heavy timber, bearing N & S.
79.12 Intersect E. line of Section 80 lks N. of the corner to Secs. 10. 11. 14 & 15. from which corner a run N. 89° 26' W.
on a true line between Secs. 10 & 15
Va. 12° E.
39.56 Set post for ¼ Sec Corner

X
21

22.
349

Winnebago Indian Reservation

Town 26. N. R. 9. E. 6th P. M.

Chains	
	from which A Bur Oak 6 in dia. bears S. 42° W. 88 links distant. A Bur Oak 4 in dias bears N. 80° W. 100 links distant.
79.12	The corner to Sec's. 9. 10. 15 & 16. Hilly Prairie & timber. 2nd rate soil. Orig. 10th 1867.
	North between Sec's. 9 & 10. Va. 12° E.
29.00	Creek 5 lks wide, running East.
40.00	Set post for ¼ Sec. Corner from which A White Oak 11 in dia. bears N. 19° E. 45 lks distant. An Elm 10 in dia bears N. 35½°. W. 14 lks distant.
65.10	Brook 5 lks wide, runs S.E.
66.00	" " " " " E.
80.00	Set post for corner to Sections 3, 4, 9 and 10. from which A Bur Oak 12 in dia. bears N. 12° W. 282 lks distant. A Bur Oak 10 in diameter, bears N 6° E. 359 links dist. A Bur Oak 7 in dia, bears S. 20½° W. 87 links distant. No other tree near. Rough and hilly Prairie: and oak Openings and groves. 2nd rate soil.
	East on a random line between Sections 3 & 10. Va. 11° E.
3.64	Brook 2 lks wide, running S.
40.00	Temporary ¼ Sec. Corner
80.00	Intersect N & S. line 40 lks N of corner to Sections 2. 3. 10 & 11. from which

Winnebago Indian Reservation.

Town 26 N. R. 9. E. 6th P. M.

chains	
	Corner I run
	N. 89° 45' W. on a true line
	between Sec's. 3 and 10.
	Va. 11° E.
40.00	Set Post for ¼ Sec. Corner from
	which A Bur Oak 18 in dia.
	bears S. 35½° E. 134 links dist.
	A Bur Oak 17 in dia.
	bears N. 20½° E. 144 lks dist.
80.00	The corner to Sec's. 2, 4, 9 & 10.
	Hilly & rolling Prairie: also
	groves of poor timber.
	2nd rate soil.
	North on a random line be-
	tween Sec's. 3 & 4.
	Va. 12° East.
40.00	Temporary ¼ Sec. Corner
51.50	Creek 10 lks wide, runs E.
81.10	Intersect Township line 20
	links W. of corner of Sec's.
	3, 4, 33, & 34. from which
	I run S. 0° 9' W. on a true
	line between Sec's 3 & 4.
	Va. 12° E.
41.10	Set Post for ¼ Sec. Corner
	from which A Linn 14 in
	dia. bears N. 37½° W. 19 lks
	distant. A Ironwood
	bears N. 75¾ E. 30 links distant.
81.10	The corner to Sec's. 3, 4, 9 & 10.
	Rough and hilly with groves
	and scattering trees and brush.
	2nd rate soil.
	North between Sec's. 32 and 33.
	Va. 12° 30' East.
20.00	Post in mound for 1/16 Sec. Corner
40.00	" " " " ¼ " "
60.00	" " " " ⅛ " "
80.00	" " " " corner to
	Sections 29, 28, 32 & 33.

24.
351

Omaha Indian Reservation

Town 26. N. R. 9. E. 6th P M.

Chains

Rolling Prairie. 2nd rate soil.

East on a random line between Sec's 28 & 33.

Va. 12° 30' E.

20.00 Temporary 1/16 Sec. Corner.
28.00 Brook 5 lks wide runs S. 20° E.
40.00 Temporary 1/4 Sec. Corner.
60.00 " 1/16 " "
79.87 Intersect N. & S. line 9 lks S. of the corner to Sec's. 27. 28. 33 & 34. from which corner a run S. 89° 56' W. on a true line between Sec's. 28 & 33. Va. 12° 30' East.
19.97 Post in mound for 1/16 Sec. Corner
39.93 " " " " 1/4 " "
59.90 " " " " 1/16 " "
79.87 The corner to Sec's. 27. 28. 33 and 34.

Rolling Prairie. 2nd rate soil.

North between Sec's 28 & 29

Va. 12° E.

20.00 Post in mound for 1/16 Sec. Cor.
40.00 " " " " 1/4 " "
60.00 " " " " 1/16 " "
80.00 " " " " corner to Sections 20. 21. 28 & 29.

High rolling Prairie.
2nd rate soil.

East on a random line between Sections 21 & 28.

Va. 12° 30' E.

20.00 Temporary 1/16 Sec. Corner
40.00 " 1/4 " "
60.00 " 1/16 " "
69.50 Slough 50 lks wide, bears N. W & S. E.
80.30 Intersect the N & S. line 50 links N. of the corner

Omaha Indian Reservation.

Town 26. N. R. 7. E. 6th P M.

Chains

to Sections 21. 22. 27. 28. from which I run

N. 89° 30' W. on a true line between Sec's 21 & 28.

Va. 12° 30' E.

20.07 Post in mound for 1/16 Sec. Cor.
40.15 " " " " 1/4 " "
60.23 " " " " 1/16 " "
80.30 The corner to Sec's. 20. 21. 28. & 29.

Rolling Prairie: 2nd rate soil. Surv. 11th 1867.

North between Sec's 20 & 21.

Va. 12° E.

20.00 Post in mound for 1/16 Sec. Cor.
40.00 " " " " 1/4 " "
60.00 " " " " 1/16 " "
75.35 Intersect the line between the Omaha & Winnebago Reservations. 1780 Lks. West of Post marked 4 and at the Point of intersection, set Post in mound, dug two pits and deposited Charcoal for corner to Fractional Sections 20 & 21. Winnebago Re Line

Winnebago Indian Reserve

80.00 Set Post for corner to Sec's 16. 17. 20 & 21. from which

A Linn 4 in dia. bears N. 88° E. 251 links distant.

A Linn 4 in dia. bears S. 89° E. 252 links distant.

There being only two bearing trees at this corner. & also built mound with four pits.

Rolling Prairie.

2nd Rate soil.

East on a random line between Sections 16 & 21.

Va. 12° E.

26,
353

Winnebago Indian Reservation.

Town 26. N. R. 9. E. 6th P.M.

Chains	
40.00	Temporary ¼ Sec corner.
67.30	Creek 3 lks wide, running S.E.
80.38	Intersect N. & S. line 23 links N. of the corner to Sec's. 15, 16, 21, & 22, from which I run N. 89° 30' W. on a true line between Sections 16 and 21, Va. 12° E.
40.19	Post in mound for ¼ Sec. corner,
80.38	The corner to Sec's. 16, 17, 20 & 21, Rolling Prairie: 2nd rate soil.
	North on the random line between Sections 16 and 17. Va. 11° E.
40.00	Post in mound for ¼ Sec. corner
49.00	Road to Winnebago Agency, bears E.
80.00	The corner to Sections 8, 9, 16, & 17. from which A Bur Oak 18 in. dia. bears N. 84¾° W. 289 links distant, A Bur Oak. 12 in dia. bears S. 78° W. 269 links distant. A Bur Oak 8 in dia. bears N. 75° E. 88 lks dist. No other tree Proper to mark. Rolling Prairie. 2nd rate soil.
	East on a random line between Sec's. 9 and 16. Va. 11° 30' E.
34.80	Road bearing N. W. & S.E.
40.00	Temporary ¼ Sec corner.
67.50	Brook 4 links wide, runs N.E. also enter timber irregular — bears N.E. & S.E.
80.16	Intersect the N. & S. line 28 links N. of corner to Sec's 9, 10, 15 & 16. from which corner I run

Winnebago Indian Reservation

Town 26. N. R. 9. E. 6th P.M.

Chains	
	N. 89° 48' W. on a true line between Sec's 9 and 16. Va. 11° 30' E.
40.08	Post in mound for ¼ Sec. Corner.
80.16	The corner to Sec's. 8, 9, 16 & 17. Rough and rolling Prairie: 2nd rate soil Groves & poor timber near E. end of line.
	North between Sec's 8 & 9. Va. 12° 10' E
2.50	Brook 5 lks wide, running W.
35.40	Road, bearing N. 30° W.
40.00	Post in mound for ¼ Sec. Corner
45.00	Old road, bears N. 20° W.
62.00	" " " " 30° E.
80.00	Post in mound for corner to Sections 4. 5. 8 & 9. Rolling Prairie: 2nd rate soil.
	East on a random line between Sections 4 & 9. Va. 11° E.
4.00	Old road, bearing N.E. & S.W. From this point the bearing to the Winnebago Agency is about S. 22° W.
28.50	Brook 5 lks wide, running N.E.
40.00	Temporary ¼ Sec. corner.
80.32	Intersect the N & S. line 90 lks N. of the corner to Sec's. 3. 4. 9 and 10. from which corner a run N. 89° 22' W. on a true line between Sec's. 4 and 9. Va. 1/10 East.
40.16	Post in mound for ¼ Sec. bears from which A Bur Oak. 7 in dia. bears N. 80 W. 291 lks dist.

28
355 Winnebago and Omaha Indian
Town. 26 N. R. 9. E. 6th P. M.

Chains

A Bur Oak 9 in dia. bears
N. 73 3/4° E. 60 links distant.
80.32 The corner to Secs. 4. 5. 8 & 9.
Rough hilly Prairie & oak
openings. 2nd and 3rd rate soil.

North between Sec's 4 & 5.
random line. Va. 11° E.
40.00 Temporary 1/4 Sec. Corner.
47.70 Old road bears N. 5 W. and S. 50 E.
79.26 Intersect the N. boundary of
the Township 50 lks W. of
Cor. to Secs. 4. 5. 32 & 33.
From which a pine
S. 0° 21' W. on a true line
between Sec's. 4 & 5.
Va. 11° E.
39.26 Post in mound for 1/4 Sec. Corner.
79.26 The corner to Sec's 4. 5. 8 & 9.
Rough and rolling prairie
2nd rate soil.
May. 13th 1867.

North between Secs 31 & 32.
Va. 12° 30' E.
20.00 Post in mound for 1/16 Sec. Corner.
40.00 " " " " 1/4 " "
60.00 " " " " 1/16 " "
62.75 Brook 3 lks wide running N.E.
66.00 " " " " " N.E.
and Empties into another
brook 150 lks West of line
67.00 Brook 5 links wide, runs W.
80.00 Post in mound for corner to
Sections 29. 30. 31 & 32.
Rolling Prairie,
2nd rate soil.

East on a Random line between
Sections 29 & 32.
Va. 12° E.
20.00 Temporary 1/16 Sec. Corner.

Reservation.

Town 26. N. R. 9. E. 6th P.M.

Chains	
21.00	Enter brush, bearing N.E. & S.E.
40.00	Temporary 1/4 Sec. Corner.
46.00	Leave brush, bearing N.W. & S.W.
60.00	Temporary 1/16 Sec Corner.
80.40	Intersect the N & S. line 32 lks S. of cor to Secs. 28. 29. 32. & 33. from which run S. 89° 46' W. on a true line between Sections 29 & 32.
	Va. 12° E.
20.10	Post in mound for 1/16 Sec. Cor.
40.20	" " " " 1/4 " "
60.30	" " " " 1/16 " "
80.40	The corner to Sections 29. 30. 31 & 32.

Rolling Prairie:
2nd rate soil.

West on a random line between Secs 30 & 31.
Va. 12° E.

20.00	Temporary 1/16 Sec. Corner
25.00	Brook 4 lks wide, runs S.
40.00	Temporary 1/4 Sec. Corner
60.00	" 1/16 " "
79.18	Intersect W. line of Township 39 links S. of corner to Secs. 30. 31. 25 & 36. from which I run S. 89° 43' E. on a true line between Secs. 30 & 31.
19.18	Post in mound for 1/16 Sec. Cor.
39.18	" " " " 1/4 " "
59.18	" " " " 1/16 " "
79.18	The corner to Sec's. 29. 30. 31 & 32.

Rolling Prairie
2nd rate soil.

30.
357 Omaha Indian Reservation

Town 26. N. R. 9. E. 6th P. M.

Chains

North between Sec's. 29 & 30.
Va. 12° 30' E.

20.00 Post in mound for ¼ Sec. Corner
38.40 Creek 4 lks wide, runs W.
There is also a creek very
near the line which runs into
this one.
40.00 Post in mound for ¼ Sec Corner
60.00 Post in mound for ½ Sec "
79.50 Brook 2 lks wide, runs S. 50 W.
80.00 Post in mound for Corner to
Sections 19. 20. 29 & 30.
Rolling Prairie.
2nd rate soil.

✓ East on a random line
between Sec's 20 & 29.
Va. 12° 15' E.
0.15 Creek 5 lks wide, runs S. 50 W.
20.00 Temporary ¹/₁₆ Sec Corner.
40.00 Temporary ¼ Sec. Corner.
60.00 " ⅛ " "
79.72 Intersect N & S. line 24 lks
N. of corner to Sections 20.
21. 28 & 29. from which
corner B run
N. 89° 50' West
on a true line between
Sections 20 & 29.
Va. 12° 15' East
19.93 Post in mound for ½ Sec Cor.
39.86 " " " " ¼ " "
59.79 " " " " ⅛ " "
79.72 The corner to Sec's. 19. 20. 29.
& 30.
Rolling Prairie.
2nd rate soil.

West on a random line
between Sec's. 19 & 30.
Va. 11° 45' E.
20.00 Temporary ¹/₁₆ Sec corners

Omaha Indian Reservation.

Town 26. of R. 7. E. 6th P. M.

Chains	
40.00	Temporary ¼ Sec. Corner.
60.00	" ½ " "
79.56	Intersect W. line of Township 36 links S. of corner to Secs. 19. 30. 24 & 25. from which corner a Ash
	S. 89° 45' E. on a true line between Sections 19 & 30.
	Va. 112 45' E.
19.56	Post in mound for ¼ Sec. Cor.
39.56	" " " " ¼ " "
59.56	" " " " ½ " "
79.56	The corner to Secs. 19. 20. 29 & 30.
	Rolling Prairie. 2nd rate soil.
	North between Secs. 19 & 20.
	Va. 120 15' E.
20.00	Post in mound for ¼ Sec. Cor.
37.00	Enter timber, bearing of W. Grove in valley of Oak & Linden.
40.00	Set post for ¼ Sec. Cor. from which An Elm 10 in dia, bears S. 80 W. 14 lks dist.
	An Elm 8 in dia. bears N. 84° W. 34 links dist.
48.00	Timber becomes scattering.
60.00	Set post for ½ Sec. Cor. from which A Bur Oak 5 in dia. bears N. 47° E. 48 links distant.
	A Bur Oak 6 in dia. bears N. 51° W. 180 lks distant.
75.65	Intersect the line between the Omaha and Winnebago Reservations. 17.92 Chains West of post marked S and set post for corner to Fractional Sections 19 & 20. from which A Bur Oak 15 in dia. bears N. 19° E. 106 lks distant.

Winnebago Res Line

32.
359

Winnebago Indian Reservation.
Town 26. N. R. 9. E. 6th P. M.

Chains

A Bur Oak 12 in dia bears
S. 25° W. 267 lks distant.
Winnebago Indian Reserve
8.00 Set post for corner to Sections
17. 18. 19 & 20. from which
A Bur Oak 16 in dia, bears S.
26° W. 337 links dist.
A Bur Oak 16 in dia bears
S. 70° E. 220 lks dist.
There being only 2 bearing
trees at this corner, & also
built mound with four pits.
Rolling prairie & timber
2nd rate soil.

East on a random line
between Sec's 17 & 20.
Va. 12° E.

40.00 Temporary 1/4 Sec. corner.
40.60 Brook 4 lks wide, runs N.W.
42.00 Leave timber bearing N.W. & S.E.
79.50 Intersect N. & S. line 12 lks
S. of corner to Secs. 16. 17.
20 & 21. from which corner
I run S. 89:55 W. on a true
line between
Sects 17 & 20.
Va. 12° E.
39.75 Set post for 1/4 Sec. corner
from which A Lind 14 in
dia, bears N. 58° E. 24 lks
distant.
A Lind 8 in dia. bears
S. 46° W. 35 lks distant.
79.50 The corner to Secs. 17. 18.
19 & 20.
Very rough prairie timber
2nd rate soil.

West on a random line between
Secs. 18 & 19.
Va. 12° E.
13.00 Leave timber bearing N & S.

the 6th P. Meridian.

Chains	
40.00	Temporary 1/4 Sec. Cor.
71.70	Brook 3 lks wide, running N.W.
79.48	Intersect the W. line of Township 16 links S. of the Cor. to Sec's. 18, 19, 13 & 24. from which & run S. 89° 53' E. on a true line between Sec's. 18 & 19. Va. 12° E.
39.48	Post in mound for 1/4 Sec. Cor.
79.48	The corner to Sec's. 17, 18, 19 & 20. Hilly prairie & timber. 2nd rate soil.

North between Sec's 17 & 18.
Va. 11° 30' E.

20.00	Brook 4 lks wide running N.W.
23.80	Leave timber bearing N.W. & S.E.
30.00	Road bearing E. & W.
40.00	Set post for 1/4 Sec. Cor. from which A Bur Oak 12 in dia, bears N. 20° W. 186 lks distant. A Bur Oak 10 in dia, bears N. 80° E. 175 lks distant.
65.00	Enter scattering timber, bears N.E. & S.W.
80.00	Set post for corner to Sec's. 7, 8, 17 & 18. from which. A Bur Oak 12 in dia, bears S. 65° W. 93 lks distant. A Bur Oak 14 in dia, bears N. 5 20° W. 128 lks distant. A Bur Oak 20 in dia bears N. 17° E. 48 links distant, A Bur Oak 10 in dia. Bears S. 35° E. 66. lks distant. Prairie & scattering timber. Good. 2nd rate soil. May. 14. 1867.

East on a random line between Sec's. 8 & 17.
Va. 12° 30' E.

40.00	Temporary 1/4 Sec. Corner.

34/361

Winnebago Indian Reservation.

Town 26. N. Range 9. East, 5th P.M.

Chains	
79.96	Intersect N. & S. line 72 links South of corner to Sec's. 8, 9, 16 & 17. from which corner & run S. 8 90 2° West on a true line between Sections 8. & 17. Va. 12° 30' E.
39.98	Post in mound for ¼ Sec. cor.
79.96	The corner to Sec's. 7, 8, 17 & 18. Rolling Prairie: 2nd rate soil.
	West on a random line between Sec's. 7 & 18. Va. 12° E.
7.00	Creek 8 lks wide, running S.W.
8.00	Leave timber bearing N.E. & S.W.
22.00	Road bearing N. & S.
40.00	Temporary ¼ Sec. Corner.
80.31	Intersect W. line of Township 14 lks S. of corner to Sec's. 7, 18, 12 & 13. from which I run S. 89°54' E. on a true line between Sec's. 7 & 18. Va. 12° E.
40.31	Post in mound for ¼ Sec. cor
80.31	The corner to Sec's. 7, 8, 17 & 18, Hilly Prairie: 2nd rate soil.
	North between Sec's. 7 & 8. Va. 12° 10' E.
2.30	Creek 4 lks wide, running W.
4.00	Leave timber, bearing E & W.
40.00	Post in mound for ¼ Sec. Cor
59.60	Road bearing N.W. & S.E.
79.96	Creek 2 lks wide, runs N.W.
80.00	Point for corner to Sec's. 5, 6, 7 & 8. being so near the creek & set W.C. 50 lks N. Hilly Prairie: 2nd rate soil

Winnebago Indian Reservation.
Iowa 26. N. R. 9. E. 6th P.M.

Chains	
	East on random line between Sections 5 & 8.
	Va. 11° 45' E.
40.00	Temporary ¼ Sec. Corner.
80.07	Intersect N. & S. line 63 lks. S. of Cor. to Sec's. 4. 5. 8 & 9, from which corner I run
	S. 89° 33' West on a
	true line between Sec's. 5 & 8.
	Va. 11° 45' East.
4.03	Post in mound for ¼ Sec. Cor.
80.07	The corner to Sections 5. 6. 7 & 8.
	Rolling Prairie: 2nd rate soil.
	West on a random line
	between Sections 6 & 7.
	Va. 12° E.
40.00	Temporary ¼ Sec. Cor.
80.91	Intersect the N. line of the Township 25 links S. of
	corner to Sec's. 6. 7. 1 & 12,
	from which corner I run
	South 89° 49' E.
	on a true line between Sec's
	6 & 7.
	Va. 12° E.
40.91	Post in mound for ¼ Sec. Cor
80.91	The corner to Sections 5. 6.
	7 & 8,
	Rolling Prairie: 2nd rate soil.
	North on a random line
	between Sec's. 5 & 6.
	Va. 11° E.
0.50	Post in mound for N. C.
	to Sec's. 5. 6. 7 & 8.
30.75	Brook 3 lks wide, runs N. 20° W.
40.00	Temporary ¼ Sec. Corner.
56.00	Brook 20 lks wide, runs N. 70° W.
80.10	Intersect the N. line of

36.
363

Winnebago Indian

Town 26. N. R. 9. E. 6th P. M.

Chains	
	Township 22 lks W. of corner to Sec's. 5. 6. 31 & 32. from which corner run S. 0° 9' West on a true line between Sec's. 5 & 6. Va. 11° E.
40.10	Post in mound for ¼ Sec. Cor.,
79.60	The W. 6. & Sec's 5. 6. 7 & 8.
80.10	The corner & Sections 5. 6. 7 & 8.

Rolling prairie: 2nd rate land.

May. 15th 1867.

Omaha Indian Reservation
Town 26 N. R. 9. E. 6th P. M.

Chains

Subdivision of Sections.

Subdivision of Section 36.

East on the 1/4 Sec. line through Sec. 36. Va. 12° 15' E.

13.00 Enter timber, bearing N. & S.

20.00 Intersect right Bank of Missouri River and set post for M. Corner and for corner to Fractional 1/4 Sections from which

A Black Oak 6 in dia bears N. 40° W. 17 links distant.

A Black Oak 7 in dia. bears S. 36° W. 43 links distant.

Banks of the River are from 40 to 200 feet high.

Hilly and heavy timber.

2nd rate soil.

East on the 1/4 Sec. line through Sec. 25. Va. 12° E.

11.75 Intersect the right bank of the Missouri River and set post for Meander Corner and for corner to Fractional 1/4 Sections, from which

An Ash 8 in dia. bears S. 78° W. 56 links dist.

An Ash 8 in dia. bears N. 74° W. 10 links dist.

Very rough and hilly.

2nd rate soil.

Good timber, consisting of Oak, Walnut, Ironwood &c.

38.
365

Omaha Indian Reservation.
Town 26. N. R. 9. E. 6 w P. M.

Chains

East on the ¼ Sec. line through
Sec. 24.
Va. 12° 10' E.
19.15 Intersect the right Bank of the
Missouri River and set Post
for corner to Fractional ¼ Sec's.
from which
A Cottonwood 8 in dia.
bears S. 1° W. 24 lks dist.
A Cedar 8 in dia. bears N.
37° W. 60 lks distant.
Rough and hilly with timber.
2nd rate soil.

Subdivision of Sec. 25.

North on the ¼ Sec. line through
Sec. 25.
Va. 12° 15' E.
7.14 Small brook, running S. E.
20.00 Set Post for ¼ Sec Cor. from
which A n Elm 14 in dia
bears S. 53° W. 217 lks dist.
A n Oak 8 in dia,
bears N. 55° W. 206 lks dist.
40.00 Post in mound for ¼ Sec. Cor.
45.00 Road bearing S. E. — little traveled
60.00 Post in mound for ¼ Sec. Corner.
76.00 Enter timber, bearing E. and W.
80.00 Intersect the N. line of the
Sec. at the ¼ Sec. Corner.
Rolling Prairie and Timber
2nd rate soil.

East on a random ¼ Sec line
through Section 25.
Va. 12° 12' E.
1.00 Scattering timber bears N. & S.
13.00 Ravine. bearing S. E

Omaha Indian Reservation.
Town 26 N.R. 9. E. 6th P.M.

Chains
20.00 Temporary 1/16 Sec. Corner.
23.00 Ravine - (in which is a small creek) 2 chains wide. 20 feet deep. - bears S. and leave timber bearing N & S.
40.00 Intersect N & S 1/4 Sec. line
60.00 Temporary 1/16 Sec Corner
71.00 Road bearing E&.
80.00 Intersect the E. line of the Sec. at the 1/4 Sec. Corner. from which corner a sun West on a true 1/4 Sec. line through Sec. 35.
Va. 12° 12' E.
20.00 Post in mound for 1/16 Sec. Cor.
40.00 Intersect the N & S 1/4 Sec. line at the 1/4 Sec. Corner.
60.00 Set Post for 1/16 Sec. Corner from which.
A Bur Oak 8 in dia, bears S. 80 W. 150 links distant.
A White Oak 10 in dia bears N. — E. 152 links dist.
80.00 The 1/4 Sec. Corner on the West line of the Section.
Hilly Prairie and timber.
2nd rate soil.
May. 6th 1867.

Subdivision of Sec. 26.

North on the 1/4 Sec. line through Sec. 26.
Va. 12° 15' E.
20.00 Set a Post for 1/16 Sec. Corner from which
A Bur Oak 10 in dia, bears S. 2° E. 27 links dist.
A Bur Oak 8 in dia bears N. 72° W. 25 links distant.

Omaha Indian Reservation.

Town 26. N.R. 9. E. 6th P. M.

chains	
32.20	Creek 2 links wide, runs N.E.
40.00	Set post for 1/4 Sec. Corner from which An Elm 10 in diameter, bears N. 37° E. 7 links distant. An Elm 12 in dia, bears S. 13° E. 25 links distant.
60.00	Set post for 1/16 Sec. Corner from which A Lind. 20 in dia. bears S. 14° E. 47 lks dist. A Lind 20 in dia, bears S. 82° W. 14 lks distant.
80.00	Intersect the N. line of the Sec. at the 1/4 Sec. Corner. Rough and broken with steep hills. Oak. Walnut and Elm trees. 2nd rate soil.

Easton a random 1/4 Sec. line through Sec. 26.
Va. 12° E.

19.00	Brook 2 lks wide, running S.E.
20.00	Temporay 1/16 Sec. Corner.
40.00	Intersect N. & S. 1/4 Sec. line.
47.00	Creek 4 lks wide, running N.E.
60.00	Temporay 1/16 Sec. Corner
80.00	Intersect the E. line of the Section 21 lks N. of the E 1/4 Sec. Corner from which Corner & run N. 89° 51' W. on a 1/4 Sec. line through Section 26. Va. 1.2° E.
20.00	Set post for 1/16 Sec. Corner from which A Black Walnut 14 in dia. bears S. 60° W. 17 lks. distant. An Oak 16 in dia, bears N. 70° W. 20 lks dist.
40.00	Intersect N. & S. 1/4 Sec.

Omaha Indian Reservation.
Town 26. N. R. 9. E. 6th P M.

Chains

line at the 1/4 Sec. Corner
60.00 Set Post for 1/4 Sec. Corner
from which
A Elm 8 in dia,
bears N. 60° W. 8 lks dist.
An Elm 9 in dia,
bears S. 62° W. 37 lks dist.
80.00 The 1/4 Sec. Corner on the
N. line of the Section.
High and steep hills-
timbered,
2nd rate soil.
Oak, Walnut, Elm, Ash
and Ironwood.

Subdivision of Sec. 23.
North on the 1/4 Sec. line through
Sec. 23. Va. 110 15' E.
20.00 Set Post for 1/4 Sec Corner from
which A Linn 14 in dia
bears N. 45° W. 19 lks dist.
An Elm 10 in dia. bears
S. 52° E. 40 lks distant.
34.90 Creek 3 lks wide, runs E.
40.00 Set Post for 1/4 Sec. Corner
from which
A Hickory 4 in dia, bears
S. 80° W. 26 lks distant.
A Bur Oak, 3 in dia, bears
S. 19° E. 8 links distant.
60.00 Set Post for 1/4 Sec. Corner
from which
A Black Oak 16 in dia,
bears S. 23° W. 17 lks dist.
A Bur Oak 8 in dia,
bears N. 73° W. 22 lks
distant.
73.17 Intersect the line between
the Omaha and Winnebago Winnebago Res
go Reservations and set
post for corner to
Fractional 1/4 Sections.

42.
369

Omaha Indian Reservation.

Town 26. N.R. 7. E. 6th P. M.

Chains

from which
An Ironwood 10 in dia,
bears N. 40° W. 25 lks dist
A Lind 2 2 in dia.
bears S. 17° E. 40 lks distant.
Timbered; rough & broken
and precipitous.
2nd and 3rd rate soil.

= East on a random ¼ Sec.
line through Sec. 23.
Va. 12° 10' E.

19.00 Brook 1 link wide, run-
ning S. E.

20.00 Temporary ¼ Sec. Corner.

39.82 Intersect N. & S. ¼ Sec. line

55.85 Brook 3 links wide, running N. E.

60.00 Temporary 1/16 Sec. Corner

79.64 Intersect the E. line of the Sec.
17 lks S. of the ¼ Sec. Corner
from which corner I run
S. 89° 53' W.
on a true line (¼ Sec) through
Sec. 23. Va. 12° 10' E.

19.91 Set post for 1/16 Sec. Corner from
which A Hickory 8 in dia.
bears N. 34° W. 32 links dist.
An Ironwood 10 in dia,
bears N. 71° E. 10 lks distant.

39.82 Intersect N. & S. ¼ Sec. line
at the ¼ Sec. Corner.

59.73 Set post for 1/16 Sec. Corner from
which A Lind 8 in dia.
bears N. 83° E. 11 lks distant.
An Elm 12 in dia. bears
S. 61° E. 15 lks distant.

79.64 The ¼ Sec. Corner on the West
line of the Section.
Rough and hilly.
Timber of Oak, Walnut
Lind &c. 2nd rate soil.
May. 7th 1867.

Omaha Indian Reservation
Town 26. N R. 9. E. the 6th P M.

1 3
370

Chains	
	Subdivision of Sec. 34.
	North on the ¼ Sec. line through Sec. 34.
	Va. 11° 40' E.
20.00	Set post for ¼ Sec. Corner from which.
	A Cottonwood 10 in dia, bears N. 8 20 W. 3 25 lks dist.
	A Cottonwood 12 in dia. N. 70° E. 4 70 lks distant.
40.00	Post in mound for ¼ Sec. Cor.
60.00	Set post for ¼ Sec. Corner from which
	A Lind 14 in dia. bears S. 7½° W. 2 40 lks distant.
	A Lind 10 in dia, bears S. 8° E. 2 30 lks dist.
80.00	Intersect the N. line of the Sec. at the ¼ Sec. Corner.
	Hilly Prairie with scattering timber, 2nd Rate soil.
	East on a random ¼ Sec. line through Sec. 34.
	Va. 11° 40' E.
20.00	Temporary ¼ Sec Corner.
32.00	Brook 4 lks wide runs S.
40.00	Intersect N.S. ¼ Sec. line.
60.00	Temporary ¼ Sec. Corner.
66.00	Road bearing South.
75.00	Enter scattering timber
80.00	Intersect the E. line of the Section 2 4 lks N. of the ¼ Sec Corner from which corner I run
	N. 89° 50' West on a true ¼ Sec. line through Sec. 34.

44.
371

Omaha Indian Reservation

Town 26. N. R. 9. E. 6th P. M.

Chains	
	Va. 11° 40' E.
20.00	Post in mound for ¼ Sec. Cor.
40.00	Intersect N. & S. ¼ Sec. line at ¼ Sec. Corner.
60.00	Set post for ¼ Sec. Corner from which A Bur Oak 5 in dia. bears N. 9° E. 2 30 lks dist. No other tree within 5 chains.
80.00	The ¼ Sec. Corner on the West line of the Section. Rolling Prairie: 2nd rate soil.

Subdivision of Sec. 27.

North on the ¼ Sec. line through Sec. 27.

Va. 11° 18' E.

18.70	Brook 3 lks wide, running W.
20.00	Post in mound for ¼ Sec. Corner,
30.20	Brook 3 lks wide, runs W.
32.90	" 4 " " " S. W.
39.50	" " " " " S. E.
40.00	Post in mound for ¼ Sec. Cor.
60.00	" " " " ¼ " "
78.80	Spring brook 3 links wide, runs W.
80.00	Intersect the N. line of the Sec. at the ¼ Sec. Corner.

Rolling Prairie: 2nd rate soil.

Omaha Indian Reservation
Town 26 N. R. 7 E. 6th P M.

Chains

East on a random line
(¼ Section) through Sec. 27.
Va. 11° 30' E.

0,50 Edge of Ravine, bearing W & S.
20,00 Temporary 1/16 Sec. Corner.
32,30 Brook (in Ravine — 4 chs wide)
bears S. E. & N. W.
39 88 Brook 8 lks wide, Running S. E.
39,98 Intersect N & S. ¼ Sec. line.
60 00 Temporary ¼ Sec. Corner.
61,00 Small brook, running S. W.
75 50 Road bearing N & S.
77,00 Enter timber, bearing N & S.
79,95 Intersect E. line of the Sec.
67 links S. of the ¼ Sec. Corner
from which corner I run
S. 89° 31' W.
on a true line (¼ Section)
through Sec. 27.
Va. 11° 30' E.
19,99 Post in mound for ¼ Sec. Cor.
39,97 Intersect N & S. ¼ Sec. line
at the ¼ Sec. Corner.
59,96 Post in mound for ¼ Sec. Cor.
79,95 The ¼ Sec. Corner on the W.
line of the Section.
Rough and rolling.
Timber near ravine.
2nd rate land.
May. 8th 1867.

Subdivision of Sec. 22

North on the ¼ Sec. line
through Sec. 22.
Va. 12° E.

20.00 Post in mound for ¼ Sec. Cor.
40.00 " " " " ¼ " "
42.00 Road bearing N.W. & S. 30° E.
60.00 Post in mound for ¼
Section Corner from

46/373

Omaha Indian Reservation.

Town 26. N. R. 7. E. 6th P M.

Chains		
		which A Bur Oak 16 in dia. bears S. 73° E. 35 lks dist. A Bur Oak 16 in dia. bears N. 5° E. 29. lks dist. The line just touches the timber here which bears ON S.
Meanders	75.79	Intersect the line between the Omaha and Winnebago Reservations at which point I set post for corner to Fractional ¼ Sec's. from which A Bur Oak 24 in diameter, bears S. 18¼° E. 208 lks distant. A Bur Oak 8 in dia, bears N. 66° E. 150 lks distant. Rough and rolling Prairie. and small stones. 2nd rate soil.
		East on a random ¼ Sec. line through Sec. 22, Va. 120 E.
	13.24	Brook 3 lks wide, running S. E.
	20.00	Temporary ¼ Sec. corner.
	40.00	Intersect N. & S. ¼ Sec. line.
	40.50	Road bearing S. E.
	53.50	Enter timber bearing North and South
	60.00	Temporary ¼ Sec. corner.
	80.00	Intersect the East line of the Section 11 links South of the quarter Section corner

Omaha Indian Reservation

Town 26 N. Range 9 E. the 6th Principal Meridian

Maine from which Corner 9 run
South 89° 35' W
on a line 1/4 Section line through
Section 22

Variation 12° East

20.00 Set post for 1/16 Section corner from which
An Ironwood 12 in dia bears S 78° W. 100 lks dist
A Bur Oak 16 in dia bears N 33° W. 50 lks distant
40.00 Intersect N and S 1/4 Section line at the 1/4
Section Corner
60.00 Set post for 1/16 Section corner from which
An Elm 10 in dia bears S 46° W. 390 lks distant
An Elm 16 in Dia bears N 11° E. 433 " "
80.00 The 1/4 Section corner on the west line of the
Section
Rolling prairie and timber
2d rate soil

Subdivision of Section 33

North on the 1/4 Section line through
Section 33
Variation 11° 55' East
20.00 Post in Mound for 1/16 Section corner
40.00 " " " 1/4 " "
60.00 " " " 1/16 " "
72.50 Brook 5 links wide running S.E.
80.00 Intersect the North line of the Section
at the 1/4 Section Corner
Rolling Prairie
2d rate Soil

East on a random 1/4 Section line
through Section 33.
Variation 12° East
20.00 Temporary 1/16 Section Corner
39.96 Intersect N and S 1/4 Section line
60.00 Temporary 1/16 Section Corner
67.14 Brook 8 links wide runs S.E.

Chains

79.93 Intersect the East line of the Section 28 links
South of the 1/4 Section Corner
from which corner 9 trees
S. 89° 48' W
on a true 1/4 Section line through
Section 33-

Variation 12° East

19.98 Post in Mound for 1/16 Section corner
39.97 Intersect N & S. 1/4 Section line at the
1/4 Section corner
59.95 Post in Mound for 1/16 Section corner
79.93 The 1/4 Section corner on the West side
of the Section
Rolling prairie
2d rate Soil
May 9th 1867

Subdivision of Section 28.

North on the 1/4 Section line through
Section 28

Variation 11° 35' East

20.00 Post in Mound for 1/16 Section Corner
40.00 " " " " 1/4 " "
52.80 Brook 5 links Wide running East
60.00 Post in Mound for 1/16 Section corner
80.00 Intersect the North line of the Section
at the 1/4 Section Corner
Rolling Prairie
2d rate Soil

East on a random 1/4 Section line
through Section 28.

Variation 12° East

20.00 Temporary 1/16 Section corner
40.04 Intersect N. and S. 1/4 Section line
60.00 Temporary 1/16 Section corner
80.08 Intersect the East line of the Section

Chains 31 links S. of the 1/4 Section corner from which corner I run
S. 89° 47' W.
on a true 1/4 Section line through Section 28

Variation 12° East

20.02 Set post for 1/16 Section corner, from which A Bur Oak 10 in dia bears N 52° E 88 lks dist
No other tree near
40.04 Intersect N and S. 1/4 Section line at the 1/4 Section corner
60.06 Post in Mound for 1/16 Section corner
80.08 The 1/4 Section corner on the West line of the Section.
Rolling prairie 2d rate soil

Subdivision of Section 21

North on the 1/4 Section line through Section 21

Variation 12° 5' East

20.00 Post in Mound for 1/16 Section corner
40.00 " " " " 1/4 " "
60.00 " " " " 1/16 " "
73.44 Intersect the line between the Omaha and Winnebago Reservations and at which point I set post in Mound dug two feet and deposited charcoal for corner to Fractional 1/4 Sections Winnebago
Slightly rolling
2d rate soil

East on a random line through Section 21

Variation 12° East

20.00 Temporary 1/16 Section Corner
40.17 Intersect N and S. 1/4 Section line
60.00 Temporary 1/16 Section Corner

50
3.77

Chains	
80.34	Intersect the East line of the Section at the 1/4 Section corner from which Corner I mark
	West on a true line through Section 21
	Variation 12° East
20.08	Set post for 1/16 Section corner from which A Bur Oak 10 in dia bears N 85° E. 4 31 lks dist
	No other trees near
40.17	Intersect N and S. 1/4 Section line at the 1/4 Section corner
60.26	Post in Mound for 1/16 Section corner
80.34	The 1/4 Section corner on the West line of the Section
	Moderately rolling —
	Good 2d rate soil

Subdivision of Section 32

North on the 1/4 Section line through Section 32

Variation 11°, 40' E

20.00	Post in Mound for 1/16 Section corner
40.00	Post " " " 1/4 " "
60.00	" " " " 1/16 " "
80.00	Intersect the North line of the Section at the 1/4 Section Corner
	Rolling prairie &
	2d rate Soil
	May 10th 1867

East on a random 1/4 Section line through Section 32

Variation 12° East

20.00	Temporary 1/16 Section Corner
40.10	Intersect N and S. 1/4 Section line
60.00	Temporary 1/16 Section Corner
80.20	Intersect the East line of the Section

chains 48 links South of the 1/4 Section
corner from which corner I run
South 89° 40' West
on a True 1/4 Section line through
Section 32

Variation 12° East

20.05 Post in Mound for 1/16 Section corner
40.10 Intersect N and S. 1/4 Section line
at the 1/4 Section corner
60.15 Post in Mound for 1/16 Section corner
80.20 The 1/4 Section Corner on the West line
of the Section
Rolling prairie
2d rate soil

Subdivision of Section 29

North on the 1/4 Section line through
Section 29

Variation 11° 30' East

20.00 Post in Mound for 1/16 Section corner
39.30 Brook 5 links wide running N.W.
40.00 Set Post for 1/4 Section corner from which
A White Ash 11 inches diameter
bears S 26½° W - 45 links distant
A Linden 8 inches - diameter
bears S 9½° East 69 links distant
60.00 Post in Mound for 1/16 Section corner
80.00 Intersect the N. line of the Section
at the 1/4 Section corner
Rolling prairie 2d rate soil

East on a random 1/4 Section line
through Section 29

Variation 12° East

2.00 Brook 4 links wide running S.W.
20.00 Temporary 1/16 Section corner
34.80 Brook 6 links wide running N.W.

52
379

Chains	
40.03	Intersect N and S 1/4 Section line
60.00	Temporary 1/16 Section Corner
80.06	Intersect the East line of the Section 22 links S. off the 1/4 Section Corner from which Corner I run S 89° 51' W. on a true 1/4 Section line through Section 29 Variation 12° East
20.01	Post in Mound for 1/16 Section Corner
40.03	Intersect N and S 1/4 Section line at the 1/4 Section Corner
60.05	Post in Mound for 1/16 Section corner
80.06	The 1/4 Section Corner on the West line of the Section

Rolling Prairie
2d rate soil

Subdivision of Section 20

North on the 1/4 Section line through Section 20
Variation 12° 20' East

20.00	Post in Mound for 1/16 Section Corner
40.00	" " " " 1/4 " "
50.00	Enter scattering Timber bearing NE & SW
60.00	Post in Mound for 1/16 Section Corner
75.61	Intersect line between the Omaha and Winnebago Reservations and set post for Corner to Fractional 1/4 Sections from which A. Lind 12 inches in diameter bears S 26° W. 183 links distant An Oak 8 inches in diameter bears N 77 1/4° W. 115 links distant

Winnebago Res

Rolling Prairie and Timber
2d rate soil

chains East on a random 1/4 Section line
through Section 20

Variation 12° East

20.00 Temporary 1/16 Section Corner
30.50 Leave timber
39.81 Intersect N and S 1/4 Section line
60.00 Temporary 1/16 Section Corner
79.61 Intersect the East line of the Section
35 links S. of the 1/4 Section Corner
from which Corner I run
S. 89° 45' W.
on a true 1/4 Section line through
Section 20 -

Variation 12° East

19.90 Post in Mound for 1/16 Section Corner
39.80 Intersect N. and S. 1/4 Section line at
the 1/4 Section Corner.
59.71 Set post for 1/16 Section Corner from which
A Lind 12 in dia bears N 88° W. 24 lks distant
A Lind 10 in dia " S 43° W. 45 " "
79.61 The 1/4 Section Corner on the West line
of the Section
Rolling prairie and timber. Country
of Oak Walnut Lind. Ash - Ironwood &c
2d rate soil
May 11th 1867

Subdivision of Section 31

North on the 1/4 Section line through
Section 31

Variation 12° 15' East

20.00 Post in Mound for 1/16 Section Corner
40.00 " " " 1/4 " "
46.00 Brook 2 links wide running N. W.
59.75 Brook 5 links wide running W.
60.00 Set a post for 1/16 Section Corner - from which
A Bur Oak 12 in dia bears S 2½° E. 33 links distant
60.80 Brook 5 links wide running S.E.

54
381

Chains	
64.00	Same brook running S.W.
80.00	Intersect the N line of the Section at the 1/4 Section Corner
	Rolling prairie 2d rate soil

West on a random line through Section 31

Variation 12° East

20.00	Temporary 1/16 Section Corner
36.50	Brook 3 links wide running N.W.
40.00	Intersect N and S. 1/4 Section line
57.50	Brook 3 links wide running N.E.
60.00	Temporary 1/16 Section Corner
79.30	Intersect West line of Section 40 links South of 1/4 Section Corner from which Corner 2 ways.

South 89° 43' East on a true line through Section 31,

Variation 12° East

19.30	Post in Mound for 1/16 Section Corner
39.30	Intersect the N and S. 1/4 Section line at the 1/4 Section Corner
59.30	Post in Mound for 1/16 Section Corner
79.30	The 1/4 Section Corner on the East line of the Section,
	Rolling prairie 2d rate soil

Subdivision of Section 30 -

North on the 1/4 Section line through Section 30 -

Variation 11° East

20.00	Post in Mound for 1/16 Section Corner
40.00	Post " " " 1/4 " "
60.00	" " " " 1/16 Section Corner
80.00	Intersect the North & South line of the Section at the 1/4 Section
	Rolling prairie - 2d rate soil

Maine West on a random ½ Section line through
Section 30

Variation 11° 30' East

2.11 Brook 2 links wide runs S
20.00 Temporary ¼6 Section corner
40.00 Intersect N. and S. ¼4 Section line
60.00 Temporary ¼6 Section corner
79.10 Intersect the West line of the Section 32 links North of the ¼4 Section corner from which corner 2 runs
N. 89° 46' East
on a true ¼4 Section line through Section 30 –

Variation 11° 30' East

19.10 Post in mound for ¼6 Section corner
39.10 Intersect the N and S. ¼4 Section line at the ¼4 Section corner
59.10 Post in Mound for ¼6 Section corner
79.10 The ¼4 Section corner on the East line of the Section
Rolling prairie 2d rate soil

F– Subdivision of Section 19

North on the ¼4 Section line through Section 19

Variation 12°. 15' East

20.00 Post in mound for ¼6 Section corner
40.00 " " " " ¼4 " "
60.00 " " " " ¼6 " "
75.39 Intersect line between the Omaha and Winnebago Reservations and set post for Fractional ¼4 Section corner from which An Oak 4 inches in diameter bears N. 32½° W. 122 links distant An Oak 5 inches in diameter bears S. 61° E. 315 links distant
High Rolling prairie and timber
2d rate soil

56
383

Chains	
	West on a random ¼ Section line through Section 19
	Variation 12° East
10.00	Leave scattering Timber
20.00	Temporary ¼ Section Corner
40.00	Intersect N. and S. ¼ Section line
60.00	Temporary ¼ Section Corner
79.60	Intersect the West line of the Township 10 links S of the ¼ Section Corner from which Corner I run S. 89°. 56' East on a true line (¼ Section) through Section 19
	Variation 12° East
19.60	Post in Mound for ¼ Section Corner
39.60	Intersect N. and S. ¼ Section line at the ¼ Section Corner
59.60	Set post for ¼ Section Corner from which A Bur Oak 4 inches in diameter bears North 40° East 10 links distant A Bur Oak 14 inches in diameter bears S 83° E. 43 links distant
79.60	The ¼ Section Corner on the East line of the Section

Surface - rough. Soil - 2d rate. Some poor timber at East end of line

May 13th 1867

Meanders of the right bank of the Missouri River through the Township.

Begin at the ~~point~~ where the Township line between Townships 26 and 27 North intersects the right bank of the River and run down the stream with the Meanders of the right bank as follows.

Courses	Distances	Remarks
S 28½ E.	2.65	Meanders in Section 2 To the meander corner between Sections 1 & 2.
		Meanders in Section 1
S 38½° E	24.00	
S 19° E.	5.00	
S 47° E.	6.30	
S 61½° E	4.90	
S 75° E	6.30	
S 71¾° E.	10.90	
S. 61° E	5.50	
S. 30¾° E.	31.50	
S 25° E.	16.00	To the meander corner between fractional Sections 1 and 12
		Meanders in Section 12
S 3.9½° E.	16.50	To the meander corner on the Township line between Sections 7 & 12. Ranges 9 & 10.
		From the meander corner on the Township line between Sections 13 and 18 Ranges 9 and 10. I continue to run down the stream with the meanders of the right bank as follows.
N 47¾° W.	10 90	Meanders in Section 13. At 8.25 on this course - Mouth of creek 12 links wide
N 56½° W	15.00	
S 74½° W	18.00	
S 83° W	10.20	
S 63° W.	5.20	
S 31° W	3.60	
S 9½° W.	18.50	
S 3½° W	25 30	
S 8° W	9.80	
S 33¾° W.	1.34	To Meander corner between fractional Sections 13 and 24

58
38.5

Courses	Distance	
		Meanders in Section 24
S 16° W	4.60	To the Post marked "W. R." "O. R." "1." between the Omaha and Winnebago Reservations
S 2° W.	25.00	
S 14° E.	11.00	To the meander corner at the intersection with the 1/4 Section line East through Section 24.
S 9° W	27.00	
S 10° E.	14.20	To the meander corner between fractional Sections 24 and 25.
		About 2 chains South of the meander corner at East end of the Winnebago line is the Mouth of a Creek 3 lks Wide — 11 chains South is the Mouth of a creek 5 Links Wide, 63 chains South of the same (Winnebago line) is the Mouth of a 3d Creek 5 Links Wide
		Meanders in Section 25
S 3° W	15.00	
S 7° W	26.00	To the meander corner at the intersection with the 1/4 Section line running East through Section 25;
S 7° W	20.17	
S 7° E.	20.17	To the meander corner between Sections 25 and 36
		Meanders in Section 36
S 11° E.	41.25	To the meander corner at the intersection with the quarter Section line running East through Section 36
S 24½° E.	44.37	To the meander corner on the Township line between Section 36 Town 26 N. ~~Range~~ and Section 1 Town 25 N.

South of the Winnebago line the river is bordered by high bluffs in place precipitous and rocky and from 60 to 300 feet high

In Section 1. there is a bottom covered with scattering timber (trees)

Soil 1st rate

General Description

This Township is fractional being bordered on the East by the Missouri River

Along the river there is a large body of good timber - the principal varieties being Oak Walnut Ash Ironwood and Linden

There are also many groves in the west part of the Township the largest one being mainly in Section 20 -

On the North boundary the belt of timber bordering the river is about two and one half miles wide, while on the South it is little more than one fourth of a mile in width

West and South of the road from Decatur to Dakota - which runs diagonally through this Township. the land is chiefly high rolling prairie interspersed with groves of timber

The soil of both prairie and timber Land is generally second rate. in places - 1st rate

In the North East quarter of the Township there is about 1,000 acres (estimated) of bottom land

Soil 1st rate

The line between the Omaha and Winnebago Reservations divides

this Township - The Winnebago Agency being in Section 17 -
The surface of the entire Township is hilly - the N.E. part being rough and broken & some of the hills estimated at 300 feet high
There are many small brooks fed by Springs of the best water
The area of the Winnebago part is 11051.59 acres - that of the Omahas 9809.91 acres - making a total of 20,861.50 acres -

We hereby certify that we assisted Theodore H. Barrett U.S. Surveyor in Subdividing Township ~~No~~ Number twenty Six North of the base line of Range Number Nine East of the Sixth principal Meridian (Omaha and Winnebago Indian Reservations) and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the Instructions furnished by the Commissioner of the General Land Office

Henry H. Gilbert
William B Allison
Richard Gronk
George Fox
Orville Smith
Homer F. Dale
James Shobe
George Patterson
James Kennedy
Joseph F. Flint
Philander Knight
Karl Wilhelm Bekke
Andrew Armstrong
Willie Trainer
Conrad Schaeffer
Henry C. Williams

Subscribed and sworn to by the above named persons before me a Notary Public for the County of Burt in the State of Nebraska this 28th day of June 1867.

L.S.

Watson Parish
Notary Public

62
389

I Theodore H. Barrett Surveyor do solemnly swear that in pursuance of a contract with J. M Edmunds Commissioner of the General Land Office of the United States bearing date the 14th day of August 1866 and in strict conformity to the Laws of the United States and the instructions furnished and received from the said Commissioner of the General Land Office. I have faithfully surveyed the subdivisions lines and meanders of Township number twenty Six North of the base line of Range number Nine East of the Sixth principal Meridian embraced in the Omaha and Winnebago Reservations in the State of Nebraska -

and I do further solemnly swear that the foregoing are the true and original Field notes of such survey

Theodore H. Barrett
Surveyor

Subscribed by the said Theodore H. Barrett Surveyor and sworn to before me a Justice of the Peace for Whiteside County in the State of Illinois this 10th day of September 1867.

R. S. Mangan
Justice of the Peace

Department of the Interior
General Land Office
October 2d 1867-

The foregoing field notes of the survey of Township 26 North Range 9 East Nebraska executed by Theodore M. Bantz under his contract of the 14th day of August 1866 in the month of May 1867- having been critically examined the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved

Jos. S. Wilson
Commissioner

Department of the Interior
General Land Office
August 21. 1871

I Hereby certify that the foregoing Field Notes, are true Copies of the originals on file in this office.

Wm Drummond
Commissioner

64
391

65/392

393

T 25 ~ R 9

No. 9 2

96

394

Winnebago Reservation Nebraska

Field Notes

Winnebago Indian Reservation

T. 27 N. R. 9 E. 6th P. M.

Nebraska

22

22

1
395

Winnebago Indian

Township 27 North Range 9 East of the

Field Notes of the Subdivision lines in Fractional Township (Winnebago Reservation) Number 27 North Range 9 East of the 6th Principal Meridian in the State of Nebraska. by Theodore H. Barrett Surveyor under his contract bearing date. August 14th 1866

Survey commenced May 11th 1867
and
Completed May 14th 1867

List of Names

A list of the individuals employed to assist in running. measuring. or marking the lines and corners described in the following Field Notes of Township No 27 North of the Base line of Range Number 9 East of the 6th Principal Meridian Showing the capacities in which they acted

Richard Crook - Compassman
George Patterson - Chainman
Joseph F. Fluent - do
Andrew Armstrong - Flagman
Karl Wilhelm Bekke - Mound Builder
Henry C. Williams - do
James Kennedy - Axe-man

6th Principal Meridian. State of Nebraska

chains This Township being fractional.
I Commence on the North boundary of
the Winnebago Reservation at the old Corner
to Fractional Sections 35 and 36 and
run

South between Fractional Sections 35-
And 36-

Variation 11° East

30.75 Brook 10 links wide running East
35.00 Set post for 1/4 Section Corner from which
A Cottonwood 20 inches in diameter
bears N 87° E. 270 links distant
52.40 Intersect right bank of the Missouri River
and set post in Mound with one pit
for meander Corner and for corner
to fractional Sections 35 and 36-
Level Missouri River bottom - Covered
with high grass and bushes - Marshy
in places.— Scatering timber on the
North 1/2 — At the point of intersection
with the River - Banks are washing away

Meanders of the Missouri River

Begin at the Corner to Fractional
Sections 2 and 35- where the Township
line between Townships 26 and 27
intersects the river. And run along
the right bank - up the stream through
Section 35 as follows
N. 45° W. 3.50 chains - thence
N 10 1/2° W. 4.00 chains - thence
N 25° East 17.23 chains - to the Meander
Corner between fractional Sections 35 and
36-

Thence in Section 36 as follows —
N 36° East 23.00 chains — thence
N. 42 3/4° E. 45.70 chains to the N.E. Corner
of the Winnebago Reservation

3
397

Winnebago Indian

Township 27 North Range 9 East of

Chains The land along the river in Sections
25 and 36 is high level bottom -
Soil 1st rate
The river is rapidly cutting away
this bank nearly the entire distance
May 11th 1867

North on a random line between
Sections 34 and 35
Variation 10° 30' East
16,50 Wagon trail - general Course N. 70° East
40.00 Temporary 1/4 Section corner
55.50 Brook 5 links wide running East
75.00 Intersect the North boundary of the
Winnebago Reservation 73 links west of
the old corner to Fractional Sections
34 and 35. from which corner I run
South 0° 33' West
on a true line between Fractional Sections
34 and 35
Variation 10° 30' East
35.00 Set post for 1/4 Section corner from which
a Black Oak 10 inches in Diameter bears
South 83° East 25 links distant
A Black oak 8 inches in Diameter
bears North 67½° W 17 links distant
75.00 The corner to Sections 34-35-2 and 3
Rough - hilly and broken.
Timber and undergrowth of brush
Second rate soil

North on a random line between Fractional
Sections 33 and 34
Variation 11° East
14.00 Wagon trail running East and West
40.00 Temporary 1/4 Section corner
66.00 A Brook 5 links wide running East

the 6th Principal Meridian. State of Nebraska

Chains

75.00 Intersect the North boundary of the Winnebago Reservation 24 links East of the Corner to Fractional Sections 33 and 34. from which Corner I run
S. 0° 11' East
on a true line between Fractional Sections 33 and 34
Variation 11° East

35.00 Post for 1/4 Section Corner from which
A Bur Oak 22 inches in diameter bears
S 83° East 120 links distant
A Bur Oak 24 inches in diameter bears
S 40½° W. 200 links distant

75.00 The Corner to Sections 33 - 34 - 3 and 4.
Rough - hilly and Broken
S.½ Covered with Scattering timber -
principally Bur Oak -
N. ½ Covered with Hickory and Oak
with undergrowth of brush and Vines

North on a random line between
Fractional Sections 32 and 33 -
Variation 11° East

31.65 Road bearing S.W. and East
37.50 Enter Bur Oak timber - grove West of line
40.00 Temporary 1/4 Section Corner
65.75 Brook 5 links wide runs East
74.70 Intersect the North boundary of the Winnebago Reservation 38 links East of the Corner to Fractional Sections 32 and 33 - from which Corner I run
S 0° 17' East on a true line between Fractional Sections 32 and 33.
Variation 11° East

34.70 Set post for 1/4 Section Corner from which
A Bur Oak 16 inches in diameter bears
S 63¼ W. 49 links distant
No other Tree near

Winnebago Indians

Township 27 North - Range 9 East of the

Chains	
74.70	The corner to Sections 32 - 33 - 4 and 5. Rough and hilly prairie with Oak Openings - 2d rate soil
	North on a random line between Sections 31 and 32
	Variation 11° East
39.50	Waggon trail bearing East and West
40.00	Temporary 1/4 Section corner
54.85	Brook 8 links wide running West.
74.66	Intersect the North line of the Winnebago Reservation 56 links East of the corner to Fractional Sections 31 and 32 from which corner I run
	S 0° 25' East on a true line between Sections 31 and 32
	Variation 11° East
34.66	Post in mound for 1/4 Section corner
74.66	The corner to Sections 31 - 32 - 5 and 6 - Rolling prairie 2d rate soil

May 14th 1867

General Discription

This part of Township 27 N. R. 9 East. is rough and Broken - The West part is hilly prairie. Near the River are several hundred acres of level bottom. between the bottom. and the prairie - are hills timbered - Soil 1st 2d and 3d Rate

Reservation

6 / 400

6th Principal Meridian

We hereby certify that we assisted Theodore H. Bamtt. U.S. Surveyor in subdividing that part of Township-Number twenty Seven North of the base Line of Range Number Nine East of the Sixth Principal Meridian Embraced within the boundaries of the Winnebago Indian Reservation and that said Township has been in all respects to the best of our Knowledge and belief well and faithfully surveyed and the Boundary monuments placed according to the instructions furnished by the Commissioner of the General Land Office

Richard Leronk
George Patterson
Joseph F. Flunt
Andrew Armstrong
Karl Wilhelms Bekke
Henry C. Williams
James Kennedy

Subscribed and sworn to by the above named persons before me a Notary Public for the County of Burt in the State of Nebraska this 28th day of June 1867

Watson Parrish
Notary Public

Seal

7
401

I, Theodore H. Barrett Surveyor
do solemnly Swear that in pursuance
of a contract with J. M. Edmunds
Commissioner of the General Land Office
of the United State bearing date the
14th Day of August 1866 and in
Strict Conformity with the Laws of the
United States and the instructions
furnished by the said Commissioner
of the General Land Office.
I have faithfully surveyed the
Subdivision and Meander lines of that
part of Township number 27.
North of the Base line of Range
number nine East the Sixth
principal Meridian imbraced in
the Winnebago Reservation in the State
Of Nebraska. and I do farther
Solemnly swear that the foregoing are
the true and orignial Field Notes of
such survey

Theodore H. Barrett
Surveyor

Subscribed by the said Theodore H Barrett
Surveyor - and sworn to before me
a Justice of the Peace for Whiteside County
in the State of Illinois
this 10th day of September 1867

R. S Morgan
J. P.

Department of the Interior
General Land Office
October 22 1867

The foregoing field notes of the survey of Fractional Township 27 North Range 9 East in the State of Nebraska. executed by Theodore H. Barrett under his Contract of the 14th day of August 1866 - in the Month of May 1867 - having been critically examined - the necessary corrections and explanations Made. the said Field Notes and the Survey they describe are hereby approved

Jos S Wilson
Commissioner

Department of the Interior
General Land Office
Washington D.C.
August 21. 1871

I Certify that the foregoing transcript of field notes of survey has been correctly copied from the original notes on file in this Office

Willis Drummond
Commissioner

9
403

compared
and
corrected

T 24 - R 10
4 - 2

1010

464

T. 24. N. R. 10. E. 6th P. M.

Field Notes of the Survey
of the
Omaha Indian Reservation.

Township 24 North

Range 10 East

Of the 6th Principal
Meridian

Nebraska Territory

404 - 433

Subdivision of Sections pages 433 - 468

X/2

1/405

Township 24 North Range 10 East

Field notes of the subdivision lines and meanders of the Missouri River in Township 24 N. R. 10 E. of the 6th Principal Meridian. in the State of Nebraska by T. H. Barnett. Surveyor. under his contract bearing date the 14th day of August 1866.

Survey Commenced April 17th 1867
And
Completed May 20th 1867

List of Names

A list of the names of the individuals employed to assist in surveying. marking or Measuring the lines and Corners discribed in the following Field notes.

Henry H. Gilbert	Compassman
William J. Allison	do
Richard Cook	Do
Orville Smith	Chainman
George Fox	Do
Philander Wright	Do
Homer T. Dale	do
George Patterson	do
James Kennedy	do
James Shobe	Do
John Rupe	Do
Andrew Armstrong	Flagman
Henry C Williams	Mound Builder
Hart Wilhelm Bekke	do
Joseph F Fluent	do
Willie Trainer	Axeman
Conrad Scheffer	Do

of 6th Principal Meridian

chains	
	Before subdividing that portion of Township 24 N. Range 10 East unpraced within the Reservation. I retraced with the Solar Compass the South and East boundaries of Section 36 as follows.
	East on Blank line along the South Boundary of Section 36
	Variation (by Solar Compass) 13° 15' East
79.78	To a point 128 links South of the South East corner of T. 24 N. R. 10 E.
	North on the East Boundary of Section 36. Variation (by needle) 12° East
1.00	Intersect right bank of Missouri River.
	Begin at the point on the South Boundary of the Omaha Reservation where the Section line North between Sections 35 & 36. intersects said boundary. the same being a point 56.40 chains North of the South west corner of Section 36. and run.
	North between Fractional Sections 35 and 36.
	Variation 12° East
5.30	Wood creek runs East (six links wide)
23.60	Set post in mound with four pits for corner to sections 25, 26, 35, and 36, & deposited charcoal at the corner a Stone 6 x 3 x 4 inches as a witness
	This line enters a field of improved land just north of Wood creek, bearing of field N 30° W.
	Surface nearly level Soil 1st rate

3
407

Township 24 North Range 10 East

East between Sections 36 & 25 = true line
Variation 13° East

140 Right Bank of Missouri River at
which point I set post for meander
Corner from which
A Cottonwood 8 in diameter bears
S 5° E. 50 Links
A Cottonwood 4 in dia bears N 57° W. 48 lks

North between Sections 25 and 26
Variation 12° East

160 Right Bank of Missouri River.
Set post for meander corner from
which
A Cottonwood 5 in dia bears N 47° W. 55 Links
A Cottonwood 8 in dia, bears S 30° W 54 lks

Begin at the point on the South
boundary of the Omaha Reservation
where the Section line between Sections
34 and 35 intersects said Boundary -
the same being a post in Mound
with a Stone in Center of Mound -
59.11 Chains North of the South
west Corner of Section 35 and run
North between Fractional
Sections 34 and 35
Variation 12° East

20.29 Set post and built Mound with four
pits for Corner to Sections 26, 27.
34 and 35
Rolling prairie - Second rate soil

East on a random line between Sections
26 and 35 -
Variation 13° 15' East

19.80 Brook 4 links wide runs North West
and empties into Wood Creek

of the 6th Principal Meridian

Chains	
20.00	Temporary 1/16 Section corner
24.00	A Ravine one chain wide bears South
40.00	Temporary 1/4 Section Corner
50.00	Enter Wood creek bottom bears N. W. & S. E.
60.00	Temporary 1/16 Section Corner
61.00	Wood Creek 8 links wide runs S. E.
66.00	Road bears South
70.00	Enter improved field bears N.W. & S.E.
80.05	Intersect the N & S. line 75 links South of the corner to Sections 25, 26, 35, & 36, from which corner I run South 89°. 28' West on a true line between Sections 26 27 and 35 34
	Variation 13° 15 East
20.01	Post in mound with four pits and Charcoal for 1/16 Section corner
40.02	Post in Mound with four pits for 1/4 Sec. corner
60.03	Set post in Mound dug four pits & deposited Charcoal for 1/16 Section corner
80.05	The corner to Sections 26, 27, 34, and 35. Rolling prairie and creek bottom 1st and 2d rate soil
	April 17th 1867

North between Sections 26 and 27.

Variation 12° East

20.00	Post in Mound four pits and Charcoal for 1/16 Sec. Cor.
27.10	Wood Creek 8 links wide runs East banks 100 links wide
40.00	Set a post in Mound with four pits and deposited Charcoal for 1/4 Section Corner
35.00	Road bears S 65° E. and N 65° W.
60.00	Set a post in mound dug four pits and deposited Charcoal for 1/16 Section Corner
80.00	Set a post in Mound dug four pits and deposited Charcoal for Corner to Sections 22, 23, 26, and 27. Hilly 2d rate prairie. Narrow belt of 1st rate land near Wood Creek

5
4709

Township 24 North Range 10

chains	East on a true line between Fractional Sections 23 and 26. Variation 13° 30' East
20.00	Set a post in Mound dug four pits and deposited Charcoal for 1/16 Section corner
29.40	A Broken ash 8 inches in diameter and 5 feet high on the right Bank of Missouri River for meander corner from which. A Bur oak 10 in dia bears S 44° E. 45 lks dist A Bur oak 10 in dia bears N 25° W. 25 lks distant The Bank of the Missouri is here 60 feet high Land Rolling 2d rate

North between Sections 22 and 23 Variation 12° East

20.00	Set post built Mound dug four pits and deposited Charcoal for 1/16 Section Corner At same point Commence descending Bluff leading to the
22.00	Missouri River Bottom bears S, E, & N, W.
40.00	Set post sand Mound dug four pits and deposited Charcoal to Mark 1/4 Section Corner
60.00	Set post in Mound dug four pits and deposited coal for 1/16 Section Corner

April 18th 1867

Remark

The water in the Missouri River having risen to such a heighth as to overflow the low bottom. I was here compelled to suspend the survey of this portion of the Townships until the water had subsided. The ~~meander~~ remainder of this line was surveyed and established. May 15th

70.00	Marsh,-Water, one to three feet deep bears S W. & N E;
80.00	Corner to Sections 14, 15, 22, and 23. in Slough. Water deep No corner can be established.

East of the 6th Principal Meridian

Chains

South end of the line. rolling prairie
North 3/4 Missouri River bottom and 2d
bottom. which is, in places. low and
wet and covered with Willows, Soil 1st
and 2d Rate

X

East on a true line between sections 14
and 23.

Variation 13°. 30' East

4.00 Leave Slough bears N.E. and S.W.

20.00 Set a post for 1/16 Section Corner from which
A. Cottonwood 5 in dia bears S 68° W. 34 lks dist
" " 4 " " " N 5° E. 39 " "

40.00 Set a post for 1/4 Section corner from which
A Cottonwood 19 in. dia. bears S 80° E. 150 links dist
No other tree near

55.50 Enter scattering timber N.W. and S.E.

56.00 Enter Marsh bears N.W. and S.E.

60.00 Set a post for 1/16 Section Corner from which
An Elm 10 in. dia bears S 60° W. 5 links dist
" " 5 " " " S 88° E. 250 " "

64.00 Leave Marsh bears N.W. and S.E.

80.00 Set a post for Corner to Sections 13, 14,
23 and 24 from which
A Box Elder 8 in dia bears S 52° E. 35 links
" " " 10 " " " S 32° W. 45 "
" " " 14 " " " N 38° W. 148 "
" " " 10 " " " N 22° E. 100 "
Low wet bottom Land. East end
covered with scattering timber

May 15th 1867

From the Corner to Sections 13, 14, 23, and
24. I run

South on a true line between
Sections 23 and 24 (fractional)

Variation 12° East

14.00 Leave timber. bearing N.E. and S.W.
At same place enter Sandy bottom covered
with Willows

7/411

Township 24 North. Range 10 East

Chains	
20.00	Post in Mound with pits for 1/16 Section Corner
21.36	Intersect right bank of Missouri river and set stake for meander corner. No permanent Corner can be established here on account of the sand and the overflow of the river bottom.
	Land wooded and sandy 1st & 3rd rate soil

East between sections 13 and 24. True line Variation 13° 30' East

14.00	Enter heavy timber principally Cottonwood N.W. & S.E.
20.00	Set a post for 1/16 Section Corner from which
	A Cottonwood 28 in. dia. bears S 73° W. 123 links
	" " 28 " " " N 72 W. 148 "
35.00	Leave heavy timber bears N.E. and S.W.
40.00	Set a post for 1/4 Section Corner from which
	A Cottonwood 10 in. dia bears N 38 1/4° W. 340 links
	No other tree convenient
60.00	Set a post for 1/16 Section Corner from which
	A Cottonwood 8 in dia. bears S 81 1/2° W 77 links
	" " 6 " " " N 67° W. 58 "
80.00	Set post on Township line for corner to Sections 13 and 24. Range 10 E. and 18 and 19. Range 11. E. from which
	A Cottonwood 6 in dia bears S 62° W. 100 links
	" " 6 " " " N 29° E. 66 "
	" " 6 " " " N 48° W. 63 "
	" " 5 " " " S 43 1/2 E. 78 "

The west 35 chains of this line is bottom partly covered with a heavy growth of Cottonwood, The remainder is sand covered with Willows and Cottonwoods. Soil of the west part of the line is good. East part nearly worthless

East

of the 6th Principal Meridian

8/412 10/414

Chains From the Corner to Sections 13. 14. 23.
and 24. I run
North between Sections 13 and 14.
Variation 12° East

5.00 Enter meadow bearing N.E. and N.W.
20.00 Set a post raised mound dug pits and
Appointed Charcoal for Corner to 1/16 Section Corner
28.00 Leave meadow and enter heavy Cottonwood
timber, bearing S.E. and S.W. This meadow
is nearly round. the line crossing it
about the Middle
40.00 Set a post for 1/4 Section Corner from which
A Box Alder 5 in Dia, bears S 32° E. 67 links
" " " 10 " " bears N 31° W. 58 "
55.00 Leave heavy timber and enter Muddy Slough
two feet deep - bearing E. & W.
60.00 Set a post for 1/16 Section Corner from which
A Willow 4 in. Dia, bears N. 8° E. 145 links distant
" " 4 " " " N 2° W. 173 " "
70.00 Leave Slough and enter dry land N.W. & S.E.
77.00 Intersect right Bank of Missouri River
and set post for Meander corner from
which
A Cottonwood 10 in Dia bears S 23° E. 233 links
" " 5 " " " S 42° W. 46 "
Level Bottom Land. Sloughs and
Meadows. Timber with undergrowth
of vines, brush. hops &c.
Soil 1st rate in places, in others
so wet as to be worthless
May 17th 1867.

From the Corner to Sections 14 15, 22 and
23. I run
North between sections 14 & 15.
Variation 13° 30' East

2.50 Leave Slough bearing N.E. & S.W.
20.00 Set a post for 1/16 Section Corner from which
A Cottonwood 36 in Dia bears S 61° E. 38 links
" " 36 " " " N 72° W 51 links

9/413

Township 24 North Range 10 East

Chains	
40.00	Set a post in Mound dug pits and deposited Charcoal for 1/4 Section Corner
60.00	Set a post in Mound dug four pits and deposited Charcoal for 1/16 Section Corner
80.00	Set a post in Mound dug four pits and deposited Charcoal for corner to Sections 10, 11, 14, and 15; Level Bottom with a few scattering Cottonwoods on the south quarter. The North 3/4 is covered with thick Willow brush. Soil 1st rate but subject to overflow of the Missouri River

East on a true line between Sections 11 and 14

Variation 13° 30' East

20.00	Set a post in Mound dug four pits and deposited Charcoal for 1/16 Section Corner
40.00	Set a post in Mound dug four pits and deposited Charcoal for 1/4 Section Corner
45.00	Enter Young Cottonwood grove with Willow underbrush bearing N & S.
60.00	Set a post for 1/16 Section Corner from which a Cottonwood 8 in dia bears S 41° W. 94 links A Willow 6 in dia. bears N 77° W. 68 "
73.50	Intersect the right Bank of the Missouri River and Set a post for meander Corner from which A Cottonwood 12 in dia bears N 72 W. 66 links " " 6 " " " S 19° E. 125 " Level Bottom subject to overflow of the Missouri River. Clear open land and groves of thin Cottonwood with Undergrowth of Willow Soil first rate

Of the 6th Principal Meridian

Chains	
	North between Sections 10 and 11.
	Variation 13° 30' East
20.00	Post in mound pits and charcoal for 1/16 Section Corner
37.00	Enter small field, bearing S.E.
38.25	Leave same field bearing N.E. The line just cuts off the corner of the field which is 5 to 10 chains wide and 16 chains long. being mostly east of the line
40.00	Post. mound. pits and charcoal for 1/4 Section Corner
57.60	Enter small field bearing E and W.
54.50	Leave field bearing East and west. This field extends about 1 chain east and four chains west of the line.
55.00	Enter scattering timber bearing irregular
60.00	Set a post for 1/16 Section Corner from which A Box Alder 10 in dia bears N 25° W. 24 links " " " 8 " " " S 41 E. 42 "
62.40	Enter slough - extends Parallel to the River
64.80	Leave Slough and enter willow swamp - very muddy with quick sands in places
80.00	Point for corner to Sections 2. 3, 10, & 11, There being no bearing trees. here, no permanent corner can be established therefore at 61.00 I established a Witness Corner for Section Corner from which A Cottonwood 12 in dia bears S 68° W. 35 lks " " 40 " " " " S 33½ E. 113 " South 3/4 Level bottom land - North 1/4 quick sands and mud grown up with Willows Worthless

East on true line between fractional Sections 2 and 11

Variation 13° 30' East

5.65	Right bank of Missouri River. Set a post for meander corner. No permanent corner can be established here Willow swamp and quick sands. Worthless

11
415

Township 24 North Range 10 East

Chains	North between Sections 2 and 3. Variation 13° 30' East
8.50	Intersect right bank of Missouri River and set post for meander corner. No permanent corner can be established here Willow swamp. Mud and quick sands Soil Worthless. May 16th 1867
+	Begin at the point on the South Boundary of the Omaha Reservation where the Section line between Section 33 and 34. intersects the said boundary - the same being a Stone, post and mound. 63.13 Chains north of the South East corner of Section 33. and run North between fractional Sections 33 and 34 Variation 12° East
16.87	Set a post in mound dug four pits and deposited charcoal for corner to Sections 27, 28. 33. and 34. Rolling prairie. 2d rate soil
	East on a random line between Sections 27 and 34 Variation 12° 45' East
20.00	Set a post for temporary 1/16 Section Corner
40.00	Set a post for temporary 1/4 Section Corner
60.00	Set post for Temporary 1/16 Section Corner
80.19	Intersect N & S. line 91 links South of the corner to Sections 26, 27, 34, and 35 from which corner 9 run South 89° 21' West on a true line between Sections 27. and 34 Variation 12° 45' East
20.05	Post. Mound. four pits. and Charcoal for 1/16 Section Corner
40.10	Post in Mound. four pits and deposited charcoal for 1/4 Section Corner
60.15	Post in mound dug four pits and deposited Charcoal for 1/16 Section Corner
80.19	The corner to Sections 27, 28, 33, & 34. Rolling Prairie 1st and 2d Rate soil

of the 6th Principal Meridian

Mains North between sections 27 and 28.
Variation 12° East

20.00 Post in mound dug four pits and deposited Charcoal for 1/16 Section Corner

40.00 Post in mound four pits and deposited Charcoal for 1/4 Section Corner

45.00 Wood Creek 5 links wide runs East

60.00 Post in Mound dug four pits and deposited Charcoal for 1/16 Section Corner

80.00 Set a post in Mound dug four pits and deposited Charcoal for Corner to Sections 21, 22, 27, and 28,
Rolling Prairie Soil 2d rate

East on a random line between Sections 22 and 27. Variation 13° 30' East

20.00 Set Temporary 1/16 Section Corner

40.00 Temporary 1/4 Section Corner post

60.00 Temporary 1/16 Section Corner

79.60 Intersect North and South line seventy two links. South of the corner to Sections 22. 23. 26 and 27. from which Corner I run
South 89° 29' West on a True line between Sections 22 and 27.
Variation 13° 30' East

19.90 Post in Mound with four pits and Charcoal for 1/16 Section ~~Section~~ Corner

39.80 Set post in Mound dug four pits and deposited Charcoal for 1/4 Section Corner

59.70 Set post in Mound dug four pits and deposited Charcoal for 1/16 th Section Corner

79.60 The Corner to Sections 21, 22, 27, and 28,
Rolling prairie 2 rate Soil

North between Sections 21 and 22
Variation 12° East

20.00 Set a post in Mound dug four pits and deposited Charcoal for 1/16 Section Corner

40.00 Set a post in Mound dug four pits and deposited Charcoal for 1/4 Section Corner

13.
417

Township 24 North Range 10 East

Chains

60,00 Set a post for 1/16 Section corner from which
A Bur Oak 6 in dia bears N 19° W. 14 1/2 links
70 00 Enter timber & brush bearing E and west
80,00 Set a post for corner to Sections 15, 16, 21, & 22,
from which
An Elm 12 in dia bears N 50° W. 16 links
A Cottonwood 15 in dia. bears S 10° W. 70 links
" " 15 " " " S 67° E. 63 "
" " 27 " " " N 32° E. 58 "
South three quarters high rolling prairie
North one fourth very rough and hilly and
covered with brush and thin timber
Soil 2d and 3d rate

April 19th 1867

East on a random line between Sections
15 and 22 Variation 13° 30' East
10,00 Leave timber bearing N and S. at same
place enter brush
20,00 temporary 1/16 Section corner leave brush
also, and enter prairie, or bottom at
foot of Bluff
39,00 Enter small field
40,00 temporary 1/4 Section corner
41,00 Leave field and enter dry marsh
bearing N E, and S W.
60,00 temporary 1/16 Section corner
76,00 Enter deep slough bearing N E, and S W.
80,10 Intersect N & S, one 10 links South of the
corner to sections 14, 15, 22 and 23. from
which corner 2 run
South 89° 56' West on a true line between
Sections 15 and 22,

Variation 13° 30' East

20,02 Set a post in mound dug four pits and
deposited charcoal for 1/16 Section Corner
40,05 Set a post built mound dug four pits and
deposited charcoal for 1/4 Section corner
60,07 Set a post built mound dug four pits and
deposited charcoal for 1/16 Section Corner

of the 6th Principal Meridian

chains	
80.10	The corner to Sections 15, 16, 21, and 22 West 1/4 high and rough. covered with timber and brush. 2d 1/4 good prairie between the high bluff and low bottom. East half on the Missouri River bottom. Covered with Willows and subject to innundation.

Remark

The West end of this line was surveyed April 19th but owing to the innundation of the bottom lands the East end was not completed until May 16th after the resumption of the work. All the remaining East lines in this tier of Sections were also established after the work had been resumed.
But in order that they survey of the West half of the Township might be completed, temporary lines were run between sections 15 and 16. 9 & 10. and 4 and 5. closing on the Parallel.

North between Sections 15 and 16
Variation 13° East

3.00	leave timber bearing East and West
20.00	Set post raised mound dug four pits and deposited charcoal for 1/16 Sec. Cor.
40.00 60.00	Set a post raised mound dug four pits Set a post in mound with pits and charcoal for 1/16 Section Corner and deposited Charcoal for 1/4 Section Corner
76.00	Enter timber bearing East and West
80.00	Set a post for corner to Sections 9, 10, 15, and 16. from which

An Oak 8 in Dia bears S 73° W. 101 links
" " 6 " " " S 15° E. 68 links
" " 15 " " " N. 72° E. 97 links
South 3/4 bald hills + 3d rate soil
North end covered with brush and thin timber

15
419

Township 24 North Range 10 East

Chains	
	East on a random line between Sections 10 and 15
	Variation 13° 30' East
15.00	Leave timber. bearing N. & S.
20.00	Temporary 1/16 Section Corner
33.00	Bluff 40 feet high - very abrupt bearing N. & S.
40.00	Temporary 1/4 Section corner
60.00	Temporary 1/16 Section corner
80.90	Intersect N & S line 37 links South of the Corner to Sections 10, 11, 14, and 15, from which Corner I run
	South 89° 44 West on a true line between Sections 10 and 15
	Variation 13° 30' East
20.22	Post in mound four pits and charcoal for 1/16 Section Corner
40.45	Post, mound, four pits and charcoal for 1/4 Section corner
60.67	Post, Mound, four pits and charcoal for 1/16 Section Corner
80.90	The corner to Sections 9, 10, 15 and 16, West half of line hilly and rough, Soil 3rd rate. East half bottom Land not subject to inundation
	North between Sections 9 and 10 -
	Variation 13° East
20.00	Set a post for 1/16 Section corner from which
	A Lind 10 in Dia bears N 87° W. 33 links
	An Elm 8 in Dia bears S 89° E. 50 links
40.00	Set a post for 1/4 Section Corner from which
	A Lind. 7 in Dia bears N 59° W 33 links
	An Oak 6 " " " N 68° E. 35 lks distant
60.00	Set a post for 1/16 Section Corner from which
	An Oak 10 inches in Dia bears N 58° W 150 links
	" " 18 " " " " N 64° E 281 "
80.00	Set a post for corner to Sections 3, 4, 9, and 10 from which
	An Elm 7 inches in Dia bears N. 9° W. 49 links distant
	" " 12 " " " " N 45° E 40 " "

East

of the 6th Principal Meridian

Chains An Elm 14 in dia bears S 59° E. 80 links dist
" " 14 " " " S 38° W. 69 " "
Surface hilly and broken covered with timber. Oak Linden Elm and poplar with undergrowth of hazel and prickly ash

East on a random line between sections 3 and 10 . Variation 13° 30' East

8.00 Leave timber bearing N and S.
20.00 Set post for temporary 1/16 Section corner
40.00 Set post for temporary 1/4 Section corner
55.30 Enter deep slough. bearing N.W. & S.E.
59.50 Leave same and enter Willow swamp Same bearing.
60.00 Point for temporary 1/16 Section corner
80.52 Intersect N. & S. line at the corner to sections 2, 3, 10, and 11, from which corner I run West on a true line between Sections 3 and 10

Variation 13° 30' East

20.13 Point for 1/16 Section corner in Willow swamp
26.52 Set a post for witness corner to 1/16 Section corner from which
A Cottonwood 14 in dia bears S 39° E. 36 links distant
" " 26 " " " N 87° W. 132 " "
40.26 Set a post for 1/4 Section corner from which
An Elm 36 in dia bears S 10° W. 290 lks distant
No Tree North of line
60.39 Set a post in mound dug four pits and deposited Charcoal for 1/16 Section corner
80.52 The corner to Section 3, 4, 9, and 10.
West end of line timbered. after leaving timber the line crosses good bottom land until it reaches the Slough and Willow swamps which is worthless.
The timber at the west end of line is Oak. Lind. Elm &c

May 19th 1867

17
4 21

Township 24 North Range 10 East

Chains	North between Sections 3 and 4. on True line Variation 13° East
20.00	Set a post for 1/16 Section Corner from which A ~~Burr~~ Oak 14 in dia bears S 28° W. 54 links A Bur Oak 11 in dia bears N 70° E. 20 links
40.00	Set a post for 1/4 Section Corner from which An Elm 30 in dia. bears N 46° W. 12 links An Elm 20 in dia. bears S 30° 30' E. 112 links
57.00	To Deep water.
	Remarks
	Compelled to suspend the survey of this line until May 19th on account of high water in Missouri River
60.00	Set post for 1/16 Section Corner and for Witness Corner to closing Corner to Sections 3 and 4 from which An Elm 27 in. dia bears S 77° W. 38 links A Cottonwood 26 in dia bears S 10° E. 74 lks
77.42	Intersect Sixth Standard Parallel 4.16 chains West of the Corner to Sections 33 and 34. T. 25 N. R. 10 E. – No permanent corner can be established here. South end of the line good Land. North of 57 chains Worthless

---

Begin at the point on the South boundary of the Omaha Reservation where the Section line between Sections 32 and 33. intersects the same, and runs North between Fractional Sections 32 and 33. Variation 12° 30' East

13.50	Set a post in Mound and dig four pits for Corner to Sections 28. 29. 32 and 33. Rolling prairie 2d rate Soil

---

+	East on random line between Sections 28 and 33. Variation 13° 30' East
20.00	Set Post for temporary 1/16 Section Corner
40.00	Set Post for temporary 1/4 Section Corner
60.00	Set Post for temporary 1/16 Section Corner

Of the 6th Principal Meridian

Chains	
80.08	Intersect N & S line 92 links South of the corner to Sections 27. 28. 33. and 34. from which corner 2 run South 89° 20' West on a true line between Sections 28 and 33.
	Variation 13° 30' East
20.02	Post in mound and four pits for 1/16 Sec. Corner
40.04	Post in mound & four pits for 1/4 Section Corner
60.06	Post in mound & four pits for 1/16 Section Corner
80.08	The corner to Sections 28, 29, 32, and 33.
	Rolling prairie 2d rate Soil

Map. This

North between Sections 28 and 29
Variation 12° 30' East

20.00	Post in mound with four pits for 1/16 Section Corner
40.00	Post in mound with four pits for 1/4 Section Corner
60.00	Post in mound with four pits for 1/16 Section Corner
80.00	Post in mound with four pits for corner to Sections 20, 21, 28, and 29,
	Rolling prairie 2d rate Soil

East on random line between Sections 21 and 28. Variation 13° 40' East

20.00	Post for temporary 1/16 Section Corner
40.00	Post for temporary 1/4 Section Corner
49.00	Intersect Wood creek 6 links wide runs South East
60.00	Post for temporary 1/16 Section Corner
80.90	Intersect N & S, line 77. links South of the Corner to Sections 21, 22, 27, & 28, from which Corner I run South 89° 27' West on true line between Sections 21 and 28.
	Variation 13° 40' East
20.22	Post Mound and four pits for 1/16 Sec. Corner
40.45	Post Mound & four pits for 1/4 Section Corner
60.67	Post, Mound, and four pits for 1/16 Section Corner
80.90	The Corner to Sections 20, 21, 28, and 29, Rolling Prairie and Creek bottom 1st and 2d Rate Soil

Map

19
4 N 3

Township 24 North Range 10 East

Chains	
	North between Sections 20 and 21 Variation 12° East
20.00	Post in Mound with four pits for 1/16 Section Corner
31.00	Wood Creek four links wide runs East
40.00	Post in Mound with four pits for 1/4 Section Corner
60.00	Post in Mound with four pits for 1/16 Section Corner
80.00	Post in Mound with four pits for corner to Sections 16, 17, 20 and 21. Hilly Prairie - 2d rate Soil
	East on random line between Sections 16 and 21 Variation 13° 30' East
20.00	Post for temporary 1/16 Section Corner
40.00	Temporary 1/4 Section Corner
60.00	Temporary 1/16 Section Corner
70.00	Enter poor timber Mostly Scrub Oak bears N. & S.
80.93	Intersect N. & S. line 75 links South of the Corner to sections 15, 16, 21, & 22, from which Corner I run South 89° 28' West on true line between sections 16 and 21. Variation 13° 30' East
20.24	Post, Mound & four pits for 1/16 Section Corner
40.48	Post, Mound. & four pits for 1/4 Section Corner
60.72	Post. Mound. & four pits for 1/16 Section Corner
80.95	The Corner to Sections 16, 17, 20, and 21, Hilly Prairie and poor timber 2d-rate Soil April 20th 1867
	North between Sections 16 and 17. Variation 13° East
20.00	Post. Mound. & four pits for 1/16 Section corner
40.00	Post. Mound. & four pits for 1/4 Section Corner
60.00	Post. Mound. & four pits for 1/16 Section corner
80.00	Post. Mound. four pits for corner to Sections 9, 8, 16, and 17, Rolling Prairie - 2d rate.

of the 6th Principal Meridian

chains	
	East on Random line between Sections 9 & 16.
	Variation 13° 30' East
20.00	Set Post for temporary 1/16 Section corner
40.00	Set Post for temporary 1/4 Section corner
60.00	Set Post for temporary 1/16 Section corner
80.80	Intersect N & S. line 70 links South of Corner to sections 9, 10, 15, and 16, from which Corner 2 runs
	South 89° 30' West on a true line between Sections 9 and 16.
	Variation 13° 30' East
20.20	Set a post for 1/16 Section Corner from which A Linden 8 in dia bears S 62° E 39 links dist.
	" " 6 " " " " N 31° E 38 " .
40.40	Set Post in Mound with four pits and deposited Charcoal for 1/4 Section Corner
60.60	Post in Mound with four pits and Charcoal for 1/16 Section Corner
80.80	The Corner to sections 8, 9, 16, and 17. Rolling prairie 2d rate soil Timber near the East end of the line
	North between sections 8 and 9
	Variation 12° 30' East
20.00	Post in Mound, four pits depositing Charcoal for 1/16 Section Corner
40.00	Post, Mound, four pits and Charcoal for 1/4 Section Corner
60.00	Post. Mound. four pits and Charcoal for 1/16 Section Corner
80.00	Post, Mound, four pits and Charcoal for Corner to Sections 4, 5, 8, and 9, Rolling prairie 2d rate soil
	East on random line between Sections 4 and 9. Variation 13° East
20.00	Set post for temporary 1/16 Section Corner
40.00	Point for temporary 1/4 Section Corner
60.00	Point for temporary 1/16 Section Corner
62.00	Enter timber. bearing North and South

Township 24 North Range 10 East

Chains	
76.00	A Steep Bluff about 100 feet high
80.56	Intersect N and South line 27. links north of the corner to Sections 3, 4, 9, and 10. from which corner I run North 89° 48' West on a true line between Sections 4 and 9 Variation 13° East
20.14	Set Post in Mound dug four pits and deposited Charcoal for 1/16 Section Corner
40.28	Set post in Mound dug four pits and deposited Charcoal for 1/4 Section Corner
60.42	Set post in Mound dug four pits and deposited Charcoal for 1/16 Section Corner
80.56	The corner to Sections 4, 5, 8, and 9. West 3/4 high rolling prairie. Soil 2d rate East 1/4 hills & bluffs covered with timber

North between sections 4 and 5
Variation 12° 30' East

20.00	Post in Mound with four pits and Charcoal for 1/16 Section Corner
40.00	Post in Mound with four pits and Charcoal for 1/4 Section Corner
60.00	Post in Mound with four pits and Charcoal for 1/16 Section Corner
77.35	Intersect Sixth Standard Parallel 5.08 chains West of the Standard corner to Sections 32 and 33. T. 25. N. R. 10. E. And at the point of intersection. Set a post in Mound with four pits and deposited Charcoal for the Corner to Sections 4 and 5. Township 24 North Range 10. East

Rolling Prairie 2d rate soil
April 22d 1867.

of the 6th Principal Meridian

Chains	Begin at the point on the South Boundary of the Omaha Reservation where the Section line between Sections 31 and 32. intersects the same. and run
	North between Sections (Fractional) 31 and 32. Variation 14° 25' East
4.90	Set a post in mound with four pits for Corner to Sections 29. 30. 31. and 32,
	Rolling prairie 2d rate soil
	East between Sections 29. & 32. on random line
	Variation 13°, East
20.00	Set a post for temporary 1/16 Section Corner
40.00	Set a post for temporary 1/4 Section Corner
60.00	Set a post for temporary 1/16 Section Corner
80.20	Intersect N. & S. line 70 links South of the Corner to Sections 28. 29. 32 and 33. from which Corner I run
	S 89° 30' West on a true line between Sections 29 and 32.
	Variation 13° East
20.05	Post in Mound with four pits for 1/16 Sec. Corner
40.10	Post in Mound with four pits for 1/4 Section Corner
60.15	Post in Mound with four pits for 1/16 Section Corner,
80.20	The Corner to Sections 29, 30, 31, and 32,
	Rolling Prairie 2d rate soil
	West random line between sections 30 and 31.
	Variation 13° East
20.00	Set Post for temporary 1/16 Section Corner
40.00	Set post for temporary 1/4 Section Corner
60.00	Set post for temporary 1/16 Section Corner
75.38	Intersect Township line 25 links North of the corner to Sections 30 31 25, and 36, Ranges 9 & 10 — from which Corner I run

Township 24 North Range 10 East

Chains	North 89° 49 East on true line between Sections 30 and 31 — Variation 13° East
15.38	Set a post in mound with four pits for 1/16 Section corner
35.38	Set a post in mound with four pits for 1/4 Section corner
55.38	Set a post in mound with four pits for 1/16 Section Corner
75.38	The corner to Sections 29. 30. 31. & 32. Rolling Prairie 2d Rate soil

North between Sections 29 and 30 — Variation 13° East

20.00	Post in mound with four pits for 1/16 Section Corner
40.00	Post in mound with four pits for 1/4 Section corner
60.00	Post in mound with four pits for 1/16 Section Corner
80.64	Intersect N. & S. line 72 Links South of the Corner to Sections 20, 21, 28, and 29, from which Corner I run S 89° 29' West on true line between Sections 20 and 29. Variation 13° 30' East
20.16	Post in Mound & four pits for 1/16 Section Corner
40.32	Post in Mound & four pits for 1/4 Sections Corner
60.48	Post. Mound & four pits for 1/16 Section corner
80.64	The Corner to Sections 19, 20, 29 and 30, Rolling prairie 2d rate soil

East on random line between Sections 29 and 20 — Variation 13° 30 East

20.00	Post for temporary 1/16 Section Corner
40.00	Post for temporary 1/4 Section Corner
60.00	Post for temporary 1/16 Section Corner
80 64	Intersect N. & S. line 72 Links South of the Corner to Sections 20, 21, 28, and 29, from which Corner I run S 89° 29' West on true line between Sections 20 and 29. Variation 13° 30' East
20.16	Post in Mound & four pits for 1/16 Section Corner
40.32	Post in Mound & four pits for 1/4 Sections Corner
60.48	Post. Mound & four pits for 1/16 Section corner
80.64	The Corner to Sections 19, 20, 29 and 30, Rolling prairie 2d rate soil

of the 6th Principal Meridian

chains	West on random line between sections 19 and 30. Variation 13° East
20.00	Post for temporary 1/16 Section Corner
40.00	Post for temporary 1/4 Section Corner
60.00	Post for temporary 1/16 Section corner
73.22	Intersect West line of the Township at the Corner to sections 19, 30, Range 10 East and 24 + 25. Range 9 E. from which Corner 2 ans
	East on a true line between Sections 19 and 30. Variation 13° East
13.22	Post Mound and four pits for 1/16 Section Corner
33.22	Post Mound and four pits for 1/4 Section Corner
53.22	Post Mound and four pits for 1/16 Section Corner
73.22	The Corner to Sections 19, 20, 29, and 30. Rolling prairie 2d rate soil
	North between Sections 19 and 20 — Variation 13° East
20.00	Post Mound and four pits for 1/16 Section Corner
40.00	Post, Mound and four pits for 1/4 Section Corner
60.00	Post, Mound and four pits for 1/16 Sections Corner
80.00	Post, Mound and four pits for Corner to Sections 17, 18, 19, and 20, Rolling Prairie 2d rate soil.
	East on random line between Sections 17 and 20. Variation 12° 45' East
20.00	Post for temporary 1/16 Section Corner
40.00	Post for Temporary 1/4 Section Corner
60.00	Post for temporary 1/16 Section Corner
80.80	Intersect A and B. line 20 links South of the Corner to Sections 16, 17, 20, and 21,

25
479

Township 24 North Range 10. East

Chains	from which Corner I run South 89° 52' West on a true line between Sections 17 and 20 Variation 12° 45' East.
20.20	Post, Mound and four pits for 1/16 Section Corner
40.40	Post, Mound and four pits for 1/4 Section Corner
60.60	Post Mound and four pits for 1/16 Section Corner
80.80	The Corner to Sections 17. 18. 19. & 20. Rolling prairie 2d rate soil.

West on a random line between sections 18 and 19.
Variation 12° 45' East

20.00	Post for temporary 1/16 Section Corner
40.00	Post for temporary 1/4 Section Corner
60.00	Post for temporary 1/16 Section Corner
73.50	Intersect N and S. line (Range line) 35 links North of the corner to Sections 18. and 19. Township 24 North Range 10 East and 13 and 24. Range 9 East from which Corner I run North 89° 45' East on a true line between Sections 18 and 19 Variation 12° 45' East
13.50	Post Mound and four pits for 1/16 Sec Cor.
33.50	Post Mound and four pits for 1/4 Section Corner
53.50	Post Mound and four pits for 1/16 Section Corner
73.50	The Corner to Sections 17, 18, 19, and 20, Rolling prairie 2d rate soil

North between Sections 17. and 18.
Variation 12° 30' East

20.00	Post. Mound and four pits for 1/16 Section Corner
40.00	Post in Mound and four pits for 1/4 Section Corner
60.00	Post. Mound and four pits for 1/16 Section Corner
80.00	Post. Mound and four pits for Corner to Sections

of the 6th Principal Meridian

Chains	7. 8. 17. and 18.
	Rolling prairie 2d rate soil
	April 22d 1867
	East on a random line between Sections 8 and 17.
	Variation 13°. 30. East
20.00	Post for temporary 1/16 Section Corner
40.00	Post for temporary 1/4 Section Corner
60.00	Post for temporary 1/16 Section Corner
79.88	Intersect A. & B. line 95 links South of the Corner to Sections 8, 9, 16, and 17. from which corner I run
	S 89°. 19' West on a true line between Sections 8 and 17
	Variation 13°. 30' East
19.97	Post in mound four pits and Charcoal for 1/16 Section Corner
39.94	Post in mound four pits and Charcoal for 1/4 Section Corner
59.91	Post in mound. four pits and Charcoal for 1/16 Section Corner
79.88	The Corner to Sections 7, 8. 17, and 18, Rolling Prairie 2d rate soil
	West on random line between Sections 7 and 18
	Variation 13°. East
20.00	Post for temporary 1/16 Section Corner
40.00	Post for temporary 1/4 Section Corner
60.00	Post for temporary 1/16 Section corner
71.50	Blackbird Creek runs N. W.
74.00	Intersect A and B. line 75 links North of the true Corner to sections 18. 7. 13 & 13. No Post at the above Corner. — but Witness Corner a few links West of true Corner which is in the Creek Channel
	From this Corner I run North 89°. 26' East on a true line between Sections 7 and 18.
	Variation 13°. East

Township 24 North Range 10 East

chains	
14.00	Post in mound. with Pits and charcoal for 1/16 Section Corner
34.00	Post in mound with Pits and charcoal for 1/4 Section Corner
54.00	Post in mound. four pits and charcoal for 1/16 Section Corner
74.00	The corner to Sections 7, 8, 17, and 18, Rolling Prairie 2d rate soil

North between Sections 7 and 8
Variation 12° 30' East

20.00	Post in mound. four pits and charcoal for corner to 1/16 Section
40.00	Post in mound with four pits and charcoal for 1/4 Section Corner
60.00	Post in mound. with four pits and charcoal for 1/16 Section Corner
80.00	Post in mound with four pits and charcoal for corner to Sections 5. 6. 7 and 8. Rolling prairie 2d rate soil

East on random line between Sections 5 and 8.
Variation 13° 30' East.

20.00	Post for temporary 1/16 Section Corner
40.00	Post for temporary 1/4 Section Corner
60.00	Post for temporary 1/16 Section Corner
80.44	Intersect A. & S. line 73 links South of the corner to Sections 4, 5, 8, and 9. from which corner I run South 89° 29' West on a true line between Sections 5 and 8.

Variation 13° 30' East

20.11	Post in mound with four pits ~~fixed~~ charcoal for 1/16 Section Corner
40.22	Post in mound. with four pits and charcoal for 1/4 Section Corner;

of the 6th Principal Meridian

Chains	
60.33	Post in mound with four pits and charcoal for 1/16 Section Corner
80.44	The corner to Sections 5, 6, 7, and 8. Rolling prairie 2d rate soil April 23rd 1867
	West on a random line between Sections 6 and 7.
	Variation 12° 30' East
20.00	Post for temporary 1/16 Section corner
40.00	Post for temporary 1/4 Section corner
48.25	Right Bank of Blackbird creek, about 75 feet high — Creek 15 links wide course N.W. Very winding
60.00	Post for temporary 1/16 Section corner
74.60	N. and S. line 76 links North of corner to Sections 6&7, 1&12. Ranges 9&10. East from which corner Pecan North 89° 30' East on a True line between Sections 6 and 7.
	Variation 12° 30' East
14.60	Post in Mound, with four pits and charcoal for 1/16 Section corner
34.60	Post in Mound with four pits and charcoal for 1/4 Section corner
54.60	Post in Mound, with four pits and charcoal for 1/16 Section corner
74.60	The corner to Sections 5, 6, 7, and 8. Rolling prairie 2d rate soil
	North between Sections 5 and 6
	Variation 12° 30' East
20.00	Post in Mound, four pits and charcoal for 1/16 Section corner
40.00	Post. Mound. four pits and charcoal for 1/4 Section corner
60.00	Post in Mound with four pits and charcoal for 1/16 Section corner

29
4 3 3

Township 24 North Range 10 East

Chains

79.70 Intersect Sixth Standard Parellel 5.72 chains West of the standard Corner to sections 31 and 32. Township 25 N. R. 10 East. Set post in mound with pits for closing corner to Sections 5 and 6.

Rolling prairie 2d rate Soil

April 24th 1867

Subdivision of Fractional Section 35

Begin at the point on the South Boundary of the Omaha Reservation where the Quarter Section line running North through Section 35 intersects said boundary - the same being a post in mound and run

North on 1/4 Section line through Fractional Section 35

Variation 12° East

21.94 Intersect North boundary of Section 35 at the 1/4 Section Corner

Rolling prairie second rate.

X

Subdivision of Fractional Section 26

North on the quarter Section line through Section 26. Variation 12° East

18.75 Wood creek 8 links wide running S. E.

20.00 Set a post for 1/16 Section Corner from which

A Cottonwood 20 in dia bears S 78 W. 200 links

" " 16 in " " S 43 20' W. 170 "

40.00 Post in mound with four pits and charcoal for 1/4 Section Corner

60.00 Post in mound with four pits and charcoal for 1/16 Section Corner.

of the 6th Principal Meridian

chains	
69.60	Set a post on right bank of Missouri River for meander corner from which A Cottonwood 8 in dia bears S 29° E. 120 links A Cottonwood 8 in dia bears N 25° W. 160 " Rolling prairie; Second rate soil. At point of intersection with Missouri River the Bluff is steep and 100 feet high April 18th 1867.

East on a true quarter Section line through Section 26.

Variation 13° 48' East

20.00	Set post in mound with four pits and Charcoal for 1/16 Section Corner
40.00	Intersect N. & S. 1/4 Section line at 1/4 Section Corner
60.00	Post in mound with four pits and Charcoal for 1/16 Section Corner
61.50	Meander corner on right bank of Missouri river - Post, from which A Cottonwood 15 ins in dia bears S 23° W. 150 lks No other tree convenient to Mark Rolling prairie Second rate

Subdivision of Section 23.

Begin at the 1/4 Section Corner on the North side of the Section and run

South on 1/4 Section line through Section 23. Variation 12° East

14.00	Leave timber, bearing E and W. at same place enter low swamps and mud bottom covered with Willows
20.00	1/16 Section Corner. Set post and built mound, but owing to the character of the ground it can not remain permanent

3.1
435

Township 24 North Range 10 East

chains

26.75 Intersect Right bank of Missouri River and set post for meander corner. Owing to the frequent overflowing of the water no permanent corner can be established.
Low level bottom subject to inundation

East on the quarter Section line through Section 23.
Variation 13° 30' East

20.00 Post in Mound for 1/16 Section corner
23.94 Intersect right bank of Missouri river and Set post for Meander corner
No permanent corner can be established near the river here
Low and level bottom; subject to inundation. Slough near the river
May 13th 1867.

Subdivision of Section 24.

South on the 1/4 Section line through Section 24 (begining at 1/4 Post on North Boundary
Variation 12° East

19.65 Intersect right bank of the Missouri River and Set post for meander corner. A Mound with pits was also built but it cannot remain. No permanent corner can be established here.

Subdivision of Section 13.

North on the quarter section line ~~between~~ through Section 13.
Variation 12° East

of the 6th Principal Meridian

Chains	
2.50	Enter timber. bearing N.E. and S.W.
20.00	Set a post for 1/16 Section Corner from which
	A Cottonwood 14 ins. in dia bears S 6° E 50 links
	" " 10 " " " " N 22° W. 34 "
40.00	Set post for 1/4 Section Corner from which,
	An Ash 4 inches in dia bears S 81° E. 6 links
	" " 5 " " " " N 17° E. 40 links
60.00	Set a post for 1/16 Section Corner from which
	An Elm 6 in. in dia bears S 56° E. 35 lks
	" " 4 " " " " N 42° W 40 lks
69.75	Intersect righ bank of the Missouri River
	and set post for Meander corner from which
	A Cottonwood 4 in. in dia bears S 28° East - 21 links
	" " 5 " " " " S 28 W. 62 - links
	Level Bottom land. covered with timber
	principally Cottonwood.

East on a true Quarter Section line through Section 13.

Variation 13° 30' East

20.00	Set a post for 1/16 Section Corner from which
	A Cottonwood 20 in. in dia bears N 3° W 14 links
	" " 24 " " " " N 62° E 12 lks
40.00	Intersect North & South 1/4 Section line at
	1/4 Section Corner
60.00	Set a post for 1/16 Section Corner from which
	A Cottonwood 30 inches in dia bears N 62 W. 55 lks
	" " 30 " " " " S 62 W. 59 lks
61.00	Leave heavy timber. bearing N. & S.
80.00	Intersect east side of the Section at the
	Quarter Section Corner.

West 3/4 Covered with Cottonwood timber - East 1/4 Sand

May 17th 1867

33
437

Township 24 North Range 10 East

chains	
	Subdivision of Section 14
	North on the quarter section line through Section 14.
	Variation 12° 13' East
5.00	Enter Marsh bearing East and West
13.00	Leave Marsh. Same bearing.
	A few trees on North side of Marsh
20.00	Set a post in Mound with four pits and Charcoal for 1/16 Section Corner
40.00	Set a post in Mound dug four pits and deposited Charcoal for 1/4 Section corner
60.00	Set a post for 1/16 Section Corner from which A Cottonwood 14 inches in dia bears N. 9° W. 380 lks
80.00	Intersect North side of the Section at the quarter Section corner.
	Level bottom. Soil 1st rate
	East on a random quarter Section line through Section 14.
	Variation 13° 30' East
20.00	Temporary 1/16 Section Corner
40.06	Intersect N. & S. 1/4 Section ~~Corner~~ line
60.00	Temporary 1/16 Section Corner
75.00	Enter timber bearing N.W. & S.W.
80.12	Intersect East side of the Section 22 links South of 1/4 Section Corner from which Corner I run
	South 89° 30' West on a true quarter Section line through Section 14.
	Variation 13° 30' East
20.03	Set a post for 1/16 Section Corner from which An Elm 10 in. in dia bears S. 86° E. 188 links A Cottonwood 36 in. in dia bears N. 58° E. 258 lks
40.06	Intersect N. & S. 1/4 Section line at 1/4 corner
60.09	Post in Mound. with four pits and Charcoal for 1/16 Section Corner
80.12	Intersect West line of Section at the 1/4 Section Corner
	Level bottom subject to inundations First rate soil

of the 6th Principal Meridian

Chains	Subdivisions of Section 11
	North on the 1/4 Section line through Section 11
	Variation 13° 30' East
19.00	Set post for witness corner to 1/4 Section from which
	A Cottonwood 7 in in dia bears N 43½ W 62 lks
	" " 4 in " " " N 34½ E. 26 "
19.10	Enter deep Slough
20.00	true 1/16 Section corner in Slough
22.50	Leave Slough and enter willows
34.00	Intersect right bank of Missouri River and Set post for meander corner. No permanent corner can be Established here.
	Bottom land and level covered with small Cottonwood trees and Willows

East on the true quarter Section line through Section 11.

Variation 13° 30' East

12.50	Enter field bearing N.E. & S.W.
17.00	Leave field; 20 acres; this field is irregular in shape
20.00	Set post for 1/16 Section corner from which
	A Cottonwood 36 in in dia bears S 51° W. 370 lks
20.10	Enter willow swamp
30.00	Intersect right bank of Missouri River and Set post for Meander Corner. Nothing more permanent can be established.
	West 20 chains good bottom land.
	remainder worthless

May 16th 1867

Begin at the point where the 1/4 Section line running North through Section 34 intersects the South boundary of the Omaha Reservation and run North through Fractional Section 34. Variation 12° East

35
439

Township 24 North Range 10 East

Chains 18 58	Intersect North side of section at 1/4 Post

Subdivision of Section 27

North through Section 27 on quarter Section line Variation 12° East

20.00 Post in mound. four pits and charcoal for 1/16 Section corner

34.50 Right bank of Wood creek 10 links wide runs S.E.

40.00 Set a post in mound dug four pits and deposited charcoal for 1/4 Section corner

60.00 Set post in mound dug four pits and deposited charcoal for 1/16 Section corner

80.00 Intersect North line of the section at 1/4 Section corner

Second rate. Rolling prairie

East on a random 1/4 Section line through Section 27.

Variation 13° 30' East

20.00 Temporary 1/16 Section corner

24.00 Right bank of Wood Creek runs S.E.

39.85 Intersect N. and S. 1/4 Section line at 1/4 Section corner

60.00 Point for temporary 1/16 Section corner

79.70 Intersect North and South line at 1/4 Section corner on East side of Section 27. from which 1/4 Section corner I run

West on a true 1/4 Sec. line through Section 27.

Variation 13° 30' East

19.93 Post in mound with four pits and charcoal for 1/16 Section corner

39.85 Intersect N. & S. 1/4 Section line at 1/4 Post.

59.78 Post. mound, four pits. & Charcoal for 1/16 Sec. Corner

79.70 The 1/4 Section corner on the west side of Section 27.

Rolling prairie and creek bottom Soil 1st & 2d rate

April 19th 1867

of 6th Principal Meridian

Chains	
	Subdivision of Section 22
	North on the quarter section line through Section 22.
	Variation 12° East
20.00	Post mound. four pits and charcoal for 1/16 Section corner
40.00	Set a post for 1/4 Section corner from which An Oak 12 inches in dia bears N 82° W - 20 lks An Elm 10. " " " " S 32° E - 11 "
60.00	Set a post in mound with four pits and charcoal for 1/16 Section corner
80.00	Intersect East and West line at the 1/4 Section corner Rolling prairie and timber. 2d rate
	East on a random quarter Section line through Section 22.
	Variation 13° 30' East
20.00	Point for temporary 1/16 Section corner
39.92	Intersect N. and S. 1/4 Section line
50.00	Enter Missouri River bottom N. W. & S. E.
60.00	Point for temporary 1/16 Section corner
61.00	Enter slough and low bottom N. & S. E.
71.00	Leave slough and enter low wet land bearing N and S E.
79.85	Intersect N. & S. line 15 links South of the 1/4 Section cr from which corner I run S. 89° 54' W. on a true 1/4 section line through Section 22. Variation 13° 30' East
19.96	Set a post for 1/16 Section corner from which A Bur Oak 18 inches in dia bears N 19½° W. 121 links " " " 24 " " " " S 54½° E. 137 lks
39.93	Intersect N. & S. line (1/4 Sec Line) at 1/4 Section corner
59.89	Post in mound with four pits and charcoal for 1/16 Section corner
79.85	Intersect the west boundary of the Section at the 1/4 Section corner High rolling Prairie. Missouri River bottom. 1st and 2d rate soil

37
441

Township 24 North Range 10 East

chains	Subdivision of Section 15
	North on the 1/4 Section line through Section 15
	Variation 13° 39' East
10.00	Leave small field under cultivation. this field contains about 20 acres.
20.00	Post in Mound with four pits and charcoal for 1/16 Section corner
40.00	Post in Mound with four pits and charcoal for 1/4 Section corner
60.00	Post in Mound with four pits and charcoal for 1/16 Section Corner
80.00	Intersect the North side of the Section at the quarter section corner 2d Bottom. surface nearly level Soil 1st rate
	East on a sand on quarter Section line through Section 15
	Variation 13° 30' East
20.00	Point for temporary 1/16 Section Corner
24.00	Steep Bluff. about 75 feet high bearing N 15° W
40.25	Intersect N. & S. 1/4 Section line
60.00	Point for temporary 1/16 Section corner
80.50	Intersect the East line of the Section 22 lks North of the quarter Section corner from which corner I run
	N 89° 51' West on the 1/4 Section line through Section 15 Variation 13° 30' East
20.12	Post in mound with pits and Charcoal for 1/16 Sec. Cor.
40.25	Intersect North & South 1/4 Sec line at 1/4 Sec. Post
60.37	Post in mound with four pits and charcoal for 1/16 Section corner
80.50	The corner to 1/4 Section on west side of Section 15
	West end of line. hills and Bluffs. remainder nearly level. 1st and 2d rate soil

of the 6th Principal Meridian

chains	
	Subdivision of Section 10
	North on the quarter Section line through Section 10.
	Variation 13° 30' East
20.00	Post in mound with four pits and Charcoal for 1/16 Section Corner
40.00	Post in mound with four pits and Charcoal for 1/4 Section corner
54.30	Enter field bearing N.E. and S.W.
60.00	Set a post for 1/16 Section corner from which A Cottonwood 32 inches in dia bears N 16½° E 102 lks
60.30	Leave small field S.E. & S.W.
80.00	Intersect East and west line at the 1/4 Section Corner between Sections 3 & 10. Level bottom. 1st rate soil. A few cottonwood trees near the line

East on a random quarter Section line through Section 10

Variation 13° 30' East

10.50	Timber becomes thin and scattering
16.00	Leave high rolling prairie & descend bluffs to Missouri river bottom N. & S.
20.00	Point for temporary 1/16 Section corner
40.35	Intersect N. & S. 1/4 Section line
60.00	Point for temporary 1/16 Section corner
80.71	Intersect the East side of Section 10 45 links South of the 1/4 Section corner, from which quarter Section corner I run.

S 89° 41' West on a true 1/4 Section line through Section 10.

Variation 13° 30' East

20.18	Post in mound with four pits and coal for 1/16 Section corner
40.36	Intersect N. & S. 1/4 Section line at the 1/4 Section corner
60.54	Set post for quarter Section corner from which A Lynn 14 inches in dia bears N 20° W. 23 links An Oak 12 " " " " S 75° E. 27 "

39
443

Township 24 North Range 10 East

Chains	
80.71	Intersect the west side of the Section at the the 1/4 Section corner. West end of line rough and hilly East 3/4 good bottom land May 19th 1867

Subdivision of Section 3.

North on the quarter section line through Section 3.
Variation 13° 30' East

15.50	Enter deep slough bearing N.W. and S.E.
18.50	Leave slough and enter Willow brush bearing N.W. & S.E.
20.00	Post in mound with four pits and Charcoal for 1/16 Section corner
40.00	Set post for 1/4 Section corner. Because of the character of the soil nothing more permanent can be established
54.30	Right bank of the Missouri river. Set a post for meander corner. No permanent corner can be established. South of Slough Good Land North of Slough worthless

East on a true 1/4 Section line through Section 3. Variation 13° 30' East

18.50	Enter deep slough bearing N.W. and S.E. and at same place set Post for Witness Corner to 1/16 Section Corner from which

A Willow 4 inches in dia bears S 51½° E. = 88 links
" " 8 " " " " N 19° 30' W. = 84 "

20.00	True 1/16 Section Corner in Slough
20.70	Leave slough bearing N.W. & S.E.
40.00	Intersect N. & S. 1/4 Section line
51.40	Right Bank of Missouri River set post for Meander Corner. Nothing more permanent can be established.

of 6th Principal Meridian

Chains	
	West of slough 1st rate bottom
	East of slough. Willows and quicksand
	May 20th 1867

Subdivision of Fractional Section 33.

	Begin at a point on the South boundary of the Omaha Reservation where the 1/4 Section line running North through Section 33 intersects the same and run
	North on 1/4 Section line through Section 33.
	Variation 12° 13' East
15.18	Intersect noth side of section 33 at the 1/4 Section corner

Subdivision of Section 28

	North on the quarter Section line through Section 28.
	Variation 12° 20' East
20.00	Post in mound with four pits for 1/16 Sec corner
40.00	Post in mound. & four pits for 1/4 Section corner
60.00	Post in mound & four pits for 1/16 Section corner
80.00	The 1/4 Section corner on North side of the Section
	Land hilly - 2d rate soil

	East on a random quarter section line throug Section 28
	Variation 13° 40' East
20.00	Temporary 1/16 Section corner
40.25	N & S. 1/4 Section line
60.00	Temporary 1/16 Section corner
80.49	Intersect East side of Section 92 links South of the 1/4 Section corner from which 1/4 Section corner I run

Township 24 North Range 10 East

chains	South 89° 21 West on a true quarter section line through section 28. Variation 13° 40' East
20.12	Post in Mound & four pits for 1/16 Sec. corner
40.25	Intersect N. & S. 1/4 Section line at 1/4 Section Corner
60.37	Post in Mound and four pits for 1/16 Section Corner
80.49	The 1/4 Section Corner on the West side of the Section Surface hilly. Soil 2d rate

Subdivision of Section 21

North on the 1/4 Section line through Section 21 Variation 12° 5' East

7.00	Wood creek runs South East
20.00	Post in Mound & four pits for 1/16 Section Corner
40.00	Post in Mound & four pits for 1/4 Section Corner
60.00	Post in Mound & four pits for 1/16 Section Corner
80.00	The 1/4 Sec Corner on North side of Section Rolling Surface Soil 2d rate

East on a random quarter section line through Section 21 Variation 13° 45' East

20.00	Post for temporary 1/16 Section Corner
40.46	N. & S. 1/4 Section line
60.00	Temporary 1/16 Section Corner
80.92	Intersect N. & S. line 43 links South of the 1/4 Section Corner on East side of the Section. from which Quarter Section Corner I run South 89° 42' West on a true quarter section line through Section 21 Variation 13° 45' East

of the 6th Principal Meridian

Chains	
20.23	Post in mound & four pits for 1/16 Section corner
40.46	N. & S. line at 1/4 Section corner
60.69	Post mound & four pits for 1/16 Section corner
80.92	1/4 Section corner on west side of the Section

Hilly surface Soil 2d rate

April 22d 1867.

Subdivision of Section 16.

North on the quarter section line through Section 16

Variation 12° 50' East

20.00	Post in Mound with four pits and charcoal for 1/16 Section corner
40.00	Post in Mound with four pits and charcoal for 1/4 Section corner
60.00	Post in Mound with four pits and charcoal for 1/16 Section corner
80.00	Intersected the North side of the section at the quarter section corner

High rolling prairie 2d rate

East on random line through Sections 16. Variation 13° 30' East

20.00	Temporary 1/16 Section corner
40.44	Intersect N. & S. 1/4 Section line
60.00	Temporary 1/16 Section corner
80.88	Intersect East side of the Section 70 links South of the 1/4 Section corner from which 1/4 Section Corner I run

S 89° 30' West on a true quarter section line through Section 16.

Variation 13° 30' East

20.22	Set a post for 1/16 Section corner from which An Oak 5 inches in dia bears S 32° E. 115 links
	" " 6 " " " " N 82° W. 102 links
40.44	Intersect N. & S. 1/4 Section line at the 1/4 Section corner
60.66	Post. Mound four pits and charcoal for 1/16 Section corner
80.88	The 1/4 Section corner on the west side of the Section

Hilly Rolling Prairie 2d rate — April 23rd 1867.

43
447

Township 24 North Range 10 East

	Chains	Subdivisions of Section 9.
		North on the quarter Section line through Section 9
		Variation 12° 55' East
	20.00	Post in mound with four pits and charcoal for 1/16 Section Corner.
	20.40	Road bearing S 25° E. & 25° W.
	40.00	Post in mound with four pits and charcoal for 1/4 Section Corner
	60.00	Set post in mound dug four pits and deposited charcoal for 1/16 Section Corner
	80.00	Intersect the North side of the section at the 1/4 Section corner
		Rolling prairie 2d rate
		East on a random quarter section line through Section 9.
		Variation 13° East
	20.00	Point for temporary 1/16 Section Corner
	8.00	Road bearing N.W. & S.E.
	40.34	Intersect North & South quarter Section line
	54.50	Enter timber bearing N. & S.
	60.00	Point for temporary 1/16 Section Corner
	80.68	Intersect the East boundary of the Section 58 links South of the corner to 1/4 Section between Sections 9 & 10. from which 1/4 Section Corner 9 runs
		S 89° 35' W. on a true 1/4 Section line through Section 9
		Variation 13° East
	20.17	Set a post for 1/16 Section Corner from which An Oak 16 in. in dia bears S 73½° W. 62 lks
		" " 14 " " " " N 6½° W. 251 "
	40.34	Intersect N. & S. 1/4 Section line at 1/4 Section Corner. Centre of Section
	60.51	Post in mound with four pits and charcoal for 1/16 Section Corner
	80.68	The corner to 1/4 Section on West side Section 9
		Prairie, and hills covered with timber 2d rate soil

of the 6th Principal Meridian

chains Subdivision of Section 4

North on the quarter Section line
through Section 4
Variation 13 East

20.00 Set a post in mound with four pits
And Charcoal for 1/16 Section corner
26.00 Road bearing E. and W.
34.00 Enter timber bearing N 45° W.
40.00 Set a post for 1/4 Section corner from which
An Oak 12 inches in dia bears N. 73° W. 5 lks dist
" " 10 " " " " S 53½° E. 54 " "
60.00 Set a post for 1/16 Section corner from which
a Bur Oak 15 inches in dia bears S 18½° E 246 links
A tree South or West for Bearing trees
77.38 Intersect Sixth Standard Parallel 35.38
Chains East of corner to sections 32 & 33
Township 25 North Range 10 East
Set post from which
A Bur Oak 15 inches in dia bears N 4° W. 279 links
" " " 11 " " " " S 27° E. 144 "

East on a true 1/4 Sec. line through Section 4
Variation 13° 30' East

2.0.18 Post in mound with four pits and
Charcoal for 1/16 Section corner
31.00 Enter timber bearing N. W. and S. E.
40.37 Intersect N & S 1/4 Section line
60.55 Set a post in mound for 1/16 Sec corner
from which
An Ironwood 7 in in dia bears S 58° E. 8 links
" " 6 " " " " N 22½° W. 40 lks
80.74 Intersect East line of the Section at
the 1/4 Section corner
Surface rough and hilly.
West end prairie
East end timber

May 15th 1867

Subdivision of Fractional Section 32

45
449

Township 24 North Range 10 East

	Chains	Begin at the Point on the South Boundary of the Omaha Reservation where the 1/4 Section line running North through Section 32 intersects said Boundary the same being a post in Mound and run North on quarter section line through fractional Section 32 Variation 13° East
11.70		Intersect North side of the Section at the Quarter Section Corner Hilly prairie 2d rate

Subdivision of Section 29

North on the quarter section line through Section 29
Variation 12° 45' East

20.00	Post mound and four pits for 1/16 Sec Corner
40.00	Post in Mound and four pits for 1/4 Section Corner
60.00	Post in Mound and four pits for 1/16 Section Corner
80.00	Intersect the North side of the Section at the 1/4 Section Corner Land hilly 2d rate

East on a random quarter Section line through Section 29
Variation 13° 30' East

20.00	Post for temporary 1/16 Section Corner
40.21	Intersect North and South 1/4 Section line
60.00	Temporary 1/16 Section Corner
80.42	Intersect N & South line 5 links South of the 1/4 Section Corner on the East side of the Section from which quarter Section Corner I run South 89°. 58' West on a true quarter Section line through Section 29 Variation 13° 30' East
20.00	Post in mound with four pits for 1/16 Section Corner

of the 6th Principal Meridian

chains	
40.21	Intersect N. & S. 1/4 Section line at 1/4 Sec Corner
60 31	Post in Mound with four pits for 1/16 Section Corner
80.42	The 1/4 Section Corner on West side of the Section
	Land hilly 2d rate

Subdivision of Section 20

North on the quarter Section line through Section 20

Variation 12° 18' East

20.00	Post in Mound and four pits for 1/16 Section Corner
40.00	Post in Mound and four pits for 1/4 Section Corner
60.00	Post in Mound and four pits for 1/16 Section Corner
80.00	The 1/4 Section Corner on North side of the Section
	Land rolling. Second rate

East on a random line (1/4 Section) through Section 20

Variation 13° 45' East

20.00	Temporary 1/16 Section Corner
40.36	Intersect N. & S. 1/4 Section line
60.00	Temporary 1/16 Section Corner
80.72	Intersect the East side of the Section 75 links South of the quarter Section Corner from which quarter Section Corner I run

~~South 89° 28' West on a true quarter Section line through Section 20.~~

~~Variation 13° 45' East~~

20.18	~~Post in mound & four pits and charcoal for 1/16 Section corner~~
40.36	~~Intersect N. & S. Quarter Section line at the quarter Section corner~~
60.00	~~Temporary 1/16 Section corner~~
80.72	~~Intersect the East side of the Section 75 Links South of the quarter Section Corner from which quarter Section Corner I run~~

Duplicate. See Corner of Sec on following page.

47
451

Township 24 North. Range 10 East

chains South 89° 28' West on a true quarter Section line through Section 20.
Variation 13° 45' East

20.18 Post in mound with four pits and charcoal for 1/16 Section corner

40.36 Intersect N. & S. quarter Section line at the quarter section corner

60.54 Set Post in mound dug four pits and deposited charcoal for 1/16 Section corner

80.72 The 1/4 Section corner on the West side of the Section
Surface rolling, soil second rate

Subdivision of Section 17

North on the quarter Section line through Section 17
Variation 12° 42' East

20.00 Post in mound with four pits and charcoal for 1/16 Section corner

40.00 Post in mound with four pits and charcoal for 1/4 Section corner

60.00 Post in mound with four pits and charcoal for 1/16 Section corner

80.00 The quarter Section on the North side of the Section
Surface hilly. 2d rate soil

East on a random quarter section line through Section 17
Variation 13° 40' East

20.00 Temporary 1/16 Section corner

40.17 Intersect N. & S. 1/4 Section line

60.00 Temporary 1/16 Section corner

80.34 Intersect the East side of the Section 74 links South of the 1/4 Section corner from which quarter Section corner I run
South 89° 29' West on a true quarter Section line through Section 17.
Variation 13° 40' East

of the 6th Principal Meridian

Chains	
20.08	Post in mound with four pits for 1/16 Sec. corner
40.17	Intersect N. & S. 1/4 Sec line at 1/4 Section corner
60.25	Post in mound with four pits for 1/16 Section corner
80.34	The 1/4 Section corner on the west side of the Section
	Surface hilly prairie 2d rate

Subdivision of Section 8.

North on the quarter Section line through Section 8

Variation 12° 30' East

20.00	Post in mound and four pits for 1/16 Sec corner
40.00	Post in mound and four pits for 1/4 Section corner
60.00	Post in mound and four pits for 1/16 Sec corner
80.00	The 1/4 Section corner on the North side of the Section
	Rolling prairie 2d rate soil

East on a random quarter section line through Section 8

Variation 13° 30' East

20.00	Temporary 1/16 Section corner
40.08	Intersect N. & S. quarter Section line
60.00	Temporary 1/16 Section corner
X 80.16	Intersect the East side of the Section 70 links South of the 1/4 post from which 1/4 Section post I run
	South 89° 30' West on a true quarter Section line through Section 8

Variation 13° 30' East

20.04	Post in mound and four pits for 1/16 Section Corner
40.08	Intersect N. & S. 1/4 Section line at the 1/4 Section Corner
60.12	Post mound and four pits for 1/16 Section corner
80.16	The 1/4 Section corner on the west side of the Sections
	Rolling prairie. Soil 2d rate

April 23d 1867.

49
453.

Township 24 North Range 10 East

Chains Subdivision of Section 5th

North on the quarter Section line through Section 5

Variation 12° 30' East

20.00 Post in mound, four pits and charcoal for 1/16 Sec corner
40.00 Post. mound. four pits & charcoal for 1/4 Sec corner
60.00 Post. mound. four pits & charcoal for 1/16 Section corner
77.90 Intersect Sixth Standard Parellel 34.60 chains East of the corner to Sections 31 and 32 Township 25 North, Range 10 East and at the point of intersection set a post in mound with three pits for closing 1/4 Section corner

Rolling prairie 2d rate

East on a random quarter section line through Section 5

Variation 13° East

20.00 Temporary 1/16 Section Corner
40.27 Intersect N. & S. 1/4 Section line
60.00 Temporary 1/16 Section Corner
80.54 Intersect N. & S. line 90 links South of the 1/4 Section corner on East side of the Section, from which Quarter Section Corner I run

South 89° 22' West on a true quarter section line through Section 5 Variation 13° East

20.14 Post mound and four pits and charcoal for 1/16 Section Corner
40.27 Intersect N. & S. 1/4 Section line at 1/4 Section Corner
60.40 Post. mound and four pits and charcoal for 1/16 Section corner
80.54 The Quarter Section Corner

Rolling prairie
Second Rate Soil

of the 6th Principal Meridian

chains	
	Subdivision of Fractional Section 31.
	Begin at the point where the 1/4 Section line running North through Section 31 intersects the South Boundary of the Omaha Reservation. the same being a post in Mound and run
	North on the Quarter Section line through fractional Section 31
	Variation 12° 45' East
8 55	Intersect the north side of Section 31 at the quarter Section corner
	Rolling prairie. Soil 2d rate
	Subdivision of Section 30
	North on the quarter section line through Section 30
	Variation 13° 8' East
20 00	Post. mound. and four pits for 1/16 Section corner
40 00	Post. Mound and four pits for 1/4 Section corner
60 00	Post. Mound and four pits for 1/16 Section corner
80 00	Intersect North side of the Section. at the 1/4 Section corner
	Rolling Prairie 2d rate soil
	West on a random 1/4 Section line through Section 30
	Variation 12° 50' East
20 00	Temporary 1/16 Section Corner
40 00	Intersect North and South 1/4 Section line
60 00	Temporary 1/16 Section corner
74 20	Intersect the west side of the section 13 links North of the 1/4 Section corner from which quarter Section corner I run North 89° 55' East on a true Quarter Section line through Section 30 -
	Variation 12° 50' East

51
455

Township 24 North Range 10 East

Chains	
14.20	Post in mound four pits and charcoal for 1/16 Section corner
34.20	Intersect N. & S. 1/4 Section line at 1/4 Section corner
54.20	Post. Mound four pits and charcoal for 1/16 Section Corner
74.20	The 1/4 Section Corner on the East side of the Section Rolling prairie Soil second rate

Subdivision of Section 19

North on the Quarter section line through Section 19
Variation 13° East

20.00	Post in mound and four pits for 1/16 Section corner
40.00	Post in Mound and four pits for 1/4 Section corner
60.00	Post in Mound and four pits for 1/16 Section Corner
80.00	The Corner for Quarter section on the North side of the Section Rolling prairie 2d rate

West on a random quarter Section line through Section 19
Variation 12° 45' East

20.00	Post for temporary 1/16 Section Corner
40.00	Intersect N. & S. 1/4 Section line
60.00	Temporary 1/16 Section corner
73.35	Intersect West side of the section 35 links North of the 1/4 Section corner, from which 1/4 Section corner 2 run, North 89° 45', East on a true Quarter Section line through Section 19. Variation 12° 45' East

of the 6th Principal Meridian

Chains	
13,35	Post in mound and four pits for 1/16 Section Corner
33,35	Intersect N. & S. 1/4 Section line at the 1/4 Section Corner
53,35	Post in mound with four pits for 1/16 Section corner
73,35	The corner to quarter section on the East side of Section 19
	Rolling prairie 2d rate

Subdivision of Section 18

North through Section 18 on true quarter Section line
Variation 12° 24' East

20,00	Post in mound and four pits for 1/16 Section Corner
40,00	Post in mound and four pits for 1/4 Section corner
60,00	Post in mound and four pits for 1/16 Section Corner
80,00	The 1/4 Section Corner on the North side of the Section
	Rolling prairie 2d rate

West on a random quarter section line through Section 18
Variation 12° 30' East

20,00	Temporary 1/16 Section corner
40,00	Intersect N. & S. 1/4 Section line
60,00	Temporary 1/16 Section Corner
73,62	Intersect the West side of the Section 93 links North of the 1/4 Section Corner from which 1/4 Section Corner S. run
	North 89° 20' East on a true Quarter Section line through Section 18.
	Variation 12° 30' East

Township 24 North Range 10 East

Chains	
13,62	Post in mound and four pits for 1/16 Section Corner.
33,62	Intersect N. & S. 1/4 Section line at the 1/4 Section Corner
53,62	Post in mound and four pits for 1/16 Section Corner
73,62	The 1/4 Section Corner on the East Side of the Section Rolling Prairi 2d rate soil April 24th 1867

Subdivision of Section 7

North on the quarter section line through Section 7

Variation 12° 25' East

20,00	Post in mound with four pits and Charcoal for 1/16 Section Corner
30,30	A small brook running West, 15 links
40,00	Post in mound with four pits and Charcoal for 1/4 Section Corner
60,00	Post in mound with four pits and Charcoal for 1/16 Section Corner
80,00	Intersect North side of Section at quarter Section Corner Rolling prairie. 2d rate soil

West on a Random quarter section line through Section 7

Variation 13° 30' East

20,00	Point for temporary 1/16 Section Corner
40,00	Intersect N. & S. 1/4 Section line
60,00	Point for temporary 1/16 Section Corner
66,25	Blackbird Creek 10 lks wide runs North
74,48	Intersect the West boundary of the Section at the quarter section corner from which quarter Section Corner I run

of the 6th Principal Meridian

Chains	East on a true quarter section line through Section 7
	Variation 13° 30' East
14.48	Set post for 1/16 Section corner from which
	An Oak 18 inches in dia bears N 10° E. 36 links distant
	" " 6 " " " " S 65° E 30 " "
34.48	Intersect N. & S. 1/4 Section line at the 1/4 Section Corner
54.48	Post in Mound with four pits for 1/16 Section Corner
74.48	The quarter Section line on the East side of the Section
	Rolling prairie. Small grove along Blackbird Creek

Subdivision of Section 6

North through Section 6 on 1/4 Section line

Variation 15° East

20.00	Post in Mound with four pits and charcoal for 1/16 Section corner
40.00	Set a post for 1/4 Section corner from which
	An Elm 15 inches in dia bears S 67° E. 11 links
	" " 24 " " " " S 16° W. 46 links
57.25	Blackbird Creek 10 links wide runs East
60.00	Set post in Mound with four pits for 1/16 Section corner
80.00	Intersect the Sixth Standard Parallel 34.28 chains East of the Standard corner to Sections 31 and 36. Township 25 North Range 9 and 10. East. at Point of intersection set a post in Mound with pits and charcoal for closing corner to 1/4 Section

Rolling Prairie
Good 2d rate Soil

55
459

Township 24 North Range 10 East

Chains	
	West on a random quarter Section line through Section 6. Variation 13° 30' East
20.00	Point for temporary 1/16 Section Corner
40.00	Intersect N. & S. 1/4 Section line
41.00	Blackbird oak 10 links wide runs North
60.00	Point for temporary 1/16 Section Corner
74.82	Intersect the west side of the Section 40 links North of the quarter Section Corner. Stone which Corner I run
	North 89° 42' East on a true quarter Section line through Section 6 — Variation 13° 30' East
14.82	Post in mound with four pits and Charcoal for 1/16 Section Corner
34.82	Intersect N. & S. 1/4 Section line
54.82	Post in mound with four pits and Charcoal for 1/16 Section Corner
74.82	The quarter Section corner on the East side of the Section Rolling Prairie 1st and 2d rate soil April 25th 1867.

Meanders of the right bank of the Missouri River through the Township.

Begin at the point where the Sixth Standard Parellel intersects the river. the same being the Meander corner between Sections 3. T. 24 N. R. 10 E. and 4. T. 25 N. R. 10. E. distant 15.30 chains. East of the Standard corner to Sections 33 and 34. T. 25. N. R. 10 E. And run down the river with the Meanders of the right bank as follows

of the 6th Principal Meridian

Courses	Chains	Remarks
		Meanders in Section 3.
S 41° E	30.86	To the Meander corner on the quarter Section line running through Section 3.
S 39° E	18.30	To the Meander corner at the intersection of the 1/4 Section line running East through Section 3.
S 43° E	42.52	To the Meander corner at the intersection of the Section line running North between Sections 2 and 3
		Meanders in section 2
S 33½° E	10.20	To the Meander corner between fractional Sections 2 and 11
		Meander in Section 11
S 33½° E	16.50	
S 30° E	30.50	To the Meander corner at the intersection with the quarter section line running East through Section 11
S 59½° E	11.70	To the meander corner at the intersection with the quarter section line running North through section 11
S 36½ E	25.00	
S 53° E.	23.20	To the Meander corner between fractional Sections 11 and 14
		Meanders in Section 14
S 65¼ E	7.20	To Meander corner between fractional Sections 13 and 14
		Meanders in Section 13.
S 79¾° E	41.15	To the Meander corner at the intersection with the quarter section line running North through Section 13
N 84¼° E	40.85	To the meander corner on the Range line between Sections 13 and 18. T 24 N. Ranges 10 and 11 East

57
461

Township 24 North Range 10 East of

	chains	The land bordering the river in the foregoing sections, is bottom, low level and subject to inundation.
		In Section 3, 2 and 11 the river is bordered by a low willow swamp, entirely worthless for cultivation.
		In Section 13 and 14. the land is higher and in Section 13. there is considerable good timber near the river
		Meanders of the right bank of the Missouri River continued
		Begin at the meander corner on the Range line between Sections 24 and 19 Ranges 10 and 11. and run down the stream on the right bank as follows
		Remarks
		Meanders in Section 24
S 81° W.	12.40	
Due West	27.70	To the meander corner at the intersection with the quarter section line running South through Section 24
S 85¼ W.	20.10	To the meander corner between fractional Sections 23 and 24. Land along fractional Section 24, Low level & Sandy. River Bank frequently changes.
		Meanders in Section 23.
S 83° W.	40.50	To the meander corner at the intersection with the quarter section line running through Section 23.
S 54 W.	16.50	To
S 37¾ W.	4.50	To the meander corner at the intersection with the ¼ Section line running East through Section 23.

the 6th Principal Meridian

	Chains	Remarks
S 24° W.	22.00	
S 36° E	24.50	To the meander corner between fractional Sections 23 and 26
		Land, along fractional Section 23 Low, intersected by sloughs from the river and subject to inundation.
		near the S.E. corner banks 60 feet high
		Meanders in Section 26.
S 46° E	15.20	To the meander corner at the intersection with the Quarter section line running North through Section 26.
S 36° E	36.50	To the meander corner at the intersection with the Quarter Section line running East through Section 26.
S 20° E.	12.00	
S 15½° E	10.00	
S 35½° E	21.00	S 35½ E To the meander corner between fractional Sections 25 and 26.
		A small brook empties into the river 11 Chains from the meander corner between 25 and 26.
		The river bank through Section 26 is well defined. Land high - bluff along the river
		Meanders in Section 25.
S 41° E	2.10	To the meander corner between fractional Sections 25 and 36.
		Meanders in Section 36.
S 39½° E	30.73	To the meander corner at the South East corner of the Reservation
		Land along Section 36 is high bottom. first rate soil

59
463

Township 24 North Range 10 East of the 6th Principal Meridian.

General Description

This Township is chiefly high rolling prairie with a second rate soil; along Wood Creek and the Blackbird are narrow belts of Sand having a first rate soil.

About 3000 acres bordering the Missouri are rich bottom Lands. a large proportion of which is too wet for cultivation.

In the North East part of the Township. mainly in Sections 3. 4. 9. and 10. there is timber. of moderate growth consisting. principally of oak Linden. Ironwood. Walnut Hickory and Cottonwood.

Section 13 is also timbered with a heavy. growth of Cottonwood and Ash and some other varieties.

The East part of Section 13 and most of fractional Section 24 is low and sandy and subject to frequent inundations - entirely worthless for cultivation.

A Low Willow swamp extends near the river through sections 2. 3. and 11.

In Section 23 the Margin of the river is Muddy and intersected by sloughs almost impassible. The high Land strikes the river near the S.E. Corner of Section 23. extending along the river to the South boundary of the Reservation.

In this Township are several cultivated fields - tilled by Indians and half breeds. Mr Fontenelle has a very good house situated near the S.E. Corner of Section 26.

The road shown on the accompaning diagram. appears to be a new trail subject to change at any time

Townships 24 N. R, 10 E. 6th Principal Meridian

It is not noted except in a few instances,
in the field notes.
Except where there are bearing trees. no
permanent corners can be established,
near the river on the low bottom.
The river itself is changeable. the banks
being washed away in many places
at every flood. Since the Sixth standard
Parellel was first established the river
has changed its banks 19. 50. chains
to the West. the parellel now intersecting
it as seen by the field notes 15. 30 chains
East of the standard corner to Sections
33 and 34.
The amount of charcoal deposited in
the several Mounds is eaqual to a solid
of 1 x 2 x 2. inches

We hereby certify that we assisted
Theodore H. Barrett U.S. Surveyor
in subdividing that part of fractional
Township Number ~~twenty~~ four North of
the base line of Range Number ten
East of the Sixth Principal Meridian
embodied in the Omaha Reservation, and
~~that~~ said Township has been in all
respects, and to the best of our knowledge
and belief. well and faithfully
surveyed, and the Boundary Monuments
planted according ~~to~~ the instructions
furnished by the Commissioner of
the General Land Office.

Henry H. Gilbert	Compassman
William J. Allison	Do
Richard Cronk	Do
Orville Smith	Chainman
George Fox	Do
Philander Wright	Do
Homer T. Dale	Do
George Patterson	Do

61
466

James Kennedy	Chainman
James Shobe	do
John Rupp	do
Andrew Armstrong	Flagman
Henry C Williams	Mound Builder
Karl Wilhelm Behhe	do
Joseph H. Fluent	do
Willie Trainer	Axeman
Conrad Schepper	Axeman

Subscribed and sworn to by the above named persons. before me a Notorary Public for the County of Dunt in the State of Nebraska this 28th Day of June 1867.

Watson Parrish
Notary Public

(SS)

I Theodore H. Barratt Surveyor do solemnly swear that in pursuance of a contract with J. M. Edmunds Commissioner of the General Land Office of the United States, bearing date the 14th Day of August 1866 and in strict Conformity to the Laws of the United States and the instructions furnished by the said Commissioner of the General Land Office. I have faithfully surveyed the subdivision lines and Meanders of Township number twenty four. North of the base line of Range number ten East of the 6th Principal Meridian. in the State of Nebraska. and I do further solemnly swear that the foregoing are the true and original

62
467 469

Field notes of such survey
Theodore H. Barrett
Surveyor

Subscribed by the said Theodore
H. Barrett Surveyor and sworn
to before me a Justice of the Peace
for Whiteside County in the State
of Illinois this 10th day of September
1867.

R. L. Mangan
J. P.

Department of the Interior
General Land Office
October 2d 1867

The foregoing field notes of the
survey of Township 24 N. R. 10
East. Nebraska executed by
Theodore H. Barrett under his
contract with the Commissioner
of the Genral Land Office dated
August 14th 1866. in the Month
of April and May 1867.
having been critically examined
the necessary corrections and
explanations made the said
field notes and the survey they
describe are hereby approved

Jno A. Wilson
Commissioner

63
468

Department of the Interior
General Land Office
Washington D. C.
August 21. 1871

I Certify that the foregoing
transcript of field notes of Survey
has been correctly copied from the
original on file in this Office

Willis Drummond
Commissioner.

Compared and corrected.

Field Notes.

Omaha Indian Reservation.

T. 25. N. R. 10 E.

471–478

Copy title on next page (Henry)

Subdivision of sections pages 478 – 503
Meanders page ~~87~~ 497

Field Notes

of the subdivision lines and meander of the Missouri river and also of a Lake in Fractional Township 25 North of the base line of Range number 10 East the 6th Principal Meridian in the State of Nebraska, by Theodore H. Barrett Surveyor under his contract bearing date August 14th 1866.

Survey commenced May 20th 1867.

and

Completed May 24th 1867

List of Names.

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the following Field Notes of Township number 25 North of the base line of Range number 10 East the 6th Principal Meridian showing the capacities in which they acted.

Henry H. Gilbert.	Compassman
Richard Cronk.	"
William S. Allison.	"
George Fox.	Chainman
Joseph F. Fluent.	"
James Kennedy.	"
Philander Wright.	"
George Pattison.	"
John Rapp.	"
Conrad Scheffer.	Flagman
Andrew Armstrong.	"
Willie Grainer	Axeman
Henry C. Williams	Mound Builder
Carl Wilhelm Bekke.	"

2
474

Omaha Reservation.

Township 25 North Range 10 East 6th Principal Meridian.

Chains.	This township being fractional I begin at the Standard Corner to Sections 33 & 34 & run North between Fractional Sections 33 & 34. Va 13° East.
8.00	Deep slough and enter willows.
22.10	Intersect right bank of the Missouri river and set post for corner to fractional sections 33 and 34 and for meander corner. Nothing more permanent can be established. Low willow swamp intersected by sloughs, subject to frequent inundation.

North between sections 32 and 33.
Va 12° 30' East.

20.00	Set a post for 1/16 Section corner from which A Bur Oak 16 inches in dia bears N 6½° E. 31 lks. A Bur Oak 16 inches in dia bears N 86¼° W 56 lks.
40.00	Set a post for quarter section corner from which A Bur Oak 10 in dia bears N 39¼° E 78 links. A Bur Oak 12 in in dia bears S 59½° W 3 links.
60.00	Set a post for 1/16 Sec corner from which, A Lynn 18 in in dia bears N. 42½° E. 16 lks. A Walnut 16 in in dia bears S 78½° W 43 lks.
70.00	Intersect bank of lake and set post for corner to fractional sections 32 & 33 and for meander corner from which A Cottonwood 10 in in dia bears S 35½° E. 29 lks A Cottonwood 12 in in dia bears S 70° W 24 Links. Hilly, rough, and covered with considerable timber.

Meanders of the Lake in Section 33.
From the meander corner between sections 32 & 33 run around the lake as follows.

Courses	Distances	
S. 64¼° E	13.40	
S. 83¾ E	10.30	
N. 14 E	2.50	
N 23½ W	2.65	
N. 48 W	5.45	
N. 38½ W	5.90	
N. 30 W	4.40	To a point on the line between fractional sections

Township 25 North Range 11 East of 6th Principal Meridian.

Chains | 28 & 33, 11.93 East of the comm to sections 28. 29. 32 and 33 (which being in the lake cannot be established) at which point set spat for meander corner and for comm to fractional sections 28 and 33 from which

A willow 7 inches in dia bears N 40 3/4 E 9 lks.
A willow 8 inches in dia bears S 70 3/4 E 18 lks.
Land around this part of the lake is low and marshy: Willows.

From the meander corner on bank of lake between fractional sections 28 and 33 I run, East between fractional sections 28 and 33.

Va 12° 30' E.

8.07 | Set a spat for 1/16 Sec corner from which

A willow 5 inches in dia bears S 23 1/4 E 14 lks.
A willow 4 inches in dia bears N 28 E 13 lks.

24.55 | Intersect the right bank of the Missouri River and set a spat for meander corner, and corner to fractional sections 28 & 33 from which

A [illegible]w 7 in in dia bears S 76° W 14 lks
A [illegible] in in dia bears N 81° W 61 lks
Low and wet with willows and bushes.

Meanders of the Lake in section 28.

From the meander corner on the East bank of the Lake between fractional sections 33 and 28, run along the lake as follows.

N 26 1/2° W. 11.00 chains, thence
N 1 1/4° W. 5.00 " "
N 87° W. 7.00 " to a point on the section line between sections 28 & 29, 15.30 chains North of the true corner (in Lake) to Sections 28. 29. 32 and 33, at which point I set a spat for meander corner from which

A Cottonwood 6 in. in dia bears N 17 1/2 W. 19 lks
A Cottonwood 8 in. in dia. bears S 5 1/2 E. 28 lks.

From this meander corner I run North between sections 28 and 29.

Va 12° 30' E.

(Distance reckoned from true corner to sections 28. 29. 32 and 33 in the Lake.)

4
475

Omaha Reservation.

Township 25 North Range 10 East of 6th Principal Meridian.

Chains	
15.30	Leave Lake.
20.00	Set post for 1/16 Sec corner from which A Cottonwood 14 in dia bears S 12° E 43 lks. A Cottonwood 10 in dia bears S 52° W. 24 lks.
40.00	Set post for 1/4 Sec corner from which An elm 5 in in dia bears N 2° W 279 lks. No other tree convenient.
45.60	Intersect right bank of Missouri river and set post for meander corner and corner to fractional sections 28 and 29 from which the Elm tree marked for B.T. to the 1/4 Section corner 560 chains South bears S 2° W 281 lks. Low bottom: Grove of cottonwood trees near the lake.

Subdivision of Fractional Section 33.

North on the quarter section line through Fractional Section 33.

Va 12° 45' E.

6.50	A small brook 6 links wide course East.
20.00	Set post in mound with pitts and char- coal for 1/16 section corner.
25.50	Top of bluff 100 feet high.
30.00	Foot of bluff.
40.00	Set post for 1/4 section corner from which A Cottonwood 16 in dia bears S 69 1/2° W. 19 lks A Cottonwood 16 in dia bears N 20° W 29 lks.
60.00	Set a post for 1/16 section corner from which A Cottonwood 10 in dia bears S 17 1/2° W 21 lks A Cottonwood 10 in dia bears S 21 1/2° E. 44 lks.
78.70	Intersect right bank of Missouri river and set post for meander corner and corner to fractional 1/4 sections from which An Elm 12 inches in dia bears S 3° E 58 lks A Willow 4 inches in dia bears S 46° W. 17 lks Surface South end high and rolling— North end—low bottom. Soil 1st & 2d rate.

Omaha Reservation.

Township 25 North Range 10 East the 6th Principal Meridian.

Chains.	
	East on a true quarter section line through fractional sections 33.
	Va 12° 30' East.
18.80	Top of bluff about 100 feet high – bearing N 45° W and S 45° E; begin to descend to Missouri river bottom.
20.00	Set a post for 1/16 Sec. corner from which An Ironwood 6 in in dia bears N 11 3/4 E 24 lks. An Ironwood 6 inches in dia bears S 74 3/4 E 47 lks.
29.50	Foot of bluff – bearing N 45° W & S 45° E: at same place enter slough.
34.30	Leave slough.
40.00	Intersect N and S 1/4 Sec line at the 1/4 Section corner.
47.00	Water course 50 lks wide. N. and S.
60.00	Set a post for 1/16 Sec corner from which An Elm 14 in dia bears N 8 3/4° W, 34 links. An Elm 9 in dia bears S 0 1/2° W. 30 links
70.00	Intersect right bank of the Missouri river and set post for meander corner and corner to. fractional 1/4 sections. Nothing more permanent can be established here, on account of the frequent overflowing of the river and the character of the surface – which is sandy and grown up to willows. West end of this line high and rolling – East end low and level bottom – subject to inundations. Soil 1st and 2d rate.

North between sections 32 and 31
Va 12° 30' East.

20.00	Set post in mound, dug four pits and deposited charcoal for 1/16 Sec corner.
28.00	Road bearing S.E. and N.W.
40.00	Set post in mound dug four pits and deposited charcoal for 1/4 Sec. corner.
60.00	Set a post in mound with four pits and charcoal for 1/16 section corner.
80.00	Set a post in mound, dug four pits and deposited charcoal for corner to sections 29, 30

6
477

Omaha Reservation

Township 25 North Range 10 East the 6th Principal Meridian.

Chains. 31 and 32.
High rolling prairie. 2d rate soil.

The line between sections 29 and 32 will intersect the lake at less than 80 chains. I therefore run,
East on a true line between sections 29 & 32
Va 12° 45' East.

7.00 Enter timber bearing North and South.
11.50 Leave same; same bearing.
20.00 Set post in mound for 1/16 Sec corner, also deposited charcoal and dug pits.
24.00 Enter timber.
40.00 Set a post for 1/4 Section corner, from which
An Oak 9 in in dia bears S 50° E 21 links
An Oak 14 in in dia bears N 50° W. 89 links
54.50 Intersect the banks of the Lake and set a post for meander corner, and for corner to fractional sections 29 and 32, from which
A Willow 6 in in dia bears S 25° E. 6 lks
A Cottonwood 24 in in dia bears N 87° W. 190 lks.
Prairie and timber; Surface hilly.
Soil 2d rate.

Meanders of the Lake in Fracl Section 32.

Begin at the meander corner on the South West side of the Lake at the intersection with the section line between sections 29 and 32, and run through Section 32 as follows.

S 61° E. 7.20 chains, thence
S 69 3/4 E. 21.00 chains, to the meander corner at the intersection of the line between 32 and 33.

Omaha Reservation

Township 25 North Range 10 East the 6th Principal Meridian.

Chains.	West on a random line between sections 30 and 31.
	Va 12° 45' East.
20. 00	Sem/porary 1/16 Section comr.
40. 00	Sem/porary 1/4 Section comr.
42. 50	Field, bearing N. and S.
45. 00	Lane same bearing N and S. Extends 50 links North & about 3 chains South of line.
47. 25	Blackbird Creek, running North — bridge about 2 chains South.
49. 00	Intersect Road bearing N. 60° W.
60. 00	Sem/porary 1/16 Section comr.
80. 52	Intersect Range line 38 links North of the comr to Sections 30 and 31 from which comr I run,
	North 89° 44' East on a true line between sections 30 and 31.
	Va 12° 45' E.
20. 52	Set a /post in mound dug four pits and deposited charcoal for 1/16 Sec. comr.
40. 52	Set a /post in mound dug four pits and deposited charcoal for 1/4 Sec comr.
60. 52	Set a /post for 1/16 Sec comr from which An Oak 10 in in dia bears S 19° E. 133 links An Oak 9 in in dia bears N 35° E 194 links.
80. 52	The comr to sections 29. 30. 31 & 32 High rolling /prairie — 2nd rate soil. Near the creek. Soil 1st rate.

Subdivision of Section 32.

North on the quarter section line through Section 32.

	Va 12° 35' East.
20. 00	Set a /post in mound, dug four pits and deposited charcoal for 1/16 section corner.
40. 00	Set a /post in mound, dug four pits and deposited charcoal for 1/4 section corner.
49. 00	Enter Bur Oak openings N. E. and S. W.
60. 00	Set a /post for 1/16 Section comr from which A Bur Oak 28 in in dia bears S 34° E. 45 lks. A Bur Oak 14 in in dia bears N 2° E. 40 lks.

8/479

Omaha Reservation.

Township 25 North Range 10 East 6th Principal Meridian.

Chains	
80.00	Intersect North side of the section at the quarter section corner. South ½ Rolling prairie: North half mostly oak: Soil 2d rate.

East on a random quarter section line through Section 32.

Va 12° 45' East.

20.00	Temporary 1/16 Section corner.
40.24	Intersect N and S ¼ Section line.
60.00	Temporary 1/16 Section corner.
80.48	Intersect the East side of the Section, 35 links North of the quarter section corner, from which quarter section corner B run.

N 89° 45' W. on a true quarter Section line through Sec. 32.

Va 12° 45' East.

20.12	Set a post for 1/16 Section corner from which A Bur Oak 10 in in dia bears S 45° W. 13 lks. A Bur Oak 12 in in dia bears N 12° W 10 lks.
40.24	Intersect N & S ¼ Section Line at the ¼ Section corner from which A Bur Oak 10 in in dia bears N 19° E. 152 lks A Bur Oak 4 in in dia bears S 56° E 240 lks
60.36	Set a post in mound, dug four pits and deposited charcoal for 1/16 Section corner.
80.48	Intersect the West side of the section at the quarter section corner. Very hilly: West end of Lime prairie: East end Oaks and scattering trees. Soil 2d rate.

Subdivision of Section 31.

North on the quarter section line through Section 31.

Va 12° 45' East.

16.60	Blackbird Creek- running North West.
20.00	Set post for 1/16 Section corner from which A Bur Oak 20 in in dia bears N 29° W. 150 lks. A Black Walnut 10 in dia bears S 45° W. 72 lks.

Township 25 North Range 10 East 6th Principal Meridian.

Chains.	
27.80	Blackbird Creek running N. E.
34.80	Blackbird Creek running N. W.
40.00	Set a post for 1/4 Section corner from which A Bur Oak 10 in in dia bears S 48° E. 368 lks. An other tree convenient to mark.
53.00	Intersect road bearing S. E. and N. W.
60.00	Set a post in mound, dug four pits and deposited charcoal for 1/16 Sec. corner.
80.00	Intersect North line of the section at the quarter section corner. Rolling prairie; A few trees near the Blackbird Creek. Soil 1st and 2d rate.

West on a random quarter section line through Section 31.

Va 12° 45' East.

8.50	Intersect road bearing N. W. and S. E.
20.00	Temporary 1/16 Section corner.
35.50	Road bearing N. W. and S. E.
40.00	Intersect N. & S. line.
54.50	Blackbird Creek running North.
60.00	Temporary 1/16 Section corner.
65.00	Enter grove of timber.
80.42	Intersect Range line 35 lks north of the quarter section corner on the West end of the Section, from which quarter section corner I run, N 89° 45' E. on a true quarter section line through Section 31. Va 12° 45' East.
20.42	Set a post for 1/16 Sec corner from which A Bur Oak 4 in in dia bears N 89° W. 132 links An other convenient to mark.
40.42	Intersect N & S 1/4 Sec line at 1/4 Sec corner.
60.42	Set a post for 1/16 Sec. corner from which A Bur Oak 8 in in dia bears N 25° W. 32 lks. A Bur Oak 8 in in dia bears S 21° E 97 lks.
80.42	The quarter section corner on the East side of the Section. Rolling prairie with a few oak trees near the

10
481

Omaha Reservation.

Township 25 North Range 10 East of 6th Principal Meridian.

Chains	
	Line; small oak grove at the West end. Soil 1st and 2d rate.
	North between sections 29 and 30. Va 12° 30' East.
20.00	Set a post for 1/16 Sec corner from which A Lynn 15 in. in dia bears S 42° W. 23 lks. A Lynn 12 in. in dia bears N 53½° W. 32 lks.
21.90	Intersect bank of lake and set post for meander corner from which A Willow 10 in in dia bears S 15½° E. 10 lks. An Elm 24 in in dia bears S 74° W. 83 lks. For remainder of line between sections 29 & 30 see page 29 of the following notes. (13 in copy)
	Meander of the South West side of the Lake through Section 29. Begin at the meander corner on the South side of the lake between Secs 29 & 30 and run as follows. Va 12° 30' East.
S. 35° E 5.00	
S. 73¼ E 16.00	
S. 67½ E 20.00	
S. 72¼ E 18.70	To the meander corner South of the Lake between sections 29 & 32.
	Begin at the quarter section corner between sections 30 and 31 and run North on the quarter section line through Section 30. Va 12° 45' E.
8.00	Blackbird Creek 20 lks wide North East.
12.00	Blackbird Creek 20 lks wide runs N. W.
20.00	Set a post in mound dug four pits and deposited charcoal for 1/16 section corner.
30.90	Blackbird Creek runs North East.
40.00	Set a post in mound dug four pits and deposited charcoal for 1/16 Sec. corner.
43.00	Blackbird Creek running N. W. 30 links wide.
47.00	Blackbird Creek 35 lks wide runs East.
54.00	North Blackbird Creek 20 links wide runs East.

Omaha Reservation.

Township 25 North Range 10 East 6th Principal Meridian.

Chains.	
60.00	Set a post for 1/16 Section corner from which An Elm 8 in in dia bears N 61° E 132 lks. No other tree near.
80.00	Set a post on the Section line between Secs 19 and 30 for 1/4 Sec. corner, built mound dug four pits and deposited charcoal. Land nearly level bottom. Soil 1st rate.

From the 1/4 Section corner between Sections 19 & 30 I run,

West between sections 19 & 30: True line.

Va 12° 45' East.

20.00	Set a post for 1/16 Section corner from which A Cottonwood 16 in in dia bears S. 3° W. 175 lks. A Cottonwood 12 in in dia bears S 56° E. 362 lks.
35.00	Trail bearing S. W. and N. E.
40.80	Intersect the range line at the corner to Secs. 19 & 30.

From the 1/4 Section corner between sections 19 & 30 I run,

East on a True line between sections 19 & 30.

Va 12° 45' East.

12.50	North Blackbird Creek 30 links wide, course N. E.
20.00	Post in mound with four pits and charcoal for 1/16 Section corner.
31.60	Intersect bank of lake and set post in mound for meander corner. True corner to sections 19. 20. 29 and 30 at 40 chains being in the lake cannot be established

The length of the line between sections 19 and 30 is 80.80 chains, the several parts of which being as follows,

On the lake 8.40	8.40 chains
Between the lake & the 1/4 Sec Cor.	31.60
West of the 1/4 Sec. corner	40.80
Aggregate as above	80.80

East end of the line is on the Missouri river bottom. 1st rate soil improved by the Indians in small patches not worth noting. The West end of the line is in the high rolling prairie.

12
483

Omaha Reservation.

Township 25. North Range 10 East 6th Principal Meridian.

Chains.	From the 1/4 Section corner at the centre of Section 30 I run, West on true 1/4 Section line through Sec. 30. Va 12° 45' East.
20.00	Set post in mound dug from pits and deposited charcoal for 1/16 Sec corner.
24.00	North Blackbird Creek. course N. E.
40.75	Intersect Range line at the 1/4 Section corner between sections 25 and 30.
	From the 1/4 section corner at the centre of Section 30 I run, East on true 1/4 Sec line through section 30. Va 12° 45' E.
6.00	Blackbird creek 30 links wide, course North.
15.00	Blackbird creek 50 links wide, course S. E.
20.00	Set a post for 1/16 Sec corner from which An Elm 36 in in dia bears N 62° W. 150 links An Elm 30 in in dia bears S 51° W. 95 links
24.75	Intersect lake and set post for meander corner and corner to fractional 1/4 section from which, An Elm 20 in in dia bears S. 80 W. 19 links No other tree convenient to mark.

The length of the 1/4 Section line West through Section 30 is 80.75 chains, the several parts of which being as follows,

In the lake	15.25 chains
Between the lake & the centre of this Sec.	24.75 "
West of the centre of Section	40.75
Aggregate as above	80.75

Land nearly level; 1st rate soil.

South of this line in the South West quarter of Section 30, between the two Blackbird Creeks is an Indian village.

Meanders of the lake through Section 30.

Begin at the meander corner between sections 29 and 30 and run through section 30 along the lake as follows,

Va 12° 30' East.

N 41° W	24.00	To the meander corner at the intersection with the quarter Section line running East through Section 30.

Omaha Reservation

Township 25, North Range 10 East of 6th Principal Meridian.

	Chains.	
	N 33° W	4. 00
	N 46° W	9. 40
	N 6° W	11. 50
	N 21° E	14. 40
	N 68° E	13. 00

To the meander corner between sections 19 & 30
Land low and level: 1st rate soil.

Begin at the quarter section corner on the
East side of section 29 and run,
West on a true 1/4 Section line through Sec. 29.
Va 12° 30' E.

20. 00 Set a post for 1/16 Section corner from which
A Cottonwood 14 in. in dia bears N 40° E 16 lks.
A Cottonwood 14 in in dia bears S 76° E 32 lks

40. 00 Set post for 1/4 Section corner from which
A willow 3 in in dia bears N 27° E 21 lks
A willow 3 in in dia bears S 37° E 7 lks

60. 00 1/16 Section post from which
A Cottonwood 18 in. in dia bears N 47½° W 20 lks
A Cottonwood 16 in in dia bears S 36½ W 35 "

68. 90 Intersect lake and set post for meander corner and corner to fractional 1/4 Sec. from which
A Cottonwood 16 in in dia bears N 70½ E 53 lks.
A Cottonwood 10 in in dia bears S 42° E 100 lks.
Low and level; Cottonwood grows near the lake
Soil 1st rate. Undergrowth of weeds and bushes.

From the meander corner on the lake at the
intersection of the quarter section line running
West through section 29, & run along the
lake in Section 29 N 57 3/4° W. 13.13 chains to
a point on the Section line between sections
29 & 30 47.01 chains North of the South West corner
of Section 29; at which point set post for me-
ander corner on the Sec line between sections
29 and 30 from which
A Cottonwood 10 in in dia bears East 55 lks
A Cottonwood 9 in in dia bears N 65° W. 88 lks.
From the meander corner thus established Run,
North between sections 29 and 30,
Va 12° 30' E.

14
485

Omaha Reservation.

Township 25 North Range 10 East 6th Principal Meridian.

	Chains,	
	47.01	Leave Lake.
	60.00	Set spat for 1/16 Sec corner from which A Cottonwood 8 in in dia bears S 37½° E 70 lks. A Cottonwood 10 in in dia bears N 28° W 96 lks.
	71.60	Intersect Lake and set spat for meander corner from which A Cottonwood 10 in in dia bears S. 54° E 117 lks. The corner to sections 19, 20, 29 & 30 being in the Lake cannot be established. The length of the line between sections 29 & 30 is 80.00 chains, the several parts of which being as follows. South of the Lake (see page 20) 10 in copy — 21.90 First crossing of Lake 25.11 North of first crossing 24.59 In the Lake 8.40 Aggregate as above 80.00 South of the Lake prairie and grove of tim- ber. North of Lake Cottonwood grove and low surface with weeds and bushes. Soil 1st & 2d rate.

From the meander corner on the line between sections 29 and 30 at its intersection with the Lake 71.60 chains North of the South West corner of Section 29 run around the Lake in Section 29 as follows,

N 88½° E	5.40	
N 6° E	8.30	To a point on the Section line between sections 20 and 29, 6.27 chains East of the corner (in Lake) to sections 19, 20, 29 & 30.

No permanent corner could be established because of the soft mud and water.

It being impracticable to run the line between sections 20 & 29. East on account of the impassable swamp I establish the point of its intersection with the Missouri River as follows,

Begin at the meander corner when the line between sections 28 & 29 intersects the

Omaha Reservation.

Township 25. North Range 10 East of 6th Principal Meridian.

	Chains	Missouri river (the same being a point 45.60 chains North of the comm to Sections 28. 29. 32 & 33) and run along the bank of the Missouri river through Section 29 as follows.
N 36½° W	20.50	
N 10° W	18.19	to a point 80.00 chains North and 15.36 chains West of the South East comm of Section 29 at which point I set a post for a meander corner and for comm to fractional sections 20 and 29 from which
		A Willow 3 in in dia bears N 29¾ W 30 lks
		From the comm to Fractional Sections 20 & 29 thus established, I run,
		West on a true line between sections 20 & 29
		Va 12° 45' E.
4.64		Set a post for 1/16 Sec. corner.
8.00		Intersect Blackbird Creek 50 links wide, runs S.E. I was here compelled to abandon the further measurement of the line because of the water and impassable marsh. No permanent corners could be established on the line.
		The Creek empties into the Missouri river 13 chains S. 10° E. of the comm to fractional sections 20 and 29.
		The length of the line between sections 20 and 29 is 64.64 chains, the several parts of which being as follows.
		In the Lake 6.27
		In the impassable slough 50.37
		Measured at East end, 8.00
		Aggregate as above 64.64
		The ¼ section corner between sections 20 & 29 not being established and it being impracticable to run the quarter section line through the North half of Section 29.
		I begin at the ¼ section corner at the centre of Section 29 and run
		South on the ¼ Section line through Section 29.
		Va 12° 30' E.
17.26		Intersect bank of lake and set post for meander corner from which.
		A Cottonwood 10 in. in dia bears N 63½° E. 40 lks.

16
487

Omaha Reservation.

Township 25, North Range 10 East 6th Principal Meridian

	Chains	A Cottonwood 10 in in dia bears N 15° W. 144 lks Distance from the ¼ section corner at the centre of Section 29 on the ¼ section line North through Section 29 is 40.00 chains not measured because of the impassable marsh Entire length of line South through Sec 29 to lake 57.26 chs.
		From the meander corner on the North side of the Lake between sections 28 & 29 & run through Section 29. along the margin of the lake as follows.
		Va 12° 30' E.
N. 80° W.	40.20	to the meander corner at the intersection of the quarter section line South through Section 29 thence
N. 62½° W	13.60	
N. 79½° W	9.40	
N. 52½° W	5.30	
N. 35° W	6.40	to the meander corner at the intersection with the quarter section line running West through Section 29.
		From the meander corner between sections 29 & 30 at 47.01 & run along the lake in Section 30 as follows.
N. 72½° W.	3.90	
N. 17½° W.	13.90	
N. 38° E.	12.80	to the meander corner between sections 29 and 30, 71.60 North of the corner to sections 29. 30. 31 & 32.
		The corner to Sections 19. 20. 29 & 30 being in the Lake & run,
		North on the ¼ Section line through Section 19.
		Va 12° 45' East.
20.00		Set post in mound with pits & coal for 1/16 Sec. Cor.
40.00		Set post in mound with four pits & coal for ¼ Sec. Cor.
60.00		Set post in mound with four pits & coal for 1/16 Sec. Cor.
80.00		Intersect North line of Section & set post in mound with four pits & charcoal for ¼ Sec cor. between Secs 18 & 19. Land bottom: Soil 1st rate.

Omaha Reservation.

Township 25. North Range 10 East of 6th Principal Meridian.

6 chains	From the quarter section corner at the centre of Section 19 I run East on the quarter section line through Section 19.
	Va 12° 45 E
20.00	Set a post in mound dug four pits & deposited coal for 1/16 Section corner.
40.00	Point on East line of Section 19 at which I set a post in mound dug four pits and deposited coal for 1/4 Section corner between Sections 19 & 20.
	From the centre of Section 19 I run West on the 1/4 Section line through Section 19. Irun line.
	Va 12° 45' E.
16.00	Head of marsh, bearing N. E. and S. W.
20.00	Set post in mound for 1/16 Section corner.
22.00	Leave marsh,
40.86	Intersect the West boundary of the section at the 1/4 Post on range line between sections 19 & 24.
	Level bottom; 1st rate soil.

From the 1/4 Section corner between Sections 19 and 20. I run,
South between Sections 19 & 20 to lake.
Va 12° 45' E.

20.00	Set post in Mound with four pits & coal for 1/16 Sec. Cor.
34.60	Intersect the bank of the lake and set a post for meander corner from which, A Cottonwood 18 in in dia bears N 87° W 10 2 lks No other tree convenient to mark.
	From the 1/4 Sec corner between Section 19 & 20 I run North between sections 19 & 20. Va 12° 45' E.
20.00	Post in mound with four pits & coal for 1/16 Sec. Cor.
40.00	Set a post in mound dug four pits & deposited charcoal for corner to sections 17. 18. 19 & 20.
	The length of the line between Sections 19 & 20 is 80.00 chains the several parts of which being made up as follows

(See next page)

18
489

Omaha Reservation.

Township 25 North Range 10 East the 6th Principal Meridian.

	Chains	In the lake, 5.40
		South of 1/4 corner, 34.60
		North of 1/4 corner, 40.00
		Aggregate as above, 80.00
		First rate bottom, level, covered with a heavy growth of weeds and grass.

West on a true line between sections 18 & 19.
Va 12° 45' East.

9.00	Enter Slough bearing N. W. and S. W.
15.00	Leave Slough bearing N. W. and S. E.
20.00	Set post in mound, dug four pits and deposited charcoal for 1/16 Sec corner.
40.00	Quarter corner.
60.00	Set post in mound dug four pits and deposited charcoal for 1/16 Section corner.
65.00	Enter Slough bearing N. and S.
74.00	Leave Slough bearing N & S. At same point leave bottom and begin to ascend to the high prairie.
80.94	Intersect the range line at the corner to sections 18 & 19, 13 & 24.

West 5 chains on the bluffs — remainder level bottom in places marshy and covered with water.

Meanders of Lake in Sections 19 & 20.
Begin at the meander corner between sections 19 & 30 and run as follows,
Va 12° 30' E.

Ch. 57° E.	10.19	to the meander corner on line between sections 19 & 20; thence
S. 48° E.	8.77	to the point on line between sections 20 & 29 for meander corner.

Low and marshy; about 3 chains S 57° W from the meander corner between 19 and 20 is the North Blackbird Creek.

Omaha Reservation.

Township 25. North Range 10 East the 6th Principal Meridian.

Chains. From the quarter section corner between sections 19 & 20 I run
East on a true quarter section line through Section 20.

Va 12° 45' E.

20. 00 Set a post in mound with four pits and coal for 1/16 Sec. corner.

40. 00 Set a post in mound with four pits for 1/4 Sec. Cor.

60. 00 Set a post in mound with four pits for 1/16 Sec corner.

80. 00 Point on the East side of the Section at which I set a post for 1/4 Sec Cor between sections 20 and 21 from which
A Cottonwood 20 in in dia bears S 8 1/2 E. 125 lks.
Level bottom - Soil 1st rate.
Surface covered with a heavy growth of weeds and grass.

From the 1/4 Section corner between Sections 20 & 21 I run,
South between sections 20 & 21.

Va 12° 30' E.

16. 50 Intersect right bank of Missouri river and set post for meander corner and for corner to fractional Sections 20 & 21.
Nothing more permanent can be established.
From the 1/4 section corner between sections 20 and 21 I run
North on the section line between sections 20 & 21

Va 12° 30' E.

20. 00 Set a post in mound with pits and coal for 1/16, Sec cor.

40. 00 Set post for corner to sections 16. 17. 20 & 21 from which
A Cottonwood 16 in. in dia bears N 71° E 102 lks.
A Cottonwood 16 in in dia bears S 80° E. 136 lks.
No trees West of line for B. Ps.
The length of the line between sections 20 & 21 is 56. 50 chains the several parts being as follows,

Omaha Reservation.

Township 25 North Range 10 East the 6th Principal Meridian.

Chains	South of 1/4 Sec. Post	16.50
	North of 1/4 Sec Post	40.00
	Aggregate as above.	56.50
	Level bottom covered with a growth of weeds and grass. Soil 1st rate.	

East between sections 16 & 21.

Va 12° 30' E.

12.00 Intersect right bank of the Missouri river and set post for meander corner and corner to fractional sections 16 & 21 from which
A Cottonwood 8 in in dia bears S 80½° W 100 lks distant.
A Cottonwood 8 in in dia bears N. 86° W. 94 lks
Bottom land. 1st rate soil.

From the 1/4 Sec corner between Sections 20 & 21 I run East on the 1/4 Section line through fractional section 21.

Va 12° 45' E.

14.50 Intersect right bank of the Missouri river and set post (post erroneously marked 1/16) for meander corner from which a Cottonwood 20 in in dia bears N 32½° E. 166 lks.
Bottom land.; 1st rate soil.

North between sections 16 & 17.

Va 12° 30' E.

20.00 Set a post for 1/16 Sec corner from which,
A Cottonwood 10 in in dia bears S 86½° W. 37 links.
A Cottonwood 10 in in dia bears S 12½° E 48 links.

24.50 Intersect right bank of Missouri river and set post for meander corner and for corner to fractional sections 16 & 17 from which a Cottonwood 10 in in dia bears S 85½° W. 167 links distant.
At this the commencement.
Level Missouri river bottom.
1st rate soil.

Omaha Resevation.

Township 25 North Range 10 East the 6th P. Principal Meridian.

Chains.	
	East on a random line between 17 & 20.
	Va 12° 45' E.
20.00	Set post for temporary 1/16 section corner.
40.00	Post for temporary 1/4 section corner.
60.00	Post for temporary 1/16 section corner.
79.84	Intersect N and S line 12 links North of the corner to Sections 16. 17. 20 & 21 from which corner I run
	North 89° 55' West on a true line between sections 17 and 20.
	Va 12° 45' E.
19.96	Post in mound with four pits and charcoal for 1/16 section corner.
39.92	Post in mound with four pits and charcoal for 1/4 section corner.
59.88	Post in mound with four pits and charcoal for 1/16 section corner.
79.84	The corner to sections 17. 18. 19 & 20. Level bottom: 1st rate soil.

	The 1/4 Section corner between sections 20 & 29, being in an impassable morass and willow swamp and not being established from the 1/4 Sec corner between sections 17 & 20 I run,
	South on the 1/4 Section line through Section 20.
	Va 12° 45' East.
20.00	Set post in mound with four pits and coal for 1/16 section corner.
40.00	Intersect the E. and West 1/4 Section line at the 1/4 section corner.
60.00	Post mound and four pits with charcoal for 1/16 section corner.
64.00	Intersect willow swamp over which flows the Blackbird Creek.
	Here I was compelled to suspend the further measurement of the line on account of the impassable swamp of willows and water.
	The length of the line is 80.00 chains.
	Level bottom covered with a heavy growth of weeds & grass.
	South 16 chains is an impassable swamp, deep with water.

22
1793

Omaha Reservation.

Township 25. North Range 10 East the 6th Principal Meridian.

Chains.	
	From the corner to sections 17. 18. 19 & 20 I run North between sections 17 & 18 Va 13° East.
20. 00	Post in mound with four pits and charcoal for 1/16 section corner.
40. 00	Post in mound with four pits and charcoal for 1/4 section corner.
60. 00	Post in mound with four pits and charcoal for 1/16 section corner.
80. 00	Post in mound with four pits and charcoal for corner to sections 7. 8. 17 & 18. Level Missouri river bottom: 1st rate.

East on a true line between sections 8 and 17. Va 12° 45' E.

20. 00	Set post in mound with four pits and coal for 1/16 Section corner.
34. 00	Enter Willow Swamp bearing N. and S.
40. 00	Set post for 1/4 section corner from which A Cottonwood 4 in in dia bears S 85° W. 14 lks dist A Cottonwood 5 in in dia bears N. 60° E. 49 links
60. 00	Set a post for 1/16 section corner from which A Cottonwood 8 in in dia bears S 21° E 51 links. A Cottonwood 6 in in dia bears N 25° W. 24 links,
67. 25	Intersect the right bank of the Missouri river and set post for meander corner and for corner to fractional sections 8 & 17. from which, A Cottonwood 10 in in dia bears S 10° W. 162 links No other tree convenient to mark. West of the willows which continue to the river, the surface is first rate bottom.

North on the quarter section line through Sec 8 Va 13° East.

12. 75	Intersect the right bank of the Missouri river and set post for meander corner and for corner to fractional one fourth sections from which, A Cottonwood 7 in in dia bears S 16° E 93 links A Cottonwood 10 in in dia bears S 63° W. 142 links. Line through small Cottonwood and willows. 2d rate

Omaha Reservation

Township 25, North Range 10 East 6th Principal Meridian

Chains	West on a random line between sections 7 and 18 Va 12° 45' East.
19. 00	Enter field improved and fenced bearing N. 40° E. to the Missouri river and S. 45° W.
20. 00	Point for temporary 1/16 section corner.
33. 00	Leave improved land bearing N 45° W & S 45° E.
40. 00	Point for temporary 1/4 section corner.
60. 00	Temporary 1/16 section corner.
75. 00	Leave Missouri river bottom and begin to ascend to high prairie.
80. 70	Intersect Range line 10 links North of the corner to sections 7 & 18 from which corner Drum, N 89° 56' E. on a true line between sections 7 and 18. Va 12° 45' E.
20. 70	Post mound four pits and coal for 1/16 section corner.
40. 70	Post mound four pits and coal for 1/4 section corner.
60. 70	Post mound four pits and coal for 1/16 section corner.
80. 70	The corner to sections 7. 8. 17 & 18. Except the extreme West end of the line this land is level Missouri river bottom: 1st rate soil.

North between Sections 7 & 8
Va 13° E.

20. 00	Post in mound with four pits & coal for 1/16 Sec. cor.
23. 35	Intersect right bank of the Missouri river and set post for meander corner and for corner to fractional sections 7 & 8. Made mound with pits and deposit of charcoal. Level bottom: 1st rate soil, no timber.

Subdivision of Section 17.

North on the quarter section line through section 17.
Va 12° 45' E.

20. 00	Post, mound four pits and charcoal for 1/16 Section corner.
40. 00	Post, mound four pits and charcoal for 1/4

Omaha Reservation.

Township 25. North Range 10 East the 6th Principal Meridian.

Chains	
	section corner.
60. 00	Post for 1/16 Section corner from which A Cottonwood 11 in in dia bears S 22½° W. 36 lks A Cottonwood 12 in dia bears N 30½ E. 235 lks
80. 00	Intersect North line of section at ¼ section corner. Land bottom: 1st rate soil: trees near the North end of line.

East on a line quarter section line through Section 17.
Va 12° 30' E.

20. 00	Set post in mound with four pit and coal for 1/16 section corner.
40. 00	Intersect N and S ¼ section line at ¼ section corner.
60. 00	Set post in mound with four pits and coal for 1/16 section corner.
74, 13	Intersect the right bank of the Missouri and set post for meander corner and for corner to ¼ fractional sections from which. A Cottonwood 10 in in dia bears N. 64¾ W. 69 lks A Cottonwood 4 in in dia bears N 67½ E. 12 lks. Land bottom: 1st rate soil.

Subdivision of Section 18

North on the quarter section line through Section 18.
Va 13° E.

20. 00	Post in mound with pits and coal for 1/16 sec cor.
20. 10	Enter slough bearing N. W. and S. E.
26. 00	Leave slough bearing N. E. and S. W.
40. 00	Post mound with four pits and coal for ¼ sec. corner.
45. 00	Enter slough bearing N. E. and S. W.
56. 00	Leave slough bearing N. W. and S. E.
60. 00	Post in mound with four pits and coal for 1/16 section corner.
80. 00	Intersect North side of the section at ¼ section corner. Land intersected by sloughs from 6 to 18 inches deep which probably dry up in the dry season. Surface level bottom. Soil 1st rate.

Omaha Reservation.

Township 25, North Range 10 East the 6th Principal Meridian.

Chains	West on a random quarter section line through section 18.
	Va 12°45' East.
20. 00	Post for 1/16 section corner, temporary.
40. 00	Intersect N. and S. 1/4 section line.
42. 00	Enter Slough bearing N. and S.
49. 50	Leave Slough bearing N. and S.
60. 00	Temporary 1/16 section corner.
75. 00	Leave Missouri bottom and begin to ascend to high prairie.
80. 82	Intersect range line 12 links North of corner to 1/4 section from which 1/4 sec cor. I run. N 89° 55' East on a line 1/4 sec line through Section 18.
	Va 12° 45' East.
20. 86	Post mound four pits and coal for 1/16 section corner.
40. 86	Intersect N. and S. 1/4 section line at 1/4 Post.
60. 86	Post mound four pits and coal for 1/16 section corner.
80. 82	The 1/4 post at the East side of the section. Level bottom intersected by Sloughs from 6 to 18 inches deep, which probably are dry in dry season. Soil 1st rate.

Subdivision of Section 7.

North on the quarter section line through section 7.

Va 13° E.

7. 00	Enter improved field bearing N 45° W and S 45° E.
20. 00	Post in mound with four pits and coal for 1/16 section corner.
37. 50	Leave improved field bearing S 71° W.
40. 00	Post mound with four pits for 1/4 sec corner.
47. 50	Intersect right bank of Missouri and set Post in mound with pits and coal for meander corner and corner to fractional quarter section. Level bottom: 1st rate soil.

22/479 26/497

Omaha Reservation.

Township 25. North Range 10 East the 6th Principal Meridian.

Chains. East on a true quarter section line through section 7.

Va 12° 40'

Begin at the quarter section corner in the centre of the section and run East.

8.25 Intersect the right bank of Missouri river and set post in mound with pits and coal for meander corner and corner to 1/4 sections.

From the 1/4 section corner at the centre of the section I run West on the quarter section line.

20.00 Post in mound with four pits and coal for 1/16 section corner.

40.80 Intersect the range line at the quarter section corner.

The length of the 1/4 sec line East through section 7 is 49.05 chains being made up as follows.

East of R and S 1/4 section line.	8.25
West of R and S 1/4 section line	40.80
Aggregate as above	49.05

First rate bottom land.

East between fractional sections 6 & 7.

Va 12° 40' E.

5.75 Intersect right bank of the Missouri river and set post for meander corner from which, An Elm 8 in in dia bears S 31° W. 65 links. Land 1st rate bottom, covered with scattering timber.

Meanders of the right bank of the Missouri river along the East margin of the Township

Begin when the Sixth Standard Parallel intersects the right bank of the river — the same being the meander corner 15.31 chains East of the Standard corner to Sections 33 & 34 — and run North along the right bank of the river as follows.

Township 25. North Range 10 East the 6th Principal Meridian.

Corners	Distances	Meanders in Sections 34 and 33 Remarks.
Pr. 34½ W	26. 90	To the meander corner between sections 33 & 34.
Pr 32° W.	20. 50	To the meander corner at the intersection with the ¼ section line.
		East through Sec 33.
Pr 41° W	26. 50	
Pr 34° W.	22. 56	To the meander corner at the intersection with ¼ section line North through section 33.
Pr 66° W	3. 85	To the meander corner between fractional sections 28 & 33.
		Land low and sandy: willows near the river.

Meanders in Section 28.

Pr 56° W	19. 88	
Pr 37¾ W	11. 24	
Pr 27¼ W	28. 76	To the meander corner between sections 28 & 29.

For meander in Section 29 see page 32 of these field notes. (p. 15 in copy).

Meanders in Section 20.

Begin at the meander corner between sections 20 and 29 and run Northward along the river as follows.

Pr 10° W	2. 30	
Pr 25½ E	13. 00	
Pr 45½ E	14. 25	To the meander corner between sections 20 & 21.

Meanders in Sec. 21.

Pr. 44 E.	10. 70	
Pr 37 E	12. 00	To the meander corner at the intersection with the ¼ section line running East through the section.
Pr 45° E	11. 00	
Pr 26° E	3. 32	
Pr 22° W	32. 00	To the meander corner between sections 16 & 21.

Meanders in Section 16.

Pr 25° W.	26. 76	To the meander corner between sections 16 & 17.

22
479

28
499

Omaha Reservation.

Township 25. North Range 10 East the 6th Principal Meridian.

Courses	Distance.	
		Meanders in Sec. 17
N 23½ W.	18.13	To the meander corner at the intersection of East and West ¼ Section line.
N 23½ W	6.50	
N 8° W.	35.00	To the meander corner between sections 8 & 17.
		Meanders in Sections 8 & 7.
N 65° W.	30.00	To the meander corner on ¼ section line North through Section 8.
N 75° W.	41.80	To the meander corner between sections 7 & 8.
N 62¼ W	36.15	To M.C. at intersection with E. & W. line
N 42° W	11.55	To " " " " " N. & S. ¼ Sec. line.
N 43¼ W	17.16	
N 59½ W	18.50	
N 49½ W	7.25	
N 27 W	6.15	To the meander corner between Sections 6 & 7.
		Meanders in Sec 6.
N 37½ W	9.65	To the meander corner on the range line between Sections 6 & 1. Ranges 9 & 10 E.

Omaha Reservation.

Township 25, North Range 16 East the 6th Principal Meridian.

General Description.

The greater part of the South tier of sections and a narrow strip along the West side of the township in Sections 18. 19 and 30 are high rolling prairie. The remainder is Missouri River bottom. The upland has a second rate soil and near Blackbird Creek a first rate: the bottom is a rich alluvial deposit of inexhaustible fertility. The North part is first rate for cultivation. Near the lake and in the South East corner it is too low & wet for arable land.

The lake has well defined shores on the South west side – but on the South East side it becomes a marsh so that its banks change with the rise & fall of the water.

Along its North East side there is a thrifty growth of young Cottonwood trees.

Blackbird Creek (the North one) enters the lake at its extreme Northern limit, leaving it again at nearly the same place.

Between the Lake and the river the creek spreads out over a low marshy swamp, which at the time of surveying was impassable.

East of Sections 17. 16. 20 & 29 a low sandy point extends out into the river upon which some small willows are growing: At the time of surveying although the river was only at a moderate height it was covered with 3 feet of water.

In the North Western part of Section 7 near the township line there is a saw and flouring mill – also a good frame house.

The field in sections 7 and 18 is cultivated by the "Mission".

30/501

Omaha Reservation:

Township 25. North Range 10 East the 6th Principal Meridian.

We hereby certify that we assisted Theodore H. Barrett U. S. Surveyor in subdividing Township Number Twenty five North of the base line of Range number ten East of the sixth Principal Meridian (Omaha Reservation) and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the Boundary Monuments planted according to the instructions furnished by the Commissioner of the General Land Office.

Henry H. Gilbert.	Compassman
Richard Crook.	"
William J. Allason.	"
George Fox.	Chainman
Joseph F. Fluent.	"
George Patterson.	"
James Kennedy.	"
Philander Wright.	"
John Rupp	"
Conrad Schaffer	Flagman
Willie Trainer	Axeman
Andrew Armstrong	Flagman
Henry C. Williams	Mound builder
Karl Wilhelm Bekke.	" .

Subscribed and sworn to by the above named persons, before me, a Notary Public for the County of Burt in the State of Nebraska this 28th day of June 1867.

Watson Parrish
Notary Public.

(Seal.)

I Sheldon H. Barrett, Surveyor, do solemnly swear that in pursuance of a contract with J. M. Edmunds Commissioner of the General Land Office of the United States, bearing date the 14th day of August, 1866, and in strict conformity to the laws of the United States, and the instructions furnished by the said Commissioner of the General Land Office, I have faithfully surveyed the subdivision lines and meander of Fractional Township number twenty five North of the base line of Range number ten East the 6th Principal Meridian in the State of Nebraska, and do further solemnly swear that the foregoing are the true and original field notes of such survey.

Sheldon H. Barrett.
Surveyor.

Subscribed by the said Sheldon H. Barrett Surveyor, and sworn to before me a Justice of the Peace for Whiteside County in the State of Illinois this 11th day of September 1867.

R. L Nangan
J. P.

32
503

Department of the Interior
Genl. Land Office
October 2d 1867.

The foregoing field notes of the survey of T 5 S
25, R. 10 East Nebraska, executed by Theo
A. Barrett under his contract of August
14, 1866, in the month of May, 1867, having
been critically examined, the necessary cor-
rections and explanations made, the said
field notes and the surveys they describe are
hereby approved.

Jos. S. Wilson
Commissioner.

Department of the Interior
General Land Office
August 21, 1871

I hereby certify that the foregoing
Field Notes, are true Copies of the
original on file in this Office.

[illegible]
Commissioner

505

(Copy)

compared and Corrected

No. 3 — R10

No. 1 — 3.

1/506 08

Winnebago Indian Reservation.

Field Notes of the
Subdivision Lines and
Meanders of
Fractional Township
26. N. Range 10. East
the
6th Principal Meridian.
also of the
Range Line between
Ranges 9 and 10.
Town. 26. North
by
Theodore H Barrett.
Surveyor.
under his contract bearing
date. Aug. 14th 1866.

Survey commenced May. 11th
1867.
and completed. May. 13th 1867.

Field Notes of the Subdivision lines and meanders of Fractional Township 26. N. R. 10 E. the 6th Principal Meridian — also of the Range line between Ranges 9 and 10. T. 26. N. by Theodore A Barrett. Surveyor, under his contract bearing date Aug. 14. 1866.

Survey commenced May. 11. 1867. & completed May. 12th 1867.

List of Names.

A list of the names of the individuals employed to assist in running, measuring & marking the lines and corners described in the following field notes, showing the capacities in which they acted.

Henry A Gilbert. Compassman.
George Fox. Chainman.
Orville Smith. "
Willie Trainer Axman.

Winnebago Indian Reservation.

Township 26. N. R. 10. E. the 6th P. M.

Chains

From the quarter Section Corner (See page 152 (101.146)) between Sections 7 & 18 run East on a true line between Sections 7 & 18 va 12° East

40.00 Set a post for corner to Sections 7. 8. 17 & 18. from which A. Cottonwood 20 inches in dia. bears N. 63° E. 2 9 4 links distant

A cottonwood 24 inches in dia, bears E. 85° E. 40 2 links distant.

Level bottom: 1st rate soil.

From the corner to Section 7. 8. 17 & 18 I run

North on true line between frac.l Sections 8 & 7. Va. 12° East.

4.50 Set post on the right bank of the Missouri River for corner to frac.l Sections 7 & 8. and for meander corner from which A cottonwood 30 inches in dia. bears S. 75° W. 93 links distant.

Level bottom, 1st rate soil.

From the corner to Sections 7 & 8. 17 & 18. I run East on a true line between frac.l Sections 8 & 17. Va. 12° East

1.00 Set a post for meander corner on the right bank of the Missouri River (the same post being also the corner to frac.l Sections 8 & 17.) from which

A cottonwood 18 inches in diamdr. bears South 16° E. 72 links distant.

A cottonwood 16 inches in diameter, bears N. 72° W. 72 links distant.

Level bottom. Soil 1st rate.

From the corner to Sections 7. 8. 17 & 18. I run South on a true line between

Copied from page 152 of Township 26 N. Between Ranges 9 & 10 East
Ord 148 Extension

4/509

Winnebago Indian Reservation.

Township 26. N.R. 10 E. the 6th P.M.

Chains

Sections 17 & 18.

Va. 12° East.

40.00 Set post for 1/4 Sec. corner from which
Ct Cottonwood 8 inches in diameter, bears N. 42° W. 75 links ~~distant~~.
A Cottonwood 7 inches in dia, bears N. 72° E. 62½ links dist.

79.00 Intersect the right bank of the Missouri river and set post for corner to frac. Sections 17 & 18. and for meander corner from which
A Cottonwood 7 inches in dia, bears N. 74° W. 67 links dist.
A Cottonwood 8 inches in dia bears N. 19° E. 55 links.
Level bottom. 1st rate soil.

Meanders of the right bank of the Missouri River along the Township.

Begin at the meander corner on the range line between fractional Sections 7 & 12. and run down the stream with the meanders of the right bank as follows.

Courses	Distances	Remarks.
		Meanders in Sec. 7.
		Va. 10° 20' E.
S. 49½ E.	26.00	
S 63 3½ E	28.90	
S. 49½ E	19.70	
S 47½ E.	7.20	Va. 11° East.
S. 49° E	8.00	
S 42 1/2 E	6.70	
S 48½ E	6.10	To the corner to Fractional Sections 7 & 8.

Winnebago Indian Reservation.

Township 26. N. R. 10 E. the 6th P. Meridian.

courses	chains distances	
		Meanders in Sec. 8.
S 80° E.	6.70	To the corner to Fractional Sections 8 and 17.
		Meanders in Sec. 17. Va. 11°½ East.
S. 37° E	6.70	
S 35½ E	17.60	
S 13° E	14.40	
S 10° E	14.50	
S 14 W	10.60	
S 38½ W	12.60	
S 47½ W	14.60	
S 60½ W	2.73	To the corner to fractional Sections 17 and 18.
		Meanders in Sec. 18.
West	29.10	
N. 62½ W	2.30	
N. 46° W	2.00	
N. 85° W	2.80	
S. 65° W	1.50	
N. 71° W	2.00	
N. 55° W	13.50	
N. 43½ W	15.30	
N. 31½ W	20.00	
N. 40½ W	11.90	
		To the corner to Sections 13 & 18. on the Range line May. 12th 1867

6
5 11

General Description.

Fractional Township 26 N.
Range 10 East, is level bottom
land, surrounded on three
sides by the Missouri River.
The timber is principally
cottonwood — some walnut,
Elm and soft maple — heavy
in places and having an
undergrowth of brush.
The soil is first rate.

We hereby certify that we assisted
Theodore H Barrett, U. S. Surveyor,
in subdividing Township num-
ber twenty six North of the base
line of Range number ten
East of the Sixth Principal
Meridian (Dismbage Res-
ervation) and that said Town-
ship has been in all respects
to the best of our knowledge
and belief, well and faithfully
surveyed and the boundary
monuments placed according
to the instructions furnished
by the Commissioner of the
General Land Office.
Henry H Gilbert.
George Fox
Orville Smith,
Willie Traine. x

Subscribed
and sworn to by the
above named persons,
before me, a Notary Public
for the County & Dist in
the State of Nebraska.
this 25th day of June. 1867.

Watson Parrish
Notary Public.

Seal.

I, Theodore H Barrett, Surveyor, do solemnly swear that in pursuance of a contract with J. M. Edmonds, Commissioner of the General Land Office & the United States, bearing date the 14th day of August, 1866, and in strict conformity to the laws of the United States and the instructions furnished by the said Commissioner of the General Land Office, I have faithfully surveyed the subdivision lines and meanders of Fractional Township number ~~twenty~~ six North of the base line of Range number Ten East the Sixth Principal Meridian, in the State of Nebraska, and do further solemnly swear that the foregoing are the true and original field notes of such survey.

Theodore H Barrett
Surveyor.

Subscribed by the said Theo. H Barrett, Surveyor, and sworn to before me, a Justice of the Peace for Whiteside County in the State of Illinois, this 10th day of September, 1867. R. S. Hannan J.P.

B
513

Department of the Interior
General Land Office,
October 2nd 1867.

The foregoing field notes of the
Survey of the subdivisional lines
of Township 26 North, Range
10 East, Nebraska, executed by
Theo H Barrett, under his contract
of the 14th day of August, 1866.
in the month of May, 1867.
having been critically examined,
the necessary corrections and
explanations made, the said field
notes and the surveys they
describe, are hereby approved.

Jas. A. Wilson
Commissioner.

Department of the Interior.
General Land Office
Washington D.C.
August 21. 1871

I Certify that the foregoing
field notes of Survey have been
correctly copied from the original
notes on file in this Office

Willis Drummond
Commissioner

Compared and corrected

No 1 — R 11

No 13

514

Omaha Reservation.

Field Notes of the Subdivision lines and Meanders of the Missouri river in fractional Township 24 North. Range 11 East the 6th Principal Meridian, in the State of Nebraska.

by

Theodore H Barrett.

Surveyor.

under his contract bearing date the 14th day of August, 1866.

Surveyed May. 17th 1867.

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the following Field Notes of Township 24 North of the base line of Range No. 11. East the 6th Principal Meridian. showing the capacities in which they acted.

William J Allason. Compassman.
Richard Cronk. "
Philander Wright. Chainman.
Jno Rupp. "
George Patterson. "
James Kennedy "
James Shobe. Mound Builder.
Joseph H Fluent " "
Conrad Schaffer. Axeman.

1.
515

X
2

Omaha Reservation. Township 24. North.

Chains	
	This Township being fractional, I begin at the corner to Sections 18, 19, 13 & 24, on the Range line between Ranges 10 & 11. and run East on a true line between Sections 18 & 19. Var. 13° East.
20.00	Set a post for ¼ Section corner from which a Cottonwood 8 in. diam, bears S. 71° E. 11 lks. A. Cottonwood 6 inches in diameter, bears N. 80 W. 12 links.
40.00	Set post and built mound for ¼ Section Corner.
60.00	Set a post and built mound for ⅙ Sec. corner.
80.00	Set a post and built mound for Corner to Sections 17, 18, 19 & 20. Very low and sandy - subject to frequent inundations. A few small Cottonwood trees near the west End of the line. Soil worthless.

	From the corner to Sections 17, 18, 19 & 20. I run South on a true line between Fractional Sections 19 & 20. Var 13° East.
13.00	Intersect Right bank of the Missouri river and set post for meander corner, and for corner to Fractional Sections 18 & 19. A mound was built, but owing to the sand and frequent inundations it cannot long remain. Low and level, Soil - sand.

North.

Range 11 East the 6th Principal Meridian.

Chains	
	From the corner to Sections 17, 18, 19 & 20. I run East on a true line between Sections 17 and 20. Var. 13° East.
9.00	Intersect the right bank of the Missouri River and set post for meander corner and for corner to Fractional Sections 17 and 20. A mound was built but it cannot long remain for reasons given in notes of last meander corner. Low and level. Soil, white Sand.
	From the corner to Sections 17, 18, 19 and 20. I run North between fractional Sections 17 and 18. Var. 12° 30' East.
20.00	Post and mound for ¼ Sec. Corner.
40.00	Post and mound for ½ Sec. Corner.
60.00	Post and mound for ¾ Sec. Corner.
73.00	Intersect the right bank of Missouri River and set post for meander corner and for corner to Fractional Sections 17, 18. A mound was also built but for reasons previously given, neither this mound nor any of the others on the Sec. line can long remain. Level and Sandy, subject to frequent inundations.
	Subdivision Sections
	Subdivision of Section 19. Begin at the ¼ Section Corner on the North side of the section and run
	South on ¼ Section line

3.
517

Omaha Reservation. Township 24. N.

Chains	
	Through Section 19. Va. 13° East.
19.90	Intersect right bank of the Missouri river and set post in mound for meander corner.
	No permanent corner can be established here.
	Soil, sandy, & worthless for cultivation.
	Surface, low and level.

Subdivision of Section 18.
North on the ¼ Section line through Section 18.

Va, 13° East.

20.00	Set post for ¼ Section corner, also built mound.
40.00	Set post for ¼ Section Corner; also built mound.
60.00	Set a post for ¼ Sec. Cor; also built mound.
75.00	Intersect the right bank of the Missouri River and set post for meander corner & corner to fractional ½ Sections.
	Also built mound.
	The mounds on this line will not long remain. No permanent corner can be established; - see reasons previously noted.
	Low and level. - soil worthless for cultivation being almost Entirely sand.

East on a true ¼ Section line through Section 18.

Va, 13° East.

20.00	Post in mound for ¼ Sec. Corner.
40.00	Intersect N & S. ¼ Sec. line at the ¼ Section corner.
60.00	Post in mound for ¼ Sec. Corner.

Range 11. East. the 6th Principal Meridian.

Chains

80.00 Intersect the East side of the Section at the ¼ Section Corner.
Low, Sandy & subject to frequent inundations.

Subdivision of Section 17.

Begin at the quarter section corner between 17 and 18. and run East on a True quarter Section line through Section 17. Var. 13° East.

21.50 Intersect the right bank of the Missouri River and set post for meander corner and the corner to fractional quarter sections.

No permanent corner can be Established here.
Low and level.
Soil, almost Entirely sand.

Meanders of the Right Bank of the Missouri river through the Township.

Begin at the meander corner on the Range line between Sections 13 and 18. Ranges 10 & 11. and run, down the river, with the meanders of the right bank. as follows,

Courses Distances

Meanders in Section 18.

N 88½° E 40.77 To The meander corner, at the intersection with the quarter Section line, running North through Section 18.

S. 88° E 39.90 To the meander corner between sections 17 and 18.

5
519

Omaha Reservation. Township 24 North.

Courses	Distances	
		Land, level and sandy. Subject to inundation.
		Meanders in Section 17.
S. 54° E	22.20	
S. 10° E	20.25	To the meander corner at the intersection with the quarter section corner line running East through Sec. 17.
S. 11° W	20.38	
S. 23½° W	21.90	To the meander corner between fractional Sections 17 and 20. Land, low and level – subject to frequent inundations; Soil. Chiefly sand.
		Meanders in Section 20.
S. 34½° W.	15.80	To the meander corner between Sections 19 and 20. Land, low, level and sandy, frequently inundated.
		Meanders in Section 19.
S. 71° W	21.20	
West	20.00	To the meander corner at the intersection with the ¼ Section line running South through Section 19.
N. 79° W.	20.38	
S. 85¼ W.	20.00	To the meander corner on the Range line between Sections 19 and 24. T. 24. N. Ranges 10 & 11 East. Land, level & low, soil, sandy. Subject to frequent overflowing from the Missouri River.

May, 17th 1867.

North.

Range 11. East the 6th Principal Meridian.

General Description.

Fractional Township 24 N. R. 11 East the 6th Principal Meridian, is a low, sandy point, subject to frequent inundations from the Missouri River.

Except a few small Cotton wood trees and some Willows there is almost no vegetation upon it.

The Missouri River is constantly changing its banks so that no permanent corners can be established near the water; indeed, except when there are bearing trees, none of the corners in this Township will probably remain longer than the first high freshet in the Missouri.

Small quantities of coal were deposited in the several mounds as per instructions, but the sandy soil will not prevent it from being washed away.

Until very recently, appearances indicated that this point was increasing in size from the deposits and drift of the river; but, during the present season, the River, rising to a great height, partly worked a channel across it, which may, eventually, entirely detach it from the Nebraska shore, rendering it an island in the River.

7
5-21

We hereby certify that we assisted Theodore H Barrett, U.S. Surveyor, in subdividing Fractional Township Number Twenty four North of the Base line & Range Eleven East of the Sixth Principal Meridian, embraced within the Boundary of the Omaha Reservation, and that said Township has been in all respects, and to the best of our knowledge and belief, well and faithfully surveyed, and the Boundary Monuments planted, according to the instructions furnished by the Commissioner of the Gendal Land Office.

Wm J Allason. Compassman.
Richard Cronk "
Philander Wright. Chainman.
John Rupp. "
George Patterson. "
James Kennedy. "
James Shobe Mound Builder.
Joseph F. Fluent. " "
Conrad Shaffer. Axman.

Subscribed and sworn to by the above named persons before me, a Notary Public for the County of Burt, in the State of Nebraska, this 28th day of June, 1867.

Watson Parrish
Notary Public.

Notarial Seal
Burt County Nebraska

I, Theodore H Barrett, Surveyor, do solemnly swear that, in pursuance of a contract with J. M. Edmonds, Commissioner of the General Land Office of the United States, bearing date the 14th day of August, 1866, and in strict conformity to the laws of the United States and the instructions furnished by the said Commissioner of the General Land Office, I have faithfully surveyed the sub division lines and meanders of Township twenty four North of the base line of Range number Eleven East the 6th Principal Meridian, in the State of Nebraska, and do further solemnly swear that the foregoing are the true and original field notes of such survey.

Theodore H Barrett,
Surveyor.

Subscribed by the said Theodore H Barrett, surveyor, and sworn to before me a Justice of the Peace for Whiteside County, in the State of Illinois, this 10th day of September, 1867,

R. S. Morgan, J. P.

9/523

Department of the Interior.
General Land Office.
October 2nd 1867.

The foregoing field notes of the survey of Township 24. N. R. 11 East. Nebraska. executed by Theodore H Barrett. under his contract of August 14th 1866. in the month of May. 1867. having been critically examined, the necessary corrections and explanations made, the said field notes and the surveys they describe, are hereby approved.

Jas L Wilson.
Commissioner.

Department of the Interior
General Land office
July 14, 1871

I hereby certify that the foregoing field notes are true copies of the originals on file in this office.

Willis Drummond
Commissioner

CHECK LIST.

Township-24-N.Range-11---E

---O---

Barrett's Survey----1867

1--Copied---Subdivision of Township----------

2-- " Affidavits of Assistants----------

3-- " ---Commissioners Approval----------

4-- " Subdivision of Sections----------

5-- " Affidavits of Assistants----------

6-- " Commissioners Approval----------

1---------Proof read----------Corrected----

2--------- " " ----------Corrected---

3--------- " " ----------Corrected---

4--------- " " ----------Corrected---

1--------Indexed

4--------Indexed

7--Township Lines Indexed in Township Index.

---O---O---

Beaman's Survey--1873.

1--Copied---Subdivisionsof Township,----------

2-- " ---Affidavits of Assistants----------

3-- " Commissioners Approval----------

4-- " Subdivision of Sections----------

5-- " Affidavits of Assistants----------

6-- " Commissioners Approval----------

1

1--------Proof read---------- and corrected

2--------- " " ---------- and corrected

3--------- " " ---------- and corrected

4--------- " " ----------and corrected

1------Indexed

4------Indexed

7--Township Lines indexed in Township Index.

COMPLETE--------

Date----------1908 .

General Land Office • Original Field Notes

Book Number

148

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.