General Land Office • Original Field Notes

Book Number

264

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Surveyed by Charles M. Dudley

1897

(67)

Field Notes
of
Exterior Lines
of
Townships

33.34 & 35 N.

Ranges

33.34.35.36 & 37 W.

marked T. 33 N. S. 19 on N. E., R. 37 W., S. 30

INDEX DIAGRAM.



1

197
227

(A)

Field Notes
of the
Survey and Establishment of the
Exterior Township lines of Townships
Thirty three (33) Thirty four (34) and
Thirty five (35) North of the base line
in Ranges Thirty two (32) Thirty
four (34) Thirty five (35) Thirty six
(36) and Thirty seven (37) West
of the Sixth Principal Meridian
Nebraska, surveyed by Frank M.
M. Crowell, deputy Surveyor, under
joint Contract 107 bearing date
July 30th 1877 wherein Nicholas
C. Paul and Frank M. Crowell
are joint Contractors with
John R. Clarke U. S. Surveyor
General for the District
of Nebraska and Dowa

Survey Commenced
September 13th 1877
Survey Completed
September 21th 1877

marked T. 33 N. S. 19 on N. E., R 37 W., S. 30

Surveyed by Charles M. Dudley 1897

2

(B)

Names and duties of Assistants

George Harlan Chainman
W. S. Orr Chainman
J. F. Monahan Cornerman
Wm. J. Thompson Cornerman
W. K. Bacon Flagman

3

Between Ranges 33 & 34 W & T. 33 N.

Begin at the Post in Mound, the established Standard corner to Township Thirty three N. Ranges 33 and 34 W on the Eight Standard Parallel and run on the range line between ranges 33 and 34 W

North between secs 31 & 36

Variation by Burts improved Solar Compass 14° 25' E

4.00 Spring branch 5 lks wide runs NE

10.00 Leave Cañon and enter Upland bearing N & and W.

40.00 Set a chamfered Red cedar post 6 x 6 in 4 ft. 1 ft. dep, raised mound of earth 2 1/2 ft. high from pits 18 x 2 4 x 12 in deep for 1/4 sec cor

80.00 Set a chamfered Red Cedar post 4 x 4 in 4 ft. 1 ft. dep. raised mound of earth 2 1/2 ft high from pits 18 x 2 4 x 12 in. Deep for corner to secs 30, 31, 25 and 36

Gently rolling timbered Soil second rate

marked T. 33 N. S. 19 on N. E., R 34 W., S. 30

Between Ranges 33 & 34 W S. 33 N

North between secs 25 and 30
Va 14° 30' E

3.00 Leave N'land and enter high bottom, bears E and W.

40.00 Set a charred Red cedar post 3×3 in. 4 ft. 1 ft. deep raised mound of earth 2½ ft. high from pits 18×24×12 in. deep for 1/4 Sec. Cor.

77.00 Leave high bottom and enter Canon of Niobrara river bears East and West

80.00 Mark a Cedar tree 6 in. diam for corner to secs 19. 30. 24, 25 from which a cedar tree 10 in. diam bears S. 10° E 15 lks. dist. A cedar 12 in. diam S. 38° W 20 lks distant A Cedar 8 in diam bears N 45° E 10 lks dist

1st 77.00 chains high bottom Dark sandy loam 1st rate Heavy growth Buffalo grass Timber. Pine and Cedar in gulches

Between Rs 33 and 34 W S. 33 N

North between secs. 19 and 24
Va 11° 33' E.

5.00 Niobrara River 2.70 chains wide runs East

18.50 Leave Canon and enter high bottom bears E and W.

40.00 Set a charred Red Cedar post 3×3 in. 4 ft. 1 ft. deep, raised mound of earth 2½ ft. high, ~~raised mound~~ from pits 18×24×12 in deep for 1/4 Sec Cor.

41.00 Leave high bottom and enter rolling Upland bears E and W

80.00 Set a charred Red Cedar post 4×4 in 4 ft. 1 ft. deep, raised mound of earth 2½ ft. high from pits 18×24×12 in. deep for Corner to secs 18, 19, 13 and 24

Bottom, Dark sandy loam Soil. Sixth rate Upland sandy loam Second rate

marked T. 33 N. S. 19 . on N. E., R 34 W, S. 30

Surveyed by Charles M. Dubois 1897

76. 4

78. 6

Between Ranges 33 & 34 T. 33 N

North between secs. 13 & 18
Var 14° 33' E

40.00 Set a charred Red Cedar post 3×3 in. 4 ft. 1 ft. dep, raised mound earth 2½ ft. high from pits 18×24×12 in. dep for corner to secs. 7, 18, 12 and 13

Land gently rolling
Soil Sandy Second rate

80.00 Set a charred Red Cedar post 4×4 in. 4 ft. 1 ft. dep, raised mound of earth 2½ ft. high from pits 18×24×12 in dep for corner to secs. 7, 18, 12 and 13

Land gently rolling
Soil Sandy Second rate

79. 7

Between Ranges 33 & 34 W. 33 N

North between secs. 7 and 12,
Var 14° 35' E

40.00 Set a charred Red Cedar post 3×3 in. 4 ft. 1 ft. dep, raised mound of earth 2½ ft. high from pits 18×24×12 in dep for ~~corner to secs 6, 7, and 12~~ 1/4 sec corner

80.00 Set a charred Red Cedar post 4×4 ~~in.~~ 4 ft. 1 ft. dep, raised mound of earth 2½ ft. high from pits 18×24×12 in. dep for corner to secs. 6, 7, 1 and 12

Land gently rolling
Soil Sandy Second rate

marked T. 33 N. S. 19 on N. E., R 3 W, S. 30

Surveyed by Charles W. Dubois

197

80
8

Between Ranges 33 & 34 W. P. 33 W.

North between secs 1 and 6
Va 14° 35' E.

40.00 Set a charred Red Cedar post
3x3 in. 4 ft. 1 ft. deep, raised mound
of earth 2½ ft. high from pits
18x2½x12 in deep for 1/4 sec
post

80.00 Set a charred Red Cedar post 4x4
in. 4 ft. 1 ft. deep, raised mound
of earth 2½ ft high from pits
8x2½x12 in. deep for corner
to Townships 33 and 34 North
Ranges 33 and 34 West.
Land gently rolling
Soil second rate

81
9

Between Tps. 33 & 34 N R. 33 W.

From the corner to Townships
33 and 34 N Ranges 33 and 34
West 1 mile
East on a random line
between said Townships
Va 14° 40' E.
I set temporary half mile and
mile posts at 40.00 and 80.00
Chains and at 5 miles 79
chains and 65 links, intersect
the East boundary 115 links
North of the Township corner
The correction for the true
line will therefore be 35
links West and 19+ links
South per mile
true Course 26.89° 52' West

marked T. 33 N. S. 19 ; on N. E., R 33 W, S. 30

Surveyed by Charles M. Dudley

197

76 82. 10

Between Tps. 33 & 34 N. R 33 W.

From the corner to Townships 33 and 34 N Ranges 33 & 33 W
Run
N. 89° 52' West on true line between secs. 1 and 36
Va 14° 30' E

40.00 Set a charred Red Cedar post 3×3 in. 4 ft. 1 ft. deep, raised mound of earth 2½ ft. high from pits 18×24×12 in deep for 1/4 sec cor.

80.00 Set a charred Red Cedar post 4×4 in 4 ft. 1 ft. deep, raised mound of earth 2½ ft high from pits 18×24×12 in deep for Corner to secs. 1, 2, 35 and 36
Land gently rolling
Soil secondrate

83. 14

Between Tps 33 and 34 N R 33 W

N 89° 53' West on true line between Secs. 2 and 35
Va 14° 30' E

40.00 Set a charred Red Cedar post 3×3 in. 4 ft. 1 ft. deep, raised mound of earth 2½ ft. high from pits 18×24×12 in. deep for 1/4 sec cor.

80.00 Set a charred Red Cedar post 4×4 in. 4 ft. 1 ft deep, raised mound of earth 2½ ft high from pits 18×24×12 in. deep for Corner to secs. 2, 3, 34 & 35
Land gently rolling
Soil secondrate

marked T. 33 N. S. 19 on N. E., R 34 W, S. 36

Surveyed by Charles W. Dubois

197.

84.
12

Between Tps 33 & 34 N R 33 West

N 89° 52' West on true line
between secs 3 & 34
Va 14° 35' E

40.00 Set a charred Red cedar post 3x3
in. 4 Ft. 1 Ft. deep raised mound
of earth 2½ ft. high from pits
18 x 24 x 12 in deep for 1/4
sec cor

80.00 Set a charred red cedar post 4x4
in 4 ft. 1 ft. deep, raised mound
of earth 2½ ft. high from
pits 18 x 24 x 12 in deep
For corner to secs. 3, 4
33 and 34
Land gently Rolling
Soil Standard clay loam
Second rate

85.
13

Between Tps. 33 and 34 N. R. 33 W

N 89° 52' West on true line
between secs 4 & 33
Va 1° 35' E

40.00 Set a charred Red cedar post
3 x 3 in 4 Ft. 1 Ft deep raised
Mound of earth 2½ Ft high
from pits 18 x 24 x 12 in deep
for 1/4 sec cor

68.00 Leave Upland and enter Valley
bears N & and E

80.00 Set a charred Red cedar post
4 x 4 in. 4 Ft. 1 Ft. deep, raised
mound of earth 2½ ft. high
from pits 18 x 24 x 12 in deep
For corner to sections
4, 5, 32 and 33
Land gently undulating
Soil second rate

marked T. 33 N. S. 14 ; on N. E., R 34 W, S. 36

Between Tps. 33 and 34 N. R 33 W

N 89° 52' West on true line between secs 5 and 32
m/a 14° 35' E.

40.00 Set a charred Red cedar post 3×3 in. 4 Ft. 1 Ft. deep, raised mound of Earth 2½ Ft. high from pits 18×24×12 in. deep for 1/4 Sec. Cor.

70.50 Line valley and enter Upland bears NW and SE

80.00 Set a charred Red Cedar post 4×4 in. 4 Ft. 1 Ft. deep, raised mound of Earth 2½ Ft. high from pits 18×24×12 in. deep for Corner to secs. 5, 6, 31 and 32 Upland gently rolling second rate Bottom, land, first rate

Surveyed by Charles W. Dubois 1877

Between Tps 33 and 34 N. R. 33 W.

N 89° 52' West on true line between secs. 6 and 31
m/a 14° 40' E

40.00 Set a charred Red Cedar post 3×3 in. 4 Ft. 1 Ft. deep, raised mound of Earth 2½ Ft high from pits 18×24×12 in. deep for 1/4 Sec. Cor

79.65 The Corner to Townships 33 and 34 N Ranges 33 & 34 W Land gently rolling, second rate

September 13th 1877

General Description

There is considerable good land and good timber in this Township susceptible of Cultivation and the production of all cereals adapted to the climate The Niobrara river runs Eastward through the South part of the Tp

marked T. 33 N. S. 14 , on N. E., R 34 W, S. 30

Surveyed by Charles W. Dubois

88.
16

Between Ranges 33 and 34 W. T. 34 N.

From the corner to Townships
33 and 34 N. Ranges 33 and 34
W. Thence
North between secs 31 and 36
Va 14° 35' E.

40,00 Set a charred Red Cedar post
3x3 in. 4 ft. 1 ft. deep raised
mound of earth 2½ ft high
from pits 18 x 24 x 12 in. deep
for 1/4 sec cor.

80,00 Set a charred Red Cedar post
4x4 in. 4 ft. 1 ft. deep, raised
mound of earth 2½ ft. high
from pits 18 x 24 x 12 in. deep
for corner to secs. 30, 31,
25 and 36
Land gently rolling
Soil, sandy, secondrate

89.
17

Between Ranges 33 and 34 W. T. 34 N.

North between secs. 25 & 30
Va 14° 35' E.

40,00 Set a charred Red Cedar post
3x3 in. 4 ft. 1 ft. deep, raised
mound of earth 2½ ft. high
from pits 18 x 24 x 12 in. deep
for 1/4 sec. cor.

80,00 Set a charred Red Cedar post
4x4 in, 4 ft. 1 ft. deep, raised
mound of Earth 2½ ft. high
from pits 18 x 24 x 12 in. deep
for corner to secs. 19, 30
24 and 25
Land gently rolling
Soil, secondrate

marked T. 33 N. S. 14 on N. E., R 34 W, S. 30

Surveyed by Chandler W. Dubois 197

90 18

Between Ranges 33 and 34 E. 34 N.

North between secs 19 and 24
Va 14° 40' E

40.00 Set a charred Red Cedar post 3×3 in 4 ft. 1 ft. deep, raised mound of earth 2½ ft high from pits 18×24×12 in. deep for 1/4 sec cor.

80.00 Set a charred Red Cedar post 4×4 in 4 ft. 1 ft. deep raised mound of Earth 2½ ft high from pits 18×24×12 in deep for cor. to secs. 18, 19, 13 and 24

Land gently rolling

Soil second rate

91 19

Between Ranges 33 and 34 W. & 34 N.

North between secs. 13 and 18
Va 11° 40' E.

28.00 Enters basin or gully bears NW and East

40.00 Set a charred Red Cedar post 3×3 in 4 ft. 1 ft. deep, raised mound of earth 2½ ft. high from pits 18×24×12 in. deep for 1/4 sec cor

79.00 Leave Basin and enter Upland bears SE and SW

80.00 Set a charred Red Cedar post 4×4 in. 4 ft. 1 ft. deep, raised mound of earth 2½ ft. high from pits 18×24×12 in. deep for cor to secs. 7, 18, 12 and 13

Basin, heavy clay soil

Gin strata

Balance, second rate

marked T. 33 N. S. 19 on N. E., R 3 W, S. 36

Between Ranges 30 and 31 W. S. 34 N.

North between secs 7 and 12
Va 14°40' E,

270.00 Leave upland and enter valley
bears E and W.

40.00 Set a charred Red Cedar post
3×3 in. 4 ft. 1 ft. deep, raised
mound of earth 2½ ft. high
from pits 18×24×12 in
deep for 1/4 sec cor

60.00 Leave valley and enter upland
bears E and W

80.00 Set a charred Red Cedar post
4×4 in. 4 ft. 1 ft. deep, raised
mound of earth 2½ ft high
from pits 18×24×12 in. deep
For corners to secs 6, 7, 1 and
12
Upland rolling secondrate
Valley rich 1st rate

Between Ranges 33 and 34 W. S. 34 N.

North between secs. 1 and 6
Va 14°40' E,

40.00 Set a charred Red Cedar post 3×3
in. 4 ft. 1 ft. deep, raised mound
of earth 2½ ft. high from
pits 18×24×12 in. deep
for 1/4 sec cor

80.00 Set a charred Red Cedar post
4×4 in. 4 ft. 1 ft. deep, raised
mound of earth 2½ ft. high
from pits 18×24×12 in
deep for corner to Town-
ships 34 and 35 North
Ranges 33 and 34 West
Land gently rolling
Soil secondrate

marked T. 33 N. S. 14 on N. E., R 34 W, S. 36

Between Tps 31 & 35 N R 33 W.

From the corner to Townships 31 and 35 North Ranges 33 and 34 West I run East on a random line between said Townships Va 1 1/4° 1/4° E

I set temporary half mile and mile posts at Every 40.00 and 80.00 chains and at 5 miles 78 chains and 23 links I intersect the East Boundary 194 links North of the Township Corner from which 33 x 34 N. Range 4 32 & 33 W: The Correction for the true line will therefore be 177 links West and 32 1/3 links South per mile — Va my true Course N. 89° 46' West

Between Tps 34 and 35 N. R 33 W

From the corner to Townships 31 and 35 N. Ranges 32 and 33 West I run N 89° 1/4' West on true line between secs. 1 and 36 Va 1 1/4° 1/4' E

40.00 Set a chamfered Red Cedar post 3 x 3 inches 4 ft 1 ft. def. raised mound of earth 2 1/2 ft high pits 18 x 24 x 12 in def for 1/4 sec. cor,

80.00 Set a chamfered Red Cedar post 3 x 3 in. 4 ft 1 ft. def raised mound of earth 2 1/2 ft. high pits 18 x 24 x 12 in. def for corner to secs. 1, 2, 35 and 36

Land gently rolling Soil clay loam 1st rate

marked T. 33 N. S. 14 on N. E., R 34 W, S. 36

Surveyed by Chandler N. Dakota

1897

227

96.
24

Between Tps 34 and 35 N. R. 33 W.

N. 89° 47' West on true line between secs. 2 and 35
Va 1 1/4° 45' E,

40.00 Set a charred Red Cedar post 3x3 in. 1 Ft. 1 Ft. deep, raised mound of earth 2 1/2 ft high from pits 18x24x12 in deep for 1/4 sec, cor.

80.00 Set a charred Red Cedar post 4x4 in. 4 Ft. 1 Ft. deep, raised mound of earth 2 1/2 Ft. high from pits 18x24x12 in. deep for corner to secs. 2, 3, 34 and 35.

Land gently rolling
Clayey loam 1st Rate

97.
25

Between Tps. 34 and 35 N. R 33 W.

N 89° 47' West on true line between secs. 3 and 34
Va 1 1/4° 40' E,

40.00 Set a charred Red Cedar post 3x3 in 4 Ft. 1 Ft. deep, raised mound of earth 2 1/2 Ft. high from pits 18x24x12 in deep for 1/4 sec cor.

80.00 Set a charred Red cedar post 4x4 in. 4 Ft. 1 Ft. deep, raised mound of earth 2 1/2 Ft. high from pits 18x24x12 in. deep for corner to secs. 3, 4, 33 and ~~35~~ 34.

Land gently Rolling
Soils second rate

marked T. 33 N. S. 19 , on N. E., R 32 W, S.

Surveyed by Charles M. Dutch

94. 2

98. 26

Between Tps 34 and 35 N R 33 W.

N. 89° 47' 6" West on true line between secs 4 and 33
Va 14° 40' E

40.00 Set a charred Red cedar post 3×3 in. 4 ft. 1 ft. deep, raised mound of earth 2½ ft. high from pits 18×24×12 in. deep for 1/4 sec. Cor.

80.00 Set a charred Red Cedar post 4×4 in. 4 ft. 1 ft. deep, raised mound of earth 2½ ft. high from pits 18×24×12 in. deep for Corner to secs. 4, 5, 32 and 33

Land gently rolling first 40.00 chs first rate
Balance Second rate

99. 27

Between Tps 34 and 35 N. R 33 W.

N 89° 47' 6" West on true line between secs 5 and 32
Va 14° 10' E.

38.00 Leave upland and enter valley bears SE and NW.

40.00 Set a charred Red Cedar post 3×3 in. 4 ft. 1 ft. deep, raised mound of earth 2½ ft. high from pits 18×24×12 in. deep for 1/4 Sec. Cor.

78.00 Leave valley and enter upland, bears NW and SE

80.00 Set a charred Red Cedar post 4×4 in. 4 ft. 1 ft. deep, raised mound of earth 2½ ft. high from pits 18×24×12 in. deep for corner to secs 5, 6, 31 and 32

Valley first rate
Upland Second rate

197. 227

74

ces, es; l.. se el ast. nd. rd. e

marked T. 33 N. S. 19 on N. E., R 32 W., S. 30

Be

Between Rs 34 and 35 N. R 33 W.

N. 89° 17' W. 6 Meas on town line between secs 6 and 31 Va 14° 40' E,

40.00 Set a charred Red cedar post 3x3 in. 4 ft. 1 ft. deep, raised mound of Earth 2½ ft high from pits 18x24x12 in. deep for 1/4 sec. cor.,

78.23 The Corner to Townships 34 and 35 N Ranges 33 and 34 West. Land Sandy rolling Soil Thin Drate

General Description T. 34 N R 33 W. is mostly gently rolling surface and soill average good second rate sandy clay loam. Adapted to the growth of small grain and grazing

Between Ranges 33 and 34 W. 35 N.

From the corner to Townships 34 and 35 N, Ranges 33 and 34 W. on town North between secs 31 and 36 Va 14° 35' E.

40.00 Set a charred Red cedar post 3x3 in. 4 ft. 1 ft. deep, raised Mound of Earth 2½ ft. high from pits 18x24x12 in. deep for 1/4 sec cor.

60.00 Leave Upland and enter Valley bears SE and NW.

80.00 Set a charred Red Cedar post 4x4 in. 4 ft 1 ft. deep, raised Mound of earth 2½ ft high from pit 18x24x12 in deep for corner to secs. 30, 31 25 and 36 Upland gently rolling Soil, second rate Valley good first rate

marked T. 33 N. S. 19 on N. E., R 34 W.

Between Ranges 33rd and 34 W. 35 N

North between secs 25 & 30
Var 14° 35' E.

14.00 Drain course SE
40.00 Set a charred Red cedar post
3×3 in. 4 ft. 1 ft. deep, raised
mound of earth 2½ ft. ~~Deep~~ high
from pits 18×2½×12 in deep
for 1/4 Sec. cor.
80.00 Set a charred Red Cedar
post 4×4 in. 4 ft. 1 ft. deep
raised mound of earth
2½ ft. high from pits 18×2½
×12 in. deep for corner to
secs. 19, 30, 24 and 25
Land level valley
Soil fine sand

Between Ranges 33rd and 34 W. 35 N

North between secs. 19 & 24
Var 14° 40' E.

32.00 Enter Marsh bears E & W.
35.00 Lake shore bears E and W
Set a charred Red cedar post
4×4 in 4 ft. 1 ft. deep, raised
mound of earth 2½ ft.
high from pits 18×2½×12
in deep for ~~Mound~~ ~~Corner~~
~~Witness~~ Corner to
Townships 35 North Ranges
33 and 34 West
Land valley Soil fine sand
September 14th 1877

marked T. 33 N. S. 19 on N. E., R 34 W, S. 36

Surveyed by Charles M. Dubois

197. 227

105. 33

T. 35 N. R 33 W

General Description

This Township is a series of rolls. and gently rolling upland. The valleys are rich sandy loam adapted to agriculture

There is a small lake touching the Northwest Corner of the Township which will probably in time dry up

It is shallow marshy and surrounded with reeds and boggy ground

Between Ranges 34 and 35 W. S. 33 N.

From the established Standard Corner to Townships 33 North Ranges 34 and 35 West I run North on the range line between secs 31 & 36 Var 1 1/4° 33' E

40.00 Set a charred Red Cedar post 3x3 in. 4 ft. 1 ft. deep raised mound of Earth 2 1/2 ft. high from pits 18x24x12 in. deep for 1/4 sec. Cor

80.00 Set a charred Red Cedar post 4x4 in 16 ft. 1 ft. deep, raised mound of earth 2 1/2 ft. deep from pits 18x24x12 in. deep for Corner to secs. 30, 31, 25 and 36

Land gently rolling Soil, Secondrate

marked T. 33 N. S. 19 on N. E., R 37 W, S. 36

94
2 2

406.
34

Surveyed by Charles M. Dudley

197.
227

Between Ranges 34 & 35 W. T. 33 N.

North between secs 25 and 30
range 14° 35' E.

40 00 Set a charred Red Cedar post 3×3 in 4 ft. 1 ft. dug raised mound of earth 2½ ft. dug from pits 18×24×12 in deep for 1/4 sec cor.

8000 Set a charred Red Cedar post 4×4 in. 4 ft. 1 ft. dug raised mound of earth 2½ ft. high from pits 18×24×12 in deep for corner to secs 19, 30, 24 and 25.
Land gently rolling
Soil, second rate

107.
35

North between secs 1, 19 and 24
range 14° 36' E.

40 00 Set a charred Red Cedar post 3×3 in. 4 ft. 1 ft. dug raised mound of earth 2½ ft high from pits 18×24×12 in deep for 1/4 sec. cor.

8000 Set a charred Red Cedar post 4×4 in. 4 ft. 1 ft. dug, raised mound of earth 2½ ft. high from pits 18×24×12 in deep for corner to secs 18, 19, 13 and 24
Land gently rolling
Soil, second rate

marked T. 33 N. S. 19 , on N. E., R 37 W.,

Surveyed by Charles M. Dudley

94
2 2

108
36

Between Ranges 31 & 35 W. T. 33 N.

North between secs 13 and 18
via 14 & 35 E

30 00 Leave Upland and enter high Bottom bears E and W.

40 00 Set a charred Red Cedar post 3×3 in. 4 ft. 1 ft. dup raised mound of earth 2½ ft high pits 18×24×12 in deep for 1/4 sec cor

80 00 Set a charred Red Cedar post 4×4 in. 4 ft. 1 ft. dup, raised mound of earth 2½ ft high pits 18×24×12 in deep for corner to secs 7, 8, 12 and 13
Trust 30.00 chs. gently sloping Secondrate
Balance level
Bottom fine loam

109
37

North between secs. 7 and 12
via 12 & 35 E

40 00 Set a charred Red Cedar post 3×3 in. 4 ft. 1 ft. dup, raised mound of earth 2½ ft. high pits 18×24×12 in deep for 1/4 sec cor

59 50 Gordons Sioux City and Black Hills trail bears NE and SW

80 00 Set a charred Red Cedar post 4×4 in. 4 ft. 1 ft. deep, raised Mound of Earth 2½ ft. high pits 18×24×12 in. deep for corner to secs. 6, 7, 1 and 12
High level Bottom
Soil, Fine sandy

marked T. 33 N. S. 19 on N. E. R 37 W. S.

197
227

74

Between Ranges 34 and 35 W. T. 33 N.

North between secs 1 and 6
Va 14° 36' E,

40.00 Set a charred Red Cedar post 3×3 in. 4 ft. 1 ft. def., raised mound of Earth 2½ ft. high from pits 18×24×12 in deep for 1/4 sec. cor.

64.00 Leave level Bottom and enter brush along river bear E & W.

68.85 Niobrarah River 3.15 chains wide runs N. E.

76.00 Leave Brush from River and enter Bottom land bears E & W.

80.00 Set a charred Red Cedar post 4×4 in. 4 ft. 1 ft. def. raised mound of Earth 2½ ft. high from pits 18×24×12 in deep for corner to Township 33 and 34 N. Ranges 34 and 35 West
1st 64.00 Rich level 1st rate
Balance broken 3d rate
Pine Cedar Elm Oak
Ash & Cottonwood in Brush

Between Tps 33 and 34 N R 34 W.

From the corner to Townships 33 and 34 N Ranges 34 and 35 W. Run East on a random line between said Townships
Va 14° 35' E
I set temporary half mile and Mile posts at every 40 00 and 80 00 chains and at 5 Miles 78 Chains and Ninety links to a point 2.30 Chains North of the Township corner a Tp. 33 & 34 N. Rs. 33 & 34 W. Therefore the correction for the true line will be One chain and ten links West and 38 1/3 links
South to set Mile
true Course N 89 44 W East
September 15th 1877.

marked T. 33 N. S. 19 on N. E., R 34 W, S.

Surveyed by Charles M. Dubois

94
2 2

Bet

142.
41

Between Tps 33 & 34 N R 34 W

From the corner to Townships
33 and 34 N. Ranges 35 and 34 W
I run
N. 89° 44' West on true line
between secs 1 and 36
Var 14° 35' E

4000 Set a chained Red Cedar post
3 x 3 in. 4 ft. 1 ft. deep raised
mound of Earth 2½ ft. high
from pits 18 x 24 x 12 in deep
for 1/4 sec cor.

8000 Set a chained Red Cedar post
4 x 4 in. 4 ft. 1 ft. deep, raised
mound of Earth 2½ ft
high from pits 18 x 24 x 12
in deep for corner to secs
1, 2, 35 and 36
Land gently Rolling
Soil, second rate

143.
42

N. 89° 44' West on true line
between secs 2 and 35
Var 14° 35' E

4000 Set a chained Red Cedar post
3 x 3 in. 4 ft. 1 ft. deep, raised
mound of earth 2½ ft high from
pits 18 x 24 x 12 in deep
for 1/4 Sec cor

8000 Set a chained Red Cedar post 4 x 4
in. 4 ft. 1 ft. deep, raised mound
of Earth 2½ ft high from
pits 18 x 24 x 12 in deep
for corner to secs. 2, 3,
34 and 35
Land Rolling
Soil sandy loam third rate

197
227

7 4

ces,
es;
1.,
se
el
ast.
nd.
nd.

marked T. 33 N. S. 19 , on N. E., R 34 W, S. 36

Surveyed by Charles M. Dubois

94
2 2

Bet

HH
4 3

Between Tps 33 & 34 N R 34 W.

N. 89° 44' West on true line between secs. 3 and 34 var. 14° 38' E.

40.00 Set a charred Red Cedar post 3 x 3 in 4 ft. 1 ft. deep, raised mound of earth 2 1/2 ft. high from pits 18 x 24 x 12 in. deep for 1/4 sec. Cor.

80.00 Set a charred Red Cedar post 4 x 4 in. 4 ft. 1 ft. deep raised mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in. deep for corner to secs. 3, 4, 33 and 34
Gently rolling Upland
Soil Second Rate

115.
44

N 89° 44' West on true line between secs 4 and 33 var 14° 38' E.

40.00 Set a charred Red Cedar post 3 x 3 in 4 ft. 1 ft. deep raised mound of Earth 2 1/2 ft. high from pits 18 x 24 x 12 in deep for 1/4 sec. Cor.

80.00 Set a charred Red Cedar post 4 x 4 in 4 ft. 1 ft. deep raised mound of Earth 2 1/2 ft. high from pits 18 x 24 x 12 in deep for corner to secs 4, 5, 32 and 33
Land gently rolling.
Soil, second rate

197
227

7 4

ces,
es;
1.,
se
el

ast.

nd.
rd.

marked T. 33 N. S. 19 on N. E., R 34 W.

Bet

Between Tps 33 and 34 N R 3 1/2 W.

N. 89 41' West on true line
between secs 5 and 32
Va 1 1/4 1 1/0' E,

28.00 Leave upland and enter Bottom bears SE & N
30.00 Niobrara River 200 lks wide runs SE
110.00 Set a charred Red Cedar post 3x3 in
4 ft 1 ft. deep, raised mound of earth
2 1/2 ft. high from pits 18x2 1/2 x12 in
deep for 1/4 Sec. Cor.
66.00 Niobrara river 2,20 lks wide
runs N E on a bend
74.60 Niobrara River 2 1/0 lks wide
runs N E.
80.00 Set a charred Red Cedar post 4x4 in
4 ft 1 ft. deep, raised mound of
Earth 2 1/2 ft. high from pits 18x
2 1/2 x12 in. deep for corner
to secs 5. 6. 31 and 32 from
which an ash 20 in diam bears
S 87° W. 20 lks dist. An Elm 36 in
diam bears S 88° E 100 lks. dist.
An Elm 18 in diam bears S
44 1/2° E 70 lks dist
Upland 3d rate Bottom 1st rate
Timber Elm and Cottonwood &

Surveyed by Charles M. Dob

N 89 41 1/ West. on true line
between Secs 6 and 31
Va 1 1/0 35' E,

3.00 Leave Bottom & Enter Upland bears NE & OW
29.00 Leave Upland enter Bottom bears NW & SE
27.50 Enter Bend of river runs SE
32.00 Leave Bend of river runs N E
40.00 Set a charred Red Cedar post 3x3 in 4 ft
1 ft. deep raised mound of earth 2 1/2 ft
high from pits 18x2 1/2 x12 in deep
for 1/4 Sec. Cor.
48.40 Niobrara river 2 1/0 lks wide runs SE
53.00 Niobrara river 300 lks wide runs NE
60.00 Leave Bottom and enter Upland
bears NE and OW
78.90 The corner to Township 33 and
34 N Ranges 34 & 35 West
Upland 3d rate
Bottom Rich 1st rate
Timber, Oak Elm and
Cottonwood along River
Pine and Cedar on Bluffs

marked T. 33 N. S. 19 on N. E., R 3 1/2 W, S.

Surveyed by Charles M. Dahl

94
2 2

118
47

Township 33 North Range 34 W.

General Description

The Niobrara River courses Eastward through the Northern part of this Township. It is a beautiful draw of pure water and will afford excellent water power - easily utilized. Timber along River and in adjacent bluffs of good quality Consisting of Pine, Cedar and Oak with Elm Ash and Cottonwood along river Beautiful rich high Bottom on South side covered with Buffalo And Bunch grass This land will yield a good crop of all Grains & vegetables adapted to the climate

119
48

Between Ranges 34 and 35 W. & 34 N

From the corners to Townships 33 and 34 N. Ranges 34 and 35 West I run North on the range line between Secs. 31 and 36 Va 11°36' E.

10.00 Range course SE,
40.00 Detached Red Cedar post 3X3 in 4 ft. 1 ft deep, raised mound of earth 2½ ft. high from pits 18X2+4X12 in. deep for 1/4 Sec. Cor,
60.00 Bear Creek 10 lks wide in Canon 3 chains wide and 50 feet deep, runs SE
80.00 Detached Red Cedar post 4X4 in 4 ft. 1 ft deep, raised mound of earth 2½ ft. high from pits 18X2+4X12 in deep for corner to secs. 30, 31 25 and 36
Gently rolling Slopes to River and Creek
1st 60 chains first rate
Balance hilly Third rate

marked T. 33 N. S. 19 on N. E., R. 34 W.

197
227

74

ces,
es;
l.,
se
rel
ast.
nd.
rd.
nd.

Surveyed by Charles M. Dahl

94.

120.
48

121.
50

197.
227

Between Ranges 34 and 35 T. 34 N.

North between secs 25 and 30
1 pa 14° 40' E

40.00 Set a charred Red Cedar post 3×3 in 4 Ft. 1 Ft. dep, raised mound of Earth 2½ Ft. high from pits 18×24×12 in deep for 1/4 sec. cor.

80.00 Set a charred Red Cedar post 4×4 in 4 Ft. 1 Ft. deep raised mound of Earth 2½ Ft. high from pits 18×24×12 in deep for corner to secs 19, 30, 24 and 25

Land gently rolling.
Soil Secondrate

North between secs. 19 and 24
17 pa 14° 40' E.

11.00 Set a charred Red cedar post 3×3 in. 11 Ft. 1 Ft. deep raised mound of earth 2½ Ft. high from pits 18×24×12 in deep for 1/4 sec cor.

80.00 Set a charred Red cedar post 4×4 in. 4 Ft. 1 Ft. deep, raised mound of Earth 2½ Ft high from pits 18×24×12 in. deep for corner to secs 18, 19, 13 and 24

Land gently rolling
Soil Secondrate

marked T. 33 N. S. 19 on N. E., R 3 W, S.

94
2 2

Bel

122.
51

Between Ranges 34 & 35 W. R. 34 N.

North between secs 13 and 18
Va 14° 40' E

46.00 Set a charred Red Cedar post 3x
3 in 4 ft. 1 ft. deep, raised
mound of earth 2½ ft. high
from pits 18 x 24 x 12 in. deep
for 1/4 sec. cor.

80.00 Set a charred Red Cedar post
4 x 4 in. 4 ft. 1 ft. deep, raised
mound of earth 2½ ft. high
from pits 18 x 24 x 12 in.
deep for corner to secs.
7, 18, 12 and 13
Land gently rolling
Soil 2 second rate

Surveyed by Charles M. Dahl

197.
227

123.
52

North between secs. 7 and 12
Va 14° 10' E.

14.00 Set a charred Red Cedar post
3 x 3 in. 4 ft. 1 ft. deep, raised
mound of earth 2½ ft. high
from pits 18 x 24 x 12 in deep
for 1/4 sec cor.

80.00 Set a charred Red Cedar post
4 x 4 in. 4 ft. 1 ft. deep, raised
mound of earth 2½ ft.
high from pits 18 x 24 x 12 in
deep for corner to secs
6, 7, 1 and 12
Land gently Rolling
Soil, 2 second rate

marked T. 33 N. S. 19 on N. E., R 37 W. S.

~~124~~
53

Between Ranges 34 and 35 W. T. 34 N.

North between secs 1 and 6
var. 14° 10' E.

40.00 Set a charred Red Cedar post 3x3 in. 4 ft. 18 in. deep ~~from~~ raised mound of earth 2 1/2 ft. high from pits 18 x 24 x 12 in deep for 1/4 sec. cor.

80.00 Set a charred Red Cedar post 4 1/2 x 4 in. 4 ft. 18 in. deep, raised mound of Earth 2 1/2 ft. high from pits 18 x 24 x 12 in deep for Corner to Townships 34 and 35 North Ranges 34 and 35 West

Land gently rolling
Soil Second rate

~~125~~
54

Between Townships 34 and 35 N R 34 W. 7th

From the corner to Townships 34 and 35 N Ranges 34 and 35 W. I run East on a random line between said Townships
var. 14° 35' E.

I set temporary half mile and Mile posts at every 40.00 and 80.00 chains and at 5 miles 78 chains and 10 links I intersect the East boundary 153 links South of the Township Corner

The correction for the true line will therefore be 190 links West and 25 1/2 links North per mile

September 16th 1877

marked T. 33 N. S. 19 on N. E., R 34 W.

Surveyed by Charles M. Dudley

197
227

Surveyed by Charles M. Dudley

94
2 2

Bet

126.
55

Between Tps 34 and 35 N R, 34 W.

From the corner to Township
34 and 35 N Ranges 33 and 34 W
I run
S 89° 49' West on true line
between Secs 1 and 36
Va 14° 35' E,

40 00 Set a charred Red Cedar post
3 x 3 in 4 ft 1 ft deep raised
mound of earth 2 1/2 ft high
from pits 18 x 24 x 12 in deep
for 1/4 sec cor.

60,00 Leave Upland and enter Valley
bears NE and SW.

80,00 Set a charred Red Cedar post
4 x 4 in, 4 ft 1 ft deep raised
mound of earth 2 1/2 ft high
from pits 18 x 24 x 12 in
deep for corner to secs 1,
2, 35 and 36
Upland gently rolling
Soil Secondrate
Valley rich Firstrate

127.
56

S 89° 49' West on true line
between Secs. 2 and 35
Va 11° 35' E

40 00 Set a charred Red Cedar post
3 x 3 in. 4 ft. 1 ft. deep, raised
mound of earth 2 1/2 ft. high
from pits 18 x 24 x 12 in
deep for 1/4 sec cor.

50 00 Leave Valley and enter
Upland bears NW and SE

80 00 Set a charred Red Cedar post
4 x 4 in, 4 ft. 1 ft. deep raised
mound of earth 2 1/2 ft. high
from pits 18 x 24 x 12 in deep
for corner to secs 2, 3, 34
and 35
Valley Firstrate
Balance rolling 2nd rate

197.
227

74

nces,
ges;
t..
se
ed
r.
ast.
nd.
rd.
e

marked T. 33 N. S. 19 on N. E., R 3 W, S. 36

94
2 2

Bet

128
57

Between Rps. 34 and 35 N. R. 34 W.

S 89° 49' West on true line between secs. 3 and 34
Var 14° 35' E

4000 Set a charred Red Cedar post 3×3 in. 4 ft. 1 ft. deep, raised mound of Earth 2½ ft. high from pits 18×24×12 in. deep for 1/4 sec cor.

80.00 Set a charred Red Cedar post 4×4 in. 4 ft. 1 ft. deep raised mound of Earth 2½ ft high from pits 18×24×12 in. deep for corner to secs 18, 24×12 in deep for 3, 4, 33, and 34
Land gently rolling
Soil Secondrate

129
58

S 89° 49' West on true line between secs. 4 and 33
Var 14° 36' E

4000 Set a charred Red Cedar post 3×3 in. 4 ft. 1 ft. deep, raised mound of Earth 2½ ft. high from pits 18×24×12 in deep for 1/4 sec cor.

80.00 Set a charred Red Cedar post 4×4 in. 4 ft. 1 ft. deep, raised mound of Earth 2½ ft. high from pits 18×24×12 in deep for corner to secs. 4, 5, 32 and 33
Land gently rolling
Soil Secondrate

marked T. 33 N. S. 19 on N. E., R. 34 W, S.

Surveyed by Chandler N. Dakota

197
227

7th

nces,
ines;
1.,
ase
ed
ast.
nd.
rd.

Surveyed by Chandler Nr, Dakota

94

130.
59

131.
60

197
227

Between Tps 34th & 35 N. R 34 W.

S 89° 41' West on true line between secs 5 and 32 Vn 14° 36' E

2300 Leave upland and enter valley bears NW and SE.

3300 Leave valley and enter upland bears NE and SW.

4000 Set a chained Red Cedar post 3x3 in 4 ft. 1 ft. deep, raised mound of earth 2½ ft. high from pits 18x2½x12 in deep for 1/4 sec cor.

7300 Re enter Loam valley bears NW & SE

8000 Set a chained Red Cedar post 4x4 in. 4 ft. 1 ft. deep raised mound of earth 2½ ft. high from pits 18x2½x12 in deep for corner to secs 5. 6. 31 and 32

Valley 1st rate

Upland rolling Second rate

S 89° 41' West on true line between secs 6 and 31 Vn 14° 35' E.

37.00 Dry marsh 5 chains wide bears SE and NW

40.00 Set a chained Red cedar post 3x3 in. 4 ft. 1 ft. deep, raised mound of Earth 2½ ft. high from pits 18x2½x12 in deep for 1/4 sec cor

50.00 Leave valley and enter Upland bears NW & SE

78.10 The corner to Townships 34 and 35 N. R 34 and 35 W.

Valley 1st rate

Upland Rolling Second rate

September 17th 1877

General Description

This Township consists of Alternate Valles and Upland The vales are deep rich soil. The Upland is sandy loam. The Niobrara river touches the NW Corner of the Township

marked T. 33 N. S. 19 on N. E., R 37 W., S. 30

Bel

Between Ranges 34 and 35 W. S. 35 N.

From the corner to Townships 34 and 35 N. Ranges 34 and 35 W. I run
North on the range line between secs. 34 and 35
~Va 14° 35' E.

2.00 Leave upland over valley bears E & W.
10.00 Leave valley and enter upland bears NE and SE.
40.00 Set a charred Red Cedar post 3x3 in. 4 ft. 1 ft. dep, raised mound of earth 2½ ft. high from pits 18x24x12 in. dist for 1/4 sec cor
80.00 Set a charred Red Cedar post 4x4 in, 4 ft. 1 ft. dep, raised mound of Earth 2½ ft. high from pits 18x24x12 in. dist for corner to secs. 30, 31 25 and 36.
Valley fine loam
Upland Rolling 2nd rate

North between secs 25 & 30
~Va 14° 30' E

14.00 Leave upland and enter valley bears NE and SE
40.00 Set a charred Red Cedar post 3x3 in 4 ft. 1 ft. dep. raised mound of Earth 2½ ft. high from pits 18x24x12 in. dist for 1/4 sec cor.
74.00 Leave valley and enter upland bears E and W.
80.00 Set a charred Red Cedar post 4x4 in. 4 ft. 1 ft. dep, raised mound of Earth 2½ ft. dep from pits 18x24x12 in. dist for corner to secs 19, 30, 24 and 25
Upland gently rolling 2nd rate
Valley rich level 1st rate

marked T. 33 N. S. 19 ; on N. E., R 34 W., S. 30

Surveyed by Chandler W. Dubois

94 2 2

Bet

137 63

Between Ranges 34 and 35 W. 5 35 N

North between secs 19 & 24
Va 114° 30' E,

40.00 Set a charred Red Cedar post 3x3 in. 4 ft. 1 ft. deep, quized mound of earth 2½ ft. high from pits 18 x 24 x 12 in. deep for 1/4 sec cor.

54.00 Leave Upland and enter Valley bears NW and SE

55.20 Intersect the North boundary of the State 14.57 chains East of the 88th mile post and set a charred Red Cedar post 4x4 in. 4 ft. 1 ft. deep raised mound of earth 2½ ft. high from pits 18 x 24 x 12 in. deep for Closing Corner to fractional Townships 35 N. Ranges 34 and 35 W.

Land Valley 1st rate
Upland rolling 2nd rate

General Description

This Tp is gently rolling alternate valleys & ridges 1st and 2nd rate soil

135 64

Between Ranges 35 and 36 W 5 33 N

From the Standard Corner to Townships 33 N Ranges 35 and 36 W. 3 mls
North on the range line between secs 31 and 36
Va 114° 35' E

40.00 Set a charred Red Cedar post 3x3 in 4 ft. 1 ft. deep, raised mound of earth 2½ ft. high pits 18 x 24 x 12 in. deep for 1/4 sec cor.

80.00 Set a charred Red Cedar post 4x4 in. 4 ft. 1 ft. deep raised mound of earth 2½ ft. high from pits 18 x 24 x 12 in deep for corner to secs 30, 31, 25 and 36

Land gently rolling
Soil, 2nd rate

marked T. 33 N. S. 19 on N. E., R 37 W., S. 36

197 227

7 N

acres,
res;
t..
ase
rel
East.
nd.
nd.
e

Between Ranges 35th and 36 E. 33 N.

North between secs 25 and 30
Va 14° 35' E.

40.00 Set a charred Red Cedar post 3X3 in. 4 ft. 1 ft. deep, raised mound of earth 2 1/2 ft. high from pits 18 X 2 1/2 X 12 in. deep for 1/4 sec cor.

60.00 Leave upland and enter valley land. N E & W.

80.00 Set a charred Red Cedar post 4 X 4 in. 4 ft. 1 ft. deep, raised mound of Earth 2 1/2 ft high from pits 18 X 2 1/2 X 12 in. deep for corner to secs 19, 30, 24 and 25

Land: Valley first rate
Upland Rolling 2nd rate

Between Rs. 35 and 36 W. T. 33 N.

North between secs. 19 & 24
Va 14° 35' E.

36.00 Leave valley and enter upland bears N E and S E

40.00 Set a charred Red Cedar post 3X3 in 4 ft. 1 ft. deep raised mound of earth 2 1/2 ft. high from pits 18 X 2 1/2 X 12 in. deep for 1/4 sec cor.

80.00 Set a charred Red Cedar post 4 X 4 in 4 ft. 1 ft. deep, raised mound of earth 2 1/2 ft. high from pits 18 X 2 1/2 X 12 in deep for corner to secs 13, 18, 19, 24 and 25

Valley first rate
Upland Second rate

marked T. 33 N. S. 19 , on N. E., R 34 W., S.

94
2 2

Bet

138.
67

Between Rangs 35 and 36 W. 3rd P.M.

North between secs 13 and 18
Va 14 to 35 E.

40.00 Set a charred Red Cedar post
3x3 in. 4 ft. 1 ft. deep, raised
mound of earth 2½ ft. high
from pits 18x24x12 in deep
for 1/4 sec cor.

46.75 Gordons Sioux City and
Black Hills trail bears E & W.

80.00 Set a charred Red Cedar post
4x4 in. 4 ft. 1 ft. deep, raised
mound of earth 2½ ft. high
from pits 18x24x12 in
deep for corner to secs
7, 18, 12 and 13
Land gently rolling
Soil second rate

139.
68

North between secs. 7 and 12
Va 12 to 36 E.

40.00 Set a charred Red Cedar post
3x3 in. 4 ft. 1 ft. deep raised
mound of earth 2½ ft. high
from pits 18x24x12 in
deep for 1/4 sec cor.

61.50 Top of bluffs along Niobrara
River bears E and W.

66.50 Enter low bottoms E & W

75.50 Niobrara River 5.60 chs wide
runs East

80.00 The point for corner to secs 6.
7, 1 and 12 falls in river and
at 1.10 chs. North of true point
Set a charred Red Cedar post
4x4 in. 4 ft. 1 ft. deep, raised
mound of earth 2½ ft. high
from pits 18x24x12 in deep
for witness corner to secs
6, 7, 1 and 12
Land gently rolling on
1st 6.00 chs Second rate
Bottom on River 1st rate
good hay land

marked T. 33 N. S. 19 on N. E., R. 37 W., S. 30

197.
227

7th

acres,
ches;
t.,
ase
ed
.
East.
nd.
rd.

Bel

Between Ranges 35 and 36 W. of 33 N

North between secs 1 and 6
Va 14° 35' E

1,10 Line Niobrara River course East

1350 Line Cor bottom and enter breaks bearing E and W.

40 00 Set a charred Red Cedar post 3×3 in. 4 ft 1 ft deep, raised mound of earth 2 ½ ft high from pits 18×24×12 in. deep for 1/4 sec cor.

57.00 Line breaks and enter high level bottom bears E & W.

80.00 Set a charred Red Cedar post 4×4 in. 4 ft 1 ft deep raised mound of earth 2 1/2 ft high from pits 18×24×12 in. deep for Corner to Townships 33 and 34 N Ranges 35 and 36 W. Bottom land rich fine trate
Breaks rough thin trate

Between Tps. 33 and 34 N R. 35 W.

From the corner to Townships 33 and 34 N Ranges 35 and 36 W. I run East on a random line between said Townships Va 14° 33' E

I set temporary half mile and mile posts at every 40.00 and 80.00 chains and at 6 miles and 1 chain I intersect the East boundary 177 links North of the Township Corner to Townships 33 & 34 N. Ranges The correction for the true line will therefore be 1 chain East and 29 ½ links South per mile - then run course N 89° 47' West

marked T. 33 N. S. 19 , on N. E., R 34 W., S. 3

94
2 2

Bel

142.
71

Bitumen Tps 33 and 34 N R 35 W.

From the corner to Townships 33 and 34 N Ranges 35 and 36 W. 1 mile N 89° 47' West on true line between secs 1 and 36 Va 14° 35' E

33.00 Dug gulch course South
40.00 Set a charred Red Cedar post 3x3 in 4 ft. 1 ft. deep raised Mound of Earth 2½ ft. high, raised Mound of Earth 2½ ft. high from pits 18x24x12 in deep for 1/4 sec cor.
52.00 Dug gulch course South
80.00 Set a charred Red Cedar post 4x4 in 4 ft. 1 ft. deep, raised mound of earth 2½ ft. high from pits 18x24x12 in deep for corner to secs 1, 2, 35 and 36
Land broken Clayhills
Soil Thirdrate
Croppings of Limestone along Bluffs

143.
72

N. 89° 47' West on true line between secs 2 and 35 Va 14° 35' E

40.00 Set a charred Red Cedar post 3x3 in. 1 ft. 1 ft. deep, raised mound of earth 2½ ft. high from pits 18x24x12 in. deep for 1/4 sec cor
42.00 Gulch course South
76.00 Gulch course South
80.00 Set a charred Red Cedar post 4x4 in 4 ft. 1 ft. deep, raised mound of Earth 2½ ft. high from pits 18x24x12 in deep for corner to secs. 2, 3, 34 and 35
Broken Clayhills
Soil Secondrate

Surveyed by Charles N. Dubois

197
227

74

ucos,
res;
1..
.se
-cl
.
ast.
nd.
d.
e

marked T. 33 N. S. 19 on N. E., R 34 W., S. 30

Surveyed by Chas. N. Dakin

94. 2 2

144. 73

145. 74

197. 227

74

Between Tps. 33 & 34 N. R 35 W.

N 89° 47' West on true line between secs 3 & 34 Va 14° 33' E

40.00 Set a charred Red Cedar post 3x3 in. 4 Ft. 1 Ft. deep, raised mound of earth 2 1/2 Ft. high from pits 18x24x12 in deep for 1/4 sec cor

73.00 Leave Broken and enter high level Bottom bears NE & SW.

8000 Set a charred Red Cedar post 4x4 in. 4 Ft. 1 Ft. deep, raised mound of earth 2 1/2 Ft. high from pits 18x24x12 in deep for corner to secs 3, 4, 33 and 34 Broken land Third rate Bottom land Fir strate

N. 89° 47' West on true line between secs. 4 & 33 Va 14° 33' E,

40.00 Set a charred Red Cedar post 3x3 in. 4 Ft. 1 Ft. deep, raised a mound of earth 2 1/2 Ft high from pits 18x24x12 in. deep for 1/4 sec cor.

8000 Set a charred Red Cedar post 4x4 in. 4 Ft. 1 Ft. deep, raised Mound of earth 2 1/2 Ft. high from pits 18x24x12 in deep for Corner to Secs 4, 5, 32 and 33 Rich level Bottom Soil fir strate

marked T. 33 N. S. 14 ... on N. E., R 34 W., S.

94
2 2

Bel

146.
75

Between Tps. 33 and 34 N. R 35 W.

N. 89° 47' West on true line
between secs 5 and 32
Va 14° 33' E.

4000 Set a charred Red Cedar post
3×3 in. 4 ft. 1 ft. deep raised
mound of earth 2½ ft. high
from pits 18×24×12 in deep
for 1/4 Sec Cor

8000 Set a charred Red Cedar
post 4×4 in 4 ft. 1 ft. deep
raised mound of earth
2½ ft. high from pits 18×
24×12 in deep for Cor
to secs. 5, 6, 31 and 32
High level Bottoms
Soil Sandstone

147.
76

N 89° 47' West on true line
between secs. 6 & 31
Va 14° 33' E

11000 Set a charred Red Cedar post
3×3 in 4 ft. 1 ft. deep, raised
mound of Earth 2½ high
from pits 18×24×12 in. deep
for 1/4 Sec Cor.

8100 The Corner to Townships
33 and 34 N Ranges 35 and
36 West
High level bottoms 1st rate
September 18th 1877

marked T. 33 N. S. 19 ; on N. E., R 37 W., S.

197.
227

74

acres,
ches;
t.,
ase
ed
e.

East.

nd.
nd.

94 2 2

148. 77

T. 33 N R 35 W

General Description

This township is watered by the Niobrara River running Eastward through the Northern portion

There is a large amount of good rich Valley Land in this Township adapted to Agriculture and the production of all grains adapted to the climate

The more hilly portions are well adapted to grazing affording a good growth of rich nutritious grasses

Surveyed by Charles M. Dakin

197 227

149. 78

Between Ranges 35 and 36 W. & 34 N

From the corner to Townships 33 and 34 N. Ranges 35 and 36 W. I run North on the range line between Secs 31 and 36 Va 14° 35' E.

40.00 Set a charred Red cedar post 3×3 in. 4 ft 1 ft. deep, raised mound of earth 2½ ft. high Grass pits 18×2×12 in deep for 1/4 Sec cor

80.00 Set a charred Red Cedar post 4×4 in. 4 ft. 1 ft. deep raised mound of Earth 2½ ft. high Grass pits 18×2×12 ins deep for corner to secs 30, 31, 25 and 36

High level Rolling Soil Sandstrata

marked T. 33 N. S. 19 ; on N. E., R 34 W., S. 36

Surveyed by Charles N. Dubois

~~156~~ 79

~~157~~ 80

Between Ranges 35 & 36 W. T. 34 N.

North between secs 25 and 30
Var 14° 35' E.

40.00 Set a charred Red Cedar post 3×3 in. 4 ft. 1 ft. deep raised mound of earth 2½ ft. high from pits 18×24×12 in deep for 1/4 sec cor

57.00 Dry bed of Bear creek course SE

80.00 Set a charred Red Cedar post 4×4 in. 4 ft. 1 ft. deep, raised mound of Earth 2½ ft. high from pits 18×24×12 in deep for corner to secs 19, 30, 24 and 25
Land Undulating
Soil Sandstone

North between secs 19 & 24
Var 14° 35' E.

40.00 Set a charred Red Cedar post 3×3 in. 4 ft. 1 ft. deep raised mound of Earth 2½ ft. high from pits 18×24×12 in deep for 1/4 sec cor

80.00 Set a charred Red Cedar post 4×4 in. 4 ft. 1 ft. deep, raised mound of Earth 2½ ft. high from pits 18×24×12 in deep for corner to secs 18, 19, 13 and 24
First half mile Undulating
Soil Sandstone
Balance gently rolling
Soil Sandstone

... the ground, for Cor. to Secs. 19, ...
marked T. 34 N. S. 19 ; on N. E., R. 37 W., S. ...

Between Ranges 35 & 36 W. B. 2 & N.

North between secs 13 and 18
Va 114 35' E.

40.00 Set a charred Red Cedar post
3x3 in 4 ft. 1 ft. deep, raised
mound of earth 2½ ft. high
from pits 18 x 2 x 12 in. deep
for 1/4 Sec. Cor.

60.00 Set a charred Red Cedar
post 4x4 in 4 ft. 1 ft. deep
raised mound of Earth 2½
high from pits 18 x 2 x 12
in deep for corner to secs
7, 18, 12 and 13
Land gently rolling
Soil Secondrate

North between secs 7 and 12
Va 114 35' E

40.00 Set a charred Red Cedar post
3x3 in 4 ft. 1 ft. deep raised
mound of Earth 2½ ft. high
from pits 18 x 2 x 12 in. deep
for 1/4 Sec. Cor.

60.00 Enter dry marsh and Peat bed
bears N 40 and 8 E

80.00 Set a charred Red Cedar
post 4x4 in. 4 ft. 1 ft. deep
raised mound of earth
2½ ft. high from pits 18 x
2 x 12 in deep for corner
to secs. 6. 7. 1 and 12
Upland gently rolling
Secondrate
Land about marsh
and Peatbed fine rate

marked T. 33 N. S. 19 ... on N. E., R. 37 ...

94
2 2

Bet

154.
83

Between Ranges 35 and 36 W. 3d M.

North between secs 6 and 1
Va 11° 35' E.

20.00 Line dry marsh and
Peat bed bears N 10 and W

40.00 Set a charred Red Cedar post
3 x 3 in 4 ft. 1 ft. deep, raised
mound of Earth 2½ ft
high from pits 18 x 24 x 12
in deep for 1/4 sec cor.

80.00. Set a charred Red Cedar post
4 x 4 in 4 ft. 1 ft. deep, raised
mound of earth 2½ ft.
high from pits 18 x 24 x 12
in deep for corner to Townships
34 and 35 N Ranges 35 and
36 West
Land about Marsh 1st rate
Upland Second rate

Surveyed by Chas. M. Dakin

155.
84

197
227

Between Tps. 34 and 35 N. R 35 W.

From the corner to Townships
34 and 35 N R 35 W. 5th mile
East on a random line
between said Townships
Va 14° 38' E.
I set temporary half mile and
mile posts at every 40 00
and 80.00 chains and at 5
miles 79 chains and 20 links
I encounter the East boundary
2 links South of the Town-
ship corner.
The correction for the
true line will therefore
be 80 links West
per mile

12 ins. in the ground, for Cor. to Secs. 19, 24,
marked T. 33 N. S. 19 , on N. E., R. 34 W., S. 30

94
2 2

Bet

156.
85

Between Tps 34 and 35 N R 35 W

From the corner to Township
34 and 35 N Ranges 34 and 35
West, 1 mile
West on true line
between secs 1 and 36
var 14° 38' E.

40 00 Set a charred Red Cedar post
3 x 3 in. 4 ft. 1 ft. deep, raised
mound of earth 2½ ft. high
from pits 18 x 24 x 12 in. deep
for 1/4 sec cor.

66 00 Leave Splumd and enter dry
marsh bears SE and NW

80 00 Set a charred Red Cedar post
4 x 4 in. 4 ft. 1 ft. deep, raised mound
of earth 2½ ft. high from
pits 18 x 24 x 12 in deep
for corner to secs. 1, 2, 35
and 36
Upland gently rolling
Soil Dry sandy loam
Last 14 00 Chains 1st rate

157
86

West on true line
between secs 2 and 35
Var 14° 38' E.

22 00 Leave dry marsh and
enter Splumd bears NW and SE

40 00 Set a charred Red Cedar post
3 x 3 in. 4 ft. 1 ft. deep, raised
mound of Earth 2½ ft. high
from pits 18 x 24 x 12 in. deep
for 1/4 sec. cor.

80 00 Set a charred Red Cedar post
4 x 4 in. 4 ft. 1 ft. deep raised
mound of earth 2½ ft.
high from pits 18 x 24 x 12
in deep for corner to
secs 2, 3, 34 and 35
Dry marsh soil 1st rate
Balance Rolling 2nd rate

12 ins. in the ground, for Cor. to Secs. 19, 24, 30
marked T. 33 N. S. 19 on N. E., R 34 W, S. 30

197
227

Surveyed by Charles M. Dakin

7 4

aces,
ges;
1..
ise
ed
.
ast.
nd.
nd.
ue

158
87

Between Sps 34 and 35 N R 38 W

West on true line
between secs 3 and 34
Va 14° 38' E

17.00 Enter dry marsh bears NE & SW
40.00 Ditacharred Red Cedar post
3×3 in 4 ft. 1 ft. deep, raised
mound of earth 2½ ft.
high from pits 18×24×12
in dep for 1/4 Sec Cor.
44.00 Leave dry marsh bears
NE and SE
8.00 Ditacharred Red Cedar post
4×4 in. 4 ft. 1 ft. deep, raised
mound of earth 2½ ft.
high from pits 18×24×12
in dep for corner
to secs 3, 4, 33 and 34
Upland Valley Secondrate
Marsh Subsoil

159
88

West on true line between
secs 4 and 33
Va 14° 38' E

40.00 Ditacharred Red Cedar post
3×3 in. 4 ft. 1 ft. deep, raised
mound of earth 2½ ft. high from
pits 18×24×12 in. deep for
1/4 Sec cor
59.00 Enter dry marsh bears SE & NW.
79.00 Leave dry marsh bears NW and SE
80.00 Ditacharred Red Cedar post
4×4 in. 4 ft. 1 ft. deep, raised
mound of earth 2½ ft.
high from pits 18×24×12
in. deep for corner to
secs 4, 5, 32 and 33
Land gently rolling
Soil Secondrate
In dry marsh soil
is a rich vegetable
mould Subsoil

12 ins. in the ground, for Cor. to Secs. 17, 2[illegible]
marked T. 33 N. S. 17 on N. E., R. 37 W., S. [illegible]

Surveyed by Chandler N. Dakota

197
227

Surveyed by Charles M. Dudley

160
89

Between Tps 34 and 35 N R 35 W.

West on true line between secs 5 and 32
Va 14° 38' E.

11.00 Set a charred Red cedar post 3x3 in 4 ft 1 ft. deep raised mound of earth 2 1/2 ft. high Corn pits 18x24 x12 in deep for 1/4 sec cor.

80.00 Set a charred Red Cedar post 4x4 in. 4 ft. 1 ft. deep raised mound of Earth 2 1/2 ft. high Corn pits 18x24x12 in. deep for corner to secs. 5, 6, 31 and 32
Land gently rolling
Soil second rate

161.
90

West on true line between secs 6 and 31
Va 14° 38' E.

11.00 Set a charred Red Cedar post 3x3 in. 4 ft. 1 ft. deep, raised mound of earth 2 1/2 ft. high Corn pits 18x24x12 in. deep for 1/4 sec cor.

79.20 The corner to Townships 34 and 35 N Ranges 35 and 36 W. at
Land gently rolling
Soil second rate
September 19th 1877

12 ins. in the ground, for Cor. to Secs. 19, 2[illegible]
marked T. 33 N. S. 19 ; on N. E., R. 37 W., S. 3[illegible]

Bu

Surveyed by Charles M. Dudley

Township 34 N R 35 W.

General Description

There is considerable amount of good arable land in this township along Bear creek and the numerous valleys lying between the ridges Scattering pine and Cedar along Bear Creek. ~~Stoney land~~ The Township contains a large amount of land adapted to Farming or grazing

Between Ranges 35 and 36 W. B.M.

From the corner to Townships 34 and 35 N. Ranges 35 & 36 West I run

North on the Range line between secs 31 and 36 Va 11 o 30' E

23.50 Leave Upland and enter Valley bears E and W.

4000 Set a charred Red Cedar post 3x3 in. 4 ft. 1 ft. dug, raised mound of earth 2½ ft. high Iron pits 18x12x12 in. deep for 1/4 sec cor.

5400 Leave Valley and enter Upland bears E & W

8000 Set a charred Red Cedar post 4x4 in. 4 ft. 1 ft. dug raised mound of earth 2½ ft. high Iron pits 18x12x12 in. deep for corner to secs 30. 31. 25 and 36 Valley first rate Upland Second rate

12 ins. in the ground, for Cor. to Secs. 17 [illegible] marked T. 33 N. S. 17 [illegible] on N. E., R. 37 [illegible]

Bet

Between Rs 35 and 36 W. B. 35 N.

North between secs 35 and 30
Va 14° 30' E.

40.00 Set a charred Red Cedar post 3×3 in. 4 ft. 18 in. deep, raised mound of Earth 2½ ft. high from pits 18×24×12 in deep for 1/4 sec cor.

80.00 Set a charred Red Cedar post 4×4 in. 4 ft. 18 in. deep, raised mound of Earth 2½ ft. high from pits 18×24×12 in. deep for corner To secs. 19, 30, 24 & 25.

Land gently rolling
Soil Second Rate

Surveyed by Chandler W. Durbin

North between secs. 19 and 24
Va 14° 30' E.

40.00 Set a charred Red Cedar post 3×3 in 4 ft. 18 in. deep raised mound of Earth 2½ ft. high from pits 18×24×12 in deep for 1/4 Sec Cor.

55.36 Intersect North boundary of the State 15.15 chains East of 94th Mile post. Set a charred Red Cedar post 4×4 in 4 ft. 18 in. deep, raised mound of Earth 2½ ft. high from pits 18×24×12 in deep for Closing Corner to Townships 35 N Rs 35 and 36 West

Land gently rolling Soil 2nd Rate

General Description
Gently rolling prairie and rich bottoms and dry marshes. Rich sandy soil in vales. The vales are well adapted to Agriculture and the prairie to grazing

12 ins. in the ground, for Cor. to Secs. 19, [illegible]
marked T. 33 N. S. 19 [illegible] on N. E., R 37 W.

Surveyed by Chandler N. Dakota

94 n 2

Bu

166.
95

Between Ranges 36 and 37 W. & 33 N.

From the Standard Corner to Township 33 N on 8th Standard Parallel, Ranges 36 and 37 W. thence North on the range line between secs 31 and 36 Var 14° 30' E.

40.00 Set a charred Red Cedar post 3×3 in. 4 ft. 1 ft. deep, raised mound of Earth 2½ ft. high from pits 18×24×12 in. deep for 1/4 sec cor.

80.00 Set a Charred Red Cedar post 4×4 in. 4 ft. 1 ft. deep, raised mound of Earth 2½ ft. high from pits 18×24×12 in deep for corner to secs 30, 31, 25 and 36 Undulating Sandstone

167.
96

North between Secs. 25 and 30 Var 14° 30' E.

1100.00 Set a charred Red Cedar post 3×3 in 4 ft. 1 ft. deep raised mound of Earth 2½ ft. high from pits 18×24×12 in deep for 1/4 sec cor.

1460.00 Leave Upland and enter high bottom brush NE & SE

1795.00 Cross Trail bears NE & SE

1800.00 Set a charred Red Cedar post 4×4 in 4 ft. 1 ft. deep raised mound of Earth 2½ ft. high from pits 18×24×12 in deep for corner to Secs. 19, 30, 24 and 25. Set 4600 chains undulating Sandstone Bottom Sandstone

12 ins. in the ground, for Cor. to Secs. 19, 2
marked T. 33 N. S. 19 , on N. E., R. 37 W., S. 30

197.
227

74

aces,
ges;
l.,
ase
ed
ast.
nd.
nd.
ne

Between Ranges 36 and 37 W. P. 33 N.

North between secs 19 & 24
Va 7 & 30 E

40.00 Set a charred Red Cedar post 3×3 in. 14 in. 1 ft. deep raised mound of Earth 2½ ft. high from pits 18×24×12 in deep for 1/4 Sec Cor

80.00 Set a charred Red Cedar post 4×4 in. 4 ft. 1 ft. deep raised mound of earth 2½ ft. high from pits 18×24×12 in. deep for corners to secs 18×19, 13 and 24
High level bottoms
Soil Sandstone

Surveyed by Charles W. Dudley

North between secs 13 and 18
Va 11° 30' E

30.00 Leave level bottom and enter breaks from River bears E W

35.00 Leave breaks and enter Cow bottom bears E W.

110.00 Set a charred Red Cedar post 3×3 in. 4 ft. 1 ft. deep, raised mound of Earth 2½ ft. high from pits 18×24×12 in deep for 1/4 Sec Cor. from which
An Elm 8 in diam bears S 35° E 100 lks dist
An Ash 14 in. diam bears S 55° W. 110 lks distant

42.00 Niobrara River 1 80 lks wide runs N E

47.00 Leave bottoms bears E & W

80.00 Set a charred Red cedar post 4×4 in 4 ft. 1 ft. deep, raised mound of earth 2½ ft. high from pits 18×24×12 in deep for Cor to secs 7, 18, 12 and 13
Valley 1st rate
Balance Third rate

12 ins. in the ground, for Cor. to Secs. 19, 24
marked T. 33 N. S. 19 ; on N. E., R 37 W., S.

Be

197.
227

74

aces,
ges;
l.,
ase

ed

ast.

nd.

nd.

ue

Surveyed by Chandler W. Durbin

94
2 2

Bu

170
99

Between Ranges 36 & 37 W. S. 33 N.

North between secs 7 and 12
Va 14° 30' E

40.00 Set a charred Red Cedar post 3x3 in. 4 ft. 1 ft. dep, raised mound of Earth 2 1/2 ft. high from pits 18 x 24 x 12 in dep for 1/4 sec cor

69.50 Spring branch 10 lks wide runs SE

80.00 Set a charred Red Cedar post 4x4 in. 4 ft. 1 ft. dep, raised mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in dep for Corner to secs 6, 7, 1 and 12
Land gently rolling
Soil secondrate

171
100

North between Secs 1 and 6
Va 14° 30' E.

11000 Set a charred Red Cedar post 3x3 in. 4 ft. 1 ft dep, raised mound of Earth 2 1/2 ft. high from pits 18 x 24 x 12 in dep for 1/4 sec cor

80.00 Set a charred Red Cedar post 4x4 in 4 ft. 1 ft. dep, raised mound of Earth 2 1/2 ft. high from pits 18 x 24 x 12 in dep for Corner to Townships 33 and 34 N Ranges 36 and 37 W.
Land gently rolling
Soil secondrate

197
227

74

aces,
ges;
l.,
ase
ool

ast.

nd.
nd.

12 ins. in the ground, for Cor. to Secs. 19, 2
marked T. 33 N. S. 19 , on N. E., R. 37 W. S.

Bet

Between Tps 33 and 34 N R 36 W.

From the corner to Townships 33 and 34 N Ranges 36 and 37 West I run East on a random line between said Townships 40 Chs 31' E

I set temporary half mile and mile posts at every 40 00 and 80 00 chains and at 5 miles 78 chains and 52 Links I intersect the East boundary 63 Lks North of the Township corner Tps. 33 & 34 N Rs. 35 & 36 W. The correction for the true line will therefore be 1 chain and 46 Lks West 16½ Links South per mile & my true Course N 89° 55' West

From the corner to Townships 33 and 34 N Ranges 35 & 36 West I run N 89° 55' West on true line between secs 1 and 36 a dist 11 Ch 31' E

40 00 Set a Chained Red Cedar post 3×3 in. 4 Ft. 1 Ft deep, raised mound of earth 2½ Ft high from pits 18×24×12 in deep for 11 Ch 31 Lks E

80.00 Set a Chained Red Cedar post 4×4 in 4 Ft 1 Ft deep, raised mound of earth 2½ Ft high from pits 18×24× 12 in deep for corner to secs 1, 2, 35 and 36 High level Bottom Soil Prairie

12 ins. in the ground, for Cor. to Secs. 17, [illegible]
marked T. 33 N. S. 17 [illegible] on N. E., R 37 W., S.

Bet

Between Tps 33 and 34 N R 36 W.

N 89° 55' West on true line between secs 2 and 35
Va = 14° 31' E

4000 Set a charred Red Cedar post 3 x 3 in 4 ft. 1 ft. deep, raised mound of Earth 2 1/2 ft. high from pits 18 x 24 x 12 in deep for 1/4 sec cor

6100 Lean high level Bottom and entry, Upland beans Needed

8000 Set a charred Red Cedar post 4 x 4 in 4 ft. 1 ft. deep raised mound of Earth 2 1/2 ft. high from pits 18 x 24 x 12 in deep for corner to secs 2, 3, 34 and 35

Bottom Gristrate

Balance Reconbrate

Surveyed by Charles M. Dudley

N 89° 55 West on true line between secs 3 & 34
Va 14° 31' E

4000 Set a charred Red Cedar post 3 x 3 in 4 ft. 1 ft. deep, raised mound of Earth 2 1/2 ft. deep from pits 18 x 24 x 12 in deep for 1/4 sec cor

8000 Set a charred Red Cedar post 4 x 4 in 4 ft. 1 ft. deep raised mound of Earth 2 1/2 ft. high from pits 18 x 24 x 12 in deep for corner to secs 3, 4, 33 and 34

Land gently rolling
Soil reconbrate

12 ins. in the ground, for Cor. to Secs. 19,
marked T. 33 N. S. 19 , on N. E., R. 37 W., S.

Between Tps 33 & 34 N R 36 W

N 89° 55' West on true line between secs 4 & 33 Va 11 & 31' E

1/000 Set a charred Red Cedar post 3 x 3 in. 4 ft. 1 ft. deep, raised mound of earth 2 1/2 ft. high from pits 18 x 2 1/2 x 12 in. deep for 11 & sec cor.

8000 Set a charred Red Cedar post 4 x 4 in. 4 ft. 1 ft. deep, raised mound of earth 2 1/2 ft. high from pits 18 x 2 1/2 x 12 in. deep for corner to secs 4, 5, 32 & 33

Land gently rolling

Soil Second rate

Surveyed by Charles M. Bakewell

197
227

N 89° 55' West on true line between secs 5 & 32 Va 11 & 31

4000 Set a charred Red Cedar post 3 x 3 in. 1 ft. 1 ft. deep, raised mound of Earth 2 1/2 ft. high from pits 18 x 2 1/2 x 12 in. deep for 11 & sec cor.

8000 Set a charred Red Cedar post 4 x 4 in. 4 ft. 1 ft. deep raised mound of earth 2 1/2 ft. high from pits 18 x 2 1/2 x 12 in. deep for corner to secs 5, 6, 31 and 32

Land gently rolling

Soil Second rate

12 ins. in the ground, for Cor. to Secs. 17, ...
marked T. 33 N. S. 17 ; on N. E., R. 37 W., S. ...

Between Tps 33 and 34 N R 36 W.

N 89° 55' West on true line between secs 6 and 31 Va 140 31' E

4000 Set a hand Red cedar post 3 x 3 ins. 4 ft. 1 ft deep raised mound of earth 2½ ft. high from pits 18 x 24 x 12 ins deep for 114 sec cor.

75.54 The corner to Townships 33 and 34 N Ranges 36 and 37 West

Surface undulating

Soil Grassland

September 20th 1877

Township 33 N R 36 West

General Description

The Niobrara River runs Eastward through this Township through a beautiful Canon skirted with Pine and Cedar timber There is a large amount of good tillable land in this Township along the River bottoms and in the vales of dark sandy loam. Found throughout the Twp.

The Twp will admit of a good settlement of farmers or grazers

12 ins. in the ground, for Cor. to Secs. 1
marked T. 33 N. S. 19 on N. E., R 37

Between Ranges 36 & 37 W. & 34 N.

From the corner to Townships 33 and 34 N Ranges 36 and 37 W. Indian
North on the range line between secs 31 and 36
Var 14° 30' E.

110.00 Set a charred Red Cedar post 3×3 in. 4 ft. 1 ft. dug raised mound of earth 2½ ft. deep from pits 18 × 24 × 12 in. deep for 1/4 sec cor

80.00 Set a charred Red Cedar post 4×4 in. 4 ft. 1 ft. deep raised mound of earth 2½ ft. high from pits 18 × 24 × 12 in deep for corner to secs 30, 31, 25 and 36
~~First half undulating~~
~~Soil first rate~~
~~Balance gently~~ rolling
Soil Second rate

North between secs 25 and 30
Var 14° 30' E.

40.00 Set a charred Red Cedar post 3×3 in. 4 ft. 1 ft. dug raised mound of earth 2½ ft. high from pits 18 × 24 × 12 in. deep for 1/4 sec cor

80.00 Set a charred Red Cedar post 4×4 in. 4 ft. 1 ft. dug raised mound of earth 2½ ft. high from pits 18 × 24 × 12 in. deep for corner to secs 19, 30, 24 and 25
1st half undulating
Soil first rate
Balance gently rolling
Soil second rate

12 ins. in the ground, for Cor. to Secs. 17, 24
marked T. 33 N. S. 17 , on N. E., R 37 W., S. 30

Between Rs 36 & 37 W. T. 34 N.

North between secs 19 and 24
Va 14° 30' E.

40.00 Set a charred Red Cedar post 3×3 in 4 ft 1 ft. deep raised mound of earth 2½ ft high from pits 18 × 24 × 12 in deep for 1/4 sec cor

80.00 Set a charred Red Cedar post 4×4 in 4 ft 1 ft. deep, raised mound of earth 2½ ft. high from pits 18 × 24 × 12 in. deep for corner to secs 18, 19, 13 and 24
Land gently rolling
Soil Second rate

Surveyed by Charles W. Dahl

197
227

North between secs. 13 and 18
Va 14° 30' E.

40.00 Set a charred Red Cedar post 3×3 in 4 ft 1 ft. deep, raised mound of Earth 2½ ft. high from pits 18 × 24 × 12 in deep for 1/4 sec cor.

80.00 Set a charred Red Cedar post 4×4 in 4 ft 1 ft. deep raised mound of earth. 2½ ft high from pits 18 × 24 × 12 in deep for corner to secs 7, 18, 12 and 13
Land gently rolling
Soil Second rate

12 ins. in the ground, for Cor. to Secs. 17, ...
marked T. 33 N. S. 17 ... on N. E., R. 37 W. S. ...

Betweem Rs 36 and 37 W. T. 34 N.

North between secs. 7 and 12
Va 14° 30' E.

24.00 Leave upland and enter Bottom bears E and W.

26.00 Bear Creek 10 lks. wide runs East

40.00 Set a charred Red Cedar post 3×3 in. 4 ft. 1 ft. deep, raised mound of earth 2½ ft. high from pits 18×24×12 in deep for 1/4 sec cor.

42.00 Leave Bottom and enter upland bears E & W

80.00 Set a charred Red Cedar post 4×4 in 4 ft. 1 ft. deep, raised mound of earth 2½ ft high from pits 18×24×12 in deep for corner to secs 6, 7, and 12
Bottom 1st rate
Balance second rate

North between secs 1 and 6
Va 14° 30' E

40.00 Set a charred Red Cedar post 3×3 in 4 ft. 1 ft. deep, raised mound of Earth 2½ ft. high deep, raised mound of Earth 2½ ft. high from pits 18×24×12 in deep for 1/4 sec cor.

56.00 Leave upland and enter Valley bears N & S

80.00 Set a charred Red Cedar post 4×4 in. 4 ft. 1 ft. deep raised mound of earth 2½ ft. deep from pits 18×24×12 in. deep for corner to Townships 34 and 35 N Ranges 36 and 37 W
Upland Second rate
Valley 1st rate

12 ins. in the ground, for Cor. to Secs. 19, ...
marked T. 33 N. S. 19 ... on N. E., R. 37 W., S. ...

Between Tps. 34 & 35 N R 36 W

From the corner to Townships
34 and 35 N. Ranges 36 and 37
West I run
East on a random line
between said Townships
Va 14° 32' E,
I set temporary half mile
and mile posts at every
40.00 and 80.00 chains
and at 6 miles 1 chain
and 62 links I intersect
the East boundary 110 lks
North of the Cor. to Townships
Corner 34 & 35 N Rs 35 & 36 W.
The corrections for the true
line will therefore be
One chain and 62 lks
East and 18⅓ links
South per mile
to my true Course N. 89° 53' W.

Surveyed by Charles N. Dubois

197.
227

From the Corner to Townships
34 and 35 N Ranges 35 and
36 West I run
N 89° 53' West on true line
between Secs 1 and 36
Va 14° 30' E

40.00 Set a charred Red Cedar post
3 x 3 in. 4 ft. 1 ft. dep. raised
mound of earth 2 ft high
Iron pits 18 x 24 x 12 in
dep for 11 Sec Cor.

80.00 Set a hewn Red Cedar post
4 x 4 in. 4 ft. 1 ft. dep. raised
Mound of Earth 2 1/2 ft
high Iron pits 18 x 24
x 12 in. dep for Corner
to Secs 1, 35 and 36
Land gently rolling
Soil Secondrate

12 ins. in the ground, for Cor. to Secs. [illegible]
marked T. 33 N. S. 19 [illegible] N. E., R. 37 W.

Between Pts 34 and 35 N R 36 W.

N 89° 53' West on true line
between secs 2 and 35
Va 14° 30' E

40.00 Set a charred Red cedar post
3 x 3 in. 4 ft. 1 ft. deep raised
mound of Earth 2½ ft. high
from pits 18 x 24 x 12 in
deep for 1/4 sec. Cor.

80.00 Set a charred Red Cedar
post 4 x 4 in. 4 ft. 1 ft. deep
raised mound of earth
2½ ft. high from pits
18 x 24 x 12 in deep
for corner to secs. 2, 3,
34 and 35.

Land gently rolling
Soil second rate

N 89° 53' West on true line
between secs 34 and 34
Va 14° 30' E.

8.00 Leave Upland and enter
valley bears N 50 and 0 E

40.00 Set a charred Red Cedar post
3 x 3 in. 4 ft. 1 ft. deep, raised
mound of Earth 2½ ft.
high from pits 18 x 24 x 12
in. deep for 1/4 sec Cor.

80.00 Set a charred Red Cedar post
4 x 4 in. 4 ft. 1 ft. deep raised
mound of Earth 2½ ft
high from pits 18 x 24 x 12
in. deep for corner
to secs 3, 4, 33 and 34

Upland second rate
Valley first rate

12 ins. in the ground, for Cor. to Secs. [illegible]
marked T. 33 N. S. 19 , on N. E., R 39 [illegible]

Between Pts 34 and 35 N R 36 W.

N. 89° 53' West on true line between secs 4 and 33
Va = 14° 30' E

4.00 Leave valley and enter Upland bears N & S.

40.00 Set a charred Red Cedar post 3x3 in. 4 ft. 1 ft. dep. raised mound of Earth 2 1/2 ft. high from pits 18 x 24 x 12 in deep for 1/4 sec Cor.

79.00 Pt. of dry lake bed N. & S. and E. & W.

80.00 Set a charred Red Cedar post 4x4 in. 4 ft. 1 ft. deep raised mound of Earth 2 1/2 ft. high from pits 18 x 24 x 12 in deep for corner to secs. 4, 5, 32 and 33 from which a Willow 6 in. diam bears N. 55° W 42 lks dist. a Willow 8 in diam bears N 80° E 98 lks dist a Willow 8 in diam bears S 16° W. 50 lks dist Valley 1st rate Upland 2nd rate

Surveyed by Charles N. Dubois

N 89° 53' West on true line between secs 5 and 32
Va = 14° 30' E.

4.00 Leave bed of dry lake bears N & S and S E, and enter Valley

40.00 Set a charred Red Cedar post 3x3 in 4 ft. 1 ft. deep, raised mound of earth 2 1/2 ft. high from pits 18 x 24 x 12 in deep for 1/4 sec Cor.

47.00 Leave Valley and enter Upland bears N E and S W

80.00 Set a charred Red Cedar post 4 x 4 in 4 ft. 1 ft. deep raised mound of earth 2 1/2 ft. high from pits 18 x 24 x 12 in. deep for corner to secs 5, 6, 31 and 32

Valley 1st rate
Upland 2nd rate

12 ins. in the ground, for Cor. to Secs. 19, [illegible]
marked T. 33 N. S. 19 [illegible] on N. E., R. 37 W., S. [illegible]

Surveyed by Charles M. Dubois

197
121

Between Tps 34 and 35 N. R 36 W.

N. 89° 52' West on true line between secs 6 and 31 Va 14° 32' E.

40.00 Set a charred Red Cedar post 3×3 in 1 ft. 1 ft. deep, raised mound of earth 2½ ft high Trim pits 18×24×12 in. deep for 11 sec cor

77.00 Land Upland and enter Valley bears NW and SE

81.62 The Corner to Township 34 and 35 N Rs 36 and 37 W.

General Description

This Tp is for the most part gently rolling, alternate hills and vales. Valleys good rich soil adapted to the growth of all grains suitable to the Climate Bear creek runs Southeasterly through the Township

197
122

Between Ranges 36 and 37 W. of 5th PM

From the corner to Townships 34 and 35 N. R. 36 and 37 W.

I run North on the range line between Secs 31 and 36 Va 1° 30' E

11.00 Leave valley for gently rolling upland bears NW and SE

40.00 Set a charred Red Cedar post 3×3 in. 1 ft. 1 ft. deep, raised mound of earth 2½ ft. high ~~raised mound of earth 2½ ft. high~~ Trim pits 18×24 ×12 in. deep for 11 sec. cor.

80.00 Set a charred Red Cedar post 4×4 in. 1 ft. 1 ft. deep, raised mound of Earth 2½ ft. deep for corner to Secs 30, 31, 25 and 36

Valley Jr. to rate

Upland Second rate

12 ins. in the ground, for Cor. to Secs. [illegible]

marked T. 33 N. S. 19 [illegible] N. E., R 37 W.

Bet

Between Ranges 36 and 37 W. T. 35 N.

North between secs 25 and 30
Va 11° 30' E,

32,00 Leave upland and enter valley bears NE and SE

4000 Set a charred Red Cedar post 3×3 ins 4 ft. 1 ft. dep, raised mound of earth 2½ ft. high from pits 18×24×12 in. deep for 1/4 sec cor

7000 Leave valley and enter Upland bears NE and SE

8000 Set a charred Red Cedar post 4×4 in 4 ft. 1 ft. dep, raised mound of earth 2½ ft. high from pits 18×24×12 in deep for corner to secs 19, 30, 24 and 25

Land gently rolling
Soil 2nd rate

Between Ranges 36 and 37 W. T. 35 N.

North between secs. 19 and 24
Va 14° 30' E.

40.00 Set a charred Red Cedar post 3×3 ins 4 ft. 1 ft. dep, raised mound of earth 2½ ft. high from pits 18×24×12 ins. deep for 1/4 sec cor.

55.85 Intersect North Boundary of State 11.78 chains East of the 100th Mile Post and Set a charred Red Cedar post 4×4 ins 4 ft. 1 ft. dep, raised mound of earth 2½ ft. high from pits 18×24×12 ins deep for Closing Corner to Townships 35 North Ranges 36 and 37 West

Gently rolling 2nd rate

General Description

This fractional Tp. is composed of alternate valleys and ridges of Prairie. Valleys good rich soil adapted to farming — Upland is good for grazing

Altitude 2100 ft

12 ins. in the ground, for Cor. to Secs.
marked T. 35 N. S. 19 , on N. E., R. 3

Surveyed by Charles W. Dubois

196.

Between Ranges 37 and 38 W. T. 33 N.

From the corner to Townships 33 N. Ranges 37 and 38 W. on the 8th Standard Parallel I run North on the range line between secs 31 and 36. Va 14° 45' E.

30.00 Leave Upland and enter high level Bottom bears NE and SW

32.50 Gordons trail bears NE and SW.

40.00 Set a charred Red Cedar post 3x3 in. 4 ft. 1 ft. deep, raised mound of earth 2½ ft. high 2½ ft. high from pits 18 x 2 ft x 12 in. deep for 1/4 sec cor.

80.00 Set a charred Red Cedar post 4x4 in 4 ft. 1 ft. deep, raised mound of earth 2½ ft. high from pits 18 x 2 ft x 12 in. deep for corner to secs 30. 31. 25 and 36

Land gently rolling Upland second rate Bottom, rich first rate

197.

North between secs. 25 and 30 Va 14° 45' E.

17.00 Leave level bottom and enter breaks of river bears E & W.

40.00 Set a charred Red Cedar post 3 x 3 in 4 ft. 1 ft. deep, raised mound of earth 2½ ft. high from pits 18 x 2 ft x 12 in. deep for 1/4 sec. cor.

45.00 Enter low bottom bears E & W.

57.30 Niobrara River 110 lks wide runs S.E. high bank on N. side

80.00 Set a charred Red Cedar post 4 x 4 in 4 ft. 1 ft. deep, raised mound of earth 2½ ft. high from pits 18 x 2 ft x 12 in. deep for Corner to secs 19. 30 25 and 36

Bottom first rate
Breaks Third rate
Pine and Cedar in breaks
Cottonwood and Willow along river

12 ins. in the ground, for Cor. to Secs. 1
marked T. 33 N. S. 19 , on N. E., R. 37

Between Ranges 37 and 38 W. S. 337

North between secs. 19 & 24
Va 14° 45' E

40,00 Set a charred Red Cedar post 3x3 in. 4 Ft. 1 Ft. dep, raised mound of earth 2½ ft. ~~deep a mound~~ of from pits 18x2½x12 in deep for 1/4 sec, Cor.

80,00 Set a charred Red Cedar post 4x4 in. 4 Ft. 1 Ft. dep, raised mound of earth 2½ ft. high from pits 18x2½x12 in. dep for corner to secs. 18, 19, 13 and 24
Land gently rolling
Soil secondrate

North between secs. 13 & 18
Va 14° 45' E

40,00 Set a charred Red Cedar post 3x3 in 4 Ft. 1 Ft. dep, raised mound of Earth 2½ ft. high from pits 18x2½x12 in dep for 1/4 sec, Cor.

80,00 Set a charred Red Cedar post 4x4 in 4 Ft. 1 Ft. dep raised mound of Earth 2½ ft. high from pits 18x2½x12 in dep for corner to secs 7, 18, 12 and 13
Land gently rolling
Soil secondrate

12 ins. in the ground, for Cor. to Secs. 1
marked T. 33 N. S. 19 ; on N. E., R 37

Between Ranges 37 and 38 W. & 33 N.

North between secs 7 and 12
Va 11° 45' E.

40.00 Set a charred Red Cedar post 3×3 ins. 1 ft. 1 ft. deep, raised mound of earth 2½ ft. high from pits 18 × 7½ × 12 ins deep 8 W. 1/4 sec cor.

40.00 Set a charred Red Cedar post 4×4 ins. 1 ft. 1 ft. deep, raised mound of earth 2½ ft. high from pits 18 × 7½ × 12 ins deep for corner to secs 6. 7, 1 and 12

Land gently rolling
Soil second rate

North between secs 1 and 6
Va 11° 15' E.

11.00 Set a charred Red Cedar post 3×3 ins. 1 ft. 1 ft. deep, raised mound of earth 2½ ft. high from pits 18 × 7½ × 12 ins deep for 1/4 sec cor

80.00 Set a charred Red Cedar post 11×11 ins 1 ft. 1 ft. deep raised mound of earth 2½ ft high from pits 18 × 7½ × 12 ins. deep for Corner to Townships 33 and 34 N. Ranges 37 and 38 West

Land gently rolling
Soil Second rate
September 22nd 1877

12 ins. in the ground, for Cor. to Secs. 17
marked T. 33 N. S. 17 on N. E., R. 37 W.

Between Tps 33 and 34 N R 37 W

From the corner to Townships 33 and 34 N Ranges 37 and 38 W. I run East on a random line between said Townships Va 14° 40' E

I set temporary half mile and mile posts at every 4000 and 8000 chains and at 6 miles 1 chain and 40 links I intersect the East Boundary 170 lks North of the Township Corner to Tps. 33 & 34 N. Rs 36 & 37 W

The correction for the true line will therefore be 1,40 chs East and 28 3/4 lks South per mile

Mag. true Course N 89 48' West

From the corner to Townships 33 and 34 N Ranges 36 and 37 West I run N 89 48' West on true line between secs 1 and 36 Va 1 1/4 0 1 1/2 0' E

4000 Set a charred Red Cedar post 3x3 in 11 lbs 18 in. deep raised mound of earth 2 1/2 ft high from pits 18 x 7 x 1 x 12 in deep for 1/4 Sec cor.

8000 Set a charred Red Cedar post 11x11 in 11 ft 18 in deep, ~~raised mound of earth 2 1/2 ft high~~ raised mound of 2 1/2 ft high from pits 18 x 7 x 1 x 12 in deep for corners to secs 1, 2, 35 and 36

Land Rolling

Soil Red Sandrate

12 ins. in the ground, for Cor. to Secs. 1
marked T. 33 N. S. 19 ; on N. E., R 37

Between Sps 33 and 34 R 37 W.

N 89° 48' West on true line between secs 2 and 35
Va 14° 40' E

40 00 Set a charred Red Cedar post 3x3 ins. 4 ft. 1 ft. deep raised Mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 ins deep for 1/4 Sec Cor

80 00 Set a charred Red Cedar post 4x4 ins. 4 ft. 6 ft. deep raised mound of earth 2 1/2 ft high from pits 18 x 24 x 12 ins deep for Corner to secs 2, 3, 34 and 35

Gently rolling
Soil Second Rate

Surveyed by Charles M. Dakin

197.
227

N 89° 48' West on true line between secs 3 and 34
Va 14° 40' E

15 00 Drain course E

40 00 Set a charred Red Cedar post 3x3 ins 4 ft. 1 ft. deep raised mound of earth 2 1/2 ft. high from pits 18 x 24 x 12 ins deep for 1/4 Sec Cor

80 00 Set a charred Red Cedar post 4x4 ins 4 ft. 1 ft. deep raised mound of earth 2 1/2 ft. high from pits 18 x 24 x 12 ins deep for corner to secs 3, 4, 33 and 34

Land Rolling
Soil good Second Rate

12 ins. in the ground, for Cor. to Secs.
marked T. 33 N. S. 19 ; on N. E., R. 37

Between Tps 33 and 34 N R 37 W

N. 89° 18' West on true line between secs 4 & 33
Va 14° 40' E

4000 Set a charred Red Cedar post 8 x 3 in. 4 ft. 1 ft. dep. raised mound of Earth 2 1/2 ft. high from pits 18 x 24 x 12 in. dep. for 11 x sec. cor.

80.00 Set a charred Red Cedar post 4 x 4 in. 4 ft. 1 ft. dep. raised mound of earth 2 1/2 ft. high from pits 18 x 24 x 12 in. dep. for corner To secs. 4, 5, 32 and 33
Land Rolling
Soil Second rate

N 89° 18' West on true line between Secs. 5 and 32
Va 14° 40' E

40.00 Set a charred Red Cedar post 3 x 3 in. 4 ft. 1 ft. dep. raised mound of Earth 2 1/2 ft. high from pits 18 x 24 x 12 in. dep. for 1/4 sec. cor.

80.00 Set a charred Red Cedar post 4 x 4 in. 4 ft. 1 ft. dep. raised mound of Earth 2 1/2 ft. high from pits 18 x 24 x 12 in. dep. for corner To secs. 5, 6, 31 and 32
Land Rolling
Soil Sandy this Drale

12 ins. in the ground, for Cor. to Secs.
marked T. 33 N. S. 17 , on N. E., R 37

Between Tps 33 and 34 N R 37 W

N. 89° 48' West on true line between secs 6 and 31 Da 14° 40' E

40.00 Set a charred Red Cedar post 3×3 in 18" hole, raised Mound of Earth 2 ft. high from pits 8×24×12 in deep, for 1/4 sec cor

81.40 The corner to Townships 33 and 34 N. Ranges 37 & 38 West

Land Rolling

Soil sandy

Timber

Drate

(Cont.)

Township 33 N. R 37 W.

General Description

The Niobrara river runs through this Township near the middle affording good water power. There is a large amount of good rich land in this Township along the River Bottoms which is well adapted to the growth of grain &c. Suitable to the Climate.

Timber scattering Pine and Cedar in the Bluffs and Gulches adjacent to the River

12 ins. in the ground, for Cor. to Secs. 19,

marked T. 33 N. S. 19 , on N. E., R 37 W.

Between Ranges 37 and 38 W. P. 3477

From the corner to Townships
33 and 34 N. Ranges 37 & 38
W. I run
North on the range line
between secs 31 & 36
Va 11° 33' E.

110.00 Set a charred Red Cedar post 3×3
in 4ft. 1ft. deep raised mound
of earth 2½ ft. high from
pits 8×24×12 in deep for
1/4 sec cor

40.00 Leave upland and enter
Valley runs E and W.

46.00 Drain course East

52.00 Leave Valley and enter
upland runs E & W

80.00 Set a charred Red Cedar post
4×4 in 4 ft. 1 ft. deep raised
Mound of earth 2½ ft.
high from pits 18×24×12
in deep for corner to secs
30, 31, 25 and 36
Upland Rolling Prairie
Valley land Limestone

North between secs 25 and 30
Va 11° 33' E

40.00 Set a charred Red Cedar post
3×3 in 4ft. 1ft. deep, raised
mound of earth 2½ ft. high
from pits 18×24×12 in deep
for 1/4 sec cor

80.00 Set a charred Red Cedar post
4×4 in 4 ft. 1 ft. deep, raised
Mound of earth 2½ ft.
high from pits 18×24×12
in deep for corner to secs
19, 30, 24 and 25
Gently rolling
Soil second rate

12 ins. in the ground, for Cor. to Secs. [illegible]
marked T. 33 N. S. 19 , on N. E., R 37 W.

Surveyed by Charles M. Dakin

197.
227

94.
2 2

Bet

3

4

7

8

212.
141

Between Ranges 37 and 38 W. P. 34

North between secs 19 and 24
Va 114° 33' E

4000 Set a charred Red Cedar post 3×3 in. 4 ft. 1 ft. deep raised mound of earth 2½ ft. high from pits 18×7½×12 in deep for 1/4 sec cor.

8000 Set a charred Red Cedar post 4×4 in 4 ft. 1 ft. deep, raised mound of Earth 2½ ft. high from pits 18×7½×12 in. deep for corner to secs 18, 19, 13 and 24

Land gently rolling
Soil second rate

213.
142

North between secs 13 and 18
Va 114° 33' E.

38.00 Leave N plund and enter valley bears E & W.

40.00 Set a charred Red Cedar post 3×3 in 4 ft. 1 ft. deep, raised mound of Earth 2½ ft. high from pits 18×7½×12 in deep for 1/4 sec cor.

46.00 Drain course East

52.00 Leave valley and enter N plund bears E and W.

80.00 Set a charred Red Cedar post 4×4 in 4 ft. 1 ft. deep, raised mound of earth 2½ ft. high from pits 18×7½×12 in. deep for corner to secs 7, 18, 12 and 13

Valley first rate
N plund second rate

12 ins. in the ground, for Cor. to Secs. 1
marked T. 33 N. S. 19 on N. E., R 3

Faces,
ges;
st.,
ase
rd
e.
East.
end.
nd.
ne
,
nd.

Surveyed by Charles W. Dubois

214.
143

Between Ranges 37 & 38 W. S. 34 N

North between secs. 7 & 12
Va 14° 33' E.

40.00 Set a charred Red Cedar post 3×3 in. 4 ft. 1 ft. deep, raised mound of earth 2½ ft. high, from pits 18 × 24 × 12 in. deep for 11 & 12 cor.

44.00 Leave N. fund and enter Valley bears E & W.

55.00 Bear Creek 5 lks. wide runs E.

62.00 Leave Valley and enter N. fund, bears E and W.

80.00 Set a charred Red Cedar post 4×4 in. 4 ft. 1 ft. deep, raised mound of earth 2½ ft. high, from pits 18 × 24 × 12 in. deep for corner to secs. 6, 7, 1 and 12

Valley Subdivision
N. fund Secondvision

215.
144

North between secs. 1 and 6
Va 14° 33' E.

40.00 Set a charred Red Cedar post 3×3 in. 4 ft. 1 ft. deep, raised mound of earth 2½ ft. high, from pits 18 × 24 × 12 in. deep for 1 & 6 cor.

80.00 Set a charred Red Cedar post 4×4 in. 4 ft. 1 ft. deep, raised mound of earth 2½ ft. high, from pits 18 × 24 × 12 in. deep for Corner to Townships 34 and 35 N. Ranges 37 and 38 W.

Land gently rolling
Soil second rate
September 23d 1877

12 ins. in the ground, for Cor. to Secs. 1
marked T. 33 N. S. 19 on N. E., R. 37

Surveyed by Chas. N. Dubois

197
227

216.
145

Between Tps 34 and 35 N R 37 W.

From the corner to Townships 34 and 35 N Ranges 37 and 38 West I run East on random line between said Townships Va 14°30' E.

I set temporary half mile and Mile posts at every 40.00 and 80.00 chains and at 6 miles 1 chain and 80 links I intersect the East boundary 114 links North of the Township corner. a Tps 34 & 35 N. Rs 36 & 37 W.

The correction for the true line will therefore be 1 Chain and 80 links East and 2 1/3 links South per mile

running true Course N 89°59 West

217
146.

From the corner to Townships 34 and 35 N. R. 36 and 37 W

I run N 89°59' West on true line between secs 1 and 36 Va = 14°30' E,

40.00 Set a charred Red Cedar post 3x3 in. 4 Ft. 1 Ft. dug, raised mound of earth 2 1/2 ft. high from pits 18 x 2 1/2 x 12 in deep for 114 acc Cor.

46.00 Leave valley and enter Upland bears NE and SW.

80.00 Set a charred Red Cedar post 4x4 in 4 ft. 1 ft. deep raised mound of earth 2 1/2 ft. high from pits 18 x 2 1/2 x 12 in. deep for corner to secs 1, 2, 35 and 36

Valley 1 sistrate
Upland 2 secondrate

12 ins. in the ground, for Cor. to Secs. 1
marked T. 33 N. S. 19 , on N. E., R. 37

Surveyed by Charles M. Dalaba

218.
147

Between Tps. 34 and 35 N. R 37 W.

N. 89° 59' West on true line between Secs. 2 & 35
Va 14° 30' E.

11.00 Leave Upland and enter valley bears N & S.

31.00 Leave Valley and enter Upland Valley bears N & S

40.00 Set a charred Red Cedar post 3x3 in 4 ft. 1 ft. deep raised mound of earth 2 1/2 ft. high from pits 18 x 24 x 12 in deep for 1/4 Sec Cor.

80.00 Set a charred Red Cedar post 4x4 in 4 ft. 1 ft. deep raised mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for corner to secs. 2, 3, 34 and 35

Valley first rate
Upland second rate

219
148

N. 89° 59' West on true line between Secs 3 & 34
Va 14° 30' E.

37.00 Leave Upland and enter dry marsh bears NE & SW

40.00 Set a charred Red Cedar post 3x3 in 4 ft. 1 ft. deep raised mound of earth 2 1/2 ft. high from pits 18 x 24 x 12 ins. deep for 1/4 sec Cor.

80.00 Set a charred Red Cedar post 4x4 in 4 ft. 1 ft. deep raised mound of earth 2 1/2 ft. high from pits 18 x 24 x 12 in deep for corner to secs. 3, 4, 33 and 34

Land, Upland 2nd rate
" in Marsh 1st rate

12 ins. in the ground, for Cor. to Secs. 19
marked T. 33 N. S. 19 on N. E., R. 37 W.

Surveyed by Charles M. Dakin

Between Ranges 34 and 35 E R 37 E

N. 89° 59' West on true line between secs 4 & 33 var. 14° 30' E.

7.00 Leave dry marsh and enter upland bears NE and SW.

40.00 Set a charred Red Cedar post 3×3 in 4 ft. 1 ft. deep, raised mound of earth 2½ ft high Iron pits 18×2×12 in deep for 1/4 sec cor.

80.00 Set a charred Red Cedar post 4×4 in 4 ft. 1 ft. deep raised mound of Earth 2½ ft. high Iron pits 18×2×12 in deep for corner to Secs 4, 5, 32 and 33

Upland Secondrate Marsh Soil 1st rate Good gray peat is found partially covering most

N. 89° 59' West on true line between secs 5 and 32 var. 14° 30' E.

40.00 Set a charred Red Cedar post 8×3 in. 1 ft. 1 ft. deep, raised mound of Earth 2½ ft. high Iron pits 18×2×12 in. deep for 1/4 sec cor.

77.50 Leave Upland and enter Valley bears NE & SE

80.00 Set a charred Red Cedar post 4×4 in 4 ft. 1 ft. deep, raised mound of Earth 2½ ft high Iron pits 18×2×12 in. deep for corner to secs. 5, 6, 31 and 32

Upland gently rolling Soil Secondrate Valley firstrate

12 ins. in the ground, for Cor. to Secs. [illegible]
marked T. 33 N. S. 19 , on N. E., R 37 [illegible]

Between Tps 34 and 35 N. R 37 W.

N. 89° 59' West on true line between secs 6 and 31 Va 14° 30' E.

40.00 Set a charred Red Cedar post 3×3 ins 4 ft. 18 in. dug raised mound of earth 2½ ft. high 6 rm pits 18×12×12 ins dug for 11 secs each.

57.00 Leave valley and enter Upland bears NE and SE

81.80 The corner to Townships 34 and 35 N. Ranges 37 and 38 West

Upland Second rate, Valley soil rich, boggy and underlaid with peat

Township 34 N R 37 W.

General Description

This Township is composed of a series of valleys and uplands. The soil in the valleys is rich and well adapted to farming or grazing. Bear Creek a beautiful creek runs Eastward through the Northern part of the Township

12 ins. in the ground, for Cor. to Secs. [illegible] marked T. 33 N. S. 19 [illegible] on N. E., R 37 W.

Surveyed by Charles M. Dakin

224.
153

Between Ranges 37 & 38 W. B. 35 N

From the corner to Townships 34 and 35 N R 37 & 38 W
I run
North on the range line between secs 34 and 36
Va 14° 35' E.

21.00 Leave Upland and enter Valley bears NW and SE
40.00 Set a charred Red cedar post 3 x 3 in. 4 ft. 1 ft. deep raised mound of earth 2½ ft high from pits 18 x 24 x 12 in. deep for 1/4 sec cor.
51.00 Leave valley and enter Upland bears NE & SW
70.00 Reenter same valley bears NE and SE
80.00 Set a charred Red cedar post 4 x 4 in 4 ft 1 ft. deep, raised Mound of earth 2½ ft. high from pits 18 x 24 x 12 in deep for corner to secs 30, 31, 25 and 36
Valley Jinstrale underlaid with Peat. Balance 2nd rate

225.
154

North between Secs. 25 and 30
Va 11° 35' E.

30.00 Leave valley and enter Upland bears NE & SW
40.00 Set a charred Red cedar post 3 x 3 in. 4 ft. 1 ft. deep, raised mound of earth 2½ ft high from pits 18 x 24 x 12 in. deep for 1/4 Sec cor.
80.00 Set a charred Red Cedar post 4 x 4 in. 4 ft. 1 ft. deep, raised Mound of earth 2½ ft high from pits 18 x 24 x 12 in. deep for corner to secs 19, 30, 24 and 25
Upland secondrate
Valleys Jinstrale

12 ins. in the ground, for Cor. to Secs. 19, 24,
marked T. 33 N. S. 19 , on N. E., R 37 W., S. 30

Surveyed by Charles M. Dakin

226.
155

Between Ranges 37 and 38 W. T. 35 N.

North between secs. 19 and 24
Var. 14° 35' E.

12,00 Leave upland and enter valley bears N 10° E

40,00 Set a charred Red Cedar post 3×3 in. 4 ft. 1 ft. deep, raised mound of Earth 2½ ft. high from pits 18×24×12 ins deep for 1/4 sec cor

56,10 Intersect North boundary of the State 15.80 chains East of the 106th Mile post and set a Charred Red Cedar post 4×4 in 4 ft. 1 ft. deep, raised mound of earth 2½ ft. high from pits 18×24×12 ins deep for Closing Corner to Townships 35 North, Ranges 37 and 38 West

Upland gently rolling
Soil Second rate
Valley First rate
September 24th 1877

227.
156

T. 35 N R 37 W.

General Description

This Township consists of gently rolling upland soil, sandy and second rate and a series of Vales or Valleys of good rich dark sandy loam
The Tp is destitute of living Streams and timber.
The valleys are adapted to agriculture and the whole of it to grazing

12 ins. in the ground, for Cor. to Secs. 19,
marked T. 35 N. S. 19 on N. E., R. 37 W., S.

Surveyed by Charles W. Dahlke

94 2 — 228. 157

194 12

32

40

70

80

We hereby certify that we assisted Frank M. Crowell deputy Surveyor in surveying and establishing the exterior boundaries of Townships number thirty three, thirty four and thirty-five North of the base line of range, number thirty three, thirty four, thirty-five, thirty-six and thirty-seven, West of the Sixth Principal Meridian Nebraska and that said Exterior Township lines have been in all respects to the best of our knowledge and belief, well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General - of dimensions description construction and marking for the manner as specifically described in the foregoing field notes.

Chainman

229. 158

Chainman
Cornerman
Cornerman
Flagman

Signed in my presence and sworn before me, this 15th day of November 1871

A. G. Kendall
Clerk Dist Ct
Howard Co Nebr

12 ins. in the ground, for Cor. to Secs. 19, 24,
marked T. 33 N. S. 19 , on N. E., R. 39 W., S. 30

197. 227

74

faces,
ages;
st.,
ase
ood
e.
East.
end.
nd.
ne
h,

Surveyed by Charles M. Dakin

197
227

94
2

194
12

230
159

I, Frank. M. Crowell, deputy Surveyor do solemnly swear that in pursuance of a joint Contract wherein Nicholas J. Paul and Frank M. Crowell as joint Contractors with John R. Clarke Chief United States Surveyor General for the District of Nebraska and Iowa bearing date July 30th 1877, I have well faithfully, and truly, in my own proper person and in strict accordance with the Instructions furnished by the Surveyor General, the Surveying Manual and the Laws of the United States, surveyed and established the Exterior lines and boundaries of Townships Thirty three (33) Thirty four (34) and Thirty five (35) in Ranges Thirty three (33) Thirty four (34) Thirty five (35) Thirty six (36) and Thirty seven (37)

231.
160

All North of the base line and West of the 6th Principal Meridian Nebraska; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions and special instructions of the Surveyor General thereto, and the foregoing are the true and Original field notes of such Survey.

Frank M Crowell

Signed in my presence and Sworn to before me this 23d day of Nov. A.D. 1877

A G Kendall
Clerk Dist Court
Howard Co. Neb
By H R Stitt Dep

12 ins. in the ground, for Cor. to Secs. 19
marked T. 33 N. S. 19 on N. E., R 3[illegible]

Surveyed by Charles W. Dahl

197
227

94
194
123

237
161

Surveyor Generals Office
Plattsmouth Neb May 22 1878

The foregoing field Notes of the Survey & Establishment of the Exterior lines of Townships No 33. 34 & 35 North of the Base Line & of Ranges No 33. 34. 35. 36 & 37. West of the 6th Principal Meridian in State of Nebraska. Executed by Frank M. Crowell Dep. Surr under Joint Contract No 107 dated July 30th 1877 in the month of September 1877 having been critically Examined, the necessary Corrections & Explanations made, the said field Notes and the Surveys they describe are duly approved.

Jno. R. Clark
Surveyor General

238
167

I Frank M. Crowell Deputy Surveyor do solemnly swear that in pursuance of a joint Contract wherein Nicholas J. Paul & Frank M. Crowell are joint Contractors with John R. Clark United States Surveyor General for the District of Nebraska & Iowa bearing date July 30th 1877 I have well faithfully and truly in my own proper person and in strict Conformity with the instructions furnished by the Surveyor General the Surveying Manual & the Laws of the United States. Surveyed and Established the Exterior lines & boundaries of Townships 33. 34 & 35 in Ranges 33. 34. 35. 36 & 37 all North of the Base Line & West of the 6th Principal Meridian in Nebraska represented in the foregoing field Notes as having been Surveyed under my direction & I do further Solemnly swear that

12 ins. in the ground, for Cor. to Secs. 17, 24, 2[illegible] & 36
marked T. 33 N. S. 17 on N. E., R 37 W, S. 36

all the Corners of said Surveys have been Established & perpetuated, in strict accordance with the Surveying Manual & printed instructions & special instructions of the Surveyor General, & dimensions character, Construction & Marking & in the manner as specifically described in the foregoing field notes & that the foregoing are the True & original field notes of such Surveys

Hank M Crowell

Signed in my presence and sworn to before me this 23d day of November A.D. 1877

A J Kendall
Clerk Dist Court
Howard Co Nebr
By C O R Stitt Dep

Surveyed by Charles M. Dobbins

197.
227

1644

(2)

Field Notes of the Survey of the Exterior Boundaries of Townships No 34 & 35 N of Ranges No 38, 39 & 40 W of the 6th Principal Meridian in Nebraska

as surveyed by

S. C. McElroy
U S Deputy Surveyor

Under his Contract No 12, Dated August 29. 1882

Survey commenced May 10th 1883
Survey completed May 14th 1883

12 ins. in the ground, for Cor. to Secs. 17, 2[illegible]
marked T. 33 N. S. 17 on N. E., R 37 W, [illegible]

Surveyed by Charles M. Dudley

197
227

2 A
165

Exteriors T. 34 - 35 N.

R 38. 39 & 40 W.

3
146

Names and duties of Assistants

J. L. McElroy	Compassman
Ed Duffey	Chainman
Charley T Padden	Chainman
Barnie Carrigan	Rodman
J M McElroy	Flagman



12 ins. in the ground, for Cor. to Secs. 17
marked T. 33 N. S. 17 on N. E., R. 37 W.

Surveyed by Charles W. Dahlin

197
227

2/165 Entering P. 34 - 35 N

3/146 4/168 B 38. 39 W & 40 W

Preliminary Oaths of Assistants

We Ed Duffey and Charley T Padden do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will count the chain upon measured ground and plumb the tally pins whether by sticking or dropping the same that we will report the true distance to all natural objects and the true length of all lines that we assist in measuring to the best of our skill and ability.

Ed his X mark Duffey
Charley T Padden

Subscribed and sworn to before me this 4th day of May A.D. 1883.

[Seal]

Chas Homer
U.S. Commissioner
Dist of Neb.

I Barnie Carrigan do solemnly swear that I will well and truly perform the duties of Woodsman according to instructions given me and to the best of my ability

Barnie Carrigan

12 ins. in the ground, for Cor. to Sec.
marked T. 33 N. S. 19 on N. E.. R.

194
123

32.0
40.0
70.0
80.0

74

East.

Surveyed by Charles M. Dudley

197
227

II
167

Exterior T 34 N. 38 W.

Subscribed and sworn to before me this
4th day of May A.D. 1883. Chas H Cowell
[Seal] U.S. Commissioner
Dist of Neb

I J. M. McElroy do solemnly swear that
I will well and truly perform the duties
of Magman according to instructions
given me and to the best of my skill and
ability J M McElroy

Subscribed and sworn to before me this 4th day
of May A.D. 1883. Chas H Cowell
[Seal] U.S. Commissioner
Dist of Neb

V.
168

R 38. 39 & 40 W.

On the night of May 3rd 1883 I took an
observation on the star Polaris, in accordance
with instructions contained in the Manual
of Surveys, and drove pickets on the line thus
established

Survey commenced May 10th 1883, with a Burt's
improved Solar compass, (manufactured by
W. & L.E. Gurley of Troy N.Y.)

Before commencing this survey I test my compass
on the line established last night and find it
correct.

In executing this survey Latitude was
taken every day, when practicable.

I begin at the cor to townships N. 33 & 34 N.
ranges 38 & 39 W, which is a post 4 ins square
marked:

T 34 N, 33 W NE
R 38 W 1 G on SE and
R 39 W 1 36 on N faces
T 33 N 31 on S N faces with 6 notches
on each edge and pits N 82° W of post
6 ft dist and mound of earth around
post, I run

North on range line between Secs 31 & 36

12 ins. in the ground, for Cor. to Secs. 17, ...
marked T. 33 N. S. 17 ... on N. E., R. 39 W. ...

197
227

74

Secs,
dges;
ist.,
base

vol

r.

W.

East.

end.

end.

ne
th,

end.

Surveyed by Charles M. Dr...

197
227

6
169

Enterics 34 & 35 N.

va 14° 48' E

20.00	Descend Govt offset, 30 ft inter valley bears N 1/4 W S E
40.00	Drove a charred stake 12 ins in the ground for 1/4 Sec cor. dug pits 18 x 18 x 12 ins N & S of post 5 1/2 ft dist., and raised mound of earth 1 1/2 ft high, 3 1/2 ft base over it. In N pit drove cottonwood stake 2 ins square 2 ft long, 12 ins in the ground marked "1/4 S" on N face.
80.00	Drove a charred stake, 12 ins in the ground for cor to Secs. 26, 27, 34 & 35, dug pits 18 x 18 x 12 ins in each Sec 5 1/2 ft dist., and raised mound of earth 2 ft high 4 1/2 ft base over it. In SE pit drove stake 2 ins square 2 ft long 12 ins in the ground marked: T 34 N S 30 on N & E R 35 W S 31 on S & W 35 S 36 on S W and S 26 on N W faces with 1 notch on S & E notches on N faces. Sand - Sand 20 chs rolling Soil 3rd rate. Next 60 chs level Soil 2nd rate.

7
170

N 38, 39 & 40 N.

North bet Secs 25 & 30

va 14° 38' E

40.00	Drove a charred stake 12 ins in the ground for 1/4 Sec cor. dug pits 18 x 18 x 12 ins N & S of post 5 1/2 ft dist. and raised mound of earth 1 1/2 ft high, 3 1/2 ft base over it. In N pit drove cottonwood stake 2 ins square 2 ft long 12 ins in the ground marked "1/4 S" on N face.
80.00	Drove a charred stake 12 ins in the ground for cor to Secs 19, 24, 25 & 30. dug pits 18 x 18 x 12 ins in each Sec 5 1/2 ft dist, and raised mound of earth 2 ft high 4 1/2 ft base over it. In SE pit drove stake 2 ins square 2 ft long 12 ins in the ground marked:- T 34 N S 19 on N & E R 35 W S 30 on S & E R 36 W S 25 on S W and S 24 on N W faces with 4 notches on N & 2 notches on S & E edges. Sand sand Soil Second rate. No timber

12 ins. in the ground, for Cor. to Secs. 19...
marked T. 33 N. S. 19 ... on N. E., R. 37 ...

Surveyed by Charles M. Dakin

197
227

1.

74

8
171

Exteriors T 34 & 35 N

R. 38, 39 and 40 W.

North bet Secs 19 & 24 — va 14° 38' E

10.00 Leave valley bears E & W and ascend.

18.00 Top of ridge 40 ft.

40.00 Drove a charred stake, 2 ins in the ground for 1/4 sec cor., dug pits 18 x 18 x 12 ins N & S of post 6½ ft dist., and raised mound of earth 1½ ft high 3½ ft base over it. In N pit drove stake 2 ins square 2 ft long 12 ins in the ground marked ¼ S on N face.

52.00 Descend

60.00 Foot of hill 40 ft, enter valley bears NW & SE

80.00 Drove a charred stake 12 ins in the ground for Cor to Secs 13, 18, 19 & 24, dug pits 18 x 18 x 12 ins in each sec, 5½ ft dist., and raised mound of earth 2 ft high 4½ ft base over it. In SE pit drove stake 2 ins square 2 ft long, 12 ins in the ground marked

T 34 N, S 18 on NE
R 38 W, S 19 on SE
R 39 W S 24 on SW
S 13 on NW faces
with 3 notches on N & S edges.

Land - Level 10 chs North 20 chs Level with 2nd rate soil = balance rough with 3rd rate soils.

4
172

North bet Secs 13 and 18 — va 14° 38' E

40.00 Drove a charred stake 12 ins in the ground for ¼ Sec Cor., dug pits 18 x 18 x 12 ins N & S of post 6½ ft dist. and raised mound of earth 1½ ft high 3½ ft base over it. In N pit drove a stake 2 ins square 2 ft long 12 ins in the ground marked ¼ S on N face.

80.00 Drove a charred stake, 2 ins in the ground for Cor to Secs 7, 12, 13 & 18 dug pits 18 x 18 x 12 ins in each Sec 6½ ft dist. and raised mound of earth 2 ft high 4½ ft base over it. In SE pit drove a stake 2 ins square 2 ft long, 12 ins in the ground marked:-

T 34 N S 7 on NE
R 38 W S 18 on SE
R 39 W S 13 on SW
S 12 on NW faces with 2 notches on N & 4 notches on Sec sides.

Land - level,
Soil - sandy 2nd rate,

12 ins. in the ground, for Cor. to Secs. 19,
marked T. 33 N. S. 19 on N. E., R 39 W.

Surveyed by Charles W. Dakin

197
227

1944
223

Bute

32,00

400

700

800

10
193

Exterior T 34 & 35 N

11
174

R 38, 39 and 40 W

North bet Secs 7 and 12
var 14° 38' E

Sand valley, mars N W and S E and
a sand

40.00 Drive a charred stake 12 ins in the ground for
¼ Sec cor. dug pits 18×18×12 ins S W 5 of post 5½
ft dist., and raised mound of earth 1½ ft high
3½ ft base over it. In N pit drive a stake 2
ins square 2 ft long 12 ins in the ground
marked "¼ S on N face.

80.00 Drive a charred stake 12 ins in the ground for
cor to Secs 1, 6, 7 and 12, dug pits 18×18×12 ins in
each Sec 5½ ft dist., and raised mound of
earth 2 ft high 4½ ft base over it, In S E pit
drive a stake 2 ins square 2 ft long 12 ins in
the ground marked:-
T 34 N, S 6 on N E
R 38 W, S 7 on S E
R 39 W, S 12 on S W
S 1 on N W faces with 1 notch in N and
S notches on S E edges.
Sand - rolling.
Soil - 3rd rate.

North bet Secs 1 and 6
var 14° 38' E

40.00 Drive a charred stake 12 ins in the ground
for ¼ Sec cor., dug pits 18×18×12 ins N 5
of post 5½ ft dist., and raised mound
of earth 1½ ft high 3½ ft base over it
In N pit drive a stake 2 ins square 2 ft
long 12 ins in the ground marked ¼ S
on N face.

80.00 Drive a charred stake 12 ins in the ground
for Cor to Secs 34 & 35 N., Rs 38 & 39 W., dug
pits 24×16×12 ins lengthwise on each
line N S W & E of cor 6 ft dist., and raised
mound of earth 2½ ft high 10½ ft base over it.
In E pit Drive a stake 2 ins square 2 ft long 12
ins in the ground marked:-
T 35 N S 31 on N E
R 38 W S 6 on S E
T 34 N S 1 on S W
R 39 W S 36 on N W faces, with 6 notches on
each edge

Sand rolling
Soil 3rd rate
May 10 th. 1883

12 ins. in the ground, for Cor. to Secs. 1, 2
marked T. 33 N. S. 1, on N. E., R. 39 W., S.

1.

faces,
dges;
ist.,
base
ood
st.
East.
cend.
end.
ne
th,
nd.

Surveyed by Charles M. Dakin

197
227

1.

174

faces,
dges;
ist.,
base
ed
ds.
East.
end.
end.
end.
me
th,
end.

125
175

Exterior of T 34 & 35 N.,

Drawn the cor to townships 34 & 35 N., Rs 38 and 39 W. I run east on a random line, between said townships, the variation of my compass being 14° 38' E. I set temporary sq mile and mile corners at each 40 and 80 chains, and find the township line to be 5 miles 79 chains and 70 links long, and the falling to the 2d, 75 chs & 70 lks cor to 2 Rs 34 & 35 N., Rs 37 and 38 W. The correction for the true line will therefore be 46 lks ~~South~~ North, Rs 30 lks west per mile, and its course will be S 89° 40' W.

From the cor. to 2 Tps 34 & 35 N Rs 37 & 38 W, which is a mound of earth 2½ ft high, 4 ft base, one pit, with pits 2 x 1 x 2 ins lengthwise on each line N & W & E of cor 6 ft dist, & on E pit stake 2 ins square 12 ins above ground marked:-

T 34 N on S
R 37 W 6 on E
R 38 W 6 1 on W faces with 6 notches on S W & E faces
I run

Range 38, 39 and 40 W.

125
176

Run S 89° 40' W on a true line between 1 & 36 — var 14° 38' E

40.00 Drive a charred stake 12 ins in the ground for ¼ Sec Cor., dug pits 18 x 18 x 12 ins E & W of post 6 ft dist, and raised mound of earth 1½ ft high 3½ ft base over it. In E pit drive a stake 2 ins square 6 ft long 12 ins in the ground marked "40 on E 6 feet".

80.00 Drive a charred stake 12 ins in the ground for cor to Secs 1, 2, 35 & 36, dug pits 18 x 18 x 12 ins in each 6 ft dist, and raised mound of earth 3 ft high 4½ ft base over it. In E pit drive a stake 2 ins square 6 ft long 12 ins in the ground marked:-

T 35 N S 36 on N E
R 38 W 6 1 on N E
T 34 N S 2 on S W and
S 35 on N W faces with 6 notches on E & S edges
Sand, rolling
Soil, sandy, 3rd rate.

12 ins. in the ground, for Cor. to Secs. 19
marked T. 33 N. S. 19 ; on N. E., R 39 W.

Surveyed by Charles W. Du...

197
227

94
22

11
177

Exterior Js. 34 & 35 N

Rs 38, 39, and 40 W.

115
175

S 89° 40' W in a true line between Secs 2 & 35
Va 14° 38' E

40.00 Drive a charred stake 12 ins in the ground for Cor to Secs 2, 35, dig pits 18 x 18 x 12 ins E & W of post 3½ ft dist, and raised mound of earth 1½ ft high 3½ ft base over it. In E pit drive a stake 2 ins square 2 ft long 12 ins in the ground marked T 34 S on E face.

Descend

60.00 Foot of hill 30 ft, Cache Valley, bears N & S.

80.00 Drive a charred stake 12 ins in the ground for Cor to Secs 2, 3, 34 & 35, dig pits 18 x 18 x 12 ins in each dist 5½ ft dist, and raised mound of earth 2 ft high 4½ ft base over it. In SE pit drive a stake 2 ins square 2 ft long 12 ins in the ground marked:-
T 35 N R 38 W on NE
R 38 W S 2 on SE
T 34 N S 3 on SW and
S 34 on NW faces with 2 notches on E and 4 notches on W edges
Land:- E 60 chs running, Soil 3rd rate
West 20 chs level, Soil 2nd rate.

S 89° 40' W on a true line between Secs 3 & 34
Va 14° 38' E

5.00 Cache valley, bears N & S and ascend.

28.00 Top of ridge 30 ft

40.00 Drive a charred stake 12 ins in the ground for Cor to Secs Cor, dig pits 18 x 18 x 12 ins E & W of post 3½ ft dist, and raised mound of earth 1½ ft high 3½ ft base over it. In S pit drive a stake 2 ins square 2 ft long 12 ins in the ground marked T 34 S on E face.

80.00 Drive a charred stake 12 ins in the ground for Cor to Secs 3, 4, 33 & 34, dig pits 18 x 18 x 12 ins in each Sec, 5½ ft dist, and raised mound of earth 2 ft high 4½ ft base over it. In SE pit drive a stake 2 ins square 2 ft long 12 ins in the ground marked
T 35 N S 34 on NE
R 38 W S 3 on SE
T 34 N S. 4 on SW and
S 33 on NW faces with 3 notches on E & W sides.
Land - east 5 chs level, Soil 2nd rate
West 75 chs running, Soil 3rd rate.

12 ins. in the ground, for Cor. to Secs. 1
marked T. 33 N. S. 19 on N. E., R 3

Surveyed by Charles W. Dahl

197
227

94
2 2

Be

15½
179

Exterior S 34 & 35 N

Rs 38, 39 and 40 W.

16
180

	S 89° 40' W, on a true line bet secs 4 & 33, 14° 38' E
18.00	Foot of ridge, enter valley, bears NW and SE
40.00	Drove a charred stake 12 ins in the ground for 4 Sec cor., dug pits 18 x 18 x 12 ins E & W of cor., 5½ ft dist., raised mound of earth 1½ ft high 3½ ft base over it. In E pit drove a stake 2 ins square 2 ft long 12 ins in the ground marked ¼ S on E face.
59.00	Bad creek 8 lks wide, runs SE
80.00	Drove a charred stake 12 ins in the ground for cor to secs 4, 5, 32 & 33, dug pits 18 x 18 x 12 ins in each one 5½ ft dist., and raised mound of earth 2 ft high 4½ ft base over it. In SE pit drove a stake 2 ins square 2 ft long 12 ins in the ground marked:- T 35 N S 33 on NE R 38 W S 4 SE T 34 N S 5 SW and S 32 on NW faces with 2 notches on W and 4 notches on E edges Land - east 18 chs rolling, soil 3rd rate west 62 chs level, soil 2nd rate.

	S 89° 40' W on a true line bet secs 5 & 32, 14° 38' E.
5.00	Leave valley, bears NW & SE and ascend.
40.00	Top of ridge 20 ft. and descend.
	Drove a charred stake 12 ins in the ground for ¼ Sec cor dug pits 18 x 18 x 12 ins E & W of cor, 5½ ft dist., and raised mound of earth 1½ ft high 3½ ft base over it. In E pit drove stake 2 ins square 2 ft long 12 ins in the ground marked ¼ S on E face.
70.00	Foot of ridge 20 ft. Enter valley, bears NE & SW
80.00	Drove a charred stake 12 ins in the ground for Cor to secs 5, 6, 31 & 32, dug pits 18 x 18 x 12 ins in each one 5½ ft dist., and raised mound of earth 2 ft high 4½ ft base over it. In SE pit drove a stake 2 ins square 2 ft long 12 ins in the ground marked:- T 35 N S 32 on NE R 38 W S 5 on SE T 34 N S 6 on SW and S 31 on NW faces with 1 notch on W and 5 notches on E edges Land:- East 5 chs and west 10 chs level soil 2nd rate; balance rolling with 3rd rate soil.

12 ins. in the ground, for Cor. to Secs. 19
marked T. 33 N. S. 19 on N. E., R 37 W.

faces,
dges;
ist.,
base
vel
ne.
East.
cend.
end.
end.
ne
th,
end.

Surveyed by Charles W. Dubois

197.
227

17
181

Exterior Tps 34 & 35 N

S 89° 40' W on a true line bet Secs 6 and 31
va 14° 38' E

30.00 Leave valley, bears N & S and ascend,
40.00 Top of ridge 20 ft.
Found a chained stake 12 ins in the ground for ¼ Sec Cor.
Dug pits 18 x 18 x 12 ins E & N of cor 0½ ft dist, and raised a
mound of earth 1½ ft high 3½ ft base over it. In E pit drove
a stake 2 ins square, 2 ft long 12 ins in the ground marked ¼
S on E faces.
79.70 The cor to Tps 34 & 35 N, Rs 38 & 39 W,
Land:- East 30 chs level, Soil 2nd rate
west 49.70 chs rolling Soil 3rd rate.
May 10th 1883

General Description

This township is mostly on high rolling
sandy land, with the exception of Bear Creek
in the North east part. Do not think that
there is any permanent water within its
boundaries. The grass is good and it is
better adapted for grazing, than any
other purposes.
There is no timber in the township.

18
182

Rs 38, 39 and 40 W

From the cor. to Tps 34 and 35 N, Rs 38 & 39 W
Run
North, on a true line bet Secs 31 and 36.
va 14° 38' E

40.00 Drive a chained stake 12 ins in the ground for ¼ sec cor,
dug pits 18 x 18 x 12 ins N & S of post 0½ ft dist, and raised mound of
earth 1½ ft high 3½ ft base over it. In N pit drive a stake 2 ins
square 2 ft long 12 ins in the ground marked ¼ S on N faces.
80.00 Drive a chained stake 12 ins in the ground for Cor
to Secs 25, 30, 31 & 36, dug pits 18 x 18 x 12 ins in each sec
0½ ft dist and raised mounds of earth 2 ft high
4½ ft base over it. In S E pit drive a stake 2 ins
square 2 ft long 12 ins in the ground marked
T 35 N S 30 on N E
R 38 W S 31 on S E
R 39 W S 36 on S W and
S 25 on N W faces with 1 notch on S and E
notches on N edges.
Land rolling
Soil 3rd rate.

12 ins. in the ground, for Cor. to Secs. [illegible]
marked T. 33 N. S. 19 on N. E., R 39 W.

Surveyed by Charles M. Dudley

197.
227

19
1853

Exteriors Tps 34 & 35 N

Rs 38, 39 and 40 W.

20
1854

North, bet Secs 25 and 30.
va 14° 38' E

40.00 Drove a charred stake, 2 ins in the ground for 1/4 Sec Cor., dug pits 18x18x12 ins N & S of cor 3½ ft dist., and raised mound of earth 1½ ft high 3½ ft base over it. In N pit drove a stake 2 ins square 2 ft long 12 ins in the ground marked 1/4 S on N faces.

80.00 Drove a charred stake 12 ins in the ground for cor to Secs 19, 24, 25 & 30, dug pits 18x18x12 ins in each sec. 5½ ft dist., and raised mound of earth 2 ft high 4½ ft base over it. In SE pit drove a stake 2 ins square 2 ft long 12 ins in the ground marked:-

T 35 N, R 39 W, S 30 on NE
R 38 W, S 30 on SE
R 39 W, S 25 on SW and
S 24 on NW faces with 2 notches on S and 4 notches on N faces.

Land rolling
Soil 2nd rate

North, bet Secs 19 and 24
va 14° 38' E

26.00 Descend

34.00 Foot of hill 35 ft, enter valley, bears NW & SE

40.00 Drove a charred stake 12 ins in the ground for 1/4 Sec Cor. Dug pits 18x18x12 ins N & S of post 5½ ft dist., and raised mound of earth 1½ ft high 3½ ft base over it. In N pit drove a stake 2 ins square 2 ft long 12 ins in the ground marked 1/4 S on N faces.

44.00 Brook, head of Bear Creek 8 lks wide, course SE

56.82 Intersect north boundary of state at a point 16.26 chs East of 112th mile post (which cor is a mound of earth from pits 6 ft dist E & W of mound, mound is 3 ft high 6½ ft base over it & pits are 3x3 ft square, stone over a post at corner originally, but the post has been burned off) At point of intersection with boundary I drove a charred stake 12 ins in the ground for closing Cor to Tps. 35 N Rs. 38 & 39 W., dug pits 24x18x12 ins crossing at each line, S W & E of cor 6 ft dist. and raised a mound of earth 2½ ft high 6 ft base over it. In E pit drove a stake 2 ins square 2 ft long 12 ins in the ground marked:

12 ins. in the ground, for Cor. to Secs. 19, ...
marked T. 35 N. S. 19 ... N. E., R 39 W.

Surveyed by Charles W. Dahl

197.
227

M.

174

faces,
dges;
ist.,
base

vel

the

East.

cend.

end.

end.

94
2 2

Bu

19
18

24
1857

Exteriors Tps 32 & 35 N

Rs 38, 39 and 40 W.

186

c c 1735 N on S
R 38 W, D 19 m E and
R 39 W D 24 m N faces
with 6 notches in S W & E faces
Said:- D 34 Chs rolling Soil
2nd rate; N 22.82 Chs level
Soil 2nd rate
May 11, 1883

40

80.

General Description

Fractional T 35 N of R 38 W is much
half high Sandy 3rd rate land, there
is a narrow valley that runs thru
the middle and eastern part from
nort & South; in the western part
there is a valley and the headwaters
of Bear Creek, At the time of this
survey there was plenty of water
in Bear Creek, but people that
claim to know, say that Bear
Creek goes dry in the Summer
season, and cannot be depended
on for any purpose.

At the Cor to Tps 33 & 34 N Rs 39 & 40 W
I took an observation on the Star Polaris
in accordance with instructions Contained
in the Manual of Surveys

From the Cor to Tps 33 & 34 N Rs 39 40 W Which
Cor is a post 4 ins square marked:
T 34 N D 31 m NE
R 39 W D 6 m AC
R 40 W D 36 m NW and
T 33 N D 1 m SW faces with 6
notches in each edge and pits
2 ft x 18 x 12 ins long thereto in each
Quin N.D. & SW 6 ft dist and mound
of earth round post. I run,
~~west bet Tps 34 N Rgs 40 W~~
North bet Secs 31 & 36
Va 14° 40' E

140.00 Drove a charred stake 12 ins in the ground
for W 1/4 Sec Cor, dug pits N & S of post 6 ft fr
dist, and raised mound of earth 1 1/2 ft high
3 ft base mit In N pit Drove a stake
2 ins square 2 ft long 12 ins in the ground
marked 1/4 Sec N faced.

12 ins. in the ground, for Cor. to Secs. 19
marked T. 33 N. S. 19 on N. E., R. 37

Surveyed by Charles M. Dudley

197.
227

M.

74

faces,
dges;
ist.,
base

vel

in.

East.

end.

end.

me
th,

end.

28
187

Exteriors Tps 34 & 35 N.

80,00 Drove a charred stake 12 ins in the ground for cor to Secs 25, 30, 31 & 36, and dug pits 18 x 18 x 12 ins in each Sec 5½ ft dist. and raised mound of earth 2 ft high 4½ ft base on it. In NE pit drove a stake 2 ins square 2 ft long 12 ins in the ground marked T 34 N R 39 W S 31 on NE
R 39 W S 31 on SE
R 40 W S 36 on SW and
S 25 on NW faces with 1 notch on S and 5 notches on N edges.
Sand rolling
Soil 3rd rate.

54
188

Rs 38, 39 and 40 W

North Int Secs 25 and 30.
va 14° 40' E

40,00 Drove a charred stake 12 ins in the ground for ¼ Sec Cor. dug pits 18 x 18 x 12 ins N & S of Cor. 5½ ft dist. Ed raised mound of earth 1½ ft high 3½ ft base on it. In N pit drove a stake 2 ins square 2 ft long 12 ins in the ground marked ¼ Sec N Pace

80,00 Drove a charred stake 12 ins in the ground for Cor to Secs 19, 24, 25 & 30, dug pits 18 x 18 x 12 ins in each Sec 5½ ft dist. Ed raised a mound of earth 2 ft high 4½ ft base on it. In SE pit drove a stake 2 ins square 2 ft long 12 ins in the ground marked;—
T 34 N S 19 on NE
R 39 W S 30 on SE
R 40 W S 25 on SW and
S 24 on NW faces with 2 notches on S and 4 notches on N edges.
Sand rolling
Soil 3rd rate.

12 ins. in the ground, for Cor. to Secs. [illegible]
marked T. 33 N. S. 19 on N. E., R 37 [illegible]

Surveyed by Charles N. Dubois

197
227

205
189

Exterior Lines 34 & 35 N

North bet Secs 19 and 24
va 14° 40' E

2,00	Foot of ridge 40 ft, Enter valley, bears Exm.
5,00	Shallow lake caused by rain.
20,00	Leave lake & valley, bears NW & SE Ascend.
40,00	Drove a charred stake 12 ins in the ground for 4 Sec Cor., dug pits 18×18×12 ins NW & cor 5½ ft dist, & raised mound of earth 1½ ft high 3½ ft base over it. In W pit drove a stake 2 ins square 2 ft long 12 ins in the ground marked ¼ S on N face.
52,00	Foot of hill 30 ft. Enter shallow lake bears NW & NE
78,50	Leave lake bears SW & SE
80,00	Drove a charred stake 12 ins in the ground for Cor to Secs 13, 18, 19 & 24, dug pits 18×18×12 ins in each Sec 5½ ft dist., & raised mound of earth 2 ft high 4½ ft base over it. In NE pit drove a stake 2 ins square 2 ft long 12 ins in the ground marked:- T 34 N R 18 on NE R 39 W R 19 on SE R 40 W R 24 on SW and R 13 on NW faces with 3 notches on N and S Edges Land: rubble & Sporting high 3rd rate Soil, Balance level, under water, but I think Dry in Summer.

206
190

Ex Lines 38, 39 & 40 N

North bet Secs 13 and 18
va 14° 40' E

5,00	Leave valley, bears NE & SE and ascend.
40,00	Top of low ridge 20 ft and descend. Drove a charred stake 12 ins in the ground for ¼ Sec Cor., dug pits 18×18×12 ins N & S of cor 5½ ft dist, & raised mound of earth 1½ ft high 3½ ft base over it. In N pit drove a stake 2 ins square 2 ft long 12 ins in the ground marked ¼ S on N face.
41,00	Foot of ridge 20 ft. enter valley, bears NW & NE
80,00	Drove a charred stake 12 ins in the ground for Cor to Secs 7, 12, 13 & 18, dug pits 18×18×12 ins in each Sec 5½ ft dist. & raised mound of earth 2 ft high 4½ ft base over it. In NE pit drove a stake 2 ins square 2 ft long 12 ins in the ground marked:- T 34 N R 7 on NE R 39 W R 18 on SE R 40 W R 13 on SW and 6 12 on NW faces with 3 notches on N and 4 notches on S Edges Land Sandy Land rank 39 chs land with 2nd rate Soil; balance rolling with 3rd rate Soil.

12 ins. in the ground, for Cor. to Secs. 19, 2
marked T. 33 N. S. 19 on N. E., R 39 W. S.

Surveyed by Charles M. Bakl

197
227

27
191

Exterior Tps 34 & 35 N.

North bet Secs 1 and 12.
va 14° 40' E

35.00 Leave valley, bears NE & SW end ascend.
40.00 Top of ridge 30 ft.
Drive a charred stake 12 ins in the ground for ¼ Sec cor., dug pits 18×18×12 ins N & S of cor 5½ ft dist, and raised mound of earth 1½ ft high 3½ ft base over it. In N pit drive a stake 2 ins square 2 ft long 12 ins in the ground marked ¼ S on N face.
80.00 Drive a charred stake 12 ins in the ground for Cor to Secs 1, 6, 7 & 12, dug pits 18×18×12 ins in each sec 5½ ft dist, and raised mound of earth 2 ft high 4½ ft base over it. In SE pit drive a stake 2 ins square 2 ft long 12 ins in the ground marked:—
T 34 N S 6 in NE
R 39 W S 7 in SE
R 40 W S 12 in SW and
S 1 in NW faces with 1 notch in N and 5 notches in S edges.
Land:- South 35 chs level with 2nd rate soil; the next 45 chs is rolling with 3rd rate soil
May 12, 1883

28
192

R 38, 39 & 40 W.

North bet Secs 1 and 6.
va 14° 40' E

40.00 Drive a charred stake 12 ins in the ground for ¼ Sec cor., dug pits 18×18×12 ins N & S of cor 5½ ft dist & raised mound of earth 1½ ft high 3½ ft base over it. In N pit drive a stake 2 ins square 2 ft long 12 ins in the ground marked ¼ S on N face.
48.00 Descend.
60.00 Top of hill 30 ft. Enter valley bears NE & SW
80.00 Drive a charred stake 12 ins in the ground for Cor to Tps. 34 & 35 N., Rs 39 & 40 W., dug pits 24×18×12 ins light in each line N. S. & W of post 6 ft dist & raised mound of earth 2½ ft high & 6 ft base over it. In S pit drive a stake 2 ins square 2 ft long 12 ins in the ground marked:-
T 35 N S 31 in NE
R 39 W S 6 in SE
T 34 N S 1 in SW and
R 40 W S 36 in NW faces with 6 notches in each edge.
Land, South 60 chs rolling with 3rd rate soil, the next 20 chs is level with 2nd rate soil.

12 ins. in the ground, for Cor. to Secs.
marked T. 33 N. S. 19 , on N. E., R 3

Surveyed by Charles W. Du...

197.
227

M.

7th

faces,
dges;
ist.,
base

rod

...

East.

...end.

...end.

...me
...th,

29
193

Exterior Tps 34 & 35 N. Rs 38, 39 and 40 W.

From the cor to Tps 34 & 35 N., Rs 39 & 40 W. I ran east on a random line, between said Townships, the variation of my compass being 14° 40' E.. I set temporary half mile and mile corners at each 40 and 80 chains, and find the township line to be 5 miles 79 chains and 62 lks long and the posting to be 84 lks south of the cor to Tps 34 and 35 N., Rs 38 & 39 W. The correction for the true line will therefore be 48 lks. west and 14 lks ~~South~~ North per mile, and its course will be S 89° 54' W.

From the cor to Tps 34 & 35 N., Rs 38 & 39 W, which is a mound of earth 2½ ft high 3 ft base over it from pits 2' x 1' 8" x 2" in length mutually in each line bet Dist and States in E pit 2 ins square 12 ins above ground marked
T 35 N D 31 in NE
R 39 W D 6 in SE
T 34 N D 1 in SW and
R 39 W D 36 in NW faces with 6 notches in each edge
I run

30
194

Rs 38, 39 and 40 W.

S 89° 54' W on a true line bet Secs 1 and 36
Va 14° 40' E

40.00 Down a chaining stake 12 ins in the ground for Sec cor., any pits 6" x 8" x 2" ins ~~etc~~ 4 post 6 ft dist. and raised mound of earth 1½ ft high 3½ ft base over it In 6 pit down a stake 2 ins square 2 ft long 12 ins in the ground marked ¼ D on E face

80.00 Down a chaining stake 12 ins in the ground for Cor to Secs 1, 2, 35 & 36., any pits 8" x 8" x 2" ins in each Sec 6½ ft dist., and raised mound of earth 2 ft high 4½ ft base over it. In 6 pit down a stake 2 ins square 2 ft long 12 ins in the ground marked
T 35 N D 36 in NE
R 39 W D 1 in SE
T 34 N D 2 in SW and
6 35 in NW faces with 1 notch in E and 6 notches in W edges.
Land rolling
Soil 3rd rate.

12 ins. in the ground, for Cor. to Secs. ...
marked T. 33 N. S. 14 ... on N. E., R. 3...

Surveyed by Charles M. Dahl

197
227

M.

174

faces,
dges;
ist.,
base

ocl

ch.

20.

East.

scend.

cend.

9

6.

31
195

Exterior Jps 34 & 35 N

	S 89° 54' W on a true line bet Secs 2 & 35 va 14° 40' E
20,00	Descend
33,00	Foot of hill 30 ft, Enter N edge of valley, bears N 45 E
40,00	Drove a charred stake 12 ins in the ground for ¼ Sec Cor., dug pits 6×8×12 ins E & W of post 0½ ft dist., and raised mound of earth ½ ft high 3½ ft base over it. In E pit drove stake 2 ins square 2 ft long 12 ins in the ground marked ¼ S on E face
50,50	Leave valley, bears N 45 and ascend
68,00	Top of hill 25 ft
80,00	Drove a charred stake 12 ins in the ground for Cor to Secs 2, 3, 34 & 35, dug pits 6×8×12 ins in each sec 0½ ft dist and raised mound of earth 2 ft high 4½ ft base over it. In S pit drove stake 2 ins square 2 ft long 12 ins in the ground marked:- T 35 N D 35 on N 45 R 38 W D 2 on S 45 T 34 N D 3 on W and S 34 on N W faces, with 3 notches on E and 4 notches on N edges Land:- east 33 and West 2,400 chs running Soil 3rd rate; balance land with 2nd rate Soil

32
196

R 38, 39 & 40 W

	S 89° 54' W on a true line bet Secs 3 and 34 va 14° 40' E
40,00	Drove a charred stake 12 ins in the ground for ¼ Sec Cor., dug pits 18×18×12 ins E & W of post 0½ ft dist., and raised mound of earth 1½ ft high 3½ ft base over it. In E pit drove a stake 2 ins square 2 ft long 12 ins in the ground marked ¼ S on E face
80,00	Drove a charred stake 12 ins in the ground for Cor to Secs 3, 4, 33 & 34, dug pits 18×18×12 ins in each sec 0½ ft dist., and raised mound of earth 2 ft high 4½ ft base over it. In S pit drove a stake 2 ins square 2 ft long 12 ins in the ground marked:- T 35 N D 34 on N 45 R 38 W D 3 on S E T 34 N D 4 on S W and S 33 on N W faces with 3 notches on E & W edges Land rolling Soil 3rd rate.

12 ins. in the ground, for Cor. to Secs. 19, 24, 25 & 30,
marked T. 33 N. S. 19 , on N. E., R 37 W, S. 30

Surveyed by Charles W. Dahl

197
227

33
197

Exterior of Tps 34 & 35 N

Rs 38, 39 and 40 W

34
198

		S 89° 54' W on a true line bet Secs 4 & 33 va 14° 40' E	
4	40.00	Dnvd a charred stake 12 ins in the ground for ¼ Sec Cor., dug pits 18×18×12 ins E and W of post 5½ ft dist., and raised mound of earth 1½ ft high 3½ ft base over it. On E pit Dnvd a stake 2 ins square 2 ft long 12 ins in the ground marked ¼ S on E face.	
	80.00	Dnvd a charred stake 12 ins in the ground for Cor to Secs 4, 5, 32 & 33., dug pits 18×18×12 ins in each sec 5½ ft dist., and raised mound of earth 2 ft high 4½ ft base over it. On SE pit Dnvd a stake 2 ins square 2 ft long 12 ins in the ground marked T 35 N R 3 W S 33 on NE R 3 W T 34 N S 4 on SE T 34 N R 4 W S 5 on SW and S 32 on NW faces with 3 notches on W and 4 notches on E edges Land rolling Soil 3rd rate	

		S 89° 54' W on a true line bet Secs 5 & 32 va 14° 40' E	
	40.00	Dnvd a charred stake 12 ins in the ground for ¼ Sec Cor., dug pits 18×18×12 ins E and W of post 5½ ft dist., and raised mound of earth 1½ ft high 3½ ft base over it. On E pit Dnvd a stake 2 ins square 2 ft long 12 ins in the ground marked ¼ S on E face.	
	80.00	Dnvd a charred stake 12 ins in the ground for Cor of Secs 5, 6, 31 & 32., dug pits 18×18×12 ins in each sec, 5½ ft dist., and raised mound of earth 2½ ft high 4½ ft base over it. On SE pit Dnvd a stake 2 ins square 2 ft long 12 ins in the ground marked:- T 35 N R 3 W S 32 on NE R 3 W T 34 N S 5 on SE T 34 N R 4 W S 6 on SW and S 31 on NW faces with 1 notch on W and 5 notches on E edges Land rolling Soil 3rd rate	

12 ins. in the ground, for Cor. to Secs. [illegible]
marked T. 33 N. S. 17 ; on N. E., R. 37 [illegible]

35
799

Exmin Tps 34 & 35 N

Rs 38, 39 and 40 W

S 89°54' W on a true line last secs 6 and 31
va 14° 40' E

40.00 Drove a charred stake 12 ins in the ground for ¼ Sec Cor., dug pits 18×18×12 ins 50 m of post 3½ ft dist., and raised mound of earth 1½ ft high 3½ ft base over it. In E pit drove a stake 2 ins square 2 ft long 12 ins in the ground marked ¼ S in E face.

64.00 Descend

78.00 Foot of hill 35 ft., enter valley bears N & S

79.53 the cor. to Tps 34 and 35 N., Rs 39 and 40 W

Land:- east 78 chs rolling with 3rd rate soil; west 1.52 chs level with 3rd rate soil,

May 13th 1883

General Description

The township has the appearance from the exterior of being very rough and sandy. There was no living water nor timber to be seen. The grass is very good The soil is generally of a third rate.

36
300

From the cor to Tps 34 & 35 N., Rs 39 & 40 W I ran west on a random line between said townships, the variation of my compass being 14°40' E. I set temporary half mile and mile corners at each 40 and 80 chains, and at 79 chs intersected the 3rd E. mil. 2.2 chs ~~beg.~~ and the ~~general~~ to be 1.37 chs north of the cor to Tps 34 & 35 N., Rs 40 & 41 W. The ~~therefore~~ will be my Gmeridian for the ~~true~~ line ~~line~~ run chs to the 28 South ~~links~~ & on ~~last~~ 40 chs and 2.3 chs North per mile and the ~~curve~~ true ~~will be~~ N 89° 60' E.

From the cor to Tps 34 & 35 N., Rs 40 & 41 W., which cor is a post 4 ins square marked:-
T 35 N D 31 on N
R 40 W D 6 on E
T 34 N D 1 on S and
R 41 W D 36 on W faces with 6 notches on each edge, with pits 24×18×12 ins lengthwise on each line N. S. & W 6 ft dist. and mound of earth around post. & run

12 ins. in the ground, for Cor. to Secs. 1 [illegible]
marked T. 33 N. S. 19 on N. E., R 37 W.

Surveyed by Charles W. Dubois

197
227

37
201

Exterior Tps 34 & 35 N

N 89° 50' E on a true line bet secs 6 & 31
va 14° 40' E

39.22 Drove a charred stake 12 ins in the ground for ¼ sec cor. dug pits 18 x 18 x 12 ins E & W of post 5½ ft dist, and raised mound of earth 1½ ft high 3½ ft base over it. On E pit drove a stake 2 ins square 2 ft long 12 ins in the ground marked ¼ S on E faces.

79.22 Drove a charred stake 12 ins in the ground for cor to secs 5, 6, 31 & 32., dug pits 18 x 18 x 12 ins in each sec 5½ ft dist., and raised mound of earth 2 ft high 4½ ft base over it. On S pit drove a stake 2 ins square 2 ft long 12 ins in the ground marked:-
T 35 N D 32 on NE
R 40 W D 5 on SE
T 34 N D 6 on NW and
S 31 on NW faces with 3 notches on E
1 notch on N edges
Land rolling
Soil 3rd rate

38
202

Rs 38, 39 and 40 W

N 89° 50' E on a true line bet secs 5 and 32
va 14° 40' E

40.00 Drove a charred stake 12 ins in the ground for ¼ sec cor., dug pits 18 x 18 x 12 ins S & W of post 5½ ft dist. and raised mound of earth 1½ ft high 3½ ft base over it. On E pit drove a stake 2 ins square 2 ft long 12 ins in the ground marked ¼ S on E faces

80.00 Drove a charred stake 12 ins in the ground for cor to secs 4, 5, 32 & 33., dug pits 18 x 18 x 12 ins in each sec 5½ ft dist., and raised mound of earth 2 ft high 4½ ft base over it. On SE pit drove a stake 2 ins square 2 ft long 12 ins in the ground marked:-
T 35 N D 33 on NE
R 40 W D 4 on SE
T 34 N D 5 on NW and
D 32 on NW faces with 4 notches on E
and 2 notches on N edges
Land rolling
Soil 3rd rate

12 ins. in the ground, for Cor. to Secs. 19
marked T. 33 N. S. 19 on N. E., R 39 W.

Surveyed by Charles W. Du...

197
227

37
39
203

Entering Tps 34 & 35 N

Rs 38, 39 and 40 W

40
204

N 89° 50' E on a true line bet Secs 4 and 3
va 14° 40' E

40,00 Down a charred stake 12 ins in the ground for 4 Sec cor. dug pits 18×18×12 ins E on N point 5½ ft dist. Ra raised mound of earth 1½ ft high 3½ ft base over it. On E pit down a stake 2 ins square 2 ft long 12 ins in the ground marked "4 S on E face.

Descend

45,00 Foot of hill 40 ft. Enter valley bears NW & SE

80,00 Down a charred stake 12 ins in the ground for Cor to Secs 3, 4, 33 & 34. dug pits 18×18×12 ins in each Sec 5½ ft dist. and raised mound of earth 2 ft high 4½ ft base over it. On SE pit down a stake 2 ins square 2 ft long 12 ins in the ground marked:-

T 35 N S 34 on NE
R 40 W S 3 on SE
T 34 N S 4 on SW and
S 33 on NW faces with 3 notches on E & W edges

Land:- west 40 chs rolling Soil 3rd rate
east 35 chs level, soil second rate.

N 89° 50' E on a true line bet Secs 34, 34
va 14° 40' E

40,00 Down a charred stake 12 ins in the ground for 4 Sec cor. dug pits 18×18×12 ins E on N point 5½ ft dist. Ra raised mound of earth 1½ ft high 3½ ft base over it. On E pit down a stake 2 ins square 2 ft long 12 ins in the ground marked "4 S on E face.

80,00 Down a charred stake 12 ins in the ground for Cor to Secs 2, 3, 34 & 35. dug pits 18×18×12 ins in each Sec 5½ ft dist., and raised mound of earth 2 ft high 4½ ft base over it. On SE pit down a stake 2 ins square 2 ft long 12 ins in the ground marked:-

T 35 N S 35 on NE
R 40 W S 2 on SE
T 34 N S 3 on SW and
S 34 on NW faces with 3 notches on E and 4 notches on W edges.

Land level
Soil 2nd rate

12 ins. in the ground, for Cor. to Secs.
marked T. 33 N. S. 17 , on N. E., R ...

M.

74

faces,
dges;
ist.,
base
vel
th.
East.
scend.
scend.
9
W.
me
gh,
scend.

Surveyed by Charles W. Dub...

197
227

41
205

Exteriors Tps 34 & 35 N. Rs 38, 39 and 40 W.

42
206

N 89° 50' E on a true line bet Secs 2 & 3
va 14° 40' E

40.00 Dnvd a charred stake 12 ins in the ground for
Sec cor. dug pits 18×18×12 ins Etm of post 5½ ft
dist. and raised mound of earth 1½ ft high 3½
ft base over it. Dn E pit dnvd a stake 2 ins
sq and 2 ft lng 12 ins in the ground marked ¼ S
on E face

60.00 Land valley, bears NW & SE. Ascend.

80.00 Top of ridge. 40 ft.
Dnvd a charred stake 12 ins in the ground for cor
to Secs 1, 2, 35 & 36. dug pits 18×18×12 ins in each
Sec 5½ ft dist. and raised mound of earth 2 ft
high 4½ ft base over it Dn SE pit dnvd a stake
2 ins sq and 2 ft lng 12 ins in the ground marked
T 35 N R 36 on NE
R 37 W S 1 on SE
T 34 N S 2 on NW and
S 35 on NW faces with 1 notch on E and
5 notches on W edges.
Land:- west 60 chs level 2nd rate soil,
east 20 chs rolling with 3rd rate soil

N 89° 50' E on a true line bet Secs 1 & 36
va 14° 40' E

40.00 Dnvd a charred stake 12 ins in the ground for ¼
Sec cor. dug pits 18×18×12 ins Etm of post 5½ ft dist.,
and raised mound of earth 1½ ft high 3½ ft base
over it. Dn E pit dnvd a stake 2 ins sq and 2
ft lng 12 ins in the ground marked ¼ S on E face

43.00 Descend.

53.00 Top of hill 40 ft, enter valley bears N & S

80.00 Set cor. to Tps 34 & 35 N., Rs 39 & 40 W.
Land:- west 63 chs rolling 3rd rate soil
east 27 chs level with 3rd rate soil,

General Description.

This township is Generally high, rough and Sandy land, the soil may be classed as of 3rd rate. there is neither timber nor living water in the township. Summer the grass appears very good

12 ins. in the ground, for Cor. to Sec...
marked T. 33 N. S. 17 ... on N. E.. R...

...ces,
...dges;
...ist.,
...base
...ed
...East.
...scend.
...cend.
...ome
...gh,
...cend.

Surveyed by Charles W. Du...

197
227

M.

94
2 2

Be

1 74

faces,
dges;
ist.,
base

vel

ch.

43
208

Exterior Tps 34 & 35 N Rs 38, 39 and 40 W

44
209

From the cor to Tps 34 & 35 N. Rs 39 & 40 W run West on Range line between Rs 39 & 40 W
North 160 links 31 and 36
va 14° 40' E

40,00 Innv a chared stake 12 ins in the ground for ¼ Sec Cor., dug pits 18 x 18 x 12 ins N & S of post 5½ ft dist., and raised mound of earth 1½ ft high 3½ ft base over it. In N pit innv a stake 2 ins square 2 ft long 12 ins in the ground marked ¼ S on N face

62,00 Leaves valley, bears N & S W and ascend.

80,00 Innv a charred stake 12 ins in the ground for Cor to Secs 25, 30, 31 & 36. dug pits 18 x 18 x 12 ins in each sec 5½ ft dist., and raised mound of earth 2 ft high 4½ ft base over it. In S E pit innv a stake 2 ins square 2 ft long 12 ins in the ground marked:-
T 35 N D 30 on N 6
R 39 W D 31 on S E
R 40 W D 36 on S W and
D 25 on N W faces with 1 notch on S and 5 notches on N edges.
Land, hard 62 chs land 2nd rate
rest 18 chs rolling with 3rd rate soil

North 160 links Secs 25 and 30
va 14° 40' E

6,00 Top of ridge 30 ft high.

40.00 Innv a charred stake 12 ins in the ground for ¼ Sec Cor., dug pits 18 x 18 x 12 ins N & S of post 5½ ft dist., and raised mound of earth 1½ ft high 3½ ft base over it. In N pit innv a stake 2 ins square 2 ft long 12 ins in the ground marked "¼ S on N face"

80.00 Innv a charred stake 12 ins in the ground for Cor to Secs 19, 24, 25 & 30. dug pits 18 x 18 x 12 ins in each sec 5½ ft dist., and raised mound of earth 2 ft high 4½ ft base over it. In S E pit innv a stake 2 ins square 2 ft long 12 ins in the ground marked:-
T 35 N D 19 on N 6
R 39 W D 30 on S E
R 40 W D 25 on S W and
D 24 on N W faces with 2 notches on S and 4 notches on N edges.
Land, rolling
Soil 2nd rate,

12 ins. in the ground, for Cor. to Secs.
marked T. 33 N. S. 19 on N. E., R.

Exterior Lines Tps 34 & 35 N

Rs 38, 39 and 40 W

Ninth Set Secs 19 and 24
Va 14° 40' E

40.00 Down a chained state 12 ins in the ground for Sec Cor., dug pits 18×18×12 ins S & W of post 6 ft dist., and raised mound of earth 1½ ft high 3½ ft base over it. In N pit down a stake 2 ins square 2 ft long 12 ins in the ground marked "40 on N faces

57.12 Intersected ninth boundary of the state at a point 17 chs east of 18th mile post (which Cor. is a mound of earth from pits 6 ft dist. E & W of mound. The mound is 3 ft high 6½ ft base over it, the pits are 3×3×3 ft square. There was a post at the Cor. originally, but it has been burned off.) At the point of intersection with boundary I drove a chained stake 12 ins in the ground for closing Cor. to Tps 35 N., Rs. 39 & 40 W., dug pits 24×18×12 ins long chained on each line S, W & E of Cor., 6 ft dist., and raised a mound of earth 2 ft high 6 ft base over it. In E pit I drove a stake 2 ins square 2 ft long 12 ins in the ground marked:-
C. C. T 35 N on S
R 38 W S 19 on E and
R 40 W S 24 on W faces
with 6 notches on S W & E faces
Land rolling
Soil 3rd rate,
May 14, 1883

General Description of Tp 36 N.
R 39 W.

This township is composed generally of high sandy 3rd rate land. In the central part there is a valley with 2nd rate soil, and also a small lake, that has the appearance of affording permanent water. No timber in the township, the grass is pretty good.

12 ins. in the ground, for Cor. to Secs. 17
marked T. 33 N. S. 17 ; on N. E., R 39 W.,

Surveyed by Charles W. Du

197
227

M.

174

faces,
dges;
list.,
base

ocl

East.

scend.
end.

one
gh.

Surveyed by Charles W. Dudley

197
227

94
2 2

Be

47
212

Exterior Lps 34 & 35 N

General Description of Tp 35 N R. 40. W.

This township is composed of land that is generally rolling of third rate soil, there is a valley running diagonally through this township from NW to SE the land in the valley is of a better quality than the rolling land. There is neither timber nor water in this township.

48
213

R. 38, 39, and 40 W

List of Names

A list of the names of individuals employed by S C McElroy, U S Deputy Surveyor, to assist in running measuring and marking the lines and corners described in the foregoing field notes of the Survey of the Exterior Boundaries of Townships N 34 & 35 N of Ranges 38, 39 and 40 west of the 6th Principal Meridian in the State of Nebraska showing the respective capacities in which they acted:-

J S McElroy	Surveyor
Ed Duffey	Chainman
Charley Padden	Chainman
Bonnie Carrigan	Marker
John McElroy	Flagman

12 ins. in the ground, for Cor. to Secs. 1
marked T. 35 N. S. 19 ; on N. E., R. 39

Surveyed by Charles M. Dahl

197
227

M.

214

Exterior Boundaries Tps 34 & 35 N

Rs 38, 39 & 40 W

Final Certificate of Assistants

We hereby certify that we assisted C. M. Elvy United States Deputy Surveyor in surveying the those parts or portions of the Exterior Boundaries of Townships No 34 and 35 N of Ranges No 38, 39 & 40 west of the 6th principal meridian in the State of Nebraska as are represented in the foregoing field notes as having been executed by him and under his direction: and that said survey has been in all respects, to the best of

12 ins. in the ground, ... s. 19, 24, 25 & 30

marked T. 33 N. S. 19 ... 34 N., S. 30

faces,
edges;
list.,
base
ved
East.
cend.
end.
ne
h,
end.

Surveyed by Charles W. Dubois

197

94 2 2

216

Exterior Lines 34 & 35 N

Rs 38, 39 and 40 W.

227

M.

71

our knowledge and belief well and faithfully surveyed and the corner monuments established according to the instructions furnished by the United States Surveyor General for Nebraska

J. L. McElroy Compassman
Baptiste Lovejoy Roundsman
J. M. McElroy Flagman
Ed Duffey Chainman
Charley Padden Chainman

Sworn to and subscribed before me this 25th day of May 1882

Chas. F. Small
U.S. Commissioner
Dodge County Neb

faces,
edges;
list.,
base

ved

East.

end.

end.

ne

end.

12 ins. in the ground, for Cor. to
marked T. 33 N. S. 19 on N.

Final Oath of United States Deputy Surveyor

I, J. L. McElroy, United States Deputy Surveyor, do solemnly swear that in pursuance of instructions received from George S. Smith, United States Surveyor General for Nebraska bearing date the twenty-third day of August, 1882, I have well, faithfully and truly, in my own proper person and in strict conformity with the instructions furnished by the United States Surveyor General for Nebraska, the Surveying Manual, and the laws of the United States surveyed all those parts of portions of the exterior boundaries of Townships No 34 and 35 N. of Ranges 38, 39 and 40

Surveyed by Charles W. Dahl

197

94

218

Exterior Lines Tps 34 & 35 N

Rs 38, 39 and 40 W

218

must of the 6th Principal meridian in Nebraska as are represented in the foregoing field notes as having been surveyed by me and under my direction: and I do further solemnly swear that all the corners of said lines have been established and perpetuated in strict accordance with the Surveying manual, special instructions, the special instructions of the United States Surveyor General for Nebraska, and in the specific manner described in the field notes, and that the foregoing and the true field notes of such survey: and should any fraud be detected I will suffer the penalty of perjury under the provisions of an act of Congress approved January 8th 1846.

Stephen C McElroy
Deputy U.S Surveyor

Subscribed and Sworn to before me this 31st day of July A.D 1883

W.S. Mahin
Notary Public

12 ins. in the ground, for Cor. to Secs. 1
marked T. 33 N. S. 19 , on N. E., R. 37

Surveyed by Charles M. Dubois

197.
227

M.

74

faces,
dges;
list.,
base

vol

30.
East.

cend.
end.
9
.
me
h,

end.

2264 3

U.S. Surveyor Genrals Office

Plattsmouth Neb Aug. 28th 1883

The forgoing field notes
of the surveys of the Ed & Mer
lines of Townships No 34 & 35
of Ranges No 38-39-and 40-
W. of the 6th Principal Mer
idian in Nebraska
Executed by S. C. McElroy
(C.) Deputy Surveyor. under
his Contract No 112. dated
August 29-1882. in the Mo
of May-1883.
Having been critically
Examined the necessary
Corrections and explan
ations made the
said Field Notes

12 ins. in the ground, for Cor. to Secs.
marked T. 33 N. S. 19 . on N. E., R. 37

Surveyed by Charles M. Dob...

197.
227

M.

94.
22

221

and the Surveys thus
describ are hereby
approvd.

L. W. Stephenson
U. S. Surveyor General

223

7+

faces,
edges;
list.,
base

vcl

ole.

30.

East.

cend.

end.

ne

th.

end.

12 ins. in the ground, for Cor. to Secs. ...
marked T. 33 N. S. 19 ; on N. E., R. 3...

Surveyed by Charles W. Dakin

94 221

223

(3)

Field Notes
of
Exterior lines
of
Townships 33 N.
of
Ranges 39 and 40 W.

By
Charles W. Dakin
under Contract No 8
dated February 2nd 1882

12 ins. in the ground, for Cor. to Secs. 17,
marked T. 33 N. S. 17 ; on N. E., R. 39 W.

197
227

M.

W. faces,
. edges;
. dist.,
. base

level

East.

scend.
cend.
one
cend.

Surveyed by Charles W. Dahl

197

227

M.

224

225

Stags 74

N. W. faces,
n N. edges;
ft. dist.,
ft. base

level

elinah.

d 30.
05' East.

nd descend.

d ascend.

ins., 7
on 70.
of stone
ft. high,

d descend.

12 ins. in the ground, for Cor. to Secs.
marked T. 33 N. S. 19 , on N. E., R. 37

94
2 2

Be

196.
226

Original Notes of this line see Vol. 262 Page 142 74

W. B. T 33 N. Rs 39 W. 6th P. M.

This is a copy of original line

Before proceding further with the exteriors of this Tps. I made a change of 6 minutes in the latitude. are of my solar compass by adding same to the reading previously given. And at noon verified and corrected same by observation on the sun. I also further tested instrument by reversing & took the latitude and found it to be 42° 47' N. Thence from Standard the Cor. to Tps. 33. N. Rs 39 and 40 W. Iowa.

North on a true line between Sects 31 & 36
Va 15° 10' E.

Ascend

5.00	Enter Flat bears N. W. and S. E.
3500	Leave Flat bears N. W. and S. E. and ascend
40.00	Set a post 3 ft long 3 ins dia. 12 ins in ground for 1/4 Sec Cor., marked 1/4 S. on W. face. dug pits 18 x 18 x 12 ins, E. and W. of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base around post.
50.00	Top of spur bears N. W. and S. E. & descend
60.00	Cross wash 300 links wide course S. E. and ascend.
80.00	Set post 4 ft. long, 4 ins square, 12 ins. in the ground. for cor. to Secs 25. 30. 31. & 36 marked T. 33 N. S. 30. on N. E. R 39 W. S. 31

Surveyed by Charles M. Dutton

197.
227

W. B. T. 33 N. R. 39 W. 6th P. M.

Chains. For beginning of this line see Vol. 53. page 74

R. 40 W.
on S. E. ^ S. 36 on S. W and S. 25 on N. W. faces, with 1 notch on S. and 5 notches on N. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base around post.
50.00 Chs. Land mountainous. and 30.00 Chains level
Soil 3rd rate
Vegetation of Bunchgrass & Sagebrush.

North on a true line between sections 25 and 30.
Va. 15° 05' East.

Ascend.

24.00	Top of Spur, bears N. W. & S. E. and descend.
30.00	Cross Wash, 200 lks. wide, Course S. E. and ascend.
40.00	Set a Sand stone 14 x 10 x 9 ins., 9 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits, 18 x 18 x 12 ins., E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
49.50	Top of Spur, bears E. and W. and descend.
80.00	Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs. 19, 24, 25 & 30 marked T. 33 N. S. 19 on N. E., R 39 W, S. 30

W. B. T. 33 N. R. 39 W. 6th P. M.

Chains.

R. 40 W.

on S. E. S. 25 on S. W and S. 24 on N. W. faces, with 2 notches on S. and 4 notches on W. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base around post.

Land mountainous.

Soil 3rd rate

Vegetation of Bunchgrass & Sagebrush.

North on a true line between sections 19 and 24.

Va. 14° 40' East.

Descend.

7.00 Cross Wash, 300 lks. wide, Course E. and ascend.

18.00 Top of Spur, bears E. and W. and descend.

40.00 Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on W. face, dug pits, 18 x 18 x 12 ins., E. and W. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.

56.50 Cross Wash, 300 lks. wide, Course E. and ascend.

80.00 Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs. 13, 18, 19 & 24, marked T. 33 N. S. 18, on N. E., R. 39 W, S. 19

W. B. T. 33 N. R. 39 W. 6th P. M.

Chains.

R. 40 W.

on S. E. S. 24 on S. W and S. 13 on N. W. faces, with 3 notches on S. and 3 notches on W. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base around post.

Land mountainous.

Soil 3rd rate

Vegetation of Bunchgrass & Sagebrush.

North on a true line between sections 13 and 18.

Va. 14° 40' East.

Ascend.

1.50 Top of Spur, bears E. and W. and descend.

40.00 Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on W. face, dug pits, 18 x 18 x 12 ins., E. and W. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.

45.50 Enter Flat bears N. W. and S. E.

65.00 Leave Flat bears N. W. and S. E. and ascend.

70.00 Top of Spur, bears N. W. and S. E. and descend.

W. B. T. 33 N. R. 37 W. 6th P. M.

Chains.	
80.00	Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs. 7, 12, 13 & 18, marked T. 33 N. S. 7, on N. E., R. 37 W., S. 18 on S. E., S. 13 R. 40 W. on S. W. and S. 12 on N. W. faces, with 4 notches on S. and 2 notches on W. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base around post. 60.50 chs. 19.50 chs.
	Land mountainous. and level.
	Soil 3rd rate
	Vegetation of Bunchgrass & Sagebrush.
	North on a true line between sections 7 and 12.
	Va. 15° 00' East.
	Descend.
1.00	Enter Flat bears S. E. and W.
11.00	Leave Flat bears S. E. and W. W. and ascend.
40.00	Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor.; marked ¼ S. on W. face, dug pits, 18 x 18 x 12 ins., E. and W. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.
45.60	Top of Spur, bears E. and W. and descend.

W. B. T. 33 N. R. 37 W. 6th P. M.

Chains.	
67.00	Cross Wash, 150 lks. wide, Course N. E. and ascend.
75.00	Top of Spur, bears W. W. & S. E. and descend.
80.00	Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs. 1, 6, 7 & 12, marked T. 33 N. S. 6, on N. E., R. 37 W., S. 7 on S. E., S. 12 R. 40 W. on S. W. and S. 1 on N. W. faces, with 5 notches on S. and 1 notch on W. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base around post. 70.00 chs. 10.00 chs. level
	Land mountainous.
	Soil 3rd rate
	Vegetation of Bunchgrass & Sagebrush.
	North on a true line between sections 1 & 6.
	Va. 16° 10' East.
	Descend.
8.00	Cross Wash, 175 lks. wide, Course S. E. and ascend.
36.00	Top of Spur, bears W. W. & S. E. and descend.
40.00	Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on W. face, dug pits, 18 x 18 x 12 ins., E. and W. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.

~~4~~ 232
202

W. B. T. 33 N. R. 39 W. 6th P. M.

Chains.

Chains.	
71.50	Enter Flat bears N. W. and W. E.
80.00	Set a post, 4½ ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Tps. 33 and 34 N., R's 39 and 40 W. marked T. 34 N., S. 31 on N. E. R. 39 W., S. 6 on S. E. T. 33 N., S. 1 on S. W. and R. 40 W., S. 36 on N. W. faces, with 6 notches on each edge, dug pits 24 x 18 x 12 ins., lengthwise on each line, N. S. E. and W. of post, 6 ft. dist. and raised a mound of earth 2½ ft. high, 5 ft. base around post.
	Land mountainous. 71.50 lks. and 8.50 E. level.
	Soil 3rd rate
	Vegetation of Bunchgrass & Sagebrush.
	Aug. 26th 1882.
	End
Note:-	See N. 13. T. 33 N. R. 40 W. on page 234

Before proceeding ~~further~~ with the exteriors of this Tp., I made a change of 5 minutes in the latitude arc of my solar compass by subtracting same from the reading previously given, and at noon verified and corrected same by observation on the sun. I also further tested instrument by reversing.

233
203.

E. B. T. 33 N. R. 39 W. 6th P. M.

Chains. (See previous page.)

Standard
From Cor. to Tps. 33 N. Rs. 38 & 39 W.

I run,

North on a true line between sections 31 and 36.

Va. 15° 00' East.

Ascend.

9.00	Top of Spur, bears E. and W. and descend.
28.00	Cross Wash, 2.00 lks. wide, Course S. 85° W. and ascend.
110.00	Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on W. face, dug pits, 18 x 18 x 12 ins., E. and W. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.
154.00	Top of Spur, bears W. W. and S. E. and descend.
80.00	Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs. 25, 30, 31 & 36, marked T. 33 N., S. 30, on N. E., R. 39 W., S. 31 on S. E., S. 36 on S. W. and S. 25 on N. W. faces, with / notch on S. and 6 notches on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base around post.
	Land mountainous.
	Soil 3rd rate
	Vegetation of Bunchgrass & Sagebrush

~~204~~ 234

E. B. T. 33 N. R. 39 W. 6th P. M.

Chains.	
	North on a true line between sections 25 and 30. Va. 14° 30' East.
	Ascend.
7.00	Top of Spur, bears E. and W. and descend.
20.00	Cross Wash, 100 lks. wide, Course E. and ascend.
27.00	Top of Spur, bears N. W. and S. E. and descend.
35.50	Cross Wash, 100 lks. wide, Course S. E. and ascend.
40.00	Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on W. face, dug pits, 18 x 18 x 12 ins., E. and W. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.
	Top of Spur, bears E. and W. and descend.
76.00	Enter Flat bears E. and W.
80.00	Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs. 17, 24, 25 & 30, marked T. 33 N. S. 17, on N. E., R. 38 W., S. 30 on S. E. [R. 39 W.] S. 25 on S. W. and S. 24 on N. W. faces, with 2 notches on S. and 4 notches on N. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base around post. Land mountainous. 76.00 and 4.00 chains level. Soil 3rd rate Vegetation of Bunchgrass & Sagebrush.

205. 235

E. B. T. 33 N. R. 39 W. 6th P. M.

Chains.	
	North on a true line between sections 19 and 24. Va. 14° 30' East.
	Over level land
35.00	Leave Flat bears E. and W. and ascend.
40.00	Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on W. face, dug pits, 18 x 18 x 12 ins., E. and W. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.
61.42	Top of Spur, bears N. E. and S. W. and descend.
75.00	Cross Wash, 100 lks. wide, Course W. and ascend.
80.00	Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs. 13, 18, 19 & 24, marked T. 33 N., S. 18, on N. E., R. 38 W., S. 19 on S. E., [R. 39 W.] S. 24 on S. W. and S. 13 on N. W. faces, with 3 notches on S. and 3 notches on N. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base around 45.00 and 35.00 chains level. Land mountainous. Soil 3rd rate Vegetation of Bunchgrass & Sagebrush.

~~4~~ 206. 236

E. B. T. 33 N. R. 37 W. 6th P. M.

Chains.

North on a true line between sections 13 and 18.
Va. 11° 30' East.

Ascend.

10.00 Top of Ridge, bears E. and W. and descend.
29.00 Cross Wash, 100 lks. wide, Course N. and ascend.
34.50 Top of Spur, bears N. E. and S. W. and descend.
40.00 Set a Sandstone 14 x 11 x 5 ins., 9 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits, 18 x 18 x 12 ins., E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base. in low Sag and ascend.
51.00 Top of Ridge, bears E. and W. and descend.
64.00 Enter Flat bears N. and S.
80.00 Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs. 7, 12, 13 & 18, marked T. 33 N., S. 7, on N. E., R 36 W., S. 18 on S. E., S. 13 on S. W and S. 12 on N. W. faces, with 1 notches on S. and 2 notches on W. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base around post.
Land mountainous. 69.00 chs and 11.00 chains level,
Soil 3rd rate
Vegetation of Bunchgrass & Sagebrush,

236
207.

E. B. T. 33 N. R. 37 W. 6th P. M.

Chains.

North on a true line between sections 7 and 12.
Va. 11° 30' East.

Over level land

10.00 Leave Flat bears E. and W. and ascend.
26.00 Top of Spur, bears E. and W. and descend.
30.00 Enter Flat bears N. E. and S. W.
40.00 Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on W. face, dug pits, 18 x 18 x 12 ins., E. and W. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.
80.00 Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs. 1, 6, 7 & 12, marked T. 33 N., S. 6, on N. E., R 36 W., S. 7 on S. E., S. 12 on S. W. and S. 1 on N. W. faces, with 5 notches on S. and 1 notch on W. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base around post.
Land level. 60.00 chs and 20.00 chs. Mountainous
Soil 3rd rate
Vegetation of Bunchgrass & Sagebrush.

~~2~~ 237
~~238~~.

E. 13. T. 33 N. R. 39 W. 6th P. M.

Chains.

North on a true line between sections 1 and 6.
Va. 11° 30' East.

Over level land

10.00 Set a post 3 ft. long, 3 ins. diam.
12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on W. face, dug pits, 18 x 18 x 12 ins., E. and W. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.

55.00 Leave Flat bears W. E. and S. W. and ascend.

64.00 Top of Ridge, bears E. and W. and descend.

80.00 Set a post, 4½ ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Tps. 33 and 34 N. R's 38 and 39 W. marked T. 34 S. 31 on N. E. R. 38 W. S. 6 on S. E. T. 33 N. S. 1 on S. W. and R. 39 W. S. 36 on N. W. faces, with 6 notches on each edge, dug pits 24 x 18 x 12 ins., lengthwise on each line, N. S. E. and W. of post, 6 ft. dist. and raised a mound of earth 2½ ft. high, 5 ft. base around post.

Land rolling.
Soil 3rd rate
Vegetation of Bunchgrass and Sagebrush.
I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.
Aug. 28th 1882.

~~209~~
238

N. 12. T. 33 N. R. 38 W. 6th P. M.

Chains.

Before proceeding further with the exteriors of this Tp., I made a change of 5 minutes in the latitude arc of my solar compass by adding same to the reading previously given, and at noon verified and corrected same by observation on the sun. I also further tested instrument by reversing. Took the latitude at point at a arc 12°52' N.
From the Cor. to Tps. 33 & 34 N., Rs. 38 & 39 W.
I run East. on a random line on N., B. of Tp.
Va. 14° 50' East.
I set temporary corners at every half mile, and at 5 miles 79.80 chs. I arrive at a point 88 lks. South of Cor. to Tps. 33 & 34 N. Rs. 37 & 38 W. from which corner I run S. 89° 54' W. on a true line between sections 1 & 36.
Va. 14° 45' East.

Ascend.

20.00 Top of Spur, bears N. and S. and descend.

31.00 Cross Wash, 100 lks. wide, Course S. and ascend.

33.00 Top of Spur, bears N. and S. and descend.

40.00 Set a post 3 ft. long, 3 ins. diam.
12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on W. face, dug pits, 18 x 18 x 12 ins., W. and S. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post. In low Sag and ascend.

~~240~~ 239
~~240~~.

M. B. T. 33 N. R. 38 W. 6th P. M.

Chains.	
17.00	Top of Spur, bears W. and S. and descend.
55.00	Cross Wash, 500 lks. wide, Course S. and ascend.
74.00	Top of Spur, bears W. 20° E. and S. 20° W. and descend.
80.00	Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs. 1, 2, 35 and 36, marked T. 34 N. S. 36, on N. E., R. 38 W., S. 1 on S. E., S. 2 on S. W. and S. 35 on N. W. faces, with 5 notches on W and 1 notch on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base around post.
	Land mountainous.
	Soil 3rd rate
	Vegetation of Bunchgrass and Sagebrush.

240
~~239~~.

M. B. T. 33 N. R. 38 W. 6th P. M.

Chains.	
	S. 89° 54' W. on a true line between sections 2 and 35. Va. 14° 40' East.
	Descend.
13.00	Cross Wash, 200 lks. wide, Course S. W. and ascend.
32.00	Top of Spur, bears W. 30° W. and S. 30° E. and descend.
40.00	Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on W. face, dug pits, 18 x 18 x 12 ins., W. and S. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.
53.00	Cross Wash, 100 lks. wide, Course S. 75° E. and ascend.
61.50	Top of Hill bears N. E. and S. W. and descend.
80.00	Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs. 2, 3, 34 and 35, marked T. 34 N. S. 35, on N. E., R. 38 W., S. 2 on S. E., S. 3 on S. W. and S. 34 on N. W. faces, with 4 notches on W and 2 notches on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base around post.
	Land mountainous.
	Soil 3rd rate
	Vegetation of Bunchgrass and Sagebrush.

~~35~~ 241
~~212~~.

M. B. T. 33 N. R. 38 W. 6th P. M.

Chains.	
	S. 89° 54' W. on a true line between sections 3 and 34. Va. 14° 45' East.
	Descend.
40.00	**Set a post 3 ft. long, 3 ins. diam.** 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on W. face, dug pits, 18 x 18 x 12 ins., W. and S. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.
58.00	Enter Flat bears N. W. and S. E.
68.50	Leave Flat bears N. W. and S. E. and ascend.
80.00	**Set a post 4 ft. long, 4 ins. square,** 12 ins. in the ground, for Cor. to Secs. 3, 4, 33 and 34, marked T. 34 N. S. 34, on N. E., R. 38 W, S. 3 on S. E., S. 3 T. 33 N. on S. W. and S. 33 on N. W. faces, with 3 notches on W. and 3 notches on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base around post. Land rolling. Soil 3d rate Vegetation of Bunchgrass and Sagebrush.

213.
~~212~~ 242

M. B. T. 33 N. R. 38 W. 6th P. M.

Chains.	
	S. 89° 54' W. on a true line between sections 11 and 33. Va. 14° 30' East.
	Ascend.
31.00	Top of Spur, bears N. and S. and descend.
40.00	**Set a post 3 ft. long, 3 ins. diam.** 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on W. face, dug pits, 18 x 18 x 12 ins., W. and S. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post. Willow Sag and ascend.
50.00	Top of Spur, bears W. and S. and descend.
63.50	Cross Wash, 300 lks. wide, Course N. and ascend.
73.00	Top of Spur, bears W. and S. and descend.
80.00	**Set a post 4 ft. long, 4 ins. square,** 12 ins. in the ground, for Cor. to Secs. 11, 5, 32 and 33, marked T. 34 N. S. 33, on N. E., R 38 W, S. 11 on S. E., S. 5 T. 33 N. on S. W. and S. 32 on N. W. faces, with 2 notches on W. and 11 notches on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base around post. Land mountainous. Soil 3d rate Vegetation of Bunchgrass and Sagebrush.

~~35~~ 243
~~114~~.

W. B. T. 33 N. R. 38 W. 6th P. M.

Chains.

S. 89° 54' W. on a true line between sections 5 and 32.
Va. 14° 25' East.

Ascend.

9.00 Top of Ridge, bears W. and S. and descend.

25.00 Cross Wash, 80 lks. wide, Course W. and ascend.

40.00 Set a post 3 ft. long, 3 ins. diam.
12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on W. face, dug pits, 18 x 18 x 12 ins., W. and S. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.

118.50 Top of Ridge, bears W. E. and S. W. and descend.

58.00 Cross Wash, 115 lks. wide, Course W. and ascend.

65.00 Top of Spur, bears W. and S. and descend.

80.00 Set a post 4 ft. long, 4 ins. square,
12 ins. in the ground, for Cor. to Secs. 5, 6, 31 and 32,
marked T. 33 N. S. 32, on N. E., R 38 W, S. 5
on S. E., S. 6 on S. W. and S. 31 on N. W. faces,
with 1 notch on W and 5 notches on E. edges;
dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist.,
and raised a mound of earth 2 ft. high, 4½ ft. base
around post.
Land mountainous.
Soil Poor rate
Vegetation of Bunchgrass and Sagebrush.

215.
244

W. B. T. 33 N. R. 38 W. 6th P. M.

Chains.

S. 89° 54' W. on a true line between sections 6 and 31.
Va. 14° 30' East.

Descend.

5.00 Enter Flat bears W. and S.

40.00 Set a post 3 ft. long, 3 ins. diam.
12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on W. face, dug pits, 18 x 18 x 12 ins., W. and S. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.

48.00 Leave Flat bears W. and S. and ascend.

57.00 Top of Spur, bears W. and S. and descend.

62.00 Cross Wash, 100 lks. wide, Course N. 5. and ascend.

72.00 Top of Spur, bears W. W. and S. E. and descend.

79.50 The Cor. to Tps. 33 & 34 N. Rs. 38 & 37 W.

Land 31.50 lks. W. to 118.00 lks. level.
Soil 1 rate
Vegetation of Bunchgrass and Sagebrush.

~~216~~ 2405
216.

M. B. T. 33 N. R. 39 W. 6th P. M.

Chains.

From the Cor. to Tps. 33 & 34 N., Rs. 38 & 39 W.
I run West. on a random line on N. B. of Tp.
Va. 14° 30' East.

I set temporary corners at every half mile, and at 6 miles
1,24 chs. I arrive at a point 36 lks. South of Cor. to Tps,
33 & 34 N Rs. 39 & 40 W. from which corner I run
S. 89° 08' E. on a true line between sections 6 & 31.
Va. 14° 00' East.

Over level land

5.00 Enter Swamp, bears N. and S.

24.00 Leave Swamp, bears N. 80° E. and S. 80° W. and ascend.

41.24 Set a post 3 ft. long, 3 ins. diam.
12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on
W. face, dug pits, 18 x 18 x 12 ins., N. and S. of
post 5½ ft. dist., and raised a mound of earth 1½ ft.
high, 3½ ft. base around post.

70.00 Top of Spur, bears N. 50° W. and S. 50° E. and descend.

81.24 Set a post 4 ft. long, 4 ins. square,
12 ins. in the ground, for Cor. to Secs. 5, 6, 31 and 32,
marked T. 34 N. S. 32, on N. E., R 39 W., S. 5
T. 33 N.
on S. E., S. 6 on S. W. and S. 31 on N. W. faces,
with 1 notch on W and 5 notches on E. edges;
dug pits 18 x 18 x 12 ins.

217.
~~216~~.

M. B. T. 33 N. R. 39 W. 6th P. M.

Chains.

dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist.,
and raised a mound of earth 2 ft. high, 4½ ft. base
around post.

Land mountainous.
Soil 3rd rate
Vegetation of Bunchgrass and Sagebrush.

S. 89° 08' E. on a true line between sections 5 and 32.
Va. 14° 30' East.

Descend.

35.00 Enter Flat bears N. and S.

40.00 Set a post 3 ft. long, 3 ins. diam.
12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on
W. face, dug pits, 18 x 18 x 12 ins., N. and S. of
post 5½ ft. dist., and raised a mound of earth 1½ ft.
high, 3½ ft. base around post.

42.00 Leave Flat bears N. and S. and ascend.

67.00 Top of Ridge, bears N. and S. and descend.

80.00 Set a post 4 ft. long, 4 ins. square,
12 ins. in the ground, for Cor. to Secs. 4, 5, 32 & 33,
marked T. 34 N. S. 33, on N. E., R 39 W., S. 4
T. 33 N.
on S. E., S. 5 on S. W. and S. 32 on N. W. faces,

~~247~~
~~218~~.

N. B. T. 33 N. R. 37 W. 6th P. M.

Chains.

with 2 notches on W. and 4 notches on E. edges;
dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist.,
and raised a mound of earth 2 ft. high, 4½ ft. base
around post.
Land level. 7.00 73.00 chs. and mountainous.
Soil 3rd rate
Vegetation of Bunchgrass and Sagebrush.

S. 89° 58' E. on a true line between sections 4 and 33.
Va. 14° 45' East.

Descend.

3.00 Enter Swamp, course N. and S.

10.00 **Set a post 3 ft. long, 3 ins. diam.**
12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on
N. face, dug pits, 18 x 18 x 12 ins., N. and S. of
post 5½ ft. dist., and raised a mound of earth 1½ ft.
high, 3½ ft. base around post.

59.00 Leave Swamp, course N.W. and S.E. and ascend.

80.00 **Set a post 4 ft. long, 4 ins. square,**
12 ins. in the ground, for Cor. to Secs. 3, 4, 33 and 34,
marked T. 33 N. S. 34, on N. E., R 37 W., S. 3
on S. E., S. 4 T. 33 N. on S. W and S. 33 on N. W. faces,
with 3 notches on N. and 3 notches on E. edges;
dug pits, 18 x 18 x 12 ins in each Sec 5½ ft. dist

~~219~~
~~248~~.

N. B. T. 33 N. R. 37 W. 6th P. M.

Chains.

and raised a mound of earth 2 ft. high, 4½ ft. base
around post.

Land level.
Soil 3rd rate
Vegetation of Bunchgrass and Sagebrush.

S. 89° 58' E. on a true line between sections 3 and 34.
Va. 14° 30' East.

Ascend.

24.50 Top of Spur, bears N.E. and S.W., and descend.

40.00 **Set a post 3 ft. long, 3 ins. diam.**
12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on
W. face, dug pits, 18 x 18 x 12 ins., N. and S. of
post 5½ ft. dist., and raised a mound of earth 1½ ft.
high, 3½ ft. base around post. in low Sag and ascend.

50.00 Top of Spur, bears N. 10° W. and S. 10° E. and descend.

80.00 **Set a post 4 ft. long, 4 ins. square,**
12 ins. in the ground, for Cor. to Secs. 2, 3, 34 & 35,
marked T. 33 N. S. 35, on N. E., R 37 W., S. 2
T. 33 N. on S. E., S. 3 on S. W and S. 34 on N. W. faces,
with 4 notches on N. and 2 notches on E. edges;
dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist.,
and raised a mound of earth 2 ft. high, 4½ ft. base
around post.

~~220~~ 249

N. B. T. 33 N. R. 39 W. 6th P. M.

Chains.

Land mountainous.
Soil 3rd rate
Vegetation of Bunchgrass & Sagebrush.

S. 89° 58' E. on a true line between sections 2 & 35.
Va. 14° 30' East

Ascend.

2.00 Top of Spur, bears N. 30° W. & S. 30° E. and descend.

40.00 Set a post 3 ft. long, 3 ins. diam.
12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post. low Sag and ascend.

56.00 Top of Ridge, bears N. 18° W. & S. 18° E. and descend.

72.00 Enter Flat bears N. 10° W.

80.00 Set a post 4 ft. long, 4 ins. square,
12 ins. in the ground, for Cor. to Secs. 1, 2, 35 & 36,
marked T. 34 N. S. 36 . on N. E., R. 39 W, S. 1
S. 35 N.
on S. E., S. 2 on S. W and S. 35 on N. W. faces,
with 5 notch es on N and 1 notch on E. edges;
dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist.,
and raised a mound of earth 2 ft. high, 4½ ft. base
around post.

221.
~~250~~

N. B. T. 33 N. R. 39 W. 6th P. M.

Chains.

72.00 chs.
Land mountainous. and 8.00 Chs. level.
Soil 3rd rate
Vegetation of Bunchgrass & Sagebrush.

S. 89° 58' E. on a true line between sections 1 and 36.
Va. 14° 30' East.

Over level land

6.00 Leave Flat bears N. and S. and ascend.

36.00 Top of Ridge, bears N. and S. and descend.

40.00 Set a post 3 ft. long, 3 ins. diam.
12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.

46.00 Cross Wash, 350 lks. wide, Course N. and ascend.

51.50 Top of Spur, bears N. and S. and descend.

73.50 Cross Wash, 250 lks. wide, Course N. and ascend.

80.00 The Cor. to Tps. 33 & 34 N. Rs. 38 & 39 W.

Land mountainous.
Soil 3rd rate
Vegetation of Bunchgrass & Sagebrush.

Aug. 27th 1882.

~~222~~ 251

E. B. T. 31 N. R. 39 W. 6th P. M.

Chains.

Bancroft Library 62/788 Vol 262

Before proceeding further with the exteriors of this Tp., I made a change of 16 minutes in the latitude arc of my solar compass by subtracting same from the reading previously given, and at noon verified and corrected same by observation on the sun. I also further tested instrument by reversing.

From the Cor. to Tps. 30 & 31 N. Rs. 38 & 39 W.

I run,

North on a true line between sections 31 & 36.

Va. *15° 00' East.*

Over level land

7.50 *Foot of Hill, bears E. & W. and ascend.*

33.00 *Top of Hill bears E. and W. and descend.*

40.00 ***Set a*** *Sand stone 12 x 12 x 8* ***ins.,*** *8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits, 18 x 18 x 12 ins., E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½* ***ft. high, 3½ ft. base.***

67.00 *Enter dry Lake, bears N. 20° E. & S. 20° W.*

70.00 *Leave dry Lake, bears E. & W. and ascend.*

80.00 ***Set a*** *Sand stone 14 x 9 x 9* ***ins.*** *9* ***ins. in*** *the ground for Cor. to Secs. 25, 30, 31 & 36,* ***marked with*** *1 notch on S. and 5 notches on W. edges, dug pits*

~~313~~ 252

N. B. T. 33 N. R. 40 W. 6th P. M.

for 5

Chains.

Before proceeding ~~further~~ with the exteriors of this Tp., I made a change of 5 minutes in the latitude arc of my solar compass by adding same to the reading previously given, and at noon verified and corrected same by observation on the sun. I also further tested instrument by reversing.

I took the latitude and found it to be 42° 32' North

From the Cor. to Tps. 33 & 34 N. Rs. 39 & 40 W.

0 *I run West. on a random line on N. B. of Tp.*

Va. 14° 30' East.

I set temporary corners at every half mile, and at 5 miles 79.08 chs. I arrive at a point 1414 lks. North of Cor. to Tps. 33 & 34 N Rs. 40 & 41 W. from which corner I run N. 89° 30' E. on a true line between sections 6 & 31

Va. 15° East.

Over rolling land.

27.00 *Cross low Sag and ascend.*

39.08 ***Set a*** *Sand stone 12 x 10 x 4* ***ins.,*** *8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of stone 5½ ft. dist., and raised a mound of earth 1½* ***ft. high, 3½*** *ft. base.*

to 2
3444. 253

N. B. T. 33N. R. 40W. 6th P. M.

Chains.	
79.08	Set a sand stone 12 x 9 x 7 ins 8 ins. in the ground for Cor. to Secs. 5, 6, 31 & 32 marked with 1 notch on W. and 5 notches on E. edges. dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high 4½ ft. base.
	Land rolling.
	Soil 2nd. & 3rd rate
	Vegetation Bunchgrass & Sagebrush.
	N. 89° 50' E. on a true line between sections 5 & 32
	Va. 15° East.
	Over rolling land.
40.00	Set a sand stone 10 x 7 x 6 ins., 6 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits, 18 x 18 x 12 ins., N. and E. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
46.00	Top of Hill bears N & E. and descend.
80.00	Set a sand stone 12 x 9 x 6 ins. 8 ins. in the ground for Cor. to Secs. 4, 5, 32 & 33 marked with 2 notches on W. and 4 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high 4½ ft. base.

2.54
3445.

N. B. T. 33N. R. 40 W. 6th P. M.

Chains.	
	Land rolling. and hilly
	Soil 3rd rate
	Vegetation Bunchgrass & Sagebrush.
	N. 89° 50' E. on a true line between sections 4 & 33
	Va. 14° 50' East.
	Descend.
40.00	Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on N. face, dug pits, 18 x 18 x 12 ins., N. and E. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.
64.00	Enter Flat bears N. & E.
80.00	Set a sand stone 14 x 8 x 4 ins. 10 ins. in the ground for Cor. to Secs. 3, 4, 33 & 34 marked with 3 notches on W. and 3 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high 4½ ft. base.
	Land hilly and level.
	Soil 2nd. & 3rd rate
	Vegetation Bunchgrass & Sagebrush.

~~346~~ 255

N. 12. T. 33 N. R. 40 W. 6th P. M.

Chains.

N. 89° 50' E. on a true line between sections 3 & 34

Va. 15° 30 East.

Over level land

40.00 Set a sand stone 9 x 9 x 6 ins., 6 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.

80.00 Set a sand stone 12 x 9 x 6 ins. 6 ins. in the ground for Cor. to Secs. 2, 3, 34 & 35 marked with 4 notches on W. and 2 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high 4½ ft. base.

Land level.

Soil 3rd. rate

Vegetation Bunchgrass & Sagebrush

~~346~~ 255 347.

N. 13. T. 33 N. R. 40 W. 6th P. M.

Chains.

N. 89° 50' E. on a true line between sections 2 & 35

Va. 15° 10' East

Over level land

34.00 Leave Flat bears N. & S. and ascend.

40.00 Set a sand stone 12 x 9 x 6 ins., 6 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.

42.00 Cross Road, bears, N. 30° E. & S. 30° W.

80.00 Set a sand stone 11 x 9 x 7 ins. 8 ins. in the ground for Cor. to Secs. 1, 2, 35 & 36 marked with 5 notches on W. and 1 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high 4½ ft. base.

Land level. and hilly

Soil 3rd rate

Vegetation Bunchgrass & Sagebrush

~~406~~ 257
~~348~~.

N B T. 33 N. R. 40 W. 6th P. M.

Chains.

N. 89° 50' E. on a true line between sections 1 & 36

Va. 15° 15' East.

Descend.

9.00 Cross low Sag and ascend.

40.00 Set a sand stone 24 x 8 x 4 ins., 18 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits, 18 x 18 x 12 ins., N. and E. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.

56.00 Top of Hill bears N. & E. and descend.

80.00 The Cor. to Tps. 33 & 34 N. Rs. 39 & 40 W.

Land hilly

Soil 3rd rate

Vegetation Bunchgrass & Sagebrush

Aug. 26. 1882.

U. S. Surveyor General's Office

Plattsmouth, Neb. 1883.

The foregoing Field Notes of the survey of the Exterior lines of Tps. 32 North, Ranges 35, 36 and 37 West and Tps. 31, 32 & 33 North, Ranges 38, 39 & 40 West of the Principal Base and Meridian in the State of Nebraska, executed by Charles H. Dakin U. S. Deputy Surveyor under his contract No. 8 dated Feb. 2, 1882 in the months of Aug. & Sept. 1882, having been critically examined, the necessary corrections and explanations made, the said Field Notes & the surveys they describe are hereby approved.

L. O. Stephenson
U. S. Surveyor General.

End.

General Land Office • Original Field Notes

Book Number

264

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.