General Land Office • Original Field Notes

Book Number

274

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.


4th S.P.N
3rd S P N
GUIDE MERIDIAN, W.
GUIDE MERIDIAN, W.
STANDARD PARALLEL, N.
Wyoming
Book 1 page 3
" 2 " 94
" 3 " 354
" 4 " 371½
Completed November 4th 1868


274

Book No. 1 O.1

Field Notes of the Survey of the exterior boundaries of Townships 12, 13 & 14, 15 & 16 of range 49, and Townships 12, 13 & 14, of Ranges 49, 50, 51, 52, 53, 54, 55, 56, 57, 58 & 59, & Township 13 of Range 56, all North of the Base line and West of the 6th Principal Meridian, in the State of Nebraska, By Hiram C. Fellows, Deputy Surveyor, under his contract No. 24 bearing date the 15th day of June 1869, wherein said Hiram C. Fellows contracted with Robert R. Livingston United States Surveyor General for the district of Iowa and Nebraska

Survey Commenced September 16th 1869

Completed November 4th 1869

Township No 12 North

Chains Begin at the post on the the 3d Standard Paralell the establish closing corner to Township No 12 N Ranges No 49+50 W the said corner being a Post and mound

Thence

South bet Sec 1+6

Variation 14°22' East

40.00 Set a chared Post and built a mound with pits per Instructions for 1/4 Sec cor

80.00 Set a chared Post and built mound with pits per Instructions for cor to Sec 1.6.7+12

Land rolling

Soil 3d rate

Prairie

Ranges No 49+50 West

Chains South bet Sec 7+12

Variation 14°22' East

15.00 To Ravine brs S W

40.00 Set a Lime Stone 18X10X5 ins. for 1/4 Sec cor

80.00 Set a chared Post and built mound with pits per Instructions for cor to Sec 7.12.13+18

Land gently rolling

Soil 3d rate

Prairie

Township no 12 North

Chains	South bet Sec 13+18
	Variation 14°22' East
40.00	Set a chared Post and built mound with pits per Instructions for 1/4 Sec cor
80.00	Set chared Post and built mound with pits per Instructions for cor to Sec 13.18.19+24

Land gently rolling
Soil 2d rate
Prairie

Ranges no 49+50 West

Chains	South bet Sec 19+24
	Variation 14°22' E
11.15	To State line 22.87 Cha East of 48 mile Post and Set chared Post and built mound with pits per Instructions for closing cor to fract Sec 19+24

Land gently rolling
Soil 2d rate
Prairie

Sept 16th 1869

T. 12 N. R. 49 W.
This fractional Township is a high rolling Prairie produces good grass and fit only for grazing.

Township No 13 North

Chains Begin at a Post on the 3d Standard Parallell he established corner to Township No 13 N of Ranges No 49+50 West Said corner being a Post and mound

Thence

North bet Sec 31+36

Variation 14°25' East

40.00 Set chared Post and built mound with pits per Instructions for 1/4 Sec cor

80.00 Set a chared Post and built mound with pits per Instructions for cor to Sec 25.30.31+36

Ranges No 49+50 West

Chains North bet Sec 25+30

Variation 14°27' East

40.00 Set Lime stone 18x15x4 ins for 1/4 Sec cor

80.00 Set a chared Post and built mound with pits per Instruction for cor to Sec 19.24.25+30

Land rolling 2d rate Prairie

Township No 13 North

Chains	
	North bet Sec 19 & 24 Variation 14° 30' E
40.00	Set a Limestone 16 x 15 x 8 ins for 1/4 Sec cor
36.10	To a Drain 20 lks wide runs S W
80.00	Set a Charcd Post and built Mound with pits per Instructions for cor to Sec 13. 18. 19 & 24
	Land rolling Soil Sandy 2d rate Prairie

Ranges No 49 & 50 West

Chains	
	North bet Sec 13 & 18 Vargation 14° 30' East
40.00	Set Charcd Post and built mound with pits per Instructions for 1/4 Sec cor
80.00	Set a charcd Post and built mound with pits per Instructions for cor to Sec 7. 12. 13 & 18
	Land rolling 2d rate Prairie

Township No 13 North

Chains	North bet Sec 7+12
	Variation 14°31' East
40.00	Set Lime Stone 21X17X5 ins for 1/4 Sec cor
76.30	To a Drain 15 lks wide runs East
80.00	Set Lime stone 23X12X10 ins for cor to Sec 1.6.7+12

Land broken and Stony Soil 2d rate Prairie

Ranges No 49+50 West

Chains	North bet Sec 1+6
	Variation 14°32' E
22.10	To top of Bluff brs N W + S E
30.40	" Drain 20 lks wide runs N 15° W
40.00	Set Lime Stone 17X12X7 ins. for 1/4 Sec cor
52.80	Enter bottom land brs E + W
80.00	Set a chared Post and built a mound with pits per Instructions for cor to Ts 13+14 North Rs 49+50 W

Land hilly and stony Soil 2d rate Prairie

Sept 16th 1869

Townships No 13 + 14 North

Chains Begin at the post the established corner to Townships No 13 + 14 North in Range No 49 + 50 West. East, on a random line, on the South Boundaries of Sec^s 31. 32. 33. 34. 35 and 36
Variation 14. 35' East
Set temporary half mile and mile posts at every 40 and 80 chains and at 5 miles 78 chains and 80 links. to a point 90 links South of the cor to Ts 13 + 14 N Rs 48 + 49 W^n. Therefore the correction will be 1 chain and 20 links West and 15 links North per mile

Ranges 49 West

Chains From corner to Ts 13 + 14 N Rs 48 + 49 West B. run South 89° 54' W Set Sec 1 + 36
Variation 14° 45' East
40.00 Set a charcd Post and built mound with pits per Instructions for 1/4 Sec cor
80.00 Set a Lime Stone 19 x 12 x 9 ins. for Sec cor to Sec 1. 2. 35 + 36

Land gently rolling
Soil 2d rate.
Prairie

Townships No 13 & 14 North

Chains S 89° 5' ~~34½~~ 44 West along the South boundary of Sec 35

Variation 14° 40' E

40.00 Set Lime Stone 16 X 13 X 7 ins. for 1/4 Sec cor

80.00 Set a Lime Stone 25 X 10 X 7 ins for cor to Sec 2. 3. 34 & 35

Land gently rolling
Soil 2d rate
Prairie

Range No 49 West

Chains S 89 5 ~~34½~~ 4 West between Sec 3 & 34

Va 14° 40' E

40.00 Set a Lime Stone 15 X 12 X 7 ins.

80.00 for 1/4 Sec cor

80.00 Set a Lime Stone 17 X 9 X 7 ins. for cor to Sec 3. 4. 33 & 34

Land gently rolling
Soil 2d rate
Prairie

Townships no 13 + 14 North

Chains

S 89° 34½' W between Sec 4 + 33
Va 14° 43' E

40.00 Set Lime Stone 17 x 6 x 5 ins for ¼ Sec cor

80.00 Set Lime Stone 20 x 11 x 4 ins for cor 6 Sec 4. 5. 32 + 33

Sand gently rolling
Soil 2d rate
Prairie

Range no 49 West

Chains

S 89° 34½' W between Secs 5 + 32
Va 14° 41' E

38.70 To Lodge Pole Creek 40 lks wide runs N 72° E

40.00 Set a charcd Post and built mound with pits per Instructions. for ¼ Sec Cor.

53.75 To Lodge Pole Creek 36 lks wide runs S 43° E

80.00 Set a charcd Post and built mound with pits per Instruction for cor 6 Sec 5. 6. 31 + 32

Sand gently rolling
Soil 2d rate
Prairie

Townships No 13 & 14 North

Chains	
	South 89° 54½ West between Sec 6 & 31 Va 14' 41' East
6.50	To Lodge Pole Creek 30 lks wide runs N 17 E
40.00	Set Charred Post and built mound with pits per Instructions for ¼ Sec Cor
54.30	To Lodge Pole creek 40 lks wide runs S 10° E
63.10	To Lodge Pole creek 32 lks wide runs N 37° E
68.27	To Lodge Pole creek 35 lks wide runs S 40° E
78.80	The Cor to Townships 13 & 14 North Ranges 49 & 50 West

Land level
Soil 2d rate Prairie

Sept 17th 1869

Range No 49 West

T. 13 N. R 49 W

General Description

The land in this Township is of but little value, excepting for grazing; it is a high rolling Prairie at very dry. Lodge Pole Creek touches it North Boundary. The bottom land is good and susceptible of cultivation

Between Ranges 49 + 50 W

Chains	
	From the cor to Township No 13 + 14 North Ranges 49 + 50 West & run North bet Sec 31 + 36 Va 14° 42' E
.50	To Lodge Pole creek 25 lks wide runs N 40 E
38.20	Road brs E + W
40.00	Set a Charred Post and built Mound with pits per Instruction for 1/4 Sec Cor
63.40	To center of C.B.R.R. track brs S 85° W
75.00	Cross Stony Point
80.00	Set Stone Stone 36 x 18 x 10 ins for Cor to Sec 25. 30. 31 + 36

Land gently rolling
Soil 2nd rate Prairie

Township No 14 N

Chains	
	North bet Sec 25 + 30 Va 14° 45' East
9.00	Leave bottom land brs S E
17.50	To Top of Bluffs brs N W + E
33.40	a Gulch brs S E
40.00	Set Stone Stone 25 x 13 x 4 ins. for 1/4 Sec Cor
80.00	Set a Charred post and built mound with pits per Instructions for Cor to Sec 19. 24. 25 + 30

Land broken
Soil 2nd rate
Prairie

Between Ranges 49 + 50 W

Chains	
	North between Secs 19 + 24 Variation 14°35' E
40.00	Set a chared post and built mound with pits per Instructions for 1/4 Sec cor
80.00	Set a chared post and built mound with pits per Instructions for cor to Secs 13, 18, 19 + 24

Land gently rolling
Soil 2d rate
Prairie

Township No 14 North

Chains	
	North between Secs 13 + 18 Va 14 35' East
32.40	To Drain 10 lks wide runs north 60° E
40.00	Set a chared post and built mound with pits per Instructions for 1/4 Sec cor
54.10	To a Drain 10 lks wide runs S E
80.00	Set a chared post and built mound with pits per Instructions for cor to Secs 7, 12, 13 + 18

Land rolling 2d rate
Prairie

Between Ranges 49 + 50 West. Townships 14 + 15 North

Chains	North between Sec 7 + 12 Va 5° East
40.00	Set a charcd post and built mound with pits per Instructions for 1/4 Sec cor
48.15	To a Drain 15 lks wide runs S 87° E
80.00	Set a charcd post and built mound with pits per Instructions for cor to Sec 1, 6, 7 + 12

Land rolling
2d rate Prairie

Chains	North bet Sec 1 + 6 Va 15° E
40.00	Set a charcd post and built mound with pits per Instructions for 1/4 Sec cor
53.47	To a Drain 30 lks wide runs East
69.50	To a Drain 20 lks wide runs S 42° E
80.00	Set a charcd post and built mound with pits per Instructions Va cor to Townships 14 + 15 N Ranges 49 + 50 West

Land gently rolling
Soil 2d rate
Prairie

Between Townships no 14 + 15 North Ranges 49 West

Chains

From the cor to Townships no 14 + 15 North Ranges 49 + 50 West I run East on a random line between said Townships the variation of my Compass being 15°06 East I set temporary half mile and mile posts at ~~every~~ 40.00 and 80.00 chains. I find the Township line to be 5 miles 79 chains and 50 links and the falling to be 82 links South of the ~~Township~~ corner for T. 14 & 15 N. R. 48 & 49 on 6th Guide West.
The correction for the true line will therefore be 50 lks West and 12 lks North per mile

North Ranges 49 West

Chains

From the corner to Townships no 14 + 15 North Ranges 48 + 49 West I run S 89° 55' West between Sec 1 + 36
Var 15° 08'

40.00 Set a charred post and built mound with pits per Instructions for 1/4 Sec cor.

80.00 Set a charred post and built mound with pits per Instruction for Cor to Sec 1. 2. 35 + 36

Land gently rolling
Soil 2d rate
Prairie

Between Townships 14+15

Chains South 89°55' West between Sec 2+35

Va 15°08' East

40.00 Set a chared post and built mound with pits per Instructions for 1/4 Sec cor

80.00 Set a chared post and built mound with pits per Instructions for cor to Sec 2.3.34+35

Land gently rolling
Soil 2d rate
Prairie

North Range 49 West

Chains South 89°55' West between Sec 3+34

Va 15°10' East

17.55 To a Drain 20 lks wide runs South

40.00 Set a chared post and built mound with pits per Instruction for 1/4 Sec cor

80.00 Set a chared post and built mound with pits per Instruction for cor to Sec 3.4.33+34

Land rolling
Soil 2d rate
Prairie

Between Townships 14 & 15 North, Ranges 49 West

Chains

South 89° 55' West between Sec 4 & 33

Va 15° 10' East

40.00 Set a charcd post and built mound with pits per Instructions for 1/4 Sec cor

80.00 Set a charcd post and built mound with pits per Instructions for cor to Secs 4, 5, 32 & 33

Land rolling 2d rate Prairie

Chains

South 89° 55' West between Sec 5 & 32

Va 15° 9' East

40.00 Set a charcd post and built mound with pits per Instructions for 1/4 Sec cor

80.00 Set a charcd post and built mound with pits per Instructions for cor to Secs 5, 6, 31 & 32

Land rolling 2d rate Prairie

Between Townships 14+15

Chains South 89°55' West between Sec 6+31

Va 15°08' East

40.00 Set a chared post and built mound with pits per Instructions for 1/4 Sec cor

57.50 To Old Road brs NW+SE

79.50 To the established corner to Townships 14+15 North Ranges 49+50 West

Land rolling

Soil 2d rate

Prairie

Septr 18th 1869

North Range 49 West

T. 14 N. R. 49 W.

General Description

The Union Pacific Rail Road runs through the South end of this Township. The Town of Sidney is situated in the S.W. corner, is a Division Station of the U.P.R.R. The Creek bottom land is good and susceptible of cultivation. The upland is a high rolling Prairie and good grazing land.

Between Ranges 49 & 50 West

Chains

From the cor. to Townships No 14 & 15 North Ranges 49 & 50 West, & run North on the Range line between Sec 31 & 36 Va 15° 08' East

27.35 To Old Road bet NW & SE

40.00 Set a charred post and built mound with pits per Instruction for 1/4 Sec cor.

80.00 Set a charred post and built mound with pits per Instructions for cor to Sec 25, 30, 31 & 36

Land gently rolling
Soil 2d rate
Prairie

Township No 15 North

Chains

North between Sec 25 & 30
Variation 15° 09'

40.00 Set charred post and built mound with pits per Instructions for 1/4 Sec cor.

80.00 Set a charred post and built mound with pits per Instructions for cor to Sec 19, 24, 25 & 30

Land gently rolling
Soil 2d rate
Prairie

Between Ranges 49 + 50 West

Chains	
	North between Sec 19 + 24 Va 1° 15' East
40.00	Set a Lime Stone 19 x 12 x 6 ins. for 1/4 Sec cor.
80.00	Set a Lime Stone 23 x 16 x 4 ins. for cor to Sec 13, 18, 19 + 24
	Land gently rolling Soil 2d rate

Townships no 15 North

Chains	
	North between Sec 13 + 18 Va 1° 17' East
40.00	Set a charred post and built mound with pits per Instructions for 1/4 Sec cor
80.00	Set a charred post and built a mound with pits per Instructions for cor to Sec 7, 12, 13 + 18
	Land rolling Soil 2d rate Prairie

Between Ranges 49 + 50 West

Chains North between Sec 7 + 12.
Va 15° 18' East

40.00 Set a charcd post and built mound with pits per Instructions for 1/4 Sec cor

80.00 Set a charcd post and built a mound with pits per Instructions for cor to Sec 1. 6. 7 + 12

Land gently rolling
Soil 2d rate
Prairie

Townships 15 - North

Chains North between Sec 1 + 6
Va 15° 20' East

40.00 Set a charcd post and built mound with pits per Instructions for 1/4 Sec cor

80.00 Set a charcd post and built mound with pits per Instructions for cor to Townships No 15 + 16 North Ranges No 49 + 50 West

Land gently rolling
Soil 2d rate
Prairie

Between Townships No 15 & 16

Chains

From the corner to Townships No 15 & 16 North Ranges 49 & 50 West, I run East on a random line between said Townships
The variation of my Compass being 15° 18' East
I set every half mile and mile corners at 40.00 and 80.00 chains, I find the Township line to be 5 miles 79 chains and 30 links and the falling to be 30 links South of the Township corner*
The correction for the true line will therefore be 70 links west and 5 links north per mile

* to Townships 15 & 16 N. Ranges 48 & 49 W. on 6th Guide Mer. W.

North Range No 49 West

Chains

From the cor. to Townships No 15 & 16 North Ranges 48 & 49 West, I run
S 89° 58' West bet Sec 1 & 36
Variation 15° 79 East

40.00 Set a charcd post and built mound with pits per Instructions for 1/4 Sec cor

80.00 Set a charcd post and built mound with pits per Instructions for cor to Sec 1. 2. 35 & 36

Land gently rolling
Soil 2d rate
Prairie

Between Townships 15 & 16

Chains

South 89° 58' West between Sec 2 & 35
Va 15° 19' East

40.00 Set charcd post and built mound with pits per Instructions for 1/4 Sec. Cor

80.00 Set charcd post and built mound with pits per Instructions for Cor to Sec 2. 3. 34 & 35

Land gently rolling
Soil 2d rate
Prairie

North. Range 49 West

Chains

South 89° 58' West between Sec 3 & 34
Va 15° 20' East

40.00 Set charcd post and built mound with pits per Instructions for 1/4 Sec Cor

80.00 Set a charcd post and built mound with pits per Instructions for Cor to Sec 3. 4. 33 & 34

Land rolling 2d rate
Prairie

Between Townships No 15 & 16 North Range 49 West

Chains	
	South 89° 58' West between Sec 4 & 33
	Va 15° 20' East
40.00	Set a charcd post and built mound with pits per Instructions for 1/4 Sec cor
80.00	Set a charcd post and built mound with pits per Instructions for cor to Sec 4. 5. 32 & 33
	Land rolling 2d rate Prairie

Chains	
	South 89° 58' West between Sec 5 & 32
	Va 15° 20' East
40.00	Set a charcd post and built mound with pits per Instructions for 1/4 Sec cor
80.00	Set a charcd post and built mound with pits per Instructions for cor to Sec 5. 6. 31 & 32
	Land gently rolling Soil 2d rate Prairie

Between Townships No 15 & 16

Chains S 89° 58' West between Sec 6 & 31

Variation 15° 20' E

40.00 Set a charcd post and built mound with pits per instruction for 1/4 Sec cor

79.30 To the established cors to Townships No 15 & 16 North Ranges 49 & 50 West

Land rolling
Soil 2d rate
Prairie

Nov the 18th 1859

North. Ranges 49 West

Chains J. 15 N. R. 49 W.

General Description

This Township a a high gently rolling prairie and good grass land.

Between Ranges 49 + 50

Chains	
	From the corner to Townships 15 + 16 North. Ranges 49 + 50 West Run North on the Range line bet Sec 31 + 36 Va 15° 20' East
40.00	Set a Lime Stone 19 x 16 x 4 ins. for 1/4 Sec cor
80.00	Set a Lime Stone 25 x 13 x 3 ins for cor to Sec 25. 30. 31 + 36

Land gently rolling
Soil 2d rate
Prairie

West. Township No 16 North

Chains	
	North between Sec 25 + 30 Va 15° 20' East
40.00	Set a Lime Stone 17 x 15 x 4 ins. for 1/4 Sec cor
80.00	Set a chared post and built a mound with pits per Instructions for cor to Sec 19. 24. 25 + 30

Land gently rolling
Soil 2d rate
Prairie

Between Ranges 49 & 50 West Township No 16 N

Chains	
	North between Sec 19 & 24 Va 15° 20' East
40.00	Set a charred post and built mound with pits per Instructions for 1/4 Sec cor
80.00	Set a charred post and built mound with pits per Instructions for cor to Sec 13, 18, 19 & 24
	Land gently rolling Soil 2d rate Prairie

Chains	
	North between Sec 13 & 18 Va 15° 20' East
40.00	Set a charred post and built mound with pits per Instructions for 1/4 Sec cor
80.00	Set a charred post and built mound with pits per Instructions for cor to Sec 7, 12, 13 & 18
	Land gently rolling Soil 2d rate Prairie

Between Ranges 49 + 50 West, Township No 16 North

Chains	North between Sec 7 + 12 Va 15° 20' East
40.00	Set a chared post and built mound with pits per Instruction for 1/4 Sec cor
80.00	Set a chared post and built mound with pits per Instruction for cor to Sec 1, 6, 7 + 12

Land gently rolling
Soil 2d rate
Prairie

Chains	North between Sec 1 + 6 Va 15° 21' East
40.00	Set a chared post and built mound with pits per Instructions for 1/4 Sec cor
79.40	To 4th Standard Paralell 3.60 Chs East of 1/4 Sec Cor (on T. side of Sec 32 T. 17 N. R. 49 W.) and Set chard Post and built mound with pits per Instruction for closing corner to Townships 16 North Ranges 49 + 50 West

Land gently rolling
Soil 2d rate
Prairie

Nov the 19th 1869
T. 16 N. R. 49 W.

This Township is a high rolling Prairie and produces good Grama & other grasses.

Between Ranges 50 + 51 West

Chains | Begin at a post on the S'd Standard Parallel the established closing corner to Townships 12 North Ranges 50 + 51 West Said corner being a Post and mound & run South on a true line between Sec 1 + 6 Var 15° 03' East

40.00 | Set a charcd Post and built mound with pits per Instructions for 1/4 Sec cor

80.00 | Set a charcd post and built mound with pits per Instructions for corner to Sec 1. 6. 7 + 12

Land gently rolling
Soil 2d rate
Prairie

Township No 12 North

Chains | South between Sec 7 + 12 Variation 15° 03' E

40.00 | Set a charcd post and built mound with pits per Instructions for 1/4 Sec cor

80.00 | Set a charcd post and built mound with pits per Instructions for cor to Sec 7. 12. 13 + 18

Land gently rolling
Soil 2d rate
Prairie

Between Ranges 50 & 51

Chains

South between Secs 13 & 18
Va 15° 03' East

40.00 Set a chared post and built mound with pits per Instructions for 1/4 Sec Cor

80.00 Set a chared post and built Mound with pits per Instructions for Cor to Secs 13. 18. 19 & 24

Land rolling
Soil 2d rate
Prairie

West Township 12 North

Chains

South between Secs 19 & 24
Variation 15° 03' E

11.10 To State line 25.85 chains East of the 54th mile Post and Set a chared Post and built Mound with pits per Instructions for closing Cors to fractional Secs 19 & 24

Land gently rolling
Soil 2d rate
Prairie

T 12 N R 50 W.

This fractional Township is a high gently rolling Prairie and provides good grass.

Between Ranges 30 & 31 West

Chains

Begin at a Post on the 3rd Standard Parallel the established corner to Township 13 North Ranges 30 & 31 West Said cor being a post and mound, & run North bet Secs 31 & 36.
Variation 15° 03' E

40.00 Set a Chared Post and built mound with pits per Instructions for 1/4 Sec cor

80.00 Set a Chard Post and built mound with pits per Instructions for cor to Sec 25. 30, 31 & 36

Land rolling 2d rate Prairie

Township No 13 North

Chains

North between Sec 25 & 30
Va 15° 04' East

40.00 Set a chared post and built mound with pits per Instructions for 1/4 Sec cor

80.00 Set a chared post and built mound with pits per Instructions for cor to Sec 19. 24. 25 & 30

Land gently rolling
Soil 2d rate
Prairie

Between Ranges 50 & 51 West

Chains	
	North between Sec 19 & 24 Vanglon 15° 03' East
40.00	Set a charred post and built mound with pits per Instructions for 1/4 Sec cor
74.50	Enter Bottom land bs 8 W.
80.00	Set a Lime Stone 23 X 15 X 3 ins for cor to Sec 13. 18. 19 & 24
	Land rolling 2d rate Prairie

Townships 13 North

Chains	
	North between Sec 13 & 18 Va 15° 03' E
40.00	Set a Lime Stone 19 X 12 X 3 ins. for 1/4 Sec cor
57.00	A Chimney Rock 75 feet high 3 chains West of line
80.00	Set a charred post and built a mound with pits per Instructions for cor to Sec 7. 12. 13 & 18
	Land gently rolling Soil 2d rate Prairie

Between Ranges 50 + 51 West

Chains	
	North between Sec 7 + 12 Variation 15° East
30.75	To a Drain 50 lks wide runs East
40.00	Set a charcd post and built mound with pits per Instructions for 1/4 Sec cor
80.00	Set a charcd post and built mound with pits per Instructions for cor to Sec 1. 6. 7 + 12

Land level
Soil good 2d rate
Prairie

Townships 13 North

Chains	
	North between Sec 1 + 6 Variation 15° East
40.00	Set a charcd post and built mound with pits per Instructions for 1/4 Sec cor
80.00	Set a Charcd post and built a mound with pits per Instructions for Cor to Townships 13 + 14 North Ranges 50 + 51 West

Land level
Soil good 2d rate
Prairie

Sept the 21st 1869

Between Townships No 13 & 14

Chains

From the corner to Townships No 13 & 14 North Ranges 50 & 51 West I run East on a random line between said Townships. The Variation of my Compass being 15° East I Set temporary half mile and mile corners at every 40.00 and 80.00 chains I find the Township line to be 6 miles and 35 links. Intersect at post corner to Townships No 13 & 14 North Ranges 49 & 50 West the correction for the true line will therefore be 35 links East ~~West~~ per mile

North Ranges 50 West

Chains

West on a true line between Sec 1 & 36 Va 14° 43 East

.30 To Lodge Pole creek 30 lks wide runs N 40 E

16.70 To Lodge pole creek 35 lks wide runs S 59 E

40.00 Set a charcd post and built mound with pits per Instructions for 1/4 Sec cor

59.10 To Outlet of Spring 37 lks wide runs North

80.00 Set a charcd post and built mound with pits per instructions for cor to Sec 1. 2. 35 & 36

Land level
Soil good 2d rate
Prairie

Between Townships 13+14

Chains	
0	West on a true line between Sec 2+35- Va 14°45' East
40.00	Set a chared post and built mound with pits per instructions for 1/4 Sec Cor
80.00	Set a chared post and built mound with pits per instructions for Cor to Sec 2. 3. 34+35-

Land level
Soil good 2d rate
Prairie

North. Range 10 West

Chains	
0	West on a true line between Sec 3+34 Va 14°46' East
15.00	To a Drain 20 lks wide runs N E
27.10	To Drain 20 lks wide runs S E
40.00	Set a chared post and built a mound with pits per instructions for 1/4 Sec Cor
45.10	To a Drain 25 links wide runs N 30 E
80.00	Set a chared post and built a mound with pits per instructions for Cor to Sec 3. 4. 33+34

Land level
Soil good 2d rate
Prairie

Between Townships 13 + 14

Chains	
	West on true line between Sec 4 + 33
	Variation 14°47' E
40.00	Set a chared post and built a mound with pits per instructions for 1/4 Sec cor
80.00	Set a Lime Stone 21 X 18 X 3 ins for cor to Sec 4.5.32 + 33

Land level
Soil good 2d rate
Prairie

North Range 50 West

Chains	
	West on true line between Sec 5 + 32
	Variation 14°50' E
40.00	Set a chared post and built a mound with pits per instructions for 1/4 Sec cor
80.00	Set a chared post and built mound with pits per instructions for cor to Sec 5.6.31 + 32

Land level soil 2d rate
Prairie

Between Townships 13 + 14 North Ranges 50 West

Chains	
	West on a true line between Sec 6 + 31 Var 14.30' East
40.00	Set a charred post and built a mound with pits per instructions for 1/4 Sec cor
80.35	To the established cors to Townships No 13 + 14 North Ranges 50 + 51 West
	Land level Soil good 2d rate Prairie

T. 13 N. R. 50 W.

General Description

The North Part of this Township is a level bottom but owing to the want of water is of but little value for any purpose but for grazing. The South part is a gently rolling Prairie

Between Ranges 30 & 31 West

Chains

From the corner to Townships 13 & 14 North Ranges 30 & 31 West I run North between Sec 31 & 36 Va 15° East

10.00 Leave bottom land bms

40.00 Set a Lime Stone 18 X 17 X 4 ins for 1/4 Sec cor

80.00 Set a chared post and built a mound with pits per instructions for cor to Sec 25. 30. 31 & 36

Hilly Stony 3d rate Prairie

Townships No 14 North

Chains

North bet Sec 25 & 30 Va 15° East

40.00 Set a Lime Stone 17 X 10 X 3 ins for 1/4 Sec cor

58.50 Enter bottom land bms E & W

80.00 Set a chared post and built a mound with pits per instructions for cor to Sec 19. 24. 25 & 30

Sand Hilly Soil 3d rate Prairie

Between Ranges 30 + 31 West Townships No 14 North

Chains	
	North between Sec 19 + 24 Va 15° 05'
40.00	Set a chared post and built a mound with pits per instructions for 1/4 Sec cor
79.20	To Lodge pole creek 25 links wide runs S 80 E
80.00	Set a chared post and built a mound with pits per instructions for cor to Sec 13. 18. 19 + 24
	Land level Soil 2d rate Prairie

Chains	
	North between Sec 13 + 18 Va 15° 07' East
28.30	To a road brs E + W
38.66	To centerline of C.B.P.R.R. track brs N 76 W
40.00	Set a chared post and built a mound with pits per instructions for 1/4 Sec cor
80.00	Set a Stone Stone 19 x 12 x 4 ins for cor to Sec 7. 12. 13 + 18
	Land level Good 2d rate Prairie

Between Ranges 50 & 51

Chains	
	North between Sec 7 & 12 Va 15° 10' East
12.50	Leave bottom land bns E & W
40.00	Set a Lime Stone 17 x 9 x 6 ins. for 1/4 Sec cor
80.00	Set a Lime stone 26 x 10 x 8 ins. for cor to Sec 1. 6. 7 & 12
	Land Hilly and Stony Soil 2d rate Prairie

West Townships No 14 North

Chains	
	North between Sec 1 & 6 Va 15° 10' East
32.15	To a Drain 20 lks wide runs E 15 N
40.00	Set a Chared post and built a mound with pits per instructions for 1/4 Sec cor
80.00	Set a Chared post and built a mound with pits per instructions for cor to Townships 14 & 15 North Ranges 50 & 51 West
	Land broken Soil 3d rate Prairie
	September 22d 1869

Between Townships 14+15

Chains From the corner to Townships 14+15 North Ranges 50+51 West I run East on a random line between said Townships the variation of my compass being 15°11 East. I set temporary half mile and mile corners at every 40.00 and 80.00 chains. I find the township line to be 6 miles and 1 chain and the falling to be 28 links North of cor to Townships 14+15 North Ranges 49+50 West the correction for the true line will therefore be 1 chain ~~West~~ East and 4 ~~8~~ 2/3 links South per mile

North Ranges 50 West

Chains From the corner to Townships 14+15 North Ranges 49+50 West I run North 89°58' W on a true line between Sec 1+36

Variation 15°15 East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a chared post and built a mound with pits per instructions for cor to Sec 1.2.35+36

Land rolling 2d rate Prairie

Between Townships No 14 + 15 North Range 10 West

Chains	
	North 89 58' W on a true line between Sec 2 + 35- Va 15 15 East
40.00	Set a Chared post and built a mound with pits per instructions for 1/4 Sec cor
80.00	Set a Chared post and built a mound with pits per instructions for cor to Sec 2. 3. 34 + 35
	Land rolling 2d rate Prairie

Chains	
	North 89 58' W on a true line between Sec. 3 + 34 Va 15 14 East ind.
40.00	Set a Lime Stone 18 x 10 x 2 for 1/4 Sec cor
57.13	To a Drain 10 links wide runs S 37° E
80.00	Set a Chared post and built a mound with pits per instructions for cor to Sec 3. 4. 33 + 34
	Land rolling 2d rate Prairie

Between Townships 14 + 15

Chains

North 89° 58' W on a true line between Secs 4 + 33 Va 15° 18' East

40.00 Set a Chared post and built a mound with pits per instructions for 1/4 Sec Cor

80.00 Set a Lime Stone 30 x 24 x 5 ins. for Cor to Secs 4. 5. 32 + 33

Land rolling 2d rate Prairie

North Range 10 West

Chains

North 89° 58' W on a true line between Secs 5 + 32 Va 15° 18' East

40.00 Set a Lime Stone 18 x 10 x 7 ins for 1/4 Sec Cor

80.00 Set a Chared post and built a mound with pits per instructions for Cor to Secs 5. 6. 31 + 32

Land rolling 2d rate Prairie

Between Townships 14 & 15 North Range 50 West

Chains North 89° 58' W. on a true line between Sec 6 & 31 Va 15' 12" East

40.00 Set a charred post and built a mound with pits per instructions for 1/4 Sec cor.

81.00 To the established corner to Townships 14 & 15 North Ranges 50 & 51 West

Land rolling 2d rate Prairie

September 23d 1869

T. 14 N. R. 50 W.

General Description

Lodge Pole Creek enters this Township in Section 19 and flows S. & E. and leaves it in Section 36. The Soil in the Creek bottom is first rate and susceptible of cultivation. The Bluffs on each side of the Bottom are high and rocky.

Between Ranges 51 + 52

Chains	
	Begin at a post on the 3d Standard Paralell N. the established closing corner to Township No 12 N Ranges 51 + 52 West. Said corner being a post and mound. I run South on the Range line between Sec 1 + 6
	Va 15°15' East
40.00	Set a Lime Stone 17 x 10 x 3 for 1/4 Sec cor
80.00	Set a chared post and built a mound with pits per instructions for cor to Sec 1, 6, 7 + 12

Land gently rolling
Soil 2d rate
Prairie

West Township No 12 North

Chains	
	South on a true line between Sec 7 + 12
	Va 15°15' East
40.00	Set a chared post and built a mound with pits per instructions for 1/4 Sec cor
80.00	Set a chared post and built a mound with pits per instructions for corner to Sec 7, 12, 13 + 18

Land gently rolling
Soil 2d rate
Prairie

Between Ranges 51 & 52 West Township 12 North

Chains

South on a true line between Sec 13 & 18
Va 15° 15' East

40.00 Set a charred post and built a mound with pits per instructions for 1/4 Sec Cor

80.00 Set a charred post and built a mound with pits per instructions for Cor to Secs 13, 18, 19 & 24

Land rolling
2d rate
Prairie

Chains

South on a true line between Sec 19 & 24
Va 15° 15' East

11.16 To the State line 2841 chains East of the 60th mile post and Set a charred post and built mound with pits per instructions for closing corner to fractional Sec 19 & 24

Land rolling
Soil 2d rate
Prairie

September 24th 1869

92

For Certificate of Admission see
Book 4, page 366.

~~92~~

93

94

0.2

Book No. 2

Between Ranges 31 & 32 West. Township No 18 North

Begin at a post on the 8th Standard Parall
N. the established corner
to Township No 18 North
Ranges 31 & 32 West
Said corner bears a
post and mound
I run North on the
Range line between
Sec 31 & 36
Va 15° 15' East
40.00 Set a chared post and
built a mound with
pits per instructions
for 1/4 Sec Cor
80.00 Set a chared post and
built a mound with
pits per instructions
for Cor to Sec 25.30.31 & 36

Land level 2d rate
Prairie

North on the Range
line between Sec 25 & 30
Va 15° 15 East
36.53 To a Drain 50 links wide
runs North 50 East
40.00 Set a chared post and
built a mound with
pits per instructions
for 1/4 Sec Cor
80.00 Set a chared post and
built a mound with
pits per instructions
for Cor to Sec 19.24.25 & 30

Land gently rolling
Soil 2d rate
Prairie

Between Ranges 17 & 18 West Townships No 13 North

North on the Range line between Sec 19 & 24
Va 15' East

40.00 Set a chared post and built a mound with pits per instructions for 1/4 Sec cor

80.00 Set a chared post and built a mound with pits per instructions for cor to Sec 13. 18. 19 & 24

Land gently rolling
Soil 2d rate
Prairie

North on the Range line between Sec 13 & 18
Va 15' 16' East

40.00 Set a chared post and built a mound with pits per instructions for 1/4 Sec cor

80.00 Set a Limestone 19 x 11 x 4 ins. for cor to Sec 7. 12. 13 & 18

Land Rolling 2d rate
Prairie

Between Ranges 51 + 52 West Township No 13 North

North on the Range line between Sec 7 + 12 Va 15 16 East

2.70 To a Drain 15 links wide runs East

18.50 To a Drain 10 lks wide runs S 39 E

40.00 Set a Lime Stone 18 X 12 X 6 ins for 1/4 Sec cor

53.00 To Bottom land bs E + W

80.00 Set a Lime Stone 22 X 14 X 4 ins for cor to Secs 1. 6. 7 + 12

Land hilly 2d rate Prairie

North on the Range line between Sec 7 + 6 Va 15 14 East

38.10 To a Drain 75 lks wide runs N 67 E

40.00 Set a chared post and built a mound with pits per instructions for 1/4 Sec cor

80.00 Set a chared post and built a mound with pits per instructions for Corner to Townships No 13 + 14 North Ranges 51 + 52 West

Land level Soil 2d rate Prairie

Between Townships No 13+14

From the established corner to Townships 13+14 North Ranges 51+52 West I run East on a random line between said Townships. The Variation of my Compass being 15°13' East I set temporary half mile and mile corners at every 40.00 and 80.00 chains I find the Township line to be 6 miles 1 chain and 10 links Intersect at post corner to Township 13+14 North Ranges 50+51 West The correction for the true line will therefore be 110 links East per mile

North Range 51 West

West on a true line between Sec 1+36

Va 15°11

40.00 Set a chared post and built a mound with pits per instructions for 1/4. Sec cor

80.00 Set a chared post and built a mound with pits per instructions for Cor to Sec 1. 2. 35+36

Land level Soil 2d rate Prairie

Between Townships 13 & 14 North Range 1 West

West on a true line
between Sec 2 & 35
Va 15.11 East

40.00 Set a chared post and built a mound with pits per instruction for 1/4 Sec. Cor.

63.55 To a 10 rain slinks wide runs South

80.00 Set a chared post and built a mound with pits per instructions for Cor to Sec 2. 3. 34 & 35

Land level Soil 2d rate Prairie

West on a true line
between Sec 3 & 34
Va 15 10' East

40.00 Set a chared post and built a mound with pits per instructions for 1/4 Sec Cor.

80.00 Set a chared post and built a mound with pits per instructions for Cor to Sec 3. 4. 33 & 34

Land level 2d rate Prairie

Between Townships No 13 & 14 North Range 57 West

West on a true line
between Sec 4 & 33
Va 15° 10' East

40.00 Set a chared post and built a mound with pits per instructions for 1/4 Sec Cor

80.00 Set a chared post and built a mound with pits per instructions for cor to Sec 4, 5, 32 & 33

Land level
Soil 2d rate
Prairie

West on a true line
between Sec 5 & 32
Va 15° 10' East

40.00 Set a chared post and built a mound with pits per instructions for 1/4 Sec Cor

80.00 Set a chared post and built a mound with pits per instructions for cor to Sec 5, 6, 31 & 32

Land level Soil 2d rate
Prairie

Between Townships 13+14 North Range 51 West

West on a true line between Sec 6+31
Va 1513 East

5.90 To a Drain 50 lks wide runs South

40.00 Set a chared post and built a mound with pits per instructions for 1/4 Sec cor.

81.10 To the established cor. to Townships 13+14 North Ranges 51+52 West

Land level Soil 2d rate Prairie

September 25th 1869

T. 13 N. R. 51 W.

General Description

This Township is a high dry rolling Prairie good only for grazing.

Between Ranges 51 + 52 West

From the established
Corner to Townships 13 + 14
North Ranges 51 + 52 West
I run North on the Range
line between Sec 31 + 36
Va 15° 15' East

20.00 I leave Bottom land Lks 6 + 20
40.00 Set a Lime Stone 20 x 12 x 5 ins.
For 1/4 Sec cor
78.15 To a Drain 10 links wide
runs East
80.00 Set a Lime Stone 23 x 13 x 3 ins.
For cor to Sec 25. 30. 31 + 36

Sand Hilly
Soil 3d rate
Prairie

Township No 14 North

North on the Range
line between Sec 25 + 30
Va 15° 15' East

40.00 Set a Lime Stone 19 x 13 x 6 ins.
For 1/4 Sec cor
80.00 Set a Lime Stone 21 x 11 x 4 ins.
For cor to Sec 19. 24. 25 + 30

Sand Hilly 3d rate
Prairie

Between Ranges 51 & 52 West Townships No 14 North

North on the Range line between Sec 19 & 24 Va 15° 12' East

40.00 Set a Lime Stone 20x15x4 mkd for 1/4 Sec cor

80.00 Set a Lime Stone 23x17x6 mkd for cor to Sec 13. 18. 19 & 24

Land Hilly
Soil 2d rate
Prairie

North on the Range line between Sec 13 & 18 Va 15° 10' East

38.00 Enter Bottom land bs 6 & 7

40.00 Set a Lime Stone 19x12x3 mkd for 1/4 Sec cor

80.00 Set a Lime Stone 18x11x10 mkd for cor to Sec 7. 12. 13 & 18

Land first half Hilly
Last half level
Soil 2d rate
Prairie

Between Ranges 57 + 52 West

North on the Range line between Sec 7 + 12
Va 15° 10' East

40.00 Set a Limestone 18 X 11 X 3 ind. for 1/4 Sec Cor

66.10 To Lodge pole creek 50 lks wide runs N 85 E

80.00 Set a Limestone 16 X 12 X 10 ind. for Cor to Sec 1, 6, 7 + 12

Land level 2d rate Prairie

Townships No 14 North

North on the Range line between Sec 1 + 6
Va 15° 10' East

5.50 Road brs E + W

13.10 To the centerline of the U.P.R.R. track brs N 87° W

19.50 Leave bottom land brs E + W

40.00 Set a Limestone 20 X 11 X 4 ind. for 1/4 Sec Cor

75.00 To a Canyon brs S E

80.00 Set a Limestone 32 X 20 X 8 ind. in mound of Stone for Cor to Townships No 14 + 15 North Ranges 57 + 52 West

Land Hilly except first nineteen chains which is level
Soil 2d rate Prairie

September 26th 1869

Between Townships 14 + 15

From the corner to Townships No 14 + 15 North Ranges 51 + 52 West I run East on a random line between said Townships, the Variation of my compass being 15° 10' East Set temporary half mile and mile corners at exactly 40.00 and 80.00 Chains I find the Township line to be 5 miles 79 chains and 50 links, And the falling to be 70 links South of the Township corner The correction for the true line will therefore be 50 links West and 11 2/3 links North per mile

North Range 51 West

From the corner to Townships No 14 + 15 North Ranges 50 + 51 West I run S 89° 55' West between Sec 1 + 36 Va 15° 9' East

40.00 Set a charred post and built a mound with pits per instructions for 1/4 Sec Cor

62.50 To a Drain 15 links wide runs S 12 W

80.00 Set a Lime Stone 21 x 15 x 4 ins for Cor to Sec 1. 2. 35 + 36

Land rolling 2d rate Prairie

Between Townships 14 + 15 North Range 31 West

South 89°35' West between Sec 2 + 35
Va 15°09' East
14.40 To a Drain 60 links wide runs S 15° E
40.00 Set a Lime Stone 17 X 13 X 6 ins. for 1/4 Sec cor
80.00 Set a charcd post and built a mound with pits per instructions for cor to Sec 2, 3, 34 + 35

Land rolling 3d rate Prairie

South 89°35' West between Sec 3 + 34
Va 15°09' East
17.50 To a Drain 50 links wide runs South
40.00 Set a Lime Stone 19 X 11 X 5 ins. for 1/4 Sec cor
80.00 Set a charcd post and built a mound with pits per instructions for cor to Sec 3, 4, 33 + 34

Land rolling 2d rate Prairie

Between Townships 14 + 15 North Range 37 West

South 89°55' West between Sec 4 + 33

Va 15°8' East

40.00 Set a charred post and built a mound with pits per instructions for 1/4 Sec Cor

80.00 Set a Lime Stone 30 x 13 x 4 ins. for corner to Sec 4, 5, 32 + 33

Land rolling 2d rate Prairie

South 89°55' West between Sec 5 + 32

Va 15°8' East

1.50 To a Drain 50 links wide runs South

40.00 Set a Lime Stone 19 x 12 x 5 ins. for 1/4 Sec Cor

63.75 To a Road brs N 8 + S W

80.00 Set a Lime Stone 15 x 13 x 6 ins. for Cor to Sec 5, 6, 31 + 32

Land rolling 3d rate Prairie

Between Townships 14 + 15 North Range 57 West

South 89°55' West between Sec 6 + 31

Va 1°08' East

8.50 Enter canon bis S 10 E
40.00 Set a Lime Stone 17 x 8 x 5 inch for 1/4 Sec cor
48.00 Leave Canon bis S 84 E
75.00 Enter Canon bis S E
79.50 To the established corner to Townships 14 + 15 North Ranges 57 + 52 West

Land Hilly and Stony Soil 3rd rate Prairie

September 27th 1869

T 14 N. R. 51 W.

General Description

Snake Pole, brake enters this Township in Section 7, flows S E and leaves it in Section 24. The land in the Creek Bottoms is first rate and good for farming Purposes the Upland is a dry rolling Prairie good for grazing purposes.

Between Ranges 52 & 53

Begin at a post on the 3d Standard Parallel N. the established closing Corner to Township No 12 North Ranges 52 & 53 West said corner being a post and mound 2 links South on the Range line between Sec 1 & 6

Va 15° East

2.50 To a Drain 30 links wide runs East

40.00 Set a charred post and built a mound with pits per instructions for 1/4 Sec cor

80.00 Set a charred post and built a mound with pits per instructions for cor to Sec 1, 6, 7 & 12

Land level 2d rate Prairie

West Township No 12 North

South on the Range line between Sec 7 & 12

Va 15° East

10.00 Leave bottom land bs E & W

40.00 Set a charred post and built a mound with pits per instructions for 1/4 Sec cor

80.00 Set a charred post and built a mound with pits per instructions for cor to Sec 7, 12, 13 & 18

Land rolling 3d rate Prairie

Between Ranges 52 + 53 West Townships No 12 North

South on the Range line between Sec 13 + 18
Va 15° 10' East

40.00 Set a chared post and built a mound with pits per instructions for 1/4 Sec Cor.

80.00 Set a chared post and built a mound with pits per instructions for Cor to Sec 13, 18, 19 + 24

Land rolling 2d rate
Soil 2d rate
Prairie

South on Range line between Sec 19 + 24
Va 15° 10' East

11.00 To the State line 30.70 chain E of the 66th mile post
Set a chared post and built mound with pits per instructions for closing corner to fractional Sec 19 + 24

Land rolling 2d rate
Prairie

T 12 N. R. 52 W.

This fractional Township is a high, gently rolling Prairie

Between Ranges 52 & 53 West Township 13 North

Begin at a post on the 3rd Standard Parallel
N. the established corner to Townships 13 North Ranges 52 & 53 West Said corner being a post and mound I run North on the Range line between Sec 31 & 36
Va 1° 10' East
17.50 To a Drain 30 links wide runs East
40.00 Set a Charcd post and built a mound with pits per instructions for 1/4 Sec cor
80.00 Set a charcd post and built a mound with pits per instructions for cor to Secs 25, 30, 31 & 36

Land gently rolling
Soil 2nd rate
Prairie

North on the Range line between Sec 25 & 30
Va 1° 10' East
40.00 Set a Charcd post and built a mound with pits per instructions for 1/4 Sec cor
80.00 Set a charcd post and built a mound with pits per instructions for cor to Secs 19, 24, 25 & 30

Land gently rolling
Soil 2nd rate
Prairie

Between Ranges 52 & 53 West

North on the Range line between Sec 19 & 24
Va 15° 10' East

40.00 Set a chared post and built a mound with pits per instructions for 1/4 Sec cor

80.00 Set a chared post and built a mound with pits per instructions for Cor to Sec 13. 18. 19 & 24

Land gently rolling
Soil 2d rate
Prairie

Township No 13 North

North on the Range line between Sec 13 & 18
Va 15° 10' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a chared post and built a mound with pits per instructions for Cor to Sec 7. 12. 13 & 18

Land rolling 2d rate
Prairie

Between Ranges 5 2 + 5 3 West

North on Range line
between Sec 7 + 12
Va 15° 30' East

40.00 Set a chared post and
built a mound with pits
per instructions
for 1/4 Sec cor

61.25 To a Ravine brs E + W

80.00 Set a chared post and
built a mound with
pits per instructions
for cor to Sec 1. 6. 7 + 12

Land rolling 2d rate
Prairie

Township No 13 North

North on Range line
between Sec 1 + 6
Va 15° 8' East

26.50 To a Ravine brs S 64 E

40.00 Set a chared post and
built mound with pits
per instruction
for 1/4 Sec cor

80.00 Set a chared post and
built a mound with
pits per instructions
for cor to Townships
No 13 + 14 North Ranges
5 2 + 5 3 West

Land rolling 2d rate
Prairie

September 29th 1869

Between Townships 13 + 14 North Ranges 52 West

From corner to Township No 13 + 14 North Ranges No 52 + 53 West. I run East on a random line between said Townships the Variation of my Compass being 15° 0' East I set temporary half mile and mile corners at every 40.00 and 80.00 chains I find the Township line to be 5 miles 79 chains and 85 links, and the falling to be 42 links North of corner to Township No 13 + 14 North Ranges 51 + 52 West. The correction for the temporary true line will be 15 links West, and 7 links South per mile

From the corner to Townships 13 + 14 North Ranges 51 + 52 West I run North 89° 57' West on a true line between Sec 1 + 36 Va 15° East

40.00 Set a charred post and built a mound with pits per instructions for 1/4 Sec cor

80.00 Set a charred post and built a mound with pits per instructions for cor to Sec 1. 2. 35 + 36

Land level
Soil good 2d rate
Prairie

Between Townships 13 & 14

North 89 57' West on a true line between Sec 2 & 35
Va 15 02' East

1.60 To a Drain 75 links wide runs S 37 E

20.50 To a Drain 70 lks wide runs N 26 E

40.00 Set a chared post and built a mound with pits per instruction for 1/4 Sec cor

42.50 To a Drain 75 links wide runs S 30 E

57.25 To a Drain 75 links wide runs N 49 E

80.00 Set a chared post and built a mound with pits per instructions for cor to Sec 2. 3. 34 & 35

Land level 2d rate Prairie

North Range 5 2 West

North 89 57' West on a true line between Sec 3 & 34
Va 15 05' East

9.25 To a Drain 75 lks wide runs S E

40.00 Set a Lime Stone 26 X 12 X 3 ins. for 1/4 Sec cor

45.50 Leave bottom land bts N W & S E

80.00 Set a Lime Stone 24 X 16 X 3 ins. for cor to Sec 3. 4. 33 & 34

Land rolling Soil 2d rate Prairie

Between Townships 13 + 14

North 89° 7' West on a true line between Sec 4 + 33
Va 15° 03' East

2.50 To a Drain 25 links wide runs North

40.00 Set a charred post and built a mound with pits per instructions for 1/4 Sec cor

80.00 Set a charred post and built a mound with pits per instructions for cor to Sec 4. 5. 32 + 33

Land broken
Soil 2d rate
Prairie

North Range 5 2 West

North 89° 7' West on a true line between Sec 5 + 32
Va 15° 5' East

40.00 Set a charred post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a charred post and built a mound with pits per instructions for cor to Sec 5. 6. 31 + 32

Land rolling
Soil 2d rate
Prairie

Between Townships 13+14 North Ranges 52 West

North 89°57' West on a true line between Sec 6+31
Va 15°08' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor

79.85 To the established corner to Townships No 13+14 North Ranges No 52+53 West

Land rolling
Soil 2d rate
Prairie

T13N. R.52W.

General Description

This Township is a high rolling Prairie fit only for grazing.

Between Ranges 52 & 53 West Townships 14 North

From the corner to
Townships no 13 & 14 North
Ranges 52 & 53 West
I run North on the
Range line between
Sec 31 & 36
Va 1° 08' East

40.00 Set a charred post
and built mound with
pits per instructions
for 1/4 Sec cor

80.00 Set a limestone 19x16x5 ins
for cor to Sec 25. 30. 31 & 36

Land rolling 2d rate
Prairie

North on the Range line
between Sec 25 & 30
Va 1° 10 East

19.50 To a Grain 19 lks wide
runs East

40.00 Set a charred post and
built a mound with pits
per instructions
for 1/4 Sec cor

80.00 Set a charred post and
built a mound with pits
per instructions
for cor to Sec 19. 24. 25 & 30

Land rolling 2d rate
Prairie

Between Ranges 52 & 53 West Township No 14 North

North on the Range line between Sec 19 & 24 Va 15° 10' East

14.08 To a Drain 75 lks wide runs N 42° E

40.00 Set a Lime Stone 24 X 13 X 3 ins. for 1/4 Sec cor

72.50 To a Drain 20 lks wide runs East

80.00 Set a chared post and built a mound with pits per instructions for cor to Sec 13. 18. 19 & 24

Land broken Soil 2d rate. Prairie

North on the Range line between Sec 13 & 18 Va 15° 12' East

40.00 Set a chared post and built a mound with pits per instructions for 1/4 Sec cor

80.00 Set a Lime Stone 20 X 11 X 4 ins. for cor to Sec 7. 12. 13 & 18

Land rolling 2d rate Prairie

Between Ranges 52 & 53

North on the Range line between Sec 7 & 12
Va 15° 15' East

40.00 Set a charred post and built a mound with pits per instructions
for 1/4 Sec cor

80.00 Set a Lime Stone 27x11x4 inch for cor to Sec 1.6.7 & 12

Land rolling 2d rate Prairie

West Township No 14 North

North on Range line between Sec 1 & 6
Va 15° 12' East

15.00 Enter bottom land bas N 20 & 58

40.00 Set a charred post and built mound with pits per instructions
for 1/4 Sec cor

52.95 To center line U.P.R.R. track bearing West

72.50 To Lodge pole creek (dry at this point) runs S 72 E

80.00 Set a charred post and built mound with pits per instructions
for cor to Townships 14 & 15 North Ranges 52 & 53 West

Land level
Soil good 2d rate
Prairie

September 30th 1869

147

Between Townships 14 + 15

From the corner to Townships No 14 + 15 North Ranges 52 + 53 West. I run East on a random line between said Townships. The Variation of my Compass being 15° 10' East. I set temporary half mile and mile corners at ~~marry~~ 40.00 and 80.00 Chains. I find the Township line to be 6 miles and 40 links and the falling to be 84 links South of the corner to Townships 14 + 15 North Ranges 57 + 52 West. The correction for the true line will therefore be 40 links ~~West~~ East and 14 links North per mile

148

North Ranges 52 West

From Corner to Townships 14 + 15 North Ranges 57 + 52 West. I run S 89 54 West on a true line between Sec 1 + 36 Va 15° 10' East

2.50	I cave Canion bis S E
40.00	Set a Limestone 20 X 11 X 3 inch. for 1/4 Sec cor
49.50	To a canion bis South
59.00	I cave same " "
80.00	Set a charcd post and built mound with pits per instructions for cor to Sec 1. 2. 35 + 36

Land broken
Soil Good
Prairie

Between Townships 14 & 15 North Ranges 52 West

South 89° 54' West on line
line between Sec 2 & 35
Va 15°10

25.50 To a Drain 20 lks wide
runs S 21 E

40.00 Set a Lime Stone 19 X 15 X 5 ins
for 1/4 Sec cor

70.00 To a canon brs South

75.10 Leave same " "

80.00 Set a Lime Stone 21 X 17 X 9 ins
for cor to Sec 2. 3. 34 & 35

Land broken 2d rate
Prairie

South 89° 54' West on line
line between Sec 3 & 34
Va 15°10' East

40.00 Set a lime stone 17 X 11 X 3 ins
for 1/4 SEC cor

57.50 To a Drain 20 lks wide
runs S 15 E

58.60 Enter bottom land brs N & S

80.00 Set a Lime Stone 28 X 13 X 7 ins.
for cor to Sec 3. 4. 33 & 34

Land broken except the
last 24 chains which
is level, Soil 2d rate
Prairie

Between Townships 14 & 15 North Range 52 West

South 89°34' West on true line between Sec 4 & 33 Va 15°10' East

23.50 To a Drain 50 lks wide runs South

34.00 Leave bottom land brs N & S

40.00 Set a Lime Stone 19 X 17 X 4 ins. for 1/4 Sec cor

80.00 Set a chared post and built a mound with pits per instructions for cor to Sec 4. 5. 32 & 33

Land rolling 2d rate Prairie

South 89°34' West on true line between Secs 1 & 32 Va 15°09' East

22.00 To a Drain 30 lks wide runs S 37° E

40.00 Set a Lime Stone 18 X 13 X 6 ins. for 1/4 Sec cor

78.70 To a Road brs N & S

80.00 Set a chared post and built mound with pits per instructions for cor to Secs 5. 6. 31 & 32

Land rolling 2d rate Prairie

Between Townships 14 + 15 North Ranges 52 West

South 89° 54' West on true line between Sec 6 + 31 Va 15° 10' East

39.00 Enter bottom land brs N W + S E

40.00 Set a charcoal post and built mound with pits per instructions for 1/4 Sec cor

43.00 To a Road brs N W + S E

47.50 To a Drain 15 lks wide runs S W

78.15 To a Road brs N 87° W + S 87° E

80.40 To the established cor to Townships 14 + 15 North Ranges 52 + 53 West

Land first half rolling
Last half Level
Soil 2d rate
Prairie

October 1st 1869

T. 14 N. R. 52 W.

General Description

The Rail Road Station of Potter is situated in the N W corner of this Township. The Soil on the Creek bottom is 1st rate, some valuable meadow land lying along the banks of this Creek.

The upland is a high rolling Prairie.

Between Ranges 53 & 54 West. Township no 12 North

Begin at a post on the 8th Standard Parallel N. the established closing cor to Township no 12 North Ranges 53 & 54 West Said corner being a post and mound run South on the Range line between Sec 1 & 6

Va 15° 10' East

40.00 Set a Chared post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a Chared post and built a mound with pits per instructions for cor to Sec 1. 6. 7. & 12

Land rolling 2d rate Prairie

South on Range line between Sec 7 & 12

Va 15° 10' East

40.00 Set a Chared post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a Chared post and built mound with pits per instructions for cor to Sec 7. 12. 13 & 18

Land rolling 2d rate Prairie

Between Ranges 53 + 54

South on Range line between Sec 13 + 18
Va 15°10' East

35.00 Enter bottom land brs E + W
40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec
55.00 Leave bottom land brs E + W
60.00 a Point of Rocks 50 lks E of line
80.00 Set a chared post and built mound with pits per instructions for cor to Sec 13.18.19 + 24

Land rolling 2d rate
Prairie

West. Township 12 North

South on Range line between Sec 19 + 24
Va 15°10' East

11.15 To the State line 33.10 chains East of the 72nd mile post.
Set chared post and built mound with pits per instructions for closing corner to fractional Secs 19 + 24

Land rolling 2d rate
Prairie

Between Ranges 53 & 54

From a post on the 3d Standard Parallel N. the established cor to Townships No 13 North Ranges 53 & 54 West Said corner being a post and mound.

I run North on the Range line between Sec 31 & 36 Va 1°10' East

40.00 Set a chared post and built a mound with pits per instruction for 1/4 Sec cor

80.00 Set a chared post and built a mound with pits per instructions for cor to Sections 25. 30. 31 & 36

Land rolling 2d rate Prairie

West Township No 13 North

North on Range line between Sec 1 & 36 Va 1°08' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a chared post and built mound with pits per instructions for cor to Townships No 13 & 14 North Range 53 & 54 West

Land gently rolling Soil 2d rate Prairie

October 4th 1869

Between Townships No 13 & 14 North Ranges 53 West

From the corner to Townships No 13 & 14 North Ranges 53 & 54 West I run East on a random line between said Townships the Variation of my Compass being 15° 0' East. I Set temporary half mile and mile corners at 40.00 and 80.00 Chains I find the Township line to be 5 miles 79 chains and 90 links and the falling to be 14 links North of the Cor. to Townships No 13 & 14 North Ranges 52 & 53 West the correction for the true line will therefore be 70 lks West and 2 1/3 lks South per mile

From the corner to Townships No 13 & 14 North Ranges 52 & 53 West I run North 89° 59' West on a true line between Sec 1 & 36 Va 15° 0' East

40.00 Set a Chased post and built mound with pits per instructions for 1/4 Sec Cor

80.00 Set a Chased post and built mound with pits per instructions for Cor to Sec 1. 2. 35 & 36

Land rolling Soil 2d rate Prairie

Between Townships 13 & 14 North Ranges 53 West

North 89° 59' West on a true line between Sec 2 & 35 Va 15° 07' East

40.00 Set a charred post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a charred post and built mound with pits per instructions for cor to Secs 2. 3. 34 & 35

Land gently rolling
Soil 2d rate
Prairie

October 5 1869

North 89° 59' West on a true line between Secs 3 & 34 Va 15° 08' East

40.00 Set a charred post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a charred post and built mound with pits per instructions for cor to Secs 3. 4. 33 & 34

Land rolling
Soil 2d rate Prairie

Between Townships 13 + 14 North Range 53 West 1—

North 89°59' West on a true line between Sec 4 + 33 Va 15°08' East—

40.00 Set a charcd post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a limestone 23 x 12 x 4 for cor to Sec 4. 5. 32 + 33

Land rolling 2d rate Prairie

North 89°59' West on a true line between Sec 5 + 32 Va 15°08' East—

3.75 To a Drain 80 lks wide runs N 10° E

40.00 Set a charcd post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a charcd post and built mound with pits per instructions for cor to Sec 5. 6. 31 + 32

Land rolling 2d rate Prairie

Between Townships 13 + 14

North 89°59' West on a true line between Sec 6 + 31
Va 15°08' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor

79.30 To the established corner to Townships 13 + 14 North Ranges 53 + 54 West

Land rolling
Soil 2d rate
Prairie

North Ranges 53 West

T. 13 N. R. 53 W.

General Description

This is a high, dry, rolling Prairie good only for grazing.

Between Ranges 53 + 54 West Townships 14 North

From the established cor. to Townships No 13 + 14 North Ranges 53 + 54 West run North on the Range line between Sec 21 + 28

Va 15° 09' East

40.00 Set a charred post and built a mound with pits per instructions for 1/4 Sec cor.

80.00 Set a charred post and built mound with pits per instructions for cor. to Sec 25. 30. 31 + 36

Land rolling
Soil 2d rate
Prairie

North on the Range line between Sec 25 + 30

Va 15° 09' East

40.00 Set a charred post and built mound with pits per instructions for 1/4 Sec cor.

80.00 Set a charred post and built mound with pits per instructions for cor. to Sec 19. 24. 25 + 30

Land rolling 2d rate
Prairie

Between Ranges 53 + 54 West Townships 14 North

North on the Range line between Sec 19 + 24 Va 15° 18' East

12.50 To a Drain 75 lks wide runs S 61 E

40.00 Set a charcd post and built mound with pits per instructions for 1/4 Sec Cor

80.00 Set a charcd post and built mound with pits per instructions for Cors to Secs 13, 18, 19 + 24

Land rolling 2d rate Prairie

North on the Range line between Sec 13 + 18 Va 15° 18' East

40.00 Set a charcd post and built mound with pits per instructions for 1/4 Sec Cor

80.00 Set a charcd post and built mound with pits per instructions for Cors to Secs 7, 12, 13 + 18

Land rolling 2d rate Prairie

Between Ranges 53 + 54

North on the Range line between Sec 7 + 12 Va 15° 09' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a chared post and built mound with pits per instructions for cor to Sec 1, 6, 7 + 12

Land rolling 2d rate Prairie

West Township 14 North

North on the Range line between Sec 1 + 6 Va 15° 10' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a chared post and built mound with pits per instructions for cor to Townships No 14 + 15 North Ranges 53 + 54 West

Land rolling 2d rate Prairie

October 5th 11 1869

For certificate of appointment see Book 4, page 366.

West Township No 13 North

North on the Range line between Sec 25 & 30 Va 1° 39' East

40.00 Set a charcd post and built mound with pits per instructions for 1/4 Sec Cor

80.00 Set a Limestone 23 X 14 X 5 ins. for Cor to Secs 19.24.25 & 30

Land Gently rolling
Soil 2d rate
Prairie

Between Ranges 53 & 54 West. Township no 13 North

		North on Range line between Sec 19 & 24 Va 15° 09' East	
4	40.00	Set a charcd post and built mound with pits per instructions for 1/4 Sec cor	
8	80.00	Set a charcd post and built mound with pits per instructions for cor to Sec 13. 18. 19 & 24	
		Land rolling Soil 2d rate Prairie	

		North on Range line between Sec 13 & 18 Va 15 98' East	
	40.00	Set a charcd post and built mound with pits per instructions for 1/4 Sec cor	
	80.00	Set a charcd post and built mound with pits per instructions for cor to Sec 7. 12. 13 & 18	
		Land rolling Soil 2d rate Prairie	

Between Ranges 53+54

North on Range line between Sec 7+12
Va 15°08' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor

59.50 To a Drain 20 lks wide runs East

80.00 Set a chared post and built mound with pits per instructions for cor to Sec 1.6.7+12

Land rolling 2d rate Prairie

Names of assistants O.3

Edward F. Smith
Chainman

George H. Brown
Chainman

Peter V. De Lorimier
Flagman

S. Gillespie
Flagman

W. H. Evans
Compassman

183b

Date of Survey

Commenced July 2nd 1870

Completed July 23. 1870

183a

Field Notes of the survey of the exterior boundaries of Townships No 15 and 16 North, of Ranges No 50. 51. 52. 53. ~~54. 55. 57. 58 and fractional 59. also Township 16 of Range 56~~ West of 6th Pr. Mer. in the State of Nebraska by Hiram C. Fellows Deputy Surveyor, under his Contract No 24 bearing date the 15th day of June 1869.

Between Ranges 50 & 51 ~~West~~ West. Township 15 North

Beginning at a post in Mound, the established corner to Townships 14 and 15 North. Ranges 50 and 51 W. I run thence

Between Ranges 30 & 31 W. Township 15 N.

Chains. North between Sec's 31 & 36 Va 15° 14' East.

40.00 Set a chand post in mound with pits as per instructions for ¼ Sec corner.

80.00 Set a chand post in mound with pits as per instructions for Cor to Sec's 25. 30. 31 & 36 Land gently rolling Prairie. Soil 2d rate.

Chains. North between Sec's 25 & 30 Va 15° 14' East

40.00 Set a chand post in mound with pits as per instructions for ¼ Section Cor.

80.00 Set a chand post in mound with pits as per instructions for Cor to Sec's 19. 24. 25 & 30 Land gently rolling. Prairie. Soil 2d rate.

Between Ranges 30 & 31 West. Township 15 North

Chains	
	North between Sec 19 & 24 By 15° 14' East.
40.00	Set a chaine post in mound with pits as per instructions for ¼ Sec Cor.
53.40	Drain 30 links wide deceases S 70° E.
80.00	Set a chaine post in mound with pits as per instructions for Cor to Sec 7. 13. 18. 19 & 24 Land gently rolling Prairie. Soil 2d rate.

Chs	
	North between Sec 13 and 18 By 15° 13' East.
40.00	Set a chaine post in mound with pits as per instructions for ¼ Sec Cor.
80.00	Set a chaine post in mound with pits as per instructions for Cor to Sec 7. 12. 13 and 18 Land gently rolling Prairie Soil 3rd rate.

E

Between Ranges 30 & 31

Chains	
	North between Secs 7 and 12
	Va 15° 15' East.
40.00	Set a chand post in mound with pits as per instructions for ¼ Sec Cor.
80.00	Set a chand post in mound with pits as per instructions for Cor to Sec 1, 6, 7 & 12
	Land gently rolling Prairie Soil 3d rate.

F

West. Township 15 North.

Chs	
	North between Secs 1 and 6
	Va 15° 15' East.
40.00	Set a chand post in mound with pits as per instructions for ¼ Sec Cor.
80.00	Set a chand post in mound with pits as per instructions for Cor to Townships 15 and 16 North, Ranges 30 and 31 West.
	Land gently rolling Prairie Soil 3d rate.

Between Townships

Chs

From Corner to Townships 15 & 16 N. Ranges 50 & 51 West. I run East on a random line between said Townships, the variation of my compass being 15° 15' East. I set temporary half mile and mile posts at every 40.00 & 80.00 Chains. I find the Township line to be 6 miles and 25 links the intersection being as set.

The correction for the true line will therefore be 25 links East per mile

15 & 16 N. Ranges 50 W.

Chs

West on a true line between Secs 1 & 36 Va 15° 15' East.

13.00 Road bears N 45.

40.00 Set a Chained Stake in mound with pits as per instructions for ¼ Sec Cor

80.00 Set a Chained post in mound with pits as per instructions for Cor to Secs 1, 2, 35 & 36

Land rolling Prairie Soil 2d rate.

10

Between Townships

Chains. West on a true line between Sec 2 & 35
Va 15° 15' East.

40.00 Set a chand post in mound with pits, as per instructions for ¼ Sec Cor.

80.00 Set a chand post in mound with pits as per instructions for Cor to Sec 3. 2. 35 and 34
Land gently rolling
Prairie Soil 3d rate.

11

15 & 16 N. Range 50 W.

West on a true line between Sections 3 and 34
Va 15° 14' East

40.00 Set a chand post in a mound with pits as per instructions for ¼ Sec Cor

80.00 Set a chand post in a mound with pits as per instructions for Cor to Sec 3. 4. 33 & 34
Land gently rolling
Soil 3d rate Prairie

Between Townships 15 & 16

Chains	
	West on a true line between Secs 4 & 33 Va 15° 15' East.
40.00	Set a chard post in a mound with pits as per instructions for C 1/4 Sec Cor
80.00	Set a chard post in mound with pits as per instructions for Cor to Secs 4. 5. 32 & 33 Land rolling. Soil 3' rate Prairie.

N. Range 50 West.

	West on a true line between Secs 5 & 32 Va 15° 15' East.
40.00	Set a chard post in a mound with pits as per instructions for 1/4 Sec Cor
80.00	Set a chard post in mound with pits as per instructions for Cor to Secs 5, 6. 31 & 32 Land rolling. Soil 3d rate, Prairie.

Between Townships 15 & 16
Ranges 50 West.

Chains	West on a true line between Sec 6 & 31 Va 15° 15' East,
40.00	Set a chand post in mound with pits as per instructions for ¼ Sec Cor.
73.20	Drain 20 links wide bears S E.
80.00	Set a chand post in a mound with pits as per instructions for Cor to Sec 6 & 31
80.25	Cor to Townships 15 & 16 N Ranges 50 & 51 West. Land rolling; Soil 3rd rate Prairie

July 2nd 1870

This Township is a high rolling Prairie. Watered for agricultural purposes in consequence of no rain falling in this Section of Country

Between Ranges 50 & 51 W. & Townships 16 N.

Chains	From Comm to Townships 15 & 16 North. Ranges 50 and 51 West. 5th Prin
	North between Sections 31 and 36 Va 15° 15' East.
7.15	To a Drain decends S E.
40.00	Set a chand post in a mound with pits as per instructions for ¼ Sec Cor
80.00	Set a chand post in a mound with pits as per instructions for Cor to Sections 25. 30. 31 & 36 Land rolling Prairie Soil 3rd rate.

Between Ranges 30 & 31 West Township 16 North.

Chains	North between Secs 25 & 30 Va 15° 18' East.	Chains	North between Secs 19 & 24 Va 15° 18' East.
40.00	Set a chand post in a mound with pits as per instructions for ¼ Sec Cor	40.00	Set a chand post in a mound with pits as per instructions for ¼ Sec Cor.
80.00	Set a chand post in a mound with pits as per instructions for Cor to Secs 19. 24. 25 & 30 Land rolling Prairie Soil 3rd rate.	80.00	Set a chand post in a mound with pits as per instructions for Cor to Secs 13. 18. 19 & 24. Land rolling. Prairie Soil 3rd rate.

Between Ranges 56 & 57 W. Township 16 N.

Chains	
6	North between Secs 13 and 18 Va 15° 18' East.
4 40.00	Set a chand post in a mound with pits as per instructions for ¼ Sec Cor
7 56.50	To a Drain 70 links wide bears S 80° W
8 80.00	Set a chand post in a mound with pits as per instructions for Cor to Secs 7, 12, 13 & 18 Land rolling Prairie Soil 3rd rate.

Chains	
	North between Secs 7 & 12 Va 15° 18' East.
40.00	Set a chand post in a mound with pits as per instructions for ¼ Sec Cor
80.00	Set a chand post in a mound with pits as per instructions for Cor to Secs 1, 6, 7 & 12 Land rolling; Prairie Soil 3rd rate.

Between Ranges 50 & 51 E T. 16 N

Chains	
	North between Sec 1 and 6
	Va 15° 17' East
40.00	Set a chand post in a mound with pits as per instructions for ¼ Sec Cor.
78.75	Intersect 4th Stand and Parallel N 125.91 chs East of Cor to Township 17 N Range 50 & 51 West # and Set a post in a mound with pits as per instructions for closing Corner to Sec 1 and 6.
	July 3rd 1870

General Description

This Township is a high rolling Prairie good only for grazing Antelope

or 5.91 chains East of ¼ Sec. Corner S of Sec. 32, T. 17 N. R. 50 W. of 6th. Pr. Mer

Step

Between Ranges 51 & 52 W. T 15 N.

Chains	
	From the established Corner = being a Stone in a mound of Stone = to Townships 14 & 15 North Ranges 51 & 52 W. I run
	North between Sections 31 & 36
	Va 15° 17' East
2.00	Leave Canon bears S E.
40.00	Set a Limestone 17 × 12 × 4 ins for ¼ Sec Cor
80.00	Set a Limestone 18 × 13 × 3 ins for Cor to Sec 25. 30. 31 & 36 Land broken. Soil 3rd rate.

Between Ranges 31 & 32 W. Township 15 N.

Chains	North between Sec's 25 & 30 Va 15° 17' East.
40.00	Set a Limestone 18 + 11 + 3 ins For ¼ Sec Cor
80.00	Set a Limestone 21 + 12 + 3 ins For Cor to Sections 19. 24. 25 & 30 Sand & Broken Prairie Soil 3d rate.

Chains	North between Sec's 19 & 24 Va 15° 18' East.
18.50	To a Drain decends S.E.
40.00	Set a Limestone 16 + 14 + 3 ins Ind. for ¼ Sec. Corner
80.00	Set a Limestone 19 + 11 + 4 ins For Cor to Sec's 13. 18. 19 & 24 Sand rolling Prairie, Soil 3d rate.

Between Ranges ~~51~~ 51 & 52

Chains	North between Sec^s 13 & 18
	Va 15° 17' East.
40.00	Set a Limestone 19 x 10 x 2 ins for ¼ Sec Cor.
80.00	Set a Limestone 23 x 9 x 6 ins for Cor to Sec^s 7, 12, 13 & 18
	Land rolling Prairie Soil 3^d rate.

West. Township 15 N

Chains	North between Sections 7 and 12
	Va 15° 18' East.
40.00	Set a Limestone 19 x 13 x 4 ins for ¼ Sec Cor.
80.00	Set a Chared post in a mound with pits as per instructions for Cor to Sec^s 1, 6, 7 & 12.
	Land rolling Prairie Soil 3^d rate.

Between Ranges 57 & 52
West Township 15 North.

North between Secs
1 and 6
Va 15° 18' East.

40.00 Set a chand post in a mound with pits as per instructions for 1/4 Sec Cor.

80.00 Set a chand post in a mound with pits as per instructions for Cor to Townships 15 & 16, North, Ranges 57 & 52 West.
Land rolling; Soil 3rd rate.

From Cor to Townships 15 & 16 North. Ranges 57 & 52 West & Run East on a random line between said Townships. the variation of my Compass being 15° 18' East. I set Temporary half mile and mile posts at 40.00 & 80.00 chains. and at 6 miles 1 chain & 10 links. to a point 150 links North of the Cor to Townships 15 & 16 North. Ranges 56 & 57 West
Thence the Correction will be 1 chain & 10 lks per Mile East. and 25 lks South per mile.

Between Townships 15

Chains N 89° 49' W on a true line
between Sec 1 & 36
Va 15° 15' East.

40.00 Set a chand post in a
mound with pits as
per instructions for
¼ Sec Cor.

42.30 To a Drain 30 links wide
run South,

80.00 Set a chand post in a
mound with pits as per
instructions for ~~¼ Sec~~
Corner to Sections
1. 2. 35 & 36.
Land gently rolling
Prairie. Soil 3rd Class.

& 16 N. Range 37. West.

Chains N 89° 49' W on a true line
between Sec 2 & 35
Va 15° 16' East.

40.00 Set a chand post in a
mound with pits as per
instructions for ¼ Sec Cor

80.00 Set a chand post in a
mound with pits as per
instructions for Cor to
Sec 2. 3. 34 & 35
Land rolling Prairie
Soil 3rd Class.

~~30~~

Between Townships 15 & 16 N. Range 31 West.

Chains N 89 44 W on a true line between Sec 34 & 34 Va 15° 16' East.

40.00 Set a chand post in mound with pits as per instructions for ¼ Sec Cor.

80.00 Set a chand post in a mound with pits as per instructions for Cor to Sec 3. 4. 33 & 34 Land gently rolling Prairie, Soil 3" Slate.

~~31~~

Chs N 89 49 W on a true line between Sec 4 & 33 Va 15° 16' East.

40.00 Set a chand post in a mound with pits as per instructions for ¼ Sec Cor.

80.00 Set a chand post in a mound with pits as per instructions for Cor to Sec 4. 5. 32 & 33, Land rolling Prairie Soil 3" Slate

~~32~~

Between Townships 15 & 16 N. Range 31 W.

Chains N 89° 49' W on a true line between Sec 5 & 32 Va 15° 17' East.

40.00 Set a chand post in a mound with pits as per instructions for ¼ Sec Cor.

80.00 Set a chand post in a mound with pits as per instructions for Cor to Sec 5, 6, 31 & 32 Land rolling Prairie Soil 3d rate.

~~33~~

Chains N 89° 49' W on a true line between Sec 6 & 31 Va 15° 17' East

40.00 Set a chand post in a mound with pits as per instructions for ¼ Sec Corner.

81.10 Cor to Townships 15 & 16 North Ranges 31 and 32 West. Land rolling Prairie Soil 3d rate.

July 4th 1870

This Township is a high rolling Prairie. Produces good Bunch and other Prairie grasses.

Between Ranges 31 & 32 W. Township 16 N

Chains	
	From Cor to Townships 15 & 16 North. Ranges 31 & 32 W. S run
	North between Sec 31 & 36 Va 15' 19' East.
40.00	Set a Chand post in a mound with pits as per instructions for ¼ Sec Cor
80.00	Set a Chand post in a mound with pits as per instructions for Cor to Sec 25. 30. 31 & 36 Land rolling Prairi Soil 3d. Stake.

Chains	
	North between Sec 25 and 30 Va 15' 18' East.
31.85	To a Drain 20 links wide run East.
40.00	Set a chand post in a mound with pits as per instructions for ¼ Sec Corner.
80.00	Set a Chand post in a mound with pits as per instructions for Cor to Sec 19. 24. 25 & 30 Land gently rolling Soil 3d. rate.

Between Ranges 31 & 32 West. Township 16 North

Chains	
	North between Sec's 19 & 24 Va 15° 18' East
40.00	Set a chand post in a mound with pits as per instructions for ¼ Sec Cor.
80.00	Set a chand post in a mound with pits as per instructions for Cor to Sec's 13 18. 19 & 24 Land rolling Prairie Soil 3rd rate.

Chains	
	North between Sec's 13 and 18 Va 15° 20' East.
40.00	Set a chand post in a mound with pits as per instructions for ¼ Sec Corner.
80.00	Set a chand post in a mound with pits as per instructions for corner to Sec's 7. 12. 13 & 18. Land gently rolling Soil 3rd rate.

Between Ranges 51 & 52

Chains	North between Secs 7 & 12
	Va 15° 20' East
40.00	Set a chared post in mound with pits as per instructions for ¼ Sec Cor.
80.00	Set a chared post in a mound with pits as per instructions for Cor to Secs 1, 6, 7 & 12
	Land, rolling Prairie, Soil 3d rate.

West. Township 16 North

Chains	North between Secs 1 and 6
	Va 15° 20' East
7.90	Drain 20 lks wide bears West
40.00	Set a chared post in a mound with pits as per instructions for ¼ Sec Corner.
71.50	To a Drain 30 links wide decends S 80° E.
78.90	Intersect 4th Standard Parallel 127.85 chains East of Cor to Township 17 N Ranges 51 & 52 West.* and set a chared post* for closing Corner to Townships 16 N Ranges 51 & 52 W.
	Land gently rolling Soil 3d rate

* or 7.85 chains E. of ¼ Sec. Cor. S. of Sec. 32. T. 17 N. R. 51 W. of 6th P. M.

* in mound with pits as per instructions

July 5th 1870

~~38~~ 40

Between Ranges 52 & 53

Chains	
	From Corner to Townships 14 & 15 North Ranges 52 & 53. Run North between Secs 31 & 36 Va 15° 19' East.
11.00	To foot of Bluff bears S E & 30 ft.
17.50	To top of same.
40.00	Set a chand post in mound with pits as per instructions for ¼ Sec Cor
80.00	Set a chand post in mound with pits as per instructions for Cor to Secs 25. 30. 31 & 36 Land Broken Prairie Soil 3rd rate.

~~39~~ ~~44~~

West. Township 15 N.

Chains	
	North between Sections 25 and 30 Va 15° 19' East.
37.10	Road bears N W & S E.
40.00	Set a chest post in a mound with pits as per instructions for ~~Cor to Sec 19. 24. 25~~ and ¼ Sec Cor.
80.00	Set a post in a mound with pits as per instructions for Cor to Sec 19. 24. 25 & 30 Land Broken Prairie Soil 3rd rate.

Between Ranges 52 & 53

Chains	
	North between Secs 19 and 24 Va 15° 18' East.
40.00	Set a Limestone 21 × 12 × 3 ins for ¼ Sec Cor.
74.60	To a Drain 40 links wide course S E.
80.00	Set a Limestone 33 × 17 × 3 ins for Cor to Secs 13, 18, 19 & 24 Land Broken Prairie Soil 3d rate.

West, Township 15 North

Chains	
	North between Secs 13 and 18 Va 15° 20' East.
40.00	Set a Limestone 19 × 11 × 4 ins for ¼ Sec Corner.
80.00	Set a Limestone 20 × 13 × 2 ins for Cor to Sections 7, 12 13 & 18 Land broken Prairie Soil 3d rate.

Between Ranges 52 & 53

Chains	
	North between Sec 7 & 12. Va 15° 20' East.
40.00	Set a chard post in mound with pits as per instructions for ¼ Sec Corner.
80.00	Set a chard post in mound with pits as per instructions for Cor to Sec 1. 6. 7 & 12. Land rolling. Prairi Soil 3rd rate.

West. Township 15 North.

Chains	
	North between Sec 1 and 6 Va 15° 20' East
40.00	Set a chard post in a mound with pits as per instruction for ¼ Sec Corner
80.00	Set a chard post in a mound with pits as per instructions for Corner to Townships 15 & 16 North. Ranges 52 & 53 West. Land rolling Prairi Soil 3rd rate.

Between Townships 15 & 16 N. Ranges 52 & 53 W

From Corner to Townships 15 and 16 North, Ranges 52 and 53 West, I run East on a random line between said Townships the variation of my Compass being 15° 20' East I set temporary half mile and mile posts at 40.00 and 80.00 chains, and at 5 miles 78 chains & 80 links to a point 48 links South of Corner to Townships 15 & 16 N Ranges 51 & 52 W Therefore the correction will be 1 chain & 20 links West, and 8 links North per mile.

Chains

S 89° 57' W on a true line between Sec 1 & 36 Va 15° 20' East.

40.00 Set a Stand post in a mound with pits as per instructions for ¼ Sec Corner

80.00 Set a Stand post in a mound with pits as per instructions for Cor to Secs 1, 2, 35 & 36 Land rolling Prairie Soil 3rd rate.

Between Townships 15 &

Chains	
	S 89° 57' W on a true line between Sec 2 & 35
	Va 15° 20' East.
40.00	Set a chand post in a mound with pits as per instructions for 1/4 Sec Corner
80.00	Set a chand post in a mound with pits as per instructions, for ~~1/4 Sec~~ Corner to Sec 2, 3, 34 & 35
	Land gently rolling Prairie Soil 3d rate.

16 North Range 52 W.

Chains	
	S 89° 57' W on a true line between Sec 3 & 34
	Va 15° 18' East.
40.00	Set a chand post in a mound with pits as per instructions for 1/4 Sec Cor.
80.00	Set a chand post in a mound with pits as per instructions for Cor to Sec 3, 4, 33 & 34
	Land rolling Prairie Soil 3d rate.

Between Townships 15 & 16 N Range 32 W.

Chains	
	S 89° 57' W on a true line between Sec 4 & 33 Va 15° 18' East.
40.00	Set a chand post in a mound with pits as per instructions for ¼ Sec Corn.
80.00	Set a chand post in a mound with pits as per instructions for Cor to Sec 4. 5. 32. & 33 Land level Prairie Soil 3rd rate.

Chains	
	S 89° 57' W on a true line between Sec 5 & 32 Va 15° 18' East.
40.00	Set a chand post in a mound with pits as per instructions for ¼ Sec Corn.
80.00	Set a chand post in a mound with pits as per instructions for Cor to Sec 5. 6. 31 & 32 Land rolling Prairie Soil 3rd rate.

Between 52 Townships 15 & 16
N Range 52 W.

Chains S 89° 57' W on a true line between Sec 6 & 31
Va 15° 18' East,

40.00 Set a chared post in a mound with pits as per instructions for ¼ Sec Cor,

75.50 Road bears W & S

78.80 To Corner to Townships 15 & 16 North Ranges 52 & 53 West,
Land rolling Prairie Soil 3d rate

July 7th 1870

General Description

This Township is a high Rolling Prairie and owing to its proximity to Lodge Pole Creek, may in time, become valuable for grazing purposes.

Between ~~52~~ Ranges 52 & 53 W
Township 16 N.

Chains From Corner to Township 15 & 16 North Ranges 52 and 53 W. I run

North between Sec 31 & 36
Va 15° 18' East.

21.40 To a Road bears N 10° W & S 10° E.

40.00 Set a chared post in a mound with pits as per instructions for ¼ Sec Corner.

80.00 Set a chared stake in a mound with pits as per instructions for Cor to Sec 25. 30. 31. & 36
Land gently rolling Prairie Soil 3d rate

Between Ranges 52 & 53

Chains ~~S 89° 57' W on a true line between Sec 30 & 31~~

Va 15° 18' ~~East~~

~~40.00 Set a chased post in a mound with pits as per instructions for ¼ Sec Corner.~~

Made a mistake Surveyed two Cor Once

~~75.90~~

North between Secs 25 and 30

Va 15° 19' East

40.00 Set a chased post in a mound with pits as per instructions for ¼ Sec Corner.

80.00 Set a Limestone 19 + 14 + 4 ins. for Cor to Secs 19, 24, 25 & 30

Land rolling Prairie Soil 3 @ rate.

West. Township 16 N

North between Secs 19 and 24

Va 15° 19' East

40.00 Set a chased post in mound with pits as per instructions for ¼ Sec Corner

80.00 Set a chased post in a mound with pits as per instructions for Cor to Secs 13, 18, 19 & 24.

Land rolling Prairie Soil 3 @ rate.

Between Ranges 52 & 53 West Township 16 N

Chains. North between Sec 13 and 18
Va 15° 20' East
40.00 Set a chand post in a mound with pits as per instructions for ¼ Sec Corn.
80.00 Set a chand post in mound with pits as per instructions for Cor to Sec 7, 12, 13 & 18
Sand Level. Prairie
Soil 3rd rate.

Chains North between Sec 7 and 12
Va 15° 19' East
28.15 Road bears S 15° W.
40.00 Set a chand stake in mound with pits as per instructions for ¼ Sec Cor.
80.00 Set a chand post in mound with pits as per instructions for Cor to Sec 1. 6. 7 & 12.
Sand rolling Prairie
Soil 3rd rate.

Between Ranges 52 & 53 W
Township 16 north.

Chains North between Sec^s 1 and 6
Va 15° 20' East.

40.00 Set a chared post in a mound with pits as per instructions for ¼ Sec Corner.

81.30 Intersect 4th Standard Parallel N. 130.92 Chs East of Corner to Township 17 N Ranges 52 and 53 W.* and set a chared post for a closing corner with ~~Towns~~ mound & Pits as per instructions = to Township 16 N. Ranges 52 & 53 W.
Land rolling Prairie
Soil 3^d rate.

July 8th 1870

* or 10.92 Chains E. of ¼ Sec. Cor. S. of Sec. 32. T. 17 N. R 52 W. of 4th P. M.
Geneva Descriptive

This Township is a high rolling Prairie but vaceless.

Between Ranges 53 & 54 W
Township 15 N.

Chains From Corner to Townships 14 and 15 N. Ranges 53 & 54 W I run

North between Sections 31 & 36
Va 15° 22' East.

40.00 Set a chared post in a mound with pits as per instructions for ¼ Sec Cor

56.40 To Center of U.P. R.R. road track bears due E & W.

80.00 Set a chared post in mound with pits as per instructions for Cor to Sec^s 25. 30. 31 and 36
Land level. Soil 2^d rate. Prairie

Between Ranges 53 &

Chains	North between Sec^s 25 and 30
	Va 15° 22' East
40.00	Set a chared post in a mound with pits as per instructions for ¼ Section Cor.
47.60	To the bed of Lodge Pole Creek (Dry) 70 lks wide runs East.
75.00	To foot of Bluffs & leave Bottom land: bears E & West.
80.00	Set a Limestone 25 + 14 + 3. for Cor to Sec^s 19. 24. 25 & 30
	Bottom land level Soil 2^d rate, Prairie

54 W. Township 15 N

Chains	North between Sec^s 19 and 24
	Va 15° 23' East.
7.00	To top of Bluff bears East & West.
40.00	Set a chared post in a mound with pits as per instructions for ¼ Sec Corner.
80.00	Set a Limestone 19 x 15 x 6 ins for Corner to Sections 13. 18. 19 & 24
	Land Hilly Prairie Soil 3^d rate.

Between Ranges 33 & 34

W. Township 15. N.

Chains North between Sec 13 & 18
Va 15° 23' East

40.00 Set a chand post in mound with pits as per instructions for ¼ Sec Cor.

80.00 Set a chand post in mound with pits as per instructions for Cor to Sec 7. 12. 13 & 18
Land rolling Prairie Soil 3d rate.

Chains North between Sec 7 and 12
Va 15° 23' East.

40.00 Set a chand stake in a mound with pits as per instructions for ¼ Sec Corner.

80.00 Set a chand post in a mound with pits as per instructions for Cor to Sec 1. 6. 7 & 12
Land gently rolling Prairie. Soil 2d rate.

Between Ranges 53 & 54 W
Township 15 North

0 Chain	North between Secs 1 & 6
	Va 15° 23' East
40.00	Set a chand post in mound with pits as per instructions for ¼ Sec Cor
46.10	To a Drain 30 links wide decend, S E
80.00	Set a chand post in Mound with pits as per instructions for Cor to Townships 15 & 16 N. Ranges 53 & 54 West
	Land, gently rolling Prairie Soil 3 @ rate.

From Corner to Townships 15 & 16. North Ranges 53 & 54 W I run East on a random line between Said Townships The Variation of my Com=pass being 15° 20' East

I set temporary half mile and mile posts at every 40.00 & 80.00 chains. And at 5 miles 78 chains & 90 links Intersect Corner to Town=ships 15 & 16 N. Ranges 52 & 53 W. at post

Therefore the correction will be 1. chain & 10 lks West per Mile.

Between Townships 15 & 16 N Range 33 W.

6	Chains	West on a true line between Sec 1 & 36 Va 15° 20' East
4	40.00	Set a chand post in mound with pits as per instructions for ¼ Sec Corner.
8	80.00	Set a chand post in mound with pits as per instructions for Cor to Sec 1. 2. 35 & 36 Land gently rolling Prairie Soil 3rd rate

	Chains	West on a true line between Sec 2 & 35 Va 15° 21' East.
	40.00	Set a chand post in a mound with pits as per instructions for ¼ Sec Corner
	80.00	Set a chand post in mound with pits as per instructions for Cor to Sec 2. 3. 34. & 35. Land gently rolling Soil 3rd rate.

July 10 1870

Between Townships 15 & 16 N Range 33 W.

Chains West on a true line between Sec 3 & 34 Va 15° 21' East

40.00 Set a chand post in a mound with pits as per instructions for ¼ Sec Cor.

43.90 Road bears N & S

80.00 Set a chand post in mound with pits as per instructions for Cor to Sec 3. 4. 33 & 34 Land rolling, Prairie Soil 3rd rate.

Chains West on a true line between Sec 4 & 33 Va 15° 21' East

40.00 Set a chand post in a mound with pits as per instructions for ¼ Sec Cor.

80.00 Set a chand post in a mound with pits as per instructions for Cor to Sec 4. 5. 32 & 33 Land rolling, Prairie Soil 3rd rate.

Between Townships ~~15~~ 15 &

Chains	West on a true line between Sec 5 & 32 Va 15° 22' East.
40.00	Set a chand post in a mound with pits as per instructions for ¼ Sec Cor.
80.00	Set a chand post in a mound with pits as per instructions for Cor to Sections 5. 6. 31 & 32 Land rolling Prairie Soil 3d rate.

16 N. Range 53 West

Chains	West on a true line between Sec 6 & 31 Va 15° 22' East.
40.00	Set a chand post in a mound with pits as per instructions for ¼ Sec Cor.
78.90	To Corner to Townships 15 & 16 N. Ranges 53 & 54 West. Land rolling Prairie Soil 3d rate. July 10th 1870

This Township is a high rolling Prairie. and like the rest of this country, the soil is good. but so entirely destitute of water. can be made available for nothing. excepting grazing

Between Ranges 33 & 34

Chains From Established Corner to Townships 15 & 16 Ranges 33 & 34 West Down

North between Sec 31 and 36
Va 15° 22' East

40.00 Set a Limestone 19 x 12 x 3 ins for ¼ Sec Cor

80.00 Set a Limestone 23 x 10 x 5 ins for Cor to Sections 25. 30. 31 & 32
Land Broken. Prairie
Soil 3rd rate.

West. Township 16 N.

Chains North between Sec 25 & 30
Va 15° 22' East

40.00 Set a Limestone 18 + 9 + 6 ins for ¼ Sec Cor.

80.00 Set a Limestone 27 x 8 + 7 ins for Cor to Sec 19. 24. 25 and 30
Land rolling Prairie
Soil 3rd rate.

XX 11

Between 33 & 34 Ranges

Chains	
	North between Sec 19 and 24 Va 15° 22' East.
40.00	Set a Limestone 20 x 11 x 4 ins for ¼ Sec Cor.
80.00	Set a Limestone 22 x 15 x 3 ins for Comm to Sections 13, 18, 19 & 24 Land rolling Prairie Soil 2d rate.

XX 11

W Township 16 North

Chains	
	North between Sec 13 and 18 Va 15° 23' East.
40.00	Set a Limestone 18 x 12 x 4 ins for ¼ Sec Cor.
80.00	Set a Chand post in a mound with pits as per instructions for Cor to Sections 7, 12, 13 & 18 Land rolling Prairie Soil 2d rate.

Between Ranges 53 & 54

Chains North between Sec 7 and 12
Va 15° 23' East.

40.00 Set a chand post in a mound with pits as per instructions for ¼ Sec Cor.

80.00 Set a chand post in a mound with pits as per instructions for Cor to Sec 1. 6. 7 & 12.
Land rolling Prairie
Soil 3rd rate.

West. Township 16 North

Chains North between Sec 1 and 6
Va 15° 23' East.

40.00 Set a chand post in a mound with pits as per instructions for ¼ Sec Cor.

80.60 Intersect 4th Standard Parallel N 134 chains East of corner to Township 17 North Ranges 53 & 54 W.
Set a chased post in a mound with pits as per instructions for closing corner to Township 16 North Ranges 53 & 54 W.
Land rolling Prairie
Soil 3rd rate Sale.
July 12th 1870

* or 14 chains E. of ¼ Sec. Cor. of Sec 32, T. 17 N. R. 53 W. of 6th P.M.

A description of one Township describes all. a rolling Prairie. Worthless for all purposes of agriculture except grazing.

Between Ranges 54 & 55

Chains From Corner to Township 14 & 15 North. Ranges 54 & 55 W. I run

North between Sec^s 31 & 36

Va 15° 24' East

40.00 Set a Limestone 20 x 12 x 3 for ¼ Sec Corner.

45.00 Enter Bottom land bears East & West, good grazing land.

80.00 Set a chared post in a mound with pits as per instructions for Cor to Sections 25, 30. 31 & 36 Land S ½ gently rolling North half level. Bottom Soil 2^d rate. Prairie

West Township 15 N

Chains North between Sec^s 25 and 30

Va 15° 25' East

20.90 To center of the U.P.R.R. track bears East & West.

22.50 Waggon road bears E & W.

40.00 Set a chared post in a mound with pits as per instructions for ¼ Sec Cor.

47.50 To Lodge Pole Creek, 25 links wide runs N E.

80.00 Set a chared post in a mound with pits as per instructions for Cor to Sec^s 19. 24. 25 & 30 Land level Prairie Soil 1st rate.

Between Ranges 34 & 35 W. Township 15 N

Chains North between Secs 19 & 24
Va 15° 25' East

30.00 Lean Bottom land bears East & West.

40.00 Set a Limestone 17 x 13 x 4 for ¼ Sec Cor.

80.00 Set a Chand post in a mound with pits as per instructions for Cor to Secs 13. 18. 19 & 24.
Land rolling Prairie
Soil 3rd rate.

Chains North between Secs 13 and 18
Va 15° 25' East.

40.00 Set a Limestone 19 x 10 x 3 ins for ¼ Sec Cor

80.00 Set a post. Chand: in a mound with pits as per instructions for Cor to Sec 7. 12. 13 & 18
Land rolling Prairie
Soil 3rd rate.

1821

Between Ranges 54 & 55 W. Township 15. N

Chains	
	North between Sec 7 & 12
	Va 15° 25' East
12.00	To a Drain Slope S E
140.00	Set a Limestone 15+14+3 for ¼ Sec Corner.
80.00	Set a Chand post in a mound with pits as per instructions for Cor to Sec 1. 6. 7 & 12.
	Land rolling Prairie Soil 2d Rate.

1821

Chains	
	North between Sec 1 and 6
	Va 15° 25' East.
40.00	Set a chand post in a Mound with pits as per instructions for ¼ Sec Cor
80.00	Set a Chand post in a mound with pits as per instructions for Cor to Townships 15 & 16 North. Ranges 54 & 55 W. Land rolling. Soil 3d Rate. Prairie.

265 841. 11

Between Townships 15 & 16 N. Range 34 West

Chains From Corner to Townships 15 & 16 N. Ranges 34 & 33 West I run East on a random line between said Townships. The variation of my Compass being 15° 23' East

I set temporary half-mile and mile posts at every 40.00 & 80.00 chains

I find the Township line to be 5 miles 79 chains and 36 links and the falling to be 25 links North of the Township Corner

The correction of the line will therefore be 64 links West and 46 links South per mile.

Chains N. S 89° 38' W on a true line between Sec 1 & 36 Va 15° 23' East.

18.30 Drain byes S E.

40.00 Set a chained post in a mound with pits as per instructions for ¼ Sec Cor.

80.00 Set a chained post in a mound with pits as per instructions for Cor to Sec 1. 2. 35 & 36

Land rolling Prairie Soil 3d rate.

Between Townships 15 & 16 N. Range 54 West.

Chains W. ~~S~~ 89° 58' W on a true line between Sec 2 & 35
Va 15° 23' East
40.00 Set a chand post in a mound with pits as per instructions for ¼ Sec Cor
80.00 Set a chand post in a mound with pits as per instructions for Cor to Sec 2. 3. 33 & 34
Land rolling. Prairie Soil 3d rate.

Chains W. ~~S~~ 89° 58' W on a true line between Sec 3 & 34
Va 15° 23' East.
40.00 Set a chand post in a mound with pits as per instructions for ¼ Sec Cor
80.00 Set a chand post in a mound with pits as per instructions for Cor to Secs 3. 4. 33 & 34
Land rolling. Soil 3d rate.

Between Townships 15 & 16 N. Range 54 West.

Chains N. ~~S~~ 89° 58' W on a true line between Sec 4 & 33
Va 15° 23' East.

40.00 Set a chard post in a mound with pits as per instructions for 1/4 Sec Corner.

80.00 Set a chard post in a mound with pits as per instructions for Cor to Sec 4. 5. 32 & 33
Land rolling. Prairie Soil 3rd rate.

Chains N. ~~S~~ 89° 58' W on a true line between Sec 5 & 32
Va 15° 23' East

40.00 Set a chard post in mound with pits as per instructions for 1/4 Sec Corner.

80.00 Set a chard post in a mound with pits as per instructions for Cor to Sec 5. 6. 31 & 32
Land rolling Prairie Soil 3rd rate.

Chains N. ~~S~~ 89° 58' W on a true line between Sec 6 & 31

Va 15° 24' East.

40.00 Set a chara post in mound with pits as per instructions for ¼ Sec Corner,

79.36 To Corner to Townships 15 & 16. N Ranges 54 & 55 West.

Land rolling Prairie Soil 3rd rate.

July 13th 1870

That portion of this Township lying along the Lodgepole valley, is level, has a 1st rate soil, and by irrigation will make a productive country,

Continued in Book 2 which has affidavits & approval

O.4

Book No. 4

Between Ranges 55 + 56 West Townships No 15 North

From the established Corner to Townships 14 + 15 North Ranges 55 + 56 West I run North on the Range line between Sec 31 + 36 Va 15° 14' East

18.10 To a Drain 15 lks wide descends West

40.00 Set a Limestone 17 X 12 X 4 for 1/4 Sec cor

80.00 Set a Limestone 23 X 11 X 3 for cor to Sec 25. 30. 31 + 36

Land broken 2d Rate Prairie

North on the Range line between Sec 25 + 30 Va 15° East

10.00 Enter bottom land brs E + W

25.45 To the center line of the C. B. & Q. R. R. track brs E + W

26.35 To a Road brs E + West

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor

55.10 To Lodge pole creek 30 lks wide runs S 81 E

80.00 Set a chared post and built mound with pits per instructions for cor to Sec 19. 24. 25 + 30

Land level Soil good 2d rate Prairie

Between Ranges 55 + 56 West

North on the Range line between Sec 19 + 24
Va 15° 16' East

40.00 Set a chared post and built a mound with pits per instructions.
for 1/4 Sec cor

75.00 Leave bottom land bs NE + W

80.00 Set a chared post and built mound with pits per instructions
for corner to Sec 13.18.19 + 24

Land level
Soil good 2d rate
Prairie

Township No 15 North

North on the Range line between Sec 13 + 18
Va 15° 17' East

40.00 Set a Limestone 16 x 14 x 5
for 1/4 Sec cor

71.75 To a Drain 3 olks wide descends SE

80.00 Set a chared post and built mound with pits per instructions
for Cor to Sec 7.12.13 + 18

Land broken 3d rate
Prairie

Between Ranges 55+56 West

North on the Range line between Sec 7+12
Va 15°17' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor.

80.00 Set a chared post and built mound with pits per instructions for cor to Sec 1.6.7+12

Land rolling 2d rate
Prairie

Township No 15 North

North on the Range line between Sec 1+6
Va 15°19' East

40.00 Set a chared post and built mound with pits per instruction for 1/4 Sec cor.

80.00 Set a chared post and built a mound with pits per instructions for cor to Townships No 15+16 North Ranges 55+56 West

Land rolling 2d rate
Prairie

Between Townships 15+16 North Range 56 West

From the cor to Townships No 15+16 North Ranges 55+56 West. I run West on a random line between said Townships the Variation of my compass being 15° 20' East I set temporary half mile and mile corners at every 40.00 and 80.00 chains I find the Township line to be 6 miles 1 chain and 35 links and the falling to be 14 lks North of the corner to Townships No 15+16 North Ranges 56+57 West on 7th Guide Mer. W. The correction for the true line will therefore be 2 1/3 links South per mile

From a post on the 7th Guide Meridian the established cor. to Townships 15+16 North Ranges 56+57 West said corner being a post and mound I run North 89° 59' East on a true line between Sec. 6+31

Va 15° 25' East

41.35 Set a chared post and built mound with pits per instructions for 1/4 Sec. cor.

81.35 Set a chared post and built mound with pits per instructions for cor to Sec 5.6.31+32

Land gently rolling
Soil 2d rate
Prairie

Between Townships 15+16

North 89°59' East on true line between Sec 5+32
Va 15°25' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a chared post and built mound with pits per instructions for cor to Sec 4.5.32+33

Land rolling 2d rate
Prairie

North Range 56 58 W

North 89°59' East on a true line between Sec 4+33
Va 15°24' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a chared post and built mound with pits per instructions for cor to Sec 3.4.33+34

Land rolling 2d rate
Prairie

Between Townships 15 & 16 North Ranges 16 West

North 89 37' East on true line between Sec 3 & 34 Va 15 24 East

40.00 Set a charcd post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a charcd post and built mound with pits per instructions for cor to Sec 2. 3. 34 & 35

Land rolling 2d rate Prairie

North 89 37' East on a true line between Sec 2 & 35 Va 15 24 East

40.00 Set a charcd post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a charcd post and built mound with pits per instructions for cor to Sec 1. 2. 35 & 36

Land rolling 2d rate Prairie

Between Townships 15+16 North Ranges 55+56 West

North 89°59' East on true line between Sec 1+36
Va 15°22' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec. Cor.

80.00 To the established cor. to Townships No 15+16 North Ranges 55+56 West

Land rolling 2d rate

October 18th 1869

General Description of T. 15 N. R. 56 W.

Land gently rolling Prairie Soil, except on the Creek Bottom = of no value but for grazing. The bottom Land is good farming land capable with irrigation of producing good crops. The U.P. R.R. and lodge Pole Creek run through the Southern part.

Between Ranges 57 + 58 West

Begin at a post on the
3rd Standard Parallel N
the established closing
corner to Townships 12
North Ranges 57 + 58
West said corner being
a post and mound
I run South on the
Range line between
Sec 7 + 6
Va 5° 10' East
40.00 Set a Chared post
and built mound
with pits per instructions
for 1/4 Sec. cor.
57.10 To a Drain 10 links wide
descends S W
80.00 Set a Chared post
and built mound
with pits per instructions
for cor to Sec 1. 6. 7 + 12

Land gently rolling
Soil 2nd rate Prairie

Townships No 12 North

South on the Range
line between Sec 7 + 12
Va 15° 11' East
40.00 Set a Lime Stone 17 x 12 x 3 ins.
for 1/4 Sec. cor.
80.00 Set a Lime Stone 25 x 10 x 4 ins.
for cor to Sec 7, 12, 13 + 18

Land rolling
Soil 2nd rate
Prairie

Between Ranges 57+58 West Townships no 12 North

South on the Range line between Sec 13+18 Va 15° 10' East

40.00 Set a chared post and built mound with pits per instruction for 1/4 Sec Cor

84.25 To a Drain 20 links wide descends NE

80.00 Set a chared post and built mound with pits per instructions for Cor to Secs 13.18.19+24

Land rolling 2d rate Prairie

South on the Range line between Secs 19+24 Va 15° 10' East

11.20 To the State line 23.70 Chains East of the 70 Mile post. Set a Chared post and built mound with pits per instructions for closing corner to fractional Sec 19+24

Land rolling 2d rate Prairie

T. 12 N. R. 57 W.

This fractional Township is a high, dry, gently rolling Prairie, good only for grazing.

Between Ranges 57 + 58 West | Township No 13 North

From a post on the 3rd Standard Parallel N. the established cor. to Township No 13 North Ranges 57 + 58 West Said corner being a Lime Stone 20 x 15 x 5 ins. in mound of stone I run North on the Range line between Sec 31 + 36

Va 1° 0' East

40.00 Set a Lime Stone 14 x 10 x 8 ins. for 1/4 Sec. cor.

80.00 Set a chared post and built mound with pits for instructions for cor. to Sec 25. 30. 31 + 36

Land rolling 2d rate Prairie

North on the Range line between Sec 25 + 30

Va 1° 2' East

40.00 Set a Lime Stone 15 x 9 x 7 ins. for 1/4 Sec. cor.

80.00 Set a Lime Stone 18 x 10 x 6 ins. for cor. to Sec. 19. 24. 25 + 30

Land gently rolling Soil 2d rate Prairie

Between Ranges 57 + 58 West

North on the Range line between Sec 19 + 24
Va 15° 18' East

40.00 Set a Lime stone 15 X 12 X 6 ins. for 1/4 Sec cor.

80.00 Set a Lime stone 21 X 11 X 5 ins. for cor to Sec 13.18.19 + 24

Land gently rolling
Soil 2d rate
Prairie

Township no 13 North

North on the Range line between Sec 13 + 18
Va 15° 15' East

40.00 Set a Lime stone 20 X 15 X 3 ins. for 1/4 Sec cor.

80.00 Set a Lime stone 21 X 11 X 5 ins. for cor to Sec 7.12.13 + 18

Land gently rolling
Soil 2d rate
Prairie

Between Ranges 57+58 W

North on the Range line between Sec 7+12
Va 15° 15' East

40.00 Set a Lime stone 16x12x4 ins for 1/4 Sec cor

42.60 To a Drain 25 lks wide descends N 75° E

80.00 Set a Lime stone 20x11x3 ins for cor to Sec 1.6.7+12

Land rolling 2d rate Prairie

Township No 13 North

North on the Range line between Sec 1+6
Va 15° 18' East

40.00 Set a Lime stone 15x13x3 ins for 1/4 Sec cor

80.00 Set a Lime stone 26x17x4 ins in mound of stone for cor to Townships No 13+14 North Ranges 57+58 West

Land gently rolling Soil 2d rate Prairie

October 24th 1869

Between Townships 13+14 North Range 57 West

From the established Cor. to Townships No 13+14 North Ranges 57+58 West I run East on random line between said Townships the Variation of my compass being 15°20' East I set temporary half mile and mile corners at every 40.00 and 80.00 chains I find the Township line to be 6 miles and 70 links and the falling to be 35 links South of a post on the 7th Guide Meridian the established corner to Townships No 13+14 North Ranges 56+57 West the correction for the true line will therefore be 70 links East and 5 5/6 links North per mile

From a post on the 7th Guide Meridian the established cor. to Townships 13+14 North Ranges 56+57 West said corner being a post and mound I run South 89°57½' West on true line between Sec 1+36 Va 15°15' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec. cor.

80.00 Set a chared post and built mound with pits per instructions for cor. to Sec 1.2.35+36

Land rolling soil 2d rate Prairie

Between Townships 13 & 14 North Ranges 5 & 7 West

South 89° 7½ West on true line between Sec 2 & 35 Va 15° 16' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor.

80.00 Set a chared post and built mound with pits per instructions for cor to Secs 2. 3. 34 & 34

Land gently rolling
Soil 2d rate
Prairie

South 89° 7½ West on true line between Sec 3 & 34 Va 15° 17' East

28.10 To a Drain 25 lks wide descends N E

40.00 Set a Lime Stone 16 X 11 X 5 ins. for 1/4 Sec cor.

80.00 Set a Lime Stone 21 X 13 X 5 ins. for cor to Secs 3. 4. 33 & 34

Land gently rolling
Soil 2d rate
Prairie

Between Townships 13+14

South 89°57' West on true line between Sec 4+33
Va 15°18' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a chared post and built mound with pits per instructions for Cor to Sec. 4.5. 32+33

Land rolling 2d rate
Prairie

North Range 57 West

South 89°57' West on true line between Sec 5+32
Va 15°20' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a chared post and built mound with pits per instructions for Cor to Sec 5.6. 31+32

Land gently rolling
Soil 2d rate
Prairie

Between Townships 13+14

South 89°57' West on true line between Sec 6+31
Va 15°20' East

40.00 Set a Lime Stone 16x11x5 ins. for 1/4 Sec cor

80.70 To the established corner to Townships 13+14 North Ranges 57+58 West

Land gently rolling
Soil 2d rate
Prairie

North Ranges 57 West

T. 13 N. R. 57 W.

General Description

This Township is a high gently rolling Prairie, producing good grass.

Between Ranges 57 + 58 West Townships 14 North

From the established Corner to Townships 13+14 North Ranges 57+58 West I run North on the Range line between Sec 31+36

Va 15° 20' East

40.00 Set a charred post and built mound with pits per instructions for 1/4 Sec. cor.

80.00 Set a Lime Stone 19x15x4 for cor to Sec 25. 30. 31+36

Land gently rolling
Soil 2d rate
Prairie

North on the Range line between Sec 25+30

Va 15° 20' East

40.00 Set a Lime Stone 15x13x7 ins. for 1/4 Sec. cor.

80.00 Set a Lime Stone 17x12x5 ins. for cor to Sec 19. 24. 25+30

Land gently rolling
Soil 2d rate
Prairie

Between Ranges ~~19~~ 57 + ~~24~~ 58

North on the Range line between Sec 19 + 24
Va 15° 20' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a chared post and built mound with pits per instructions for cor to Sec 13.18.19 + 24

Land gently rolling
Soil 2d rate
Prairie

West Township No 14 North

North on the Range line between Sec 13 + 18
Va 15° 20' East

40.00 Set a Limestone 17 x 11 x 3 ins. for 1/4 Sec cor

80.00 Set a Limestone 21 x 13 x 4 ins. for cor to Sec 7.12.13 + 18

Land rolling 2d rate
Prairie

Between Ranges 57 + 58

North on the Range line between Sec 7 + 12
Va 15° 21' East

40.00 Set Lime Stone 16 x 12 x 5 ins for 1/4 Sec cor

80.00 Set a chared post and built mound with pits per instructions for cor to Secs 1. 6. 7 + 12

Land rolling
Soil 2d rate
Prairie

West Township 14 North

North on the Range line between Sec 1 + 6
Va 15° 20' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor

73.45 To the center line of the U. P. R. R. brs S 72° W

80.00 Set a Sand Stone 26 x 11 x 4 ins in mound of stone for cor to Townships No 14 + 15 North Ranges 57 + 58 West

Land gently rolling
Soil 2d rate
Prairie

October 25th 1869

Between Townships 14 + 15 North Ranges 57 West 6th

From the established Corner to Townships 14 + 15 North Ranges 57 + 58 West I run East on random line between said Townships the Variation of my Compass being 15° 20' East. Set temporary half mile and mile corners at 40.00 and 80.00 Chains, I find the Township line to be 6 miles and 40 lks and the falling of to be 56 links South of cor. post on 7th Guide Meridian the established cor to Townships 14 + 15 North Ranges 56 + 57 West the correction for the true line will therefore be 40 links East and 9 1/3 links North per mile.

From a post on the 7th Guide meridian the established cor to Townships 14 + 15 North Ranges 56 + 57 West Said corner being a post and mound I run South 89° 38' West on a true line between Sec. 1 + 36 Va 15° 20' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec. cor.

62.50 To a Drain 30 lks wide descends N 10 E

80.00 Set a chared post and built mound with pits per instructions for cor to Secs 1, 2, 35 + 36

Land rolling & rate Soil 2d Prairie

Between Townships 14 + 15 North Range 5 West

South 89° 35' West on true line between Sec 2 + 35 Va 15° 20' East

17.25 To a Drain 40 links wide descends North

40.00 Set a charred post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a Limestone 21 x 12 x 5 ins for cor to Sec 2. 3. 34 + 35

Land broken 2d rate Prairie

South 89° 35' West on true line between Sec 3 + 34 Va 15° 20' East

40.00 Set a Limestone 17 x 13 x 4 ins for 1/4 Sec cor

80.00 Set a Limestone 17 x 14 x 4 ins for cor to Sec 3, 4, 33 + 34

Land broken 2d rate Prairie

Between Townships 14 + 15 North Range 5 7 West

South 89° 56' West on true line between Sec 4 + 33 Va 15.20 East

40.00 Set a Limestone 16 X 15 X 3 ins. for 1/4 Sec Cor

80.00 Set a Limestone 23 X 9 X 3 ins. for Cor to Secs 4. 5. 32 + 33

Land rolling 2d rate Prairie

South 89° 56' West on true line between Secs 5 + 32 Va 15 20 East

18.50 To a Drain 50 lks wide descends A 40 &

40.00 Set a Limestone 19 X 12 X 4 ins. for 1/4 Sec Cor

80.00 Set a Limestone 20 X 14 X 4 ins. for Cor to Secs 5. 6. 31 + 32

Land rolling 2d rate Prairie

Between Townships 14+15 North Range 57 West

South 89°56' West on true line between Sec 6+31 Va 15°20' East

40.00 Set a Sandstone 18x11x3 ins. for 1/4 Sec cor

70.10 To centerline of the U.P.R.R. track bro S 75 W

80.40 To the established corner to Townships 14+15 North Ranges 57 & 58 West

Land rolling 2d rate Prairie

November 1st 1869

T. 14 N. R. 57 W.

General Description

The land of this Township is a high gently rolling Prairie good only for grazing.

~~324~~

Between Ranges 5 & 5 9 West Townships No 12 North

From a post on the
3d Standard Parallel
N. the established closing
corner to Townships 12
North Ranges 5 & 5 9
West said corner being
a post and mound
Run South on the
Range line between
Sec 1 & 6
Va 15° 20' East
40.00 Set a Limestone 15 x 14 x 5 inch
for 1/4 Sec cor
80.00 Set a Limestone 19 x 13 x 6 inch
for cor to Sec 1. 6. 7 & 12

Land rolling 2d rate
Prairie

~~325~~

South on the Range
line between Sec 7 & 12
Va 5° 20 East
40.00 Set a charred post
and built mound with
pits per instructions
for 1/4 Sec cor
80.00 Set a charred post
and built mound
with pits per instructions
for cor to Sec 7. 12. 13 & 18

Land rolling
Soil 2d rate
Prairie

Between Ranges 58 & 59 West Townships No 12 North

South on the Range line between Sec 13 & 18 Va 15° 20'

40.00 Set a shared post and built mound with pits per instruction for 1/4 Sec. cor.

80.00 Set a Limestone 23 X 13 X 3 inc. for cor to Sec 13. 18. 19 & 24

Land rolling 2d rate Prairie

South on the Range line between Sec 19 & 24 Va 15° 20' East

11.10 To the State Line 26.35 chains East of the 102nd mile post Set Limestone 21 X 15 X 2 inc. for closing corner to fractional Secs 19 & 24

Land rolling Soil 2d rate Prairie

November 2d 1869

T 12 N R. 58 W.

This fractional Township is high dry Prairie. good grass land.

Between Ranges 58 & 59 West

From a corner on the 3d Standard Parallel the established corner to Township No 13 North Range 58 & 59 West said corner being a spruce pin mound run North on the Range line between Sec 31 & 36 Va 1° 10' East

40.00 Set a Limestone 17 x 13 x 3 inch. for 1/4 Sec cor

77.50 To a Drain 20 lks wide descend East

80.00 Set a Limestone 19 x 12 x 3 inch. for cor to Sec 25. 30. 31 & 36

Land gently rolling Soil 2d rate Prairie

West Township No 13 North

North on the Range line between Sec 25 & 30 Va 1° 11' East

40.00 Set a Limestone 15 x 9 x 5 inch. for 1/4 Sec cor

80.00 Set a Limestone 17 x 12 x 6 inch. for cor to Sec 19. 24. 25 & 30

Land gently rolling Soil 2d rate Prairie

330

Between Ranges 18 + 19 West

North on the Range line between Sec 19 + 24 Va 15° 12' East

40.00 Set a Limestone 16 X 10 X 4 inch for 1/4 Sec cor

80.00 Set a Limestone 21 X 11 X 5 inch for cor to Sec 13. 18. 19 + 24

Land gently rolling Soil 2nd rate Prairie

331

Township no 13 North

North on the Range line between Sec 13 + 18 Va 15° 12' East

40.00 Set a Limestone 16 X 13 X 5 inch for 1/4 Sec cor

80.00 Set a Limestone 20 X 12 X 5 inch for cor to Sec 7. 12. 13 + 18

Land gently rolling Soil 2nd rate Prairie

Between Ranges 58 & 59 West. Township 13 North

North on the Range line between Sec 7 & 12 Va 15° 15' East

40.00 Set a Lime Stone 17 x 10 x 3 inch. per 1/4 Sec cor

80.00 Set a Lime Stone 21 x 15 x 3 inch. per cor. to Sec 1.6, 7 & 12

Land gently rolling Soil 2d rate Prairie

North on the Range line between Sec 1 & 6 Va 15° 15' East

40.00 Set a Lime Stone 15 x 11 x 4 inch. per 1/4 Sec cor.

80.00 Set a Lime Stone 20 x 13 x 5 inch. in mound of stone per cor. to Townships 13 & 14 North Ranges 58 & 59 West

Land rolling Soil 2d rate Prairie

Between Townships 13 & 14 North Ranges 8 & 9 West

From the established corner to Townships 13 & 14 North Ranges 8 & 9 West I run East on random line between said Townships the Variation of my Compass being 5° 76 East. Set temporary half mile and mile posts at 40.00 and 80.00 chains and find the Township line to be 5 miles 79 chains and 70 links and the falling to be 28 lks South of cor to Townships 13 & 14 North Ranges 7 & 8 West the correction for the true line will therefore be 30 lks west and 4 3/8 lks North per mile

From the established corner to Townships 13 & 14 North Ranges 7 & 8 West. I run South 89° 38' West on true line between Sec 1 & 36 Va 15° 18' East

40.00 Set a charred post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a charred post and built mound with pits per instructions for cor to Sec 1, 2, 35 & 36

Land gently rolling Soil 2d rate Prairie

~~336~~

Between Townships 13 + 14 North Range 18 West

South 89°58' West on true line between Sec 2 + 35 Va 15° 18 East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a chared post and built mound with pits per instructions for cor to Sec 2, 3, 34 + 35

Land gently rolling Soil 2d rate Prairie

~~337~~

South 89°58' West on true line between Sec 3 + 34 Va 15° 18 East

40.00 Set a Limestone 17 X 10 X 4 ins. for 1/4 Sec cor

80.00 Set a Limestone 27 X 11 X 3 ins. for cor to Sec 3, 4, 33 + 34

Land gently rolling Soil 2d rate Prairie

~~338~~

Between Township 13 + 14

South 89°58' West on true line between Sec 4 + 33
Va 15°18' East

40.00 Set a lime stone 15 x 14 x 4 ins for 1/4 Sec cor

80.00 Set a Lime stone 18 x 12 x 5 ins for cor to Sec 4.5.32 + 33

Land gently rolling
Soil 2d rate
Prairie

North Range 58 West

South 89°58' West on true line between Sec 5 + 32
Va 15°20' East

40.00 Set a Lime stone 17 x 11 x 3 ins. for 1/4 Sec cor

71.50 To a Drain 20 lks wide descends North

80.00 Set a Lime stone 23 x 9 x 6 ins. for cor to Sec 5.6.31 + 32

Land rolling 2d rate
Prairie

340

Between Townships 13 + 14 North Ranges 58 West

341

T. 13 N. R. 58 W.

General Description

This Township is a high gently rolling Plain. producing good grass.

South 89° 58' West on the line between Sec 6 + 31

Va 15.20 East

40.00 Set a Limestone 19 x 12 x 5 in

for 1/4 Sec cor

79.70 To the established corner to Townships 13 + 14 North Ranges 58 + 59 West

Land gently rolling

Soil 2nd rate

Prairie

Between Townships 13 & 14 North Range 59 West

From the cor to Township 13 & 14 North Ranges 58 & 59 West I run West on true line between Sec 1 & 36
Va 15° 20' East

19.25 To a Drain 20 lks wide descends North

40.00 Set a Limestone 17 x 13 x 8 ins. for 1/4 sec cor

80.00 Set a Limestone 23 x 15 x 7 ins. for cor to Sec 1.2.35 & 36

Land broken 2d rate Prairie

West on true line between Sec 2 & 35
Va 15° 20' East

32.20 To the State line 11.15 chains North of the 9th Mile post

Set Limestone 20 x 16 x 7 ins. for closing cor to fractional Sec 2 & 35

Land broken 3d rate Prairie

November 3d 1869

Between Ranges 58 & 59

From the cor to Township 13 & 14 North Ranges 58 & 59 West I run North on the Range line between Sec 31 & 36 Va 15° 20' East

24.50 To a Drain 10 lks wide descends N 71° E

40.00 Set a Lime Stone 18 x 9 x 5 ins. for 1/4 Sec's cor

80.00 Set a Lime Stone 26 x 11 x 7 ins for cor to Sec 25. 30, 31 & 36

Land broken 2d rate Prairie

West Township 14 North

North on the Range line between Sec 25 & 30 Va 15 20 East

23.50 To a Drain 12 lks wide descends East

40.00 Set a Lime Stone 19 x 7 x 6 for 1/4 Sec's cor

80.00 Set a Lime Stone 21 x 11 x 3 ins for cor to Sec 19. 24. 25 & 30

Land broken 2d rate Prairie

Between Ranges 5-8 & 5-9 West Township 14 North

North on the Range line between Sec 19 & 24 Va 15° 20' East

31.50 To a Drain 6 lks wide descends N 2 E

46.00 Set a Lime Stone 20 x 13 x 7 ins. for 1/4 Sec cor

61.10 To a Drain 20 lks wide descends N 40° E

80.00 Set a Lime Stone 27 x 12 x 4 ins. for cor to Sec 13, 18, 19 & 24

Land broken 2d rate Prairie

North on the Range line between Sec 13 & 18 Va 15° 25' East

2.50 Enter bottom land bns E & W

40.00 Set a Lime Stone 17 x 11 x 3 ins. for 1/4 Sec cor

65.85 To the center line of the C. T. R. R. track bns S 72° West

80.00 Set a Sand Stone 19 x 8 x 3 ins. for cor to Sec 7, 12, 13 & 18

Land Level 2d rate Prairie

Between Ranges 58+59 West Township 14 North

North on the Range line between Sec 7+12
Va 15° 25' East

5.50 To a Road brs S78°W+N78E
23.70 To Lodgepole creek 20 lks wide runs N80E
40.00 Set a Sandstone 26 X 8 X 3 ins. for 1/4 Sec cor.
80.00 Set a chared post and built mound with pits per instructions for cor. to Sec 1.6.7+12

Land level Soil 2d rate Prairie

North on the Range line between Sec 1+6
Va 15° 26' East

10.00 Leave bottom land brs E+W
40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor.
80.00 Set a chared post and built mound with pits per instructions for cor. to Townships No 14+15 North Ranges 58+59 West

Land gently rolling Soil 2d rate Prairie

Between Townships 14 & 15 North Ranges 58 West

From the established cor. to Townships 14 & 15 North Ranges 58 & 59 West I run East on a random line between said Townships the Variation of my Compass being 15° 25' East. I Set temporary half mile and mile corners at 40.00 and 80.00 Chains, I find the Township line to be 5 miles 79 chains and 60 links Intersect at cor. to Townships 14 & 15 North Ranges 57 & 58 West. The correction for the true line will therefore be 40 lks West per mile

15 North Ranges 58 West

From the cor. to Townships 14 & 15 North Ranges 57 & 58 West I run West on true line between Sec 1 & 36 Va 15° 20' East

22.75 To Lodge pole Creek 30 lks wide runs N 5° E

25.50 To Lodge pole Creek 30 lks wide runs S 49° E

40.00 Set a Chared post and built mound with pits, per instructions for 1/4 Sec cor.

42.60 To Lodge pole Creek 30 lks wide runs N 42° E

63.50 To a Road brs S 70° W & N 70° E

80.00 Set a Lime Stone 21 x 13 x 7 ins for cor to Sec 1. 2. 35 & 36

Land rolling 2d rate Prairie

Between Townships 14 & 15

West on true line
between Sec 2 & 35
Va 15° 20' East

9.90 To a 10 rain 18 lks wide
descends South
& [illegible] Bottom [illegible]

40.00 Set a Lime Stone 19 x 12 x 3 ins
for 1/4 Sec cor

80.00 Set a Lime Stone 19 x 13 x 5 ins
for cor to Sec 2.3.34 & 35

Land rolling
Soil 2d rate
Prairie

North Ranges 58 West

West on true line
between Sec 3 & 34
Va 15° 20' East

40.00 Set a Lime Stone 18 x 11 x 5 ins
for 1/4 Sec cor

80.00 Set a chared post
and built mound with
pits per instruction
for Cor to Sec 3.4.33 & 34

Land broken
Soil 2d rate
Prairie

Between Townships 14 & 15

West on true line
between Sec 4 & 33
Va 15° 22' East

40.00 Set a Limestone 17 x 12 ins. x 4
for 1/4 Sec cor

80.00 Set a Limestone 18 x 14 ins. x 5
for cor to Sec 4.5.32 & 33

Land rolling 2d rate
Prairie

North Ranges 58 West

West on true line
between Sec 5 & 32
Va 15° 23' East

16.50 To a Drain 30 lks wide
descends S 10° E

40.00 Set a Limestone 19 x 11 x 3 ins.
for 1/4 Sec cor

80.00 Set a Limestone 20 x 15 x 4 ins.
for cor to Sec 5.6.31 & 32

Land broken 2d rate
Prairie

Between Townships 14 & 15

West on true line between Sec 6 & 31
Va 15° 24' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor

79.60 To the Established corner to Townships 14 & 15 North Ranges 58 & 59 West

Land broken
Soil 3d rate
Prairie

North Ranges 58 West

General Description of T. 14 N. R. 58 W

This Township is quite hilly. South of the Creek but still is good grazing land. The Creek Bottom is first rate land, and with irigation must produce good crops.

Between Townships 14+15

From the established Cor. to Townships 14+15 North Ranges 58+59 West. I run West on a true line between Sec. 1+36
Va 15°25' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec. cor.

80.00 Set a chared post and built mound with pits per instruction for cor to Sec. 1, 2, 35+36

Land rolling
Soil 2d rate
Prairie

North Range 59 West

West on a true line between Sec 2+35
Va 15°25' East

I hereby certify that the distance between the closing corner to fractional Townships No 14 and 15 North of the Base Line Range No 59 West of the 6th Principal Meridian on the State Boundary and the 15th Mile post on the State Boundary between Nebraska and Wyoming was measured under my directions by Bennet D. Yates and Frank Adams as set fourth in the foregoing affidavit The measurement was carefully made and the distance found to be twenty four chains and twenty four links

John H. Daughety
Deputy Surveyor

Sworn to before me and subscribed in my Presence this 23d day of October A.D. 1877

Jas M. Chapman
Notary Public

We hereby certify that we were employed by John W. Daugherty Deputy U.S. Surveyor as chainmen to measure the distance between the closing corner to Fractional Townships nos 14 & 15 north of the Base Line Range no 59 west of the 6th Principal Meridian, on the State Boundary and the 15th mile post on the State Boundary between Nebraska & ~~Colorado~~ Wyoming and that by careful measurement we found the exact distance to be 24 chs, and 24 links

Bennet T. Yates
Frank Adams

Subscribed and sworn to by the above named persons before me a Notary Public in and for the County of Lincoln State of Nebraska this 23rd day of October 1871

J B Park Notary Public

~~342~~ 357

Between Townships 14 & 15 North Ranges 59 West

From the established Cor. to Townships 14 & 15 North Ranges 58 & 59 West

~~349~~ 353

Wes on a true line between Sec 2 & 35 Va 15 25 East

Between Townships 14+15

From the established Cor. to Townships 14+15 North Ranges 58+59

40.0

80.0

North Range 59 West

West on a true line between Sec 2+35

Va 15° 25' East

To the State line ~~21.50~~ 24.24 * chains North of the 15th Mile post I set a chared post and built mound with pits per instructions for closing corner to fractional Sec 2+35

Land rolling 2d rate Prairie

November 4th 1869

* 24.24 chains as found on remeasurement by John W. Daugherty, Dep. Surv. in the subdivision of T. 14 N. R. 59 W. – in 1871.

Affidavit

I, H. C. Fellows deputy surveyor, do solemnly swear that, in pursuance of a contract with Robert R. Livingston surveyor of the public lands of the United States in the State of Nebraska bearing date the 15th day of June 1869 and in strict conformity to the laws of the United States and the instructions furnished by the said Surveyor General ~~the~~ I have faithfully surveyed the exterior boundaries of Townships No 13 & 14 of Ranges 49 to 59 inclusive and the exterior boundaries of Townships 15 & 16 Range 49 and the exterior lines of Township 15

Range 8E. and the lines of Ranges 49 to 59 inclusive ~~to~~ in Township 12. all North of the Base line and West of the 6th Principal Meridian in the State aforesaid. And I do further Solemnly swear that the foregoing are the true and original field notes of such Survey.

Hiram C. Fellows
Dep Sur.

Subscribed and Sworn to by Hiram C. Fellows Deputy Surveyor this 24th day of December A D 1866

William H. Smith
Justice of the Peace
for Dubuque County
Iowa

We hereby certify that we assisted Hiram C. Tellous deputy surveyor in surveying the Exterior boundaries of Townships No 13 + 14 N of Ranges 49 to 59 inclusive and the exterior lines to Townships 15 + 16 of Rang 49, and the exterior lines of Township 15 Range 56 and the lines of Ranges 49 to 59 inclusive of Township 12 all being North of the Base line and West of the 6th Principal Meridian and that said lines have been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monument planted

according to the instructions furnished by the Surveyor General

Edward F. Smith
Jacob Kroesen
Geo. J. Henion
W. H. Evans

Subscribed and sworn to before me this by Edward F. Smith, Jacob Kroesen, Geo J. Henion and W H Evans this 21th day of December AD 1869

William H. Smith
Justice of the Peace
in and for Dubuque County Iowa

353f

366

Book No. 3

354
0.5

Surveyor General's Office
Plattsmouth Nebr. Feby 11. 1870.

The foregoing field Notes of the Survey of the Exterior Lines of Townships 13 & 14 and fracl. Townships 12 & 7 Ranges 49 & 59 inclusive. Townships 15 & 16. Range 49 and Townships 15 Range 56. All North of the Base Line and West of the 6th Principal Meridian in the State of Nebraska, executed by Hiram C. Gillons, under his Contract No. 247 the 15th day of June 1869, in the Months of Sept. Oct. & Nov. 1869 having been critically examined the necessary Corrections and explanations made the said field Notes and the Survey they describe are hereby approved.

Robt R Livingston
Surveyor General.

Between Townships 14+15 North Ranges 53 West

From the corner to Townships no 14+15 North Ranges 53+54 West I run East on a random line between said Townships the Variation of my Compass being 15°10' East I set temporary half mile and mile cor.s at every 40.00 and 80.00 chains I find the Township line to be 5 miles 79 chains and 56 links and the falling to be 84 links South of the corner to Townships 14+15 North Ranges 52+53 West the correction for the true line will therefore be 44 links West and 14 links North per mile

From the cor. to Townships No 14+15 North Ranges 52+53 West. I run South 89°54' West on a true line between Sec 1+36

Va 15°10' East

8.75 To a Road brs NE+SW

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor.

43.50 To Lodgepole creek (dry at this point) 75 lks wide runs SE

80.00 Set a chared post and built mound with pits per instructions for cor to Sec 1. 2. 35+36

Land level
Soil 2d rate
Prairie

Between Townships 14 + 15

South 89°54' West on a true line between Sec 2 + 35
Va 15°10' East

40.00 Set a chared post and built a mound with pits per instructions for 1/4 Sec cor

58.60 To a Road brs N 71 W + S 71 E
70.00 Leave bottom land brs N W + S E
80.00 Set a chared post and built mound with pits per instructions for cor to Sec 2.3.34 + 35

Land gently rolling
Soil 2d rate
Prairie

North Range 53 West

South 89°54' West on a true line between Sec 3 + 34
Va 15°10' East

8.60 To the centerline of the U.P.R.R. track brs N 70° W

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a chared post and built mound with pits per instructions for cor to Sec 3.4.33 + 34

Land gently rolling
Soil 2d rate
Prairie

Between Townships 14 + 15

South 89°54' West on a true line between Sec 4 + 33 Va 15°10' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec Cor.

80.00 Set a chared post and built mound with pits per instructions for Cor to Sec 4, 5, 32 + 33

Land rolling 2d rate Prairie

North Range 53 West

South 89°54' West on a true line between Sec 5 + 32 Va 15°10' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec Cor.

80.00 Set a chared post and built mound with pits per instructions for Cor to Sec 5, 6, 31 + 32

Land rolling Soil 2d rate Prairie

Between Townships 14 + 15 North Range 53 West

South 89°54' West on a true line between Sec 6 + 31
Va 15°10' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor.

79.56 To the established corner to Townships 14 + 15 North Ranges 53 + 54 West

Land rolling
Soil 2d rate
Prairie

October 6th 1869

T. 14 N. R. 53 W.

General Description

The land in this Township is a gently rolling Prairie, good only for grazing purposes.

194

Between Ranges 54 + 55 West Township No 12 North

From a post on the 3rd Standard Parallel N. the established closing corner to Township 12 North Ranges 54 + 55 West - Said corner bears a post and mound - I run South on the Range line between Sec 1 + 6

Va 15° 10' East

40.00 Set a Chared post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a Chared post and built mound with pits per instructions for cor 6 Sec 1. 6. 7 + 12

Land rolling
Soil 2d rate
Prairie

195

South on the Range line between Sec 7 + 12

Va 15° 10' East

40.00 Set a Chared post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a Chared post and built mound with pits per instructions for cor to Sec 7. 12. 13 + 18

Land rolling
Soil 2d rate
Prairie

Between Ranges 54 + 55 West

North on the Range
line between Sec 13 + 18
Va 15° 10' East

40.00 Set a charred post and
built mound with
pits per instructions
for 1/4 Sec cor

57.50 To a Drain 25 lks wide
runs East

80.00 Set a charred post and
built mound with
pits per instructions
for cor to Sec 13. 18. 17 + 24

Land rolling
Soil 2d rate
Prairie

Affidavitt of John M Dougherty
and chainmen

Township No 12 North

South on the Range
line between Sec 19 + 24
Va 15° 10' East 17.08

11 12

I hereby certify that the distance between the post eleven miles to fractional Township No 12 North of the Base Line Range 37 and 38 West of the 6th Principal Meridian on the Boundary Line between Nebraska and Colorado and the 178th mile post on the Boundary Line was measured under my directions by Bennet D Yates and Frank Adams as set forth in the foregoing affidavit

The measurement was carefully made and the distance found to be seventeen chains and eight links

John W Daugherty
Deputy Surveyor

Sworn to before me and subscribed in my presence this 23rd day of October 1871

Jas M Thompson
Notary Public
Ops Co Neb

We hereby certify that we were employed by John. W. Daugherty Deputy U.S. Surveyor as chainmen to measure the distance between the Post, Closing corner to Fractional Township No. 12. North Ranges 54 & 55 west on the Boundary line between Nebraska and Colorado and the 78th mile post on said Boundary line and that by careful measurement we found the said distance to be 17 chains and

Bennet T. Yaw
Frank Adams

Subscribed and Sworn to by the above named persons before me a Notary Public in and for the County of Lincoln, State of Nebraska, this 23" day of October 1871

J B Park
Notary Public

Between Ranges 54 + 55 West

South on the Range line between Sec 13 + 18
Va 15°10' East

40.00 Set a chared post

Township No 12 North

South on the Range line between Sec 19 + 24
Va 15°10' East

11.12 To the State line ~~35.80~~ 17.08*
chains East of the 78th mile post. Set a chared post and built mound with pits per instructions for closing corner to fractional Sections 19 + 24

Land rolling
Soil 2d rate
Prairie

As re-measured by John W Daugherty in the execation of his contract of Subdivisions.

Between Ranges 54 + 55

From a post on the 3d Standard Parallel N. the established corner to Township no 13 North Ranges 54 + 55 West Said corner being a Limestone 25 X 16 X 3 wt. in mound of stone I run North on Range line between Sec 31 + 36

Va 15°10' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a chared post and built mound with pits per instructions for Cor to Sec 25.30.31 + 36

Land gently rolling
Soil 2d rate
Prairie

West Township 13 North

North on the Range line between Sec 25 + 30

Va 15°08' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a chared post and built mound with pits per instructions for cor to Sec 19.24.25 + 30

Land gently rolling
Soil 2d rate
Prairie

Between Ranges 54+55

North on the Range line between Sec 19+24
Va 15°10' East

4.50 To a Drain 10 links wide descends East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a chared post and built mound with pits per instructions for cor to Sec 13.18.19+24

Land rolling soil 2d rate Prairie

West Township No 13 North

North on the Range line between Sec 13+18
Va 15°08' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a chared post and built mound with pits per instructions for cor to Sec 7.12.13+18

Land gently rolling Soil 2d rate Prairie

Between Ranges 54+55 West Township 13 North

North on the Range line between Sec 7+12
Va 15° 08'

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor.

80.00 Set a chared post and built mound with pits per instructions for cor to Sec 1.6.7+12

Land rolling
Soil 2d rate
Prairie

North on the Range line between Sec 1+6
Va 15° 10' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor.

80.00 Set a chared post and built mound with pits per instructions for cor to Townships No 13+14 North Ranges 54+55 West

Land gently rolling
Soil 2d rate
Prairie

October 8th 1869

Between Townships 13+14 North Ranges 54 West

From the corner to Townships No 13+14 North Ranges 54+55 West I run East on a random line between said Townships. The variation of my Compass being 15° 10' East. Set temporary half mile and mile Corners at 40.00 and 80.00 Chains I find the Township line to be 5 miles 78 Chains and 90 links Intersect at Corner to Townships 13+14 North Ranges 53+54 West The correction for the true line will therefore be 110 links West per mile

From the corner to Townships No 13+14 North Ranges 53+54 West I run West on a true line between Sec 1+36 Vg 15° 09' East

40.00 Set a chared post and built mound with pits per instruction for 1/4 Sec cor

80.00 Set a chared post and built mound with pits per instructions for cor to Sec 1.2.35+36

Land rolling 2d rate Prairie

365 374 206

Between Townships 13+14 North Range 54 West

West on a true line between Sec 2+35 Va 1°10' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a chared post and built mound with pits per instructions for cor to Sec 2. 3. 34+35

Land gently rolling
Soil 2d rate
Prairie

207 375 366

West on a true line between Sec 3+34 Va 1°10' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a chared post and built mound with pits per instructions for cor to Sec 3. 4. 33+34

Land rolling
Soil 2d rate
Prairie

~~367~~ 376 ~~208~~

Between Townships 13 + 14 North, Ranges 34 West

West on a true line
between Sec 4 + 33
Va 15° 10' East

40.00 Set a chared post
and built mound with
pits per instruction
for 1/4 Sec cor

80.00 Set a chared post
and built mound
with pits per instructions
for cor to Sec 4. 5. 32 + 33

Land rolling 2d rate
Prairie

~~209~~ ~~368~~ 377

West on a true line
between Sec 5 + 32
Va 15° 10' East

12.30 To a Drain 25 links wide
descends N 37° E

40.00 Set a chared post
and built mound with
pits per instructions
for 1/4 Sec cor

80.00 Set a chared post
and built mound with
pits per instructions
for cor to Sec 5. 6. 31 + 32

Land rolling
Soil 2d rate
Prairie

Between Townships 13+14 North Range 54 West

West on true line between Sec 6+31
Va 15° 10' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor

78.90 To the established corner to Townships 13+14 North Ranges 54+55 West

Land rolling
Soil 2d rate
Prairie

T. 13 N. R. 54 W.

General Description

The land in this Township is ~~a~~ high dry rolling Prairie well adapted to grazing purposes.

~~377~~ 380 ~~212~~

Between Ranges 54 + 55

From the established Corner to Townships No 13 + 14 North Ranges 54 + 55 West run North on the Range line between Sec 31 + 36

Va 15° 10' East

40.00 Set a charcd post and built mound with pits per instructions for 1/4 Sec Cor

80.00 Set a charcd post and built mound with pits per instruction for Cors to Secs 25. 30. 31 + 36

Land rolling 2d rate Prairie

~~213~~ 381 ~~212~~

West Township 14 North

North on the Range line between Sec 25 + 30

Va 15° 10' East

40.00 Set a charcd post and built mound with pits per instructions for 1/4 Sec Cor

46.50 To a Drain 20 links wide descends NE

80.00 Set a charcd post and built mound with pits per instructions for Cor to Sec 19. 24. 25 + 30

Land rolling 2d rate Soil Prairie

Between Ranges 54 + 55 West Townships 14 North

North on the Range line between Secs 19 + 24 Va 15° 10 East

12.75 To a Drain 30 links wide descends N 70° E

23.50 To a Drain 40 links wide descends East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec Cor

78.10 To a Drain 10 links wide descends East

80.00 Set a chared post and built mound with pits per instructions for Cor to Secs 13. 18. 19 + 24

Land broken 2d rate Prairie

North on the Range line between Secs 13 + 18 Va 15° 09' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec Cor

80.00 Set a chared post and built mound with pits per instructions for Cor to Secs 7. 12. 13 + 18

Land gently rolling Soil 2d rate Prairie

~~375~~ 384 ~~216~~

Between Ranges 54 + 55 West Townships 14 North

North on the Range line between Sec 7 + 12 Va 1° 09 East

40.00 Set a charred post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a charred post and built mound with pits per instructions for corner 6 Sec 1. 6. 7 + 12

Land gently rolling Soil 2d rate Prairie

~~217~~ 385 ~~276~~

North on the Range line between Sec 1 + 6 Va 1° 10' East

40.00 Set a charred post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a charred post and built mound with pits as per instructions for cor 6 Townships No 14 + 15 North Ranges 54 + 55 West

Land gently rolling Soil 2d rate Prairie

October 9th 1869

~~217~~ 386 ~~218~~

Between Townships 14 + 15 North Ranges 54 West

From the cor. to Townships No 14 + 15 North Ranges 54 + 55 West I run East on a random line between said Townships the Variation of my Compass being 15° 11' East, I Set temporary half mile and mile corners, at every 40.00 and 80.00 chains I find the Township line to be 5 miles and 79 chains and the falling to be 35 links North of the cor to Townships No 14 + 15 North Ranges 53 + 54 West The correction for the true line will therefor be 100 links west and 5 7/8 links South per mile

~~219~~ 387 ~~220~~

From the cor. to Townships No 14 + 15 North Ranges 53 + 54 West I run North 89° 57' West on a true line between Sec 1 + 36 Va 15 10 East

40.00 Set a chaved post and built mound with pits per instructions for 1/4 Sec. cor.

80.00 Set a chaved post and built mound with pits per instructions for cor to Sec 1. 2. 35 + 36

Land rolling
Soil 2nd rate
Prairie

Between Townships 14+15 North Range 54 West

North 89°57½' West on true line between Sec 2+35
Va 15°10' East

15.50 To a Drain 17 links wide descends North

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a chared post and built mound with pits per instructions for cor to Sec 2.3.34+35

Land rolling
Soil 2d rate
Prairie

North 89°57½' West on true line between Sec 3+34
Va 15°10' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor

59.40 To a Drain 10 links wide descends N21W

80.00 Set a chared post and built mound with pits per instruction for cor to Sec 3.4.33+34

Land rolling 2d rate
Prairie

Between Townships 14 + 15

North 89°-7½ West on true line between Sec 4 + 33
Va 15° 10' East

7.90 To a Drain 8 links wide descends N W

25.50 To a Drain 20 links wide descends North

40.00 Set a charcd post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a charcd post and built mound with pits per instructions for cor to Sec 4. 5. 32 + 33

Land rolling 2d rate
Prairie

North Range 54 West

North 89°-7½ West on true line between Sec 5 + 32
Va 15° 11' East

15.50 To a Drain 10 links wide descends North

40.00 Set a charcd post and built mound with pits per instructions for 1/4 Sec cor

48.50 To a Drain 20 links wide descendes N 10 W

77.50 To a Drain 25 links wide descends North

80.00 Set a charcd post and built mound with pits per instruction for cor to Sec 5. 6. 31 + 32

Land rolling 2d rate
Prairie

Between Townships 14+15

North 89°57½ West on true line between Sec 6+31
Va 15°11' East

40.00 Set a chared post and built mound with pits per instructions for ¼ Sec cor

79.00 To the established corner to Townships 14+15 North Ranges 54+55 West

Land rolling
Soil 2d rate
Prairie

October 11th 1869

North Range 54 West

T.14 N. R. 54 W.

General Description

The Soil of this Township is good 2d rate, but not adapted to farming owing to the dry climate. The Surface is a gently rolling Prairie.

~~225~~ 394 ~~226~~

Between Ranges 55 + 56 West Townships no 12 North

Begin at a post on the 3d Standard Parallel
N. the established closing corner to Townships no 12 North Ranges 55 + 56 West Said corner being a post and mound 5 min South on the Range line between Sec 1 + 6
Va 15° 10' East
40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor
80.00 Set a chared post and built mound with pits per instructions for cor to Sec 1. 6. 7 + 12

Land gently rolling
Soil 2d rate
Prairie

~~227~~ 395 ~~226~~

South on the Range line between Sec 7 + 12
Va 15° 10' East
40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor
80.00 Set a chared post and built mound with pits per instructions for cor to Sec 7. 12. 13 + 18

Land gently rolling
Soil 2d rate
Prairie

Between Ranges 55 + 57 West Townships No 12 North

South on the Range line between Sec 13 + 18 Va 1° 10' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor.

89.27 To a Drain 20 links wide descends East

80.00 Set a chared post and built mound with pits per instructions for Cor. to Sec 13. 18. 19 + 24

Land rolling 2d rate Prairie

South on the Range line between Sec 19 + 24 Va 1° 10' East

11.19 To the State line 18.75 chains East of 84th mile post. Set a chared post and built mound with pits per instructions for closing corner to fractional Sec 19 + 24

Land rolling 2d rate Prairie

October 13th 1869

~~228~~ 398 ~~230~~

Between Ranges 35 & 36 West Township No 13 North

Begin at a post on the 3rd Standard Parallel N. the established corner to Townships 13 North Ranges 35 & 36 West said corner being a Lime Stone 24 X 18 X 4 ins. in mound of stone I run North on the Range line between Sec 31 & 36 Va 15° 10' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a chared post and built mound with pits per instructions for cor to Sec 25. 30, 31 & 36

Land rolling 2d rate Prairie

~~231~~ 399 ~~232~~

North on the Range line between Sec 25 & 30 Va 15° 10' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a chared post and built mound with pits per instructions for cor to Sec 19. 24. 25 & 30

Land rolling 2d rate Soil Prairie

Between Ranges 55 & 56 West Townships No 13 North

North on the Range line between Sec 19 & 24 Va 1° 12' East

40.00 Set a chared post and built mound with pits per instruction for 1/4 Sec cor.

80.00 Set a chared post and built mound with pits per instructions for cor to Sec 13. 18. 19 & 24

Land gently rolling Soil 2d rate Prairie

North on the Range line between Sec 13 & 18 Va 1° 13' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor.

59.75 To a Drain 15 links wide descends N 30 E

80.00 Set a chared post and built mound with pits per instructions for cor to Sec 7. 12. 13 & 18

Land rolling 2d rate Soil 2d rate Prairie

Between Ranges 55 + 56 West Townships No 13 North

North on the Range line between Sec 7 + 12 Va 15.13 East

33.75 To a Drain 20 links wide descends N 37 E

40.00 Set a chared post and built mound with pits per instruction for 1/4 Sec Cor

80.00 Set a chared post and built mound with pits per instructions for Cor to Sec 1. 6. 7 + 12

Land rolling
Soil 2d rate
Prairie

North on the Range line between Sec 1 + 6 Va 15.14 East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec Cor

55.25 To a Drain 20 lks wide descends East

80.00 Set a chared post and built mound. with pits per instructions for Cor to Townships No 13 + 14 North Ranges 55 + 56 West

Land rolling
Soil 2d rate
Prairie

Between Townships 13+14

From the cor to Townships No 13+14 North Ranges 55+56 West, I run East on a random line between said Townships, the variation of my Compass being 15°15' East I set temporary half mile and mile corners at every 40.00 and 80.00 chains I find the Township line to be 6 miles and 90 links and the falling to be 42 links South of the corner to Townships 13+14 North Ranges 54+55 West the correction for the true line will therefore be 90 links East and 7 links North per mile

North Range 55 West

From the corner to Townships No 13+14 North Ranges 54+55 West I run South 89°57' West on true line between Sec 1+36 Va 15°15' East

40.00 Set a chared post and built mound with pits per instruction for 1/4 Sec cor

80.00 Set a chared post and built mound with pits per instructions for cor to Sec 1. 2. 35+36

Land rolling 2d rate Prairie

Between Townships 13+14

South 89°57' West on true line between Sec 2+35
Va 15°10' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a chared post and built mound with pits per instructions for cor to Sec 2, 3, 34+35

Land rolling 2d rate
Prairie

North Range 55 West

South 89°57' West on true line between Sec 3+34
Va 15°11' East

24.90 To a Drain 16 links wide descends N 10 E

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor

80.00 Set a chared post and built mound with pits per instructions for cor to Sec 3, 4, 33+34

Land rolling 2d rate
Prairie

Between Townships 13+14 North Range 55 West

South 89°57' West on true line between Sec 4+33
Va 15°12' East

40.00 Set a chared post and built mound with pits per instruction for 1/4 Sec cor

80.00 Set a Lime Stone 27x16x3 for cor to Sec 4.5.32+33

Land rolling
Soil 2d rate
Prairie

South 89°57' West on true line between Sec 5+32
Va 15°13' East

25.10 To a Drain 10 lks wide descends North

40.00 Set a chared post and built mound with pits per instruction for 1/4 Sec cor

57.50 To a Drain 40 lks wide descends N 27° E

80.00 Set a chared post and built mound with pits per instructions for cor to Sec 5.6.31+32

Land rolling 2d rate
Prairie

Between Townships 13+14

South 89°57' West on true line between Sec 6+31
Va 15°15' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor

80.90 To the established corner to Townships 13+14 North Ranges 55+56 West

Land gently rolling
Soil 2d rate
Prairie

October 13th 1869

[illegible]

For notes of line between Townships No 13+14 North Range 56 West See page 266

North Range 55 West

T. 13 N. R. 55 W.

General Description

This Township as a high gently rolling Prairie and could water be obtained for irrigation would be valuable farming land.

Between Ranges 55+56

From the cor. to Townships No 13+14 North Ranges 55+56 West, I run North on the Range line between Sec 31+36
Va 15° 15' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor.

80.00 Set a chared post and built mound with pits per instruction for cor. to Sec 25.30.31+36

Land rolling 2d rate
Prairie

West Township No 14 North

North on the Range line between Sec 25+30
Va 15° 15' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec cor.

41.50 To a Drain 12 links wide descends N 70° E

80.00 Set a Lime Stone 23 x 11 x 4 ins. for cor to Sec 19.24.25+30

Land rolling 2d rate
Prairie

Between Ranges 55 & 56 West Townships No 14 North

North on the Range line between Sec 19 & 24 Va 15' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec Cor

42.25 To a Drain 50 links wide descends N 85 E

80.00 Set a chared post and built mound with pits per instructions for Cor to Sec 13. 18. 19 & 24

Land hilly 2d rate Prairie

North on the Range line between Sec 13 & 18 Va 15' 14' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec Cor

80.00 Set a chared post and built mound with pits per instructions for cor to Sec 7. 12. 13 & 18

Land rolling Soil 2d rate Prairie

~~407~~ 416 248 249 417 ~~418~~

Between Ranges 55 + 56 West Townships No 14 North

North on the Range line between Sec 7 + 12 Va 15.74 East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec Cor

80.00 Set a chared post and built mound with pits per instructions for Cor to Sec 1. 6. 7 + 12

Land broken 2d rate Prairie

North on the Range line between Sec 1 + 6 Va 15.74 East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec Cor

80.00 Set a chared post and built mound with pits per instructions for Cor to Townships No 14 + 15 North Ranges 55 + 56 West

Land hilly 2d rate Prairie

October 14th 1869

Between Townships 14 + 15 North Ranges 55 West

From the cor to Townships No 14 + 15 North Ranges 55 + 56 West. I run East on a random line between said Townships the Variation of my Compass being 15° 14' East I Set temporary half mile and mile corners at 40.00 and 80.00 chains I find the Township line to be 8 miles 1 chain and 25 links Intersect at cor to Townships 14 + 15 North Ranges 54 + 55 West the correction for the true line will therefore be 1 chain and 25 lks East per mile

From the corner to Townships 14 + 15 North Ranges 54 + 55 West I run West on a true line between Sec 1 + 36 Va 15° 11' East

40.00 Set a charred post and built mound with pits per Instructions for 1/4 Sec cor

80.00 Set charred post and built mound with pits per instruction for cor to Sec 1. 2. 35 + 36

Land broken 2d inst Prairie

Between Townships 14 + 15 North. Range 33 West

	West on a true line between Sec 2 + 35 Va 15° 12' East
28.45	To a Drain 25 links wide descends North
40.00	Set a charcd post and built mound with pits per instructions for 1/4 Sec cor
66.40	To a Drain 20 links wide descends N 12° E
80.00	Set a charcd post and built mound with pits per instructions for cor to Sec 2. 3. 34 + 35
	Land broken 3d rate Prairie

	West on a true line between Sec 3 + 34 Va 15 1/2° East
3.50	To a Drain 40 links wide descends N 15 W
40.00	Set a charcd post and built a mound with pits per instruction for 1/4 Sec cor
80.00	Set a charcd post and built mound with pits per instructions for cor to Sec 3. 4. 33 + 34
	Land broken 3d rate Prairie

Between Townships 14 + 15

	West on a true line between Sec 4+33 Va 15.15 East
40.00	Set a chared post and built mound with pits per instructions for 1/4 Sec cor.
57.50	To a 10 Drain 30 links wide descends North
80.00	Set a chared post and built mound with pits per instruction for cor. to Sec 4. 5. 32 + 33
	Land broken 2d rate Prairie

North. Range 55 West

	West on a true line between Sec. 5+32 Va 15.15 East
40.00	Set a chared post and built mound with pits per instruction for 1/4 Sec cor.
62.50	To a 10 Drain 30 lks wide descends N 10 E
80.00	Set a chared post and built mound with pits per instructions for cor. to Sec. 5. 6. 31 + 32
	Land broken 3d rate Prairie

Between Townships No 14 & 15

West on a true line
between Sec 6 & 31
Va 15/4 East

40.00 Set a chared post and
built mound with
pits per instructions
for 1/4 Sec cor.

81.25 To the established cor,
to Townships 14 & 15 North
Ranges 55 & 56 West

Land broken 2d rate
Prairie

North. Range 55 West

T. 14 N. R. 55 W

General Description
The land, in this Town-
-ship is gently rolling Prairie
Soil good for pasturage.

Between Townships No 14+15 North Ranges 56 West

From the established corner to Townships 14+15 North Ranges 55+56 West I run West on a [illegible] random line between said Townships the Variation of my compass being 15°14' East I set temporary half mile and mile corners at every 40.00 and 80.00 chains I find the Township line to be 6 miles and 25 links and the falling to be 28 links North of a post on the 7th Guide meridian W. the established corner to Townships 14+15 North Ranges 56+57 West the correction for the true line will therefore be 4⅔ lks South per mile

From a post on the 7th Guide meridian the established corner to Townships 14+15 North Ranges 56+57 West said corner being a post and mound I run North 89°58' East on true line between Sec 6+31 Va 15°20' East

22.35 To a Drain 15 lks wide descends North

40.25 Set a chared post and built mound with pits per instructions for 1/4 Sec. cor.

78.35 To a Drain 10 lks wide descends N10E

80.25 Set a Lime Stone 20x12x4 ins. for cor. to Sec 5.6. 31+32

Land gently rolling
Soil 2d rate
Prairie

Between Township No 14 & 15 North Range 58 West

North 89° 58' East on true line between Sec 5 & 32 Va 15° 19' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec Cor

69.75 To a 1 Drain 2 lks wide descends N 22 E

80.00 Set a Lime Stone 19 x 10 x 8 ins for Cor, to Sec 4, 5, 32 & 33

Land rolling Soil 2d rate Prairie

North 89° 58' East on true line between Sec 4 & 33 Va 15° 18' East

40.00 Set a chared post and built mound with pits per instructions for 1/4 Sec Cor

62.75 To a 1 Drain 2 lks wide descends North

80.00 Set a Lime Stone 19 x 15 x 5 ins for Cor, to Sec 3, 4, 33 & 34

Land rolling Soil 2d rate Prairie

Between Townships 14+15

North 89°58' East on true line between Sec 3+34
Va 15°17' East

40.00 Set a chared post and built mound with pits per instructions. for 1/4 Sec cor.

80.00 Set a Lime Stone 21x10x6 ins for cor to Sec 2.3.34+35

Land broken 2d rate
Prairie

North Range 56 West

North 89°58' East on true line between Sec 2+35
Va 15°15' East

40.00 Set a Lime stone 17x13x5 ins. for 1/4 Sec cor.

47.75 To a Ravine bro N10E

80.00 Set a Lime stone 23x12x3 ins. for cor to Sec 1.2.35+36

Land rolling 2d rate
Prairie

Between Townships 14 & 15 North Ranges 55 & 56 West

North 89° 58' East on true line between Sec 1 & 36 Ya 15.75 East

40.00 Set a Limestone 16 x 15 x 4 ins. for 1/4 Sec Cor

68.70 To a Drain 20 lks wide descends North

80.00 To the established Cor to Townships 14 & 15 North Ranges 55 & 56 West

Land rolling 2d rate Prairie

October 15th 1869

T. 14 N. R. 56 W.

General Description

The surface of this Township is a gently rolling Prairie, but ~~is~~ two dry for agricultural purposes. Good grazing land.

Between Townships 13 + 14

From the established Cor. to Townships No 13+14 North Ranges 55+56 West. I run West on random line between said Townships the Variation of my Compass being 15°10' East, I set temporary half mile and mile corners at every 40.00 and 80.00 chains I find the Township line to be 5 miles 79 chains and 70 links Intersect at post on 7th Guide Meridian. the established Cor. to Townships 13+14 North Ranges 56+57 West

(This line should have commenced on page 244 c.c.)

North Range 56 West

From the cor to Townships 13+14 North Ranges 56+57 West. Said corner being a post and mound on the 7th Guide meridian

I run

East on true line between Sec 6+31

Va 15°15' East

39.70 Set a chared post and built mound with pits per instructions for 1/4 Sec. cor.

79.70 Set a chared post and built mound with pits per instructions for Cor. to Sec 5.6.31+32

Land rolling

Soil 2d rate

Prairie

~~427~~ 436 ~~268~~

Between Townships 13 & 14 North Range 56 West

East on a true line between Sec 5 & 32 Va 1° 15' East

40.00 Set a chared post and built mounds with pits per instructions for 1/4 Sec cor

80.00 Set a chared post and built mound with pits per instructions for cor to Secs 4, 5, 32 & 33

Land rolling 2d rate Prairie

269 437 ~~428~~

East on a true line between Sec 4 & 33 Va 1° 15' East

40.00 Set a Limestone 15 x 12 x 4 ins. for 1/4 Sec cor

80.00 Set a Limestone 20 x 11 x 5 ins. for cor to Secs 3, 4, 33 & 34

Land rolling Soil 2d rate Prairie

Between Townships 13 + 14

	East on a true line between Sec 3 + 34 Va 15 7/8 East
40.00	Set a Lime Stone 16x12x3 ins. for 1/4 Sec Cor
80.00	Set a Lime Stone 19x15x4 ins. for cor to Sec 2, 3, 34 + 35
	Land Rolling Soil 2d rate

North Ranges 16 West

	East on true line between Sec 2 + 35 Va 15 7/8 East
21.70	To a Drain 2 lks wide descends S W
40.00	Set a Lime Stone 17x11x3 ins. for 1/4 Sec Cor
80.00	Set a Lime Stone 19x12x4 ins. for cor to Sec 1, 2, 35 + 36
	Land rolling 2d rate Prairie

Between Townships 13 + 14 North Range 56 West

East on a true line between Sec 1 + 36
Va 15°16' East

40.00 Set a Limestone 16 X 10 X 7 ins for 1/4 Sec cor

80.00 To the established corner to Townships 13 + 14 North Ranges 55 + 56 West

Land rolling 2d rate Prairie

October 14th 1869

T. 13 N. R. 56 W.

General Description

This is a high level Prairie, produces good grass for pasturage, but unfit for agricultural purposes.

For Certificate of approval see Book "4" page 366.

Between Ranges 54 & 55 W
Township 16 N

From Corner to Townships 15 & 16 N. Ranges 54 & 55 W. I run

North between Secs 31 and 36
Va 15° 24' East

40.00 Set a chared post in a mound with pits as per instructions for ¼ Sec Cor

80.00 Set a chared post in mound with pits as per instructions for Cor to Secs 25. 30. 31 & 36

Land rolling Prairie Soil 2 ft rate.

Between Ranges 54 & 55 W. Township 16 N

Chains North between Sec 25 & 30
Va 15° 24' East

40.00 Set a chand post in a mound with pits as per instructions for ¼ Sec Cor.

80.00 Set a chand post in a mound with pits as per instructions for Cor to Sec 19. 24 25 & 30
Land gently rolling
Soil 3rd rate.

Chains North between Sec 19 & 24
Va 15° 24' East

40.00 Set a chand post in a mound with pits as per instructions for ¼ Sec Cor

80.00 Set a chand post in mound with pits as per instructions for Cor to Sec 13. 18. 19 & 24
Land rolling Prairie
Soil 3rd rate.

Between Ranges 54 & 55

Chains	North between Secs 13 & 18
	Va 15° 24' East.
40.00	Set a chard post in a mound with pits as per instructions for ¼ Sec Cor.
80.00	Set a chard post in mound with pits as per instructions for Cor to Secs 7. 12. 13 & 18.
	Land rolling Prairie Soil 3rd rate.

West Township 16 N

Chains	North between Secs 7 and 12
	Va 15° 24' East.
40.00	Set a chard post in a mound with pits as per instructions for ¼ Sec Corner.
80.00	Set a Limestone 20 × 12 × 5 ins. for Corner to Sections 1. 6. 7 & 12
	Land Hilly Prairie Soil 3rd rate.

Between Ranges 54 & 55 W Township 16 North

Chains North between Secs 1 and 6

Va 15° 25' East

9.00 Enter Bottom Land bears East & West

19.00 To bed of Lawrences fork 50 links runs East.

40.00 Set a Limestone 19 x 13 x 3 for ¼ Sec Cor

79.80 Intersect 4 Standard Parallel 136.50 chains East of corner to Township 17 North Ranges 54 & 55 West* and set a Limestone 26 x 12 x 4 ins. for closing Corner to Township 16 North Ranges 54 & 55 West. Land=except Bottom=hilly- Bottom level and good meadow. Soil 1st rate.

July 14th 1870

*Dr 16.50 chains E. of ¼ Sec. Cor. S. of Sec. 32. T. 17 N. R. 54 W. of 6th P.M.

From Corner to Townships 15 & 16 North. Ranges 55 & 56 West. I run East on a random line between Said Townships, the Variation of my Compass being 15° 26' East.

I set half mile and mile posts at every 40.00 & 80.00 chains.

I find the Township line to be 5. Miles 79 chains and 28 links and the falling to be 132 links North of the Township Corner.

The correction for the true line will therefore be 72 links West and 22 links South per mile

Between Townships 15 & 16 N. Range 33 W.

Chains	
	N. ~~89°~~ 37' W on a true line between Sec 1 & 36 Va 15 26' East.
40.00	Set a chand post in a mound with pits as per instructions for ¼ Sec Cor
60.14	To a Drain runs S E.
80.00	Set a chand post in a mound with pits as per instructions for Cor to Sec 1. 2. 35 & 36 Land rolling Prairie Soil 3rd rate.

Chains	
	N. ~~89°~~ 37' W on a true line between Sec 2 & 35 Va 15 26' East.
40.00	Set a chand post in a mound with pits as per instructions for ¼ Sec Cor
80.00	Set a chand post in a mound with pits as per instructions for Cor to Sec 2. 3. 34 & 35 Land rolling. Prairie, Soil 3rd rate.

Between Townships 15 & 16 N Range 33 W.

Chains N 89° 37' W on a true line between Sec 3 & 34 Va 15° 25' East

40.00 Set a Limestone 19 + 13 x 6 ins for ¼ Sec Cor.

80.00 Set a Limestone 17 + 11 + 3 ins for Cor to Sec 3, 4, 33 & 34.

Land rolling Prairie
Soil 3rd rate

Chains N 89° 37' W on a true line between Sec 4 & 33 Va 15° 26' East.

40.00 Set a post in a mound with pits as per instructions for ¼ Sec Cor

80.00 Set a post - chaned in a a mound with pits as per instructions for Cor to Sec 4, 5, 32 & 33

Land rolling. Prairie
Soil 3rd rate.

Between Townships 15 & 16 N. Range 33 W.

Chains	
	N. ~~89~~ 89° 37' W on a true line between Sec 5 & 32 Va 15° 26' East.
40.00	Set a chand post in a mound with pits as per instructions for ¼ Sec Cor.
80.00	Set a chand post in a mound with pits as per instructions for Cor to Sec 5, 6, 31 & 32 Land rolling Prairie Soil 3d rate.

Chains	
	N. ~~89~~ 89° 37' W on a true line between Sec 6 & 31 Va 15° 25' East.
40.00	Set a chand post in a mound with pits as per instructions for ¼ Sec Cor.
79.28	To Comm to Townships 15 & 16 N. Ranges 33 & 34 W. Land rolling. Prairie Soil 3d rate.

Between Ranges 55 &

Chains From Corner to Townships 15 & 16 N. Ranges 55 & 56. I run

North between Secs 31 and 36
Va 15° 25' East.

40.00 Set a chared post in a mound with pits as per instructions for ¼ Sec Cor.

80.00 Set a chared post in a mound with pits as per instructions for Cor to Secs 25. 30. 31 & 36
Land gently rolling Prairie, Soil 3rd rate.

56 W. Township 16 N.

Chains North between Secs 25 and 30
Va 15° 25' East

40.00 Set a chared post in a mound with pits as per instructions for ¼ Sec Cor.

80.00 Set a chared post in mound with pits as per instructions for Cor to Secs 19. 24. 25 & 30
Land rolling Prairie Soil 2nd rate.

Between Ranges 55 & 56 W. Township 16 N

Chains North between Sec^s 19 & 24
Va 15° 25' East;

40.00 Set a chared post in mound with pits as per instructions for ¼ Sec Cor.

80.00 Set a chared post in a mound with pits as per instructions for Cor to Sec^s 13. 18. 19 & 24
Land rolling.. Prairie Soil 3^d rate.

Chains North between Sec^s 13 & 18
Va 15° 25' East.

40.00 Set a chared post in mound with pits as per instructions for ¼ Sec Cor.

80.00 Set a chared post in a mound with pits as per instructions for Cor to Sec^s 7. 12. 13 & 18.
Land rolling Prairie Soil 3^d rate.

Between Ranges 55 & 56

Chains North between Sec^s 7 and 12
Va 15° 26' East.

40.00 Set a Chand post in a mound with pits as per instructions for ¼ Sec Cor.

80.00 Set a Chand post in a mound with pits as per instructions for Cor to Sec^s 1. 6. 7 & 12. Land gently rolling Soil 3^d rate

West. Township 16. N

Chains North between Sec^s 1 and 6
Va 15° 26' East

40.00 Set a Chand Stake in a mound with pits as per instructions for ¼ Sec Cor

80.18 Intersect 4th Standard Parallel 138.64 Chains East of Comm to Townships 17 North Ranges 55 & 56 W.^ and set a Limestone 16 + 12 + 6 ins. for Closing Comm to Townships 16. N Ranges 55 & 56 W

Land rolling; Prairie Soil 3^d rate.

July 16th 1870

This Township is a high rolling Prairie unfit for cultivation.

*or 18.64 / 18.64 Chs. E. of ¼ Sec Cor. S. of Sec 32, T. 17 N. R. 55 W. of 6th P. M.

Between Ranges 57 & 58

** Chains	North between Sec^s 31 and 36
	Va 15° 30' East
13.50	To Lodge Pole Creek 20 links wide runs East. low bank gravelly bed.
*** 40.00	Set a Limestone 19 + 15 + 2 ins. for ¼ Sec Corner.
42.70	To a Drain bears S E.
80.00	Set a Limestone 2 + 11 + 3. ins. for Cor to Sec^s 25. 30. 31 & 36
	Land Hilly. Prairie Soil 3^d rate.
*** 21.25	Waggon Road bears E and West.
30.00	Leave Bottom land bars E + W. Land level. Soil 3^d rate. good meadow.

** From cor to Townships 14 & 15 N. Ranges 57 + 58 W. 8 run.

W. Township 15. N.

Chains	North between Sec^s 25 & 30
	Va 15° 30' East
14.50	To a Drain 100 links wide decends. S. E.
40.00	Set a Limestone 17 + 13 + 12 ins. for ¼ Sec Cor.
80.00	Set a chared post in a mound with pits as per instructions for Cor to Sec^s 19. 24. 25 & 30.
	Land Broken. Prairie Soil 3^d rate.

~~463~~ 462

Between Ranges 57 & 58

Chains	
	North between Sec 19 & 24 Va 15° 30' East.
40.00	Set a Limestone 17 x 16 x 2 ins. for ¼ Sec Cor.
80.00	Set a Chand post in a mound with pits as per instructions for Cor to Sec 13. 18. 19 & 24 Land Broken. Prairie Soil 3rd rate.

~~465~~ 464 ~~465~~

West. Township 15. N

Chains	
	North between Sections 13 and 18 Va 15° 31' East
40.00	Set a Limestone 20 x 12 x 4 ins. for ¼ Sec Cor.
80.00	Set a Limestone 23 x 7 x 6 ins. for Cor to Sec 7. 12. 13 & 18. Land rolling. Prairie Soil 3rd rate.

Between Ranges 57 & 58

Chains	North between Sec^s 7 & 12
	Va 15° 31' East.
40.00	Set a Limestone 16 × 10 × 7 ins for ¼ Sec Corner
80.00	Set a Limestone 30 × 12 × 21 ins for Cor to Sec^s 1. 6. 7. & 12
~~80.00~~	~~Set a Limestone~~
	Land rolling. Prairie Soil 3^d rate

W. Township 15 North

Chains	North between Sec^s 1 and 6.
	Va 15° 31' East.
40.00	Set a Limestone 17 × 11 × 4 ins. for ¼ Sec Corner.
65.58	To a Drain 50 links wide decends W E
80.00	Set a chand post in a Mound with pits as per instructions for Cor to ~~Sec~~ Townships. 15 & 16 North Ranges 57 & 58 West Land rolling. Prairie Soil 3^d rate.

Between Townships 15 &

From Corner to Townships ~~15~~ 15 & ~~16~~ 16 North. Ranges 57 & 58 West. I run.

East on a random line between said Townships the variation of my Compass being 15° 29' East

I set half-mile & mile post at every 40.00 and 80.00 chains.

I find the Township line to be 5 miles 78 chains and 75 links. & the intersection at post Cor to Township 15 & 16 N Ranges 56 & 57 W.

The Correction of the line will therefore be 125 links West per mile

16 N. Ranges 57 West.

Chains	
	West on a true line between Sec 1 and 36 Va 15° 29' East.
40.00	Set a chand post in a mound with pits as per instructions for ¼ Sec Cor.
80.00	Set a chand post in a mound with pits as per instructions for Cor to Sec 1. 2. 36 & 35
	Land rolling. Prairie Soil 3rd rate.

Between Townships 15 & 16 North Range 37 West.

Chains	West between Sec's 2 & 35 Va 15° 29' East.
40.00	Set a Chand post in a mound with pits as per instructions for ¼ Sec Corn.
80.00	Set a Chand post in a mound with pits as per instructions for Cor to Sec's 2. 3. 34 & 35 — Land rolling Prairie Soil 3rd rate.

Chains	West between Sec's 3 & 34 Va 15° 30' East.
40.00	Set a Chand post in a mound with pits as per instructions for ¼ Sec Cor.
80.00	Set a Chand post in a mound with pits as per instructions for Cor to Sec's 3. 4. 33 & 34 Land rolling. Prairie Soil 3rd rate.

~~71~~ ~~120~~

Between Townships 15 & 16 N. Range 37 West.

Chains	
	West on a true line between Sec 4 & 33 Va 15° 30' East.
40.00	Set a chand post in a mound with pits as per instructions for ¼ Sec Corn.
80.00	Set a chand post in a mound with pits as per instructions for Cor to Sec 4. 5. 32 & 33 Land gently rolling Prairie, Soil 3d rate.

~~120~~ ~~165~~

Chains	
	West on a true line between Sec 5 & 32. Va 15° 30' East.
40.00	Set a chand post in a mound with pits. as per instructions for ¼ Sec Cor.
80.00	Set a chand post in a mound with pits as per instructions for Cor to Sec 5. 6. 31 & 32. Land rolling Prairie Soil 3d rate.

Between Townships 15 & 16
N Range 57 W.

West on a true line
between Sec 6 & 31
Va 15° 29' East.

1.60 to a Drain 50 links
wide Comes from the
West. & decends S E.

30.50 Leave same Drain bow
from the N W. & runs
along the line

40.00 Set a chared post in a
mound with pits as
per instructions for ¼
Sec Corner.

43.50 To a Drain 50 links wide
runs N. East.

78.75 To Corner to Townships
15 & 16 N, Ranges 57 &
58 West

Land gently rolling
Prairie. Soil 2ca rate.

July 19th 1870

This Township is a dry
Prairie good only for
Grazing

Between Ranges 57 & 58
W. Township 16 North

From Corner to Townships
15 & 16 North Ranges
57 & 58 West. I run

North between Sections
31 & 36
Va 15° 30' East.

40.00 Set a chared post in a
mound with pits as per
instructions for ¼ Sec Cor.

80.00 Set a chared post in a
mound with pits as per
instructions for Corner to
Sec 25. 30. 31 & 36
Land rolling Prairie
Soil 3ca rate.

~~466~~ 475 124

Between Ranges 57 + 58 W

Chains	North between Sec 25 + 30 Ya 15 31 East
40.00	Set a Chared Post in Mound with pits per instructions for 1/4 Sec cor
77.10	to a Drain 10 lks wide brs East
80.00	Set a chared post in Mound with pits as per instructions for cor to Sec 19. 24 25 + 30 Land rolling Prairie Soil 3d rate

125 476

Township No 16 North

Chains	North between Sec 19 + 24 Ya 15 31 East
40.00	Set a chared post in Mound with pits as per instructions for 1/4 Sec cor
80.00	Set a chared post in mound with pits as per instructions for cor to Sec 13. 18. 19 + 24 Land broken Prairie Soil 3d rate

~~48~~ 477 426

Between Ranges 57 + 58 W

Chains	
	North between Sec 13 + 18 Va 15° 32' East-
40.00	Set a charcd post in mound with pits as per instructions for 1/4 Sec Cor
80.00	Set a charcd post in mound with pits as per instructions for Cor to Sec 7. 12. 13 + 18 Land broken Prairie Soil 3d rate

427 478 468

Township No 16 North

Chains	
	North between Sec 7 + 12 Va 15° 32 East-
40.00	Set a charcd post in mound with pits as per instructions for 1/4 Sec Cor
61.47	to a Drain 15 lks wide E to E
80.00	Set a charcd post in mound with pits as per instructions for Cor to Sec 1. 6. 7 + 12 Land rolling Prairie soil 3d rate

Between Ranges 57+58 W

Chains	North between Sec 1+6 Va 15° 32' East
40.00	Set a chared post in mound with pits as per instructions for 1/4 Sec cor
79.11	Intersect 4th Standard Paralel N. 143.56 chains East of cor to Township No 17 North Ranges 57+58 West* and Set chared post in mound with pits as per instructions for Closing cor to Township No 16 North Ranges 57+58 West
	Land hilly Prairie Soil 3d rate
	July 20th 1870

* Or 16.44 chains West of Cor. to Sect. 32 & 33, T. 17 N. R. 57 W. of 6th Pr. Mer.

Township No 16 North

This Township is a high rolling Prairie. unfit for cultivation owing to the want of water.

130

Between Ranges 8 & 9 W

Chains	
	From Corner to Township No 14 & 15 North Ranges 8 & 9 West I run
	North between Sections 31 & 36
	Va 15° 33' East
40.00	Set a Lime stone 16 x 14 x 5 ins for 1/4 Sec cor
80.00	Set a Lime stone 24 x 14 x 4 ins for cor to Sec 25. 30. 31 & 36
	Land broken Prairie
	Soil 2d rate

131

Township No 15 North

Chains	
	North between Sec 25 & 30
	Va 15° 33' East
40.00	Set a Lime stone 17 x 15 x 3 ins for 1/4 Sec cor
80.00	Set a Lime stone 31 x 10 x 4 ins for cor to Sec 19. 24. 25 & 30
	Land broken Prairie
	Soil 2d rate

~~83~~

~~32~~

Between Ranges 8 & 9 W

Chains	
	North between Sec 19 & 24 Va 15° 33' East -
40.00	Set a Lime stone 19x11x3 ins for 1/4 Sec corner
80.00	Set a Lime stone 19x15x3 ins for Cor to Sec 13. 18. 19 & 24 Land rolling Prairie Soil 2d rate

~~84~~

~~33~~

Township No 15 North

Chains	
	North between Sec 13 & 18 Va 15° 34' East
40.00	Set a Lime stone 18x13x4 ins for 1/4 Sec corner
80.00	Set a Lime stone 20x12x3 ins. for corner to Sec 7. 12. 13 & 18 Land rolling Prairie Soil 2d rate

~~476~~ 485 ~~134~~

Between Ranges 58 & 59 W

Chains	
	North between Sec 7 & 12 Va 15° 34' East
40.00	Set a Lime Stone 17x16x4 ins for 1/4 Sec Cor
80.00	Set a Lime Stone 20x16x8 ins for cor to Sec 1. 6. 7 & 12 Land rolling Prairie Soil 3d rate

~~135~~ 486

Townships No 15 North

Chains	
	North between Sec 1. 6 Va 15° 34' East
40.00	Set a Lime Stone 19x15x3 ins. for 1/4 Sec Cor
80.00	Set a charred post in mound with pits as per instructions for corner to Townships No 15 & 16 North Ranges 58 & 59 West Land rolling Prairie Soil 3d rate

Between Townships No 15 & 16 North. Range 58 West

From the Corner to Townships No 15 & 16 North Ranges 58 & 59 West. I run East on a random line between said Townships the Variation of my Compass being 15° 34' East I set half mile and mile posts at 40.00 and 80.00 Chains I find the Townships line to be 5 miles 78 chs and 00 links. and the falling to be 140 links South of the Townships corner

The correction for the true line will therefore be 28 3/4 lks North and 170 links West per mile

Chains	
	S 89 50' W on a true line between Sec 1 & 36 Va 15 32' East
11.10	To a Drain 50 lks wide bro S
17.30	Same
40.00	Set a chard post in mound with pits as per instructions for 1/4 Sec cor
46.70	To a Drain 50 links wide bro SE
78.10	Same Drain bro W
80.00	Set a chard post in mound with pits as per instructions for Cor to Sec 1. 2. 35 & 36 Land gently rolling & rate Prairie

Between Townships 15 & 16 N

Chains	
	S 89° 50' W on a true line between Sec 2 & 35 Va 15° 33' East
22.29	To a Drain 50 lks wide bro SE
40.00	Set a chard post in mound with pits as per instructions for 1/4 Sec corner
80.00	Set a chard post in mound with pits as per instructions for Corner to Sec 2. 3. 34 & 35
	Land gently rolling 3d rate Prairie

Range 8 West

Chains	
	S 89° 50' W on a true line between Sec 3 & 34 Va 15° 34' East
15.80	To a Drain 50 lks wide bro N
36.10	Same Drain bro S
40.00	Set a chard post in mound with pits as per instructions for 1/4 Sec corner
42.40	To a Drain 50 lks wide bro N
56.10	Same Drain bro SE
75.15	Same Drain bro NE
80.00	Set a chard post in mound with pits as per instructions for Cor to Sec 3. 4. 33 & 34 Land gently rolling Soil 3d rate Prairie

Between Townships No 15+16

chains	S 89°50' W on a true line between Sec 4+33 Va 15°35' East
40.00	set a chared post in mound with pits as per instructions for 1/4 Sec corner
74.10	To a Drain 15 lks wide bro South
80.00	Set a chared post in mound with pits as per instructions for cor to Sec 4.5.32+33.
	Land rolling Prairie Soil 3d rate

North Range 58 West

chains	S 89°50' W on a true line between Sec 5+32 Va 15°35' East
13.70	To a Drain 50 links wide bro South
40.00	Set a chared post in mound with pits as per instructions for 1/4 Sec cor
80.00	Set a Lime stone 23x13x2 for cor to Sec 5.6.31+32 Land rolling Prairie Soil 3d rate

Between Townships No 15 & 16 North Range 58 West

chains	
	S 89° 50' W on a true line between SEC 6 & 31 Va 15° 35' East
40.00	Set a hard post in mound with pits as per instructions for ¼ SEC corner
78.50	To corner to Township No 15 & 16 N Ranges 58 & 59 West Land rolling Prairie Soil 2d rate

July 22d 1870

chains

This Township is a high rolling Prairie, with a good soil, but cannot be made available for agricultural purposes, until some means is devised for irrigation.

Between Ranges 58 & 59 W

Chains	
	From Corner to Townships No 15 & 16 North Ranges 58 & 59 West I run
	North between Sec 31 & 36 Va 15° 36 East
40.00	Set a Lime stone 17x13x4 ins for 1/4 Sec corner
58.50	to a Drain 13 lks wide bro East
80.00	Set a Lime stone 22x11x4 ins for cor to Sec 25. 30. 31 & 36 Land rolling Prairie Soil 2d rate

Township No 16 North

Chains	
	North between Sec 25 & 30 Va 15° 37' East
40.00	Set a Lime stone 19x12x8 ins. for 1/4 Sec corner
80.00	Set a Lime stone 19x16x4 ins. for cor to Sec 19. 24. 25 & 30 Land rolling Prairie Soil 2d rate

Between Ranges 8 & 9 W

Chains	
	North between Sec 19 & 24 Va 15° 37' East
40.00	Set a Lime stone 17 x 15 x 3 ins for 1/4 Sec corner
80.00	Set a Lime stone 23 x 13 x 8 ins for corner to Sec 13. 18. 19 & 24 Land rolling Prairie Soil 2d rate

Townships No 16 North

Chains	
	North between Sec 13 & 18 Va 15° 37' East
40.00	Set a Lime stone 19 x 12 x 3 ins for 1/4 Sec corner
66.55	Ig a Drain 15 lks wide bro East
80.00	Set a Lime stone 20 x 13 x 4 ins for cor to Sec 7. 12. 13 & 18 Land gently rolling Soil 2d rate Prairie

Between Ranges 58+59 W

Chains	North between Sec 7+12 Va 15° 37' East
40.00	Set a Lime stone 18x14x3 ins for 1/4 sec corner
80.00	Set a Lime stone 19x13x4 ins for corner to Sec 1.6.7+12

Land rolling Prairie
Soil 2d rate

Township No 16 North

Chains	North between Sec 1+6 Va 15° 37' East
40.00	Set a Lime stone 19x13x2 ins for 1/4 sec corner
69.45	To a Drain 20 lks wide brs SE
79.30	Intersect 4th Standard Paralel N. ~~145.30~~ 14.70 Chains ~~East~~ West of the cor to ~~Townships~~ Sec 32 + 33 T. No 17 North Ranges 58 ~~+59~~ West and set a chared post in mound with pits as per instructions for closing corner to Township No 16 North Ranges 58+59 West

Land rolling Prairie
Soil 3d rate

~~497~~ 501 ~~449~~

Between Townships No 15 & 16 North Range 8 & 9 West

~~454~~ 502 ~~453~~

Chains

From the corner to Townships No 15 & 16 N Ranges 8 & 9 West run West on a true line between Sec 1 & 36 Va 15° 37' East

40.00 Set a Lime stone 19 X 15 X 3 ins. for 1/4 Sec cor

80.00 Set a Charcd post in mounds with pits as per instructions for cor to Sec 1, 2, 35 & 36

Land gently rolling Soil 2d rate Prairie

Chains

West on true line between Sec 2 & 35 Va 15° 37' East

32.92 Intersect Wyoming State line 22.40 Chains North of the 21st mile Post and set a Charcd post in mound with pits as per instructions for Closing corner for fractional Townships No 15 & 16 North Range 9 West

Land rolling Prairie Soil 2d rate

July 23d 1870

This and all the fore=
=going Townships could
be described in the same
words. viz. A high
rolling Prairie, with a
good soil, producing
exalent grass for
pasturage, but the
almost entire absence
of water, and the exceed=
=ingly dry climate will
forever prevent its being
brought into use. unless
some artificials means
can be employed for
obtaining water

We hereby certify that
we assisted Hiram C
Fellows, deputy Surveyor
in Surveying the exterior
boundaries of Townships
No 15 & 16 North of the base
line, of Ranges 50. 51. 52. 53
54, 55. 57. 58 & frac 59,
also Township 16 North
of Range 56. all north
of the base line. and West
of the 6th Principal Mer=
=idian in the State of Nebraska and that said
Townships have been in
all respects, to the best of
our knowledge & belief, well
and faithfully surveyed,
and the boundary monuments
planted according to the
instructions furnished by
the Surveyor General.

Ed F. Smith } Chainman
Geo H Brown

Peter V. DeWinnier Flagman
S. Gillespie "
W. H. Evans Compassman

No magistrate, Judge Advocate, Recorder of Garrison or regimental Court martial being within reach, I therefore certify as follows:

Subscribed by the above named persons and sworn to before me Adjutant of the post at Antelope Cheyenne County Nebraska this 2d day of August A D 1870

C. E. Rodgers
Lt. 5. U.S. Cav
Act Adjt

I Hiram C Fellows Deputy Surveyor do solemnly swear that in pursuance of a contract with Robt R Livingston, Surveyor of the Public Lands of the United States, in the States of Iowa and Nebraska bearing date the 15th day of June A.D. 1869, and in strict conformity to the laws of the United States, and the instructions furnished by said Surveyor General I have faithfully surveyed the exterior boundaries of Townships Numbered 15 and 16 of Ranges No 50. 51. 52. 53. 54 55 56 58 and fractional 59 also Township No 16 of Range No 56 all North of the base line and

West of the 6th Principal Meridian in the State of Nebraska. and I do further solemnly swear that the foregoing are the true and original field notes of said survey.

Hiram C. Fellows
Deputy Surveyor.

Subscribed by said Hiram C Fellows Dep Surveyor and sworn to before me Adjutant of the post at Antelope Cheyenne County and State of Nebraska this 2d day of August A D 1870

C R Rodgers
Lt 5th Infty
Adjt. Post

Surveyor Generals Office
Plattsmouth Neb Aug 16th 1870.

The foregoing field notes of the survey of the Exterior Boundaries of Townships No. 15 & 16 of Ranges No. 52. 53. 54. 55. 56. 57. 58 and fractional 54. also Township No. 16. of Range No 56 all North of the Base Line and West of the 6th Principal Meridian in the State of Nebraska, Executed by Hiram C Fellows. under his contract of the 15th day of June A.D. 1869. in the month of July 1870 having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Robt. R Livingston
Surveyor General.

General Land Office • Original Field Notes

Book Number

274

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.