General Land Office • Original Field Notes

Book Number

313

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Contract No. 265 Tract A

Vol. 1 N. R. 5 W.

Field notes of the survey of the Subdivision lines in Township No 1 North of the Base line of range No 5 West of the 6th principal Meridian, Nebraska Territory, by Thomas O. Wheatly Deputy Surveyor under this contract No 265 bearing date 26th day of April A D 1859

Subdivision Commenced June 18th 1859
Subdivision Completed June 22d 1859

Comp'd by Wm. R. Baker

Ex. No 1.

Platted E. Mason.

C

Names and duties of Assistants

Benjimen Thompson. Chainman

William Richardson Chainman

Francis McCabe Flagman

John Richardson Cornerman

John M Coyle Compasman

Township 1 North Range 5 West 6th P. M.

6	48	5	37	4	26	3	18	2	9	1	
47		46		33		25		17		8	
7	46	8	33	9	24	10	16	11	8	12	
45		44		32		23		15		7	
18	43	17	31	16	23	15	15	14	6	13	
42		41		30		22		14		5	
19	48	20	30	21	21	22	13	23	5	24	
39		38		29		20		12		4	
30	38	29	28	28	20	27	12	26	3	25	
37		36		27		19		11		2	
31	35	32	27	33	19	34	10	35	2	36	

d

Field notes of the survey of the subdivision lines in Township 1. N. R. 5. W. 6th principal Meridian

To determine the proper adjustment of my compass for subdividing this Township I commence at the corner to Township 1. N. on Base line Ranges 4 and 5 W. and run North on a blank line along the East boundary of section 36

Variation 12°. 30' East

40.00 to a point 2 chs ~~from~~ West quarter sec corner

80.00 A point at corner to sections 25 and 36

& My compass ~~must be~~ to retrace this line or run parallel thereto must be adjusted to a variation of 12°30' East

Variation 12°. 30 East

Subdivision commenced June 18. 1859

Township 12 R 5 W 6th Principal Merid

* From the Corner to Sects 35 & 36 on Base line I run
North between sections 35 and 36
Variation 12°30' East

40.00 Deposited a marked stone set a post and raised a mound as per instructions for quarter section corner

55.00 A ravine course S.E.

79.00 A ravine course S W

80.00 Set a limestone 20 in long 15 in wide and 6 in thick for corner to sections 25, 26. 35 and 36
Land rolling soil 1st rate

East on a random line between sections 25 and 36
Variation 12, 30 East

1.00 A ravine course S

19.00 A ravine course S.E

31.00 A ravine course S

40.00 Set a stone for temporary quarter

Township 12 R 5 W 6th Principal Meridian

section corner

80.06 I intersected the East boundry of the township 6 lks S of the corner to sections 25 and 36 from which corner I run
West on a true line between sections 25 and 36
Variation 12°35' East

40.03 Set a limestone 16 in long 12 in wide and 6 in thick for quarter section corner.

80.06 The corner to sections 25, 26. 35 and 36
Land rolling soil 1st rate

North between sections 25 and 26
Variation 12, 30, East

40.00 Set a limestone 12 in long 13 in wide and 5 in thick for quarter section corner.

Township 12 R 5 & 6 W. Principal Meridian

80.00 Set a limestone 24 in long 12 in ~~thick~~ wide and 6 in thick for corner to sections 23, 24, 25 and 26
Land rolling soil 1st rate

East on a random line between sections 24 and 25
Variation 12°30' East

40.00 Set a stone for temporary quarter section corner

80.60 Intersected Rand's East boundry of township 10 lks S of corner to sections 24 and 25 from which corner Pecan
West on a true line between sections 24 and 25
Variation 12°34' East

40.30 Set a limestone 20 in long 13 in wide and 5 in thick for

Township 12 R 5 & 6 W. Principal Meridian

quarter section corner

80.60 The corner to sections 23, 24, 25 and 26
Land rolling soil 1st rate

North between sections 23 and 24
Variation 12°45' East

40.00 Set a limestone 24 in long 10 in wide and 3 in thick for quarter sec. corner

80.00 Set a limestone 23 in long 20 in wide and 4 in thick for corner to sections 13 14 23 and 24
Land level soil 1st rate

East on a random line between sections 13 and 24
Variation 12°45' East

40.00 Set a stone for temporary quarter section corner

80.68 Intersected the East boundry

Township 12 R 5 W 6th Principal Meridian

~~Dxxxx~~ of the township 20 lks S of corner to Sections 13 and 24 from which corner I run
West on a true line between Sections 13 and 24
Variation ~~12°45'~~ 12°54' East

40.34 Set a limestone 13 in long 10 in wide and 5 in thick for quarter section corner.

80.68 The corner to sections 13, 14, 23 and 24
Land rolling soil 1st rate

North between Sections 13 and 14
Variation 13°00' East

40.00 Deposited a marked stone set a post and raised a mound as per instructions for quarter section corner

80.00 Set a limestone 16 in long 16 in wide and 3 in thick for corner

Township 12 R 5 W 6th Principal Meridian

to sections 11, 12, 13 and 14
Land rolling soil 1st rate

East on a random line between Sections 12 and 13
Variation 13°00' East

40.00 Set a post for temporary quarter section corner

80.90 Intersected the East boundary of the township 70 lks N of the corner to sections 12 and 13 from which corner I run
West on a true line between Sections 12 and 13
Variation 12°~~15~~ 30' East

40.45 Set a limestone 17 in long 10 in wide and 5 in thick for quarter section corner

80.90 The corner to sections 11, 12, 13 and 14

Township 1 N R 5 W 6th Principal Meridian

Land rolling soil 1st rate

North between sections 11 and 12
Variation 13°.00' East

40.00 Set a limestone 12 in long 16 in wide and 3 in thick for quarter section corner.

70.50 A creek 20 lks wide skirted with timber runs S. E.

80.00 Set a limestone 15 in long 12 in wide and 6 in thick for corner to sections 1, 2, 11 and 12
Land rolling Soil 1st rate

East on a random line between sections 1 and 12
Variation 13° East

19.00 Ravine Course S E

40.00 Set a stone for temporary quarter

Township 1 N. Range 5 W. 6th Principal Meridian

section corner

80.54 Intersected East boundary of the Township 24 lks N of corner to sections 1 and 12 from which corner I run
West on a true line between sections 1 and 12
Variation 12° 49' East

40.27 Set a limestone 14 in long, 9 in wide and 3 in thick for quarter sec. corner

80.54 Corner to sections 1, 2, 11 and 12
Land rolling: Soil 2d rate

North on a random line between sections 1 and 2
Variation 12° 40' East

21.00 Ravine Course S E

40.00 Set a stone for temporary quarter section corner

Township 1 N. Range 5 W. 6th Principal meridi

79.80 Intersected North boundary of the Township at the corner to sections 1 and 2 from which corner I run South on a true line between sections 1 and 2

Variation ~~13~~ 12°45' East

39.80 ~~Intersected~~ Set a limestone 13 in long 9 in wide and 9 in thick for quarter sec corner

79.80 Corner to sections 1. 2. 11 and 12

Land rolling soil 2d rate

June 18th 1859

North between sections 34 and 35

Variation 12°.43 East

38.00 Drawing course S W

40.00 Set a limestone 12 in long 12 in wide and 3 in thick for quarter sec cor.

1c

8

2 ~~8~~.00 Set a limestone 17 in long 13 in

Township 1 N R 5 W 6th Principal Meridian

wide and 6 in thick for corner to sections 26. 27. 34 and 35.

Land rolling Soil 1st rate

East on a random line between sections 26 and 35

Variation 12°.43' East

40.00 Set a stone for temporary quarter section corner

79.70 Intersected R and S line 14 lks S of corner to sections 25 26 35 and 36 from which corner I run West on a true line between sections 26 and 35

Variation 12°.49' East

9.85 Set a limestone 14 in long 9 in wide and 9 in thick for quarter section corner

79.70 The corner to sections 26 27 34 and 35

Township 12 R 5 W 6th Principal Meridian

Land rolling soil 1st rate

North between sections 26 and 27
Variation 12°45' East

40.00 Set a limestone 20 in long 14 in wide and 5 in thick for quarter section corner

80.00 Set a limestone 13 in long 12 in wide and 8 in thick for corner to sections 22, 23, 26 and 27
Land rolling soil 1st rate.

East on a random line between sections 23 and 26
Variation 12°45' East

40.00 Set a stone for temporary quarter section corner

79.68 Intersected N and S line 20 lks S of corner to sections 23, 24, 25

Township 12 R 5 W 6th Principal Meridian

and 26 from which corner I run West on a true line between sections 23 and 26
Variation 12,54 East

39.84 Set a limestone 13 in long 13 in wide and 7 in thick for quarter section corner

79.68 The corner to sections 22, 23, 26 and 27
Land rolling soil 1st rate

North between sections 22 and 23
Variation 12°45' East

40.00 Set a limestone 13 in long 12 in wide and 6 in thick for quarter sec corner

80.00 Set a limestone 16 in long 12 in wide and 8 in thick for corner to sections 14, 15, 22 and 23
Land level soil 1st rate

Township 12 R 5 W 6th Principal Meridian

East on a random line between sections 14 and 23
Variation 13°35' East

19.00 A ravine course N

40.00 Set a stone for temporary quarter sec corner

79.60 Intersected N and S line at corner to sections 13, 14, 23 and 24 from which corner S 2 rods

West on a true line between sections 14 and 23
Variation 13°35' East

39.80 Set a limestone 13 in long 13 in wide and 5 in thick for quarter sec corner

79.60 ~~Set a Limestone~~ The corner to sections 14, 15, 22 and 23

Land level Soil 1st rate

Township 12 R 5 W 6th Principal Meridian

North between sections 14 and 15
Variation 13°35' East

29.00 Ravine course E

40.00 Set a limestone 15 in long 13 in wide and 8 in thick for quarter sec corner.

80.00 Set a limestone 16 in long 11 in wide and 3 in thick for corner to sections 10, 11, 14 and 15

Land level Soil 1st rate

East on a random line between sections 11 and 14
Variation 13°35' East

40.00 Set a stone for temporary quarter section corner

52.20 Ravine course S E.

79.20 Intersected N and S line at corner to sections 11, 12, 13 and 14 from

Which corner S 0mm
West on a true line between
sections 11 and 14
Variation 15°35' East

39.60 Set a limestone 20 in long 10 in
wide and 4 in thick for quarter
section corner

79.20 The corner to sections 10, 11, 14 and 15
Land level soil 1st rate

North between sections 10 and 11
Variation 13° 45' East

40.00 Set a limestone 20 in long 11 in wide
and 3 in thick for quarter sec corner

80.00 Set a limestone 14 in long 13 in wide
and 4 in thick for corner to
sections 2, 3, 10 and 11
Land level soil 1st rate

East on a random line between
sections 2 and 11
Variation 13°45' East

40.00 Set a stone for temporary quarter
section corner

67.00 Dry creek 20 lks wide skirted
with Elm timber, runs S.E.

79.58 Intersected R and S line 21 lks
R of corner to sections 1, 2, 11 and
12 from which corner S 0mm
West on a true line between
sections 2 and 11
Variation 13.5 6

39.79 Set a limestone 19 in long 14 in
wide and 4 in thick for quarter
section corner

79.58 The corner to sections 2, 3, 10 and 11
Land level soil 1st rate
Timber Elm

Township 1 N R 5 W 6th Principal Meridian

North on a random line between sections 2 and 3

Variation 13°45' East

33.00 Dry creek 20 lks wide runs SE

40.00 Set a stone for temporary quarter sec corner

43.00 Same creek 20 lks wide runs SW

67.00 Same creek 20 lks wide runs SE

80.10 Intersected the N boundry of the township 10 lks E of corner to sections 2 and 3 from which corner B run South on a true line between sections 2 and 3

Variation 13°49' East

40.10 Set a limestone 16 in long 10 in wide and 4 in thick for quarter sec corner

80.10 The corner to sections 2 3 10 and 11

Land level soil 1st rate

June 19th 1859

Township 1 N R 5 W 6th Principal Meridian

North between sections 33 and 34

Variation 12°50' East

40.00 Set a limestone 18 in long 13 in wide and 5 in thick for quarter section corner

80.00 Set a limestone 17 in long 10 in wide and 3 in thick for corner to sections 27, 28, 33 and 34

Land rolling soil 2d rate

East on a random line between sections 27 and 34

Variation 12°5' East

40.00 Set a stone for temporary quarter section corner

80.16 Intersected R and S line 17 lks S of corner to sections 27, 28, 33 and 34 from which corner B run West on a true line between

Township 1 N R 5 W 6th Principal Meridian

Sections 27 and 34

Variation 12° 57' East

40.08 Set a limestone 20 in long 15 in wide and 4 in thick for quarter sec. corner

80.16 The corner to sections 27, 28, 33 and 34

Land rolling soil 2d rate

North between 27 and 28

Variation 13° East

40.00 Set a limestone 18 in long 13 in wide and 5 in thick for quarter section corner,

80.00 Set a limestone 18 in long 13 in wide and 3 in thick for corner to sections 21, 22, 27 and 28

Land rolling soil 2d rate

East on a random line between sections 22 and 27.

Township 1 N R 5 W 6th Principal Meridian

Variation 13° East

40.00 Set a stone for temporary quarter section corner

80.30 Intersected R and S line 8 lks S of corner to sections 22, 23, 26 and 27 from which corner S 5m West in a true line between sections 22 and 27

Variation 13°. 5' East

40.15 Set a limestone 16 in long 12 in wide and 6 in thick for ~~corner to sections~~ quarter section corner

80.30 The corner to sections 21, 22, 27 and 28

Land rolling soil 2d rate

North between sections 21 and 22

Variation 13° East

13.00 Ravine cross S. W.

40.00 Set a limestone 16 in long 13 in

Township 1 N R 5 W 6th Principal Meridian

wide and 6 in thick for quarter section corner

80.00 Set a limestone 17 in long 13 in wide and 6 in thick for corner to sections 15 16 21 and 22

Land rolling Soil 2d rate

East on a random line between sections 15 and 22

Variation 13° East

40.00 Set a limestone ~~18 in long 12 in wide and 5 in thick~~ for temporary quarter section corner

80.00 Intersected Rand S line 8 lks S of corner to sections 14 15 22 and 23 from which corner Poun

West on a true line between sections 15 and 22

Variation 13° 3' East

Township 1 N R 5 W 6th Principal Meridian

40.30 Set a limestone 19 in long 12 in wide and 5 in thick for quarter sec corner

80.60 The corner to sections 15. 16. 21 and 22

Land rolling Soil 2nd rate

North between sections 15 and 16

Variation 13° East

40.00 Set a limestone 18 in long 14 in wide and 6 in thick for quarter section corner.

43.00 Raine course S E.

80.00 Set a limestone 20 in long 15 in wide and 3 in thick for corner to sections 9, 10, 15 and 16

Land rolling. Soil 2° rate

East on a random line between sections 10 and 15

Variation 13° East

Township 1 N R 5 W 6th Principal Meridian

40.00 Set a stone for temporary quarter section corner.

80.24 Intersected N and S line 25 lks S of corner to sections 10, 11, 14 and 15 from which corner S run West on a true line between sections 10 and 15

Variation 13°. 11' East

40.12 Set a limestone 20 in long 15 in wide and 4 in thick for quarter section corner

80.24 The corner to sections 9, 10, 15 and 16 Land rolling Soil 2d rate

---

North between sections 9 and 10

Variation 13°40' East

40.00 Set a limestone 18 in long 10 in wide and 3 in thick for quarter sec. corner

80.00 Set a limestone 20 in long 13 in

Township 1 N R 5 W 6th Principal Meridian

wide and 3 in thick for corner to sections 3, 4, 9 and 10

Land level Soil 1st rate

East on a random line between sections 3 and 10

Variation 13°40' East

40.00 Set a post for temporary quarter section corner

80.00 Intersected N and S line 25 lks S of corner to sections 2, 3, 10 and 11 from which corner S run West on a true line between sections 3 and 10

Variation 13°51' East

40.00 Deposited a marked stone set a post and raised a mound as per instructions for quarter sec corner

80.00 The corner to sections 3, 4, 9 and 10

Township 1 N R 5 W 6th Principal Meridian

Land level soil 1st rate

North on a random line between sections 3 and 4
Variation 13° 21' East

40.00 Set a stone for temporary quarter section corner

42.00 Ravine course E

79.25 Intersected ~~Rand S line 15 lks~~ R boundry of township 15 lks E of corner to sections 3 and 4 from which corner I run

~~South West~~ on a true line between sections 3 and 4
Variation 12° 47' East

39.25 Set a limestone 17 in long 14 in wide and 6 in thick for quarter section corner

79.25 The corner to sections 3, 4, 9 and 10

Land rolling soil 2d rate

June 20 1857

North between sections 32 and 33
Variation 12° 20' E

40.00 Set a limestone 17 in long 12 in wide and 3 in thick for quarter section corner

80.00 Set a limestone 18 in long 11 in wide and 3 in thick for corner to sections 28, 29, 32 and 33

Land rolling soil 2d rate.

East on a random line between sections 28 and 33
Variation 12° 40' East

7.00 Ravine course S W

40.00 Set a stone for temporary quarter

47.00 Ravine course S

69.00 Ravine course S

80.12 Intersected R and S line 32 lks S of corner to sections 27, 28, 33

Township 12 R 25 W 6th Principal Meridian

and 34 from which corner S run West on a true line between sections 28 and 33

Variation 12°55' East

40.06 Set a limestone 20 in long 12 in wide and 5 in thick for quarter section corner.

80.12 The corner to sections 28, 29, 32 and 33 Land rolling soil 2nd rate

North between sections 28 and 29

Variation 12°20' East

40.00 Set a limestone 18 in long 13 in wide and 5 in thick for quarter sec corner

80.00 Set a limestone 12 in long 9 in wide and 7 in thick for corner to sections 20, 21, 28 and 29 Land rolling soil 2d rate

Township 12 R 25 W 6th Principal Meridian

East on a random line between sections 21 and 28

Variation 12°20' East

14.00 Karine course S E

40.00 Set a stone for temporary quarter section corner

80.20 Intersected R and S line 38 lks S of corner to sections 21, 22, 27 and 28. from which corner S run West on a true line between sections 21 and 28

Variation 12°55' East

40.10 Set a limestone 17 in long 13 in wide and 3 in thick for quarter section corner

80.20 The corner to sections 20, 21, 28 and 29 Land rolling soil 2nd rate

Township 12 R 5 W 6th Principal Meridian

North between sections 20 and 21
Variation 12°40' East

40.00 Deposited a marked stone set a post and raised a mound as per instructions for quarter section corner

55.00 Ravine course S W

80.00 Deposited a marked stone set a post and raised a mound as per instructions for ~~quar~~ corner to sections 16, 17, 20 and 21

Land level soil 2nd rate

East between sections 16 and 21
Variation 12°40' East

12.00 Ravine course S W

40.00 Set a post for temporary quarter section corner

77.85 Intersected R and S line at corner to sections 15 16 21 and 22 from

Township 12 R 5 W 6th Principal Meridian

Which corner I run
West on a true line between
sections 16 and 21
Variation 12°40' East

39.93 Deposited a marked stone set a post and raised a mound as per instructions for quarter sec. corner

79.85 The corner to sections ~~15 16~~ 21 and 22
16 17 20 and 21

Land level soil 2nd rate

North between sections 16 and 17
Variation 13° East

12.00 Ravine course S.E.

40.00 Deposited a marked stone set a post and raised a mound as per instructions for quarter sec corner

80.00 Deposited a marked stone set a post and raised a mound as per

instructions for corner to sections
8, 9, 16 and 17
Land level soil 2nd rate

East on a random line between
sections 9 and 16
Variation 13° East

40.00 Set a post for temporary quarter
section corner

79.68 Intersected N and S line 20 lks
S of corner to sections 9, 10, 15
and 16 from which corner I run
West on a true line between
sections 9 and 16
Variation 13°, 11' East

39.84 Deposited a marked stone set a
post and raised a mound as
per instructions for quarter sec. corner

79.68 The corner to sections 8, 9, 16 and 17

Land level soil 2d rate

North between sections 8 and 9
Variation 13° East

40.00 Deposited a marked stone set a
post and raised a mound as per
instructions, for quarter section corner

80.00 Deposited a marked stone set a
post and raised a mound as per
instructions for corner to sections
4, 5, 8 and 9
Land level soil 2d rate

East on a random line between
sections 4 and 9
Variation 13°.00 East

40.00 Set a post for temporary quarter
section corner

79.62 Intersected N and S line 20 lks
S of corner to sections 3, 4, 9 and 10

f

from which corner I run
West on a true line between
sections 4 and 9
Variation 13° 17' East

39.81 Deposited a marked stone set a post
and raised a mound as per instruc-
tions for quarter section corner

79.62 The corner to sections 4, 5, 8 and 9
Land level soil 2d rate

North on a random line between
sections 4 and 5
Variation 13° East

40.00 Set a post for temporary quarter
section corner

79.40 Intersected North boundary of the
township 80 lks E of corner to sections
4 and 5 from which corner I run
South on a true line between

Township 12 R 5 W 6th Principal Meridian

Sections 4 and 5
Variation 13.34 East

39.40 Deposited a marked stone set a
post and raised a mound as per
instructions for quarter sec corner

79.40 The corner to sections 4, 5, 8 and 9
Land rolling soil 2d rate
June 21st 1859

From a point 30 lks. E. of witness cor to sections 31 & 32 I run
North between sections 31 and 32
Variation 12.45 East

40.00 Set a flint boulder 15 in long 12 in
wide and 4 in thick for quarter
section corner

46.00 Branch 10 lks wide runs SW

62.50 Same branch 10 lks wide runs SE

67.00 Same branch 10 lks wide runs SW

79.00 Same branch 10 lks wide runs SE.

80.00 Set a flint boulder 20 in long

16 in wide and 3 in thick for corner to sections 29, 30, 31 and 32
Land rolling Soil 1st rate

East on a random line between sections 29 and 32
Variation 12 45' East

36.00 Fort Riley and Fort Leavenworth Military road bears S E and N W

40.00 Set a stone for temporary quarter section corner

50.00 Branch 20 lks wide runs S

79.90 Intersected N and S line 30 lks N of corner to sections 28, 29, 32 and 33 from which corner I run
West on a true line between sections 29 and 32
Variation ~~12 15~~ 12° 32' 8" East

39.95 Set a limestone 23 in long 8 in

wide and 3½ in thick for quarter section corner

79.90 The corner to sections 29, 30, 31 and 32
Land rolling soil 1st rate

West on a random line between sections 30 and 31
Variation 12° 25' East

40.00 Set a stone for temporary quarter section corner

80.12 Intersected the West boundary of the township 18 lks N of the corner to sections 30 and 31 from which corner I run
East on a true line between sections 30 and 31
Variation 12° 53' East

40.12 Set a flint bouldder 18 in long 16 in wide and 3 in thick for quarter

Township 12 R 5 W 6th Principal Meridian

	Section corner
80.12	The corner to sections 29, 30, 31 and 32
	Land rolling soil 2nd rate
	North between sections 29 and 30
	Variation 12°45' E
6.00	A Branch 20 lks wide runs SW
60	set a flint pulder 18 in long 12 in wide and 4 in thick for quarter section corner
80.00	Set a limestone 15 in long 12 in wide and 5 in thick for corner to sections 19, 20, 29 and 30
	Land rolling soil 2nd rate
	East on a random line between sections 20 and 29
	Variation 12°45' East
13.00	Fort Riley and Fort Kearny Military road bears N and S

Township 12 R 5 W 6th Principal Merid

34.00	Branch 10 lks wide runs S
40.00	set a limestone for temporary quarter section corner
79.54	Intersected N and S line 50 lks N of corner to sections 20, 21, 28 and 29 from which corner I run West on a true line between sections 20 and 29
	Variation 12°24' East
39.77	Set a limestone 19 in long 8 in wide and 4 in thick for quarter section corner.
79.54	The corner to sections 19, 20, 29 and 30
	Land rolling soil 2nd rate
	West on a random line between sections 19 and 30
	Variation 12°45' East
10.00	Ravine Course S W.

Township 1 N R 5 W. 6th Principal Merid

40.00	Set a stone for temporary quarter section corner
80.10	Intersected ~~N and S L~~ West boundary of township 28 lks N of corner to sections 19 and 30. from which corner I run East on a true line between sections 19 and 30
	Variation 12°57' East
40.10	Set a lime stone 17 in long 15 in wide and 3 in thick for quarter section corner
80.10	The corner to sections 19, 20, 29 & 30 Land rolling soil 2nd rate
	North between sections 19 and 20
	Variation 12°45' East
4.00	Ravine course W
32.00	Fort Riley and Fort Kearny

	military road bears S E and N W
40.00	Set a limestone 19 in long 11 in wide and 4 in thick for quarter section corner
77.00	Ravine course S.E.
80.00	Set a flint boulder 18 in long 9 in wide and 3½ in thick for corner to sections 17, 18, 19 and 20 Land rolling soil 2nd rate
	East on a random line between sections 17 and 20
	Variation 12°45' East
27.00	Ravine course S.E.
40.00	Set a limestone 20 in long 8 in wide and 4 in thick for temporary quarter section corner
79.78	Intersected N and S line 30 lks N of corner to sections 16 17 20 and 21

from which corner Brass
West on a true line between sections
17 and 20
Variation 12°.32' East
39.89 Set a limestone 20 in long 8 in wide
and 4 in thick for quarter section corner
79.78 The corner to sections 17, 18, 19 and 20
Land rolling soil 2nd rate

West on a random line between
sections 18 and 19
Variation 12.45 East
2.00 Ravine Course S E
15.00 Fort Riley and Fort Kearny military
road bears N and S
24.00 Ravine course S
40.00 Set a stone for temporary quarter
section corner.
80.12 Intersected the West boundary

Township 12 R 5 W 6th Principal Meridian

of the township 30 lks N of corner to
sections 18 and 19 from which corner
Brass
~~West~~ East on a true line
between sections 18 and 19
Variation 12.58 East
40.12 Set a limestone 16 in long 15 in wide
and 3 in thick for quarter sec. corner
80.12 The corner to sections 17, 18, 19 and 20
Land rolling soil 2nd rate

North between sections 17 and 18
Variation 13° East
40.00 Set a flint boulder 15 in long 11 in wide
and 3½ in thick for quarter sec. corner
70.00 Ravine course S E
80.00 Set a flint boulder 14 in long 12 in
wide and 3½ in thick for corner to
sections 7, 8, 17 and 18

Township 19 R 5 W 6th Principal Meridian

	Land rolling soil 2nd rate
	East on a random line between sections 8 and 17
18.00	Ravine course S.E.
40.00	Set a stone for temporary quarter section corner.
80.56	Intersected N and S line at corner to sections 8, 9, 16 and 17 from which corner B oak
	West on a true line between sections 8 and 17
	Variation 13° East
40.28	Set a limestone 14 in long 12 in wide and 4 in thick for quarter sec. corner
80.56	The corner to sections 7, 8, 17 and 18
	Land rolling soil 2nd rate

Township 19 R 5 W 6th Principal Meridian

	West on a random line between sections 7 and 18
	Variation 13° East
28.00	Ravine course S W
40.00	Set a stone for temporary quarter section corner
60.00	Fort Riley and Fort Kearny Military road bears N W and S E
79.52	Intersected the west boundry of the township 20 lks N of corner to sections 7 and 18 from which corner B oak
	East on a true line between sections 7 and 18
	Variation 13° 9' East
39.52	Set a limestone ~~for temporary~~ 18 in long 12 in wide and 3 in thick for quarter section corner
79.52	The corner to sections 7, 8, 17 and 18
	Land rolling soil 2nd rate

North between sections 7 and 8

Variation 13° East

10.00 Ravine course S.E.

20.00 Set a limestone 18 in long 12 in wide and 4 in thick for quarter sec. corner

80.00 Set a flint boulder 14 in long 12 in wide and 4 in thick for corner to sections 5, 6, 7 and 8.

Land rolling soil 2nd rate

East on a random line between sections 5 and 8

Variation 13° East

23.00 Ravine course S W

40.00 Set a stone for temporary quarter section corner

80.85 Intersected R and S line at corner to sections 4, 5, 8 and 9 from which corner S run

West on a true line between sections 5 and 8

Variation 13° East

40.42 Set a limestone 20 in long 9 in wide and 3 in thick for quarter sec corner

80.85 The corner to sections 5, 6, 7 and 8

Land rolling soil 2nd rate

West on a random line between sections 6 and 7

Variation 13° East

23.00 Ravine course S W

40.00 Set a stone for temporary quarter section corner

42.00 Ravine course S

73.00 Ravine course S

79.00 Intersected West boundry of the township at the corner to sections 6 and 7 from which corner S run

East on a true line between
sections 6 and 7
Variation 13° East

39.00 Set a limestone 15 in long 12 in wide
and 3 in thick for quarter section corner

79.00 The corner to sections 5, 6, 7 and 8
Land rolling soil 2nd rate

North on a random line between
sections 5 and 6 and
Variation 13° East

20.00 Set a stone for temporary quarter
section corner

79.65 Intersected North boundary of the
township 25 lks East of corner to
sections 5 and 6 from which corner I run
South on a true line between
sections 5 and 6
Variation 13° 11' East

39.65 Set a limestone 16 in long 12 in wide
and 3 in thick for quarter sec corner

79.65 The corner to sections 5, 6, 7 and 8
Land rolling soil 2nd rate
June 22nd 1859

General description
The land in this Township
is generally 1st rate — it contains
no Stone — and very little water or
timber

List of the names of the individuals employed to assist in running measuring or marking the lines and corners described in the foregoing field notes of Township 1 N. Range 5 W. 6th Principal Meridian Showing the respective capacities in which they acted

Benjamin Thompson Chainman
William Richardson Chainman
Francis McCabe Flagman
John Richardson Cornerman
John McCoyle Comphsfman

Contract No. 265

Field notes of the survey of Township No 2 N. Range 5 W. of the 6th Principal Meridian. Nebraska Territory by Thomas W. Wheatly, Deputy Surveyor under his Contract No 265 bearing date 26th day of April A D 1859

Subdivision Commenced June 18: 1859.
" Completed June 22: 1859.

Compared by W. W. D. & R. R.

Ex. No 1.

Platted E. M.

List of Names & duties of Assistants

Henry Stroh	Chainman
James Hollet	Chainman
Alexander A. Ford	Cornerman
John Plummer	Flagman
George M. Gilford	Compassman

Township 2 North Range 5 West 6th P. M.



Field notes of the Subdivision lines on Township 2 N. Range 5. W. 6th. Principal meridian

To determine the proper adjustment of my Compass for Subdividing this Township I commence at the Corner to Townships 17 & 2 N, Ranges 4 and 5 West, and run

North on a blank line along the East boundary of Section 36.

Variation 12°30'

39,99 A point at quarter section Corner.

79,77 A point at Corner to Sections 25 and 36

To retrace this line or run parallel therete my Compass must be adjusted to a variation of 12°30' East

Subdivision Commenced June 18: 1859

From the Corner to sections 1, 2, 35 and 36.

On the South Boundary of the Township, Run

Township 2 N. Range 5 W. 6th Principal Meridian

North between sections 35 and 36

Variation 12° 30' East

40.00 Set a Limestone 18 in long, 15 in wide and 3 in thick for quarter section corner,

80.00 Set a Limestone 18 in. long, 12 in wide and 4 in thick for corner to sections 25. 26, 35 and 36,

Land gently rolling prairie. Soil 1st rate.

East on random line between sections 25 and 36.

Variation 12° 30' East.

40.00 Set post for temporary quarter sec: corner.

79.90 Intersected East boundary of Township 25 Chs North of the corner to sections 25 and 36, from which corner I run West on a true line between sections 35 and 36.

Variation 12° 19' East.

39.95 Deposited a marked stone, set post and raised a mound, as per instructions, for quarter section corner

79.90 The corner to sections 25, 26, 35 and 36.

Land rolling. Soil 1st rate.

Township 2 N. Range 5 W. 6 P. Merid.

North between sections 25 and 26.

Variation 12° 30' East

40.00 Set a Limestone 15 in long, 12 in wide and 5 in thick for quarter section corner.

80.00 Set a Limestone 20 in long, 18 in wide and 2 in thick for corner to sections 23, 24, 25 and 26.

Land level. Soil 1st rate.

East on a random line between sections 24 and 25.

Variation 12° 45' East.

40.00 Set a stone for temporary quarter sec: corner.

79.84 Intersected the East Boundary of Township 4 Chs North of corner to sections 24 and 25, from which corner I run West on a true line between sections 24 and 25.

Variation 12° 39' East,

39.92 Set a Limestone 18 in long, 9 in wide and 3 in thick for quarter section corner

79.84 The corner to sections 23, 24, 25 and 26.

Land gently rolling. Soil 1st rate.

Township 2 N. Range 5 W. 6th Principal Meridian

North between Sections 23 & 24.

Variation 12°30' East

40.00 Set a Limestone 18in long, 14in wide and 3in thick for quarter sec. Corner.

80.00 Set a Limestone 16in long, 14in wide and 4in thick for Corner to Sections 13, 14, 23 & 24.

Land level — Soil 1st rate

East on a Random line between Section 13 & 24

Variation 12°45' East

40.00 Set a Stone, for temporary quarter Sec. Corner.

79.96 Intersected East Boundary of the Township 32 lks: North of the Corner to Sections 13 and 24, from which Corner I run West on a true line between Sections 13 and 24.

Variation 12°30' East.

39.98 Set a Limestone 18in long, 10in wide and 6in thick for quarter Section Corner

79.96 The Corner to Sections 13, 14, 23 and 24.

Land level. Soil 1st rate

Township 2 N. Range 5 W. of 6th P. Merid.

North between Sections 13 and 14.

Variation 12°30' East

40.00 Set a Limestone 16in: long, 8in, wide & 6in thick for quarter Section Corner.

80.00 Set a Limestone 18in long, 12in wide & 4in thick for Corner to Sections 11, 12, 13 & 14

Land level, Soil 1st rate.

East on a random line between Sections 12 & 13.

Variation 12° 00' East.

40.00 Set a Stone, for temporary quarter Sec. Corner.

80.15 Intersected East Boundary of Township at the Corner to Sections 12 and 13, from which Corner I run West on a true line between Sections 12 & 13.

Variation 12° 00' East

40.07 Set a Limestone 20in long, 12in wide and 4in thick for quarter Section Corner.

80.15 The Corner to Sections 11, 12, 13 and 14.

Land gently rolling. Soil 1st rate.

Township 2 N. Range 5 W. 6th P. M. Merid.

North between Sections 11 and 12.

Variation 12° 30' East

40.00 Set a Limestone 20 in long, 18 in wide and 3 in thick for quarter section corner.

80.00 Set a Limestone 20 in long, 14 in wide and 4 in thick for corner to sections 1, 2, 11 and 12.

Land, level. Soil 1st rate

East on a random line between Sections 1 & 12

Variation 12° 00' East,

40.00 Set a stone for temporary quarter section corner.

80.20 Intersected the East Boundary of the Township 10 lks North of the corner to sections 1 and 12, from which corner I run -

West on a true line between sections 1 & 12.

Variation 11° 56' East

40.10 Set a Limestone 18 in long, 14 in wide and 3 in thick for quarter section corner.

80.20 The corner to sections 1, 2, 11 & 12.

Land, level — Soil 1st rate

Township 2 N. Range 5 W. 6th P. M.

North on a random line between Secs. 1 & 2

Variation 12° 15' East,

40.00 Set a stone for temporary quarter sec: corner.

79.70 Intersected the North Boundary at the corner to sections 1 and 2, from which corner I run South on a true line between Section 1 & 2.

Variation 12° 15' East,

39.70 Set a Limestone 14 in long, 12 in wide and 3 in thick for quarter section corner.

79.70 The corner to section 1, 2, 11 and 12.

Land, level, Soil 1st rate.

June 18th 1859.

North between Secs. 34 and 35.

Variation 12° 30' East,

40.00 Set a Limestone 15 in long, 12 in wide & 3 in thick for quarter section corner

80.00 Set a Limestone 20 in long, 15 in wide and 4 in thick, for corner to section 26, 27, 34 and 35

Land level Prairie. Soil 1st rate

Township 2 N. Range 5 W. 6 P. Merid.

East on a random line between Sec: 26 & 35.

Variation 12° 15' E.

40.00 Set a stone for temporary quarter Sec: corner,

80.00 Intersected N and S line 13 lks North of corner to sections ~~26 & 35~~ 25, 26, 35 and 36: from which corner I run

West on a true line between sections 26 and 35

Variation 12° 10' East,

40.00 Set a Limestone 18 in long, 12 in wide and 3 in thick for quarter section corner.

80.00 The corner to sections 26, 27, 34 and 35.

Land level. Soil 1st rate

North between sections 26 and 27.

Variation 12° 30' East,

40.00 Set a Limestone 15 in long, 10 in. wide and 10 in thick for quarter section corner,

80.00 Set a Limestone 18 in long, 12 in wide and 4 in thick for corner to sections 22, 23, 26 and 27.

Land gently rolling. Soil 1st rate

Township 2 N. Range 5 W. 6 P. M.

East on a random line between Secs 23 & 26.

Variation 12° 15' East

40.00 Set a stone for temporary quarter section corner

80.02 Intersected N and S line 10 lks North of the corner to sections ~~23 & 26~~ 23, 24, 25 and 26. from which corner I run

West on a true line between sections 23 & 26

Variation 12° 11' East,

40.01 Set a Limestone 13 in long, 10 in wide and 4 in thick for a quarter section corner

80.02 The corner to sections 22, 23, 26 and 27.

Land gently rolling, Soil 1st rate.

North between sections 22 & 23.

Variation 12° 30' East

40.00 Set a Limestone 14 in long, 10 in wide and 4 in thick for quarter section corner.

80.00 Set a Limestone 18 in long 12 in wide and 4 in. thick for corner to sections 14, 15, 22 & 23

Land, gently rolling. Soil 1st rate

Township 2 N. Range 5 W. 6th P. M.

East on a random line between Sections 14 & 23
Variation 12° 15' East.

40.00 Set a Stone for temporary quarter Sec: Corner.

80.02 Intersected N and S line 15 lks North of Corner to Sections ~~14 and 23~~ 13, 14, 23 and 24 from which Corner I run

West on a true line between Sections 14 & 23.
Variation 12° 6' East

40.01 Set a Limestone 14 in long, 12 in wide and 12 in thick for quarter Section Corner.

80.02 The Corner to Sections 14. 15. 22 and 23.
Land, level, Soil 1st rate

North between Sections 14 and 15.
Variation 12° 30' East,

40.00 Set a Limestone 15 in long, 12 in wide, and 8 in thick for quarter Section Corner.

80.00 Set Limestone 18 in long, 14 in wide and 3 in thick for Corner to Sections 10. 11. 14 and 15
Land rolling. Soil 2nd rate.

Township 2 N. Range 5 W. 6th P. M.

East on a random line between Secs 11 & 14.
Variation 12° 15' East.

00.30 Branch 5 lks wide, runs North.

40.00 Set a Stone for temporary quarter Sec: Corner.

80.06 Intersected N and S line 13 lks North of Corner to Sections 11, 12 and 14. & 15 from which corner I run

West on a true line between Sections 11 & 14.
Variation 12° 9' East,

40.03 Set a Limestone 18 in long, 18 in wide and 4 in thick for quarter Section Corner.

80.06 The Corner to Sections 10. 11. 14 & 15.
Land, West part rolling East part level.
Soil 1st rate.

North between Sections 10 & 11.
Variation 12° 30' East,

11.00 Branch 6 lks wide, Course W.

18.00 Same Branch, 6 lks wide runs N. E.

40.00 Set a Limestone 16 in long, 12 in wide and 3 in thick for a quarter Section Corner.

Township 2 N. Range 5 W. 6. P. M.

80.00 Set a Limestone 20 in long, 14 in wide, and 4 in thick, for Corner to sections 2.3.10 & 11.
Land rolling prairie. Soil 2nd rate

East on a random line between sec: 2 & 11.
Variation 12° 15' East,

40.00 Set a stone for temporary quarter sec: corner.
79.90 Intersected N & S line at Corner to sections 2 & 11. & 12
from which corner I run
West on a true line between sections 2 & 11. & 12
Variation 12° 15' East,

39.95 Set a Limestone 18 in long, 14 in wide and 2 in thick for quarter section corner.
79.90 The Corner to sections 2.3.10 & 11.
Land; rolling and part level. Soil 1st rate

North on a random line between sections 2 & 3.
Variation 12° 30' East,

40.00 Set a stone for temporary quarter sec: corn
79.76 Intersected North Boundary of Township

Township 2 N. Range 5 W. 6. P. M.

22 lks West of Corner to sections 2 & 3.
from which corner I run
South on a true line between Secs 2 & 3.
Variation 12° 21' East.

39.76 Set a Limestone 20 in long, 14 in wide, and 2 in thick for quarter section corner.
79.76 The corner to sections 2.3.10 and 11.
Land; rolling. Soil 2nd rate.
June 19th 1859.

North between sections 33 & 34.
Variation 12° 30' East,

40.00 Set a Limestone 20 in long, 14 in wide and 4 in thick for quarter section corner.
43.00 Ravine, Course E & W.
80.00 Set a Limestone 22 in long, 18 in wide and 4 in thick, for Corner to sections 27. 28, 33 and 34.
Land, rolling – Soil 1st rate

Township 2 N. Range 5 W. 6th P. M.

East on a random line between Secs 27 & 34

Variation 12° 00' East;

10.00 Branch 5 lks wide, runs S. E. skirted with timber

40.00 Set a stone, for temporary quarter sec: corner.

48.00 Creek, 30 lks wide, runs South, skirted with timber

80.00 Intersected N and S. line 40 Chs South of Corner to Sections 26, 27 & 34 and 35. from which corner I run West on a true line between Sections ~~27 & 34~~ ~~26, 27, 34 & 35~~. 27 & 34

Variation 12° 17' East.

40.00 Set a Limestone 20 in long, 13 in wide and 3 in thick for quarter section corner.

80.00 The corner to sections 27. 28. 33 & 34.

Land; gently rolling prairie. Soil 1st rate

Timber; Elm, —

North between sections 27 & 28.

Variation 12° 15' East

9.00 Ravine, course S. E.

40.00 Set a Limestone 20 in long, 16 in wide and 2 in thick for quarter section corner.

Township 2 N. Range 5 W. 6th P. M. Merid.

80.00 Set a Limestone 22 in long, 16 in wide and 4 in thick for corner to sections 21. 22, 27 & 28

Land; gently rolling. Soil 1st rate

East on a random line between Secs 22 & 27.

Variation 12° 15' East;

35.00 Creek, 30 lks wide, runs South.

40.00 Set stone for temporary quarter sec: corner.

80.20 Intersected N and S line, 15 lks South of Corner to Sections 22. 23. 26 and 27 ~~22 & 27~~. from which corner I run West on a true line between sections 22 & 27.

Variation 12° 21' East.

40.10 Set Limestone 18 in long, 14 in wide and 3 in thick for quarter section

80.20 The corner to sections 21. 22. 27 & 28.

Land rolling. Soil 1st rate,

North between Sections 21 & 22.

Variation 12° 15' East;

20.00 Creek, 30 lks wide, skirted with Elm * ~~and~~ runs East —

* Elm & Ash

Township 2 N. Range 5 W. 6th P.M.

40.00 Set a Limestone 14 in long, 8 in wide and 6 in thick, for quarter Section corner.

80.00 Set a Limestone 20 in long, 13 in wide and 4 in thick for Corner to Sections 15.16. 21 and 22. Land; South part rolling, North part level Soil 1st rate

East on a random line between Secs. 15 & 22.

Variation 12° 18' East,

40.00 Set a Stone for temporary quarter Sec: Cor.

80.08 Intersected N and S. line, 6 Chs North of corner to Sections ~~15 and 22~~ 14, 15, 22 & 23 from which Corner I run West on a true line between Secs 15 and 22.

Variation 12° 15' East,

40.04 Set a Limestone 18 in long, 13 in wide and 3 in thick, for quarter section Corner.

80.08 The Corner to Sections 15.16, 21 and 22. Land; level. Soil 1st rate.

Township 2 N. Range 5 W. 6th P.M.

North between Sections 15 and 16.

Variation 12° 15' East,

40.00 Set a Limestone 16 in long, 15 in wide and 3 in thick for quarter Section Corner.

80.00 Set a Limestone 20 in long, 16 in wide and 4 in thick for Corner to Sections 9.10.15 & 16. Land, level - Soil 1st rate.

East on a random line, between Secs 10 & 15.

Variation 12° 30' East,

40.00 Set a Stone for temporary quarter Sec: Corn.

80.06 Intersected N and S line 10 Chs North of Corner to Sections ~~10 and 15~~ 10, 11, 14 and 15, from which Corner I run West on a true line between Sections 10 & 15

Variation 12° 26' East,

40.03 Set a Limestone 14 in long, 10 in wide and 4 in thick for quarter section Corner.

80.06 The Corner to Sections 9. 10. 15 and 16. Land level, Soil 1st rate,

Township 2 N. Range 5 W. 6th P. M.

North between sections 9 and 10.

Variation 12° 00' East,

40.00 Set a Limestone 20 in: long, 15 in: wide and 3 in: thick for quarter sec: corner,

80.00 Set a Limestone 18 in long, 14 in wide and 5 in thick for corner to sections 3. 4. 9 and 10.

Land; North part rolling prairie - Soil 2nd rate

East on a random line between sections 3 & 10.

Variation 12° 30' East,

40.00 Set a stone for temporary quarter section corner,

56.00 Ravine, course N & S.

80.20 Intersected N and S line 25 lks North of corner to sections ~~3 and 10~~ 2, 3, 9 & 10 from which corner I run West on a true line between sections 3 & 10.

Variation 12° 19' East,

40.10 Set a Limestone 20 in long, 13 in wide and 3 in thick for quarter section corner.

80.20 The corner to sections 3. 4. 9 & 10.

Land; rolling, 2nd rate.

Township 2 N. Range 5 W. 6th P. M.

North on a random line between sections 3 & 4,

Variation 12° East,

40.00 Set post for temporary quarter section corner

78.00 Branch 8 lks wide, ~~course East~~ runs East

80.36. Intersected the North Boundary ~~9 lks~~ West of the corner to sections 3 and 4. from which corner I run South on a true line between sections 3 & 4.

Variation 11° 57' East

40.36 Deposited a marked stone, set post and raised mound, as per instructions for quarter section corner.

80.36 The corner to sections 3. 4. 9. and 10.

Land rolling - Soil 2nd rate

June 20th 1859

North between sections 32 & 33.

Variation 12° 10' East,

40.00 Set a Limestone 14 in. long, 8 in wide, and 3 in. thick, for quarter section corner.

60.00 Ravine, course ~~N & S~~ East ~~and West~~,

Township 2 N. Range 5 W. 6th P. M.

80.00 Set a Limestone 20 in long, 14 in wide, and 4 in thick for Corner to Secs. 28. 29. 32 and 33. Land, rolling prairie – Soil 2nd rate.

East on a random line between Secs 28 & 33

Variation 12° 0' East,

23.50 Ravine, Course N.E. and S.W.

40.00 Set Stone for Temporary quarter Section Corner,

80.00 Intersected N & S. line 3 lks South of Corner to Sect. ~~28 & 33~~ 27 28 33 & 34 S. from which corner I run

West on a true line between Sections 28 and 33

Variation 12°, 1' East.

40.00 Set a Limestone 18 in long, 14 in wide, and 3 in thick for quarter Section Corner.

80.00 The Corner to Sections 28. 29. 32 and 33. Land; rolling – 2nd rate soil.

North between Sections 28 and 29.

Variation 12° 10' East.

40.00 Set a Limestone 20 in long, 14 in wide and

3 in thick, for quarter Sec: Corner.

80.00 Set a Limestone 20 in long, 16 in wide and 3 in thick for Corner to Sections 20. 21. 28 & 29. Land; level – Soil 1st rate

East on a random line between Sects. 21 & 28

Variation 12° 0' East,

40.00 Set a Stone for temporary quarter Sec: Corner

79.90 Intersected N and S line 20 lks North of Corner to sections ~~21 and 28~~ 21, 22, 27 & 28. from which corner I run

West on a true line between Secs 21 and 28.

Variation 11° 51' East

39.95 Set a Limestone 15 in. long, 12 in wide and 3 in thick for quarter Sec: corner

79.90 The Corner to Sections 20. 21. 28 and 29. Land; level – Soil 1st rate

North between Sects 20 and 21.

Variation 12° 10' East.

40.00 Set a Limestone 14in long, 13in wide and 4in thick for quarter section Corner.

47.00 Ravine course N. E.

80.00 Set a Limestone 20in long, 17in wide, and 4in thick for Corner to Sections 16, 17, 20 and 21.

Land gently rolling. Soil 1st rate.

East on a random line between Sections 16 & 21

Variation 11°45' East,

9.00 Creek, 30 lks wide, runs S.E. – Skirted with Elm.

40.00 Set a stone for temporary quarter sec: corner.

80.00 Intersected N and S. line 50 lks North of Corner to Sections ~~15 & 21~~ 15, 16, 21 & 22 from which corner I run

West on a true line between Sects 16 & 21.

Variation 11° 24' East

40.00 Set a Limestone 14in long, 10in wide, and 10in thick for quarter sec: corner.

80.00 The Corner to Sections 16, 17, 20 and 21.

Land, level – Soil 1st rate.

Timber Elm –

North between Sections 16 and 17.

Variation 12° East,

12.00 Creek, 40 lks wide, runs S.E. Skirted with Elm.

40.00 Set a Limestone 18in long, 12in wide and 3in thick for quarter Section Corner.

80.00 Set a Limestone 22in long, 16in wide, and 2in thick for Corner to Sections 8, 9, 16 & 17.

Land gently rolling, Soil 1st rate

Timber: Elm –

East on a Random line between Sec: 9 & 16.

Variation 12° East,

40.00 Set a stone for temporary quarter sec: Corner,

79.50 Intersected the N and S. line, 8 lks North of the Corner to Sections ~~9 & 16~~ 9, 10, 15 and 16 from which corner I run

West on a true line between Sections 9 & 16.

Variation 11° 57' East,

39.75 Set a stone line 14 in long, 10 in wide and 4 in thick for ~~quarter~~ sec corner

79.50 The Corner to Sections 8, 9, 16 and 17.

Land Gently rolling Prairie: Soil 1st rate

Township 2 N. Range 5 W. 6th P. M.

North between sections 8 & 9,

Variation 12°.00' East

40.00 Set a Limestone 15 in long, 12 in wide and 4 in thick for quarter section corner,

80.00 Set a Limestone, 18 in long, 14 in wide and 3 in thick for corner to sections 4. 5. 8 and 9.

Land; level. and Soil 1st rate

East on a Random line between Sect. 4 & 9,

Variation 12° East.

40.00 Set a Limestone for temporary quarter Sec. Cor.,

80.16 Intersected N and S. line 20 lks North of corner to Secs 3, 4, 9 & 10 & 9. from which corner I run West on a true line between Sections 4 & 9.

Variation 11°.51' East

40.08 Set a Limestone 16 in long, 11 in wide and 3 in thick for quarter section corner.

80.16 The corner to Sections 4. 5. 8 and 9.

Rolling Prairie. Soil 1st rate

North on a Random line between Secs. 4 & 5.

Variation 12° 00' East,

3.00 Ravine, ~~bears~~ course N. E.

40.00 Set a stone for temporary quarter Sec: Corner.

80.03 Intersected the Northern Boundary 30 Chs W. of the corner to Sects 4 & 5, from which corner I run South on a true line between Secs 4 & 5.

Variation 11° 47' East,

40.03 Set a Limestone 12 in long, 10 in wide and 5 in thick for quarter Secs Corner,

80.03 The Corner to Sections 4. 5. 8 & 9.

Land Rolling – Soil 2nd rate

June 21st 1859,

North between Sections 31 and 32,

Variation 12° East,

40.00 Set a Limestone 18 in long, 16 in wide and 4 in thick for quarter Section Corner,

80.00 Set a Limestone 20 in long, 12 in wide and 5 in thick for Corner to Sections 29, 30, 31 & 32.

Land; level – Soil 1st rate

East on a random line between Secs: 29 & 32.
Variation 12° East,

40.00 Set a stone for temporary quarter Sec: corner.

80.00 Intersected N and S line 60 lks South of Corner to Secs 28. 29. 32 and 33. from which Cor. I run

West on a true line between secs. 29 & 32.
Variation 12° 26' East,

40.00 Set a limestone 18 in long, 15 in wide and 2 in thick for quarter Sec: corner.

80.00 The Corner to Secs 29. 30. 31 & 32,
Land; gently rolling - Soil 1st rate

West on a random line between Secs 30 & 31,
Variation 12° 10' East,

40.00 Set a stone for temporary quarter Sec: corner.

79.19 Intersected West Boundary of Township at Corner to Secs: 30 & 31. from which corner I run E

East on a true line between Secs 30 & 31.
Variation 12° 10' East,

39.19 Set a Limestone 18 in long, 12 in wide and 4 in th for quarter Sec: corner.

79.19 The Corner to Sections 29. 30. 31 and 32.
Land, level - Soil 1st rate

North between Secs 29 and 30
Variation 12° East,

40.00 Set a Limestone 14 in long, 14 in wide and 4 in thick for quarter Sec: corner.

46.40 Ravine, ~~Course~~ Course N. E.

80.00 Set a Limestone 20 in long, 16 in wide and 5 in thick for Corner to Secs 19. 20. 29 and 30.
Land; gently rolling. Soil 1st rate

East on a random line between Secs 20 & 29.
Variation 11° 45' East.

22.00 Ravine, ~~Course~~ Course N. E.

40.00 Set Stone for temporary quarter Sec: Corner.

79.60 Intersected N and S line 18 Chs South of Corner to Secs ~~20 & 29~~ 20. 21. 28 & 29 from which Corner I run

West on a true line between Sections 20 & 29.
Variation 11° 53' East.

Township 2 N. Range 5 W. 6th P. M.

39.80	Set a Limestone 15 in long, 12 in wide and 5 in thick for quarter Section Corner.
79.60	The Corner to Secs 19. 20. 29 & 30. Land; gently rolling. Soil 1st rate
	West on a random line, between Secs. 19 & 30 Variation 12° 20' East
40.00	Set a stone for temporary quarter Sec: Corner.
79.30	Intersected the West Boundary of the Township at Corner to Secs 19 and 30, from which Corner I run East on a true line between Secs 19 & 30. Variation 12° 20' East,
39.30	Set a Lime stone 18 in long, 16 in wide and 4 in thick for quarter Sec: Corner
79.30	The Corner to Sects. 19. 20. 29 & 30. Land; gently rolling. Soil 1st rate
	North between Sections 19 and 20. Variation 12° East.
40.00	Set a Limestone, 20 in long, 16 in wide and 4 in thick for quarter Sec: Corner.

Township 2 N. Range 5 W. 6th P. M.

80.00	Set a Limestone 18 in long, 15 in wide and 5 in thick for Corner to sections 17. 18. 19 & 20. Land gently rolling. Soil 1st rate
	East on a random line between Secs: 17 and 20 Variation 12° East.
40.00	Set a stone for temporary quarter Sec: Corner,
79.36	Intersected N and S. line 12 lks N. of Corner to Secs 16 17 20 & 21 ~~17 and 20~~. from which Cor: I run West on a true line between Secs: 17 and 20. Variation 11° 55' East,
39.68	Set a Limestone 16 in long, 16 in wide and 3 in thick for quarter Sec: Corner
79.36	The Corner to Sections 17. 18. 19 & 20. Land; gently rolling Soil 1st rate
	West on a random line between Sections 18 and 19. Variation 12° 35' East.
1.00	Ravine, Course N.E.
40.00	Set a Stone for temporary quarter Sec: Corner

Township 2 N. Range 5 W. 6th P. M.

79.36 Intersected West Boundary at corner to Secs: 18 and 19. from which corner I run East on a true line between Secs 18 and 19.

Variation 12° 35' East,

39.36 Set a Limestone 16in long, 10in wide and 4in thick for quarter section corner.

79.36 The corner to Secs 17. 18. 19 and 20.

Land gently rolling - Soil 1st rate

North between Section 17 and 18.

Variation 12° East,

1.20 Ravine, course N.E.

40.00 Set a Limestone 18in long, 12in wide and 4in thick for quarter section corner.

50.00 Creek, 30 lks wide, runs East,

80.00 Set a Limestone 20in long, 16in wide and 5in thick for corner to Sections 7. 8. 17 & 18.

Land; level. Soil 1st rate

Township 2 N. Range 5 W. 6. P. Meridian,

East on a random line between Secs 8 and 17.

Variation 12° East,

40.00 Set a Stone for temporary quarter Sec: Corner,

79.50 Intersected N and S. line 4 chs North of corner to Secs 8, 9, 16 & 17. from which corner I run West on a true line between Secs: 8 and 17.

Variation 11° 58' East,

39.75 Set a Limestone 20in long, 16in wide and 3in thick, for quarter section corner,

79.50 The Corner to Sections 7. 8. 17 and 18.

Land, level - Soil 1st rate

West on a random line between Secs 7 and 18.

Variation 12° 50' East

40.00 Set a Stone for temporary quarter Sec: Corner.

79.46. Intersected West Boundary, at Corner to Secs. 7 and 18. from which Corner I run East on a true line between Secs 7 and 18.

Variation 12° 50' East,

39.46 Set a Limestone 18in long, 16in wide and 3in thick for quarter Secs: Corner.

Township 2 N. Range 5 W. 6th P. M.

79.40 The Corner to Secs. 7. 8. 17 and 18.
Land level – Soil 1st rate

North between sections 7 and 8.
Variation 12° East

40.00 Set a Limestone 15 in long, 14 in wide, and 3 in thick for quarter Sec: Corner.

80.00 Set a Limestone 20 in long, 10 in wide and 8 in thick for corner to sections 5. 6. 7 and 8.
Land level – Soil 1st rate

East on a random line between Secs: 5 and 8.
Variation ~~18° 45'~~ 12° 05' East.

40.00 Set a Stone for temporary quarter Sec: corner

79.40 Intersected N & S. line 12 lks South of corner to Secs. 5, 5 & 8 & 9 from which corner I run

West on a true line between Secs 5 and 8.
Variation ~~12° 5'~~ 12° 5' East.

39.40 ~~39.70~~ Set a Limestone 14 in long, 14 in wide and 3 in thick for quarter Sec: Corner.

Township 2 N. Range 5 W. 6th P. M.

79.40 The corner to secs 5. 6. 7 & 8.
Land gently rolling, Soil 1st rate

West on a random line between Secs 6 & 7.
Variation 12° 45' East.

40.00 Set a Stone for temporary quarter Sec: Corner

79.55 Intersected West Boundary of the Township, at the Corner to Sections 6 and 7. from which corner I run ~~East~~

East on a true line between Sections 6 & 7.
Variation 12° 45' East.

39.55 Set a Limestone 18 in long, 16 in wide and 4 in thick for quarter Sec: Corner.

79.55 The Corner to Secs 5. 6. 7 & 8.
Land level, Soil 1st rate

North on a random line, between Secs 5 & 6.
Variation 12° East.

40.00 Set a Stone for temporary quarter Sec: corner.

80.38 Intersected North Boundary of Township, 9 lks East of Corner to Secs 5 & 6. from which corner I run

Township 2 N. Range 5 W. 6th P. M.

Southon a true line between sections 5 and 6,
Variation 12° 4' East.

40.38. Set a Limestone 18 in long, 14 in wide and 5 in thick for quarter section corner,

80.38. Set the Corner to Sections 5.6.7 & 8.

Land, level - Soil 1st rate.

June 22nd 1859.

General Description

This Township contains land of the best quality - but very little timber except on the creeks which are skirted with Elm and Cottonwood - No limestone in the Township ~~Limestone is generally found in abundance~~ - ~~The soil is first rate and admirably productive for agricultural purposes~~ -

List of Names,

A List of the Names of the individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field notes of Township No 2 North, of the base line of Range No 5 W. of the 6th Principal Meridian - Showing the respective capacities in which they acted.

Henry Stroh Chainman
James Hallet Chainman
Alexander Allard. Axeman
John Plummer. Flagman
George M. Tilford Compassman.

Contract No. 244

Field Notes

Of the subdivision lines in Township 3 North Range 5 West of the 6th Principal Meridian in Nebraska Territory as surveyed by Dufendorf and Todd Deputy Surveyors under their Contract bearing date July 10th 1858

Commenced September 15th 1858.
Completed September 18th 1858.

Copied C. B. Ramsdell
Comd.
Comp. James T. Ramsdell
D. L. Linnade
Exp. No. 1

4.

Names and duties of Assistants.

Henry S. Beeman.	Chainman
S. Mattersberger.	Chainman
Samuel Underwood	Chainman
Joseph Blair,	Chainman
George H. Rust.	Flagman
Samuel S. Anderson.	Flagman
F. B. Burwell.	Cutsman
Harrison Enos,	Cutsman
Samuel Bonham	Compassman

Township 3 North Range 5 West 6th P. M.

6	39	5	29	4	21	3	12	2	8	1
38		38		28		20		14		7
7	37	8	27	9	20	10	13	11	6	12
36		35		26		19		13		6
18	35	17	25	16	18	15	12	14	5	13
34		33		25		18		11		4
19	33	20	24	21	17	22	11	23	4	24
32		31		29		17		10		3
30	31	29	23	28	16	27	9	26	2	25
30		30		28		16		9		2
31	29	32	22	33	15	34	8	35	1	36

Chains

To determine the proper adjustment of my compass for subdividing this Township I commence at the Corner of Townships 2 & 3 north Ranges 4 and 5 West and run North on a Blank line along the East Boundary of Sec 36

Variation 12°.27' East

To a point 13 lks East of the quarter Sec Corner

To a point 30 lks East of the Corner to S 25 & 36

To retrace this line or run parallel thereto my compass must be adjusted to a variation of 12°.40' East

Subdivision Commenced Sept 18th 1858.

From the Corner to Secs 1.2.35.& 36 on the South Boundary of the Township I run North between Secs 35 and 36

Variation 12°.40' East

40.00 Set a Sandstone 18 in long 9 in wide and 4½ in thick for quarter Sec Corner

Township 3 N R 5 W of the 6th principal meridian

Chains	
80.00	Set a sandstone 15 in long 13 in wide & 5 in thick for Corner to Secs 25 26 35 and 36
	Land level Soil 2nd rate
	East on a Random line between Secs 25 & 36
	Variation 12° 40' East
40.00	Set post for temporary quarter Sec Corner
80.20	Intersected the East Boundary of the Township 22 lks North of the Corner to Secs 25 and 36 from which Corner I run
	West on a true line between Secs 25 & 36
	Variation 12° 32' East
40.10	Set a sand stone 17 in long 10 in wide & 5 in thick for quarter Sec Corner
80.20	The Corner to Secs 25 26 35 & 36
	Land level Soil 2nd rate
	North
	North between Secs 25 & 26
	Variation 12° 40' East

Township 3 N R 5 W of the 6th principal meridian 7

Chains	
40.00	Set a sand stone 20 in long 12 in wide and 5 in thick for quarter Sec Corner
80.00	Set a Sand Stone 16 in long 9 in wide and 7 in thick for Corner to Secs 23 24 25 and 26
	Land rolling Soil 2nd rate
	East on a Random line between Secs 24 & 25
	Variation 12° 40' East
40.00	Set post for temporary quarter Sec Corner
80.09	Intersected the East Boundary of the Township 17 lks South of the Corner to Secs 24 & 25 from which Corner I run
	West on a true line between Secs 24 & 25
	Variation 12° 48' East
40.04	Set a Sandstone 19 in long 7 in wide & 6 in thick for quarter Sec Corner
80.09	The Corner to Secs 23 24 25 and 26
	Land rolling Soil 2nd rate

Township 3 N R 5 W of the 6th principal Meridian

Chains	
	North between Secs 23 & 24
	Variation 12° 40' East
20.00	Enter Low Prairie Bears N E & S W
40.00	Set a sandstone 13 in long 12 in wide and 5 in thick for quarter Sec Corner
54.50	Litt. Blue Creek 125 lks wide runs East Some scattering timber on its banks
80.00	Set a Sandstone 18 in long 11 in wide and 6 in thick for Corner to Secs 13, 14, 23 & 24
	Land level Soil 2nd rate
	Timber Cottonwood Elm and Willow

East on a Random line between Secs 13 & 24

Variation 12° 40' East

9.00	Enter Timber bears S E and N W
10.00	Little Blue Creek 1 chain wide runs North East
10.50	Leave Timber Bears S E & N W
36.00	Little Blue Creek 110 lks wide runs S E
	Timber on both banks of Creek

Township 3 N R 5 W of the 6th principal Meridian

Chains	
40.00	Set post for temporary quarter Sec Corner
77.60	Intersected the East Boundary of the Township 19 lks South of the Corner to Secs 13 and 24 from which Corner I run West on a true line between Secs 13 & 24
	Variation 12° 40' East
39.80	Set a Sand Stone 16 in long 9 in wide & 5 in thick for quarter Sec Corner
79.60	The Corner to Secs 13, 14, 23 & 24
	Land rolling Soil 2nd rate
	Timber Elm Cottonwood & Willow

North between Secs 13 and 14

Variation 12° 40' East

20.00	Military Road from Ft. Leavenworth to Ft Kearney Bears E & W
25.00	Enter high Prairie Bears E & W
40.00	Set a Sandstone 15 in long 9 in wide & 7 in thick for quarter Sec Corner

Township 3 N R 5 W of the 6th principal Meridian

chains	
65.00	Dry Branch 10 lks wide Course West
80.00	Set a sandstone 14 in long 8 in wide & 5 in thick for Corner to Secs 11,12,13 & 14
	Land level Soil 2nd rate
	East on a Random line between Secs 12 & 13
	Variation 12° 40' East
40.00	Set post for temporary quarter Sec Corner
79.79	Intersected the East Boundary of the Township 11 lks north of the Corner to Secs 12 & 13 from which Corner I run
	West on a true line between Secs 12 & 13
	Variation 12° 35' East
39.89	Set a Sandstone 13 in long 11 in wide & 7 in thick for quarter Sec Corner
79.79	The Corner to Secs 11,12,13 & 14
	Land rolling Soil 2nd rate
	North between Secs 11 & 12
	Variation 12° 40' East

Township 3 N R 5 W of the 6th principal Meridian

chains	
40.00	Set a Sandstone 18 in long 11 in wide & 7 in thick for quarter Sec Corner
80.00	Set a Sandstone 18 in long 9 in wide and 6 in thick for Corner to Secs 1,2,11 & 12
	Land level Soil 2nd rate
	East on a Random line between Secs 1 and 12
	Variation 12° 40' East
40.00	Set a post for temporary quarter Sec corner
79.88	Intersected the East Boundary of the Township 26 lks South of the Corner to Secs 1 & 12 from which Corner I run
	West on a true line between Secs 1 & 12
	Variation 12° 51' East
39.94	Set a Sandstone 21 in long 9 in wide & 5 in thick for quarter Sec Corner
79.88	The Corner to Secs 1,2,11 & 12
	Land level Soil 2nd rate

Township 3 N R 5 W of the 6th principal Meridian

Chains	
	North on a Random line between Sec. 1 and 2
	Variation 12° 40' East
40.00	Set a Sandstone for temporary quarter Sec Corner
79.99	Intersected the North Boundary of the Township 19 lks East of the Corner to Sec. 1 & 2. from which Corner I run South on a true line between Sec. 1 & 2
	Variation 12° 48' East
39.99	Set a Sandstone 17 in long 13 in wide & 6 in thick for quarter Sec Corner
79.99	The Corner to Sec. 1, 2, 11, and 12
	Land Rolling Soil 2nd rate
	North between Sec. 34 & 35
	Variation 12° 40' East
40.00	Set a Sandstone 16 in long 11 in wide & 6 in thick for quarter Sec Corner

Township 3 N R 5 W of the 6th principal Meridian

Chains	
80.00	Set a Sandstone 19 in long 11 in wide & 6 in thick for Corner to Sec. 26, 27, 34 & 35
	Land level Soil 2nd rate
	East on a Random line between Sec. 26 & 35
	Variation 12° 40' East
40.00	Set a post for temporary quarter Sec Corner
79.88	Intersected the N and S line 13 lks South of the Corner to Sec. 25, 26, 35 and 36 from which Corner I run West on a true line between Sec. 26 & 35
	Variation 12° 46' East
39.94	Set a Sandstone 22 in long 8 in wide & 5 in thick for quarter Sec. Corner
79.88	The Corner to Sec. 26, 27, 34 and 35
	Land Broken Soil 3rd rate
	North between Sec. 26 and 27
	Variation 12° 40' East

14

Township 3 N R 5 W of the 6th principal meridian

Chains	
40.00	Set a sandstone 17 in long 11 in wide & 6 in thick for quarter Sec Corner
80.00	Set a sandstone 21 in long 8 in wide & 6 in thick for ~~corner to~~ Sec 22, 23, 26 & 27
	Land level Soil 2nd rate
	East on a Random line between Sec 23 & 26
	Variation 12° 40' East
40.00	Set a post for temporary quarter Sec corner
80.02	Intersected N and S line 9 lks north of the corner to Sec 23, 24, 25 and 26
	from which corner S run
	West on a true line between Sec 23 & 26
	Variation 12° 36' East
40.01	Set a sandstone 19 in long 11 in wide & 4 in for quarter Sec Corner
80.02	The Corner to Sec 22, 23, 26 & 27
	Land level Soil 2d rate

Township 3 N R 5 W of the 6th Principal meridian

15

Chains	
	North between Sec 22 and 23
	Variation 12° 40' East
40.00	Set a sandstone 23 in long 7 in wide & 5 in thick for quarter Sec Corner
45.00	Enter low Prairie Bears E & W
46.50	Enter Timber Bears S E and S W
47.30	Little Blue 125 lks wide runs S E.
48.00	Leave Timber bears N W & S E.
80.00	Set a Sandstone 16 in long 11 in wide & 6 in thick for Corner to Sec 14, 15, 22 & 23
	Land level Soil 2d rate
	Timber Elm and Cottonwood
	East on a Random line between Sec 14 & 23
	Variation 12° 40' East
30.00	Branch 30 lks wide Course S E some scattering timber along its banks
40.00	Set a post for temporary quarter Sec Corner
45.00	Branch 45 lks wide runs S E some scattering timber along its banks

Township 3 N R 5 W of the 6th principal Meridian

Chains	
80.01	Intersected the N and S line 13 lks South of the Corner to Secs 13, 14, 23, and 24 from which Corner I run West on a true line between Secs 14 & 23 Variation 12°, 40' East
40.05	Set a Sandstone 13 in long 11 in wide & 7 in thick for quarter Sec Corner
80.11	The Corner to Secs. 14, 15, 22, and 23. Land level. Soil 2nd rate Timber Elm & Cottonwood

---

North between Secs 14 & 15
Variation 12°, 40' East

20.00	Military Road running from Ft Leavenworth to Ft Kearney Bears N W & S E
25.00	Enter high Prairie Bears S E & N W
40.00	Set a Sandstone 19 in long 9 in wide and 5 in thick for quarter Sec Corner
80.00	Set a Sandstone 20 in long 9 in wide & 6 in thick for Corner to Secs 10, 11, 14 & 15

Township 3 N R 5 W of the 6th principal Meridian

Chains	
	Land rolling Soil 2nd rate

East on a Random line between Secs 11 & 14
Variation 12°, 40' East

40.00	Set a post for temporary quarter Sec Corner
60.00	Dry Branch 20 lks wide course S 83 W
80.17	Intersected the N & S line 5 lks north of the Corner to Secs 11, 12, 13 & 14 from which Corner I run West on a true line between Secs 11 & 14 Variation 12°, 38' East
40.08	Set a Sandstone 22 in long 11 in wide and 4 in thick for quarter Sec Corner
80.17	The Corner to Secs 10, 11, 14, & 15 Land lightly rolling Soil 2nd rate

---

North between Secs 10 and 11
Variation 12°, 40' East

40.00	Set a Sandstone 15 in long 10 in wide and 6 in thick for quarter Sec Corner

Township 3 N R 5 W of the 6th principal meridian

chains	
80.00	Set a sandstone 17 in long 9 in wide & 5 in thick for Corner to Sec 2.3.10 & 11
	Land level Soil 2nd rate
	East on a Random line between Sec 2 & 11 Variation 12° 40' East
40.00	Set a post for temporary quarter Sec Corner
79.85	Intersected the N & S line 11 lks north of the Corner to Sec 1.2.11 & 12
	from which Corner I run
	West on a true line between Sec 2 & 11 Var 12° 35' East
39.92	Set a sandstone 17 in long 10 in wide & 5 in thick for quarter Sec corner
79.85	The Corner to Sec 2.3.10 & 11
	Land lightly rolling Soil 2nd rate
	North on a Random line between Sec 2 & 3 Variation 12° 40' East
40.00	Set a post for temporary quarter Sec Corner

Township 3 N R 5 W of the 6th principal meridian

chains	
80.80	Intersected the North Boundary of the Township 35 lks East of the Corner to Sec 2 & 3
	from which Corner I run
	South on a true line between Sec 2 & 3 Variation 12° 35' East
40.80	Set a Sandstone 21 in long 10 in wide and 5 in thick for quarter Sec Corner
80.30	The Corner to Sec 2.3.10 and 11
	Land level Soil 2nd rate
	Sept 15th 1858
	North between Sec 33 and 34 Variation 12° 40' East
40.00	Set a sandstone 20 in long 7 in wide and 4 in thick for quarter Sec Corner
80.00	Set a Sandstone 17 in long 13 in wide and 4 in thick for Corner to Sec 27.28.33 & 34
	Land level Soil 2nd rate

Township 3 N R 65 W of the 6th principle Meridian

Chains	
	East on a Random line between Secs 27 + 34 Variation 12° 40' East
40.00	Set post for temporary quarter Sec Corner
79.83	Intersected the N + S line 17 lks South of the Corner to Secs 26, 27, 34 and 35 from which Corner S run
	West on a true line between Secs 27 + 34 Variation 12° 47' East
39.91	Set a Sandstone 18 in long 9 in wide + 7 in thick for quarter Sec Corner
79.83	The Corner to Secs 27, 28, 33 + 34 Land level Soil 2d rate

North between Secs 27 and 28
Variation 12° 40' East

40.00	Set a Sandstone 18 in long 11 in wide + 5 in thick for quarter Sec Corner
80.00	Set a Sandstone 21 in long 6 in wide + 6 in thick for Corner to Secs 21, 22, 27 + 28 Land level Soil 2d rate

Township 3 N R 66 W of the 6th principal Meridian

Chains	
	East on a Random line between Secs 22 + 27 Variation 12° 40' East
40.00	Set a post for temporary quarter Sec Corner
79.96	Intersected N and S line 20 lks South of the Corner to Secs 22, 23, 26 + 27 from which Corner S run
	West on a true line between Secs 22 and 27 Variation 12° ~~51'~~ 49' East
39.98	Set a Sandstone 18 in long 7 in wide + 6 in thick for quarter Sec Corner
79.96	The Corner to Secs 21, 22, 27, 28 Land level Soil 2d rate

North between Sections 21 and 22.
Variation 12° 40' East

10.50	Enter low Prairie Bears N E + S W
40.00	Set a Sandstone 16 in long 13 in wide + 4 in thick for quarter Sec Corner
80.00	Set a Sandstone 22 in long 9 in wide and 6 in thick for Corner to Secs 15, 16, 21 + 22

Township 3 N R 5 W of the 6th principal Meridian

chains	
	Land level Soil 2nd rate
	East on a Random line between Secs 15 & 22
	Variation 12° 40' East
40.00	Set a post for temporary quarter Sec Corner
60.00	Little Blue 75 lks wide runs S.E — Timber on its banks
80.18	Intersected the N and S line 3 lks. North of the Corner to Secs 14, 15, 22, and 23 from which Corner I run
	West on a true line between Secs 15 & 22
	Variation 12° 39' East
40.09	Set a Sandstone 19 in long 11 in wide & 6 in thick for quarter Sec Corner
80.18	The Corner to Secs 15, 16, 21 & 22
	Land level Soil 2nd rate
	Timber cottonwood Elm and willow
	North between Secs 15 and 16
	Variation 12° 40' East
20.50	Dry Branch 10 lks wide course N E with some scattering timber on its banks

Township 3 N R 5 W of the 6th principal Meridian

chains	
39.30	Enter Timber bears E & W
40.00	Set a Sand stone 16 in long 13 in wide & 5 in thick for quarter Sec Corner from which
	A cottonwood 12 in dia bears South 30° W. West 15 lks dist
	A cottonwood 18 in dia bears S 40° 15' E 80 lks distant
40.90	Leave Timber bears E. and W. & Cross Little Blue Creek 150 lks wide runs East
43.00	Millitary Road running from Ft Leaven worth to Ft Kearney bears E & W.
48.00	Enter high Prairie Bears E & W.
80.00	Set a Sandstone 22 in long 13 in wide & 3 in thick for Corner to Secs 9, 10, 15 & 16
	Land level Soil 2nd rate
	Timber Elm Cottonwood & Willow
	East on a Random line between Secs 10 & 15
	Variation 12° 40' East
40.00	Set a post for temporary quarter Sec Corner

Township 3 N Range 5 W of the 6th principal Meridian

chains	
79.85	Intersected the N & S line 8 links South of the Corner to Secs 10.11.14 & 15 from which corner I run West on a true line between Secs 10 & 15 Variation 12°44' East
39.92	Set a Sandstone 18 in long 12 in wide & 5 in thick for quarter Sec Corner
79.85	The corner to Secs 9.10.15 and 16 Land level Soil 2nd rate

North between Secs 9 and 10 Variation 12°40' East

40.00	Set a Sandstone 19 in long 13 in wide & 5 in thick for quarter Sec Corner
80.00	Set a Sandstone 17 in long 12 in wide & 5 in thick for Corner to Secs 3.4.9 & 10 Land level Soil 2nd rate

East on a Random line between Secs 3 & 10 Variation 12°40' East

Township 3 N Range 5 W of the 6th principal Meridian

chains	
40.00	Set a post for temporary quarter Sec Corner
79.99	Intersect the N & S line 12 lks north of the corner to Secs 2.3.10 & 11 from which Corner I run West on a true line between Secs 3 & 10 Variation 12°35' East
39.99	Set a Sandstone 15 in long 11 in wide & 6 in thick for quarter Sec Corner
79.99	The Corner to Secs 3.4.9. and 10. Land level Soil 2nd rate

North on a Random line between Secs 3 & 4 Variation 12°40' East

40.00	Set a post for temporary quarter Sec Corner
80.51	Intersected the North Boundary of the Township 50 lks East of the Corner to Secs 3 & 4. from which Corner I run South on a true line between Secs 3 & 4 Variation 13°02' East

Township 3 N R 5 W of the 6th principal meridian

chains	
40.51	Set a sandstone 18 in long 14 in wide & 4 in thick for quarter Sec Corner
80.51	The Corner to Secs 3, 4, 9 and 10
	Land level Soil 2nd rate

North between Secs 32 and 33

Variation 12° 40' East

40.00	Set a sandstone 15 in long 6 in wide & 6 in thick for quarter Sec Corner
80.00	Set a sandstone 19 in long 7 in wide & 6 in thick for Corner to Secs 28, 29, 32 & 33
	Land level - Soil 2nd rate

East on a Random line between Secs 28 & 33

Variation 12° 40' East

40.00	Set a post for temporary quarter Sec Corner
80.03	Intersected the N. & S. line 32 lks South of the Corner to Secs 28, 29, 32 and 33 from which Corner I run
	West on a true line between Secs 28 & 33

Township 3 N R 5 W of the 6th principal Meridian

chains	
	Variation 12° 54' East
40.01	Set a sandstone 14 in long 10 in wide & 5 in thick for quarter Sec Corner
80.03	The Corner to Secs 28, 29, 32 & 33.
	Land level Soil 2nd rate

North between Secs 28 & 29

Variation 12° 41' East

25.00	Dry Ravine 10 lks wide bears N E
30.00	Dry Ravine 10 lks wide N W
39.00	Dry Ravine 15 lks wide bears N E
40.00	Set a sandstone 16 in long 14 in wide & 5 in thick for quarter Sec Corner
80.00	Set a sandstone 17 in long 11 in wide & 6 in thick for Corner to Secs 21, 20, 28, & 29
	Land Broken Soil 2nd rate

East on a Random line between Secs 21 & 28

Variation 12° 40' East

30.50	Branch 15 lks wide Course N E

Township 3 N R 6 W of the 6th principal meridian

chains	
40.00	Set a post for temporary quarter Sec Corner
80.12	Intersected the N & S line 27 lks south of the Corner to Sec 21, 22, 27 & 28 from which Corner I run West on a true line between Sec 21 & 28 Variation 12° 52' East
40.06	Set a Sand Stone 19 in long 9 in wide & 6 in thick for quarter Sec Corner
80.12	The Corner to Sec 20, 21, 28, 29. Land Broken Soil 2nd rate

North between Sec 20 & 21
Variation 12° 40' East

40.00	Set a Sandstone 20 in long 7 in wide & 5 in thick for quarter Sec Corner
40.50	Enter low Prairie Bears N & S W.
80.00	Set a Sandstone 17 in long 11 in wide and 4 in thick for Corner to Sec 16, 17, 20 & 21 Land 1st 1/2 mile Broken 2 1/2 mile level Soil 2nd rate

Township 3 N R 5 W of the 6th principal Meridian

chains	
	East on a Random line between Sec 16 & 21 Variation 12° 40' East
40.00	Set a post for temporary quarter Sec Corner
49.00	Timber bears N W & S E
57.50	Small Creek 35 lks wide runs N E
59.00	Leave Timber bears N W & S E
79.82	Intersect the N & S line 6 lks north of the Corner to Sec 15, 16, 21, & 22 from which corner I run West on a true line between Sec 16 & 21 Variation 12° 37' East
39.91	Set a Sandstone 16 in long 12 in wide & 5 in thick for quarter Sec Corner
79.82	The Corner to Sec 16, 17, 20 & 21 Land level Soil 2nd rate Timber Bur Oak and Elm

North between Sec 16 & 17
Variation 12° 40' East

Township 3 N R 5 W of the 6th principal Meridian

chains	
18.00	Branch 12 lks wide course N E with some scattering Timber on its banks
19.50	Enter Timber N E & S W
40.00	Set a sandstone 24 in long 6 in wide & 4 in thick for quarter Sec Corner from which An Elm bears N 27° 15' E 12 in dia 75 lks dist A Cottonwood 18 in dia bears S 16° 30' W 40 lks dist
43.00	Little Blue creek 150 lks wide runs East
44.30	Leave Timber bears E & W
80.00	Set a sandstone 20 in long 10 in wide & 4 in thick for Corner to Secs 8.9.16 & 17 Land level Soil 2nd rate Timber Bur Oak Cottonwood Elm & Willow

East on a random line between Secs 9 & 16
Variation 12° 40' East

Township 3 N R 5 W of the 6th principal Meridian 27

chains	
9.50	Military Road running from Ft Leavenworth to Ft Kearney bears S E & N W
40.00	Set a post for temporary quarter Sec Corner
50.60	Enter High Prairie bears N E & S W
79.85	Intersect the N & S line 40 lks South of the Corner to Secs 9.10.15 & 16 from which Corner I run West on a true line between Secs 9 & 16 Variation 12° 54' East
39.92	Set a sandstone 17 in long 11 in wide & 5 in thick for quarter Sec Corner
79.85	The Corner to Secs 8.9.16 & 17 Land level Soil 2nd rate

North between Secs 8 & 9
Variation 12° 40' East

5.20	Military Road running from Ft Leavenworth to Ft Kearney bears N W & S E
40.00	Set a sandstone 18 in long 12 in wide & 5 in thick for ~~quarter~~ Sec Corner

Township 3 N R 5 W of the 6th principal Meridian

Chains	
41.37	Enter high Prairie Bearing NW¼ S.E
80.00	Set a sandstone 22 in long 9 in wide & 4 in thick for corner to Secs 4.5.8 & 9
	Land level Soil 2nd rate
	East on a Random line between Secs 4 & 9
	Variation 12°.40' East
40.00	Set a post for temporary quarter Sec Corner
79.78	Intersected the N & S line 17 lks South of the Corner to Secs 3.4.9 & 10 from which Corner I run
	West on a true line between Secs 4 & 9
	Variation 12°.40' East
37.89	Set a sandstone 19 in long 11 in wide & 4 in thick for quarter Sec Corner
79.78	The Corner to Secs 4.5.8 & 9
	Land level Soil 2nd rate

Township 3 N R 5 W of the 6th principal Meridian

Chains	
	North on a Random line between Secs 4 & 5
	Variation 12°.40' East
40.00	Set a post for temporary quarter Sec Corner
80.40	Intersected the north Boundary of the Township 64 lks East of the Corner to Secs 4 & 5 from which Corner I run
	South on a true line between Secs 4 & 5
	Variation 13°.12' East
40.40	Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions
80.40	The Corner to Secs 4.5.8 & 9
	Land level, Soil 1st rate
	Sept 17th 1858
	North between Secs 31 & 32
	Variation 12°.40' East
40.00	Set a Sand Stone 21 in long 9 in wide & 4 in thick for quarter Sec Corner
80.00	Set a Sand Stone 19 in long 13 in wide & 4 in thick for Corner 29.30.31 & 32

Township 3 N R 5 W of the 6th Principal Meridian

Chains	
	Land level. Soil 2d rate
	East on a Random line between Sec 29 & 32
	Variation 12°, 40' East
40 00	Set a post for temporary quarter Sec Corner
80 07	Intersected the N & S line 25 lks South of the corner to Sec 28, 29 32 & 33 from which corner I run
	West on a true line between Sec 29 & 32
	Variation 12°, 51' East
40 03	Set a Sand Stone 12 in long 7 in wide & 6 in thick quarter Sec Corner
80.07	The Corner to Sec 29, 30, 31 & 32
	Land level. Soil, 2d rate
	West on a Random line between Sec 30 & 31
	Variation 12°, 40' East
40 00	Set a post for temporary quarter Sec. Corner
79 32	Intersected the West Boundary of the Township 18 lks north of the Corner to Sec 30 & 31 from which Corner I run

Township 3 N R 5 W of the 6th Principal Meridian

Chains	
	East on a true line between Sec 30 & 31
	Variation 12°, 52' East
39 32	Set a Sand Stone 17 in long 13 in wide & 3 in thick for quarter Sec Corner
79 32	The Corner to Sec 29, 30, 31 & 32
	Land level. Soil 2d rate
	North between Sec 29 & 30
	Variation 12°, 40' East
40 00	Set a Sand Stone 20 in long 10 in wide & 3 in thick for quarter Sec. Corner
80 00	Set a Sand Stone 17 in long 11 in wide & 5 in thick for corner to Sec 19, 20, 29 & 30
	Land level. Soil 2d rate
	East on a Random line between Sec 20 & 29
	Variation 12°, 40' East
40 00	Set a Sand Stone ~~23 in long 6 in wide & 3 in thick~~ temporary for quarter Sec. Corner

Township 3 N R 5 W of the 6th principal Meridian

chains	
79.81	Intersected the N. & S. line 10 lks north of the corner to Secs 20, 21, 28 & 29 from which corner I run West on a true line between Secs 20 & 29. Variation 12° 35' East
39.90	Set a sandstone 15 in long 13 in wide & 5 in thick for quarter Sec Corner
79.81	The corner to Secs 19, 20, 29 & 30. The 1st 1/2 mile level 2d 1/2 mile Rolling, Soil 2d rate

West on a Random line between Secs 19 & 30
Variation 12° 40' East

40.00	Set a post for temporary Quarter Sec Corner
79.40	Intersected the West Boundary of the Township 30 lks North of the Corner to Secs 19 & 30 from which Corner I run East on a true line between Secs 19 & 30. Variation 12° 53' East
39.40	Set a Sand Stone 16 in long 11 in wide & 4 in thick for Quarter Sec Corner

Township 3 N R 5 W of the 6th principal Meridian

chains	
79.40	The corner to Secs 19, 20, 29 & 30. Land Rolling Soil 2d rate

North between Secs 19 & 20
Variation 12° 40' East

40.00	Set a Sand Stone 18 in long 9 in wide & 4 in thick for quarter Sec Corner
80.00	Set a Sand Stone 24 in long 5 in wide & 3 in thick for corner to Secs 17, 18, 19 & 20. The 1st 1/2 mile level 2d 1/2 mile Rolling, Soil 2d rate

East on a Random line between Secs 17 & 20
Variation 12° 40' East

32.00	Enter Low prairie
40.00	Set a post for temporary quarter Sec Corner
57.75	Dry Branch 6 lks wide Course N 6
79.95	Intersected the N. & S. line 12 lks South of the corner to Secs 16, 17, 20 & 21 from which Corner I run West on a true line between Secs 17 & 20. Variation 12° 45' East

Township 3 N R 65 W of the 6th Principal Meridian

chains	
39.95	Set a Sand Stone 22 in long 9 in wide & 4 in thick for quarter Sec Corner
79.95	The Corner to Secs 17 & 18 19 & 20
	The 1st 1/2 mile level & 2d 1/2 mile Rolling, Soil 2d rate

West on a Random line between Secs 18 & 19
Variation 12° 40' East

40.00	Set a post for temporary quarter Sec corner
79.54	Intersected the West Boundary of the Township 40 lks north of the corner to Secs 18 & 19
	from which corner I run
	East on a true line between Secs 18 & 19
	Variation 12° 57' East
39.54	Set a Sandstone 18 in long 10 in wide & 5 in thick for quarter Sec corner
79.54	The corner to Secs 17, 18, 19 & 20
	Land level Soil 2d rate

Township 3 N R 65 W of the 6th Principal Meridian

chains	
	North between Secs 17 & 18
	Variation 12° 40' East
40.00	Set a sand Sand stone 22 in long 11 in wide & 5 in thick for quarter Sec. corner
60.00	Enter low prairie N W & S E
80.00	Sand stone 19 in long 8 in wide & 5 in thick for corner to Secs 7, 8, 17 & 18 from wich
	A Bur oak 15 in dia bears N 25° 15' E 60 lks dist
	An Elm 28 in dia bears N 15° 35' W 90 lks dist
	An Elm 15 in dia bears S. 49° 20' E 115 lks dist
	No ~~other~~ tree in Sec 18 convenient
	1 1/2 mile Rolling, Soil 2d rate 2 1/2 mile level, Soil 1st rate

---

East on a Random line between Secs 8 & 17
Variation 12° 40' East

1.25	Enter timber bears N W & S E
20.30	Little Blue Creek 125 lks wide runs S E
22.00	Leave timber bears N W & S E

Township 3 N R 5 W of the 6th principal Meridian

chains	
4000	Set a post for temporary quarter Sec Corner
8022	Intersected the N & S line 35 lks north of the corner to Secs 8, 9, 16 & 17 from which Corner I run West on a true line between Secs 8 & 17 Variation 12° 25' East
4011	Set a Sandstone 16 in long 9 in wide & 5 in thick for quarter Sec. Corner
8022	The Corner to Secs 7, 8, 17 & 18 Land level. Soil 1st rate Timber bur oak & Elm

West on a Random line between Secs 7 & 18
Variation 12° 40' East

3900	Enter high Prairie N W & S E
4000	Set a post for temporary quarter Sec Corner
7960	Intersect the West Boundary of the Township 29 lks South of Corner to Secs 7 & 18 from which Corner I run East on a true line between Secs 7 & 18 Variation 12° 28' East

Township 3 N R 5 W of the 6th principal Meridian

chains	
3960	Set a Sandstone 17 in long 10 in wide & 5 in thick for quarter Sec Corner
7960	The Corner to Secs 7, 8, 17 & 18 The 1st 1/2 mile level. 2d 1/2 mile Rolling Soil 1st rate

North ~~on a true~~ line between Secs 7 & 8
Variation 12° 40' East

75	Enter timber bears N W & S E
2200	Little Blue Creek 140 lks wide runs S E
2550	Leave timber bears N W & S E
4000	Set a Sandstone 20 in long 9 in wide & 4 in thick for quarter Sec. Corner
50.00	Military Road from Ft Leavenworth to Ft Kearney bears S E & N W
6500	Enter high prairie Bears N W & S E
8000	Set a Sand stone 18 in long 11 in wide & 4 in thick for Corner to Secs 5, 6, 7 & 8 1st 1/2 mile level. 2d 1/2 mile Rolling. Soil 1st rate

Township 3 N R 5 W of the 6th principal Meridian

chains	
	East on a Random line between 5 & 8
	Variation 12° 40' East
4000	Set a post for temporary quarter Sec Corner
7989	Intersected the N & S line 20 lks north of the corner to Secs 4.5.8 & 9 from which corner I run West on a true line between Secs 5 & 8
~~3994~~	Variation 12° 32' East
3994	Set a sandstone 20 in long 12 in wide & 5 in thick for quarter Sec Corner
7989	The corner to Secs 5.6.7 & 8
	Land Rolling Soil 2nd rate

	West on a Random line between Secs 6 & 7
	Variation 12° 40' East
1800	Enter low prairie bears N W & S E
2475	Millitary Road from Ft Leavenworth to Ft Ramey bears N W & S E
4000	Set a post for temporary quarter Sec Corner

Township 3 N R 5 W of the 6th Principal Meridian

chains	
5500	Little Blue Creek 125 lks wide runs S E Some scattering timber on its banks
7990	Intersected the West boundary of the Township 55 lks South of the Corner to Secs 6 & 7 from which Corner I run East on a true line between Secs 6 & 7.
	Variation ~~12° 57'~~ 12° 16' East
3990	Set a sandstone 18 in long 9 in wide & 3 in thick for quarter Sec Corner
7990	The Corner to Secs 5.6.7 & 8
	Land 1st ¼ mile Rolling 2d ¾ mile level Soil 1st rate
	Timber Burr Oak Elm & Cottonwood

	North on a Random line between Secs 5 & 6
	Variation 12° 40' East
4000	Set a post for temporary quarter Sec Corner
8034	Intersected the north Boundary of the Township 72 lks East of the corner to Secs 5.6.31 & 32 from which corner I run

Township 3 N R 5 W 6th principal Meridian

Chains	
	South on a true line between Secs 5 & 6
	Variation 13°. 11' East
40.34	Set a Sand stone 18 in long 10 in wide & 4 in thick for quarter Sec Corner
80.34	The corner to Secs 5.6.7 & 8
	Land level, Soil 1st rate
	Sept 18th 1858

General Description

The Land in this Township, varies from first to second rate soil, and is of good quality – The Military Road from Fort Leavenworth to Fort Kearney passes through it – and the waters of the Little Blue run through (don't believe it) The Timber consists of Bur Oak, Black Oak, Elm and Cottonwood –

It is a rolling Praine, and partly level bottom lands, and is suitable for farming purposes – and abounds with Sand stones – (all right

List of Names

A List of the Names of the individuals employed to assist in running, measuring, or marking the lines and Corners described in the foregoing field notes of Township No 3 North of the base line of Range No 5 West of the 6th Principal Meridian. Showing the respective capacities in which they acted. –

Henry S. Beeman	Chainman.
S. Mothersberger.	Chainman
Samuel Underwood	Chainman,
Joseph Blair.	Chainman
George H. West.	Flagman,
Samuel S. Anderson.	Flagman.
F. B. Burwell.	Cornerman
Harrison Ewin	Cornerman
Samuel Dunham.	Compassman,

Contract No. 244

Field Notes

Of the Subdivision Lines in Township No 4. North of the base line, of the Range No 5. West, of the 6th Principal Meridian in Nebraska Territory, as Surveyed by Norman Deff and Green Todd, Deputy Surveyors, under their Contract No 244 bearing date 10th day of July 1858.

Subdivision Commenced September 19th 1858
Subdivision Completed, Sept 21st 1858.

Copied by C. B. Ramsdell
Comp. Ramsdell & James
D. L. made

Ex
No 1

Names and duties of Assistants.

Henry S. Bieman	Chainman
S. Motheyberger.	Chainman
Samuel Underwood.	Chainman
Joseph Blair.	Chainman
George H. Rust.	Flagman,
Samuel S. Anderson.	Flagman
F. B. Burwell.	Cutterman,
Harrison Erwin.	Cutterman
Samuel Bonham	Compassman,

Township 4 North Range 5 West 6th P. M.



Township 4 N R 5 W of the 6th Principal Meridian

To determine the proper adjustment of my compass for subdividing this Township I commence at the corner to Townships 3 and 4 North Ranges 4 & 5 West & run North on a blank line along the East Boundary of Section 36

Variation 12°58' East

40.06 To a point 3 East of the quarter Sec Corner

80.10 To a point 5 lks East of the Corner to Secs 25 & 36

To retrace retrace this line or run parallel thereto my compass must be adjusted to a variation of 13°00' East

Subdivision Commenced Sept 19th 1858

From the corner to Secs 1. 2. 35 & 36 on the South Boundary of the Township I run North between Secs 35 and 36

Variation 13°00' East

40.00 Set a Sand Stone 22 in long 11 in wide & 2 in thick for Quarter Sec Corner

of Township 4 N R 5 W of the 6th principal Meridian

chains	
80.00	Set a Sandstone 21 in long 8 in wide and 4 in thick for Corner to Secs 25, 24, 35 & 36 Land level Soil 2nd rate
	East on a Random line between Secs 25 & 36 Variation 13° 00' East
40.00	Set a post for temporary quarter Sec Corner
80.11	Intersected the N & S line 11 lks North of the Corner to Secs 25 & 36 from which Corner I run West on a true line between Secs 25 & 36 Variation 12° 55' East
40.05	Set a Sand Stone 13 in long 9 in wide & 6 in thick for quarter Sec Corner
80.11	The Corner to Secs 25, 26, 35 & 36 Land level Soil 2nd rate
	North between Secs 25 & 26 Variation 13° 00' East

of Township 4 N R 5 W of the 6th principal Meridian

chains	
40.00	Set a Sandstone 17 in long 11 in wide & 3 in thick for quarter Sec Corner
80.00	Set a Sandstone 21 in long 7 in wide & 6 in thick for Corner to Secs 23, 24, 13 & 26 Land level Soil 2nd rate
	East on a Random line between Secs 24 & 25 Variation 13° 00' East
35.50	Dry Branch 10 lks wide Course S & E
40.00	Set a post for temporary quarter Sec Corner
79.82	Intersected the East Boundary 30 lks North the Corner to Secs 24 & 25 from which Corner I run West on a true line between Secs 24 & 25 Variation 12° 55' East
39.91	Set a Sandstone 17 in long 9 in wide & 4 in thick for quarter Sec Corner
79.82	The Corner to Secs 23, 24, 25 & 26 Land level Soil 2nd rate

Township 4 N R 5 W of the 6th principal Meridian

Chains	
	North between Secs 23 & 24
	Variation 13° 00' East
20.50	Very Branch 10 lks wide course N 71 S.E.
40.00	Set a sandstone 18 in long 10 in wide & 5 in thick for quarter Sec Corner
80.00	Set a sandstone 20 in long 7 in wide & 5 in thick for Corner to Secs 13, 14, 23 & 24
	Land Slightly rolling Soil 2nd rate
	East on a Random line between Secs 13 & 24
	Variation 13° 00' East
40.00	Set a post for temporary quarter Sec Corner
79.96	Intersected the East Boundary of the Township 8 lks South of the Corner to Secs 13 & 24 from which Corner I run West on a true line between Secs 13 & 24
	Variation 13° 05' East
39.98	Set a sandstone 13 in long 11 in wide & 5 in thick for quarter Sec Corner

Township 4 N R 5 W of the 6th principal Meridian

Chains	
79.96	The Corner to Secs 13, 14, 23 and 24
	Land level Soil 2nd rate
	North between Secs 13 & 14
	Variation 13° 00' East
40.00	Set a sandstone 19 in long 11 in wide & 8 in thick for quarter Sec Corner
80.00	Set a sandstone 17 in long 9 in wide & 7 in thick for Corner to Secs 11, 12, 13 & 14
	Land level Soil 2nd rate
	East on a Random line between Secs 12 & 13
	Variation 13° 00' East
40.00	Set a post for temporary quarter Sec Corner
79.98	Intersected the East Boundary of the Township 13 lks north of the Corner to Secs 12 and 13 from which Corner I run West on a true line between Secs 12 & 13
	Variation 12° 54' East

Township 4 N R 5 W of the 6th principal Meridian

chains	
39.89	Set a Sandstone 19 in long 7 in wide & 6 in thick for quarter Sec Corner
79.78	The Corner to Secs 11, 12, 13 & 14
	Land level Soil 2nd rate

North between Secs 11 & 12

Variation 13° 00' East

40.00	Set a Sand stone 15 in long 8 in wide & 5 in thick for quarter Sec Corner
80.00	Set a Sandstone 19 in long 9 in wide & 4 in thick for Corner to Secs 1, 2, 11 & 12
	Land level Soil 2nd rate

East on a Random line between Secs 1 & 12

Variation 13° 00' East

17.00	Dry Branch 10 lks wide course ~~N W~~ S E
40.00	Set a post for temporary quarter Sec Corner
79.89	Intersected the East Boundary of the Township 7 lks North of the Corner to Secs. 1 & 12 from which Corner I run

Township 4 N R 5 W of the 6th principal Meridian

chains	
	West on a true line between Secs 1 & 12

Variation 12° 50' East

39.94	Set a Sandstone 19 in long 9 in wide & 6 in thick for quarter Sec Corner
79.89	The Corner to Secs 1, 2, 11 & 12
	Land level Soil 2nd rate

North on a true line between Secs 1 & 2

Variation 13° 00' East

10.00	Creek 10 lks Wide runs S. E
40.00	Set a Sandstone 20 in long 9 in wide & 4 in thick for quarter Sec Corner
78.27	Intersected the North Boundary of the Township 14 chains 75 lks East of Standared Corner to Secs 35 & 36 Township 5 North Range 5 West at the point of Intersection I Set a Sand stone 22 in long 11 in wide & 5 in thick for closing Corner to Sections 1 & 2
	Land level Soil 2nd rate

Township 4 N Range 5 W of the 6th Principal Meridian

chains	
	North between Sec 34 & 35
	Variation 13° 00' East
40.00	Set a sandstone 17 in long 11 in wide & 5 in thick for quarter Sec corner
80.00	Set a sandstone 19 in long 9 in wide & 5 in thick for corner to Sec 26, 27, 34 & 35
	Land level Soil 2nd rate
	East on a Random line between Sec 26 & 35
	Variation 13° 00' East
40.00	Set a post for temporary quarter Sec corner
79.91	Intersected the N & S line 17 lks north of the corner to Sec 25, 26, 35 & 36 from which corner I run
	West on a true line between Sec 26 & 35
	Variation 12° 55' East
39.95	Set a sandstone 20 in long 9 in wide & 5 in thick for quarter Sec corner
79.91	The corner to Sec 26, 27, 34 & 35
	Land level Soil 2nd rate

Township 4 N Range 5 W of the 6th Principal Meridian

chains	
	North between Sec 26 & 27
	Variation 13° 00' East
40.00	Set a sandstone 14 in long 10 in wide & 4 in thick for quarter Sec corner
80.00	Set a sandstone 19 in long 12 in wide & 4 in thick for corner to Sec 22, 23, 26 & 27
	Land level Soil 2nd rate
	East on a random line between Sec 23 & 26
	Variation 13° 00' East
40.00	Set a post for temporary quarter Sec corner
80.17	Intersected the N & S line 6 lks north of the corner 23, 24, 25 & 26 from which corner I run
	West on a true line between Sec 23 & 26
	Variation 12° 57' East
40.08	Set a sandstone 19 in long 11 in wide & 6 in thick for quarter Sec corner
80.17	The corner to Sec 22, 23, 26 & 27
	Land lightly rolling Soil 2nd rate

Township 4 N R 5 W of the 6th principal Meridian

chains	
	North between Sec 22 & 23
	Variation 13° 00' East
40.00	Set a Sandstone 21 in long 12 in wide & 4 in thick for quarter Sec Corner
70.50	West fork of Big Sandy 7 lks wide & course S E
80.00	Set a Sandstone 19 in long 18 in wide & 4 in thick for Corner to Sec 14, 15, 22 & 23
	Land lightly rolling Soil 2nd rate
	East on a Random line between Sec 14 & 23
	Variation 13° 00' East
40.00	Set a post for temporary quarter Sec Corner
79.93	Intersected the N & S line 4 lks South of the Corner to Sec 13, 14, 23, & 24 from which Corner I run
	West on a true line between Sec 14 & 23
	Variation 13° 02' East
39.96	Set a Sandstone 18 in long 11 in wide & 5 in thick for quarter Sec Corner

Township 4 N R 5 W of the 6th principal Meridian

chains	
79.93	The Corner to Sec 14, 15, 22, & 23
	Land rolling Soil 2nd rate
	September 19th 1858
	North between Sec 14 & 15
	Variation 13° 00' East
40.00	Set a Sandstone 17 in long 9 in wide & 5 in thick for quarter Sec Corner
80.00	Set a Sandstone 20 in long 8 in wide & 6 in thick for corner to Sec 10, 11, 14 & 15
	Land level Soil 2nd rate
	East on a randomline between Sec 11 & 14
	Variation 13° 01' East
40.00	Set a post for temporary quarter Sec Corner
80.15	Intersected the N & S line 9 lks north of the Corner to Sec 11, 12, 13 and 14 from which Corner I run
	West on a true line between Sec 11 & 14
	Variation 12° 56' East

Township 4 N R 5 W of the 6th principal Meridian

chains	
40.07	Set a Sandstone 22 in long 11 in wide & 4 in thick for quarter Sec Corner
80.15	The Corner to Secs 10, 11, 14 & 15 Land level Soil 2nd rate

North between Secs 10 & 11
Variation 13° 00' East

40.00	Set a Sandstone 19 in long 12 in wide & 3 in thick for quarter Sec Corner
80.00	Set a sandstone 23 in long 8 in wide & 6 in thick for Corner to Secs 2, 3, 11 & 10 Land level Soil 1st rate

East on a Random line between Secs 2 & 11
Variation 13° 00' East

40.00	Set a post for temporary quarter Sec Corner
79.83	Intersected the N & S line 30 lks north of the Corner to Secs 1, 2, 11 & 12 from which Corner I run

Township 4 N R 5 W of the 6th principal Meridian

chains	
	West on a true line between Secs 2 & 11 Variation 12° 47' East
39.91	Set a sandstone 15 in long 9 in wide & 6 in thick for quarter Sec Corner
79.83	The Corner to Secs 2, 3, 10 & 11 Land rolling Soil 2nd rate

North on a true line between Secs 2 & 3
Variation 13° 00' East

37.30	North West fork of Big Sandy 10 lks wide Course S E Some Scattering Elms
40.00	Set a Sandstone 24 in long 10 in wide & 3 in thick for quarter Sec corner
78.40	Intersected the North Boundary of the Township ~~14.80 lks~~ 14 chains and 80 lks East of the Standard Corner to Secs 34 & 35 Township 5 N R 5 W at the point of intersection I set a Sand Stone 19 in long 13 in wide & 3 in thick for closing Corner to Secs 2 & 3

Township 42 N R 5 W of the 6th principal meridian

chains	
	Land slightly rolling Soil 2d rate
	North between Sec 33 & 34
	Variation 13° 00' East
40.00	Set a Sandstone 23 in long 9 in wide
	& 4 in thick for quarter Sec Corner
80.00	Set a Sandstone 16 in long 11 in wide &
	4 in thick for corner to Sec 27, 28, 33 & 34
	Land Slightly rolling Soil 2d rate
	East ~~on~~ a Random line between Sec 27 & 34
	Variation 13° 00' East
40.00	Set a post for temporary quarter Sec Corner
79.80	Intersected the N & S line 22 lks north
	of the Corner to Sec 26, 27, 34 & 35
	from which Corner I run
	West on a true line between Sec 27 & 34
	Variation 12° 51' East
39.90	Set a Sandstone 21 in long 8 in wide
	& 5 in thick for quarter Sec Corner

Township 42 N R 5 W of the 6th principal meridian

chains	
79.80	The Corner to Sec 27, 28, 33 & 34
	Land Slightly rolling Soil 2d rate
	North between Sec 27 and 28
	Variation 13° 00' East
40.00	Set a Sandstone 17 in long 14 in wide
	& 3 in thick for quarter Sec Corner
80.00	Set a Sandstone 20 in long 9 in wide
	& 3 in thick for Corner to Sec 21, 22, 27 & 28
	Land level Soil 2d rate
	East on a Random line between Sec 22 & 27
	Variation 13° 00' East
40.00	Set a post for temporary quarter Sec Corner
79.93	Intersected the N & S line 5 lks South of
	the Corner to Sec 22, 23, 26 & 27
	from which Corner I run
	West on a true line between Sec 22 & 27
	Variation 13° 02' East

Township 4 N R 5 W of the 6th principal Mer

chains	
39.96	Set a Sandstone 14 in long 13 in wide & 4 in thick for quarter Sec Corner
79.93	The Corner to Sec 21, 22, 27 & 28
	Land level Soil 2nd rate
	North. between Sec 21 & 22
	Variation 13° 0' East
40.00	Set a Sandstone 17 in long 9 in wide & 5 in thick for quarter Sec Corner
80.00	Set a Sandstone 20 in long 10 in wide & 6 in thick for corner to Sec 15 16 21 & 22
	Land level Soil 2nd rate
	East on a Random Line between Sec 15 & 22
	Variation 13° 00' East
40.00	Set a post for temporary quarter Sec Corner
47.50	West fork of Big Sandy 7 lks wide Course S E
50.30	Same Branch Course N E
55.60	Same Branch Course S E

Township 4 N R 5 W of the 6th principal Meridian

chains	
80.15	Intersect the N & S line 20 lks north of the corner to Sec 14, 15, 22 & 23
	from which Corner I run
	West on a true line between Sec 15 & 22
	Variation 12° 50' East
40.07	Set a Sandstone 19 in long 9 in wide & 6 in thick for quarter Sec Corner
80.15	The corner to Sec 15, 16, 21 & 22
	Land rolling Soil 2nd rate
	North between Sec 15 & 16
	Variation 13° 00' East
14.30	West fork of Big Sandy 7 lks wide course E
40.00	Set a Sandstone 16 in long 11 in wide & 4 in thick for quarter Sec Corner
80.00	Set a Sandstone 17 in long 13 in wide & 5 in thick for Corner to Sec 9, 10, 15 & 16
	Land level Soil 2nd rate

Township 4 N R 5 W of the 6th principal Meridian

Chains	
	East on a random line between Sec 10 & 15
	Variation 13° 00' East
40.00	Set a post for temporary quarter Sec Corner
79.87	Intersected the N & S line 12 lks north
	of the Corner to Sec 10, 11, 14 & 15
	from which Corner I run
	West on a true line between Sec 10 & 15
	Variation 12° 55' East
39.93	Set a Sandstone 19 in long 13 in wide &
	4 in thick for quarter Sec. Corner
79.87	The corner to Sec 9, 10, 15 & 16
	Land level Soil 2nd rate

	North between Sec 9 & 10
	Variation 13° 00' East
40.00	Set a Sandstone 16 in long 13 in wide
	& 4 in thick for quarter Sec Corner
80.00	Set a Sandstone 21 in long 9 in wide
	& 6 in thick for Corner to Sec 3, 4, 9 & 10
	Land level Soil 2nd rate

Township 4 N R 5 W of the 6th principal Meridian

Chains	
	East on a Random line between Sec 3 & 10
	Variation 13° 00' East
40.00	Set a post for temporary quarter Sec Corner
80.01	Intersected the N & S line 4 lks south
	of the Corner to Sec 2, 3, 10 & 11
	from which Corner I run
	West on a true line between Sec 3 & 10
	Variation 13° 02' East
40.00	Set a Sandstone 19 in long 10 in wide
	& 3 in thick for quarter Sec Corner
80.01	The Corner to Sec 3, 4, 9 & 10
	Land level Soil 2nd rate

	North on a true line between Sec 3 & 4
	Variation 13° 01' East
40.00	Set a Sandstone 23 in long 8 in wide
	& 3 in thick for quarter Sec Corner
78.28	Intersected the North Boundary of the
	Township 14 chains & 96 lks East
	of the Standard Corner to Sec

Township 4 N R 5 W of the 6th principal meridian

chains

33 & 34 Township 5 N Range 5 W at the point of intersection I set a Sandstone 27 in long 15 in wide & 7 in thick for closing Corner to Secs 3 & 4

Land level. Soil 2nd rate

North between Secs 32 & 33

Variation 13° 00' East

40.00 Set a Sandstone 15 in long 13 in wide & 3 in thick for quarter Sec Corner

80.00 Set a Sandstone 16 in long 10 in wide & 5 in thick for Corner to Secs 27, 28, 33 & 34

Land level Soil 2nd rate

East on a Random line between Secs 28 & 33

Variation 13° 00' East

40.00 Set a post for temporary quarter Sec Corner

79.89 Intersected the N & S line 7 lks south of the corner to Secs 28 & 33 from which Corner

Township 4 N R 5 W of the 6th principal Meridian

Corner I run

West on a true line between Secs 28 & 33

Variation 13° 03' East

39.94 Set a Sand Sandstone 19 in long 10 in wide & 5 in thick for quarter Sec Corner

79.89 The Corner to Secs 28, 29, 32 & 33

Land Rolling Soil 2nd rate

North between Secs 28 & 29

Variation 13° 00' East

40.00 Set a Sandstone 20 in long 9 in wide & 3 in thick for quarter Sec Corner

80.00 Set a Sandstone 18 in long 7 in wide & 4 in thick for Corner to Secs 20, 21, 28 & 29

Land level Soil 2nd rate

September 20th 1858

East on a Random line between Secs 21 & 28

Variation 13° 0' East

40.00 Set a post for temporary quarter Sec Corner

80.13 Intersected the N & S line 21 lks north

Township 4 N R 5 W of the principal meridian

	of the Corner to Secs 21, 22, 27 & 28
	from which Corner I run
	West on a true line between Secs 21 & 28
	Variation 12° 51' East
40.06	Set a Sandstone 14 in long 9 in wide &
	7 in thick for quarter Sec Corner
80.13	The Corner to Secs 20, 21, 28 & 29
	Land level, Soil 2nd rate
	North between Secs 20 & 21
	Variation 13° 00' East
40.00	Set a Sandstone 13 in long 7 in wide
	& 6 in thick for quarter Sec Corner
80.00	Set a Sandstone 18 in long 8 in wide
	& 4 in thick for Corner to Secs 16, 17, 20 & 21
	Land level, Soil 2nd rate
	East on a Random line between Secs 16 & 21
	Variation 13° 00' East

Township 4 N R 5 W of the 6th principal meridian

Chains	
20.00	West Branch of Big Sandy 10 lks wide
	Course S E.
40.00	Set post for temporary quarter Sec Corner
50.75	West fork of Big Sandy 08 lks wide
	Course N E
79.87	Intersected the N & S line 17 lks north
	of the Corner to Secs 15, 16, 21 & 22
	from which Corner I run
	West on a true line between Secs 16 & 21
	Variation 12° 53' East
39.93	Set a Sandstone 21 in long 16 in wide
	& 2 in thick for quarter Sec Corner
79.87	The Corner to Secs 16, 17, 20 & 21
	Land lightly rolling, Soil 2nd rate
	North between Secs 16 & 17
	Variation 13° 00' East
15.30	West fork of Big Sandy 7 lks wide
	Course S E
27.50	West fork of Big Sandy 9 lks wide

Township 4 N R 5 W of the 6th principal Meridian

Course S W.

33.00 Same Branch 12 lks wide Course S E

40.00 Set a Sandstone 16 in long 8 in wide 5 in thick for quarter Sec Corner

80.00 Set a Sandstone 17 in long 8 in wide & 4 in thick for corner to Secs 8, 9, 16 & 17

Land level, Soil 2nd rate

East on a Random line between Secs 9 & 16

Variation 13° 00' East

40.00 Set post for temporary quarter Sec Corner

80.11 Intersected N & S line 40 lks north of the Corner to Secs 9, 10, 15 & 16 from which Corner I run

West on a true line between Secs 9 & 16

Variation 12° 43' East

40.05 Set a Sandstone 22 in long 14 in wide & 2 in thick for quarter Sec Corner

80.11 The Corner to Secs 8, 9, 16 & 17

Land level, Soil 2nd rate

Township 4 N R 5 W of the 6th principal Meridian

Corner I run

North ~~on a true line~~ between Secs 8 & 9

Variation 13° 00' East

40.00 Set a Sandstone 15 in long 8 in wide & 5 in thick for quarter Sec Corner

80.00 Set a Sandstone 17 in long 13 in wide & 3 in thick for corner to Secs 4, 5, 8 & 9

Land level, Soil 2nd rate

East on a Random line between Secs 4 & 9

Variation 13° 00' East

40.00 Set a post for temporary quarter Sec Corner

79.79 Intersected the N & S line 5 lks South of the Corner to Secs 3, 4, 9 & 10 from which Corner I run

West on a true line between Secs 4 & 9

Variation 13° 02' East

39.89 Set a Sandstone 20 in long 9 in wide & 3 in thick for quarter Sec Corner

79.79 The Corner to Secs 4, 5, 8 & 9

Land level, Soil 2nd rate

Township 4 N R 5 W of the 6th principal meridian

chains	
	North on a true line between Secs 4 & 5
	Variation 13° 00' East
40.00	Set a Sandstone 20 in long 7 in wide & 4 in thick for quarter Sec Corner
78.12	Intersected the North Boundary of the Township 15 chains & 05 East of the Standard Corner to Secs 32 & 33 & at the point of intersection I Set a Sandstone 14 in long 8 in wide & 7 in thick for Closing Corner to Secs 4 & 5
	Land level, Soil 2nd rate

	North between Secs 31 & 32.
	Variation 13° 00' East
40.00	Set a Sandstone 20 in long 10 in wide & 3 in thick for quarter Sec Corner
80.00	Set a Sandstone 21 in long 7 in wide & 4 in thick for Corner to Secs 29, 30, 31 & 32.
	Land level, Soil 2nd rate

Township 4 N R 5 W of the 6th principal meridian

chains	
	East on a Random line between Secs 29 & 32
	Variation 13° 00' East
40.00	Set a post for temporary quarter Sec Corner
80.09	Intersected the N & S line 21 lks South of the Corner to Secs 28, 29, 32 & 33 from which Corner I run
	West on a true line between Secs 29 & 32
	Variation 13° 0' East
40.05	Set a Sandstone 21 in long 7 in wide & 4 in thick for quarter Sec Corner
80.09	The Corner to Secs 29, 30, 31 & 32.
	Land Slightly rolling, Soil 2nd rate

	West on a Random line between Secs 30 & 31
	Variation 13° 00' East
40.00	Set a post for temporary quarter Sec Corner
79.55	Intersected the West boundary of the Township 40 lks South of the Corner to Secs 30 & 31. from which Corner I run

Township 4 N R 5 W of the 6th principal Meridian

East on a true line between Secs 30 & 31
Variation 12° 45' East

39.55 Set a Sandstone 14 in long 11 in wide & 3 in thick for quarter Sec Corner

79.55 The Corner to Secs 29, 30, 31, & 32
Land level, Soil 2nd rate

North between Secs 29 & 30
Variation 13° 00' East

40.00 Set a Sandstone 15 in long 9 in wide & 4 in thick for quarter Sec Corner

80.00 Set a Sandstone 16 in long 11 in wide & 5 in thick for Corner to Secs 19, 20, 29 & 30
Land level, Soil 2nd rate

East on a Random line between Secs 20 & 29
Variation 13° 00' East

40.00 Set a post for temporary quarter Sec Corner

79.91 Intersected the N & S line 8 lks north of the Corner to Secs 20, 21, 28, & 29.

Township 4 N R 5 W of the 6th principal Meridian

Chains

from which Corner I run
West on a true line between Secs 20 & 29
Variation 12° 57' East

39.95 Set a Sandstone 22 in long 14 in wide & 2 in thick for quarter Sec Corner

79.91 The Corner to Secs 19, 20, 29 & 30
Land ~~Slightly~~ rolling, Soil 2nd rate

West on a Random line between Secs 19 & 30
Variation 13° 00' East

40.00 Set a post for temporary quarter Sec Corner

79.51 Intersected the West Boundary of the Towns-hip 35 lks South of the Corner to Secs 19 & 30
from which Corner I run
East on a true line between Secs 19 & 30
Variation 12° 45' East

39.51 Set a Sandstone 17 in long 8 in wide & 6 in thick for quarter Sec Corner

79.51 The Corner to Secs 19, 20, 29, & 30
Land level Soil 2nd rate

Township 4 N R 5 W of the 6th principal meridian

Chains	
	North ~~on a true line~~ between Secs 18 & 19
	Variation 13°, 00' East
40.00	Set a Sandstone 18 in long 17 in wide & 2 in thick for quarter Sec Corner
80.00	Set a Sandstone 16 in long 9 in wide & 4 in thick for Corner to Secs 17, 18, 19 & 20
	Land rolling Soil 2nd rate

	East on a Random line between Secs 17 & 20
	Variation 13°, 00' East
40.00	Set a post for temporary quarter Sec Corner
79.78	Intersected the N. & S line 22 lks North of the Corner to Secs 16, 17, 20 & 21 from which Corner I run
	West on a true line between Secs 17 & 20
	Variation 12°, 50' East
39.89	Set a Sandstone 14 in long 9 in wide & 6 in thick for quarter Sec Corner
79.78	The Corner to Secs 17, 18, 19 & 20
	Land level, Soil 2nd rate

Township 4 N R 5 W of the 6th principal meridian

Chains	
	West on a Random line between Secs 18 & 19
	Variation 13°, 00' East
40.00	Set a post for temporary quarter Sec Corner
79.43	Intersected the West Boundary of the Township 23 lks South of the Corner to Secs 18 & 19 from which Corner I run
	East on a true line between Secs 18 & 19
	Variation 12°, 50' East
39.43	Set a Sandstone 18 in long 14 in wide & 3 in thick for quarter Sec Corner
79.43	The Corner to Secs 17, 18, 19 & 20
	Land Level, Soil 2nd rate

	North between Secs 18 & 19
	Variation 13°, 00' East
40.00	Set a Sandstone 14 in long 12 in wide & 4 in thick for quarter Sec Corner
80.00	Set a Sandstone 21 in long 16 in wide & 2 in thick for Corner to Secs 7, 8, 17 & 18
	Land Level Soil 2nd rate,

Township 4 N R 65 W of the 6th Principal meridian

chains	
	East on a Random line between Secs 8 & 17
	Variation 13°,00' East
25.30	Dry Branch 6 lks wide Course S E
40.00	Set a post for temporary quarter Sec Corner
79.93	Intersected the N & S line 29 lks South of the Corner to Secs 8, 9, 16 & 17
	from which Corner I run
	West on a true line between Secs 8 & 17
	Variation 12°,48' East
39.96	Set a sandstone 19 in long 15 in wide & 2 in thick for quarter Sec Corner
79.93	The Corner to Secs 7, 8, 17 & 18
	Land lightly rolling, Soil 2nd rate

	West on a Random line between Secs 7 & 18
	Variation 13°,00' East
40.00	Set a post for temporary quarter Sec Corner
79.48	Intersected the west Boundary of the Township 11 lks North of the Corner to Secs 7 & 18

Township 4 N R 65 W of the 6th principal Meridian

	from which Corner I run
	East on a true line between Secs 7 & 18
	Variation 13°,05' East
39.48	Set a Sandstone 16 in long 11 in wide & 4 in thick for quarter Sec Corner
79.48	The Corner to Secs 7, 8, 17 & 18
	Land rolling, Soil 2nd rate

	North between Secs 7 & 8
	Variation 13°,00' East
29.50	Dry Branch 6 lks wide Course S E
40.00	Set a Sandstone 14 in long 13 in wide & 5 in thick for quarter Sec Corner
80.00	Set a Sand Stone 22 in long 12 in wide & 8 in thick for Corner to Secs 5, 6, 7, & 8
	Land rolling, Soil 2nd rate

	East on a Random line between Secs 5 & 8
	Variation 13°,00' East
40.00	Set a post for temporary quarter Sec Corner

Township 4 N R 5 W of the 6th Principal Meridian

Chains	
79.89	Intersected the N & S line 17 lks north of the corner to Secs 4, 5, 8 & 9 from which corner I run West on a true line between Secs 5 & 8 Variation ~~13° 0' East~~ 12°53'
37.94	Set a line Stone 22 in long 14 in wide & 2½ in thick for quarter Sec Corner
79.89	The Corner to Secs 5, 6, 7 & 8 Land slightly rolling Soil 2d rate

West on a Random line between Secs 6 & 7
Variation 13°00' East

40.00	Set a post for temporary quarter Sec Corner
79.28	Intersected the west boundary of the Township 39 lks north of the corner to Secs 6 & 7 from which corner I run East on a true line between Secs 6 & 7 Variation 13°17' East
39.28	Set a Sand Stone 17 in long 8 in wide & 4 in thick for quarter Sec Corner

Township 4 N R 5 W of the 6 Principal Meridian

Chains	
79.28	The Corner to Secs 5, 6, 7 & 8 Land heavy Soil 2d rate

North on a true line between Secs 5 & 6
Variation 13°00' East

40.00	Set a Sand Stone 19 in long 13 in wide & 5 in thick for quarter Sec Corner
78.20	Intersected the north boundary of the Township 14 chains & 94 lks East of the Standard Corner to Secs 31 & 32, at the point of intersection I set a Sand Stone 22 in long 11 in wide & 5 in thick for closing corner to Secs 5 & 6 Sept 21st 1858 Land level. Soil 2d rate

General Description

This contains a small quantity of water in the North West Fork of Big Sandy which runs through the Center of the Township But contains no timber or Rock. Soil Generaly 2d rate

List of Names.

A List of the names of the individuals employed to assist in running, measuring and marking the lines and corners described in the foregoing field Notes of Township No 4 North of the Base Line, of Range No 5 West of the 6th Principal Meridian, showing the respective Capacities in which they acted.

Henry S. Beeman. Chainman
S Mathesberger. Chainman.
Samuel Underwood. Chainman
Joseph Blair. Chainman
George A Rust. Flagman
Samuel S. Anderson. Flagman.
F. B. Burwell. Cornerman
Harrison Erwin. Cornerman
Samuel Brokaw. Compassman

General Land Office • Original Field Notes

Book Number

313

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.