General Land Office • Original Field Notes

Book Number

321

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Vol. 1 N. R. 6 W.

a

Contract No 265

Field notes of the survey of the subdivision and Meanders lines in Township one N. R. 6. W. of the 6th principal Meridian Nebraska Territory by Thomas W. Wheatly deputy surveyor under his contract No 265 bearing date 26th day of April A D 1859

Subdivision commenced June 23. A D. 1859
Subdivision Completed June 28: 1859

Copied Ivory
Corresp. C.B.R. & M.W.I.

Ex. No 1
Copied by W. W. I.

Plat

Names and duties of Assistants

Benjemin Thompson. Chainman
William Richardson Chainman
Francis McCabe Flagman
John Richardson Cornerman
John M. Coyle Compasman

Township 1 North Range 6 West 6th P. M.

6	43	5	33	4	25	3	17	2	9	1	
42		42		32		25		16		8	
7	41	8	32	9	24	10	15	11	7	12	
41		40		31		23		14		7	
18	40	17	30	16	22	15	14	14	6	13	
39		39		29		21		13		5	
19	38	20	29	21	21	22	13	23	5	24	
38		37		28		20		12		4	
30	36	29	28	28	19	27	11	26	3	25	
35		35		27		18		10		2	
31	34	32	26	33	18	34	10	35	2	36	

d

1

~~Sub~~ field notes of the subdivision line in
Township 1. N. R. 6. W. 6th. Principal Meridian

To determine the proper adjustment of my compass for subdividing this Township I commence at the corner to Township 1. N. on base line Ranges 5 and 6. W. and run

North on a blank line along the East boundary of section 36

Variation 12° 45' East

40.00 ~~Corner to~~ sections a point 3 links East of quarter section corner

80.00 A point 11 lks East of corner to sections 36 and 25.

To retrace this line or run parallel thereto my compass must be adjusted to a variation of 12° 50' East

Subdivision commenced June 23d 1859

Township 12 R 6 W 6th Principal Meridian

From the corner to Sects 35 & 36 on Base line I run

North between sections 35 and 36

Variation 12° 50' East

40.00 Set a limestone 20 in long 13 in wide and 3 in thick for quarter section corner

80.00 Set a limestone 24 in long 13 in wide and 3 in thick for corner to sections 25, 26, 35 and 36

Land level soil 1st rate

East on a random line between sections 25 and 36

Variation 12°, 50' East

40.00 Set a stone for temporary quarter section corner

79.94 Intersected the East boundary of the township 10 lks S of corner to sections 25 and 36 from which corner I run West on a true line between sections 25 and 36

Township 12 R 6 W 6th Principal Meridian

Variation 12° 46' East

39.97 Set a limestone 19 in long 14 in wide and 3 in thick for quarter section corner.

79.94 The corner to sections 25, 26, 35 and 36

Land level soil 1st rate

North between sections 25 and ~~35~~ 26

Variation 12°, 50' East

~~40.00 Set a limestone~~

40.00 Gave Republican river bottom bearing E and W and enter rolling upland

40.00 Set a limestone 20 in long 8 in wide and 8 in thick for quarter section corner

80.00 Set a limestone 16 in long 11 in wide and 6 in thick for corner to sections 23, 24, 25 and 26

Land rolling soil 2nd rate

Township 12 R 6 W 6th Principal Meridian

East on a random line between
sections 24 and 25
Variation 12°.50' East

23.00 Ravine course S

40.00 Set a stone for temporary
quarter section corner

80.28 Intersected the East boundry
of the Township 25 lks N of the
corner to sections 24 and 25 from
which corner S run

West on a true line between
sections 24 and 25
Variation 12°40' East

40.14 Set a limestone 15 in long 10 in thick and
6 in thick for quarter section corner

80.28 The corner to sections 23.24.25 and 26
Land rolling soil 1st rate

Township 12 R 6 W 6th Principal Meridian

North between sections 23 and 24
Variation 12.50 E

40.00 Set a flint boulder 15 in long 12 in wide
and 5 in thick for quarter section corner

80.00 Set a limestone 15 in long 9 in wide and
9 in thick for corner to sections 13.14.23 and 24
Land rolling soil 1st rate

East on a random line between
sections 13 and 24
Variation 12°50' East

24.00 Ravine course SE

40.00 Set a stone for temporary quarter sec
corner

53.00 Ravine course S

65.00 Ravine course SW

80.40 Intersected East boundry of the
township 30 lks N of corner to sections
13 and 24 from which corner S run

Township 12 R 6 W 6th Principal Meridian

West on a true line between sections 13 and 24

Variation 12° 38' East

40.20 Set a limestone 14 in long 12 in wide and 5 in thick for quarter section corner

80.40 The corner to sections 13, 14, 23 and 24

Land rolling soil 1st rate

North between sections 13 and 14

Variation 12.50 East

40.00 Set a limestone 15 in long 11 in wide and 4 in thick for quarter section corner

53.00 Ravine course S W

80.00 Set a limestone 18 in long 10 in wide and 4 in thick for corner to sections 11, 12, 13 and 14

Land rolling soil 1st rate

Township 12 R 6 W 6th Principal Meridian

East on a random line between sections 12 and 13

Variation 12° 50 East

40.00 Set a stone for temporary quarter section corner

80.26 Intersected E boundary of the township 20 lks N of corner to sections 12 and 13 from which corner S sun

West on a true line between sections 12 and 13

Variation 12° 41' East

40.13 Set a limestone 18 in long 10 in wide and 4 in thick for quarter sec corner

80.26 The corner to sections 11, 12, 13 and 14

Land rolling soil 1st rate

North between sections 11 and 12

Variation 12.50 East

40.00 Set a limestone 13 in long 12 in wide

Township 12 R 6 W 6th Principal Meridian

and 4 in thick for quarter section corner

80.00 Set a limestone 18 in long 12 in wide and 4 in thick for corner to sections 1, 2, 11 and 12

Land rolling soil 1st rate

East on a random line between sections 1 and 12

Variation 12°.50' East

21.00 Raine course S

33.00 Raine course S

40.00 Set a stone for temporary quarter section corner

80.10 Intersected East boundry of the township 10 lks N of corner to sections 1 and 12 from which corner I run West on a true line between sections 1 and 12

∴ Variation 12°.46' East

Township 12 R 6 W 6th Principal Meridian

40.05 Set a limestone 15 in long 11 in wide and 4 in thick for quarter section corner

80.10 The corner to sections 1, 2, 11 and 12

Land rolling soil 1st rate

North between sections on a random line between sections 1 and 2

Variation 12°50' East

40.00 set a stone for temporary quarter section corner

80.10 Intersected North boundry of the township 10 lks E of corner to sections 1 and 2 from which corner I run South on a true line between sections 1 and 2

Variation 12°.54' East

40.10 Set a limestone 18 in long 9 in wide 6 in thick for quarter section corner

80.10 The corner to sections 1, 2, 11 and 12

Tow

80.0

21.0

33.0

40.0

80.1

Township 1 N R 6 W 6th Principal Meridian

Land level soil 1st rate

June 23d 1859

North between sections 34 and 35

Variation 12°55' East

40.00 Set a limestone 18 in long 12 in wide and 3 in thick for quarter section corner

80.00 Set a limestone 20 in long 12 in wide and 4 in thick for corner to sections 26. 27, 34 and 35

Land level soil 1st rate

East on a random line between sections 26 and 35

Variation 12°55' East

40.00 Set a post for temporary quarter section corner

80.00 Intersected N and S line at corner to sections 25. 26, 35 and 36 from which

Township 1 N R 6 W of 6th Principal Meridian

corner S run

West on a true line between sections 26 and 35

Variation 12°55' East

40.00 Set a limestone 16 in long 15 in wide and 6 in thick for quarter sec, corner

80.00 The corner to sections 26. 27, 34 and 35

Land level soil 1st rate

North between sections 26 and 27

Variation 12°55' East

28.00 Leave Republican river bottom bearing E and W and enter rolling upland

40.00 Set a limestone 15 in long 9 in wide and 6 in thick for quarter section corner

64.00 Branch 5 lks wide runs S W

80.00 Set a limestone 19 in long 9 in wide and 6 in thick for corner to sections 22 23 26 and 27.

Township 1 N R 6 W 6th Principal Meridian

	Land rolling soil 2nd rate
	East on a random line between sections 23 and 26
	Variation 12°55' East
5.00	Branch 5 lks wide runs SW
40.00	Set a stone for temporary quarter section corner
80.04	Intersected N and S line 20 lks S of corner to sections 23, 24, 25 and 26 from which corner I run
	West on a true line between sections 23 and 26
	Variation 13°3' East
40.02	Set a limestone 16 in long 10 in wide and 3½ in thick for quarter section corner
80.04	The corner to sections 22 23 26 and 27
	Land rolling soil 2nd rate

Township 1 N R 6 W 6th Principal Meridian

	North between sections 22 and 23
	Variation 12°50' East
40.00	Set a limestone 15 in long 8 in wide and 8 in thick for quarter section corner.
80.00	Set a limestone 18 in long 12 in wide and 3½ in thick for corner to sections 14, 15, 22 and 23
	Land rolling soil 1st rate
	East on a random line between sections 14 and 23
	Variation 12°50' East
40.00	Set a stone for temporary quarter section corner
80.64	Intersected N and S line 15 lks S of corner to sections 13, 14, 23 and 24 from which corner I run
	West on a true line between sections 14 and 23

Township 12 R 6 W 6th Principal Meridian

Variation 12°. 56' East

40.32 Set a limestone 18 in long 12 in wide and 4 in thick for quarter section corner.

80.64 The corner to sections 14, 15, 22 and 23

Land rolling soil 2nd rate

North between sections 14 and 15

Variation 12°. 50' East

38.00 Branch 5 lks wide runs S.W.

40.00 Set a limestone 15 in long 10 in wide and 8 in thick for quarter section corner

50.00 Set a limestone 16 in long 12 in wide and 4 in thick for corner to sections 10, 11, 14 and 15

Land rolling soil 2nd rate

80. East on a random line between sections 11 and 14

Variation 12°. 50' East

Township 12 R 6 W 6th Principal Meridian

30.00 Branch 5 lks wide runs S W

31.00 Same branch 5 lks wide runs N W

32.00 Same branch 5 lks wide runs S W

40.00 Set a stone for temporary quarter section corner

80.16 Intersected Range S line 40 lks S of corner to sections 11, 12, 13 and 14 from which corner S run West on a true line between sections 11 and 14

Variation 13°. 1' East

40.08 Set a limestone 24 in long 11 in wide and 4 in thick for quarter sec. corner

80.16 The corner to sections 10, 11, 14 and 15

Land rolling soil 2nd rate

North between sections 10 and 11

Variation 12°. 50' East

40.00 Set a limestone 16 in long 12 in wide

Township 1 N R 6 W 6th Principal Meridian

	and 4 in thick for quarter sec corner
80.00	Set a limestone 22 in long 10 in wide and 4 in thick for corner to sections 2, 3, 10 and 11
	Land rolling soil 2nd rate
	East between sections 2 and 11
	Variation 12.50 E
4.00	Ravine course S.E.
22.00	Ravine course S.E
40.00	Set a limestone 18 in long for temporary quarter section corner
80.06	Intersected Rand's line 10 lks N of corner to sections 1, 2, 11 and 12 from which corner I run
	West on a random line between sections 2 and 11
	Variation 12°26' East
40.03	Set a limestone 16 in long 12 in

Township 1 N R 6 West 6th Principal

	wide and 3 in thick for quarter sec corner
80.06	The corner to sections 2, 3, 10 and 11
	Land rolling soil 2nd rate
	North on a random line between sections 2 and 3 Variation 12° 50' East
3.00	Ravine course S E
40.00	Set a stone for temporary quarter section corner
80.94	Intersected North boundary of the township at the corner to sections 2 and 3 from which corner I run South on a true line between sections 2 and 3
	Variation 12°, 50' E
40.94	set a limestone 19 in long 12 in wide and 3 in thick for quarter section corner
80.94	The corner to sections 2, 3, 10 and 11
	Land rolling soil 2nd rate
	June 24th 1859

Township 12 R 6 W 6th Principal Meridian

North between sections 33 and 34

Variation 12°.50' East

23.41 Right bank of the Republican fork of the Kansas river - Set a limestone 23 in long. 18 in wide and 3 in thick for corner to fractional sections 33 and 34

31.10 Left Bank of same. Set a limestone 22 in long, 15 in wide and 4 in thick for ~~quarter~~ ~~sec~~ corner to fractional sections 33 and 34

Main distance across by actual measurement

40.00 Set a limestone 15 in long 10 in wide and 3½ in thick for quarter section corner

80.00 Set a limestone 19 in long 11 in wide and 3 in thick for corner to sections 27, 28, 33 and 34

Land level soil 1st rate

East on a random line between sections 27 and 34

Variation 12°.50' East

38.00 Branch 5 lks wide runs S E

40.00 Set a stone for temporary quarter section corner.

Township 12 R 6 W 6th Principal Meridian

43.00 Same branch 5 lks wide runs ~~E~~ W

49.00 Same branch 5 lks wide runs S E

This stream is skirted with groves oak and elm timber

80.15 Intersected R and S line 15 lks S of corner to sections 26, 27, 34 and 35 from which corner S run

West on a true line between sections 27 and 34

Variation 12°.56' East

40.00 Set a limestone 12 in long 12 in wide and 4 in thick for quarter sec corner

80.15 The corner to sections 27, 28, 33 and 34

Land level soil 1st rate

North between sections 27 and 28

Variation 12°.50' East

40.00 Set a limestone 14 in long 12 in wide and 3 in thick for quarter sec. corner

Township 12 R 6 W 6th Principal Meridian

40.00 Leave Republican river bottom bearing E and W and enter rolling upland

80.00 Set a limestone 13 in long 13 in wide and 3½ in thick for corner to sections 21, 22, 27 and 28

Land level soil 1st rate

East on a random line between sections 22 and 27

Variation 12°50' East

16.00 Branch 15 lks wide S

19.00 Same branch 5 lks wide runs N E

21.00 Same branch 5 lks wide runs S E

40.00 Set a stone for temporary quarter section corner

80.30 Intersected Rand S line 15 lks N of corner to sections 22, 23, 26 and 27 from which corner S run West on a true line between

Township 12 R 6 W 6th Principal Meridian

sections 22 and 27

Variation 12°24' East

40.15 Set a limestone 18 in long 15 in wide and 4 in thick for quarter sec corner

80.30 The corner to sections 21, 22, 27 and 28

Land rolling soil 2nd rate

North between sections 21 and 22

Variation 12°50' East

40.00 Set a limestone 15 in long 10 in wide and 4 in thick for quarter section corner

42.00 Ravine course S. E.

80.00 Set a limestone, for corner to sections 15, 16, 21 and 22, 23 in long 10 in wide and 3½ in thick

Land rolling soil 2nd rate

East on a random line between sections 15 and 22

Township 12 R 6 W 6th Principal Meridian

Variation 12°5' East

22.00 Ravine course S.

40.00 Set a stone for temporary quarter section corner

42.00 ~~Ravine course S.E.~~ Branch 10 lks wide runs S W

70.00 Ravine course S.E.

79.88 Intersected N and S line at corner to sections 14 15 21 and 22 from which corner S run

West on a true line between sections 15 and 22

Variation 12°5' East

39.94 Set a limestone 16 in long 13 in wide and 3 in thick for quarter section corner

79.88 The corner to sections 15 16 21 and 22

Land rolling soil 2nd rate

North between sections 15 and 16

Variation 12°5' East

Township 12 R 6 W 6th Principal Meridian

40.00 Set a limestone 17 in long 15 in wide and 3 in thick for quarter section corner

80.00 Set a limestone 18 in long 10 in wide and 7 in thick for corner to sections 9, 10, 15 and 16

Land rolling soil 1st rate

East on a random line between sections 10 and 15

Variation 12°5' East

40.00 Set a stone for temporary quarter section corner

80.58 Intersected N and S line 30 lks N of corner to sections 10, 11, 14 and 15 from which corner S run

West on a ~~Variation~~ true line between sections 10 and 15

Variation 12°38' East

~~40.29~~ 40.29 ~~Set~~ a limestone 15 in long 12 in wide

Township 1 N R 6 W 6th Principal Meridian

3 in thick for quarter section corner
80.58 The corner to sections 9, 10, 15 and 16
Land rolling soil 2nd rate

North between sections 9 and 10
Variation 12° 5' 0" East
28.00 Ravine course S E
40.00 Set a limestone 18 in long 11 in wide and 7 in thick for quarter section corner
80.00 Set a limestone 15 in long 12 in wide and 4 in thick for corner to sections 3, 4, 9 and 10
Land rolling soil 1st rate

Township 1 N R 6 W 6th Principal Meridian

East on a random line between sections 3 and 10
Variation 12° 5' 0" East
25.00 Ravine course S. E.
40.00 Set a limestone 12 in long 12 in wide and 4 in thick for quarter sec corner
79.86 Intersected N and S line 16 lks N of corner to sections 2, 3, 10 and 11 from which corner S run
West on a true line between sections 3 and 10
Variation 12° 44' East
38.93 Set a limestone 12 in long 13 in wide and 3 in thick for quarter section corner
79.86 The corner to sections 3, 4, 9 and 10
Land rolling soil 1st rate

North on a random line between sections 3 and 4

Township 12 R 6 W 6th Principal Meridian

Variation 12.50 East

40.00 Set a stone for temporary quarter section corner

79.75 Intersected the N boundry of the township 25 lks E of the corner to sections 3 and 4 from which corner I run South on a true line between sections 3 and 4

Variation 13° East

39.75 Set a limestone 12 in long 13 in wide and 3½ in thick for quarter sec corner

79.75 The corner to sections 3, 4, 9 and 10
Land rolling soil 1st rate

June 25th 1859

North between sections ~~33 and 34~~ 32 and 33

Variation 12°, 40' E

40.00 Set a limestone 12 in long 12 in wide and 4 in thick for quarter sec corner

Township 12 R 6 W 6th Principal Meridian

80.00 Set a limestone 16 in long 9 in wide and 4 in thick for ~~quarter section or~~ corner to sections 28, 29, 32 and 33
Land ~~rolling~~ level soil 1st rate

East on a random line between sections 28 and 33

Variation 12°40' East

40.00 Set a stone for temporary quarter section corner

80.20 Intersected N and S line at corner to sections 27, 28, 33 and 34 from which corner I run West on a true line between sections 28 and 33

Variation 12°40' East

40.10 Set a limestone 16 in long 12 in wide and 4 in thick for quarter sec. corner

80.20 The corner to sections 28 29 32 and 33
Land level soil 1st rate.

Township 12 R 6 W 6th Principal Meridian

North between sections 28 and 29
Variation 12° 40' East
30.00 Leave Republican River bottom
bears E and W and intervening upland
40.00 Set a limestone 15 in long 15 in wide and
4 in thick for quarter section corner
80.00 Set a limestone 25 in long 14 in wide
and 3 in thick for corner to sections
20 21 28 and 29
Land rolling soil 2nd rate

East on a random line between
sections 21 and 28
Variation 12 40° East
27.00 Ravine course S. E.
40.00 Set a stone for temporary quarter
section corner
79.70 Intersected R and S line 15 lks R
of corner to sections 21, 22, 27 and 28
from which corner 8 rem
West on a true line between sections.

Township 12 R 6 W 6th Principal Meridian

21 and 28
Variation 12 34' East
39.85 Set a limestone 20 in long 12 in wide and
3 in thick for quarter section corner
79.70 The corner to sections 20, 21, 28 and 29
Land rolling soil 2nd rate

North between sections 20 and 21
Variation 12° 20' East
40.00 Set a limestone 18 in long 8 in wide
and 5 in thick for quarter section corner
80.00 Set a limestone 22 in long 12 in
wide and 4 in thick for corner to
sections 16, 17, 20 and 21
Land rolling soil 2nd rate

East on a random line between
sections 16 and 21
Variation 12° 40' East
19.00 Ravine course S. E.

Township 12 R 6 W 6th Principal Meridian

20.00 set a stone for temporary quarter section corner
42.00 Ranine course S.E.
79.20 Intersected R and S line 10 lks R of corner to sections 15, 16, 21 and 22 from which corner I run West on a true line between sections 16 and 21
Variation 12° 30' East
39.60 Set a limestone 16 in long 10 in wide and 4 in thick for quarter section corner
79.20 The corner to sections 16, 17, 20 and 21
Land rolling soil 2nd rate,

North between sections 16 and 17
Variation 12° 40' East
40.00 Set a limestone 13 in long 13 in wide and 4 in thick for quarter sec corner
80.00 Set a limestone ~~for~~ 18 in long 11 in wide and 4 in thick for corner to

Township 12 R 6 W 6th Principal Meridian

Sections ~~9, 10, 15 and 16~~ 8, 9, 16 and 17
Land rolling soil 2nd rate

East on a random line between sections 9 and 16
Variation 12° 40' East
20.00 Ranine course S
40.00 Set a stone for temporary quarter section corner
58.00 Ranine course S.W.
79.30 Intersected R and S line 25 lks R of corner to sections 9, 10, 15 & 16 from which corner I run West on a true line between sections 9 and 16
Variation 12° 30' East
39.65 Set a limestone 15 in long 15 in wide and 3 in thick for quarter sec. corner
79.30 The corner to sections ~~9, 10 and 15~~ 8, 9, 16 & 17
Land rolling soil 2nd rate.

Township 1 N R 6 W 6th Principal Meridian

North between sections 8 and 9

Variation 12°40' East

40.00 Set a lime stone ~~for~~ temporary quarter section corner 16 in long 9 in wide and 4 in thick for quarter section corner

80.00 Set a limestone 16 in long 11 in wide and 5 in thick for corner to sections 4 5 8 and 9

Land rolling soil 1st rate

East on a random line between sections 4 and 9

Variation 12 40 East

25.00 Ravine course S E

40.00 Set a Stone for temporary quarter sec corner

68.00 Ravine Course

80.08 Intersected N and S. line 25 lks S of corner to sections 3 4 9 and 10 from which corner I run

West on a true line between sections 4 and 9

Variation 12 40 East

40.04 Set a limestone 19 in long 10 in wide and 5 in thick for quarter sec corner

80.08 The Corner to sections 4 5 8 and 9

Land rolling. Soil 1st rate

North on a random line between sections 4 and 5

Variation 12 40 East

40.00 Set a Stone for temporary quarter sec. Corner

7.96 Intersected the N boundary of the Township 10 lks W of the corner to sections 4 and 5 from which corner I run South on a true line between sections 4 and 5

Variation 12 36 East

39.60 Set a limestone 18 in long 10 in wide

and 4 in thick for quarter sec. corner

79.60 The corner to sections 4.5.8 and 9

Land rolling, soil 1st rate

June 26th 1859

North between sections 31 and 32

Variation 12.45 East

26.00 Right bank of the Republican river: Set a limestone 18 in long 12 in wide and 5 in thick for corner to fractional sections ~~33~~ 31 and 32

33.00 Left bank of same set as per instructions with trench pit for corner to fractional sections 31 and 32 from which a limestone 18 in long 14 in wide and 6 in thick bears N 7.00 Chains

40.00 Set limestone 18 in long 14 in wide and 6 in thick for quarter sec-corner

80.00 Set a limestone 20 in long 12 in wide and 6 in thick for corner to sections ~~2.3~~ 29.30.31 and 32

Land level; soil 1st rate

Township 1 N R 6 W 6th Principal Meridian

East on a random line between sections 29 and 32

Variation 12°45' East

40.00 Set a stone for temporary quarter section corner

79.60 Intersected N and S line 10 lks N of corner to sections 28 29 32 and 33 from which corner I run

West on a true line between sections 29 and 32

Variation 12°21' E

39.80 Set a limestone 12 in long 12 in wide and 8 in thick for quarter sec. corner

79.60 The corner to sections 29 30 31 and 32

Land level soil 1st rate

~~North between sections~~

West on a random line between sections 30 and 31

Variation 12°45' East

Township 1 R R 6 W 6th Principal Meridian

40.00 Set a stone for temporary quarter section corner

67.00 Bed of a dry branch 15 lks wide course S

80.40 Intersected the west ~~bank of~~ boundary of the township at the corner to sections 30 and 31 from which corner I run East on a true line between sections 30 and 31

Variation 12.45 East

40.40 Set a limestone 20 in long 12 in wide and 8 in thick for quarter sec corner

80.40 The corner to sections 29, 30, 31 and 32

Land level soil 1st rate

North between sections 29 and 30

Variation 12.45 East

2.00 Leave the Republican river bottom bearing E and W and Enter rolling upland

40.00 Set a limestone 18 in long 12 in wide and 5 in thick for quarter sec corner

Township 1 R R 6 W 6th Principal Meridian

80.00 Set a limestone 18 in long 10 in wide and 6 in thick for corner to sections 19, 20, 29 and 30

Land rolling soil 2nd rate

East on a random line between section 20 and 29

Variation 12°45' East

40.00 Set a stone for temporary quarter section corner

79.70 Intersected R and S line 20 lks R of corner to sections 20, 21, 28 and 29 from which corner I run West on a true line between sections 20 and 29

Variation 12°37' East

39.85 Set a limestone 15 in long, 9 in wide and 6 in thick for quarter section corner,

79.70 The Corner to sections 19. 20. 29 and 30.

Land rolling — soil 2nd rate

Township 1 N. Range 6 W. 6th P. M.

West on a Random line between sections 19 & 30.
Variation 12° 45' East,

40.00 Set stone for temporary quarter sec: corner
55.00 Branch, dry, course S. W.
80.50 Intersected the West Boundary of the Township 20 lks South of the corner to secs. 19 and 30, from which corner I run
East on a true line between sections 19 and 30,
Variation ~~12° 53'~~ 12° 37' East,
40.50 Set a Limestone 18 in long, 12 in wide and 5 in thick for quarter section corner,
80.50 The corner to sections 17, 18, 19 and 20,
Land rolling – Soil 2nd rate

North between sections 19 and 20.
Variation 12° 45' East,

40.00 Set a Limestone 12 in long, 14 in wide and 10 in thick for quarter section corner
80.00 Set a Limestone 15 in long, 15 in wide and 8 in thick for corner to sections 17, 18, 19 and 20.
Land rolling – Soil 2nd rate

Township 1 N. Range 6 W. 6th P. M.

East on Random line between sections 17 & 20
Variation 12° 45' East,

15.00 Pass creek S. E.
40.00 Set a stone for temporary quarter sec: corner
79.84 Intersected the N and S line 15 lks North of the corner to sec 16, 17, 20 and 21.
from which corner I run
West on a true line between secs. 17 and 20.
Variation 12° 39' East,
39.92 Set a limestone 13 in long, 10 in wide and 8 in. thick for quarter sec: corner,
79.84 The corner to sections 17, 18, 19 and 20.
Land rolling – Soil 2nd rate

West on a Random line between secs 18 and 19
Variation 12° 45' East,

40.00 Set a stone for temporary quarter sec: corner.
80.64 Intersected the West Boundary 70 lks South of the corner to secs 18 and 19, from which corner I run,
East on a true line between secs 18 and 19,
Variation 13° 15' East,

Township 1 N. Range 6 W. 6th P. M.

40.64 Set a Limestone 15 in long, 10 in wide and 5 in thick for quarter sec: corner,

80.64 The Corner to sections 17. 18. 19 and 20.
Land rolling — Soil 2nd rate,

North between sections 17 and 18
Variation 12° 45' East,

22.00 Ravine, Course S.E.

40.00 Set a Limestone 16 in long, 10 in wide and 6 in thick for quarter sec: corner,

80.00 Set a Limestone 12 in long, 12 in wide and 6 in thick for corner to sec: 7. 8. 17 and 18.
Land rolling — Soil 2nd rate

East on a Random line between sec: 8 and 17.
Variation 12° 45' East,

40.00 Set a stone for temporary quarter sec: Corn

79.90 Intersected the N and S line 16 lks North of the corner to secs 8. 9. 16 & 17. from which cor I run
West on a true line between secs. 8 and 17.
Variation 12° 38' East,

Township 1 N. Range 6 W. 6th P. M.

39.95 Set a Limestone 20 in long, 18 in wide and 6 in thick for quarter sec: corn,

79.90 The Corner to Sections 7. 8. 17 and 18
Land Rolling prairie — Soil 1st rate

West on a Random line between sec: 7 and 18
Variation 12° 45' East,

40.00 Set a stone for temporary quarter sec: Corn.

80.84 Intersected the West Boundary, 100 Lks South of the corner to secs. 7 and 18. from which corner I run
East on a true line between sections 7 and 18
Variation 12° 2' East,

40.84 Set a Limestone 22 in long, 18 in wide and 5 in thick for quarter section corner,

80.84 The Corner to sections 7. 8. 17 and 18.
Land a rolling prairie — Soil 2nd rate

North between sections 7 and 8.
Variation 12° 45' East,

40.00 Set a Limestone 12 in long, 10 in wide, and

Township 1 N. Range 6 W. 6th P. M.

6 in thick for quarter Section Corner.
80.00 Set a Limestone 18 in long, 8 in wide and 8 in thick for corner to section 5. 6. 7 and 8.
Land rolling — Soil 1st rate

East on a Random line between section 5 and 8
Variation 12° 45' East,
40.00 Set stone for temporary quarter sec: Corner,
62.00 Ravine Course S.E.
80.00 Intersected the E N and S line at the corner to sect 4.5.8 & 9. from which corner I run
West on true line between section 5 and 8.
Variation 12° 45' East,
40.00 Set a Limestone 13 in long, 12 in wide and 5 in thick for quarter sec: corner,
80.00 The Corner to Section ~~4.5.8 and 9~~ 5 6 7 & 8,
Land level prairie — and Soil 1st rate

West on a Random line between section 6 & 7.
Variation 12° 45' East,

Township 1 N. Range 6 W. 6th P. M.

40.00 Set stone for temporary quarter sec: corner,
81.00 Intersected the West Boundary, 96 lks. South of the Corner to section 6 and 7.
from which corner I run
East on a true line, between section 6 and 7.
Variation 12° 4' East,
41.00 Set a Limestone 24 in long, 15 in wide, and 5 in thick for quarter section Corner.
81.00 The Corner to section 5. 6. 7 and 8.
Land rolling — Soil 2nd rate

North on a Random line between sect 5 & 6,
Variation 12° 40' East,
40.00 Set a stone for temporary quarter sec: Corner
80.35 Intersected the North Boundary at the corner to section 5 and 6. from which corner I run
South on a true line between section 5 and 6.
Variation 12° 40' East,
40.35 Set a Limestone 18 in long, 14 in wide and 7 in thick for quarter section Corner.
80.35 The Corner to section 5. 6. 7 and 8.

Township 1 N. Range 6 W. 6th P. M.

Land rolling prairie - Soil 2nd rate

June 27 1859

General Description

The land in this Township is of good quality and suitable for ~~for raising of grain and general~~ agricultural purposes. ~~Water~~ is somewhat scarce so is timber, ~~xx~~ Limestone abounds, in section 3 ~~[illegible]~~, — ~~[illegible]~~ the water can easily be obtained by ~~the~~ digging ~~xx~~ wells, without going to a great depth — so that this portion of Country can be made very useful and profitable ~~to~~ the husbandman —

Township 1 N R 6 W of 6th Principal Meridian

Meanders of the Republican in Township 1 N. R. 6 W. through Sections 31 32 33 and 34

Begin at the corner to fractional sections 34 on the base line and 5 on the left bank of the river and run thence up stream with the meanders of said stream in section 34 as follows viz.

N 69 W	1300	chains thence	Leave timber bears N & S
N 62 W	1100	"	"
N 47 W	1800	"	"
N 61 W	800	"	"
N 78 W	24,80	"	To corner to fractional sections 33 and 34 thence in sec 33
S 81 W	20.00	chains thence	
S 68 W	8.00	"	"
S 42 W	34.00	"	To corner to fractional sections 33 on the base line

From the corner to fractional section 32 on the base line and on the left bank of the river I run up stream with

Township 1 N R 6 W 6th Principal Meridian

The meanders of the river in section 32 as follows viz.

N 38 W 11.00 chains thence
N 48½ W 20.00 " "
N 61 W 20.00 " "
N 67¼ W 5.50 " To corner to fractional sections 31 and 32 thence in sec 31
N 67¼ W 27.50 chains thence
S 81½ W 11.00 chains "
S 66 W 8.00 " "
S 47¼ W 7.00 " "
S 7 W 34.50 " To corner to fractional section 31 on the base line

Land level soil 1st rate Timber cottonwood & elm

From the corner to fractional section 31 on the base line and on the right bank of the river Run down stream with the meanders of the right bank of said stream in section 31 as follows viz

Township 1 N R 6 W 6th Principal Meridian

N 6 E 1400 chains thence
N 900 " "
N 17 E 8.00 " " Enter timber bears N E & SW
N 65½ E 1400 " "
S 75 E 700 " " Leave timber bears N E & SW
S 68½ E 2450 " To corner to fractional sections 31 and 32 thence in sec 32
S 64 E 1700 chains thence
S 52 E 1200 " "
S 49 E 900 " "
S 30 E 6.50 " To corner to fractional section 32 on the base line.

From the corner to fractional section 33 on the base line and on the right bank of the river Run downstream with the meanders of ~~the~~ right bank of said river in section 33 as follows, viz:

N 38 E 1300 chains thence
N 44 E 1300 " "

Township 12 R 6 W 6th Principal Meridian

N 61 ~~W~~ E	5.00	chains thence
N 79 E	20.15	.. To the corner to fractional sections 33 and 34 thence in sec 34
79° S 77 E	18.75	chains thence
S 59 E	12.00	.. ..
S 50 E	15.00	.. ..
S 56 E	11.00	.. To the corner to fractional section 34 on the base line

Land level soil 1st rate timber cottonwood & elm

June 28th 1859

General Description

The Land in this township is generally 1st rate. There is some limestone in the northern parts. Timber and water are scarce

List of the names of the individuals employed to assist in running measuring or marking the lines and corners described in the foregoing field notes of township 1 North of Range 6 West of the 6th Principal Meridian—showing the respective capacities in which they acted

Benjamin Thompson Chainman
William Richardson Chainman
Francis McCabe Flagman
John Richardson Cornerman
John M. Coyle Compassman

Contract No. 265

Field Notes
Of the Survey of the Subdivision lines of Township 2 N. Range 6 W. of the 6th Principal Meridian, Nebraska Territory, by Thomas W. Wheatly. Deputy Surveyor under his Contract No 265 bearing date April 26th 1859.

Subdivision Commenced June 23d 1859
" Completed June 27: 1859.

Compared by W W I. & C. B R.

Ex No 1

Platted E.M.
C E M & No 2

Names and duties of Assistants.

Henry Strohr Chainman

James Hollet. Chainman

Alexander A Yard. Cornerman,

John Plummer - Flagman -

Geo. M. Tilford Compassman

Township 2 North Range 6 West 6th P. M.

6	32	5	24	4	18	3	12	2	7	1
32		31		23		18		12		6
7	31	8	23	9	17	10	11	11	6	12
30		30		22		17		11		5
18	29	17	22	16	16	15	10	14	5	13
29		28		21		16		10		4
19	28	20	21	21	15	22	9	23	4	24
27		26		20		15		9		3
30	26	29	20	28	14	27	8	26	3	25
25		25		19		13		8		2
31	24	32	19	33	13	34	7	35	2	36

Field Notes of the Subdivision lines in Township 2 N. Range 6 W. of the 6th Principal Meridian.

To determine the proper adjustment of my Compass for subdividing this Township, I commence at the Corner to Township 2 N. Ranges Range 5 and 6 West, and run North, on a blank line along along the East Boundary of Section 36,

Variation 12°. 00' East

40.00 To a point at quarter section Corner

80.00 To a point at Corner to Sections 25 & 36,

To retrace this line or run parallel thereto my Compass must be adjusted to a ~~variation of~~

Variation 12° 00' East

Subdivision Commenced June 24th 1859.

Found the Corner to sections 1, 2, 35. and 36 On the South Boundary of the Township I run

North between sections 35 and 36.

Variation 12° East.

40.00 Set a Limestone 20 in long, 10 in wide and 4 in thick for quarter section corner.

80.00 Set a Limestone 20 in long, 16 in wide and 3 in thick for corner to sections 25. 26. 35 and 36.

Land; level. Soil 1st rate

East on a random line between sections 25 and 36.

Variation 12° East.

9.50 Road, bears N.W. and S.E.

40.00 Set a stone for temporary quarter sec: corner.

79.94 Intersected East Boundary of the Township 5 lks North of corner to secs: ~~25 and 36~~ 35 and 36. from which corner I run West on a true line between section 25 & 36.

Variation 11°58' East.

39.97 Set a Limestone 17 in long, 12 in wide and 3 in thick for quarter section corner.

79.94 The Corner to sections 25. 26. 35 and 36.

Land level — Soil 1st rate —

North between sections 25 and 26.

Variation 12° East.

20.00 Road bears N.W. and S.E.

40.00 Set a Limestone 16 in long, 15 in wide and 5 in thick for quarter section corner.

80.00 Set a Limestone 20 in long, 18 in wide and 6 in thick for corner to secs: 23. 24. 25 and 26.

Land, level, Soil 1st rate

East on a Random line between secs 24 & 25.

Variation 12° East.

40.00 Set a stone for temporary quarter sec: corner.

80.10 Intersected East Boundary of Township 20 lks North of corner to sections 24 & 25, from which corner I run West on a true line between section 24 and 25

Variation 11°52' East.

40.05 Set a Limestone 15 in long, 12 in wide and 3 in thick for quarter section corner.

80.10 The Corner to sec: 23, 24, 25 and 26.

Land level. Soil 1st rate

Township 2 N. Range 6 W. 6th P. Merid.

North between Sections 23 & 24

Variation 12° East.

40.00 Set a Limestone 12 in long, 12 in wide and 4 in thick for quarter Section Corner.

80.00 Set a Limestone 24 in long, 14 in wide and 4 in thick for Corner to Sections 13. 14. 23 and 24.

Land, level – Soil 1st rate

East on a random line between Secs. 13 & 24

Variation 12° East.

40.00 Set a Stone, for temporary quarter Sec: Corner.

80.06 Intersected East Boundary of Township 46 Chs N. of Corner to Secs 13 and 24, from which Corner I run

West on a true line between Sects 13 and 24.

Variation 11° 43' East

40.03 Set a Limestone 15 in long, 12 in wide and 5 in thick for quarter Sec: Corner.

80.06 The Corner to Sections 13. 14. 23 and 24.

Land; gently rolling – Soil 1st rate.

Township 2 N. Range 6 W. 6th P. M. Meridian

North between Sections 13 and 14.

Variation 12° East,

25.25 Creek 30 lks wide, runs East,

40.00 Set a Limestone 18 in long, 16 in wide and 4 in thick for quarter Sec: Corner

80.00 Set a Limestone 24 in long, 10 in wide and 5 in thick for Corner to Secs 11. 12. 13 and 14.

Land gently rolling. Soil 1st rate.

East on a random line between Sections 12 and 13

Variation 12° East

40.00 Set a Stone for temporary quarter Sec: Corner

80.14 Intersected East Boundary of Township 45 Chs N. of Cor: to Secs 12 & 13. from which Corner I run

West on a true line between Secs 12 and 13

Variation 11° 54' East.

40.07 Set a Limestone 18 in long, 14 in wide and 4 in thick for quarter Section Corner –

80.14 The Corner to Sections 11. 12. 13 and 14.

Land; gently rolling. Soil 1st rate

Township 2 N. Range 6 W. 6th P. Meridian.

North between sections 11 and 12

Variation 12° East.

40.00 Set a Limestone 15 in long, 12 in wide and 5 in thick for quarter section corner.

80.00 Set a Limestone 26 in long, 16 in wide and 5 in thick for corner to sections 1, 2, 11 & 12.

Land level, — soil 1st rate

East on a random line between Secs 1 & 12

Variation 12° East,

40.00 Set a stone for temporary quarter Sec: corner.

80.22 Intersected East Boundary of Township at Corner to Sec: 1 & 12.

from which Corner I run

West on a true line, between Secs 1 and 12,

Variation 12° East,

40.11 Set a Limestone 18 in long, 12 in wide and 3 in thick for quarter sec:

80.22 The Corner to secs. 1. 2. 11 and 12.

Land level. Soil 1st rate

Township 2 N. Range 6 W. 6th P. Merid.

North on a random line between sections 1 & 2

Variation 12° East,

40.00 Set a Limestone for temporary quarter Sec: Cor.

80.34 Intersected North Boundary of Township 30 ch, East of Corner to Secs. 1 and 2. from which Corner I run South on a true line between Secs 1 and 2.

Variation 12° 13' East,

40.34 Set a Limestone 15 in long, 10 in wide and 8 in thick for quarter Sec: corner.

80.34 The Corner to Secs. 1. 2. 11 and 12.

Land level. Soil 1st rate

June ~~28th~~ 23 1859.

North between sections 34 and 35.

Variation 11° 45' East

40.00 Set a Limestone 16 in long, 15 in wide and 3 in thick for quarter Sec: Corner.

80.00 Set a Limestone 20 in long, 16 in wide and 4 in thick, for corner to sections 26, 27, 34 and 35

Land; Gently rolling — Soil 1st rate

East on a random line between Secs. 26 & 35

Variation 12° 25' East.

40.00 Set a stone for temporary quarter Sec: Corner

80.00 Intersected N and S line 10 lks North of Corner to Sections 25.26.35 & 34 from which Corner I run

West on a true line between sections 26 & 35.

Variation 12° 21' East.

40.00 Set a Limestone 18 in long, 15 in wide and 3 in thick for quarter Section Corner.

80.00 The Corner to Sections 26.27.34 and 35

Land; level - Soil 1st rate

North between Sections 26 and 27.

Variation 12° East.

40.00 Set a Limestone 18 in long, 12 in wide and 5 in thick for quarter section Corner,

80.00 Set Sand Stone, 22 in long, 14 in wide and 3 in thick for corner to Sections 22.23.26 and 27.

Land level - Soil 2nd rate

East on a random line between Secs. 23 & 26.

Variation 12° East.

40.00 Set a stone for temporary quarter Sec: corn.

49.50 Road bears N.W. and S.E.

80.50 Intersected N and S line 24 lks North of Corner to Secs. 23.24.25.26 from which corner I run

West on a true line between Sec: 23 and 26.

Variation 11° 50' East.

40.25 Set a Limestone 16 in long, 12 in wide and 8 in thick for quarter Sec: corner.

80.50 The Corner to Secs. 22.23.26 & 27.

Land level. Soil 1st rate

North between Sections 22 and 23.

Variation 12° East

40.00 Set a Limestone 18 in long, 8 in wide and 6 in thick for quarter section Corner.

59.00 Branch 10 lks wide runs N.E.

69.00 Branch 6 lks wide, runs S.E.

80.00 Set a Limestone, 20 in long, 16 in wide and 5 in thick for Corner to Sections 14.15.22 & 23.

Township 2 N. Range 6 W. 6th P. Meridian

Land, gently rolling. Soil 1st rate.

East on a random line between Sections 14 & 23.

Variation 11°50' East,

37.00 Creek 20 lks wide, runs N.E. & road at Bridge. bears N.W. & S.E.

40.00 Set a Stone for temporary quarter Sec: Corner

80.20 Intersected N and S ~~line~~ at Corner to Sec. 13.14.23.24. from which Corner I run

West on a true line between Sections 14 & 23.

Variation 11°50' East,

40.10 Set a Limestone, 16 in long, 10 in wide and 5 in thick for quarter Section Corner.

80.20 The Corner to Sections 14. 15. 22 & 23.

Land mostly level. Soil 1st rate

North between Sections 14 & 15.

Variation 12° East,

40.00 Set a Limestone 16 in long, 14 in wide and 5 in thick for quarter Sec: corner.

66.50 Road, bears S.E. and N.W.

Township 2 N. Range 6 W. 6th Prin.l Merid.n

80.00 Set a Limestone 20 in long, 15 in wide and 4 in thick for corner to Sections 10, 11. 14 & 15.

Land; gently rolling. Soil 1st rate

East on a random line between Sections 11 & 14

Variation 12° East,

25.00 Branch 6 lks wide, runs South.

40.00 Set a Stone for temporary quarter Sec: corner.

79.90 Intersected N and S line 30 lks South of Corner to Sections 11.12.13.14 from which Corner I run

West on a true line between Secs 11 & 14

Variation 12° 13' East.

39.95. Set a Limestone 18 in long, 12 in wide, and 5 in thick for quarter Section Corner.

79.90 The Corner to Sections 10.11. 14 and 15.

Land; rolling prairie Soil 1st rate - - -

North between Sections 10 and 11.

Variation 11°50' East,

40.00 Set a Limestone 20 in long, 8 in wide, and 6 in thick

for quarter section corner.

80.00 Set a Limestone 20 in long, 10 in wide and 4 in thick for corner to sections 2, 3, 10 and 11.

Land gently rolling. Soil 1st rate

East on a random line between Secs 2 & 11

Variation 12° East,

40.00 Set a stone for temporary quarter sec: corner,

79.80 Intersected N & S line, 20 lks South of the corner to sections 1, 2, 11 & 12 from which corner I run

West on a true line between Sections 2 & 11.

Variation 12° 9' East,

39.90 Set a Sand stone 18 in long, 10 in wide and 4 in thick for quarter section corner

79.80 The Corner to Sections 2. 3. 10 and 11.

Land, Gently rolling prairie Soil 2nd rate

North on a random line between Secs 2 & 3,

Variation 12° East,

40.00 Set a stone for temporary quarter sec. corner

81.00 Intersected North Boundary of Township 50 lks East of Corner to Secs 2 & 3, from which corner I run

South on a true line between sections 2 & 3

Variation 12° 21' East.

41.00 Set Limestone 18 in long, 15 in wide, and 5 in thick for quarter section corner.

81.00 The Corner to Sections 2, 3, 10 and 11.

Land; gently rolling, Soil 1st rate

June 25: 1859.

North between sections 33 & 34.

Variation 12° East

40.00 Set a Limestone 16 in long, 14 in wide and 4 in thick for quarter sec: corner.

80.00 Set a Limestone 22 in long, 10 in wide and 8 in thick for corner to sections 27, 28. 33 & 34.

Land; gently rolling, Soil 1st rate

East on a random line between sections 27 & 34

Variation 12° East.

Township 2 N. Range 6 W. 6th P. M. Meridian

40.00 Set a stone for temporary quarter section corner

80.20 Intersected N and S line, 15 chs North of corner to sections 26.27.34.35, from which corner I run

West on a true line between sections 27 & 34.

Variation 11° 54' East.

40.10 Set a Limestone 16 in long, 14 in wide and 3 in thick for quarter section corner.

80.20 The Corner to sections 27.28.33 & 34.

Land; gently rolling. Soil 1st rate.

North between sections 27 and 28

Variation 12° East.

37.00 Ravine, bears N.E. & S.W.

40.00 Set a Limestone 18 in long, 12 in wide, 3 in thick for quarter section corner.

80.00 Set a Limestone 18 in long, 16 in wide and 5 in thick for corner to sections 21. 22. 27 & 28.

Land; gently rolling. Soil 2nd rate

Township 2 N. Range 6 W. 6th P. M. Meridian.

East on a random line, between sections 22 & 27.

Variation 12° East.

40.00 Set a stone for temporary quarter sec: corner.

55.00 Ravine, bears N.E. & S.W.

80.50 Intersected N & S line 24 chs North of corner to sections 22, 23.26.27, from which corner I run

West, on a true line between sections 22 & 27

Variation 11° 50' East.

40.25 Set a Limestone 18 in. long, 8 in wide, and 5 in. thick for quarter section corner.

80.50 The Corner to sections 21.22, 27 and 28.

Land; gently rolling, soil 1st rate

North between sections 21 & 22

Variation 12° East.

40.00 Set a Limestone 15 in long, 12 in wide and 6 in thick for quarter section corner.

80.00 Set a Limestone 17 in long, 14 in wide and 4 in thick for corner to sections 15. 16. 21 & 22.

Land rolling, soil 2nd rate

Township 2 N. Range 6 W. 6th P. M.

East on a random line between Sec: 15 & 22

Variation 12° 15' East,

40.00 Set a Limestone for temporary quarter Sec: Corner

80.62 Intersected the N and S, line 15 lks N. of the Corner to Sections 14.15.22 & 23 from which Corner I run West on a true line between Sections 15 & 22

Variation 12° 9' East.

40.31 Set a Limestone 20 in long, 12 in wide and 4 in thick for quarter Section Corner.

80.62 The Corner to Sections 15.16.21 & 22.

Land, level – Soil 2nd rate

North between Sections 15 and 16.

Variation 12° East,

40.00 Set a Limestone 18 in long, 16 in wide and 6 in thick for quarter Section Corner.

80.00 Set a Limestone 20 in long, 15 in wide and 4 in thick for Corner to Sections 9.10.15 and 16.

Land; gently rolling. Soil 2nd rate

Township 2 N. Range 6 W. 6th P. M.

East on a random line between Secs 10 & 15

Variation 12° 15' East,

40.00 Set a Stone for temporary quarter Sec: Corner

37.00 Road bears N.W. & S.E.

80.70 Intersected the N and S, line 30 lks North of the Corner to Sec: 10.11.14.15. from which Corner I run West on a true line between Sections 10 & 15

Variation 12° 2' East,

40.35 Set a Limestone 20 in long, 12 in wide and 3 in thick for quarter Section Corner

80.70 The Corner to Sections 9.10.15 & 16.

Land rolling, Soil 2nd rate

North between Sections 9 & 10.

Variation 12° East.

22.00 Road bears N.W. & S.E.

40.00 Set a Limestone 18 in long, 14 in wide and 10 in thick for quarter Section Corner.

80.00 Set a Limestone 19 in long, 16 in wide and 7 in thick for Corner to Sections 3.4.9 & 10.

Land gently rolling. Soil 2nd rate

Township 2 N. Range 6 W. 6th P. Meridian

East on a random line between Secs 3 & 10

Variation 12° 15' East,

40.00 Set a Stone for temporary quarter Sec: corner

80.50 Intersected N and S, line 30 lks; North of the Corner of Sections 2.3.10 & 11. from which Cor: I run West on a true line between Sections 3 & 10

Variation 12° 2' East.

40.25 Set a Limestone 15 in long, 12 in wide and 6 in thick for quarter Sec: Corner

80.50 The Corner to Sections 3.4.9.10.

Land gently rolling Soil 2nd rate

North on a random line between Sections 3 & 4

Variation 12° East.

40.00 Set Stone, for temporary quarter Section Corner

81.30 Intersected the North Boundary of the Township at the Corner to Secs 3 and 4. from which corner I run South on a true line between Sections 3 & 4.

Variation 12° East.

41.30 Set a Limestone 20 in long, 16 in wide and 5 in thick for quarter Section Corner

Township 2 N. Range 6 W. 6th Prin Mer.

81.30 The Corner to Sections 3.4.9 & 10.

Land gently rolling. Soil 2nd rate.

June 25th 1859.

North between sections 32 and 33.

Variation 12° 15' East.

40.00 Set a Limestone 17 in long, 15 in wide and 8 in thick for quarter section Corner.

80.00 Set a Limestone, 18 in long, 12 in wide, and 4 in thick for Corner to sections 28.29, 32 and 33.

Land gently rolling. Soil 2nd rate.

East on a random Line between sections 28 & 33.

Variation 12° 15' East.

40.10 Set a Limestone for temporary quarter section Corn.

80.10 Intersected the N and S line, 10 lks North of the Corner to sections 27, 28.33 & 34. from which Corner I run West on a true line between sections 28 & 33.

Variation 12° 11' East

40.05 Set a Limestone 16 in long, 14 in wide and 3 in thick for quarter Sec: Corner.

Township 2 N. Range 6 W. 6th P. Meridian

80.10 The Corner to Sections 28. 29. 32. 33.
Land rolling. Soil 2nd rate

North between Sections 28 and 29.
Variation 12° 15' East

40.00 Set a Limestone 20 in long, 15 in wide and 4 in thick for quarter section Corner.

80.00 Set a Limestone 18 in long, 14 in wide and 5 in thick for Corner to sections 20, 21, 28 & 29
Land gently rolling. Soil 2nd rate

East on random between Sections 21 & 28.
Variation 12° 15' East,

40.00 Set a stone for temporary quarter section Corner,

79.46 Intersected the N and S line at the Corner to Sec: 21. 22. 27 & 28. from which Corner I run
West on a true line between Secs 21 & 28.
Variation 12° 15' East,

39.73 Set a Limestone 14 in long, 12 in wide and 8 in thick for quarter Sec: corner.

Township 2 N. Range 6 W. 6th P. Meridian.

79.46 The Corner to Sections 20. 21. 28 & 29.
Land gently rolling. Soil 2nd rate

North between Sections 20 & 21.
Variation 12° 30' East,

40.00 Set a Limestone 19 in long, 14 in wide and 5 in thick for quarter section Corner.

80.00 Set a Limestone 20 in long, 15 in wide and 4 in thick for Corner to Sections 16. 17. 20 and 21.
Land gently rolling. Soil 2nd rate

East on a random line between Secs 16 & 21.
Variation 12° 30' East,

40.00 Set a Limestone for temporary quarter Sec: Corner.

79.74 Intersected N and S line, 10 lks S. of the Corner to Secs 15. 16. 21 and 22. from which Corner I run
West on a true line between Sections 16 & 21.
Variation 12° 34' East,

39.87 Set a Limestone 14 in long, 13 in wide, and 6 in thick for quarter section Corner.

Township 2 N. Range 6 W. 6th P. Meridian.

79.74 The Corner to sections 16. 17. 20 & 21.
Land, level – Soil 2nd rate

North between sections 16 and 17
Variation 12°30' East,

40.00 Set a Limestone 17 in long, 15 in wide and 4 in thick for quarter section corner.

80.00 Set a Limestone 18 in long, 16 in wide and 6 in thick for corner to sections 8. 9. 16 & 17.
Land, level – Soil 2nd rate,

East on a random line between sections 9 & 16
Variation 12°30' East,

40.00 Set stone for temporary quarter section corner.

79.60 Intersected the N and S. line, 20 lks South of the corner to Sec; 9. 10. 15 and 16. from which corner I run West on a true line between sections 9 and 16.
Variation 12° 39' East,

39.80 Set a Limestone 15 in long, 13 in wide and 8 in thick for quarter section corner.

Township 2 N. Range 6 W. 6th P. M.

79.60 The Corner to sections 8. 9. 16 & 17.
Land level, Soil 2nd rate

North between sections 8 & 9.
Variation 12°30' East,

40.00 Set a Limestone 22 in long, 15 in wide and 4 in thick for quarter section corner,

80.00 Set a Limestone 20 in long, 18 in wide and 5 in thick for corner to sections 4. 5. 8 & 9.
Land; level – Soil 2nd rate

East on a random line between sections 4 & 9.
Variation 12°30' East,

22.00 Road bears N & S.

40.00 Set a stone for temporary quarter sec. corner.

79.80 Intersected the N and S. line 15 lks, South of the corner to Sec, 3. 4. 9 & 10. from which corner I run West on a true line between sections 4 & 9.
Variation 12°36 East.

39.90 Set a Limestone 17 in long, 14 in wide and 8 in thick for quarter section corner.

79.80 The corner to sections 4.5.8&9.
Land, gently rolling. Soil 2nd rate

North on a random line between sections 4 & 5
Variation 12°30' East,

40.00 Set a stone for temporary quarter sec: corn
30.00 Road bears N W & S E
81.20 Intersected the north Boundary 30 lks East
of corner to sections 4 & 5. from which corner I run
South on a true line between sections 4 & 5.
Variation 12°43' East,

41.20 Set a Limestone 21 in long, 18 in wide and 6 in thick
for quarter sec: corner.
81.20 The Corner to sec. 4.5.8&9.
Land; gently rolling. Soil 2nd rate.
June 26th 1859.

North between sections 31 & 32,
Variation 12° East,

40.00 Set a Limestone 16 in long, 14 in wide,
and 4 in thick for quarter sec: corner.

80.00 Set a Limestone 22 in long, 14 in wide and 8 in thick
for corner to sections 29.30.31 and 32.
Land; rolling – Soil 2nd rate

East on a random line between sections 29 & 32,
Variation 12° East,

40.00 Set a Limestone for temporary quarter sec: corner,
79.50 Intersected N and S. line 10 lks N. of the corner
to sections 28.29.32 & 33. from which corner I run
West on a true line between sec. 29. & 32.
Variation 11°56' East,

39.75 Set a Limestone 16 in long, 14 in wide and 3 in thick
for quarter section corner.
79.50 The corner to sections 29.30.31 & 32.
Land; gently rolling – Soil; 2nd rate

West on a random line between sec: 30 & 31
Variation 12° East

40.00 Set a stone for temporary quarter sec: corner
81.60 Intersected West Boundary of Township 1 & 8 lks South,

Township 2 N. Range 6 W. 6th P. Meridian.

Of the Corner to sections 30 & 31. from which corner I run
East on a true line between sections 30 & 31.
Variation 11° 10' East.

41.60 Set a Limestone 17in long, 12in wide and 4in thick
for quarter sec: Corner

81.60 The Corner to sections 29. 30. 31 & 32.
Land; Gently rolling. Soil 2nd rate

North between Sects 29 & 30.
Variation 12° East

40.00 Set a Limestone 13in long, 12in wide and 4in
thick for quarter section Corner.

80.00 Set a Limestone 18in long, 14in wide and 4in thick for Corner
to sections 19. 20. 29 and 30.
Land; Gently rolling, soil 1st rate

East on a random line between sections 20 & 29
Variation 12° East

40.00 Set a stone for temporary quarter Sec: corner

79.44 Intersected N and S line, 15 lks North of the

Township 2 N. Range 6 W. 6th P. Meridian.

Corner to Sec 20. 21. 28 & 29. from which cor. I run
West on a true line between sections 20 & 29.
Variation 11° 54' East.

39.72 Set a Limestone 15in long, 12in wide and 3in thick
for quarter section Corner.

79.44 The Corner to secs 19. 20. 29 & 30.
Land gently rolling, soil 1st rate

West on a random line between sections 19 & 30.
Variation 12° 45' East.

40.00 Set a stone for temporary quarter Sec: corner.

81.90 Intersected the West Boundary of Township, 15 lks
North of the corner to Sec: 19 & 30. from which Corner I run
East on a true line between Secs 19 & 30.
Variation 12.51' East.

41.90 Set a Limestone 13in long, 13in wide and 4in thick
for quarter section Corner.

81.90 The Corner to sections. 19. 20. 29 & 30.
Land, gently rolling. Soil 1st rate.

North between sections 19 + 20.

Variation 12° East.

40.00 Set a Limestone 16 in long, 12 in wide and 5 in thick for quarter Sec: corner.

80.00 Set a Limestone 20 in long, 11 in wide and 3 in thick for corner to sections 17, 18, 19 and 20.

Land, level – Soil 1st rate

East on a random line between Sec: 17 + 20

Variation 12° East.

40.00 Set a stone for temporary quarter Sec: Corner.

79.48 Intersected N and S line 11 lks N of corner to Secs. 16. 17. 20 & 21. from which corner I run West on a true line between sections 17 + 20

Variation 11° 55' East

39.74 Set a Limestone 20 in long, 12 in wide and 5 in thick for quarter section Corner.

79.48 The Corner to sections 17, 18, 19 and 20.

Land gently rolling. Soil 1st rate

West on a random line between Secs 18 + 19.

Variation 12° 30' East,

40.00 Set a stone for temporary quarter Sec: Corner.

82.00 Intersected the West Boundary of the Township at the corner to sections 18 + 19. from which corner I run East on a true line between sections 18 + 19.

Variation 12° 30' East

42.00 Set a Limestone 15 in long, 6 in wide, and 6 in thick for quarter section corner.

82.00 The Corner to sections 17. 18. 19 + 20.

Land gently rolling. Soil 1st rate.

North between sections 17 + 18.

Variation 12° East.

40.00 Set a Limestone 17 in long, 12 in wide and 3 in thick for quarter section corner.

80.00 Set a Limestone 24 in long, 10 in wide, and 4 in thick for corner to Sec: 7. 8. 17 + 18.

Land level, Soil 1st rate.

Township 2 N. Range 6 W. 6th P. M.

East on a random line between Sections 8 & 17

Variation 12° East,

40.00 Set a stone for temporary quarter Section Corner.

79.20 Intersected N and S line, 9 lks W of the Corner to Secs: 8, 9, 16 & 17 ~~8 & 17~~. from which Corner I run

West on a true line, between Secs. 8 & 17.

Variation 11° 56' East,

39.60 Set a Limestone 14 in long, 11 in wide and 5 in thick for quarter Section Corner.

79.20 The Corner to Sections 7. 8. 17 & 18.

Land; rolling prairie. Soil 2nd rate

West on a random line between Sect 7 & 18.

Variation 12° 30' East

40.00 Set stone for temporary quarter Sec: corner

82.20 Intersected the West Boundary at Corner to Sec 7 & 18, from which Corner I run

East on a true line between Sections 7 & 18

Variation 12° 30' East,

42.20 Set a Limestone 16 in long, 13 in wide and 3 in thick for quarter Section corner.

82.20 The Corner to Sections 7. 8. 17 & 18

Land; level, Soil 1st rate

North between Sections 7 & 8.

Variation 12° East.

40.00 Set a Limestone 16 in long, 14 in wide and 5 in thick, for quarter Section Corner.

80.00 Set a Limestone 18 in long, 12 in wide, and 5 in thick for Corner to Sections 5. 6. 7 & 8.

Land; Gently rolling prairie. Soil 1st rate

East on a random line between Secs. 5 & 8

Variation 12° East,

40.00 Set a stone for temporary quarter Section Corner,

79.15 Intersected N & S. line 12 lks North of the Corner to Sec. 4. 5. 8 and 9. from which Corner I run

West on a true line between Sections 5 & 8.

Variation 11° 55' East,

39.57 Set a Limestone 15 in long, 13 in wide and 4 in. thick for quarter Section Corner.

79.15 The Corner to sections 5.6.7 & 8.
Land; gently rolling, Soil 1st rate.

West on a random line between Sects: 6 & 7.
Variation 12° 30' East,

40.00 Set Limestone, for temporary quarter sec: Corner.
82.50 Intersected the West Boundary, at the Corner, to sections 6 & 7. from which Corner I run
East on a true line between sections 6 & 7.
Variation 12° 30' E

42.50 Set a limestone 20 in long, 12 in wide and 3 in thick for quarter section Corner.
82.50 The Corner to sections 5.6.7 & 8.
Land rolling. Soil 1st rate

North on a random line between Sec: 5 & 6
Variation 12° East.

40.00 Set Stone for temporary quarter sec: Corner.
80.75 Intersected the North Boundary 100 lks East of the Corner to sections 5 & 6,

From which corner I run
South on a true line between Sec: 5 & 6.
Variation 12° 50' East.

40.75 Set a Limestone 18 in long, 16 in wide & 3 in thick for quarter section Corner.
80.75 The Corner to sections 5.6.7 & 8.
Land; gently rolling. Soil 1st rate
June 27th 1859.

General Description.

The Land in this Township is of first rate quality, mostly rolling and level prairie well adapted for agricultural purposes - plenty of limestone; not much timber nor water.

34/88

correct when made so

List of names

A List of the names of the individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field notes of Township No 2 North, of the Base line, of Range No 6, W of the 6th Principal Meridian. Showing the respective capacities in which they acted —

Henry Stroh, Chainman
James Hallet. Chainman
Alexander A. Yard, Cornerman,
John Plummer. Flagman —
Gerd. M. Telford, Compassman —

P & am

3

9 +09

1/89

Contract No. 244.

Field Notes

Of the Subdivision Lines in Township No 3. North of the base line, of Range No 6. West of the 6th Principal Meridian in Nebraska Territory, as Surveyed by Norman Diefendorf and Green Todd Deputy Surveyors, under their Contract No 244 bearing date July 10th 1858

Subdivision Commenced September 11. 1858.
Subdivision Completed Septr. 13. 1858.

Copied by AG
Comp by R&G
D. L. made

Ex Arrect
No 1

34/88

2/90

Names and duties of Assistants.

Henry S. Beeman	Chainman
S. Mothersbergen	Chainman
Samuel Underwood	Chainman
Joseph Blair	Chainman
George H. Rust	Flagman
Samuel S. Anderson	Flagman,
F. B. Burwell	Cornerman,
Harrison Erwin	Cornerman,
Samuel Bonham	Compassman,

91

Township 3 North Range 6 West 6th P. M.



Field Notes of the Subdivision Lines in Township 3 North, Range 6 West, of the 6th Principal Mer.

To determine the proper adjustment of my compass for subdividing this Township I commenced at the Corner to Townships 3 & 4 N Range 5 & 6 W and ran
North on a blank line along the East boundary of Sec 36

Variation 12° 40' East

39.93 To a point 4 lks East of the quarter Sec Corner
79.91 To a point 11 lks East of the Corner to Sec 25 & 36
To retrace this line or run Parallel thereto my compass must be adjusted to a

Variation of 12°,45' East

Subdivision commenced Sept 11th 1858

From the corner to Sec 1, 2, 35 & 36 on the South Boundary of the Township I ran
North between Sec 35 & 36

Variation 12°,45' East

40.00 Set a Sand Stone 20 in long 9 in wide & 3 in thick for quarter Sec Corner

Township 3 N Range 6 W 6 Principal Meridian

Chains	
80.00	Set a Sandstone 20 in long 7 in wide & 4 in thick for Corner to Sec 25, 26, 35 & 36 Land Level, Soil 2nd rate
	East on a Random line between Sec 25 & 36 Variation 12° 45' East
40.00	Set a post for temporary quarter Sec Corner
80.09	Intersected the East Boundary of the Township 28 lks South of corner to Sec 25 & 36 from which Corner I run West on a true line between Sec 25 & 36 Variation 12° 57' East
40.05	Set a Sandstone 14 in long 8 in wide & 7 in thick for quarter Sec Corner
80.09	The Corner to Sec 25, 26, 35 & 36 Land level, Soil 2nd rate
	North between Sec 25 & 26 Variation 12° 45' East

Township 3 North Range 6 W 6 Principal Meridian

Chains	
40.00	Set a Sandstone 20 in long 10 in wide & 3 in thick for quarter Sec Corner
80.00	Set a Sandstone 21 in long 7 in wide & 4 in thick for corner to Sec 23, 24, 25 & 26 Land Level, Soil 2nd rate
	East on a Random line between Sec 24 & 25 Variation 12° 45' East
41.00	Set a post for temporary quarter Sec Corner
79.92	Intersected the east Boundary of the Township 45 lks South of the Corner to Sec 24 & 25 from which Corner I run West on a true line between Sec 24 & 25 Variation 13° 04' East
39.96	Set a Sandstone 15 in long 7 in wide & 7 in thick for quarter Sec Corner
79.92	The Corner to Sec 23, 24, 25 & 26 Land lightly rolling, Soil 2nd rate

Township 3 north Range 6 W. 6. Principal Mer

Chains	
	North between Secs 23 & 24
	Variation 12°.45' East
40.00	Set a sandstone 16 in long 11 in wide & 3 in thick for quarter Sec Corner
72.50	Dry Branch 9 lks wide Course N. E
80.00	Set a sandstone 15 in long 9 in wide & 4 in thick for ~~Corner to~~ Sec 13, 14, 23 & 24
	Land Rolling. Soil 2nd rate
	East on a Random line between Secs 13 & 24
	Variation 12°.45' East
22.50	Branch of Elk Creek 10 lks wide Course ~~S E~~ NE
40.00	Set a post for Temporary quarter Sec Corner
79.77	Intersected the East boundary of the Town Ship 22 lks South of the Corner to Secs 13 & 24 from which Corner I run
	West on a ~~Random~~ true line between Secs 13 & 24
	Variation 12°55' East
39.88	Set a sandstone 15 in long 9 in wide & 4 in thick for quarter Sec Corner

Township 3 N Range 6 W of the 6 principal meridian

Chains	
79.77	The Corner to Secs 13, 14, 23 & 24
	Land rolling, Soil 2nd rate
	North between Secs 13, & 14
	Variation 12°.45' East
40.00	Set a sandstone 15 in long 9 in wide & 4 in thick for quarter Sec Corner
43.20	Elk Creek 25 lks wide Course N E with some scattering timber along its banks
80.00	Set a sandstone 22 in long 12 in wide & 2 in thick for Corner to Secs 11, 12, 13 & 14
	Land level, Soil 2nd rate
	East on a Random line between Secs 12 & 13
	Variation 12°.45' East
40.00	Set a post for Temporary quarter Sec Corner
47.50	Enter Timber bears N E. & S W
48.00	Elk Creek 25 lks wide Course N E
49.40	Leave Timber bears N E & S W
79.92	Intersect the East boundary of the

Township 3 N Range 6 W of the 6 Principal Meridian

chains	
	Township 9 lks north of the Corner to Sec 12 & 13 from which Corner I run
	West on a true line between Sec 12 & 13
	Variation 12°, 49' East
39.94	Set a sandstone 19 in long 15 in wide & 3 in thick for quarter Sec Corner
79.92	The Corner to Sec 11, 12, 13 & 14
	Land rolling, Soil 1st rate
	Timber Bur Oak Elm & Cottonwood

North between Sec 11 & 12

Variation 12°, 45' East

40.00	Set a sandstone 16 in long 9 in wide & 4 in thick for quarter Sec Corner
80.00	Set a sandstone 21 in long 9 in wide & 2 in thick for Corner to Sec 1, 2, 11 & 12
	Land lightly Rolling. Soil 2nd rate

East on a Random between Sec 1 & 12

Variation 12°, 45 East

Township 3 N Rg 6 W of the 6 Principal Meridian

chains	
40.00	Set a post for temporary quarter Sec Corner
55.60	Enter low Prairie N W & S E
79.89	Intersect the East boundary of the Township 6 lks north of the Corner to Sec 1 & 12 from which Corner I run
	West on a true line between Sec 1 & 12
	Variation 12°, 48' East
39.94	Set a sandstone 21 in long 14 in wide & 2 in thick for quarter Sec Corner
79.89	The Corner to Sec 1, 2, 11 & 12
	Land 1½ mile rolling 2nd ½ level, Soil 2nd rate

North on a Random line between Sec 1 & 2

Variation 12°, 45' East

40.00	Set a post for temporary quarter Sec Corner
79.96	Intersected the north boundary of the Township 2 lks East of the Corner to Sec 1, 2, 35 & 36 from which Corner I run
	South on a true line between Sec 1 & 2
	Variation 12°, 57' East

chains	
39.94	Set a sandstone 21 in long 11 in wide & 3 in thick for quarter Sec Corner
79.94	The Corner to Secs 1, 2, 11 & 12
	Land 1/2 mile slightly rolling 2/2 level, Soil 2nd rate

North between Secs 34 & 35
Variation 12° 45' East

40.00	Set a Sandstone 18 in long 9 in wide & 6 in thick for quarter Sec Corner
80.00	Set a sandstone 14 in long 9 in wide & 6 in thick for Corner to Secs 26, 27, 34 & 35
	Land level, Soil 2nd rate

East on a Random line between Secs 26 & 35
Variation 12° 45' East

40.00	Set a post for temporary quarter Sec Corner
80.00	Intersected the East boundary of the Township 16 lks South of the Corner to Secs 26, 25, 35 & 36

chains

from which Corner I run
West on a line between Secs 26 & 35
Variation 12° 52' East

40.02	Set a sandstone 14 in long 9 in wide & 5 in thick for quarter Sec. Corner
80.05	The Corner to Secs 26, 27, 34 & 35
	Land slightly rolling, Soil 2nd rate

North between Secs 26 & 27,
Variation 12° 45' East

40.00	Set a sandstone 20 in long 11 in wide & 4 in thick for quarter Sec Corner
80.00	Set a sandstone 19 in long 12 in wide & 3 in thick for Corner to Secs 22, 23, 26 & 27
	Land level, Soil 2nd rate

East on a Random line between Secs 23 & 26
Variation 12° 45' East

40.00	Set a post for temporary quarter Sec Corner

Township 3 N Range 6 W of the 6th Principal Meridian

chains	
80.10	Intersected the N & S line 12 lks north of the Corner to Secs 23, 24, 25 & 26
	from which Corner I run West on a true line between Secs 23 & 26
	Variation 12°, 40' East
40.05	Set a Sandstone 21 in long 16 in wide & 2 in thick for quarter Sec Corner
80.10	The Corner to Secs 22, 23, 26 & 27
	Land lightly rolling, Soil 2nd rate

North between Secs 22 & 23

Variation 12° 45' East

40.00	Set a Sandston 14 in long 8 in wide & 4 in thick for quarter Sec Corner
80.00	Set a Sandston 16 in long 9 in wide & 4 in thick for corner to Secs 14, 15, 22 & 23.
	Land rolling Soil 2nd rate

East on a Random line between Secs 14 & 23

Variation 12°, 45' East

Township 3 N Range 6 W of the 6th Principal Meridian

chains	
40.00	Set a post for Temporary quarter Sec Corner
79.80	Intersected the N & S line 26 lks South of the Corner to Secs 13, 14, 23 & 24
	from which Corner I run West on a true line between Secs 14 & 23
	Variation 12°, 56' East
39.90	Set a Sandstone 13 in long 11 in wide & 7 in thick for quarter Sec Corner
79.80	The Corner to Secs 14, 15, 22 & 23
	Land rolling Soil 2nd rate

North between Secs 14 & 15

Variation 12°, 45' East

8.80	Dry Ravine 20 lks wide Course N W & Enter Timber bears the Same
19.30	Cross Same Ravine Course N E
33.90	Elk Creek 25 lks wide runs N E
40.00	Set a Sandstone 24 in long 8 in wide & 3 in thick for quarter Sec Corner, from which

Township 3 N Range 6 W of the 6th Principal Meridian

Chains	
	A Burbak 30 in dia bears S 21° 35' E 76 lks dist
	An Elm 20 in dia bears S 45° 30' W 35 lks dist
	A Burbak 15 in dia bears N 18° 45' E 65 lks dist
	A Cottonwood 12 in dia bears N 28° 00' W 90 lks dist
40.75	Dry Ravine 10 lks wide Course S E with Some Scattering Timber
50.00	Same Ravine Course E W
63.00	Same Ravine Course S E
67.50	Same Ravine 10 lks wide Course S W
68.30	Grave Timber bears S W
80.00	Set a Sandstone 23 in long 11 in wide & 3 in thick for Corner to Secs 10, 11, 14 & 15
	Land Broken. Soil 2nd rate
	Timber Burroak. Elm & Cottonwood
	Underbrush Hazel. Elder. & Elm

	East on a Random line between Secs 11 & 14
	Variation 12° 45' East
12.50	Dry Ravine 5 lks wide Course S W with Some Scattering timber Burbak & Elm

Township 3 N Range 6 W of the 6th principal meridian

Chains	
13.25	A Sand Stone quarry
40.00	Set a post for temporary quarter Sec Corner
79.84	Intersected the N & S line 35 South of the Corner to Secs 11, 12, 13 & 14 from which Corner I run West on a true line between Secs 11 & 14
	Variation 13° 00' East
39.92	Set a Sandstone 21 in long 14 in wide & 2 in thick for quarter Sec Corner
79.84	The Corner to Secs 10, 11, 14 & 15
	Land rolling. Soil 2nd rate

	North between Secs 10 & 11
	Variation 12° 45' East
40.00	Set a Sandstone 18 in long 17 in wide & 4 in thick for quarter Sec Corner
80.00	Set a Sandstone 21 in long 10 in wide & 5 in thick for Corner to Secs 2, 3, 10 & 11
	Land Level. Soil 2nd rate

	East on a Random line between Secs 2 & 11

Township 3 N R 6 W of the 6th Principal Meridian

chains	
	Variation 12°.45' East
40.00	Set a post for temporary quarter Sec Corner
79.77	Intersected the N & S line 21 lks South of the Corner to Secs 1, 2, 11, & 12 from which Corner I run West on a true line between Secs 2 & 11
	Variation 12°.54' East
39.88	Set a Sandstone 17 in long 12 in wide & 3 in thick for quarter Sec Corner
79.77	The Corner to Secs 2, 3, 10 & 11
	Land Level. Soil 2nd rate

North on a Random line between Secs 2 & 3

Variation 12°.45' East

40.00	Set a post for temporary quarter Sec Corner
79.80	Intersected the north boundary of the Township 27 lks East of the Corner to Secs 2, 3, 34 & 35 from which Corner I run

South on a true line between Secs 2 & 3

Variation 12°.57' East

39.80	Set a Sandston 15 in long 11 in wide & 5 in thick for quarter Sec Corner
79.80	The Corner to Secs 2, 3, 10 & 11

Land Slightly rolling, Soil 2nd rate

Sept 14th 1858

Township 3 N R 6 W of the 6th Principal Meridian

North between Secs 33 & 34

Variation 12°.45' East

40.00	Set a Sandstone 22 in long 12 in wide & 2 in thick for quarter Sec Corner
80.00	Set a Sandstone 15 in long 10 in wide & 4 in thick for Corner to Secs 27, 28, 33 & 34

Land level. Soil 2nd rate.

East on a Random line between Secs 27 & 34

Variation 12°.45' East.

40.00	Set a post for temporary quarter Sec Corner
79.83	Intersected the N & S line 13 lks north of the Corner to Secs 26, 27, 34 & 35 from which Corner I run

West on a true line between Secs 27 & 34

Variation 12°.39' East

39.91	Sand Stone 14 in long 13 in wide & 4 in thick for quarter Sec Corner

Township 3 N Range 6 W of the 6th Principal Meridian

chains	
79.83	The corner to Secs 27, 28, 33 & 34
	Land Level Soil 2nd rate
	North between Secs 27 & 28
	Variation 12° 45' East
40.00	Set a Sandstone 14 in long 8 in wide & 6 in thick for quarter Sec Corner
80.00	Set a Sandstone 18 in long 16 in wide & 3 in thick for corner to Secs 21, 22, 27 & 28
	Land Level Soil 2nd rate
	East on a Random line between Secs 22 & 27
	Variation 12° 45' East
40.00	Set a post for temporary quarter Sec corner
79.96	Intersected the N & S line 15 lks north of the corner to Secs 22, 23, 26 & 27 from which corner Town
	West on a true line between Secs 22 & 27
	Variation 12° 38' East
39.98	Set a Sandstone 14 in long 13 in wide & 5 in thick for quarter Sec Corner

Township 3 N Range 6 W of the 6th principal meridian

chains	
79.96	The corner to Secs 21, 22, 27 & 28
	East ½ mile rolling, West ½ level, Soil 2nd rate
	North between Secs 21 & 22
	Variation 12° 45' East
25.00	Enter Timber bears E & W
25.50	Small Branch 8 lks wide Course N E
35.25	Same Branch 9 lks wide Course S 8 N W
40.00	Set a Sandstone 13 in long 10 in wide & 6 in thick for quarter Sec Corner from which
	A Bur Oak 20 in dia bears S 31° 28' East 40 lks dist
	A Bur Oak 15 in dia bears S 15° 00' W 85 lks dist
	An Elm 12 in dia bears N 45° 00' W 70 lks dist
	A Bur Oak 15 in dia bears N 12° 40' E 1.25 lks dist
41.25	Small Branch 6 lks wide Course N E
63.40	Same Branch 6 lks wide Course N W
71.80	Same Branch 8 lks wide Course N E
75.00	Leave Timber bears N E
80.00	Set a Sandstone 20 in long 14 in wide & 3 in thick for corner to Secs 15, 16, 21 & 22

chains	
	Land Broken Soil 2nd rate
	Timber Bur Oak Elm & Cottonwood
	Underbrush the Same with Hazel
	East on a Random line between Secs 15 & 22
	Variation 12°, 45' East
7.50	Timbered Branch 10 lks wide Course N.E
40.00	Set a post for temporary quarter Sec Corner
80.18	Intersected the N & S line 30 lks South of the corner to Secs 14, 15, 22 & 23 from which corner I run
	West on a true line between Secs 15 & 22
	Variation 12°, 58' East
40.09	Set a sandstone 23 in long 7 in wide & 5 in thick for quarter Sec Corner
80.18	The corner to Secs 15, 14, 21 & 22
	The 1/2 mile rolling 2/2 Level, Soil 2nd rate
	North between Secs 15 & 16
	Variation 12°, 45' East
11.25	Enter timber bears N E & S W

chains	
12.50	Elk Creek 25 lks wide Course N E and leave timber
40.00	Set a Sandstone 18 in long 8 in wide & 5 in thick for quarter Sec Corner
80.00	Set a Sandstone 17 in long 8 in wide & 4 in thick for Corner to Secs 9, 10, 15 & 16
	Land Level, Soil 2nd rate
	East on a Random line between Secs 10 & 15
	Variation 12°, 45' East
40.00	Set a post for temporary quarter Sec Corner
79.90	Intersected the N & S line 11 lks north of the Corner to Secs 10, 11, 14 & 15 from which Corner I run
	West on a true line between Secs 10 & 15
	Variation 12°, 40' East
39.95	Set a Sandstone 19 in long 15 in wide & 5 in thick for quarter Sec Corner
79.90	The Corner to Secs 9, 10, 15 & 16
	The 1st 1/2 mile level. 2nd 1/2 mile rolling, Soil 2nd rate

34/88

Township 3 N. R. 6 W of the 6th principal Meridian

chains	
	North between Sec. 9 & 10
	Variation 12° 45' East
40.00	Set a sandstone 14 in long 13 in wide & 5 in thick for quarter Sec Corner
80.00	Set a sandstone 19 in long 15 in wide & 3 in thick for corner to Sec. 3, 4, 9 & 10
	Land level, Soil 2nd rate
	East on a Random line between Sec. 3 & 10
	Variation 12° 45' East
40.00	Set a post for temporary quarter Sec Corner
80.03	Intersected the N & S line 17 lks South of the Corner to Sec. 2, 3, 10 & 11 from which Corner I run
	West on a true line between Sec. 3 & 10
	Variation 12° 53' East
40.01	Set a sandstone 19 in long 15 in wide & 3 in thick for quarter Sec Corner
80.03	The Corner to Sec. 3, 4, 9 & 10

Township 3 N. R. 6 W of the 6th principal Meridian

chains	
	North on a Random line between Sec. 3 & 4
	Variation 12° 45' East
40.00	Set a post for temporary quarter Sec Corner
79.72	Intersected the north boundary of the Township 20 lks East of the Corner to Sec. 33, 34, 3 & 4 from which Corner I run
	South on a true line between Sec. 3 & 4
	Variation 12° 54' East
39.72	Set a sandstone 17 in long 13 in wide & 5 in thick for quarter Sec Corner
79.72	The Corner to Sec. 3, 4, 9 & 10
	Land level, Soil 2nd rate
	North between Sec. 32 & 33
	Variation 12° 45' East
40.00	Set a charred stake for quarter Sec corner made mound pits & trenches as per instructions
41.00	Dry Branch 6 lks wide course N &
80.00	Set a charred post for corner to Sec. 28, 29, 32 & 33 made mound pits & trenches as per Instructions

Land level Soil 2nd Rate

Township 3 N R 6 W of the 6th principal Meridian

chains	
	East on a Random line between Sec 28 & 33
	Variation 12° 45' East
7.50	Dry Branch 10 lks wide Course N &
40.00	Set a post for temporary quarter Sec Corner
79.88	Intersected the N & S line 28 lks north of the corner to Sec 27, 28, 33 & 34 from which corner run
	West on a true line between Sec 28 & 33
	Variation 12° 33' East
39.94	Set a charred post for quarter Sec Corner made mound pits & trenches as per instruction
79.88	The corner to Sec 28, 29, 32 & 33
	Land level. Soil 2nd rate

	North between Sec 28 & 29
	Variation 12° 45' East
40.00	Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions
80.00	Set a charred post for corner to Sec 20, 21, 28 & 29 made mound pits & trenches as per instructions
	Land level Soil 2nd rate

Township 3 N R 6 W of the 6th principal Meridian

chains	
	East on a Random line between Sec 21 & 28
	Variation 12° 45' East
20.00	A Small creek 15 lks wide Course N &
40.00	Set a post for temporary quarter Sec Corner
80.12	Intersected the N & S line 12 lks South of the corner to Sec 21, 22, 27 & 28 from which corner run
	West on a true line between Sec 21 & 28
	Variation 12° 50' East
40.06	Set a charred post for quarter Sec Corner made mound pits & trenches as per instruction
80.12	The corner to Sec 20, 21, 28 & 29
	Land rolling. Soil 2nd rate

	North between Sec 20 & 21
	Variation 12° 45' East
40.00	Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions
44.75	Enter timber bears N & S W
45.20	Elk Creek 20 lks wide Course N &

Township 3 N R 6 W of the 6th principal Meridian

chains	
46.00	Leave timber bears N E & S W
80.00	Set a charred post for ~~corner to~~ Sec 16,17,20 & 21 made mound pits & trenches as per instructions
	Land level. Soil 2nd rate
	Timber Bur Oak & Elm, Underbrush the Same
	East on a Random line between Sec 16 & 21
	Variation 12° 45' East
40.00	Set a post for temporary quarter Sec Corner
70.50	Elk Creek 25 lks wide Course N E, with
	Some Scattering timber on its banks
79.89	Intersected the N & S line 7 lks north of the
	Corner to Sec 15,16,21 & 22 from which corner run
	West on a true line between Sec 16 & 21
	Variation 12° ~~45'~~ 42' East
39.94	Set a charred post for quarter Sec Corner made
	mound pits & trenches as per Instructions
79.89	The Corner to Sec 16,17,20 & 21
	The 1st 1/2 mile level 2nd 1/2 mile rolling Soil 2nd rate
	Timber Bur Oak & Elm

Township 3 N R 6 W of the 6th principal Meridian

chains	
	North between Sec 16 & 17
	Variation 12° 45' East
40.00	Set a charred post for quarter Sec Corner made
	mound pits & trenches as per instructions
80.00	Set a charred post for corner to Sec 8,9,16 & 17 made
	mound pits & trenches as per instructions
	Land level. Soil 2nd rate
	East on a Random line between Sec 9 & 16
	Variation 12° 45' East
40.00	Set a post for temporary quarter Sec Corner
80.66	Intersected the N & S line 33 lks South of
	the Corner to Sec 9,10,15 & 16 from which corner run
	West on a true line between Sec 9 & 16
	Variation 12° 59' East
40.05	Set a charred post for quarter Sec Corner
	made mound pits & trenches as per instructions
80.11	The Corner to Sec 8,9,16 & 17
	Land level. Soil 2nd rate

Township 3 N R 6 W of the 6th principal Meridian

chains	
	North between Secs 8 & 9
	Variation 12° 45' East
40 00	Set a charred post for quarter Sec Corner
	made mound pits & trenches as per instructions
80 00	Set a charred post for Corner to Secs 4, 5, 8 & 9
	made mound pits & trenches as per instructions
	Land level. Soil 2nd rate
	East on a Random line between Secs 4 & 9
	Variation 12° 45' East
40.00	Set a post for temporary quarter Sec Corner
79 80	Intersected the N & S line 85 lks South of
	the Corner to Secs 3, 4, 9 & 10 from which Corner I run
	West on a true line between Secs 4 & 9
	Variation 13° 00' East
39.90	Set a charred post for quarter Sec Corner
	made mound pits & trenches as per instructions
79 80	The Corner to Secs 4, 5, 8, & 9
	Land level, Soil 2nd rate

Township 3 N R 6 W of the 6th principal Meridian

chains	
	North on a Random line between Secs 4 & 5
	Variation 12° 45' East
40.00	Set a post for temporary quarter Sec Corner
79.89	Intersected the north Boundary of the Township
	36 lks East of the corner to Secs 4, 5, 32 & 33 on the
	North bank of Muggins Creek 15 lks wide
	from which Corner I run
	South on a true line between Secs 4 & 5
	Variation 13° 00' East
39 89	Set a charred post for quarter Sec Corner
	made mound pits & trenches as per instructions
79 89	The Corner to Sec 4, 5, 8 & 9
	Land level, Soil 2nd rate
	Sept. 12th 1858
	North between Secs 31 & 32
	Variation 12° 45' East
4 50	Road to Fort Kearney & A Small Branch
	6 lks wide Course N. E. Road bears N 14 E
40.00	Set a charred post for quarter Sec Corner
	made mound pits & trenches as per instruction

Township 3 N R 6 W of the 6th principal Meridian

chains	
80.00	Set a charred post for Corner to Sec 29, 30, 31 & 32 made mound pits & trenches as per instructions Land level. Soil 2nd rate
	East on a Random line between Sec 29 & 32 Variation 12° 45' East
40.00	Set a post for temporary quarter Sec Corner
80.06	Intersected the N & S line 28 lks north of the Corner to Sec 28, 29, 32 & 33 from which Corner I run West on a true line between Sec 29 & 32 Variation 12° 33' East
40.03	Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions
80.06	The Corner to Sec 29, 30, 31 & 32 Land slightly rolling, Soil 2nd rate
	West on a Random line between Sec 30 & 31 Variation 12° 45' East
40.00	Set a post for temporary quarter Sec Corner

Township 3 N R 6 W of the 6th principal Meridian

chains	
53.30	Road to Mt Varney bears N W & S E
80.87	Intersected the West boundary of the Township 50 lks north of the Corner to Sec 30 & 31 from which Corner I run East on a true line between Sec 30 & 31 Variation 13° 07' East
40.87	Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions
80.87	The Corner to Sec 29, 30, 31 & 32 Land level, Soil 2nd rate
	North between Sec 29 & 30 Variation 12° 45' East
40.00	Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions
74.25	Enter Timber bears N E & S W
75.50	Elk Creek 23 lks wide Course N E
76.55	Leave Timber bears N E & S W
80.00	Set a charred post for Corner to Sec 19, 20, 29 & 30

Township 3 N R 6 W of the 6th principal meridian

chains	
	made mound pits & trenches as per instruction form which
	A Bur Oak 20 in dia bears S 75° 30' W 6 lks dist
	3 chains & 65 lks dist
	An Elm 12 in dia bears S 45° 15' E 400 lks dist
	no other trees available
	Land level Soil 2nd rate
	Timber Bur Oak Elm & Cottonwood
	Undergrowth the same with Hazel & Grape vines
	East on a Random line between Secs 20 & 29
	Variation 12° 45' East
11.75	Enter Timber bears N E & S W
14.20	Elk Creek 20 lks wide Course N E
15.00	Leave Timber bears N E & S W
22.00	Elk Creek 20 lks wide Course S E with some scattering timber along its banks
33.40	Elk Creek 30 lks wide Course N E
40.00	Set a post for temporary quarter Sec Corner
80.22	Intersected the N & S line 28 lks north of the Corner

Township 3 N R 6 W of the 6th principal meridian

chains	
	to Secs 20, 21, 28 & 29 from which corner I run
	West on a true line between Secs 20 & 29
	Variation 12° 33' East
40.11	Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions
80.22	The Corner to Secs 19, 20, 29 & 30
	Land level. Soil 2nd rate
	Timber Bur Oak Elm & Cottonwood
	West on a Random line between Secs 19 & 30
	Variation 12° 45' East
9.50	Elk Creek 20 lks wide Course S E with some Scattering timber
22.40	Enter timber bearse N E & S W
26.75	Elk creek 25 lks wide Course N E
29.50	Leave timber bears N E & S W
33.00	Elk Creek 25 lks wide Course S E with some Scattering timber
40.00	Set a post for temporary quarter Sec Corner

Township 3 N R 6 W of the 6th principal Meridian

chains	
55.35	Enter Timber bears S W & N E
59.25	Elk Creek 30 lks wide Course N E
63.00	Leave Timber bears N E & S W
81.02	Intersected the West boundary of the Township 40 lks north of the Corner to Sec 19 & 30 from which Corner Drum
	West on a true line between Sec 19 & 30
	Variation 13° 0' East
41.02	Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions
81.02	The Corner to Sec 19, 20, 29 & 30
	Land level, Soil 2nd rate
	Timber Bur Oak Elm & Cottonwood
	Underbrush the Same

North between Sec 19 & 20

Variation 12° 45' East

40.00	Set a charred post for quater Sec Corner made mound pits & trenches as per instructions
80.00	Set a charred post for Corner to 17, 18, 19 & 20 made

Township 3 N R 6 W of the principal Meridian

chains	
	mound pits & trenches as per instructions
	Land level, Soil 2nd rate

East on a Random line between Sec 17 & 20

Variation 12° 45' East

40.00	Set a post for temporary quarter Sec Corner
79.95	Intersected the N & S line 6 lks South of the corner to Sec 16, 17, 20 & 21 from which Corner Drum
	West on a true line between Sec 17 & 20
	Variation 12° 48' East
39.97	Set a charred post for quarter Sec corner made mound pits & trenches as per instructions
79.95	The corner to Sec 17, 18, 19 & 20
	The 1st 1/2 mile level, 2nd 1/2 mile rolling, Soil 2nd rate

West on a Random line between Sec 18 & 19

Variation 12° 45' East

40.00	Set a post for temporary quarter Sec Corner
80.84	Intersected the West boundary of the Township 9 lks South of the Corner to Sec 18 & 19

Township 3 N R 6 W of the 6th principal Meridian

Chains	
	from which Corner I run
	East on a true line between Sec 18 & 19
	Variation 12° 41' East
40 84	Set a charred post for quarter Sec Corner made
	mound pits & trenches as per instruction
80 84	The Corner to Sec 17, 18, 19 & 20
	Land level, Soil 2nd rate

North between Sec 17 & 18.

	Variation 12° 45' East
40.00	Set a charred post for quarter Sec corner made
	mound pits & trenches as per instructions
80.00	Set a charred post for corner to Sec 7, 8, 17 & 18 made
	mound pits & trenches as per instructions
	Land level, Soil 2nd rate

East on a Random line between Sec 8 & 17

	Variation 12° 45' East
40 00	Set a post for temporary quarter Sec Corner
79 80	Intersected the N & S line 17 lks north of the

Township 3 N R. 6 W of the 6th principal Meridian

Chains	
	Corner to Sec 8, 9, 16 & 17 from which Corner I run
	West on a true line between Sec 8 & 17
	Variation 12° 37' East
39 90	Set a charred post for quarter Sec Corner made
	mound pits & trenches as per instructions
79 80	The Corner to Sec 7, 8, 17 & 18
	Land lightly Rolling, Soil 2nd rate

West on a Random line between Sec 7 & 18

	Variation 12° 45' East
40 00	Set a post for temporary quarter Sec Corner
80.92	Intersected the West boundary of the Township
	48 lks N of the Corner to Sec 7 & 18 from which Corner I run
	East on a true line between Sec 7 & 18
	Variation 13° 06' East
40 92	Set a charred post for quarter Sec Corner made
	mound pits & trenches as per instructions
80.92	The corner to Sec 7, 8, 17 & 18
	Land level, Soil 2nd rate

Township 3 N R 6 W of the 6th principal Meridian

chains	
	North between Sec 7 & 8
	Variation 12° 45' East
40.00	Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions
46.50	Enter timber bears E & W & steep bank
48.00	Muggins Creek 15 lks wide course E perpendicular banks
48.50	Leave timber bears E & W
80.00	Set a charred post for Corner to Sec 5, 6, 7 & 8, made mound pits & trenches as per instructions
	Land rolling Soil 2nd rate
	Timber Bur Oak & Elm
	East a random line between Sec 5 & 8
	Variation 12° 45' East
29.50	Enter timber & perpendicular bank bears N. E & S. W
32.00	Muggins Creek 15 lks wide runs N E
34.00	Leave Timber bears N. E & S. W
40.00	Set a post for temporary quarter Sec Corner
79.87	Intersected the N & S line 36 lks South of the corner to Sec 4, 5, 8 & 9. from which Corner I run

Township 3 N R 6 W of the 6th principal Meridian

chains	
	West on a true line between Sec 5 & 8
	Variation 13° 00' East
39.93	Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions
79.87	The Corner to Sec 5, 6, 7 & 8
	Land rolling Soil 2nd rate
	Timber Bur Oak Elm & Some ash
	Underbrush the Same
	West on a Random line between Sec 6 & 7
	Variation 12° 45' East
40.00	Set a post for temporary quarter Sec Corner
80.87	Intersected the W B 35 north of the corner to Sec 6 & 7. from which Corner I run
	East on a true line between Sec 6 & 7
	Variation 13° 00' East
40.87	Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions
80.87	The corner to Sec 5, 6, 7 & 8
	Land level. Soil 2nd rate

Township 3 N Range 6 W of the 6th principal Meridian

chains	
	Northon a Random line between Sec 5 & 6
	Variation 12°.45' East
40.00	Set a post for temporary quarter Sec Corner
70.00	Dry Branch 7 lks wide Course E.
79.73	Intersected the North boun dary of the Township
	59 lks East of the Corner to Secs 5, 6, 31 & 32
	from which Corner I run
	South on a true line between Secs 5 & 6
	Variation 13°.10' East
39.73	Set a charred post for quarter Sec Corner made
	a mound pits & trenches as per instructions
79.73	The Corner to Secs 5, 6, 7 & 8.
	Land Level, Soil 2nd rate
	Sept 13th 1858

Township 3 N Range 6 W of the 6 principal Meridian

General Description

This Township contains a very small quantity of timber & water, of inferior quality. Their is a Sandstone quiry in Section 11. The Soil is of a Sandy nature rated generaly as 2nd rate it is not suit able for cultivation

34/88

42/132

1
133

List of Names.

A List of the names of the individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of Township No 3 North of ~~Range~~ the base line, of Range No 6. West of the Sixth Principal Meridian, showing the respective capacities in which they acted.

Henry S. Beeman.	Chainman.
S. Mothesberger.	Chainman.
Samuel Underwood.	Chainman.
Joseph Blair.	Chainman.
George H. Rust.	Flagman,
Samuel S. Anderson.	Flagman,
F. B. Burwell.	Cornerman,
Harrison Erwin.	Cornerman
Samuel Bonham.	Compassman,

34/88

42/132

P 4 1/133

Contract No. 244

Field Notes

Of the Subdivision Lines in Township No 4. North of the base line, of Range No 6 West, of the 6th Principal Meridian, in Nebraska Territory, as surveyed by Norman Dief endorf and Green Todd Deputy Surveyors, under their Contract No 244 bearing date July 10th 1858

Subdivision Commenced Sept 14th 1858
Subdivision Completed Sept 16th 1858.

Copied N. B. R.
Comp. Ramsell & Gaines
D. S. made

Ex
No 1

Names and duties of Assistants.

Henry S. Beeman	Chainman
S. Mothersberger.	Chainman
Samuel Underwood	Chainman
Joseph Blair.	Chainman
George H. Rust.	Flagman
Samuel S. Anderson	Flagman
F. B. Burwell.	Coneman
Harrison Erwin	Coneman
Samuel Burham	Compassman

Township 4 North Range 6 West 6th P. M.



Chains

To determine the proper adjustment of my compass for subdividing this Township I commence at the corner to Townships 3 & 4 North Ranges 5 & 6 West and run

North on a blank line along the East boundary of Section 36.

Variation 12° 45' East

40 09 To a point 2 lks West of the quarter Sec Corner

80 15 At the corner to Secs 25 & 36

To retrace this line line or run parallel thereto my compass must be adjusted to a variation of 12° 45' East

Subdivision Commenced Sept 14th

From the corner to Sections 1, 2, 35 & 36 on the South boundary of the Township I run

North between Secs 25 & 36

Variation 12° 45' East

25 00 Little Blue Creek 125 lks wide Course South & Timber on both banks of Creek

40 00 Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions

Township 4 N R 6 W of the 6th principal Meridian

chains	
4300	Enter high prairie N.W. & S.E.
8000	Set a charred post for Corner to Sec. 25, 26, 35 & 36 made mound pits & trenches as per instructions
	Land level, Soil 1st rate
	East on a Random line between Sec. 25 & 36
	Variation 12° 45' East
9.75	Road ~~from~~ to Ft Kearney bears N. W. & S. ~~W.~~ E.
4000	Set a post for temporary quarter Sec Corner
7988	Intersected the East boundary of the Township 26 lks north of the Corner to Sec. 25 & 36 from which Corner I run
	West on a true line between Sec. 25 & 36
	Variation 12° 34' East
3994	Set a charred post for quarter Sec. Corner made mound, pits & trenches as per instructions
7988	The Corner to Sec. 25, 26, 35 & 36
	Land rolling Soil 2nd rate
	North between Sec. 25 & 26

Township 4 N R 6 W of the 6th principal Meridian

chains	
	Variation 12° 45' East
1875	Road to Ft Kearney bears N. W. & S. E.
4000	Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions
8000	Set a charred post for Corner to Sec. 23, 24, 25 & 26 made mound pits & trenches as per instructions
	Land level, Soil 2nd rate
	East on a Random line between Sec. 24 & 25
	Variation 12° 45' East
4000	Set a sand stone for temporary quarter Sec Corner
8014	Intersected the East Boundary of the Township 18 lks South of the Corner to Sec. 24 & 25 from which Corner I run
	West on a true line between Sec. 24 & 25
	Variation 12° 53' East
4007	Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions
8014	The Corner of Sec. 23, 24, 25 & 26
	Land level Soil 2nd rate

Township 4 N R 6 W of the 6th principal Meridian

North between Sec 23 + 24

Variation 12° 45' East

4000 Set a charred post for quarter Sec Corner made mound pits + trenches as per instructions

8000 Set a charred post for Corner to Sec 13, 14, 23 + 24 made mound pits + trenches as per instructions

Land level, Soil 2nd rate

East on a Random line between Sec 13 + 24

Variation 12° 45' East

4000 Set a post for temporary quarter Sec Corner

7988 Intersected the E. B. of the township 25 chs South of the corner to Sec 13 + 24 from which corner I run West on a true line between Sec 13 + 24

Variation 12° 56' East

3994 Set a charred post for quarter Sec corner made mound pits + trenches as per instructions

7988 The Corner to Sec 13, 14, 23 + 24

Land level, Soil 2nd rate

Township 4 N R 6 W of the 6th principal Meridian

Chains

North between Sec 13 + 14

Variation 12° 45' East

4000 Set a charred post for quarter Sec Corner made mound pits + trenches as per instructions

8000 Set a charred post for Corner to Sec 11, 12, 13 + 14 made mound pits + trenches as per instructions

Land level Soil 2nd rate

East on a Random line between Sec 12 + 13

Variation 12° 45' East

4000 Set a post for temporary quarter Sec Corner

8012 Intersected the E. B. of the Township 10 chs South of the corner to Sec 12 + 13 from which corner I run West on a true line between Sec 12 + 13

Variation 12° 49' East

4006 Set a charred post for Quarter Sec Corner made mound pits + trenches as per instructions

8012 The Corner to Sec 11, 12, 13 + 14

Land level Soil 1st rate

North between Sec 11 & 12

Variation 12° 45' East

4000 Set a post for ~~temporary~~ quarter Sec Corner made mound pits & trenches as per instructions

8000 Set a charred post for Corner to Sec 1, 2, 11 & 12 made mound pits & trenches as per instructions

Land level Soil 1st rate

East on a Random line between Sec 1 & 12.

Variation 12° 45' East

4000 Set a post for temporary quater Sec Corner

7980 Intersected the E B of the Township 38 lks south of the Corner to Sec 1 & 12 from which corner I run

West on a true line between Sec 1 & 12

Variation 13° 0' East

3990 Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions

7980 The Corner to Sec 1, 2, 11 & 12

Land level Soil 1st rate

North on a true line between Sec 1 & 2

Variation 12° 45' East

4000 Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions

7785 Intersected the North boundary of the Township 15 chains & 10 lks East of the Standard Corner to Sec 35 & 36 & at the point of intersection Set a charred post for closing to Sec 1 & 2 made mound pits & trenches as per instructions

Land level, Soil 1st rate

North between Sec 34 & 35

Variation 12° 45' East

4000 Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions

4200 Entered ~~high~~ low prairie

6700 Enter timber bears S E

6850 Little Blue 175 lks wide Course S E

7120 Leave timber bears S E

chains	
80 00	Set a charrgd post for Corner to Sec 24, 27, 34 & 35 made mound pits & trenches as per instructions
	Land level, Soil 1st rate
	Timber Bur Oak Elm ash & Cottonwood
	East on a Random line between Sec 26 & 35
	Variation 12° 45' East
9.50	Dry Branch 5 lks wide Course S E & Enter timber
20 25	Same Branch " " " N E
23 00	Leave timber bears N E
30 50	Same Branch 6 lks wide Course S E with Some Scattering timber on its banks
39 00	Enter high prairie
40 00	Set a post for temporary quarter Sec corner
79 83	Intersected the N & S line 40 lks South of the corner to Sec 25, 26, 35 & 36 from which corner I run
	West on a true line between Sec 26 & 35
	Variation ~~12° 45'~~ 13° 02' East
39 91	Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions

chains	
79 83	The corner to Sec 26, 27, 34 & 35
	The 1st 1/2 mile broken 2nd 1/2 mile level Soil 1st rate
	Timber Bur Oak Elm & Cottonwood
	North between Sec 26 & 27
	Variation 12° 45' East
18 50	Dry Branch 5 lks wide S E
21 00	Enter high prairie
40 00	Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions
80 00	Set a charred post for corner to Sec 22, 23, 26 & 27 made mound pits & trenches as per instructions
	Land level, Soil 2nd rate
	East on a Random line between Sec 23 & 26
	Variation 12° 45' East
40 00	Set a post for temporary quarter Sec Corner
52 25	Military Road from Ft Leavenworth to Ft Kearney bears N W & S E
79 96	Intersected the N & S line 12 lks north of the corner to Sec 23, 24, 25 & 26 from which corner I run

West on a true line between Sec 23 & 26
Variation 12° 40' East

3998 Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions

7996 The corner to Sec 22, 23, 26 & 27
Land level. Soil 2nd rate

North between Sec 22 & 23
Variation 12° 45' East

4000 Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions

6050 Military Road from Ft Leavenworth to Ft Kearny bears N.W. & S.E.

8000 Set a charred post for corner to Sec 14, 15, 22 & 23 made mound pits & trenches as per instructions
Land level, Soil 2nd rate

East on a Random line between Sec 14 & 23
Variation 12° 45' East

4000 Set a post for temporary quarter Sec Corner

8017 Intersected the N & S line 12 lks north of the corner to Sec 13, 14, 23 & 24 from which corner I run
West on a true line between Sec 14 & 23
Variation 12° 40' East

4008 Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions

8017 The corner to Sec 14, 15, 22 & 23.
Land level. Soil 2nd rate

North between Sec 14 & 15
Variation 12° 45' East

4000 Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions

8000 Set a charred post for corner to Sec 10, 11, 14 & 15 made mound pits & trenches as per instructions
Land level, Soil 2nd rate

East on a Random line between Sec 11 & 14
Variation 12° 45' East

chains	
4000	Set a post for temporary quarter Sec Corner
7990	Intersected the N & S line 28 lks South of the Corner to Secs 11, 12, 13 & 14 from which Corner I run West on a true line between Secs 11 & 14 Variation 12°.57' East
3995	Set a charred post for quarter Sec corner made mound pits & trenches as per instructions
7990	The Corner to Secs 10, 11, 14 & 15 Land level Soil 1st rate
	North between Secs 10 & 11 Variation 12°.45' East
4000	Set a charred post for quarter Sec corner made mound pits & trenches as per instructions
8000	Set a charred post for corner to Secs 2, 3, 10 & 11 made mound pits and trenches as per instructions Land level. Soil 1st rate
	East on a random line between Secs 2 & 11 Variation 12°.45' East

chains	
4000	Set a post for temporary quarter Sec Corner
8004	Intersected the N & S line 15 lks north of the Corner to Secs 1, 2, 11 & 12 from which Corner I run West on a true line between Secs 2 & 11 Variation 12°.39' East
4002	Set a charred post for quarter Sec corner made mound pits & trenches as per instructions
8004	The corner to Secs 2, 3, 10, & 11 Land level, Soil 1st rate
	North on a true line between Secs 2 & 3 Variation 12°.45' East
4000	Set a post for quarter Sec Corner made mound pits & trenches as per instructions
* 7800	Intersected the north boundary of the Township 15 chains & 25 lks East of the Standard Corner to 34 & 35 & at the point of intersection Set a post for closing Corner to Secs 2 & 3 made mound pits & trenches as per instructions Land level, Soil 1st rate

chains

September 14th 1858

North between Secs 33 & 34

Variation 12° 45' East

20.00 Muggins Creek 25 lks wide course E.
Some Scattering timber on both banks of creek

40.00 Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions

80.00 Set a charred post for corner to Secs 27, 28, 33 & 34 made mound pits & trenches as per instructions

Land Broken, Soil 2nd rate

East on a Random line between Secs 27 & 34

Variation 12° 45' East

23.50 Enter low prairie NW & SE

32.50 Little Blue Creek 140 lks wide runs SE with Some Scattering on its banks

40.00 Set a post for temporary quarter Sec corner

80.37 Intersected the N & S line 40 lks South of the corner to Secs 26, 27, 34 & 35 from which corner I run

chains

West on a true line between Secs 27 & 34

Variation 13° 02' East

40.18 Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions

80.37 The corner to Secs 27, 28, 33 & 34

Land level Soil 1st rate

Timber Bur Oak Elm ash & Cottonwood

North between Secs 27 & 28

Variation 12° 45' East

37.00 Enter low prairie

40.00 Set a charred post for quarter Sec corner made mound, pits & trenches as per instruction

54.50 Enter timber bears E & W

55.25 Little Blue Creek 115 lks wide runs East

57.00 Leave timber bears E. & W.

80.00 Set a charred post for corner to Secs 21, 22, 27 & 28, made mound pits & trenches as per instructions

Land level. Soil 1st rate, Timber oak Elm & ash

	East on a Random line between Secs 22 & 27
	Variation 12°45' East
1300	Dry Branch 8 lks wide course S. Some scattering timber
2500	Enter high prairie N W & S E
4000	Set a post for temporary quarter see corner
7982	Intersected the N & S line 35 lks South of the corner to Secs 22, 23, 26 & 27 from which corner I run
	West on a true line between Secs 22 & 27
	Variation ~~12.30~~ 13°00' East
3991	Set a charred post for quarter see corner made mound pits & trenches as per instructions
7982	The corner to Secs 21, 22, 27 & 28
	Land 1st 1/2 mile rolling 2nd 1/2 mile level, Soil 2nd rate
	North between Secs 21 & 22
	Variation 12°45' East
1000	Enter high prairie N W & N E
4000	Set a charred post for quarter see corner made mound pits & trenches as per instructions
8000	Set a charred post for corner to Secs 15, 16, 21 & 22 made

	mound pits & trenches as per instructions
	Land slightly rolling, Soil 2nd rate
	East on a Random line between Secs 15 & 22
	Variation 12°45' East
10.75	Dry Ravine 5 lks wide course S
4000	Set a post for temporary quarter see corner
5925	Millitary Road from Ft Leavensworth to Ft Kearney bears N W & S E
7996	Intersected the N & S line 15 lks South of the corner to Secs 14, 15, 22 & 23 from which corner I run
	West on a true line between Secs 15 & 22
	Variation 12°51' East
3998	Set a charred post for quarter see corner made mound pits & trenches as per instructions
7996	The corner to Secs 15, 16, 21 & 22
	Land rolling, Soil 2nd rate
	North between Secs 15 & 16
	Variation 12°45' East

Chains	
4000	Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions
4475	Military Road from Ft Leavenworth to Ft Karney bears N W & S E
8000	Set a charred post for Corner to Secs 9, 10, 15 & 16 made mound pits & trenches as per instruction
	Land level, Soil 2nd rate

East on a Random line between Secs 10 & 15

Variation 12° 45' East

4000	Set a post for temporary quarter Sec Corner
7980	Intersected the N & S line 6 lks north of the Corner to Secs 10, 11, 14 & 15 from which Corner I run West on a true line between Secs 10 & 15
	Variation 12° 42' East
3990	Set a charred post for quarter Sec Corner made mound pits and trenches as per instructions
7980	The Corner to Secs 9, 10, 15 & 16
	Land level Soil 2nd rate

North between Secs 9 & 10

Variation 12° 45' East

4000	Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions
8000	Set a charred post for Corner to Secs 3, 4, 9 & 10 made mound pits & trenches as per instructions
	Land level Soil 1st rate

East ~~on a Random~~ line between Secs 3 & 10

Variation 12° 45' East

4000	Set a post for temporary quarter Sec Corner
7990	Intersected the N & S line 13 lks South of the Corner to Secs 2, 3, 10 & 11 from which Corner I run West on a true line between Secs 3 & 10
	Variation 12, 51
3995	Set a post for quarter Sec Corner made mound pits & trenches as per instructions
7990	The Corner to Secs 3, 4, 9 & 10
	Land level Soil 1st rate

Chains	
	North on a true line between Sec 3 & 4
	Variation 12° 45' East
40.00	Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions
77.94	Intersected the north boundary of the Township 15 chains & 30 lks East of the Standard Corner to Sec 33 & 34 & at the point of intersection Set a charred post for closing corner to Sec 3 & 4 made mound pits & trenches as per instruc
	Land level, Soil 1st rate

	North between Sec 32 & 33
	Variation 12° 45' East
2.25	Leave muggins Creek & timber runs N &
40.00	Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions
80.00	Set a charred post for Corner to Sec 28, 29, 32 & 33 made mound pits & trenches as per instructions
	Land Broken, Soil 2nd rate

	East on a random line between Sec 28 & 33
	Variation 12° 45' East
40.00	Set a post for temporary quarter Sec Corner
80.10	Intersected the N & S line 12.40 chs north of the Corner to Sec 27, 28, 33 & 34 from which Corner Town
	West on a true line between Sec 28 & 33
	Variation 12° 40' East
40.05	Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions
80.10	The Corner to Sec 28, 29, 32 & 33
	Land Rolling, Soil 2nd rate

	North between Sec 28 & 29
	Variation 12° 45' East
18.75	Enter low prairie E & W
29.00	Dry Ravine 5 lks wide course N &
40.00	Set a charred post for quarter Sec Corner made mounds pits & trenches as per instructions from which
	A Burr Oak 20 in dia bears N 28° 30' E 4 chs dist
	An Elm 15 in dia bears N 37° 00' W 3.15 chs dist

Chains	
44.51	Enter timber Bears S E & N W
46.00	Little Blue Creek 150 lks wide runs S E
48.00	Leave timber bears N W & S E
80.00	Set a charred post for Corner to Sec 20, 21, 28 & 29 made mound pits & trenches as per instructions
	Land level. Soil 1st rate
	Timber Bur Oak Elm Ash & Cottonwood

East on a Random line between Sec 21 & 28
Variation 12°, 45' East

40.00	Set a post for temporary quarter Sec Corner
79.90	Intersected the N & S line 10 lks South of the Corner to Sec 21, 22, 27 & 28 from which Corner I run

West on a true line between Sec 21 & 28
Variation 12°, 49' East

39.95	Set a charred post for quarter Sec corner made mound pits & trenches as per instructions
79.90	The Corner to Sec 20, 21, 28 & 29

Land level. Soil 1st rate

Chains	

North between Sec 20 & 21
Variation 12° 45' East

12.00	Enter timber bears N E & S W
13.25	Little Blue 1 chain wide runs S W
15.50	Leave timber bears N E & S W
30.00	Little Blue Creek 140 lks wide runs S E with scattering timber on its banks
40.00	Set a charred post for quarter Sec Corner made mound pits & trenches as per instruction
61.50	Enter high prairie N W & S E
80.00	Set a charred post for Corner to Sec 16, 17, 20 & 21 made mound pits & trenches as per instructions
	Land level. Soil 1st rate
	Timber Bur Oak Elm & Cottonwood

East on a Random line between Sec 16 & 21
Variation 12°, 45' East

40.00	Set a post for temporary quarter Sec Corner

chains	
79.77	Intersected the N & S line 16 lks South of the Corner to Sec 15, 16, 21 & 22 from which Corner I run West on a true line between Sec 16 & 21
	Variation 12° 52' East
39.88	Set a charred post for quarter Sec Corner made mound pits & trenches as per instruction
79.77	The Corner to Sec 16, 17, 20 & 21
	Land Rolling, Soil 2nd rate

North between Sec 16 & 17

Variation 12° 45' East

40.00	Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions
80.00	Set a charred post for Corner to Sec 8, 9, 16 & 17
	~~Land level, Soil 2nd rate~~
	Made mounds pits & trenches as per instructions
	Land Level Soil 2nd rate

East on a Random line between Sec 9 & 16

Variation 12° 45' East

11.00	Millitary Road from Ft Leavenworth to

chains	
	Ft Kearney Bears N W & S E
40.00	Set a post for temporary quarter Sec Corner
79.92	Intersected the N & S line 21 lks north of the Corner to Sec 9, 10, 15 & 16 from which Corner I run West on a true line between Sec 9 & 16,
	Variation 12° 36' East
39.96	Set a charred post for ~~quarter~~ Sec Corner made mound pits & trenches as per instructions
79.92	The Corner to Sec 8, 9, 16 & 17
	Land rolling, Soil 2nd rate

North between Sec 8 & 9

Variation 12° 45' East

9.50	Millitary Road from Ft Leavenworth to Ft Kearney Bars N W & S E
40.00	Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions
80.00	Set a charred post for Corner to Sec 4, 5, 9 & ~~17~~ 8 made mound pits & trenches as per instructions
	Land Level Soil 2nd rate

East on a Random line between Secs 4 & 9
Variation 12°,45' East

4000 Set a post for temporary quarter Sec Corner
7989 Intersected the N & S line 3 lks north of the corner to Secs 3 4. 9 & 10 from which corner I run
West on a true line between Secs 4 & 9
Variation 12°,44' East

3994 Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions
7989 The Corner to Secs 4, 5, 8 & 9
Land Level, Soil 1st rate

North on a true line between Secs 4 & 5
Variation 12°,45' East

4000 Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions
7790 Intersected the north Boundary of the Township 15 chains 07 lks East of the Standard Corner to Secs 32 & 33 Township 5 N Rec W

at the point of intersection Set a chard post for closing Corner to Secs 4 & 5, 3 4 N, made mound pits & trenches as per instructions
Land level, Soil 1st rate
Sept 15th 1858

North between Secs 31 & 32
Variation 12°,45' East

4000 Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions
8000 Set a charred post for Corner to Secs 29, 30, 31 & 32 made mound pits & trenches as per instructions
Land Broken, Soil 2d rate

East on a Random line between Secs 29 & 32
Variation 12°,45' East

4000 Set a post for temporary quarter Sec Corner
8006 Intersected the N & S line 40 lks north of the corner to Secs 28, 29, 33 & 32 from which corner I run
West on a true line between Secs 29 & 32

Chains	
	Variation 12°, 28' East
40 00	Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions
80 06	The corner to Secs 29, 30, 31 & 32
	The 1st 1/2 mile level, 2nd 1/2 mile rolling, Soil 2nd rate
	West on a Random line between Secs 30 & 31
	Variation 12°, 45' East
40 00	Set a post for temporary quarter Sec corner
80 40	Intersected the West Boundary of the Township 25 lks north of the corner to Secs 30 & 31 from which corner I run
	East on a true line between Secs 30 & 31
	Variation 13°, 00' East
40 40	Set a charred post for quarter Sec corner made mound pits & trenches as per instructions
80 40	The corner to Secs 29, 30, 31 & 32
	Land rolling Soil 2nd rate

Chains	
	North between Secs 29 & 30
	Variation 12°, 45' East
40 00	Set a charred post for quarter Sec corner made mound pits & trenches as per instructions
80 00	Set a charred post for corner to Secs 19, 20, 29 & 30 made mound pits & trenches as per instructions
	Land level, Soil 2nd rate
	East on a Random line between Secs 20 & 29
	Variation 12°, 45' East
40 00	Set a post for temporary quarter Sec corner
41 75	Enter low prairie N & S
74 00	Little Blue Creek 125 lks wide runs South Some scattering timber on its banks
80 20	Intersected the N & S line 50 lks South of the corner to Secs 20, 21, 28 & 29 from which corner I run
	West on a true line between Secs 20 & 29
	Variation 13°, 06' East
40 10	Set a charred post for quarter Sec Corner

	made mounds pits & trenches as per instructions
8020	The corner to Secs 19, 20, 29 & 30
	The 1st 1/2 mile rolling 2nd 1/2 mile level Soil 2nd rate
	Timber Bur Oak, Elm & Willow
	West on a Random line between Secs 19 & 30
	Variation 12°.45' East
4000	Set a post for temporary quarter Sec Corner
7992	Intersected the West Boundary of the Township 45 lks north of the corner to 19 & 30 from wich Corner I run
	East on a true line between Secs 19 & 30
var	Variation 13°.05' East.
4092	Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions
7992	The corner to Secs 19, 20, 29 & 30
	Land lightly rolling. Soil 2nd rate
	North between Secs 19 & 20
	Variation 12°.45' East
2800	Enter low prairie E & W
4000	Set a charred post for quarter Sec Corner made

	mound pits & trenches as per instructions
6350	Enter timber bears E & W
6500	Little Blue Creek 130 lks wide runs East
6700	Leave timber bears E & W
8000	Set a charred post for corner to Secs 17, 18, 19 & 20 made mound pits & trenches as per instructions
	Land level. Soil 1st rate
	Timber Elm Oak Willow & Cottonwood
	Underbrush the Same with Hazel & Grapevine
	East on a Random line between Secs 17 & 20
	Variation 12°.45' East
4:00	Enter high prairie N W & S. E
40.00	Set a post for temporary quarter Sec corner
7981	Intersected the N & S line 22 lks South of the corner to Secs 16, 17, 20 & 21 from which Corner I run
	West on a true line between Secs 17 & 20
	Variation 12°.54' East
3990	Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions

chains	
7981	The corner to Secs 17, 18, 19 + 20 Land Rolling Soil 2nd rate
	West on a Random line between Secs 18 + 19 Variation 12° 45' East
900	Dry Ravine 5 lks wide Course South
4000	Set a post for temporary quarter Sec Corner
4200	Enter timber bears S E + N W
4400	Little Blue Creek 150 lks wide runs S E
4550	Leave timber bears N W + S E
7946	Intersected the W. B. of the Township 60 lks north of the corner to Secs 18 + 19 from which corner I run East on a true line between Secs 18 + 19 Variation ~~12° 19'~~ 13° 16' East
3946	Set a chained post for quarter Sec Corner made mound pits + trenches as per instruction from which An Elm 12 in dia bears N 75° 20' W 19 lks dist A Bur Oak 20 in dia bears S 80° 00' W 2.40 lks dist
7946	The Corner to Secs 17, 18, 19 + 20 Land level, Soil 1st rate, Timber Oak, Elm + Willow

chains	
	North between Secs 17 + 18 Variation 12° 45' East
4000	Set a chained post for quarter Sec Corner made mound pits + trenches as per instructions
8000	Set a chained post for Corner to Secs 7, 8, 17 + 18 ~~Made Mound pits + trenches as per instructions~~ Land level, Soil 2nd rate
	East on a Random line between Secs 8 + 17 Variation 12° 45' East
4000	Set a post for temporary quarter Sec Corner
7983	Intersected the N + S line 5 lks north of the Corner to Secs 8, 9, 16 + 17 from which Corner I run West on a true line between Secs 8 + 17 Variation 12° 43' East
3991	Set a chained post for ~~quarter~~ Sec Corner made mound pits + trenches as per instructions
7983	The corner to Secs 7, 8, 17 + 18 Land level, Soil 2nd rate

chains	
	West on a Random line between Sec 7 & 18
	Variation 12° 45' East
40.00	Set a ~~charred~~ post for temporary quarter Sec Corner ~~made~~
* 78.70	Intersected the W B 25 lks South of the Corner to Sec 7 & 18 from which Corner I run
	East on a ~~true~~ line between Sec 7 & 18
	Variation 12° 33' East
38.70	Set a charred post for quarter Sec corner made mound pits & trenches as per instructions
78.70	The Corner to Sec 7, 8, 17 & 18
	Land level. Soil 2nd rate

	North between Sec 7 & 8
	Variation 12° 45' East
40.00	Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions
61.50	Military Road from Ft Leavenworth to Ft Pierre bears N. W & S E
80.00	Set a charred post for Corner to Sec 5, 6, 7 & 8
	Land rolling Soil 2nd rate

chains	
	East on a Random line between Sec 5 & 8
	Variation 12° 45' East
40.00	Set a post for temporary quarter Sec corner
79.78	Intersected the N & S line 15 lks South of the Corner to Sec 4, 5, 8 & 9 from which Corner I run
	West on a true line between Sec 5 & 8
	Variation 12° 51' East
39.89	Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions
79.78	The Corner to Sec 5, 6, 7 & 8
	Land level. Soil 1st rate

	West on a Random line between Sec 6 & 7
	Variation 12° 45' East
40.00	Set a post for temporary quarter Sec Corner
41.50	Military Road from Ft Leavenworth to Ft Pierre bears N W & S E
78.20	Intersected the West Boundary of the Township 25 lks South of the Corner to Sec 6 & 7 from which Corner I run

Chains

East on a true line between Secs 6 + 7
Variation 12°.33' East

3820 Set a charred post for quarter Sec Corner made mound pits + trenches as per instructions

7820 The corner to Secs 5.6.7 + 8
Land level. Soil 1st rate

North on a true line between Secs 5 + 6
Variation 12°.45' East

4000 Set a charred post for quarter Sec Corner made mound pits + trenches as per instructions

7786 Intersected the north Boundary of the Township 15 chains East of the Standard corner to Secs 31 + 32 Township 5 N R 6 W + at the point of intersection Set a charred post for closing Corner to Secs 5 + 6 made mound pits + trenches as per instructions

Land level. Soil 1st rate
Sept 16th 1858

General Description

This Township contains considerable Timber + water and is suitable for farming purposes as the land is generaly level and the soil good 2nd rate The Little Blue runing through the southern portion of the Township offords good water and some timber sufficiants for farming purposes

34/88

~~440~~/174

List of Names.

A List of the names of the individuals employed in running, measuring, or marking the Lines and corners described in the foregoing Field Notes, of Township No. 4 North of the base line of Range No. 6. West, of the Sixth Principal Meridian, showing the respective capacities in which they acted.

Mr Henry S. Beeman,	Chainman,
S. Mothersberger.	Chainman.
Samuel Underwood	Chainman,
Joseph Blair,	Chainman,
George H. Rust.	Flagman,
Samuel S. Anderson,	Flagman,
F. B. Burwell,	Cornerman,
Harrison Erwin,	Cornerman,
Samuel Bonham,	Compassman.

General Land Office • Original Field Notes

Book Number

321

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.