General Land Office • Original Field Notes

Book Number

329

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

1

A

Vol. 1 Mo. R. 7 W.

Contract No. 265

Field Notes of the survey of ~~the~~ of the subdivision lines, on and North of the Base line of Rang No 7 West of the Sixth Principal Meridian, Nebraska Territory by Thomas W Heatly Deputy Surveyor under his contract No 265 bearing date April 26 A.D. 1859

Subdivision Commenced June 27 1859
Subdivision Completed July 4 1859

Approved Jany
Comp. Gen'l. 7 W. W. Ol.
Plat.

Ex No 1

C

Names and duties of Assistants

Benjamin Thompson Chainman
William Richardson Chainman
Francis McCabe Flagman
John Richardson Commman
John McCoyle Compassman

Township 1 North Range 7 West 6th P. M.



d

Field notes of the subdivision lines in Township 1. N. Range 7 W. 6th. Principal Meridian

Go determine the proper adjustment of my compass for subdividing this Township I commence at the corner to Township 1 N. on Base line R. 6 and 7. W and run N on a blank line along the East boundary of section 36

Variation 12° 15' East

40.10 A point 4 links west of the quarter section corner

80.14 to a point 11 lks west of corner to sections 25 and 36 — Go retrace this line or run parallel thereto my compass must be adjusted to a variation of 12° 15' East

Subdivision commenced June 29 1859

Township 1. N. R. 7. W. 6th Principal meridian

The point for corner to sections ~~6. 31 and 32~~ 35 and 36 being in the river and not having been established I begin at the witness corner 3.84 lks West of said point and run thence North 10 chains to a point; thence East 384 lks to a point thence South 77 lks to a point on the left bank of the Republican River 9.23 chains North of the point for corner to sections 35 and 36 on the South boundary of the Township I have set a limestone 18 in long. 12 in wide and 3 in thick for corner to fractional sections 35 and 36 from this point I run North between sections 35 and 36 counting the distance from the point for corner to said sections in the river

Variation 12° 10 East

Township 1 R 7 W 6th Principal Meridian

40.00 Set a limestone 14 in long 8 in wide and 6 in thick for quarter sec corner

58.50 Branch runs E 15 lks wide

80.00 Set a limestone 20 in long 8 in wide and 6 in thick for corner to sections 25, 26, 35 and 36

Land level 1st rate

East on a random line between sections 25 and 36

Variation 12.10. East

40.00 Set a stone for temporary quarter section corner

79.88 Intersected East boundary of the township 50 lks S of corner to sections 25 and 36 from which corner I run

West on a true line between sections 25 and 36

Variation 12° 31' East

Township 12 R 7 W 6th Principal Meridian

39.92 Set a limestone 18 in long 9 in wide and 6 in thick for quarter section corner

79.88 The corner to sections 25, 26, 35 and 36
Land level soil 1st rate

North between sections 25 and 26
Variation 12°10' East

26.00 Cross Republican river bottom bearing E and W.

40.00 Set a limestone 18 in long 12 in wide and 4 in thick for quarter section corner

80.00 Set a limestone 19 in long 7 in wide and 5 in thick for corner to sections 23, 24, 25 and 26
Land rolling soil 2nd rate

East on a random line between sections 24 and 25
Variation 12°10' East

16.00 Ravine course S.E

40.00 Set a stone for temporary quarter

Township 12 R 7 W 6th Principal Meridian

section corner

65.00 Branch 10 lks wide, banks skirted with elm timber runs S.E.

79.86 Intersected E boundary of the township 65 lks S of corner to sections 24 and 25 from which corner I run West on a true line between sections 24 and 25
Variation 12.38 East

39.93 Set a limestone 16 in long 12 in wide and 4 in thick for quarter sec corner

79.86 The corner to sections 23, 24, 25 and 26
Land rolling soil 2nd rate

North between sections 23 and 24
Variation 12.10 East

40.00 Set a limestone 17 in long 13 in wide and 3½ in thick for quarter sec. corner

62.00 Ravine course S E

80.00 Set a limestone 20 in long 8 in wide

Township 1 N R 7 W 6 Principal Meridian

and 5 in thick for corner to sections
13, 14, 23 and 24
Land rolling soil 2nd rate

East on a random line between
sections 13 and 24
Variation 12°, 10' East
40.00 Set a stone for temporary quarter
section corner
52.00 Branch 10 lks wide runs S.E.
79.80 Intersected E boundary of the township
70 lks S of corner to sections 13 and 24
from which corner I run
West on a true line between
sections 13 and 24
Variation 12°, 2, 0 East
39.90 Set a limestone 20 in long 11 in wide
and 4 in thick for quarter sec corner
79.80 The corner to sections 13, 14, 23 and 24
Land rolling soil 2nd rate.

Township 1 N R 7 W 6th Principal Meridian

North between sections 13 and 14
Variation 12°10' East
40.00 Set a limestone 15 in long 10 in wide
and 5 in thick for quarter sec corner
75.00 Ravine course E
80.00 Set a limestone 18 in long 9 in wide
and 6 in thick for corner to sections
11, 12, 13 and 14
Land rolling soil 2nd rate

East on a random line between
sections 12 and 13
Variation 12° 10' East
26.00 Branch 10 lks wide runs S
34.00 Same branch 10 lks wide runs N W
37.00 Same branch 10 lks wide runs S E
40.00 Set a stone for temporary quarter
section corner
60.00 Ravine Course S
72.50 Ravine Course S W

79.70 Intersected East boundary of the township 76 lks S of corner to sections 12 and 13 from which corner I run West on a true line between sections 12 and 13

Variation 12°43' East

39.85 Set a limestone 14 in long 7 in wide and 6 in thick for quarter sec. corner

79.70 The corner to sections 11, 12, 13 and 14
Land rolling soil 2nd rate

North between sections 11 and 12

Variation 12°10' East

80.00 Set a limestone 19 in long 10 in wide and 7 in thick for quarter section corner

80.00 Set a limestone 20 in long 12 in wide and 5 in thick for corner to sections 1, 2, 11 and 12
Land rolling soil 2nd rate

East on a random line between sections 1 and 12

Variation 12°10' East

30.00 Branch 10 lks wide runs S.E.

40.00 Set a stone for temporary quarter section corner

79.60 Intersected E boundary of the township 50 lks S of the corner to sections 1 and 12 from which corner I run West on a true line between sections 1 and 12

Variation 12°49' East

39.80 Set a limestone 18 in long 9 in wide and 6 in thick for quarter sec corner

79.60 The corner to sections 1, 2, 11 and 12
Land rolling soil 2nd rate

North on a random line between sections 1 and 2

Variation 12°10' East

Township 1 R 7 W 6th Principal Meridian

40.00 Set a stone for temporary quarter section corner

81.62 Intersected R boundary of the township 53 lks E of the corner to sections 1 and 2 from which corner I run South on a true line between sections 1 and 2

Variation 12°. 33' East

41.62 Set a limestone 20 in long 9 in wide and 3 in thick for quarter section corner

81.62 The corner to sections 1, 2, 11 and 12

Land rolling soil 2nd rate

June 29th 1859

North between sections 34 and 35

Variation 12°. 10' East

28.00 Left bank of the Republican river, set a limestone 16 in long 10 in wide and 4 in thick for corner to fractional sections 34 and 35

25.51
24
53.51

Township 1 R 7 W 6th Principal Meridian

The quarter section corner falling in the river cannot be established.

I now run ~~as follows~~ upon the left bank of the Republican river up stream with the meanders of the said stream as follows, in fractional ~~section~~ section 35

R 18¾° E 16 chains thence

R 26¼° W 11.55 chains to a point in the line between sections 34 and 35

The northing on the 2 courses of meanders is 25.51 chains, to which add 28.00 chains makes

53.51 To the point on the left bank of the river, between sections 34 and 35

Here set a lime stone 15 in long 10 in wide and 5 in thick for corner to fractional sections 34 and 35

80.00 Set a limestone 18 in long 10 in wide and 6 in thick for corner to sections 26, 27, 34 and 35

Land level soil 1st rate

Township 1 N R 7 W 6th Principal Meridian

East on a random line between sections 26 and 35

Variation 12°.10' East

34.00 Branch 20 lks wide skirted with elm timber, runs S E

40.00 Set a Stone for temporary quarter section corner

80.00 Intersected N and S line 10 lks N of corner to sections 25, 26, 35 and 36 from which corner I run

West on a true line between sections 26 and 35

Variation 12°.8' East

40.00 Set a limestone 23 in long 12 in wide and 6 in thick for quarter section corner

80.00 The corner to sections 26, 27, 34 and 35

Land level soil 1st rate

The line between sections 27 and 34 will strike the Republican river

Township 1 N R 7 W 6th Principal Meridian

in less than 80.00 chains & therefore run it a true line

West on a true line between sections 27 and 34

Variation 12°.10' East

13.70 Set a limestone 16 in long 10 in wide and 4 in thick on left bank of the Republican river for corner to fractional sections 27 and 34

Land level soil 1st rate.

North between sections 26 and 27

Variation 12°.10' East

23.00 Leave ~~bottom~~ Republican river bottom bearing E and W and Enter rolling upland

40.00 Set a limestone 20 in long 12 in wide and 4 in thick for quarter section corner

80.00 Set a limestone 24 in long 12 in wide and 4 in thick for corner to sections 22, 23, 26 and 27

Land level soil 1st rate

Township 12 R 7 W 6th Principal Meridian

East on a random line between sections 23 and 26

Variation 12°. 10' East

34,00 Branch 20 lks wide started with elm timber runs S E

40,00 Set a stone for temporary quarter section corner

80,02 Intersected N and S line 22 lks N of corner to sections 23 24 25 and 26 from which corner S run

West on a true line between

* sections ~~22 and 23~~ 23 & 26

Variation 12°. 1' East

40,01 Set a limestone 14 in long 10 in wide and 4 in thick for quarter

* section corner

80,02 The corner to sections 22, 23, ~~24 and 25~~ 26 & 27

Land rolling soil 2nd rate

Township 12 R 7 W 6th Principal Meridian

North between sections 22 and 23

Variation 12°, 10' East

40,00 Set a limestone 12 in long 12 in wide and 5 in thick for quarter sec corner

40,75 Ravine course S. E.

80,00 Set a limestone 23 in long 10 in wide and 4 in thick for corner to sections 14, 15, 22 and 23

Land rolling soil 2nd rate

East on a random line between sections 14 and 23

Variation 12°. 10' East

25,50 Branch 20 lks wide runs S

40,00 Set a stone for temporary quarter section

79,76 Intersected N and S line 8 links N of corner to sections 13, 14, 23 and 24 from which corner S run

West on a true line between

Township 1 N R 7 W 6th Principal Meridian

sections 14 and 23

Variation 12.07 East

39.88 Set a limestone 22 in long 9 in wide and 7 in thick for a corner to set quarter section corner

79.76 ~~Intersected N and S line between~~ The corner to sections 14 15 22 and 23

Land rolling soil 2nd rate

North between sections 14 and 15

Variation 12.16 East

29.50 Ravine course S.E.

40.00 Set a limestone 16 in long 9 in wide and 6 in thick for quarter section corner

56.50 Branch 20 lks wide runs E. Enter timber

59.85 Same branch 20 lks wide runs N. E & W

60.15 Same branch 20 lks wide runs S W S E

Leave timber

* 76.50 ~~Same~~ Branch 20 lks wide runs S. E. *

Enter timber bears N W & S E

Township 1 N R 7 W 6th Principal Meridian

77.50 Same branch 20 lks wide runs S W

80.00 Set a limestone 14 in long 11 in wide and 4 in thick for corner to sections 10, 11, 14 and 15 from which

A red elm 12 in dia bears S 76½ E 20 lks dist

A cottonwood 18 in dia bears N 84½ W 110 lks dist

No other trees convenient to mark.

Land rolling; soil 2d rate

Timber Elm and cottonwood

East on a random line between sections 11 and 14

Variation 12.10 East

15.5 Branch 20 links wide runs S W.

Leave timber

29.15 Ravine course S W

40.00 Set a stone for temporary quarter section corner

53.00 Ravine course S.W.

79.50 Intersected N and S line 16 lks S

of corner to sections 11, 12, 13 and 14
from which corner S 2 rm
West on a true line between sections
11 and 14

Variation 12°, 15' East

39.75 Set a limestone 18 in long 10 in wide
and 3½ in thick for quarter sec corner
79.50 The corner to sections 10, 11, 14 and 15
Land rolling soil 2nd rate. Timber
Elm and Cottonwood.

North between sections 10 and 11

Variation 12°, 10' East

0.50 Branch 20 lks wide runs E, Land timber
40.00 Set a limestone 14 in long 10 in wide
and 3 in thick for quarter section corner
45.00 Branch 20 lks wide runs S W
80.00 Set a limestone 15 in long 11 in wide and
6 in thick for corner to sections 2, 3, 10 and 11
Land rolling soil 2nd rate

East on random line between sections
2 and 11

Variation 12°, 10' East

5.00 Branch 20 lks wide runs S
40.00 Set a stone for temporary quarter
section corner
40.50 Ravine course S W
79.50 Intersected N and S line 20 lks N
of corner to sections 1, 2, 11 and 12
from which corner S 2 rm
West on a true line between
sections 2 and 11

Variation 12°, 1' East

39.78 Set a limestone 15 in long 10 in wide
and 4 in thick for quarter sec corner
79.56 The corner to sections 2, 3, 10 and 11
Land rolling soil 2nd rate

North on a random line between
sections 2 and 3
Variation 12°10 East
40.00 Set a stone for temporary quarter
section corner
57.00 Branch 20 lks wide runs W
81.85 Intersected R Boundary of the town-
ship 37 lks E of corner to sections
2 and 3 from which corner I run
South on a true line between
sections 2 and 3
Variation 12°.26' East
41.85 Set a limestone 17 in long 9 in wide
and 5 in thick for quarter section corner
81.85 The corner to sections 2, 3, 10 and 11
Land rolling Soil 2nd rate
June 30th 1859

North between sections 33 and 34
Variation 12°.10' East
40.00 Set a limestone 15 in long 12 in wide

and 4 in thick for quarter section corner
80.00 Set a limestone 13 in long 10 in wide
and 5 in thick for corner to sections
27, 28, 33 and 34
Land ~~rolling~~ level soil 1st rate

East on a true line between sections
27 and 34
Variation 12°10' East
40.00 Set a limestone 14 in long 11 in wide
and 6 in thick for quarter sec corner
55.50 Right bank of the Republican river
Set a limestone 14 in long 10 in wide
and 6 in wide for corner to fractional
sections 27 and 34:
From this corner the stone corner to
fractional sections 27 and 34 on
the left bank of the river bears E:
The distance across the river on
line is 10.80, obtained by

actual measurement,
The length of the line between sections
27 and 34 is 80.00 chains the
several parts of which being as follows
East of the river - - - - - - 13.70 chs
Across the river - - - - - - - 10.80 "
West of the river - - - - - - 55.50 "
Aggregate as above 80.00
Land level soil 1st rate

From the corner to fractional sections
27 and 34 on the right bank of the
Republican river Down down stream
with the right bank of the said
river in fractional section 34 as
follows: viz.
S 46 E 18.00 chains, thence
S 19 E 25.00 " "
S 6 W 10.00 chains "
S 11 W 18.00 " "

S 22 W 17.35 chains to corner to
fractional section 34 on the South
boundary of the township
Land level prairie bottom soil
1st rate

Begin at corner to fractional
section 34 on the South boundary
of the township and run thence
up stream with the meanders
of the left bank of the Republican
river in fractional section
34 as follows, viz:
N 10¾ E 28.50 chains to corner
to fractional sections 34 and 35
At 10.00 chains leave timber bears S

---

from the corner to fractional sections
34 and 35 - 53.51 chs N. of corners
to sections 34 and 35 on base line

Township 1 N. R. 7 W. 6th. Principal. meridian

I run thence up stream with the meanders of Republican river as follows viz: In sec 34

N 20 W 13.40 chains thence

N 29 W 11.00 " "

N 46½ W 5.00 " to corner to fractional sections 27 and 34

Land level bottom soil 1st rate

North between sections 27 and 28

Variation 12.10. East

16.45 The Right bank of the Republican river set a limestone 14 in long 10 in wide and 4 in thick for corner to fractional sections 27 and 28

27.25 The left bank of the same river set a limestone 14 in long 12 in wide and 4 in thick for corner to fractional sections 27 and 28. The distance across the river on line is 10.80

Township 1 N R 7 W 6th Principal Meridian

chains.

☞ Obtained the distance across the river by actual measurement.

40.00 Set a limestone 17 in long 12 in wide and 7 in thick for quarter sec. corner

66.00 Leave Republican river bottom leave E and W

80.00 Set a limestone 14 in long 12 in wide and 6 in thick for corner to sections 21, 22, 27 and 28

Land level soil 1st rate.

East on a random line between sections 22 and 27

Variation 12°10' East

36.75 Ravine course S

40.00 Set a stone for temporary quarter section corner

80.00 Intersected N and S line 16 lks N of corner to sections 22. 23. 26 and 27 from which corner I run West on a true line between

Township 12 R 7 W 6th Principal Meridian

sections 22 and 27

Variation 12°3' East

40.00 Set a limestone 15 in long 15 in wide and 5 in thick for quarter sec. corner

80.00 The corner to sections 22.23.26 and 27

Land rolling soil 2nd rate

North between sections 21 and 22

Variation 12°10' East

10.25 Branch 20 lks wide runs S W

13.00 Same branch 20 lks wide runs S E

40.00 Set a limestone 12 in long 8 in wide and 8 in thick for quarter sec corner

80.00 Set a limestone 13 in long 13 in wide and 5 in thick for corner to sections 15 16 21 and 22

East on a random line between sections 15 and 22

Variation 12.10' East

Township 12 R 7 W of 6th Principal Meridian

26.00 Ravine course S. E.

40.00 Set a stone for temporary quarter section corner

75.34 Intersected R and S line between sections 40 lks R of corner to sections 14, 15, 22 and 23 from which corner Run West on a true line between sections 15 and 22

Variation 11°53' East

39.97 Set a limestone 18 in long 12 in wide and 6 in thick for quarter sec corner

79.94 The corner to sections 15 16 21 and 22

Land rolling soil 2nd rate

North between sections 15 and 16

Variation 12°10' East

40.00 Set a limestone 13 in long 8 in wide and 6 in thick for quarter section cor

80.00 Set a limestone 16 in long 12 in wide and 5 in thick for corner to

Township 1 N R 7 W 6th Principal Meridian

sections 9, 10, 15 and 16
Land rolling soil 2nd rate

East on a random line between
sections 10 and 15
Variation 12° 10' East
20.00 Ravine course S E
40.00 Set a stone for temporary quarter
section corner
79.76 Intersected N and S line 85 lks
N of corner to sections 10, 11, 14 and 15
from which corner S run
West on a true line between sections
10 and 15
Variation 11° 34' East
39.88 Set a limestone 15 in long 15 in wide
and 5 in thick for quarter section corner
79.76 The corner to sections 9, 10, 15 and 16
Land rolling soil 2nd rate

Township 1 N R 7 W 6th Principal Meridian

North between sections 9 and 10
Variation 12° 10' East
30.00 Ravine course S E.
40.00 Set a limestone 14 in long 12 in wide
and 5 in thick for quarter sec corner
80.00 Set a limestone 22 in long 11 in wide
and 4 in thick for corner to sections
3, 4, 9 and 10
Land rolling soil 2nd rate

East on a random line between
sections 3 and 10
Variation 12° 10' East
20.00 Ravine course S.E.
40.00 Set a stone for temporary quarter
section corner
56.00 Branch 10 lks wide runs S E
79.86 Intersected N and S line 15 lks
N of corner to sections 2, 3, 10 and 11
From which corner S run

Township 1 N R 7 W 6th Principal Meridian

West on a true line between sections 3 and 10
Variation 12°.4' East

39.93 Set a limestone 18 in long 12 in wide and 4 in thick for quarter section corner

79.86 The corner to sections 3, 4, 9 and 10
Land rolling soil 2nd rate

~~North~~ ~~East~~ on a random line between sections 3 and 4
Variation 12°.10' East

32.00 Ravine course S.E

40.00 Set a stone for temporary quarter sec corner

70.00 Ravine Course N E

81.00 Intersected N boundry of the township 20 lks E of corner to sections 3 and 4 from which corner I run

* ~~West~~ South on a true line between sections 3 and 4
Variation 12°.19' East

40.00 Set a limestone 16 in long 12 in wide and 5 in thick for quarter sec corner

Township 1 N R 7 W 6th Principal Meridian

81.00 The corner to sections 3, 4, 9 and 10
Land rolling prairie soil 2nd rate

Meanders of the ~~right~~ left bank of the Republican river in section 27
Begin at corner to fractional sections 27 and 28 on the ~~right~~ left bank of the river and run thence down stream with the meanders of the ~~left~~ ~~right~~ left bank of said stream in fractional section 27 as follows, viz.

S 40 E 14.00 chains thence
S 72½ E 12.00 chains "
S 88¾ E 10.00 " "
S 86¼ E 17.00 " "
S 57¼ E 22.54 " to corner to fractional sections 27 and 34.

Land level bottom soil 1st rate

From the corner to fractional sections

27 and 34 on right bank of the river
I run up stream with the meanders
of said stream in fractional
section 27 as follows viz
N 57 W 8.00 chains thence
N 76 W 5.00 chains "
West 2.00 " "
N 82 W 6.00 " "
N 85 W 6.00 " "
N 55 W 7.00 " "
N 48 1/4 W 8.00 " to corner to frac-
tional sections 27 and 28
Land level bottom soil 1st rate

July 1st 1859

North between sections 32 and 33
Variation 12.15° East
40.00 Set a limestone 16 in long 10 in wide
and 5 in thick for quarter section cor
80.00 Set a limestone 17 in long 11 in wide
and 3 in thick for corner to

sections 28, 29, 32 and 33
Land level soil 1st rate

East on a random line between
sections 28 and 33
Variation 12.15° East
40.00 Set a stone for temporary quarter
section corner
80.04 Intersected N and S line at corner
to sections 27, 28, 33 and 34 from
which corner I run
West on a true line between sections 28 & 33
Variation 12.15° East
40.02 Set a limestone 13 in long 13 in wide
and 3 in thick for quarter sec corner
80.04 The corner to sections 28, 29, 32 and 33
Land level soil 1st rate

North between sections 28 and 29

Variation 12° 15' East

24.63 Right bank of the Republican river, set a limestone 16 in long 10 in wide and 5 in thick for corner to fractional sections 28 and 29

33.10 Left bank of the same river set a limestone 15 in long 11 in wide and 2 in thick for corner to fractional sections 28 and 29. The distance across the river on line is 8.47 chains. Obtained the distance across the river by actual measurement. Here enter timber

40.00 Set a post for quarter section corner from which An elm 12 in dia bears N 70 W, 53 lks dist

58.00 Branch 25 lks wide runs S E bears S. E and N. W. Here leave timber bears S, E and N, W

61.00 Leave Republican river bottom bears S E and N W and enter rolling upland

80.00 Set a limestone 16 in long 15 in wide and 5 in thick for corner to sections 20, 21, 28 and 29

Good level soil 2nd rate

Timber Elm & Cottonwood

East on a random line between sections 21 and 28

Variation 12° 15' East

40.00 Set a stone for temporary quarter section corner

54.00 Bed of a dry branch 20 lks wide course S

80.00 Intersected N and S line at corner to sections 21, 22, 27 and 28 from which corner Bears

West on a true line between secs. 21 and 28

~~40.00~~ Variation 12° 15' East

40.00 Set a limestone 18 in long 15 in wide and 3 in thick for quarter sec corner

Township 1 N R 7 W 6th Principal Meridian

80.00 The corner to sections 20, 21, 28 and 29
Land gently rolling soil 2nd rate

North between sections 20 and 21
Variation 12°15' East

40.00 Set a limestone 16 in long 11 in wide
and 6 in thick for quarter section corner

62.00 Ravine course N & W

80.00 Set a limestone 23 in long 10 in wide and
5 in thick for corner to sects. 16, 17, 20 and 21
Land rolling soil 2nd rate

East on a random line between sections
16 and 21
Variation 12°15' East

20.00 Ravine course S

40.00 Set a stone for temporary quarter section
corner

64.00 Bed of dry branch 15 lks wide course S

80.20 Intersected N and S line 8 lks S of the

Township 1 N R 7 W 6th Principal Meridian

corner to sections 15, 16, 21 and 22 from
which corner 8 from
West on a true line between sects 16 and 21
Variation 12°18' East

40.10 Set a limestone 12 in long 10 in wide
and 5 in thick for quarter sec corner

80.20 The corner to sections 16, 17, 20 and 21
Land rolling soil 2nd rate

North between sections 16 and 17
Variation 12°15' East

40.00 Set a limestone 17 in long 11 in wide and
4 in thick for quarter section corner

64.50 Ravine course N & W

80.00 Set a limestone 16 in long 13 in wide
and 3½ in thick for ~~quarter sec~~ corner
to sections 8, 9, 16 and 17
Land rolling prairie soil 2nd rate

Township 12 R 7 W 6th Principal Meridian

East on a random line between sections 9 and 16

Variation 12° 15' East

20.00 Branch 10 lks wide runs S

40.00 Set a stone for temporary quarter section corner

80.70 Intersected N and S line 10 lks S of corner to sections 9, 10, 15 and 16 from which corner I run

West on a true line between sects 9 and 16

Variation 12° 21' East

40.35 Set a limestone 13 in long 9 in wide and 6 in thick for quarter section corner

80.70 The corner to sections 8, 9, 16 and 17

Land rolling soil 2nd rate

North between sections 8 and 9

Variation 12° 15' East

40.00 Set a limestone 17 in long 11 in wide and 5 in thick for quarter section corner

Township 12 R 7 W 6th Principal Meridian

80.00 Set a limestone 18 in long 12 in wide and 4 in thick for corner to sections 4, 5, 8 and 9

Land rolling prairie soil 2nd rate

East on a random line between sections 4 and 9

Variation 12° 15' East

11.00 Branch 5 lks wide runs S

40.00 Set a stone for temporary quarter section corner

79.52 Intersected N and S line 10 lks W of corner to sections 3, 4, 9 and 10 from which corner I run

West on a true line between sections 4 and 9

Variation 12° 10' East

39.96 Set a limestone 12 in long 12 in wide and 5 in thick for quarter section corner

Township 12 R 37 6th Principal Meridian

79.52 The corner to sections 4, 5, 8 and 9
Land rolling soil 2nd rate

North on a random line between
sections 4 and 5

Variation 12°15' East

40.00 Set a stone for temporary quarter
section corner

80.60 Intersected the R boundary of the
township 20 lks E of corner to sections
4 and 5 from which corner Bears
South on a true line between sections
4 and 5

Variation 12°45' East

40.60 Set a limestone 16 in long 10 in wide
and 5 in thick for quarter sec corner

80.60 The corner to sections 4, 5, 8 and 9
Land rolling soil 2nd rate

Daly

Township 12 R 37 6th Principal Meridian

Meanders of the left bank of the
Republican river in section 28
Begin at the corner to fractional
sections 28 and 29 on the left
bank of the river and run thence
down stream with the meanders of
the left bank of said stream in
fractional section 28 as follows, viz

S 82½ E 17,00 chains thence
N 81¼ E 15,00 " "
N 61 E 20,00 " At 19,00 chs mouth
of branch 25 lks
wide comes from N W
Leave timber bears N W
N 74½ E 12,00 " At 10,00 chs mouth of
branch 10 lks wide
comes from N W
S 85 E 3,80 " thence
S 62½ E 7,00 " "
S 40¾ E 6,00 " "
S 27½ E 11,38 " to corner to frac-
tional sections 27 and 28
Land level bottom soil 1st rate

Township 1 N R 7 W 6th Principal Meridian

From the corner to fractional sections
27 and 28 on the right bank of the river
Run up stream with the meanders
of said stream in fractional section
28 as follows viz

N 46 W 16.00 chains thence
N 33 W 12.00 " "
S 89¼ W 8.00 " "
S 57 W 25.00 " "
S 85 W 19.00 " "
N 82 W 14.75 " to corner to
fractional sections 28 and 29
Land level bottom soil 1st rate

July 2nd 1859

North between sections 31 and 32
Variation 12°15' East

40.00 Set a limestone 17 in long 14 in wide and
5 in thick for quarter section corner
80.00 Set a limestone 24 in long 7 in wide and
6 in thick for corner to sections 29 30 31 and 32

Township 1 N R 7 W 6th Principal Meridian

Land level soil 1st rate

East on a random line between sections
29 and 32
Variation 12°15' East

40.00 set a stone for temporary quarter
section corner
80.00 Intersected N and S line at corner to
sections 28, 29, 32 and 33 from which
corner Run
West on a true line between
sections 29 and 32
Variation 12°15' East

40.00 Set a limestone 15 in long 10 in wide
and 5 in thick for quarter section corner
80.00 The corner to sections 29 30 31 and 32
Land level soil 1st rate.

West on a random line between
sections 30 and 31

Township 1 N R 7 W 6th Principal Meridian

Variation 12 15 East

40.00 Set a stone for temporary quarter section corner

79.80 Intersected the W. boundary of this township 10 lks N of corner to sections 30 and 31 from which corner I run East on a true line between sections 30 and 31

Variation 12°15' East

39.80 Set a limestone 16 in long 12 in wide and 4 in thick for quarter sec. corner

79.80 The corner to sections 29 30 31 and 32

Land level soil 1st rate.

North between sections 29 and 30

Variation 12°15' East

31.16 Right bank of the Republican river Set a limestone 15 in long 11 in wide and 5 in thick for corner to fractional sections 29 and 30 from which

Township 1 N R 7 W 6th Principal Meridian

A cottonwood 24 in dia bears S 57 E 9 lks dist

A cottonwood 18 in dia bears S 22½ E 11 lks dist

38.53 Left bank of the same river set a limestone 17 in long 14 in wide and 5 in thick for corner to fractional sections 29 and 30

The distance across the river on line is 7.37 chains. Obtained the distance across the river by actual measurement

40.00 Set a limestone 17 in long 13 in wide and 4 in thick for quarter sec. corner

80.00 Set a limestone 23 in long 9 in wide and 3 in thick for corner to sections 19 20 29 and 30

Land level soil 1st rate

East on a random line between sections 20 and 29

Variation 12°.15' East

31.00 Enter swamp bearing N W and S E

39.00 Leave same bearing N W and S E

40.00 Set a limestone ~~[illegible] in long 12 in wide~~

Township 12 R 17 W 6th Principal Meridian

45.00 for temporary quarter section corner
Leave Republican river bottom bearing S 74 and 25
51.75 A branch 20 lks wide skirted with timber runs South
80.00 Intersected Rend's line at the corner to sections 20, 21, 28 and 29 from which corner Poun
West on a true line between sections 20 and 29
Variation 12°15' East
40.00 Set a limestone 16 in long 12 in wide and 6 in thick for quarter section corner
80.00 The corner to sections 19, 20, 29 and 30
Land level bottom soil 1st rate

West on a random line between sections 19 and 30
Variation 12.15 East
40.00 Set a stone for temporary quarter section corner
79.96 Intersected the W boundary of the

Township 12 R 17 W 6th Principal Meridian

township 8 lks S of corner to sections 19 and 30 from which corner Poun
East on a true line between sections 19 and 30
Variation 12°12' East
39.96 Set a limestone 15 in long 10 in wide and 5 in thick
79.96 The corner to sections 19, 20, 29 and 30
Land level soil 1st rate

North between sections 19 and 20
Variation 12°15' East
40.00 Set a limestone 19 in long 9 in wide and 5 in thick for quarter sec. corner
45.00 Leave the Republican River bottom bearing N and W and enter rolling prairie
80.00 Set a limestone 24 in long 10 in wide and 6 in thick for corner to sections 17, 18, 19 and 20.
Bottom land level 1st rate, Prairie rolling 2nd rate

Township 12 R 7 W 6th Principal Meridian

East on a random line between sections 17 and 20

Variation 12°15' East

40.00 Set a stone for temporary quarter section corner

40.50 Bed of a dry branch 100 lks wide course S E

72.00 Ranne course S W

79.42 Intersected Roma S line 58 lks N of the corner to sections 16, 17, 20 and 21 from which corner Pour ~~west~~

West on a true line between sections 17 and 20

Variation 11°30' East

39.71 Set a limestone 14 in long 12 in wide and 4 in thick for quarter section corner

79.42 The corner to sections 17, 18, 19 and 20

Land rolling soil 2nd rate

West on a random line between sections 18 and 19

Variation 12°15' East

Township 12 R 7 W 6th Principal Meridian

25.00 Ranne course S W.

40.00 Set a stone for temporary quarter section corner

84.50 Intersected the West boundary of the township 20 lks S of the corner to sections 18 and 19 from which corner Pour

East on a true line between sections 18 and 19

Variation 12°6' East

40.50 Set a limestone 18 in long 12 in wide and 5 in thick for ~~corner to~~ quarter section corner

80.50 The corner to sections 17, 18, 19, 20

Land rolling prairie soil 2nd rate

North between sections 17 and 18

Variation 12°15' East

20.00 Set a limestone 15 in long 13 in wide and 6 in thick for quarter sec corner

Township 12 R 7 W 6th Principal Meridian

65.55 Bed of dry branch 10 lks wide course S

80.00 Set a limestone 15 in long 12 in wide and 4 in thick for corner to sections 7, 8, 17 and 18

Land rolling soil 2nd rate

East on a random line between sections 8 and 17

Variation 12.15° East

~~24.50~~

32.50 Bed of a dry branch 10 lks wide course S

40.00 Set a stone for temporary quarter section corner

80.35 Intersected R and S line 35 lks S of the corner to sections 8, 9, 16 and 17 from which corner S 88m

West on a true line between sections 8 and 17

Variation 12°30' East

40.17 Set a limestone 17 in long 9 in wide and 4 in thick for quarter section corner

Township 12 R 7 W 6th Principal Meridian

80.35 The corner to sections 7, 8, 17 and 18

Land rolling soil 2nd rate

West on a random line between sections 7 and 18

Variation 12°15' East

11.50 The bed of a dry branch 10 lks wide runs S W

40.00 Set a stone for temporary quarter section corner

80.48 Intersected the west boundary of the township 70 lks S of the corner to sections 7 and 18 from which corner S 88m

East on a true line between sections 7 and 18.

Variation 11°45' East

40.48 Set a limestone 16 in long 15 in wide and 4 in thick for quarter section corner

80.48 The corner to sections 7, 8, 17, and 18

Land rolling soil 2nd rate

Township 1 R 7 W 6th Principal Meridian

North between sections 7 and 8

Variation 12° 15' East

20.00 Set a limestone 16 in long 9 in wide and 6 in thick for quarter section corner

80.00 Set a limestone 16 in long 11 in wide and 5 in thick for corner to sections 5, 6, 7 and 8 ~~from which corner Drain~~ Land rolling prairie soil 2nd rate

---

East on a random line between sections 5 and 8

Variation 12° 15' East

33.85 Branch 10 lks wide runs SW

37.00 Same branch 10 lks wide runs NE

40.00 Set a stone for temporary quarter section corner

40.50 Same branch 10 lks wide runs S W

80.70 Intersected N and S line 20 lks N of corner to sections 4, 5, 8 and 9 from which Drain

Township 1 N R 7 W 6th Principal Meridian

West on a true line between sections 5 and 8

Variation 12° 6' East

20.35 Set a limestone 14 in long 9 in wide and 6 in thick for quarter sec corner

80.70 The corner to sections 5, 6, 7 and 8 Land rolling soil 2nd rate

---

West on a random line between sections 6 & 7

Variation 12° 15' East

22.00 Bed of a dry branch 20 lks wide course SE

40.00 Set a stone for temporary quarter section corner

80.40 Intersected West boundary of the township 16 lks S of the corner to sections 6 and 7 from which corner S run

East on a true line between sections 6 and 7

Variation 11° 34' East

40.40 Set a limestone 12 in long 10 in wide and 5 in thick for quarter section corner

Township 1 N R 7 W 6th Principal Meridian

80.40 The corner to sections 5, 6, 7 and 8
Land rolling Soil 2nd rate

Run on a random line between sections 5 and 6
Variation 12°15' East

20.00 Set a stone for temporary quarter sec. corner
80.16 Intersected the N. boundary of the township 20 lks E of the corner to sections 5 and 6 from which corner I run South on a true line between sections 5 and 8
Variation 12°24' East

40.16 Set a limestone 16 in long 12 in wide and 3 in thick for quarter section corner
80.16 The corner to sections 5, 6, 7 and 8
Land rolling soil 2nd rate

July 30 1859

Township 1 N R 7 W 6th Principal Meridian

Meanders of the Republican river through fractional section 36
Begin at the corner to fractional sec on the base line and on the right bank of the river and run thence down stream with the meanders of said stream in sec 36 as follows viz

N 34 E	14.00	chains thence
N 64½ E	10.00	" "
East	11.00	" "
S 75 E	10.00	" "
S 23 E	14.00	" To corner to fractional section 36 on the base line.

Land level soil 1st Right bank skirted with timber cottonwood

Meanders of the left bank in secs 36 & 35
Begin at the corner to fractional section 36 on the baseline at the south boundary of the township and run up stream with the meanders of the left bank in sec 36 as follows viz

N 20 W 13.00 chains thence
N 35¼ W 8.00 " "
N 62¾ W 8.00 " "
N 89¼ W 12.00 " "
S 82 W 7.00 " "
S 75 W 8.00 " "
S 50¼ W 8.00 " "
S 38 W 7.00 " To corner to fractional sections 35 & 36 thence in section 35
S 38 W 1.15 chains thence
S 21 W 8.80 " To corner to fractional section 35 on the base line and at South boundry of the township
Land level bottom soil 1st rate

June 30th 1859

Township 12 R 7 W 6th Principal Meridian

Right Bank viz.
Meanders of the Republican river through Sections 29 and 28
Commence at the corner to fractional sections 29 and 28 on the right bank of the river and run thence down stream with the meanders of the right bank of said stream in fractional section 29 as follows viz.
N 62 E 15.00 chains. thence
N 73 E 17.00 " "
N 88 E 15.00 " "
S 83 E 10.00 " "
S 56 E 11.00 " "
S 46 E 7.00 " "
S 56 E 6.00 " "
S 66 E 6.52 " to Corner to fractional sections 28 and 29
Land level bottom soil 1st rate

Township 12 R 17 W 6th Principal Meridian

From the corner to fractional sections 28 and 29 on the ~~right~~ left bank of the river Down up stream with the meanders of said stream in fractional section 29 as follows, viz:

N 58½ W 19.00 chains thence
N 52½ W 8.00 " " Leave timber land N.E.
N 77¾ W 21.00 " "
S 80¾ W 15.00 " "
S 63 W 25.00 " to corner to fractional sections 29 and 30 thence in Section 30
S 58½ W 30.00 chains thence
S 61½ W 20.00 " "
S 80½ W 12.00 " "
N 81 W 22.30 " to corner to fractional sections 25 and 30.

Land level bottom soil 1st rate
Timber cottonwood and elm.

Township 12 R 17 W 6th Principal Meridian

From the corner to fractional sections 25 and 30 on the right bank of the river Down down stream with the meanders of said stream in fractional section 30 as follows viz

S 86 E 16.00 chains thence
S 09 E 6.00 " "
N 85 E 6.00 " "
N 80 E 9.00 " "
N 69 E 19.00 " "
N 59 ~~W~~ E 31.00 " to corner to fractional sections 29 and 30

Land level bottom soil 1st rate

July 4th 1859

General Discription

This Township consists of good bottom lands lying along the Republican river and 2nd rate prairie in the Nothern part There is a good

supply of water, and some limestone is found South of the river. Timber skirts the banks of the Republican and and checks running into it.

A list of names of the individuals employed to assist in running measuring or marking the lines and corners described in the foregoing field notes of Township No 1 North of the base line of range No 2 W 6th Principal Meridian showing the respective capacities in which they acted

William Richardson Chainman
Benjamin Thompson Chainman
Francis McCabe Flagman
John Richardson Cornerman
John McCoyle Compassman

Field Notes

Of the Survey of the Subdivision lines of Township 2 N. Range 7 W. of the 6th Principal Meridian, Nebraska Territory, by Thomas W. Wheatly, Deputy Surveyor, under his Contract No. 265 bearing date, April 26 1859

Subdivision Commenced June 28: 1859
" Completed July 2: 1859.

Contract by N. W. & C. R.

Ex. No 1

Platted. C

Names and duties of Assistants.

Henry Stirk, Chainman
James Hallet, Chainman
Alexander A. Yard, Corner man,
John Plummer, Flagman
Geo M. Tilford, Compass man

Township 2 North Range 7 West 6th P. M.

6	32	5	24	4	18	3	13	2	7	1	
32		31		23		17		12		6	
7	31	8	23	9	17	10	11	11	6	12	
30		30		22		16		11		5	
18	29	17	22	16	16	15	10	14	5	13	
29		28		21		15		10		4	
19	28	20	21	21	15	22	9	23	4	24	
27		26		20		14		9		3	
30	26	29	20	28	14	27	8	26	3	25	
25		25		19		13		8		2	
31	24	32	19	33	13	34	7	35	2	36	

Field notes of the Subdivision Lines in Township 2 N. Range 7 W. of the 6th Principal Meridian. . . .

To determine the proper adjustment of my Compass for Subdividing this Township I Commence at the Corner to Township 2 N. Ranges 6 and 7 W. and run

North on a blank line along the East Boundary of Section 36.

Variation 12° 30' East,

40 00	To a point	at quarter Section Corner,
80 00	To a point	at Corner to Sections 25 and 36.

To retrace this line or run parallel therewith my Compass must be adjusted to a variation of 12° 30' East

Subdivision Commenced June 28: 1859.

From the Corner to Sections 1. 2. 35 and 36, on the South Boundary of the Township I run

Township 2 N. Range 7 W. 6th Principal Meridian

North between sections 35 & 36.

Variation 12° 30' East,

40.00 Set a Limestone 13 in long, 14 in wide and 4 in thick for quarter section corner.

80.00 Set a Limestone 17 in long, 9 in wide and 8 in thick, for corner to sections 25. 26. 35 & 36.

Land; gently rolling prairie. Soil 1st rate

East on a random line between secs 25 & 36

Variation 12° 30' East,

27.00 Branch, 6 lks wide, runs South,

40.00 Set a stone for temporary quarter sec: corner.

79.86 Intersected East Boundary of the Township, 40 lks South of the Corner to sections 25 & 36. from which corner

West on a true line between sections 25 & 36

Variation 12°. 47' East.

* 39.93 ~~39.98~~ Set a Limestone 20 in long, 18 in wide and 2 in thick for quarter section corner.

79.86 The corner to sections 25. 26. 35 & 36.

Land; gently rolling, Soil 2nd rate

Township 2 N. Range 7 W. 6th Pl. Merid.

North between sections 25 & 26

Variation 12° 45' East,

40.00 Set a Limestone 16 in long, 12 in wide and 3 in thick for quarter section corner.

80.00 Set a Limestone 19 in long, 12 in wide and 4 in thick for corner to sections 23. 24. 25 & 26.

Land; prairie, Soil 1st rate

East on a random line between sections 24 & 25

Variation 12° 30' East.

40.00 Set a stone for temporary quarter section corner.

79.54 Intersected East Boundary of Township 60 lks South of corner to sections 24 & 25.

From which corner I run

West on a true line between sections 24 & 25

Variation 12.56' East

39.77 Set a Limestone, 18 in long, 14 in wide and 4 in thick for quarter section corner.

79.54 The corner to sections 23. 24. 25 & 26.

Land; gently rolling — Soil 2nd rate.

Township 2 N. Range 7 W. 6th P. M.

North between Sections 23 & 24

Variation 12° 45' East,

40.00 Set a Limestone 12 in long, 8 in wide and 6 in thick for quarter section corner.

80.00 Set a Limestone 25 in long, 14 in wide and 3 in thick for corner to sections 13. 14. 23 & 24.

Land; gently rolling - Soil 2nd rate

East on a random line between Sect: 13 & 24.

Variation 12° 30' East,

40.00 Set a stone for temporary quarter Sec: corner.

79.90 Intersected the East Boundary of the Township 65 lks. South of the Corner to Sections 13 & 24 from which corner I run

West on a true line between Sect: 13 & 24.

Variation 12° 58' East.

39.95 Set a limestone 24 in long, 12 in wide and 5 in thick for quarter section corner.

79.90 The Corner to Sections 13. 14. 23 & 24.

Land; gently rolling - Soil 2nd rate

North between Sections 13 and 14.

Variation 12° 45' East,

40.00 Set a Limestone 17 in long, 11 in wide and 4 in thick for quarter Sec: corner.

80.00 Set a Limestone 20 in long, 16 in wide and 3 in thick for Corner to Sections, 11. 12. 13 & 14.

Land; Gently rolling prairie, Soil 2nd rate

East on a random line between Sections 12 & 13

Variation 12° East,

40.00 Set a Stone for temporary quarter Sec: Corner.

80.20 Intersected the East Boundary of Township 10 lks South of the Corner to Sec: 12 & 13. from which corner I run

West on a true line between Sections 12 & 13.

Variation 12° 4' East,

40.10 Set a Stone 16 in long, 12 in wide and 4 in thick for quarter Section Corner.

80.20 The Corner to Sections 11. 12. 13 & 14

Land; gently rolling - Soil 2nd rate.

North between Sections 1 & 12.

Variation 12° 45' East,

40.00 Set a Limestone 19 in long, 14 in wide and 4 in thick for quarter Section Corner.

80.00 Set a Limestone 20 in long, 14 in wide, and 3 in thick for Corner to Sections 1. 2. 11 & 12.

Land; level, Soil 2nd rate.

East on a random line between Sec: 1 & 12.

Variation 12° 15' East.

40.00 Set a Stone for temporary quarter section corner,

80.10 Intersected the East Boundary of the Township 10 lks South of the corner to sections 1 & 12. from which corner I run

West on a true line between sections 1 and 12,

Variation 12° 20' East.

40.05 Set a Limestone 16 in long, 13 in wide, and 3 in thick for quarter section corner.

80.10 The Corner to sections 1. 2. 11 & 12.

Land; level, Soil 1st rate

North on a random line between Sec 1 & 2

Variation 12° 30' East,

40.00 Set a stone for temporary quarter Sec: corner

81.28 Intersected North Boundary of Township, 15 lks West of Corner to section 1 & 2. from which corner I run

South on a true line between sections 1 and 2.

Variation 12° 36' East,

41.28 Set a Limestone 20 in long, 18 in wide and 4 in thick for quarter Section Corner.

81.28 The Corner to sections 1. 2. 11 & 12.

Land; gently rolling. Soil 1st rate

June 28: 1859.

North between sections 34 & 35.

Variation 12° 15' East,

40.00 Set a Limestone 15 in long, 13 in wide and 3 in thick for quarter section corner.

80.00 Set a Limestone 18 in long, 13 in wide and 4 in thick for Corner to sections 26. 27. 34 & 35.

Land; rolling - Soil 2nd rate

Township 2 N. Range 7 W. 6th P. M.

East on a random line between sections 26 & 35

Variation 12° 15' East.

40.00 Set a stone for temporary quarter Sec: Corner.

49.50 Branch 8 lks wide, runs South 1 ll

80.00 Intersected N and S line 16 lks North of Corner to Sections ~~22 & 23~~ 25, 26, 35 & 36. from which Corner I run West on a true line between Sections 26 & 35.

Variation 12° 8' East.

40.00 Set a Limestone 16 in long, 12 in wide and 6 in thick for quarter Section Corner.

80.00 The Corner to Sections 26, 27, 34 & 35.

Land rolling. Soil 2nd rate

North between Sections 26 & 27.

Variation 12° 45' East,

40.00 Set a Limestone 17 in long, 12 in wide and 3 in thick for quarter Section Corner

80.00 Set a Limestone 18 in long, 14 in wide and 5 in thick for Corner to Sections 22. 23. 26 & 27.

Land; rolling — Soil 2nd rate

Township 2 N. Range 7 W. 6th P. M.

East on a random line between Sec: 23 & 26.

Variation 12° 15' East.

40.00 Set a stone for temporary quarter Sec: Cor.

42.00 Ravine ~~Lks~~ Course E & S.

79.88 Intersected the N and S. line 12 lks North of the Corner to Sections ~~22 & 23~~ 23, 22, 25 & 26, from which Corner I run West on a true between Sections 23 & 26.

Variation 12° 10' East.

39.94 Set a Limestone 17 in long, 12 in wide and 3 in thick for quarter Section Corner.

79.88 The Corner to Sections 22. 23. 26 & 27.

Land; Gently rolling. Soil 2nd rate

North between Sections 22 and 23

Variation 12° East,

40.00 Set a Limestone 16 in long, 11 in wide and 5 in thick for quarter Section Corner.

80.00 Set a Limestone 20 in long, 14 in wide and 5 in thick for Corner to Sections 14. 15. 22 & 23.

Land; gently rolling, Soil 2nd rate

East on a random line between Sec: 14 & 23

Variation 12° 15' East.

31.00 Ravine, course N & S.

40.00 Set a stone for temporary quarter section corner

79.75 Intersected the N and S line 5 lks South of the corner to sections 13, 14, 23 & 24, from which corner I run West on a true line between Secs 14 & 23.

Variation 12° 17' East.

39.87 Set a Limestone 14 in long, 14 in wide and 7 in thick for quarter section corner.

79.75 The Corner to sections 14. 15. 22 & 23.

Land; Rolling – Soil 2nd rate.

North between sections 14 & 15.

Variation 12° 15' East.

40.00 Set a Limestone 16 in long, 12 in wide and 3 in thick for quarter section corner

80.00 Set a Limestone 18 in long, 13 in wide and 4 in thick for corner to sections 10. 11. 14 & 15.

Land; Gently rolling Soil 2nd rate

East on a random line between Sec: 11 & 14.

Variation 12° 15' East

40.00 Set a stone for temporary quarter section corner

80.06 Intersected N and S. line 6 lks. North of corner to sections 11, 12, 13 and 14, from which corner I run West, on a true line between sections 11 & 14

Variation 12° 12' East.

40.03 Set a Limestone 15 in long, 14 in wide and 3 in thick for quarter section corner,

80.06 The Corner to sections 10. 11. 14 & 15.

Land; Gently rolling, Soil 2nd rate

North between sections 10 and 11

Variation 12° 45' East,

40.00 Set a Limestone 18 in long, 15 in wide and 3 in thick for quarter section corner.

80.00 Set a Limestone 20 in long 15 in wide and 3 in thick for corner to sections 2. 3. 10 and 11.

Land; Gently rolling prairie,

Soil 1st rate

Township 2 N. Range 7 W. 6th P. M.

East on a random line between sections 11 & 2

Variation 12° 15' East.

15.00 Branch 6 lks wide, runs North –

40.00 Set a stone for temporary quarter Sec: Corner

80.36 Intersected N and S. line at corner to secs 1. 2. 11 & 12 ~~2 and 11~~. from which corner I run West in a true line, between sections 2 & 11.

Variation 12° 15' East.

40.18 Set a Limestone 17 in long, 10 in wide and 3 in thick for quarter section corner.

80.36 The Corner to sections 2, 3, 10 and 11

Land; rolling – Soil 2nd rate

North on a random line between sections 2 & 3

Variation 12° 15' East.

40.00 Set a stone for temporary quarter Sec: corner.

50.00 Branch, 6 lks wide, runs East,

81.48 Intersected North Boundary of Township 52 lks West of the corner to Sections 2 & 3. from which corner I run

South on a true line between secs 2 & 3.

Variation 11° 53' East.

41.48 Set a Limestone 20 in long, 13 in wide and 4 in thick for quarter section corner.

81.48. The Corner to sections 2. 3. 10 & 11.

Land; gently rolling – Soil 1st rate

June 29: 1859

North between sections 33 & 34

Variation 12° 30' East;

40.00 Set a Limestone 18 in long, 16 in wide and 6 in thick, for quarter section corner –

80.00 Set a Limestone 20 in long, 12 in wide and 4 in thick for corner to secs. 27. 28. 33 & 34

Land rolling – Soil 3rd rate.

East on a random line between secs: 27 & 34

Variation 12° 15' East

20.00 Branch 8 lks wide, runs ~~North~~ S

40.00 Set stone, for temporary quarter Sec: corner.

80.00 Intersected the N and S. line, 12 lks North of the corner to sec. 26. 27, 34 and 35

From which corner I run
West on a true line between Secs: 27 & 34
Variation 12° 10' East,

40.00 Set a Limestone 18 in long, 16 in wide, 3 in thick for quarter section corner

80.00 The Corner to section, 27. 28. 33 & 34
Land; rolling, – Soil 2nd rate

North between Section, 27 and 28
Variation 12° 30' East,

40.00 Set a Limestone 15 in long, 13 in wide and 6 in thick for quarter section corner.

80.00 Set a Limestone 22 in long, 14 in wide and 5 in thick for corner to Sections, 21, 22, 27 & 28.
Land; rolling & broken, – Soil 3rd rate

East on a random line, between Sections 22 & 27
Variation 12° 47' East.

16.00 Branch, 8 lks wide, runs S.

40.00 Set stone for temporary quarter section corner

80.10 Intersected the N and S. line, at corner to Sects. 22. 23. 26 & 27, from which Corner I run
West on a true line between Sects. 22 & 27,
Variation 12° 47' East.

40.05 Set a Limestone 17 in long, 13 in wide and 3 in thick for quarter section corner.

80.10 The Corner to Sections 21. 22. 27 & 28.
Land; rolling prairie – Soil 2nd rate

North between Sections 21 and 22.
Variation 12° 45' East.

40.00 Set a Limestone, 16 in long, 13 in wide and 3 in thick for quarter section corner

80.00 Set a Limestone 20 in long, 15 in wide and 4 in thick for corner to Sections 15. 16. 21 & 22.
Land; rolling and broken, Soil 3rd rate

East on a random line between Secs 15 & 22.
Variation 12° 45' East.

33.00 Branch 8 lks wide, runs South

Township 2 N. Range 7 W. 6th P. M.

40.00 Set a stone for temporary quarter sec: corner

80.20 Intersected the N and S line, 14 lks North of the corner to sec. 14 15. 22 & 23. from which corner I run West on a true line between sections 15 & 22.

Variation 12° 39' East.

40.10 Set a Limestone 15 in long, 11 in wide and 4 in thick for quarter sect: corner.

80.20 The Corner to sects: 15. 16. 21 & 22.

Land; rolling – Soil 2nd rate

North between sections 15 & 16

Variation 12° 30' East,

40.00 Set a Limestone, 17 in long, 11 in wide and 4 in thick for quarter section corner.

80.00 Set a Limestone 21 in long, 14 in wide and 4 in thick for corner to sections 9. 10. 15 & 16.

Land; Gently rolling – Soil 2nd rate

East on a random line, between Secs 10 & 15

Variation 12° 45' East,

Township 2 N. Range 7 W. 6th P. M.

40.00 Set stone for temporary quarter sec: corner

79.90 Intersected N and S line 12 lks North of the corner to Secs 10. 11. 14 & 15. from which corner I run West on a true line between secs: 10 & 15.

Variation 12° 40' East,

39.95 Set a Limestone 15 in long, 12 in wide and 4 in thick for quarter sect: corner.

79.90 The Corner to sections 9. 10. 15 & 16.

Land; rolling prairie – Soil 2nd rate

North between sections 9 & 10

Variation 12° 30' East,

40.00 Set a Limestone 15 in long, 13 in wide and 3 in thick for quarter section corner.

80.00 Set a Limestone 18 in long, 13 in wide and 4 in thick, for corner to sections 3. 4. 9 & 10.

Land; rolling prairie – Soil 2nd rate.

East on a random line between sections 3 & 10

Variation 12° 45' East.

Township 2 N. Range 7 W. 6th Pl. Mend.

40.00 Set a stone for temporary quarter Sec: Corr.

79.86 Intersected N and S Line 10 lks North of the corner to Sec: 2.3.10 & 11 — from which corner I run West on a true line between sections 3 & 10 —

Variation 12° 41' East.

39.93 Set a Limestone 17 in long, 10 in wide and 4 in thick for quarter section corner

79.86 The corner to sections 3.4.9 & 10.

Land; Rolling prairie. Soil 2nd rate

North on a random line between sections 3 & 4

Variation 12° 15' East

40.00 Set a stone for temporary quarter section corr

80.31 Intersected North Boundary 17 lks. West of the corner to sections 3 & 4. from which corner I run South on a true line between sections 3 & 4.

Variation 12° 8' East.

40.31 Set a Limestone 14 in long, 11 in wide, and 7 in thick for quarter section corner

80.31 The Corner to sections 3. 4. 9 & 10.

Land; level — Soil 2nd rate, June 30: 1859.

Township 2 N. Range 7 W. 6th Pl. Meridian.

North between sections 32 and 33.

Variation 12° 30' East.

40.00 Set a Limestone 15 in long, 11 in wide and 4 in thick for quarter section corner.

80.00 Set a Limestone 18 in long, 15 in wide and 4 in thick for corner to sections 28. 29. 32 & 33.

Land; Rolling prairie — Soil 2nd rate

East on a random line between sections 28 and 33.

Variation 12° 30' East

40.00 Set Stone for temporary quarter Sec: corner

48.00 Branch 10 lks wide, runs South.

79.90 Intersected the N and S line 10 lks, South of the corner to Sec: 27. 28. 33 and 34 — from which corner I run West on a true line between sections 28 & 33.

Variation 12° 34' East.

39.95 Set a Limestone 14 in long, 13 in wide and 3 in thick for quarter section corner

79.90 The Corner to sections 28. 29. 32 & 33

Land; rolling — Soil 2nd rate

Township 2 N. Range 7 W. 6th P. Merid.

North between Sections 28 and 29.

Variation 12° 30' East

40.00 Set a Limestone 15 in long, 13 in wide and 5 in thick for quarter section corner

80.00 Set a Limestone 20 in long, 16 in wide and 4 in thick for corner to sections 20. 21. 28 & 29. Land; Level prairie. Soil 1st rate

East on a random line between Secs: 21 & 28,

Variation 12° 30' East.

40.00 Set a Stone for temporary quarter Sec: Corner,

79.70 Intersected the North & S. line 6 lks. South of the Corner to Sec: 21. 22. 27. & 28. from which Corner I run West on a true line between Sections 21 & 28.

Variation 12° 33' East.

39.85 Set a Limeston 15 in long, 11 in wide and 3 in thick for quarter section corner,

79.70 The Corner to sections 20. 21. 28 & 29. Land; Gently rolling, Soil 2nd rate

Township 2 N. Range 7 W. 6th P. Merid.

North between Sections 20 & 21

Variation 12° 30' East,

40.00 Set a Limestone 14 in long, 13 in wide and 4 in thick for quarter section corner.

80.00 Set a Limestone 18 in long, 13 in wide and 3 in thick for corner to sections 16. 17. 20 & 21. Land; Level prairie – Soil 2nd rate

East on a random line between Secs 16 & 21

Variation 12° 30' East.

40.00 Set Stone for temporary quarter Sec: Corner.

80.16 Intersected N. and S. line, 12 lks. North of the Corner to Secs: 15. 16. 21. & 22. from which Corner I run West on a true line between Secs: 16 & 21.

Variation 12° 25' East,

40.08 Set a Limestone 16 in long, 12 in wide and 4 in thick for quarter Sec: Corner.

80.16 The Corner to Secs. 16. 17. 20 & 21. Land; Gently rolling – Soil 2nd rate

Township 2 N. Range 7 W. 6th P. M.

North between sections 16 & 17

Variation 12° 30' East.

40.00 Set a Limestone 16 in long, 11 in wide and 3 in thick for quarter Section Corner.

80.00 Set a Limestone, 18 in long, 12 in wide and 6 in thick for corner to sections 8. 9. 16 & 17

Land; Level prairie, - Soil 2nd rate

East on a random line between Sections 9 and 16

Variation 12° 30' East

40.00 Set a limestone for temporary quarter sec: corner.

80.44 Intersected the North & South line 30 lks North of corner to Sec. 9. 10. 15 and 16. from which corner I run West on a true line between Sec: 9 and 16.

Variation 12° 43' East.

40.22 Set a limestone 20 in long 14 in wide and 3 in thick for quarter section corner.

80.44 The Corner to sections 8. 9. 16 & 17.

Land; gently rolling, Soil 2nd rate

Township 2 N. Range 7 W. 6th P. Merid.

North between Section 8 and 9.

Variation 12° 15' East.

40.00 Set a Limestone 16 in long. 12 in wide, and 4 in thick for quarter Section Corner.

80.00 Set a Limestone 18 in long, 14 in wide and 3 in thick for Corner to sections 4. 5. 8 & 9.

Land; gently rolling prairie. Soil 2nd rate

East on a random line between Sections 4 & 9

Variation 12° 30' East.

40.00 Set a Stone for temporary quarter section Corner,

80.10 Intersected N and S, line 26 lks North of the Corner to Sec. 3. 4. 9 and 10. from which corner I run West on a true line between Sections 4 and 9.

Variation 12° 19' East.

40.05 Set a limestone 18 in long, 8 in wide and 5 in thick for quarter section corner.

80.10 The Corner to sections 4. 5. 8 and 9.

Land; gently rolling, Soil 2nd rate.

Township 2 N. Range 7 W. 6th P. M.

North on a random line between Section 4 & 5
Variation 12° 15' East.

40.00 Set a stone for temporary quarter Sec: Corner.
79.88 Intersected the North Boundary of the Township 6 lks. East of the Corner to Sec: 4 & 5. from which corner I run
South on a true line, between sections 4 and 5.
Variation 12° 18' East
39.88 Set a Limestone 16 in long, 9 in wide and 6 in thick for quarter section corner
79.88 The Corner to sections 4.5.8 and 9.
Land; level — Soil 2nd rate
July 1st 1859

North between Sections 31 and 32
Variation 12° 30' East.
40.00 Set a Limestone 16 in long, 12 in wide and 6 in thick, for quarter section corner,
80.00 Set a Limestone 20 in long, 14 in wide and 4 in thick for corner to sec: 29. 30. 31 & 32.
Land; gently rolling — Soil 2nd rate

East on a random line between Secs 29 and 32
Variation 12° 30' East.
5.00 Branch. 5 lks wide, runs South.
40.00 Set Stone for temporary quarter Sec: Corner.
48.00 Branch 10 lks wide, runs South,
80.20 Intersected the Naud Sline, 10 lks North of the Corner to Secs 28. 29. 32 and 33.
from which corner I run
West on a true line between sections 29 and 32.
Variation 12° 26' East.
40.10 Set a Stone 20 in long, 15 in wide and 2 in thick for quarter section corner.
80.20 The corner to sections 29. 30. 31 and 32.
Land; rolling prairie, Soil 2nd rate

West on a random line between secs. 30 and 31.
Variation 12° 15' East.
40.00 Set a stone for temporary quarter Sec: Corner.
79.68 Intersected the West Boundary of the Township 30 lks North of the Corner to sections 30 and 31.

Township 2 N. Range 7 W. 6th P. M.

From which corner I run

East on a true line between sections 30 and 31.

Variation 12° 28' East

39.68 Set a Limestone 16 in long. 14 in wide and 4 in thick for quarter section corner.

79.68 The corner to sections 29. 30. 31 & 32.

Land; rolling prairie — Soil 2nd rate

North between sections 29 and 30.

Variation 12° 30' East.

11.00 Branch 6 Lks. wide, runs S.E.

40.00 Set a Limestone 16 in long, 14 in wide, and 3 in thick for quarter section corner.

80.00 Set a Limestone 20 in long, 13 in wide and 4 in thick for corner to sections 19. 20. 29 and 30.

Land; rolling prairie — Soil 2nd rate

East on a random line between sec: 20 and 29.

Variation 12° 30' East,

40.00 Set a stone for temporary quarter section corner.

Township 2 N. Range 7 W. 6th P. Meridian

79.76 Intersected N and S. line 19 & 20 North of the corner to sec 20. 21. 28 & 29. from which corner I run

West on a true line between sections 20 and 29.

Variation 12° 22' East.

39.88 Set a Limestone 15 in long, 12 in wide and 3 in thick for quarter sect: corner.

79.76 The corner to sects 19. 20. 29 and 30.

Land; gently rolling — Soil 2nd rate

West on a random line between sections 19 & 30

Variation 12° 30' East.

40.00 Set a stone for temporary quarter section corner.

79.76 Intersected the West Boundary of the Township at corner to sections 19 and 30.

From which corner I run

East on a true line between sections 19 and 30

Variation 12° 30' East

39.76 Set a limestone 20 in long. 12 in wide and 3 in thick for quarter sec corner

79.76 The corner to sections 19. 20. 29 and 30.

Land; level prairie — Soil 1st rate

Township 2 N. Range 7 W. 6th P. Meridian.

North between Sections 19 and 20.

Variation 12°30' East.

40.00 Set a Limestone 15 in long, 13 in wide and 4 in thick, for quarter section corner.

80.00 Set a Limestone 22 in long, 12 in wide and 5 in thick for corner to Sec: 17. 18. 19 and 20 — Land; level Prairie — Soil 2nd rate

East on a random line between Sec: 17 and 20.

Variation 12° 30' East.

40.00 Set a Stone for temporary quarter Sec: Corner.

~~[illegible] South~~ —

41 Ravine course S

79.70 Intersected the N and S line 25 Lks. North of the Corner to Secs 16. 17. 20 & 21. from which corner I run

West on a true line between Sections 17 and 20.

Variation 12° 19' East.

39.85 Set a Limestone 18 in long, 16 in wide and 3 in thick for quarter section Corner.

79.70 The Corner to sections 17. 18. 19 and 20.

Land; Level prairie — Soil 1st rate

Township 2 N. Range 7 W. 6th P. Meridian.

West on a random line between Secs. 18 and 19.

Variation 12°30' East.

40.00 Set a Stone for temporary quarter section Corner.

79.70 Intersected the West Boundary of the Township, 7 Lks North of the Corner to sections 18 and 19. from which corner I run

East on a true line between Sections 18 and 19

Variation 12° ~~27'~~ 33' E East.

39.70 Set a Limestone 18 in long, 15 in wide and 2 in thick for quarter section corner.

79.70 The Corner to Sections 17. 18. 19 and 20.

Land; Gently rolling — Soil 2nd rate

North between Sects 17 and 18.

Variation 12° 15' East.

40.00 Set a Limestone 17 in long, 10 in wide and 3 in thick for quarter section corner.

80.00 Set a Limestone 21 in long, 16 in wide and 5 in thick for corner to Sections 7. 8. 17 and 18.

Land; Level, — Soil 1st rate —

Township 2 N. Range 7 W. 6th P. M.

East on a random line between Secs: 8 and 17.

Variation 12°30' East.

40.00 Set a stone for temporary quarter sec: corner.

79.62 Intersected the Range line 5 lks. South of the corner to sections 8.9.16 and 17. from which corner I run

West on a true line between sections 8 and 17.

Variation 12°32' East,

39.81 Set a Limestone 20 in long, 12 in wide, and 3 in thick for quarter section corner.

79.62 The corner to sections, 7.8.17 and 18.

Land; Gently rolling prairie, Soil 2nd rate

West on a random line between sections 7 and 18.

Variation 12°15' East.

40.00 Set a stone for temporary quarter sec: corner.

80.00 Intersected West Boundary of the Township 20 lks North of the corner to secs. 7 and 18. from which corner I run

East on a true line between sections 7 and 18.

Variation 12°24' East.

40.00 Set a Limestone 16 in long, 13 in wide and 5 in thick for quarter section corner.

Township 2 N. Range 7 W. 6th P. M.

80.00 The corner to sections 7. 8. 17 and 18.

Land; gently rolling prairie – Soil 2nd rate

North between sections 7 and 8.

Variation 12°30' East,

40.00 Set a Limestone 14 in long, 11 in wide and 4 in thick for quarter section corner.

80.00 Set a Limestone 20 in long, 13 in wide and 4 in thick for corner to sections 5.6.7 and 8.

Land; level prairie – Soil 2nd rate

East on a random line between sec: 5 and 8.

Variation 12°30' East.

40.00 Set a stone for temporary quarter sec: corner.

80.70 Intersected Range line 10 lks North of the corner to sec 4.5.8 & 9. from which corner I run

West on a true line between sections 5 and 8

Variation 12°26' East.

40.35 Set a Limestone 16 in long, 10 in wide and 4 in thick for quarter section corner.

80.70 The Corner to Sections 5.6.7 and 8.
Land; **Level** — — Soil 2nd rate

West on a random line between Secs. 6 and 7.
Variation 12° 00' East,

40.00 Set a stone for temporary quarter Sec: Corn,
80.25 Intersected the West Boundary of the Township
70 Chs North of the Corner to Sections 6 and 7
from which corner I run
East on a true line between Sections 6 & 7
Variation 12° 30' East,

40.25 Set a Limestone 15 in long, 13 in wide and
4 in thick for quarter Section Corner
80.25 The Corner to Sections 5.6.7 and 8,
Land; level prairie — Soil 2nd rate.

North on a random line between Secs: 5 and 6
Variation 12° 15' East —

40.00 Set a stone for temporary quarter Sec: Corn
79.80 Intersected the North Boundary of the

Township 20 Chs East of the Corner to Secs
5 and 6, from which corner I run
South on a true line between Sections 5 and 6
Variation 12° 23' East,

39.80 Set a Limestone 18 in long, 12 in wide
and 3 in thick for quarter Section Corner.
79.80 The Corner to Sections 5.6.7 and 8.
Land gently rolling prairie.
Soil 2nd rate.

July 2nd 1859

General Description

The Lands in this Township are generally rolling ~~and level~~ prairie, of 1st rate quality, and well adapted for cultivation, tolerably well supplied with branches of water — which are skirted with Elm and Cottonwood timber — the stone are principally Limestone suitable for building and other purposes —

List of Names.

A List of the names of the individuals employed to assist in running, measuring, or marking the lines and lines, described in the following field Notes of Township No. 2 North of the Base line, of Range No. 7 W. of the 6th Principal Meridian, showing the respective capacities in which they acted —

Henry Stroh	Chainman
James Hollet	Chainman
Alexander A. Yard	Cornerman
John Plumoman	Flagman
George M. Gilford	Comfasman

Field Notes of the Subdivision lines in Township 3 north Range 7 West of the 6th Principal Meridian

Surveyed by
Diefendorf & Todd
Deputy Surveyors

Under Contract Number 244
bearing Date 10th day of July 1858

Subdivision Commenced Sept. 4. 1858
Completed September 6: 1858.

Copied by A. Gaines
Comp. Pannell & Gaines
D.S. made & compared

Names and duties of assistants

Henry S. Beamer Chainman

S. Mothersbaugh Chainman

Samuel Underwood Chainman

Joseph Blair Chainman

George H. Rust Flagman

Samuel S. Anderson Flagman

G. B. Burwell Cornerman

Harrison Erwin Cornerman

Samuel Bonham Compassman

Township 3 North Range 7 West 6th P. M.



Township 3 N R 7 W of the 6th principal Meredian

chains

To determine the proper adjustment of my compass for subdividing this Township I commence at Townships 3 & 2 N Ranges 6 & 7 W and run

North on a Blankline alonge the East Boundary of Section 36

Variation 12°.45' East

39.95 To a point 6 lks West of the quarter Sec Corner

79.99 To a point 11 lks West of the Corner to Secs 25 & 36

To retrace this line line or run parallel thereto my compass must be adjusted to a Variation of 12°.40' East

Subdivision Commenced Sept. 4th 1858

From the Corner to Secs 1, 2, 35 & 36 on the South Boundary of the Township I run

North between Secs 35 & 36

Variation 12°.45' East

40.00 Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions

Township 3 N R 7 W of the 6th Principal Meridian

chains

D-2, doubtfull,

~~6800 Elk Creek 20 lks wide runs N E with some scattering timber~~

8000 Set a charred post for Corner to Sec. 25, 26, 35 & 36 made mound pits and trenches as per instructions
Land Rolling Soil 2nd rate

East on a Random line between Sec. 25 & 36
Variation 12° 45' East

4000 Set a post for temporary quarter Sec Corner

8008 Intersected the East Boundary of the Township 50 lks north of the Corner to Sec. 25 & 36, from which Corner I run West on a true line between Sec. 25 & 36
Variation 12° 32' East

4004 Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions

8008 The Corner to Sec. 25, 26, 35 & 36
Land level Soil 2nd rate

North between Sec. 25 & 26
Variation 12° 45' East

Township 3 N R 7 W of the 6th principal Meridian

chains

8000 Elk Creek 20 lks wide runs N E with scattering timber

4000 Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions

8000 Set a charred post for Corner to Sec. 23, 24, 25 & 26 made mound pits & trenches as per instructions
Land Rolling, Soil 2nd rate

East on a Random line between Sec. 24 & 25
Variation 12° 45' East

4000 Set a post for temporary quarter Sec Corner

6600 Military Road to Ft Kearney Course N W & S E

7982 Intersected the N & S line 20 lks north of the Corner to Sec. 24 & 25 from which Corner I run West on a true line between Sec. 24 & 25
Variation 12° 36' East

3991 Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions

7982 The Corner to Sec. 23, 24, 25 & 26
Land level, Soil 2nd rate

Township 3 N R 7 W of the 6th Principal Meridian

Chains	
	North between Sec. 23 & 24
	Variation 12°.40' East
4000	Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions
5800	Military Road from Ft Kearney to Ft Riley Bears N W & S E
8000	Set a charred post for Corner to Sec. 13, 14, 23 & 24 made mound pits & trenches as per instructions
	Land level Soil 2nd rate

	East on a Random line between Sec. 13 & 24
	Variation 12°.40' East
4000	Set a post for temporary quarter Sec Corner
7982	Intersected the East Boundary of the Township 28 lks South of the Corner to Sec. 13 & 24 from which Corner Drum
	West on a true line between Sec. 13 & 24
	Variation 12°.52' East
3991	Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions

Township 3 N R 7 W of the 6th Principal Meridian

Chains	
7982	The Corner to Sec. 13, 14, 23 & 24
	Land level. Soil 2nd rate

	North between Sec. 13 & 14
	Variation 12°.40' East
4000	Set a charred post for quarter Sec. Corner made mound pits & trenches as per instructions
8000	Set a charred post for Corner to Sec. 11, 12, 13 & 14 made mound pits & trenches as per instructions
	Land level, Soil 2nd rate

	East on a Random line between Sec. 12 & 13
	Variation 12°.40' East
4000	Set a post for temporary quarter Sec Corner
7980	Intersected the East Boundary of the Township 11 lks South of the Corner to Sec. 12 & 13 from which Corner Drum
	West on a true line between Sec. 12 & 13
	Variation 12°.45' East
3990	Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions

Township 3 N Range 7 W of the 6th Principal Meridian

Chains	
7980	The Corner to Secs 11, 12, 13 & 14
	Land level, Soil 2nd rate
	North between Secs 11 & 12
	Variation 12°, 40' East
4000	Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions
5100	Enter timber bears E & W
5525	Muggins Creek 10 lks wide runs East
5750	Leave timber bears E & W
8000	Set a charred post for Corner to Secs 1, 2, 11 & 12
	Land Broken, Soil 2nd rate
	Timber Bur Oak ash Elm & Walnut
	Underbrush the same & Grape Vines
	East on a Random line between Secs 1 & 12
	Variation 12°, 40' East
4000	Set a post for temporary quarter Sec Corner
7990	Intersected the East Boundary of the Township 27 lks South of the Corner to Secs 1 & 12

Township 3 N Range 7 W of the 6th Principal Meridian

Chains	
	from which Corner I run
	West on a true line between Secs 1 & 12
	Variation 12, 57 East
3995	Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions
7990	The Corner to Secs 1, 2, 11 & 12
	Land Rolling Soil 2nd rate
	North on a Random line between Secs 1 & 2
	Variation 12°, 40' East
4000	Set a post for temporary quarter Sec Corner
7962	Intersected the North Boundary of the Township 12 lks East of the Corner to Secs 1 & 2
	from which Corner I run
	South on a true line between Secs 1 & 2
	Variation 12°, 45' East
3962	Set a charred post for quarter Sec Corner made madard pits & trenches as per instructions
7962	The Corner to Secs 1, 2, 11 & 12
	Land level. Soil 2nd rate

Township 3 N Range 7 W of the 6th principal Meridian

Gate

North between Secs 34 & 35

Variation 12°, 40' East

4000 Set a post for quarter Sec Corner made mound pits & trenches as per instructions

8000 Set a sandstone 26 in long 13 in wide & 4 in thick for Corner to Secs 26, 27, 34 & 35

Land level, Soil 2nd rate

East on a Random line between Secs 26 & 35

Variation 12°, 40' East

2500 Dry Ravine 4 lks wide course N. E

4000 Set a post for temporary quarter Sec Corner

7988 Intersected the ~~East boundary of the Township~~ North & South line 31 lks South of the Corner to Secs ~~26, 27, 34 & 35~~ 25, 26, 35 & 36

from which Corner I run

West on a true line between Secs 26 & 35

x 39.94 Variation 12°, 53' East

~~8000~~ Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions

Township 3 N Range 7 W of the 6th principal Meridian

7988 The Corner to Secs 26, 27, 34 & 35

Land Rolling Soil 2nd rate

North between Secs 26 & 27

Variation 12°, 40' East

2600 Enter timber Bears N W & S E.

2850 ~~Little Blue~~ Elk Creek 20 lks wide runs S E

2970 Leave timber Bears N W & S E

4000 Set a charred post made mound pits & trenches as per instructions for quarter Sec Corner

8000 Set a charred post made mound pits & trenches as per instructions for Corner to Secs 22, 23, 26 & 27

Land level, Soil 1st rate

East on a Random line between Secs 23 & 26

Variation 12°, 40' East

Township 3 N R 7 W 6th Principal Meridian

4000 Set a post for temporary quarter Sec Corner
8015 Intersected the N & S line 31 lks South of the Corner to Secs 23, 24, 25 & 26.
from which Corner I run
West on a true between Secs 23 & 26
Variation 12° 53' East
4006 Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions
8015 The Corner to Secs 22, 23, 26 & 27
Land level. Soil 1st rate

North between Secs ~~14 & 15~~ 22 & 23
Variation 12° 40' East
4000 Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions
8000 Set a charred post for corner to Secs 22 23 26 & 27 13, 14, 22 & 23
Land level. Soil 1st rate

Township 3 N R 7 W of the 6th Principal Meridian

Caston a Random line between Secs 14 & 23
Variation 12° 40' East
4000 Set a post for temporary quarter Sec Corner
60.00 It ~~Decay~~ & Kearney Rods N & S E
7987 Intersected the N & S line South 23 lks of the Corner to sections 13, 14, 23 & 24 from which Corner I run
West on a true line between Secs 14 & 23
Variation 12° 50' East
39.93 ~~4000~~ Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions
7987 The Corner to Secs 14, 15, 22 & 23
Land level. Soil 1st rate

North between Secs 14 & 15
Variation 12° 40' East
4000 Set a charred post for quater Sec Corner ~~8000~~ made mound pits & trenches as per instructions
8000 Set a charred post for Corner to Secs 10, 11, 14 & 15 made mound pits & trenches as per instructions
Land level Soil 1st Rate

Township 8 N Rge 1 W of the 6th Principal Meridian

chains

East on a Random line between Sec 11 & 14
Variation 12° 40' East

13.20 Military Road from Ft Leavenworth to Ft Kearney bears N 11° E & S 11° W

40.00 Set a post for temporary quarter Sec Corner

80.12 Intersected the N & S line 14 lks South of the Corner to Sec 11, 12, 13 & 14

11 from which Corner I run
West on a true line between Sec 11 & 14
Variation 12° 40' East

40.06 Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions

80.12 The Corner to Sec 10, 11, 14 & 15

Land Rolling Soil 1st rate

North between Sec 10 & 11
Variation 12° 40' East

40.00 Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions

Township 8 N Rge 1 W 6th Principal Meridian

chains

60.00 Muggins Creek 5 lks wide Course East
Some Scattering Elms on its banks

80.00 Set a charred post for corner to Sec 2, 3, 10 & 11 made mound pits and trenches as per instructions

Land slightly Rolling Soil 1st rate

East on a Random line between Sec 2 & 11
Variation 12° 40' East

9.70 Military Road from Ft ~~Leavenworth~~ Riley to Ft Kearney bears S E & N W

40.00 Set a post for temporary quarter Sec Corner

80.04 Intersected the N & S line 52 lks South of the corner to Sec 2, 3, 10 & 11 from which corner I run
West on a true line between Sec 2 & 11
Variation 12° 54' East

40.02 Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions

80.04 The Corner to Sec 2, 3, 10 & 11

Land Rolling Soil 2nd rate

Township 3 N R 7 W of the 6th Principal Meridian

North on a Random line between Secs 2 & 3
Variation 12° 40' East

8.90 Millitary Road from Ft Kearney to Ft Riley bears N W & S E

40.00 Set a post for temporary quarter Sec Corner

79.70 Intersected the North Boundary of the Township 17 lks east of the corner to Secs 2 & 3 from which corner I run
South on a true line between Secs 2 & 3
Variation 12° 47' East

39.70 ~~39.85~~ Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions

79.70 The corner to Secs 2. 3. 10 & 11
The 1/2 mile Rolling 2 1/2 level. Soil 1st rate

September 4th 1858.

North between Secs 33 & 34
Variation 12° 40' East

40.00 Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions

Township 3 N R 7 W of the 6th Principal Meridian

59.70 Ravine 5 lks wide Course N E

71.50 Ravine 6 lks wide Bears East

80.00 Set a charred post for corner to Secs 27. 28. 33 & 34 made mound pits & trenches as per instructions
Land level. Soil 1st rate

East on a Random line between Secs 27 & 34
Variation 12° 40' East

10.30 Branch 8 lks wide runs N E

40.00 Set a post for temporary quarter Sec corner

79.83 Intersected the N & S line 11 lks South of the corner to Secs 26. 27. 34 & 35 from which corner I run
West on a true line between Secs 27 & 34
Variation 12° 45' East

39.91 Set a charred post for quarter Sec corner made mound pits & trenches as per instructions

79.83 The corner to Secs 27. 28. 33 & 34
Land level. Soil 1st rate

Township 3 N. R. 7 W. of the 6th Principal Meridian

North between Sec. 27 & 28
Variation 12°, 40' East

4000 Set a charred post for quarter Sec. Corner
With trench and pits as per instructions
5770 Enter timber Bears E & W
6100 Elk creek 15 lks wide runs East
6225 Leave timber Bears E & W
8000 Set a charred post for corner to Sec. 21, 22, 27 & 28 made mound pits & trenches as per instructions
Land Rolling Soil 1st rate
Timber Bur Oak & Elm

East on a Random line between Sec. 22 & 27
Variation 12°, 40' East

4000 Set a post for temporary quarter Sec. Corner
7996 Intersected the N & S line 23 lks South of the corner to Sec. 22, 23, 26 & 27 from which corner I run
West on a true line between Sec. 22 & 27
Variation 12°, 40' East

Township 3 N. R. 7 W. 6th Principal Meridian

39.98 ~~4000~~ Set a charred post for quarter Sec. Corner made mound pits & trenches as per instructions
7996 The corner to Sec. 21, 22, 27 & 28
Land Rolling Soil 1st rate

North between Sec. 21 & 22
Variation 12°, 40' East

4000 Set a charred post for quarter Sec. Corner made mound pits & trenches as per instructions
8000 Set a charred post for corner to Sec. 15, 16, 21 & 22 made mound pits & trenches as per instructions
Land level. Soil 1st rate

East on a Random line between Sec. 15 & 22.
Variation 12°, 40' East

4000 Set a post for temporary quarter Sec. Corner
8019 Intersected the N & S line 8 lks South of the corner to Sec. 14, 15, 22 & 23 from which corner I run

Township 3 N. R. 1 W. of the 6th Principal Meridian

chains	
	West on a true line between Sec. 15 & 22
	Variation 12°, 43' East
40 00	Set a charred post for quarter Sec. corner made mound pits & trenches as per instructions
80 00	The corner to Sec. 15, 16, 21 & 22
	Land level. Soil 1st rate
	North between Sec. 15 & 16
	Variation 12°, 40' East
40 00	Set a charred post for quarter Sec. corner made mound pits & trenches as per instructions
80 00	Set a charred post for corner to Sec. 9, 10, 15 & 16 made mound pits & trenches as per instructions
	Land level. Soil 2nd rate
	East on a Random line between 10 & 15
	Variation 12°, 40' East
40 00	Set a post for temporary quarter Sec. corner
79 90	Intersected the N. & S. line 36 lks. South of the Cor-ner to Sec. 10, 11, 14 & 15 from which corner I run

Township 3 N. R. 1 W. of the 6th Principal Meridian

chains	
	West on a true line between Sec. 10 & 15
	Variation 12°, 55' East
39 95	Set a charred post for quarter Sec. corner made mound pits & trenches as per instructions
79 90	The corner to Sec. 9, 10, 15 & 16
	Land slightly Rolling. Soil 2nd rate
	North between Sec. 9 & 10
	Variation 12°, 40' East
40 00	Set a charred post for quarter Sec. corner made mound pits & trenches as per instructions
51 00	Branch 5 lks. wide course East
80 00	Set a charred post for corner to Sec. 3, 4, 9 & 10 made mound pits & trenches as per instructions
	Land Broken. Soil 2nd rate
	East on a Random line between Sec. 3 & 10
	Variation 12°, 40' East
40 00	Set a post for temporary quarter Sec. corner
79 80	Intersected the N. & S. line 13 lks. South of the

chains

Corner to Sec 2, 3, 10 & 11 from which corner I run
West on a true line between Sec 3 & 10
Variation 12° 45' East
39 90 Set a charred post for quarter Sec corner made mound pits & trenches as per instructions
79 80 The corner to Sec 3 4, 9 & 10
Land level. Soil 1st rate

North on a Random line between Sec 3, 4.
Variation 12° 40' East
40 00 Set a post for temporary quarter Sec corner
79 98 Intersected the North Boundary of the Township 30 lks East of the corner to Sec 3 4 from which corner I run
South on a true line between Sec 3 & 4
Variation 12° 53' East
39 98 Set a charred post for quarter Sec corner made mound pits & trenches as per instructions
79 98 The corner to Sec 3, 9, 4, & 10

Township 3 N. Range 1 W of the 6th Principal Meridian

chains

Land level. Soil 2nd rate

North between Sec 33 & 34
Variation 12° 40' East
40 00 Set a charred post for quarter Sec corner made mound pits & trenches as per instructions
52 25 Ravine 5 lks wide course East
80 00 Set a charred post for corner to Sec 28, 29, 32 & 33 made mound pits & trenches as per instructions
Land Rolling Soil 1st rate

East on a Random line between Sec 27 28 & 33
Variation 12° 40' East
40 00 Set a post for temporary quarter Sec corner
80 02 Intersected the N & S line 26 lks South of the corner to Sec 27, 28, 33 & 34 from which corner I run
West on a true line between Sec 28 & 33
Variation 12° 51' East
40 01 Set a charred post for quarter Sec corner made mound pits & trenches as per instructions

Township 3 N. R. 7 W. of the 6th Principal Meridian

chains

8002 The corner to Secs 28, 29, 32 & 33

Land Rolling Soil 2nd rate

North between Secs 28 & 29

Variation 12° 40' East

4000 Set a charred post for quarter Sec corner made mound pits & trenches as per instructions

67.00 Elk Cr 17 lks Runs East. Timber on banks

8000 Set a charred post for corner to Secs 20, 21, 28 & 29 ~~10, 22, 27 & 28~~ made mound pits & trenches as per instructions

Land level, Soil 2nd rate

East on a Random line between Secs 21 & 28

Variation 12° 40' East

4000 Set a post for temporary quarter Sec corner

4050 Enter timber Bears N & S

4150 Ravine 8 lks wide Course South

4200 Leave timber bears N & S

8010 Intersection N & S line 6 lks South of the corner to Secs 21, 22, 27 & 28 from which corner bears

Township 3 N. R. 7 W. of the 6th Principal Meridian

chains

West on a true line between Secs 21 & 28

Variation 12° 43' East

4005 Set a post for quarter Sec corner made mound pits & trenches as per instructions from which

A Bur Oak 12 in dia bears E. 3½ S. 100 lks dist

An Elm 15 in dia bears E. 12° 30' N. 125 lks dist

8010 The corner to Secs 20, 21, 28 & 29

Land Broken, Soil 2nd rate

North between Secs 20 & 21

Variation 12° 40' East

4000 Set a charred post for quarter Sec corner made mound pits & trenches as per instructions

4530 Branch 5 lks wide Course S. E.

8000 Set a charred post for corner to Secs 16, 17, 20 & 21 made mounds pits & trenches as per instructions

Land slightly Rolling, Soil 2nd rate

Township 3 N R. 7 W of the 6th Principal Meridian

chains	
	East on a Random line between Sec. 16 & 21
	Variation 12°, 40' East
4000	Set a post for temporary quater Sec Corner
7980	Intersected the N & S line 21 lks South of the
	corner to Sec. 15, 16, 21 & 22 from which corner I run
	West on a true line between Sec. 16 & 21
	Variation 12°, 49' East
3990	Set a charred post for quarter Sec corner made
	mound pits & trenches as per instructions
7980	The corner to Sec. 16, 17, 20 & 21
	Land slightly Rolling. Soil 2d rate

North between Sec. 17 & 16.

Variation 12°, 40' East

4000	Set a charred post for quarter Sec corner
	made mound pits & trenches as per instructions
8000	Set a charred post for corner to Sec. 8, 9, 16 & 17
	made mound pits and trenches as per instructions
	Land level. Soil 1st rate

Township 3 N R. 7 W of the 6th Principal Meridian

chains	
	East on a Random line between Sec. 9 & 16
	Variation 12°, 40' East
4000	Set a charred post for temporary quarter Sec corner
7984	Intersected the N & S line 9 lks South of the corner to
	Sec. 9, 10, 15 & 16 from which corner I run
	West on a true line between Sec. 9 & 16
	Variation 12°, 44' East
3992	Set a charred post for quarter Sec corner made
	mound pits & trenches as per instructions
7984	The corner to Sec. 8, 9, 16 & 17
	Land level. Soil 1st rate

North between Sec. 8 & 9

Variation 12°, 40' East

4000	Set a charred post for quarter Sec corner
	made mound pits & trenches as per instructions
8000	Set a charred post for corner to Sec. 4, 5, 8 & 9
	With bench & pit as per instructions
	Land level. Soil 1st rate

Township 3 N Range 1 W of the 6th Principal Meridian

chains

East on a Random line between Secs 4 & 9
Variation 12° 40' East

4000 Set a post for temporary quarter Sec Corner

1985 Intersected the N & S line 25 lks South of the corner to Secs 33, 4 & 10 from which corner I run West on a true line between Secs 4 & 9
Variation 12° 51' East

3992 Set a charred post for quarter Sec corner made mound pits & trenches as per instructions

1985 The corner to Secs 4, 5, 8 & 9
Land Rolling. Soil 1st rate

North on a Random line between Secs 4 & 5
Variation 12° 40' East

4000 Set a post for temporary quarter Sec corner

1986 Intersected the north Boundary of the Township 46 lks East of the corner to Secs 4 & 5 from which corner I run South on a true line between Secs 4 & 5
Variation 13° 00' East

Township 3 N Range 1 W of the 6th Principal Meridian

chains

3986 Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions

1986 The corner to Secs 4, 3, 8, 9.
Land level. Soil 1st rate
September 5th 1858.

North between Secs 31 & 32.
Variation 12° 40' East

4000 Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions

5925 Dry Ravine 5 lks wide course N E

8000 Set a charred post for corner to Secs 29, 30, 31 & 32. made mound pits & trenches as per instructions
Land Rolling, Soil 1st rate

East on a Random line between Secs 29 & 32.
Variation 12° 40' East

4000 Set a post for temporary quater Sec Corner

8011 Intersected the N & S line 17 lks South of the corner to Secs 28, 29, 32 & 33 from which corner I run West on a true line between Secs 29 & 32.

Township 3 N. Rg 1 W of the 6th Principal Meridian

chains

Variation 12° 47' East

4005 Set a charred post for quarter Sec Corner
With bench & pit as per instructions

8011 The corner to Secs 29, 30, 31 & 32

Land 1/2 a mile level. 2 1/2 miles Rolling Soil 2nd rate

West on a Random line between Secs 30 & 31
Variation 12° 40' East

4000 Set a charred post for temporary quarter Sec Corner

8030 Intersected the West Boundary of the Township ~~south~~ North 15 lks. of the Corner to Secs 30 & 31 from which corner I run East on a true line between Secs 30 & 31
Variation 12° 46' East

4030 Set a charred post for quarter Sec corner made mound pits & trenches as per instruction

8030 The corner to Secs 29, 30, 31 & 32
Land level. Soil 1st rate

North between Secs 29 & 30
Variation 12° 40' East

Township 3 N. Rg 1 W of the 6th Principal Meridian

chains

4000 Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions

7125 Elk Creek 15 lks wide runs S. E. with some scattering timber

8000 Set a charred post for Corner to Secs 19, 20, 29 & 30 made mound pits & trenches as per instructions
Land level. Soil 1st rate. Timber Bur Oak & Elm

East on a Random line between Secs 20 & 29
Variation 12° 40' East

4000 Ravine 15 lks wide Course South East and Set a post for temporary quarter Sec Corner

7991 Intersected the N. & S. line South 6 lks of the Corner to Secs 20, 21, 28 & 29 from which Corner I run West on a true line between Secs 20 & 29
Variation 12° ~~57~~ 43' East

3995 Set a charred post for quarter Sec Corner made mound pits & trenches as per instruction

7991 The corner to Secs 19, 20, 29 & 30
Land Broken, Soil 2nd rate

Township 3 N. R. 7 W. of the 6th Principal Meridian

chains	
	West on a random line between Secs 19 & 30
	Variation 12° 40' East
19.75	Ravine with some scattering timber 10 lks wide Course S
40.00	Set a post for temporary quarter Sec Corner
54.00	Elk creek 25 lks wide runs S. E with some scattering timber
77.50	Enter timber bears N E
78.00	Elk creek 20 lks wide course N E.
78.75	Leave timber bears N E
80.10	Intersected the West Boundary of the Township north 22 lks of corner to Secs 19 & 30 from which corner I run East on a true line between Secs 19 & 30
	Variation 12° 49' East
40.10	Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions
80.10	The corner to Secs 19, 20, 29 & 30
	Land level. Soil 1st rate
	Timber Bur Oak Elm & cottonwood

Township 3 N. R. 7 W. of the 6th Principal Meridian

chains	
	North between Secs 19 & 20
	Variation 12° 40' East
40.00	Set a charred post for quarter Sec corner made mound pits & trenches as per instructions
80.00	Set a charred post for corner to Secs 17, 18, 19 & 20 made mound pits & trenches as per instructions
	Land level. Soil. 1st rate
	East on a Random line between Secs 17 & 20
	Variation 12° 40' East
40.00	Dry Ravine 8 lks wide. Course S. E. and Set a post for temporary quarter Sec Corner
79.77	Intersected the N & S line 23 lks South of the Corner to Secs 16, 17, 20 & 21. from which corner I run West on a true line between Secs 17 & 20
	Variation 12° 50' East
39.88	Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions
79.77	The corner to Secs 17, 18, 19 & 20
	Land Rolling. Soil. 2nd rate

Township 3. N. R. 7 W. of the 6th Principal Meridian

West on a Random line between Secs 18 & 19
Variation 12° 40' East

4000 Set a post for quarter Sec Corner, temporarily

7968 Intersected the West Boundary of the Township
~~South~~ North 17 lks. of the Corner to Secs 18 & 19
From which Corner I run
East on a true line between Secs 18 & 19
Variation 12° 47' East

3968 Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions

7968 The Corner to Secs 17. 18. 19 & 20
Land level, Soil 1st rate

North between Secs 17 & 18
Variation 12° 40' East

3425 Branch 10 lks wide course S. E.

4000 Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions

8000 Set a charred post for Corner to Secs 7. 8. 17 & 18
Land Rolling, Soil 2nd rate

Township 3 N. R 7 W of the 6th Principal Meridian

East on a Random line between Secs 8 & 17
Variation 12° 40' East

4000 Set a charred post for temporary quarter Sec. Corner

7992 Intersected the West line 33 lks South of the Corner to Secs 8. 9. 16. 17. from which Corner I run
West on a true line between Secs 8 & 17
Variation 12° 54' East

3996 Set a charred post for quarter Sec corner made mound pits & trenches as per instructions

7992 The Corner to Secs 7. 8. 17. & 18
Land level. Soil 1st rate

West on a Random line between Secs 7 & 18
Variation 12° 40' East

4000 Set a post for temporary quarter Sec corner

7920 Intersected the West Boundary of the Township 6 lks North of the Corner to Secs 7 & 18
from which Corner I run
East on a true line between Secs 7 & 18
Variation 12° 43' East

Township 35 N R 6 W of the 6th Principal Meridian

chains

3980 Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions

7980 The corner to Secs 7, 8, 17 & 18.
Land level. Soil 1st rate

North between Secs 7 & 8
Variation 12° 40' East

4000 Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions

8000 Set a charred post for corner to Secs 5, 6, 7 & 8 made mound pits & trenches as per instructions
Land level, Soil 1st rate

East on a Random line between Secs 5 & 8
Variation 12° 40' East

4000 Set a post for temporary quarter Sec Corner

7976 Intersected the N & S line 22 lks South of the corner to Secs 4, 5, 8 & 9 from which corner I run West on a true line between Secs 5 & 8
Variation 12° 49' East

Township 35 N R 6 W of the 6th Principal Meridian

chains

3988 Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions

7976 The corner to Secs 5, 6, 7 & 8.
Land level, Soil 1st rate

West on a Random line between Secs 6 & 7
Variation 12° 40' East

4000 Set a charred post for temporary quarter Sec Corner

7988 Intersected the West Boundary of the Township 13 lks North of the corner to Secs 6 & 7 from which corner I run East on a true line between Secs 6 & 7
Variation 12° 46' East

8000 Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions

7988 The corner to Secs 5, 6, 7 & 8
Land level, Soil 1st rate

North on a Random line between Secs 5 & 6
Variation 12° 40' East

4000 Set a post for temporary quarter Sec Corner

Township 3 N. Range 1 W. of the 6th Principal Meridian

Chains	
80.24	Intersected the North Boundary of the Township 69 lks East of the Corner to Sec. 5 & 6 from which Corner I run South on a true line between Sec. 5 & 6
	Variation 15.09' East
40.24	Set a charred post for quarter Sec Corner made mound pits & trenches as per instructions
80.24	The Corner to Sec. 5, 6, 7 & 8
	Land level. Soil 1st rate
	September 6: 1858

General Description

This Township contains some good land suitable for cultivation, their is a deficiency of timber & water & Rock

Township 3 N. Range 1 W. of the 6th Principal Meridian

Chains

List of Names.

A List of the Names of the individuals employed to assist in running, measuring, or marking the lines and corners, as noticed in the foregoing Field Notes, of Township No 3. North of the base line, of Range No 1 West of the Sixth Principal Meridian, shewing the respective capacities in which they acted.

Henry S. Beemm,	Chainman,
S. Mothersberger.	Chainman,
Samuel Underwood,	Chainman,
Joseph Blair	Chainman.
George H. East,	Flagman
Samuel S. Anderson	Flagman,
F. B. Burwell.	Cornerman,
Harison Erwin	Cornerman,
Samuel Bonham	Compassman,

3/ ~~144~~ 140 1/2

4

Field Notes

Of the Subdivision lines in Township No 4 North of the base line, of Range No 7 West of the 6th Principal Meridian in Nebraska Territory, as Surveyed by Norman Dufendorf and Green Todd, Deputy Surveyors, under their Contract bearing date 10th day of July 1858 Contract No 244

Subdivision Commenced Sept 7th 1858

Subdivision Completed September 9th 1858.

Copied A. Davies
Comp. Gaing & Ramsdell
D. L. Malle

Ex. Correct
No 1

Platted Eill

Names and duties of Assistants

Henry S. Beman,	Chainman
S. Mothersberger.	Chainman
Samuel Underwood.	Chainman
Joseph Blair.	Chainman
George H. Rust.	Flagman
Samuel S. Anderson.	Flagman
F. B. Burwell	Cornerman
Harrison Erwin	Cornerman
Samuel Bonham	Compassman

Township 4 North Range 7 West 6th P. M.

6	34	5	25	4	19	3	13	2	7	1
33		33		24		18		12		6
7	32	8	24	9	18	10	12	11	5	12
32		31		23		17		11		5
18	30	17	23	16	17	15	11	14	4	13
30		29		22		16		10		4
19	29	20	22	21	16	22	10	23	3	24
28		28		21		15		9		3
30	27	29	21	28	15	27	9	26	2	25
27		26		20		14		8		2
31	26	32	20	33	14	34	8	35	1	36

Field Notes of the Subdivision Lines in Township 4 N. Range 7 W. of the 6th Principal Meridian

Chains	
	To determine the proper adjustment of my compass for subdividing this Township. I commence at the corner to Townships 3 and 4 N. R 6 and 7 W. and run.
	North on a blank line along the East Boundary of Sec. 36
	Var. 12 3/4° East.
39.97	To a point 14 Lks. West of the quarter Sec. corner.
79.92	To a point 35 West of the corner to Secs. 25 and 36.
	To retrace this line, or run parallel thereto, my compass must be adjusted to a Variation of 12 1/2° East.
	Subdivision commenced September 7th 1858.
	From the corner to Secs. 1. 2. 35 and 36. on the South Boundary of the Township. Run.
	North between Secs. 35 and 36.
	Variation 12 1/2° East.
40.00	Set a charred post for quarter Sec corner. made mound. pits. and trenches. as required per instructions.
80.00	Set a charred post for corner to Secs. 25. 26. 35 and 36. made mound. pits. and trenches as required per instructions.
	Land. rolling prairie. 2nd rate.

Township 4 N. Range 7 West of the 6th principal Meridian

Chains	
	East on a random line between Secs 25 and 36.
	Variation 12½° East.
40.00	Set a post for temporary quarter Sec. corner.
80.00	Intersected the East Boundary of the Township 22 Chs. South of the corner to Secs 25 and 36. from which corner True West on a true line between Secs 25 and 36.
	Variation 12°39' East.
40.00	Set a charred post for quarter Sec corner. made mound pits. and trenches. as required per instructions.
80.00	The corner to Secs 25.26.35 and 36
	Land rolling prairie. 2nd rate.
	North between Secs 25 and 26.
	Variation 12½° East.
40.00	Set a charred post for quarter Sec. corner. made mound pits. and trenches. as required per instructions.
80.00	Set a charred post for corner to Secs 23.24.25 and 26. made mound. pits. and trenches. as required per instructions
	Land. rolling prairie. 2nd rate.

Township 4 N. Range 7 West of the 6th principal Meridian

Chains	
	East on a random line between Secs 24 and 25.
	Variation 12½° East.
40.00	Set a post for temporary quarter Sec. corner.
79.90	Intersected the East Boundary of the Township 34 Chs. South of the corner to Secs 24 and 25. from which corner True West on a true line between Secs 24 and 25.
	Variation 12°44' East.
39.95	Set a charred post for quarter Sec. corner. made mound pits. and trenches. as required per instructions.
79.90	The corner to Secs 23.24.25 and 26.
	Land rolling prairie. 2nd rate.
	North between Secs 23 and 24
	Variation 12½° East.
40.00	Set a charred post for quarter Sec corner. made mound pits. and trenches. as required per instructions.
80.00	Set a charred post for corner to Secs 13.14.23 and 24. made mound. pits. and trenches. as required per instructions
	Land rolling prairie. 2nd rate.

Township 4 N. Range 7 W. of the 6th principal Meridian

chains	
	East on a random line between Sec.s 13 and 24.
	Variation 12½° East.
40.00	Set a post for temporary quarter Sec. corner.
49.96	Enters low prairie. bears N.W. and S.W.
55.20	A dry branch 5 lks. wide course N.E.
79.96	Intersected the East Boundary of the Township 26 lks. South of the corner to Sec.s 13 and 24. from which corner Iron.
	West on a true line between Sec.s 13 and 24
	Variation 12° 41' East.
39.98	Set a charred post for quarter Sec. corner. made mound. pits. and trenches. as required per instructions.
79.96	The corner to Sec.s 13.14.23 and 24.
	Land high prairie rolling. low prairie level. all 2nd rate.
	North between Sec.s 13 and 14.
	Variation 12½° East.
40.00	Set a charred post for quarter Sec. corner. made mound pits. and trenches. as required per instructions.
44.00	Enter low prairie bears N.W. and S.E.
80.00	Set a charred post for corner to Sec.s 11.12.13 and 14. made

Township 4 N. Range 7 W. of the 6th principal Meridian

chains	
	mound. pits. and trenches. as required per instructions
	Land. high prairie. rolling. low prairie. slightly rolling. 2nd rate
	East on a random line between Sec.s 12 and 13.
	Variation 12½° East.
40.00	Set a post for temporary quarter Sec. corner.
47.00	Little Blue Creek 100 lks wide runs South. timber on both banks
80.26	Intersected the East Boundary of the Township 39 lks. South of the corner to Sec.s 12 and 13. from which corner Iron.
	West on a true line between Sec.s 12 and 13.
	Variation 12° 47' East.
40.13	Set a charred post for quarter Sec. corner. made mound pits. and trenches. as required per instructions.
80.26	The corner to Sec.s 11.12.13 and 14.
	Land. level prairie. 2nd rate.
	Timber. Cottonwood. Elm. and Willow.
	North between Sec.s 11 and 12.
	Variation 12½° East.
16.30	A dry branch 10 lks. wide. course East. scattering Cottonwood along

Township 4 N. Range 7 W. of the 6th principal Meridian

Chains	
	its banks
40.00	Set a charred post for quarter Sec. corner. made mound pits. and trenches. as required per instructions.
53.00	Enter timber bears N.W. and S.E.
55.40	Little Blue Creek 100 lks. wide. runs S.E.
58.00	Leave timber bears N.W. and S.E.
70.09	A dry branch 8 lks. wide. course S.W. scattering timber on its banks
80.00	Set a charred post for corner to Secs. 1.2.11 and 12. made mound pits. and trenches. as required per. instructions.
	Land. level prairie. 1st rate.
	Timber. Cottonwood. Elm. and Walnut.

East on a random line between Secs. 1 and 12.

Variation 12½° East.

8.40	A dry branch 8 lks. wide. course S.W.
40.00	Set a post for temporary quarter Sec. corner.
78.91	Intersected the East Boundary of the Township 27 lks. South of the corner to Secs. 1 and 12. from which corner I run

West on a true line between Secs. 1 and 12.

Variation 12° 41' East.

Township 4 N. Range 7 W. of the 6th principal Meridian

Chains	
39.95	Set a charred post for quarter Sec. corner. made mound pits. and trenches. as required per. instructions.
79.91	The corner to Secs. 1.2.11. and 12.
	Land. level prairie. 1st rate.

North on a true line between Secs. 1 and 2.

Variation 12½° East.

11.50	A dry branch 8 lks. wide course S.E.
22.65	Same branch 8 lks. wide course S.W.
27.70	Military road to Fort Kearney bears N.W. and S.E.
35.75	Same branch. noted above. 8 lks. wide. course S.E.
40.00	Set a charred post for quarter Sec. corner. made mound-pits. and trenches. as required per instructions.
77.95	Intersected the North Boundary of the Township 17. chs. 80 lks. East of the Standard corner to Secs. 35 and 36. Township 5 N. R. 7 W. at the point of intersection

Set a charred post for closing corner to Secs. 1 and 2. made mound. pits. and trenches. as required per instructions

Land. level. prairie. 1st rate.

Township 4 N. Range 7 W. of the 6th principal Meridian

Chains	
	North between Secs. 34 and 35.
	Variation 12½° East.
40.00	Set a charred post for quarter Sec. corner. made mound pits. and trenches. as required per instructions.
80.00	Set a charred post for corner to Secs. 26.27.34 and 35. made mound. pits. and trenches. as required per instructions
	Land. rolling prairie. 2nd rate.
	East on a random line between Secs. 26 and 35.
	Variation 12½° East.
40.00	Set a post for temporary quarter Sec. corner.
80.07	Intersected the North and South line 31 lks. South of the corner to Secs. 25.26.35 and 36. from which corner Run
	West on a true line between Secs. 26 and 35.
	Variation 12°43' East.
40.03	Set a charred post for quarter Sec. corner. made mound pits. and trenches. as required per instructions.
80.07	The corner to Secs. 26.27.34 and 35.
	Land rolling prairie. 2nd rate.

Township 4 N. Range 7 W. of the 6th principal Meridian

Chains	
	North between Secs. 26 and 27.
	Variation 12½° East.
40.00	Set a charred post for quarter Sec. corner. made mound pits. and trenches. as required per instructions.
80.00	Set a charred post for corner to Secs. 22.23.26 and 27. made mound. pits and trenches. as required per instructions
	Land. rolling prairie. 2nd rate.
	East on a random line between Secs. 23 and 26.
	Variation 12½° East.
40.00	Set a post for temporary quarter Sec. corner.
80.10	Intersected the North and South line. 11 lks. South of the corner to Secs. 23.24.25 and 26. from which corner Run
	West on a true line between Secs. 23 and 26.
	Variation 12°35' East.
40.05	Set a charred post for quarter Sec. corner. made mound pits. and trenches. as required per instructions.
80.10	The corner to Secs. 22.23.26 and 27.
	Land. rolling prairie. 2nd rate.

Township 4 N. Range 7 W. of the 6th principal Meridian

Chains	
	North between Secs. 22 and 23.
	Variation 12½° East.
40.00	Set a charred post for quarter Sec. corner. made mound pits and trenches. as required per instructions.
80.00	Set a charred post for Corner to Secs. 14.15.22 and 23. made mound pits and trenches. as required per instructions
	Land slightly rolling prairie. 2nd rate.
	East on a random line between Secs. 14 and 23.
	Variation 12½° East.
40.00	Set a post for temporary quarter Sec. corner.
79.88	Intersected the North and South line 25 lks. South of the corner to Secs. 13.14.23 and 24. from which corner Trun.
	West on a true line between Secs. 14 and 23.
	Variation 12° 41' East
39.94	Set a charred post for quarter Sec. corner. made mound pits and trenches. as required per instructions.
79.88	The corner to Secs. 14.15.22 and 23.
	Land slightly rolling prairie. 2nd rate.

Township 4 N. Range 7 W. of the 6th principal Meridian

Chains	
	North between Secs. 14 and 15.
	Variation 12½° East.
40.00	Set a charred post for quarter Sec. corner. made mound pits and trenches. as required per instructions.
80.00	Set a charred post for corner to Secs. 10.11.14 and 15. made mound pits and trenches. as required per instructions
	Land rolling prairie. 2nd rate.
	East on a random line between Secs. 11 and 14.
	Variation 12½° East.
40.00	Set a post for temporary quarter Sec. corner.
62.00	Enter low prairie. bears N.W. and S.E.
79.81	Intersected the North and South line 14 lks. South of the corner to Secs. 11.12.13 and 14. from which corner Trun.
	West on a true line between Secs. 11 and 14
	Variation 12° 36' East
39.90	Set a charred post for quarter Sec. corner. made mound pits and trenches. as required per instructions.
79.81	The corner to Secs. 10.11.14 and 15.
	Land high prairie rolling low prairie level. all 2nd rate.

Township 4 N. Range 7 W. of the 6th Principal Meridian

Chains	
	North between Secs 10 and 11
	Variation 12½° East.
22.80	A dry creek 10 lks wide course East.
40.00	Set a charred post for quarter Sec. corner. made mound pits and trenches as required per instructions.
80.00	Set a charred post for corner to Secs 2.3.10 and 11. made mound. pits. and trenches. as required per instructions at the foot of high prairie. bearing N.W. and S.E.
	Land. rolling prairie. 2nd rate.
	East on a random line between Secs 2 and 11.
	Variation 12½° East.
29.00	Enter timber bears N.W. and S.E.
31.80	Little Blue Creek 120 lks wide runs S.E. and leave the timber on the bank of creek.
40.00	Set a post for temporary quarter Sec. corner.
80.30	Intersected the North and South line 30 lks South of the corner to Secs 1.2.11 and 12. from which corner I run.
	West on a true line between Secs 2 and 11.
	Variation 12°42' East.

Township 4 N. Range 7 W. of the 6th Principal Meridian

Chains	
40.15	Set a charred post for quarter Sec. corner. made mound pits. and trenches. as required per instructions.
80.30	The corner to Secs 2.3.10 and 11.
	Land. level prairie. 1st rate.
	Timber. Elm. Ash. and Cottonwood
	North on a true line between Secs 2 and 3.
	Variation 12½° East.
30.00	Enter timber. bears N.W. and S.E.
32.50	Little Blue Creek 115 lks wide runs S.E. and leave the timber on the bank of creek.
40.00	Set a charred post for quarter Sec. corner. made mound pits and trenches. as required per instructions.
63.00	Military road to Fort Kearney bears N.W. and S.E.
78.35	Intersected the North Boundary of the Township 17 chs 70 lks East of the Standard corner to Secs 34 and 35. Township 5 N. R. 7 W. at the point of intersection
	Set a charred post for closing corner to Secs 2 and 3. made mound. pits. and trenches. as required per instructions
	Land level prairie. 1st rate.

Township 4 N. Range 7 W. of the 6th Principal Meridian

Chains	
	Timber. Cottonwood. Elm. Ash. and Willow.
	September 7th 1858.
	North between Secs. 33 and 34
	Variation 12½° East.
11.50	Road from Fort Riley to Fort Kearney bears N.W. and S.E.
40.00	Set a charred post for quarter Sec. corner. made mound pits. and trenches. as required per instructions.
80.00	Set a charred post for corner to Secs. 27.28.33 and 34. made mound. pits. and trenches. as required per. instructions
	Land. slightly rolling prairie. 2nd rate.
	East on a random line between Secs. 27 and 34.
	Variation 12½° East.
40.00	Set a post for temporary quarter Sec. corner.
79.88	Intersected the North and South line 16 lks. South of the corner to Secs. 26.27.34 and 35. from which corner Iron
	West on a true line between Secs. 27 and 34.
	Variation 12°37' East.
39.94	Set a charred post for quarter Sec. corner. made mound

Township 4 N. Range 7 W. of the 6th Principal Meridian

Chains	
	pits. and trenches. as required per instructions.
79.88	The corner to Secs. 27.28.33 and 34.
	Land. slightly rolling prairie. 2nd rate.
	North between Secs. 27 and 28.
	Variation 12½° East.
40.00	Set a charred post for quarter Sec. corner. made mound pits. and trenches. as required per instructions.
80.00	Set a charred post for corner to Secs. 21.22.27 and 28. made mound. pits. and trenches. as required per instructions
	Land. rolling prairie. 2nd rate.
	East on a random line between Secs. 22 and 27.
	Variation 12½° East.
40.00	Set a post for temporary quarter Sec. corner.
80.14	Intersected the North and South line 28 lks. South of the corner to Secs. 22.23.26 and 27. from which corner Iron
	West on a true line between Secs. 22 and 27.
	Variation 12°42' East.
40.07	Set a charred post for quarter Sec. corner. made mound

Township 4 N. Range 7 W. of the 6th principal Meridian

Chains	
	pits. and trenches. as required per instructions
80.14	The corner to Secs. 21.22.27 and 28.
	Land. rolling prairie. 2nd rate.
	North between Secs. 21 and 22
	Variation 12½° East.
40.00	Set a charred post for quarter Sec. corner. made mound
	pits. and trenches. as required per instructions.
80.00	Set a charred post for corner to Secs. 15.16.21 and 22. made
	mound. pits. and trenches. as required per instructions
	Land. rolling prairie. 2nd rate.
	East on random line between Secs. 15 and 22.
	Variation 12½° East.
33.70	A dry branch 4 lks. wide. course N.E.
40.00	Set a post for temporary quarter Sec. corner
80.17	Intersected the North and South line 13 lks. South of the cor-
	-ner to Secs. 14.15.22 and 23. from which corner Trun-
	West on a true line between Secs. 15 and 22
	Variation 12°35' East.

Township 4 N. Range 7 W. of the 6th principal Meridian

Chains	
40.08	Set a charred post for quarter Sec. corner. made mound
	pits. and trenches. as required per instructions.
80.17	The corner to Secs. 15.16.21 and 22.
	Land. rolling prairie - 2nd rate.
	North between Secs. 15 and 16.
	Variation 12½° East.
40.00	Set a charred post for quarter Sec. corner. made mound
	pits. and trenches. as required per instructions.
47.10	A dry creek. 7 lks. wide. course N.E.
80.00	Set a charred post for corner to Secs. 9.10.15 and 16. made
	mound. pits. and trenches. as required per instructions
	Land rolling prairie. 2nd rate.
	East on a random line between Secs. 10 and 15.
	Variation 12½° East.
40.00	Set a post for temporary quarter Sec. corner
71.60	A dry creek 10 lks. wide. course N East.
79.92	Intersected the North and South line 41 lks. South of the cor-
	-ner to Secs. 10.11.14 and 15. from which corner Trun

Township 4 N. Range 7 W. of the 6th principal Meridian

Chains	
	West on a true line between Secs. 10 and 15.
	Variation 12°47' East.
39.96	Set a charred post for quarter Sec. corner. made mound pits. and trenches. as required per instructions.
79.92	The corner to Secs. 9.10.15 and 16.
	Land. rolling prairie. 2nd rate.
	North between Secs. 9 and 10.
	Variation 12½° East.
40.00	Set a charred post for quarter Sec. corner. made mound. pits. and trenches. as required per instructions.
80.00	Set a charred post for corner to Secs. 3.4.9 and 10. made mound. pits. and trenches. as required per instructions
	Land. slightly rolling prairie. 2nd rate.
	East on a random line between Secs. 3 and 10.
	Variation 12½° East.
40.00	Set a post for temporary quarter Sec. Corner
79.90	Intersected the North and South line 18 lks. South of the corner to Secs. 2.3.10 and 11. from which corner I run-

Township 4 N. Range 7 W. of the 6th principal Meridian

Chains	
	West on a true line between Secs. 3 and 10.
	Variation 12°38' East.
39.95	Set a charred post for quarter Sec. corner. made mound pits. and trenches. as required per instructions.
79.90	The corner to Secs. 3.4.9 and 10.
	Land. rolling prairie. 2nd rate.
	North on a true line between Secs. 3 and 4.
	Variation 12½° East.
37.00	Enter low prairie bears N.W. and S.E.
40.00	Set a charred post for quarter Sec. corner. made mound pits. and trenches. as required per instructions.
60.50	Enter timber bears N.W. and S.E.
63.00	Little Blue Creek 100 lks wide. runs South. thence up the Creek.
71.40	Leave the Creek 100 lks. wide. coming from the N.E
73.00	Leave timber bears N.E. and S.W.
78.25	Intersected the North Boundary of the Township 17 Chs. 78 lks. East of the standard corner to Secs. 33 and 34. Township 5 N. R 4 W. at the point of intersection

Township 4 N. Range 7 W. of the 6th principal Meridian

Chains	
	Set a charred post for closing corner to Sec.s 3 and 4. made mound. pits. and trenches. as required per instructions
	Land - high prairie rolling. 2nd rate. low prairie. level. 1st rate.
	Timber. Cottonwood. Elm. Ash. and Willow.
	North between Sec.s 32 and 33.
	Variation 12½° East.
40.00	Set a charred post for quarter Sec. corner. made mound pits and trenches. as required per instructions.
80.00	Set a charred post for corner to Sec.s 28. 29. 32 and 33. made mound. pits. and trenches. as required per instructions.
	Land. slightly rolling prairie. 2nd rate.
	East on a random line between Sec.s 28 and 33.
	Variation 12½° East.
15.60	Road from Fort Riley to Fort Kearney. bears. N. W. and S. E.
40.00	Set a post for temporary quarter Sec. corner.
80.05	Intersected the North and South line. 17 lks. South of the corner to Sec.s 27. 28. 33 and 34. from which corner I run West on a true line between Sec.s 28 and 33.

Township 4 N. Range 7 W. of the 6th principal Meridian

Chains	
	Variation 12° 37' East.
40.02	Set a charred post for quarter Sec. corner. made mound. pits. and trenches. as required per instructions.
80.05	The corner to Sec.s 28. 29. 32 and 33.
	Land. slightly rolling prairie. 2nd rate.
	North between Sec.s 28 and 29.
	Variation 12½° East.
15.50	Road from Fort Riley to Fort Kearney bears N. W. and S. E.
40.00	Set a charred post for quarter Sec. corner. made mound. pits. and trenches. as required per instructions.
80.00	Set a charred post for corner to Sec.s 20. 21. 28 and 29. made mound. pits. and trenches. as required per instructions.
	Land. level prairie. 2nd rate.
	East on a random line between Sec.s 21 and 28.
	Variation 12½° East.
40.00	Set a post for temporary quarter Sec. corner.
79.96	Intersected the North and South line 36 lks. South of the corner to Sec.s 21. 22. 28 and 29. from which corner I run

Township 4 N. Range 7 W. of the 6th Principal Meridian

Chains	
	West on a true line between Secs. 21 and 28.
	Variation 12° 45' East.
39.98	Set a charred post for quarter Sec. corner. made mound. pits. and trenches. as required per instructions.
79.96	The corner to Secs. 20. 21. 28 and 29.
	Land level prairie. 2nd rate.
	North between Secs. 20 and 21.
	Variation. 12½° East.
40.00	Set a charred post for quarter Sec. corner. made mound pits. and trenches. as required per instructions.
80.00	Set a charred post for corner to Secs. 16. 17. 20 and 21. made mound. pits. and trenches. as required per instructions
	Land level prairie. 2nd rate.
	East on a random line between Secs. 16 and 21.
	Variation 12½° East.
40.00	Set a post for temporary quarter Sec. corner.
79.80	Intersected the North and South line. 28 lks. South of the corner to Secs. 15. 16. 21 and 22. from which corner Drum

Township 4 N. Range 7 W. of the 6th Principal Meridian

Chains	
	West on a true line between Secs. 16 and 21.
	Variation 12° 42' East.
39.90	Set a charred post for quarter Sec. corner. made mound pits. and trenches. as required per instructions.
79.80	The corner to Secs. 16. 17. 20 and 21.
	Land rolling prairie. 2nd rate.
	North between Secs. 16 and 17.
	Variation 12½° East.
16.30	A dry branch 5 lks. wide course N. E.
23.80	A dry branch 5 lks. wide course. East.
40.00	Set a charred post for quarter Sec. corner. made mound pits. and trenches. as required per instructions.
80.00	Set a charred post for corner to Secs. 8. 9. 16 and 17. made mound pits. and trenches. as required per instructions
	Land rolling prairie. 2nd rate.
	East on a random line between Secs. 9 and 16.
	Variation 12½° East.
40.00	Set a post for temporary quarter Sec. corner.

Township 4 N. Range 7 W. of the 6th principal Meridian

chains	
79.84	Intersected the North and South line 19 lks. South of the corner to Secs. 9.10.15 and 16. from which corner Run West on a true line between Secs. 9 and 16.
	Variation 12° 38' East.
39.92	Set a charred post for quarter Sec. corner. made mound pits. and trenches. as required per instructions.
79.84	The corner to Secs. 8.9.16 and 17.
	Land. rolling. prairie. 2nd rate.
	North between Secs. 8 and 9.
	Variation 12½° East.
40.00	Set a charred post for quarter Sec. corner. made mound pits. and trenches. as required per instructions.
80.00	Set a charred post for corner to Secs. 4.5.8 and 9. made mound. pits. and trenches. as required per instructions
	Land. rolling. prairie. 2nd rate.
	East on a random line between Secs. 4 and 9.
	Variation. 12½° East.
40.00	Set a post for temporary quarter Sec. corner.

Township 4 N. Range 7 W. of the 6th principal Meridian

chains	
79.80	Intersected the North and South line. 37 lks. South of the corner to Secs. 3.4.9 and 10. from which corner Run West on a true line between Secs. 4 and 9.
	Variation 12° 46' East.
39.90	Set a charred post for quarter Sec. corner. made mound pits. and trenches. as required per instructions.
79.80	The corner to Secs. 4.5.8 and 9.
	Land. slightly rolling. prairie. 2nd rate
	North on a true line between Secs. 4 and 5.
	Variation 12½° East.
40.00	Set a charred post for quarter Sec. corner. made mound pits. and trenches. as required per instructions.
78.50	Intersected the North Boundary of the Township. 17 chs. 80 lks. East of the Standard corner to Secs. 32 and 33. Township 5 N. R. 7 W. at the point of intersection.
	Set a charred post for closing corner to Secs. 4 and 5. made mound. pits. and trenches. as required per instructions
	Land. rolling. prairie. 2nd rate.
	September 8th 1858.

North between Secs. 31 and 32.

Variation 12½° East.

40.00 Set a charred post for quarter Sec. corner. made mound pits. and trenches. as required per instructions.

80.00 Set a charred post for corner to Secs. 29. 30. 31 and 32. made mound. pits. and trenches. as required per instructions

Land. slightly rolling. prairie. 2nd rate

East on a random line between Secs. 29 and 32.

Variation 12½° East.

40.00 Set a post for temporary quarter Sec. corner.

79.83 Intersected the North and South line 40 lks. South of the corner to Secs. 28. 29. 32 and 33. from which corner I run West on a true line. between Secs. 29 and 32.

Variation 12°47' East.

39.91 Set a charred post for quarter Sec. corner. made mound pits. and trenches. as required per instructions.

79.83 The corner to Secs. 29. 30. 31 and 32.

Land. slightly rolling. prairie. 2nd rate.

Chains

West on a random line. between Secs. 30 and 31.

Variation 12½° East.

40.00 Set a post for temporary quarter Sec. corner.

78.41 Intersected the West Boundary of the Township 22 lks North of the corner to Secs. 30 and 31. from which corner I run East on a true line between Secs. 30 and 31.

Variation 12°39' East.

38.41 Set a charred post for quarter Sec. corner. made mound pits. and trenches. as required per instructions.

78.41 The corner to Secs. 29. 30. 31 and 32.

Land. rolling. prairie. 2nd rate.

North between Secs. 29 and 30.

Variation 12½° East.

40.00 Set a charred post for quarter Sec. corner. made mound pits. and trenches. as required per instructions.

70.00 Road from Fort Riley to Fort Kearney. bears N.W. and S.E.

80.00 Set a charred post for corner to Secs. 19. 20. 29 and 30. made mound pits. and trenches. as required per instructions

Land. slightly rolling. prairie. 2nd rate.

Township 4 N. Range 7 W. of the 6th principal Meridian

Chains	
	East on a random line between Secs. 20 and 29.
	Variation 12½° East.
40.00	Set a post for temporary quarter Sec. corner.
79.82	Intersected the North and South line. 17 lks. South of the corner to Secs. 20. 21. 28. and 29. from which corner Drum
	West on a true line between Secs. 20 and 29.
	Variation 12°37' East.
39.91	Set a charred post for quarter Sec. corner. made mound pits. and trenches. as required per instructions.
79.82	The corner to Secs. 19. 20. 29 and 30.
	Land rolling prairie. 2nd rate.
	West on a random line between Secs. 19 and 20.
	Variation 12½° East.
12.00	Road from Fort Riley to Fort Kearney bears N.W. and S.E.
40.00	Set a post for temporary quarter Sec. corner.
78.52	Intersected the West Boundary of the Township. 18 lks North of the corner to Secs. 19 and 30. from which corner Drum.
	East on a true line between Secs. 19 and 30.
	Variation 12°38' East.

Township 4 N. Range 7 W. of the 6th principal Meridian

Chains	
38.52	Set a charred post for quarter Sec. corner. made mound pits. and trenches. as required per instructions.
78.52	The corner to Secs. 19. 20. 29 and 30.
	Land rolling prairie. 2nd rate.
	North between Secs. 19 and 20.
	Variation 12½° East.
40.00	Set a charred post for quarter Sec. corner. made mound. pits. and trenches. as required per instructions.
80.00	Set a charred post for corner to Secs. 17. 18. 19 and 20. made mound. pits. and trenches. as required per instructions
	Land rolling prairie. 2nd rate.
	East on a random line between Secs. 17 and 20.
	Variation 12½° East.
40.00	Set a post for temporary quarter Sec. corner
79.89	Intersected the North and South line 33 lks. South of the corner to Secs. 16. 17. 20 and 21. from which corner Drum.
	West on a true line between Secs. 17 and 20.
	Variation 12°44' East.

Township 4 N. Range 7 W. of the 6th principal Meridian

Chains	
39.94	Set a charred post for quarter Sec. corner. made mound. pits. and trenches. as required per instructions.
79.89	The corner to Secs. 17.18.19 and 20.
	Land rolling prairie. 2nd rate.
	West on a random line between Secs. 18 and 19.
	Variation 12½° East.
40.00	Set a post for temporary quarter Sec. corner.
67.70	Road from Fort Riley to Fort Kearney bears N.W. and S.E.
78.38	Intersected the West Boundary of the Township 12 lks. North of the corner to Secs. 18 and 19. from which corner Drum.
	East on a true line between Secs. 18 and 19.
	Variation 12° 35' East.
38.38	Set a charred post for quarter Sec. corner. made mound pits. and trenches. as required per instructions
78.38	The corner to Secs. 17.18.19 and 20.
	Land slightly rolling prairie. 2nd rate.
	North between Secs. 17 and 18.

Township 4 N. Range 7 W. of the 6th principal Meridian

Chains	
	Variation 12½° East.
4.40	A dry branch 3 lks. wide. course N.E.
40.00	Set a charred post for quarter Sec. corner. made mound pits. and trenches. as required per instructions.
61.10	A dry branch 4 lks. wide. course East.
80.00	Set a charred post for corner to Secs. 7.8.17 and 18. made mound. pits. and trenches. as required per instructions
	Land rolling prairie. 2nd rate.
	East on a random line between Secs. 8 and 17
	Variation 12½° East.
40.00	Set a post for temporary quarter Sec. corner.
80.06	Intersected the North and South line. 16 lks. South of the corner to Secs. 8.9.16 and 17. from which corner Drum.
	West on a true line between Secs. 8 and 17.
	Variation 12° 37' East.
40.03	Set a charred post for quarter Sec. corner. made mound pits. and trenches. as required per instructions.
80.06	The corner to Secs. 7.8.17 and 18.
	Land rolling prairie. 2nd rate.

Township 4 N. Range 7 W. of the 6th principal Meridian

Chains	
	West on a random line between Secs. 7 and 18.
	Variation 12½° East.
40.00	Set a post for temporary quarter Sec. corner.
78.32	Intersected the West Boundary of the Township 29 lks. North of the corner to Secs. 7 and 18. from which corner Drum
	East on a true line between Secs. 7 and 18.
	Variation 12° 42' East.
38.32	Set a charred post for quarter Sec. corner. made mound pits. and trenches. as required per instructions.
78.32	The corner to Secs. 7. 8. 17 and 18.
	Land. rolling prairie. 2nd rate.
	North between Secs. 7 and 8
	Variation 12°½ East.
40.00	Set a charred post for quarter Sec. corner. made mound pits. and trenches. as required per instructions.
80.00	Set a charred post for corner to Secs. 5. 6. 7 and 8. made mound pits. and trenches. as required per instructions
	Land. slightly rolling prairie. 2nd rate.

Township 4 N. Range 7 W. of the 6th principal Meridian

Chains	
	East on a random line between Secs. 5 and 8.
	Variation 12½° East.
40.00	Set a post for temporary quarter Sec. corner.
79.77	Intersected the North and South line 32 lks. South of the corner to Secs. 4. 5. 8 and 9. from which corner Drum.
	West on a true line between Secs. 5 and 8.
	Variation 12° 43' East.
39.88	Set a charred post for quarter Sec. corner. made mound pits. and trenches. as required per instructions.
79.77	The corner to Secs. 5. 6. 7 and 8.
	Land slightly rolling prairie. 2nd rate.
	West on a random line between Secs. 6 and 7.
	Variation 12½° East.
40.00	Set a post for temporary quarter Sec. corner.
67.80	A dry branch 8 lks. wide course N. E.
78.46	Intersected the West Boundary of the Township 31 lks. North of the corner to Secs. 6 and 7. from which corner Drum.
	East on a true line between Secs. 6 and 7.
	Variation 12° 43' East.

Township 4 N. Range 7 W. of the 6th Principal Meridian

38.46	Set a charred post for quarter Sec. corner. made mound pits. and trenches. as required per instructions.
78.46	The corner to Secs. 5.6.7 and 8.
	Land rolling prairie. 2nd rate.
	North on a true line between Secs. 5 and 6.
	Variation 12½° East.
40.00	Set a charred post for quarter Sec corner. made mound pits. and trenches. as required per instructions.
78.72	Intersected the North Boundary of the Township 17 chs. 92 lks. East of the Standard corner to Secs. 5 and 6. Township 5 N. R. 7 W. at the point of intersection
	Set a charred post for closing corner to Secs. 5 and 6. made mound. pits. and trenches. as required per instructions
	Land. rolling prairie. 2nd rate
	September 9th 1858

General Description.

The quality of the Land in this township is of a second rate average, and is mostly a rolling prairie - having the Little Blue running through it, the banks of which are lightly timbered with Cotton wood - The Military Road from Fort Riley to Fort Kearney passes through -

The land is fit for Cultivation, and the soil is a good second rate -

List of Names.

A List of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the foregoing Field Notes, of Township No 4 North of the base line, of Range No 7 West of the Sixth Principal Meridian, showing the respective capacities in which they acted,

Henry S. Beeman,	Chainman,
S. Mothersberger,	Chainman,
Samuel Underwood.	Chainman.
Joseph Blair,	Chainman,
George H. Rust,	Flagman.
Samuel S. Anderson.	Flagman,
F. B. Burwell.	Cornerman,
Harrison Ervin.	Cornerman
Samuel Bonham.	Compassman,

General Land Office • Original Field Notes

Book Number

329

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.