# General Land Office • Original Field Notes

## Book Number

# 340

---

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

17

Plotted

Copied J.F.T.
D.L. made
Compt. J.F.B.

28

a

T.13-16 N
R.8 W.

28.

Field notes of the subdivision lines in Township No 13 North Range 8 West of the 6th Principle Meridian in the Territory of Nebraska.
Surveyed by Leroy O Wight Deputy Surveyor under Joint Contract No 315 dated May 15th 1866 wherein Armstrong and Wight are Joint Contractors.

Survey

Commenced Sept 22d 1866
Completed Sept 29th 1866

b

Names and duties of Assistants

Thomas Danford Chainman
Daniel White Chainman
William Greening Flagman
George Stout Axeman

c

Township No 13 N. Range No 8 W. 6 P. M.

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| 6 | 22 | 5 | 31 | 4 | 23 | 3 | 16 | 2 | 8 | 1 |
| 41 | | 40 | | 30 | | 23 | | 15 | | 7 |
| 7 | 40 | 8 | 29 | 9 | 22 | 10 | 15 | 11 | 7 | 12 |
| 39 | | 38 | | 28 | | 21 | | 14 | | 6 |
| 18 | 38 | 17 | 28 | 16 | 21 | 15 | 13 | 14 | 6 | 13 |
| 37 | | 36 | | 27 | | 20 | | 12 | | 5 |
| 19 | 36 | 20 | 27 | 21 | 19 | 22 | 12 | 23 | 4 | 24 |
| 35 | | 34 | | 26 | | 19 | | 11 | | 3 |
| 30 | 34 | 29 | 25 | 28 | 18 | 27 | 11 | 26 | 3 | 25 |
| 33 | | 32 | | 25 | | 17 | | 10 | | 2 |
| 31 | 31 | 32 | 24 | 33 | 17 | 34 | 9 | 35 | 1 | 36 |

40.00 Set Post: deposited charred stake

# Township 13 N 7 R 8 W of 6" P.M.

To determine the proper adjustment of my compass for subdividing this Township I commence at the corner to Townships 12 and 13 North Ranges 7 and 8 West and run North on a blank line along the East boundary of Section 36.

Va 13°-42' E

39.96 To a point 5 lks E. of 1/4 Sec Cor

79.92 To a point 9 lks E. of Cor to Sec. 25 + 36

To retrace this line or run parallel thereto my compass must be adjusted to a va of 13°-46' E

Subdivision Commenced Sep 22d 1866.

From the Standard Corner to Sections 35 and 36. on the 3d Standard Parallel N.

I run North between Sections 35 + 36

Va 13°-46' E

40.00 Set Post: deposited charred stake

## Township 13 N 7 R 8 W of 6th P.M.

and raised mound of earth
with pits as per instructions
for 1/4 Sec Cor.

80.00 Set Post: deposited charred stake
and raised mound of earth
with pits as per instructions
for corner to Sections 25. 26. 35
and 36.
Land level Soil 1st rate.

---

East on random line between Sections
25 and 36

Va 13°-46' E.

40.00 Set Post: for temporary 1/4 Sec Cor
80.16 Intent to Bound any of Township 83 lks
N of Corner to Sections 25 & 36
From which Corner I run
N 89°-24' W on a true line between
Sections 25 and 36.

Va 13°-46' E

40.08 Set Post: deposited charred stake
and raised mound of earth



## Township 13 N 7 R 8 W of 6th P.M.

with pits as per instructions for
1/4 Sec Cor.

80.16 The corner to Sections 25. 26. 35 & 36.
Land level Soil 1st rate.

---

North between Sections 25 & 26.

Va 13°-46' E

40.00 Set Post: deposited charred stake
and raised mound of earth
with pits as per instructions
for 1/4 Sec Cor

80.00 Set Post: deposited charred stake
and raised mound of earth
with pits as per instructions
for corner to Sections 23. 24
25 and 26.
Land rolling Soil 1st rate.

---

East on random line between Sections
23 and 24.

Va 13°-10' E

40.00 Set Post: for temp 1/4 Sec Cor

## Township 13 N R 8 W of 6" P.M.

80.38 Intersect the East boundary of Township 10 lks N of corner to Sections 24 and 25. from which Corner I run
N 89°-56' W on a true line between Sections 24 and 25
Va 13°-10' E

40.19 Set Post: deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor.

80.38 The corner to Sections 24, 23, 25 & 26.
Land level Soil 1st rate

North between Sections 23 & 24
Va 13°-35' E.

40.00 Set Post: deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor.

80.00 Set Post: deposited charred



## Township 13 N R 8 W of 6" P.M.

stake and raised mound of earth with pits as per instructions for corner to Sections 13, 14, 23 and 24
Land level Soil 1st rate.

East on a random line bet Sec 13 & 24
Va 13°-10' E

40.00 Set Post: for temporary 1/4 Sec cor

80.44 Intersect the East boundary of Tp 30 lks N of corner to Sections 13 & 24, from which corner I run
N 89°-47' W on a true line bet Sec 13 and 24
Va 13°-10' E

40.22 Set Post: deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor.

80.44 The corner to Sections 13, 14, 23 & 24
Land level Soil 1st rate.

## Township 13 N R 8 W of 6th P. M.

North between Sections 13 & 14
va 13°-20' E

40.00 Set Post: deposited, charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor.

80.00 Set Post: deposited charred stake and raised mound of earth with pits as per instructions for corner to Sections 11, 12, 13 & 14
Land level Soil 1st rate,

---

East on random line between Sections 12 and 13
Va 13°-10' E

40.00 Set Post: deposited temporary 1/4 Sec Cor.

80.28 Intersect East: boundary of Township. 42 lks North of corner to Sections 12 and 13 from which corner I run N 89-42 W on a true line bet Sec 12 and 13
va 13°-10' E



## Township 13 N R 8 W of 6th P. M.

40.14 Set Post: deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor

80.28 The corner to Sections 12, 13, 11, 14
Land level Soil 1st rate

---

North between Sections 11 and 12
va 13°-00' E

40.00 Set Post: deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor.

42.75 Branch 10 lks wide bears N.E. Contains standing Pools of Water

80.00 Set Post: deposited charred stake and raised mound of earth with pits as per instructions for corner to Sections 1, 2, 11 & 12
Land level Soil 1st rate,

---

East on a Random line between

# Township 13 N R 8 W of 6th P.M.

Sections 1 & 12
Va 13°-10' E

23.15 Branch 10 lks wide contains pools of water bears N.E.
33.50 Same branch 10 lks wide bears S.E.
39.40 Same Branch 10 lks wide " N.E.
40.00 Set Posts for temporary 1/4 Sec Cor.
50.16 Intersect the East boundary of Tp 70 lks N of corner to Sections 1 & 12 from which corner I run
N 89°-30' W on a true line between Sections 1 and 12
Va 13°-10' E
40.08 Set Posts deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor
50.16 the corner to Sections 1, 2, 11 & 12
Land level Soil 1st rate

North on a random line between Sections 1 and 2
Va 13°-00' E



# Township 13 N R 8 W of 6th P.M.

40.00 Set Posts for temporary 1/4 Sec cor
79.02 Intersect the North boundary of Township 6 lks E of corner to Sections 1 and 2 from which point I run
S 00°-03' E on a true line between Sections 1 and 2
Va 13°-00' E
39.02 Set Posts deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor.
79.02 The corner to Sections 1, 2, 11 & 12
Land level Soil 1st rate.
Sep 22d 1866.

North between Sections 34 & 35
Va 13°-46' E

40.00 Set Posts deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor.

## Township 13 N 7 R 8 W of 6" P.M.

80.00 Set Post deposited charred stake and raised mound of earth with pits as per instructions for corner to Sections ~~24~~ 26 ~~25~~ 27, 34 + 35
Land level Soil 1st rate.

East on Random line between Sec 26 and 35
Va 13°-10' E

40.00 Set Post for temporary 1/4 Sec cor.
80.00 Intersect ~~Set~~ the North and South line 23 lks N of cor to Sec 25, 26, 35 + 36 from which cor I run
N 89°-50' W on a true line bet Sec 26 and 35
Va 13°-10' E

40.00 Set Post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor
80.00 The corner to Sections 26, 27, 34 + 35
Land level Soil 2d rate



## Township 13 N 7 R 6 W of 6 P.M.

North between Sections 26 + 27
Va 13°-46' E

40.00 Set Post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor
80.00 Set Post deposited charred stake and raised mound of earth with pits as per instructions for corner to Sections 22, 23 26 and 27,
Land level Soil good 2d rate

East on a random line between Sections 23 and 26
Va 13°-10' E

40.00 Set Post for temporary 1/4 Sec Cor.
80.02 Intersect the N + S line 32 lks N of cor to Sections 23, 24, 25 + 26 from which corner I run
N 89°-46' W on a true line between Sections 23 and 26.
Va 13°-10' E

# Township 13 N R 8 W of 6th P.M.

40.00 Set Post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor.

80.02 The Corner to Sections 22, 23, 26 & 27
Land level Soil good 2d rate

North between Sections 22 & 23
va 13° 35' E

40.00 Set Post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor

80.00 Set Post deposited charred stake and raised mound of earth with pits as per instructions for Corner to Sections 14, 15, 22 & 23.
Land level Soil good 2d rate

East on a random line between Sections 14 and 23
va 13° 16' E



# Township 13 N R 8 W of 6th P.M.

40.00 Set Post for temporary 1/4 Sec cor

79.80 Intersect the N & S line at the Corner to Sections 13, 14, 23 & 24 from which found 3 pines
West on a true line between Sec 14 and 23
va 13° 16' E

39.90 Set Post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor

79.80 The corner to Sections 14, 15, 22 & 23
Land level Soil good 2d rate

North between Sections 14 and 15
va 13° 16' E

19.75 A Branch 10 lks wide bears N.E.

40.00 Set Post deposited charred stake and raised mound of earth with pits as per instruction for 1/4 Sec cor.

80.00 Set Post deposited charred stake

# Township 13 N R 8 W of 6th P.M.

and raised mound of earth with pits as per instructions for cor to Sections 10, 11, 14 and 15
Land level Soil good 2d rate

East on a random line between Sections 11 and 14
Va 13-16 E

16.25 Branch 10 links wide bears N.E.
40.00 S 1/4 Post for temporary 1/4 Sec cor
79.72 Intersect the N & S line 31 links N of corner to Sections 11, 12, 13 and 14
from which corner I run N 89-47 W on a true line between Sections 11 and 14
Va 13-16 E
39.86 S 1/4 Post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor
79.72 The corner to Sections 10, 11, 14 & 15



# Township 13 N R 8 W of 6th P.M.

Land level Soil good 2d rate.

North between Sections 10 and 11
Va 13-16 E
40.00 S 1/4 Post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor
80.00 S 1/4 Post deposited charred stake and raised mound of earth with pits as per instructions for cor per to Sections 2, 3, 10 and 11
Land level Soil 2d rate

East on a random line between Sections 2 & 11
Va 13-16 E
40.00 S 1/4 Post for temporary 1/4 Sec cor
80.00 Intersect the N & S line 42 links N of corner to Sections 1, 2, 11 & 12
from which corner I run N 89-42 W on a true line between Sec

# Township 13 N 7 R 8 W of 6th P M

2 & 11

va 13°-10' E

40.00 Set Posts deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor

80.00 The corner to Sections 2, 3, 10 & 11
Land level Soil good 2d rate,

North on a random line between Sections 2 and 3

va 13°-00' E

40.00 Set Posts for temporary 1/4 Sec cor

79.36 Intersect the North boundary of Township 6 lks E of corner to Sections 2 & 3 from which Corner I run
S 00°-03' E on a true line between Sections 2 & 3

va 13°-E

39.36 Set Posts deposited charred stake and raised mound of earth with pits as per



# Township 13 N 7 R 8 W of 6th P M

instructions for 1/4 Sec cor

79.36 The corner to Sections 2, 3, 10 & 11
Land level Soil good 2d rate,
Sep 24th 1866.

North between Sections 33 & 34

va 13°-35' E

40.00 Set Posts deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor,

80.00 Set Posts deposited charred stake and raised mound of earth with pits as per instructions for corner to Sections 27, 28, 33 and 34
Land level Soil good 2d rate

East on a random line between Sections 27 and 34

va 13°-10' E

40.00 Set Posts for temporary 1/4 Sec cor

79.80 Intersect the N & S line at cor to

## Township 13 N R 8 W of 6th P.M.

Sections 26, 27, 34 + 35 from which corner I view
West on a true line between Sec 27 and 34
Va 13°-10' E

39.90 S.N. Port: deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor.

79.80 The corner to Sections 27, 28, 33 + 34
Land level Soil good 2d rate

North between Sections 27 + 28
Va 13°-35' E

40.00 S.N. Port: deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor.

80.00 S.N. Port: deposited charred stake and raised mound of earth with pits as per instructions for corner to Sections 21, 22, 27 and 28
Land level Soil good 2d rate



## Township 13 N R 8 W of 6th P.M.

East on a random line between Sections 22 and 27
Va 13°-10' E

4.55 Branch 13 lks wide bears S.E.

7.80 Same branch 10 lks bears N.E.

40.00 S.N. Port: for temporary 1/4 Sec cor

79.59 Intersect N + S line 8 lks N of cor to Sections 22, 23, 26 and 27 from which corner I view
N 89°-57' W on a true line between Sections 22 + 27
Va 13°-10' E

39.79 S.N. Port: deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor

79.59 The corner to Sections ~~22~~ 21, ~~23~~ 22, ~~26~~ 27 and ~~27~~ 28
Land level Soil good 2d rate

North between Sections 21 + 22
Va 13°-35' E

9.34 A Branch 13 lks wide runs East

## Township 13 N R 8 W of 6th P. M.

| | |
|---|---|
| 40.00 | Set Post: deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor. |
| 80.00 | Set Post: deposited charred stake and raised mound of earth with pits as per instructions for cor to Sec 15, 16, 21 and 22 Land level Soil 2d rate |
| | East on random line between Sec 15 and 22 |
| | Va 13°-10' E |
| 40.00 | Set Post: for temporary 1/4 Sec cor |
| 60.35 | Branch 13 lks wide bears NE. |
| 79.70 | Intersect the N+S line 38 lks N of cor to Sec 14, 15, 22 and 23 from which point I run |
| | N 89°-44' W on a true bullet Sec 15 and 22 |
| | Va 13°-10' E |
| 39.85 | Set Post: deposited charred stake and raised mound of earth |



## Township 13 N R 8 W of 6th P. M.

| | |
|---|---|
| | with pits as per instructions for 1/4 Sec cor |
| 79.70 | The corner to Sections 15, 16, 21 + 22 Land level Soil good 2d rate |
| | North between Sections 15 + 16 |
| | Va 13°-35' E |
| 40.00 | Set Post: deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor. |
| 80.00 | Set Post: deposited charred stake and raised mound of earth with pits as per instructions for corner to Sections 9, 10, 15 and 16 Land level Soil good 2d rate |
| | East on random line between Sec 10 and 15 |
| | Va 13°-10' E |
| 40.00 | Set Post for temporary 1/4 Sec cor |
| 79.66 | Intersect the N+S line 34 lks |

## Township 13 N R 8 W of 6th P.M.

N of Cor to Sec 10.11.14 and 15 —
from which corner I run
N 89°-37' W on a true line between
Sec 15 and 10

Va 13°-10' E

39.83 Set Post deposited charred stake
and raised mound of earth
with pits as per instructions for
1/4 Sec cor

79.66 The corner to Sections 9.10.15 + 16
Land level Soil good 2d rate

---

North let Sec 9 and 10

Va 13°-35'-E

40.00 Set Post deposited charred stake
and raised mound of earth
with pits as per instructions
for 1/4 Sec Cor.

80.00 Set Post deposited charred stake
and raised mound of earth
with pits as per instructions
for corner to Sections 3.4.9 + 10
Land level Soil good 2d rate



## Township 13 N R 8 W of 6th P.M.

East on a random line between
Sections 3 and 10

Va 13°-10' E

40.00 Set Post for temporary 1/4 Sec Cor

79.74 Intersect the N & S line 66 lks N of
corner to Sections 2.3.10 and 11
from which corner I run
N 89°-32' W on a true line between
Sections 3 and 10

Va 13°-10' E

39.81 Set Post deposited charred stake
and raised mound of earth
with pits as per instructions for
1/4 Sec cor

79.74 The corner to Sections 3.4.9 + 10
Land level Soil good 2d rate.

---

North on a random line between
Sections 3 and 4

Va 13°-35'-E

40.00 Set Post for temporary 1/4 Sec cor

79.50 Intersect the N line of Tp 16 lks W
of cor to Sec 3 and 4 from

# Township 13 N R 8 W of 6th P.M.

which corner I run
S 88.07 W on a true line between
Sections 3 and 4

Va 13-35 E

39.50 I set Posts deposited, charred stake
and raised mound of earth
with pits as per instructions
for 1/4 Sec cor

79.50 The corner to Sections 3, 4, 9 & 10
Land level Soil good 2d rate

Sept 25th 1866

---

North between Sections 32 & 33

Va 13-35 E

40.00 I set Posts deposited charred stake
and raised mound of earth
with pits as per instructions
for 1/4 Sec cor

80.00 I set Post deposited charred stake
and raised mound of earth
with pits as per instructions
for cor to Sections 28, 29, 32 & 33
Land level Soil 2d rate



# Township 13 N R 8 W of 6th P.M.

East on a random line between
Sections 28 and 33

Va 13-10 E

40.00 I set Posts for temporary 1/4 Sec cor,

79.90 Intersect the N & S line at corners to
Sections 27, 28, 33 & 34 from which
point I run West
West on a true line between Sections
28 & 33

Va 13-10 E

39.95 I set Posts deposited charred stake
and raised mound of earth
with pits as per instructions
for 1/4 Sec cor.

79.90 The corner to Sections 28, 29, 32 & 33
Land level Soil 2d rate

---

North between Sections 28 & 29

Va 13-35 E

39.30 A Branch 12 links wide has N.E.

40.00 I set Posts deposited charred stake
and raised mound of earth
with pits as the instructions for 1/4 Sec cor

# Township 13 N R 8 W of 6th P.M.

80.00 S 1/4 Cor: deposited charred stake and raised mound of earth with pits as per instructions for corner to Sections 20, 21, 28 + 29.
Land level Soil good 2d rate.

East on a random line between Sections 21 and 28
Va 13° - 10' E
40.00 S 1/4 Cor: for temporary 1/4 Sec cor
77.85 Branch bears N.E. is 13 lks wide.
79.84 Intersect the N + S line at cor to Sec 21, 22, 27 + 28 from which I run
West on a true line bet Sec 21 and 28
Va 13° - 10' E
39.92 C 1/4 Cor: deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor
79.84 The corner to Sections 20, 21, 28 + 29



# Township 13 N R 8 W of 6th P.M.

Land level Soil good 2d rate.

North between Sections 20 + 21.
Va 13° - 35' E
40.00 S 1/4 Cor: deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor
80.00 S 1/4 Cor: deposited charred stake and raised mound of earth with pits as per instructions for corner to Sections 20, 21, 16 and 17.
Land level Soil good 2d rate.

East on Random line between Sections 16 and 21.
Va 13° - 10' E
40.00 S 1/4 Cor: for temporary 1/4 Sec cor
79.88 Intersect the N + S line 28 lks off Cor to Sections 15, 16, 21 + 22 from which corner I run
N 89° - 48' W on a true line between

# Township 13 N R 8 W of 6th P M.

Sections 16 and 21.

Va 13°-10' E

39.94 Set Post: deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec Cor

79.88 The corner to Sections 16.17.20 & 21 Land level Soil 2d rate.

North between Sections 16 and 17

Va 13°-35' E

40.00 Set Post: deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor.

80.00 Set Post deposited charred stake and raised mound of earth with pits as per instructions for corner to Sections 8.9.16 & 17 Land level Soil 2d rate.

East on random line between Sec 9 and 16



# Township 13 N R 8 W of 6th P M.

Va 13°-10' E

40.00 Set Post: for temporary 1/4 Sec cor

79.58 Intersect the N & S line 67 lks N of cor to Sections 9.10.15 & 16 from which corner I run N 89°-31' W on a true line bet Sec 9 & 16

Va 13°-10' E

39.79 Set Post: deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor

79.58 The corner to Sections 8.9.16 and 17 Land level Soil 2d rate.

North between Sections 8 & 9

Va 13°-35' E

40.00 Set Post: deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor

80.00 Set Post: deposited charred stake

# Township 13 N R 8 W of 6th P.M.

and raised mound of earth with pits as per instructions for corner to Sections 4, 5, 8 & 9. Land level Soil 2d rate.

East on a random line between Sec 4 and 9.

Va 13°-10' E

40.00 Set Post for temporary 1/4 Sec cor

80.04 Intersect the N & S line 63 lks N of corner to Sections 3, 4, 9 and 10 from which corner I run N 89°-33' W on a true line bet Sections 4 and 9

Va 13°-10' E

40.02 Set Post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor.

80.04 The cor. to secs. 4, 5, 8 & 9. Land level - Soil 2d rate.

80.04 ~~The cor to Sections 4, 5, 8 & 9. Land level Soil 2d rate.~~



# Township 13 N R 8 W of 6th P.M.

North on a random line between Sections 4 and 5 —

Va 13°-35' E

40.00 Set Post for temporary 1/4 Sec Cor.

80.10 Intersects the North boundary of Township 16 lks W of the corner to Sections 4 and 5 from which corner I run

S 00°-07' W on a true line between Sections 4 and 5 —

Va 13°-35' E

40.10 Set Post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor.

80.10 The corner to Sections 4, 5, 8 & 9. Land level Soil good 2d rate.

Sep 26th 1866.

North between Sections 31 & 32

Va 13°-35' E

25.50 A Branch 8 lks wide bears East

34.19 " same 8 " " " West.

## Township 13 N R 8 W of 6th P M

40.00 Set Post: deposited charred stake and raised mound of earth with pits for 1/4 Sec cor.

42.58 Same Branch bears East. 8 lks wide

80.00 Set Post: deposited charred stake and raised mound of Earth with pits as per instructions for corner to Sections 29.30.31 & 32, Land level Soil good 2d rate.

East on random line between Sec 29 and 32

Va 13-10 E

40.00 Set Post: for temporary 1/4 Sec cor.

52.20 A Branch 10 lks wide bears N.E.

79.98 Intersect the North and South line 60 lks N of corner to Sections 28.29.32 and 33 from which cor I view

N 89-34 W on a true line between Sections 29 and 32

Va 13-10 E

39.99 Set Post: deposited charred stake



## Township 13 N R 8 W of 6th P M

and raised mound of earth with pits as per instructions for 1/4 Sec cor

79.98 The corner to Sections 29.30.31 & 32 Land level Soil 2d rate.

West on a random line between Sections 30 & 31

Va 13-10 E

40.00 Set Post: for temporary 1/4 Sec cor

76.77 Intersect the West boundary of Tp 44 lks S of corner to Sections 30 & 31 from which corner I view

S 89-41 E on a true line between Sec 30 & 31

Va 13-10 E

36.77 Set Post: deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor

76.77 The corner to Sections 30.29.31 & 32 Land level Soil 2d rate.

# Township 13 N R 8 W of 6th P.M.

North below Sections 29 + 30
Va 13° 35' E

40.00 Set Post, deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec Cor

80.00 Set Post deposited charred stake and raised mound of earth with pits as per instructions for Corner to Sections 19, 20, 29 + 30
Land level Soil 2d rate

---

East on a random line below Sections 20 + 29
Va 13° 10' E

40.00 Set Post for temporary 1/4 Sec Cor

80.00 Intersected the No. S. line 23 lks N of corner to Sections 20, 21, 28 and 29 from which corner I run
N 89° 50' W on a true line below Sections 20 and 29
Va 13° 10' E



Township 13 N R 8 W of 6th P.M.

40.00 Set Post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec Cor

80.00 The corner to Sections 19, 20, 29 + 30
Land level Soil 2d rate

---

West on a random line between Sections 19 and 30
Va 13° 10' E

40.00 Set Post for temporary 1/4 Sec Cor

75.61 Intersect the West boundary of Township 24 lks S of corner to Sections 19 and 30 from which corner I run
S 89° 50' E on a true line between Sections 19 and 30
Va 13° 10' E

35.61 Set Post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec Cor

75.61 The corner to Sections 19, 20, 29 + 30

# Township 13 N R 8 W of 6th P.M.

Land level Soil good 2d rate

North between Sections 19 & 20

Va 13° - 35' E

40.00 Set Post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor.

80.00 Set Post deposited charred stake and raised mound of earth with pits as per instructions for corner to Sections 17, 18, 19 & 20

Land level Soil 2d rate

East on a random line between Sections 17 & 20

Va 13° - 10' E

40.00 Set Post for temporary 1/4 Sec Cor

80.18 Intersected the N & S line 46 links N of corner to Sections 16, 17, 20 & 21, from which point I run

N 89° - 40' W on a true line between Sections 17 & 20



# Township 13 N R 8 W of 6th P.M.

Va 13° - 10' E

40.09 Set Post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor

80.18 The corner to Sections 17, 18, 19 & 20

Land level Soil 2d rate

West on a random line between Sections 18 and 19

Va 13° - 10' E

40.00 Set Post for temporary 1/4 Sec Cor.

74.88 Intersect the West boundary of Tp 33 lks N of corner to Sections 18 and 19 from which corner I run

N 89° - 46' E on a true line between Sections 18 and 19.

Va 13° - 10' E

34.88 Set Post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec Cor

## Township 13 N 7 R 8 W of 6th

| | |
|---|---|
| 74.88 | The corner to Sections 17, 18, 19 + 20 Land level Soil good 2d rate, |
| | North between Sections 17 + 18 |
| | Va 13°-35' E |
| 40.00 | Set Post: deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor |
| 80.00 | Set Post: deposited charred stake and raised mound of earth with pits as per instructions for corner to Sections 7, 8, 17 + 18 Land level Soil 2d rate, |
| | East on random line between Sections 8 and 17 |
| | Va 13°-10 |
| 40.00 | Set Post: for temporary 1/4 Sec Cor |
| 80.10 | Intersected N + S line 54 links N of corner to Sections 8, 9, 16 and 17 from which corner I run N 89°-37' W on a true line between |



5

## Township 13 N 7 R 8 W of 6th P.M.

| | |
|---|---|
| | Sections 8 + 17 |
| | Va 13°-10' E |
| 40.05 | Set Post: deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor |
| 80.10 | The corner to Sections 7, 8, 17 + 18 Land level Soil 2d rate, |
| | West on a random line between Sections 7 + 18 |
| | Va 13°-10' E |
| 40.00 | Set Post for temporary 1/4 Sec Cor. |
| 74.14 | Intersect the West boundary of Tp 19 lks N of corner to Sections 7 and 18 from which corner I run N 89°-5½' E on a true line between Sections 7 + 18 |
| | Va 13°-10' E |
| 34.14 | Set Post: deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec Cor. |

## Township 13 N 7 R 8 W of 6th P.M.

74.14 The corner to Sections 7.8.17 & 18
Land level Soil 2d rate

North between Sections 7 & 8
Va 13°-3'5 E

40.00 Set Post: deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor

80.00 Set Post: deposited charred stake and raised mound of earth with pits as per instructions for corner to Sections 5.6 & 7 & 8.
Land level Soil 2d rate.

East on a random line let Sec 5 and 8.
Va 13°-10 E

40.00 Set Post for temporary 1/4 Sec cor

80.00 Intersected N & S line 38 lks N of corner to Sections 4.5.8 & 9.



5

## Township 13 N 7 R 8 W of 6th P.M.

from which corner I run
N 8°9-4'4 W on a true line between Sections 5 and 8
Va 13°-10 E

40.00 Set Post: deposited charred stake and raised mound of earth with pits as per instr for 1/4 Sec cor

80.00 The Corner to Sections 5.6.7 & 8
Land level Soil 2d rate

West on a Random line between Sections 6 and 7
Va 13°-10 E

40.00 Set Post for temporary 1/4 Sec cor

73.10 Intersect the West boundary of Township 8 lks N of corner to Sections 6 & 7 from which corner I run
N 8°9-5'7 E on a true line between Sections 6 & 7
Va 13°-10 E

# Township 13 N R 8 W of 6th P.M.

33.10 Set Post: deposited chorred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor

73.10 The corner to Sections 5, 6, 7 & 8. Land level Soil 2d rate

North on a Random line between Sections 5 and 6

Va 13-35-E

40.00 Set Post for temporary 1/4 Sec Cor.

80.00 Intersect the North boundary of Township at the corner to Sections 5 and 6 from which point I run

South on a true line between Sections 5 and 6

Va 13-10 E

40.00 Set Post: deposited chorred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor.

80.00 The corner to Sections 5, 6, 7 & 8. Land level Soil 2d rate

Survey completed Sep 29th 1866. by Sm



5

## General Description

The quality of the land in this Township is about the common average. It is level and fit for cultivation.

It is drained by a branch that runs in a N.E course through the entire Township commencing at Section 36 and leaving at Sec 1. This branch contains stagnant Pools of Water during the entire Summer. It is entirely destitute of all timber or other building materials.

# List of Names

A list of the Names of the Individuals employed to assist in running measuring or marking the lines and corners described in the forgoing field Notes of Township No 13 North of the base line of Range No 8 West of the 6th Principle Meridian in the Territory of Nebraska; showing the respective capacaties in which they acted.

Thomas Danford Chainman
Daniel White Chainman
William Fleming Flagman
George Scott Axeman.

D. L. Maroc  Ex Corel
Platted "

C

Copied by J. E. C. Corel.

Field Notes of the Subdivision lines in Township No. 14 North Range 8 West of the 6th Principal Meridian in the Territory of Nebraska.

Surveyed by Robert Armstrong Deputy Surveyor under Joint Contract No 3.15 dated May 15th 1866 Wherein Armstrong & Wight are Joint Contractors

Survey

Commenced Sept. 24th 1866
Completed Oct. 1st 1866

Names and duties of assistants

George H. Guerin Chainman
J. C. Litzinger Chainman
Merritt Howard Flagman
Edward Jones Axeman



Township No. 14 N Range No. 8 W 6 P. M.

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| 6 | 38 | 5 | 28 | 4 | 21 | 3 | 14 | 2 | 7 | 1 |
| 37 | | 37 | | 27 | | 20 | | 13 | | 7 |
| 7 | 36 | 8 | 26 | 9 | 20 | 10 | 13 | 11 | 6 | 12 |
| 36 | | 35 | | 26 | | 19 | | 12 | | 5 |
| 18 | 34 | 17 | 25 | 16 | 18 | 15 | 12 | 14 | 5 | 13 |
| 34 | | 33 | | 25 | | 18 | | 11 | | 4 |
| 19 | 32 | 20 | 24 | 21 | 17 | 22 | 10 | 23 | 4 | 24 |
| 32 | | 31 | | 23 | | 16 | | 10 | | 3 |
| 30 | 30 | 29 | 23 | 28 | 16 | 27 | 9 | 26 | 3 | 25 |
| 30 | | 29 | | 22 | | 15 | | 9 | | 2 |
| 31 | 20 | 32 | 22 | 33 | 15 | 34 | 8 | 35 | 1 | 36 |

1866

as per instruction for 1/4 sec cor

To determine the proper adjustment of my Compass for Subdividing this Township, I commence at the Cor. to Townships 13 and 14 North Range 7 and 8 West and run North on a blank line along the East boundary of Sec. 1 36

Va. 13°46' E.

40.02 To a point 62 lks W. of 1/4 Sec. Cor.

80.03 To a point 132 lks W. of Sec. Cor.

To retrace this line or run parallell thereto my Compass must be adjusted to a Va. of 12°49 E.

Subdivision Commenced Sept 24, 1886

From the Cor. to Sec. 1, 2, 35 and 36 on the South boundary of Township, run North between Sec. 35 & 36

Va. 12.49 E.

40.00 Set post deposited charred stake raised mound of earth with pits as per instruction for 1/4 Sec Cor

Township 14 N. Range 8 W. 6th P. M.

| | |
|---|---|
| 8000 | Set post deposited charred stake raised mound of earth with pits as per instruction for Cor. to Sec. 25, 26, 35 and 36 Land level Soil 1st rate |
| | East on a random line between Sec. 25 and 36 7.00 12° 49' E. |
| 4000 | Set post for temporary 1/4 Sec. cor. |
| 8000 | Intersected East Boundary 6 lks N. of cor. to Sec. 25 and 36 from which cor. I run N 89° 57' W on a true line between Sec. 25 and 36 7.00 12° 49' E |
| 4000 | Set post deposited charred stake raised mound of earth with pits as per instruction for 1/4 Sec. cor. |
| 8000 | The cor. to Sec. 25 26 35 & 36 Land level Soil 1st rate |



Township 14 N. Range 8 W. 6th P. M.

| | |
|---|---|
| | North between Sec. 23 and 26 7.00 12° 49' E. |
| 4000 | Set post deposited charred stake raised mound of earth with pits as per instruction for 1/4 Sec. cor. |
| 8000 | Set post deposited charred stake raised mound of earth with pits as per instruction for cor. to Sec. 23, 24, 25 and 26 Land level Soil 1st rate |
| | East on a random line between Sec. 24 and 25 7.00 12° 49' E. |
| 4000 | Set post for temporary 1/4 Sec. cor. |
| 8026 | Intersected East Boundary 9 lks N. of cor. to Sec. 24 and 25 from which cor. I run N. 89.56 W on a true line between Sec. 24 and 25 7.00 12° 49' E |
| 4013 | Set post deposited charred stake raised mound of earth with pits |

Township 14 N. Range 8 W. 6th P. M.

as per instruction for 1/4 Sec. cor.
8026 The cor to Secs 23, 24, 25 and 26
Land level Soil 1st rate

North between Secs. 23 and 24
Va 12 45 E.
4000 Set post deposited charred Stake
raised mound of earth with pits
as per instruction for 1/4 Sec. cor.
6500 Leave bottom Enter upland bear E N E & W. S. W.
8000 Set post deposited charred Stake
raised mound of earth with pits as
per instruction for cor. to
Secs. 13, 14, 23 and 24
Land mostly level Soil 1st rate

East on a random line between
Secs. 13 and 24
Va 12° 49 E
4000 Set post for temporary 1/4 Sec. cor.
5800 Leave upland Enter bottom bear E N. E. & W. S. W.
7978 Intersected Ext Boundary at cor
to Secs 13 and 24



Township 14 N. Range 8 W. 6th P. M.

from which Cor. I run
West on a true line between
Secs. 13 and 24
Va 12° 49 E.
3989 Set post deposited charred Stake
raised mound of earth with pits
as per instruction for 1/4 Sec. cor.
7978 The cor. to Secs. 13, 14, 23 and 24
Land level Soil 1st rate

North between Secs. 13 and 14
Va 12° 49 E.
4000 Set post deposited charred Stake
raised mound of earth with pits
as per instruction for 1/4 Sec. cor.
8000 Set post deposited charred Stake
raised mound of earth with pits
as per instruction for cor. to
Secs. 11, 12, 13, and 14
Land Sandy & hilly Soil 3rd rate

East on a random line between
Secs. 12 and 13

Township 14 N. Range 8 W. 6th P.M.

Va. 12°49' E.

4000 Set post for temporary 1/4 Sec. cor.
7976 Intersected East Boundary 11 lks N.
of cor to Secs. 12, and 13
from which cor. I run
N. 89° 55' W. on a true line between
Secs 12 and 13

Va. 12°49 E.

3988 Set post deposited charred stake
raised mound of earth with pits
as per instruction for 1/4 Sec cor
7976 The cor. to Secs. 11, 12 13, and 14
Land Sandy Soil 3d rate

North between Secs 11 and 12

Va. 12°49 E

4000 Set post deposited charred stake
raised mound of earth with pits
as per instruction for 1/4 Sec. cor.
8000 Set post deposited charred stake
raised mound of earth with pits as
per instruction for cor. to
Secs. 12, 11 and 12



Township 14 N. Range 8 W. 6th P.M.

Land Sandy Soil 3d rate

East on a random line between
Secs 1 and 12

Va. 12°49 E.

4000 Set post for temporary 1/4 Sec. cor.
7968 Intersected East Boundary 10 lks S.
of cor to Secs. 1 and 12
from which cor. I run
S 89°36' W. on a true line between
Secs. 1 and 12

Va. 12°49 E.

3984 Set post deposited charred stake
raised mound of earth with pits
as per instruction for 1/4 Sec. Cor.
7968 The cor. to Secs. 1, 2, 11 and 12
Land Sandy Soil 3d rate

North on a random line between
Secs 1 and 2

Va. 12°49 E.

4000 Set post for temporary 1/4 Sec cor

# Township 14 N. Range 8 W. 6th P.M.

8040 Intersected North Boundary 42 lks E. of cor to Secs 1 and 2 from which cor. S run S 0° 18' E on a true line between Secs. 1 and 2

Va. 12°49' E.

4040 Set post deposited charred stake raised mound of earth with pits as per instruction for 1/4 Sec. cor.

8040 The cor to Secs. 1, 2, 11 and 12 Land Sandy Soil 3d rate

Sept 24th 1866

North between Secs. 34 and 35

Va. 12°49' E.

4000 Set post deposited charred stake raised mound of earth with pits as per instruction for 1/4 Sec. cor.

8000 Set post deposited charred stake raised mound of earth with pits as per instruction for cor to Secs. 26, 27, 34 and 35 Land level Soil 1st rate



Township 14 N. Range 8 W. 6th P.M.

East on a random line between Secs. 26 & 35

Va. 12°49' E.

4000 Set post for temporary 1/4 Sec. cor.

8004 Intersected N. & S. line 10 lks N. of cor. to Secs. 25, 26, 35 & 36 from which cor S run N 89° 56' W. on a true line between Secs 26 and 35

Va. 12°49' E

4002 Set post deposited charred stake raised mound of earth with pits as per instruction for 1/4 Sec cor

8004 The cor to Secs. 26, 27, 34 & 35 Land level Soil 1st rate

North between Secs. 26 & 27

Va. 12°49' E

4000 Set post deposited charred stake raised mound of earth with pits as per instruction for 1/4 Sec. cor

8000 Set post deposited charred stake

Township 14 N. Range 8 W. 6th P.M.

| | |
|---|---|
| | raised mound of earth with pits as per instruction for cor to Secs. 22, 23, 26 and 27 Land level Soil 1st rate |
| | East on a random line between Secs. 23 and 26 Va. 12°49' E |
| 4000 | Set post for temporary 1/4 Sec. cor. |
| 8000 | Intersected N. & S. line 8 lks N. of cor. to Secs. 23 24 25 and 26 from which cor I run N. 89° 57' W on a true line between Secs. 23 and 26 Va. 12°49 E |
| 40.00 | Set post deposited charred stake raised mound of earth with pits as per instruction for 1/4 Sec. cor. |
| 8000 | The cor. to Secs. 22, 23, 26 & 27 Land level Soil 1st rate |
| | North between Secs. 22 & 23 Va. 12°49 E. |



Township 14 N. Range 8 W. 6th P.M.

| | |
|---|---|
| 2600 | Leave level land Enter Sand Hills E.N.E. & W.S.W. |
| 4000 | Set post deposited charred stake raised mound of earth with pits as per instruction for 1/4 Sec. cor. |
| 8000 | Set post deposited charred stake raised mound of earth with pits as per instruction for cor. to Secs. 14, 15, 22 and 23 Land 1st 26 chs level Soil 1st rate balance Sand Hills 3d rate |
| | East on a random line between Secs. 14 and 23 Va. 12°49 E |
| 4000 | Set post for temporary 1/4 Sec. cor. |
| 80.07 | Intersected N. & S. 8 lks S. of cor. to Secs. 13 14 23 and 24 from which cor I run S. 89° 57' W. on a true line between Secs. 14 and 23 Va. 12°49 E |
| 4003 | Set post deposited charred stake raised mound of earth with pits |

Township 14 N. Range 8 W. 6th P.M.

as per instruction for 1/4 Sec. Cor.
8007 The Cor. to Secs. 14 & 15 22 & 23.
Land Hilly Soil Sandy 3rd rate

North between Secs. 14 and 15
7th 12 49 E.
4000 Set post deposited charred stake
raised mound of earth with pits
as per instructions for 1/4 Sec. Cor.
8000 Set post deposited charred stake
raised mound of earth with pits
as per instruction for Cor.
to Secs. 10, 11, 14 and 15
Land Hilly Soil Sandy 3rd rate

East on a random line between
Secs. 11 and 14
7th 12 49 E.
4000 Set post for temporary 1/4 Sec. Cor.
8004 Intersected N. & S. line 20 lks N.
of Cor to Secs. 11, 12, 13 and 14
from which Cor. I run
N. 89° 51' West on a true line



Township 14 N. Range 8 W. 6th P.M.

between Secs. 11 and 14
7th 12 49 E
4002 Set post deposited charred stake
raised mound of earth with pits
as per instruction for 1/4 Sec. Cor.
8004 The Cor. to Secs. 10, 11, 14 and 15
Land Sandy Soil 3rd rate

North between Secs. 10 and 11
7th 12 49 E.
4000 Set post deposited charred stake
raised mound of earth with pits
as per instruction for 1/4 Sec. Cor.
8000 Set post deposited charred stake
raised mound of earth with pits
as per instruction for Cor. to Sec
Secs. 2, 3, 10, & 11.
Land, Sandy Soil 3rd rate

East on a random line between
Secs. 2 and 11
7th 12 49 E.
4000 Set post for temporary 1/4 Sec Cor

Township 14 N. Range 8 W. 6th P. M.

80.02 Intersected N. & S. line 23 lks N. of Cor. to Secs 1, 2, 11 and 12 from which Cor. S run N. 89°, 30' W. on a true line between Secs. 2 and 11
Va. 12° 49' E.

40.01 Set post deposited charred stake raised mound of earth with pits as per instruction for 1/4 Sec. Cor.

80.02 The Cor. to Secs. 2, 3, 10 & 11
Land, Sandy Soil 3d rate

North on a random line between Secs. 2 & 3.
Va. 12° 49' E

40.00 Set post for temporary 1/4 Sec. Cor.

80.22 Intersected North Boundary 48 lks E. of Cor to Secs. 2 and 3 from which Cor S run S 21 E on a true line between Secs 2 & 3
Va. 12° 49' E

40.22 Set post deposited charred stake



Township 14 N. Range 8 W 6th P. M.

raised mound of earth with pits as per instruction for 1/4 Sec. Cor.

80.22 The Cor. to Secs. 2, 3, 10 & 11
Land. very hilly Soil 3d rate
Sept. 25th 1866

North between Secs. 33 and 34
Va. 12° 49' E.

40.00 Set post deposited charred stake raised mound of earth with pits as per instruction for 1/4 Sec. Cor.

80.00 Set post deposited charred stake raised mound of earth with pits as per instruction for Cor to Secs. 27 28 33 and 34
Land. level Soil 2d rate

East on a random line between Secs. 27 and 34
Va. 12° 49' E.

40.00 Set post for temporary 1/4 Sec. Cor

80.06 Intersected N. & S. line bet Cor. to Secs. 26, 27, 34 and 35 from which Cor. S run

Township 14 N. Range 8 W. 6th P.M.

West on a true line between
Secs. 27 and 34
Vol. 1249 E

40.02 Set post deposited charred stake raised mound of earth with pits as per instruction for 1/4 sec. cor.

80.06 The cor. to Secs. 27, 28 33 & 34
Land, level Soil 1st rate

North between Secs. 27 and 28.
Vol. 1249 E.

39.50 Leave bottom Enter upland bear E. & W.

40.00 Set post deposited charred stake raised mound of earth with pits as per instruction for 1/4 sec. cor.

80.00 Set post deposited charred stake raised mound of earth with pits as per instruction for Cor. to Secs. 21 22 27 and 28
Land, Mostly level Soil Sandy 2d rate

East on a random line between
Secs. 22 and 27.



Township 14 N. Range 8 W. 6th P.M.

Vol. 1249 E.

40.00 Set post for temporary 1/4 sec cor

48.50 Leave upland & Enter bottom N.E. & S.W.

79.96 Intersected N. & S. line 36 lks N. of cor. to Secs. 22, 23, 26, & 27 from which cor. I run N. 89° 44 W. on a true line between Secs. 22 and 27
Vol. 1249 E.

39.98 Set post deposited charred stake raised mound of earth with pits as per instruction for 1/4 sec. cor.

79.96 The cor. to Secs. 21, 22, 27 and 28.
Land, Broken & Sandy Soil 3d rate

North between Secs. 21 and 22.
Vol. 1249 E.

40.00 Set post deposited charred stake raised mound of earth with pits as per instruction for 1/4 sec. cor.

80.00 Set post deposited charred stake raised mound of earth with pits

Township 14 N. Range 8 W. 6th P. M.

as per instruction for cor. to Secs. 15, 16, 21 and 22
Land, Sandy Soil 3rd rate

East on a random line between Secs 15 and 22
Vn 12° 49' E.

4000 Set post for temporary 1/4 Sec. cor.
79.92 Intersected N. & S. line 38 lks N. of cor. to Secs. 14, 15, 22 and 23. from which cor. B. mm N. 89° 35' W. on a true line between Secs. 15 and 22.
Vn 12° 49' E.
39.96 Set post deposited charred stake raised mound of earth with pits as per instruction for 1/4 Sec. cor.
79.92 The cor. to Secs. 15 16 21 and 22.
Land, Sandy Soil 3d rate

North between Secs 15 and 16
Vn 12° 49' E.
4000 Set post deposited charred stake



Township 14 N. Range 8 W. 6th P. M.

raised mound of earth with pits as per instruction for 1/4 Sec. cor.
8000 Set post deposited charred stake raised mound of earth with pits as per instruction for cor to Secs. 9, 10, 15 and 16
Land, Sandy Soil 3rd rate

East on a random line between Secs. 10 and 15
Vn 12° 49' E.
4000 Set post for temporary 1/4 Sec. cor.
79.86 Intersected N. & S. line 62 lks N. of cor to Secs. 10, 11, 14 & 15 from which cor B. mm N. 89° 33' W. on a true line between Secs 10 and 15
Vn 12° 49' E
39.93 Set post deposited charred stake raised mound of earth with pits as per instruction for 1/4 Sec. cor.
79.86 The cor to Secs. 9, 10, 15 and 16

Township 14 N. Range 8 W. 6th P.M.

Land Sandy Soil 3d rate

North between Secs. 9 and 10
Va 12°49 E

4000 Set post deposited charred Stake raised Mound of earth with pits as per instruction for 1/4 Sec. Cor

8000 Set post deposited charred Stake raised mound of earth with pits as per instruction for Cor. to Secs. 3 4. 9 and 10.
Land. rolling & Sandy Soil 3d rate

East on a random line between Secs. 3 and 10
Va 12°49 E

4000 Set post for temporary 1/4 Sec. cor.
7988 Intersected N. & S. line 68 lks N. of cor to Secs. 2, 3, 10 & 11 from which cor I run N. 89° 31 W on a true line between Secs. 3 & 10



Township 14 N. Range 8 W. 6th P.M.

Va 12°49 E

3994 Set post deposited charred Stake raised mound of earth with pits as per instruction for 1/4 Sec. Cor
7988 The cor. to Secs. 3, 4, 9 and 10
Land. rolling & Sandy Soil 3d rate

North on a random line between Secs. 3 and 4
Va 12°49 E

4000 Set post for temporary 1/4 Sec. Cor.
7910 Spring branch 10 lks wide runs E soon N.
80.62 Intersected North Boundary 6 lks W. of cor. to Secs. 3 and 4 from which cor. I run S 0.03 W on a true line between Secs. 3 and 4
Va 12°49 E

4062 Set post deposited charred Stake raised mound of earth with pits as per instruction for 1/4 Sec Cor
80.62 The cor. to secs 3.4.9.10
Land rolling; Soil 3d rate

September 27th 1866

Township 14 N. Range 8 W. 6th P.M.

North between Secs. 32 and 33
Va. 12°49 E.

2400 Leave bottom enter upland E & W.
4000 Set post deposited charred stake raised mound of earth with pits as per instruction for 1/4 Sec. cor.
8000 Set post deposited charred stake raised mound of earth with pits as per instruction for cor. to Secs. 28, 29, 32 and 33
Land, 1st 24 chs. level Soil 1st rate
balance Sandy rolling 3 rate

East on a random line between Secs. 28 & 33
Va. 12°49 E

4000 Set post for temporary 1/4 Sec. cor.
4500 Leave bottom enter upland bear. N E & S W
7994 Intersected N. & S. line 21 lks N. of cor. to Secs. 27, 28, 33 and 34 from which cor. I run N 89°57' W on a true line between Secs. 28 and 33



Township 14 N. Range 8 W. 6th P.M. 16

Va. 12°49 E.

3997 Set post deposited charred stake raised mound of earth with pits as per instruction for 1/4 Sec. cor.
7994 The cor. to Secs. 28, 29, 32 and 33
Land, rolling Soil Sandy 3d rate

North between Secs. 28 and 29
Va. 12°49' E

4000 Set post deposited charred stake raised mound of earth with pits as per instruction for 1/4 Sec. cor.
8000 Set post deposited charred stake raised mound of earth with pits as per instruction for cor. to Secs. 20, 21, 28 and 29.
Land gently rolling Soil 2d rate

East on a random line between Secs. 21 and 28
Va. 12°49 E.

4000 Set post for temporary 1/4 Sec. cor.

Township 14 N. Range 8 W. 6th P.M.

80.00 Intersected N. & S. line 42 lks N. of cor. to Secs. 21, 22, 27, 28 from which cor. I run N. 89°42 W on a true line between Secs. 21 and 28

Va. 12°49 E.

40.00 Set post deposited charred stake raised mound of earth with pits as per instruction for 1/4 Sec. cor.

80.00 The cor. to Secs. 20, 21, 28 & 29. Land rolling Soil 2nd rate

North between Secs. 20 & 21

Va. 12°49 E.

40.00 Set post deposited charred stake raised mound of earth with pits as per instruction for 1/4 Sec. cor.

80.00 Set post deposited charred stake raised mound of earth with pits as per instruction for cor to Secs. 16, 17, 20 and 21 Land rolling Soil Sandy 3rd rate



Township 14 N. Range 8 W. 6th P.M.

East on a random line between Secs. 16 and 21

Va. 12°49 E.

40.00 Set post for temporary 1/4 Sec. cor.

80.12 Intersected N. & S. line 46 lks N. of cor. to Secs. 15, 16, 21 & 22 from which cor. I run N. 89°40 W on a true line between Secs. 16 and 21

Va. 12°49 E

40.06 Set post deposited charred stake raised mound of earth with pits as per instruction for 1/4 Sec. cor.

80.12 The cor. to Secs. 16, 17, 20, 21. Land rolling Sandy Soil 3rd rate

North between Secs. 16 and 17

Va. 12°49 E.

40.00 Set post deposited charred stake raised mound of earth with pits as per instruction for 1/4 Sec. cor.

80.00 Set post deposited charred stake

Township 14 N. Range 8 W. 6th P.M.

raised Mound of earth with pits
as per instruction for cor-
to Secs. 8, 9, 16 and 17.
Land rolling Soil 3d rate

East on a random line between
Secs. 9 and 16
Va. 12°49' E.

40.00 Set post for temporary 1/4 Sec. cor
80.18 Intersected N. & S. line 54 lks N.
of cor. to Secs. 9, 10, 15, & 16.
from which cor. I run
N. 89°39' W. on a true line between
Secs. 9 and 16
Va. 12°49' E.

40.09 Set post deposited charred stake
raised Mound of earth with pits
as per instruction for 1/4 Sec. cor.
80.18 The cor. to Secs. 8, 9, 16 and 17
Land. Sandy Soil 3d rate

North between Secs. 8 & 9



Township 14 N. Range 8 W. 6th P.M.

Va. 12°25' E

40.00 Set post deposited charred stake
raised Mound of earth with pits
as per instruction for 1/4 Sec. cor.
75.40 Spring branch 10 lks wide run E. & E.
80.00 Set post deposited charred stake
raised Mound of earth with pits
as per instruction for cor. to
Secs. 4, 5, 8, & 9.
Land Sandy 3d rate

East on a random between
Secs. 4 and 9.
Va. 12°49' E.

10.50 Spring branch 10 lks wide run E. & E.
40.00 Set post for temporary 1/4 Sec. cor.
79.96 Intersected N. & S. line 48 lks N.
of cor. to Secs. 3, 4, 9 and 10
from which cor. I run
N. 89°39' W. on a true line between
Secs. 4 and 9
Va. 12°49' E

Township 14 N. Range 8 W. 6th P.M.

| | |
|---|---|
| 3995 | Set post deposited charred stake raised mound of earth with pits as per instruction for 1/4 Sec. cor. |
| 7990 | The cor. to Secs. 4, 5, 8 & 9. Land gently rolling Soil 2nd rate |
| | North on a random line between Secs. 4 and 5 Va. 12°55' E. |
| 4000 | Set post for temporary 1/4 Sec. cor. |
| 8014 | Intersected North Boundary 67 lks E of cor. to Secs. 4 and 5 from which cor. I run S 0°27' E. on a true line between Secs. 4 and 5 Va. 12°55' E. |
| 4014 | Set post deposited charred stake raised mound of earth with pits as per instruction for 1/4 Sec. cor. |
| 8014 | The cor. to Secs 4, 5, 8, and 9. Land gently rolling Soil 2nd rate |
| | September 29th 1866. |



Township 14 N. Range 8 W. 6th P.M.

| | |
|---|---|
| | North between Secs. 31 and 32 Va. 12°49' E. |
| 4000 | Set post deposited charred stake raised mound of earth with pits as per instruction for 1/4 Sec. cor. |
| 8000 | Set post deposited charred stake raised mound of earth with pits as per instruction for cor. to Secs. 29, 30, 31, and 32. Land gently rolling Soil 2nd rate |
| | East on a random between to Secs. 29 and 32. Va. 12°49' E. |
| 4000 | Set post for temporary 1/4 Sec. cor. |
| 7996 | Intersected N. & S. line 22 lks S. of cor. to Secs. 28, 29, 32 and 33 from which cor. I run S 89°51' W. on a true line between Secs. 29 and 32 Va. 12°49' E. |
| 3998 | Set post deposited charred stake |

Township 14 N. Range 8 W. 6th P.M.

raised mound of earth with pits
as per instructions for 1/4 Sec. cor.
7996 The Cor. to Sec. 29, 30, 31 & 32
Land, gently rolling Soil 2nd rate

---

West on a random line between
Secs. 30 & 31
Va 12°49' E.
4000 Set post for temporary 1/4 Sec. cor.
7242 Intersected W. & B. boundary 28 lks S.
of cor. to Secs. 30 and 31
from which cor. I run
S 89° 47' E. on a true line between
Secs. 30 and 31
Va 12°49' E.
3242 Set post deposited charred stake
raised mound of earth with pits
as per instruction for 1/4 Sec. cor.
7242 The cor. to Secs. 29, 30 31 & 32
Land, gently rolling Soil 2nd rate

---

North between Secs. 29 & 30
Va 12°49' E.



Township 14 N. Range 8 W. 6th P.M.

4000 Set post deposited charred stake
raised mound of earth with pits
as per instruction for 1/4 Sec. cor.
8000 Set post deposited charred stake
raised mound of earth with pits
as per instruction for cor. to
Secs. 19, 20 29 & 30
Land gently rolling Soil 2nd rate

---

East on a random line between
Secs. 20 and 29
Va 12°49' E.
4000 Set post for temporary 1/4 Sec. cor.
7996 Intersected N. & S. line 16 lks N.
of cor. to Secs. 20 21 28 and 29
from which cor. I run
N. 89° 53' W. on a true line between
Secs. 20 and 29
Va 12°49' E.
3995 Set post deposited charred stake
raised mound of earth with pits
as per instruction for 1/4 Sec. cor.

Township 14 N. Range 8 W. 6th P. M.

7990 The cor. to Secs. 19. 20. 29 & 30
Land nearly level Soil 2nd rate

West on a random line between
Secs. 19 and 30
Va. 12° 49' E.

4000 Set post for temporary 1/4 Sec. cor.
7112 Intersected W. Boundary at cor.
to Secs. 19. and 30
from which cor. I run
East on a true line between
Secs. 19. and 30.
Va. 12° 49' E.

3112 Set post deposited charred stake
raised mound of earth with pits
as per instruction for 1/4 Sec. cor.
7112 The cor. to Secs. 19. 20 29 & 30
Land rolling Soil 2nd rate

North between Secs. 19 and 20
Va. 12° 49' E.

4000 Set post deposited charred stake



Township 14 N. Range 8 W. 6th P. M.

raised mound of earth with pits
as per instruction for 1/4 Sec. cor.
8000 Set post deposited charred stake
raised mound of earth with pits
as per instruction for cor
to Secs. 17. 18. 19. and 20
Land, level Soil 2nd rate
September 30th 1866

East on a random line between
Secs. 17. and 20
Va. 12° 49' E.

4000 Set post for temporary 1/4 Sec. cor.
7996 Intersected N. & S. line 38 lks N.
of cor. to Secs 16 17. 20. & 21
from which cor I run
N. 89° 44' W. on a true line between
Secs. 17 and 20
Va. 12° 49' E.

3998 Set post deposited charred stake
raised mound of earth with pits
as per instruction for 1/4 Sec. cor.

Township 14 N. Range 8 W. 6th P. M.

| | |
|---|---|
| 7.96 | The cor. to Secs. 17. 18. 19. and 20 Land. Nearly level Soil 2d rate |
| | West on a random line between Secs. 18. and 19. Va. 12°49' E |
| 40.00 | Set post for temporary 1/4 Sec. cor. |
| 70.22 | Intersected Wst Boundary 10 lks W. of cor. to Secs. 18. and 19 from which cor. I run N. 89°55' E on a true line between Secs. 18 and 19. Va. 12°49' E |
| 30.22 | Set post deposited charred stake raised mound of earth with pits as per instruction for 1/4 Sec. cor. |
| 70.22 | The cor. to Secs. 17. 18. 19. & 20 Land. gently rolling Soil 2d rate |
| | North between Secs. 17 and 18 Va. 12°55' E |
| 40.00 | Set post deposited charred stake |



Township 14 N. Range 8 W. 6th P. M.

| | |
|---|---|
| | raised mound of earth with pits as per instruction for 1/4 Sec. cor. |
| 80.00 | Set post deposited charred stake raised mound of earth with pits as per instruction for cor. to Secs. 7. 8. 17. and 18 Land nearly level Soil 2d rate |
| | East on a random between Secs. 8. and 17. Va. 12°49' E. |
| 40.00 | Set post for temporary 1/4 Sec. cor. |
| 80.08 | Intersected N. & S. 40 lks W. of cor. to Secs. 8. 9. 16 & 17 from which cor. I run N. 89°43' W. on a true line between Secs. 8 and 17. Va. 12°49' E |
| 40.04 | Set post deposited charred stake raised mound of earth with pits as per instruction for 1/4 Sec. cor. |
| 80.08 | The cor. to Secs. 7. 8. 17. and 18. Land nearly level Soil 2d rate |

Township 14 N. Range 8 W. 6th P.M.

West on a random line between Secs. 7 and 18

Var. 12°49' E.

4000 Set post for temporary 1/4 Sec. cor.
6984 Intersected W. Boundary 24 lks. S. of cor. to Secs. 7 and 18 from which cor. I run S 89° 48' E on a true line between Secs. 7. and 18.

Var. 12°49' E.

2984 Set post deposited charred stake raised mound of earth with pits as per instruction for 1/4 Sec. cor.
6984 The cor. to Secs. 7, 8, 17, and 18.
Land rolling Soil 2nd rate

North between Secs. 7 and 8

Var. 12°55' E.

4000 Set post deposited charred stake raised mound of earth with pits as per instruction for 1/4 Sec. cor.
4246 Drain bear. N E.
8000 Set post deposited charred stake



Township 14 N. Range 8 W. 6th P.M.

raised mound of earth with pits as per instruction for cor. to Secs. 5, 6, 7, and 8
Land nearly level Soil 2nd rate

East on a random line between Secs. 5 and 8

Var. 12°49' E.

4000 Set post for temporary 1/4 Sec. cor.
7990 Intersected N. & S. line 54 lks. N. of cor. to Secs. 4, 5, 8 and 9, from which cor. I run N. 89° 37' W. on a true line between Secs. 5 and 8

Var. 12°49' E.

3995 Set post deposited charred stake raised mound of earth with pits as per instruction for 1/4 Sec. cor.
7990 The cor. to Secs. 5, 6, 7 and 8.
Land, gently rolling Soil 2nd rate

West on a random line between Secs. 6 and 7

Township 14 N. Range 8 W. 6th P. M.

| | |
|---|---|
| | Va 12°49' E |
| 4000 | Set post for temporary 1/4 Sec. cor. |
| 6934 | Intersected West Boundary 38 lks S. of cor. to Secs. 6 and 7. from which cor. I run So 89°41' E. on a true line between Secs 6 and 7. |
| | Va 12°49' E |
| 2934 | Set post deposited charred stake raised mound of earth with pits as per instruction for 1/4 Sec. cor. |
| 6934 | The cor. to Secs. 5. 6. 7 and 8 Land rolling Soil 2d rate |
| | North on a random line between Secs. 5 and 6 |
| | Va 13°00' E. |
| 4000 | Set post for temporary 1/4 Sec. cor. |
| 7968 | Intersected North Boundary 25 lks E. of cor. to Secs. 5 and 6 from which cor. I run S. 0 11' E on a true line between Secs 5 and 6. |



Township 14 N. Range 8 W. 6th P. M.

| | |
|---|---|
| | Va 13°00' E |
| 3968 | Set post deposited charred stake raised mound of earth with pits as per instruction for 1/4 Sec. cor. |
| 7968 | The cor. to Secs. 5. 6. 7 and 8. Land nearly level Soil 2d rate Survey Completed Oct. 1st 1866 |

By Robert Armstrong

General Description

The upland in this Township is rather below the common average It is 2d and 3d rate quality and not well adapted to farming.

The surface is rolling Soil Sandy and apt to wash when cultivated.

The bottom land is level Soil 1st rate and well adapted to cultivation.

We found no timber within this Township

List of Names

A list of the Names of the individuals Employed to assist in running Measuring, or Marking the lines and Corners described in the foregoing field notes of Township No 14 North Range No 8 West of the 6th Principal Meridian in the Territory of Nebraska, Showing the respective capacities in which they acted.

George H. Guerin Chainman
J. C. Letzinger Chainman
Merritt Howard Flagman
Edward Jones Axeman

We hereby certify that we assisted Robert Armstrong deputy Surveyor in Subdividing Townships 19 and 20 North Ranges 7 and 8 West, and fractional Townships 15, 16, 17 and 18 N. Range 8 West. and Township 14 North. Range 8 West of the 6th P.M. and that said Townships have been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to instructions furnished by the Surveyor General and that all the Corner boundaries have been constructed of not less size than the dimensions described in the printed Manual of Surveying Instructions dated Feby. 22d 1855. and the instructions to Surveyors General. dated

June 1st 1864. Marked and conditioned in every respect as therein required,

G H Guernsey Chainman
J. C. Litzinger Chainman
Merit Howard Flagman
Edw Jones Axeman

Subscribed and sworn to by the above named persons, before me a Justice of the peace in and for the County of Hall in the Territory of Nebraska this 9 day of October 1866

W. H. Mitchell
Justice of the peace

We hereby certify that we assisted Leroy C Wright Deputy Surveyor in Surveying the Subdivision lines of Fractional Township 18 North of Ranges 4 5 6 and 7 West; Townships 19 and 20 North of Ranges 4 5 and 6 West; Fractional Township 15 North of Rang 7 West and Township 18 North of Range 8 West of the 6th Principal Meridian and that said Townships has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General and that all the corner boundaries are not constructed of less size than the dimensions prescribed in

the Printed Manual of instruc-
-tions dated Feb 22nd 1855 and the
instructions to Surveyors General
dated June 1st 1864. marked
and conditioned in every respect
as therein required.

Thos. Danford Chainman
Daniel White Chainman
William H Greeney Flagman
Geo E Gestort Aiman

Subscribed and sworn to by
the above named persons
before me A Justice of the
peace in and for the County
of Hall and the Ter of
Nebraska this 9th day of
October A.D. 1866

W. H. Mitchell
Justice of the peace

I Robert Armstrong Deputy Surveyor, do solemnly swear that, in pursuance of a joint-Contract, wherein Robert Armstrong and Leroy G. Wright are joint-Contractors with H. S. Sleeper United States Surveyor General for Kansas and Nebraska, bearing date the 15th day of May 1866 I have well, faithfuley, and truley, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those parts or portions of Townships 19 and 20 N. of Range 7 and 8 W. Fractional Township 15.16.17 and 18 N. of Range 8 W. Township 14 N of Range 8 W. of the 6th Principal Meridian as are represented in the forgoing field

notes as having been surveyed under my directions; and I do further solemnly swear that ~~that~~ all the corners of said Survey have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and that the foregoing are the ~~and~~ original field Notes of such Survey.

Robert Armstrong
Deputy Surveyor

Subscribed by Robert Armstrong, Deputy Surveyor, and sworn to before me, a Justice of the Peace for Leavenworth county, in the State of Kansas, this 1st day of November 1866.

S. B. Williams J.P.

I Leroy O Wright Deputy Surveyor, do solemnly swear that in pursuance of a joint contract wherein Robert Armstrong and Leroy O Wright are joint contractors with H. A. Sleeper United States Surveyor General for Kansas and Nebraska, bearing date the 15th day of May 1866 I have well, faithfully, and truly in my own proper person, and in strict conformity with the instructions furnished by the Surveyor General the Surveying Manual, and the laws of the United States, surveyed all those parts or portions of Fractional Township 18

North of Range 4 5 6 and 7 West. Townships 19 and 20 North of Range 4. 5 and 6 West. Fractional Township 15 North of Range 7 West and Township 13 North of Range 8 West of the 6 principal Meridian as are represented in the foregoing field notes as having been Surveyed under my direction. and I do further solemnly swear that all the corners of said Surveys have been established and perpetuated in Strict ~~conformity~~ accordance with the Surveying Manual and printed instructions and that the foregoing are the original field Notes of such Survey

Leroy O. Wright
Deputy Surveyor



Subscribed by Leroy O Wright Deputy Surveyor and sworn to before me a justice of the peace for Leavenworth County in the State of Kansas. This 1st day of November 1866

J. B. Williams J.P.

Surveyor General's Office,
Leavenworth, Kansas,

The foregoing field notes of the survey of the Subdivisional lines of Townships 13 and 14 North, of Range 8 West; Townships 19 and 20 North, of Ranges 4. 5. 6. and 8. West; Fractional Township 15. North, of Range 7 West; Fractional Townships 15. 16. 17. and 18 North, of Range 8 West; and Fractional Township 18 North, of Ranges 4. 5. 6 and 7 West, of the sixth Principal Meridian, in the Territory of Nebraska, executed by Robert Armstrong and Leroy O Wright, under their joint Contract No 315, of the 15 day of May, A.D. 1866, in the months of June, July, August, September and October 1866, having been critically examined, the necessary corrections and explanations made, the said field notes, and the survey they describe are hereby approved.

W. S. Sleeper
Surveyor General

52/100



Copied J F T

Compd T. and B.

Field Notes of the subdivision lines and meander in Fractional Township No 15 N. Range 8 W. of the 6th Principal Meridian in the Territory of Nebraska.

Surveyed by Robert Armstrong Deputy Surveyor. Under joint Contract No 315. dated May 15th 1866, Wherein Armstrong and Wight are joint contractors.

Survey

Commenced Sept 17th 1866.
Completed Sept 22nd 1866.

D. L. made

Names and Duties of Assistants

G. H. Guerin Chainman
J. C. Litzinger Chainman
Merit Howard Flagman
Edward Jones Axeman



Fract. Township No 15 N Range No 8 W 6 P. M.




[illegible] Sec. 35 & 36
Vn 12° 52' E.

To determine the proper adjustment of my Compass for subdividing the Fractional Township I Commence at the Corner to Townships 14 and 15 N. Ranges 7 and 8 W. and run North on a blank line along the East Boundary of Sec. 36 Va 13° 00' E.

40.04 To a point 10 lks W of ¼ sec cor.

80.06 To a point 19 lks W of the cor. to Secs. 25 and 36.

To retrace this line or run parallel thereto my Compass must be adjusted to a Va of 12° 52' E.

Subdivision Commenced Sept 17th 1866

From the cor. to Secs. 1. 2. 35 and 36 on the South Boundary of the Township. I run North between Secs. 35 + 36 Va 12° 52' E.

# Fractional T15N. Range 8W. 6th P.M.

| | |
|---|---|
| 40.00 | Set post deposited Charred stake raise mound of earth with pits as per instructions for 1/4 Sec. Cor. |
| 53.00 | Leave upland and Enter bottom bears E and W. |
| 80.00 | Set post deposited Charred stake raised a mound of earth with pits as per instructions for Cor. to Secs. 25. 26. 35 and 36. Land. upland broken and Soil Sandy 3rd rate |
| | Bottom level. 1st rate |

East on random line between Secs. 25 and 36.
Va 12°00' E.

| | |
|---|---|
| 40.00 | Set post for temp or any 1/4 Sec cor. |
| 74.00 | Leave Bottom and enter upland bears N.E & S.W. |
| 80.02 | Intersected East Boundary of Township at the Corner to Secs. 25 and 36 from which Cor. I run West on true line between Secs. 25 and 36. |



# Fractional T15N. Range 8W. 6th P.M.

Va. 12°00' E.

| | |
|---|---|
| 40.01 | Set post deposited Charred stake raised mound of earth with pits as per instruction for 1/4 Sec cor. |
| 80.02 | The Cor. to Secs. 25. 26. 35 & 36. Land mostly level bottom 2nd rate |

North between Secs. 25 & 26.
Va 12°52' E.

| | |
|---|---|
| 40.00 | Set post deposited Charred stake raised mound of earth with pits as per instructions for 1/4 Sec cor. |
| 80.00 | Set post deposited Charred stake raised mound of earth with pits as per instructions for Cor. to Secs 23. 24. 25 & 26. Land level Soil 2nd rate. |

East on random line between Secs. 24 and 25

Fractional T15 N. Range 8 W. 6th P.M.

Va. 12°00' E.

40.00 Set post for temporary 1/4 Sec Cor.

80.08 Intersected East Boundary 8 lks South of the Cor to Secs. 24 and 25, from which Cor I run,

S 89°57' W. on a true line between Secs. 24 and 25.

Va 12°00' E

40.04 Set post deposited Charred stake raised mound of earth with pits as per instructions for 1/4 Sec Cor.

80.08 The Cor. to Secs. 23, 24, 25 and 26.

Land level ~~rolling~~ Soil 2 rate

North between Secs. 23 & 24

Va. 12°52' E.

40.00 Set post deposited Charred stake raised Mound of earth



Fractional T15 N. R 8 W. 6th P.M.

with pits as per instructions for 1/4 Sec Cor.

80.00 Set post deposited Charred stake raised Mound of earth with pits as per instructions for Cor to Secs. 13, 14, 23 and 24.

Land level Soil 2 rate

East on random line between Secs. 13 and 24

Va. 12°00' E.

40.00 Set post for temporary 1/4 Sec Cor.

80.04 Intersected East Boundary 15 lks N. of the Cor to Secs 13 and 24 from which Cor I run,

N 89°54' W. on true line between Secs. 13 and 24

Va 12°00' E.

40.02 Set post deposited Charred stake raised Mound of earth

Fractional T 15 N. Range 8 W. 6 P.M.

with pits as per instructions for 1/4 Sec cor.
8004 The Cor. to Secs. 13. 14, 23 and 24,
Land level Soil Sandy 2nd rate

North on a true line between Fractional Secs. 13 and 14
Va. 12°52' E.
4.42 Intersected South Boundary of Pawnee Reserve 14.45 Chs. E of Mile Cor.
Set post deposited Charred Stake raised Mound of earth with pits as per instructions for Closing Cor. to Fracl Secs. 13 and 14
Land level Soil 2 rate
Sept 17th 1866

North between Secs. 34 & 35
Va 12°52' E.
3500 Leave upland and Enter bottom



Fractional T 15 N. Range 8 W.

bears E and W.
4000 Set post deposited Charred Stake raised Mound of earth with pits as per instructions for 1/4 Sec cor.
8000 Set post deposited Charred Stake raised Mound of earth with pits as per instructions for Cor. to Secs. 26. 27. 34 & 35
Land. upland rolling 2 rate bottom level Soil 1st rate

East on random line between Secs. 26 and 35
Va. 12°00' E.
4000 Set post for temporary 1/4 Sec. cor.
8000 Intersected N and S line 24 lks N. of the cor to Secs. 25, 26. 35 and 36. from which cor. I run.
N 89°50' W. on true line between Secs. 26 and 35
Va 12°00' E.

## Fractional T15 N. Range 8 W. 6th P.M.

| | |
|---|---|
| 40.00 | Set post deposited Charred stake raised mound of earth with pits as per instructions for ¼ Sec Cor. |
| 80.00 | The Cor to Sec's. 26. 27. 34 & 35 Land level Soil 1st rate |
| | North between Sec's. 26 and 27. Va 12°52' E |
| 40.00 | Set post deposited Charred stake raised mound of earth with pits as per instructions for ¼ Sec. Cor. |
| 80.00 | Set post deposited Charred stake raised mound of earth with pits as per instructions for Cor to Sec's. 22, 23, 26 and 27 Land level Soil 1st rate |
| | East on random line between Sec's. 23 and 26 Va 12°00' E. |
| 40.00 | Set post for temporary ¼ Sec cor |



## Fractional T 15 N. Range 8 W. of 6th P.M.

| | |
|---|---|
| 79.84 | Intersected N and S line 9 lks S. of the Cor to Sec's. 23, 24. 25 and 26 from which Cor I run. S 89°56' W. on a true line between Sec's. 23 and 26. Va. 12°00' East |
| 39.92 | Set post deposited Charred stake raised mound of earth with pits as per instructions for ¼ Sec Cor. |
| 79.84 | The cor to Sec's. 22. 23. 26 & 27. Land level Soil 1st rate |
| | North between Sec's. 22 & 23. Va. 12°52' E. |
| 40.00 | Set post deposited Charred stake raised mound of earth with pits as per instruction for ¼ Sec. Cor. |
| 76.90 | Slough 27 lks wide bears E. and W. North side of Slough enter willow thicket bears E and W. |

Fractional T15 N. Range 8 W of 6th P.M.

80.00 Set post deposited Charred stake raised mound of earth with pits as per instructions for Cor. to Sec. 14. 15. 22 and 23. Land level bottom Soil 1 rate.

East on random line between Sec. 14 and 23.
Va. 12°00' E.

23.50 Leave Willow thicket bears S.W. and N.E.

30.65 Slough 175 lks wide bears N.E. and S.W.

40.10 Set post for temporary 1/4 sec. cor.

79.92 Intersected N and S line 19 lks N. of the cor. to Sec. 13. 14. 23 & 24 from which cor. I run. N. 89° 52 W on a true line between Sec. 14 and 23.
Va. 12°00' E.

39.96 Set post deposited Charred stake raised mound of earth



Fractional T15 N. Range 8 W. 6th P.M.

with pits as per instructions for 1/4 Sec. cor.

79.92 The cor. to Sec. 14. 15. 22 & 23. Land nearly level Soil 1st rate

North between fractional Sec. 14 and 15.
Va 12°52' E.

2.34 Intersected S. Boundary of Pawnee Reserve 16.15 Ch. East of Mile cor.
Set post deposited Charred stake raised mound of earth with pits as per instructions for Closing to fractional Sec. 14 and 15
Land level Soil 1st rate
Sept. 18th 1866.

North between Sec. 33 and 34
Va 12°52' E.

25.00 Leave upland and enter bottom bears E and W.

40.00 Set post deposited Charred

Fractional T 15 N. Range 8 W. 6th P.M.

| | |
|---|---|
| | Stake raised mound of earth with pits as per instructions for ¼ Sec. cor. |
| 8000 | Set post deposited charred stake raised mound of earth with pits as per instructions for cor to Sec. 27. 28. 33 + 34. Land, uplands broken Soil Sandy 3 rate, bottom level Soil 2nd rate. |
| | East on random line between Sec. 27 and 34 Va. 12.00 E. |
| 4000 | Set post for temporary ¼ Sec cor. |
| 79.96 | Intersected N and S line 4 lks South of the cor. to Sec. 26 27. 34 + 35. from which cor I run. S 89° 58 W on true line between Sec. 27 and 34 Va 12.00 E |



Fractional T 15 N. Range 8 W. 6 P.M.

| | |
|---|---|
| 39.98 | Set post deposited charred stake raised mound of earth with pits as per instructions for ¼ Sec cor. |
| 79.96 | The cor. to Sec. 27. 28. 33 + 34 Land level Soil 1st rate |
| | North between Sec. 27 + 28 Va. 12.32 E. |
| 4000 | Set post deposited charred stake raised mound of earth with pits as per instructions for ¼ Sec cor. |
| 8000 | Set post deposited charred stake raised mound of earth with pits as per instructions for Cor. to Sec. 21. 22 27 and 28. Land, level Soil sandy 2 rate |
| | East on random line between Sec. 22 and 27. Va. 12.00 E. |

Fractional T15 N. Range 8 W. 6th P.M.

| | |
|---|---|
| 40.00 | Set post for temporary 1/4 Sec cor. |
| 79.84 | Intersected N. and S line at the Cor. to Secs. 22. 23. 26 and 27, from which cor. I run West on true line between Secs. 22 and 27. Va 12°00' E. |
| 39.92 | Set post deposited Charred Stake raised Mound of earth with pits as per instructions for 1/4 Sec. cor. |
| 79.84 | The Cor. to Secs. 21. 22. 27 and 28. Land level Soil 1st rate |

North between Secs 21 and 22.
Va. 12.52 E.

| | |
|---|---|
| 40.00 | Set post deposited Charred Stake raised Mound of earth with pits as per instructions for 1/4 Sec cor. |
| 80.00 | Set post deposited Charred Stake raised Mound of earth with pits as per instruction |



Fractional T15 N. Range 8 W.

for cor to Secs. 15. 16. 21 + 22.
Land. level Soil 1st rate

East on random line between Secs. 15 and 22
Va. 12°00' E.

| | |
|---|---|
| 40.00 | Set post for temporary 1/4 Sec cor. |
| 55.40 | Slough 130 lks wide bears S.E. and N.W. and enter Willow thicket |
| 79.94 | Intersected N and S line 20 lks. N. of the cor to Secs. 14. 15. 22 and 22. from which corner I run N 89°.51' W. on true line between Secs. 15 and 22. Va 12°00' E. |
| 39.97 | ~~Set~~ post deposited Charred Stake raised mound of earth with pits as per instruction for 1/4 Sec cor. |
| 79.94 | The Cor to Secs. 15. 16. 21 and 22. Land. level Soil 1st rate |

Fractional T15 N. Range 8 W. 6th P.M.

North between Fractional
Sec. 15 and 16
Va 12.52 C.

2,88 Intersected South Boundary of
Pawnee Reserve 16.70 Chains
East of Mile Cor.
Set first deposited Charred stake
raised Mound of earth with
pit as per instructions for
Cor to Fractional Sec. 15 and 16,
Land, level Soil 1st rate
Sept 19th 1866.

---

North between Sec. 32 and 33,
Va. 12.52 C.

22,00 Leave upland and enter bottom
bears E and W.

40,00 Set post deposited Charred
stake raised Mound of earth
with pit as per instructions
for 1/4 Sec Cor.

8,00 Set post deposited charred stake



Fractional T15 N. Range 8 W. 6th P.M.

raised mound of earth with
pits as per instructions for.
Cor. to Sec. 28. 29. 32 and 33.
Land, upland rolling 2 rate
bottom level Soil 1st rate

---

East on random line between
Sec. 28 and 33.
Va. 12.00 C.

40,00 Set post for temporary 1/4 Sec. cor.

80,00 Intersected N and S. line 41 lks
S. of the Cor to Sec. 27. 28. 33
and 34. from which Cor bears
S. 89° 42' W on true line between
Sec. 28 and 33.
Va. 12.00 C.

40,00 Set post deposited Charred
stake raised Mound of earth
with pits as per instructions
for 1/4 Sec Cor.

80,00 The Cor. to Sec. 28. 29. 32 and 33,
Land level Soil 1st rate

Fractional T15 N. Range 8 W. 6th P.M.

North between Secs. 28 and 29.
Va 12°52' E.

40.00 Set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 Sec cor.

80.00 Set post deposited charred stake raised mound of earth with pits as per instructions for cor to Secs. 20. 21. 28 and 29
Land level Soil 1st rate

East on random line between Secs. 21 and 28.
Va. 12°00' E.

40.00 Set post for temporary 1/4 Sec cor.

79.37 Intersected N and S line 64 lks S. of the cor. to Secs. 21. 22. 27 and 28. from which cor. I run S 89°33' W. on a true line between Secs. 21 and 28.
Va. 12°00' E.



Fractional T15 N. Range 8 W. 6th P.M.

39.68 Set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 Sec cor.

79.37 The cor. to Secs. 20. 21. 28 + 29.
Land level Soil 1st rate

North between Secs. 20 and 21
Va. 12°52' E.

40.00 Set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 Sec cor.

80.00 Set post deposited charred stake raised mound of earth with pits as per instructions for cor to Secs. 16. 17. 20 and 21.
Land. level Soil 1st rate.

East on random line between Secs. 16 and 21
Va. 12°00' E.

| | |
|---|---|
| 40.00 | Set post for temporary 1/4 Sec cor. |
| 79.36 | Intersected N & S line 72 lks E of the cor. to Sec. 15.16.21 and 22. from which cor I run S 89° 29' West on true line between Sec. 16 and 21. Va. 12°00' E. |
| 39.68 | Set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 Sec cor. |
| 79.36 | The cor. to Sec. 16.17.20 and 21. Land level Soil 1st rate |
| | North between fractional Sec. 16 and 17. Va. 12°52' E. |
| 3.62 | Intersected S. Boundary of Pawnee Reserve 18.62 East of Mile cor. Set post deposited Charred stake raised mound of earth with pits as per instructions |





| | |
|---|---|
| | for Closing Cor. to Fractional Sec. 16 and 17. Land, level Soil 1st rate Sep 20th 1866. |
| | North between Sec. 31 and 32. Va 12°52' E. |
| 40.00 | Set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 Sec cor. |
| 46.50 | Leave upland and enter bottom bears E and W. |
| 80.00 | Set post deposited Charred stake raised mound of earth with pits as per instructions for cor. to Sec. 29.30.31 and 32 Land nearly level Soil 2 rate |
| | East on random line between Sec. 29 and 32. Va 12°00' E. |
| 40.00 | Set post for temporary 1/4 Sec cor. |

Fractional T. 15 N. Range 8 W. 6th P.M.

79.58 Intersected N and S line 45 lks S of the cor. to Secs. 28. 29. 32 and 33, from which cor. I run S 89°41' W. on true line between Secs. 29 and 32,
Va 12°00' E.

39.79 Set post deposited Charred stake raised mound of earth with pits as per instructions for 1/4 Sec cor.

79.58 The cor. to Secs. 29. 30. 31 and 32,
Land level Soil 2nd rate

---

West on a random line between Secs. 30 and 31
Va 12°00' E.

40.00 Set a post for temporary 1/4 Sec cor.
62.00 Leave upland and enter bottom bears N.W. & S.E.
66.76 Intersected West Boundary 80 lks N. of the cor. to Secs. 30 and 31, from which cor. I run N 89°19' E. on true line between Secs. 30 and 31
Va 12°00' E.



Fractional T. 15 N. Range 8 W. 6th P.M.

26.76 Set post deposited Charred stake raised mound of earth with pits as per instructions for 1/4 Sec cor.

66.76 The cor. to Secs. 29. 30. 31 and 32,
Land level Soil 2 rate

---

North between Secs. 29 & 30
Va. 13°00' E.

40.00 Set post deposited Charred stake raised mound of earth with pits as per instructions for 1/4 Sec. cor.

80.00 Set post deposited Charred stake raised mound of earth with pits as per instructions for cor. to Secs. 19. 20. 29 and 30.
Land rolling Soil 2nd rate

---

East on random line between Secs. 20 and 29.
Va 12°00' E.

Fractional T 15 N. Range 8 W. 6th P.M.

40.00 Set post for temporary ¼ sec cor.
79.46 Intersected N and S line 57 lks S of the cor. to Sec 20. 21. 28 and 29 from which cor. I run,
S 89° 36' W. on a true line between Sec. 20 and 29
Va. 12° 00' E.
39.73 Set post deposited Charred Stake raised Mound of earth with pits as per instructions for ¼ Sec. cor.
79.46 The cor. to Sec. 19. 20. 29 & 30, Land level Soil 1st rate

West on random line between Sec. 19 and 30.
Va. 12° 34' E.
40.00 Set post for temporary ¼ sec. cor.
66.32 Intersected West Boundary 12 lks N. of the cor. to sec. 19 and 30, from which cor. I run



Fractional T 15 N. Range 8 W.

N. 89° 34' E. on a true line between Sec. 19 and 30
Va 12° 34' E
26.32 Set post deposited Charred Stake raised mound of earth with pits as per instructions for ¼ Sec. cor.
66.32 The cor. to Sec. 19. 20. 29 and 30, Land level Soil 2nd rate

North between sec. 19 & 20
Va. 13° 15' E.
40.00 Set post deposited Charred Stake raised Mound of earth with pits as per. instructions for ¼ Sec. cor.
80.00 Set post deposited Charred Stake raised Mound of earth with pits as per. instructions for. Cor. to Sec. 17. 18. 19 and 20.
Land level Soil 2nd rate

Fractional T15 N. Range 8 W. 6th P.M.

East on random line
between Secs. 17 and 20.
Va 12°00' East

40.00 Set post for temporary ¼ Sec. cor.
79.42 Intersected N and S line 14 lks.
S. of the cor. to Secs. 16. 17. 20
and 21. from which cor. I run
S 89°34' W. on a true line
between Secs. 17 and 20
Va 12°00' E.
39.71 Set post deposited charred
stake raised mound of earth
with pits as per instructions
for ¼ Sec. cor.
79.42 The cor. to Secs. 17. 18. 19 and 20.
Land level Soil 1st rate

West on random line between
Secs. 18 and 19
Va. 12°34' E.
40.00 Set post for temporary ¼ Sec. cor.
66.22 Intersected West Boundary 8 links
North of the cor. to Secs. 18 and 19.



Fractional T15 N. Range 8 W. of 6th P.M.

from which cor I run
N. 89°56 E. on a true line between
Secs. 18 and 19.
Va 12°34' E.
26.22 Set post deposited charred
stake raised mound of earth
with pits as per instructions
for ¼ Sec. cor.
66.22 The cor to Secs. 17. 18. 19 and 20.
Land level Soil 2nd rate

North between Fractional Secs
17 and 18
Va 13°15' E.
4.10 Intersected South Boundary of
Pawnee Reserve 19.15 lks. East
of Mile Cor.
Set post deposited charred stake
raised mound of earth with pits
as per instructions for Closing cor
to fractional Secs. 17 and 18.
Land level Soil 1st rate
Sept 21st 1866.

Fractional T15 N. Range 8 W. of 6th P.M.

East on a true line between
Sec. 6 and 7.
Va 13° 10' E.

8.50 Spring branch 20 lks wide runs S.E.

15.15 Leave scattering timber bears N & S.

39.52 Pavin scattering timber on bank bears S.

40.00 Set post deposited Charred stake for 1/4 Sec Cor. from which
A Cottonwood 9 in dia. bears S 23° E 21 lks dist
A Cottonwood 8 in dia bears N. 74 3/4 W. 16 lks dist.

48.80 Intersected West Boundary of Pawnee Reserve 4.11 Chs South of Mile Cor.
Set post deposited Charred stake raised mound of earth with pits as per instructions for Closing Cor to fractional Sec 6 and 7.
Land broken Soil 2 rate
Timber. Cottonwood Oak. Willow



Fractional T15 N. Range 8 W. of 6th P.M.

and Ash. Undergrowth same Vines

Meanders of the left bank of Loups Fork through fractional Sec. 7.
Begin at the corner to fractional Sec. 7. and 12. in the West Boundary of the Township and on the left and N. bank of the river, and run thence down stream with the meanders of the left bank of said river in fractional Section 7. as follows.

N 79° E 9.00 chs. Leave prairie and enter timber from N.E.
" " timber from N.E.

S 84 3/4 E 7.00 " At 30 lks across out-let to
" Slough 30 lks wide from N.E.

N 84 1/2 E. 6.00 "

S 88° E 6.00 "

S 53 3/4 E. 4.00 "

S 72 1/4 E 2.00 "

S 84 1/4 E 15.00 " } at 1.00 ch opposite head of small Island To West Boundary of Pawnee Reserve 74.75 chs. South of Mile cor. Here Set post deposited Charred Stake dug

Fractional T15 N. Range 8 W. of 6th P.M.

a pit - as per instructions. for
Meander or Closing Cor. to Fractional
Section 7. from which
A Cottonwood 11 in dia bears N25°
West dist - 90 lks.
Land level Soil 2nd rate,
Timber Cottonwood ash and Willow
Undergrowth Same and Vines.

Meanders of Loupe Fork through fractional
Section 18.
Begin at the corner. to fractional
Sec. 13 and 18 in the West Boundary
of the Township and on right and
South bank of the river. and run
thence down stream with the meanders
of the right bank of said river. in
fractional Section 18. as follows
N 80¼ E 4.00 Chs.
N 82° E 5.00 "
N 85° E 4.00 "
S 80¾ E 3.00 "
S 75¼ E 6.00 "



Fractional Township 15 N. Range 8 W. of 6th P.M.

N 85¼ E 8.00 Chs.
S 81¼ E 9.00 " at 4.00 chs. to head of small
Island
S 74¼ E 9.45 " } at 4.50 Chs. outlet of Slough 30 lks wide from SW
at the Slough leave timber & enter prairie from SW
to the West Boundary of
Pawnee Reserve 70.07 Chs. North
of the S.W. Corner of Said Reserve
Set post - deposited charred
stake raised Mound of earth
with pits - as per instructions for
Closing or Meander Cor. to fractional
Sec 18.
Land level Soil 1st rate.
Timber Cottonwood, ash, Elm and
Willow. Undergrowth Same,
Dogwood, and Vines.
Survey Completed September 22nd, 1866,
by Robert Armstrong

## General Description

This fractional Township contains a large amount of bottom land 1st and 2nd rate quality and well adapted to farming.

The uplands are generally rolling 2nd and 3rd rate quality and not well adapted to Cultivation

Timber Chiefly Oak ash Willow and Cottonwood. Undergrowth Same Dogwood and Vines



## List of Names

A list of the names of the individuals employed to assist in running measuring or marking the lines and corners described in the forgoing field notes of Fractional Township 15 North of the Base line of Range No 8 West of the 6th Principal Meridian in the Territory of Nebraska, Showing the respective capacities in which they acted

| | |
|---|---|
| George H Guerin | Chainman |
| John C Litzinger | Chainman |
| Meritt Howard | Flagman |
| Edward Jones | Axeman |

Platter W. B.C.

Copied J.H.T.
Compd. T.+M.
D.L. made [illegible]

Field Notes of the subdivision lines in Fractional Township No. 16 N. Range No. 8 West of the 6th P.M. in the Territory of Nebraska. Surveyed by Robert Armstrong Deputy Surveyor. Under joint contract No. 315. dated May 15th 1866. Wherein Armstrong and Wight are joint contractors.

Survey

Commenced Sept 11th 1866
Completed Sept 11th 1866.

Names and duties of Assistants

| | |
|---|---|
| Geo. H Guerin | Chainman |
| John C Litzinger | Chainman |
| Merritt Howard | Flagman |
| Edward Jones | Axeman. |



Fract. Township No. 6 N. Range No. 5 W. 6 P. M.

| | | | | | |
|---|---|---|---|---|---|
| 6 | 5 | 4 | 3 | 2 | 1 |
| 5 | | | | | |
| 7 | 8 | 9 | 10 | 11 | 12 |
| 4 | | | | | |
| 18 | 17 | 16 | 15 | 14 | 13 |
| 3 | | | | | |
| 19 | 20 | 21 | 22 | 23 | 24 |
| 2 | | | | | |
| 30 | 29 | 28 | 27 | 26 | 25 |
| 1 | | | | | |
| 31 | 32 | 33 | 34 | 35 | 36 |

West Boundary Pawnee Basin

Fractional Sec. 30 & 31
Vn 13°10' E.

To determine the proper adjustment of my Compass for subdividing this Fractional Township I commence at the corner to Townships 15 and 16 N. Ranges 8 and 9 West and run, N. orth on a blank line along the West boundary of Sec. 31. Va 13°. 12' E.

4000 To a point - 3 lks W. of 1/4 Sec cor.

8002 To a point - 5 lks W. of the cor. to Secs. 30 and 31.

To retrace this line or run parallel thereto my compass must be adjusted to a Va. of 13°. 10' E.

Subdivision Commenced Sept 11th 1866.

From the corner to Secs. 30 + 31 on the W. Boundary of the Township I run (As per Special instructions) East on a true line between Fractional Secs. 30 + 31 Va 13°. 10' E.

Fractional T16 N. Range 8 W. 6th P.M.

3.60 Leave prairie and enter scattering timber bears N.W and S.E.
13.35 a Ravine bears S.
15.10 Leave scattering timber and enter prairie bears S.S.E. and N.N.W.
33.20 Ravine skirted with timber bears S.W.
40.00 Set post deposited Charred stake raised mound of earth with pits - as per instructions for 1/4 Sec Cor.
50.09 Intersected West Boundary of Pawnee Reserve 6.68 Chains S. of Mile Cor.
Set post deposited Charred stake raised mound of earth with pits - as per instructions for Closing Cor. to Frac'l Secs. 30 & 31
Land Broken Soil 2nd rate
Timber. Oak. Undergrowth Same.

East on true line between Secs. 19 and 30.
Va. 13° 10' E.



Fractional T16 N. Range 8 W. 6th P.M.

25.18 Ravine bears S.E.
40.00 Set post deposited Charred stake raised mound of earth with pits as per instructions for 1/4 Sec. Cor.
50.34 Intersected West Boundary of Pawnee Reserve 7.18 South of Mile Cor.
Set post deposited charred stake raised mound of earth with pits as per instructions for Closing to fractional Secs 19 and 30.
Land broken Soil 3rd rate.

East on a true line between Secs. 18 and 19.
Va 13° 10' E.

40.00 Set post deposited Charred stake raised mound of earth with pits as per instructions for 1/4 Sec. Cor.
51.07 Intersected West Boundary of Pawnee Reserve 7.58 Chs. South-

Fractional T. 16 N. Range 8 W. of 6th P.M.

of Mile Corner,
Set post deposited Charred stake raised Mound of earth with pits as per instructions for Closing Cor. to Fral. Secs 18 and 19
Land rolling Soil 2nd rate

---

East on a true line between Secs. 7 and 18
Va. 13°. 10' E.
24.45 Ravine bears S. E.
40.00 Set post deposited Charred stake raised Mound of earth with pits as per instructions for 1/4 Sec. Cor.
51.56 Intersected West Boundary of Pawnee Reserve 7.81 Chs. South of Mile Cor.
Set post deposited Charred stake raised Mound of earth with pits as per instructions for closing corner to fractional Secs. 17 + 18.



Fractional T. 16 N. Range 8 W. of 6th P.M.

Land rolling Soil 2nd rate

---

East on a true line between Fractional Secs. 6 and 7.
Va. 13°. 10' E.
40.00 Set post deposited Charred stake raised Mound of earth with pits as per instructions for 1/4 Sec. cor.
52.00 Intersected West boundary of Pawnee Reserve 7.27 Chs S. of Mile Corner.
Set post deposited Charred stake raised mound of earth with pits as per instructions for Closing Corner to fractional Secs. 6 and 7.
Land rolling Soil 2nd rate

---

To establish the closing corner to fractional Townships 16 and 17 N. Range 8 W. on the West Boundary of Pawnee Reserve, I begin at the corner to Secs

Fractional T 16 N. Range 8 W. 6th P. M.

5. 6. 31 and 32 Townships 16 and 17 N. Range 8 W. and run West on 4th Standard parallel N. 4.61 Chs. to a point 7.00 Chs. South of mile cor on said Reserve line at which point - I set post deposited charred stake raised mound of earth with pits as per instructions for Closing Cor to fractional Sec. 6 and 31 Townships 16 and 17 N. Range 8 West

Land gently rolling Soil 2nd rate

Survey Completed September 11th 1866.
by Robert Armstrong

General Description

The land in this fractional Township is rather below the common average it 2nd and 3 rate quality Some parts are broken by ravines and apt to wash when cultivated

Timber Chiefly Oak. Undergrowth Same and Grape Vines



List of Names.

A list of the Names of the individuals employed to assist in running measuring & or Marking the lines and Corners described in the foregoing field Notes of Fractional Township No. 16 North of the base line of Range No. 8 West of the 6th Principal Meridian, showing the respective capacities in which they acted

Geo. H. Guerin Chainman
J. C. Litzinger Chainman
Merritt Howard Flagman
Edwin Jones Axeman

# General Land Office • Original Field Notes

## Book Number

# 340

---

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.