General Land Office • Original Field Notes

Book Number

358

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

T.13-16 N.
R. 10 W.
46

Index Diagram
Fourth B.M. 10 W.



3rd Standard Parallel North.

a Exd

Field Notes
Of the Survey and Subdivision of Township 13 North of the base line Range 10 West 6th Principal Meridian, executed by Henry C. Campbell under their joint contract wherein J. B. Park and Henery C. Campbell are joint contractors

Survey: Commenced October 12th 1867
" Completed " 18th " .

List of Names
And duties of assistants
Robert Schaffer Chainman
Francis Cain Chainman
E. W. Boman } Axmen and
Charles Vanalstine } Moundmen

To determine the proper adjustment of my compass for subdividing this Township I commence at the corner to Townships 13 North Ranges 9 and 10 West on the 3rd Standard Parallel North and run North on a blank line along the East Boundary of Sections 36

Va 13° 30' E

40.07 To a point 5 links West of the Quarter Section corner.

80.15 To a point 12 links West of the corner to Sections 25 and 36

To retrace this or run parallel thereto my compass must be adjusted to a variation of 13° 25' E

Township 13 N. R 10 W. 6th Prin. Mer. W.

Chains	From the corner to Sections 35 and 36 in the South Boundary of the Township I run North between Sections 35 and 36
	Va 13°30' E
35,00	Leave bottom and enter hills bearing N.E. and S.W.
40,00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a corner to Sections 25, 26, 35 and 36.
	Land up land hilly prairie Soil 2nd rate

Township 13 N. R 10 W. 6th Prin. Mer. W.

Chains	East on a random line between Sections 25 and 36
	Va 13°30' E
40,00	Set post, for temporary 1/4 Sec. Cor. ~~deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.~~
80,50	Intersect the East Boundary 13 links South of the corner to Sections 25 and 36. from which corner I run
	S 89°54' W, on a true line between Sections 25 and 36.
	Va 13°30' E
40,25	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,50	The corner to Sections 25, 26, 35 & 36 Land hilly prairie, Soil 2nd rate

Township 13 N. R 10 W. 5th Prin. Mer. W

Chains	
	North between Sections 25 and 26
	Va 13°30' E
40.00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a ¼ Sec. Cor.
80.00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a corner to Sections 23.24.25 & 26
	Land hilly prairie, Soil white Sand 3rd rate.

Township 13 N. R. 10 W. 5th Prin. Mer. W.

Chains	
	East on a random line between Sections 24 and 25
	Va 13°30' E
40.00	Set post for temporary ¼ Sec Cor
77.50	Old road bearing N.W. and S.E.
79.95	Intersect East Boundary 19 links North of the corner to Sections 24 & 25 from which Corner I run N. 89° 52' W on a true line between Sections 24 and 25
	Va 13°30' E
39.97½	Set post, deposit charred Stake raised Mound of earth with pits as per instructions for a ¼ Sec Cor
79.95	The corner to Sections 23, 24, 25 & 26 Land rolling Soil 2nd rate

Township 13 N. R 10 W. 6th Prin. Mer. W.

Chains	North between Sections 23 and 24 Va 13°40' E
14,00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
8,00	Set post, deposit charred Stakes raised Mound of earth with pits as per instructions for a corner to Sections 13, 14, 23 and 24
	Land hilly prairie, Soil 2nd rate

Surve
"

Township 13 N. R 10 W. 6th Prin. Mer. W.

Chains	East, on a random true line between Sections 13 and 24 Va 13°40' E
14,00	Set post, for temporary 1/4 Sec. Cor.
79,88	Intersect East Boundary 23 links North of the corner to Sections 13 and 24 from which corner I run N 84°50' W on a true line between Sections 13 & 24 Va 13°40' E,
39,94	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,88	The corner to Sections 13, 14, 23 & 24
	Land hilly prairie, Soil 2nd rate

Township 13 N. R. 10 W. 6th Prin. Mer. W.

Chains	North between Sections 13 and 14
	Va 13° 29' E
23,00	Wagon road bearing N.W. and S.E.
41,00	Set post, deposit charred stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post, deposit charred stakes raised Mound of earth with pits as per instructions for a corner to Sections 11, 12, 13 and 14
	Land rolling prairie, Soil light Sand 2nd rate

Township 13 N. R. 10 W. 6th Prin. Mer. W.

Chains	East on a random line between Sections 12 and 13.
	Va 13° 40' E
40,00	Set post for temporary 1/4 Sec. Cor.
74,70	Intersect East Boundary 9 links North of the corner to Sections 12 & 13 from which corner I run N 89° 56' W on a true line between Sections 12 and 18
	Va 13° 40' E
39,95	Set post, deposit charred stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,90	The corner to Sections 11, 12, 13 & 14
	Land hilly prairie Soil 2nd rate

Township 13 N. R 10 W. 6th Prin. Mer. W.

Chains	
	North between Sections 11 and 12
	Va 13° 40' E
40.00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a corner to Sections 1, 2, 11 and 12
	Land hilly prairie Soil white Sand 3rd rate, not fit for cultivation

Surv. 11

Township 13 N. R 10 W. 6th Prin. Mer. W.

Chains	
	East on a random line between Sections 1 and 12.
	Va 13° 39' E
40.00	Set post, for temporary 1/4 Section Corner
80.43	Intersect East Boundary 7 links South of the corner to Sections 1 and 12 from which corner I run S 89° 57' W. on a true line between Sections 1 and 12
	Va 13° 39' E
40.21½	Set post deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.43	The corner to Section 1, 2, 11 and 12 Land hilly prairie, Soil white Sand 3rd rate, unfit for cultivation

Chains	North on a random line between Sections 1 and 2
	Va 13° 40' E.
40.00	Set post, for temporary 1/4 Sec. cor. ~~deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.~~
80.13	Intersect North Boundary 17 links West of the corner to Sections 1 and 2 from which corner I run S 7 - W. on a true line between Sections 1 & 2
	Va 13° 40' E
40.13	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.13	The corner to Sections 1, 2, 11 and 12 Land hilly prairie, Soil white Sand 3rd rate Not fit for cultivation
	October 13th 1867

Chains	North between Sections 34 and 35
	Va 1 40 E
26.50	Wagon road bearing N.W. and S.E.
40.00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a corner to Sections 26, 27, 34 and 35.
	Land hilly prairie, Soil 2nd rate

Township 13 N. R 10 W. 6th Prin. Mer. W.

Chains	East, on a random line between Sections 26 and 35
	Va 14° E
40,00	Set post, for temporary 1/4 Sec. Cor.
80,11	Intersect N. and S. line 8 links South of the corner to Sections 25, 26, 35 and 36. from which corner I run
Surv. "	S 89° 57' W. on a true line between Sections 26 and 35
	Va 14° E
40,05½	Set post deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec Cor
80,11	The corner to Sections 26, 27, 34 & 35
	Land hilly prairie, Soil 2nd rate

Township 13 N. R 10 W. 6th Prin. Mer. W

Chains	North between Sections 26 and 27
	Va 14° E
40,00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a corner to Sections 22, 23, 26 and 27.
	Land hilly prairie, Soil 2nd rate

Township 13 N. R 10 W. 6th Prin. Mer. W.

Chains	East on a random line between Sections 23 and 26,
	Var 14° E
14,00	Set post, for temporary 1/4 Sec Cor
80,45	Intersect W. and S line 16 links North of the corner to Sections 23, 24, 25 & 26 from which from which corner I run N 89° 54' W, on a true line between Sections 23 and 26,
	Var 14° E
14,22½	Set post, deposit charred stake, raised Mound of earth with pits as per instructions for a 1/4 Sec, Cor,
80,45	The corner to Sections 22, 23, 26 & 27 Land rolling prairie, Soil 2nd rate

Township 13 N. R 10 W. 6th Prin. Mer. W.

Chains	North between Sections 22 and 23
	Var 13° 45' E
14,00	Set post, deposit charred stake, raised Mound of earth with pits as per instructions for a 1/4 Sec, Cor.
80,00	Set post, deposit charred stake, raised Mound of earth with pits as per instructions for a corner to Sections 14, 15, 22 and 23 Land hilly prairie, Soil 2nd rate

Township 13 N. R 10 W. 6th Prin. Mer. W.

0 chains	East on a random line between Sections 23 and 26,
	Var 14° E
14,00	Set post, for temporary 1/4 Sec Cor
80,45	Intersect N. and S line 16 links North of the corner to Sections 23, 24, 25 & 26 from which from which corner I run S N 89° 54' W, on a true line between Sections 23 and 26,
	Var 14° E
40,22	Set post, deposit charred stake, raised Mound of earth with pits as per instructions for a 1/4 Sec, Cor,
80,45	The corner to Sections 22, 23, 26 & 27 Land rolling prairie, Soil 2nd rate

Township 13 N. R 10 W. 6th Prin. Mer. W.

Township 13 N. R 10 W. 6th Prin. Mer. W.

0 chains	North between Sections 21 and 22
	Var 13° 50' E
40,00	Set post, deposit charred stake, raised Mound of earth with pits as per instructions for a 1/4 Sec, Cor.
80,00	Set post, deposit charred stake, raised Mound of earth with pits as per instructions for a corner to Sections 15, 16, 21 and 22 Land hilly prairie, Soil 3rd rate

Township 13 N. R 10 W. 6th Prin. Mer. W.

Chains	
	East on a random line between Sections 14 and 23.
	Va 13° 40' E
40,00	Set post, for temporary 1/4 Sec. Cor.
79,92	Intersect N. and S. line 11 Links North of the corner to Sections 13, 14, 23 and 24 from which corner I saw
	N 89° 55' W, on a true line between Sections 14 and 23
	Va 13° 40' E
39,96	Set post, deposit charred stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,92	The corner to Sections 14, 15, 22 and 23.
	Land hilly prairie, Soil 2nd rate

Township 13 N. R 10 W. 6th Prin. Mer. W.

Chains	
	North between Sections 14 and 15
	Va 13° 40' E
40,00	Set post, deposit charred stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post, deposit charred stake, raised mound of earth with pits as per instructions for a corner to Sections 10, 11, 14 and 15.
	Land hilly prairie Soil 2nd rate

Township 13 N. R 10 W. 6th Prin. Mer. W.

Chains	
	East on a random line between Sections 11 and 14
	Va 13° 40' E
38.00	Old road bearing N 40 W. S 30 E
40.00	Set post, for temporary 1/4 Sec. Cor.
80.09	Intersect N. and S. line at the post corner to Sections 11, 12 13 and 14 from which corner I run
	West on a true line between Sections 11 and 14
	Va 13° 40' E
40.04½	Set post, deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.09	The corner to Sections 10, 11, 14, & 15
	Land rolling prairie, Soil 2nd rate

Township 13 N. R 10 W. 6th Prin. Mer. W

Chains	
	North between Sections 10 and 11
	Va 13° 40' E
29.00	Old road bearing S. E. and N. W.
40.00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a corner to Sections 2, 3, 10 and 11
	Land hilly prairie, Soil white sand 3rd rate, unfit for cultivation

Township 13 N. R 10 W. 6th Prin. Mer. W.

Chains	East on a random line between Sections 2 and 11
	Va 13° 41' E
40,00	Set post for temporary 1/4 Sec. Cor.
79,97	Intersect N. and S. line a little North of the corner to Sections 2 and 11 from which corner I run N 89° 56' W on a true line between Sections 2 and 11
	Va 13° 40' E.
39,98½	Set post, deposit charred stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,97	The corner to Sections 2, 3, 10 and 11 Land hilly prairie, Soil white Sand 3rd rate unfit for cultivation

Township 13 N. R 10 W. 6th Prin. Mer. W.

Chains	North on a random line between Sections 2 and 3.
	Va 13° 39' E
40,00	Set post, for temporary 1/4 Sec. Cor.
52,00	Leave hills and enter bottom land bearing N. E. and S. W.
80,16	Intersect North Boundary 13 links West of the corner to Sections 2 and 3 from which corner I run S 6' W on a true line between Sections 2 and 3.
	Va 13° 39' W.
40,16	Set post, deposit charred stake, raised Mound of earth with little pits as per instructions for a 1/4 Sec. Cor.
80,16	The corner to Sections 2, 3, 10 and 11 Land, upland hilly, Soil 3rd rate ballance level, 1st rate

October 14th 1867

Township 13 N. R 10 W. 6th Prin. Mer. W.

Chains	North between Sections 33 and 34
	Va 14° E
40,00	Set post, deposit charred stake, raised Mound of earth with pits as per instructions for a 1/4 Sec Cor,
80,00	Set post, deposit charred stake, raised Mound of earth with pits as per instructions for a corner to Sections 27, 28, 33 and 34,
Surv "	Land hilly prairie, Soil white Sand 3rd rate Not fit for cultivation.

Township 13 N. R 10 W. 6th Prin. Mer. W.

Chains	East on a random line between Sections 27 and 34,
	Va 14° E
40,00	Set post, for a temporary 1/4 Sec Cor
79,47	Intersect E and S. line 13 links North of the corner to Sections 26, 27, 34 and 35, from which corner I run
	N 89° 54' W on a true line between Sections 27 and 34,
	Va 14° E
39,73½	Set post, deposit charred stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor,
79,47	The corner to Sections 27, 28, 33 & 34 Land hilly prairie, Soil 3rd rate

Township 18 N. R 10 W. 6th Prin. Mer. W.

Chains	
	North between Sections 27 and 28
	Va 13° 55' E
40.00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a corner to Sections 21, 22, 27 and 28
	Land hilly prairie, Soil 3rd rate

Township 18 N. R 10 W. 6th Prin. Mer. W.

Chains	
	East on a random line between Sections 22 and 27
	Va 13° 55' E
40.00	Set temporary 1/4 Sec. Cor.
79.53	Pass over at N. and S. line 21 links North of the corner to Sections 22, 23, 26 and 27, from which corner bears N 89° 51' W. on a true line between Sections 22 and 27
	Va 13° 55' E
39.76	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.53	The corner to Sections 21, 22, 27 & 28
	Land hilly prairie, Soil 3rd rate unfit for cultivation

Township 13 N. R 10 W. 6th Prin, Mer, W

Chains	
	East on a random line between Sections 15 and 22.
	Va 13° 40' E.
40,00	Set post for temporary 1/4 Sec, Cor,
80,53	Intersect N. and S. line 9 links South of the corner to Sections 14, 15 22 and 23, from which corner I run S. 89° 56' W. on a true line between Sections 15 and 22
	Va 13° 40' E
40,26½	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec, Cor,
80,53	The corner to Sections 15, 16, 21 and 22
	Land hilly prairie, Soil Sand 3rd rate

Township 13 N. R 10 W. 6th Prin, Mer. W.

Chains	
	North between Sections 15 and 16
	Va 13° 45' E
40,00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor,
80,00	Set post, deposit charred Stake, raised mound of earth with pits as per instructions for a corner to Sections 9, 10, 15 and 16
	Land hilly prairie, Soil White Sand 3rd rate,

Township 13 N. R 10 W. 6th Prin. Mer. W.

Chains	
	East on a random line between Sections 10 and 15
	Va 13° 45' E
40.00	Set post for temporary 1/4 Sec. Cor.
80.09	Intersect N. and S. line 17 links North of the corner to Sections 10, 11, 14 and 15 from which bears N 89° 53' W. on a true line between Sections 10 and 15
	Va 13° 45' E
40.04½	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.09	The corner to Sections 10, 11, 14 and 15
	Land hilly prairie, Soil white Sand 3rd rate

Sur. 11

T 13 N. R 10 W. 6th Prin. Mer. W.

Chains	
	North between Sections 9 and 10
	Va 13° 45' E
26.00	Leave upland and enter bottom bearing N. E. and S. W.
40.00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a corner to Sections 3, 4, 9 and 10
	Land upland hilly, Soil 3rd rate bottom level Soil 1st rate

T. 13 N. R. 10 W. 6th Prin. Mer. W.

Chains	East on a random line between Sections 3 and 10.
	Va 13° 45' E
40,00	Set post, for temporary 1/4 Sec. Cor.
42,00	Leave bottom and enter upland bearing N. E. and S. W.
79,86	Intersect N. and S. line 23 links North of the corner to Section 2, 3, 10 and 11 from which corner I run N 89° 50' W. on a true line between Sections 3 and 10
	Va 13° 45' E
39,93	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,86	The corner to Sections 3, 4, 9 and 10 Land 1st 1/2 Mile Soil 3rd rate bollance bee prairie, Soil 1st rate

T. 13 N. R. 10 W. 6th Prin. Mer. W.

Chains	North on a random line between Sections 3 and 4
	Va 13° 45' E
40,00	Set post, for temporary 1/4 Sec. Cor.
79,92	Intersect North Boundary 15 links East of the corner to Sections 3 and 4. from which corner I run S. 6' E. on a true line between Sections 3 and 4.
	Va 13° 45' E
39,92	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,92	The corner to Sections 3, 4, 9 and 10. Level land, Soil 1st rate
	October 15th 1867
	Test Measuring Chain and corrected it by the Standard

Township 13 N. R 10 W. 6th Prin. Mer. W.

Chains	North between Sections 32 and 33
	On 14° E
14.00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a corner to Sections 28, 29, 32 and 33.
	Land rolling Prairie, Soil 3rd rate

Township 13 N. R 10 W. 6th Prin. Mer. W.

Chains	East on a random line between Sections 28 and 33.
	On 14° E
14.00	Set post for temporary 1/4 Sec. Cor.
80.00	Intersect N. and S. line at post the corner to Sections 27, 28, 33 and 34 from which corner I run West on a true line between Sections 28 and 33.
	On 14° E
14.30	Set post deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	The Corner to Sections 28, 29, 32 and 33
	Land hilly prairie, Soil Sand 3rd rate

Township 13 N. R 10 W. 6th Prin. Mer. W.

0 Chains	North between Sections 28 and 29
	Va 13° 45' E
40,00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor,
80,00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a corner to Sections 20, 21, 28 and 29.
	Land hilly prairie, Soil Second rate.

Township 13 N. R 10 W. 6th Prin. Mer. W

0 Chains	East on a random line between Sections 21 and 28.
	Va 13° 45' E
40,00	Set post for a temporary 1/4 Sec. Cor,
80,47	Intersect W and S. line 11 links South of the corner to Sections 21, 22, 27 and 28 from which corner I run S 89° 55' W on a true line between Sections 21 and 28
	Va 13 45' E
40,235	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor,
80,47	The corner to Sections 20, 21, 28 & 29
	Land hilly prairie, Soil Sand 3rd rate

Township 13 N, R 10 W, 6th Prin, Mer, W.

Chains	
	North between Sections 2 and 21
	Va 13° 45' E
26,00	Leave upland and enter bottom bearing N.E. and S.W.
41,00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
8,00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a corner to Sections 16, 17, 20 and 21
	Land 1st 26 chains hilly, Soil 3rd rate balance level, Soil 1st rate

Township 13 N, R. 10 W, 6th Prin Mer, W.

Chains	
	East on a random line between Sections 16 and 21
	Va 13° 45' E
41,00	Set post, for temporary 1/4 Sec. Cor.
62,00	Leave bottom and enter upland. bearing North and S.W.
80,13	Intersect N. and S. line 16 links North of the corner to Sections 15, 16, 21 & 22 from which corner I run N 89° 53' W on a true line between Secs 16 and 21
	Va 13° 45' E.
40,00 E	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,13	The corner to Sections 16, 17, 20 & 21 East 18 chains hilly Soil 3rd rate balance level, Soil 1st rate

Township 13 N. R 10. W. 6th Prin. Mer. W.

Chains	North between Sections 16 and 17
	Va 13° 45' E
40,00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
81,00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a corner to Sections 8, 9, 16 and 17.
	Land level prairie, Soil 1st rate

Township 13 North, Range 10 W. 6th Prin. Mer. W.

Chains	East on a random line between Sections 9 and 16
	Va 13° 50' E
40,00	Set post for temporary 1/4 Sec. Cor.
55,00	Leave bottom and enter upland bearing N.E. and S.W.
77,25	Old road bearing N 20° W. & S.E.
79,91	Intersect N. and S. line 14 links South of the corner to Sections 9, 11, 16 & 15 from which corner I run S 89° 54' W. on a true line between Sections 9 and 16
	Va 13° 50' E
39,95	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,91	The corner to Sections 8, 9, 16 & 17
	Land, east 25 chains hilly, Soil 3rd rate balance level, Soil 1st rate

Township 13 N, R 10 W, 6th Prin. Mer. W.

Chains	North between Sections 8 and 9
	Va 13° 46' E
41,00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec, Cor,
80,00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a corner to Sections 4, 5, 8 and 9.
	Land level prairie, Soil 1st rate

Township 13 N, R 10 W, 6th Principal, W

Chains	East on a random line between Sections 4 & 9
	Va 13° 46' E
20,50	Old road bears N.W. & S.E.
41,00	Set post for temporary 1/4 Sec, Cor,
84,37	Intersect N. and S. line 13 links North of the corner to Sections 3, 4, 9 & 10 From which corner I run N 89° 54' W. on a true line between Sections 4 and 9.
	Va 13° 46' E
40,18½	Set post deposit charred Stake, raised Mound of earth pits as per instructions for a 1/4 Sec, Cor,
80,37	The corner to Sections 4, 5, 8 and 9
	Land level prairie, Soil 1st rate

Township 13 N. R 10 W. 6th Prin. Mer. W.

Chains	
	North on a random line between Sections 4 and 5
	Va 13° 40' E.
29,50	Old road bearing N.W. and S.E.
40,00	Set post for temporary 1/4 Sec, Cor.
80,05	Intersect North Boundary 19 links West of the corner to Sections 4 & 5 from which corner I run S 8° W. on a true line between Sections 4 and 5.
	Va 13° 40' E.
40,05	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec, Cor.
80,05	The corner to Sections 4, 5, 8 & 9 Land level prairie, Soil 1st rate

October 16th 1867

Township 13 N. R 10 W. 6th Prin. Mer. W.

Chains	
	North between Sections 31 and 32
	Va 14° E
40,00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec, Cor.
80,00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a corner to Sections 29, 30, 31 and 32
	Land hilly prairie, Soil white Sand 3rd rate

Township 13 N. R 10 W. 6th Prin. Mer. Wis.

chains	East on a random line between Sections 29 and 32
	On 14th E
40.00	Set post, for temporary 1/4 Sec Cor
79.49	Intersect N and S, line 13 links South of the corner to Sections 28, 29, 32 and 33 from which corner I run S 89° 54' W, on a true line between 29 and 32
	On 14th E
39.74	Set post, deposit charred stake, raised Mound of earth pits as per instructions for a 1/4 Sec. Cor
79.49	The corner to Sections 29, 30, 31, & 32 Land hilly prairie soil, 3rd rate

Township 13 N. R 10 W. 6th Prin. Mer. Wis.

chains	West on a random line between Sections 30 and 31
	On 18th E
2.00	Old road bearing N. and S.
8.00	Leave upland and enter bottom bearing N.E. and S.W.
40.00	Set post, for temporary 1/4 Sec. Cor.
79.84	Intersect West Boundary 19 links North of the corner to Sections 30 & 31 from which corner I run N. 89° 62' E. on a true line between Sections 30 and 31
	On 14th E
39.84	Set post, deposit charred stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.84	The corner to Sections 29, 30, 31, 32 Land level prairie soil 1st rate

Township 13 N. R 10 W. 6th Prin. Mer. W.

Chains	North between Sections 29 and 30
	On 13° 45' E.
40,00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a qr Sec, Cor,
80,00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a corner to Sections 19, 20, 29, and 30,
	Land level prairie, Soil 1st rate

Township 13 N. R 10 W. 6th Prin. Mer. W.

Chains	East on a random line between Sections 20 and 29,
	On 13° 45' E
40,00	Set post, for temporary Mile, Cor,
41,65	Leave bottom and enter upland bearing N. E. & S 2 chs W,
80,15	Intersect N. and S. line 16 links North of the corner to Sections 20, 21, 28 and 29, from which corner I run N 89° E 6 Mon a true line between Sections 20 and 29
	On 13° 45' E
40,07½	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a qr Sec, Cor,
80,15	The corner to Sections 19, 20, 29 & 30
	Land level prairie, Soil 1st rate

Township 13 N. R 10 W. 6th Prin. Mer. W.

Chains	West on a random line between Sections 19 and 30.
	Var 13° 45' E
27.50	Old road, bears N.W. and S 25° E
40.00	Set post, for temporary 1/4 Sec. Cor.
79.76	Intersect West Boundary 19 links South of the corner to Sections 19 and 30 from which corner I run S 89° 52' E on a true line between Sections 19 and 30
	Var 13° 45' E
39.76	Set post, raised mound with pits as per instructions for a 1/4 Sec. Cor.
79.76	The corner to Sections 19, 20, 29 and 30. Land level prairie, Soil 1st rate

Township 13 N. R 10 W. 6th Prin. Mer. W.

Chains	North between Sections 19 and 20
	Var 13° 45' E
40.00	Set post, deposit charred stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post, deposit charred stake, raised Mound of earth with pits as per instructions for a corner to Sections 17, 18, 19 & 20 Land level prairie. Soil 1st rate

Township 13 N. R 10 W. 6th Prin. Mer. W.

Chains	East on a random line between Sections 17 and 20
	Va 13° 40' E
40.00	Set post for temporary 1/4 Sec. Cor.
79.87	Intersect North & South lines 9 links South of the corner to Sections 16, 17, 20 & 21 from which corner I run
	S 89° 50' W. on a true line between Sections 17 and 20
	Va 13° 40' E
39.87	Set post, deposit charred stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.87	The corner to Sections 17, 18, 19 and 20
	Land level prairie, Soil 1st rate

Township 13 N. R 10 W. 6th Prin. Mer. W.

Chains	West on a random line between Sections 18 and 19.
	Va 13° 45' E
40.00	Set post, for temporary 1/4 Sec Cor
52.00	old road bears N 20° W and S 25° E
79.67	Intersect West Boundary 7 links North of the corner to Sections 18 and 19 from which corner I run
	N 89° 57' E on a true line between Sections 18 and 19
	Va 13° 45' E
39.67	Set post, deposit charred stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.67	The corner to Sections 17, 18, 19 & 20
	Land level prairie, Soil 1st rate

Township 13 N. R 10 W. 6th Prin Mer. W.

Chains	North between Sections 17 & 18
	Va 13° 40' E
40.00	Set post, deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec Cor
80.00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a corner to sections 7, 8, 17, and 18.
	Land level prairie, Soil 1st rate
	October 17th 1867
	Test chain and found it correct

Township 13 N. R 10 W. 6th Prin. Mer. W.

Chains	East on a random line between Sections 8 and 17
	Va 13° 36' E
40.00	Set post, for temporary 1/4 Sec Cor,
84.40	Intersect N. and S. line 21 links North of the corner to Sections 8, 9, 16 and 17 from which bearing N 89° 51' W on a true line between Sections 8 and 17
	Va 13° 34' E
40.00	Set post, deposit charred Stake, raised Mound of earth pits as per instructions for a 1/4 Sec. Cor,
84.40	The corner to Sections 7, 8, 17 and 18
	Land level prairie, Soil 2nd rate

Township 13 N. R 10 W. 6th Prin. Mer. W.

Chains	
	West on a random line between Sections 7 and 18
	Va 13° 34' E
27.00	A Drain Course North
40.00	Set post for temporary 1/4 Sec Cor
79.62	Intersect West Boundary 21 links North of the corner to Sections 7 & 18 from which corner I run
	N 89° 51' E on a true line between Sections 7 and 18
	Va 13° 31' E
39.67	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec, Cor.
79.62	The corner to Sections 7, 8, 17 & 18
	Land level prairie, Soil and rate

Township 13 N. R 10 W. 6th Prin. Mer. W.

Chains	
	North between Sections 7 and 8
	Va 13° 30' E
29.50	A Drain Course N. E.
40.00	Set post, deposit charred Stake, raised Mound of earth with as per instructions for a 1/4 Sec. Cor.
80.00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a corner to Sections 5, 6, 7 and 8
	Land level prairie, Soil and rate

Township 13 N. R 10 W. 6th Prin. Mer. W.

0 chains	East on a random line between Sections 5 & 8.
	Va 13° 24' E
35,50	Train Course North
40,00	Set post for temporary 1/4 Sec. Cor.
80,46	Intersect N and S. line at post the the corner to Sections 4, 5, 8 and 9 from which Corner I run West on a true line between Section 5 & 8
	Va 13° 24' E
40,23	Set post, deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,46	The corner to Sections 5, 6, 7 & 8 Land level prairie, Soil good 2nd rate fit for cultivation

Township 13 N. R 10 W. 6th Prin. Mer. W.

chains	West on a true line between Sections 6 & 7 Knowing it will strike Loupe River in less than 80 chains
	Va 13° 24' E
12,00	A Train Course N. E.
40,00	Set post, deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
70,10	Set post, deposit charred Stake raised Mound of earth with pits as per instructions on the right bank of Loupe River for a corner to fractional Sections 6 and 7
	Note- The point for corner to Sections 6, 7, 1, 12 coming in the River, Therefore cannot be established
	Land level prairie, Soil 1st rate

Township 13 N, R 10 W, 5th Prin. Mer. W

Chains	North on a random line between Sections 5 and 6
	Va 13° 25' E
10,50	A Drain Course N, E,
31,50	A Drain Course N, E
40,00	Set post, for temporary 1/4 Sec, Cor,
57,50	Old road bearing E. & W.
73,00	A Drain Course N, E,
79,80	Intersect North Boundary 26 chains West of the corner to Sections 5 and 6 from which corner bears S 11 W on a true line between Sections 5 and 6
	Va 13° 25' E
39,80	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec Cor
79,80	The corner to Sections 5, 6, 7 & 8
	Land level prairie, Soil 1st rate

Township 13 N, R 10 W, 6th P. M.

Meanders of the right bank of Loup river through the Township.

From the corner to fractional sections 7 and 12 in the West Boundary of Township 57.75 chains North of the corner to Sections 7, 18, 12 and 13 and run thence down Stream with the Meanders of the right bank of said river in Section 7 as follows

N 22 3/4 E	24.00 To the corner to fractional Sections 6 and 7 thence in Section 6
N 23 1/4 E	15.75
N 7 E	26.80
N 28 E	12.20
N 41 1/4 E	17.00
N 38 E	21.90 To the corner to fractional Sections 5, 6, 31, and 32,

Township 13 N. R 10 W. 6th P. M.

Meanders of the left bank of Loup river through the Township

From the corner to fractional Sections 1 and 6. in the West Boundary of the Township 61,50 chains South of the corner to Townships 13 and 14 North Ranges 10 and 11 West and run down Stream with the meanders of the left bank of said river in Sections 6 as follows

4 N 16¼ E - 35,00

N 37½ E - 36,65 5 At 4,25 chains enter timber bearing N 30

To the corner to fractional Sections 6 and 31 in the North Boundary of the Township 30,50 chains East of the corner to Townships 13 & 14 N. Rs 10 & 11 W.

October 18th 1867

General Description

The South East part of this Township is hilly prairie, soil White Sand 3rd rate not adapted to cultivation -

The N. W. part contains some good land lying in the valley of Loup River.

Loup e river runs throug the N. W. corner of the Township in Section 6.

(63)

List of names

A list of the names of the individuals employed to assist in running Measuring or marking the lines and corners described in the foregoing field notes of Township 13 North of the base line Range 10 West of the 6th Principal Meridian Showing the respective capacities in which they acted.

Robert Schaffer Chainman
Francis M Cain Chainman
E. W. Boman } Axemen and
Charles Vanalstine } Mound men

of the corners to Townships 13 & 14 N. Rs 10 & 11 W.

State of Nebraska
Douglas County, Ss:

We hereby certify that we assisted Henry C. Campbell deputy surveyor in surveying ~~the exterior boundaries~~ & subdividing Township No 13 North of the Base line of Range No 10 West of the 5th Principal Meridian

and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor. General.

Robt. C. Schaeffer
Francis M Cain
E W Bowman
Charles Vanalstyne

Subscribed & sworn to by the above named persons before me a Notary Public for the County of Douglas in the State of Nebraska this 25 day of November 1867.

W. B. Smith
Notary Public, Douglas County

DOUGLAS COUNTY NEBRASKA NOTARIAL SEAL

of the corners to Townships 13 & 14 N. Rs 10 & 11 W.

18—10

Survey commenced Oct 12 1867
Completed Oct 18 1867

State of Nebraska } ss
Douglas County

I Henery C. Campbell Deputy Surveyor do Solemnly Swear that in pursuance of a joint contract wherein Josiah B. Park and Henery C. Campbell are joint contractors with Thomas W. Hitchcock United States State Surveyor General for the States of Nebraska and Iowa bearing date September 30 1867 I have well and faithfully, truly in my own proper person, and in strict conformity with the instructions furnished by the Surveyor General the Surveying manual and the laws of the United States, surveyed all those parts or portions of Township No 13 North of the base

line of Range 10 West 6th Principal Meridian as are represented in the foregoing field Notes as having been Surveyed under my direction and I do further Solemnly swear that all the corners of said Survey have been established and perpetuated in strict accordance with the Surveying manual and printed instructions and that the foregoing are the true and original field notes of such Survey

Henry C. Campbell

Subscribed in my presence & sworn to before me this 24th day January A.D. 1868.

W. R. Smith
Notary Public within & for Douglas County
Nebraska

Surveyor's Office a

Plattsmouth, February 24th 18

The foregoing Field Notes of the Survey of the Sub-division of Township No. 13 North of the Base line, of Range No. 10 West of the 6th Principal Meridian, in the State of Nebraska, executed by Henry C. Campbell, under joint contract No. 4, bearing date the 30th day of September, 1867, in the month of October, 1867, having been critically examined, the necessary corrections and explanations made, the said Field Notes, and the survey they describe, are hereby approved.

P. W. Hitchcock
Surveyor General

Index Diagram

Focus 14 N. R 10 W.

6	67	5	48	4	36	3	24	2	12	1
66		65		47		35		11		10
7	64	8	46	9	34	10	23	11	9	12
63		62		45		32		21		8
18	61	17	44	16	31	15	20	14	7	13
60		59		43		19		18		6
19	58	20	42	21	30	22	17	23	5	24
57		56		29		28		16		4
30	55	29	34	28	27	27	15	26	3	25
54		51		38		26		14		2
31	49	32	37	33	25	34	13	35	1	36

Meanders on pages 68, 69, 70, 71, 72 and 73.

Field Notes

Of the Survey and Subdivision of Township 14 North of the Base line of Range 10 West of the 6th Principal Meridian, executed by J B Park under their joint contract wherein J. B. Park and H. C. Campbell are joint contractors

Survey commenced Nov 5th, 1867.
Survey completed Nov 10th, 1867.

List of Names and duties of assistants

Charles Crawford Chainman
Johnathon W Jones Chainman
Gilbert Willson } Axemen and
Thuman Welsan } Moundmen

To determine the proper adjustment of My Compass for subdividing this Township I commence at the corner to Townships 13 and 14 N. R 9 and 10 W. and run North on a blank line along the East Boundary of Section 36 Va 13° 22' E

40,00 To a point 4 links East of the 1/4 Sec Cor
80,05 To a point 7 links East of the corner to Sections 25 and 36.

To retrace this line or run parallel thereto My Compass must be adjusted to a variation of 13° 25' E

~~Subdivision commenced November 5th 1867~~
~~Completed November 10th 1867~~

Township 14 N. R. 10 W. 6th P. M.

Chains	
	North between Sections 35 and 36.
	Va. by Burt's improved Solar
	Solar Compass 13° 25' E
40.00	Set post, deposit charred stake, raise
	Mound of earth with pits as per
	instructions for a 1/4 Sec. Cor.
80.00	Set post, deposit charred stake, raise
	Mound of earth with pits as per
	instructions for a corner to Sections
	25, 26, 35 and 36
	Land hilly prairie, Soil 2nd rate

Township 14 N. R. 10 W. 6th P. M.

Chains	
	East on a random line between
	Sections 25 and 36.
	Va 13° 25' E.
4.00	Set post for temporary 1/4 Sec. Cor.
79.93	Intersect East Boundary of Township
	9 links North of the corner to Sections
	25 and 36 from with corner from
	1 89° 00' W on a true line between
	Sections 24 and 25.
	Va 13° 25' E
39.96½	Set post deposit charred stake raise
	Mound of earth with pits as per
	instructions for a 1/4 Sec. Cor.
79.93	The corner to Sections 25, 26, 35 & 36
	Land hilly prairie, Soil 2nd rate

Township 14 N. R 10 W 6th P.M.

Chains	North between Sections 23 and 26
	Va 13° 25' E
40.00	Set post, deposit charred stake, raised
	Mound of earth with pits as per
	instructions for a 1/4 Sec. Cor.
80.00	Set post, deposit charred stake, ra
	Mound of earth with pits, per
	instructions for a corner to Secti
	23, 24, 25 and 26
	Land hilly prairie Soil 2nd rate

Township 14 N. R 10 W. 6th Prin. Mer. W

Chains	East on a random line between
	Sections 24 and 25
	Va 13° 25' E
40.00	Set post, for temporary 1/4 Sec. Cor.
60.53	Intersected East Boundary 17 links
	South of the corner to Sections 24 & 25
	from which I run
	S 89° 55' W on a true line between
	Sections 24 and 25
	Va 13° 25' E
40.26	Set post, deposit charred stake, raised
	Mound of earth with pits as per
	instructions for a 1/4 Sec. Cor.
80.53	The corner to Sections 23, 24, 25 & 26
	Land hilly prairie, Soil 2nd rate

Township 14 N. R 10 W 6th Prin. Mer. W.

Chains	North between Sections 23 and 24
	Va 13° 20' E
40,00	Set post, deposit charred stake, raised Mound of earth with pits as per instructions for a 1/4 Sec Cor
80,00	Set post, deposit charred stake, raised Mound of earth with pits as per instructions for a corner to Sections 13, 14, 23 and 24.
	Land hilly prairie, Soil 2nd rate

Township 14 N. R 10 W. 6th Prin. Mer. W.

Chains	East on a random line between Sections 13 & 24
	Va 13° 25' E
40,00	Set post for temporary 1/4 Sec Cor
80,65	Intersect East Boundary 7 links North of the corner to Sections 13 & 24 from which corner I run N 89° 57' W on a true line between Sections 13 and 24
	Va 13° 25' E
40,32½	Set post, deposit charred stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,65	The corner to Sections 13, 14, 23 & 24
	Land hilly prairie, Soil 2nd rate

Township 14 N, R 10 W, 6th Prin, Mer.

chains	North between Sections 13 and 14 Va 13° 15' E
40,00	Set post, deposit charred stake, raised Mound of earth with pits as per instructions for a 1/4 Sec, Cor.
66,00	Leave upland and enter River bottom bearing N, E and S, W.
80,00	Set post, deposit charred stake raised Mound of earth with pits as per instructions for a corner to Sections 11, 12, 13 and 14 Land 1st 38 chains hilly Soil 2nd ballance level, Soil 1st rate.

Township 14 N, R 10 W, 6th Prin, Mer. W.

chains	East on a random line between Sections 12 and 13 Va 13° 15' E
20,00	Leave bottom and enter upland bearing N, E, and S, W,
40,00	Set post for temporary 1/4 Sec, Cor.
79,66	Intersect East Boundary 21 links North of the corner to Sections 12 and 13 from which corner Jonn N 89° 51' W on a true line between Sections 12 and 13 Va 13° 15' E
39,93	Set post, deposit charred stake, raised Mound of earth with pits as per instructions for a 1/4 Sec, Cor.
79,86	The corner to Sections 11, 12, 13 & 14 upland hilly prairie Soil land 3rd rate, ballance level Soil 1st rate.

Chains	
	North between Sections 11 and 12
	Va 13° 18' E
40,00	Set post, deposit charred stake, raise Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post, deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 1, 2, 11, and 12
	Land level prairie, Soil 1st rate

Chains	
	East on a random line between Sections 1 and 12
	Va 13° 18' E
40,00	Set post, for temporary 1/4 Sec. Cor.
42,00	Leave bottom and enter upland bearing N E and S. W.
80,08	Intersect East Boundary 28 links North of the corner to Sections 1 and 12 from which corner I run N 89° 48' W. on a true line between Sections 1 & 12
	Va 13° 18' E
40,04	Set post, deposit charred stake, raise Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,08	The corner to Sections 1, 2, 11 & 12 East 1/2 Mile hilly, Soil 2nd rate, ballance level, 1st rate soil

Township 14 N. R. 10 W. 6th Prin. Mer. W.

Chains	
	West on a true line between Sections 2 and 11 Knowing that it will strike Loupe River in less than 8 chains
	Va 13° 15' E
19.60	A Creek 8 links wide runs N E
40.00	Set post, deposit charred stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
53.00	Leave prairie and enter timber bearing N 30° E & S 25° W.
57.00	Leave timber and enter Willow brush
62.00	Set post, deposit charred stake, raised Mound of earth with pits as per instructions on the right bank of Loupe River for a corner to fractional Sections 2 and 11
	Land level prairie, Soil 1st rate
	Timber Cottonwood & Willow brush
	A small Island in river 20 chs below line

Township 15 N. R. 10 W. 6th Prin. Mer. W.

Chains	
	North on a random line between Sections 1 and 2.
	Va 13° 27' E
40.00	Set post, for temporary 1/4 Sec. Cor
8.08	Intersect North Boundary 13 links East of the corner to Sections 1 & 2 from which corner I run S 61° E on a true line between Sections 1 and 2.
	Va 13° 27' E
40.08	Set post, deposit charred stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
8.08	The corner to Sections 1, 2, 11 & 12
	Land level prairie, Soil 1st rate

Chains	North between Sections 34 and 35
	Va 13° 30' E
40.00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a corner to Sections 26, 27, 34 and 35.
	Land Slightly rolling, Soil 1st rate

Chains	East on a random line between Sections 25 and 36.
	Va 13° 30' E
15.00	Leave bottom and enter hills bearing North and South
40.00	Set post for temporary 1/4 Sec. Cor.
80.64	Intersect W. and S. line 17 links South of the corner to Sections 25, 26, 35 and 36 from which the corner bears S 89° 53' W. on a true line between Sections 25 and 36.
	Va 13° 31' E
40.32	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.64	The corner to Sections 26, 27, 34 & 35
	Land hilly prairie, Soil 2nd rate

Township 14 N. R 10 W 6th Prin, Mer. W.

Chains	
	North between Sections 26 and 27
	Va 13°30' E
40,00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec, Cor.
80,00	Set post, deposit charred Stake raised Mound of earth with pits as per instructions for a corner to Sections 22, 23, 26 and 27
	Land level or Slightly rolling, prairie Soil 1st rate
	November 5th 1867
	Tested and corrected chain by the Standard

Township 14 N. R 10 W. 6th Prin, Mer. W.

Chains	
	East on a random line between Sections 23 and 26
	Va 13°20' E
40,00	Set post for temporary 1/4 Sec Cor
50,00	leave bottom and enter upland bearing N. E and S. W.
80,49	Intersect N. and S. line at post the corner to Sections 23, 24, 25 & 26 from which corner I run
	West on a true line between Sections 23 and 26
	Va 13°20' E
40 24 1/2	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec, Cor.
80,49	The corner to Sections 22, 23, 26 & 27
	Land upland hilly Soil 2nd rate ballance level, Soil 1st rate

Township 14 N. R 10 W. 6th Prin. Mer. W.

Chains	North between Sections 22 & 23 Va 13° 20' E
40.00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred Stake, raised Mound of earth with pits as per instructions for a corner to Sections 14, 15, 22 and 23
	Land level prairie, Soil 1st rate

Township 14 N. R 10 W. 6th Prin. Mer. W.

Chains	East on a random line between Sections 14 and 23. Va 13° 20' E
31.50	A Creek 30 link wide runs North
40.00	Set post for temporary 1/4 Sec. Cor.
66.50	Leave bottom and enter upland bearing N 20° E & S 25° W.
79.89	Intersect N. & S. line 17 link North of the corner to Sections 13, 14, 23 & 24 from which corner I run N 89° 53' W on a true line between Sections 14 and 23. Va 13° 20' E
39.94½	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.89	The corner to Sections 14, 15, 22 & 23
	Land upland hilly, Soil 2nd rate bottom level, Soil 1st rate

Township 14 N R 20 W 6th Prin. Mer. W.

Chains	
	West on a true line between Sections 15 and 22 Knowing that it will strike Loupe River in less than 80 chains
	Va 13° 30' E
21,00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
47,00	Slough 60 links wide course N. E.
51,50	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions on the right bank of Loupe River, for a meandered corner to Sections 15 and 22
	Land level prairie, Soil 1st rate

Township 14 N. R 20 W. 6th Prin. Mer. W.

Chains	
	North between Sections 14 and 15
	Va 13° 30' E
40,00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a corner to Sections 10, 11, 14 and 15.
	Land level prairie, Soil 1st rate

Township 14 N. R 10 W. 6th Prin. Mer. W.

Chains	
	East on a random line between Sections 11 and 14,
	Va 13° 20' E
33.00	A Creek 40 links wide runs N. earth
40.00	Set post, for a temporary 1/4 Sec Cor
79.94	Intersect N. and S. line at post the corner to Sections 11, 12, 13 and 14 from which corner I run
	West on a true line between Sections 11 and 14
	Va 13° 20' E
39.97	Set post, deposit charred Stake, raised Mound of earth pits as per instructions for a 1/4 Sec, Cor,
79.94	The corner to Sections 10, 11, 14 & 15
	Land level prairie, Soil 1st rate

Township 14 N. R 10 W. 6th Prin. Mer. W.

Chains	
	West on a true line between Sections 10 and 15
	Va 13° 30' E
22.00	Leave prairie and enter timber bearing N. and S.
26.00	Set post on right bank of Loupe River for a corner to fractional Sections 10 and 15 from which
	A Cottonwood 26 in dia bears N 30 E 100 lks
	Do 22 " " " S 2 W 90 lks
	Land level prairie Soil 1st rate

Township 14 N. R 10 W. 6th Pair Mer W.

Chains	North between Sections 10 and 11 Va 13° 36' E
40,00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for 1/4 Sec. Cor.
62,00	Leave prairie and enter timber bearing N.E. and S.W.
65,00	Leave timber and enter Willows
72,00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions on the right bank of Loupe River for a corner to fractional Sections 10 and 11 I now measure across the rive with the chain - River runs N 17° E
80,00	The point in the river for corner to Sections 2, 3, 10, & 11 Therefore it cannot be established
	Land level prairie Soil 1st rate
Note -	Line between Sections 2 & 11 was run true line West

Township 14 N. R 10 W. 6th P. M.

Chains	North on a true line between Sections 2 and 3 Va 13° 36' E
	From the point in river for corner to Sections 2, 3, 10, & 11 I measure with the chain
8,50	Left bank Loup river 16.50 chains wide Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a corner to fractional 2 and 3.
15 00	Enter timber bearing N 10 W and S 10 E
40,00	Set post for a 1/4 Sec. Cor. from which A Cottonwood 8 in dia bears S 30½ E 28 lks dist A Cottonwood 10 in dia bears N 16° W. 21 lks dist
53 00	Leave timber bearing N.E. and S 20° W.
65,50	Intersect left bank of Loup river runs N 24° W. Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a corner to fractional Sections 2 & 3.
	Land level Soil 2nd rate.
	Timber Cottonwood

Township 14 N, R 10 W, 6th P. M.

Chains	North between Sections 33 and 34. Va 13° 36 E
40,00	Set post, deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec, Cor.
80,00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a corner to Sections 27, 28, 33, 34 Land level prairie Soil 1st rate

Note- Line between Sections 2 & 11 was run true line [illegible]

Township 14 N, R 10 W, 6th Prin Mer

Chains	East on a random line between Sections 27 and 34 Va 13° 36 E
40,00	Set post for temporary 1/4 Sec. Cor.
80,00	Intersect the N and S. line 20 links South of the corner to Sections 26, 27, 34 and 35 from which corner I run S 89° 51 W on a true line between Sections 27 and 34. Va 13° 36 E
40,00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec, Cor.
80,00	The corner to Sections 27, 28, 33 & 34 Land level prairie, Soil 1st rate

Township 14 N, R 10 W, 6th Prin. Mer. W.

Chains	
	North between Sections 27 and 28
	Va 13° 36' E
40,00	Set post, deposit charred Stake, raise a Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post, deposit charred Stake, raise a Mound of earth with pits as per instructions for a corner to Sections 21, 22, 27 and 28
	Land level prairie, Soil 1st rate

Township 14 N, R 10 W, 6th P.M.

Chains	
	East on a random line between Sections 22 and 27
	Va 13° 36' E
40,00	Set post, for temporary 1/4 Sec. Cor.
79,86	Intersect N. and S. line 14 links North of the corner to Sections 22, 23, 26, 27 from which corner Some N 89° 54' W on a true line between Sections 22 and 27
	Va 13 36' E
39,93	Set post, deposit charred Stake, raise a Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,86	The corner to Sections 21, 22, 27 & 28
	Land level prairie, Soil 1st rate

Township 14 N. R 11 W. 6th P. M.

Chains West on a true line between Sections 21 and 28

Va 13° 36' E

21,00 Set post, on right bank of Longriver for a corner to fractional Sections 21 and 28 from which A Cottonwood 7 in. dia. bears S 13° E 70 lks A Cottonwood 8 in. dia. bears N 37° E 96 lks. Land level prairie, Soil 1st rate Timber a few scattering Cottonwood Trees on river bank. River runs N 71° E.

November 6th 1867

Tested chain and found it correct

Township 14 N R 10 W. 6th P. M.

Chains North between Sections 21 and 22

Va 13° 36' E

41,00 Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.

2,00 Leave prairie, and enter timber bearing N, E, and W.

71,50 Leave timber and enter low bottom bearing N, E, and S.W.

75,00 Intersect right bank of Longriver runs N. E.

Set post, deposit charred Stake raised Mound of earth with pits as per instructions for a corner to fractional Sections 21 and 22.

I measure across the river with the chain

8,00 The point for corner to Sections 15, 16, 21 & 22 coming in river therefore the corner cannot be established

Land level prairie Soil 1st rate

Township 14 N. R 10 W. 6th P. M.

Chains	North between Sections 15 and 16
	Va 13° 36' E
7,90	Set post deposit charred ed Stake raised Mound of earth with pits as per instructions on left bank of Loup river (12,90 chains wide as measured with the chain) for a comer to fractional Sections 15 and 16
21,00	A Drain Course East
40,00	Set post deposit charred Stake, raised mound of earth with pits as per instructions for a 1/4 Sec, Cor.
50,00	A Drain Course East
80,00	Set post, deposit charred Stake, raised mound of earth with pits as per instructions for a corner to Sections 9, 10, 15, and 16
	Land level prairie, Soil 1st rate

Township 14 N. R 10 W. 6th P. M.

Chains	East on a random line between Sections 10 and 15
	Va 13° 36' E
30,00	A Drain Course North
36,80	Intersect left bank of Loup river runs N 5° E Set for temporary corner — I now cause my flag to be set on the right bank of the river in line between Sections 10 and 15 and from the temporary corner run a base line North 5,00 chains to a point from which the flag bears S 73° 23' E. which gives by calculation for the distance across the river 17,00 chains
	Nat Tan - 73° 23' = 3,347
	× by Base 5
	= 16,735 chains
	to which add 36,80 chains the distance to the river makes
53,53	To the flag on right bank of river

Township 14 N, R 10 W, 6th P, M,

Chains	
	I now cross the river and in place of the flag Set post for temporary corner
79,54	Intersect N and S, line 18 links North of the corner to Sections 10, 11, 14 & 15 from which corner I run
	N 89° 52' W on a true line between Sections 10 and 15.
	Va 13° 36' E
26,01	Right bank Loup river runs N 5° E
	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to fractional Sections 10 & 15
	The distance (17,00 chs) across the river was obtained by triangulation on random line
42.74	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to fractional Sections 10 and 15 on left bank of river
79.54	The corner to Sections 9, 10, 15 and 16
	Land level prairie, Soil 1st rate,

Township 14 N, R 10 W, 6th P, M,

Chains	
	North between Sections 9 and 10
	Va 13° 36' E
40,00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec, Cor,
80,00	Set post, deposit charred Stake, raised mound of earth with pits as per instructions for a corner to Sections 3, 4, 9 and 10,
	Land level prairie, Soil 1st rate

Township 14 N, R 10 W 6th P. M.

Chains	
	East on a true line between Sections 3 and 10
	Va 13° 36' E
40,00	Set post deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec Cor.
54,50	Leave prairie and enter timber bearing N E, and S W,
55,50	Leave timber and enter prairie bearing N, E, and S, W,
67,70	Intersect left bank of Loup river runs N, E,
	Set post deposit charred Stake, raised Mound of earth with pits as per instructions for a corner to fractional Sections 3 and 10
	Land level Soil 1st rate
	Timber cottonwood —

Township 14 N, R 10 W, 6th P. M.

Chains	
	North on a random line between Sections 3 and 4,
	Va 13° 36' E
40,00	Set post, for temporary 1/4 Sec, Cor,
79,83	Intersect North Boundary of Township 13 links East of the corner to Sections 3 and 4 from which corner I run, S 5 E on a true line between Sections 3 and 4, Va 13° 36' E
39,83	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec, Cor,
79,83	The corner to Sections 3, 4, 9 & 10
	Land level prairie Soil 1st rate

Township 14 N, R 10 W 6th P.M.

Chains	
	North between Sections 32 and 33
	Va 13° 35' E
7,9	
14,00	Set post, deposit charred Stake, and Mound of earth with pits as per instructions for a 1/4 Sec Cor
67,00	Spring Creek 50 links wide runs E. heads in a large Spring about 5 chains West of the line
21,00	
40,00	8,00 Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a corner to Sections 28, 29, 32 and 33
5,00	
60,00	Land level prairie, Soil rich rate,

Township 14 N, R 10 W 6th P.M.

Chains	
	East on a random line between Sections 28 and 33
	Va 13° 35' E
11,00	Leave prairie, and enter timber bearing N.E. and S.W.
19,00	Leave timber bearing N.E. & S.W. enter prairie
25,50	A Creek 50 links wide runs North
40,00	Set post for temporary 1/4 Sec. Cor.
79,95	Intersect N. and S. line 14 links South of the corner to Sections 27, 28, 33, & 34 from which corner I run S. 89° 54' W. on a true line between Sections 28 and 33.
	Va 13° 35' E
37,97½	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
7,95	The corner to Sections 28, 29, 32 and 33 Land level prairie Soil 1st rate Timber Cottonwood and Willow

Chains	North between Sections 28 and 29 Va 13° 36' E
10,00	Leave prairie & enter Willow Swamp bearing N.E and West
16,65	Intersect right bank of Loup river runs N.E.
	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a corner to fractional Sections 28 and 29
	I now run a base line East 5,00 chains to a point from which a flag on the left bank of the river in the line between Sections 28 and 29 bears N 20° 33' W which gives by calculation for the distance across the river 13,35 chains
	Nat Co - Jan 20° 33' = 2,67
	+ Y Base 5,00
	= 13,35 00 chs

Chains	to which add 16,65 chains the distance to the river makes
30,00	To the flag on left bank of river I now cross the river and in place of the flag.
	Set post deposit charred Stake, raised Mound of earth with pits as per instructions for a corner to fractional 28 and 29 - Enter Willow brush
34,00	Enter timber bearing N.E. and S.W.
40,00	Set post, for ~~temporary~~ 1/4 Sec. C or from which A Willow 4 in dia bears N 28° W 30 lks dist. A Cottonwood 6 in dia bears S 10° E 74 lks dist
58,00	Slough 50 lks wide Course S.E.
67,00	Leave timber and enter prairie bearing S.W.
78,00	A Creek 20 links wide runs East.
80.00	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a corner to

Township 14 N. R 10 W. 6th P. M.

Sections 20, 21, 28 and 29 on the left bank of Loup river.
River runs N 60 E.
Land level Soil 1st rate,
Timber Cottonwood and Willow
Undergrowth Grape Alder &c
Note The line between Sections 21 & 28 was run a true line West to the river.

November 7th 1807
Tested chain and found it correct

Township 14 N. R 10 W. 6th P. M.

Chains	
	North between Sections 20 and 21 Var 13 + 30' E
20,00	A Creek 16 links wide runs N. E.
41,00	Set post, deposit charred Stake, raise Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
46,00	A Train Course East
80,00	Set post, deposit charred Stake, raise Mound of earth with pits as per instructions for a corner to Sections 16, 17, 20, and 21
	Land level prairie, Soil 2nd rate

Township 14 N R 10 W, 6th P M

Chains	
	East on a true line between Sections 16 and 21
	Va 18° 34' E
7,90	40,00 Set post, deposit charred stake, raised Mound of earth with pits as per instructions for a 1/4 Sec, Cor,
	56,00 Intersect left bank of Loup river runs N 60° E
	Set post, deposit charred stake raised
21,00	Mound of earth with pits as per
40,00	instructions for a corner to fractional Sections 16 and 21
	Land level prairie Soil 1st rate
5,00	There is a Small Island 2 chs
64,00	above the line between Sections 16 and 21. cover earth brush

Township 14 N R 10 W, 6th P M

Chains	
	North between Sections 16 and 17
	Va 18° 34' E
4,00	Set post deposit charred stake raised
	Mound of earth with pits as per instructions for a 1/4 Sec, Cor,
8,00	Set post, deposit charred stake, raised
	Mound of earth with pits as per instructions for a corner to Sections 8, 9, 16 and 17
	Land level prairie, Soil 1st rate

Township 14 N, R 10 W, 6th P. M.

Chains	
	East on a random line between Sections 9 and 16
	Va 13° 36' E
4,00	Set post, for temporary 1/4 Sec. Cor.
79,85	Intersect N. and S. line 17 links South of the corner to Sections 9, 10, 15 and 16 from which corner I run
	S. 89° 53' W. on a true line between Sections 9 and 16
	Va 13° 36' E
39,92½	Set post, deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,85	The corner to Sections 8, 9, 16 & 17
	Land level prairie, Soil 1st rate

Township 14 N, R 10 W, 6th P. M.

Chains	
	North between Sections 8 and 9
	Va 13° 36' E
10,00	Set post, deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
20,00	Set post, deposit charred stake, raised mound of earth with pits as per instructions for a corner to Sections 4, 5, 8 and 9.
	Land level prairie, Soil 1st rate

Township 14 N R 10 W, 6th P. M.

Chains	
	East on a random line between Sections 4 and 9.
	Va 13° 36' E
40,00	Set post for temporary 1/4 sec Cor.
80,69	Intersect N. and S. line 21 links South of the corner to Sections 3, 4, 9 & 10 from which corner I run S 84° 81' W. on a true line between Sections 4 and 9
	Va 13° 36' E
40,34½	Set post, deposit charred stake, raise mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,69	The corner to Sections 4, 5, 8 and 9
	Land level prairie, Soil 1st rate

Township 14 N, R 11 W, 6th P. M.

Chains	
	North on a random line between Sections 4 and 5
	Va 13° 36' E
5,00	Leave bottom and enter up land bearing N. & S.
40,00	Set post, for temporary 1/4 Sec. Cor.
70,00	Leave up land and enter bottom bearing N. W. S 25° E
79,96	Intersect North Boundary of Township 14 N West of the corner to Sections 4 & 5 from which corner I run S 4 W on a true line between Sections 4 and 5
	Va 13° 36' E
39,96	Set post, deposit charred stake, raise mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,96	The corner to Sections 4, 5, 8, and 9
	Land gently rolling prairie, Soil 1st rate

Township 14 N, R 10 W, 6th P M

Chains	North between Sections 31 and 32 Va 13° 38' E
40,00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec, Cor,
41,70	Intersect right bank of Loup river runs N, E,
	Set post, deposit charred Stake raised Mound of earth with pits as per instructions for a corner to fractional Sections 31 and 32.
	I now measure with the chain across the river and find its width to be 16,30 chains to which add 41,70 chains the distance to the river makes
68,00	To the left bank of the river Set post, deposit charred Stake raised mound of earth with

Township 14 N, R 10 W, 6th P, M,

Chains	pits as per instructions for a corner to fractional Sections 31 & 32
80,00	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a corner to Sections 29, 30, 31 & 32
	Land level prairie, Soil 1st rate

Township 144 N, R 10 W, 6th P.M.

Chains	
	East on a random line between Sections 29, and 32
	Va 12° 35' E
27,50	Intersect left bank Long river runs N 8° E
	Set post for temporary corner
	I now measure with the chain across the river and find its width to be 15,46 chains to which add 27,50 chains makes
42,96	To the right bank of the river. Set post for temporary corner,
79,96	Intersect N, and S. line at post the corner to Sections 28, 29, 32, & 33 from which corner I run West on a true line between Sections 29 and 32
	Va 12° 38' E
37,00	Set post, deposit charred Stake

Township 144 N, R 10 W, 6th P.M.

Chains	
	raised mound of earth with pits as per instructions on the right bank of Long river for a corner to fractional sections 29, and 32
	The distance across the river 15,46 chains was obtained by chaining the same on the random line to which add 37,00 chains the distance to the river makes
52,46	To the left bank of the river. Set post deposit charred stake raised Mound of earth with pits as per instructions for a corner to fractional Sections 29 and 32
79,96	The corner to Sections 29, 30, 31, & 32
	Land level prairie Soil rich
	November 8th 1867
	Tested chain and found it correct

Township 44 N. R 10 W. 6th P.M.

Chains	
	West on a random line between Sections 30 & 31 Va 13° 38' E
17,00	A Drain Course S.E.
40,00	Set post for temporary 1/4 Sec. Cor.
44,00	A Drain Course S.E.
75,00	A Drain Course S.E.
79,23	Intersect the West Boundary of the Township 17 links South of the corner to Sections 30, and 31 from which corner I run S 89° 53' E on true line between Sections 30 and 31 Va 13° 38' E
39,23	Set post deposit charcoal State raised mound of earth with pits as

Township 44 N. R 10 W. 6th P.M.

Chains	
	per instructions for a 1/4 Sec Cor
79,23	The corner to Sections 29, 30, 31 and 32 Land level prairie, Soil 1st rate

Township 14 N. R 10 W. 6th P. M.

Chains	North between Sections 29 and 30
	Va 13° 25' E
40,00	Set post, deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
75,00	A creek 12 links wide runs East
80,00	Set post, deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 19, 20, 29 & 30
	Land level prairie, soil 1st rate

Township 14 N. R 10 W. 6th Prin. Mer. M.

Chains	East on a random line between Sections 20 and 29
	Va 13° 18' E
40,00	Set post for temporary 1/4 Sec. Cor.
80,51	Intersect N. and S. line 12 links South of the corner to Sections 20, 21, 28 and 29 from which corner Arm S 89° 55' W, on a true line between Sections 20 and 29
	Va 13° 18' E
40,30½	Set post, deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,51	The corner to Sections 19, 20, 29 & 30
	Land level & slightly rolling prairie
	Soil 1st rate.

Township 14 N. R 10 W. 6th Prin. Mer. W.

Chains West on a random line between Sections 19 and 20.
Var 13° 37' E

40,00 Set post for temporary 1/4 Sec Cor.

79,09 Intersect West Boundary 21 lks South of the corner to Sections 19 and 20 from which corner Sun S 89° 51' E on true line between Sections 19 and 20
Var 13° 37' E

39,09 Set post, deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 sec. Cor.

79,09 The corner to Sections 19, 20 29 and 30.
Land level prairie, Soil 2nd rate

Township 14 N. R 10 W. 6th Prin. Mer. W.

Chains North between Sections 19 and 20
Var 13° 37' E

5,00 A Drain Course East

30,00 A Drain Course N. E.

40,00 Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.

80,00 Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a corner to Sections 17, 18, 19 and 20
Land level prairie, Soil 2nd rate

Chains	
	East on a random line between Sections 17 and 20
	Va 13° 37' E
40,00	Set post, for temporary 1/4 Sec. Cor.
79,86	Intersect N. and S. line 16 links South of the corner to Sections 16 and 17, 20 & 21 from which corner I run
	S 89° 53' W. on a true line between Sections 17 and 20
	Va 13° 37' E
39,92	Set post, deposit charred stake raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,86	The corner to Sections 17, 18, 19 & 20
	Land level prairie, Soil 2nd rate

Chains	
	West on a random line between Sections 18 and 19
	Va 13° 36' E
6,95	Leave bottom and enter upland bearing N. E. and S. W.
35,85	A Drain Course S. E.
40,00	Set post for temporary 1/4 Sec. Cor.
68,75	A Drain Course North
78,98	Intersect West Boundary 20 links South of the corner to Sections 18 and 19 from which corner I run
	S 89° 47' East on a true line between Sections 18 & 19
	Va 13° 36' E
38,98	Set post, deposit charred stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
78,98	The corner to Sections 17, 18, 19 & 20
	Land rolling prairie, Soil 1st rate

Township 14 N. R 10 W. 6th Principal Mer.

Chains	
	North between sections 17 & 18 Va 18° 36' E
8,00	Leave bottom and enter upland bearing S 40 W and N E
40,00	Set post, deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec, Cor
75,00	A Drain Course S. E.
80,00	Set post, deposit charred stake raised mound of earth with pits as per instructions for a corner to sections 7, 8, 17 and 18,
	Land rolling prairie soil 1st rate

Township 14 N. R 10 W. 6th Principal Mer. W.

Chains	
	East on a random line between sections 8 and 17 Va 18° 36' E
20,00	Leave upland and enter bottom bears N E. and S. W.
40,00	Set post for temporary 1/4 Sec, Cor
80,11	Intersect N. and S. line 15 links South of the corner to sections 8 9, 16 and 17 from which corner I run S 89° 53' W on a true line between sections 8 and 17 Va 18° 36' E.
40 00 57½	Set post, deposit charred stake, raised mound of earth with pits as per instructions for a 1/4 Sec, Cor,
80,11	The corner to sections 7, 8, 17, & 18 Land gently rolling prairie Soil 1st rate

Township 14 N. R 10 W. 6th Prin. Mer. W

Chains	
	West on a random line between Sections 7 and 18 Va 13° 26' E
40.00	Set post for temporary 1/4 Sec. Cor.
78.79	Intersect West Boundary 23 links North of the corner to Sections 7 and 18 from which corner I run N 89° 50' E on a true line between Sections 7 and 18 Va 13° 26' E
38.79	Set post, deposit charred stake, raised Mound of earth with pits as per instructions for a 1/4 Sec Cor
78.79	The corner to Sections 7, 8, 17 & 18
	Land rolling prairie Soil 1st rate

Township 14 N. R 10 W. 6th Prin. Mer. W.

Chains	
	North between Sections 7 & 8 Va 18° 26' E
15.00	A Drain Course S. E.
40.00	Set post, deposit charred stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
78.00	A Drain Course N. E.
80.00	Set post deposit charred stake, raised Mound of earth with pits as per instructions for a corner to Sections 5, 6, 7 & 8.
	Land rolling prairie, Soil 1st rate

Chains	Chains	
		East on a random line between Sections 5 and 8
		Va 18° 36' E
40.00	2.20	A brain course N.E.
79.09	40.00	Set post, for temporary 1/4 Sec Cor
	75.00	Leave upland and enter bottom bearing N.E. and S.W.
	79.98	Intersect N. and S. line 27 links South of the corner to sections 4, 5, 8 & 9 from which corner I run S 89° 48' W on true line between sections 5 and 8
		Va 18° 36' E
39.98		Set post, deposit charred stake, raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
	79.98	The corner to sections 5, 6, 7 & 8 Land rolling prairie, Soil, 2d rate clayey loam

Chains	
	West on a random line between sections 6 and 7
	Va 18° 36' E
40.00	Set post for temporary 1/4 Sec. Cor.
78.80	Intersect West Boundary 18 links North of the corner to sections 6 & 7 from which corner I run N 89° 52' E on a true line between sections 6 and 7
	Va 18° 36' E
38.80	Set post deposit charred stake, raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
78.80	The corner to sections 5, 6, 7 & 8 Land gently rolling prairie Soil Sandy loam mixed with clay 1st rate

67/141 Township 14 N. R 10 W. 6th Prin. Mer.

Chains	Chains	
		North on a random line between Sections 5 & 6
		Va 13° 36' E
40.00	40.00	Set post for temporary 1/4 Sec. Cor.
79.09	53.00	Drain Course N.W.
	73.00	Ravine Course East
	79.82	Intersect North Boundary 14 link West of the corner to Sections 5 & 6 from which corner I run S. 6' W. on a true line between Sections 5 and 6
		Va 13° 36' E
79.09	39.82	Set post deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
	79.82	The corner to Sections 5, 6, 7 & 8
		Land rolling prairie, Soil 1st rate
		November 9th 1867
		Tested chain and found it correct

Meanders

Of the left bank of Loup river throug the Township

From the corner to fractional Sections 6 and 31 in the South Boundary of the Township, on the left bank of Loup river 30.50 chains East of the corner to Townships 13 and 14 N. Ranges 10 and 11 W. I run down Stream with the Meandes of the left bank of Said river in Section 31 as follows:

Courses	Dist	Remarks
N 40 E	30.00	At 11.00 chs leave timber bearing S.W.
N 34 E	37.00	At this point Bluffs come to river
N 65.00 E	10.00 2	To the corner to fractional Sections 31, 32
		Thence in Section 32
N 64½ E	21.00	
N 34½ E	16.00 3	To the corner to fractional Sections 29, and 32

Township 14 N, R 11 W 6th, P.M.

Chains	Courses	Dist	Remarks
			thence in Section 29
	N10 E	17,25	under bluff
40,00	N69¼ E	17,00	bluffs leave river bank
79,09	N88¼ E	27,00	At 5 chs center timber bears N.E. At 22 chs leave timber center willows 50 E
	N49 E	8,20 4	To the corner to fractional Sections 28 & 29
			thence in Section 28
	N9½ E	30,00	At 5,50 chs leave willows center timber S.W. mouth of creek 20 lks wide
	N14½ W	20,60 5	Bluff comes to river To the corner to Sections 20, 21, 28 & 29
			thence in Section 21
39,09	N45 E	10,00	
	N78¼ E	36,00	
	N31 E	27,00	At 24 chs mouth of creek 20 lks wide
79,09	N14¼ W	23,00	
	N21½ E	21,00 6	To the corner to fractional Sections 16, and 21
			thence in Section 16
	N45 E	6,50	
	N80 E	19,00 7	To the corner to fractional Sections 15 & 16

Township 14 N, R 10 W, 6th P.M.

Courses	Dist	Remarks
N62½ E	19,00	
N34½ E	23,00	
N14 E	26,00	
N3° E	18,75 8	To the corner to fractional Sections 10 & 15
		thence in Section 10.
N2° E	9,20	
N7¾ E	29,00	
N22½ E	22,20	
N40½ E	28,00 9	To the corner to fractional Sections 3 and 10
		thence in Section 3.
N55½ E	15,00 10	To the corner to fractional Sections 2 & 3
		thence in Section 2.
N20 E	33,00	At 4,00 chs center timber bearing N10° W. At 18,00 chs leave timber bearing S.W.
N23¾ W	28,50 11	To the corner to fractional Sections 2 & 3. thence in Section 3.
N23¾ W	10,50	To the corner to Sections 2, 3, 34, 35
N40 E	6,75 12	in the North Boundary of the Township on the left bank of Loup river

Township 14 N R 10 W 6th P M

Chains	Meanders
	Of the right bank of Loup river through the Township.
	From the corner to fractional Sections 6 and 31 in the South Boundary of the Township, on the right bank of the river. 28,30 chains West of the corner to Sections 5, 6, 31 and 32, I run down Stream with the Meanders of the right bank of the river in Section 31 as follows;

Courses	Dist	Remarks
13 N 29½ E	21,50	
N 36½ E	29,00 14	To the corner to fractional Sections 29 and 32 thence in Section 32
N 63 E	33,00	At 9,00 chs enter timber bears N 60° E
N 29¼ E	27,00 15	The corner to fractional Sections 29 & 32 thence in Section 29.
N 60 E	20,50	

Township 14 N, R 10 W, 6th P, M,

Courses	Dist	Remarks
		At 9,50 leave timber enter willows E. & W.
N 72½ E	20,50 16	To the corner to fractional Sections 28 & 29 thence in Section 28.
N 60¼ E	16,00	At 14 leave willows bearing S.W.
N 11¼ E	36,00	At 2,50 chs Mouth of creek 50 lks wide
N 8¾ E	12,00	
N 71½ E	27,50 17	To the corner to fractional Sections 21 & 28 thence in Section 21
N 38½ E	36,00	
N 5¼ W	28,00	
N 25 E	18,00	At 3,50 enter cottonwood timber bears E. & W. At 16,50 Leave timber bearing E. & W.
N 58¾ E	4,50 18	To the corner to fractional Sections 21 & 22 thence in Section 22,
N 58½ E	6,25	
N 83 E	22,75 19	To the corner to fractional Sections 15 and 22 thence in Section 15.
N 33 E	32,25	
N 18 E	24,00	At 14 chs enter timber bears N 10 E
N 2° E	30,00 20	To the corner to fractional Sections 10 & 15

Township 140 N R 10 W 6th P.M.

Courses	Dist	Remarks
		thence in section 10.
N 3¼ E	30,00	At 16,50 leave timber bears S 50 E
N 21½ E	25,50	At 24,00 chs enter willows bears N.E.
N 36¼ E	22,00 21	To the corner to fractional Sections 10, and 11. thence in Section 11.
N 66 E	21,00 22	To the corner to fractional Sections 2 and 11 thence in Section 2.
N 17¼ E	43,25	At 20 chains leave timber bears S.E. and cross mouth of creek 50 lks wide
N 29¼ W	35,00	
N 25 E	9,00 23	To the corner to fractional Sections 2 and 35 in the North Boundary of the Township on the right bank of Loup river 63,00 chains West of the corner to fractional Sections 1, 2, 35 and 36.

General Description

The land in this Township is generally good for Settlement and cultivation with the exception of the S.E. corner, which is hilly prairie light Sandy Soil unfit for cultivation. Loup river runs through it in a Northeasterly direction, it does not overflow its bank which are from 6 to 12 feet high.

There is some bottomwood timber along the river fit for lumber and timber the bottom lands are about 4 miles wide and good Soil for cultivation The upplands in the N.W. corner are first rate, Soil clay loam

List of names

A list of the names of the individuals employed to assist in running, measureing or marking the lines and corners described in the foregoing field notes of Township No. 14 North of the base line of Range No. 10 West of the 6th Principal Meridian West, Showing the respective capacities in which acted.

Charles Crawford Chainman
Johnathan W Jones Chainman
Gilbert Wilson Axeman
Thurman Weldon Axeman

State of Nebraska }
Douglas County ss: }

77/151

78/152

We hereby certify that we assisted Josiah B. Park, deputy surveyor, in surveying the exterior boundaries and subdividing Township 14 North of the Base line of Range No. 10 West of the Sixth Principal Meridian West,

and that said has been in all respects to the best of our knowledge & belief, well and faithfully surveyed, and the boundary monuments planted according to the instructions furnished by the Surveyor General, Charles Crawford.

T. A. Welden Johnathan W. Jones
Gilbert Wilson Chrisinman Axeman

Subscribed & sworn to by the above named persons before me a Notary Public for the County of Douglas in the State of Nebraska this 25th day of November 1867.

W. B. Smith
Notary Public, Douglas Co.

DOUGLAS COUNTY NEBRASKA NOTARIAL SEAL

75
149

79
153

80
154

82
156

Tow

Chan

40.

79.

presented

as having

direction

wear that

have been

in strict

ing

ith

nty

ka

State of Nebraska }
Douglass County } ss

I Josiah B. Park deputy Surveyor do Solemnly Swear that in pursuance of a joint contract herein Josiah B Park and Henry C Campbell are joint contractors with Phineas W. Hitchcock United States Surveyor General for the States of Iowa and Nebraska bearing date September 30th 1867 I have well and truly, faithfully in my own proper person, and in strict conformity with the instructions furnished by the Surveyor General the Surveying Manual and the laws of the United States Surveyed all those parts or portions of Township 14 North of the base line of Range 10 West 6th

Principal Meridian as are represented in the foregoing field notes as having been Surveyed under my direction and I do further Solemnly Swear that all the corners of said Survey have been established and perpetuated in strict accordance with the Surveying Manual and the printed instructions and that the foregoing are the true and original field notes of such Survey.

J B Park

Subscribed in my presence and sworn to before me this 24th day of January A.D. 1868.

W B Smith
Notary Public within
& for Douglas County
Nebraska

State of Nebraska }
Douglass County } ss

I Josiah B. Park Deputy Surveyor do Solemnly Swear that in pursuance of a joint contract wherein Josiah B. Park and Henry C. Campbell are joint contractors with Phineas W. Hitchcock United States Surveyor General for the States of Iowa and Nebraska bearing date September 30th 1867 I have well and truly, faithfully in my own proper person, and in strict conformity with the instructions furnished by the Surveyor General the Surveying Manual and the laws of the United States Surveyed all those parts or portions of Township 14 North of the base line & Range 10 West 6th

Principal Meridian as are represented in the foregoing field notes as having been Surveyed under my direction and I do further Solemnly Swear that all the corners of said Survey have been established and perpetuated in strict accordance with the Surveying Manual and the printed instructions and that the foregoing are the true and original field notes of such Survey.

J B Park

Subscribed in my presence and sworn to before me this 24th day of January A.D. 1868.

W B Smith
Notary Public within & for Douglas County Nebraska

Surveyors Office at
Plattsmouth Neb. Feb 24th 1868
The forgoing Field Notes
of the Survey and Subdivision
of Township 14. North of the
Base line of Range No 10 West
of the 6th Principal Meridian
in the State of Nebraska
Executed by J. R. Park under
joint Contract No 4. dated Sep-
tember 30th 1867, wherein J. R. Park
and Henry C Campbell are
joint Contractors in the month
of November A.D. 1867. having
been critically examined, the
necessary corrections and explan-
ations made, the said Field
Notes and the Survey they de-

scribe, are hereby, are hereby
approved

P W. Hitchcock

Surveyor General

81/155

85/159

Index Diagram

Town 15 N. R 10 W

6	73	5	56	4	42	3	30	2	20	1
72		71		55		41		29		19
7	70	8	54	9	40	10	28	11	18	12
69		68		53		39		27		17
18	66	17	51	16	38	15	26	14	15	13
65		64		48		37		23		12
19	63	20	47	21	35	22	21	23	11	24
62		61		46		34		6		8
30	60	29	45	28	33	27	5	26	7	25
59		58		44		32		4		2
31	57	32	43	33	31	34	3	35	1	36.

Meanders on pages 74. 75. 76, 77. 78. 79. 80. 81 and 82.

Exd.

Field Notes.

Of the Survey and Subdivision of Township 15 North of the baseline Range 10 West of the Principal Meridian executed by J. B. Park under ~~their~~ joint contract wherein J. B. Park and H. C. Campbell are joint contractors

Survey commenced Nov 11th 1867
Survey completed Nov 16th 1867

List of Names

And duties of Assistants

Charles Crawford Chainman
Johnathon W. Jones Chainman
T. A. Weldon } Axemen and
Gilbert Willson } Moundmen

To determine the proper adjustment of my Compass for Subdividing this Township I commence at the corner to Townships 14 and 15 N. Rs 9 & 10 W. and run
North on a blank line along the East Boundary of Sec 36.
Ca 13° 28' E

3998 To point 3 lines East of the ¼ Sector
80.03 To a point 4 links East of the corner to Sections 25 and 36.
To retrace this line or run parallel thereto My Compass must be adjusted to a variation of 13° 30' E
~~Subdivision Commenced November 11th 1867~~
~~Completed November 11th 1867~~

Township 15 N. R 10 W. 6th P. M.

Chains From the corner to Sections 35 and 36 in the South Boundary of the Township I run
North between Sections 35 and 36.
Variation by Burts improved Solar Compass 13° 30' E
15.00 Intersect righ bank of Loup river runs N 30° E (Rest of line in river)
Set post, deposit charred Stake, raise Mound of earth with pits as per instructions for a corner to fractional Sections 35 and 36
Land level prairie, Soil, 1st rate

Township 15 N. R 10 W. 6th P.M.

Chains	
	From the corner to Sections 25 and 36 in the East Boundary of the Township I run West on a true line between Sections 25 and 36.
	Ca 13 to 36 – E
40,00	Set post, deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec, Cor,
50,00	A Brain Course S.W,
75,60	Intersect right bank of Long river runs North,
	Set post, deposit charred Stake raised Mound of earth with pits as per instructions for a corner to fractional Sections 25 and 36
	Land level prairie Soil 1st rate

Township 15 N. R 10 W. 6th P.M.

Chains	
	From the corner to Sections 2, 3, 34 and 35 in the South Boundary of the Township I run North between Sections 34 & 35
	Ca 13 to 36 – E
40,00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec, Cor,
80,00	Set post, deposit charred Stake raised Mound of earth with pits as per instructions for a corner to Sections 26, 27, 34 and 35
	Land level prairie Soil 1st rate –

Township 15 N, R 10 W, 6th P, M,

Chains	
	East on a true line between Sections 26 and 35 Var. 13° 35' E
40,00	Set post, deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec Cor
46,00	A Slough 100 links wide runs N, E,
69,80	Intersect left bank of Loup river runs N 50 E
	Set post, deposit charred Stake raised Mound of earth with pits as per instructions for a corner to fractional Sections 26 and 35,
	Land level prairie, Soil 1st rate
	From this last named corner I run North on an offset 51. chains thence East 10.20 to line between Sections 25 & 26 on left bank of Loup river
	Set post raised mound of earth with pits as per instructions for corner to fractional Sections 25 & 26

For line between Sections 25 & 26 See page 87

Township 15 N, R 10 W, 6th P, M,

Leave out here

Chains	
	North between Sections 26, and 27 Va 13° 35' E
40,00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec, Cor,
55,00	A Drain Course N, E,
80,00	Set post, deposit charred Stake, raised mound of earth with pits as per instructions for a corner to Sections 22, 23, 26 and 27
	Land gently rolling prairie Soil 1st rate

Chains	East on a random line between Sections 23, and 26
	Var 13° 30' E
28,00	A Drain Course N.E.
27,00	A Slough 200 links wide course N.E.
40,00	Set post for temporary 1/4 sec. cor.
73,00	A Drain Course North
75,00	A Pond 100 links wide extends 55 chs N. 45 S.
80,17	Intersect N. and S. line 40 links N. North of the corner to Sections 23, 24, 25 and 26 from which corner I run N 89° 42' W on a true line between Sections 23 and 26
	Var 13° 30' E
40,08½	Set post, deposit charred stake, raised mound of earth with pits as per instructions for a 1/4 sec. cor.
80,17	The corner to Sections 22, 23, 26 & 27
	Land gently rolling Soil 1st rate

Chain	From corner to fractional Sections 25 and 26 on the left Bank of Loup River Drum North on true line between Sections 25 & 26
	Variation 13° 30' E
29,00	Set post deposit charred stake, raised mound of earth with pits as per instructions for a corner to Sections 23, 24, 25 and 26
	Land level prairie, Soil 1st rate
	Timber Cottonwood and Willow

Township 15 N, R 10 W, 6th P.M.

Chains East on a random line between Sections 24 and 25

Va 13° 36' E,

9,00 Enter timber bearing N W and South

17,00 Slough 2,00 Wide runs North

40,00 Set post, for temporary 1/4 Sec Cor

47,00 Intersect left bank of Loup river runs N 12½ E

I now cause my flag to be set on the left bank of the river in the line between Sections 24 and 25 and from the temporary corner run a base line North 6,00 chains to a point from which the flag bears S 73° 21 E which gives by calculation for the distance across the river 20,07 chains

Nat Tan - 73° 21 = 3,345
+ by base 6,00
= 20,070 00 chs to

which add 47 00 chains the

Township 15 N, R 10 W, 6th P.M.

9/172

Chains distance to the river Ma Res

67,07 To the flag on right bank

I now cross the river and in place of the flag Set temporary post - enter timber on the river bank

70,00 Leave timber bearing N and S,

80,07 Intersect East Boundary of Township 10 dist Res North of the corner to Sections 24 and 25 from which corner I run

N 89° 56 W on a true line between Sections 24 and 25

Va 13° 36 E,

13,00 Set post on right bank of Loup river for corner to fractional Sections 24 & 25 from which

A Cottonwood 14 in dia bears N 30 E, 40 lks dist

A Cottonwood 18 in dia bears S 40 E, 70 lks dist

The distance (20,07 chains) across the

Township 15 N, R 10 W 6th P. M.

river was obtained on the random line by triangulation to which add 13 chs the distance to the river makes

33,07 To the left bank of river
Set post for corner to fractional Sections 24 and 25 from which
A Cottonwood 12 in dia bears N 16° E 140 lks dist
A Willow 3 in dia bears S 50° W 10 lks dist

40,03½ Set post for 1/4 Sec Cor from which
A Cottonwood 18 in dia bears N 25° W 200 lks dist
A Cottonwood 10 in dia bears S 70° W 100 lks dist

50,07 The corner to Sections 23, 24, 25, 26
Land rolling Soil 2nd rate
Timber Cottonwood

Township 15 N, R 10 W, 6th P. M.

Chains North between Sections 23 and 24
Va 13° 30' E

10,00 Scattering cottonwood timber - timber to the right bears N 60° E to the river,

40,00 Set post, deposit charred stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.

47,00 A Drain Course N. E.

50,00 Set post, deposit charred stake, raised Mound of earth with pits as per instructions for a corner to Sections 13, 14, 23 and 24.
Land level prairie, Soil 1st rate

Township 15 N, R 10 W, 6th P.M.,

Chains	East on a random line between Sections 13 and 24
	Va 13°36' E
40,00	Set post, for temporary 1/4 Sec Cor
63,40	Intersect left bank of Loup river
	mns N 20° E
	Set post for temporary corner. I now cause my flag to be set on the right bank of the river in the line between Sections 13 and 24 and from the temporary corner run and base line North 5.00 chains to a point from which the flag bears S 72°11' E which gives by calculation for the distance across the river 15,56 chains
	Nat Tang – 72°11' = 3,112
	+ by base 5,00
	15,56 0 00 chains to
	to which add 63,40 chains the

Township 15 N, R 10 W, 6th P.M.,

Chains	distance to the river makes
78,96	To the right bank thereof. Set post for temporary corner
79,96	Intersect East Boundary of Township 16 links South of the corner to Sections 13 and 24 from which corner I run S 89°53' W on a true line between Sections 13 and 24,
	Va 13°36'
1,00	Set post, deposit charred stake, raised mound of earth with pits as per instructions for a corner to fractional Sections 13 and 24 on the right bank of Loup river
	The distance across the river (15,56 chains) was obtained on the random line to which add 1,00 chain the distance to the river makes
16,56	To the left bank of river

Township 15 N. R 10 W. 6th P.M.

Chains	Set post, deposit charred stake mixed mound of earth with pits per instructions for a corner to fractional Sections 13 and 24
39.98	Set post, deposit charred stake mixed mound of earth with pits as per instructions for a 1/4 Sec. Cor
79.96	The corner to Sections 13 and 24 Land level prairie, soil 1st rate

Township 15 N. R 10 W. 6th P.M.

Chains	North between Sections 13 and 14 Va 13° 36' E
23.40	Intersect right bank of North Branch mers N.E.
	Set post, deposit charred stake, mixed Mound of earth with pits as per instructions for a corner to fractional Sections 13 and 14.
	I cause my flag to be set on the left bank of the river in the line between Sections 13 and 14 and from the corner on a base line East 5.00 chains to a point from which the flag bears N 20°45' W. which gives by calculation
	Cat Co-Tan 20°45' = 2.6394 × by base 5.00 = 13.1970 or chains
	to the flag on the left bank to which and 23.40 chs the distance

to the river makes
36,59 To the left bank of the river
Set post, deposit charred stake
raised mound of earth with pits as
per instructions for a corner to fract-
ional Sections 13 and 14.
41,00 Set post, deposit charred stake, raised
Mound of earth with pits as per
instructions for a 1/4 Sec. Cor.
72,00 Leave bottom and enter hills bearing
N. E. and S. W.
80,00 Set post, deposit charred stake, raised
Mound of earth with pits as per
instructions for a corner to
Sections 11, 12, 13 and 14.
Land 1st 72,00 chs level prairie
Soil 1st rate ballance hilly
Soil 2nd rate.

Township 15 N. R 10 W. 6th P.M.

Chains East on a random line between
Sections 12 and 13.
Va 13° 36' E
15,00 Leave my land and enter bottom
bearing N. E. and S. W.
40,00 Set post, for temporary 1/4 Sec. Cor.
79,76 Intersect East Boundary of Township
32 links North of the corner to sections
12 and 13, from which corner I run
N 89° 46' W on a true line between sections
12 and 13
Va 13° 36' E.
39,88 Set post, deposit charred stake raised
Mound of earth with pits as per
instructions for a 1/4 Sec. Cor.
79,76 The corner to Sections 11, 12, 13 & 14
Land level prairie, Soil 2nd rate

Township 15 N R 10 W 6th P M

Chains	
	North between Sections 11 and 12
	Va 13° 30' E
4.00	Set post, deposit charred stake, raised mound of earth with pits as per instructions for a 1/4 Sec. Cor,
8.00	Set post, deposit charred stake raised mound of with pits as per instructions for a corner to Sections 1, 2, 11 and 12
	Land hilly prairie, Soil 2nd rate
	November 11th 1867
	Tested and corrected Measuring Chain by the Standard

Township 15 N R 10 W 6th P M

Chains	
	East on a random line between Sections 1 and 12
	Va 13° 30' E
4.00	Set post for temporary 1/4 Sec. Cor,
79.82	Intersect East Boundary of the Township 28 links North of the corner to Sections 1 and 12 from which corner I run N 89° 48' W on a true line between Sections 1 and 12
	Va 13° 30' E
39.91	Set post, deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
79.82	The corner to Sections 1, 2, 11 & 12
	Land hilly prairie, Soil 2nd rate

Township 15 N. R 10 W. 6th P.M.

chains	North on a random line between Sections 1 and 2
	Va 13° 36' E
40.00	Set post, for temporary 1/4 Sec Cor
79.76	Intersect North Boundary of the Township 40 links West of the corner to Sections 1 and 2 from which corner I run S 17 W on a true line between Sections 1 and 2
	Va 13° 36' E
39.76	Set post, deposit charred stake raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.76	The corner to Sections 1, 2, 11 and 12 Land hilly prairie, Soil 2nd rate

Township 15 N. R 10 W. 6th P.M.

chains	North between Sections 22 and 23
	Va 13° 36' E
40.00	Set post deposit charred stake, raised Mound of earth with pits as per instructions for a 1/4 Section Corner
61.50	Leave prairie and enter timber bearing N 80 E and N 85 W.
65.94	Intersect right bank of North Branch runs N 80 E
	Set post for corner to fractional Sections 22 and 23 from which
	Hottonwood 14 in. dia. bears S 30 W 48 links dist.
	Hottonwood 12 in. dia. bears S 44 E 115 lks dist.
	I now cause my flag to be set on the left bank of the river in the line between Sections 22 and 23 and from the Corner run a base line West 4.00 chains to a point from which the flag bears

Township 15 N. R 10 W 6th P. M.

Chains	N 19° 43' E which gives by calculations for the distance across the river
	Nat Co-Tan 19° 43' = 2,79
	× by base 4,00
	= 11,16 00 chains
	to which add 65,94 chains the distance to the river makes
77,10	To the flag on the left bank of the river I now cross the river and in place of the flag. Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to fractional Sections 22 and 23
80,00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a corner to Sections 14, 15, 22 and 23.
	Land level prairie Soil 1st rate

Township 15 N. R 10 W. 6th P. M.

Chains	East on a random line between Sections 14 and 23.
	Va 13° 36' E
35,50	Intersect left bank of Loup river runs N. E. Set temporary corner I now cause my flag to be set on the right bank of the river in the line between Sections 14 and 23 and from the temporary corner run a base line North 5,00 chains to a point from which the flag bears S 74° 45' E which gives by calculation for the distance across the river
	Nat-Tan 74° 45' = 3,6679
	5,00
	18,339 5 00 chains to which add 35,50 the distance to the river makes
53,84	To the right bank of the river. Set post for temporary corner,

Township 15 N R 10 W. 6th P.M.

Chains	
79.84	Intersect N. and S. line 14 links North of the corner to Sections 13, 14, 23 and 24 from which corner I run N. 89° 54' W on a true line between Sections 14 and 23
	Va 13° 30' E
26.00	Intersect right bank of Zoup river Set post, deposit charred Stake, raised Mound of earth pits as per instructions for a corner to fractional Sections 14 and 23.
	The width of the river (18.34 chains) was obtained by triangulation on the random line. I now cross the river and at.
44.34	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a corner to

Township 15 N. R 10 W. 6th P.M.

Chains	
	fractional Sections 14 and 23.
79.84	The corner to Sections 14, 15, 22 and 23.
	Land level prairie, Soil 1st rate

Township 15 N, R 10 W, 6th P.M.

Chains	North between Sections 14 and 15 Va 13° 25' E
38.00	Leave bottom and enter upland bearing E and W.
40.00	Set post deposit charred stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred stake, raised Mound of earth with pits as per instructions for a corner to Sections 10, 11, 14 and 15
	Land 1st 38 chains level Soil 1st rate Ballance rolling & hilly Soil 2nd rate

Township 15 N, R 10 W, 6th P.M.

Chains	East on a random line between Sections 11 and 14. Va 13° 25' E
40.00	Set post, for temporary 1/4 Sec. Cor.
79.92	Intersect N and S line 23 links North of the corner to Sections 11, 12, 13 & 14 from which corner I run N 89° 50' W, on a true line between Sections 11 and 14 Va 13° 36' E
39.96	Set post, deposit charred stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.92	The corner to Sections 10, 11, 14 and 15
	Land rolling prairie Soil 1st rate

Township 15 N, R 10 W, 6th P.M.

Chains	Chains	North between Sections 10 and 11
		Va 13° 30' E
38,00	7,00	A Drain Course S.W.
	12,00	Same Drain Course S.E.
40,00	40,00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	56,00	A Drain Course S.E.
	80,00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a corner to Sections 2, 3, 10 and 11
		Land hilly prairie, Soil 2nd rate

Township 15 N, R 10 W, 6th P.M.

Chains	East on a random line between Sections 2 and 11
	Va 13° 30' E
40,00	Set post, ~~deposit charred Stake, raised~~ for temporary 1/4 Sec. Cor. Mound of earth with pits as per ~~instructions for a 1/4 Sec. Cor.~~
80,13	Intersect N. and S. line 11, links North of the corner to Sections 1, 2, 11 and 12 from which corner Iron N 89° 58' W on a true line between Sections 2 and 11,
	Va 13° 30' E
40,06½	Set post deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,13	The corner to Sections 2, 3, 10 & 11
	Land hilly prairie, Soil 2nd rate

Township 15 N, R 10 W, 6th P M

Chains	
	North on a random line between Sections 2 and 3
38,00	Va 13° 36' E
	12,00 A Drain Course S,W,
40,00	40,00 Set post for temporary 1/4 Sec Cor,
	42,00 A Drain Course S,W,
	79,87 Intersect North Boundary of Township 24 links West of the corner to Sections 2 and 3 from which corner I run S 10 W on a true line between Sections 2 and 3,
80,00	Va 13° 36' E
	39,87 Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec, Cor,
	79,87 The corner to Sections 2, 3, 10 & 11
	Land hilly prairie, Soil 2nd rate
	November 12th 1867
	Tested Chain and found it correct

Township 15 N, R 10 W, 6th P, M,

Chains	
	North between Sections 33, and 34
	Va 13° 36' E
18,50	A Drain Course S,E,
40,00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec, Cor,
80,00	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a corner to Sections 27, 28, 33 and 34,
	Land gently rolling, Soil 1st rate

Township 15 N, R 10 W, 6th P.M.

Chains	
	East on a random line between Sections 27 and 34
	Va. 12° 30' E
38,00	
40,00	Set post for temporary 1/4 Sec. Cor.
79,87	Intersect N. and S. line 19 links South of the corner to Sections 26, 27, 34 and 35 from which corner bears S 89° 52' W on a true line between Sections 27 and 34
	Va. 12° 30' E
89,98½	Set post, deposit charred stake, raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,87	The corner to Sections 27, 28, 33 & 34
	Land gently rolling prairie Soil 1st rate

Township 15 N R 10 W, 6th P.M.

Chains	
	North between Sections 27 and 28
	Va. 12° 30' E.
40,00	Set post, deposit charred stake, raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred stake, raised mound of earth with pits as per instructions for a corner to Sections 21, 22, 27 and 28
	Land rolling prairie Soil 1st rate

Township 15 N, R 10 W, 6th P, M,

Chains	
	East on a random line between Sections 22 and 27
	Va 13° 35' E
40,00	Set post, for temporary 1/4 Sec, Cor,
80,09	Intersect N, and S, line 28 links South of the corner to Sections 22, 23, 26 and 27 from which corner I run S 89° 48' W on a true line between Sections 22 and 27.
	Va 13° 35' E
40,04 1/2	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec, Cor,
80,09	The corner to Sections 21, 22, 27 and 28.
	Land level prairie, Soil 1st rate

Township 15 N, R 10 W, 6th P, M,

Chains	
	North between Sections 21 & 22
	Va 13° 36' E
40,00	Set post deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec, Cor,
66,40	Intersect right bank of Loup river runs N 88° E.
	Set post deposit charred Stake, raised Mound of earth with pits as per instructions for a corner to fractional Sections 21 and 22
	I measure with the chain across the river and find its width to be 11,70 chains to which add 66,40 chs the distance to the river makes
78,10	To the right bank of the river Set post deposit charred Stake raised mound of earth with pits as per

Township 15 N, R 10 W, 6th P.M.

Chains	
Chains	instructions for a corner to fractional Sections 21 and 22
38,00	8,00 Set post, deposit charred stake, raise Mound of earth with pits as per instructions for a corner to Sections 15, 16, 21 and 22.
41,00	Land level prairie, Soil, st rate
8,00	

Township 15 N, R 10 W, 6th P.M.

Chains	
Chains	East on a random line between Sections 15 and 22.
	Va 13° 35' E
41,00	Set post for temporary 1/4 Sec. Cor.
79,89	Intersect N. and S. line 6 links North of the corner to Sections 14 15, 22 and 23 from which corner I run
	N 89° 57' W on a true line between Sections 15 and 22.
	Va 13° 35' E
39,94 1/2	Set post, deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,89	The corner to Sections 15, 16, 21 and 22.
	Land level prairie, Soil, st rate

Township 15 N, R 10 W, 6th P.M.

Chains	Chains	North between Sections 15 and 16 Va 13° 30' E
38,00	40,00	Set post, deposit charred stake, raised mound of earth with pits as per instructions for a 1/4 Sec Cor
40,00	50,00	Leave bottom and enter swamp land bearing N 30 W and S 60 E
8,00	8,00	Set post, deposit charred stake, raised mound of earth with pits as per instructions for a corner to Sections 9, 10, 15 and 16
		Land level prairie, Soil 1st rate

Township 15 N, R 10 W, 6th P.M.

Chains	East on a random line between Sections 10 and 15 Va 13° 35' E
40,00	Set post for temporary 1/4 Sec. Cor.
80,16	Intersect N and S line 9 links North of the corner to Sections 10, 11, 14 and 15 from which corner I run N 89° 56' W on a true line between Sections 10 and 15 Va 13° 35' E
40,08	Set post, deposit charred stake, raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,16	The corner to Sections 9, 10, 15 & 16 Land hilly prairie, Soil 2nd rate

Township 15 N, R 10 W, 6th P.M.

Chains	Chains	North between Sections 9 and 10 Var 13° 35' E
	15,00	A Brass Course S, E,
38,00	41,00	Set post deposit charred stake, raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
41,00		
	50,00	A Brass Course S, E,
	79,00	A Brass Course S, E,
80,00	80,00	Set post, deposit charred stake, raised mound of earth with pits as per instructions for a corner to Sections 3, 4, 9 and 10
		Land hilly prairie, Soil second rate

Township 15 N, R 10 W, 6th P.M.

Chains	East on a random line between Sections 3 and 10 Va 13° 35' E
41,00	Set post, for temporary 1/4 Sec. Cor.
79,84	Intersect N. and S. line 32 links North of the corner to Sections 2, 3, 10 and 11, from which corner I run
	N 89° 46' W on a true line between Sections 3 and 10 Va 13° 35' E
39,92	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,84	The corner to Sections 3, 4, 9 and 10 Land hilly prairie, Soil second rate

Township 15 N, R 10 W, 6th P, M,

Chains	Chains	North on a random line between Sections 3 and 4
		Va 13° 36' E,
38,00	38,50	A Ravine Course S E
41,00	41,00	Set post for temporary 1/4 Sec Cor
	48,00	A Ravine Course S, E,
8,00	79,76	Intersect North Boundary of the Township 40 links West of the corner to Sections 3 and 4 from which corner I run
		S 17 W on a true line between Sections 3 and 4
		Va 13° 36' E
	39,76	Set post deposit charred Stake, raise Mound of earth with pits as per instructions for a 1/4 Sec, Cor,
	79,76	The corner to Sections 3, 4, 9 & 10
		Land hilly and broken Soil second rate

November 18th 1867

Township 15 N, R 10 W, 6th P, M,

Chains	North between Sections 32, and 33
	Va 13° 35' E
8,00	Leave bottomland enter upland bearing N. E, and S. W.
41,00	Set post, deposit charred Stake, raise Mound of earth with pits as per instructions for a 1/4 Sec, Cor,
84,00	Set post deposit charred Stake, raise Mound of earth with pits as per instructions for a corner to Sections 28, 29, 32, and 33,
	Land rolling prairie, Soil second rate

Township 15 N, R 10 W, 6th P, M,

Chains	Chains	
		East on a random line between Sections 28 and 33.
		Va 13° 36' E
38,00	30,00	Leave up land and enter bottom bearing N 40 E and S 40 W,
40,00	40,00	Set post for temporary 1/4 Sec Cor,
80,00	79,92	Intersect N, and S, line 13 links South of the corner 27, 28, 33 and 34 from which Corner I run S 89° 54' W, on a true line between Sections 28 and 33
		Va 13° 36' E
	39,96	Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec, Cor,
	79,92	The corner to Sections 28, 29, 32, 33 West 30 chs rolling ballance level Soil 1st rate

Township 15 N, R 10 W, 6th P, M,

Chains	
	North between Sections 28 and 29
	Va 13° 36' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec, Cor,
80,00	Set post, deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 20, 21, 28 and 29. Land rolling prairie, Soil 2nd rate

Tou

chains

38,00

40,00

80,00

Township 15 N, R 10 W, 6th P, M,

Chains	
	East on a random line between Sections 21 and 28
	Va 13° 35' E
40,00	Set post for temporary 1/4 Sec, Cor
60,00	Leave upland and enter bottom bearing N 40° W and S 40° W,
80,14	Intersect N. and S. line 9 links South of the corner to Sections 21, 22, 27 and 28 from which corner I run S 89° 56' W, on a true line between Sections 21 and 28
	Va 13° 35' E
40,07	Set post, deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec Cor,
80,14	The corner to Sections 20, 21, 28 & 29
	Land upland hilly Soil 2nd rate
	Bottom level Soil, 1st rate

Township 15 N, R 10 W, 6th P, M,

Chains	
	North between Sections 20 and 21
	Va 13° 36' E
37,00	Leave upland an enter river bottom bearing N 70° W and S 70° E
40,00	Set post deposit charred Stake, raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80,00	Set post deposit charred Stake, raised Mound of earth with pits as per instructions for a corner to Sections 16, 17, 20 and 21
	Land 1st 37 chs hilly Soil 2nd rate
	ballance level Soil 1st rate

Township 15 N, R 10 W, 6th P.M.

chains	
	East on a random line between Sections 16 and 21
	Va 13° 36' E.
40,00	Set post for temporary 1/4 Sec. or,
60,40	Intersect right bank of North Branch runs S, E, Set post for temporary corner
	I now cause my flag to be set on the left bank of the river in the line between Sections 16 and 21 and from the temporary corner run a base line South 6,00 chains to a point from which the flag bears N 71° 21' E which gives by calculation for the distance across the river
	Nat Tan 71° 21' = 2,96288
	6,00
	17,77728 00 chains
	to which add 60,40 chains the distance to the river makes
78,17	To the flag on the left bank of river

Township 15 N, R 10 W, 6th P.M.

chains	
	I now cross the river and in place of the flag set post for temporary corner,
79,97	Intersect N and S, line 7 links South of the corner to Sections 15, 16, 21 and 22 from which corner I run
	S 89° 57' W on a true line between Sections 16 and 21
	Va 13° 36' E
1,80	Intersect left bank of North Branch.
	Set post, deposit charred stake raised mound of earth with pits as per instructuctions for a corner to fractional Sections 16 and 21.
	The distance 17,77 chains across the river was obtained on

Township 15 N. R 10 W 6th P.M.

Chains	
	on the random line by triangulation to which add 1,80 chs the distance to the river makes
19,57	To the right bank of the river Set post deposit charred Stake, raised mound of earth with pits as per instructions for a corner to fractional Sections 16 and 21,
39,98½	Set post, deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec Cor,
79,97	The corner to Sections 16, 17, 20, 21 Land level prairie Soil 1st rate

Township 15 N R 10 W 6th P.M.

Chains	
	North between Sections 16 & 17 Va 13° 36° E
24,40	Intersect right bank North Branch runs S 81° E Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to fractional Sections 16 and 17 I now measure with the chain across the river and find its width to be 11,45 chains to the left bank to which add 24,40 chains the distance to the river makes
35,85	Set post ~~post~~ deposit charred Stake raised mound of earth with pits as per instructions for a corner to fractional Sections 16 & 17

Township 15 N, R 10 W, 6th P M

chains	
40,00	Set post, deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec, Cor,
71,00	A Creek 80 links wide runs S, E,
80,00	Set post, deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 8, 9, 16 and 17
	Land level prairie Soil 1st rate

Township 15 N, R 10 W, 6th P, M,

chains	
	East on a random line between Sections 9 and 16
	Va 13° 36' E
40,00	Set post for temporary 1/4 Sec, Cor,
57,00	Leave river bottom and enter upland bearing N, W, and S, E,
79,86	Intersect W and S, line 25 links North of the corner to Sections 9, 10, 15, 16 from which corner I run N 89° 49' W on a true line between Sections 9 and 16
	Va 13° 36' E
39,93	Set post deposit charred Stake raised mound of earth pits as per instructions for a 1/4 Sec, Cor,
79,86	The corner to Sections 8, 9, 16 & 17
	Land level prairie, Soil 1st rate

Township 15 N. R 10 W. 6th P. M.

Chains	
	North between Sections 8 and 9
	Va 13° 35' E
30,00	Leave bottom and enter up land bearing S 80° E. and N 80° W.
40,00	Set post, deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake, raised Mound of earth with pits as per instructions for a corner to Sections 4, 5, 8 & 9
	Land hilly prairie, Soil 2nd rate

Township 15 N. R 10 W. 6th P. M.

Chains	
	East on a random line between Sections 4 and 9
	Va 13° 35' E
40,00	Set post for temporary 1/4 Sec. Cor.
78,00	A Drain Course S. E.
80,30	Intersect N. and S. line 36 links South of the corner to Sections 3, 4, 9, 10 from which corner I run S. 89° 45' W. on a true line between Sections 4 and 9
	Va 13° 35' E
40,15	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,30	The corner to Sections 4, 5, 8 and 9
	Land hilly prairie, Soil 2nd rate
	November 14th 1867
	Tested chain and found it correct

Township 15 N, R 10 W, 6th P.M.

Chains	
	North on a random line between Sections 4 and 5. Var 13° 35' E
40,00	Set post for temporary ¼ sec. cor
79,75	Intersect North Boundary of the Township 27 links West of the corner to Sections 4 and 5 from which corner I run S 12' W on a true line between Sections 4 and 5, Var. 13° 35' E.
39,75	Set post deposit charred stake raised mound of earth with pits as per instructions for a ¼ sec. cor.
79,75	The corner to Sections 4, 5, 8, 9
	Land hilly prairie, Soil 2nd rate

Township 13 N R 10 W 6th P.M.

Chains	
	North between Sections 31 & 32 Var 13° 35' E
27,00	A Drain Course East
32,00	A Drain Course S. E.
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a ¼ sec. cor.
52,00	A Drain Course S. E.
80,00	Set post, deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 29, 30, 31 and 32
	Land rolling prairie, Soil 1st rate

Township 15 N. R 10 W. 6th P. M.

	Chains	East on a random line between Sections 29, and 32.
		Va 13° 35' E
	4,00	Set post, for temporary 1/4 Sec. Cor.
	79,95	Intersect N. and S. line 18 links South of the corner to Sections 28, 29, 32 and 33 from which corner I run
		S 89° 52' W on a true line between Sections 29 and 32
		Va 13° 35' E
	39,97½	Set post, deposit charred stake, raised mound of earth with pits as per instructions for a 1/4 Sec.
	79,95	The corner to Sections 29, 32, 31, 32
		Land rolling prairie Soil 2nd rate

Township 15 N. R 10 W. 6th P. M.

	Chains	West on a random line between Sections 30 and 31
		Va 13° 36' E
	4,00	Set post for temporary 1/4 Sec. Cor.
	78,68	Intersect West Boundary of the Township 9 links South of the corner to Sections 30 and 31 from which corner I run
		S 89° 56' E on a true line between Sections 30 and 31
		Va 13° 36' E
	38,68	Set post, deposit charred stake, raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
	78,68	The corner to Sections 29, 30, 31, 32
		Land rolling prairie Soil 1st rate

Township 15 N, R 10 W, 6th P.M.

Chains	
	North between Sections 29 and 30
	Va 13° 35' E
40,00	Set post, deposit charred stake, raise Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred stake raised Mound of earth with pits as per instructions for a corner to Sections 19, 20, 29 and 30.
	Land rolling prairie, Soil 1st rate

Township 15 N, R 10 W, 6th P.M.

Chains	
	East on a random line between Sections 20 and 29
	Va 13° 35' E
40,00	Set post, for temporary 1/4 Sec. Cor.
80,12	Intersect N and S line 17 links North of the corner to Sections 20, 21, 28 & 29 from which corner S mm
	N 89° 57' W on a true line between Sections 20 and 29.
	Va 13° 35' E,
40,06	Set post, deposit charred stake, raise Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,12	The corner to Sections 19, 20, 29 & 30
	Land hilly prairie, Soil 2nd rate

Township 15 N, R 10 W, 6th P, M,

	chains	West on a random line between Sections 19 and 30
		Va 13°36' E
4	40,00	Set post, for temporary 1/4 Sec Cor
7	78,50	Intersect West Boundary of Township 34 links North of the corner to Sections 19 & 30 from which corner I run N 89°45' E on a true line between Sections 19 and 30.
		Va 13°36' E
	38,50	Set post, deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec, Cor,
7	78,50	The corner to Sections 19, 20, 29 & 30
		Land rolling prairie, Soil 2nd rate

Township 15 N, R 10 W, 6th P, M,

chains	North between Sections 19 and 20
	Va 13°34' E
40,00	Set post, deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec, Cor,
60,00	Leave upland and enter river bottom bearing S, E and S, W,
80,00	Set post, deposit charred Stake raised Mound of earth with as per instructions for a corner to Sections 17, 18, 19 and 20,
	Land 1st 60 chains rolling, ballance level Soil 1st rate

Township 15 N, R 10 W, 6th P M

Chains		
		East on a random line between Sections 17 and 20
		Va 13° 32' E
4	40,00	Set post for temporary 1/4 Sec, Cor,
7	80,20	Intersect N, and S, line 17 lks South of the corner to Sections 16, 17, 20 and 21 from which corner I run
		S 89° 53' W on a true line between Sections 17 and 20
		Va 13° 32' E
	40,10	Set post, deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec, Cor,
7	80,20	The corner to Sections 17, 18, 19 & 20 Land level prairie, Soil 1st rate

Township 15 N, R 10 W, 6th P, M,

Chains	
	West on a random line between Sections 18 and 19
	Va 13° 32' E
40,00	Set post for temporary 1/4 Sec Cor
78,56	Intersect West Boundary of Township 22 links North of the corner to Sections 18, and 19 from which corner I run
	N 89° 51' E on a true line between Sections 18 and 19
	Va 13° 32' E
38,56	Set post deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec, Cor,
78,56	The corner to Sections 17, 18, 19 & 20 Land level prairie, Soil 1st rate
	November 15th 1867
	Test and corrected Measuring Chain

Township 15 N. R 10 W. 6th P.M.

Chains	
	North between Sections 17, 18
	Var 18° 36' E
25,00	A Slough 65 links wide course S, E
40,00	Set post, deposit charred stake, raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
40,90	Intersect right bank of North Branch runs S 77° E,
	Set post, deposit charred stake, raised Mound of earth with pits as per instructions for a corner to fractional Sections 17 & 18
	I now measure with the chain across the river and find its width to be 11,25 chs to which add 40,90 chains the distance to the river makes
52,15	To the left bank of the

Township 15 N. R 10 W. 6th P.M.

Chains	
	river
	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to fractional Sections 17 and 18,
8,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 7, 8, 17 and 18
	Land level prairie, Soil 1st rate

Township 150 N, R 10 W 6th P.M.

	Chains	East on a random line between Sections 8 and 17
		Va 13° 36' E
	40,00	Set post for temporary 1/4 Sec. Cor.
	62,00	A creek 75 links wide runs South
	79,87	Intersect N and S line 22 links North of the corner to Sections 8, 9, 16 and 17, from which corner I run
		N 89° 51' W on a true line between Sections 8 and 17 Va 13° 36' E
		Va 13° 36' E
	39,93½	Set post, deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
	79,87	The corner to Sections 7, 8, 17, 18
		Land level prairie, Soil 1st rate

Township 150 N, R 10 W 6th P.M.

	Chains	West on a random line between Sections 7 and 18
		Va 13° 35' E
	40,00	Set post for temporary 1/4 Sec. Cor.
	78,26	Intersect West Boundary of the Township 19 links North of the corner to Sections 7 and 18 from which corner I run
		N 89° 52' E on a true line between Sections 7 and 18
		Va 13° 35' E
	39,26	Set post, deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
	78,26	The corner to Sections 7, 8, 17 & 18
		Land level prairie, Soil 1st rate

Township 15 N, R 10 W, 6th P.M.

Chains	
	North between Sections 7 and 8
	Va 13° 35' E
38	40.00 Set post, deposit charred Stake, raised
	Mound of earth with pits as per
40	instructions for a qr Sec. Cor.
	42.00 Leave bottom and enter upland
	bearing E. and W.
	80.00 Set post, deposit charred Stake, raised
	Mound of earth with pits as per
	instructions for a corner to
	Sections 5, 6, 7 and 8
	Land 1st qr. mile level, balance
	rolling Soil 1st rate

Township 15 N, R 10 W, 6th P.M.

Chains	
	East on a random line between
	Sections 5 and 8
	Va 13° 35' E
40.00	Set post for temporary qr Sec. Cor.
46.50	A Creek 50 links wide runs South
80.42	Intersect N. and S. line 23 links
	South of the corner to Sections 4, 5, 8, 9
	from which corner I run
	S 89° 60' W on a true line between
	Sections 5 and 8
	Va 13° 35' E
44.21	Set post, deposit charred Stake, raised
	Mound of earth with pits as per
	instructions for a qr Sec. Cor.
80.42	The corner to Sections 5, 6, 7 and 8
	Land hilly prairie, Soil 2nd rate

Township 15 N. R 10 W. 6th P. M.

Chains West on a random line between Sections 6 and 7

Va 13° 35' E

40,00 Set post, for temporary 1/4 Sec Cor.

78,11 Intersect West Boundary of Township 84 links North of the corner to Sections 6 and 7 from which corner I run

N 89° 48' E on a true line between Sections 6 and 7

Va 13° 35' E

38,11 Set post, deposit charred Stake, raised Mound of earth with pits as per instn. for a 1/4 Sec. Cor.

78,11 The corner to Sections 5, 6, 7 & 8

Land hilly prairie, Soil 2nd rate

Township 15 N. R 10 W. 6th P. M.

Chains North on a random line between Sections 5 and 6

Va 13° 35' E

40,00 Set post, for temporary 1/4 Sec Cor

44,00 At Creek 70 links wide runs East

79,71 Intersect North Boundary of Township 20 links West of the corner to Sections 5 and 6 from which corner I run

S 4 W. on a true line between Sections 5 and 6

Va 13° 35' E

39,71 Set post, deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.

79,71 The corner to Sections 5, 6, 7 and 8

Land hilly prairie, Soil 2nd rate

November 18th 1867

Township 15 N. R 10 W. 6th P. M.

Meanders

Of the right bank of North Branch through the Township.

From the corner to fractional Sections 13 and 18 in the West Boundary of the Township on the right bank of North Branch 19,00 chains North of the corner to Sections 13, 24, 18 and 19 I run down stream with the Meanders of the right bank of said river in Section 18 as follows:

Courses	Dist.	Remarks
N 60½ E	28,70	
N 72½ E	26,50	
East	28,00 2	To the corner to fractional Sections 17 & 18 thence in Section 17.
S 77 E	40,70	
S 80½ E	41,01 3	To the corner to fractional Sections 16 & 17 thence in Section 16

Township 15 N. R 11 W. 6th P. M.

Courses	Dist.	Remarks
S 81 E	34,10	
S 54 E	33,70 4	To the corner to fractional Sections 16 & 21 thence in Section 21.
S 37 E	8,70	
S 67½ E	15,00 5	To the corner to fractional Section 21 & 22 thence in Section 22.
N 87 E	46,30	At 13 chs center timber bearing S 80 E
S 88½ E	34,20 6	To the corner to fractional Sections 22, 23 thence in Section 23
N 85½ E	41,00	At 22 chs leave timber bearing S 80 W
N 49 W	17,00 7	To the corner to fractional Sections 14, 23 thence in Section 14.
N 42½ E	18,00	
N 5½ E	17,00 8	To the corner to fractional Sections 13 and 14 thence in Section 13.
N 57 E	55,25	
N 78 E	35,00 9	To the corner to fractional Sections 13 and 18 in the

East Boundary of the Township on the right bank of North Branch 57.97 chains North of the corner to Sections 18, 19, 13 and 24.

Meanders

Of the left bank of North Branch through the Township

From the corner to Sections 13 and 18, in the East Boundary of the Township on the left bank of North Branch 3.59 chains South of the corner to Sections 7, 18, 12 & 13

I run up Stream with the meanders of the left bank of Said river in Section 13 as follows

Courses	Dist.	Remarks
S 72 W.	4.200	
S 55½ W.	47.50 11	To the corner to fractional Sections 13 & 14 thence in Section 14.

Courses	Dist.	Remarks
S 54 W.	25.00	
S 48 W.	32.00 12	To the corner to fractional Sections 14 & 23 thence in Section 23.
S 85½ W.	36.00 13	To the corner to fractional Sections 22 & 23. thence in Section 22.
N 87 W.	37.00	
S 88 W.	43.00 14	To the corner to fractional Sections 21 & 22 thence in Section 21.
N 47 E	2.50 15	To the corner to fractional Sections 16 & 21 thence in Section 16.
N 44 W.	10.00	
N 55¼ W.	40.00	
N 81¾ W.	38.93 16	At 27.00 chs mouth of creek 80 Rewide To the corner to fractional Sections 16, 17 thence in Section 17.
N 80¾ W.	38.50	
N 76¾ W.	43.20 17	To the corner to fractional Sections 17 & 18. thence in Section 18.
S 88¾ W	30.30	

Township 15 N. R 10 W. 6th P.M.

Courses	Dist.	Remarks
S 72¼ W	29.50	
S 61¾ W	22.40 18	To the corner to fractional Sections 13 and 18 in the West Boundary of the Township on the left bank of North Branch 47.90 chains South of the corner to Sections 12, 13, 7 & 18

Meanders

Of the right bank of Long river through the Township.

From the corner to fractional Sections 13 and 18 in the East Boundary of the Township on the right bank of Long river 3.40 chains North of the corner to Sections 18, 19, 13 and 24 & run up stream with the Meanders of the right bank of said

Township 15 N. R 10 W. 6th P.M.

river in Section 13, as follows:

Courses	Dist	Remarks
19 S 14¼ W	4.00 20	To the corner to fractional Sections 13 & 24 thence in Section 24.
S. 6 W.	45.45	At 28.00 chs enter timber bearing South
S 12½ W.	35.80 21	To the corner to fractional Sections 24, 25 thence in Section 25.
S 45 W.	34.00	At 11.50 leave timber bearing N. E.
S 61 W.	35.00	
S 44½ W	7.00	
S 6 W.	34.00 22	To the corner to fractional Sections 25 and 36. thence in Section 36.
S 4½ E	35.00	
S 13¼ W.	31.00 23	To the corner to fractional Sections 25 & 36. thence in Section 35.
S 45 W.	24.00	
N 84½ W	48.00	
S 49¾ W	5.00 24	To the corner to fractional Sections 2 & 35 in South Boundary of the Township 63.00 chains West of the corner to Sections 1, 2, 35 & 36

Township 15 N, R 10 W, 6th P, M,

Meanders

Of the left bank of Loup river through the Township.

From the corner to Sections 2, 3, 34 & 35 in the South Boundary of the Township on the left bank of Loup river, I rund down Stream with the Meanders of the left bank of said river in Section 35 as follows:

Courses	Dist,	Remarks
25 N 49¼ E	36.00	
S 82 E	38,00	
N 30¼ E	10,00	
N 12½ E	16.00	
N 5½ W	37,70 26	To the corner to fractional Sections 26 and 35, thence in Section 26.
N 4½ E	45,80	At 4,00 chs enter timber bearing N E
N 45½ E	9,00 27	To the corner to fractional Sections 25 & 26 thence in Section 25.

Township 15 N, R 10 W 6th P, M,

Courses	Dist,	Remarks
N 62½ E	31,60	Bank very brushy & wet
N 53 E	24,00 28	To the corner to fractional Sections 24 & 25 thence in Section 24.
N 20 E,	38,00	At 8,00 chs leave timber bearing S 65 W,
N 4½ E	45,00 29	To the corner to fractional Sections 13 and 24 thence in Section 13.
N 20 E,	25,00	
N 27 E	17,00 30	To the corner to fractional Sections 13 & 18 in the East Boundary of the Township on the left bank of Loup river 38,59 chains North of the corner to Sections 18, 19 13 and 24.

Township 15 N. R 10 W 6th P M

General Description

This Township contains a large ammount of good land for Settlement and cultivation

It is watered by Soup river in the S.E. corner and its North Branch running East through near the center

Each of these Streams are of considerable Size but not navigable on account of their Shifting current and Sand bars

List of Names

A list of the names of the individuals employed to assist in running measureing or marking the lines and corners described in the foregoing field-notes of Township 15 North of the base line of Rang 10 West of the 6th Principal Meridian Showing the respective capacities in which they acted

Charles Crawford Chainman
John thon W. Jones Chainman
T. A. Weldon } Axemen and
Gilbert Willson } Moundmen

87/250

State of Nebraska }
Douglas County ss: }

We hereby certify that we assisted Josiah P. Park deputy surveyor, in surveying the exterior boundaries and subdividing Township 15 North of the Base line of Range 10 West of the 6th Principal Meridian.

and that said Township has been in all respects to the best of our knowledge and belief, well and faithfully surveyed, and the boundary monuments planted according to the instructions furnished by the Surveyor General.

Subscribed and sworn to by the above named persons before me a Notary Public for the County of Douglas in the State of Nebraska this 25th day of November 1867.

N B Smith
Notary Public, Douglas County

Charles Crawford
Johnathan W Jones
T. A. Weldon
Gilbert Wilson

DOUGLAS COUNTY NEBRASKA NOTARIAL SEAL

88/250

87/249 Stat

Doug

89/251

90/252

Sub

perso

Comb

this 2

State of Nebraska } ss
Douglas County }

I Josiah B Park Deputy Surveyor do Solemnly Swear that in pursuance of a joint contract wherein Josiah B Park and Henry C. Campbell are joint Contractors with Thomas W. Pitchcock, United States Surveyor General for the States of Nebraska and Iowa bearing date September 30th 1867 I have well and truly, faithfully in my own proper person and in strict conformity with the instructions furnished by the Surveyor General the Surveying Manual and the laws of the United States Surveyed all those parts or portions of Townships 15 North of the Base line of Range

of Range 11 West 6th Principal Meridian as represented in the foregoing field notes as having been surveyed under my direction and I do further Solemnly swear that all the corners of said Survey have been established and perpetuated in strict conformity with the Surveying Manual & the printed instructions and that the foregoing are the true and original field notes of said Survey.

J B Park

Subscribed in my presence and sworn to before me this 24th day of January A.D. 1868.

W. B. Smith
Notary Public
within & for Douglas
County Nebraska

95
257

Surveyor's Office at
Plattsmouth, February 24th 1868.

The foregoing Field Notes of the survey of the Sub-division of Township 15 N. Range 10 W. of 6th Principal Meridian in the State of Nebraska, executed by J. B. Park, under joint contract No. 4, dated the 30th day of September 1867, in the month of November 1867, having been critically examined, the necessary corrections and explanations made, the said Field Notes and the survey they describe, are hereby approved.

P. W. Hitchcock
Surveyor General

Rec'd with letter from Robert Harvey dated July 30 1892 # 94746/1892

1/96
258

Field Notes
of Survey
of an
Island in Loup River
in
Sections 25 and 26
of
Township 15 North
Range 10 West
of the
6th Principal Meridian
in
Nebraska,
as surveyed by

Robert Harvey U.S. Deputy Surveyor
Under his instructions dated June 3d, 1892

Survey Commenced July 12th 1892
Survey Completed July 15th 1892.

Names and duties of Assistants

Floran E. Harvey Chainman
Glenn Starkweather Chainman
Charles Simmons Flagman
and Axeman.

Preliminary Oaths of Assistants

We Floran E. Harvey and Glenn Stark Weather do solemly swear that we will will and faithfully execute the duties of Chainbearers; that we will level the chain over even and uneven ground and plumb the tally pins either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true lengths of all lines that assist in measuring, to the best of our skill and ability, and in accordance with instructions given us in the Survey of the Island in Sections 25 and 26 Township 15 North, Range 10 West in Nebraska.

Floran E. Harvey Chainman
Glenn Starkweather Chainman

Subscribed and sworn to before me this 12th day of July 1892

C. V. Svoboda
Co. Clerk

Seal

Preliminary Oaths of Assistants.

We Charles Simmons do solemnly swear that we will well and truly perform the duties of flagman and axeman in the establishment of Corners and other duties according to instructions given us, and to the best of our skill and ability, in the survey of the Island in Sections 25 and 26, Township 15 North Range 10 West of the 6th Principal Meridian in Nebraska.

Charles Simmons flagman
and axeman

Subscribed and sworn to before me, this 12th day of July 1892

C. V. Svoboda
County Clerk

Seal

Survey of Island in Secs. 25 and 26 T. 15 N. R. 10 W. 6th P.M.

Preliminary to the Survey of the Island in the Loup River in Secs 25 and 26 of Township 15 North Range 10 West of the 6th P.M. I on the the 12th day of July 1892 at 2 p.m. proceed to identify the nearest original 1/4 Sec. Cor. to said Island according to instructions of the General Land Office, dated June 30th 1892.

I go to the 1/4 sec. cor. between secs. 26 and 35 which I find to be a mound of earth 6 ins high, in which I find an old decayed stake charred at bottom or point, pits east and west 7 feet distant, which I determine to be the original 1/4 sec. cor. betn secs. 26 and 35

I further perpetuate the same by depositing at the foot of the old stake 3 pieces of bituminous coal

I now set my transit No 6602. made by Heller & Brightly of Philadelphia Pa. over the center of said corner and direct the telescope to the flag which

I have caused to be set at the cor. to secs. 26. 27. 34 & 35, the Va. I find to be 11° 52' E
With the said flag for a backsight I project the line East Va. 11° 52' E. and count the distance from the 1/4 Sec. Cor.

6.00	West edge of a slough or pond Co. NE and S.W.
27.30	top of sand ridge bears. N & S.
28.15	Enter low bottom & Scattering brush
29.40	West bank of slough or pond bears N & S
29.80	Drive Stake for temporary Meander Corner on East edge of pond.

Finding no evidence of the original Meander Corner between fractional secs. 26 & 35. I now proceed to determine the proper Measurement for reestablishing this Corner according to the instructions found on page 11 of the General Circular for the Restoration of lost and obliterated corners. dated September 25 1891, by Measuring

at least 3 sec lines between known corners. I rechain the following lines to wit:-

Between secs. 26 and 27 distance 79.81 chains
Between secs. 34 and 35 distance 80.05 chains
Between secs 33 and 34 distance 80.10 chains
W½ mile between secs 26 and 35 distance 40.00 chains
280 00 chains
Average distance per ½ mile 40.00 chains

Note. I compare my chain with my U.S. Standard chain heretofore compared with Government Standard - and find it to be correct.

July 12th 1892

July 13th 1892 8 a.m. I proceed to restablish the cor. to fractional secs 26 and 35 in accordance with the above average Measurement.

In place of the temporary corner set

yesterday I deposit 2 arch ~~brick~~ brick, one of them marked on the side M.C. with a chisel and drove a white willow post 5ft. long x 4 ins. square, 24 ins. in the ground marked,
M.C. on W. face.
S. 26 on N. face
S. 35 on S. face, from which
A cottonwood 12 ins. diam bears
N. 75° 45' W. 40 lks. dist and marked
M.C. S. 26 B.T. – this tree stands on
W. edge of pond.
A cottonwood 36 ins. diam bears
S. 62½° W. 258 links dist. marked
M.C. S. 35 B.T. This tree stands
on the sandridge.

From this corner the offset was
run on the Original survey, but
there being dense brush, covering
the low bottom on the North. I
Measure to the West along the

chains
line between between said Secs. 26. and 35
53.0 chains to a point, from which I run
North on an offset – Va 11° 55' East, which
I obtain by deducting 1° 40', the differ-
ence for 25 years, ~~at~~ which the line
between Secs. 26 and 35 was run,
51.00 to a point, Thence East Va 11° 52' E.
15.50 chains which added to 24.50 chs.
(the distance east from the Sec. Cor. bet.
Secs. 26 and 35 to the a point of offset) or
64.50 chains, the distance counting
from the Sec. Cor. makes 80.00 chains
where I drive a stake for temporary
Meander corner to fractional secs. 25
and 26.
Finding no evidence of an original
Meander corner I run,
North – Va 11° 55' E.
28.14 chains, which added to 51.00
chs., the distance run on the offset
makes.
79.14 to a point 70 links East of the corner to

chains

Secs. 23. 24. 25 and 26 which I find to be a piece of decayed stake charred at lower end and remains of pits N. S. E and W.

From the above course and measurement, the course for retracement of the line between secs. 25 and 26 will be S. 0° 30' East and the distance to the original meander corner will be 28 67 chains. The distance to the ¼ sec. cor. if the same can be established, will be the one half of 79.14 chains or 39.57 chains.

Now adjust my transit to a va. 11° 50' E. at 10½ a.m. diurnal change diminished va 5' since 8½ a.m. and from the cor. to secs. 23. 24. 25 and 26, I run

S. 0° 30' E. between secs. 25 and 26 over prairie land.

15.70 North edge of pond, near East end, 60 links wide

28.67 The point for original Meander Corner prairie smooth

I find no evidence of the corner Not is the river bank near this point, but is at a considerable distance south.

I examine the ground between this point and the river bank and find that it has previously been occupied by a forest of large trees, the stumps of some of them still remaining. With a rule I measure some of them to wit; one about 5 chains south a few links West is 42 ins diam: One in a Southeasterly direction several chains distant, 18 ins. diam.; One on the edge of the river bank 24 ins. diam.; this stump has split and a part slipped off into the river, which indicates a diameter of about 3 feet. The bark of these has disappeared and is not included in the measurements. I find also

Chains

Many stumps large and small, decayed to the ground: The bodies of the trees and stumps have been removed probably for firewood.

From my examination and from my knowledge of the trees while yet standing subsequent to 1871, I conclude that the River bank was not at the point indicated by the original field notes, but was at a considerable distance to the South and the intervening ground as now seen was in existence when the original survey was made in 1867.

To reestablish the original Meander Corner as per field notes I deposit a large piece of bituminous coal 1 ft deep and set a stone 18×7×5 ins. 12 ins in the ground for Meander corner to fractional secs 25 and 26 Marked M.C.U.S. on South face. dug a pit 30×30×12 ins deep 8 links North of stone. and raised a

Chains

Mound of earth 2 ft high 4 ft base alongside

I continue the line

31.48 Foot of bench 4 ft high and enter lower bottom bears NE & SW.

34.10 Descend to lower bottom, 18 ins bears NE and SW.

39.57 The point for 1/4 sec. cor. deposit piece of bituminous coal 1 ft deep. Set a stone 18×9×5 ins. in the ground for 1/4 sec. cor, Marked 1/4 on W. face; dug pits 18×18×12 ins N. & S. 5½ ft dist from stone and raised a mound of earth 1½ ft high 3½ ft. base, alongside, from which

A cottonwood 48 ins. diam bears N 64½° W. 4.29 chs. dist. Marked 1/4 S. 26. B.T.

A stump bears. N. 14° 50' W. 30 lks. dist.

A cottonwood 12 ins. diam. bears. S. 51° 05' W. 244 lks dist Marked 1/4 U.S. B.T.

A stump 12 ins. diam. bars. S. 7° 20' W. 45 links dist.

42.07 Intersect the left bank of Loup River 4 ft high. deposit large piece of bituminous

Chains

Coal. Set a stone - with triangular base - 18x9x9 ins. 12 ins. in the ground for Meander Corner to fractional Secs. 25 and 26. Marked M.C. on S. face, dug a pit 30x30x12 ins. dep, 8 lks North of stone, and raised a mound of earth 2 ft high 4 ft base alongside.

I measure across river on the line

49.77 Intersect bank of Island. deposit piece of bituminous coal 12 ins. dep. set a stone 15x7x5½ ins, 12 ins. in the ground, for Meander Corner to fractional Secs. 25 and 26. Marked M.C. on N. face; dug a pit 30x30x12 ins 8 links South of stone, and raised a mound of earth 2 ft high, 4 ft base alongside, from which

A cottonwood 11 ins. diam, bears N. 43° 20' E. 75 links dist. marked M.C. B.T.

A cottonwood 12 ins diam. bears S. 64° 15' E. 120 links dist. Marked M.C. S.25. B.T.

Through brush and Scattering cotton

Chains

wood trees.

66.07 Intersect Snake River bank on S.E. side of island; bank 5 ft high; deposit piece of bituminous coal, set a stone 18x7x6 ins. 12 ins. in the ground for Meander corner to fractional secs 25 and 26, marked M.C. on S. face, dug a pit 30x30x12 ins. 8 links north of stone, and raised a mound of earth 2 ft high 4 ft base alongside, from which;

A cottonwood 21 ins diam bears. N. 36° E 54 lks. dist marked M.C. S. 25 B.T.

A cottonwood tree 24 ins. diam. bears N. 16½° E. 54 lks. dist. Marked M.C. S.25 B.T.

A cottonwood 12 ins diam. bears N 50¾ W 82 lks. dist Marked M.C. S. 26. B.T.

A cottonwood stump 25½ ins. diam (exclusive of bark) bears. S. 38° 40' W. 49 lks. dist. not marked.

The surface over which this line runs is generally quite level. The cor. to

Chains

Secs. 23.24.25 and 26 stands on lower bottom than the prairie. a few chains South, and is a East & West pond or lake about 4 chains; the North end of which is 2.50 links North of the sec. line, the lake is about 100 lks. wide and curves around to the S.E. and terminates a few links east of the line 15.70 links south of the sec. cor.

A short distance south of the sec. cor. the land rises 2 or 3 feet, forming dry sandy land to the descent into low bottom at 31.48 chains; from this point to the river the land is about 4 feet higher than the river and is covered with small scattering brush; from the high bank at 31.48 chs. to the river bank, there are evidences of large trees having existed as seen from the remains of many stumps. Along the line on the Island is brush and scattering cottonwood and willow trees.

Meanders of Island in Sec 26.

4 o'clock p.m. July 13 1892, I commence to Meander the Island, at the Meander corner on the South side of the Channel 49.77 chains from the Sec. cor. I set my transit over the center of the stone and take a backsight on the flag I have caused to be set on the cor. to secs. 23.24.25 and 26. and find the Variation at this time to be 11° 22' E and course N. 0° 30' W.

I run with the Meanders up stream

Course	chs.	lks.	Remarks
S. 12° W	3.	20	through brush
S 23° W	5.	00	through brush
S. 6° W.	4.	75	
S. 15¼ W	4.	45	South west end of Island
S 50¾ E.	1.	90	through brush, bank 4 ft higher at 85 lks. top of sand ridge 8 ft higher than river
S. 85 E	1.	00	bank 4 ft high – through brush

Survey of Island in Secs. 25 and 26 T. 15 N. R. 10 W. 6th P.M.

Course	Chs	Lks	Remarks
N. 66½° E.	1.	55	through brush - bank 3 ft high at end of course
N. 19° 0' E.	1.	18	to M. C. to fract Secs. 25 and 26
	23	03	16.30 chs. S. of the point of beginning.
			Area in sec. 26. 14 14 acres
			July 13th 1892.

Meanders through Sec. 25. July 14 1892 - 8 a.m. I set my transit over the center of the stone. set for M.C. to fractional Secs. 25 and 26 on S.E. end of Island and direct the telescope to a flag set at the North on the line between Secs. 25 and 26 and I find the variation to be 11° E.

Course N. 0° 30' W.

Course	Chs	Lks	Remarks
			Down Stream.
Port-2 N. 33½° E	6	10	through brush bank 4 ft high
N. 43¾° E	2	75	through brush bank 4 ft high
N. 32½° E	3	65	through brush bank 4 ft high
N. 15½° E	3	35	through brush bank 3 ft high at
N. 25½° E	3	11	end of course.
N. 25½° E	3	75	through brush bank 4 ft high
N. 42° E	5	75	through brush bank 4 ft high
N. 37° E	3	70	through brush, bank 4 ft high
N. 35¼° E	2	15	through brush bank 3 ft high
N. 22¼° E	2	50	through brush bank 3 ft high
N. 32½° E	1	80	through brush bank 2 ft high
N. 15° E	4	15	through brush bank 2 ft high
			July 14 1892
			At 8 a.m. July 15 1892 the flag at beginning of the last course bears S. 15° W. Va 11° 55' E
N 21½° W	0	95	To north end of Island, bank 1 ft high
S 56° W	7	00	Bank 1 to 2 ft high
S 63½° W	2	85	through brush bank 1 to 2 ft high

Course	chs	lks	Remarks
S. 43½° W	2	70	through brush. bank 3 ft high
S. 48¾° W	5	70	through brush bank 3 ft high
S. 39½ W	6	45	
Post 1			
S. 22° 25 W.	2	61	To Meander ~~Cor~~, for Sec. line
	67	81	49.77 chains S. of the Sec. Cor. and point of beginning the Meanders of the Island.

Area in Sec 25 22 36 acres.

July 15 1892

General Description

This Island lies in Sections 25 and 26, mostly in sec. 25. the general direction being N 32° 20' E. and S. 32° 20' W.

The surface has a gradual descent from South to North, the land being highest above

the water level at the South end.

A high bar or ridge 8 ft high runs from the South end to the N.E. about 2/3 the length, otherwise the surface is quite uniform.

The soil like that of the land on Right and Left banks of the River is of a sandy formation covered with a few inches of loam.

Large cottonwood trees are scattered over the South 2/3, some of them being 2 feet in diameter. I find that a great many trees large and small have been cut down and removed, the decayed stumps of many yet remaining.

There is thick brush, red and White Willow, ash and dogwood, around the borders of the Island, while in the interior the brush is smaller and more scattering.

On the North end, the brush red

white willow, is larger and quite dense, with many medium sized Cottonwoods.

No portion of the Island is inundated by water at ordinary stages of water.

There are no improvements on the Island

The Channel on the East side of Island is about 450 ft wide and the running water will average about 18 inches in depth although at the present time the flow of water is, next to the Island about 150 ft wide and 3 to 4 ft deep.

The channel on West side of the Island will average 3.50 chains and over.

The flow of water will average 8 inches deep, the water extending nearly from bank to bank and

the water measuring from 3 inches to 16 inches in depth.

The nearest town is St Paul, the County Seat of Howard County Nebraska, a city of the Second Class containing about 1500 inhabitants The business portion and post-office is situated 700 feet, East of the 1/4 sec. cor. between secs 3 and 4. T. 14 N. R. 10 W. and it will therefore require about 3½ miles travel by sec. lines from the Island to the nearest town.

The Island at the present time, is mostly valuable for the large amount of brush and timber growing thereon and pasturage.

If the timber and brush were removed and the land cultivated, I am satisfied it would produce good crops.

For general purposes for which it is now valuable and will be in the future I am satisfied that it is inc

creasing in value by being so near a market town.

List of Names

A list of Names of the individuals employed by Robert Harvey U.S. Deputy Surveyor, to assist in running, measuring, and marking the lines and corners described in the foregoing field notes of the survey of the land in sections 25 and 26 Township 15 North, of Range 10 West of the 6th Principal Meridian in Nebraska showing the respective capacities in which they acted:

Floyd E. Harvey Chainman
Glenn Starkweather Chainman
Charles Simmons, Flagman and Axeman

Final Oaths of Assistants

We hereby Certify that we assisted Robert Harvey, U.S. Deputy Surveyor, in Surveying all those parts or portions of the Section line between Secs 25 and 26 and the Island in Sections 25 and 26 of Township 15 North of Range 10 West of the 6th Principal Meridian in Nebraska, as represented in the foregoing field Notes, as surveyed by him and under his instructions; And that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corners Monuments established according to the instructions furnished by the Commissioner of the General Land Office.

Floran E. Harvey Chainman
Glenn Starkweather Chainman
Charles Simmons Flagman and Axeman

Subscribed and sworn to before me this 29th day July 1892

C. V. Soboda Co Clerk
by F. F. McCartney
Deputy

Seal

Final Oath of U.S. Deputy Surveyor.

I Robert Harvey U.S. Deputy Surveyor, do solemnly swear that in pursuance of instructions received from the Commissioner of the General Land Office bearing date of the 30th day of June 1892 I have well, faithfully, and truly, in my own proper person, and in strict conformity with the instructions furnished by the Commissioner of the General Land office, the Surveying Manual, and the laws of the United States, surveyed the line between sections 25 and 26 and the Island in the Loup River in Secs. 25 and 26. Township 15 North Range 10 West of the 6th Principal Meridian in Nebraska, as are represented in the foregoing field notes as having been surveyed by me

and under my directions: and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the surveying Manual, printed instructions, the special written instructions of the Commissioner of the General Land Office, and in the specific manner described in the field notes, and that the foregoing are the true field notes of such survey, and should any fraud be detected I will suffer the penalty of perjury under the provisions of an act of Congress, approved August 8, 1846.

Robert Harvey
U.S. Deputy Surveyor

Subscribed and sworn to before me this 29th day of July 1892.

C. V. Svoboda Co Clerk
by T. F. McCartney
Deputy

Seal

28
30
129
285

J.W.C.
D.A.R.

Department of the Interior
General Land Office
Washington D.C. August 19 1892
The forgoing field Notes of the Survey of an Island in Soup River. Sections 25 and 26. Township 15 North. Range 10 West 6th Principal Meridian Nebraska, executed by Robert Harvey U.S. Deputy Surveyor under his instructions dated June 30 1892, having been critically examined, the necessary corrections and explanations made, the said field notes and surveys they describ, are hereby approved

J. R. Conwell
acting Commissioner and Ex Officio Surveyor General for Nebraska.

31
126
287

Nebraska
State Land Office
1905

I H. M. Eaton Commissioner of Public Lands and Buildings of the State of Nebraska and custodian of the Field Notes, Maps, and Records of the Government Surveys of Nebraska, do hereby certify that the forgoing 20 pages, is a true and ~~literal~~ exemplification of the field Notes of the ~~Survey~~ of the lines between sections 25 and 26 and the Island in the Soup River in Sections 25 and 26. Township 15 North Range 10 West 6th Principal Meridian in Nebraska, according to the field notes of the original survey thereof, executed by Robert Harvey U.S. Deputy Surveyor under his instructions dated June 30 1892 - as found recorded in "Miscellaneous Record No. 759 of Islands in Soup, Platte and Niobrara Rivers

of U.S. Surveys
In testimony whereof I have here-

unto set my hand and affixed the seal of this office at the City of Lincoln, on the day and year and year last above written

A. M. Eaton,

Commissioner of Public Lands and Buildings and Custodian of Government field Notes, Maps, and Records

Field Notes of the Survey and Subdivision of Township 16 N R 10 W 6th P M by J. B. Park under their joint contract wherein J. B. Park and John F Burch are joint Contractors

Survey commenced June 13th 1868

Survey completed June 19th 1868

A List of Names and their respective duties of assistants employed to assist in the Survey and Subdivision of Township 16 North Range 10 West of the 6th Prin. Mer.

J. F. Burgess Chainman

Jessee F Christ Chainman

George H Webb Axman and Moundman

Albertis Hedding Axman and Moundman

Survey Commenced 1868

4th Standard Parallel North

Town 16 N. R 10 W

6	61	5	45	4	54	3	22	2	11	1
60		59		44		32		21		10
7	58	8	43	9	31	10	20	11	9	12
57		56		42		30		19		8
18	55	17	41	16	29	15	18	14	7	13
54		53		40		28		17		6
19	52	20	39	21	27	22	16	23	5	24
51		50		38		26		15		4
30	49	29	37	28	25	27	14	26	3	25
48		47		36		24		13		2
31	46	32	35	33	23	34	12	35	1	36.

Index Diagram

T 16 N R 10 W 6th P M

To determine the proper adjustment of my Compass for Subdividing this Township I Commence at the corner to Townships 15 and 16 N R's 9 and 10 W. and run

North on a blank line along the East Boundary of Section 36.

Va by Burts Solar Compass 13° 30' E

40,05 To a point 6 links West of the ¼ Sec Cor

79,98 To a point 6 links West of the Corner to Sections 25 and 36

To retrace this line or run parallel thereto My Compass must be adjusted to a Variation of 13° 30' East

T16N R29W 6th P M

Mains Subdivision commenced June 13th 1865
From the corner to Sections 1, 2, 35, 36
on the South Boundary of the Township
I run
North between Sections 35 and 36
Va 18°30' E
24,00 Enter Drain descends S, E,
27,00 Leave Same Drain descends South
40,00 Set post deposit charred Stake
raised mound of earth with pits as
per instructions for a 1/4 Sec, Cor,
80,00 Set post deposit charred Stake raised
mound of earth with pits as per
instructions for a corner to Sections
25, 26, 35, 36
Land rolling prairie Soil 1st rate

Chains	
	East on a random line between Sections 25 and 36
	Va 13° 35' E
7,00	Drain descends S.E.
29,00	Drain descends South
40,00	Set Set post for temporary 1/4 Sec Cor
80,08	Intersect East Boundary of Township 14 links North of the corner to Sections 25, 36, from which corner Iron N 89° 54' W on a true line between Sections 25 and 36
	Va 13° 35' E
40,04	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,08	The corner to Sections 25, 26, 35, 36
	Land hilly prairie Soil 1st rate

Chains	
	North between Sections 25 and 26
	Va 13° 35 E
11,00	Ravine course S.E.
23,00	Drain course West
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake, raised mound of earth with pits as per instructions for a corner to Sections 23, 24, 25, 26
	Land hilly prairie Soil 1st rate

Chains East on a random line between Sections 24 and 25

Va 13°35' E

40,00 Set post for temporary 1/4 Sec. Cor.

40,80 Ravine Course S. E.

80,18 Intersect East Boundary of Township 20 links South of the corner to Sections 24 and 25 from which corner I run S 89°51' W on a true line between Sections 24 and 25

Va 13°35' E

40,07½ Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.

84,18 The corner to Sections 23, 24, 25, 26

Land hilly prairie, Soil 2nd rate

Chains North between Sections 23 and 24

Va 13°35' E

40,00 Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.

49,00 Drain descend S. E.

80,00 Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 13, 14, 23, 24

Land hilly prairie

Soil 1st rate

T16 N R10 W 6th P M

chains	
	East between Sections 13 and 24, on a random line
	Var 13° 35' E
22,00	Ravine course S.E.
39,00	Ravine Cause S.E.
40,00	Set post for temporary 1/4 Sec. Cor.
62,00	Leave prairie entering timber bears S.E. & N.W.
79,82	Intersect East Boundary of Township 20 South of the corners to Sections 13 and 24 from which corner I run S 89° 57' W on a true line between Sections 13 and 24
	Var 13° 35' E
39,91	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,82	The corners to Sections 13, 14, 23, 24 Land hilly, & broken Soil 2nd rate

T16 N R10 W. 6th P M

chains	
	North between Sections 13 and 14
	Var 13° 35' E
9,00	Drain descends East
14,00	Drain descends S.E.
36,00	Ravine course S.E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
72,00	Drain descends N.E.
80,00	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a corner to Sections 11, 12, 13, 14
	Land hilly prairie, Soil 1st rate

chains	
	East on a random line between Sections 12 and 13 Va 13° 25' E
4,00	Ravine course N E
9,00	Ravine course North
22,00	Ravine course North
39,50	Ravine course North
40,00	Set post for 1/4 Sec Cor temporary
48,00	Ravine N 70° E
74,00	Ravine course S.E.
79,74	Intersect East Boundary 410 links South of the corner to Sections 12 and 13 from which corner I run S 89° 43' W on a true line between Sections 12 and 13 Va 13° 25' E
39,87	Set post deposit charred Stake, raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,74	The corner to Sections 11, 12, 13, 14
	Land hilly prairie, Soil 1st rate

chains	
	North between Sections 11 and 12 Va 13° 21' E
6,00	Drain descends East
24,00	Ravine course N.E.
34,00	Ravine course East
40,00	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
72,00	Drain descends East
80,00	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a corner to Sections 1, 2, 11, 12
	Land hilly prairie, Soil 1st rate

T16 N R 10 W 6th P M

Chains	
	East on a rand on line between Sections 1 and 12
	Va 13° 20' E
9,00	Ravine Course S 15° E
17,00	Ravine Course S.W.
33,00	Drain descends S.W.
39,00	Drain descends S.W.
40,00	Set post for temporary 1/4 Sec. Cor.
63,50	Drain descends N 65° E
79,80	Intersect East Boundary of Township 32 links South of the corner to Sections 1 and 12 from which corner I run S 89° 46' W. on a true line between Sections 1 and 12
	Va 13° 20' E
39,90	Set post deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.80	The corner to Sections 1, 2, 11, 12 Land hilly Soil 1st rate

T16 N R 10 W 6th P M

Chains	
	North on a true line between Sections 1 and 2
	Va 13° 16' E
25,00	Ravine Course East
40,00	Set post deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,55	Intersect North Boundary of Township at the 4th Standard Parallel North 17.75 chains West of the 1/4 Sec. Cor. on the South Side of Section 36 T17 N R 10 W. and establish closing corner to Sections 1 and 2 T16 N R 10 W. and Set post deposit charred Stake raised Mound of earth with pits as per instructions for said corner. Land hilly prairie Soil 1st rate
	June 13th 1868
	correct chain by the Standard

T16 N R10 W 6th P M

chains North between Sections 34 and 35
Va 13° 35' E

40,00 Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor

40,50 ~~Drain~~ descends S.W.

69,00 Enter Drain descends S.W.

71,00 Leave Same drain descends South

80,00 Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 26, 27, 34, 35

Land hilly prairie Soil 2nd rate

T16 N R10 W 6th P M

chains East on a random line between Sections 26 and 35
Va 13° 35' E

40,00 Set post for temporary 1/4 Sec Cor

79,94 Intersect N and S line 18 links North of the corner to Sections 25, 26, 35, 36 from which corner I run N 89° 52' W on a true line between Sections 26 and 35
Va 13° 35' E

39,97 Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor

79,94 The corner to Sections 26, 27, 34, 35

Land hilly prairie Soil 1st rate

T16 N R10 W 6th P M

chains North between Sections 26 and 27
Va 13°35' E

4,50 Drain descends S.W.

40,00 Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.

80,00 Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 22, 23, 26, 27
Land rolling prairie soil 1st rate

T16 N R10 W 6th P M

chains East on a random line between Sections 23 and 26
Va 13°30' E

40,00 Set post for temporary 1/4 Sec Cor

46,50 Ravine Course S.W.

57,00 Ravine Course S.W.

80,08 Intersect N and S line 13 links South of the corner to Sections 23, 24, 25, 26 from which corner I run S 89°58' W on a true line between Sections 23 and 26
Va 13°30' E

40,04 Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.

80,08 The corner to Sections 22, 23, 26, 27
Land hilly prairie soil 1st rate

T 16 N R 10 W 6th P M

chains	North between Sections 22 and 23
	Va 13° 35' E
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
57,00	Drain Course S.W.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 14, 15, 22, 23
	Land rolling prairie Soil stony

T 16 N R 10 W. 6th P M

chains	East on a random line between Sections 14 and 23
	Va 13° 35' E
40,00	Set post for temporary 1/4 Sec. Cor.
53,00	Ravine Course S.E.
64,00	Ravine Course South
80,22	Intersect N and S line 21 links North of the corner to Sections 13, 14, 23, 24 from which corner I run
	N 89° 51' W on a true line between Sections 14 and 23
	Va 13° 35' E
40,11	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80,22	The corner to Sections 14, 15, 22, 23
	Land hilly prairie Soil stony

T16 N R10 W. 6th P.M.

chains North between Sections 14 and 15
Var. 13°30' E

23,00 Drain descend SW

40,00 Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.

61,50 Drain descend West

80,00 Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 10, 11, 14, 15

Land rolling prairie, Soil 1st rate

T16 N R10 W. 6th P.M.

chains East on a random line between Sections 11 and 14
Var 13°30' E

14,50 Drain descends N.E.

40,00 Set post for temporary 1/4 Sec. Cor.

64,50 Drain descends S 40° E

79,98 Intersect N and S. line 30 links South of the corner to Sections 11, 12, 13, 14 from which corner I run S 89°47' W. on a true line between Sections 11 and 14
Var 13°30' E

39,95 Set post deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.

79,90 The corner to Sections 10, 11, 14, 15

Land rolling prairie Soil 1st rate

T16N R10W 6th P.M.

chains	
	North between Sections 10 and 11
	Va 13°30' E
13,00	Ravine course East
17,00	Ravine course S.E.
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 sec. cor.
61,00	Ravine course East
72,00	Ravine course S.E.
80,00	Set post deposit charred stake raised Mound of earth with pits as per instructions for a corner to Sections 2, 3, 10, 11
	Land hilly prairie, Soil 1st rate
	June 15th 1868

T16N R10W 6th P.M.

chains	
	East on a random line between Sections 2 and 11
	Va 13°30' E
3,00	Ravine course S.E.
35,00	Ravine course S.E.
40,00	Set post for temporary 1/4 Sec. cor.
70,00	Drain descends S.E.
80,24	Intersect N and S line 40 links North of the corner to Sections 1, 2, 11, 12 from which corner I run N 89°43' W on a true line between Sections 2 and 11
	Va 13°30' E
40,12	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. cor.
80,24	The corner to Sections 2, 3, 10, 11
	Land hilly prairie. Soil 1st rate

0 chains	North between Sections 2 and 3 on a true line
	Va 12°15' E
8,00	Ravine Course S.E.
4,00	Set post deposit charred stake, raised mound of earth with pits as per instructions for a 1/4 Sec Cor
40,50	Rainie Course S.E.
79,50	Set post deposit charred stake raised mound of earth with pits as per instructions for a close corner to Sections 2 and 3 on the 4th Standard parallel North a point 16.40 chains west of the 1/4 Sec. Cor. on the South side of Section 35 T17 N. R10 W.
	Land hilly prairie, Soil 1st rate

0 chains	North between Sections 33 and 34
	Va 13°35' E
39,00	Drain descends S.E.
44,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
78,60	Drain descends East
81,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 27, 28, 33, 34
	Land hilly prairie Soil 2nd rate

Chains	
	East on a random line between Sections 27 and 34
	Va 18° 35' E
41,50	Drain descends S.W.
40,00	Set post for temporary 1/4 Sec.
80,12	Intersect N and S line 32, bears South of the corner to Sections 26, 27, 34, 35 from which corner I run
	S 89° 47' W on a true line betw. Sections 27 and 34
	Va 18° 35' E
40,06	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80,12	The corner to Sections 22, 27, 28, 33. Land hilly prairie Soil 2nd

Chains	
	North between Sections 27 and 28
	Va 18° 35' E
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred stake with raised mound of earth with pits as per instructions for a corner to Sections 21, 22, 27, 28
	Land hilly prairie soil 2nd rate

Chains	
	East on a random line between Sections 22 and 27
	Va 13° 35' E
10,00	Drain Course S. E.
40,00	Set post for temporary 1/4 Sec. Cor.
79.90	Intersect N and S line 14 links South corner to Sections 22, 23, 26, 27 from which corner I run S 89° 54' W on an a true line between Sections 22, 27
	Va 13° 35' E
39,95	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
79,90	The corner to Sections 21, 22, 27, 28
	Land hilly prairie, Soil 2nd rate

Chains	
	North between Sections 21 and 22
	Va 13° 35' E
40,00	Set post deposit charred Stake raised raised mound of earth with pits as per instructions for a 1/4 Sec Cor
62,00	Drain descends East
78,00	Drain descends East
80,00	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a corner to Sections 15, 16, 21, 22
	Land hilly prairie Soil 1st rate

chains East on a random line between Sections 15 and 22.
Va 13° 35' E
10,00 Drain Course S.E.
31,50 Drain descends N.W.
40,00 Set post for temporary 1/4 Sec. Cor.
66,00 Drain descends S.W.
80,08 Intersect N and S line at post the corner to Sections 14, 15, 22 & 23 from which corner I run West on a true line between Sections 15 and 22
Va 13° 35' E
40,04 Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,08 The corner to Sections 15, 16, 21, 22
Land hilly prairie, Soil 1st rate

chains North between Sections 15 and 16
Va 13° 30' E
14,00 Drain descends S.E.
28,00 Drain descend East
40,00 Set post deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
69,00 Drain descends East
80,00 Set post, deposit charred Stake raised mound of earth with pits as per instructions for a Corner to Sections 9, 10, 15 and 16
Land hilly prairie, Soil 1st rate

T 16 N R 10 W, 6th P M

chains East on a random line between
Sections 10 and 15
Va 13° 35' E
20,00 Ravine bears South
40,00 Set post for temporary 1/4 Sec. Cor.
60,50 Drain bears S. E.
79,75 Intersect N and S line 36 links
North of the corner to Sections
10, 11, 14 and 15 from which corner
I run
N 89° 45' W on a true line between
Sections 10 and 15
Va 13° 35' E
39,87½ Set post deposit charred stake
raised mound of earth with pits
as per instructions for a 1/4 Sec. Cor.
79,75 The corner to Sections 9, 10, 15, 16
Land rolling prairie, Soil 1st rate

T 16 N R 10 W, 6th P M

chains North between Sections 9 and 10
Va 13° 35' E
40,00 Set post, deposit charred stake raised
Mound of earth with pits as per
instructions for a 1/4 Sec. Cor.
69,50 Ravine bears S. E.
80,00 Set post deposit charred stake, raised
Mound of earth with pits as per
instructions for a corner to Sections
3, 4, 9, 10
Land rolling prairie, Soil 1st rate

Chains	
	East on a random line between Sections 3 and 10 "
	Va 13°,00' E
10,00	Drain descends North
28,00	Drain descends S, E.
38,50	Ravine Course S, E.
40,00	Set post for temporary 1/4 Sec. Cor.
73,00	Drain descends S, E.
79.74	Intersect N and S line 22 links South of the corner to Sections 2, 3, 10, 11 from which corner I run
	S 89° 51' W on a true line between Sections 3 and 10
	Va 13°,10' E
39.87	Set post deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.74	The corner to Sections 3, 4, 9, 10
	Land hilly prairie, Soil 1st rate

Chains	
	North between Sections 3 and 4 on a true line
	Va 13° 05' E
33,00	Ravine Course East
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
61,00	Ravine Course S, E.
79,42	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a closing corner to Sections 3 and 4 on the 4th Standard Parallel North at a point 16,98 chs West of the 1/4 Sec. Cor. on the South Side of Section 34 T 17 N R 10 W.
	Land Very hilly Soil 1st rate
	June 16th 1868

T16 N R10 W 6th P M

Chains	North between Sections 32 and 33
	Va 13° 35' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 28, 29, 32, 33 Land rolling prairie Soil 1st rate

T16 N R10 W, 6th P. M

Chains	East on a rand one line between Sections 28 and 33
	Va 13° 35' E
30,00	Leave rolling land & enter hills
40,00	Set temporary 1/4 Sec, Cor. (to particular bearing)
62,00	Drain descend N. E.
76,00	Drain descends S. E.
79,88	Intersect N and S line 12 links South of the corner to Sections 27, 28, 33, 34, from which corner Inn
	S 89° 55' W on a true line between Sections 28 and 33
	Va 13° 35' E
39,94	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
79,88	The corner to Sections 28, 29, 32, 33 Land hilly prairie Soil 1st rate

T 16 N R 10 W 6th P M

Chains	North between Sections 28 and 29
	Va 13° 35' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 20, 21, 28, 29
	Land hilly prairie, Soil 1st rate

T 16 N R 10 W. 6th P M

Chains	East on a random line between Sections 21 and 28
	Va 13° 35' E
40,00	Set post for temporary 1/4 Sec Cor
59,50	Drain Course South
80,10	Intersect N and S line 23 links North of the corner to Sections 21, 22, 27, 28 from which corner I run N 89° 50' W. on a true line between Sections 21 and 28 Va 13° 35' E
40,05	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec, Cor,
80,10	The corner to Sections 20, 21, 28, 29
	Land hilly prairie Soil 1st rate

T16 N R10 W. 6th P.M.

Chains	North between Sections 20 and 21 Va 13°35' E
15,50	Drain descends S.E.
29,00	Drain descends S.E.
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred stake, raised mound of earth, with pits as per instructions for a corner to Sections 16, 17, 20, 21
	Land hilly prairie, Soil 1st rate

T16 N R10 W. 6th P.M.

Chains	East on a random line between Sections 16 and 21 Va 13°35' E
40,00	Set post for temporary 1/4 Sec Cor
51,00	Drain descends S.W.
77,60	Drain Descends S.E.
80,16	Intersect N and S line 16 links North of the corner to Sections 15, 16, 21, 22 from which corner I run N 89°54' W on a true line between Sections 16 and 21 Va 13°35' E
40,08	Set post deposit charred stake, raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,16	The corner to Sections 16, 17, 20, 21
	Land hilly prairie, Soil 1st rate

T 16 N R 10 W, 6th P M

Chains	North between Sections 16 and 17
	Va 13° 30' E
5,00	Ravine Course S.W.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
78,50	Ravine Course S.E.
80,00	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a corner to Sections 8, 9, 16, 17
	Land rolling prairie, Soil 1st rate

T 16 N R 10 W 6th P M

Chains	East on a random line between Sections 9 and 16
	Va 13° 30' E
29,00	Ravine Course S.W.
40,00	Set post for temporary 1/4 Sec. Cor.
68,00	Drain Course S.W.
80,12	Intersect N and S line 20 links South of the corner to Sections 9, 10, 15, 16 from which corner I run S 89° 51' W on a true line between Sections 9 and 16
	Va 13° 30' E
40,06	Set post, deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80,12	The corner to Sections 8, 9, 16, 17
	Land rolling prairie, Soil 1st rate

Chains	North between Sections 8 and 9.
	Va 13° 35' E
13,00	Drain descends East
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 4, 5, 8, 9.
	Land rolling Soil 1st rate

Chains	East on a random line between Sections 4 and 9
	Va 13° 35' E
40,00	Set post for temporary 1/4 Sec Cor
70,00	Ravine Course South
79.64	Intersect N and S line 60 links North of the corner to Sections 3, 4, 9, 10 from which corner I run N 89° 34' W. on a true line between Sections 4 and 9
	Va 13° 35' E
39.82	Set post deposit charred Stake, raised Mound of earth pits as per instructions for a 1/4 Sec. Cor.
79.64	The corner to Sections 4, 5, 8, 9.
	Land hilly prairie Soil 1st rate
	June 17th 1868

Chains	North on a true line between Sections 4 and 5
	Va 13° 05' E
37,00	Deep Ravine Course S 20° E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
78,00	Ravine Course S E
79,50	Set post deposit charred Stake raised mound of earth with pits as per instructions for a closing corner to Sections 4 and 5 on the 4th Standard Parallel North at a point 15,48 chains West of the 1/4 Sec Cor on the South Side of Section 33. T17 N R10 W. Land rolling prairie Soil 1st rate

Chains	North between Sections 31 and 32
	Va 13° 35' E
15,00	Dry bed of creek runs S.W.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
42,00	Same Creek runs S.E.
73,50	Same Creek dry, runs West
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 29, 30, 31, 32 Land hilly prairie Soil 2nd rate

T 16 N R 10 W, 6th P M

Chains	
	East on a random line between Sections 29 and 32.
	Va 13° 35' E
6,50	Drain descends S.W.
40,00	Set post for temporary 1/4 Sec Cor
40,50	Ravine course S.W.
80,24	Intersect N and S line 32 links North of the corner to Sections 28, 29, 32, 33 from which corner I run
	N 89° 46' W on a true line between Sections 29 and 32.
	Va 13° 35' E
40,12	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80,24	The corner to Sections 29, 30, 31, 32 Land hilly prairie Soil 2nd rate

T 16 N R 10 W 6th P M

Chains	
	West on a random line between Sections 30 and 31
	Va 13° 35' E
1,50	Ravine course S.W.
40,00	Set temporary 1/4 Sec. Cor.
47,50	Drain descends South
77,76	Intersect West Boundary of Township 18 links North of the corner to Sections 30 and 31 from which corner I run
	N 89° 52' E on a true line between Sections 30 and 31
	Va 13° 35' E
37,76	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
77,76	The corner to Sections 29, 30, 31, 32 Land hilly prairie Soil 2nd rate

T 16 N R 10 W 6th P M

Chains	North between Sections 29 & 30 Va 13° 35' E
7,00	Ravine Course S, W,
37,00	Same Ravine Course N, E,
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
48,00	Drain descends S, E,
67,00	Drain descends S E
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 19, 20, 29, 30, Land hilly prairie Soil 1st rate

2) 79.86
39.93

T 16 N R 10 W. 6th P M

Chains	East on a random line between Sections 20 and 29 Va 13° 35' E
16,00	Drain descends S, W,
40,00	Set temporary 1/4 Sec Cor
79,86	Intersect N and S line 12 links south of the corner to Sections 20, 21, 28 29 from which corner I run S 89° 55' W. on a true line between Sections 20 and 29 Va 13° 35' E
39,93	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
79,86	The corner to Sections 19, 20 29, 30 Land hilly prairie Soil 1st rate

T16 N R10 W 6th P M

chains West on a random line between Sections 19 and 30

Va 13° 35' E

3,50 Drain descends S, E.

26,00 Drain descends South

40,00 Set temporary 1/4 Sec, Cor.

40,50 Ravine Course S, W.

78,00 Intersect West Boundary of Township 24 links North of the corner to Sections 19, and 30 from which corner I run N 89° 39' E on true line between Sections 19, 30

Va 13° 35' E

38,00 Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor

78,00 The corner to Sections 19, 20, 29, 30

Land hilly Soil 2nd rate

T16 N R10 W 6th P M

chains North between Sections 19 and 20

Va 13° 25' E

34,00 Drain Course East

40,00 Set post deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec Cor.

69,50 Drain Course S.E.

80,00 Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 17, 18, 19, 20

Land hilly prairie Soil 1st rate

T 16 N R 10 W, 6th P M

Chains	
	East on a random line between Sections 17 and 20
	Va 13° 20' E
2,00	Drain descends S.W.
40,00	Set temporary 1/4 Sec. Cor.
58,50	Drain descends S.W.
79,90	Intersect N and S line 13 links South of the corner to Sections 16 17, 20, 21 from which corner I run
	S 89° 54' W on a true line between Sections 17 and 20
	Va 13° 20' E
35,95	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
79,90	The corner to Sections 17, 18, 19, 20 Land hilly Soil 1st rate

T 16 N R 10 W, 6th P M

Chains	
	West on a random line between Sections 18 and 19
	Va 13° 25' E
14,50	Drain descends South
40,00	Set temporary 1/4 Sec. Cor.
77,70	Intersect West Boundary of Township 28 links North of the corner to Sections 18 and 19, from which corner I run
	N 89° 48' E on a true line between Sections 18 and 19
	Va 13° 25' E
37,70	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
77,70	The corner to Sections 17, 18, 19, 20 Land hilly prairie Soil 1st rate

T16 N R10 W 6th P M

Chains	North between Sections 17 and 18
	Va 13°20' E
4,00	Ravine Course S.E.
40,00	Set post deposit charred Stake, raised
	Mound of earth with pits as per
	instructions for a 1/4 Sec. Cor.
51,00	Ravine Course West
64,00	Ravine Course West
80,00	Set post, deposit charred Stake raised
	Mound of earth with pits as per
	instructions for a corner to Sections
	7, 8, 17, 18
	Land hilly prairie, Soil 1st rate.

T16 N R10 W 6th P M

Chains	East on a random line between
	Sections 8 and 17
	Va 13°15' E
11,50	Ravine Course S.W.
40,00	Set temporary 1/4 Sec. Cor.
80,16	Intersect N and S line 20 links North
	of the corner to Sections 8, 9, 16, 17 from
	which corner I run
	N 89°51' W on a true line between
	Sections 8 and 17
	Va 13°15' E
40,08	Set post deposit charred Stake, raised
	Mound of earth with pits as per
	instructions for a 1/4 Sec. Cor.
80,16	The corner to Sections 7, 8, 17, 18
	Land hilly prairie Soil 1st rate
	June 18th 1866

T16 N R10 W. 6th P.M.

Chains	
	West on a random line between Sections 7 and 18
	Va 13°25' E
35,00	Ravine Course South
4,00	Set post for temporary 1/4 Sec Cor
17,68	Intersect West Boundary of Township at post the corner to Sections 7 and from which corner I run East on a true line between Sections 7 and 18
	Va 13°25' E
37,68	Set post deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec Cor
77,68	The corner to Sections 7, 8, 17, 18
	Land hilly prairie. Soil 1st rate

T16 N R10 W. 6th P.M.

Chains	
	North between Sections 7 and 8
	Va 13°25' E
40,00	Set post deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
63,50	Ravine Course S.W.
75,00	Ravine Course S.W.
80,00	Set post & deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 5, 6, 7, 8
	Land very rolling. Soil 1st rate

T 16 N R 10 W 6 P M

Chains	
	East on a random line between Sections 5 and 8
	Va 13°15' E
10,00	Ravine Course S.W.
25,00	Drain descends S, E,
40,00	Set post for temporary 1/4 Sec, Cor,
79,84	Intersect N and S. Line 30 links South of the corner to Sections 4, 5, 8, 9 from which corner I run S 89°47' W on a true line between Sections 5 and 8
	Va 13°15' E
39,92	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec, Cor,
79,84	The corner to Sections 5, 6, 7, 8 Land rolling prairie, Soil 1st rate

T 16 N R 10 W 6th P M

Chains	
	West on a random line between Sections 6 and 7
	Va 13°15' E
22,00	Ravine Course S 25° E
36,00	Drain Course South
40,00	Set post for temporary 1/4 Sec Cor
45,00	Ravine Course S 15° E
77,70	Intersect West Boundary of Township 32 links South of the corner to Sections 6 and 7 from which corner I run S 89°46' E on a true line between Sections 6 and 7.
	Va 13°15' E
37,70	Set post deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec, Cor,
77,70	The corner to Sections 5, 6, 7, 8 Land hilly prairie, Soil 1st rate

T16N R10W 6th P M

Chains	
0	North on a true line between Sections 5 and 6
	Va 13° 15' E
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
54.60	Drain descends West
59.00	Drain descends West
66.00	Drain descends West
75.00	Drain descends N.W.
78.90	Set post deposit charred Stake, raised Mound of earth with pits as per instructions for a closing corner to Sections 5 and 6 on the 4th Standard Parallel North at a point 18.79 chains West of the 1/4 Sec Cor on the South Side of Section 32 T17N R10W.

Land rolling prairie, Soil 1st rate
June 19th 1868

General Description

This Township is very hilly and water very scarce. The Soil is 1st rate being composed of a clay loam, and would be capable of sustaining a large Settlement but for the scarcity of water and timber

A List of the names of the individuals employed to assist in running measuring and marking the lines and corners described in the foregoing field notes of Township No. 16 North of Range 10 West of the 6th Prin. Mer. Showing the respective capacities in which they acted

J. F. Burgess } Chainmen
Jesse S. Crist }
George W. Webb } Axemen or
Albertis Hedding } Mondmen

We hereby certify that we assisted J. B. Park Deputy Surveyor in Surveying and Subdividing Township No. 16 North Range 10 West of the 6th Prin. Mer. and that said Township has been in all respects to the best of our Knowledge and belief, well and faithfully Surveyed and the Boundary monuments planted according to the instructions furnished by the Surveyor General

J. F. Burgess Chainman
Jesse S. Crist Chainman
George W. Webb } Axemen or
Albertis Hedding } Mondsmen

Subscribed in my presence and sworn to before me this 2nd day of July A. D. 1868

John Wallichs
County Clerk for Hall Co. Neb.

I J B Park deputy Surveyor do Solemnly Swear that in pursuance of a joint contract wherein I. B. Park and John F. Burch are joint contractors with Thomas W. Hitchcock Esq United States Surveyor General for the States of Iowa and Nebraska bearing date the 26th day of May 1868 I have well faithfully and truly in my own proper person and in strict conformity with the instructions furnished by the Surveyor General, the Surveying Manual and the laws of the United States, Surveyed all those portions of Township No 16 North of the Base line of Range No 10 West of the 6th P. M.

as are represented in the foregoing field notes as haveing been Surveyed under my direction; and do further solemnly Swear that all the corners of Such Surveys have been established and perpetuated in Strict conformity with the Surveying Manual and printed instructions and that the foregoing are the true and original field notes of Such Survey

J Wark

Deputy Surveyor

Sworn to and subscribed before me this 2nd day of July A. D. 1868.

John Walleichs.

Co. Clerk for Hall Co. Neb.

" Surveyor General's Office at Plattsmouth Neb. Aug. 8th 1868

The forgoing field notes of the Survey and Subdivision of Township 16. North of the Base Line of Range 10 West of the 6th Principal Meridian in the State of Nebraska, executed by J. B. Pack Deputy Surveyor under joint Contract No. 6 dated May 26th 1868. wherein J. B. Pack and John F. Burch are joint Contractors, in the month of June 1868 having been critically examined, the necessary corrections and explanations made, the said field notes and the surveys they describe, are hereby approved

P W. Hitchcock

Surv. General

General Land Office • Original Field Notes

Book Number

358

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.