General Land Office • Original Field Notes

Book Number

398

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

(12)

T 13-16 N
R 15 W

T.13-16 N
R.15 W.

12.

Index Diagram

Town 13 N. Range 15 W.



3rd Standard Parallel North

End

Field Notes of the Survey of the Subdivision of Township 13 North Range 15 West 6th Principal Meridian in the State of Nebraska by John F. Burch Deputy Surveyor under a joint contract wherein J. B. Park and John F. Burch are joint contractors with P. W. Hitchcock Surveyor General for the states of Nebrask and Iowa bearing date the 26th day of May 1868

Survey Commenced June 27th 1868
Survey Completed July 2d 1868

a List of names and duties of the persons employed to assist in surveying this Township contained herein

Wm. W. Henderson chainman
Jas. R. Ewing. chainman
W. F. Hoyte Moundman
Thos. F. Thompson Moundman

chains to determine the proper adjustment of my compass for subdividing this Township I commenced at the corner to Townships 13 North Ranges 14 and 15 West and run North on a blank line along the East boundary of Section 36

Va 14° East

40.08 to a point 9 links West of the ¼ Sec. cor

80.17 to a point 23 links West of the corner to Sections 25 and 36

to retrace this line or run parallel thereto my Compass must be adjusted to a Variation of 13° 50' East

T 13 N R 15 W, 6th P.M.

Chains	
	North between Sections 35, and 36
	Va 13° 50' E
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
	Leave level land and enter rolling bears N 50 W S 60 E
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 25, 26, 35 36.
	Land 1st 1/4 mile level ballance rolling soil, 2nd rate

T 13 N R 15. W 6th P.M.

Chains	
	East on a random line between Sections 25 and 36.
	Va 13° 51' E
40,00	Set temporary 1/4 Sec. Cor.
80,16	Intersect East Boundary of Township 19 links South of the corner to Sections 25 and 36 from which corner I run
	S 89° 52' W on a true line between Sections 25 and 36
	Va 13° 51' E
40,08	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80,16	The corner to Sections 25, 26, 35, 36
	Land rolling soil 2nd rate

T 13 N R 15 W 6th P M

Chains	North between Sections 25 and 26 Va 13° 50' E
40,00	S.A post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80,00	S.A post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 23, 24, 25 & 26 Land rolling Soil 3rd rate

T 13 N R 15 W 6th P M

Chains	East on a random line between Sections 24 and 25 Va 13° 50' E
40,00	S.A temporary 1/4 Sec, Cor,
64,00	Drain descend N, E,
79,80	Intersect East Boundary of Township 28 links South of the corner to Sections 24 and 25 from which corner I run
	S 89° 48' W on ~~a random~~ true line between Sections 24 and 25 Va 13° 50' E
39,90	S.A post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
79,80	The corner to Sections 23, 24, 25, 26 Land rolling Soil 2nd rate

T 13 N R 15 W 6th P M

Chains	
	North between Sections 23 and 24
	Va 13° 50' E
35,00	Drain descend West
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a ¼ sec cor
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 13, 14, 23, 24.
	Land rolling Soil 3rd rate

T 13 N R 15 W, 6th P M

Chains	
	East on a random line between Sections 13 and 24.
	Va 13° 50' E
24,00	Ravine Course N. E.
40,00	Set temporary ¼ sec. cor.
79,60	Intersect East Boundary of Township 23 Links North of the corner to Sections 13 and 24 from which corner I run
	N 89° 50' W on true line between Sections 13 and 24
	Va 13° 50' E
39,80	Set post deposit charred stake raised Mound of earth with pits as per instructions for a ¼ sec cor
79,60	The corner to Sections 13, 14, 23, 24
	Land rolling Soil 2nd rate

T 13 N R 15 W 6th P.M.

Chains	North between Sections 13 and 14
	Va 13° 40' E
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a sec. Cor.
6.00	Drain descends East
8.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 11, 12, 13, 14
	Land rolling Soil 3rd rate

T 13 N R 15 W. 6th P.M.

Chains	East on a random line between Sections 12 and 13
	Va 13° 40' E
40.00	Set temporary sec. Cor
51.00	Drain descends South
79.84	Intersect East Boundary of Township 26. 1 links South of the corner to Sections 12 and 13 from which corner I run
	S 89° 49' W on a true line between Sections 12 and 13
	Va 13° 40' E
39.92	Set post deposit charred stake raised mound of earth with pits as per instructions for a sec. Cor.
79.84	The corner to Sections 11, 12, 13, 14
	Land rolling Soil 3rd rate

T 13 N R 15 W 6th Pdl

Chains	
	North between Sections 11 & 12 Va 13° 40' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a qr sec Cor
57,00	Drain descends East
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 1, 2, 11, 12
	Land rolling Soil 3rd rate

T 13 N R 15 W 6th Pdl

Chains	
	East on a random line between Sections 1 and 12 Va 13° 35' E
34,50	Drain descends N. E.
40,00	Set temporary qr sec. Cor.
63,00	Drain descend South
79,78	Intersect East Boundary of Township 20 chains South of the corner to Sections 1 and 12 from which corner I run S 89° 51' W on a true line between Sections 1 and 12 Va 13° 35' E
39,89	Set post deposit charred Stake raised mound of earth with pits as per instructions for a qr sec. Cor.
79,78	The corner to Sections 1, 2, 11, 12
	Land rolling Soil 3rd rate

T 13 N R 15 W 6th P M

Chains	
	North on a random line between Sections 1 and 2
	Va 13° 35' E
16,50	Drain descends East
40,00	Set temporary 1/4 Sec, Cor,
64,00	Drain descends S, E,
79,63	Intersect North Boundary of Township 16 links west of the corner to Sections 1 and 2 from which corner I run
	S 7 W on a true line between Sections 1 and 2
	Va 13° 35' E
39,63	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec, Cor,
79,63	The corner to Sections 1, 2, 11, 12;
	Land rolling Soil 2nd rate
	June 27th 1868

T 13 N R 15 W. 6th P. Me.

Chains	
	North between Sections 34, and 35
	Va 13° 55' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec, Cor,
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 26, 27, 34, 35,
	Land rolling Soil 2nd rate

T 13° N R 15 W 6th P.M.

chains	East on a random line between Sections 26 and 35
	Va 13° 45' E
40,00	Set temporary 1/4 Sec Cor,
66,00	Drain descends South
79,88	Intersect N and S line 26 links North of the corner to Sections 25, 26, 35, 36 from which corner I run
	N 89° 49' W on a true line between Sections 26 and 35
	Va 13° 45' E
39,94	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
79,88	The corner to Sections 26, 27, 34, 35
	Land rolling Soil 2nd rate

T 13 N R 15 W 6th P.M.

chains	North between Sections 26 and 27
	Va 13° 45' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 22, 23, 26, 27.
	Land rolling Soil 2nd rate

T13NR15W, 6th P, Me,

Chains	
	East on a random line between Sections 23 and 26
	Va 13° 45' E
40,00	Set temporary 1/4 Sec, Cor,
77,00	Drain descends S, W,
80,18	Intersect N and S line 20 links South of the corner to Sections 23, 24, 25, 26 from which corner I run S 89°, 51 W on a true line between Sections 23 and 26
	Va 13° 45' E
40,09	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec, Cor,
80,18	The corner to Sections 22, 23, 26, 27 Land rolling Soil 2nd rate

T13NR15W, 6th P, Me,

Chains	
	North between Sections 22 and 23
	Va 13° 45' E
32,00	Drain descends S, E,
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 14, 15, 22, 23 Land rolling Soil 2nd rate

T13NR15W, 6th P.M.

Chains	
	East on a random line between Sections 14 and 23
	Va 13° 45' E
40,00	Set temporary 1/4 Sec, Cor,
60,00	Ravine descends N, W,
80,15	[illegible] N and S line 14 links North of the corner to Sections 13, 14, 23 24, from which corner I run N 89° 54 W on a true line between Sections 14 and 23
	Va 13° 45' E
40,07½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec, Cor,
80,15	The corner to Sections 14, 15, 22, 23. Land very rolling Soil 2nd rate

T13NR15W, 6th P.M.

Chains	
	North between Sections 14 and 15
	Va 13° 45' E
20,00	Drain descends East
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec, Cor,
60,00	Drain descends S, E,
64,00	Same drain descends N, W,
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 10, 11, 14, 15 Land hilly Soil 3rd rate

T13 N R15 W 6th P.M.

Chains	East on a random line between Sections 11 and 14 Va 13° 45' E
1 10,00	S A temporary 1/4 Sec Cor.
30,50	Drain descends S.W.
80,16	Intersect Nauc S line 15 links South of the corner to Sections 11, 12, 13, 14 from which corner I run S 89° 54' W on a true line between Sections 11 and 14 Va 13° 45' E
40,08	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,16	The corner to Sections 10, 11, 14, 15 Land rolling Soil 2nd rate

T13 N R15 W 6th P.M.

Chains	North between Sections 10 and 11 Va 13° 40' E
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
65,00	Drain descends S.W.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 2, 3, 10, 11. Land rolling Soil 2nd rate

T 13 N R 15 W 6th P. M.

Chains	
	East on a random line between Sections 2 and 11.
	Va 13° 40' E
40,00	Set temporary 1/4 Sec. Cor.
57,00	Drain descends South
79,78	Intersect N and S line 18 links North of the corner to Sections 1, 2, 11, 12 from which corner I run N 89° 52' W. on a true line between Sections 2 and 11
	Va 13° 40' E
39,89	Set post, deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,78	The corner to Sections 2, 3, 10, 11
	Land rolling Soil 2nd rate
	June 29th 1868

T 13 N R 15 W. 6th P. M.

Chains	
	North on a random line between Sections 2 and 3
	Va 13° 40' E.
40,00	Set temporary 1/4 Sec. Cor.
44,00	Drain descends S. E.
80,10	Intersect North Boundary of Township 20 links East of the corner to Sections 2 and 3 from which corner I run S 4' E on a true line between Sections 2 and 3
	Va 13° 40' E
40,10	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,10	The corner 2, 3, 10, 11
	Land rolling Soil 2nd rate
	June 29th 1868

T18N R15 W 6th P.M.

Chains	
	North between Sections 33 and 34
	Va 18° 40' E
10,50	Creek 5 links wide in deep Ravine runs East
13,50	Creek 50 links wide runs S.E. high steep banks
25,50	Same Creek 55 links wide runs S.W.
30,00	Same Creek 50 links wide runs S.E.
40,00	Set post deposit charred stake raised
	Mound of earth with pits as per
	instructions for a 1/4 Sec Cor.
45,50	Same Creek 45 links wide runs S.W.
57,00	Same Creek 50 links wide runs East
65,00	Same Creek 50 links wide runs S.W.
80,00	Set post deposit charred stake raised
	Mound of earth with pits per instructions
	for a corner to Sections 27, 28, 33, 34
	Land level Soil 2nd rate
	The creek has a swift current clear
	water and high banks with
	brush & scattering cottonwood and
	ash timber along its banks

T18N R15W. 6th P.M.

Chains	
	East on a random line between
	Sections 27 and 34
	Va 18° 45' E
10,00	Creek 55 links wide runs S.W.
40,00	Set temporary 1/4 Sec. Cor.
53,00	Drain descends South
79,78	Intersect Nand's line 27 links South
	of the corner to Sections 26, 27, 34, 35
	from which corner I run
	S 89° 48' W on a true line between
	Sections 27 and 34
	Va 13° 45' E
39,89	Set post deposit charred stake raised
	Mound of earth with pits as per instruc-
	tions for a 1/4 Sec Cor
79,78	The corner to Sections 27, 28, 33, 34
	Land rolling Soil 2nd rate

T 13 N R 15 W. 6th P. M.

Chains	
	North between Sections 27 and 28
	Va 13° 48' E
30.00	Break 60 links wide runs East
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 21, 22, 27, 28
	1st 80 chains level Soil 2nd rate
	Ballance hilly Soil 3rd rate

T 13 N R 15 W 6th P. M.

Chains	
	East on random line between Sections 22 and 27
	Va 13° 40' E
29.00	Canon descends South
40.00	Set temporary 1/4 Sec. Cor.
60.00	Drain descends South
80.14	Intersect N and S. line 13 links North of the corner to Sections 22, 23, 26, 27, from which corner I run
	N 89° 54' W on a true line between Sections 22 and 27
	Va 13° 40' E
40.07	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.14	The corner to Sections 21, 22, 27, 28
	Land hilly Soil 2nd rate

T13 N R15 W 6th P M

Chains	
	North between Sections 21 and 22
	Va 13°40' E
10,00	Drain descends South East
20,00	Drain descends South East
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 15, 16, 21, 22.
	Land hilly Soil 2nd rate

T13 N R15 W 6th P M

Chains	
	East on a random line between Sections 15 and 22
	Va 13°40' E
9,00	Drain descends South
40,00	Set post for temporary 1/4 Sec. Cor.
48,00	Drain descends South
79,00	Drain descends South
80,13	Intersect N and S line 16 lks 30° North of the corner to Sections 14, 15, 22, 23 from which corner I run N 89°53' W on a true line between Sections 15 and 22
	Va 13°40' E
40,00 1/2	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,13	The corner to Sections 15, 16, 21, 22
	Land rolling Soil 2nd rate

T13 N R15 W 6th P.M.

Chains	North between Sections 15 and 16 Va 13° 38' E
10,00	Drain descends S.E.
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
52,00	Drain descend East
75,00	Drain descends N.E.
80,00	Set post deposit charred stake raised ~~Mound of~~ earth with pits as per instructions for a corner to Sections 9, 10, 15, 16
	Land hilly Soil quick Sand 3rd rate

T13 N R15 W 6th P.M.

Chains	East on a random line between Sections 10 and 15 Va 13° 40' E
35,00	Drain descends S.E.
40,00	Set temporary 1/4 Sec. Cor.
50,50	Drain descends South
80,15	Intersect N and S line 25 links South of the corner to Sections 10, 11, 14, 15 from which corner I run S 89° 49' W on a ~~random~~ true line between Sections 10 and 15 Va 13° 40' E
49,07½	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
8,75	The corner to Sections 9, 10, 15, 16
	Land very rolling Soil 3rd rate

T 13 N R 15 W 6th P.M.

Chains	North between Sections 9 and 10
	Va 18°40' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
55,60	Drain descends S.E.
78,00	Drain descends S.W.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 3, 4, 9, 10
	Land rolling Soil 2nd rate

T 13 N R 15 W 6th P.M.

Chains	East on a random line between Sections 3 and 10
	Va 13°40' E
1,50	Drain descends South
33,00	Drain descends South
40,00	Set temporary 1/4 Sec. Cor.
78,00	Drain descends South
80,09	Intersect N. and S. line 2 1/4 South of the corner to Sections 2, 3, 10, 11 from which corner I run
	S. 89°50' W on a true line between Sections 3 and 10
	Va 13°40' E
40,04½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,09	The corner to Sections 3, 4, 9, 10
	Land level Soil 2nd rate

T13N R15W 6th PM

Chains	
	North between Sections 3 and 4 on a random line
	Va 13° 35' E
6.00	Drain descends S.E.
23.00	Same drain descend S.W.
25.00	Same drain descends S.E.
40.00	Set temporary 1/4 Sec Cor.
79.82	Intersect North Boundary of Township 17 Links West of the corner to Sections 3 and 4 from which corner I run S 71 W on a true line between Sections 3 and 4
	Va 13° 35' E
39.82	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.82	The corner to Sections 3, 4, 9, 10
	Land rolling Soil 2nd rate
	June 30th 1868

T13N R15W 6th PM

Chains	
	North between Sections 32 and 33
	Va 13° 55' E
40.00	Set post deposit charred stake raised mound of earth with pits per instructions for a 1/4 sec Cor
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 28, 29, 32, 33
	Land rolling Soil 2nd rate

T 13 N R 15 W, 6th P M

Chains	
	East on a random line between Sections 28 and 33
	Va 13° 48' E
40,00	Set temporary 1/4 Sec, Cor.
80,12	Intersect N and S. line 30 links North of the corner to Sections 27, 28 33, 34, from which corner I run N 89° 47' W on a true line between Sections 28 and 33
	Va 13° 48' E
40,06	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec, Cor,
80,12	The corner to Sections 28, 29, 32, 33.
	Land rolling Soil 2nd rate

T 13 N R 15 W 6th P M

Chains	
	North between Sections 28 and 29
	Va 13° 50' E
19,00	Creek 50 links wide runs East
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec, Cor,
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 20, 21, 28, 29.
	Land hilly Soil 3rd rate

T 13 N R 15 W 6th P M

Chains	East on a random line between Sections 21 and 28
	Va 13° 50' E
25,00	Ravine Course S.E.
40,00	Set temporary 1/4 Sec Cor
80,12	Intersect N and S line 40 lin. rds North of the corner to Sections 21, 22, 27, 28 from which corner I run N 89° 45' W on a true line between Sections 21 and 28
	Va 13° 50' E
49,06	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80,12	The corner to Sections 20, 21, 28, 29
	Land rolling Soil & mixte

T 13 N R 15 W, 6th P M

Chains	North between Sections 20 and 21.
	Va 13° 50' E
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
47,00	Drain descends N.W.
61,00	Drain Course West
80,00	Set post deposit charred stake, raised Mound of earth with pits as per instructions for a corner to Sections 16, 17, 20, 21
	Land hilly Soil & mixte

T13N R15W 8th P.M.

chains	East on a random line between Sections 16 and 21
	Va 13°30' E
30,50	Ravine Course South
37,00	Ravine Course S.E.
40,00	Set temporary 1/4 Sec. Cor.
65,00	Ravine Course South
65,00	Ravine Course S.E.
79,80	Intersect N and S. line 18 links South of the corner to Sections 15, 16, 21, 22 from which corner I run S 89°52' W on a true line between Sections 16 and 21
	Va 13° 50' E
49,90	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,80	The corner to Sections 16, 17, 20, 21
	Land hilly and broken Soil 3rd rate

T13N R15W 8th P.M.

chains	North between Sections 16 and 17
	Va 13°50' E
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
43,00	Drain descends S.W.
66,00	Ravine Course S.W.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 8, 9, 16, 17
	Land hilly Soil 3rd rate

T13N R15W 6th PM

Chains East on a random line between Sections 9 and 16

Va 13°50' E

25,00 Drain descends S.W.

40,00 Set temporary 1/4 Sec. Cor.

80,20 Intersect N and S line 30 links South of the corner 4, 10, 15, 16 from which corner I run

S 89°45' W on a true line between Sections 9 and 16

Va 13°50' E

40,10 Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.

80,20 The corner to Sections 8, 9, 16, 17

Land hilly, Soil good rate

T13N R15W 6th PM

Chains North between Sections 8 and 9

Va 13°50' E

40,00 Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.

52,00 Drain descends East

63,00 Drain descends East

80,00 Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 4, 5, 8, 9

Land hilly, Soil good rate

T 13 N R 15 W 6th P M

Chains	East on a random line between Sections 4 and 9
	Va 13° 40' E
5,00	Ravine Course S. E.
40,00	Set temporary 1/4 Sec. Cor.
65,00	Ravine Course S. E.
68,20	Ravine Course S. E.
79,85	Intersect N. and S. line 18 link West of the corner to Sections 3, 4, 9, 10 from which corner I run
	N 89° 52' W on a true line between Sections 4 and 9
	Va 13° 40' E
39,92½	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,85	The corner to Sections 4, 5, 8, 9
	Land Land hilly Soil 3rd rate

T 13 N R 15 W 6th P M

Chains	North on a random line between Sections 4 and 5
	Va 13° 40' E
40,00	Set temporary 1/4 Sec. Cor.
68,60	Ravine Course East
73,00	Ravine Course East
79,88	Intersect North Boundary of Township 18 lins East of the corner to Sections 4 and 5 from which corner I run
	S 5' E on a true line between Sections 4 and 5
	Va 13° 40' E
39,88	Set post deposit charred stake raised mound of earth with pits as instructions for a 1/4 Sec. Cor.
79,88	The corner to Sections 4, 5, 8, 9,
	Land hilly and broken Soil 3rd rate
	July 1st 1868

T 13 N R 15 W 6th P M

Chains	North between Sections 31 and 32
	Va 13° 50' E
21,00	Ravine course N. E.
40,00	1/4 post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
55,00	Ravine course East
80,00	1/4 post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 29, 30, 31 32,
	Land hilly Soil 3rd rate

T 13 N R 15 W 6th P M

Chains	East and West on line between Sections 29 and 32.
	Va 13° 50' E
10,00	Drain descends N. E.
17,00	Ravine Course North
40,00	1/4 temporary 1/4 Sec. Cor.
79,80	Intersect N and S line 40 links South of the corner to Sections 28, 29, 31, 32. from which Corner S 89° 43' W on a true line between Sections 29 and 32
	Va 13° 50' E
39,90	1/4 post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
79,80	The corner to Sections 29, 30, 31, 32,
	Land hilly Soil 3rd rate

T 13 N R 15 W 6th P M

Chains	
	West on a random line between Sections 30 and 31
	Va 13° 48' E
8.00	Ravine Course North
33.00	Ravine Course N. E.
40.00	Set temporary 1/4 Sec. Cor.
79.60	Intersect West Boundary of Township 18 links North of the corner to Sections 30 and 31 from which corner I run N 88° 52' E on a true line between Sections 30 and 31
	Va 13° 48' E
39.60	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
79.60	The corner to Sections 29, 30, 31, 32. Land hilly and broken Soil 3rd rate

T 13 N R 15 W 6th P M

Chains	
	North between Sections 29 and 30
	Va 13° 48' E
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
57.00	Creek 50 links wide runs S. E.
79.80	Creek 50 links wide runs West.
80.00	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a corner to Sections 19, 20, 29, 30
	Land hilly Soil 3rd rate

T 13 N R 15 W. 6th P M

Chains	
	East on a random line between Sections 20 and 29
	Va 13° 48' E
3,50	Creek 50 links wide runs S.W.
40,00	Set temporary 1/4 Sec, Cor,
41,00	Ravine Course South
80,10	Intersect N and S line 30 links South of the corner to Sections 20, 21, 28, 29 from which corner I run S 89° 47' W on a true line between Sections 20 and 29
	Va 13° 48' E
40,05	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec, Cor,
80,10	The corner to Sections 19, 20, 29, 30
	Land rolling Soil 3 rate

T 13 N R 15 W. 6th P M

Chains	
	West on a random line between Sections 19 and 30
	Va 13° 45' E
15,10	Creek 80 links wide runs N.W.
20,50	Same creek 50 lks wide runs S.W.
40,00	Set Temporary 1/4 Sec, Cor,
79,74	Intersect West Boundary of Township 20 links North of the corner to Sections 19, 30, from which corner I run N 89° 51' E on a true line between Sections 19 and 30
	Va 13° 45' E
39,74	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec, Cor
79,74	The corner to Sections 19, 20, 29, 30
	Land rolling Soil 2nd rate

T13N R15W 6th P.M.

Chains	North between Sections 19 and 20
	Var 13° 40' E
15.00	Creek 50 lks wide runs East
39.00	Drain descends S. E.
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 17, 18, 19, 20
	Land rolling Soil 2nd rate

T13N R15W 6th P.M.

Chains	East on a random line between Sections 17 and 20
	Var 13° 40' E
21.00	Ravine Course S. E.
30.00	Drain Course South
40.00	Set temporary 1/4 Sec. Cor.
56.50	Ravine Course South
79.90	Intersect Ward's line 32 links South of the corner to Sections 16, 17, 20, 21 from which corner I run S 89° 46' W on a true line between Sections 17 and 20.
	Var 13° 40' E
39.15	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.90	The corner to Sections 17, 18, 19, 20
	Land hilly Soil 3rd rate

T13N R15W 6th P.M.

Chains	
	West on a random line between Sections 18 and 19
	Va 18° 40' E
37.00	Drain descends S.E.
40.00	Set temporary 1/4 Sec Cor
62.00	Drain Course S.E.
79.55	Intersect West Boundary of Township 16 links North of the corner to Sections 18 and 19 from which corner bears N 89° 53' E on a true line between Sections 18 and 19
	Va 18° 40' E
39.55	Set post deposit charred stake raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.55	The corner to Sections 17, 18, 19, 20
	Land rolling Soil 2nd rate

T13N R15W 6th P.M.

Chains	
	North between Sections 17 and 18
	Va 13° 40' E
40.00	Set post deposit charred stake raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
68.80	Ravine Course East
75.80	Ravine Course S.E.
80.00	Set post deposit charred stake raised Mound of earth with pits as per instructions for a corner to Sections 7, 8, 17, 18
	Land hilly Soil 3rd rate

T18N R15W 6th P.M.

Chains East on a random line between Sections 8 and 17

Va 13° 40' E

6,00 Ravine Course South

4,00 Set temporary 1/4 Sec. Cor.

78,50 Ravine Course S E

79,90 Intersect Ward S line 28 links North of the corner to Sections 8, 9, 16, 17 from which corner I run N 89° 48' W on a true line between Sections 8 and 17

Va 13° 40' E

39,95 Set post deposit charred stake raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.

79,90 The corner to Sections 7, 8, 17, 18 Land hilly Soil 3rd rate

T18N R15W 6th P.M.

Chains West on a random line between Sections 7 and 18

Va 13° 50' E

1,00,00 Set temporary 1/4 Sec. Cor.

63,00 Ravine Course S.W.

79,50 Intersect West Boundary of Township 32 links North of the corner to Sections 7 and 18 from which corner I run N 89° 45' E on a true line between 7 and 18.

Va 13° 50' E

39,50 Set post deposit charred stake raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.

79,50 The corner to Sections 7, 8, 17, 18 Land hilly Soil 3rd rate

T 13 N R 15 W 6th P.M.

Chains	North between Sections 7 and 8
	Va 13° 40' E
2,00	Train descends S.W.
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
60,00	Ravine Course East
80,00	Set post deposit charred stake raised Mound of earth with pits as per instructions for a Corner to Sections 5, 6, 7, 8
	Land hilly Soil 3rd rate

T 13 N R 15 W 6th P.M.

Chains	East on a random line between Sections 5 and 8
	Va 13° 40' E
5,00	Ravine Course N.W.
40,00	Set temporary 1/4 Sec Cor
57,50	Ravine Course S.E.
70,00	Ravine South
79,88	Intersect N and S line 35 links North of the corner to Sections 4, 5, 8, 9, from which corner I run N 89° 45' W on a true line between Sections 5 and 8.
	Va 13° 40' E
39,94	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
79,88	The corner to Sections 5, 6, 7, 8
	Land hilly Soil 3rd rate

T 13 N R 15 W 6th P M

chains West on a random line between
Sections 6 and 7
Va 13°40' E
32,50 Ravine Course S.W.
40,00 Set temporary 1/4 Sec. Cor.
51,00 Ravine Course South
67,00 Enter timber bears North and South
78,00 Creek 30 link wide runs South clear water gravel bottom swift current
79,30 Intersect Sect. West Boundary of Town ship 26. lin. 48 South of the corner to Sections 6 and 7 from which corner I run S 89°49' E on a true line between Sections 6 and 7
Va 13°40' E
39,30 Set 1/4 sec deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,30 The corner to Sections 5, 6, 7, 8
3rd Rate.

T 13 N R 15 W 6th P M

chains North on a random line between
Sections 5 and 6
Va 13°40' E
28,00 Ravine Course S.W.
40,00 Set temporary 1/4 Sec. Cor.
57,00 Drain descends S.W.
80,12 Intersect North Boundary of Town ship 31 lin. 80 West to the corner to Section 5 and 6 from which corner I run S 13° W on a true line between Sections 5 and 6
Va 13°40' E
40,12 Set 1/4 sec deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,12 The corner to Sections 5, 6, 7, 8
Land hilly Soil 3rd rate.
July 2nd 1868

Chain	
32.5	
40.0	
51.0	
67.0	
78.0	
79.3	
79.3	

General Description

This Township is not well adapted to Settlement and cultivation, the Soil being composed mostly of quick Sand not retaing moisture and consequently very dry, the land is rolling and hilly, a fine creek 30 links wide runs through the S.W. corner with brush and a little timber on its banks.

List of Names.

A list of the names of the individuals employed to assist in running, measuring & marking the lines and corners described in the foregoing field notes of Township 13 North of the 1st Base Line, Range 15 West of the 6th Principal Meridian, showing the respective capacities in which they acted

W. W. Henderson Jas. P. Ewing	Chainmen
W. G. Hyde Thos. F. Thompson	Axmen and Monumenters

We hereby certify that we asso-
ted John F. Burch Deputy Survey
in Surveying and Subdividing
Township 13 North of the Base line
of Range number 15 West of the
6th Principal Meridian, and
that said Township has been in
all respects to the best of our
knowledge and belief well and
faithfully surveyed and the
boundary monuments planted
according to instructions furnished
by the Surveyor General.

Wm W Henderson } Chain
Jas. P. Ewing } men
W F Hyde } Axmen
Thos F Thompson } and Mounder

Sworn to and subscribed before me this 10
day of August A.D. 1868.

W. H. Plate
Justice of the Peace
Hall Co

Neb.

I John F. Burch Deputy Surveyor
do solemnly swear that, in pursu-
ance of a joint contract wherein
I B Park and John F. Burch are joint
contractors with Phineas W. Hitchcock
United States Surveyor General for
the States of Nebraska and Iowa
bearing date the 26th day of May
1868 I have well and faithfully
and truly in my own proper person
and in strict conformity with the
instructions furnished by the
Surveyor General the Surveying
manual and the printed instruc-
tions surveyed all those parts
or portions of Township 13 North of
the Base line of Range 15 West of the
6th Principal Meridian as were
represented in the foregoing

field notes as having been
Surveyed under my direction
and I do further Solemnly Swear
that all the corners of Said Survey
have been established and perp
uated in Strict accordance w
the Surveying Manual and in
Strict acorance with the Surveying
Manual and printed instructions
and that the foregoing are the true
and original field notes of Said
Surveys.

John F. Burch
Deputy Surveyor

Subscriber and Sworn to before me this
10th day of August A. D. 1868

Wm. H. Platt
Justice of the Peace
Hall County
Nebraska

This is to certify that the above named Wm. H. Platt is a Justice of the Peace in and for Hall Co. Neb.

John Wallichs
Co. Clerk for Hall Co.
Neb.

Surveyor Generals Office
Plattsmouth Neb. Oct 29th 1868.

The foregoing field notes of the Survey and Subdivisions of Township No 13, North of the Base line of Range No 15, West of the 6th Principal Meridian in the State of Nebraska, executed by John F. Burch under Joint Contract No 6 dated May 26th 1868, wherein J. B. Park and John F. Burch are Joint contractors in the months of June and July 1868, having been critically examined, the nesseary corrections and explanations made, the said field notes, and the survey they describe are hereby

Approved.

P. W. Hitchcock
Surveyor General.

Index Diagram
of
Town 14 N. Range 15 W.



Index Diagram

Ex D

Field Notes of the Survey of the subdivising of Township 14 North, Range 15 West of the 6th Principal Meridian in the State of Nebraska by John F. Burch Deputy Surveyor under a joint contract wherein J. B. Park and John F. Burch are joint contractors with P. W. Hitchcock Surveyor General for the States of Nebraska and Iowa bearing Date the 26th day of May 1868

Survey commenced July 3d 1868
Survey completed July 8th 1868

a List of Names and duties
of the persons employed
to assist in surveying
the Township contained
herein

Wm. W Henderson chainman
Jas P Ewing chainman
W. F. Hyde mounds man
Thos F Thompson mounds man

Township 14 N. R 15 W. 5th P. M.

chains to determine the proper
adjustment of my compass
for subdividing this Township
I commence at the corner to
Townships 13 and 14 North
Ranges 14 and 15 West and
run
North on a blank line along
the east boundary of Section 36
Va 13° 40' East
40.03 to a point 6 links East of the
¼ Sec cor
80.00 to a point 11 links East of the
corner to sections 25 and 36
to retrace this line or run
parallel thereto my compass
must be adjusted to a
Variation of 13° 45' East

T14N R15W 6th P.M.

Chains	North between Sections 35 and 36
	Va 13°45' E
4,00	Drain descends N.E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
76,00	Drain descends N.E.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 25, 26, 35, 36
	Land rolling Soil 2nd rate

T14N R15W 6th P.M.

Chains	East on a random line between Sections 25 and 36
	Va 13°45' E
16,00	Drain descends South
40,00	Set temporary 1/4 Sec. Cor.
79,82	Intersect East Boundary of 80 links South of the corner to Sections 25 and 36. from which corner I run
	S89° 51' W on a true line between Sections 25 and 36
	Va 13°45' E.
39,91	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,82	The corner to Sections 25, 26, 35, 36
	Land rolling Soil 2nd rate

T 14 N R 15 W 6th P M

Chains	North between Sections 25 and 26 Va 18° 40' E
10,00	Drain descends East
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for 1/4 Sec Cor
60,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 23, 24, 25, 26. Land rolling Soil 3rd rate

T 14 N R 15 W 6th P M

Chains	East on a random line between Sections 24 and 25 Va 18° 40' E
15,00	Drain descends N.W.
24,00	Ravine descends N.W.
40,00	Set temporary 1/4 Sec. Cor.
63,00	Drain descends N.W.
79,91	Intersect East Boundary of Township 22 links South of the corner to Sections 24 and 25 from which corner I run S 89° 51' W. on a true line between Sections 24 and 25 Va 18° 40' E
39,95½	Set post deposit charred stake raised mound of earth with pits as per instructions for 1/4, Sec. Cor
79,91	The corner to Sections 23, 24, 25, 26 Land hilly Soil 2nd rate

T 14 N R 15 W 6th P.M.

Chains	North between Sections 23 and 24
	Va 13° 40' E
20,00	Drain descends N, W,
37,00	Drain descends N, E
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
56,00	Drain descends N, W,
68,00	Drain descends East
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 13, 14, 23, 24 Land rolling Soil 2nd rate

T 14 N R 15 W 6th P.M.

Chains	East on a random line between Sections 13 and 24
	Va 13° 40' E
4,50	Drain descends N 25° E
40,00	Set temporary 1/4 Sec, Cor.
80,11	Intersect East Boundary of Township 23 links North of the corner to Sections 13 and 24 from which corner I run N 89° 50' W, on a true line between Sections 13 and 24
	Va 13° 40' E
40,05½	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec, Cor.
80,11	The corner to Sections 13, 14, 23, 24 Land rolling Soil 2nd rate

T 13 N R 15 W 6th P.M.

Chains	
	North between Sections 1 and 14
	Va 13° 40' E
33,00	Drain descends N.E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 11, 12, 13, 14
	Land rolling Soil 2nd rate

T 14 N R 15 W 6th P.M.

Chains	
	East on a random line between Sections 12 and 13
	Va 13° 35' E
1,00	Set temporary 1/4 Sec. Cor.
45.00	ravine course N.
80,00	Intersect East boundary of Township 14 link 25 North of the corner to Sections 12 and 13. from which corner I run
	N 89° 54' W on a true line between Sections 12, and 13.
	Va 13° 35' E
110.05	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,10	The corner to Sections 11, 12, 13, 14
	Land rolling Soil 2nd rate

T 14 N R 15 W 6th P M

chains	North between Sections 11 and 12
	Va 13° 35' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
45,00	Drain descends S. E.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 1, 2, 11, 12
	Land hilly Soil 2 nd rate

T 14 N R 15 W 6th P M

chains	East on a random line between Sections 1 and 12
	Va 13° 40' E
31,00	Drain descends South
40,00	Set temporary 1/4 Sec. Cor.
79,87	Intersect East Boundary of Township 16 links North of the corner to Sections 1 and 12 from which corner I run
	N 89° 53' W on a true line between Sections 1 and 12
	Va 13° 40' E
39,93½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,87	The corner to Sections 1, 2, 11, 12
	Land rolling Soil 2 nd rate

T 14 N R 15 W 6th P.M.

Chains	
	North on a random line between Sections 1 and 2
	Var 13° 35' E
37,50	Drain Course East
40,00	Set post for temporary 1/4 Sec Cor
57,00	Drain descends N.W.
79,84	Intersect North Boundary of Township 12 links West of the corner to Sections 1 and 2 from which corner I run S 5' W on a true line between Sections 1 and 2.
	Var 13° 35' E
39,84	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
79,84	The corner to Sections 1, 2, 11, 12
	Land hilly Soil 2nd rate
	July 3rd 1868

T 14 N R 15 W 6th P.M.

Chains	
	North between Sections 34 and 35
	Var 13° 45' E
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
76,00	Drain descends N.E.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections ~~26, 27, 34, 35~~ 26 + 27. 34 & 35
	Land rolling Soil 2nd rate

T 14 N R 15 W 6th P M

Chains	
	East on a random line between Sections 26 and 35
	Va 18° 40' E
16,00	Drain descends South.
40,00	Set temporary 1/4 Sec Cor,
79,80	Intersect N and S line 13 links South of the corner to Sections 25, 26, 35, 36 from which corner Bears S 89° 54' W on a true line between Sections 26 and 35
	Va 18° 40' E
39,90	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
79,80	The corner to Sections ~~25, 26, 35, 36~~ 26, 27, 34, 35
	Land rolling Soil 2nd rate

T 14 N R 15 W 6th P M

Chains	
	North between Sections 26 and 27
	Va 18° 40' E
16 00	Drain descends S, E,
39,00	Drain descends East
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 22, 23, 26, 27
	Land rolling Soil 3rd rate

T 24 N R 15 W 6th P M

Chains East on a random line between Sections 23 and 26

Va 18° 35' E

7.00 Drain descends N.E.

40.00 Set temporary 1/4 Sec. Cor.

79.90 Intersect land S line 26 links South of the corner to Sections 23, 24, 25, 26 from which corner I run S 89° 49' W. on a true line between Sections 23 and 26

Va 18° 35' E

39.95 Set post deposit charred stake raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.

79.90 The corner to Sections 22, 23, 26, 27

Land rolling Soil 3rd rate

T 24 N R 15 W 6th P M

Chains North between Sections 22 and 23

Va 18° 35' E

40.00 Set post deposit charred stake raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.

45.00 Drain descends West

52.07 Drain descends S.W.

60.00 Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 14, 15, 22, 23

Land rolling Soil 2nd rate

T14 N R15 W. 6th P M

Chains	
	East on a random line between Sections 14 and 23
	Va 13°35' E
16,00	Drain descends N, E,
40,00	Set temporary 1/4 Sec Cor
41,00	Ravine Course S, E,
80,11	Intersect N and S line 17 links South of the corner to Sections 13, 14 23, 24, from which corner Inn S 89° 53' W on a true line between Sections 14 and 23,
	Va 13°35' E
40,05½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec, Cor,
80,11	The corner to Sections 14, 15, 22, 23
	Land rolling Soil 3rd rate

T14 N R15 W 6th P M

Chains	
	North between Sections 14 and 15
	Va 13°35' E
29,00	Drain descends N, E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
65,50	Drain descends East
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 14, 15, 10 and 11
	Land rolling Soil 3rd rate

T 14 N R 15 W 6th P M

Chains	
	East on a random line between Sections 11 and 14
	Va 12° 36' E
8,00	Drain descends S E,
40,00	Set temporary 1/4 Sec Cor
79,83	Intersect N and S line 20 links W of the corner to Sections 11, 12, 13, 14 from which corner I run
	V 89° 51' W on a true line between Sections 11 and 14
	Va 13° 36' E
39,91½	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
79,83	The corner to Sections 10, 11, 14, 15
	Land rolling Soil 2nd rate

T 14 N R 15 W 6th P M

Chains	
	North between Sections 10 and 11
	Va 12° 36' E
19,00	Drain descend W 10° E
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 2, 3, 10, 11
	Land rolling Soil 2nd rate

T 14 N R 15 W 6th P M

Chains	
	East on a random line between Sections 2 and 11
	Va 13° 34' E
7,00	Drain descends N 100 E
39,50	Drain descend S, E,
40,00	Set post for temporary 1/4 Sec Cor,
80,15	Intersect N and S line 25 links East of the corner to Sections 1, 2, 11, 12 from which corner I run S 89° 49' W on a true line between Sections 2 and 11
	Va 13° 34' E
40,07½	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
80,15	The corner to Sections 2, 3, 10, 11 Land rolling Soil 2nd rate

T 14 N R 15 W 6th P M

Chains	
	North on a random line between Sections 2 and 3
	Va 13° 34' E
40,00	Set temporary 1/4 Sec Cor
41,00	Drain descends to East
72,00	Drain descends S, E,
80,18	Intersect North Boundary of Township 16 links East of the corner to Sections 2 and 3 from which corner I run S 7 E on a true line between Sections 2 and 3
	Va 13° 34' E
40,18	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80,18	The corner to Sections 2, 3, 10, 11 Land rolling Soil 2nd rate

July 4th 1868

T14 N R15 W 6th P.M.

Chains	
	North between Sections 33 and 34
	Va 13°40' E
5,00	Drain descends West
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sector
74,00	Drain descends S.W.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 27, 28, 33, 34
	Land hilly Soil 2nd rate

T14 N R15 W 6th P.M.

Chains	
	East on a random line between Sections 27 and 34
	Va 13°40' E
28,00	Drain descends South
40,00	Set temporary 1/4 Sector
51,00	Drain descends S.E.
80,13	Intersect N and S line 14 links South of the corner to Sections 26, 27, 34, 35 from which corner I run
	S 89°54' W on a true line between Sections 27 and 34
	Va 13°40' E
40,06½	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sector
80,13	The corner to Sections 27, 28, 33, 34
	Land hilly Soil 3rd rate

T14NR15W6th PM

Chains	North between Sections 27 and 28
	Va 13°40' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec, Cor
45,00	Drain descends West
52,00	Drain descends S.W.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 21, 22, 27, 28,
	Land hilly Soil 3rd rate

T14NR15W6th PM

Chains	East on a random line between Sections 22 and 27
	Va 13°38' E
25,50	Drain descends S.E.
39,00	Same drain descends N.E.
40,00	Set temporary 1/4 Sec, Cor,
79,91	Intersect N and S line 28 links North of the corner to Sections 22, 23, 26, 27 from which corner I run
	N 89°48' W on a true line between Sections 22 and 27.
	Va 13°38' E
39,95½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec, Cor,
79,91	The corner to Sections 21, 22, 27, 28
	Land hilly Soil 2nd rate

T14N R15W 6th P M

Chains	
	North between Sections 21 and 22
	Va 13° 38' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec, Cor
60,00	Ravine descends N.W.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 15, 16, 21, 22 on high hill -
	Land hilly Soil 3rd rate

T14N R15W 6th P M

Chains	
	East on a random line between Sections 15 and 22
	Va 13° 38' E
17,00	Drain descends S.E.
28,00	Drain descend S. East
40,00	Set post for temporary 1/4 Sec Cor
70,00	Drain descends South
80,09	Intersect N and S line 20 links South of the corner to Sections 14, 15, 22, 23 from which corner I run S 89° 51' W on a true line between Sections 15 and 22.
	Va 13° 38' E
110,04½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80,09	The corner to Sections 15, 16, 21, 22
	Land hilly Soil 3rd rate

T14N R15W 6th P.M.

0 chains	North between Sections 15 and 16
	Va 18°35' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
49,00	Drain descends S.E.
72,00	Drain descends East
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 9, 10, 15, 16
	Land rolling Soil 2nd rate

T14N R15W 6th P.M.

0 chains	East on a meander line between Sections 10 and 15
	Va 18°35' E
40,00	Set temporary 1/4 Sec. Cor.
62,50	Drain descends N.E.
80,12	Intersect Name S line 21 links North of the corner to Sections 10, 11, 14, 15 from which corner I run
	N 89°51' W on a true line between Sections 10 and 15
	Va 18°35' E
40,06	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,12	The corner to Sections 9, 10, 15, 16
	Land Slightly rolling Soil 3rd rate

T14 N R15 W 6th P M

Chains	North between Sections 9 and 10
	Va 13°34' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 3, 4, 9, 10,
	Land rolling Soil 3rd rate

T14 N R15 W 6th P M

Chains	East on a random line between Sections 3 and 10
	Va 13°34' E
39,00	Drain descend N. E.
40,00	Set temporary 1/4 Sec Cor
79,94	Intersect N and S line 15 links North of corner to Sections 2, 3, 10, 11 from which corner I run
	N 89°54' W on a true line between Sections 3 and 10
	Va 13°34' E
39,97	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
79,94	The corner to Sections 3, 4, 9, 10
	Land rolling Soil 2nd rate

N T 14 N R 15 W 6th P M

Chains	North on a random line between Sections 3 and 4
	Va 13° 34' E
20,00	Drain descends N. E.
41,00	Set temporary 1/4 Sec Cor
46,00	Same drain descend N. W.
79,86	Intersect North Boundary of Township 12 links West of the corner to Sections 3 and 4 from which corner I run S 5° W on a true line between Sections 3 and 4
	Va 13° 34' E
39,86	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
79,86	The corner to Sections 3, 4, 9, 10
	Land rolling Soil 2nd rate
	July 6th 1868

T 14 N R 15 W 6th P M

Chains	North between Sections 32 and 33
	Va 13° 45' E
39,00	Drain descends East
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
47,50	Drain descends East
65,00	Drain descends East
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 28, 29, 32, 33
	Land hilly Soil 3rd rate

T14N R15W 6th P.M.

Chains	
	East on a random line between Sections 28 and 33.
	Va 13° 45' E
10,00	Ravine Course S.E.
20,50	Drain descends South
4,00	Set post for temporary 1/4 Sec. Cor.
64,50	Drain Course S.W.
78,50	Ravine Course S.W.
79,84	Intersect N and S line 23 links South of the corner to Sections 20, 21, 28, 29 from which corner I run S 89° 50' W on a true line between Sections 28 and 33
	Va 13° 45' E
39,92	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,84	The corner to Sections 28, 29, 32, 33
	Land hilly Soil one mile

T14N R15W 6th P.M.

Chains	
	North between Sections 28 and 29
	Va 13° 45' E
3,50	Drain descends East
23,00	Drain descends S.E.
4,00	Set post deposit charred stake raised mound of earth with as per instructions for a 1/4 Sec. Cor.
45,00	Drain descends S.E.
8,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 20, 21, 28, 29
	Land hilly Soil White Sand one mile

T 14 N R 15 W 6th P M

Chains East on a random line between Sections 21 and 28

Va 13° 38' E

37,00 Drain descends South

40,00 Set temporary 1/4 Sec Cor

42,00 Drain descends S.W.

80,19 Intersect N. and S. line 30 links North of the corner to Sections 21, 22, 27, 28, from which corner I run N 89° 47' W on a true line between Sections 21 and 28

Va 13° 38' E

40,09 1/2 Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor

80,19 The corner to Sections 20, 21, 28, 29

Land hilly Soil 3rd rate

T 14 N R 15 W 6th P M

Chains North between Sections 20 and 21

Va 13° 36' E

28,00 Ravine Course S.W.

40,00 Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.

80,00 Set post deposit charred Stake raised mound of earth with pits as per instructions for a Corner to Sections 16, 17, 20, 21

Land hilly Soil 3rd rate

T 14 N R 15 W 6th P.M.

chains	
	East on a random line between Sections 16 and 21
	Va 13° 36' E
35.50	Ravine Course S.W.
40.00	Set temporary 1/4 Sec. Cor.
76.00	Ravine Course North
79.76	Intersect N and S line 25 links North of the corner to Sections 16, 17, 21, 22 from which corner I run N 89° 49' W on a true line between 16 and 21
	Va 13° 36' E
39.88	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec Cor
79.76	The corner to Sections 16, 17, 20, 21
	Land hilly & broken Soil 3rd rate

T 14 N R 15 W 6th P.M.

chains	
	North between Sections 16 and 17
	Va 13° 36' E
26.00	Ravine Course S.W.
40.00	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred Stake raised mound of earth earth with pits as per instructions for a corner to Sections 8, 9, 16, 17
	Land hilly and broken Soil 3rd rate

T 14 N R 15 W 6th P.M.

Chains	
	East on a random line between Sections 9 and 16
	Va 13° 35' E
9,00	Ravine S.E.
21,50	Same Ravine N.E.
40,00	Set temporary 1/4 Sec. Cor.
60,00	Ravine course North
80,20	Intersect N and S line 16 links South of the corner to Sections 9, 10, 15, 16 from which corner I run S 89° 53' W on a true line between Sections 9 and 16
	Va 13° 35' E
40,10	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,20	The corner to Sections 8, 9, 16, 17
	Land hilly Soil 2nd rate

T 14 N R 15 W 6th P.M.

Chains	
	North between Sections 8 and 9
	Va 13° 35' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 4, 5, 8, 9
	Land rolling Soil 2nd rate

T14 N R 15 W 6th P M

chains East on a random line between Sections 4 and 9

Va 13° 35' E

39.00 Drain descends North

40.00 Set temporary 1/4 Sec. Cor.

64.00 Enter drain descends N.E.

74.80 Leave drain descends West

79.84 Intersect Range line 28 links South of the corner to Sections 3, 4, 8, 9 from which corner I run

S 89° 48' W on a true line between Sections 4 and 9

Va 13° 35' E

39.92 Set post deposit charred stake mound of earth with pits as per instructions for a 1/4 Sec. Cor.

79.84 The corner to Sections 4, 5, 8, 9

Land rolling Soil 2nd rate

T14 N R 15 W 6th P M

chains North between Sections 4 and 5 on a random line

Va 13° 34' E

22.00 Drain descends S.E.

40.00 Set post for temporary 1/4 Sec. Cor.

75.00 Ravine Course S.E.

79.88 Intersect Range line 30 links West of the corner to Sections 4 and 5 from which corner I run

S 13° W on a true line between Sections 4 and 5

Va 13° 34' E

39.88 Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.

79.88 The corner to Sections 4, 5, 8, 9

Land hilly Soil 3rd rate

July 7th 1858

T14 N R15 W 6th P M

Chains	
	North between Sections 31 and 32
	Va 13° 45' E
40,00	Set post deposit charred Stake raised
	Mound of earth with pits as per
	instructions for a 1/4 Sec. Cor.
59,00	Ravine Course West
80,00	Set post deposit charred Stake raised
	Mound of earth with pits as per
	instruction for a corner to Sections 29, 30,
	31, 32
	Land hilly Soil 3 m rate

T14 N R15 W 6th P M

Chains	
	East on a random line between Sections
	29 and 32,
	Va 13° 40' E
40,00	Set post for temporary 1/4 Sec. Cor.
46,00	Ravine Course N.W.
79,80	Intersect N and S. line 33 links
	South of the corner to Sections
	29 and 32, from which corner I run
	S 49° 45' W on a true line between Sections 29, 32
	Va 13° 45' E
39,90	Set post deposit charred Stake
	raised mound of earth with pits
	as per instructions for a 1/4 Sec. Cor.
79,80	The corner to Sections 29, 30, 31, 32.
	Land hilly Soil 3 m rate

T14 N R15 W 6th P M

Chains	
	West on a random line between Sections 30 and 31
	Va 18° 45' E
23,00	Ravine course N.W.
38,00	Ravine Course North
40,00	Set temporary 1/4 Sec, Cor,
78.84	Intersect West Boundary of Township 30 links South of the corner to Sections 30 and 31 from which corner bears S 89° 47' E on a true line between Sections 30 and 31.
	Va 18° 45' E
38,84	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a Sec, Cor,
78.84	The corner to Sections 29, 30, 31, 32
	Land hilly Soil 2nd rate

T14 N R15 W 6th P M

Chains	
	North between Sections 29 and 30
	Va 18° 45' E
6,50	Drain descends West,
23,50	Drain Course S.W.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec, Cor,
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 19, 20, 29, 30
	Land hilly Soil 2nd rate

T14 N R 15 W 6th P M

chains East a random line between Sections 20 and 29

Va 13°38' E

5,00 Drain descends South

21,00 Ravine Course South

40,00 Set temporary 1/4 Sec. Cor.

75,50 Ravine Course South

79,78 Intersect N and S line 19 links North of the corner to Sections 20, 21, 28, 29 from which corner I run N 89°52' W. on a random line between Sections 20 and 29

Va 13°38' E

39,89 Set post deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.

79,78 The corner to Sections 19, 20, 29, 30

Land hilly Soil Sandy

T14 N R 15 W 6th P M

chains West on a random line between Sections 19 and 30

Va 13°38' E

23,00 Ravine Course South

40,00 Set temporary 1/4 Sec. Cor.

43,00 Ravine Course N.W.

60,00 Drain descends South

78,20 Intersect West Boundary of Township 22 links North of the corner to Sections 19 and 30 from which corner I run N. 89°46' E on a true line between Sections 19 and 30

Va 13°38' E

38,20 Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.

78,20 The corner to Sections 19, 20, 29, 30

Land hilly Soil Sandy

T14NR15W on the 6th P.M.

Chains	
	North between Sections 19 and 20
	Var 13° 40' E
38,00	Drain descends West
40,00	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sector,
49,00	Enter Ravine course S.W.
55,00	Leave Ravine course South
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 17, 18, 19, 20
	Land hilly Soil 3rd rate

T14NR15W 6th P.M.

Chains	
	East on a random line between Sections 17 and 20
	Var 13° 40' E
3,50	Ravine Course S.E.
20,00	Ravine S.W.
40,00	Set temporary 1/4 Sector,
46,00	Ravine Course S.E.
79,76	Intersect N and S line 20 links South of the corner to Sections 16, 17, 20, 21 from which corner I run S 89° 51' W on a true line between Sections 17 and 20
	Var 13° 40' E
39,88	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,76	The corner to Sections 17, 18, 19, 20
	Land hilly Soil 3rd rate

T14 N R 15 W 6th P.M.

Chains West on a random line between Sections 18 and 19

Va 13° 38' E

13,00 Enter Ravine Course West

18,00 Leave Same Course S.W.

34,00 Ravine Course S.W.

40,00 Set post for temporary 1/4 Sec. Cor.

45,50 Ravine Course N.W.

78,30 Intersect West Boundary of Township 16 links North of the corner to Sections 18 and 19 from which corner I run N 89° 55' E on a true line between Sections 18 and 19

Va 13° 38' E

38,30 Set post deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.

78,30 The corner to Sections 17, 18, 19, 20

Land hilly Soil Sandy

T14 N R 15 W 6th P.M.

Chains North between Sections 17 and 18

Va 13° 38' E

26,00 Ravine Course N.E.

40,00 Set post, deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.

80,00 Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 7, 8, 17, 18

Land hilly Soil Sandy

T14N R15W 6th P.M.

Chains	East on a random line between Sections 8 and 17
	Va 13° 36' E
21.00	Ravine Course S.W.
31.00	Ravine Course N.W.
40.00	Set post for temporary 1/4 Sec. Cor.
67.00	Ravine Course N.E.
80.26	Intersect N and S line 21 links South of the corner to Sections 8, 9, 16, 17 from which corner I run S 89° 51' W on a true line between Sections 8 and 17
	Va 13° 36' E
40.13	Set post deposit charred stake, raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.26	The corner to Sections 7, 8, 17, 18 Land hilly Soil 2nd rate

T14N R15W 6th P.M.

Chains	West on a random line between Sections 7 and 18
	Va 13° 36' E
11.00	Ravine Course S.W.
31.00	Same Ravine N.W.
40.00	Set temporary 1/4 Sec. Cor.
78.40	Intersect West Boundary of Township 18 links South of the corner to Sections 7 and 18 from which corner I run S 89° 52' E on a true line between Sections 7 and 18
	Va 13° 36' E
38.40	Set post deposit charred stake, raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
78.40	The corner to Sections 7, 8, 17, 18 Land rolling Soil 2nd rate

T14NR15W6th PM

Chains	
	North between Sections 7 and 8
	Va 13° 34' E
40.00	Set post deposit charred Stake, raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 5, 6, 7, 8.
	Land rolling Soil 2nd rate

T14NR15W6th PM

Chains	
	East on a random line between Sections 5 and 8
	Va 13° 34' E
30.00	Drain descends North
40.00	Set post for temporary 1/4 Sec Cor
62.00	Drain North
80.16	Intersect N and S line 25 links North of the corner to Sections 4, 5, 8, 9 from which corner I run
	N 89° 49' W on a true line between Sections 5 and 8
	Va 13° 34' E
40.08	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec Cor
80.16	The corner to Sections 5, 6, 7, 8
	Land rolling Soil 2nd rate

T14N R15W 6th P.M.

Chains West on a random line between Sections 6 and 7.

Va 13° 34' E

40.00 Set temporary 1/4 Sec. Cor.

78.19 Intersect West Boundary of Township 18 links South of the corner to Sections 6 and 7 from which corner I run S 89° 52' E on a random line between Sections 6 and 7

Va 13° 34' E

38.19 Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.

78.19 The corner to Sections 5, 6, 7, 8

Land hilly Soil 2nd rate

T14N R15W 6th P.M.

Chains North on a random line between Sections 5 and 6.

Va 13° 34' E

40.00 Set temporary 1/4 Sec. Cor.

62.00 Ravine Course N.W.

80.15 Intersect North Boundary of Township 28 links West of the corner to Sections 5 and 6 from which corner I run S 12° W on a random line between Sections 5 and 6.

Va 13° 34' E

40.15 Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.

80.15 The corner to Sections 5, 6, 7, 8

Land hilly Soil 3rd rate

July 8th 11, 1868

T14 N R15 W 6th P.M.

General Descriptions

The land in this Township is mostly 3rd rate being composed principally of quick sand very dry and barren. There is no timber or water in the Township, or any available means for irrigation very poorly adapted to settlement and not fit for cultivation. The land is rolling and hilly

List of Names.

A list of the names of the individuals employed to assist in running, measuring & marking the lines and corners described in the foregoing field notes of Township 14 North, Range 15 West of the 6th Principal Meridian, showing the respective capacities in which they acted.

Wm W Henderson } Chainmen
Jas. P. Ewing }
W. F. Hyde } axmen and
Thomas F. Thompson } Mormdmen

Wehereby certify that we assis
ted John F. Burch Deputy Surveyor
in Surveying and Subdividing Township
number 14 North of the base line of
Range number 15 West of the
6th Principal Meridian and that
Said Township has been in all
respects to the best of our knowledge
and belief well and faithfully
Surveyed and the boundary monuments
planted according to instructions furn=
ished by the Surveyor General

Wm W Henderson } Chain-
Jas. P. Ewing } men
W. F. Hyde } Ax men &
Thos F. Thompson } Mound men

Sworn to and Subscribed before me this
10th day of August A. D. 1868.

Wm H. Platt
Justice of the Peace
Hall Co
Nebraska

I John F. Burch deputy Surveyor
do Solemnly Swear that in pursuance
a joint contract wherein I B Park
and John F Burch are joint contr
actions with Thomas W. Hitchcock
United States Surveyor General
for the States of Nebraska and Iowa
bearing date May 26th 1868 I have well
~~well~~ and faithfully in my own
proper person and in strict
conformity with the instructions
furnished by the Surveyor General the
Surveying manual and the laws of
the United States. Surveyed
all of those parts or portions of
Township number 14 North of
range number 15 West of the
6th Principal Meridian as
are represented in the

foregoing field notes as having been Surveyed under my direction and I do further Solemnly Swear that all the corners of said Surveys have been established and perpetuated in Strict accordance with the Surveying Manual and printed instructions, and that the foregoing are the true and original field notes of such Survey.

John F. Burch Deputy Surveyor

Subscribed and Sworn to before me this 10th day of August A.D. 1868

Wm H. Platt
Justice of the Peace
Hall County
Nebraska

This is to certify that the above name Wm H. Platt is a Justice of the Peace in and for Hall Co. Nebraska

Peter Wallichs
Co. Clerk for Hall Co. Neb.

Surveyor General's Office
Plattsmouth Neb. Oct 29th 1868.

The foregoing field notes of the Survey and Subdivisions of Township No. 14 North of the Base Line of Range No. 15 West of the 6th Principall Meridian in the State of Nebraska, Executed by John F. Burch under Joint Contract No 6 dated May 26th 1868 wherein J. B. Forbe and John F. Burch are Joint Contractors in the month of July, 1868. having been critically examined, the necessary corrections and explanations made the said field notes and the Surveys they describe are hereby Approved

P. W. Hitchcock
Surveyor General

Index Diagram

Town 15 N. Range 15 W.

6	63. 5	47	4	36	3	25	2	12	1
62		61	46		35		23		11
7	60	8	45	9	34	10	22	11	10	12
59		58	44		33		20		9
18	57	17	43	16	32	15	19	14	8	13
56		55	42		31		18		6
19	54	20	41	21	30.	22	17	23	5	24
53		52	40		24		16		4
30	51	29	39	28	28	27	15	26	3	25
50		49	38		27		14		2
31	48	32	37	33	26	34	13	35	1	36

Meanders on pages 64. 65. 66 and 67.

End

Field Notes of the Survey of the Subdivisions of Township 15 North Range 15 West of the 6th Principal Meridian in the State of Nebraska by John F. Burch Deputy Surveyor under a joint contract wherein J. B. Park and J. F. Burch are joint contractors with P. W. Hitchcock Surveyor General for the States of Nebraska and Iowa bearing Date the 26th Day of May 1868

Survey commenced July 9th 1868
Survey completed July 15th 1868

a List of the names and
duties of the persons
Employed to assist in
subdividing this Township
W. W. Henderson Chainman
Jas. P. Ewing Chainman
W. F. Hoyde moundman
Thos. F. Thompson moundman

to determine the proper
adjustment of my compass
for subdividing this Township
I commenced at the corner
to Townships 14 and 15 North
Ranges 14 and 15 West and
run
North on a blank line along
the East boundary of Section
35

chains	to determine the proper adjustm. of my compass for subdividing this Township I commence at the corner to Townships 14 and 15 North. Ranges 14 and 15 West and run
	North on a blank line along the East boundary of Section 36 Va 13°50' East
39.92	to a point 8 links west of the ¼ Sec cor
79.98	to a point 14 links west of the corner to sections 25 and 36 to retrace this line or run parallel thereto my compass must be adjusted to a Variat. of 13°44' East

T 15 N R 15 W 6th P. M.

Chains	North between Sections 35 and 36 Va 13° 44' E
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a ¼ Sec. Cor,
45.00	Ravine descends S. E,
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 25, 26, 35, 36. Land hilly Soil 2nd rate

T 15 N R 15 W. 6th P. M.

Chains	
	East on a random line between Sections 25 and 36
	Var 13° 40' E
40,00	Set temporary 1/4 Sec. Cor.
61,50	Leave Upland, enter bottom bearing W.
80,08	I intersect East Boundary of Township 12 links North of the corner to Sections 25 and 36 from which corner I run
	N 89° 55' W on a true line between Sections 25 and 36
	Var 13° 40' E
40,04	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,08	The corner to Sections 25, 26, 35, 36
	Land hilly Soil 2nd rate

T 15 N. R. 15 W. 6th P. M.

Chains	
	North between Sections 25 and 26
	Var 13° 40' E
15,00	Creek 10 links wide runs East
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
52,00	Drain descends S. E.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 23, 24, 25, 26
	Land hilly Soil 2nd rate

T15 N. R 15 W. 6th P.M.

Chains	
	East on a random line between Sections 24 and 25
	Va 13° 45' E
15,00	Leave upland enter bottom bears N. W. & S. E.
40,00	Set temporary 1/4 Sec. Cor.
79,80	Intersect East Boundary of Township 14 links North of the corner to Sections 24 and 25 from which corner I run
	N 89° 54' W on a true line between Sections 24 and 25
	Va 13° 45' E
39,90	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
79,80	The corner to Sections 23, 24, 25, 26
	Land Upland hilly bottom level except small Sand Knolls Soil 3rd rate

T15 N R 15 W. 6th P.M.

Chains	
	North between Sections 23 and 24
	Va 13° 40' E
20,00	Leave Upland enter bottom bearing N. W. and S. E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
58,00	Creek 8 lks wide runs S. E.
65,00	Same Creek 8 links wide runs S. W.
67,00	Same Creek 8 links wide runs S. E.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a Corner to Sections 13, 14, 23, 24
	Land Upland hilly bottom level Soil 2nd rate

T 15 N R 15 W 6th P.M.

chains	East on a random line between Sections 13 and 24 Va 13° 40' E
35,00	Enter timber bears S.E. and N.W.
40,00	Set post for temporary 1/4 Sec Cor
46,40	Set temporary M.C. on right bank Long river
	Measure across river with chain and find its width to be 9,05 chains to which add 46,40 makes
55,45	Set temporary M.C. corner on left bank river, enter prairie
80,12	Intersect East Boundary of Township 18 links North of the corner to Sections 13 and 24 from which corner I run N 89° 52' W on a true line between Sections 13 and 24 Va 13° 40' E
24,67	Set post deposit charred stake

T 15 N R 15 W 6th P.M.

chains	raised mound of earth with pits as per instructions on the left bank of Long river for a corner to fractional Sections 13 and 24.
33,72	Set post on right bank Long river for corner to fractional Sections 13 and 24 from which An Ash 8 in dia bears S 20 W, 31 links Willow 5 in dia bears N 18 W, 16 links
40,00	Set post for 1/4 Sec Cor, from which A Cottonwood 14 in dia bears S 80, E 20 lks Ash 7 in dia bears N 25 W, 18 lks
80,12	The corner to Sections 13, 14, 23, 24 Land Level Soil 2nd rate
	What sort of timber

T 15 N R 15 W 6th P.M.

Chains	
	North between Sections 13 and 14
	Va 13° 40' E
28,50	Set post deposit charred Stake raised mound of earth with pits as per instructions on right bank Lamp River for corner to fractional Sections 13 and 14 S60 E N35 W
	I measure across with chain and find it to be 12,40 chains wide
40,90	Set post on left bank for cor to fr. Secs 13 and 14 from which
	An Elm 10 in dia bears N30 E 28 links
	A Willow 6 in dia bears N 10 W 10 lks
	Enter timber
1,00	Set post for cor. to Secs 11, 12, 13, 14 from which
	An Ash 7 in dia bears N 80 E 8 links
	" Elm 12 " " N20 W. 32 "
	" " 8 " " S35 E 45 "
	" Ash 7 " " S60 W. 21
	Land level Soil 2 rate

Timber Cottonwood Ash Elm and Willow

T 15 N R 15 W 6th P.M.

Chains	
	East on a random line between Sections 12 and 13
	Va 13° 40' E
6,00	Leave timber enter prairie bearing N 30 W. and S. E.
40,00	Set temporary 1/4 Sec. Cor.
80,15	Intersect East boundary of Township 20 lks North of the corner to Sections 12 and 13 from which corner I run
	N89 & 51 W on a true line between Sections 12 and 13
	Va 13° 48' E
40,07½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,15	The corner to Sections 11, 12, 13, 14
	Land level 2nd rate Soil
	Timber Cottonwood Ash Elm Willow

T 15 N R 15 W. 6th P.M.

Chains	North between Sections 11 and 12
	Va 13° 45' E
27,00	Leave timber bearing N 30 W and S 30 E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions on ~~right~~ bank Loupe river for a corner to Sections 1, 2, 11, 12 Land level Soil 2nd rate Timber Cottonwood Ash Elm and Willow

T 15 N. R. 15 W. 6th P.M.

Chains	East on a random line between Sections 1 and 12.
	Va 13° 45' E
33,50	Ravine Course South
40,00	Set temporary 1/4 Sec Cor.
46,00	Ravine descend S E
71,00	Leave river bottom enter upland bearing N.W. S.E.
79,92	Intersect East Boundary of Township 23 links South of the corner to Sections 1 and 12 from which corner Chain S 89° 50' W. on a true line between Sections 1 and 12
	Va 13° 45' E
39,96	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sector.
79,92	The corner to Sections 1, 2, 11, 12 Land hilly and broken Soil 2nd rate

T 15 N R 15 W 6th P.M.

Chains	
	North on a random line between Sections 1 and 2
	Va 13° 45' E
40,00	Set post for temporary 1/4 Sec Cor
79,85	Intersect North Boundary of Township 26 line 80 West of the corner to Sections 1 and 2 from which corner I run
	S 11' W on a true line between Sections 1 and 2.
	Va 13° 45' E
39,85	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
79,85	The corner to Sections 1, 2, 11, 12
	Land level Soil 2nd rate
	July 9th 1868

T 15 N R 15 W 6th P.M.

Chains	
	North between Sections 34 and 35
	Va 13° 44' E
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
45,50	Drain descends East
76,00	Canon course North East
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 26, 27, ~~32, 33~~ 34 & 35
	Land hilly Soil 2nd rate

T15 N R15 W, 6th P.M.

Chains	
	East on a random line between Sections 26 and 35
	Va 13°45' E
20,00	Ravine descends North
40,00	Set temporary 1/4 Sec. Cor.
75,00	Dry bed of Creek runs N E
79,86	Intersect N and S line 24 links South of the corner to Sections 25, 26 35, 36 from which corner I run S 89°50' W on a true line between Sections 26 and 35
	Va 13°45' E
39,93	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
79,86	The corner to Sections 26, 27, 34, 35
	Land hilly Soil 2nd rate

T15 N R15 W, 6th P.M.

Chains	
	North between Sections 26 and 27
	Va 13°40' E
21,50	Creek 10 links wide runs East
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
41,00	Ravine descends S.E.
59,00	Drain descends S.E.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 22, 23 26, 27
	Land hilly Soil 2nd rate

T15 N R15 W, 6th P.M.

chains	
	East on a random line between Sections 23 and 26
	Var 13°20' E
37,00	Ravine descends S.E.
40,00	Set temporary 1/4 Sec. Cor.
80,18	Intersect N and S line 21 links South of the corner to Sections 23, 24, 25, 26 from which corner I run S 89°51' W on a true line between Sections 23 and 26
	Var 13°40' E
40,09	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,18	The corner to Sections 22, 23, 26, 27
	Land hilly Soil 2nd rate

T15 N R15 W 6th P.M.

chains	
	North between Sections 22 and 23
	Var 13°40' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
59,00	Cross creek bed (dry) runs N.E.
70,00	Same dry creek bed runs N.W.
73,00	Same dry creek bed runs East.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 14, 15, 22, 23.
	Land hilly Soil 2nd rate

T15 N R 15 W, 6th P.M.

Chains	
	East on a random line between Sections 14 and 23.
	Va 13° 40' E.
30,00	Leave hills enter bottom bearing N & S.
40,00	Set post for temporary 1/4 Sec. Cor.
79,82	Intersect N and S line 30 links South of the corner to Sections 13, 14, 23 24. from which corner I run S 89° 47' W on a true line between Sections 14, 23
	Va 13° 40' E
39,91	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,82	The corner to Sections 14, 15, 22, 23 Land upland hilly level bottom Soil 2nd rate

T15 N. R 15 W, 6th P.M.

Chains	
	North between Sections 14, and 15
	Va 13° 40' E
8,50	Drain descends S.W.
10,00	Same drain descends S.E.
40,00	Set post deposit charred Stake, raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
70,00	Leave hills enter bottom bearing North W and South East
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 10, 11, 14, 15 Land upland hilly bottom level Soil 2nd rate

T 15 N R 15 W 6th P.M.

chains East on a random line between Sections 11 and 14

Va 13° 40' E

40,00 Set temporary 1/4 Sec. Cor.

60,00 Set post for temporary corner to fractional Sections 11 and 14 on right bank Loup river. Measure across with chain its width is 9,60 chains to which add 60,00 chs makes

69,60 Set post on left bank for corner to fractional Sections 11 and 14 Enter timber bears NW & S.E

80,14 Intersect N and S line 16 links South of the corner to Sections 11, 12, 13, 14 from which corner I run S 89° 53' W. on a true line between Sections 11 and 14

Va 13° 40' E

10,54 Set post on left bank Loup

T 15 N. R 15 W. 6th P.M.

chains river for corner to fractional Sections 11 and 14 from which A Cottonwood 15 in dia bears S 82° E 90

" " 20 " " " N 60° E 80

20,14 Enter Prairie Set post deposit charred Stake raised mound of earth with pits as per instructions on the right bank of river for a corner to fractional Sections 11 and 14

40,07 Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.

80,14 The corner to Sections 10, 11, 14, 15 Land level Soil 3rd rate light ~~Sand~~ Timber cottonwood ash Elm

T15 N R 15 W 6th P.M.

Chains	
	North between Sections 10 and 11
	Va 13° 40' E
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 2, 3, 10, 11 Land level Soil White Sand 3M rate

T15 N R 15 W 6th P.M.

Chains	
	East on a random line between Sections 2 and 11
	Va 13° 40' E
40.00	Set temporary 1/4 Sec. Cor.
71.00	Set post on right bank of Loup river for temporary corner to Sections 2 and 11
80.15	Intersect W and S line 18 links South of the corner to Sections 1, 2, 11, 12, on left bank of Loup river from which corner I am S 89° 52' W. on a true line between Sections 2 and 11
	Va 13° 40' E
9.15	Set post deposit charred stake raised mound of earth with pits as per instructions on the right bank Loup river

T15 N R15 W 6th P.M.

Chains	for a corner to fractional Sections 2 and 11.
40,07½	Set post deposit charred stake raised mound of earth with pits as per instructions for a ¼ Sec. Cor.
80,15	The corner to Sections 2, 3 10, 11
	Land level Soil White Sand 3rd rate.

T15 N R15 W, 6th P.M.

Chains	North on a random line between Sections 2 and 3
	Va 13° 40' E
40,00	Set post for temporary ¼ Sec. Cor.
79,88	I intersect N and S line 26 links West of the corner to Sections 2 and 3 from which corner I run S 11 W, on a true line between Sections 2 and 3.
	Va 13° 40' E
39,88	Set post deposit charred stake raised mound of earth with pits as per instructions for a ¼ Sec. Cor.
79,88	The corner to Sections 2, 3, 10, 11
	Land level Soil Sandy 3rd rate
	July 10th 1868

T18 N R15 W. 6th P.M.

Chains	North between Sections 33 and 34
	Va 13° 45' E
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 sec. cor.
57,00	Drain descends W.E.
70,00	Drain descends N.E.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 27, 28, 33, 34
	Land rolling Soil 2nd rate

T18 N R15 W. 6th P.M.

Chains	East on a random line between Sections 27 and 34
	Va 13° 40' E
19,00	Drain descends S.E.
40,00	Set temporary 1/4 sec. cor.
61,00	Drain descends N.E.
80,09	Intersect N. and S. line 27 links South of the corner to Sections 26, 27, 34, 35 from which corner I run S 89° 48' W on a true line between Sections 27 and 34.
	Va 13° 40' E
40,04½	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 sec. cor.
80,09	The corner to Sections 27, 28, 33, 34
	Land hilly Soil 3rd rate

T15 N R15 W. 6th P.M.

chains	
	North between Sections 27, and 28
	Va 13°40' E
22,00	Ravine descends S.E.
41,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sector.
80,00	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a corner to Sections 21, 22, 27, 28
	Land hilly Soil 2nd rate

T15 N R15 W. 6th P.M.

chains	
	East on a random line between Sections 22 and 27
	Va 13°40' E
36,00	Drain descends North
41,00	Set temporary 1/4 Sector.
67,00	Drain descends South
79,83	Intersect N and S line 26 links North of the corner to Sections 22, 23, 26, 27 from which bearing I run
	N 89°49' W on a true line between Sections 22, and 27
	Va 13° 40' E
39,91½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sector.
79,83	The corner to Sections 21, 22, 27, 28
	Land hilly Soil 2nd rate

T. 15 N. R. 15 W. 6th P.M.

Chains	
	North between Sections 21 and 22. Va 13° 40' E
29.00	Drain, or dry bed of creek descends N. E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 15, 16 21, 22.
	Land rolling Soil 2nd rate

T. 15 N. R. 15 W. 6th P.M.

Chains	
	East on a random line between Sections 15 and 22 Va 13° 40' E
6.00	Ravine Course North
35.00	Drain descends North
40.00	Set temporary 1/4 Sec. Cor.
56.00	Drain descends South
79.83	Intersect N and S line 15 links South of the corner to Sections 14, 15, 22, 23. from which corner I run S 89° 54' W on a true line between Sections 15 and 22 Va 13° 40' E
39.91½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.82	The corner to Sections 15, 16, 21, 22
	Land hilly Soil 2nd rate

T15 NR15 W6th P.M.

chains	North between Sections 15 and 16
	Va 13°40' E
10,50	Drain descends East
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sector
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 9, 10, 15, 16.
	Land rolling Soil 2nd rate

T15 NR15 W6th P.M.

chains	East on a random between Sections 10 and 15
	Va 13°40' E
40,00	Set temporary 1/4 Sector. Leave up land and enter bottom bears N.W. & S.E.
79.91	Intersect N and S line, 16 links up land and enter bottom bears N.W. & S.E.
	South of the corner to Sections 10, 11, 14, 15 from which corner I run
	S 89° 53' W, on a true line between Sections 10 and 15
	Va 13°40' E
39.95½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sector.
79.91	The corner to Sections 9, 10, 15, 16
	Land 1st half mile hilly ballance level Soil white Sand 3rd rate

T15 N R15 W 6th P.M.

Chains	
	North between Sections 9 & 10
	Va 13° 20' E
38,00	Dry bed of Creek runs N.E.
40,00	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
59,50	Drain descends East
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 3, 4, 9, 10. At foot of hills bearing N.W. and S.E.
	Land hilly Soil 2nd rate

T15 N R 15 W 6th P.M.

Chains	
	East on a random line between Sections 3 and 10
	Va 13° 20' E
40,00	Set temporary 1/4 Sec. Cor.
80,11	Intersect W. and S. line 20 links North of the corner to Sections 2, 3, 10, 11 from which corner I run N 89° 51' W on a true line between Sections 3 and 10
	Va 13° 20' E
40,05½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,11	The corner to Sections 3, 4, 9, 10
	Land level Soil 3rd rate

T 15 N R 15 W, 6th P.M.

Chains	North on a random line between Sections 3 and 4. Va 13° 40' E
40,00	Set post for temporary 1/4 Sec. Cor.
79,84	Intersect North Boundary of Township 18 links West of the corner to Sections 3 and 4 from which corner S 88 W on a true line between sections 3 and 4 Va 13° 40' E
39,84	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
79,84	The corner to Sections 3, 4, 8, 9 Land level Soil light Sand 3rd rate

July 17th 1868

T 15 N R 15 W, 6th P.M.

Chains	North between Sections 32 and 33 Va 13° 40' E
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
67,00	Ravine course East
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 28, 29, 32, 33 Land hilly Soil 3rd rate

T 15 N R 15 W 6th P.M.

Chains	
0	East on a random line between Sections 28 and 33, Va 13° 40' E
7,00	Ravine Course South
27,00	Drain descends S. E.
40,00	Set temporary 1/4 Sec. Cor.
48,00	Ravine Course South
75,00	Ravine Course South
79,74	Intersect Name line 27 links South of the corner to Sections 27, 28, 33, 34 from which corner I run S 89° 48' W on a true line between Sections 28 and 33 Va 13° 40' E
39,87	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,74	The corner to Sections 28, 29, 32, 33 Land hilly Soil 3rd rate

T 15 N R 15 W 6th P.M.

Chains	
	North between Sections 28 and 29 Va 13° 40' E
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
43,00	Ravine Course N.W.
56,00	Enter Same Ravine Course North
67,00	Leave Same Ravine Course N.E.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 20, 21, 28, 29 Land hilly Soil 3rd rate

T16 N. R. 15 W. 6th P. M.

Chains	East on a random line between Sections 21 and 28 Va 13°40' E
9,50	Ravine Course North
28,00	Ravine Course North
40,00	Set temporary 1/4 Sec. Cor.
61,00	Ravine Course North
80,20	Intersect N and S. line 20 links North of the corner to Sections 21, 22, 27, 28 from which corner I run N 84°51' W on a true line between Sections 21 and 28 Va 13°40' E
40,10	Set post deposit charred Stake, raise Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,20	The corner to Sections 20, 21, 28, 29 Land hilly Soil 3rd rate rate

T16 N R15 W 6th P M

Chains	North between Sections 20 and 21 Va 13°40' E
30,00	Dry bed of Creek runs East
40,00	Set post deposit charred Stake, raise Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
60,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 16, 17, 20, 21 Land hilly Soil 3rd rate

T 15 N R 15 W 6th P.M.

Chains	
	East on a mud on line between Sections 16 and 21 Va 13° 24' E
23,00	Ravine bearing S.E.
30,50	Ravine bearing South.
40,00	Set post for temporary 1/4 Sec. Cor.
45,00	Ravine bearing S.E.
65,00	Drain descends South
79,88	Intersect N and S. line 28 links North of the corner to Sections 15, 16, 21, 21 from which corners I run N 89° 48' W. on a true line between Sections 16 and 21 Va 13° 24' E
39,94	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,88	The corner to Sections 16, 17, 20, 21 Land hilly & broken Soil 3rd rate

T 15 N R 15 W. 6th P.M.

Chains	
	North between Sections 16 and 17 Va 13° 24' E
5,00	Drain descends S.W.
16,50	Drain descends West
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Section corner
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 8, 9, 16, 17 Land hilly Soil 3rd rate

T 15 N R 15 W 6th P.M.

Chains	
	East on a random line between Sections 9 and 16
	Va 13° 20' E
14,00	Set temporary 1/4 Sec Cor.
52,00	Ravine descends North
80,11	Intersect N and S line 22 links North of the corner to Sections 9, 10, 15, 16 from which corner I run N 89° 51' W on a true line between Sections 9 and 16.
	Va 13° 20' E
40,05½	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,11	The corner to Sections 8, 9, 16, 17 Land rolling Soil 2nd rate

T 15 N R 15 W 6th P.M.

Chains	
	North between Sections 8 and 9
	Va 18° 20' E
38,00	Drain descends East
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
60,00	Dry bed of creek runs S.E.
72,00	Drain descends S.E.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 4, 5, 8, 9 Land rolling Soil 2nd rate

T 15 N R 15 W. 6th P.M.

Mains	East on a random line between Sections 4 and 9
	Va 13° 40' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor. for temporary 1/4 Sec. Cor.
55,00	Drain descends S.E.
80,16	Intersect N and S line 32 links South of the corner to Sections 3, 4, 9, 10 from which corner I run
	S 89° 46' W on a true line between Sections 4 and 9
	Va 13° 40' E
40,08	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80,16	The corner to Sections 4, 5, 8, 9.
	Land rolling Soil light Sand 3 rate

T 15 N 15 W 6th P.M.

Mains	North between Sections 4 and 5 on a random line
	Va 13° 40' E
40,00	Set temporary 1/4 Sec. Cor.
43,00	Drain descends N.E.
58,00	Drain descends East
73,00	Drain descends S.E.
79,80	Intersect N and S line 30 Links East of the corner to Sections 4 and 5 from which corner I run
	S 13° E on a true line between Sections 4 and 5
	Va 13° 40' E
39,80	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
79,80	The corner to Sections 4, 5, 8, 9
	Land hilly Soil 3rd rate
	July 13th 1868

T15 N R15 W 6th P.M.

Chains	North between Sections 31 and 32
	Va 13° 20' E
40.00	Set post deposit charred stake raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
87.00	Drain descends East
80.00	Set post deposit charred stake raised Mound of earth with pits as per instructions for a corner to Sections 29, 30, 31, 32
	Land hilly Soil 3rd rate

T15 N R15 W. 6th P.M.

Chains	Eastern random line between Sections 29 and 32
	Va 13° 20' E
23.50	Drain descends North
40.00	Set post for temporary 1/4 Sec. Cor.
44.50	Ravine course North
61.50	Ravine course North
80.18	Intersect N and S line 24 links North of Sections 28, 29, 32, 33 from which corner I saw
	N 89° 50' W on true line between Sections 29 and 32
	Va 13° 20' E
40.09	Set post deposit charred stake raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.18	The corner to Sections 29, 30, 31, 32
	Land hilly Soil 3rd rate

T15 N R 15 W 6th P M

Chains	West on a random line between Sections 30 and 31
	Va 18° 40' E
15,00	Drain descends N.W.
24,80	Drain descends North
40,00	Set temporary 1/4 Sec. Cor.
75,50	Ravine course North
78,62	Intersect West Boundary of Township 21 links North of the corner to Sections 30, 31 from which corner I run N 89° 51' E on a true line between Sections 30 and 31
	Va 18° 40' E
38,62	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
78,62	The corner to Sections 29, 30, 31, 32
	Land hilly Soil 3rd rate

T15 N R 15 W 6th P M

Chains	North between Sections 29 and 30
	Va 18° 40' E
40,00	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 19, 20, 29, 30
	Land hilly Soil 3rd rate

T15 N R15 W 6th P.M.

Chains	East on a random line between Sections 20 and 29 Va 13° 40' E
16.00	Drain descends North
40.00	Set temporary 1/4 Sec. Cor.
66.00	Ravine Course N.E.
80.16	Intersect N and S line 32 links South of the corner to Sections 20, 21, 28, 29 from which corner I run S 89° 46' W. on a true line between Sections 20 and 29 Va 13° 40' E
40.08	Set post deposit charred stake raised mound of earth with pits as per instructions for 1/4 Sec. Cor.
80.16	The corner to Sections 19, 20, 29, 30 Land hilly Soil 3rd rate

T15 N R 15 W, 6th P.M.

Chains	West on a random line between Sections 19 and 30 Va 13° 40' E
16.00	Ravine Course North
32.50	Ravine Course North
40.00	Set temporary 1/4 Sec. Cor.
53.00	Drain descend North
78.47	Intersect West Boundary of Township 18 links South of the corner to Sections 19 and 30. from which corner I run S 89° 52' E. on a true line between Sections 19 and 30. Va 13° 40' E
38.47	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
78.47	The corner to Sections 19, 20, 29, 30 Land hilly Soil 3rd rate

T 15 N R 15 W 6th P.M.

Mains	North between Sections 19 and 20
	Va 13° 20' E
35,00	Ravine Course East
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
49,00	Ravine Course South East
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 17, 18, 19, 20
	Land hilly Soil 3rd rate

T 15 N R 15 W 6th P.M.

Mains	East on a meander line between Sections 17 and 20
	Va 13° 20' E
35,00	Drain descends South
40,00	Set temporary 1/4 Sec. Cor.
58,00	Drain descends South
76,50	Ravine Course S.W.
79,78	Intersect Main S line 36 links North of the corner to Sections 16, 17, 20, 21 from which corner I run
	N 89° 45' W on a true line between Sections 17 and 20
	Va 13° 20' E
39,89	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,78	The corner to Sections 17, 18, 19, 20
	Land hilly Soil 3rd rate

T 15 N R 15 W 6th P.M.

0.00 chains	West on a varied line between Sections 18 and 19 Va 18° 20' E
22,00	Drain descends S.E.
40,00	Set temporary 1/4 Sec. Cor.
63,00	Ravine Course S.W.
78,55	Intersect West Boundary of Township 24 links North of the corner to Sections 18 and 19 from which corner I run N 89° 50' E on a true line between Sections 18 and 19 Va 18° 20' E
38,55	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
78,55	The corner to Sections 17, 18, 19, 20 Land hilly Soil 3rd rate

T 15 N R 15 W 6th P.M.

0 chains	North between Sections 17 and 18 Va 18° 20' E
8,00	Ravine Course S.W.
32,00	Ravine Course East
40,00	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a corner to Sections 7, 8, 17, 18 Land hilly Soil 3rd rate

T 15 N R 15 W 6th P.M.

Mains	East on a random line between Sections 8 and 17
	Va 13° 40' E
32.00	Drain descends North
40.00	Set post for temporary 1/4 Sec. Cor.
79.78	Intersect Naud Shine 32 links South of the corner to Sections 8, 9, 16, 17 from which corner I run S 89° 46' W on a true line between sections 8 and 17
	Va 13° 40' E
39.89	Set post deposit charred stakes raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.78	The corner to Sections 7, 8, 17, 18
	Land hilly Soil 2nd rate

T 15 N R 15 W 6th P.M.

Mains	West on a random line between Sections 7 and 18
	Va 13° 40' E
40.00	Set temporary 1/4 Sec. Cor.
62.00	Drain N E
78.20	Intersect ~~Naud Shine~~ West Prairie 28 links South of the corner to Sections 7, 8, 17, 18 from which corner I run S 89° 48' E on a true line between Sections 7 and 18
	Va 13° 40' E
38.20	Set post deposit charred stakes raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
78.20	The corner to Sections 7, 8, 17, 18
	Land rolling Soil 2nd rate

T 15 N R 15 W 6th P.M.

chains	North between Sections 7 and 8
	Va 13° 40' E
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
49,50	Ravine Course S. E.
70,00	Drain descends East
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 5, 6, 7, 8
	Land hilly Soil 2nd rate

T 15 N R 15 W, 6th P.M.

chains	East on a random line between Sections 5 and 8
	Va 13° 40' E
9,00	Drain descends S. E.
41,00	Set temporary 1/4 Sec. Cor.
75,00	Drain descends S. E.
79,84	Intersect N and S. line 16 links South of the corner to Sections 4, 5, 8, 9, from which corner I run S 89° 53' W on a true line between Sections 5 and 8
	Va 13° 40' E
39,92	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,84	The corner to Sections 5, 6, 7, 8
	Land hilly Soil 2nd rate

T15 N R 15 W, 6th P.M.

Chains	West on a random line between Sections 6 and 7
	Va 13° 48' E
40,00	Set temporary 1/4 Sec. Cor.
49,00	Drain descends. S. E.
78,38	Intersect West Boundary of Township 26 links South of the corner to Sections 6 and 7 from which corner I run S 89° 19' E on a true line between Sections 6 and 7
	Va 13° 48' E
38,38	Set post deposit charred stake raise mound of earth with pits as per, per instructions for a 1/4 Sec. Cor.
78,38	The corner to Sections 5, 6, 7, 8 Land rolling Soil 2nd rate

T15 N R 15 W 6th P.M.

Chains	North on a random line between Sections 5 and 6
	Va 13° 50' E
40,00	Set temporary 1/4 Sec. Cor.
63,00	Ravine Course East
80,12	Intersect North Boundary of Township 18 links West of the corner to Sections 5 and 6 of the corner to Sections 5 and 6 from which corner I run S 8 W on a true line between Sections 5 and 6
	Va 13° 50' E
40,12	Set post deposit charred stake raise mound of earth with pits as per instructions for 1/4 Sec. Cor.
80,12	The corner to Sections 5, 6, 7, 8

July 14th 1868

Township 15 N. R 15 West 6th Prin. Mer

Meanders of Loup River commenced at the corner to fractional sections 19 and 24 on the right bank of the river and run up stream as follows

courses	chains in section 24	
1 N85°W	23.00	at 4.50 chs a creek 20 lks wide runs East at 20 chs enter timber bears N.W.
N24½°W	26.00 2	to corner to fractional sections 13 and 24 in section 13
N16°W	20.00	
N37°W	42.00 3	at 21 chs leave timber bears S.E. to corner to fractional sections 13 and 14

Township 15 N. R 15 West 6th Prin. Mer

courses	chains in section 14	
N57°W	20.00	
N44½°W	40.80 4	to corner to fractional sections 11 and 14 in section 11
N27°W	27.50	
N23½°E	60.00 5	to corner to fractional sections 2 and 11 in section 2
N35°W	48.00	
N32°W	48.00 6	to corner to fractional sections 2 and 35 on the North boundary of Township

Township 15 N. R 15 West
6th Prin. Mer

Meanders of Loup river commenced at the corner to fractional sections 19 and 24 on the left bank of the river and run up stream as follows

courses	chains	
		in section 24
N 87° W	18.00	
N 25½° W	15.00 8	to corner to fractional sections 13 and 24 in section 13
N 13° W	25.00	
N 71° W	52.00 9	to corner to fractional sections 13 and 14 at 46 chs enter timber bears N. W

Township 15 N. R 15 West
6th Prin. Mer

courses	chains	
		in section 14
N 56° W	10.00	
N 3° W	33.50 10	to corner to fractional sections 11 and 14 in section 11
N 25° W	27.00	
N 21½° E	39.70 11	to corner to fractional sections 2 and 11 at 8 chs leave timber bears S. W in section 2
N 35½° W	55.00	
N 31° W	40.30 12	to corner to fractional sections 2 and 35 on the North boundary of Township

July 13th 1868

General Description.

This township contains a small amount of second rate land fit for cultivation; the balance is 3d. rate, hilly and broken and unfit for cultivation. The Loup River runs through the N. E. part of the Township. it is a shallow stream, has low banks, clear water swift current, sandy bottom and some Cottonwood Willow and Box Elder timber along its banks.

List of Names.

A list of the names of the individuals employed to assist in running Measuring or Marking the lines and corners described in the foregoing field notes of Township 15 North of the Base line, Range 15 West of the 6th Principal Meridian. showing the capacity in which they acted.

W. W. Henderson } Chainmen
Jas. P. Ewing }
W. G. Hyde } axmen &
Th. F. Thompson } Moundmen

We hereby certify that we assisted Deputy Surveyor in Surveying and Subdividing Township number 15 North of the Base line of Range number 15 West of the 6th Principal Meridian and that said Township has been in all respects to the best of our Knowledge and belief well and faithfully Surveyed and the boundary monuments planted according to instructions furnished by the Surveyor General.

Wm. W. Henderson
Jas. P. Ewing
W. G. Hyde
Thos. F. Thompson

Sworn to and Subscribed before me this 10th day of August A. D. 1868

Wm. H. Platt
Justice of the Peace
Hall County
Neb.

I John F. Burch deputy Surveyor do Solemnly Swear that in pursuance of a joint contract wherein O. B. Park and John F. Burch are joint contractors with Phineas W. Hitchcock United States Surveyor General for the State of Nebraska and Iowa bearing date the 26th day of May 1868 I well and faithfully in my own proper person and in strict conformity with the instructions furnished by the Surveyor General the Surveying manual and the laws of the United States Surveyed all those parts or portions of Townships 15 North of the base line & Range 15 West of the 6th Principal Meridian as are represented in the forgoing field notes as having been Surveyed under my direction and I do further Solemnly Swear that all the corners of said Survey have been established and perpetuated in strict conformity with the Surveying manual and printed instructions and that the foregoing are the true and original field notes of such Survey

John F. Burch Deputy Surveyor

Subscribed and Sworn to before me this 10th day of August A.D. 1868

Wm. H. Platt
Justice of the Peace
Hall County
Nebraska

This is to certify that the above name W. H. Platt is a justice of the Peace in and for Hall Co. Nebraska

John Wallichs
Clerk for Hall Co.
Neb.

Surveyor Generals Office
Plattsmouth Neb. Oct 29th 1868.
The foregoing field notes of the Survey and subdivisions of Township No. 15 north of the Base line of Range No 15 west of the 6th Principal Meridan in the state of Nebraska, executed by John F. Burch under Joint Contract No 6 dated May 26th 1868. wherein J. B. Park and John F. Burch are Joint Contractors in the month of July 1868. having been critically examind the necessary corrections and explanations made the said field notes and the Surveys they describe are hereby approved

P W Hitchcock
Surveyor General.

Index Diagram

Town 16 N R 13 W

6	66	5	48	4	36	3	23	2	11	1
64		63		47		35		22		10
7	62	8	46	9	34	10	21	11	9	12
61		59		45		33		20		8
18	58	17	44	16	32	15	19	14	7	13
57		56		43		31		18		6
19	55	20	42	21	30	22	17	23	5	24
54		53		40		29		16		4
30	52	29	39	28	27	27	15	26	3	25
51		50		38		25		14		2
31	49	32	37	33	24	34	12	35	1	36

Meanders on pages 67. 68. 69. 70. 71. 72

Field Notes of the Survey of the subdivisions of Township 16 North of the base line Range 15 West of the 6th Principal Meridian in the State of Nebraska by John F. Kurch Deputy Surveyor under a joint contract wherein J. B. Park and John F. Kurch are joint contractors with Phineas W. Hitchcock Surveyor General for the states of Nebraska and Iowa bearing date the 26th day of May 1868

Survey commenced July 17th. 1868.
Survey Completed July 28th. 1868.

a List of names and duties of the persons employed to assist in surveying the Township contained herein

Wm. W. Henderson chainman
Jas. S. Ewing = chainman
W. F. Hyde = moundman
Thos F. Thompson moundman

T16 N. R. 15 W. 6th Prin Mer

chains	
	to determine the proper adjustm of my compass for subdividing this Township I commenced at the corner to Townships 15 and 16 North Ranges 14 and 15 West and run North on a blank line along the East boundary of Section 36 Va 13°40' East
40.07	to a point 10 links West of the ¼ Sec. cor
80.10	to a point 23 links West of the corner to Sections 25 and 36 to retrace this line or run parallel thereto my compass must be adjusted to a variation of 13°30' East

T16 N. R 15 W 6th P Me

chains	
	North between Sections 35 and 36 Va 13°30' E
1.50	Drain descends West
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a ¼ Sec. Cor. Leave bottom line and enter hills bearing N.W. and S.E.
67.00	Canon S.E.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 25, 26, 35, 36
	Land bottom level Rest land hilly
	Soil 2nd rate

T16 N R15 W 6th P.M.

Chains	East on a random line between Sections 25 and 36
	Va 13° 30' E
18,50	Ravine course S.E.
40,00	Set post for temporary 1/4 Sec. Cor.
49,00	Ravine course South
80,00	Intersect East Boundary of Township 32 links South of the corner to Sections 25 and 36 from which corner I run S 89° 46' W on a true line between Sections 25 and 36
	Va 13° 30' E
40,08	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,16	The corner to Sections 25, 26, 35, 36 Land very hilly and broken Soil good rate.

T16 N R15 W 6th P.M.

Chains	North between Sections 25 and 26
	Va 13° 30' E
10,50	Ravine course S.E.
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
60,70	Drain descend West
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 23, 24, 25, 26
	Land hilly and broken Soil good rate

T16NR15W6th PM

chains	
	East on a random line between Sections 24 and 25 Va 13° 30' E
16,50	Ravine course South.
40,00	Set temporary 1/4 Sec. Cor.
52,00	Ravine S. E.
64,50	Ravine course South
80,18	Intersect East Boundary of Township 28 links North of the corner to Sections 24 and 25 from which corner I run N 89° 48' W on a true line between Sections 24 and 25 Va 13° 30' E
40,09	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,18	The Corner to Sections 23, 24, 25, 26 Land hilly and broken Soil 3rd rate

T16NR15W6th PM

chains	
	North between Sections 23 and 24 Va 13° 30' E
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 13, 14, 23, 24
	Land rolling Soil 2nd rate

T16N R15W 6th P.M.

Chains	
	East on a random line between Sections 13 and 24
	Va 13°30' E
6,00	Drain descends South
40,00	Set temporary 1/4 Sec. Cor.
79,60	Intersect East Boundary of Township 26 links South of the corner to Sections 13 and 24 from which corner bears S 89°49' W on a true line between Sections 13 and 24
	Va 13°30' E
39,80	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Section
79,60	The corner to Sections 13, 14, 23, 24
	Land hilly and broken Soil 3rd rate

T16N R15W 6th P.M.

Chains	
	North between Sections 13 and 14
	Va 13°30' E
2 8,00	Ravine Course N.W.
10,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
50,00	Set post deposit charred stake raised mounds of earth with pits as per instructions for a corner to Sections 11, 12, 13 14.
	Land hilly Soil 2nd rate

T16 N R 15 W 6th P.M.

Chains	
	East on a random line between Sections 12 and 13
	Va 13° 30' E
31,50	Drain descends S.E.
40,00	Set temporary 1/4 Sec. Cor.
49,00	Ravine Course South.
79,88	Intersect ~~Hand Stone~~ East Boundary 23 links South of the corner to Sections 12 and 13 from which corner I run
	S 89° 50' W. on a true line between Sections 12 and 13
	Va 13° 30' E
39,94	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
79,88	The corner to Sections 11, 12, 13, 14
	Land hilly Soil 2nd rate

T16 N R 15 W 6th P.M.

Chains	
	North between Sections 11 and 12
	Va 13° 30' E
15,00	Ravine Course West
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sections corner.
62,00	Ravine Course East
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 1, 2, 11, 12

T16 N R 15 W 6th P.M.

Chains	
	East on a random line between Sections 1 and 12
	Va 13°30' E
9,00	Ravine Course N.E.
33,00	Drain descends North
40,00	Set temporary 1/4 Sec. Cor.
63,50	Drain descends N.E.
80,14	Intersect East Boundary of Township 32 links South of the corner to Sections 1 and 12, from which corner I run S 89°46' W on a true line between Sections 1 and 12
	Va 13°30' E
40,07	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,14	The corner to Sections 1, 2, 11, 12
	Land hilly Soil 2nd rate

T16 N R 15 W 6th P.M.

Chains	
	North between Sections 1 and 2 on a true line
	Va 13°35' E
16,00	Drain N.E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
68,50	Drain descends East
79,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a closing corner to Sections 1 and 2 on the 4th Standard Parallel North, 41,25 chains West of the 1/4 Sec. Cor. on South Side of Section 36, T 17, N, R 15 W.
	Land hilly Soil 2nd rate
	July 17th 1868

T16 N R 15 W 6th P.M.

Chains North between Sections 34 and 35
Var 13° 38' E

20,45 Set post deposit charred Stake raised mound of earth with pits as per instructions on right bank of Loupe river for a corner to fractional Sections 34 and 35.
Width of river measured by the chain 14.10 chains to which add 20,45 the distance to the river makes

34,55 Set post deposit charred Stake raised mound of earth with pits as per instructions on the left bank of Loupe river for a corner to fractional Sections 34 and 35
The river at this point is shallow swift current quicksand bottom, the banks are low but very seldom overflow

T16 N R 15 W 6th P.M.

14,00 Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor

18,00 Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 26, 27, 34, 35
land level Soil 2nd rate
Timber a few clumps of Willows along the river.

T16 N R15 W 6th P.M.

chains	East on a random line between Sections 26 and 35
	Va 13° 35' E
40,00	Set temporary 1/4 Sec. Cor.
48,00	Leave river bottom enter up land bearing N. W. and S. E.
74,00	Course S. E.
80,14	Intersect North and South line 26 links South of the corner to Sections 25, 26, 35, 36 from which corner I run S 89° 49' W on a true line between Sections 26 and 35.
	Va 13° 35' E
40,07	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80,14	The corner to Sections 26, 27, 34, 35
	Land bottom level up land hilly
	Soil 2 nd rate

T16 N R15 W 6th P.M.

chains	North between Sections 26 and 27
	Va 13° 30' E
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 22, 23, 26, 27.
	Land level Soil 2nd rate

T16N R15W 6th P.M.

Chains	East on a random line between Sections 23 and 26
	Va 13°30' E
40,00	Set temporary 1/4 Sec Cor
53,00	Leave river bottom enter up land bearing N 25 W S.E.
70,00	Drain descends South
80,16	Intersect N and S line 20 links North of the corner to Sections ~~23, 26, 35, 36~~ 23, 24, 25 & 26, from which corner I run N 89° 51' W on a true line between Sections ~~23 and 24~~ 23 and 26.
	Va 13°30' E
40,08	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80,16	The corner to Sections ~~23, 26, 35, 36~~ 23, 24, 25, 26
	Land bottom level balland hilly soil 2 rate

T16N R15W 6th P.M.

Chains	North between Sections 22 and 23
	Va 13°30' E
5,00	Drain descend S.W.
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor
63,00	Leave river bottom enter up land bearing N.W. and S 65 E.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 14, 15, 22, 23
	Land bottom level soil 2nd rate
	Up land hilly soil 3rd rate

T16 N R15 W 6th P.M.

Chains	
	East on a random line between Sections 14 and 28 Va 13°33' E
1.50	Drain descends S.W.
20.00	Canon S.W.
40.00	Set temporary 1/4 Sec. Cor.
46.00	Ravine Course North
73.00	Ravine Course North
79.92	Intersect N and S line 25 links South of the corner to Sections 13, 14 23, 24 from which corner I run S 89°49' W on a true line between Sections 14 and 23. Va 13°33' E
39.96	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.92	The corner to Sections 14, 15, 22, 23 Land hilly and broken Soil 2nd rate

T16 N R15 W 6th P.M.

Chains	
	North between Sections 14 and 15 Va 13°34' E
35.00	Drain descends S.W.
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
51.00	~~Land~~ Drain descends East
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 10, 11, 14, 15 Land hilly Soil 2nd rate

T16 N R15 W 6th P M

Chains	
	East on a random line between Sections 11 and 14
	Va 13° 30' E
19,00	Ravine Course South
40,00	Set post for temporary 1/4 Sec Cor
78,00	Drain descends South
80,10	Intersect W and S line 16 links North of the corner to Sections 11, 12, 13, 14. from which corner I run N 89° 53' W. on a true line between Sections 11 and 14
	Va 13° 30' E
40,05	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80,10	The corner to Sections 10, 11, 14, 15
	Land hilly Soil 2nd rate

T16 N R15 W 6th P M

Chains	
	North between Sections 10 and 11
	Va 13° 30' E
6,00	Drain descend S. E.
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 2, 3, 10, 11
	Land rolling Soil 2nd rate

T16 N R15 W 6th P.M.

Chains	
	East on a random line between Sections 2 and 11
	Va 18° 30' E
4,00	Set temporary 1/4 Sec. Cor.
7,00	Ravine Course North
79,85	Intersect Naud Shine 20 links South of the corner to Sections 1, 2, 11, 12 from which corner I run
	S 89° 51' W on a true line between Sections 2 and 11
	Va 13° 30' E
39,92½	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
79,85	The corner to Sections 2, 3, 10, 11
	Land hilly Soil 2nd rate

T16 N R15 W 6th P.M.

Chains	
	North on a true line between Sections 2 and 3
	Va 13° 30' E
20,00	Ravine course S.W.
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.10	Set post deposit charred stake raised mound of earth with pits as per instructions for a closing corner to Sections 2 and 3 on the 4th Standard Parallel North 4.42 chs West of the 1/4 sec cor on south side of section 35
	Land hilly Soil 2nd rate

July 18th 1868

T 16 N R 15 W 6th P, M.

Chains	North between Sections 33 and 34
	Va 13° 38' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec, Cor,
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 27, 28, 33, 34
	Land level with the exception of Small Sand Knolls.
	Soil White Sand 3 rd rate

T 16 N R 15 W 6th P M

Chains	East on a random line between Sections 27 and 34
	Va 13° 35' E
18,80	Creek 60 links wide runs S.E. heavy timber between creek and river
34,78	Set post on right bank Toupe river for temporary corner to fractional Sections 27 and 34
	Measure across river and find it to be 10,60 chains wide to which add 34,78 Makes
45,38	Set temporary corner to fractional Sections 27 and 34.
80,18	Intersect N and S line 30 links South of the corner to Sections 26 27, 34, 35 from which corner I run
	S 89° 47' W on a true line between

T16 N R15 W 6th P.M.

chains	
	Sections 27 and 34
	Va 13° 35'
34.80	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to fractional sections 27 and 34 on the left bank of Loup riv
45.40	Set post on right bank of Loup river for corner to fractional sections 27 and 34. from which
	Cottonwood 10 in dia bears S 20 W. 18 lks
	Cottonwood 15 in dia bears N 10 W 28 lks
80.18	The corner to Sections 27, 28 33, 34.
	Land level Soil 2nd rate
	Timber Cottonwood Elm Willow

T16 N R 15 W. 6th P.M.

chains	
	North between Sections 27 and 28
	Va 13° 35' E
17.00	Creek 40 links wide runs N. E.
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for 14 dia. cos
49.00	Set post deposit charred stake raised mound of earth with pits as per instructions on the right bank of Loup river for a corner to fractional Sections 27 and 28
	Measure with the chain across the river and find it to be 16.70 chains to which add 49.00 chs makes
65.70	Set post deposit charred stake raised mound of earth with pits as per instructions on the left bank Loup river

T 16 N R 15 W 6th P M

Chains	
	for a corner to fractional Sections 27 and 28.
	Enter willow Swamp after leaving river.
74,00	Creek 50 links wide runs S. E. Leave willow Swamp enter Prairie bearing with Creek.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 21, 22, 27, 28
	Land level, Soil white Sand 3rd rate

T 16 N R 15 W.

Chains	
	East on a random line between Sections 22, and 27
	Va 13° 35 E
40,00	Set temporary 1/4 Sec. Cor.
70,00	Drain descends South
79.85	Intersect N and S line 16 links South of the corner to Sections 22, 23, 26, 27 from which corner I run
	S 89° 53' W on a true line between Sections 22 and 27.
	Va 13° 35 E
39.92½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.85	The corner to Sections 21, 22, 27, 28
	Land Upland lilly bottom leve Soil 2nd rate

T16 N R15 W 6th P.M.

Chains	North between Sections 21 and 22 Va 13°. 35' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,00	Set post deposit deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 15. 16. 21. 22.
	Land level Soil 2nd rate

T 16 N R 15 W, 6th P, Mer,

Chains	
	East on a random line between Sections 15 and 22
	Va 13° 40' E
27,00	Leave bottom enter Upland bearing N.W. and S.E.
40,00	Set temporary 1/4 Sec Cor
58,00	Canon Course North
70,00	Canon 70 feet deep 4 chs wide course S.W.
80,14	Intersect N and S. line 16 links North of the corner to Sections 14, 15, 22, 23 from which corner I run N 89° 58' W. on a true line between Sections 15 and 22
	Va 13° 40' E.
40,07	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80,14	The corner to Sections 15, 16, 21, 22
	Land bottom level Upland hilly Soil 2nd rate

T 16 N R 15 W 6th P Mer

Chains	
	North between Sections 15 and 16
	Va 13° 40' E
35,00	Leave bottom enter hills bearing N 40° W. S 40° E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
66,00	Ravine Course S.W.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions in Ravine Course North for a corner to Sections 9, 10, 15, 16
	Land 1st 35 chs level ballance hilly and broken Soil 2nd rate

T 16 N R 15 W 6th P M

Chains	
	East on a random line between Sections 10 and 15 — Va 13° 40' E
9,00	Canon Course S.W.
4,00	Set temporary 1/4 Sec. Cor.
48,50	Ravine Course South
63,00	Ravine Course South
79,82	Intersect N and S line 24 links North of the corner to Sections 10, 11, 14, 15 from which corner bears N 89° 50' W on a true line between Sections 10 and 15 — Va 13° 40' E
39,91	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,82	The corner to Sections 9, 10, 15, 16 Land hilly and broken Soil & inferior

T 16 N R 15 W 6th P M

Chains	
	North between Sections 9 and 10 — Va 13° 40' E
15,00	Drain descends West
40,00	Set post deposit charred stake raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
71,00	Drain descends S.W.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 8, 11, 9, 10 Land hilly and broken Soil & inferior

T16 N R 15 W 6th P.M.

Chains	
	East on a random line between Sections 3 and 10 Va 13° 40' E
14,00	Ravine Course S.W.
4,00	Set temporary 1/4 Sec. Cor.
55,00	Ravine Course North
64,00	Canon Course North
80,12	Intersect N and S line 28 links West of the corner to Sections 2, 3, 10, 11 from which corner I run N 89° 48' W on a true line between Sections 3 and 10 Va 13° 40' E
40,06	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80,12	The corner to Sections 3, 4, 9, 10 Land very hilly Soil 3rd rate

T16 N R 15 W 6th P.M.

Chains	
	North on a true line between Sections 3 and 4 Va 13° 40' E
1,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
45,50	Ravine Course N.E.
62,50	Canon Course S.W.
78,76	Set post deposit charred stake raised mound of earth with pits as per instructions for a closing corner to Sections 3 and 4 on the 4th Standard Parallel North 4,30 chains West of the 1/4 Sec. Cor. on South Side Section 34, T17 N R 15 W.

July 20th

T16 N R15 W 6th P.M.

Chains	North between Sections 32 and 33 Va 13° 40' E
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
41.00	Drain descends East
42.00	Leave hill and enter river bottom bearing N.W. and S.E.
4000	Set post deposit charred stake raised Mound of earth with pits as per instructions for a corner to Sections 28, 29, 32, 33
	Land bottom slightly rolling balance hilly Soil 2nd rate

T16 N R15 W 6th P.M.

Chains	East on a random line between Sections 28 and 33 Va 13° 40' E
40.00	Set temporary 1/4 Sec. Cor.
79.50	Intersect N and S line 38 links North of the corner to Sections 27, 28, 33, 34. from which corner I run
	N. 89° 44' W on a true line between Sections 28 and 33 Va 13° 40' E
39.75	Set post deposit charred stake raised mound of earth with pits as per instructions for 1/4 Sec. Cor.
79.50	The corner to Sections 28, 29, 32, 33
	Land rolling Soil 2nd rate

T16 N R15 6th P.M.

Chains	North between Sections 28 and 29 (Var 13° 40' E)
15.30	Dry bed of creek runs East
20.00	Leave bottom and enter hills bearing N.E. & S.W.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred Stake, raised Mound of earth with pits as per instructions for a corner to Sections 20, 21, 28, 29
	Land 1st 20 chs level ballance hilly Soil 2nd rate

T16 N R15 W 6th P.M.

Chains	East on a random line between Sections 21 and 28 (Var 13° 40' E)
19.00	Leave upland and enter bottom bearing North and South.
27.90	Set post on right bank of Loupe river for a temporary corner to fractional Sections 21, 28 I measure across the river with the chain and find it to be 12.10 chains wide to which add 27.90 Makes
40.00	Set temporary 1/4 Sec Cor on left bank of river enter Willow bush
46.00	Enter timber bearing S.E. & N.W.
57.00	Leave timber enter Willows N.W. & S.E.
78.00	Leave Willow Swamp enter prairie bearing N.W. and S.E. Creek 10 links wide runs S.E.
79.86	Intersect N. and S. line 8 links South of the corner to Sections 21, 22, 27, 28 from which corner I run

T16 N R 15 W 6th P.M.

Chains	
	S 89° 57' W on a true line between Sections 21 and 28 Va 13° 40' E
39.93	Set post deposit charred Stake raised mound of earth with pits as per instructions for a Sec Cor on the left bank of Loupe river
52.03	Set post deposit charred Stake raised mound of earth with pits as per instructions on the right bank of Loupe river for a corner to fractional Sections 21 and 28 Va 18° 40' E
79.86	The corner to Sections 20, 21, 28, 29 Land level Soil 2nd rate Timber bottomwood and Willow

T16 N R 15 W 6th P.M.

Chains	
	North between Sections 20 and 21 Va 13° 40' E
40.00	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec Cor
54.00	Enter balloon and Set post deposit charred Stake raised Mound of earth with pits as per instructions on the right bank of Loupe river for a corner to fractional Sections 20, 21
	Chain across and find it to be 10 chs wide
84.00	Set post deposit charred Stake raised Mound of earth with pits as per instructions on the left bank of Loupe river for a corner to fractional Sections 20, and 21
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 16, 17, 20, 21 Land level Soil 2nd rate

T16 N R 15 W 6th P M

Chains	
	East on a random line between Sections 16 and 21.
	Va 13° 40' E
40,00	Set temporary 1/4 Sec. Cor.
54,40	Creek 10 Elks wide runs S.E.
79,50	Intersect N and S. line 28 links North of the corner to Sections 15, 16, 21, 22 from which corner I run N 89° 48' W on a true line between Sections 16 and 21
	Va 13° 40 E
39,75	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,50	The corner to Sections 16, 17, 20, 21
	Land Slightly rolling Soil 3rd rate

T16 N R 15 W 6th P M

Chains	
	North between Sections 16 and 17
	Va 13° 40' E
40,00	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec Cor
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 8, 9, 16, 17
	Land level Soil 2nd rate

T16 N R 15 W 6th P.M.

Chains	
	East on a random line between Sections 9 and 16
	Va 13° 40' E
40,00	Set temporary 1/4 Sec Cor.
59,00	Leave bottom and enter upland bearing N.W. and S.E.
79,60	Intersect N and S line 16 links South of the corner to Sections 9, 10, 15, 16 from which corner I am
	S 89° 53' W on a true line between Sections 9 and 16
	Va 13° 40' E
39,50	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
79,60	The corner to Sections 8, 9, 16, 17. Land bottom level upland hilly Soil 2nd rate

T16 N R 15 W 6th P.M.

Chains	
	North between Sections 8 and 9
	Va 13° 40' E
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
77,00	Leave bottom land and enter hills bearing N.W. and S.E.
8,00	Set post deposit charred stake raised Mound of earth with pits as per instructions for a corner to Sections 4, 5, 8, 9
	Land rolling Soil 2nd rate

T16 N R 15 W 6th P M

Chains	
	East on a random line between Sections 4 and 9
	Va 13° 40' E
9,00	Ravine Course South
30,00	Ravine Course South
40,00	Set temporary 1/4 Sec. Cor.
69.00	Ravine Course South
78,50	Ravine Course South
79,40	Intersect N and S line 25 links North of the corner to Sections 3, 4 ~~and~~ 9 & 10 from which corner I run
	N 89° 45' W on a true line between Sections 4 and 9
	Va 13° 40' E
39.70	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec Cor
79,40	The corner to Sections 4, 5, 8, 9
	Land hilly and broken Soil 3rd rate

T16 N R 15 W 6th P M

Chains	
	North on a true line between Sections 4 and 5
	Va 13° 40' E
6,00	Creek 15 links wide runs S.W.
21,00	Ravine S.E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
67,00	Ravine Course S.E.
78 92	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a closing corner to Sections 4 and 5 on the 4th Standard Parallel North 4,40 chs West of the 1/4 Sec. Cor. on the South Side of Sections 33 T17 N R 15 W.
	Land hilly & broken Soil 2nd rate
	July 27th 1868

T16 N R15 W 6th P.M.

Chains	North between Sections 31 and 32
	Va 13° 50' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
43,50	Drain descends East
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 29, 30, 31, 32.
	Land hilly and broken Soil 2nd rate

T16 N R15 W. 6th P.M.

Chains	East on a random line between Sections 29 and 32
	Va 13° 45' E
16,00	Ravine Course North
24,70	Bed of dry creek runs S.E.
35,50	Same dry creek runs North
40,00	Set temporary 1/4 Sec. Cor.
40,50	Same dry creek runs S.E.
49,00	Same dry creek runs North
66 00	Leave hills enter bottom bearing North & South
80,10	Intersect N and S line 20 links South of the corner to Sections 28, 29, 32, 33 from whicomer 0 am S 89° 51' W. on a true line between Sections 29 and 32
	Va 13° 45' E
40,05	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,10	The corner to Sections 29, 30, 31, 32
	Land hilly Soil 3rd rate

T16N R15W 6th P.M.

Chains	North between Sections 31 and 32
	Va 13° 50' E
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
43,50	Drain descends East
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sections 29, 30, 31, 32.
	Land hilly and broken soil 2nd rate

T16N R15W 6th P.M.

Chains	East on a random line between Sections 29 and 32
	Va 13° 45' E
16,00	Ravine course North
24,70	Bed of dry creek runs S.E.
38,50	Same dry creek runs North
40,00	Set temporary 1/4 Sec Cor
40,40	Same dry creek runs S.E.
49,00	Same dry creek runs North
66,00	Leave hills onto bottom bearing North & South
80,10	Intersect North & line 20 links S of the corner to Sections 28, 29, 32, 33 from which corner I am S 89° 51' W, on a true line between Sections 29 and 32
	Va 13° 45' E
40,05	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor
80,10	The corner to Sections 29, 30, 31, 32
	Land hilly soil 3rd rate

T 16 N R 15 W 6th P.M.

Chains	
	West on a random line between Sections 30 and 31
	Azi 14° E
2,00	Ravine Course North
21,50	Ravine Course North
40,00	Set temporary 1/4 Sec. Cor.
71,00	Drain descends N. E.
78,05	Intersect West Boundary of Township 18 links North of the corner to Sections 30 and 31, from which corner I run N 89° 52' E on a true line between Sections 30 and 31
	Azi 14° E
38,05	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
78,05	The corner to Sections 29, 30, 31, 32
	Land hilly & broken Soil 3rd rate

T 16 N R 15 W 6th P.M.

Chains	
	North between Sections 29 and 30
	Azi 14° E
6,00	Drain N. E.
34,00	Frog creek bed runs S. E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 19, 20, 29, 30.
	Land hilly Soil 3rd rate

T16 N R 15 W 6th P.M.

Chains	
	East on a random line between Sections 20 and 29
	Va 111° E
40,00	Set temporary 1/4 Sec Cor
79,68	Intersect N and S line 20 links South of the corner to Sections 19, 20, 29 & 30 from which corner I run S 89° 51' W, on a true line between Sections 20 and 29
	Va 140° E
39,84	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
79,68	The corner to Sections 19, 20, 29, 30
	Land rolling Soil Sandy

T16 N R 15 W 6th P.M.

Chains	
	West on a random line between Sections 19 and 30
	Va 140° E
25,00	Ravine Course South
40,00	Set temporary 1/4 Sec Cor,
66,00	Drain descends South
78,60	Intersect ~~N and S line~~ West Boundary 26 links North of the corner to Sections 19 and 30 from which corner I run N 89° 49' E on a true line between Sections 19 and 30
	Va 140° E
38,60	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
78,60	The corner to Sections 19, 20, 29, 30
	Land hilly & broken Soil Sandy

T 16 N R 15 W. 6th P. M.

Chains	North between Sections 19 and 20
	Va 14° E
40,00	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
60,00	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a corner to Sections 17, 18, 19, 20
	Land very rolling Soil light Sand 3rd rate

T 16 N R 15 W 6th P M

Chains	East on a random line between Sections 17 and 20
	Va 14° E
40,00	Set temporary 1/4 Sec Cor
42,00	Leave up land enter bottom N.W. & S.E.
63,32	Set temporary Meander corner on right bank river
69,32	Set temporary Meander corner on left bank river Its width measured with the Chain is 6,00 chains
79,72	Intersect N and S line 16 links North of the corner to Sections 16, 17, 20, 21 from which Corner I run.
	N 89° 53' W on a true line between Sections 17, 20
	Va 14° E
0,40	Set post deposit charred Stake raised mound of earth with pits as per instructions on the left bank of Loup river for a corner to fractional Sections 17, 20
16,40	Set post deposit charred Stake raised mound of earth with pits as per instructions on the right bank of Loup river for a corner to fractional Sections 17, 20
39,86	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
79,72	The corner to Sections 17, 18, 19, 20

Land up land hill bottom level Soil 2nd rate

T 16 N R 15 W. 6th P. Me.

Chains	
	West on a random line between Sections 18 and 19
	Va 140' E
40,00	Set temporary 1/4 Sec, Cor,
65,50	Drain descends North
78,47	Intersect West Boundary of Township 27 line South of the corner to Sections 18 and 19 from which corner I run S 89° 48' E on a true line between Sections 18 and 19.
	Va 140' E
38,47	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec, Cor,
78,47	The corner to Sections 17, 18, 19, 20 Land hilly Soil 3rd rate.

T 16 N R 15 W 6th P M

Chains	
	North between Sections 17 and 18
	Va 140° E
40,00	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec, Cor,
61,00	Leave Upland and enter bottom bearing N W & S E
80,00	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a corner to Sections 7, 8, 17, 18
	Upland rolling Soil 3rd rate
	ballance level Soil 2nd rate
	July 22nd 1868.

T 17 N R 15 W 6th P.M.

Chains	
	East on a random line between Sections 8 and 17
	V. 14° E
12,00	Branch 20 links wide runs S.E. Enter timber
17,00	Leave timber
26,80	Set post temporary corner to fractional Sections 8 and 17 on right bank Loupe river River 4,55 chs wide measured by chain
31,35	Set post on left bank of river for temporary corner to Sections 8 and 17
40,00	Set temporary 1/4 Sec, Cor,
79,64	Intersect N and S. line 14 links South of the corner to Sections 8, 9, 16, 17 from which corner I run S 89°54' W on a true line between Sections 8 and 17
	V. 14° E
31,82	Set post deposit charred Stake raised mound of earth

T 16 N R 15 W. 6th P.M.

Chains	
	with pits as per instructions for a 1/4 Sec, Cor,
48,29	Set post deposit charred Stake raised mound of earth with pits as per instructions on the left bank of Loupe river for a corner to fractional Sections 8 and 17. (River 4,55 chains wide)
52,84	Set post deposit charred Stake. raised mound of earth with pits as per instructions on right bank of river for a corner to fractional Sections 8 and 17
79,64	The corner to Sections 7, 8, 17, 18 Land Slightly rolling Soil 2nd rate

T16 N R 15 W 6th P.M.

Chains	
	West on a random line between Sections 7 and 18
	Va 14.0' E
27.00	Leave bottom enter upland bears S.E. & N.W.
40.00	Set temporary 1/4 Sec. Cor.
77.90	Intersect West Boundary of Township 16 links South of the corner to Sections 7, 18 from which corner I run S 89° 53' E on a true line between sections 7 and 18
	Va 14.0' E
37.90	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
77.90	The corner to Sections 7, 8, 17, 18
	Land rolling Soil light Sand 3rd rate

T16 N R 15 W. 6th P.M.

Chains	
	North between Sections 7 and 8
	Va 14.0' E
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
58.00	Set post deposit charred Stake raised Mound of earth with pits as per instructions on the right bank of Loup river cor. to fr. Secs. 7, 8
73.00	Set post deposit charred Stake, raised mound of earth with pits as per instructions on the left bank of Loup river for a corner to fractional Sections 7 and 8
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 5, 6, 7, 8
	Land Slightly rolling Soil 2nd rate

T16 N R15 W 6th P.M.

Chains	East on a random line between Sections 5 and 8
	Va 13° 50' E
4,00	Set temporary 1/4 Sec. Cor.
69,00	Creek 25 links wide runs South
76,00	Leave bottom enter hill bearing N 75 E
79,50	Intersect ~~West Boundary of Township~~ North and South line 12 links North of the corner to Sections 5 & 8 from which corner I run N 89° 55' W and true line between Sections 5 and 8
	Va 13° 50' E
29,75	Set post deposit charred stake, raise Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,50	The corner to Sections 5, 6, 7, 8
	Land Slightly rolling Soil 2nd rate

T16 N R15 W 6th P.M.

Chains	West on a random line between Sections 6 and 7
	Va 13° 48' E
8,10	Set post temper corner to fractional Sections 6 and 7 on left bank of Loup river.
	Measure across with the chain and find it to be 9,90 chains wide to which add 3,10 makes
13,00	Set post on right bank for temporary corner to fractional Sections 6 and 7.
40,00	Set temporary 1/4 Sec. Cor.
77,40	Intersect West Boundary of Township 23 links North of the corner to Sections 6 and 7 from which corner I run N 89° 55' East on a true line between Sections 6 and 7
	Va 13° 48' E

T16N R15W 6th P.M.

Chains	
37.40	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
64.40	Set post deposit charred Stake, raised mound of earth with pits as per instructions on right bank of Loup river for a corner to fractional Sections 6 and 7
74.30	Set post deposit charred Stake, raised mound of earth with pits as per instructions on the left bank of Loup river for a corner to fractional Sections 6 and 7
77.40	The corner to Sections 5, 6, 7, 8 Land slightly rolling Soil Sandy 2nd rate

T16N R15W 6th P.M.

Chains	
	North on a true line between Sections 5 and 6
	Var 13°41.5' E
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
78.80	Set post deposit charred Stake, raised mound of earth with pits as per instructions on the 4th Standard Parallel North 4.25 chains West of the 1/4 Sec. Cor. on South Side Section 32 T17N R15W. Land slightly rolling Soil 2nd rate

July 23rd 1868

Township 16 N. R 15 West 6th P. M.

Meander Notes of Township 16 North Range 15 West of the 6th Principal Meridian begin at the corner to fractional Sections 1 and 6 on right bank of Loup River and run down Stream as follows, in Section 6

Courses	Distances chains	
1 S 62° E	16.00	at 4 chains enter timber bears E and west. at 15 chains leave timber bears S. E and N. W
S 61½ E	24.00	
S 62½ E	33.00	
S 10° E	15.00 2	to corner to fractional Section 6 and 7. thence in Section 7
S 20½ E	13.40	
S 29° E	10.50 3	to cor. to fractional Sec 7 and 8

Township 16 N. R 15 W. 6th Prin. Mer

Courses	Chains	
		thence in Section 8
S 38° E	23.00	
S 15¼ E	18.60	at 15.00 a branch of river 50 lks wide runs S. W
S 19° E	23.00 4	to cor to fractional Sec 8 and 17
		thence in Section 17
S 20½ E	36.00	at 26 chains a branch of river 1.20 links wide runs S. E
S 34¼ E	16.30	
S 24° E	36.00 5	to cor to fractional Sec 17 and 20
		thence in Section 20
S 21° E	20.00	
S 57¾ E	11.60 6	to cor to fractional Sec 20 and 21
		thence in Section 21
S 37° E	18.00	
S 9¾ E	25.00	
S 40° E	20.00 7	to corner to frac. Sec. 21. 28

Township 16 N. R 13 West 6th Prin Mer

courses	chains	
		thence in section 28
S32¼°E	20.00	
S82°E	25.00	
S58°E	20.00 8	to cor to fractional 27 and 28 thence in sction 27
S40°E	24.00	
S32°E	36.00 9	to cor to fractional 27 and 34 thence in section 34
S19°E	31.30	
S50°E	46.00 10	to cor to fractional sec 34.35 thence in section 35
S48¾°E	12.00	
S34¼°E	15.00 11	to cor to fractional sections 2 and 35 on the south boundary of Township

July 24th 1868

T 16 N. R 13 W. 6th Prin Mer

		begin at the corner to fractional sections 2 and 35 on the left bank of Loup river and run up stream as follows in sectional 35
12 N30°W	23.00	
N49°W	22.00 13	to cor. to fractional sec. 34.35 thence in section 34.
N51½°W	34.70	
N17½°W	25.00 14	to cor. to fractional sec 27.34 thence in section 27
N33½°W	44.30	
N35½°W	35.40 15	at 10. chains a creek 54 links wide runs South to cor to fractional sec 27.28 thence in Section 28
N80½°W	34.40	at 6 chains enter timber bears N.W and S.E
N36½°W	10.00 16	to cor to fractional sec. 21.28

Township 16 N. R 15 West 6th Prin. Mer

Courses	thence in section 21 chains	
N40°W	24.60	at 18 chains leave timber bears N.E. & S.W.
N10¼°W	30.00	
N49½°W	24.40 17	to cor to fractional sec 20.21 thence in section 20
N49½°W	8.00	
N22½°W	12.00 18	to cor to fractional sections 17.20 thence in section 17
N24½°W	39.00	
N33½°W	18.00	
N23¼°W	32.00 19	to cor. to fractional sec. 8.17 thence in section 8
N17¾°W	25.00	
N15°W	17.00	
N30¼°W	38.00 20	to cor. to fractional sec 7.8 thence in section 7
N25°W	7.70 21	to cor to fractional sections 6 and 7

Township 16 N. R 15 West 6th Prin. Mer

Courses	thence in section 6 chains	
N17½°W	23.00	
N39½°W	27.00	
N61½°W	25.00	
N78°W	29.00 22	at 10.50 chains enter timber bears N.W. to cor to fractional sections 1 and 6 on the West boundary of township

July 25th 1868

T. 16 N. R. 15 W. 6th P.M.

General Description.

The N.E. part of this Township is very hilly and broken, soil 3d rate not fit for cultivation or settlement.

Loup River runs through the township in a South Easterly direction, it is shallow has a rapid currant, low bank and quicksand bottom. It has some scattering trees along its banks. The bottom land on north side is 2d rate and on the south side of river it is white sand, 3d rate unfit for cultivation The upland south of River is hilly with 2d rate soil.

List of Names.

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the foregoing field notes of Township 16 North of the 1 Base Line. Range 15 West of the 6th Principal Meridian showing the respective capacities in which the acted.

W. W. Henderson } Chain-
Jas. P. Ewing } men
W. G. Hyde } axmen and
Thos. F. Thompson } Monnd men

We hereby certify that we assisted John F. Burch Deputy Surveyor in Surveying and Subdividing Township Number 16 North of the Base line of Range number 15 West of the 6th Principal Meridian and that said Township has been in all respects to the best of our Knowledge and belief well and faithfully Surveyed and the boundary monuments planted according to instructions

Wm W. Henderson } Chain-
Jas. P. Ewing } men
W. G. Hyde } axmen &
Thos F. Thompson } Mound men

Sworn to and Subscribed before me this 10th day of August A.D. 1864

Wm H. Plate
Justice of the Peace
Hall Co
Neb

I John F. Burch Deputy Surveyor do Solemnly Swear that in pursuance of a joint contract wherein J.B. Park and John F. Burch are joint contractors with Phineas W. Hitchcock United States Surveyor General for the States of Nebraska and Iowa bearing date the 26th day of May 1868 I well and faithfully in my own proper person and in strict conformity with the instructions furnished by the Surveyor General the Surveying manual and the laws of the United States, Surveyed all those parts or portions of Township number 16 North of the Base line of range number 15 West of the 6th Principal Meridian as are represented in the foregoing field notes as having been Surveyed under my directions and I do further Solemnly Swear that all the corners of Such Survey have been established and perpetuated in Strict accordance with the Surveying manual and printed instructions and that the foregoing are the true and original field notes of Such Survey

John F. Burch Deputy Surveyor

Subscribed and Sworn to before me this 10th day of August A.D. 1868

Wm. C. Platt
Justice of the Peace
Hall County
Nebraska

This is to certify that the above name W. C. Platt is a Justice of the Peace in and for Hall County Nebraska

John Wallichs
Co. Clerk for Hall Co
Neb.

Surveyor General's Office
Plattsmouth Neb Oct 29th 1868.

The foregoing field notes of the Survey and Subdivision of Township No 16 North of the Base line of Range No 15 West of the 6th Principal Meridian in the State of Nebraska executed by John F. Burch under a Joint Contract No 6 dated May 26th 1868 wherein J. B. Park and John F. Burch are Joint Contractors in the month of July 1868 having been critically examined, the necessary corrections and explanations made, the said field notes and the Survey they describe are hereby approved.

P. W. Hitchcock
for V. Gale

General Land Office • Original Field Notes

Book Number

398

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.