

# GENERAL LAND OFFICE • ORIGINAL FIELD NOTES

BOOK NUMBER

**411**

---

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Town 29 N. Range 16 W

6	60	5	44	4	33	3	22	2	11	1
59		58		42		31		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Field Notes  
of the  
Survey of Sub divisions  
of Township No 29 South  
of the  
Base Line  
Range No 16 West  
of the  
Principal Meridian  
in the  
State of Nebraska

Executed  
by Henry Court Deputy  
Surveyor, under first  
Contract No 158, dated  
June 25<sup>th</sup> 1872.

Survey  
Commenced Aug. 14<sup>th</sup> 1872  
Completed Aug 18<sup>th</sup> 1872

List of Names.

A list of the names  
of the individuals  
who were employed  
to assist in subdividing  
this Township.

Frank Crowell <sup>Chairman</sup>  
Anthony H. Clinton

James Pike <sup>Member</sup>  
J. G. Porter <sup>Assessors</sup>  
Flagman

40.01

80.03

To determine the proper  
adjustment of my  
Compass for subdividing  
this Township,  
I begin at the S. E.  
Corner of the Township  
and run thence  
North on a blank  
line along the  
East Boundary of  
Sec 36

Variation  $13^{\circ}39'E$

To 44 Sec. Corner -

To a point 3 1/2<sup>mi</sup> East  
of corner to Sect. 25<sup>th</sup> & 36

Therefore to retrace  
this line, or run  
parallel thereto, my  
compass must  
be adjusted to a  
Variation  $13^{\circ}40' East$

1 Township No 29 North Range No 16 West of 6<sup>th</sup> P.M. 2

chains  
 North bet. Sec. 35<sup>th</sup> & 36<sup>th</sup>  
 Variation 13°40' E  
 40.00 Set post, deposit chained  
 stake, raise mound  
 of earth with pits as  
 per instructions for  
 1/4 Sec. Corner.  
 80.00 Set post, deposit chained  
 stake, raise mound  
 of earth with pits  
 as per instructions  
 for corner to Sec. 25,  
 26, 35<sup>th</sup> and 36<sup>th</sup>  
 Surface level  
 Soil 1<sup>st</sup> rate

chains  
 East on a random  
 line bet. Sec. 25<sup>th</sup> & 36<sup>th</sup>  
 Variation 13°45' E  
 40.00 Set post for temporary 1/4  
 Sec. Corner. ~~East~~ <sup>East</sup> ~~of~~ <sup>of</sup> ~~Sec.~~ <sup>Sec.</sup> ~~25~~ <sup>25</sup> ~~th~~ <sup>th</sup>  
 at a point 8<sup>th</sup> Sec. South  
 of corner to Sec. 25<sup>th</sup>  
 & 36<sup>th</sup> from which corner  
 I ran  
 S 89° 57' West on true  
 line bet. Sec. 25<sup>th</sup> & 36<sup>th</sup>.  
 Variation 13°45' East  
 40.01 Set post, deposit chained  
 stake, raise mound  
 of earth with pits  
 as per instructions  
 for 1/4 Sec. Corner.  
 80.02 Corner to Sec. 25, 26,  
 35<sup>th</sup> and 36<sup>th</sup>.  
 Surface level  
 Soil 1<sup>st</sup> rate

Township No 29 South

chains

North bet. Sec. 25 and

26

Variation  $13^{\circ}45'$  E4000 Set post, deposit chain  
stake, raise mound  
of earth with pits  
as per instructions  
for 1/4 Sec. Corner.8000 Set post, deposit  
chain stake, raise  
mound of earth  
with pits, as per  
instructions forCorner to Sec. 23, 24,  
25 and 26Surface level  
Soil 1<sup>st</sup> rateRange No 16 West 6<sup>th</sup> P.M.

chain

East on random line  
bet. Sec. 24 and 25Variation  $13^{\circ}45'$  East4000 Set post for temporary  
1/4 Sec. Corner.7994 Intersect East Boundary  
of Township at post,  
corner to Sec. 24 and 25  
from which corner  
I runWest on true line  
bet. Sec. 24 and 25Variation  $13^{\circ}45'$  E3997 Set post, deposit chain  
stake, raise mound  
of earth with pits, as  
per instructions  
for 1/4 Sec. Corner.7994 Corner to Sec. 23, 24,  
25 and 26Surface level  
Soil 1<sup>st</sup> rate

## Township No 29 North

chains

North bet. Secs. 23  
and 24 Variation  $13^{\circ} 45' E$   
40.00 Set post, deposit  
chained stake, raise  
mound of earth with  
pits, as per instructions  
for 1/4 Sec. Corner.  
80.00 Set post, deposit  
chained stake, raise  
mound of earth  
with pits, as per instructions  
in corner to Secs.  
13, 14, 23 and 24  
Surface level  
Soil 1" rate

Range No 6 West 6<sup>th</sup> P.M.

chains

Start on random line  
bet. Secs. 13 and 24  
Variation  $13^{\circ} 50' E$   
40.00 Set post, for temporary  
1/4 Sec. Corner.  
79.86 Intersect East Bound  
part of Township  
at a point 5<sup>th</sup> N.  
of corner to Secs. 13<sup>th</sup> and 24<sup>th</sup>  
From which corner  
I run  
N  $89^{\circ} 58'$  West on  
true line bet. Secs.  
13 and 24  
Variation  $13^{\circ} 50' E$   
39.93 Set post, deposit chained  
stake, raise mound  
of earth with pits  
as per instructions  
for 1/4 Sec. Corner.  
79.86 Corner to Secs. 13, 14,  
23 and 24  
Surface level  
Soil 1" rate

Township No 29 North

chains

North bet. Secs. 13<sup>rd</sup> & 14<sup>th</sup>

Variation 13°45'

40.00 Set post, deposit  
chained stake, raise  
mound of earth  
with-pits, as per  
instructions, for  
44<sup>th</sup> Sec. Corner

80.00 Set post, deposit  
chained stake, raise  
mound of earth  
with-pits, as per  
instructions, for  
corner to Secs. 11, 12,  
13 and 14

Surface level  
Soil 1<sup>st</sup> rate

Range No 10 West T. 11.

chains

East on random line  
bet. Secs. 12<sup>th</sup> and 13

Variation 13°48'

40.00 Set post for temporary  
44<sup>th</sup> Sec. Corner

79.92 Intersect East  
Boundary of Township  
at a point 12<sup>th</sup> Sec.  
C. of corner to Secs.  
12<sup>th</sup> and 13, from which  
corner of survey

89.55 West on  
true line bet. Secs. 12 & 13  
Variation 13°48'

39.96 Set post, deposit chained  
stake, raise mound  
of earth with-pits, as  
per instructions for  
44<sup>th</sup> Sec. Corner

79.92 Corner to Secs. 11, 12,  
13 and 14  
Surface level  
Soil 1<sup>st</sup> rate

Township No 29 North

chains

North bet. Sec. 11 & 12  
Variation 13° 30'

40.00 Set post, deposit  
chained stake, raise  
mound of earth with  
pits, as per instructions  
for 1/4 Sec. Corner.

80.00 Set post, deposit  
chained stake, raise  
mound of earth  
with pits, as per  
instructions for  
Corner to Sec. 1, 2, 11  
and 12

Surface level  
Soil 1" rate

chains

Range No 16 West 6<sup>th</sup> P.M.

East on random  
line bet. Sec. 1 and 12

Variation 13° East  
Set post, fast temporary  
1/4 Sec. Corner.

Intersect East Boundary  
of Township - at  
a point 25 1/2 ft.  
of corner to Sec.  
1 and 12 from which  
corner I run  
N 89° 49' West on  
true line bet. Sec.  
1 and 12

Variation 13° East  
39.97 1/2 Set post, deposit  
chained stake, raise  
mound of earth  
with pits, as per  
instructions for 1/4  
Sec. Corner

79.95 Corner to Sec. 1, 2, 11  
and 12

Surface level  
Soil 1" rate

Township No 29 Range No 16 West 6<sup>th</sup> PM

chains North on random line bet Sec. 1<sup>st</sup> & 2<sup>nd</sup> Variation 18°50' East 4000

40.00 Set post for temporary 1/4 Sec. corner.

79.84 Intersect North-Boundary of Township at a point 5<sup>th</sup> Ept. West of corner to Sec. 1<sup>st</sup> & 2<sup>nd</sup> from which corner I run South on true line bet Sec. 1<sup>st</sup> & 2<sup>nd</sup> Variation 18°50' East

39.84 Set post, deposit chained stakes, raise mound of earth with-pits, as per instructions for 1/4 Sec. corner -

79.84 Corner to S 1. 2. 11 Aug 12 -

Surface level Soil 1<sup>st</sup> rate

Aug 14<sup>th</sup>, 1872

chains North - bet. Sec. 34<sup>th</sup> & 35<sup>th</sup> Variation 18°35' E

Set post, deposit chained stakes, raise mound of earth, with-pits - as per instructions for 1/4 Sec. corner.

80.00 Set post, deposit chained stakes, raise mounds of earth with-pits, as per instructions for corner to Sec. 26, 27 34, and 35

Surface level Soil 2<sup>nd</sup> rate

Township No 29<sup>th</sup> N

chains

East in random  
line bet. Sec. 26<sup>th</sup> and

35

Variation 13° 40'

41.00 Set post for temporary  
1/4 Sec. corner79.33 Intersect of said  
line at a point 10 ft.N. of corner to Sec.  
25, 26, 35 and 36from which corner  
is runof 89.56 feet on  
said line bet Sec. 26  
and 35

Variation 13° 40'

39.66 Set post, deposit charred  
stake, raise mound  
of earth with pits as  
per instructions for  
1/4 Sec. corner.79.33 Corner to Sec. 26, 27,  
34 and 35.Surface 1<sup>st</sup> 1/2 levelSoil sandy 2<sup>nd</sup> rateBalance level 1<sup>st</sup> rateRange No 16 West 6<sup>th</sup> P.M.

chains

Walk bet. Sec. 26 and 27

Variation 13° 56'

40.00

Set post, deposit charred  
stake, raise mound  
of earth with pits, as  
per instructions for  
1/4 Sec. corner.

80.00

Set post, deposit  
charred stake, raise  
mound of earth  
with pits, as per  
instructions for  
corner to Sec. 22, 23

36 and 37

Surface level  
Soil 1<sup>st</sup> rate

Aug 14 1892

Township No 29

chain East on railroad  
line bet. Sec. 23<sup>rd</sup> & 24<sup>th</sup>  
Variation 13° 50' 40.00  
Set post for temporary  
1/4 Sec. Corner  
79.41 Intersect ~~of~~ S.  
line at a point 7<sup>th</sup> Sec.  
North of corner to Sec. 23, 24, 25 and 26  
from which corner  
I run  
of 89.54 West on  
line bet. Sec. 23 & 24  
Variation 13° 30'  
39.70 Set post, deposit chain  
stake raise mound  
of earth, with pits  
as per instructions  
for 1/4 Sec. Corner  
49.41 Corner to Sec. 22,  
23, 26 and 27  
Surface level  
Soil 1" rate

Range No 16 West of <sup>Capitol</sup> Fall.

chain North bet. Sec. 22 & 23  
Variation 13° 50' East  
Set post, deposit chain  
stake, raise mound  
of earth with pits, as  
per instructions for  
1/4 Sec. Corner  
Set post, deposit chain  
stake, raise mound  
of earth with pits, as  
per instructions for  
Corner to Sec. 14, 15, 22  
and 23  
Surface level  
Soil 1" rate

Township No 29

chains

East on random line bet Sec. 14 and 23

Variation 13° 40'

40.00 Set post for temporary 1/4 Sec. Corner

79.30 Intersect of line at a point 17 lbs. N. of corner to Sec. 13, 14, 23 and 24 from which corner

A run N 89° 32' West on true line bet. Sec. 14 and 23

Variation 13° 40'

39.65 Set post, deposit stake raise mound of earth with pits as per instructions for 1/4 Sec. Corner

79.30 Corner to Sec. 14, 15 22 and 23

Surface level Soil 1" rate

Range No 16

North bet. Sec. 14 and 15 Variation 13° 55'

Set post, deposit stake, raise mound of earth with pits as per instructions for 1/4 Sec. Corner.

Set post, deposit stake, raise mound of earth with pits, as per instructions for corner to Sec. 14 and 15

Surface level Soil 1" rate

## Township No 29

chains East on random chains  
 line bet. Sec. 11<sup>9</sup> and 14  
 Variation  $13^{\circ}35'$   $4100$   
 40.00 Set post  $\frac{1}{4}$  in temporary  
 44 Sec. Corner  
 49.60 Intersect E and S  
 line at a point 15<sup>th</sup>  
 St. of corner to 11, 12, 13, 8000  
 and 14 from which  
 corner I run  
 N  $89^{\circ}34'$  West on  
 true line bet. Sec.  
 11 and 14  
 Variation  $13^{\circ}35'$   
 39.80 Set post, deposit chain  
 stake, raise mound  
 of earth with pits  
 as per instructions  
 for 44 Sec. Corner  
 79.60 Corner to Sec. 10, 11,  
 14 and 15  
 Surface level  
 Soil 1" rate

Range No 16 West 6<sup>th</sup> 1/2

North bet Sec. 10<sup>9</sup> and 11  
 Variation  $13^{\circ}55'$   
 Set post, deposit chain  
 stake, raise mound  
 of earth with pits  
 as per instructions  
 for 44 Sec. Corner  
 8000 Set post, deposit chain  
 stake, raise mound  
 of earth with pits as  
 per instructions for  
 corner to Sec. 2, 3, 10  
 and 11  
 Surface level  
 Soil 1" rate

Township No 29 North Range No 16 West of 6<sup>th</sup> P.M.

chains

East on random chains  
line bet. Sec. 2<sup>nd</sup> and 11

Variation 13°38'

40.00 Set post for temporary  
1/4 Sec. Corner.

79.75 Intersect N. and S. line  
at post at corner to  
Sec. 1, 2, 11 and 12  
from which corner  
I run

West on true line  
bet. Sec. 2<sup>nd</sup> and 11

Variation 13°50' East

39.87 1/2 Set post, deposit chancel  
stake, raise mound  
of earth with pits as  
per instructions for 1/4  
Sec. Corner.

79.75 Corner to Sec. 2, 3, 10  
and 11

Surface level  
Soil 1<sup>st</sup> rate

Township No 29 North Range No 16 West of 6<sup>th</sup> P.M.

South on random  
line bet. Sec. 2<sup>nd</sup> and 3

Variation 13°50' E

Set post for temporary  
1/4 Sec. Corner.

79.80 Intersect North Bound  
- and of Township at  
a point 44 ft. West  
of corner to Sec. 2<sup>nd</sup>, 3  
from which corner  
I run

East true line bet.  
Sec. 2<sup>nd</sup> and 3

Variation 13°50' E

39.80 Set post, deposit chancel  
stake, raise mound  
of earth with pits  
as per instructions  
for 1/4 Sec. Corner.

79.80 Corner to Sec. 2, 3, 10  
and 11

Surface level  
Soil 1<sup>st</sup> rate

Aug. 15<sup>th</sup> 1842

## Township No 29 North

chain

North bet. Secs. 33 &amp; 34

Variation  $13^{\circ}36'$ 

40.00 Set post, deposit chain  
stake, raise mound  
of earth with pits as  
per instructions for  
 $1/4$  Sec. Corner.

80.00 Set post, deposit chain  
stake, raise mound  
of earth with pits  
as per instructions  
for corner to Sec. 27.

28, 33 and 34

Surface level  
Soil  $2^{\frac{1}{2}}$  rate

## Range No 16 West

chain

East on random

line bet. Secs. 27 and 34

Variation  $13^{\circ}35'$  East

40.00 Set post by temporary  
 $1/4$  Sec. Corner.

80.20 Intersect of said S. line  
at a point 18 W.

South of corner to  
Secs. 26, 27, 34 and 35

from which corner  
run

$89 - 53'$  West on  
true line bet. Secs.  
27 and 34

Variation  $13^{\circ}35'$  E.

40.90 Set post, deposit chain  
stake, raise mound  
of earth with pits as  
per instructions for  
 $1/4$  Sec. Corner.

80.20 Corner to Secs. 27, 28,  
33 and 34

Surface level  
Soil  $1^{\frac{1}{2}}$  rate

## Township No 29 North

chains

North bet. Secs 27  
and 28Variation  $13^{\circ}35'$ 

40.00

Set post, deposit chain  
stakes, raise mound  
of earth with pits  
as per instructions  
for 1/4 Sec. Corner

80.00

Set post, deposit chain  
stakes, raise mound  
of earth with pits,  
as per instructions for  
corner to Secs 21, 22,  
27 and 28Surface gently rolling  
Soil 1<sup>st</sup> rate.Range No 16 West 6<sup>th</sup> 1/4<sup>th</sup>

chains

East on random  
line bet Secs 22<sup>nd</sup>  
and 27Variation  $13^{\circ}35'$  East

40.00

Set post for temporary  
1/4 Sec. Corner.

80.34

Intersect N. and S.  
line at a point 11lk. South of corner  
to Secs 22, 23, 26  
and 27 from whichcorner I run  
S 89<sup>o</sup> 55' West on true  
line bet Secs 22<sup>nd</sup>  
and 27.

40.17

Variation  $13^{\circ}35'$ Set post, deposit chain  
stakes, raise mound  
of earth with pits,  
as per instructions  
for 1/4 Sec. Corner.

80.34

Corner to Secs 21,  
27, 27 and 28Surface level  
Soil 1<sup>st</sup> rate.

## Township No 29

chains

North bet. Sec. 21<sup>st</sup> &

22

Variation 13° 30' E

40.00

Set post, deposit  
chained stake, raisedmound of earth with  
pits as per instruc-

80.00

Set post, deposit  
chained stake, raisedmound of earth  
with pits, as per  
instructions for

Come to Sec. 15, 16, 21

and 22  
Surface level  
Soil 2" rateRange No 16 West 61<sup>st</sup> 211

chains

East on random

line bet. Sec. 15<sup>th</sup> and 22<sup>nd</sup>Variation 13° 30' E  
Set post for temporary 1/4

40.00

Sec. Corner  
Intersect N. and S.

80.85

line, at first A, corner  
to Sec. 14, 15, 21, 22<sup>nd</sup>and  
23 from which corner  
I runWork on true line  
bet. Sec. 15<sup>th</sup> and 22<sup>nd</sup>

40.42 1/2

Variation 13° 30' E  
Set post, deposit

chained stake, raised

mound of earth  
with pits, as per  
instructions for

80.85

1/4 Sec. Corner  
Come to Sec. 15, 16,  
21 and 22Surface level  
Soil 2" rate

## Township No 29

chains

North bet. Secs 15<sup>and</sup>

16

Variation 13° 35' E

40.00 Set post, deposit chains

stakes, raise mound

of earth - with pits as

per instructions for

44 Sec. Corner

65.00 Enter Slough N<sup>and</sup> W<sup>and</sup> S<sup>and</sup> E<sup>and</sup>72.00 Leave Slough N<sup>and</sup> W<sup>and</sup> S<sup>and</sup> E<sup>and</sup>

80.00 Set post, deposit chains

stakes, raise mound

of earth - with pits

as per instructions

for Corner to Secs 9,

10, 15<sup>and</sup> 16

Surface level

at 2<sup>1/2</sup> rateRange No 15 West 6<sup>th</sup> 1/2 Sec

Cart on random

line bet. Secs 10<sup>and</sup> 15

Variation 13° 45' East

Set post for temporary

44 Sec. Corner

Intersect N<sup>and</sup> W<sup>and</sup> S<sup>and</sup> E<sup>and</sup>

line at a point

13<sup>1/2</sup> W. South of

corner to Secs 10, 11,

14<sup>and</sup> 15 from which

corner

I run

S 89° 34' West up

true line bet. Secs

10 and 15

Variation 13° 45' E

40.35 Set post, deposit

chained stakes, raise

mound of earth -

with pits, as per

instructions for

44 Sec. Cor.

80.70 Corner to Secs 9, 10,

15<sup>and</sup> 16

Surface level

at 2<sup>1/2</sup> rate

Township No 29<sup>th</sup> N

chain North bet. Secs 9

and 10

Variation 13° 35'

4000 Set post, deposit

chanced stake, raise

mound of earth

with pits, as per

instructions for

44 Sec. Corner -

8000 Set post, deposit

chanced stake, raise

mound of earth -

with pits, as per

instructions for

Corner to Secs 3, 4, 9

and 10

Surface level

Soil 1<sup>st</sup> rate -Range No 16 West 6<sup>th</sup> R.

chain East on random

line bet. Secs 3<sup>rd</sup> & 10

Variation 13° 45' E

4000 Set post, for temporary

44 Sec. Corner,

79.98 Intersect of <sup>and</sup> line

at a point 8' E.

South of corner to Sec.

2, 3, 10 and 11 from

which corner is now

89' 57' West of

true line bet. Secs

3 and 10

Variation 13° 45' E

89.99 Set post, deposit chanced

stake, raise mound

of earth with pits

as per instructions

for 44 Sec. Corner -

79.98 Corner to Secs 3, 4, 9

and 10

Surface level

Soil 1<sup>st</sup> rate

## Township No 29 North

chains

South on random  
line bet. Secs 3<sup>and</sup> 4

Variation 13° 40'

40.00 Set post. deposit chain  
1/4 Sec. Corner -79.95 Intersect North-  
Boundary of Township  
at a point 46' East  
on true line bet  
Secs 3<sup>and</sup> 4 from  
which corner I run  
20' East on true  
line bet. Secs 3<sup>and</sup> 4

Variation 13° 40'

39.95<sup>5</sup> Set post. deposit chain  
stake, raise mound  
of earth with pits  
as per instructions  
for 1/4 Sec. Corner.49.95 Corner to Secs 3, 4, 9,  
and 10Surface level  
Soil 1" rate.Aug 16<sup>th</sup> 1872Range No 15 West 6<sup>th</sup> P.M.

chains

North bet Secs 32<sup>and</sup> 33  
Variation 13° 25' East40.00 Set post. deposit chain  
stake, raise mound  
of earth with pits, as  
per instructions for  
1/4 Sec. Corner80.00 Set post. deposit chain  
stake, raise mound of  
earth with pits, as per  
instructions for corner  
to Secs 28, 29, 32<sup>and</sup>  
33

Surface level

Soil 1" rate

## Township No 29 North

chains

- East on railroad  
line bet. Sec. 28<sup>th</sup> & 29<sup>th</sup>  
Variation 13° 30' E
- 40.00 Set post for temporary  
1/4 Sec. Corner.
- 80.06 Intersect N. and S. line  
at a point 15<sup>th</sup> l. South  
of corner to Sec. 27, 28,  
29 & 30. from N. line. Cor. S. line bet. Sec. 28 & 29  
S 89° 54' W. on base line bet. Sec. 28 & 29  
Variation 13° 30' E
- 40.03 Set post, deposit chains  
stake, raise mound  
of earth - with pits, as  
per instructions for  
1/4 Sec. Corner.
- 80.06 Corner to Sec. 28, 29, 32  
and 33  
Surface level  
Sill 1" rate -

Range No 16 West 6<sup>th</sup> P.M.

chains

- North bet. Sec. 28<sup>th</sup> & 29<sup>th</sup>  
Variation 13° 25' E
- 40.00 Set post, deposit chains  
stake, raise mound  
of earth - with pits as  
per instructions for  
1/4 Sec. Corner.
- 60.00 Slope 15<sup>th</sup> l. wide  
N. 1/4 S. 1/4.
- 80.00 Set post, deposit chains  
stake, raise mound  
of earth - with pits,  
as per instructions  
for corner to Sec.  
20, 21, 28<sup>th</sup> & 29<sup>th</sup>  
Surface level  
Sill 1" rate -

## Township No 29 North

chains

East by random line  
bet. Sec. 21<sup>and</sup> 28

Variation 13° 30' E

4000

Set post. for temporary  
1/4 Sec. Corner.

7998

Intersect N<sup>and</sup> S line  
at a point 13<sup>1/2</sup> lk. N.  
of corner to Sec. 21,  
22, 27<sup>and</sup> 28 from  
which corner I run  
N 89° 54' West on  
true line bet. Sec. 21<sup>and</sup> 28

Variation 13° 30' E

3999

Set post. deposit show  
stakes, raise mound  
of earth with pits  
as per instructions  
for 1/4 Sec. Corner.

7998

Corner to Sec. 20, 21,  
28<sup>and</sup> 29Surface level  
Doll 1<sup>st</sup> rateRange No 16 West 6<sup>th</sup> PM

chains

North bet. Sec. 20<sup>and</sup> 21

Variation 13° 25' East

4000

Set post. deposit  
chance stake, raise  
mound of earthwith pits, as per  
instructions for  
1/4 Sec. Corner.

8000

Set post. deposit chance  
stake, raise mound  
of earth with pits  
as per instructions for  
corner to Sec. 16, 17,  
20<sup>and</sup> 21Surface level  
Doll 1<sup>st</sup> rate

## Township No 29 N

chain East on raydown  
line bet. Sec. 16<sup>and 21</sup>  
Variation  $13^{\circ}30'$   
40.00 Set post, deposit  
chained stake, raise  
mound of earth  
with-pits, as per  
instructions for  
1/4 Sec. Corner.  
79.95 Intersect  $E. \text{ and } S.$   
line at a point 12  
1/4 Sec. of corner to  
Sec. 15, 16, 21 and 22  
from which corner  
I run  
N  $89^{\circ}55'$  East on  
true line bet. Sec. 16 &  
21  
Variation  $13^{\circ}30'$   
39.97 1/2 Set post, deposit,  
chained stake, raise  
mound of earth with  
pits as per instruction  
for 1/4 Sec. Corner.  
79.95 Corner to Sec. 16, 17  
20 and 21  
Surface level  
Soil 1<sup>st</sup> rate

Range No 16 West 1<sup>st</sup> P.M.

chain North bet. Sec. 16<sup>and 17</sup>  
Variation  $13^{\circ}25'$   
40.00 Set post, deposit,  
chained stake, raise  
mound of earth  
with-pits, as per  
instructions for  
1/4 Sec. Corner.  
80.00 Set post, deposit,  
chained stake, raise  
mound of earth with  
pits as per instruct-  
ions for Corner to Sec.  
8, 9, 16 and 17  
Surface level  
Soil 1<sup>st</sup> rate

## Township No 29 N.

chains

- East on random  
 line bet. Secs 9 and 16  
 Variation  $13^{\circ}30' E$   
 40.00 Set post for temporary  
 $\frac{1}{4}$  Sec. Corner  
 79.84 Intersect of random  
 line at a point S. of  
 N. of corner to Secs  
 9, 10, 15 and 16 from  
 which corner I ran  
 N 89-58 West on  
 true line bet. Secs  
 9 and 16  
 Variation  $13^{\circ}30' E$   
 39.92 Set post, deposit chain  
 stake, raise mound  
 of earth with pits  
 as per instructions  
 for  $\frac{1}{4}$  Sec. Corner  
 19.84 Corner to Secs 8,  
 9, 16 and 17  
 Surface level  
 Soil 1<sup>st</sup> rate.

Range No 16 N. 16<sup>th</sup> R. N.

chains

- North bet. Secs 8 and 9  
 Variation  $13^{\circ}2'58"$   
 40.00 Set post, deposit  
 chain stake, raise  
 mound of earth  
 with pits, as per  
 instructions for  
 $\frac{1}{4}$  Sec. Corner  
 80.00 Set post, deposit chain  
 stake, raise mound  
 of earth with pits  
 as per instructions  
 for Corner to Secs  
 4, 5, 8 and 9  
 Surface level  
 Soil 1<sup>st</sup> rate

## Township No 29 North

chain

East on random line  
bet. Sec. 4<sup>and</sup> 9

Variation  $13^{\circ}30' E$

45.00

Set post for temporary  
1/4 Sec. Corner.

79.75

Intersect N. and S. line  
at a point 28 lks. W.  
of corner to Sec.  
3, 4, 9 and 10 from  
which corner I run

N  $89^{\circ}48'$  West on  
true line bet. Sec. 4 & 9

Variation  $13^{\circ}30' E$

39.87 1/2

Set post, deposit  
chained stake, raise  
mound of earth  
with pits, as per  
instructions for  
1/4 Sec. Corner.

79.75

Corner to Sec. 4, 5,  
8 and 9

Surface level  
Soil 1<sup>st</sup> rate

## Range 16 West S. 1/4 P.M.

chain

North on random  
line bet. Sec. 4<sup>and</sup> 5

Variation  $13^{\circ}25' E$

28.00

Leave Balloon N. E. and  
S. W.

40.00

Set post for temporary  
1/4 Sec. Corner.

79.68

Intersect North  
Boundary of Township  
at a point 10 lks. East  
of corner to Sec. 4  
and 5 from which  
corner I run

S  $43'$  East on true line  
bet. Sec. 4<sup>and</sup> 5

Variation  $13^{\circ}25' E$

39.68

Set post, deposit chained  
stake, raise mound  
of earth with pits  
as per instructions  
for 1/4 Sec. Corner.

79.68

Corner to Sec. 4, 5, 8  
and 9

Surface level  
Soil 1<sup>st</sup> rate

Aug. 11<sup>th</sup> 1872

45

## Township No 2 North

chains

North bet Sec. 31<sup>2</sup> & 32  
Variation 13° 20'40.00 Set pink deposit  
chain stake, raise  
mound of earth  
with pits, as per  
instructions for  
1/4 Sec. Corner.80.00 Set pink deposit  
chain stake, raise  
mound of earth  
with pits, as per  
instructions for  
corner to Sec. 29, 30  
31 and 32Surface level  
Soil 2" rate

46

42

Range No 16 West 6<sup>th</sup> P.M. 1

chains

East on random  
line bet Sec. 29 & 32  
Variation 13° 30' E40.00 Set pink for temporary  
1/4 Sec. Corner.80.32 Intersect N. W. 1/4 line  
at a point 2 1/2 k. N.  
of corner to Sec. 29, 29  
32 and 33 from  
which corner run  
N 89° 51' West out  
true line bet. Sec.  
29 and 32

Variation 13° 31' E

40.16 Set pink deposit chain  
stake raise mound  
of earth with pits  
as per instructions  
for 1/4 Sec. Corner.80.32 Corner to Sec. 29,  
30, 31 and 32.Surface level  
Soil 1" rate

## Township No 29 North

chance West on random  
line bet Sec. 30<sup>and</sup> 31  
Variation 13° 20' E

21.00 Leave Bottom of W. 1/4 Sec. 30  
40.00 Set post for temporary  
1/4 Sec. Corner

79.90 Intersect West Bound-  
ary of Township at  
a point 12 Chk. N.  
of corner to Sec. 31<sup>and</sup> 32  
from which corner  
I run  
N 89° 55' East 90  
true line bet. Sec.  
30<sup>and</sup> 31  
Variation 13° 20' E

39.95 Set post, deposit charred  
stake, raise mound  
of earth - with pits  
as per instructions  
for 1/4 Sec. Corner

79.90 Corner to Sec. 29, 30,  
31 and 32  
Surface 1<sup>st</sup> 21 ch. level  
Soil 1<sup>st</sup> rate  
Balance rolling - Soil 3<sup>rd</sup> rate

Range No 1 West 6<sup>th</sup> W.M.

chance North bet. Sec. 29<sup>and</sup> 30  
Variation 13° 20' E

40.00 Set post, deposit charred  
stake, raise mound  
of earth - with pits  
as per instructions  
for 1/4 Sec. Corner

80.00 Set post, deposit  
charred stake, raise  
mound of earth  
with pits, as per  
instructions for  
Corner to Sec. 19, 20,  
29<sup>and</sup> 30  
Surface level  
Soil 2<sup>nd</sup> rate

Aug 17<sup>th</sup> - 1872

## Township No 29 North

chain East on random  
line bet. Secs. 28<sup>th</sup> & 29<sup>th</sup>  
Variation 18° 25' E.

40.00 Set post for temporary  
1/4 Sec. Corner.

80.35 Intersect N. and S. line  
at a point 14<sup>th</sup> Ch. N.  
of corner to Sec.  
20<sup>th</sup> and 29<sup>th</sup> from  
which corner I run  
N 89° 54' West on  
true line bet. Sec.  
20<sup>th</sup> and 29<sup>th</sup>  
Variation 18° 25' East

40.17 1/2 Set post, deposit  
chain stake (paid  
mound of earth with  
fits, as per instruct-  
ions for 1/4 Sec. Cor-  
ner to Secs. 19, 20,  
29 and 30  
Surface level  
Soil 1<sup>st</sup> rate

## Range No 16 West 1/4 Sec. 19, 20, 29, 30

chain West on random line  
bet. Secs. 19<sup>th</sup> and 30<sup>th</sup>  
Variation 13° 30' E.

40.00 Set post for temporary  
1/4 Sec. Corner.

45.00 Leave Bottom N. 1/4 Sec. E.

79.74 Intersect West Bound-  
ary of Township at  
a point 21<sup>st</sup> Ch. N. of  
corner to Secs. 19<sup>th</sup> & 30<sup>th</sup>  
from which corner  
I run  
N 89° 31' East on  
true line bet. Secs.  
19<sup>th</sup> and 30<sup>th</sup>  
Variation 13° 30' E.

39.74 Set post, deposit  
chain stake (paid  
mound of earth  
with fits, as per  
instructions for  
1/4 Sec. Corner  
Corner to Secs. 19, 20,  
29 and 30  
Surface level  
Soil 2<sup>nd</sup> rate

## Township No 29 North

chains

North bet. Secs. 19<sup>th</sup> & 20<sup>th</sup>  
 Variation 13° 20' East  
 40.00 Set post, deposit, chained  
 stake, raise mound  
 of earth-with-pits  
 as per instructions  
 for 1/4 Sec. Corner  
 80.00 Set post, deposit,  
 chained stake, raise  
 mound of earth-with-  
 pits as per instruct-  
 ions for corner to  
 Secs. 17, 18, 19 and 20  
 Surface level  
 Soil 1" rate

Range No 16 West 6<sup>th</sup> P.M.

chains

East on ray down  
 line bet Secs. 17<sup>th</sup> & 20<sup>th</sup>  
 Variation 13° 25' East  
 40.00 Set post for temporary  
 1/4 Sec. Cor.  
 80.74 Intersect of <sup>and</sup> D  
 line at a point 50  
 ft. South of corner  
 to Secs. 16, 17, 20<sup>th</sup>  
 21 from which corner  
 I found  
 N 89° 39' West on  
 true line bet Secs.  
 17<sup>th</sup> and 20<sup>th</sup>  
 Variation 13° 25' East  
 40.37 Set post, deposit,  
 chained stake, raise  
 mound of earth-with-  
 pits, as per instructions  
 for 1/4 Sec. Corner.  
 80.74 Corner to Secs. 17, 18,  
 19 and 20.  
 Surface level  
 Soil 1" rate

## Township No 29 South

charges	
	Met on random line bet. Sec. 18 <sup>and</sup> 19 Variation 13° 28' E
40.00	Set post by temporary 1/4 Sec. Corner
79.60	Intersect West Boundary of Township at a point 90° North of corner to Sec. 18 and 19 from which corner run N 89° 21' East on true line bet. Sec. 18 <sup>and</sup> 19 Variation 13° 28' E
39.20	Set post, deposit chain stake, raise mound of earth with pits as per instructions for 1/4 Sec. Corner
79.60	Corner to Sec. 17, 18, 19 and 20 Surface level Soil 2% rate

## Range No 16 West 1/4 P.M.

charges	
	North bet. Sec. 17 <sup>and</sup> 18 Variation 13° 05' E
40.00	Set post, deposit chain stake, raise mound of earth with pits as per instructions for 1/4 Sec. Corner
80.00	Set post, deposit chain stake, raise mound of earth with pits as per instructions for corner to Sec. 7, 8, 17 <sup>and</sup> 18 Surface level Soil 1% rate

## Township No 29 North

chains

- East on random  
line bet. Secs 8<sup>and</sup> 17  
Variation 13° 25'
- 40.00 Set post for temporary  
1/4 Sec. Corner
- 74.50 Slough 5 ch. wide  
N.W. and S.E.
- 80.56 Intersect N. and S. line  
at a point 56 lps.  
N. N. corner to Secs.  
8, 9, 16 and 17 from  
which corner I run  
at 89° 36' West on  
true line bet. Secs 8<sup>and</sup> 17  
Variation 13° 25'
- 40.28 Set post, deposit  
chain's stake, raise  
mound of earth with  
pits as per instruc-  
tions for 1/4 Sec. Corner
- 80.56 Corner to Secs 7, 8, 17  
and 18  
Surface level,  
Soil 1" rate  
August

## Range No 16 West

chains

- West on random  
line bet. Secs 7<sup>and</sup> 18  
Variation 113° 40' E
- 40.00 Set post for temporary  
1/4 Sec. Corner
- 79.77 Intersect West boundary  
of Township at a point  
19 lps. South of corner  
to Secs 7 and 18 from  
which corner I run  
at 89° 52' East  
on true line bet  
Secs 7<sup>and</sup> 18  
Variation 13° 40' East
- 39.77 Set post, deposit chain's  
stake, raise mound  
of earth with pits  
as per instructions  
for 1/4 Sec. Corner
- 79.77 Corner to Secs 7, 8, 17  
and 18  
Surface level  
Soil 2" rate.

## Township No 29 North-

chains

North-bet. Secs. 7<sup>th</sup> & 8<sup>th</sup>  
 Variation 13° 05' E  
 40.00 Set post, deposit chain  
 stake, raise mound  
 of earth - with pits  
 as per instructions  
 for 1/4 Sec. Corner  
 68.00 Leave Bottom N.W. C.  
 80.00 Set post, deposit chain  
 stake, raise mound  
 of earth - with pits  
 as per instructions  
 for Corner to Secs. 5, 6, 7  
 Aug 8  
 Surface level  
 Soil 1<sup>st</sup> rate

Range No 16 West 6<sup>th</sup> P.M.

chains

East on raydown  
 line bet. Secs. 5<sup>th</sup> and 8<sup>th</sup>  
 Variation 13° 25' East  
 40.00 Set post for temporary  
 1/4 Sec. Corner  
 50.00 Enter Bottom N.E.  
 Aug 8  
 80.45 Intersect of N. and S.  
 line at a point  
 63 lks. North of  
 corner to Secs. 4, 5,  
 8 and 9 from which  
 corner I run  
 N 89° 33' West  
 on true line bet. Secs.  
 5 and 8  
 Variation 13° 25' E  
 40.22<sup>4</sup> Set post, deposit chain  
 stake, raise mound  
 of earth - with pits  
 as per instructions  
 for 1/4 Sec. Corner  
 80.25<sup>4</sup> Corner to Secs. 5, 6, 7  
 Aug 8  
 Surface 1<sup>st</sup> 50 ch. rolling  
 Soil 3<sup>rd</sup> rate  
 Balance level 7<sup>th</sup> rate

Township No 29 North

chains

West on random  
line bet. Sec. 6<sup>and</sup> 4  
Variation 13° 58' E

28.00 Enter Bottom N.W. <sup>and</sup>  
S.E.

40.00 Set post for temporary  
1/4 Sec. Corner

80.00 Intersect West Bound-  
ary of Township at  
a point 60 lbs North  
of corner to Sec. 6<sup>and</sup> 4  
from which corner  
I run  
N 89° 44' East on  
true line bet. Sec.  
6<sup>and</sup> 7  
Variation 13° 38' E

40.00 Set post, deposit chain  
stake, raise mound  
of earth with pits, as  
per instructions for  
1/4 Sec. Corner

80.00 Corner to Sec. 5, 6, 7  
and 8  
Surface 1<sup>st</sup> rock rolling  
Soil 3<sup>rd</sup> rate Balance  
level - Soil 2<sup>nd</sup> rate

Range No 16 West 1/4 P.M.

chains

North on random  
line bet. Sec. 5<sup>and</sup> 6  
Variation 13° 15' E

40.00 Set post for temporary  
1/4 Sec. Corner

79.20 Intersect North  
Boundary of Township  
at a point 48 lbs East  
of corner to Sec. 5<sup>and</sup> 6  
from which corner  
I run  
S. 21° E on  
true line bet. Sec.  
5<sup>and</sup> 6  
Variation 13° 15' E

39.20 Set post, deposit chain  
stake, raise mound  
of earth with pits, as  
per instructions for  
1/4 Sec. Corner

79.20 Corner to Sec. 5, 6, 7  
and 8  
Surface rolling  
Soil 3<sup>rd</sup> rate -  
Aug 18<sup>th</sup> 1872



We hereby certify that  
we, assented to Henry  
Logan's Report respecting  
Survey in Surveying  
and Sub-division of  
Township No. 26  
of the base line of  
Range No. 10  
of the 6th Twp. Mer.  
and that said Town-  
ship has been in  
all respects to the  
best of our knowledge  
and belief well and  
faithfully surveyed  
and the boundary  
monuments planted  
according to the instruc-  
tions furnished by the  
Surveyor General.

Frank Crowell  
Anthony H. Clinton } Chairman  
James Pike } Members  
J. S. Potts }  
Hagman

Subscribed and sworn  
to by the above named  
persons, before me a  
Notary Public for  
Antelope County, State  
of Nebraska, this 29<sup>th</sup>  
day of Aug 1872

J. C. Blanchard  
Notary Public

J. H. Camp, Esq., Deputy  
Surveyor, do solemnly  
swear that in pursuance  
of a joint Contract between  
William H. Miller, Deputy  
Comr. of George T. Kempall  
are joint Contractors  
with E. C. Cunningham,  
Esq., Survey General  
for Iowa and Nebraska,  
dated June 25<sup>th</sup> 1872,  
I have well, faithfully  
and truly, in my own  
proper person and  
in strict conformity  
to the instructions  
furnished by the Survey  
General, of the laws  
of the United States  
surveyed all that  
part or portions of  
Township No 29  
North, Range, No  
16 West, of the  
6th R. M. as are

represented in the foregoing  
field notes as having been  
surveyed under my direct  
-ion; and I do further  
solemnly swear that all  
the claims of said surveys  
have been established  
and perpetuated in  
strict accordance  
with the Surveying Manual &  
printed instructions, & that the foregoing are  
the true & original field notes of  
such surveys.  
Deputy Surveyor

Subscribed by said  
Henry A. Fort  
Deputy Surveyor  
and sworn to before  
me a Notary Public  
for Antelope County  
State of Nebraska  
this 29<sup>th</sup> day of August  
1872

H. Blanchard  
Notary Public

Deputy for Secy. Office  
Hall Street No. 104 1872

The foregoing transcript of the  
field notes of the survey and  
re-division of Township 700  
29<sup>th</sup> North Range 16<sup>th</sup> West  
Executed by Henry Court  
under joint contract S. S. dated  
June 25<sup>th</sup> 1872, when in Company  
with Henry Court & George  
S. Kendall were joint contractors  
in the month of August 1872,  
having been critically  
Examined the necessary cor-  
rections & explanations  
made the said field notes  
and surveys they describe  
are hereby approved  
E. E. Cunningham  
Surveyor General

Town 30 N Range 16 W

6	69	5	44	4	33	3	22	2	11	1
69	58		42		32		21			10
7	57	8	42	9	31	10	20	11	9	12
56	65		41		30		19			8
18	62	17	40	16	29	15	8	14	7	13
53	62		39		28		17			6
19	51	20	38	21	27	22	16	23	5	24
50	49		37		26		15			4
30	48	29	36	28	25	27	14	26	3	25
47	46		35		24		13			2
31	45	32	34	33	23	34	12	35	1	36

Field Notes  
of the  
Survey of Sub-divisions  
of Township No 30 North  
of the  
Base Line  
of  
Range No 16 West  
of the  
Principal Meridian,  
in the  
State of Nebraska.

Executed  
by Henry Court, Deputy  
Surveyor, under  
contract No 578, dated  
June 25<sup>th</sup> 1842.

Survey  
Commenced August 19<sup>th</sup> 1842  
Completed August 23<sup>d</sup> 1842

List of Names.

A list of the names  
of the individuals  
employed to assist  
in surveying and  
sub-dividing this  
Township.

Frank Cornell Chairman  
Anthony W. Clifton

J. G. Porter (Moundville)  
James Pike (Armenia)  
Glaganard

To determine the proper  
adjustment of my  
compass for subdividing  
this Township. I  
begin at the S.E.  
corner and run  
thence

North along the East  
Boundary of Sec. 36.

40.00

To 1/4

Variation 13° 45' E  
Sec. Corner

80.00

To Corner to Sec. 25<sup>th</sup> 36

Therefore my compass  
is in proper adjustment.

1  
Township No 30 North

chains North bet. Sec. 35<sup>and</sup> 36  
Variation 13° 45' E  
4000 Set post, deposit chained  
stakes, raise mound  
of earth with pits, as  
per instructions for  
1/4 Sec. Comy.  
8000 Set post, deposit  
chained stakes, raise  
mound of earth with  
pits as per instructions  
for corner to Sec. 25,  
26, 35 and 36  
Surface level  
Soil 1" rate

2  
Range No 16 West of 1<sup>st</sup> P.M.

chains East on random line  
bet. Sec. 25 and 36  
Variation 13° 50' E  
4000 Set post for temporary  
1/4 Sec. Comy.  
7982 Intersect East  
Boundary of Township  
at post, proper to Sec  
35 and 36 from which  
corner I run  
Up on a true line  
bet Sec. 25 and 36  
Variation 13° 50' E  
3991 Set post, deposit  
chained stakes raise  
mound of earth with  
pits, as per instructions  
for 1/4 Sec. Comy.  
7982 Corner to Sec. 35, 26,  
35 and 36  
Surface level  
Soil 1" rate

Township No 30 North

chains

North bet. Secs.

25 and 26

Variation  $13^{\circ}50'$

40.00 Set post, deposit chain  
stake raise mound  
of earth - with pits  
as per instructions  
for  $\frac{1}{4}$  Sec. Corner

80.00 Set post, deposit  
chain stake raise  
mound of earth -  
with pits, as per  
instructions for  
corner to Secs 23,  
24, 25 and 26  
Surface level  
Set  $1''$  rate

Range No 16 West <sup>1/4</sup> Sec.

chains

East on random line  
bet. Secs 24 and 25

Variation  $13^{\circ}50'$

40.00 Set post, for temporary  
 $\frac{1}{4}$  Sec. Corner

80.00 Intersect East  
Boundary of Township  
at opposite corner  
to Section 24 and 25  
from which corner  
I run

West on a true line  
bet. Secs 24 and 25

Variation  $13^{\circ}50'$

40.00  $\frac{1}{2}$  Set post, deposit  
chain stake raise  
mound of earth - with  
pits as per instructions  
for  $\frac{1}{4}$  Sec. Corner

80.05 Corner to Secs 23, 24,  
25 and 26

Surface level  
Set  $1''$  rate

Township No 30 North

chains

North bet. Sec. 23<sup>rd</sup> & 24<sup>th</sup>  
 Variation 13° 30' E  
 40.00 Set post, deposit  
 chained stake, raise  
 mound of earth  
 with pits, as per  
 instructions for 1/4  
 Sec. Corner.  
 80.00 Set post, deposit  
 chained stake, raise  
 mound of earth  
 with pits, as per  
 instructions for  
 Corner to Sec. 13, 14,  
 23 and 24  
 Surface level  
 Soil 1<sup>st</sup> rate

Range No 16 West 6<sup>th</sup> P.M.

chains

East on random  
 line bet. Sec. 13<sup>rd</sup> & 24<sup>th</sup>  
 Variation 13° 50' East  
 40.00 Set post for temporary  
 1/4 Sec. Corner.  
 80.20 Intersect East Bound  
 - any of Township at  
 a point 12<sup>th</sup> North  
 of corner to Sec. 13 &  
 24 from which corner  
 I found  
 89° 55' West on  
 true line bet. Sec.  
 13 and 24  
 Variation 13° 50' E  
 40.10 Set post, deposit chained  
 stake, raise mound  
 of earth with pits as  
 per instructions for  
 1/4 Sec. Corner.  
 80.20 Corner to Sec. 13, 14,  
 23 and 24  
 Surface level  
 Soil 1<sup>st</sup> rate

Township No 30

chains North Sec. 13<sup>and 14</sup>  
 Variation 13<sup>and 14</sup> 50° E  
 36.00 Enter marsh & <sup>and 14</sup>  
 38.00 Leave N.E. <sup>and S.W.</sup>  
 40.00 Set post, deposit-chained  
 stake, raise mound  
 of earth-milk-pits, as  
 per instructions for '14  
 Sec. Corner  
 80.00 Set post, deposit-chained  
 stake, raise mound  
 of earth-milk-pits as  
 per instructions for  
 corner to Sec. 11, 12, 13  
 and 14  
 Surface level  
 Soil 1<sup>st</sup> rate.

Range No 16 West 6<sup>degrees</sup>

chains East on random line  
 bet. Sec. 12<sup>and 13</sup>  
 Variation 13<sup>and 14</sup> 45° East  
 40.00 Set post for temporary  
 '14 Sec. Corner  
 80.22 Intersect East  
 Boundary of Township  
 at a point of 10<sup>th</sup> N. of  
 corner to Sec. 12<sup>and 13</sup>  
 from which corner  
 I run  
 289 + 56 West on  
 true line bet. Sec.  
 12<sup>and 13</sup>  
 Variation 13<sup>and 14</sup> 45° E  
 40.11 Set post, deposit  
 chained stake, raise  
 mound of earth-  
 milk-pits, as per  
 instructions for '14  
 Sec. Corner  
 80.22 Corner to Sec.  
 11, 12, 13 and 14  
 Surface level  
 Soil 1<sup>st</sup> rate

9  
Township No 30 North

chains  
North bet. Secs 11<sup>9</sup>/<sub>12</sub>  
Variation 13° 38' 00"  
40.00 Set post, deposit chain  
stake, raise mound  
of earth with pits  
as per instructions  
for 1/4 Sec. Corner  
70.00 Elkspan River runs S.E. 20<sup>th</sup> mile  
80.00 Set post, deposit,  
chain stake raised  
mound of earth  
with pits, as per  
instructions for  
corner to Sec. 11, 2, 11  
and 12  
Surface level  
Soil 1<sup>st</sup> rate

10  
Range No 16 West 1/2<sup>nd</sup> 1/4<sup>th</sup>

chains East on random  
line bet. Secs 1<sup>11</sup>/<sub>12</sub> and 12  
Variation 13° 45' 00"  
40.00 Set post, for temporary  
1/4 Sec. Cu.  
73.00 Leave Bottom N.W.  
1/4 S.E.  
80.22 Intersect East Bound  
any of Township at  
a point 30 Ch. North  
of corner to Secs 1<sup>11</sup>/<sub>12</sub>  
from which corner  
I run  
N 89° 44' West on  
true line bet. Secs 1<sup>9</sup>/<sub>12</sub>  
Variation 13° 45' 00"  
40.11 Set post, deposit chain  
stake, raise mound  
of earth with pits,  
as per instructions  
for 1/4 Sec. Corner  
80.22 Corner to Secs 1, 2,  
11 and 12  
Surface level  
Soil 1<sup>st</sup> rate

Township No 30<sup>th</sup> Et.

chains

North <sup>in range definition</sup> bet. Sec. 1<sup>st</sup> & 2<sup>nd</sup>  
 Variation 13° 40' East  
 40.00 Set post for temporary  
 1/4 Sec. Corner  
 40.00 Leave Bottom N.W. 1/4 Sec.  
 49.96 Intended East Bound  
 - any of Township at  
 N.W. corner to Sec. 1  
 from which corner  
 I place  
 South on a true line  
 bet. Sec. 1<sup>st</sup> and 2<sup>nd</sup>  
 Variation 13° 40' E.  
 39.96 Set post, deposit  
 chained stake raise  
 mound of earth  
 with pits, as per  
 instructions for  
 1/4 Sec. Corner  
 49.96 Corner to Sec. 1, 2, 11  
 and 1, 2  
 Surface level  
 Soil 1<sup>st</sup> rate  
 Aug 19<sup>th</sup>

Range No 16 North 6<sup>th</sup> R.M.

chains

North bet. Sec. 34<sup>th</sup> and 35<sup>th</sup>  
 Variation 13° 40' East  
 40.00 Set post, deposit  
 chained stake raise  
 mound of earth with  
 pits, as per instructions  
 for 1/4 Sec. (N.)  
 80.00 Set post, deposit  
 chained stake raise  
 mound of earth  
 with pits, as per  
 instructions for Corner  
 to Sec. 26, 27, 34<sup>th</sup> and 35<sup>th</sup>  
 Corner to Sec. 26, 27,  
 34<sup>th</sup> and 35<sup>th</sup>  
 Surface level  
 Soil 1<sup>st</sup> rate

Township No 30 North

chains

East on random  
line bet Sec. 26<sup>and</sup> 35

Variation 18° 40' E  
40.00 Set post for temporary  
1/4 Sec. Corner

80.02 Intersect ~~of~~ Sec. 25  
at a point, corner  
to Sec. 25, 26.

35 and 36 from  
which corner I run  
West on a true line  
bet Sec. 26<sup>and</sup> 35

Variation 18° 40' E  
40.01 Set post, deposit - chain  
stake, raise mound  
of earth with pits, as  
per instructions for  
1/4 Sec. Corner.

80.02 Corner to Sec. 26,  
27, 34 and 35  
Surface level  
Soil 1<sup>st</sup> rate

Range No 16 West 1<sup>st</sup> M.

chains

North-bet. Sec. 26<sup>and</sup> 27  
Variation 18° 40' E

40.00 Set post, deposit -  
chain stake, raise  
mound of earth with  
pits as per instruct  
-ions for 1/4 Sec. <sup>(11)</sup>

80.00 Set post, deposit -  
chain stake, raise  
mound of earth  
with - per instructions  
for corner to Sec. 26,  
23 and 26 and 27.

Surface level  
Soil 1<sup>st</sup> rate

## Township No 30 North

chains

East in random line  
bet Secs. 23 and 26

Variation 18° 40' East

40.00

Set post for temporary  
1/4 Sec. Corner

79.77

Intersect 1/4 Sec. Flue  
at a point - 3 lbs. S.of corner to Secs. 23,  
24, 25 and 26from which corner  
I runS 89° 39' West on true  
line bet. Secs. 23 and 26

Variation 18° 40' E.

39.88

Set post, deposit chanced  
stake, raise moundof earth - with pits  
as per instructionsfor 1/4 Sec. Corner  
Corner to Secs. 23,  
24, 25 and 26.

79.55

Surface level  
Soil 1" rate -Range No 16 West 46<sup>th</sup> N.

chains

North bet. Secs. 22 and 23

Variation 13° 40' E.

40.00

Set post, deposit chanced  
stake, raise moundof earth - with pits as  
per instructions for

1/4 Sec. Corner

80.00

Set post, deposit  
chanced stake, raisemound of earth -  
with pits - as perinstructions for  
corner to Secs. 14, 15,  
22 and 23.Surface level  
Soil 1" rate.

## Township No 30 North

chains

Go out on random line  
bet. Secs. 14<sup>and</sup> 23

Variation 13°40' E  
40.00 Set post for temporary  
1/4 Sec. Corner

79.75 Intersect of said  
line at a point 38  
lk. South of corner  
to Secs. 13, 14, 23

<sup>and</sup> 24 from which  
corner run  
S 89°48' West on  
true line bet. Secs.  
14<sup>and</sup> 23

Variation 13°40' E  
39.57 1/2 Set post, deposit-claim  
stake, raise mound  
of earth - with pits  
carper instructions  
for 1/4 Sec. Corner.

79.75 Corner to Secs. 14, 15  
23<sup>and</sup> 23  
Surface level  
Soil 1<sup>st</sup> rate

Range No 16 West 1<sup>st</sup> P.M.

chains

North bet Secs. 14<sup>and</sup> 15  
Variation 13°40' E

40.00 Set post, deposit-claim  
stake, raise mound  
of earth, with pits  
carper instructions  
for 1/4 Sec. Cor.

80.00 Set post, deposit-claim  
stake, raise mound  
of earth - with pits  
carper instructions  
for Corner to Secs.  
10, 11, 14<sup>and</sup> 15

30.00 Surface level  
Soil 1<sup>st</sup> rate

Township No 30 North

chains East on random  
line bet. Secs. 11<sup>th</sup> & 14<sup>th</sup>4000 Variation 13° 45' East  
Set post. deposit temporary  
14 Sec. Corner8026 Intersect N. and S.  
line at a point 14  
lk. South of corner  
to Secs. 11<sup>th</sup> and 14<sup>th</sup> from  
which I run  
89' 34" West on  
true line bet. Secs.  
11<sup>th</sup> and 14<sup>th</sup>4013 Variation 13° 40' E  
Set post. deposit  
chained stake, same  
mound of earth  
with pits as per  
instructions for  
14 Sec. Corner8026 Corner to Secs. 10, 11,  
14 and 15  
Surface level  
Soil 1" scaleRange No 16 West 6<sup>th</sup> T. 11<sup>th</sup> N.chains North bet. Secs. 10<sup>th</sup> & 11<sup>th</sup>  
Variation 13° 35' E4000 Set post. deposit chained  
stake, same mound  
of earth with pits as  
per instructions for  
14 Sec. Corner8000 Set post. deposit  
chained stake, same  
mound of earth  
with pits, as per  
instructions for  
corner to Secs. 2, 3,  
10 and 11  
Surface level  
Soil 1" scale

## Township No 30 N.

chains	
	Start on random line bet. Sec. 2 and 11
	Variation $13^{\circ}40'E$
40.00	Set post for temporary 1/4 Sec. Corner.
68.00	Elkhorn River 20 1/2 <sup>1/2</sup> mile more S.E.
70.00	Elkhorn River 20 1/2 <sup>1/2</sup> mile more N.E.
71.50	Elkhorn River 20 1/2 <sup>1/2</sup> mile more S.E.
80.05	Intersect of said line at a point 5 1/2 <sup>1/2</sup> N. of corner to Sec. 1, 2, 11 and 12 from which corner I run N $89^{\circ}58'$ West on true line bet. Sec. 2 and 11
	Variation $13^{\circ}40'E$
40.02 1/2	Set post, deposit chain stake, raise mound of earth with pits as per instructions for 1/4 <sup>1/2</sup> Sec.
80.05	Corner to Sec. 2, 3, 10, 11 Surface level Sold 1 <sup>1/2</sup> sale Aug 20 <sup>th</sup> 1880

Range No 16 West 6<sup>1/2</sup> W

chains	
	Start on random line bet. Sec. 2 and 3
	Variation $13^{\circ}35'E$
40.00	Set post, for temporary 1/4 Sec. Corner.
68.75	Elkhorn River 25 1/2 <sup>1/2</sup> mile more S.E.
80.11	Intersect of said line - any of Township at a point 25 1/2 <sup>1/2</sup> West of corner to Sec. 2, 3 from which corner I run S $11^{\circ}$ on true line bet. Sec. 2 and 3
	Variation $13^{\circ}35'E$
40.05 1/2	Set post, deposit chain stake, raise mound of earth with pits as per instructions for 1/4 <sup>1/2</sup> Sec. Corner.
80.11	Corner to Sec. 2, 3, 10 and 11 Surface level Sold 1 <sup>1/2</sup> sale Aug 20 <sup>th</sup> 1880

Township No 30

chains

North bet. Sec 33<sup>rd</sup> & 34<sup>th</sup>

Variation 13° 35'

40.00 Set post, deposit chains  
stakes raise mound  
of earth with pits

as per instructions  
for 44 Sec. Corner

80.00 Set post, deposit  
chained stakes raise  
mound of earth  
with pits, as per  
instructions for  
corner to Secs. 27, 28,  
33 and 34.

Surface level  
Soil 1<sup>st</sup> rate

Range No 16 West 4<sup>th</sup> M.

chains

East on random  
line bet. Sec. 27<sup>th</sup> & 34<sup>th</sup>

Variation 13° 30'

40.00 Set post for temporary  
44 Sec. Corner

80.00 Intersect Main Line  
at a point 10<sup>th</sup> bl. Sec  
corner to Secs. 26, 27,  
34 and 35 from which  
corner I run  
S 89° 56' West on  
true line bet. Secs  
27 and 34

Variation 13° 36'

40.00 Set post, deposit chained  
stakes raise mound  
of earth with pits  
as per instructions  
for 44 Sec. Corner

80.00 Corner to Secs. 27, 28,  
33 and 34

Surface level  
Soil 1<sup>st</sup> rate

Township No 30 South

chain

North bet. Secs. 27 &amp; 28

Variation  $13^{\circ}35'E$ 40.00 Set post, deposit chain  
stake, raise mound  
of earth - with pits  
as per instructions  
for "4 Sec. Corn.80.00 Set post, deposit chain  
stake, raise mound  
of earth - with pits,  
as per instructions  
for corner to Secs.  
21, 22, 27 and 28Surface level  
Soil 1<sup>st</sup> rateRange No 16 West 6<sup>th</sup> P.M.chain East on railroad  
line bet. Secs. 22<sup>nd</sup> & 27Variation  $18^{\circ}30'E$ 40.00 Set post for temporary  
"4 Sec. Corn.49.79 Intersect N<sup>th</sup> & S<sup>th</sup>  
line at a point 6blk. N. of corner to  
Secs. 22, 23, 26and 27 from which  
corner I runN  $89^{\circ}05'$  West per  
true line bet. Secs.

22 and 27

Variation  $13^{\circ}30'E$ 39.89 Set post, deposit  
chain stake, raise  
mound of earth - with  
pits, as per instruct-  
ions for "4 Sec. Corn.49.79 Corner to Secs. 21, 22,  
27 and 28Surface level  
Soil 1<sup>st</sup> rate

## Township No 30 N.

chains North bet. Secs 21 and 22  
 Variations 18° 35' E  
 40.00 Set post, deposit  
 chanced stake, raise  
 mound of earth  
 with pits, as  
 per instructions  
 for 1/4 Sec. Corner  
 80.00 Set post, deposit  
 chanced stake  
 raise mound  
 of earth with pits  
 as per instructions  
 for Corner to Secs  
 15, 16, 21 and 22  
 Surface level  
 Soil 1" rate

Range No 16 West 6<sup>th</sup> P.M.

chains East on random  
 line bet. Secs 15 and  
 22  
 Variations 18° 30' E  
 40.00 Set post by temporary  
 1/4 Sec. Corner  
 79.98 Intersect N. and S. line  
 at a point 15 lb. S.  
 N. of corner to Secs  
 14, 15, 22 and 23  
 from which corner  
 I run  
 N 89° 54' West of  
 true line bet. Secs 15  
 and 22  
 Variations 18° 31' E  
 39.99 Set post, deposit,  
 chanced stake, raise  
 mound of earth  
 with pits, as per  
 instructions for  
 1/4 Sec. Corner  
 79.98 Corner to Secs 15, 16,  
 21 and 22 -  
 Surface level  
 Soil 1" rate

29

## Township No 30 N. 16 W.

chains

North bet. Secs 15

and 16

Variation  $3^{\circ} 35'$ 

40.00

Set post, deposit chain  
stake, raise mound  
of earth - with pits  
as per instructions

for 1/4 Sec. Corner.

80.00

Set post, deposit  
chain stake, raise  
mound of earth  
with pits, as per  
instructions for  
corner to Secs 9, 10, 15  
and 16Surface level  
Soil 1<sup>st</sup> rate -

chains

## Range No 16 N. 16 W.

30

East on random  
line bet. Secs 10 and 15Variation  $18^{\circ} 30'$ 

40.00

Set post for temporary  
1/4 Sec. Corner.

80.03

Intersect N. and S.  
line at a point 43.43ft. of corner to Secs  
10, 14, 14 and 15 from  
which corner

I run

at  $89^{\circ} 42'$  West on  
true line bet. Secs  
10 and 15Variation  $18^{\circ} 30'$ 

40.00

Set post, deposit  
chain stake, raise  
mound of earth  
with pits as per  
instructions for 1/4  
Sec. Corner.

80.03

Corner to Secs 9, 10,  
15 and 16.Surface level  
Soil 1<sup>st</sup> rate -

## Township No 30 N.

chains

North bet. Secs 9<sup>th</sup> & 10<sup>th</sup>  
 Variation 13° 30' E  
 40,000 Set post, deposit chain  
 stake, raise mound  
 of earth with pits  
 as per instructions  
 for 74 Sec. Corners  
 80,000 Set post, deposit  
 chain stake, raise  
 mound of earth  
 with pits, as per  
 instructions for  
 corner to Secs 3, 4, 9  
 and 10  
 Surface level  
 Soil 1" rate

Range No 16 West 6<sup>th</sup> P.M.

chains

East on random  
 line bet. Secs 3<sup>rd</sup> & 10<sup>th</sup>  
 Variation 13° 30' E  
 40,000 Set post for temporary  
 74 Sec. Corner  
 80,000 Intersect of  
 line at a point  
 56' North of corner  
 to Secs 2, 3, 10<sup>th</sup>  
 11 from which  
 corner run  
 N 89° 36' West  
 on true line bet.  
 Secs 3<sup>rd</sup> and 10<sup>th</sup>  
 Variation 13° 30' E  
 40,000 Set post, deposit  
 chain stake, raise  
 mound of earth, with  
 pits, as per instruct  
 ions for 74 Sec. Corn  
 80,000 Corner to Secs 3, 4,  
 9 and 10  
 Surface level  
 Soil 1" rate

## Township No 30 South

chains North <sup>in paper draft</sup> bet. Secs 3<sup>rd</sup> & 4<sup>th</sup>  
Variation 13° 30' E

40.00 Set post for center line  
1/4 Sec. Corner

79.77 Intersect North  
Boundary of Township  
at a point of 17 1/2' West  
of corner to Secs 3<sup>rd</sup> & 4<sup>th</sup>  
from which corner

run  
S 7° West on true  
line bet. Secs 3<sup>rd</sup> & 4<sup>th</sup>  
Variation 13° 30' East

39.77 Set post, deposit chain  
stake, raise mound  
of earth - with pits  
as per instructions  
for 1/4 Sec. corner,

79.77 Corner to Secs 3, 4,  
9 and 10

Surface level  
Soil 1" rate

Aug 21<sup>st</sup> 4

Range No 16 West <sup>1/4</sup> Sec. 11.

chains North bet. Secs 32  
and 33

Variation 13° 35' E  
40.00 Set post, deposit chain  
stake, raise mound  
of earth - with pits  
as per instructions  
for 1/4 Sec. corner

80.00 Set post, deposit  
chain stake, raise  
mound of earth  
with pits as per  
instructions for  
corner to Secs 28, 29,  
32 and 33

Surface rolling  
Soil sandy - 3/4 rate

## Township No 30

chains East on range line  
line bet. Secs 28<sup>and</sup>  
33

Variation  $13^{\circ}40'$  41.00  
4000 Set post for temporary

1/4 Sec. Corner of  
Loc. Sandy land  
55.00 ~~XXXX~~ ~~XXXXXX~~ S. W.  
and S. E.

8000 Interest N and S line  
at post. corner to Secs  
27, 28, 33 and 34  
from which corner

Drawn  
West on true line bet  
Secs 28<sup>and</sup> 33

Variation  $13^{\circ}40'$   
4000 Set post, deposit chain  
stake, rail mound  
of earth with pits  
as per instructions  
for 1/4 Sec. Corner

8000 Corner to Secs 28,  
29, 32 and 33

Surface 1<sup>st</sup> 50 ch. with  
Soil sandy - 3<sup>rd</sup> rate  
Balance level  
Soil 1<sup>st</sup> rate

Range No 16 West 6<sup>th</sup> P.M.

chains North bet. Secs 28<sup>and</sup>

29 Variation  $13^{\circ}35'$  East

Set post, deposit chain  
stake, rail mound  
of earth with pits as  
per instructions for

1/4 Sec. Corner of  
Loc. Sandy land  
~~XXXX~~ ~~XXXXXX~~ S. E. W.

8000 Set post, deposit chain  
stake, rail mound  
of earth with pits  
as per instructions  
for Corner to Secs 20,  
21, 28<sup>and</sup> 29

Surface rolling  
Soil sandy - 3<sup>rd</sup> rate

Township No 30 North

chains

East on random line bet. Sec. 21 & 22

Variation 13° 40'

4,000 Set post by tape many 1/4 Sec. Corner

79.96 Intersect Pt. NW 1/4 line at a point 7 1/2

South of corner to Sec. 21, 22, 27 and 28

from which corner I run

S 89° 57' West on a line bet. Sec. 21 & 22

Variation 13° 40'

39.98 Set post, deposit chained stakes, raise mound of earth with pits, as per instructions for 1/4 Sec. Corner

79.96 Corner to Sec. 20, 21, 28 and 29

Surface level Soil 1<sup>st</sup> rate

Range No 16 West 6<sup>th</sup> RW

chains

North bet. Sec. 20 & 21 (Variation 13° 35')

4,000

Set post, deposit chained stakes, raise mound of earth with pits as per instructions for 1/4 Sec. Corner

8,000

Set post, deposit chained stakes, raise mound of earth with pits, as per instructions for corner to Sec. 16, 17, 20 and 21

Surface level Soil 1<sup>st</sup> rate

## Township No 30 North Range No 16 West 4th M.B.

chains

- East on random  
line bet Sec. 16<sup>and 21</sup>  
Variation  $13^{\circ}40'$
- 41.50 Set post, fa temporary  
Sec. Corner
- 79.88 Intersect N. and S. line  
at a point 10 W. South  
of corner to Sec. 15  
16, 21 and 22 from  
which corner run  
S 89° 56' West on  
true line bet Sec.  
16 and 21  
Variation  $13^{\circ}40'$
- 39.94 Set post, deposit chain  
stake, raise mound  
of earth - with pits as  
per instructions  
for 1/4 Sec. Corner
- 79.88 Corner to Sec. 16, 17,  
20 and 21  
Surface level  
Soil 1<sup>st</sup> rate

chains

- North - bet. Sec. 16<sup>and 17</sup>  
Variation  $13^{\circ}40'$
- 41.50 Set post, deposit chain  
stake, raise mound  
of earth - with pits  
as per instructions  
for 1/4 Sec. Corner
- 80.00 Set post, deposit  
chain stake, raise  
mound of earth  
with pits as per  
instructions for  
corner to Sec.  
8, 9, 16 and 17  
Surface level  
Soil 1<sup>st</sup> rate

Township No 30 State Range No 16 West 6<sup>th</sup> P.M.

chain East on random  
line bet. Secs 9<sup>th</sup> & 16

Variation  $18^{\circ}40'$

40.00 Set post. for temporary  
1/4 Sec. Corner

80.00 Intersect E. and S. line  
at a point 20 lks. S  
of corner to Secs 9<sup>th</sup> & 16  
from which corner

I run  
S  $89^{\circ}31'$  West on  
line bet. Secs 9<sup>th</sup> & 16

Variation  $13^{\circ}40'$

40.00 Set post. deposit  
chained stake raised  
mound of earth  
with pits as per  
instructions for  
1/4 Sec. Corner.

80.00 Corner to Secs 8,  
9, 16 and 17

Surface level  
Soil 1<sup>st</sup> rate

chain North bet. Secs

8<sup>th</sup> & 9<sup>th</sup> Variation  $13^{\circ}45'$

40.00 Set post. deposit chained  
stake, raise mound of  
earth with pits, as  
per instructions for  
1/4 Sec. Corner.

80.00 Set post. deposit chained  
stake, raise mound  
of earth with pits  
as per instructions  
for corner to Secs

14, 15, 8 and 9  
Surface level  
Soil 1<sup>st</sup> rate

## Township No 30 North

chain

East on random  
line bet. Sec. 4 & 5  
Variation 13° 40'

40.00 Set post for temporary  
Sec. Corner.

79.95 Intersect North  
line at a point 14 lks  
South of corner to Sec.  
3, 4, 9 and 10 from which  
corner I run  
889° 34' West on true  
line bet. Sec. 4 and 5  
Variation 13° 40'

39.97 Set post, deposit chain  
stakes, raise mound  
of earth with pits  
as per instructions  
for 14 Sec. Corner

49.95 Corner to Sec. 4, 5, 8  
Aug 9  
Surface  
Soil

## Range No 16 West 1/4 P.M.

chain

South on random  
line bet. Sec. 4 and 5  
Variation 13° 40'

12.00 Draw descends S.W.

40.00 Set post for temporary  
14 Sec. Corner.

79.68 Intersect North Bound  
any of Township  
at a point 3 lks East  
of corner to Sec. 4 and 5  
from which corner  
I run  
S 1° East on true  
line bet. Sec. 3, 4 and 5  
Variation 13° 40'

39.68 Set post, deposit  
chain stakes, raise  
mound of earth with  
pits as per instruction  
lines for 14 Sec. Corner.

79.68 Corner to Sec. 4,  
3, 8 and 9  
Surface level  
Soil 1/2 rate

Township No. 30 North

chains North bet. Secs. 31<sup>st</sup> & 32<sup>nd</sup>

Variation 13° 40' E

40.00 Set post, deposit chain  
stakes, raise mound  
of earth - with pits  
as per instructions  
for 1/4 Sec. Corner.

80.00 Set post, deposit  
chain & stake, raised  
mound of earth -  
with pits, as per  
instructions for  
corner to Secs. 29.

30, 31<sup>st</sup> & 32<sup>nd</sup>  
Surface rolling  
Soil sandy 3" rule

Range 16 West of R.M.

chains East on random line  
bet. Secs. 29<sup>th</sup> and 32<sup>nd</sup>

Variation 13° 40' E

40.00 Set post for temporary  
1/4 Sec. Corner

80.02 Intersect N. and S.  
line at a point 5 1/2'

North of corner to Secs.  
28, 29, 32<sup>nd</sup> and 33<sup>rd</sup> from

which corner I raise  
N 89° 58' West on true  
line bet. Secs. 29<sup>th</sup> & 32<sup>nd</sup>

Variation 13° 40' East

40.01 Set post, deposit chain  
stakes raise mound

of earth - with pits  
as per instructions  
for 1/4 Sec. Corner

80.02 Corner to Secs. 29, 30,  
31<sup>st</sup> and 32<sup>nd</sup>

Surface gently rolling  
Soil sandy 3" rule

47

Township No 30 North

chains

West on random  
line bet. Sec. 30<sup>W</sup> & 31

Variation 13° 41'

40.00 Set post for temporary

1/4 Sec. Corner

79.53 Intersect West bound

any of Township at

appoint 4<sup>th</sup> of Sec. 30

corner to Sec. 30

from which corner

I run

N 89° 58' East on

true line bet. Sec. 30 &amp; 31

Variation 13° 41' East

39.53 Set post, deposit

chained stake, raise

mound of earth

with pits as per

instructions for

1/4 Sec. Corner

79.53 Corner to Sec. 29, 30,

31 and 32

Surface rolling

Soil sandy 3% salt

480

Range No 16 West 6<sup>th</sup> Range

chains

North bet. Sec. 29 &amp; 30

Variation 13° 40' E

40.00 Set post, deposit chained

stake, raise mound

of earth with pits as

per instructions for

1/4 Sec. Corner

50.00 Leave sandy land

N. W. and East

80.00 Set post, deposit

chained stake, raise

mound of earth with

pits, as per instruc-

tions for corner to Sec.

19, 20, 29 and 30

Surface 1" 50<sup>th</sup> rolling

Soil sandy 3% salt

Balance gently rolling

Soil 2% salt

Aug 22<sup>nd</sup> 1872

49 Township No 30 N.

chains East on random  
line bet Sec. 20<sup>and</sup> 29  
Variation 13°40' E

40.00 Set post for temporary  
1/4 Sec. Corner

79.85 Intersect W and S  
line at a point  
21 1/2 kts. N of corner  
to Sec. 20, 21, 28<sup>and</sup> 29  
from which corner  
I run  
N 89° 31' West on  
true line bet. Sec. 20  
<sup>and</sup> 29

Variation 13°40' E  
39.92<sup>p</sup> Set post, deposit  
chain stake, raise  
mound of earth  
with pits as per  
instructions for  
1/4 Sec. Corner

79.85 Corner to Sec. 19, 20,  
29 and 30

Surface gently rolling  
Soil 1<sup>st</sup> rate =

50 Range No 16 West 6<sup>th</sup> P.M.

chains West on random  
line bet Sec. 19<sup>and</sup> 30  
Variation 13°40' E

30.00 Enter sandy land

40.00 <sup>and</sup> ~~Set post for temporary~~ <sup>Set post for temporary</sup> ~~1/4 Sec. Corner~~

79.55 Intersect West bound  
— any of Township at  
approx 14 kts. North of  
the corner to Sec. 19  
<sup>and</sup> 30 from which  
corner I run  
N 89° 54' East on  
true line bet. Sec.  
19<sup>and</sup> 30

Variation 13°40' E  
39.55 Set post, deposit chain  
stake, raise mound  
of earth with pits  
as per instructions  
for 1/4 Sec. Corner

79.55 Corner to Sec. 19, 20,  
29 and 30

Surface 1<sup>st</sup> 30 ch. gently rolling  
Soil 1<sup>st</sup> rate  
Balance rolling  
Soil sandy 3<sup>rd</sup> rate

## Township No 30 North

chains North bet. Secs. 19<sup>th</sup> & 20<sup>th</sup>  
 Variation 18° 45' E  
 40.00 Set post, deposit  
 chained stake, raise  
 mound of earth -  
 with-pits as per  
 instructions for  
 1/4 Sec. Corner  
 80.00 Set post, deposit  
 chained stake  
 raise mound  
 of earth with-pits  
 as per instructions  
 for Corner to Sec. 17,  
 20, 29 and 30  
 Surface gently rolling  
 Soil 1<sup>st</sup> rate

Range No 16 West 6<sup>th</sup> P.M.

chains East on random  
 line bet. Secs. 17  
 and 20  
 Variation 18° 48' E  
 41.00 Set post, for temporary  
 1/4 Sec. Corner  
 79.93 Intersect of said  
 line at a point 7<sup>th</sup> P.M.  
 N. of corner to Secs.  
 16, 17, 20 and 29 from  
 which corner I run  
 N 89° 57' West on true  
 line bet. Secs. 17<sup>th</sup> & 20<sup>th</sup>  
 Variation 18° 48' E  
 39.96 Set post, deposit,  
 chained stake, raise  
 mound of earth with-  
 pits as per instructi-  
 ons for 1/4 Sec. Cor-  
 79.93 Corner to Secs. 17, 18,  
 19 and 20  
 Surface, level  
 Soil 1<sup>st</sup> rate

53

Township No 30 N.

chains West on random  
line bet Secs 18<sup>and</sup> 19

4000 Variation 13° 48'

Set post for temporary  
1/4 Sec. Corner

79.35 Intersect West

Boundary of Township  
at a point 17 1/2 ft. W.of corner to Sec. 18  
from which

corner is run

N 89° 53' East on  
true line bet Secs

18 and 19

35  
39.67 Set post, deposit chainstakes, raise mound  
of earth with pitsas per instructions  
for 1/4 Sec. Corner79.35 Corner to Secs 17, 18,  
19 and 20Surface gently rolling  
Soil 1<sup>st</sup> rate54<sup>0</sup>Range No 16 West 16<sup>th</sup> N.chains North bet Secs 17<sup>and</sup> 18

Variation 13° 30'

4000 Set post, deposit chain

stakes, raise mound  
of earth with pitsas per instructions  
for 1/4 Sec. Corner.

8000 Set post, deposit

chain stakes

raise mound of  
earth with pits, asper instructions for  
corner to Secs 17, 18

Surface level

Soil 1<sup>st</sup> rate

## Township No 30 North

chain East on random line  
bet Sec. 8<sup>th</sup> and 17

Variation 13° 40' E

40.00 Set post for temporary  
1/4 Sec. Corner. *Sp*80.04 Intersect N. and S. line  
at a point 25 W. N. of  
of corner to Sec. 8<sup>th</sup> and 17  
from which cornerI run  
N 89° 49' West on  
true line bet. Sec.  
8<sup>th</sup> and 17

Variation 13° 40' E

40.02 Set post, deposit  
chained stake, raise  
mound of earth  
with pits, as per  
instructions for  
1/4 Sec. Corner80.04 Corner to Sec. 7, 8,  
17 and 18Surface level  
Soil 1" rateRange No 16 West 6<sup>th</sup> R.M.chain West on random line  
bet. Sec. 7<sup>th</sup> and 18

Variation 13° 40' East

40.00 Set post for temporary  
1/4 Sec. Corner. *Sp*48.00 In a line descends S. E.  
48.92 Intersect WestBoundary of Township  
at a point 22 links  
N. of corner to Sec.  
7<sup>th</sup> and 18 from which  
corner I runN 89° 51' East on  
true line bet. Sec.  
7<sup>th</sup> and 18

Variation 13° 40' E

8  
38.92 Set post, deposit  
chained stake, raise  
mound of earth  
with pits, as per  
instructions, for 1/4  
Sec. Corner.78.92 Corner to Sec. 7, 8, 17  
and 18Surface level  
Soil 1" rate

57 Township No 30 North

chains North bet. Secs  
7 and 8

Variation  $13^{\circ}45'$

22.00 Drain descended to C.

41.00 Set post, deposit  
chained stake, raise  
mound of earth with  
pits, as per instructions  
for  $\frac{1}{4}$  Sec. Corner.

80.00 Set post, deposit,  
chained stake, raise  
mound of earth  
with pits, as per  
instructions for  
corner to Secs 5, 6, 7  
and 8

Surface level  
Dip  $1''$  rate

580

Range No 16 West 6<sup>th</sup> N.W.

chains East on railroad  
line bet Secs 5 and 8  
Variation  $13^{\circ}40'$  East

40.00 Set post for temporary  
 $\frac{1}{4}$  Sec. Corner.

73.60 Drain descended to C.

80.00 Intersect N. and S. line

at post. corner to  
Secs 4, 5, 8 and 9, from  
which corner draw  
Merby a true line  
bet. Secs 5 and 8

Variation  $13^{\circ}40'$

40.00 Set post, deposit chained  
stake, raise mound  
of earth with pits  
as per instructions  
for  $\frac{1}{4}$  Sec. Corner.

80.00 Corner to Secs 5, 6,  
7 and 8

Surface level  
Dip  $1''$  rate

## Township No 30 North

chain

West on random line  
bet. Sec. 6<sup>and</sup> 7Variation  $13^{\circ}40'$  E40.00 Set post. for temporary  
1/4 Sec. Corner78.92 ~~Set post. West~~

Boundary of Township

9 M<sup>iles</sup> W. of corner

to Sec. 6 and 7 from

which corner. I run

N 89° 56' East on

true line bet. Sec.

6<sup>and</sup> 7Variation  $13^{\circ}40'$  E.8.  
38.92 Set post. deposit chain  
stake, raise mound  
of earth with pit  
as per instructions  
for 1/4 Sec. Corner.78.92 Corner to Sec. 5, 6, 7  
and 8

Surface level

Soil 1<sup>st</sup> rateRange No 16 West 6<sup>th</sup> P.M.

chain

North on random  
line bet. Sec. 5<sup>and</sup> 6Variation  $13^{\circ}45'$  E41.00 Set post. for temporary  
1/4 Sec. Corner.

79.95 Intersect North Band

and of Township at

Post A, corner

to Sec. 5 and 6 from

which corner

I run

South on true line

bet. Sec. 5<sup>and</sup> 6Variation  $13^{\circ}45'$  East39.95 Set post. deposit chain  
stake, raise mound  
of earth with pit  
as per instructions  
for 1/4 Sec. Corner.79.95 Corner to Sec. 5, 6, 7 & 8  
Surface level  
Soil 1<sup>st</sup> rateAug 23<sup>d</sup> 1872



69

(C)

Draw

45.

78.

7

We hereby certify that  
 we assisted Henry  
 Court, Deputy  
 Surveyor, in surveying  
 and subdividing Prop.  
 No. 10 of the  
 base line of Range  
 No. 11 of the  
 6th Prin. Mer. and  
 that said Township  
 has been in all  
 respects, to the best  
 of our knowledge  
 and belief well  
 and faithfully  
 surveyed, and the  
 boundary monuments  
 planted according  
 to the instructions furnished  
 by the instructions of the  
 Director General.

Stark Crowell	} Chairman
Anthony H. Clinton	
James Pike	
J. C. Lester	} Secretary

Subscribed and sworn to  
by the above named  
persons, before me  
a Notary Public  
for Antelope County,  
State of Nebraska  
this 29<sup>th</sup> day of August  
1872.

H. Blanchard  
Notary Public

J. W. Campbell, Deputy  
Surveyor, do solemnly  
swear that in pursuance  
of a joint contract  
between Benjamin  
Miller, Henry C. <sup>and</sup>  
Geo. S. Russell are  
joint contractors with  
E. C. Cunningham  
U.S. Surveyor General  
for the State of Nebraska,  
dated June 25<sup>th</sup> day  
of August 1872. I  
have well, faithfully  
and truly in my  
own proper person  
and in strict conformity  
with the instructions  
furnished by the  
Surveyor General,  
the Surveying Manual  
& the Laws of the U. S.,  
surveyed all these  
particular portions of Town  
ship No 30 N. of  
Range 16 West 6<sup>th</sup> Rm.

And

4

as are represented in the foregoing field notes as having been approved under my direction, I and I do further solemnly swear that all the corners of said survey have been established & put in place in strict accordance with the Survey Manual & printed instructions and that the foregoing are the true & original field notes of said survey.

Henry Court  
Deputy Surveyor

Subscribed by said Deputy Surveyor, and sworn to before me as Notary Public for Antelope County Nebraska, this 29th day of Aug. 1872.

W. Blanchard  
Notary Public

Surveyor General's Office  
Plattsmouth Nov 1<sup>st</sup> 1872

The foregoing Field Notes of the Survey and Subdivision of Township No 30 North of Base line of Range No 6 West of the 6<sup>th</sup> P.M. in the State of Nebraska. Executed by Survey Court Deputy Surveyor under joint Contract No 58 whereon Chauncey Wilton, Survey Court and Geo. T. Kendall are joint Contractors, in the Month of August 1872

Having been critically Examined, the necessary Corrections and Explanations made, the said Field Notes and Surveys they describe are hereby approved.

E. E. Cunningham  
Surveyor General

Survey Diagram  
to

Town 31 N. Range 16 W.

6	60	5	44	4	38	3	22	2	11	1
— 89 — 55 — 43 — 32 — 21 — 10 —										
7	57	8	42	9	31	10	20	11	9	12
— 56 — 50 — 41 — 30 — 19 — 8 —										
18	54	17	40	16	29	15	18	14	7	13
— 53 — 52 — 37 — 28 — 17 — 6 —										
19	51	20	38	21	27	22	16	23	5	24
— 50 — 49 — 37 — 26 — 15 — 4 —										
30	48	29	36	28	25	27	14	26	3	25
— 47 — 46 — 35 — 24 — 13 — 2 —										
31	45	32	34	33	23	34	12	35	1	36

Field Notes  
of the  
Survey of said Sub-division  
Township No 31 North  
Range No 16 West  
of the  
Cth. Principal Meridian  
in the  
State of Nebraska.

Executed  
by Henry Count  
Deputy Surveyor  
under Joint Contract  
No 58, dated June  
25<sup>th</sup> 1872.

Survey  
Commenced Aug 24<sup>th</sup> 1872  
Completed Aug 28<sup>th</sup> 1872

List of Names.

A list of the names  
of individuals employed  
to assist in subdividing  
Township No 31 N. of  
R 16 West.

Frank Corwell  
Anthony H. Clinton

J. G. Pater  
James Pike

Chambers

Proctor

James

Flagman

To determine the proper  
adjustment of my compass  
for subdividing this  
Township, I began  
at the S. E. Corner of  
the Township and  
ran thence

North on a blank  
line along the East  
Boundary of Sec. 36  
Variation  $13^{\circ}45' E$

3999 To a point 11 Ch. West of  
1/4 Sec Corner.

8904 To a point 23 Ch. West  
of corner to Sec. 25, 36

Therefore to retrace  
this line or run  
parallel thereto my  
compass must  
be adjusted to a  
Variation  $13^{\circ}35' East$

1  
Township No 31. N. 14. W. 10.

chains  
North bet Sec. 35<sup>9</sup> & 36  
Variation 13° 35' E  
40.00 Set post, deposit, chain  
stake, raise mound  
of earth with pile  
as per instructions  
for 1/4 Sec. Corner.  
80.00 Set post, deposit, chain  
stake, raise mound  
of earth with pile  
as per instructions  
for Corner to Sec.  
25, 26, 35 and 36  
Surface gently rolling  
Soil 2<sup>1</sup>/<sub>2</sub> prairie

2  
Range No 16 West 6<sup>th</sup> April

chains  
Cut on random  
line bet. Sec. 25<sup>and</sup>  
36  
Variation 13° 40' E  
40.00 Set post, for temporary  
1/4 Sec. Corner.  
79.84 Intersect East Bound-  
ary of Township at  
a point 17 W. South  
of corner to Sec. 25<sup>9</sup>  
& 36 from which  
corner I run  
S 89° 53' West on  
true line bet. Sec. 25  
& 36  
Variation 13° 40' E.  
39.92 Set post, deposit, chain  
stake, raise mound  
of earth with pile  
as per instructions  
for 1/4 Sec. Corner  
79.84 Corner to Sec. 25  
26, 35 and 36  
Surface gently rolling  
Soil 2<sup>1</sup>/<sub>2</sub> prairie

## Township No 31 North

chains  
 South bet. Sec. 25 and 26  
 Variation 13° 35' East  
 40.00 Set post, deposit chanced  
 stake, raise mound  
 of earth with pits as  
 per instructions for  
 1/4 Sec. Corner.  
 81.00 Set post, deposit chanced  
 stake, raise mound  
 of earth with pits  
 per instructions  
 for Corner to Sec.  
 23, 24, 25 and 26  
 Surface gently rolling  
 Soil 2<sup>nd</sup> rate of

## Range No 16 West Chap. 11.

chains  
 East on random line  
 bet. Sec. 24 and 25  
 Variation 13° 40' E.  
 40.00 Set post for temporary  
 1/4 Sec. Corner.  
 79.60 Intersect East Boundary  
 of Township at a point  
 18 W. South of corner  
 to Sec. 24 and 25 from  
 which corner.  
 I run  
 889.52 West on  
 true line bet. Sec.  
 24 and 25  
 Variation 13° 40' E.  
 39.80 Set post, deposit chanced  
 stake, raise mound  
 of earth with pits  
 as per instructions  
 for 1/4 Sec. Corner.  
 79.60 Corner to Sec. 23, 24  
 25 and 26  
 Surface gently rolling  
 Soil 2<sup>nd</sup> rate of

## Township No 31 North

chains

North bet Sec 23<sup>rd</sup> & 24<sup>th</sup>  
 Variation 13° 35' East  
 40.00 Set post, deposit chains  
 stake, raise mound  
 of earth with pits  
 as per instructions  
 for 1/4 Sec. Corner  
 80.00 Set post, deposit chains  
 stake, raise mound  
 of earth with pits  
 as per instructions  
 for Corner to Sec.  
 13, 14, 23, and 24  
 Surface rolling  
 Soil 2<sup>nd</sup> rate.

## Range No 15 North

chains

East on random  
 line bet Sec. 13<sup>th</sup> and 24<sup>th</sup>  
 Variation 13° 40' E.  
 40.00 Set post for temporary  
 1/4 Sec. Corner  
 79.68 Intersect East Boundary  
 of Township at a  
 point 14 1/2' South  
 of corner to Sec. 13<sup>th</sup> & 24<sup>th</sup>  
 from which point  
 run  
 S 89° 54' West on  
 true line bet Sec.  
 13<sup>th</sup> and 24<sup>th</sup>  
 Variation 13° 40' E  
 39.84 Set post deposit  
 chains stake, raise  
 mound of earth  
 with pits, as per  
 instructions for 1/4  
 Sec. Corner  
 79.68 Corner to Sec 13, 14,  
 23 and 24  
 Surface gently rolling  
 Soil 2<sup>nd</sup> rate.

## Township No 31 North

chains North bet Sec. 13<sup>rd</sup> & 14<sup>th</sup>  
 Variation 13° 35' E  
 4,000 Set post, deposit chained  
 stake, raise mound  
 of earth with pits, as  
 per instructions for  
 1/4 Sec. Corner.  
 8,000 Set post, deposit  
 chained stake, raise  
 mound, of earth  
 with pits, as per  
 instructions for  
 Corner to Sec. 11,  
 12, 13 and 14  
 Surface gently rolling  
 Soil 2" pate

## Range No 15 West 1/4 Sec.

chains East on random  
 line bet. Sec. 12<sup>nd</sup> & 13<sup>th</sup>  
 Variation 13° 40' E  
 4,000 Set post for temporary  
 1/4 Sec. Corner.  
 7,980 Intersect East Bound  
 line of Township at a  
 point 7<sup>th</sup> W. South of  
 corner to Sec. 12<sup>nd</sup> & 13<sup>th</sup>  
 from which corner  
 I run  
 S 89° 05' 4" West on  
 true line bet. Sec.  
 12<sup>nd</sup> & 13<sup>th</sup>  
 Variation 13° 40' E  
 3,990 Set post, deposit  
 chained stake, raise  
 mound of earth with  
 pits, as per instructions  
 for 1/4 Sec. Corner.  
 7,980 Corners to Sec. 11, 12,  
 13 and 14  
 Surface gently rolling.  
 Soil 3" pate

Township No 31 North

chains North bet. Sec. 11<sup>and</sup> 12

Variation  $13^{\circ}35'$

40.00 Set post, deposit chained  
stake, raise mound  
of earth with pits as  
per instructions for  
114 Sec. Corner.

80.00 Set post, deposit  
chained stake, raise  
mound of earth  
with pits, as per  
instructions for  
Corner to Sec. " 1. 2. 11

<sup>and</sup> 12.  
Surface gently rolling  
Soil sandy & gravelly

Range No 16 West 6<sup>th</sup> P.M.

chains East on random  
line bet. Sec. 1<sup>and</sup> 12

Variation  $13^{\circ}40'$

40.00 Set post, deposit  
chain Sec. Cor.

19.71 Intersect East  
Boundary of Township  
at a point 26<sup>th</sup> of  
N. of Corner to Sec. "  
1<sup>and</sup> 12 from which  
corner of road  
at  $89^{\circ}49'$  West of  
true line bet. Sec.  
1<sup>and</sup> 12

Variation  $13^{\circ}40'$

39.85 Set post, deposit  
chained stake, raise  
mound of earth  
with pits as per  
instructions for  
114 Sec. Corner.

19.71 Corner to Sec. "  
1. 2. 11<sup>and</sup> 12

Surface gently rolling  
Soil sandy & gravelly

## Township No 31 North

chains

- North on ray down  
line bet. Secs 1<sup>st</sup> & 2<sup>nd</sup>  
Variation 13° 45' E
- 40.00 Set post for temporary  
1/4 Sec. Corner
- 80.04 Intersect of Bound-  
ary of Township  
at a point 13 lbs.  
East of corner to Secs  
1<sup>st</sup> and 2<sup>nd</sup> from which  
corner found  
S 6° East on true  
line bet. Secs 1<sup>st</sup> and 2<sup>nd</sup>  
Variation 13° 45' E
- 110.04 Set post, deposit  
chained stake, raise  
mound of earth with-  
spits, as per instructions  
for 1/4 Sec. Corner -
- 80.04 Corner to Secs 1, 2,  
1<sup>st</sup> and 12  
Surface rolling  
Soil sandy, 3" fall

Aug. 24<sup>th</sup> 1872

## Range No 16 West 1/4 Pa.

chains

- North - bet Secs  
34 and 35 -  
Variation 13° 35' E
- 20.00 Lease rolling N.W. and S.E.  
44.00 Set post, deposit  
chained stake, raise  
mound of earth with-  
spits as per instructions  
for 1/4 Sec. Corner -
- 81.00 Set post, deposit chained  
stake, raise mound  
of earth with-spits  
as per instructions  
for Corner to Secs 36,  
27, 34 and 35 -  
Surface rolling  
Soil sandy 3" fall

## Township No 31 North

chains

East on random  
line bet. Sec. 26 & 35Variation  $13^{\circ}20' E$ 

41.00

Set post for temporary  
1/4 Sec. Corner

79.87

Intersect East Bound  
-ary of Township at  
a point 8 1/2 W. of  
corner to Sec.26, and 35  
which corner run  
N 89° 37' West on  
true line bet. Sec.  
26 and 35

39.93 1/2

Variation  $13^{\circ}20' E$   
Set post, deposit chain  
stake raise mound  
of earth with pits  
as per instructions  
for 1/4 Sec. Corner

79.87

Corner to Sec.  
26, 27, 34 and 35.Surface rolling  
Soil sandy 3" flat

## Range No 16 North

chains

North bet. Sec. 26

and 27

Variation  $13^{\circ}20' E$ 

41.00

Set post, deposit  
chain stake, raisemound of earth  
with pits, as per  
instructions for  
1/4 Sec. Corner

81.00

Set post, deposit  
chain stake, raise  
mound of earth  
with pits, as per  
instructions for  
corner to Sec. 26, 27,  
26 and 27.Surface rolling  
Soil sandy 3" flat

## Township No 31 South

chain

- East on random line  
bet Sec. 23 and 26  
Variation  $13^{\circ}20'E$
- 40.00 Set post for temporary  
1/4 Sec. Corner.
- 79.60 Intersect N. and S. line  
at post. corner to  
Sec. 23, 24, 25 and 26  
from which corner  
I run  
West on a true line  
bet. Sec. 23 and 26  
Variation  $13^{\circ}20' East$
- 39.80 Set post. deposit chain  
stakes, raise mound  
of earth - inch - pits  
per per instructions  
for 1/4 Sec. Corner
- 49.60 Corner to Sec. 22, 23  
26 and 27  
Surface rolling  
Soil sandy 3/4 gravel

Range No 16 West 6<sup>th</sup> N. P. M.

chain

- North bet Sec. 22 and 23  
Variation  $13^{\circ}20'E$
- 40.00 Set post. deposit chain  
stakes, raise mound  
of earth - inch - pits as  
per instructions for  
1/4 Sec. Corner.
- 80.00 Set post. deposit  
chain stakes, raise  
mound of earth -  
inch - pits as per  
instructions for  
Corner to Sec. 14, 15,  
22 and 23  
Surface rolling  
Soil sandy 3/4 gravel

Township No 31 N.

chain East on random line bet Secs 14 and 23

40.00 Variation 13° 30' 6" Set post for temporary 1/4 Sec. corner

79.18 Interest on said line at a point 11 1/2 N. of corner to Secs 13, 14, 23 and 24 from which corner I run N 89° 55' West on true line bet Secs 14 and 23

39.59 Variation 13° 30' 6" Set post, deposit chain stake, raise mound of earth with pits, as per instructions for 1/4 Sec. corner

79.18 Corner to Secs 13, 14, 23 and 24. Surface rolling Soil sandy 3/4 rate

Range No 16 West

chain North bet. Secs 14 and 15

40.00 Variation 13° 45' 6" Set post, deposit chain stake, raise mound of earth with pits, as per instructions for 1/4 Sec. corner

80.00 Set post, deposit chain stake, raise mound of earth with pits, as per instructions for corner to Secs 10, 11, 14 and 15

Surface rolling Soil sandy 3/4 rate

19

## Township No 30 N

chains

Carbon random  
line bet Secs 11<sup>Q</sup> & 11<sup>W</sup>

Variation 13° 30' E

41.00 Set post for temporary  
1/4 Sec. Corner.79.73 Intersect N<sup>40</sup> line  
at a point 11<sup>W</sup> of N. of  
corner to Sec. 11. 12<sup>W</sup>  
13<sup>W</sup> and 14<sup>W</sup> from which  
corner of newN 89° 53' West on  
true line bet Secs 11 & 11<sup>W</sup>

Variation 13° 35' E

39.86 $\frac{1}{2}$  Set post, deposit, chanced  
stake, raise mound  
of earth with pits  
as per instructions  
for 1/4 Sec. Corner.79.73 Corner to Secs 10, 11,  
14 and 15Surface rolling  
Soil sandy 3 $\frac{1}{2}$  ft

20

## Range No 16 West

chains

North bet Secs 10<sup>Q</sup> & 11<sup>Q</sup>

Variation 13° 45' E

40.00

Set post, deposit, chanced  
stake, raise mound  
of earth with pits  
as per instructions  
for 1/4 Sec. Corner.

80.00

Set post, deposit,  
chanced stake, raise  
mound of earth  
with pits as per  
instructions for  
Corner to Sect. 2, 3, 10<sup>Q</sup> & 11<sup>Q</sup>  
Surface rolling  
Soil sandy 3 $\frac{1}{2}$  ft

## Township No 31 North

chains

- East on random  
line bet. Sec. 2<sup>nd</sup> & 11<sup>th</sup>  
Variation 13° 30' E
- 40.00 Set post for temporary  
1/4 Sec. Corner
- 80.15 Intersect North Line  
at a point 18 lks. N.  
of corner to Sec. 2, 3, 10<sup>th</sup>  
& 11<sup>th</sup> from which corner  
I run  
N 89° 33' West on  
true line bet. Sec.  
2<sup>nd</sup> & 11<sup>th</sup>  
Variation 13° 30' E
- 40.05 Set post, deposit chain  
stake, raise mound  
of earth with pits  
as per instructions  
for 1/4 Sec. Corner
- 80.15 Corner to Sec. 2, 3,  
10<sup>th</sup> and 11<sup>th</sup>  
Surface rolling  
Soil sandy 3<sup>rd</sup> qtr

Range No 16 West 1<sup>st</sup> P.M.

chains

- North on random  
line bet. Sec. 2<sup>nd</sup> & 3<sup>rd</sup>  
Variation 13° 45' E
- 40.00 Set post for temporary  
1/4 Sec. Corner
- 80.05 Intersect North Bound.  
ary of Township at  
a point 8 lks. East  
of corner to Sec. 2<sup>nd</sup> & 3<sup>rd</sup>  
from which corner  
I run  
S 3° East on true  
line bet. Sec. 2<sup>nd</sup> & 3<sup>rd</sup>  
Variation 13° 45' E
- 40.05 Set post, deposit  
chain stake, raise  
mound of earth with  
pits as per instruct  
-ion for 1/4 Sec. Corner.
- 80.05 Corner to Sec. 2, 3, 10<sup>th</sup>  
& 11<sup>th</sup>  
Surface rolling  
Soil sandy 2<sup>nd</sup> qtr

Aug 25<sup>th</sup> 1882

## Township No 81 North

chains North let. Sec. 23 34 35  
 Variation  $13^{\circ}25'$   
~~# 4.20~~ ~~14.73~~ ~~14.73~~ ~~14.73~~  
 Set post, deposit chains  
 stake, raise mound  
 of earth with pits  
 as per instructions for  
 1/4 Sec. Corner.  
 60.00 Leave Bottom N.W. 1/4  
 80.00 Set post, deposit chains  
 stake, raise mound  
 of earth with pits as  
 per instructions for  
 Corner to Sec. 27, 28,  
 33, and 34  
 Surface level  
 Soil 1 1/2 rate

Range No 16 West. 6<sup>th</sup> Range

chains East on random  
 line let. Sec. 27, 28, 33, 34  
 Variation  $13^{\circ}25'$   
 40.00 Set post for temporary  
 1/4 Sec. Corner  
 80.21 Intersect N. and S. line  
 at a point 13 lks. S.  
 of corner to Sec. 26,  
 27, 33 and 35  
 from which corner  
 I run  
 S  $89^{\circ}54'$  West on  
 true line let. Sec. 27  
 and 34  
 Variation  $13^{\circ}25'$   
 40.10 1/2 Set post, deposit chains  
 stake, raise mound  
 of earth with pits  
 as per instructions  
 for 1/4 Sec. Corner  
 80.21 Corner to Sec. 27,  
 28, 33 and 34  
 Surface rolling  
 Soil 2 1/2 rate

## Township No 31 North

chains North bet. Secs 27<sup>and</sup> 28<sup>and</sup>  
 Variation 13° 35' E  
 40.00 Set post, deposit  
 chained stake, raise  
 mound of earth  
 with pits, as per  
 instructions for  
 1/4 Sec. Corner  
 80.00 Set post, deposit chained  
 stake, raise mound  
 of earth with pits  
 as per instructions  
 for Corner to Secs  
 21, 22, 27<sup>and</sup> 28,  
 Surface rolling  
 Soil 3<sup>1</sup>/<sub>2</sub> rate

Range No 16 West 6<sup>th</sup> P.M.

chains East on railroad  
 line bet Secs 23<sup>and</sup>  
 27  
 Variation 13° 30' E  
 40.00 Set post for temporary  
 1/4 Sec. Corner  
 80.38 Intersect East  
 Boundary of Township  
 at a point 1/4 Sec  
 South - of corner to  
 Secs 22, 23, 26<sup>and</sup>  
 27 from which corner  
 is run  
 S 89° 58' West on true  
 line bet. Secs 23<sup>and</sup> 27  
 Variation 13° 36' E  
 40.19 Set post, deposit chained  
 stake, raise mound  
 of earth with pits  
 as per instructions  
 for 1/4 Sec. Corner  
 80.38 Corner to Secs 21,  
 22, 27<sup>and</sup> 28  
 Surface rolling  
 Soil 3<sup>1</sup>/<sub>2</sub> rate

Township No 31 North

chains North-bet. Secs. 21 and 22

Variation  $13^{\circ}30' E$   
 4000 Set post, deposit,  
 chained stake, raise  
 mound of earth  
 with-pits as per  
 instructions for  
 $\frac{1}{4}$  Sec. Corner

8000 Set post, deposit, chained  
 stake, raise mound  
 of earth with-pits  
 as per instructions  
 as per instructions  
 for corner to Secs. 15,  
 16, 21 and 22  
 Surface gently rolling  
 Soil  $2\frac{1}{2}$  ft. pale

Range No 16 West C. M.

chains East on random  
 line bet Secs. 15 and 22

Variation  $13^{\circ}40' E$   
 4000 Set post for temporary  
 $\frac{1}{4}$  Sec. Corner

8071 Intersect of said  
 line at post, corner  
 to Secs. 14, 15, 22  
 and 23 from which  
 corner of true  
 West on true line bet.  
 Secs. 15 and 22

Variation  $13^{\circ}40' E$   
 4037 Set post, deposit,  
 chained stake, raise  
 mound of earth  
 with-pits, as per  
 instructions for  $\frac{1}{4}$   
 Sec. Corner

8071 Corner to Secs. 15, 16,  
 21 and 22.  
 Surface gently rolling  
 Soil  $2\frac{1}{2}$  ft. pale

29

Township No 31 North

Range No 31 West

chain

North bet. Sec. 15

and 16

Variation  $13^{\circ} 35'$ 

4000 Set post, deposit  
 chanced stake, raise  
 mound of earth with  
 pits as per instruc-  
 tions for 14 Sec. Cor-  
 ner

8000 Set post, deposit,  
 chanced stake, raise  
 mound of earth  
 with pits as per  
 instructions for  
 corner to Sec. 9, 10, 15

and 16

Surface gently rolling  
 Soil 3" platy

30

Range No 36 West

chain

East on ray down  
 line bet. Sec. 10

and 15

Variation  $13^{\circ} 40'$ 

4000 Set post, deposit  
 14 Sec. Corner

8042 Intersect of line  
 at a point 8 k. S. of  
 corner to Sec. 10

and 15

from which corner  
 I run  
 S  $89^{\circ} 57'$  West on true  
 line bet. Sec. 10

and 15

Variation  $13^{\circ} 40'$ 

4021 Set post, deposit chanced  
 stake raise mound  
 of earth with pits as  
 per instructions  
 for 14 Sec. Corner

8042 Corner to Sec. 9, 10,  
 15 and 16

Surface rolling  
 Soil sandy 3" platy

## Trench No 31

chains

South bet. Sec. 9<sup>th</sup> & 10<sup>th</sup>  
 Variation 13° 30'  
 40.00 Set post, deposit  
 chanced stake, raise  
 mound of earth with  
 pits, as per instruct-  
 ions for 1/4 Sec. Cor.  
 80.00 Set post, deposit chanced  
 stake, raise mound  
 of earth with pits  
 as per instructions  
 for corner to Sec.  
 3, 4, 9 and 10  
 Surface rolling  
 Soil sandy 3<sup>rd</sup> rate

## Range No 1 West 1/4

chains

East on random  
 line bet. Sec. 8<sup>th</sup> & 10<sup>th</sup>  
 Variation 13° 35'  
 40.00 Set post for temporary  
 1/4 Sec. Corner  
 80.30 Intersect of range  
 line at a point  
 17<sup>th</sup> South of corner  
 to Sec. 3, 4, 9 and 10  
 from which corner  
 I run  
 S 89° 53' West on  
 true line bet. Sec. 8<sup>th</sup> & 10<sup>th</sup>  
 Variation 13° 35'  
 40.15 Set post, deposit chanced  
 stake, raise mound  
 of earth with pits  
 as per instructions  
 for 1/4 Sec. Corner  
 80.30 Corner to Sec. 3, 4  
 9 and 10  
 Surface rolling  
 Soil sandy 3<sup>rd</sup> rate

## Township No 31 North

chain <sup>on quadrant line</sup> North bet. Sec. 3<sup>rd</sup> & 4<sup>th</sup>

Variation 13° 30' E

40.00 Set post for temporary  
1/4 Sec. corner80.70 Intersect North Bound-  
ary of Township at  
a point 35<sup>th</sup> East  
of Corner to Sec. 3<sup>rd</sup> & 4<sup>th</sup>  
from which corner  
I runS 15° East on true line  
bet. Sec. 3<sup>rd</sup> & 4<sup>th</sup>

Variation 13° 30' E

40.70 Set post, deposit  
chanced stake, raise  
mound of earth  
with pits, as per  
instructions for  
1/4 Sec. corner -80.70 Corner to Sec. 3, 4, 9  
and 10Surface rolling  
Soil sandy 3/4 rateAug. 26<sup>th</sup>Range No 16 West 1/4<sup>th</sup> Nchain North bet. Sec. 32<sup>nd</sup> & 33<sup>rd</sup>

3.3

Variation 13° 35' E

40.00 Set post, deposit  
chanced stake, raise  
mound of earth  
with pits, as per  
instructions for  
1/4 Sec. corner.

48.50 Run around S.E.

70.00 Leave Bottom East 1/4

80.00 Set post, deposit chanced  
stake, raise mound  
of earth with pits as  
per instructions for  
Corner to Sec. 28, 29,  
32 and 33Surface level  
Soil 1<sup>st</sup> rate.

## Township No 31 North

- chain East on random line  
bet. Sec. 28<sup>and</sup> 33  
Variation 13°40' East
- 4000 Set post for temporary  
1/4 Sec. Corner
- 79.92 Intersect of Rand S.  
line at a point 54 ft  
South of corner to  
Sec. 27, 28, 33<sup>and</sup>  
34 from which corner  
I found  
S 89°58' West on true  
line bet. Sec. 28<sup>and</sup> 33  
Variation 13°40' East
- 39.96 Set post, deposit, chained  
stake, raise mound  
of earth - with pits as  
per instructions for  
1/4 Sec. Corner
- 79.92 Corner to Sec. 28, 29,  
32 and 33  
Surface gently rolling  
Soil 2<sup>nd</sup> rate

Range No 16 West 6<sup>th</sup> P.M.

- chain South bet. Sec. 28<sup>and</sup> 33  
Variation 13°25' East
- 4000 Set post, deposit, chained  
stake, raise mound  
of earth - with pits  
as per instructions  
for 1/4 Sec. Corner
- 8000 Set post, deposit, chained  
stake, raise mound  
of earth - with pits  
as per instructions  
for corner to Sec. 20  
21, 28<sup>and</sup> 29  
Surface gently rolling  
Soil 2<sup>nd</sup> rate

## Township No 31 South

chains  
 Cart on random  
 line bet. Sec. 29<sup>and</sup> 28<sup>th</sup>  
 Variation 13° 25' 00"  
 40.00 Set post. for temporary  
 44 Sec. corner  
 80.20 Intersect N. and S.  
 line at a point  
 14 bk. N. of corner  
 to Sec. 21, 22, 27<sup>and</sup> 28<sup>th</sup>  
 from which corner  
 I run  
 N 89° 54' West on  
 true line bet. Sec.  
 21<sup>and</sup> 28<sup>th</sup>  
 Variation 13° 25' 00"  
 40.10 Set post. deposit  
 chanced stake  
 same mound  
 of earth with pits  
 as per instructions  
 for 44 Sec. corner  
 80.20 Corner to Secs  
 20, 21, 28<sup>and</sup> 29<sup>th</sup>  
 Surface gently rolling  
 Soil 2" pale

## Range No 16 West 1/4

chains  
 North bet. Sec. 28<sup>and</sup> 31<sup>st</sup>  
 Variation 13° 40' East  
 40.00 Set post. deposit chanced  
 stake, same mound  
 of earth with pits  
 as per instructions  
 for 44 Sec. corner.  
 80.00 Set post. deposit  
 chanced stake, same  
 mound of earth with  
 pits, as per instruct  
 ions for corner to  
 Secs 16, 17, 20<sup>and</sup> 31<sup>st</sup>  
 Surface rolling  
 Soil 2" pale

## Township No 31 North

chains East on random  
line bet. Sec. 16<sup>and 21</sup>  
Variation 13° 40' E  
40.00 Set post for temporary  
1/4 Sec. Corner.  
80.03 Intersect N. and S.  
line at a point 11/2  
South of corner to  
Sec. 15, 16, 21<sup>and 22</sup>  
from which corner  
I run  
A 89° 55' West on  
true line bet. Sec.  
16<sup>and 21</sup>  
Variation 13° 40' E  
40.01 1/2 Set post, deposit-changed  
stake, raise mound  
of earth - with pits  
as per instructions  
for 1/4 Sec. Corner.  
80.03 Corner to Sec. 16,  
17, 20<sup>and 21</sup>  
Surface gently rolling.  
Soil 2" fat loam

Range No 16 West 6<sup>th</sup> M.

chains North bet. Sec. 16<sup>and 17</sup>  
Variation 18° 40' E  
40.00 Set post, deposit-changed  
stake, raise mound  
of earth - with pits as  
per instructions for  
1/4 Sec. Corner.  
80.00 Set post, deposit,  
changed stake, raise  
mound of earth, with  
pits - as per instruct  
ions for Corner to  
Sec. 8, 9, 16<sup>and 17</sup>  
Surface rolling  
Soil 3" fat -

## Township No 31 North

chain East on random  
line bet Secs 9<sup>th</sup> and 16<sup>th</sup>

Variation  $13^{\circ}40' E$   
40.00 Set post for temporary  
1/4 Sec. Corner

80.05 Intersect N<sup>th</sup> and S<sup>th</sup> line  
at a point 60 kts

N. of corner to Sec.  
9, 10, 15 and 16 from  
which corner I run

at  $89^{\circ}34'$  West on  
true line bet Secs 9<sup>th</sup> and 16<sup>th</sup>

Variation  $13^{\circ}40' E$   
40.00 1/4 Set post, deposit chain  
stake, raise mound  
of earth with pits  
as per instructions

80.05 Corner to Secs 8, 9, 16  
and 17 stake

Surface rolling  
Soil sandy - 3/4 rate

Range No 16 West 6<sup>th</sup> N<sup>th</sup>

chain South bet. Secs 8<sup>th</sup> and 9<sup>th</sup>  
Variation  $13^{\circ}58' E$

40.00 Set post, deposit chain  
stake, raise mound  
of earth with pits, as  
per instructions for  
1/4 Sec. corner.

80.00 Set post, deposit,  
chain stake, raise  
mound of earth -  
with pits, as per  
instructions, for  
corner to Secs 4, 5, 8

and 9  
Surface rolling  
Soil 3/4 rate

## Township No 31 North

chains East on random line  
bet. Secs 4<sup>and</sup> 9  
Variation 13° 30' E

41.00 Set post for temporary  
1/4 Sec. Corner

19.96 Intersect North  
line at a point  
21 lb. South of  
corner to Secs 3, 4, 9<sup>and</sup> 11  
from which corner  
I run  
S 89° 31' West  
on true line bet.  
Secs 4<sup>and</sup> 9  
Variation 13° 30' E

39.98 Set post, deposit chain  
stake, raise mound  
of earth with pits  
as per instructions  
for 1/4 Sec. Corner

19.96 Corner to Secs  
4, 5, 8<sup>and</sup> 9  
Surface rolling  
Soil 3<sup>rd</sup> rate

Range No 16 West 6<sup>th</sup> P.M.

chains North on random line  
bet. Secs 4<sup>and</sup> 5  
Variation 13° 30' East

41.00 Set post. for temporary  
1/4 Sec. Corner

80.20 Intersect North  
Boundary of Township  
at a point 11 lb. West  
of corner to Secs 4<sup>and</sup> 5  
from which corner  
I run  
S 5° West on true  
line bet. Secs 4<sup>and</sup> 5  
Variation 13° 30' E

110.20 Set post, deposit chain  
stake, raise mound  
of earth with pits as  
per instructions  
for 1/4 Sec. Corner

80.20 Corner to Secs 4, 5,  
8<sup>and</sup> 9  
Surface rolling  
Soil sandy - 3<sup>rd</sup> rate

Township No 31

chains

North bet. Secs 31 and 32

Variation 13°30'

4 40.00 Set post, deposit chained stake, same

7 mound of earth with-pits, as per instructions for 1/4 Sec. Corner.

65.00 Leave Bottom E

80.00 Set post, deposit chained stake, same mound of earth with-pits as per instructions for corner to Secs 29, 30, 31 and 32

Surface 1" 65 ch. level  
Soil 1" rate  
Balance gently rolling  
1" rate

Range No 16 West 6 1/2 mi.

East on random line bet Secs 29 and 32

Variation 13°40'E

Set post for temporary 1/4 Sec. Corner

Intersect N. and S. line at a point 15 lks. South of corner to Secs 28, 29, 32 and 33 from which corner

Run 189°54' West on true line bet. Secs 29 and 32

Variation 13°40'E

Set post, deposit chained stake, same mound of earth with-pits as per instructions for 1/4 Sec. Corner

Corner to Secs 29, 30, 31 and 32  
Surface gently rolling  
Soil 1" rate of

47

Township No 31 North

chains

West on random  
line bet Sec. 30<sup>th</sup> & 31<sup>st</sup>

Variation 13° 30'

210.00 Set post, for temporary  
1/4 Sec. corner79.72 Intersect West  
Boundary of Township  
at a point 30 ch.

South of corner to

Sec. 30<sup>th</sup> and 31<sup>st</sup>

Variation 13° 31'

39.72 Set post, deposit chain  
stake, raise mound  
of earth with pits as  
per instructions for  
1/4 Sec. corner79.72 Corner to Sec. 29,  
30, 31 and 32Surface gently rolling  
Soil 1<sup>st</sup> prairieAug 27<sup>th</sup>

48

Range No 16 West

chains

North bet Sec. 29<sup>th</sup> & 30<sup>th</sup>  
Variation 13° 45'210.00 Set post, deposit chain  
stake, raise mound  
of earth, with pits as  
per instructions for  
1/4 Sec. corner80.00 Set post, deposit chain  
stake, raise mound  
of earth with pits as  
per instructions for  
corner to Sec. 19, 20,  
29 and 30Surface gently rolling  
Soil 2<sup>nd</sup> prairie

## Township No 31 North

chains

- East on random  
line bet. Secs. 20<sup>and 29</sup>  
Variation 13°40' E
- 40.00 Set post for temporary  
1/4 Sec. Corner.
- 79.96 Intersect ~~West~~ <sup>East</sup> line  
at a point 21 lks  
South of corner to  
Secs. 20, 21, 28<sup>and</sup> 29  
from which corner  
I run
- 89.51 West on true  
line bet. Secs. 20<sup>and</sup> 29  
Variation 13°40' E
- 39.98 Set post, deposit changed  
stake, raise mound  
of earth with ~~pit~~  
as per instructions  
for 1/4 Sec. Corner
- 79.96 Corner to Secs. 19, 20,  
29 and 30  
Surface gently rolling  
Soil 2% sate.

Range No 16 West 6<sup>th</sup> N.

chains

- West on random  
line bet. Secs. 19<sup>and</sup> 30  
Variation 13°45' E
- 40.00 Set post for temporary  
1/4 Sec. Corner.
- 79.96 Intersect West  
Boundary at a point  
3 lks South of  
corner to Secs. 19<sup>and</sup> 30  
from which corner  
I run
- 89.59 ~~West~~ <sup>East</sup> on true  
line bet. Secs. 19<sup>and</sup> 30  
Variation 13°45' East
- 39.96 Set post, deposit changed  
stake, raise mound  
of earth with ~~pit~~  
as per instructions  
for 1/4 Sec. Corner.
- 79.96 Corner to Secs. 19, 20,  
29 and 30  
Surface gently rolling  
Soil 2% sate.

## Township No 31

chains

North bet Sec. 19<sup>th</sup> and 20<sup>th</sup>  
 Variation 14<sup>th</sup> E  
 46.00 Set post, deposit chain  
 stake, raise mound  
 of earth with pits  
 as per instructions  
 for 1/4 Sec. Corner  
 80.20 Set post, deposit  
 chain stake, raise  
 mound of earth  
 with pits as per  
 instructions for  
 corner to Sec. 17, 18,  
 19 and 20  
 Surface gently rolling  
 Soil 2<sup>nd</sup> rate.

Range No 16 West 6<sup>th</sup> N

chains

East on sag down  
 line bet Sec. 17<sup>th</sup> and 20<sup>th</sup>  
 Variation 13<sup>th</sup> 41<sup>st</sup> E  
 11.00 Set post for temporary  
 1/4 Sec. Corner  
 80.20 Intersect New Slide  
 at a point 26<sup>th</sup> ft.  
 North, of corner to  
 Sec. 16, 17, 20 and 21  
 from which corner  
 I run  
 N 89<sup>th</sup> 49' West on  
 true line bet. Sec. 17  
 and 20  
 Variation 13<sup>th</sup> 40<sup>th</sup> E  
 10  
 40.20 Set post, deposit chain  
 stake, raise mound  
 of earth with pits  
 as per instructions  
 for 1/4 Sec. Corner.  
 80.20 Corner to Sec. 17, 18,  
 19 and 20  
 Surface gently rolling  
 Soil 2<sup>nd</sup> rate.

## Township No 31

- chains West on random  
line bet. Secs 18<sup>and</sup> 19  
Variation 13' 43"
- 140.00 Set post for temporary  
44 Sec. Corner
- 79.72 Intersect West  
Boundary of Township  
at a point of 30 lbs  
South of corner to  
Secs 18 and 19 from  
which corner I run  
S 89° 47' East on  
true line bet. Secs 18  
and 19 Variation 13' 43"
- 39.72 Set post deposit chains  
stake, raise mound  
of earth with pits  
as per instructions  
for 44 Sec. Corner.
- 79.72 Corner to Secs 18, 19,  
19 and 20.  
Surface rolling  
Soil 3" pale

## Range No 16 West

- chains North bet. Secs 17<sup>and</sup> 18  
Variation 14' East
- 40.00 Set post deposit  
chains stake raise  
mound of earth  
with pits as per  
instructions for  
44 Sec. Corner.
- 80.00 Set post deposit  
chains stake  
raise mound of  
earth with pits  
as per instructions  
for corner to Secs  
17, 18, 17 and 18.  
Surface gently rolling  
Soil 1" pale

## Township No 31

chain

East on random  
line bet. Sec. 8<sup>and</sup> 17

Variation 13° 40' E

40.00 Set post for temporary  
1/4 Section Corner.80.30 Intersect of said S.  
line at a point 28  
lk. N. of corner to  
Sec. 8, 9, 16 and 17  
from which corner  
I runN 89° 48' West on  
true line bet. Sec.  
8<sup>and</sup> 17

Variation 13° 40' E

40.15 Set post, deposit chain  
stake, raise mound  
of earth with pits  
as per instructions  
for 1/4 Sec. Corner.80.30 Corner to Sec. 7, 8,  
17 and 18Surface rolling  
Soil 2" rateRange No 16 West 6<sup>th</sup> 1/2

chain

West on random  
line bet. Sec. 7<sup>and</sup> 18

Variation 13° 40' E

40.00 Set post for temporary  
1/4 Sec. Corner.49.17 Intersect West  
Boundary of Town-  
ship at a point  
10 lk. South of corner  
to Sec. 7<sup>and</sup> 18 from  
which corner I run  
N 89° 56' East on  
true line bet. Sec.  
7<sup>and</sup> 18

Variation 13° 40' E

39.17 Set post, deposit  
chain stake,  
raise mound of  
earth with pits  
as per instructions  
for 1/4 Sec. Corner.49.17 Corner to Sec. 7,  
8, 17 and 18Surface gently rolling  
Soil 2" rate.

## Township No 31 North

chains

Walk bet. Secs 7 &amp; 8

Variation 13° 50'

40.00 Set post, deposit & chained  
stake, raise mound  
of earth with pits  
as per instructions  
for 4th Sec. Corner.

80.00 Set post, deposit  
chained stake, raise  
mound of earth  
with pits, as per  
instructions for  
corner to Secs 5, 6,  
7 and 8

Surface gently rolling  
Soil 2<sup>nd</sup> grade of

Range No 16 West 6<sup>th</sup> N.M.

chains

Go out on standard  
line bet. Secs 5 and 8

Variation 13° 40'

40.00 Set post for temporary  
4th Sec. Corner

79.81 Intersect N. and S.  
line at a point  
42' W. of corner  
to Secs 4, 5, 8 and 9  
from which corner  
I run

At 94' 42' West on  
true line bet. Secs  
5 and 8

Variation 13° 40'

39.90 Set post, deposit  
chained stake, raise  
mound of earth  
with pits, as per  
instructions for 4th  
Sec. Corner.

79.81 Corner to Secs 5, 6, 7 and 8  
Surface gently rolling  
Soil 2<sup>nd</sup> grade of

## Township No 31 North

chains	
	Work on random line bet. Sec. 6 <sup>th</sup> & 7 <sup>th</sup> Variation 13°40'E
40.00	Set post for temporary 1/4 Sec. Corner
49.20	Intersect 4 <sup>th</sup> East Boundary of Township at a point 5 <sup>th</sup> S. of corner to Sec. 6 <sup>th</sup> & 7 <sup>th</sup> from which corner I run S 89°38' East on true line bet. Sec. 6 <sup>th</sup> & 7 <sup>th</sup> Variation 13°40'E
39.20	Set post, deposit, chanced stake, raise mound of earth with pits as per instructions for 1/4 Sec. Corner.
79.20	Corner to Sec. 5, 6, 7, 8 Surface gently rolling Soil 2" prairie

Range No 16 West 4<sup>th</sup> P.M.

chains	
	North <sup>on 2<sup>nd</sup> of 1/4</sup> bet. Sec. 5 <sup>th</sup> & 6 <sup>th</sup> Variation 13°40'E
40.00	Set post for temporary 1/4 Sec. Corner
80.50	Intersect North & Bound. <sup>any of Township at</sup> a point corner to Sec. 5 <sup>th</sup> & 6 <sup>th</sup> from which corner I run South on a true line bet. Sec. 5 <sup>th</sup> & 6 <sup>th</sup> Variation 13°40'E
40.50	Set post, deposit, chanced stake, raise mound of earth with pits, as per instructions for 1/4 Sec. Corner
80.50	Corner to Sec. 5, 6, 7 <sup>and 8</sup> Surface gently rolling Soil 2" prairie

Aug 20<sup>th</sup> 1872

General Description.

The surface of this Township is gently rolling. The soil is generally 2<sup>nd</sup> rate and if cultivated would make good farms.

List of Names.

A list of the names of the individuals employed to assist in draining, measuring and marking the lines and areas described in the foregoing field notes of Town. 31st. R. 16 West, showing the respective capacities in which they acted.

Frank Crowell Chapman  
Anthony G. Clifton  
James Pike Monument  
J. G. Porter Chapman and  
Flagmen

We hereby certify that  
we assigned <sup>(No)</sup>  
Henry Court, Deputy  
Surveyor in surveying  
and subdividing of  
Town No 31 North  
Range N. 16 West  
of the 6th Prin Mer.  
and that said Town  
ship has been in  
all respects to the  
best of our knowledge  
and belief, well and  
faithfully surveyed  
and the Pronghorn  
monuments placed  
according to the  
instructions furnished  
by the Surveyor General

Frank Crowell Chairman  
Anthony J. Blunt  
James Pike } Monuments  
J. S. Postes } Opposed  
Flagman

Subscribed and sworn  
to by the above named  
persons, before me,  
a Notary Public for  
Antelope Co. State of  
Nebraska, this 29  
day of August, 1872.

J. H. Blanchard  
Notary Public

J. H. Kearney Com. & Deputy  
Surveyor, do solemnly  
swear that in pursuance  
of a certain contract wherein  
W. H. Spangenberg, His Honor  
Com. & J. S. Kinsall  
were joint contractors with  
C. C. Cunningham, U. S.  
Surveyor General for  
Terre Haute, Nebraska,  
dated June 25, 1872  
wherein I have well  
faithfully & truly in  
my own proper person  
and in strict accordance  
with the instructions  
furnished by the Surveyor  
General, the Surveying  
Manual & the  
laws of the United  
States, surveyed  
all those part or  
portions of Tract No. 31  
T. 16 N. R. 16 W. of the 6th P. M. as  
are represented in

The foregoing field notes  
as specified herein  
have been made under my  
direction and I do further  
solemnly swear that all  
the corners of said Survey  
have been established and  
perpetuated in strict  
accordance with the Surveying Manual  
& printed instructions of the  
Surveying are the most original field  
notes of Henry Court.

Deputy Surveyor  
Subscribed by said

Deputy Surveyor, and  
shrew to be before me, a  
Notary Public for  
Antelope County, State  
of Nebraska this 29<sup>th</sup>  
day of August 1872.

J. C. Blanchard  
Notary Public

Surveyor General's Office  
Plattsmonth Nov 1<sup>st</sup> 1872  
The foregoing Field Notes of the  
Survey of Subdivision Lines of  
Township No 31. North of Range  
No 16 West of the 6<sup>th</sup> Principal  
Meridian in the State of Nebraska  
executed by Henry Court Deputy  
Surveyor under joint contract  
No 68. dated June 25<sup>th</sup> 1872.  
wherein Chauncy Galt  
Henry Court and George  
T. Kendall are joint contractors  
having been critically examined  
the necessary corrections and  
explanations made. The said  
Field Notes and the Surveys  
they describe are hereby approved

E. E. Cunningham  
Surveyor General

Index Diagram  
to

Town 32 N. R. 16 W.

6	60	5	44	4	38	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	26	11	4	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Field Notes  
of the  
Survey and Sub-divisions  
of  
Township No 32 North  
of the  
Base Line  
Range Twp 16 West  
of the  
Sixth Principal Meridian  
in the  
State of Nebraska.

Executed  
by Henry Court, Deputy  
Surveyor, under first  
Contract No 50, dated  
June 25<sup>th</sup> 1872.

Survey  
Commenced Aug 29<sup>th</sup> 1872  
Completed Sept 2<sup>nd</sup> 1872

List of Names.

A list of the names  
of the individuals  
employed to assist  
in sub-dividing  
Township No 32 T.  
Range No 16 West.

Frank Byrdell *Upholsterer*  
Anthony C. Clinton

James Pike *Upholsterer*  
J. G. Porter *Apprentice*  
Flagman

To determine the proper  
adjustment of my  
compass, for subdivid-  
ing this Township  
I begin at the S. C.  
Corner and run  
thence

North on a blance  
line along the East  
Boundary of Section  
36

Variation  $13^{\circ} 45'$  East

Township No 32 <sup>North</sup> Range No 16 <sup>West</sup> <sup>1/4</sup> <sup>PM</sup>

chains North bet. Secs. 35 <sup>and</sup> 36  
 Variation 18° 45' E  
 4000 Set post. deposit chain  
 stakes, raise mound  
 of earth with pits  
 as per instructions  
 for 1/4 Sec. Corner.  
 8000 Set post. deposit  
 chain stakes raise  
 mound of earth  
 with pits as per  
 instructions for  
 corner to Secs. 25, 26,  
 35 and 36  
 Surface gently rolling  
 Soil sandy - 3/4 rate

chains East on random line  
 bet. Secs. 25 and 36  
 Variation 18° 40' E  
 4000 Set post. temporary  
 1/4 Sec. Corner.  
 8014 Intersect East Bound  
 any of Township at  
 a point 7 1/2 Sec. South  
 of corner to Secs. 25  
 and 36 from which  
 corner I run  
 S 89° 37' West on true  
 line bet. Secs. 25 and 36  
 Variation 18° 40' E  
 4007 Set post. deposit chain  
 stakes, raise mound  
 of earth with pits as  
 per instructions for  
 1/4 Sec. Corner.  
 8014 Corner to Secs. 25, 26,  
 35 and 36  
 Surface gently rolling  
 Soil 2/3 grade

## Township No 32 North

chains

North bet. Secs. 25<sup>th</sup> and 26<sup>th</sup>  
 Variation 13° 45' E  
 4000 Set post, deposit chain  
 stake, raise mound  
 of earth with pits as  
 per instructions for  
 1/4 Sec. Corner.  
 8000 Set post, deposit,  
 chain stake, raise  
 mound of earth  
 with pits, as per  
 instructions for  
 corner to Secs. 23, 24,  
 25 and 26.  
 Surface gently rolling  
 Soil 2<sup>nd</sup>, pale

## Range No 16 West 1/2 Sec.

chains

East on random line  
 bet. Secs. 24<sup>th</sup> and 25<sup>th</sup>  
 Variation 13° 40' E.  
 4000 Set post for temporary  
 1/4 Sec. Corner.  
 80.10 Intense East  
 Boundary of Grandin's  
 at a point 14 kts. West  
 of corner to Sec. 24  
 and 25 from which  
 corner I run  
 S 89° 37' West on true  
 line bet. Secs. 24<sup>th</sup> and 25<sup>th</sup>  
 Variation 13° 40' E  
 4000 Set post, deposit chain  
 stake, raise mound  
 of earth with pits as  
 per instructions for  
 1/4 Sec. Corner  
 80.10 Corner to Secs. 23,  
 24, 25 and 26  
 Surface gently rolling  
 Soil 2<sup>nd</sup>, pale

Township No 33 North-

chains

North bet. Secs 23  
and 24  
Variation 13°40'

4000

Set post, deposit chains  
stake, raise mound  
of earth with pits as  
per instructions for  
1/4 Sec. Corner.

8000

Set post, deposit  
chains stake, raise  
mound of earth  
with pits, as per  
instructions for  
Corner to Secs. 13, 14,  
23 and 24.

Surface gently rolling  
Soil 2" pale

Range No 16 West 1/4 M.

chains

East on range  
line bet. Secs. 13 and 24  
Variation 13°40'

4000

Set post for temporary  
1/4 Sec. Corner.

80.13

Intersect East boundary  
of Township at a point  
30 lbs. South-southern  
to Secs. 13 and 24, from  
which corner. Run  
89°47' West on true  
line bet. Secs. 13 and 24  
Variation 13°40'

40.00

Set post, deposit chains  
stake, raise mound  
of earth with pits  
as per instructions  
for 1/4 Sec. Corner.

80.13

Corner to Secs. 13,  
14, 23 and 24.  
Surface gently rolling  
Soil 2" pale

7  
Township No 32

chains  
 Walk bet. Sec. 13<sup>and</sup> 14  
 Variation 13<sup>45</sup>° E  
 40.00 Set post, deposit chains  
 stake, raise mound  
 of earth - pits as per  
 instructions for 14 Secs  
 80.00 Set post, deposit chains  
 stake, raise mound  
 of earth with pits as  
 per instructions for  
 corner to Sec. 11, 12, 13  
 and 14  
 Surface gently rolling  
 Soil 2<sup>nd</sup> rate

8  
Range No 16 West 6<sup>th</sup> P.M.

chains  
 East on random line  
 bet. Sec. 12<sup>and</sup> 13  
 Variation 13<sup>40</sup>° E  
 34.50 Enter Bottom + Timber N.E. S.W.  
 35.00 Stream 14<sup>1/2</sup> lb. wide  
 runs N.W.  
 36.00 Leave Bottom + Timber N.E. S.W.  
 40.00 Set post for temporary  
 41.00 Enter Bottom + Timber N.W. S.E.  
 43.00 Stream 8<sup>1/2</sup> lb. wide runs N.W.  
 44.50 Leave Bottom + Timber N.W. S.E.  
 80.05 Intersect East Bound  
 -ary of Township at a  
 point <sup>42</sup> 24<sup>1/2</sup> lb. South  
 of corner to Sec. 12 + 13  
 from which corner  
 I ran S 89<sup>24</sup> 2 West on true  
 line bet. Sec. 12<sup>and</sup> 13  
 Variation 13<sup>40</sup>° E.  
 40.02 1/2 Set post, deposit chains  
 stake, raise mound of  
 earth with pits as per  
 instructions for 14 Secs  
 80.05 <sup>from which</sup> corner to Sec. 11, 12, 13 and 14  
 Surface gently rolling  
 Soil 2<sup>nd</sup> rate

9 Township No 32 North

- chains
- North - bet. Secs 11<sup>and</sup> 12  
Variation 13°45' East
- 24.00 Enter Bottom + Timber  
N.E. and S.W.
- 28.50 Stream 10<sup>1/2</sup> lk. wide runs  
N.E.
- 31.00 Leave Bottom + Timber  
N.E. and S.W.
- 41.00 Set post. deposit chains  
stake, raise mound of  
earth with pits, as per  
instructions for 14 Sec. Corners
- 62.50 Enter Bottom + Timber  
S.E. and S.W.
- 63.00 Stream 2<sup>1/2</sup> lk. wide runs East
- 63.50 Leave Bottom + Timber  
E. and West
- 80.00 Set post. deposit chains  
stake, raise mound of  
earth with pits as  
per instructions for  
Corners to Secs. 1, 2, 11  
and 12  
Surface gently rolling  
Soil 2<sup>1/2</sup> ft. deep

10 Range No 16 West C. 1<sup>st</sup> 1<sup>st</sup> 1<sup>st</sup> W.

- chains
- East on sandstone  
bet. Sect 1<sup>and</sup> 12  
Variation 13°40' East
- 36.10 Enter Bottom + Timber N.E. and S.W.
- 38.00 Stream 15<sup>1/2</sup> lk. wide  
runs N.E.
- 44.00 Set post. for temporary  
14 Sec. Corner
- 68.00 Leave Bottom + Timber N.E.  
and S.E.
- 76.50 Enter Bottom and Timber N.E. and S.W.
- 80.05 Intersect East Boundary  
of Township at a point  
125<sup>1/2</sup> lk. S. of corner to  
Sec. 1<sup>and</sup> 12 from which  
corner I found  
S 89°49' West on true  
line bet. Sec. 1<sup>and</sup> 12  
Variation 18°40' East
- 40.02<sup>1/2</sup> Set post. deposit chains  
stake, raise mound  
of earth with pits as  
per instructions for 14 Sec. Corners  
from original  
S 13° 15' 10" in dia S 35° 48' 10" 210' 10" 10"
- 80.05 Corner to Secs. 1, 2, 11<sup>and</sup> 12  
Surface rolling  
Soil 2<sup>1/2</sup> ft. deep

Township No 32 North

chains

North on a true line  
bet. Sec. 1<sup>and</sup> 2.

40.00 Set post, deposit chained  
stake, raise mound  
of earth - with pits as  
per instructions  
for 1/4 Sec. Corner.

82.10 Intersect 8<sup>th</sup> Standard  
Parallel North, at a  
point 156 Ch. <sup>East</sup> of  
1/4 Sec. Corner on South  
side of Sec 36. Town.  
33 N. R 16 West, and  
set post, deposit chained  
stake, raise mound  
of earth - with pits as  
per instructions for  
a Closing Corner to Sec.  
1<sup>and</sup> 2. Town. 32 N. R  
16 West.

Surface, gently rolling  
Soil 2<sup>nd</sup> rate  
Aug 29<sup>th</sup>

Range No 16 West 6<sup>th</sup> P.M.

chains

North bet. Sec. 34<sup>and</sup> 35  
Variation 13° 40' E

40.00 Set post, deposit chained  
stake, raise mound  
of earth - with pits  
as per instructions  
for 1/4 Sec. Corner.

80.00 Set post, deposit chained  
stake, raise mound  
of earth - with pits, as  
per instructions for 1/4  
Sec. Corner to Sec.  
26, 27, 34<sup>and</sup> 35

Surface gently rolling  
Soil sandy 3<sup>rd</sup> rate

## Township No 32 North

chains

East on random line  
 bet Secs. 26 and 35  
 Variation 18°50' E  
 40.00 Set post for temporary  
 1/4 Sec. Corner  
 79.80 Interest of said line  
 at post. corner to Secs.  
 25, 26, 35 and 36  
 from which corner  
 I run  
 West on true line bet  
 Secs. 26 and 35  
 Variation 18°30' E  
 89.90 Set post, dequilt chain  
 stake, raise mound  
 of earth with pits, as  
 per instructions for  
 1/4 Sec. Corner.  
 79.80 Corner to Secs. 26, 27, 34  
 and 35  
 Surface gently rolling  
 Soil 2<sup>nd</sup> rate

Range No 16 North 6<sup>th</sup> W.

chains

North bet Secs. 26<sup>th</sup> & 27<sup>th</sup>  
 Variation 18°40' E  
 40.00 Set post, dequilt chain  
 stake, raise mound  
 of earth with pits  
 as per instructions  
 for 1/4 Sec. Corner.  
 80.00 Set post, dequilt  
 chain stake, raise  
 mound of earth with  
 pits as per instrumt  
 lines for Corner to Secs.  
 22, 23, 26 and 27.  
 Surface gently rolling  
 Soil 2<sup>nd</sup> rate

## Township No 32 North

chain

East on random  
line bet Secs 23<sup>and 24</sup>

Variation 13° 30'

40.00 Set post for temporary  
74 Sec. Corner79.65 Intersect N<sup>and S</sup> line  
at a point 20' E. of  
of corner to Secs. 23,  
24, 25 and 26 from  
which corner run  
N 89° 31' West on true  
line bet. Secs. 23<sup>and 26</sup>

Variation 13° 30'

39.82<sup>1/2</sup> Set post, deposit chain  
stake, raise mound  
of earth - with pits as  
per instructions for  
74 Sec. Corner.79.65<sup>1/2</sup> Corner to Secs. 22, 23,  
26<sup>and 27</sup>Surface level  
Soil 2<sup>1/2</sup> paleRange No 16 West 6<sup>th</sup> Well

chain

North bet Secs. 22 + 23

Variation 13° 40'

41.00 Set post, deposit chain  
stake, raise mound  
of earth with pits as  
per instructions for  
74 Sec. Corner.84.00 Set post, deposit chain  
stake, raise mound  
of earth with pits as  
per instructions for  
corner to Secs. 22<sup>and 23</sup>Surface gently rolling  
Soil 2<sup>1/2</sup> pale

Township No 32 North

chains

East on random line bet. Sec. 14 and 23  
Variation 13° 50'

36.75 *Virgin* descends W. S.

41.70 Set post for temporary 1/4 Sec. Corner

79.87 Intersect N. and S. line at post, come to Sec. 13, 14, 23 from which corner I run

West on a true line bet. Sec. 14 and 23

Variation 13° 50' Set post, deposit chain stake, raise mound of earth - with pits for per instructions for 1/4 Sec. Corner.

79.87 Come to Sec. 14, 15, 22 and 23

Surface gently rolling Soil 2% platy

Range No 16 West

chains

North bet. Sec. 14 and 15  
Variation 13° 40'

41.00 Set post, deposit chain stake, raise mound of earth - with pits as per instructions for 1/4 Sec. Cor.

80.00 Set post, deposit chain stake, raise mound of earth - with pits, on per instructions for corner to Sec. 10, 11, 14 and 15

Surface gently rolling Soil 2% platy

Township No 32 North

chains East on random line bet. Sect. 11 and 14  
 Variation 18°40'

40.00 Set post for temporary 1/4 Sec. Corner

61.00 Enter Bottom + timber N.E. and S.W.

63.10 Stream 10 yds. wide flows N.E.

65.00 Leave Bottom + timber N.E. and S.W.

80.05 Intersect of random line of a point 15 yds. South of corner to Sect. 11, 12, 13 + 14 from which corner found  
 S 89°34' West on true line bet. Sect. 11 and 14  
 Variation 18°40' Each

40.02 1/2 Set post, deposit-chained stake, raise mound of earth - with pits as per instructions for 1/4 Sec. Corner

80.05 Corner to Sect. 10, 11, 14 and 15  
 Surface rolling Soil 2% rate

Range No 16 West 6<sup>th</sup> N.M.

chains North bet. Sect. 10 + 11  
 Variation 18°40'

39.50 Razine descends S.E.

40.00 Set post, deposit chained stake, raise mound of earth - with pits as per instructions for 1/4 Sec. Corner

80.00 Set post, deposit chained stake, raise mound of earth - with pits as per instructions for corner to Sect. 2, 3, 10 and 11  
 Surface rolling Soil 2% rate

## Township No 22 South

chains

- Run on random  
 line bet. Sec. 2<sup>nd</sup> & 11<sup>th</sup>  
 Variation 13° 40' E  
 40.00 Set post for temporary  
 1/4 Sec. Corner  
 80.10 Intersect N. and S.  
 line at a point 10<sup>th</sup> Sec.  
 South of corner  
 Sec. 12.11 and 12 from  
 which corner (run  
 S 89° 56' West on  
 true line bet. Secs.  
 2 and 11  
 Variation 13° 40' E  
 40.05 Set post, deposit  
 chained stake, raise  
 mound of earth with  
 spits, as per instrumt  
 gins for 1/4 Sec. Corner  
 80.10 Corner to Secs. 2, 3, 10  
 and 11  
 Surface gently rolling  
 Soil 2<sup>nd</sup> prairie

## Range No 16 West C. 1846.

chains

- Walk on a true line  
 bet. Secs. 2<sup>nd</sup> and 3  
 Variation 13° 40' E  
 40.00 Set post, deposit chained  
 stake, raise mound  
 of earth with spits  
 as per instructions  
 for 1/4 Sec. Corner  
 82.00 Intersect S. Standard  
 Parallel North, at  
 a point 665<sup>ft</sup> bet. East  
 1/4 Sec. Corner on  
 South side of Sec. 35  
 Town. 33 N. R. 16<sup>th</sup>  
 and set post, deposit  
 chained stake, raise  
 mound of earth with  
 spits, as per instrumt  
 gins for a "Closing  
 Corner" to Secs. 2<sup>nd</sup> & 3<sup>rd</sup>  
 Town 32 N. R. 16<sup>th</sup>  
 Surface gently rolling  
 Soil 2<sup>nd</sup> prairie  
 Aug. 30<sup>th</sup>

Township No 32 North

chains

North - bet. Secs 33 & 34  
 Variation 13° 40' E  
 40.00 Set post, deposit chains  
 stake, raise mound  
 of earth - with pits  
 as per instructions  
 for 1/4 Sec. Corner.  
 80.00 Set post, deposit chains  
 stake, raise mound  
 of earth - with pits, as  
 per instructions for  
 corner to Secs 27, 28,  
 33 and 34  
 Surface rolling  
 Soil sandy - 3/4" pale

Range No 16 West 6 1/2 Miles

chains

East on railroad  
 line bet. Secs 27 and 34  
 Variation 13° 40' E  
 40.00 Set post, for temporary  
 1/4 Sec. Cor.  
 80.38 Intersect Spaw S.  
 line at a point 17 lbs  
 North of corner to  
 Secs 26, 27, 34 and 35  
 from which corner  
 Iron  
 N 89° 44' W on  
 line bet. Secs  
 27 and 34  
 Variation 13° 40' E  
 40.19 Set post, deposit chains  
 stake, raise mound  
 of earth - with pits  
 as per instructions  
 for 1/4 Sec. Corner.  
 80.38 Corner to Secs 27, 28  
 33 and 34  
 Surface gently rolling  
 Soil sandy 3/4" pale

Township No 32 North

chains

North bet. Secs. 27 &amp; 28

Variation  $13^{\circ}30'$ 

4000 Set post, deposit chain  
stake, raise mound  
of earth - with pits as  
per instructions for  
1/4 Sec. Corner.

8000 Set post, deposit chain  
stake, raise mound  
of earth - with pits, as  
per instructions for  
corner to Secs. 24, 22,  
27 and 28.

Surface gently rolling  
Soil sandy - 3" prof

Range No 16 West (Stake)

chains

East on random  
line bet. Secs. 22 and 27  
Variation  $13^{\circ}40'$

4000 Set post for temporary  
Sec. Corner.

8017 Intersect New Line  
at a point 14 ft. N.  
of corner to Secs. 22,  
23, 26 and 27 find  
which corner then  
 $189^{\circ}54'$  West on true  
line bet. Secs. 22 and 27  
Variation  $13^{\circ}40'$  East

4000 ~~8017~~ Set post, deposit chain  
stake, raise mound  
of earth - with pits as  
per instructions for  
1/4 Sec. Corner.

8017 Corner to Secs. 21, 22,  
27 and 28

Surface gently rolling  
Soil 3" prof

Township No 39 North

chains

North bet. Secs. 21<sup>st</sup> & 22<sup>nd</sup>  
Variation 18° 28'

45.00 Set post, deposit chain  
stakes, raise mound  
of earth - with pits, as  
per instructions for  
1/4 Sec. Corner.

80.00 Set post, deposit chain  
stakes, raise mound  
of earth - with pits, as  
per instructions for  
Corner to Secs. 15, 16, 21  
and 22

Surface gently rolling  
Soil 2<sup>nd</sup> grade

Range No 16 West 1<sup>st</sup> 1/2 Sec.

chains

East on random  
line bet. Secs. 15<sup>th</sup> and 22<sup>nd</sup>  
Variation 13° 40'

45.00 Set post for temporary  
1/4 Sec. Corner.

80.11 Intersect E. and S.  
line at a point 18  
ft. South of corner  
to Secs. 1, 4, 15, 22  
and 23 from which  
corner S. run

of 89° 52' West on true  
line bet. Secs. 15<sup>th</sup> & 22<sup>nd</sup>  
Variation 13° 40'

40.05 Set post, deposit chain  
stakes, raise mound  
of earth - with pits, as  
per instructions for  
1/4 Sec. Corner.

80.11 Corner to Secs. 15, 16, 21  
and 22

Surface gently rolling  
Soil 2<sup>nd</sup> grade

Township No 32 North

chains North bet Sec. 15<sup>and</sup> 16.  
 Variation 13° 38' E  
 4000 Set post, deposit chain  
 stake, raise mound  
 of earth - with pits as  
 per instructions for  
 1/4 Sec. Corner.  
 8000 Set post, deposit chain  
 stake, raise mound  
 of earth - with pits as  
 per instructions for  
 Corner to Sec. 9, 10, 15  
 and 16  
 Surface gently rolling  
 Soil 2" pratt

Range No 16 West 6<sup>th</sup> N.P.M.

chains East on random line  
 bet. Sec. 10 and 15  
 Variation 13° 48' East  
 4100 Set post for temporary  
 1/4 Sec. Corner.  
 8000 Intended to be line at  
 a point 50 E. of N. of  
 corner to Sec. 10, 11,  
 14 and 15 from which  
 corner Range  
 No 9 - 3<sup>rd</sup> West on true  
 line bet. Sec. 10 and 15  
 Variation 13° 40' East  
 4100 Set post, deposit chain  
 stake, raise mound  
 of earth - with pits  
 as per instructions  
 for 1/4 Sec. Corner  
 8000 Corner to Sec. 9, 10, 15  
 and 16  
 Surface gently rolling  
 Soil 2" pratt - P

Township No 32 North

chains

North bet. Secs 9<sup>th</sup> & 10<sup>th</sup>

Variation 13° 40'

4000 Set post, deposit chains

stake, raise mound

of earth - with pits

as per instructions

for 1/4 Sec. Corner.

47.00 Ravine descends

N. W.

8000 Set post, deposit chains

stake, raise mound

of earth, with pits

as per instructions

for corner to Secs

3, 4, 9 and 10

Surface gently rolling

Soil 2<sup>nd</sup> rate - JRange No 16 West 6<sup>th</sup> P.M.

chains

East on random

line bet Secs 8<sup>th</sup> & 10<sup>th</sup>

Variation 13° 30' E

Ravine descends North-

Set post for temporary

1/4 Sec. Corner.

Intersect of said S

line at a point 11

1/4 Sec. Top corner to

Secs 2, 3, 10 and 11

from which come

No Sec. Iron

N 89° 55' West on line

line bet. Secs 8<sup>th</sup> & 10<sup>th</sup>

Variation 13° 20' East

Set post, deposit chains

stake, raise mound

of earth - with pits, as

per instructions for

1/4 Sec. Corner.

Corner to Secs 3, 4,

9 and 10

Surface gently rolling

Soil 2<sup>nd</sup> rate - J

## Township No 32 North-

chains

Went on a true line  
bet. Secs 3 and 4

Variation 13° 40' E

40.00

Set post, deposit chains  
stake, raise mound  
of earth with pits as  
per instructions for  
"44 Sec. Corner."

80.70

Intersect 8th Standard  
Parallel at a point  
175 yds. West of the  
"44 Sec. Corner" on the  
South Boundary of  
Sec. 34 Towns. 33 N.,  
Range 16 West, and  
set post, deposit chains  
stake, raise mound  
of earth with pits  
as per instructions  
for a "Closing Corner"  
in Secs 3 and 4 T. 32 N.,  
Range 16 West.Surface rolling  
Soil 2<sup>d</sup> rate.  
Aug. 31<sup>st</sup>Range No 16 West 6<sup>th</sup> P.M.

chains

North bet. Secs 32  
and 33

Variation 13° 45' E

40.00

Set post, deposit chains  
stake, raise mound  
of earth with pits, as  
per instructions for  
"44 Sec. Corner."

81.10

Set post, deposit  
chains stake, raise  
mound of earth  
with pits, as per  
instructions for  
corner to Secs. 28, 29,  
32, and 33.Surface rolling  
Soil sandy 3<sup>d</sup> rate

## Township No 32 N. 16 W.

chains

East on random  
line bet. Secs 28  
and 33

Variation  $13^{\circ}40'$

40.00 Set post for temporary

1/4 Sec. Corner  
80.09 Intersect N. and S. line  
at a point 7 1/2 ch. d.  
corner to Secs 27, 28,  
33 and 34 from  
which crossed new  
line bet. Secs 28 and 33

Variation  $13^{\circ}40'$

40.04 1/2 Set post, deposit cham-  
etake, raise mound  
of earth with pits as  
per instructions for  
1/4 Sec. Corner,

80.09 Corner to Secs 28, 29,  
32 and 33.

Surface gently rolling  
Soil sandy 3/4 prairie

Range No 16 West 6<sup>th</sup> N.

chains

North bet. Secs 28 and 29  
Variation  $13^{\circ}45'$

40.00 Set post, deposit cham-  
etake, raise mound  
of earth with pits  
as per instructions  
for 1/4 Sec. Corner.

80.00 Set post, deposit  
cham-  
etake, raise  
mound of earth with  
pits as per instruct-  
ions for corner to  
Secs 20, 21, 28 and  
29.

Surface rolling  
Soil sandy 3/4 prairie

## Township No 32 North

chain East on random line  
bet. Secs 21 and 28  
Variation  $13^{\circ}30'$  East  
40.00 Set post for temporary  
1/4 Sec. Corner.  
80.24 Intermittent N and S line  
at a point 18 <sup>1/2</sup> E. of  
of corner to Secs 15, 16,  
17 and 18 from which  
corner from  
N 89° 32' West on true  
line bet. Secs 21 and 28  
Variation  $13^{\circ}30'$  East  
40.12 Set post. deposit chain  
stake, raise mound  
of earth with pits  
as per instructions  
for 1/4 Sec. Corner.  
80.24 Corner to Secs 20, 21,  
28 and 29  
Surface gently rolling  
Soil sandy of 3" type

Range No 16 West of 6<sup>th</sup> P.M.

chain North bet. Secs 20 and 21  
Variation  $13^{\circ}30'$  E  
40.00 Set post. deposit chain  
stake, raise mound  
of earth with pits as  
per instructions for  
1/4 Sec. Corner.  
80.00 Set post. deposit chain  
stake, raise mound  
of earth with pits  
as per instructions  
for corner to Secs 16,  
17, 20 and 21  
Surface gently rolling  
Soil 2" prairie

Township No 32 T<sub>1</sub>R

chains East on random line bet. Sec. 16<sup>and 21</sup> Variation 13°40'E

41.50 Set post. deposit temporary 1/4 Sec. Corner.

47.00 Stream 2 lbs wide same N.W.

80.46 Intersect N. and S. line at a point 13 lbs. N. of corner to Sec. 13 16, 21 and 2 from which corner from N 89°34' West on true line bet. Sec. 16<sup>and 21</sup> Variation 13°40'E

40.23 Set post. deposit chained stake rain mound of earth with pits as per instructions for 1/4 Sec. Corner

80.46 Corner to Sec. 16, 17, 20 and 21

Surface gently rolling Soil 2<sup>1</sup>/<sub>2</sub> ft

Range No 16 West 6<sup>th</sup> P.M.

chains North bet. Sec. 16<sup>and 17</sup> Variation 13°20'E

41.50 Set post. deposit chained stake rain mound of earth with pits as per instructions for 1/4 Sec. Corner.

64.60 Corner Bottom N.W. 4 S.E.

64.50 Stream 8 lbs wide N.W.

81.00 Set post. deposit chained stake rain mound of earth with pits as per instructions for Corner to Sec. 19, 16<sup>and 17</sup>

Surface rolling Soil 2<sup>1</sup>/<sub>2</sub> rate of

Township No 32 North

chains  
 East on random line bet Secs 9<sup>th</sup> & 16<sup>th</sup>  
 Variation 13°40'  
 14.00 Leave Bottom NW<sup>1/4</sup> S.E.  
 40.00 Set post for temporary 1/4 Sec. Corner.  
 48.00 Ravine descends NW<sup>1/4</sup>  
 64.00 Ravine descends NW<sup>1/4</sup>  
 79.82 Intersect N. and S. line at post. corner to Secs 9, 10, 15 and 16 from which corner I run West on true line bet. Secs 9 and 16  
 Variation 13°40' East  
 39.98 Set post. deposit chain stakes, raise mound of earth with pits as per instructions for 1/4 Sec. Corner.  
 49.80 Corner to Secs 8, 9, 16  
 Surface gently rolling Soil 2<sup>nd</sup> rate -

Range No 16 West 6<sup>th</sup> N.

chains North bet. Secs 8<sup>th</sup> & 9<sup>th</sup>  
 Variation 13°40'  
 9.00 Leave Bottom NW<sup>1/4</sup> S.E.  
 14.50 Ravine NW, skirted with timber.  
 41.00 Set post. deposit chain stake, raise mound of earth with pits as per instructions for 1/4 Sec. Corner.  
 81.00 Set post. deposit chain stake, raise mound of earth with pits as per instructions for corner to Secs 4, 5, 8 and 9  
 Surface rolling Soil 2<sup>nd</sup> rate -

Township No 33

chains

Carton random line bet. Sec. 4 & 5

Variation 18° 30' E

23.00 Stream 3 1/2 miles N.W.

46.00 Set post for temporary 1/4 Sec. Corner

79.85 Intersect N and S lines at a point 15 1/2 miles of corner to Sec. 3, 4, 5 & 10 from which corner of 1/4 Sec. 4

Set post on line bet. Sec. 4 & 5

Variation 13° 30' E

39.92 1/2 Set post, deposit chain stake raise mound of earth with pits as per instructions for 1/4 Sec. Corner

79.85 Corner to Sec. 4, 5, 8 & 9 Surface rolling Soil 2% rate

Range No 16 West

chains

Antip-on true line bet. Sec. 4 and 5

Variation 13° 40' E

11.00 Enter Bottom of W. S. E.

14.00 Stream 6 1/2 miles

15.50 Leave Bottom N. W. S. E.

46.00 Set post, deposit chain stake, raise mound of earth with pits as per instructions for 1/4 Sec. Corner

80.90 Intersect 8th Standard

Parallel at a point 180 1/2 feet of 1/4 Sec. Corner on South side of Sec. 33 Town 33

W. Range No 16 West and set post, deposit chain stake raise mound of earth with pits, as per instructions

for a Closing Corner to Sec. 4 and 5 from S. of R. 16 West

Surface rolling Soil 2% rate

Township No 32 North

chains

North bet. Sec.

31 and 32

Variation 13° 30'

40.00

Set post, deposit  
changed stake, raise  
mound of earth  
with-pits as per  
instructions for  
144 Sec. Corner

80.00

Set post, deposit changed  
stake, raise mound  
of earth with-pits  
as per instructions  
for Corner to Sec.  
29, 30, 31 and 32  
Surface rolling  
Soil sandy, 3/4 ralt

Range No 16 West 6 1/2 N.W.

chains

East on random line  
bet. Sec. 29 and 32

Variation 13° 30'

40.00

Set post, deposit  
144 Sec. Corner

79.50

Intersect of said line  
at a point 63 lks. N. of  
corner to Sec. 28, 29,  
32 and 33 from which  
corner runN 89° ~~30'~~ W of on  
true line bet. Sec. 29, 32

Variation 13° 30'

39.75

Set post, deposit changed  
stake, raise mound  
of earth with-pits  
as per instructions  
for 144 Sec. Corner

79.50

Corner to Sec. 29, 30,  
31 and 32Surface gently rolling  
Soil sandy, 3/4 ralt

Township No 32

chains

Went on random line bet Sec. 80 and 81 Variation 13° 40'

44.00 Set post, for temporary 1/4 Sec. Corner

79.80 Intercept West Bound - 20' Gully (meridian) at a point 30' S. of corner to Sec. 30 and 31 from which corner run N 89° 47' East outside line bet Sec. 30 and 31

39.80 Variation 13° 40' Set post, deposit chained stake, raise mound of earth with pile as per instructions for 1/4 Sec. Corner

79.80 Corner to Sec. 29, 30, 31 and 32 Surface rolling Soil sandy 3/4 calc

September 1<sup>st</sup> 1872

Range No 16 West 6<sup>th</sup> M.

chains

South bet Sec. 29 and 30 Variation 13° 45'

44.00 Set post, deposit chained stake, raise mound of earth - with pile as per instructions for 1/4 Sec. Corner

80.00 Set post, deposit chained stake, raise mound of earth with pile as per instructions for corner to Sec. 19, 20, 29 and 30

Surface rolling Soil sandy - 3/4 calc

Township No 32 North

Chain East on random line bet. Secs 20<sup>th</sup> and 29<sup>th</sup>  
 Variation 13° 30' East  
 40.00 Set post for temporary 1/4 Sec. Corner  
 79.60 Intersect West line at a point 11 <sup>1/2</sup> lks. S. of corner to Secs 20, 21, 28 and 29 from which corner I run  
 N 89° 35' West on true line bet. Secs 20<sup>th</sup> & 29<sup>th</sup>  
 Variation 13° 30' East  
 39.80 Set post, deposit chain stake, raise mound of earth - with fill as per instructions for 1/4 Sec. Corner  
 79.60 Corner to Secs 19, 20, 29 and 30  
 Surface gently rolling  
 Soil sandy 3/4 half

Range No 16 West 6<sup>th</sup> N.M.

Chain West on random line bet. Secs 19<sup>th</sup> and 30  
 Variation 13° 45' E  
 40.00 Set post for temporary 1/4 Sec. Corner  
 79.09 Intersect West line <sup>the 29<sup>th</sup> Guide</sup> and <sup>the 19<sup>th</sup> Guide</sup> of Township at a point 8 lks. S. of corner to Secs 19<sup>th</sup> and 30 from which corner I run  
 N 89° 57' East on true line bet. Secs 19<sup>th</sup> & 30  
 Variation 13° 45'  
 39.09 Set post, deposit chain stake, raise mound of earth with fill as per instructions for 1/4 Sec. Corner  
 79.09 Corner to Secs 19, 20, 29 and 30  
 Surface gently rolling  
 Soil 2/3 half

## Township No 32 North-

chains

North bet Secs 19<sup>th</sup> & 20<sup>th</sup>  
 Variation 13<sup>th</sup> 45' E  
 41.00 Set post, deposit chains  
 stake, raise mound  
 of earth - with pits  
 as per instructions  
 for 1/4 Sec. Corner.  
 81.00 Set post, deposit chains  
 stake, raise mound  
 of earth - with pits as  
 per instructions for  
 1/4 Sec. 17, 18, 19<sup>th</sup> & 20<sup>th</sup>  
 Surface rolling  
 Soil 3<sup>rd</sup> rate of

Range No 16 West 6<sup>th</sup> P.M.

chains

East on random  
 line bet Secs 17<sup>th</sup> & 20<sup>th</sup>  
 Variation 13<sup>th</sup> 30' E  
 40.00 Set post by temporary  
 1/4 Sec. Corner.  
 79.42 Intersect of line  
 at a point 14<sup>th</sup> 1/2 S. of  
 corner to Secs 16, 17, 18  
 and 21 from which corner  
 I run  
 S 89<sup>th</sup> 34' West on true  
 line bet Secs 17<sup>th</sup> & 20<sup>th</sup>  
 Variation 13<sup>th</sup> 30' E  
 39.71 Set post, deposit chains  
 stake, raise mound  
 of earth - with pits  
 as per instructions  
 for 1/4 Sec. Corner.  
 79.42 Corner to Secs 17, 18,  
 19<sup>th</sup> & 20<sup>th</sup>  
 Surface gently rolling  
 Soil 3<sup>rd</sup> rate of

## Township No 33 South

chains Westons and don lines  
bet. Secs 18 and 19

Variation  $13^{\circ}45'$   
41.00 Set post for temporary  
1/4 Sec. Corner.

79.06 Interest West  
Boundary of Township  
at approx 110 Ch.  
South of corner to Secs  
18 and 19 from which  
corner Run

\$89.03 6' East on  
true line bet. Secs  
18 and 19

39.06 Variation  $13^{\circ}45'$   
Set post, deposit chain  
stake, raise mound  
of earth - with pits  
as per instructions  
for 1/4 Sec. Corner.

79.06 Corner to Secs 17, 18,  
19 and 20  
Surface rolling  
Soil 2" rate

Range No 16 West 16<sup>th</sup> P.M.

chains North bet. Secs 17 and 18  
Variation  $13^{\circ}45'$

41.00 Set post, deposit chain  
stake, raise mound  
of earth - with pits  
as per instructions  
for 1/4 Sec. Corner.

81.00 Set post, deposit  
chain stake, raise  
mound of earth - with  
pits, as per instruc-  
tions for corner to  
Secs 7, 8, 17 and 18  
Surface rolling  
Soil 2" rate

## Township No 32 North

chains

East on random line  
bet. Sec. 8 and 17Variation  $13^{\circ} 38' E$ 

12.00 Ravine descends at E.

40.00 Set post for temporary

1/4 Sec. Corner.

77.00 Enter Bottom N.W. 1/4 Sec. 8.

78.60 Stream &amp; 1/2 mile wide N.W.

79.64 Intersect of said line  
at a point 9 1/2 miles South  
of corner to Sec. 8, 9, 16  
of and 17 from which corner  
I runS 89 56 West on true  
line bet. Sec. 8 and 17Variation  $13^{\circ} 38' E$  East39.82 Set post, deposit chained  
stake, raise mound  
of earth - with pits as  
per instructions for  
1/4 Sec. Corner.79.64 Corner to Sec. 7, 8, 11/  
and 18.

Surface rolling

Soil 2% rate of

## Range No 16 West 1/2 mile

chains

West on random line  
bet. Sec. 7 and 18Variation  $13^{\circ} 40' E$ 11.00 Stream & 1/2 mile wide  
runs North.

41.00 Set post for temporary

1/4 Sec. Corner.

41.00 Ravine descends North

57.00 Ravine descends North

79.60 Intersect West Boundary

which is the 2<sup>d</sup> Quarter

(Meridian) at a point

30 1/2 miles South of

corner to Sec. 7 and

18 from which corner  
I run.

39.10 Set post, deposit chained

stake, raise mound

of earth - with pits, as  
per instructions for

1/4 Sec. Corner, 7, 8, 17 &amp; 18

79.60 Corner to Sec. 7, 8, 17 & 18  
Surface rolling  
Soil 2% rate of

Trundle No 32 North-

chains  
 North bet. Secs 7<sup>th</sup> & 8<sup>th</sup>  
 Variation 13° 45' E  
 19.00 Stream & l<sup>st</sup>. side runs  
 N. W.  
 40.00 Set post, deposit chained  
 stake, raise mound  
 of earth - with - pits  
 as per instructions  
 for 1/4 Sec. corner.  
 53.00 Enter Bar Oaks Timber  
 Co. and S. W.  
 58.70 Stream & l<sup>st</sup>. side N.  
 61.00 Leave Bar Oak Timber  
 Co. and S. W.  
 80.00 Set post, deposit - chained  
 stake, raise mound  
 of earth - with - pits  
 as per instructions for  
 corner to Secs. 5, 6, 7 and 8  
 Surface rolling  
 Soil 2<sup>nd</sup> rate

Range No 16 West 6<sup>th</sup> Run

Chain East on random  
 line bet. Secs. 5<sup>th</sup> and 8<sup>th</sup>  
 Variation 13° 30' E  
 11.50 Stream 1<sup>st</sup> l<sup>st</sup>. side - runs  
 N. E. - skirted by timber.  
 40.00 Set post for top of survey  
 1/4 Sec. corner.  
 69.50 Run descends N. W.  
 79.72 Intersect N. and S. line  
 at post corner to Secs  
 4, 5, 6, 7 and 8 from which  
 I run off  
 then on a true line bet.  
 Secs. 5 and 8  
 Variation 13° 30' East  
 79.86 Set post, deposit - chained  
 stake, raise mound  
 of earth with pits as  
 per instructions for  
 1/4 Sec. cor.  
 79.72 corner to Secs. 5, 6, 7  
 and 8  
 Surface rolling  
 Soil 2<sup>nd</sup> rate

Township No 33 North

chains

Went on a random line bet. Secs 6 and 7

Variation 13° 40' East

18.50 Stream 8 ft. wide runs N. Skirted by timber

40.00 Set post for temporary 1/4 Sec. Corner

79.10 Intersect West Boundary 2<sup>nd</sup> Guide Meridian

at a point 2.5 ft. S. of corner to Secs 6 & 7 from which corner

Draw S 89° 49' E on true line bet. Secs 6 and 7

Variation 13° 40' East

32.10 Set post, deposit chanced stake, raise mound of earth with pits as per instructions for 1/4 Sec. Corner

79.10 Corner to Secs 5, 6, 7 and 8

Surface rolling Soil 3/4 rate.

Range No 16 West 6<sup>th</sup> 1/2 Sec.

chains

Went on a true line bet. Secs 5 and 6

Variation 13° 45' E

40.00 Set post, deposit chanced stake, raise mound of earth with pits as per instructions for 1/4 Sec. Corner

80.48 Intersect 8<sup>th</sup> Stand and Parallel North at a point 2.0 ft. S. of 1/4 Sec. corner on South side of Sec. 32

Town. 33 N. R. 16

West - and set post deposit chanced stake raise mound of earth with pits as per instructions for

Closing Corner to Secs 5 and 6, S. 32 N. R. 16 West from which

A Pin Oak 9 in dia. N 89° 28' 40" E

A Pin Oak 4 " " " N 50° E 25 " "

Surface rolling Soil 3/4 rate - Sep. 2<sup>nd</sup> 1872

General Description.

The surface of this Township is gently rolling - with the exception of a few ravines all the head of streams. The soil is generally good 2<sup>d</sup> rate & plays well adapted to cultivation. There are a number of beautiful Springs & one of excellent water, which are situated with large bodies of Bar Oak & Spruce - interspersed with some Cedar.

Note

The major roads, noted upon the attached lines, which form the State & West Boundary of this Township, have become too indistinct to be worthy of note. They can only be tracked, on the hillsides where the tracks have been worn deep by the action of water. These roads have been marked with white wash & have been used by the Indians.

List of Names.

A list of the names of the individuals employed to assist in refining, measuring or marking the lines and corners described in the foregoing field notes of Sept. 3<sup>d</sup> 1864 showing the respective capacities in which they acted

Joseph C. Cuyler Chairman  
Anthony H. Clinton  
James Pikey  
J. G. Porter  
Silaguen

We hereby certify that  
we assisted Deputy Court  
Deputy Surveyor, in  
surveying and subdivi-  
ding Township 32  
N. Range 16<sup>th</sup> of 1<sup>st</sup> 3<sup>rd</sup>  
Mer. in Nebraska, and  
that said Township  
has been in all  
respects, to the best  
of our knowledge and  
belief well and  
faithfully surveyed  
and the boundary  
monuments placed  
according to the  
instructions furnished  
by the Surveyor General.

Frank Crowell  
Anthony H. Clinton } Clerks  
Amos Pike }  
J. G. Porter }  
} Assessee  
} and  
} Register

Subscribed and sworn  
to by the above named  
persons before me  
a Notary Public  
for Androscoggin County  
State of Maine  
this 4th day of September  
1872.

H. Blanchard  
Notary Public

I, Henry Court, Deputy  
Surveyor, do solemnly  
swear that in pursuance  
of a joint contract between  
Refrances Wilcox, Surveyor  
Court and Geo. J. Kendall  
are joint Contractors with  
E. J. Cunningham, U.S.  
Surveyor General, for  
Imperial Park, dated  
June 25th 1872 I have  
well, faithfully and  
truly in my own  
proper person in strict  
conformity with the  
instructions furnished by  
the Surveying Manual  
and laws of the United  
States, surveyed  
all those parts or  
portions of Township  
No 32 N. R 16 W of  
6th M. as are represented  
in the preceding field  
notes, as having

been surveyed under my  
direction, and I do further  
solemnly swear that all the  
corner of said survey have been  
established and perpetuated  
in strict accordance with the Survey  
Manual and printed instructions  
and that the foregoing are the true and  
original field notes of such survey  
Henry Court  
Deputy Surveyor

Subscribed by said  
Deputy Surveyor, and  
sworn to before me  
a Notary Public for  
Antelope County, State  
of Nebraska, this 7<sup>th</sup>  
day of Sept 1872,  
H. Blanchard  
Notary Public

Surveyor General. Office  
Plattsmouth Nov 1<sup>st</sup> 1872  
The foregoing Field Notes of the  
Survey of Subdivision lines of  
Township No 32, North of Range  
No 16, West of the 6<sup>th</sup> Principal  
Meridian in the State of Nebraska,  
executed by Henry Court Deputy  
Surveyor under joint contract  
No 58, dated June 25<sup>th</sup> 1872, between  
Chauncy Wittoe, Henry Court and  
George S. Kendall are joint contra-  
cted, having been critically ex-  
amined, the necessary corrections  
and explanations made the said  
Field Notes and the surveys they  
describe are hereby approved

E. E. Cunningham  
Surveyor General

# GENERAL LAND OFFICE • ORIGINAL FIELD NOTES

BOOK NUMBER

**411**

---

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.