General Land Office • Original Field Notes

Book Number

418

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Town 21 Range 17 W

6	40	5	41	4	33	3	22	2	11	1
37		38		43		32		21		10
7	39	8	42	9	31	10	20	11	9	12
36		35		11		30		19		8
18	34	17	40	16	29	15	18	14	7	13
33		32		39		28		17		6
19	31	20	38	21	27	22	16	23	5	24
30		47		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Field Notes of the Subdivision Lines and Meanders of North Loup River in Township No 21 North of the Base Line of the Range No 17 West of the 6th Principal Meridian in the State of Nebraska Surveyed John H Daugherty Deputy Surveyor. Commenced May 30th 1873. And Completed May 1873

Names and duties of assistants employed in running the Subdivision Lines and Meandering North Loup River in Township No 21 North of the Baseline of Range No 17 West of the 6 Principal Meridian in the State of Nebraska

Allard C. Peavey Chainman
Calvin Shaw Chainman

John Wenger Axeman
Herbert R Wilcox Axeman

To determine the proper adjustment of my Compass for Subdividing this Township I Commence at the South East Corner of the Township an run North on a blank line along the East boundary of Sec 36

Va 13°15' East

3996 To a point 18 lks East
3996 of the 1/4 Sec Cor
7980 To a point 35 lks East of the
7980 Corner to Secs 25 and 36
To retrace this line or run parallel thereto my Compass be adjusted to a variation of 13°30' East

Township 21 North of the Base Line Range No West of the 6th Principal Meridian 1 2

North between Sections 35 & 36
Va 13° 30' East

3000 Drain 20 lks wide descends North East

4000 Set post 3 x 3 in x 4 ft 12 in deep. deposit charred stake raise mound of earth 2 ft high. from pits 18 x 24 and 12 in deep for 1/4 Sec Cor

7600 Leave hills and enter valley bearing East and West

8000 Set post 3 x 4 in x 4 ft. 12 in deep deposit charred stake raise mound of earth 2½ ft high from pits 18 x 24 and 12 in deep. for Cor to secs 25. 26 35 and 36

Land mostly high rolling hills 2 rate soil

East on a random line bet secs 25 and 36
Variation 13° 30' East

1100 Drain 25 lks wide descends N. E

2000 Deep Drain 40 lks wide descends North

4000 Set post for temporary 1/4 Sec Cor

4300 Leave valley and enter hills bears North East & South West

8040 Intersect the East boundary of the Township 21 lks North of Post Cor to secs 25 & 36 from which Cor I ran North 89° 51' West on a true line between Secs 25 & 36
Variation 13° 30' East

4020 Set post 3 x 3 in x 4 ft 12 in deep, deposit charred stake raise mound of earth 2 ft high from pits 18 x 24 for 1/4 Sec Cor

8040 To Cor to Secs 25 26 35 & 36

Land on valley 1st rate balance very Broken 3 rate. There is scattering timber along the Drain on this Line. it is Cottonwood Ash Elm & Cedar

Township 21 North Range 17 West of

North between Secs 25 and 26
Va 13° 30' East

2000 To Seep bank 20 feet high level
culv - low Bottom Dras E & W

2292 To right bank of North Loup River
and set charred post 3 x 3 x 4 ft
12 in deep, raise mound of earth
2 ft high from pits 18 x 24 and 12 in
deep for Cor to fractional Secs 25 & 26
I measure the distance across
the river 316 chs the water being shallow

2618 To Left bank of North Loup River
where I set charred post 3 x 3 x 4 ft
12 in deep, for Cor to fractional secs
25 & 26 from which a cottonwood
28 in in dia Dras N 53 West 90 lks
dist An Elm 16 in in dia Dras N 45½ E
116 lks dist

3400 Leave Timber and low Bottom Dras
East & West

4000 Set charred post 3 x 4 x ft 12 in deep
raised mound of earth from pits 18 x 24
in and 12 in deep for ¼ Sec Cor

8000 Set charred post 3 x 3 x 4 ft 12 in deep
raise mound of earth 2 ft high from pits 18 x 24
and 12 in deep for Cor to Secs 23, 24, 25 & 26

Land gentle rolling bottom good soil

the 6th Principal Meridian

East on a random line between Secs
24 and 25
Variation 13° 30' East

3930 To Left bank of North Loup River and
Set post for temporary M.C. the River
not being deep I chain the distance across
17 chs & 74 lks

5704 To Right bank where I set post for temporary
Meander Cor

8004 Intersect the East boundary of the Township 70
lks North of post Cor to Secs 24 & 25 from
which corner
I run North 89° 30' West on a true line
between Secs 24 & 25
Variation 13° 30' East

2300 To right bank of North Loup river where
I set a charred post 3 x 3 x 4 ft raised
mound of earth 2 ft high from pits 18 x 24 in and 12 in
deep for Cor to fractional Secs 24 & 25

4007 The point for ¼ Sec Cor being in the river
it can not be established

4074 To Left bank of North Loup River where I
set charred post 2 x 3 x 4 ft 12 in deep raised
mound of earth 2 ft high from pits 18 x 24 in and 12 in
deep for Cor to fractional Secs 24 & 25

8004 Cor to Secs 23, 24, 25 and 26
Land gentle rolling bottom 1st rate

May 31 1915

Township 21 North of the Base Line Range 5

North between Secs 23 and 24

Variation 13° 30' East

1300 Leave valley and enter sand hills bears N. E and S W

4000 Set charred post 2 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

8000 Set charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18 x 24 in and 12 in deep for Cor to Secs 13. 14 23 and 24

Land on valley gentle rolling 1st rate balance sand hills 3 rate

17 West of the 6th Principal Meridian

East on a random line between Secs 13 and 24

Va 13° 30' East

4000 Set post for temporary 1/4 Sec Cor

7946 Intersect the East boundary of the Township 67 lk North of post Cor to Secs 13 and 24 from which Cor

I run North 89° 31' West on a true line between Secs 13 and 24

Va 13° 30' East

39.73 Set charred post 3 x 4 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

7946 To the Cor to Secs 13. 14. 23 and 24

Land sand hills 3 rate soil

Township No 21 North of the Base Line Range No 17 West of the 6th Principal Meridian

North between Secs 13 and 14
Va 13° 30' East

4000 Set charred post 2 X 3 in X 4 ft 12 in deep, raised mound of earth 2½ ft high from pits 18 X 24 in and 12 in deep for ¼ Sec Cor

8000 Set charred post 3 X 3 in X 4 ft 12 in deep, raised mound of earth 2½ ft high from pits 18 X 24 in 12 in deep, for Cor to Secs 11, 12 13 and 14

Level sand hills 3 rate

East on a random line between Secs 12 and 13
Va 13° 30' East

4000 Set post for temporary ¼ Sec Cor

7940 Intersect the East boundary of the Township 84 lks North of post Cor to Secs 12 and 13. From which Cor I ran North 89° 24' West on a true line between Secs 12 and 13
Va 13° 30' East

39 ~~24~~ 70 Set charred post 3 X 3 in X 4 ft 12 in deep, raised mound of earth 2 ft high from pits 18 X 24 in and 12 inches deep, for ¼ Sec Cor

7940 To the Cor to Secs 11, 12, 13 and 14

Level sand hills 3 rate

Township No 21 North of the Base Line Range No 17

North between Secs 11 and 12

Va 13° 30' East

4000 Set Charred post 2 X 3 in X 4 ft 12 in deep, raised mound of earth 2 ft high from pits 18 X 24 in and 12 in deep for 1/4 Sec Cor

8000 Set Charred post 3 X 3 in X 4 ft 12 in deep, raised mound of earth 2 1/2 ft high from pits 18 X 24 in and 12 inches deep. For Cor to Secs 1, 2, 11 and 12

Land sand hills 3 rate

West of the 6th Principal Meridian

East on a random line between Secs 1 and 12

Va 13° 30' East

4000 Set post for temporary 1/4 Sec Cor

7915 Intersect the East boundary of the Township 70 lks North of post Cor to Secs 1 and 12 from which Cor

I ran North 89° 30' ~~East~~ West

3907 ~~7 1/2~~ 57 1/2 Set Charred post 2 X 3 in X 4 ft raised mound of earth 2 ft high from pits 18 X 24 in and 12 in deep for 1/4 Sec Cor

7915 To the Cor to Secs 1, 2, 11 and 12

Land sand hills 3 rate

Township No 21 North of the Base Line Range No 17 West of the 6th Principal Meridian

North on a random line between Secs 1 and 2
Va 13° 30' East

4000 Set post for temporary 1/4 Sec Cor

7912 Intersect the North boundary of the Township 73 lks East of the Cor to Secs 1 and 2 from which Cor I ran South 31 East on a true line between Secs 1 and 2
Va 13° 30' East

3912 Set Charred post 2 x 4 in x 4 ft 12 in deep, raised mound of earth 2 ft high from pits 18 x 24 in and 12 inches deep, for ~~Cor to Secs~~ 1/4 Sec Cor

7912 To the Cor to Secs 1, 2, 11 and 12

Land very broken sandy hills 3 rate
12 chs East of the quarter Cor on this line, in Sec 1 there is a pine grove of about 8 acres, large Trees

North between Secs 34 and 35
Va 13° 30' East

300 Leave hills and enter valley bears N E and S W

4000 Set Charred post 2 x 4 in x 4 ft 12 in deep, raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep, for Cor to Secs

8000 Set Charred post 3 x 3 in x 4 ft 12 in deep, raised mound of earth 2 1/2 ft high from pits 18 x 24 in and 12 in deep, for Cor to Secs 26, 27 34 and 35

Land gentle rolling bottom 1st rate

May 30th 1873

Township 21 North of the Base Line Range No 17

East on a random line between Secs 26 and 35

Va 13° 30' East

4000 Set post for temporary 1/4 Sec Cor

7930. Intersect the North and South Line 91 lks North of post Cor to Secs 25 26 35 and 36 from which Cor

I ran North 89° 21' ~~East~~ West on a true line bet Secs 26 35

Va 13° 30' East

39~~15~~ 65 Set Charred post 2 X 4 in X 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 X 24 in and 12 in deep for ~~Cor~~ to 1/4 Sec Cor

3930 To the Cor to Secs 26 27. 34 and 35

Land undulating valley 1st rate

West of the 6th Principal Meridian

North between Secs 26 and 27

Va 13° 30' East

2053 Set Charred post 3 X 3 in X 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 X 24 in and 12 in deep, on right bank of North Loup River for meander Cor Cor to fractional Secs 26 and 27. the river being shallow I chain across. distance 7 ch 75 lks

2758 To left bank where I set Charred post 3 X 4 in X 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 X 24 in & 12 in deep for meander Cor. Cor to fractional Secs 26 and 27.

4000 Set charred post 2 X 3 in X 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 X 24 in 12 in deep for 1/4 Sec Cor

5000 Leave valley and enter sand hills bears East and West

8000 Set Charred post 3 X 4 in X 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18 X 24 in and 12 in deep for Cor to Secs 22. 23 26 and 27

South 50 chs gentle rolling valley Land 1st rate balance sandy hills 3d rate

May 31

Township 21 North of the Base Line Range 17

East on a random Line between Secs 23 and 26

Va 13° 30 East

4000 Set post for temporary 1/4 Sec Cor

6700 Leave Sand hills and cule valley Dears N. E and S. W

79.28 Intersect the North and South line 85 lks North of post Cor to Secs 23. 24 25 and 26. from which Cor

I run North 89° 25' East West on a true line between Secs 23 & 26

Va 13° 30 East

39.~~14~~ 64 Set Charred post 2 X 3 in X 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 X 24 in and 12 in deep. for 1/4 Sec Cor

7928 To the Cor to Secs 22. 23. 26 & 27

Land on valley is 1st rate gentle rolling Balance sand hills 3 rate

West of the 6th Principal Meridian

North between Secs 22 and 23

Va 13° 35 East

4000 Set Charred post 2 X 4 in X 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 X 24 in and 12 in deep. for 1/4 Sec Cor

8000 Set Charred post 3 X 3 in X 4 ft 12 in deep. raised mound of earth ~~from~~ 2 1/2 ft high from pits 18 X 24 in and 12 in deep. for Cor to Secs 14. 15. 22 and 23

Land sandy hills poor 2 rate soil

Township 2 North of the Base Line Range

East on a random line between Secs 14 and 23

Va 13° 30' East

4000 Set post for temporary 1/4 Sec Cor

7923 Intersect the North and South Line 63 lks North of post Cor to Secs 13. 14 23 and 24 from which Cor

I ran North 89° 33' West on a line line between Secs 14 & 23

Va 13° 30' East

39 ~~14½~~ 61½ Set chained post 2 x 3 in x 4 ft 12 in deep, raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

79.23 The Cor to Secs 14. 15. 22. & 23

Land sand hills 3 rate

17 West of the 6 Principal Meridian

North between Secs 14 and 15

Va 13° 30' East

4000 Set chained post 3 x 3 in x 4 ft 12 in deep raised mound 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

7928 Intersect the North and South Line 64

8000 Set chained post 3 x 3 in x 4 ft 12 in deep, raised mound of earth 2½ ft high from pits 18 x 24 in and 12 in deep, for Cor to Secs 10. 11 14 and 15

Land sandy hills poor 2 rate

May 31

Township 21 North of the Base Line Range No 17 West of the 6th Principal Meridian

East on a random Line between Sec 11 and 14
Va 13° 30' East

4000 Set post for temporary 1/4 Sec Cor

7908 Intersect the North and South line 64 lks North of post Cor to Sec 11 12 13 & 14 from which Cor
I ran North 89° 33' West on a true line between Secs 11 and 14
Va 13° 30' East

39 ~~54~~ 54 Set charred post 2 x 4 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

7908 To the Cor to Secs 10. 11. 14 & 15

Land rolling hills sandy 2 rate soil

North between Secs 10 and 11
Va 13° 30' East

4000 Set charred post 2 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in 12 in deep for 1/4 Sec Cor

8000 Set charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18 x 24 in and 12 in deep for Cor to Secs 2. 3. 10 and 11

Land hilly sandy 3 rate

East on a random line between Secs 2 and 11
Va 13° 30' East

40.00 Set post for temporary 1/4 Sec Cor

79.10 Intersect the North & South line 35 lks North of post Cor to Secs 1, 2, 11 and 12 from which Cor I ran North 89° 45' West on a true line between Secs 2 & 11
Va 13° 30' East

39.55 Set charred post 3 x 4 in x 4 ft 12 in deep raised mound of earth - 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

79.10 To the Cor to Secs 2, 3, 10 & 11

Land sandy hilly 3 rate

North - on a random line between Secs 2 and 3
Va 13° 30' East

40.00 Set post for temporary 1/4 Sec Cor

79.20 Intersect the North & Downey of the Township 83 lks East of post Cor to Secs 2 and 3 from which Cor I ran South - ~~34~~ 36' East on a true line between Secs 2 and 3
Va 13° 30' East

39.20 Set charred post 2 x 3 in x 4 ft 12 in deep raised mound of earth - 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

79.20 To the Cor to Secs 2, 3, 10 and 11

Land sand hills poor 3 rate soil

[illegible] Hoel
May 31 [illegible]

North between Secs 33 and 34
Va 13° 30' East

40.00 Set Charred post 2 X 3 in X 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 X 24 in and 12 in deep for 1/4 Sec Cor

76.50 To right bank of North Loup River where I set charred post 3 X 3 in 12 in deep raised mound of earth 2 ft high from pits 18 X 24 in & 12 in deep for meander Cor, Cor to fractional Secs 33 and 34

80.00 The point for Cor to Secs 27. 28. 33 and 34 being in the River it can not be established

Land slopes gently toward the river is 1st rate

East on a random line between Secs 27 and 34
Va 13° 30' East

From meander Cor on right bank of North Loup River. 3.50 South of point in River for Cor to Secs 27. 28. 33 & 34 I run East on an offset Line 9.40 thence thence North 3.50 to right bank of river and into line between Secs 27 and 34 where I set post for temporary meander Cor thence I run E between Secs 27 & 34 Counting distance in River

9.40

40.00 Set post for temporary 1/4 Sec Cor

80.20 Intersect the North and South line 18 lks South of post Cor to Secs 26 27 34 & 35 from which Cor I run South 89° 52' West on a true line between Secs 27 and 34
Va 13° 30' East

40.10 Set charred post 2 X 3 in X 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 X 24 in and 12 in deep for 1/4 Sec Cor

70.80 To right bank of North Loup river where I set charred 3 X 4 in X 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 X 24 in and 12 in deep for meander Cor Cor to fractional Secs 27 & 34

Land rolling Bottom 1st rate soil
May 31

Township 21 North of the Base Line Range

North between Secs 27 and 28
Va 13 30 East
From the meander Cor on Right
bank of North Loup River 3.50
South of point in River for Cor
to Secs 27, 28, 33 and 34 I chain
the distance North to Left bank 7 ch &
77 lks where I set charred post
3 x 4 in x 4 ft. 12 in deep raised mound
of earth 2 ft high from pits 18 x 24
and 12 in deep for meander Cor Cor
to fractional Secs 27 & 28. 4 ch & 22 lks
North of point in River for Cor to Secs 27, 28
33 and 34. Thence I run North between
Secs 27 & 28 Counting distances from point in River Cor to Secs 27, 28, 33 & 34
40.00 Set charred post 3 x 4 in x 4 ft 12 in deep
raised mound of earth 2 ft high from
pits 18 x 24 and 12 in deep for 1/4 Sec Cor
60.00 Leave valley and enter sand hills
bearing East & West
80.00 Set charred post 3 x 3 in x 4 ft 12 in
deep raised mound of earth 2 1/2 ft
high from pits 18 x 24 in and 12 in
deep for Cor to Secs 21, 22,
27 and 28
Land on valley gentle rolling
good 2 rate. Balance very hilly
& sandy 3 rate.

17 West of the 6th Principal Meridian

East on a random line between
Secs 22 and 27
Va 13 30 East
40.00 Set post for temporary 1/4 Sec
Cor
80.18 Intersect the North and South
line 5 lks South of post Cor to
Secs 22, 23 26 and 27 from
which Cor
I run South 89 58 West
on a true line between Secs
22 and 27
Va 13 30 East
40.09 Set charred post 2 x 4 in x 4 ft 12
in deep raised mound of earth 2 ft
high from pits 18 x 24 in and 12 in
deep for 1/4 Sec Cor
80.18 To the Cor to Secs 21, 22, 27 & 28

Land Sand hills 3 rate.

Township No 21 North of the Base line Range 17

North between Secs 21 and 22
Va 13° 30' East

40 40.00 Set charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth - 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

76 80.00 Set charred post 3 x 4 in x 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18 x 24 in and 12 in deep. for Cor to Secs 15.16 21 and 22

Land Broken sand hills 3 rate

West of the 6th Principal Meridian

East on a random line between Secs 15 and 22
Va 13° 30' East

40.00 Set post for temporary 1/4 Sec Cor

80.08 Intersect the North and South Line 7 lks North of post Cor to Secs 14 15 22 and 23 from which Cor I ran North 89° 57' West on a true line between Secs 15 & 22
Va 13° 30' East

40.04 Set charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in & 12 in deep. for 1/4 Sec Cor

80.08 To the Cor to Secs 15.16 21 & 22

Land mostly clay hills 2 rate soil

North between Secs 15 and 16
Va 13° 38' East

40. 40.00 Set charred post 2 x 3 in x 4 ft 12 in deep raised mound of earth - 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

76. 80.00 Set charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18 x 24 in and 12 in deep. for Cor to Secs 9. 10. 15 & 16

80. Land sand hills 3 rate

East on a random line between Secs 10 and 15
Va 13° 30' East

40.00 Set post for temporary 1/4 Sec Cor

80.20 Intersect the North and South Line 54 lks North of post cor to Secs 10. 11. 14 and 15 from which Cor I run North 89° 37' West on a true line between Secs 10 and 15
Va 13° 30' East

40.10 Set charred post 2 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 and 12 in deep for 1/4 Sec Cor

80.20 The Cor to Secs 9. 10. 15 and 16

Land hilly mostly sandy 3 rate

North between Secs 9 and 10
Va 13° 30' East

45.	40.00	Set chained post 2X4 in X 4 ft 12 in deep round mound of earth 2 ft high from pits 18 X 24 in and 12 deep for 1/4 Sec Cor
76.	85.00	Set chained post 3X3 in X 4 ft 12 in deep round mound of earth 2½ ft high from pits 18 X 24 in and 12 in deep for Cor to Secs 3 4 9 10

Land rolling sandy & sub soil

East on a random line between
Secs 3 and 10
Va 13° 30' East

	40.00	Set post for temporary 1/4 Sec Cor
	79.80	Intersect the North and South line 20 lks North of post Cor to Secs 2, 3, 10 and 11 from which Cor I can sight 59° 57' West on a true line between Secs 3 and 10 Va 13° 30' East
	39.90	Set chained post 3X3 in X 4 ft 12 in deep round mound of earth 2 ft high from pits 18 X 24 in and 12 in deep for 1/4 Sec Cor
	79.80	The Cor to Secs 3 4 9 10

Land hilly poor & sub soil

Township 21 North of the Base Line Range

North on a random line between Secs 3 and 4
Va 13° 30' East

40.00 Set post for temporary 1/4 Sec Cor

79.85 Intersect the North Boundary of the Township 87 lks East of post Cor to Secs 3 & 4 from which Cor
I run South 38° East on a true line between Secs 3 & 4
Va 13° 30' East

39.85 Set charred post 3 x 4 in x 4 ft 12 in deep. raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep. for 1/4 Sec Cor

79.85 The Cor to Secs 3 4 9 and 10
Land rolling hills
Sandy 3 rate soil

17 West of the 6th Principal Meridian

North between Secs 32 & 33
Va 13° 30' East

40.00 Set charred post 2 x 4 in x 4 ft 12 in deep. raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep. for 1/4 Sec Cor

80.00 Set post 3 x 3 in x 4 ft 12 inches deposit charred Stake raised mound of earth 2 1/2 ft high from pits 18 x 24 in and 12 in deep for Cor to Secs 28 29 32 & 33

Land gently undulating 1st rate

Township 21 North of Base Line Range 17

East on a true line between Secs 28 and 33
Va 13° 30'

23.00 ~~To right bank of North Loup River where I set post for [illegible] Cor thence I ran South 5 chains to a point thence East on an offset line 6 chs and 6 lks to a point on the line between Secs 33 and 34. 5 chs South of the point in River for Cor to Secs 27 28 33 and 34 [illegible] from which point I ran West on a true line between Secs 28 and 33~~

Va 13° 30' East

23.00 To right and South West bank of North Loup river where I set channel post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for meander Cor Cor to fractional Secs 28 & 33

~~79.60 The Cor to Secs 28 29 32 and 33 West 23 lks~~ land level Bottom ~~land~~ 1st rate ~~Balance of the line with river~~

West of the 6th Principal Meridian

North between Secs 28 & 29
Va 13° 30' East

11.30 To right bank of North Loup River where I set post 3 x 3 in x 4 ft 12 in deep deposit channel Stake raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for meander Cor Cor to fractional Secs 28 & 29
I chain the distance across the River 6 ch and 30 lks

17.60 To North bank of river where I set post 3 x 4 in x 4 ft 12 in deep deposit channel stake raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for meander Cor Cor to fractional Secs 28 & 29

40.00 Set post 2 x 3 in x 4 ft 12 in deep deposit channel Stake raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

65.00 Leave river valley and enter sand hills bear East & West

80.00 Set post 3 x 3 in x 4 ft 12 in deep deposit channel Stake raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for Cor to Secs 20 21 28 & 29

Land on valley gentle rolling 1st rate balance (North 15 ch) sand hills 3 rate

June 1st 1873

Township No 21 North Range No 17

East on a random line between Secs 21 and 28

Va 13 30 East

30.00 Drain 20 lks wide discards South East

40.00 Set post for temporary 1/4 Sec Cor

79.40 Intersect the North and South Line 35 lks South of post Cor to Secs 21, 22 27 and 28 from which Cor

Train South 89°45' East West on a true Line between Secs 21 and 28

Va 13 30 E

39.70 Set post 3 X 3 in X 4 ft 12 in deep deposit charred stake raised mound of earth 2 ft high from pits 18 X 24 in and 12 in deep for 1/4 Sec Cor

79.40 The Cor to Secs 20 21 28 & 29

Land sand hills 3 rate

West of the 6th Principal Meridian

North between Secs 20 and 21

Va 13°30' East

41.00 Set post 2 X 3 in X 4 ft 12 in deep deposit charred stake raised mound of earth 2 ft high from pits 18 X 24 in and 12 in deep for 1/4 Sec Cor

80.00 Set post 3 X 3 in X 4 ft 12 in deep deposit charred stake raised mound of earth 2 1/2 ft high from pits 18 X 24 in and 12 in deep for Cor to Secs 16, 17, 20 and 21

Land South 40 Chs sand hills balance broken clay hill all 3 rate

Township No 21 North of the Base Line Range

East on a random Line between Sec 16 and 21
Va 13° 30' East

30.00 Cedar Gulch 2 chs wide descends South

40.00 Set post for temporary 1/4 Sec Cor

79.60 Intersect the North and South line 25 lks South of post Cor to Secs 15, 16, 21 and 22 from which Cor
I run South 89° 49' West on a true Line between Secs 16 & 21
Va 13° 30' East

39.~~30~~ 80 Set post 2 x 3 in x 4 ft 12 in deep deposit charred stake raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for Cor 1/4 Sec Cor

79.60 The Cor to Secs 16, 17, 20 & 21
Land very broken East part sandy hills West part clay hills. there is good timber along Gulch on this Line mostly in Sec 16

No 17 West of the 6th Principal Meridian

North between Secs 16 and 17
Va 13° 30' East

40.00 Set post 3 x 3 in x 4 ft 12 in deep deposit charred stake raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

80.00 Set post 3 x 4 in x 4 ft 12 in deep deposit charred stake, raised mound of earth 2 1/2 ft high from pits 18 x 24 in and 12 in deep for Cor to Secs 8, 9, 16 and 17

Land broken hills South part clay North part sandy All 3 rate

Township No 21 North of the Base Line

East on a random Line between Secs 9 and 16
Va 13° 30' East

19.00 Drain 15 lks wide descends South
40.00 Set post for temporary 1/4 Sec Cor
79.42 Intersect the North and South Line at post Cor to Secs 9. 10. 15 and 16. from which Cor
I run West on a true Line between Secs 9 and 16
Va 13° 30' East
39.71 Set post 2 x 3 in x 4 ft 12 in deep deposit Charred Stake raised mound of earth 2 ft high from pits 18 x 24 in 12 in deep for 1/4 Sec Cor
79.42 The Cor to Secs 8. 9. 16 & 17

West 50 chs high sandy hills 3 rate soil balance rolling 2 rate sandy soil

R 17 West of the 6th Principal Meridian

North between Secs 8 and 9
Va 13° 30' East

40.00 Set post 2 x 3 in x 4 ft 12 in deep deposit Charred Stake raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

80.00 Set post 3 x 4 in x 4 ft 12 in deep deposit Charred Stake raised mound of earth 2 1/2 ft high from pits 18 x 24 in and 12 in deep. for Cor to Secs 4. 5. 8 and 9

Land rolling sandy 2 rate soil

Township No 21 North of the Base Line

East on a random Line between Secs 4 and 9

Va 13° 30' East

40.00 Set post for temporary 1/4 Sec Cor

79.27 Intersect the North and South Line, 14 lks South of post Cor to Secs 3. 4. 9 & 10 from which Cor I ran South 89° 54' West on a true line between Secs 4 and 9

Va 13° 30' East

39.1~~3½~~ 6 3/12 Set post 2 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

79.27 The Cor to Secs 4. 5. 8 & 9

Land sand hills 3 rate

Range No 17 West of the 6th Principal Meridian

North on a random line between Secs 4 and 5

Va 13° 30' East

40.00 Set post for temporary 1/4 Sec Cor

80.02 Intersect the North Boundary of the Township 12 lks East of post Cor to Secs 4 and 5 from which Cor I run South 5 East on a true Line between Secs 4 and 5

Va 13° 30' East

40.02 Set post 2 x 4 in x 4 ft 12 in deep deposit charred stake raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

80.02 The Cor to Secs 4 5 8 and 9

Land rolling 2 rate sandy soil

Township 21 North of the Base Line Range

North between Secs 31 and 32
Va 13° 30' East

40.00 Set post 2X3 in X 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 X 24 in and 12 in deep for 1/4 Sec Cor

80.00 Set post 3X3 in X 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18 X 24 in and 12 in deep for Cor to Secs 29, 30 31 and 32

Land 1st rate undulating valley

17 West of the 6th Principal Meridian

East on a random line between Secs 29 and 32
Va 13° 30' East

19.00 Drain 18 lks wide discends North-East

40.00 Set post for temporary 1/4 Sec Cor

79.80 Intersect the North and South line 40 lks South of post for Cor to Secs 29, 28, 32 and 33 from which Cor I run South 69° 43' West on a true line between Secs 29 & 32
Va 13° 30' East

39.90 Set post 3X3 in X 4 ft 12 in deep deposit charred stake raised mound of earth 2 ft high from pits 18 X 24 in and 12 in deep for 1/4 Sec Cor

79.80 The Cor to Secs 29, 30, 31 and 32

Land gently undulating valley 1st rate soil

Township 21 North of the Base line Range

West on a random line between Secs 30 and 31
Va 13° 30' East

40.00 Set post for temporary 1/4 Sec Cor

79.44 Intersect the West Boundary of the Township 33 lks North of post Cor to Secs 30 and 31 from which Cor I run North 89° 46' East on a true line between Secs 30 & 31
Va 13° 30' East

39.44 Set post 2 x 4 in x 4 ft 12 in deep deposit Charred Stake raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

79.44 The Cor to Secs 29, 30 31 & 32

Land undulating valley ft rule soil

No 17 West of the 6th Principal Meridian

North between Secs 29 and 30
Va 13° 30' East

52.00 Leave high land enter low bottom dears East and West

36.83 To right bank of North Loup River
36.83 where I set Charred post 3 x 4 in x 4 ft 12 in deep for Cor to fractional Secs 29 and 30. from which
An Elm 20 in dia bears North 88° West 90 lks dist
An Elm 15 in dia bears South 27° East 154 lks dist. I chain distance across the
4000 River 8 chs 34 lks
4000 1/4 Sec Cor falls in River & cannot be established
45.17 To Left bank of River where I set
45.17 Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for Meander Cor Cor to fractional Secs 29 and 30
~~Note The point for 1/4 Sec Cor being in the River it can not be established~~

55.00 Leave valley and enter Sand hills bears E & W
80.00 Set Charred post 4 x 4 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for Cor to Secs 19, 20 29 & 30
South 12 chs good bottom Land balance South of river Low 2 rate. Covered with brush and a few scattering Elm Trees
Land North of River Sandy 3 rate. June 2 1873

Pow Township 21 North of the Base Line Range

East, on a random line between Secs 20 and 29
Va 13° 30' East

40. 40.00 Set post for temporary 1/4 Sec Cor

50.00 Drain 30 lks while descends South here leave Sand hills & enter level clay land bears N & S

80.0 66.00 Leave level clay land & enter Sand hills bears North and South

79.20 Intersect the North and South Line 7 lks North of post Cor to Secs 20.21.28 and 29 from which Cor

I ran North 89° 57 West on a true line between Secs 20 & 29
Va 13° 30' East

39.60 Set Charred post 2 X 3 in X 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 X 24 in and 12 in deep for 1/4 Sec Cor

79.20 The Cor to Secs 19, 20, 29 & 30

Land mostly sand hills poor 3 rate

17 West of the 6th Principal Meridian

West on a random line between Secs 19 and 30
Va 13° 30' East

40.00 Set post for temporary 1/4 Sec Cor

77.00 Leave Sand hills and enter valley bears N. W and S E

80.29 Intersect the West boundry of the Township 97 lks North of post Cor to Secs 19 and 30. from which Cor

I ran North 89° 18' East on a true line between Secs 19 and 30
Va 13° 30' East

40.29 Set Charred post 3 X 4 in X 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 X 24 in and 12 in deep for 1/4 Sec Cor

80.29 The Cor to Secs 19, 20, 29 and 30

Land mostly sand hills 3 rate

Township 21 North of Base line Range

North between Secs 19 and 20
Va 13° 30' East

40.00 Set Charred post 3 x 4 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

51.00 Cedar Canon 3.00 lks wide descends East

78.00 Drain 30 lks wide descends S E

80.00 Set Charred post 4 x 4 in x 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18 x 24 in and 12 in deep for Cor to Secs 17. 18 19 and 20. from which
A Yellow Pine 22 in dia bears North 66 West 3.43 dist no other Tree near

Land very broken 3 rate

There is scattering pine & Cedar Timber through the N. W quarter of Sec 20 S W quarter of Sec 17. S E quarter of Sec 18. and N E quarter of Sec 19

17 West of the 6th Principal Meridian

East on a random line between Secs 17 and 20
Va 13° 30 East

40.00 Set post for temporary 1/4 Sec Cor

50.00 Leave sand hills and side level land bears North and South

70.00 Leave level and side broken land bears North and South

79.40 Intersect the North and South line 14 lks South of post Cor to Secs 16. 17. 20 and 21. from which Cor
Train South 89° 54 West on a true line between Secs 17 & 20
Va 13° 30 East

39.70 Set Charred post 2 x 4 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

79.40 The Cor to Secs 17. 18. 19 and 20

Land level part 1st rate balance 3 rate

Town Township 21 North of the Base Line

West on a random line between Sec 18 and 19
Va 13° 30' East

40.00 2.00 Drain 30 lks wide discharges South East
30.00 Cedar Canon 20 lks wide discharges South East
40.00 Set post for temporary 1/4 Sec Cor
80.00 80.40 Intersect the West boundary of the Township 42 lks North of post Cor to Secs 18 and 19 from which Cor
I run North 89° 42' East on a true line between Secs 18 and 19
Va 13° 30' East
40.40 Set Channel post 3X3 in X4 ft 12 in deep raised mound of earth 2 ft high from pits 18 X 24 in 12 in deep for 1/4 Sec Cor
80.40 The Cor to Secs 17, 18, 19 and 20

Land broken hills 3 cal.

Range 17 West of the 6th Principal Meridian

North between Secs 17 and 18
Va 13° 30' East

40.00 Set post 3X4 in X4 ft 12 in deep deposit Channel State raised mound of earth 2 ft high from pits 18 X 24 in and 12 in deep for 1/4 Sec Cor
70.00 Land broken & hilly level land trees East and West
80.00 Set post 3X3 in X4 ft 12 in deep deposit Channel State raised mound of earth 2½ ft high from pits 18X24 in and 12 in deep for Cor to Secs 7, 8, 17 and 18

Land South 70 lks very broken 3 cal. balance level 1 cal

Township 21 North of Base line Range

East on a random line between Secs 8 and 17
Va 13° 30' East

30.00 Leave gentle rolling clay land and enter sand hills bears N W and S E

40.00 Set post for temporary 1/4 Sec Cor

79.88 Intersect the North and South line 11 lks North of post Cor to Secs 8. 9. 16 & 17 from which Cor I run North 89° 55' West on a true line between Secs 8 and 17
Va 13° 30' East

3994 Set post 2x3 in x 4 ft 12 in deep deposit charred stake raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

7988 The Cor to Secs 7. 8. 17 & 18

West 30 chs good 2 rate soil balance sand hills 3 rate

17 West of the 6th Principal Meridian

West on a random line between Secs 7 and 18
Va 13° 30' East

10.00 Leave lava rolling and enter broken land bears N W

40.00 Set post for temporary 1/4 Sec Cor

50.00 Ravine 30 lks wide descends S E

80.05 Intersect the West boundary of the Township 53 lks North of post Cor to Secs 7 and 18 from which Cor
I run North 89° 37' East on a true line between Secs 7 & 18
Va 13° 30' East

40.05 Set post 2x4 in x 4 ft 12 in deep deposit charred stake raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

80.05 The Cor to Secs 7. 8. 17 and 18

East 10 chs rolling 2 rate balance very broken 3 rate

Township 21 North of the Base Line

North between Secs 7 and 8
Va 13° 30' East

40.00 40,00 Set post 3 x 3 in x 4 ft 12 in deep deposit charred stake raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep

80.00 80,00 Leaves gentle rolling clay land and enter sand hills bears N 1/2 and S.E.

80,00 Set post 4 x 4 in x 4 ft 12 in deep deposit charred stake raised mound of earth 2 1/2 ft high from pits 18 x 24 in and 12 in deep for Cor to Secs 5 6 7 and 8

South 50 chs gentle rolling good 2 rate soil balance sandy hills 3 rate

Range 17 West of the 6th Principal Meridian

East on a random line between Secs 5 and 8
Va 13° 30' East

40.00 Set post for temporary 1/4 Sec Cor

79.78 Intersect the North and South Line 5 chs South of post Cor to Secs 4, 5, 8 & 9 from which Cor
I run South 89° 58' West on a true line between Secs 5 and 8
Va 13° 30' East

39.89 Set post 2 x 3 in x 4 ft 12 in deep deposit charred stake raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

79.78 The Cor to Secs 5, 6, 7 & 8

Land sand hills poor 3 rate

Township 21 North of the Base line Range

West on a random line between Secs 6 and 7
Va 13° 30' East

40.00 Set post for temporary 1/4 Sec Cor

79.50 Intersect the West boundary of the Township 30 lks South of post Cor to Secs 6 and 7 from which Cor
I run South 89° 47' East on a true line between Secs 6 and 7
Va 13° 30' East

39.50 Set post 2 x 4 in x 4 ft 12 in deep deposit Charred stake raised mound of earth 2 ft high from pits 18, 24 in and 12 in deep for 1/4 Sec Cor

79.50 The Cor to Secs 5, 6, 7 & 8

Land sand hills 3 rate

No 17 West of the 6th Principal Meridian

North on a random line between Secs 5 and 6
Va 13° 30' East

40.00 Set post for temporary 1/4 Sec Cor

80.15 Intersect the North boundary of the Township 73 lks East of the Cor to Secs 5 & 6 from which Cor
I run South 31' East on a true line between Secs 5 & 6
Va 13° 30' East

40.15 Set post 2 x 3 in x 4 ft 12 in deep deposit Charred ~~post~~ stake raised mound of earth 2 ft high from pits 18 x 24 in & 12 in deep for 1/4 Sec Cor

80.15 The Cor to Secs 5, 6, 7 and 8

Land high sandy hills 3 rate
June 3 1873

Township 21 North of the Base Line Range 17 West of the 6th Principal Meridian

Meanders of North Loup River in Township No 21 North of the Base Line of Range 17 West of the 6th Principal Meridian

Beginning at the Cor to fractional Secs 25 and 30 on West boundary of the Township and on right and South bank and run down Stream with the meanders of right bank of Said river in fractional Sec 30 as follows

Course	Distance	Remarks
S 87½ E	35 00 chs	
S 64 E	8.00	
S 76¼ E	5.00	
N 73 E	8.00	
N 13 E	17 00	
N 75 E	6 00	
S 72½ E	16 00	To the Cor to fractional Secs
	2	29 and 30 thence in Sec 29
S 36 E	11 00	
N 80 E	15.00	
S 50 E	22 00	At 17 chs a creek 8 lks wide course
East	8.00	from S. W

Course	Distance	Remarks
S 72 E	14,00 chs	
East	20 60	To the Cor to fractional Secs
	3	28 and 29 thence in Sec 28
N 58 E	6,00	
S 57 E	23 00	To the Cor to fractional
	4	Secs 28 & 33 thence in Sec 33
S 45 E	6,00	
East	38 00	At 37 ch on this course a creek 20 lks wide course from S. W
N 87½ E	14 40	To the Cor to fractional Secs
	5	33 and 34 thence in Sec 34
N 65 E	4,00	
N 73 E	6 00	To the Cor to fractional Secs
	6	27 and 34 thence in Sec 27
N 81 E	3,00	
N 41¾ E	15 00	
N 9 E	11 00	
S 79 E	19 00	
N 76 E	15 00	
S 83 E	23,00	To the Cor to fractional Secs
	7	26 and 27 thence in Sec 26
N 71 E	10 00	
N 58 E	4 00	
N 65 E	5 00	
East	10,00	

Township 21 North of the Base line Range 27 West of the 6th Principal Meridian

Course	Distance	Remarks
S62 E	9 00	
S40 E	10 00	
East	12 00	
N48 E	9 00	
East	10 00	
N 88 E	10 00	To the Cor to fractional Secs
	8	25 and 26 Thence in Sec 25
S70 E	16.00	At 12 chs on this a Bayou 40 lks
N19 E	9,00	wide Comes from South
N43 E	13.00	
N29 E	20.00	
N46 E	11.00	
North	10.00	
N55½ E	16.00	To Cor to fractional Secs 24
	9	and 25 Thence in Sec 24
N85½ E	23 00	To Meander Cor; Cor to
	10	fractional Secs 19 and 24.

The land along the right bank of North Loup River is mostly level, rich soil and not subject to inundation

June 4th 1873

General Description

The land along the River valley in this Township is 1st rate, and well adapted for Cultivation the land on the hills South of the valley is good, but too broken for Cultivation. The land North of the valley is nearly all sand hills. good for nothing but pasturage. The Township is nearly all Prairie. There is scattering timber in places along the river. and small Groves of Pine and Cedar in the hills both North and South of the river North Loup River flows through the South part of the Township it has an average right angle width of about 8 chs the water is shallow very clear and current swift.

A list of the names of the individual employed to assist in measuring or marking the lines and corners described in the foregoing field Notes of Township No 21 North of the Base line of Range No 17 West of the 6th Principal Meridian showing the respective capacities in which the acted

Allard C Peavey Chainman
Calvin Shaw Chainman

John Wenger Axeman
Herbert R Wilcox Axeman

We hereby certify that we assisted John H Daughtry Deputy Surveyor in Surveying the subdivision lines and meanders of North Loup River in Township No 21 North of the Base line of Range No 17 West of the 6th Principal Meridian and that the said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General and dimension Character Construction and manner as specifically described in the foregoing field note

Allard C Peavey Chainman
Calvin Shaw Chainman
John Wenger Axeman
Herbert R Wilcox Axeman

Subscribed and sworn to by the above named persons before me a Notary Public in and for the County of Dodge and State of Nebraska this 14th day

of September 1873

Geo W Dorsey
Notary Public
Dodge Co Neb

I John W. Daugherty Deputy Surveyor do solemnly swear that in pursuance of a joint contract wherein John W. Daugherty Dan S. Parmelee and Walter C. Campbell are joint contractors with E. E. Cunningham Surveyor General for the district of Nebraska and Iowa bearing date the 10th day of May 1873, I have well faithfully and truly and in my own proper person and in strict conformity to the instructions furnished by the Surveyor General the Surveying manual and the laws of the United States surveyed all those parts or portions of Township No 21 North of the Base line, Range 10 W West of the 6th Principal Meridian as are represented in the foregoing field notes as having been surveyed under my directions; that I do further solemnly swear that all the corners of said Survey have been established and perpetuated in strict accordance with the Surveying manual printed instructions and special instructions of the Surveyor

General of dimensions Characters
construction and marking and
in the manner as specifically
described in the foregoing field notes
and that the foregoing are the
true and original field notes
of such Survey

John W. Daugherty
Deputy Surveyor

Subscribed by the said
John W. Daugherty Deputy Surveyor
and sworn to before me a
County Clerk in and for the County
of Dodge and State of Nebraska
this 23" day of September A.D.
1873

L. M. Keene
County Clerk
Dodge Co
Neb.

Surveyor General's Office

Plattsmouth Feb. 28th 1874

The foregoing Field Notes of the
Survey and subdivision of Town-
ship No 21 North of the Base Line
of Range No 17 West of the 6th P.M.
in Nebraska Executed by John W.
Daugherty under joint contract No
72, dated May 10th 1873, wherein
John W. Daugherty Dan S. Parmelee
and Walter C. Campbell are joint
contractors ~~with~~ the months of
May & June 1873, having been
critically examined the necessary
corrections and explanations made
the said field notes and the survey
they describe are hereby approved.

E. E. Cunningham
— Surveyor General —

Town 22 Range 17 W

6	40	5	44	4	33	3	22	2	11	1
59		58		48		32		21		10
7	57	8	42	9	31	10	20	11	9	12
60		55		41		30		19		8
18	54	17	40	16	29	15	16	14	7	13
63		62		39		28		17		6
19	67	20	35	21	27	22	16	23	5	24
60		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		38		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Field Notes of the Subdivision Lines in Township No 22 North of the Base Line of Range No 17 West of the 6th Principal Meridian in the State of Nebraska Surveyed by John H Daugherty Deputy Surveyor Commenced June 6th 1873 and Completed June 1873

Names and duties of
assistants employed in
running the subdivision
lines in Township No 22 North
of the Base line of Range
No 17 West of the 6th Principal
Meridian in the State of
Nebraska

Allard C. Peavey Chainman
Calvin Shaw Chainman

John Wenger Axeman
Herbert R Wilcox Axeman

To determine the proper
adjustment of my Compass
for subdividing this Township
I Commence at the Corner to
Townships 21 and 22 North Range
16 and 17 on 2d Guide Meridian West and run North
on a blank line along the
East boundry of Sec 36
Variation 13°30' East
3997 To a point 5 lks East of
the 1/4 Sec Cor
7994 To a point 12 lks East of the
Corner to secs 25 and 36
To retrace this line or run
Parallel there to my Compass
must be adjusted to a variation
of 13°35' East

Township 22 North of the Base Line of

North between Secs 35 & 36
Va 13° 35' East

40.00 Set Charred post 2 x 4 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

80.00 Set Charred post 3 x 4 in x 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18 x 24 in and 12 in deep for Cor to Secs 25 26 35 & 36

Land very hilly sandy 3 rule

About 18 chs N. E. from S. W. Cor to Sec 36 there is a Grove of Cedar about 6 acres good Timber Large trees

Range 17 West of the 6th Principal Meridian

East on a random line between Secs 25 and 36
Va 13° 35' East

24.00 Leave Sand hills and enter valley Deas N W & S E

40.00 Set post for temporary 1/4 Sec Cor

50.00 Leave high and enter Low brushy bottom Deas N W & S E

60.00 To right bank of Calamus river the river not being deep I chain across 10 ch & 70 lks to left bank

70.70 To left bank of Calamus river current runs S E

79.96 Intersect the East boundary of the Township 6 lks North of post Cor to Secs 25 & 36 from which Cor I ran North 89° 57' West on a true line between Secs 25 & 36
Va 13 35

39.98 Set post 2 x 3 in x 4 ft 12 in deep deposit charred stake raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep

79.96 The Cor to Secs 25 26 35 & 36
Land on only gentle rolling 1st rule balance 3 rule

Township 22 North of the Base Line Range

North between Secs 25 & 26
Va 13° 35' East

22.00 Leave sand hills and enter valley bears N.W. & S.E.

38.30 To Calamus River
The point for 1/4 Sec being in the river. I set channel post 3x4 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep on South West bank of river for Witness Cor. 170 lks South of point in river for 1/4 Sec Cor. the river being shallow I chain the distance across on the line 7 chs & 70 lks
The river has a rapid current runs S.E.

80.00 Set post 4x4 in 4 ft 12 in deep deposit channel stake raised mound of earth 2 1/2 ft high from pits 18x24 in and 12 in deep for Cor to Secs 23 24 25 & 26
South 22 chs sand hills 3 rate balance undulating bottom 1st rate

77 West of the 6th Principal Meridian

East on a random line between Secs 24 and 25
Va 13 35 East

40.00 Set post for temporary 1/4 Sec Cor

50.00 Leave valley and enter sand hills bears N.W. & S.E.

79.80 Intersect the East boundry of the Township 18 lks North of post Cor to Secs 24 & 25 from which Cor
I ran North 89° 52 West on a true line between Secs 24 & 25
Va 13° 35' East

39.90 Set post 2x4 in x 4 ft 12 in deep deposit channel stake raised mound of earth 2 ft high from pits 18x24 in and 12 in deep for 1/4 Sec Cor

79.80 The Cor to Secs 23 24 25 & 26

West 50 chs undulating valley 1st rate Leave balance sandy hills 3 rate

Township 22 North of the Base Line Range

North between Secs 23 & 24
Va 13° 35' East

40.00 Set post 2 x 3 in x 4 ft 12 in deep. deposit charred stake raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

80.00 Set post 3 x 3 in x 4 ft 12 in deep deposit charred stake raised mound of earth 2 1/2 ft high from pits 18 x 24 in and 12 in deep for Cor to Secs 13 14 23 and 24

Land undulating Oally 1st rate - soil

17 West of the 6th Principal Meridian

East on a random line between Secs 13 and 24
Va 13° 35' East

1.00 Leave Oally and enter sand hills bears N ~~W~~ ~~S~~ ~~E~~

40.00 Set post for temporary 1/4 Sec Cor

79.64 Intersect the East boundary of the Township 14 lks North of post Cor to Secs 13 and 24 from which Cor
I run North 89 54 ~~East~~ West on a true line between Secs 13 & 24
Va 13° 35' East

3982 Set post 3 x 4 in x 4 ft 12 in deep. deposit charred stake raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

Land nearly all high rolling sand hills 3 rate

Township 22 North of Base Line Range 17 West of the 6th Principal Meridian

North between Secs 13 and 14
Va 13° 35' East

40.00 Set post 3 x 3 in x 4 ft 12 in deep deposit charred post raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep

80.00 Set post 3 x 3 in x 4 ft 12 in deep deposit charred stake raised mound of earth 2½ ft high from pits 18 x 24 in and 12 in deep for Cor to Secs 11. 12. 13 & 14

South 40 chs 1st rule soil balance sandy 2 rule all level valley land

East on a random line between Secs 12 and 13
Va 13° 35' East

40.00 Set post for temporary ¼ Sec Cor

70.00 Leave valley and enter sand hills bears N E & W

79.62 Intersect the East boundary of the Township 23 lks South of post Cor to Secs 12 & 13 from which Cor I run South 89.58 West on a true line between Secs 12 and 13
Va 13° 35' East

39.81 Set post 2 x 3 in x 4 ft 12 in deep deposit charred stake raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 14 Sec Cor

79.62 The Cor to Secs 11. 12. 13 & 14

West 70 ch. gentle rolling 2 rule balance sand hills 3 rule

Township 22 North of Base Line Range

North between Secs 11 and 12
Va 13° 35' East

40.00 Set post 3 X 3 in X 4 ft 12 in deep deposit charred slate raised mound of earth 2 ft high from pits 18 X 24 in and 12 in deep for 1/4 Sec Cor

70.00 Creek 12 lks wide swift current runs South-West

80.00 Set charred post 3 X 3 in X 4 ft 12 in deep raised mound of earth 2 1/2 ft ~~deep~~ high from pits 18 X 24 in and 12 in deep for Cor to Secs 1. 2. 11 and 12

Land level valley 2 rule sandy soil

17 West of the 6th Principal Meridian

East on a random line between Secs 1 and 12
Va 13° 35' East

1.00 Creek 12 lks wide swift current runs South

40.00 Set post for temporary 1/4 Sec Cor

46.00 Leave valley and enter sand hills bears N E & W

79.62 Intersect the East boundary of the Township 15 lks South of post Cor to Secs 1 and 12 from which Cor
I run South 89° 54' West on a line line between Secs 1 & 12
Va 13° 35' East

39.81 Set charred post 3 X 3 in X 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 X 24 in and 12 in deep for 1/4 Sec Cor

79.62 The Cor to Secs 1. 2. 12 & 11
Hist 46 chs gentle rolling valley 2 rule balance sand hills 3 rule

Township 22 North of the Base line

North - On a random line between Secs 1 & 2
Va 13 35 East

8.00 Leave valley and enter sand hills bears North E & S H ✱

40.00 Set post for temporary 1/4 Sec Cor

79.55 Intersect the North boundary of the Township 29. lks East of post Cor to Secs 1 & 2 from which Cor
I ran South 12 East on a line line between Secs 1 & 2
Va 13° 35 East

39.55 Set Charred post 2 X 3 in X 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 X 24 in and 12 in deep for 1/4 Sec Cor

79.55 the Cor to Secs 1, 2, 11 & 12

Land mostly sand hills 3 rate

Range 47 West of the 6th Principal Meridian

North - between Secs 34 & 35
Va 13 35 East

40.00 Set Charred post 2 X 3 in X 4 ft Long 12 in deep raised mound of earth 2 ft high from pits 18 X 24 in and 12 in deep for 1/4 Sec Cor

80.00 Set Charred post 3 X 4 in X 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18 X 24 in and 12 in deep for Cor to Secs 26 27 34 & 35

Land sand hills 3 rate
June 5th 1873

Township 22 North of the Base Line Range 7 West of the 6th Principal Meridian

East on a random line between Secs 26 and 35

Va 13 35 East

40.00 Set post for temporary 1/4 Sec Cor

79.60 Intersect the North-South Line 16 Lks North of post Cor to Secs 25 26 35 B.C. from which Cor I ran North 89 53 West on a true line between Sec 26 & 35

Va 13 35 E

39.80 Set chained post 2 x 4 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

79.60 The Cor to Secs 26. 27 34 & 35

Land rand hills 3 rule

North between Secs 26 and 27

Va 13 35 East

40.00 Set chained post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

80.00 Set post 3 x 3 in x 4 ft 12 in deep deposit chained stake raised mound of earth 2 1/2 ft high from pits 18 x 24 in and 12 in deep for Cor to Secs 22, 23, 26 & 27

Land rand hills 3 rule

Township 22 North of the Base line Range 77 West of the 6th Principal Meridian

East on a random line between Secs 23 and 26
Va 13° 35 East

30.00 Leave Sand hills & rule oulley trees N W & S E

40.00 Set post for temporary 1/4 Sec Cor

52.50 To Calamus River. it being shallow I chain across on the line distance 6 00 lks

58.50 over River swift current runs South East

79.12 Intersect the North and South Line 35 lks North of post Cor to Secs 23 24 25 & 26 from which Cor I ran North 89° 45' West on a true line between Secs 23 & 26
Va 13.35° East

39.56 Set Charred post 3 x 3 in x ft 12 deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

79.12 The Cor to Secs 22 23, 26 & 27 West 30 ch sand hills balance 1 ft rule undulating oulley

North between Secs 22 and 23
Va 13° 30' East

30.00 Leave Sand hills & rules oulley trees N W & S E

40.00 Set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

54.76 To Calamus River swift current runs South East I chain the distance across on the line 25 0 lks

57.26 over River

80.00 Set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18 x 24 in and 12 in deep for Cor to Secs 14 15 22 and 23

South 30 chs high sandy hills 3 rule Land balance undulating oulley 1 ft rule soil

Township 22 North of the Base Line Range

East on a random line between Secs 14 and 23
Va 13 35 East

17.00 Creek 10 Lks wide swift current runs S. W

48.01 Set post for temporary 1/4 Sec Cor

79.48 Intersect the N End South Line at post Cor to Secs 13 14 23 and 24 from which Cor I run
West on a true line between Secs 14 and 23
Va 13° 35' East

3974 I set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

7948 The Cor to Secs 14, 15, 22 & 23

Land gently undulating valley 1st rate

47 West of the 6th Principal Meridian

North between Secs 14 & 15
Va 13° 30' East

40.00 Set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

80.00 Set Charred post 3 x 4 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for Cor to Secs 10, 11, 14 and 15

Land undulating valley South 60 chs 1st rate balance very easily 3 rate

Township 22 North of the Base Line Range

East on a random line between Secs 11 and 14
Va 13 35 East

40.00 Set post for temporary 1/4 Sec Cor

67.00 Creek 10 lks wide current mns South West

79.07 Intersect the North and South Line 70 lks South of post Cor to Secs 11, 12, 13 and 14 from which Cor I ran South 89° 35' West on a true line between Secs 11 and 14
Va 13° 35 East

395 3 1/2 Set Charred post 3 X 4 in X 4 ft deep raised mound of earth 2 ft high from pits 18 X 24 in and 12 in deep for 1/4 Sec Cor

79.07 The Cor to Secs. 10, 11, 14 & 15

Land undulating only E 30 Chs 1st rate balance sandy 3 rate

& 7 West of the 6th Principal Meridian

North between Secs 10 and 11
Va 13 35 East

9.00 Leave valley and enter sand hills bears East and West

40.00 Set Charred post 3 X 3 in X 4 ft 12 deep raised mound of earth 2 ft high from pits 18 X 24 in and 12 in deep

80.00 Set Charred post 3 X 3 in X 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18 X 24 in and 12 in deep for Cor to Secs 2, 3, 10 & 11

South 10 Chs level valley 1st rate balance sand hills 3 rate

Township 22 North of the Base line Range

East on a random line between Secs 2 and 11
Va 13 35 East

20.00 Leave Sand hills and enter valley from N & S

40.00 Set post for temporary 1/4 Sec Cor

79.04 Intersect the N & S line 42 lks North of post Cor to Secs 1, 2, 11 and 12 from which Cor I ran North 89° 42' West on a true line between Secs 2 & 11
Va 13° 35 East

39.52 Set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

79.04 Cor to Secs 2, 3, 10 & 11
West 20 Chs sand hills 3 rate
Land Balance gentle valley 2 rate

17 West of the 6th Principal Meridian

North on a random line between Secs 2 and 3
Va 13° 35 East

40.00 Set post for temporary 1/4 Sec Cor

79.62 Intersect the North ~~and South~~ Line boundary of the Township 35 lks East of post Cor to Secs 2 and 3: from which Cor I ran South 15 East on a true line between Secs 2 & 3
Va 13° 35 East

39.62 Set Charred post 3 x 4 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

79.62 The Cor to Secs 2, 3, 10 & 12

Land sand hills 3 rate

Township 22 North of the Base Line

North between Secs 33 and 34
Va 13' 35" East

40.00 Set charred post 3 X 3 in X 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 X 24 in and 12 in deep for 1/4 Sec Cor

80.00 Set charred post 3 X 3 in X 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18 X 24 in and 12 in deep for Cor to Secs 27, 28 33 & 34

Land sand hills 3 rate

Range 17 West of the 6th Principal Meridian

East on a random line between Secs 27 and 34
Va 13 35 East

40.00 Set post for temporary 1/4 Sec Cor

80.09 Intersect the North and South Line 35 lks North of post Cor to Secs 26, 27, 34 and 35 from which Cor

I ran North 89° 45' West on a true line between Secs 27 and 34
Va 13 35 East

40.04 Set charred post 2 X 3 in X 4 ft 12 in ~~high for~~ deep raised mound of earth 2 ft high from pits 18 X 24 in and 12 in deep for 1/4 Sec Cor

80.09 The Cor to Secs 27, 28, 33 and 34

Land rolling hills poor 2 rate sandy soil

June 6th 1873

Township 22 North of the Base line

North between Secs 27 & 28
Va 13 35 East

40.00 Set post 3 X 3 in X 4 ft 12 in deep deposit charred stake raised mound of earth 2 ft high from pits 18 X 24 in End 12 in deep for 1/4 Sec Cor

80.00 Set post 3 X 4 in X 4 ft 12 in deep deposit charred stake raised mound of earth 2 1/2 ft high from pits 18 X 24 in End 12 in deep for Cor. to Secs 21, 22, 27 and 28

Level sand hills 3 rate

Range 17 West of the 6th Principal Meridian

East on a random line between Secs 22 and 27
Va 13 35 East

40.00 Set post for temporary 1/4 Sec Cor

80.00 Intersect the North End South line 20 lks South of post Cor to Secs 22, 23 26 and 27 from which Cor

I ran South 89° 51' West on a true line between Secs 22 & 27
Va 13 35 East

40.00 Set post 2 X 3 in X 4 ft 12 in deep deposit charred stake raised mound of earth 2 ft high from pits 18 X 24 in End 12 in deep for 1/4 Sec Cor

80.00 The Cor to Secs 21, 22, 27 & 28

Level high sandy hills 3 rate

Township 22 North of the Base line

North between Secs 21 and 22
Va 13 35 East

40.00 Set post 2 X 4 in X 4 ft 12 in deep deposit charred stake raised mound of earth 2 ft high from pits 18 X 24 in and 12 in deep for 1/4 Sec Cor

80.00 Set post 3 X 3 in X 4 ft 12 in deep deposit charred stake raised mound of earth 2 1/2 ft high from pits 18 X 24 in and 12 in deep for Cor to Secs 15. 16 21 and 22

Land sand hills 3 rate

Range 17 West of the 6th Principal Meridian

East on a random line between Secs 15 and 22
Va 13° 35 East

18.00 Leave sand hills and enter valley Dears N W & E

40.00 Set post for temporary 1/4 Sec Cor

48.80 To Calamus River. 240 lks wide current runs South East

79.83 Intersect the N and South line 25 lks South of post Cor to Secs 14. 15 22 & 23 from which Cor I run South 89° 49' West on a true line between Secs 15 and 22
Va 13 35 East

399 1/2 Set post 2 X 3 in X 4 ft 12 in deep deposit charred stake raised mound of earth 2 ft high from pits 18 X 24 in and 12 in deep for 1/4 Sec Cor

79.83 The Cor to Secs 15. 16. 21 and 22

West 18 chs sand hills 3 rate balance gentle rolling valley 1st rate Land

Township 22 North of the Base line Range

North between Secs 15 and 16
Va 13° 35' East

40.00 Set post 2 x 3 in x 4 ft 12 in deep deposit charred stake raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep

54.00 Leave sand hills and entire valley bears N. W. & S. E.

62.00 To Calamus River 200 lks wide current runs S E

68.00 Same river current runs S W

78.00 Line leaves river

80.00 Set post 3 x 4 in x 4 ft 12 in deep deposit charred ~~post~~ stake raised mound of earth 2½ ft high from pits 18 x 24 in and 12 in deep for Cor to Secs 9. 10. 15 and 16

South 54 ch sand hills 3 rate balance gentle rolling bottom 1st rate

17 West of the 6th Principal Meridian

East on a random line between Secs 10 and 15
Va 13° 35' East

40.00 Set post for temporary ¼ Sec Cor

~~70.00 Leave valley and enter sand hills bears N W & S E~~

79.60 Intersect the N & S line 9 lks South of post Cor to Secs 10. 11. 14 and 15 from which Cor I run South 89° 56' West on a line line between Secs 10 and 15
Va 13° 35' East

39.80 Set post 2 x 4 in x 4 ft 12 in deep deposit charred stake raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for ¼ Sec Cor

79.60 The Cor to Secs 9. 10. 15 & 16

Land undulating valley 1st rate soil

Township 22 North of the Base line Range

North between Secs 9 and 10
Va 13° 35' East

40.00 Set charred post 2 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

70.00 Leave valley and enter sand hills trees N. H. & S. E.

80.00 Set charred post 3 x 4 in x 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18 x 24 in and 12 in deep for Cor to Secs 3. 4. 9 & 10

South 70 chs undulating valley 1 rate Land balance sand hills 3 rate

17 West of the 6th Principal Meridian

East on a random line between Secs 3 and 10
Va 13° 35' East

40.00 Set post for temporary 1/4 Sec Cor

79.88 Intersect the N end South Line 27 lks North of post Cor to Secs 2. 3. 10 and 11 from which Cor

I run North 89° 48' West on a true line between Secs 3 & 10
Va 13° 35' East

39.94 Set charred post 2 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

79.88 the Cor to Secs 3 4 9 & 10

Land sand hills 3 rate

Township 22 North of the Base line Range 17 West of the 6th principal Meridian

North on a random line between Sec 3 and 4
Va 13° 35' East

40.00 Set post for temporary 1/4 Sec Cor

79.55 Intersect the North boundary of the Township 20 lks East of post Cor to Secs 3 & 4 from which Cor
I run South 9° East on a true line between Sec 3 & 4
Va 13° 35' East

39.55 Set charred post 2 X 3 in X 4 ft 12 in dep round mound of earth 2 ft high from pits 16 X 24 in and 12 in dep for 1/4 Sec Cor

79.55 The Cor to Secs 3, 4, 9 and 10

Land high sand hills Barren

North between Sec 3 & 33
Va 13° 35' East

40.00 Set post 2 X 3 in X 4 ft 12 in dep deposit Charred stake round mound of earth 2 ft high from pits 16 X 24 in and 12 in dep for 1/4 Sec Cor

80.00 Set post 3 X 4 in X 4 ft 12 in dep deposit Charred stake round mound of earth 2½ ft high from pits 16 X 24 in and 12 in dep for Cor to Secs 28, 29, 32 & 33

Land sand hills Barren

Township 22 North of the Base line Range

East on a random line between Secs 28 and 33

Va 13° 35' East

40.00 Set post for temporary 1/4 Sec Cor

80.08 Intersect the N & S line 18 lks South of post Cor to Secs 27 28 33 and 34 from which Cor

I ran South 89° 52' West on a true line between Secs 28 and 33

Va 13° 35' East

40.04 Set post 2 x 4 in x 4 ft 12 in deep deposit charred stake raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

80.08 the Cor to Secs 28, 29, 32 & 33

Land rand hills 3 rate

17 West of the 6th Principal Meridian

North between Secs 28 & 29

Va 13 35 East

40.00 Set post 2 x 3 in x 4 ft 12 in deep deposit charred stake raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

80.00 Set post 3 x 3 in x 4 ft 12 in deep deposit charred stake raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for Cor to Secs 20 21 28 and 29

Land hilly very sandy 3 rate

June 7th 1873

Township 22 North of the Base line Range

East on a random line
between Secs 21 and 28
Va 13° 35' East

40.00 Set post for temporary 1/4 Sec
Cor

79.64 Intersect the N and South
line 10 Lks North of post Cor to
Secs 21 22 27 and 28 from
which Cor
I run North 89° 56' West
on a true line between Secs
21 and 28
Va 13° 35' East

3982 Set post 2 X 4 in X 4 ft 12 in deep
deposit Charcoal ~~for~~ State
raised mound of earth 2 ft
high from pits 18 X 24 in
and 12 in deep for 1/4 Sec
Cor

79.64 The Cor to Secs 20, 21, 28
and 29

Land level hills & pits

17 West of the 6th Principal Meridian

North between Secs 20 and 21
Va 13 35 East

40.00 Set post 2 X 3 in X 4 ft 12 in
deep deposit Charcoal State
raised mound of earth 2 ft high
from pits 18 X 24 in and 12 in
deep for 1/4 Sec Cor

80.00 Set post 3 X 3 in X 4 ft 12 in
deep deposit Charcoal State
raised mound of earth 2 ft
high from pits 18 X 24 in and 12 in
deep for Cor to Secs 16, 17 20 &
21

Land high rocky hills & pits

Township 22 North of the Base line

East on a random line between Secs 16 and 21
Va 13°35' East

40.00 Set post for temporary 1/4 Sec Cor

79.70 Intersect the North and South Line 21 lks South of post Cor to Secs 15, 16, 21 and 22 from which Cor Va ~~13°35' East~~ I ran South 89°51' West on a true line between Secs 16 and 21
Va 13°35' East

39.85 Set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

79.70 The Cor to Secs 16, 17, 20 & 21

Land sand hills 3 rate

Range 17 West of the 6th Principal Meridian

North between Secs 16 and 17
Va 13°35' East

40.00 Set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

80.00 Set Charred post 3 x 4 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for Cor to Secs 8, 9, 16 and 17

Land sand hills 3 rate

Township 22 North Range 17

East on a random line between Secs 9 and 16
Va 13 35 East

25.00 Leave sand hills & enter valley bears N. W. S. E

40.00 Set post for temporary 1/4 Sec Cor

74.00 To Calamus River Current mass S. E

78.50 Line leaves river

79.30 Intersect the North & South Line 7 lks South of post Cor to Secs 9, 10, 15 & 16 from which Cord van South 89 57 West on a true line between Secs 9 and 16
Va 13° 35 East

39.65 Set Charred post 3 X 3 in X 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 X 24 in and 12 in deep for 1/4 Sec Cor

79.30 The Cor to Secs 8, 9, 16 and 17 South 25 chs sand hills 3 rat

Land balance

West of the 6th Principal Meridian

North between Secs 8 and 9
Va 13° 35 East

40.00 Set Charred post 3 X 4 in X 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 X 24 in and 12 in deep for 1/4 Sec Cor

68.00 Leave sand hills & enter valley bears N. W. S. E

80.00 Set post 3 X 3 in X 4 ft 12 in deep deposit charred stake raised mound of earth 2 1/2 ft high from pits 18 X 24 in and 12 in deep for Cor to Secs 4, 5 & 9

South 68 chs sand hills 3 rats. Land balance level valley 1 rate

Township 22 North of the Base line Range

East on a random line between Secs 4 and 9
Va 13 35 East

4.00 To Calamus River 220 lks wide Current runs S. E

40.00 Set post for temporary 1/4 Sec Cor

62.00 Leave valley and enter sand hills Bears N. W & E

79.27 Intersect the N & S line 16 lks South of post Cor to Secs 3, 4, 9, and 10 from which Corner
Iran South 89° 53' West on a true line between Secs 4 and 9
Va 13 35 East

39.63½ Set charred post 2 x 4 in 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

79.27 The Cor to Secs 4, 5, 8 and 9
Land on valley 1st rate balance 3 rate

17 West of the 6th Principal Meridian

North on a random line between Secs 4 and 5
Va 13 35 East

4.00 To Calamus River 2 chs wide Current runs S E

35.00 Lime stone Cropping bears N. W and S. E

40.00 Set Stone for temporary 1/4 Sec Cor

79.00 Intersect the North boundary of the Township 40 lks East of post Cor to Secs 4 and 5 from which Corner
Iran South ~~89~~° 17 East on a true line between Secs 4 and 5
Va 13.35 East

39.00 Set Lime stone 18 x 14 x 9 in 12 in deep marked 1/4 on West side for 1/4 Sec Cor

79.00 The Cor to Secs 4, 5, 8 & 9
Land rolling valley 1st rate soil

Township 22 North of the Base line Range

North between Secs 31 and 32
Va 13° 35 East

40.00 Set post 2 x 3 in x 4 ft 12 in deep deposit Charred Stake raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

80.00 Set post 3 x 3 in x 4 ft 12 in deep deposit Charred Stake raised mound of earth 2 1/2 ft high from pits 18 x 24 in and 12 in deep for Cor to Secs 29 30 31 and 32

Land rolling sand hills 3 rute

7 West of the 6th Principal Meridian

East on a random line between Secs 29 and 32
Va 13° 35 East

40.00 Set post for temporary 1/4 Sec Cor

79.66 Intersect the North and South line 5 lks South of post Cor to Secs 28 29 32 and 33 from which Cor
I ran South 89° 58' West on a true line between Secs 29 and 32
Va 13° 35 East

39.83 Set post 2 x 3 in x 4 ft 12 in deep deposit Charred Stake raised mound of earth 2 ft high from pits 18 x 24 in & 12 in deep for 1/4 Sec Cor

79.66 Cor to Secs 29. 30. 31 & 32
West 45 lks rolling 2 rute
Balance hilly 3 rute

Township 22 North of the Base Line

West on a random line between Secs 20 and 21

Va 13° 35' East

40.00 Set post for temporary 1/4 Sec Cor

78.00 Intersect the West boundary of the Township 48 lks North of post Cor to Secs 30 & 31 from which Cor I ran

North 89° 39' East on a true line between Secs 30 and 31

Va 13 35 East

38.00 Set post 2x3 in x 4 ft 12 in deep deposit charred stake raised mound of earth 2 ft high from pits 18x24 in and 12 in deep for 1/4 Sec Cor

78.00 The Cor to Secs 29, 30, 31 and 32

Land sand hills 3 mile

Range 17 West of the 6th Principal Meridian

North between Secs 29 and 30

Va 13° 35' East

40.00 Set post 2x4 in x 4 ft 12 in deep deposit charred stake raised mound of earth 2 ft high from pits 18x24 12 in deep for 1/4 Sec Cor

80.00 Set post 3x3 in x 4 ft 12 in deep deposit charred stake raised mound of earth 2½ ft high from pits 18x24 in and 12 in deep for Cor to Secs 19 20 29 & 30

Land sand hills 3 mile

June 6th 1873

Township 22 North of the Base line Range 17 West of the 6th Principal Meridian

East on a meander line between Secs 20 and 29
Va 13° 30' East

48.00	4000	Set post for temporary 1/4 Sec Cor
	7985	Intersect the North and South line 34 ch South of post Cor to Secs 20 21 28 and 29 from which Cor I run South 89° 40' West on a true line between Secs 20 and 29
80.00		
		Va 13° 30' East
	3993½	Set post 2x3 in x 4 ft 1/2 in deep deposit charcoal ~~stake~~ round mound of earth 2 ft high from pit 16x24 in and 12 in deep for 1/4 Sec Cor
	7985	The Cor to Secs 19 20 29 30
		Land level hill 3 cuts

West on a random line between Secs 19 and 30
Va 13° 30' East

40.00		Set post for temporary 1/4 Sec Cor
77.00		Intersect the East boundary of the Township 87 chs North of post Cor to Secs 19 and 30 from which Cor I run North 89° 31' East on a true line between Secs 19 and 30
Va 13° 30' East
	3700	Set charcoal post 3x3 in x 4 ft 12 in deep round mound of earth 2 ft high from pits 16 x 24 in and 12 in deep for 1/4 Sec Cor
	7700	The Cor to Secs 19 20 29 30
		Land level hill 3 cuts

Township 22 North of the Base line Range 17 West of the 6th Principal Meridian

North between Secs 19 & 20
Va 13° 35' East

40.00 Set channel post 3 x 4 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

80.00 Set channel post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2½ from pits 18 x 24 in and 12 in deep for Cor to Secs 17. 18. 19 and 20

Land rolling hills 3 cuts

East on a random line between Secs 17 and 20
Va 13 35 East

40.00 Set post for temporary 1/4 Sec Cor

79.80 Intersect the North and South Line 12 chs South of post Cor to Secs 16. 17. 20 and 21 from which Cor
I run South 89° 55' West on a true line between Secs 17 and 20
Va 13 35 East

39.90 Set channel post 3 x 3 in x 4 ft 12 in deep raised mound of earth from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

79.80 The Cor to Secs 17 18. 19 and 20

Land rolling sandy 2 cuts

Township 22 North of the Base line

West on a random line between Secs 18 and 19
Va 13° 35'

40.00 Set post for temporary 1/4 Sec Cor

76.25 Intersect the West boundary of the Township 78 lks North of post Cor to Secs 18 and 19 from which Cor

I ran North 89° 25' East on a true line between Secs 18 and 19
Va 13° 35' East

36.25 Set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

76.25 The Cor to Secs 17, 18, 19 and 20

Land sound hills 3 rate

Range 17 West of the 6th Principal Meridian

North between Secs 17 and 18
Va 13° 35' East

40.00 Set charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep

80.00 Set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18 x 24 12 in deep for Cor to Secs 7, 8, 17 and 18

Land very hilly sandy 3 rate

Township 22 North of the Base line of Range 17 West of the 6th Principal Meridian

East on a random line between Secs 8 and 17
Va 13° 35' East

40.00 Set post for temporary 1/4 Sec Cor

80.04 Intersect the North & South line 47 lks South of post Cor to Secs 8, 9, 16 and 17 from which Cor
I ran South 89° 40' West on a true line between Secs 8 and 17
Va 13° 35' East

40.02 I Set Chained post 2 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18, 24 in and 18 in deep for 1/4 Sec Cor

80.04 The Cor to Secs 7, 8, 17 & 18

Land sand hills 3 rate

West on a random line between Secs 7 and 18
Va 13 35 East

40.00 Set post for temporary 1/4 Sec Cor

76.75 Intersect the West boundary of the Township 28 lks North of post Cor to Secs 7 and 18 from which Cor
I ran North 89° 47' East on a true line between Secs 7 and 18
Va 13 35 E

36.75 Set Chained post 2 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in & 12 in deep for 1/4 Sec Cor

76.75 The Cor to Secs 7, 8, 17 & 18

Land high sandy hills 3 rate

Township 22 North of the Base line

North between Secs 7 and 8
Va 13 35 East

40.00 Set chained post 2 x 4 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in 12 in deep for 1/4 Sec Cor

80.00 Set chained post 3 x 4 in x 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18 x 24 in and 12 in deep for Cor to Secs 5, 6, 7, and 8

Land sand hills 3 mile

Range 17 West of the 6th Principal Meridian

East on a random line between Secs 5 and 8
Va 13 35 East

40.00 Set post for temporary 1/4 Sec Cor

49.00 Lava sand hills & entire valley bears N 1/4 and SE

79.90 Intersect the N & S line 25 lks South of post Cor to Secs 4, 5, 8, & 9 from which Cor I ran South 89° 49' West on a true line between Secs 5 & 8
Va 13° 35' East

39.95 Set chained post 3 x 4 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

79.90 The Cor to Secs 5, 6, 7 and 8

West 49 lks sand hills 3 mile balance gentle rolling valley 1st Land

Township 22 North of the Base line Range 7 West of the 6th Principal Meridian

West on a random line between Secs 6 and 7
Va 13 35 East

40.00 Set post for temporary 1/4 Sec Cor

76.60 Intersect the West boundary of the Township 73 lks North of post Cor to Secs 6 and 7 from which Cor I run North 89 27 East on a true line between Secs 6 and 7
Va 13 35 East

36.60 Set Chained post 2x3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in & 12 in deep for 1/4 Sec Cor

76.60 The Cor to Secs 5 6 7 & 8

Land sand hills 3 rate

North on a random line between Secs 5 and 6
Va 13 35 East

30.00 Leave sand hills & enter oally bears N. W & S. E

40.00 Set post for temporary 1/4 Sec Cor

79.03 Intersect the North boundary of the Township 96 lks East of post Cor to Secs 5 and 6 from which Cor I run South 42' E on a true line between Secs 5 and 6
Va 13 35 East

39.03 Set chained post 3x3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 & 12 in deep for 1/4 Sec Cor

79.03 The Cor to Secs 5, 6, 7 & 8

Land South 30 chs sand hills 3 rate balance gentle rolling oally 1st rate

June 9th 1873

Township 22 North of the Base line Range 17 West of the 6th Principal Meridian

General Description

The land on the Calumet River valley in this Township is level and well adapted for Cultivation or grazing. The land is a deep rich sandy loam and is covered with a luxuriant growth of grass. The balance of the Township is composed of sand or sandy hills, not fit for Cultivation but good pasturage, as there is a good growth of grass through out. The Calumet River enters the Township on the North boundary Sec 5 and flows S. E. through the Township leaving it on the East boundary of Sec 36. It has an average bright clear width of about 150 ft. The water is very clear, is mostly shallow, sandy bottom and rapid current

Township 22

48.00

80.00

A list of the names of the individuals employed to assist in running measuring of marking the lines and corners described in the foregoing field notes of Township No 22 North of the Base line of Range No 17 West of the 6th Principal Meridian in the State of Nebraska showing the respective capacities in which they acted

Alfred C Peavey Chainman
Calvin Shaw Chainman

John Wenger Axeman
Herbert R Wilcox Axeman

We hereby certify that we assisted John H Daugherty Deputy Surveyor in Surveying the subdivision lines in Township No 22 North of the Base line of Range No 17 West of the 6th Principal Meridian and that the said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General, and of dimensions Character Construction and marking, and in the manner as specifically described in the foregoing field Notes

Allard C Peavey Chainman
Calvin Shaw Chainman

John Wenger Aireman
Herbert R Wilcox Aireman

Subscribed and sworn to by the above named person before me a Notary Public in and for the County of Dodge and State of Nebraska this 14th day of September 1873

Geo H Dorsey
Notary Public
Dodge Co Neb

I John H Daugherty Deputy Surveyor do solemnly swear that in pursuance of a joint Contract where in John H Daugherty Dan S Pemelee and Walter C Campbell are joint Contractors with E. E. Cunningham Surveyor General for the district of Nebraska and Iowa bearing date the 10 day of May 1873 I have well faithfully and truely in my own proper person and in strict conformity to the instructions furnished by the Surveyor General the Surveying manual, and the law of the United States Surveyed all those parts or potions of Township No 22 North of the Base line in Range No 17 West of the 6th Principal Meridian as are represented by the foregoing field note as having been surveyed under my direction, and I do further solemnly swear that all the Corners of said Survey have been established and perpetuated in strict accordance with the surveying manual printed instructions and special instructions of the Surveyor General of dimensions character construction and marking and in the manner as specifically described in the foregoing field notes, and that the foregoing are the true and original field notes of such Survey

John H Daugherty
Deputy Surveyor

Subscribed and sworn to by the said John H Daugherty Deputy Surveyor before me & County Clerk in and for the County of Dodge and State of Nebraska this 23" day of September 1873

L M Keene
County Clerk
Dodge County
Nebraska

Surveyor Generals Office

Plattsmouth Oct. 21st 1873

The foregoing field notes of the Survey and Subdivision of Township No 22. North of the Base Line of Range No 17 West of the 6th P.M. in Nebraska Executed by John W Daugherty under joint Contract No 72. Dated May 10 1873 wherein John W. Daugherty Nap. S. Parmele and Walter C. Campbell are joint Contractors in the month of June 1873 having been critically examined the necessary corrections and explanations made the said field notes and the Surveys they describe are hereby approved —

E. E. Cunningham
Surveyor General.

Town 23 Range 17 W

6	61	5	44	4	33	3	22	2	1	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	41	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	46	29	36	28	25	27	14	26	3	25
47		44		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Field Notes of the subdivision lines in Township No 23 North of the Base line of Range No 17 West of the 6th Principal in the State of Nebraska.

Surveyed by John H Dunghaty Deputy Surveyor Commenced June 16th 1873 and Completed June 14th 1873

Names and duties of Assistants employed in Subdividing Township No 23 North of the Base line of Range No 17 West of the 6th Principal Meridian in the State of Nebraska

Allard C Peavey Chainman
Calvin Shaw Chainman

John Wenger Axeman
Herbert R Wilcox Axeman

To determine the proper Adjustment of my Compass for Subdividing this Township I Commence at the Corner to Township 22 and 23 North Range 16 & 17 West and run North on a blank line along the East boundry of Sec 36

on 2d Rigo Meridian west

Variation 13°40' East

4000 To a point 4 lks West of the 1/4 Sec Cor

8000 To a point 23 lks West of the Cor to Secs 25 and 36

To retrace this line or run parallel there to my Compass must be adjusted to a Variation of 13° 30' East

Township 23 North of the Base line Range

North between Secs 35 and 36
Va 13° 30' East

40.00 Set Charred post 2 x 3 in x 4 ft
12 in deep raised mound of earth
2 ft high from pits 18 x 24 in
12 in deep for 1/4 Sec Cor

80.00 Set charred post 3 x 4 in x 4 ft
12 in deep raised mound of
earth 2 1/2 ft high from pits 18 x 24
in and 12 in deep for Cor to Secs
25 26 35 & 36

Land sand hills 3 rate

17 West of the 6th principal Meridian

East on a random line between
Secs 25 and 36
Va 13° 30' East

40.00 Set post for temporary 1/4 Sec
Cor
60.00 Leaves sand hills and cute-cut bottom of
74.00 Creek 20 lks wide Current runs
South

79.89 Intersect the North and South
East boundary of the Township
13 lks South of post Cor to
Secs 25 and 36 from which
Cor
I ran South 89° 54 West on a
true line between Secs 25 & 36
Va 13 30 East

39.94 1/2 Set Charred post 3 x 3 in x 4 ft
12 in deep raised mound of
earth 2 ft high from pits 18 x 24
12 in deep for 1/4 Sec Cor

79.89 The Cor to Secs 25 26 35 & 36

West 60 chs sand hills. balance
level Creek bottom all sandy
3 rate

Township 23 North of the Base line

North between Secs 25 and 26
Va 13° 30' East

40.00 Set channel post 3X3 in X 4 ft
12 deep raised mound of earth
2 ft high from pits 18X24 in
and 12 in deep for 1/4 Sec Cor

80.00 Set channel post 3X3 in X
4 ft 12 in deep raised mound
of earth 2½ ft high from pits
18X24 in and 12 in deep for Cor
to Secs 23, 24 25 and 26

Land sand hills 3 chs

Range 17 West of the 6th Principal Meridian

East on a random line between
Sec 24 and 25
Va 13° 30' East

40.00 Set post for temporary 1/4 Sec
Cor

50.00 Leave sand hills and enter Creek
bottom bears North and South

63.00 Creek 20 lks wide course
South

79.40 Intersect the East boundary
of the Township 15 lks South
of post Cor to Secs 24 and 25
from which Cor I run South
89° 54' West on a true line
between Secs 24 & 25
Va 13° 30' East

39.70 Set channel post 3X3 in X 4 ft
12 in deep raised mound of
earth 2 ft high from pits 18X24
in and 12 in deep

79.40 Cor to Secs 23, 24, 25 & 26.
Post 5 to 6 chs sand hills 3 chs
balance level bottom sand
2 chs land

Township 23 North Range 17.

North between Secs 23 & 24
Va 13° 30' East

40.00 Set Charred post 3 X 3 in X 4 ft
12 in deep raised mound
of earth 2 ft high from
pits 18 X 24 in and 12 in deep

80.00 Set Charred post 3 X 3 in X 4 ft
12 in deep raised mound of
earth 2½ ft high from pits
18 X 24 in and 12 in deep
for Cor to Secs 13. 14 23 & 24

Land very hills sandy 3
rate

West of the 6th Principal Meridian

East on a random line between
Sec 13 and 24
Va 13° 30' East

12.00 Leave hills and enter bottom bear
North and South

38.00 To Pond. the point for ¼ Sec Cor being
in the Pond I set post on West bank for
temporary Witness Cor

42.00 over Pond bears N & S

60.00 Leave bottom and enter hills bears N & S

79.74 Intersect the East boundary of the Town-
ship 17 Lks South of post Cor to Secs
13 and 24 from which Cor I run
South 89° 53' West on a true line
between Secs 13 and 24
Va 13° 30' East

39.87 Point 001 N. Sec. 001 cannot be established

41.74 To West side of Pond, where I set
Charred post 3 X 3 in 12 deep raised mound
of earth 2 ft high from pits 18 X 24 in 12 in deep
for Witness corner ~~point~~ 187 lks West of point
in Pond for ¼ Sec Cor

79.74 The Cor to Secs 13 X 14 23 and 24

Land E & W part 6 and hills 3 rate middle part level 2 rate
The Pond notice on this line is about 3 ft deep and extends North
into Secs 13 about 15 chs, and South into Sec 24 about 20
chs

Township 23 North of the Base line Range 17 West of the 6th Principal Meridian

North between Secs 13 and 14
Va 13° 30' East

37.00 Creek 12 lks wide Current runs East

40.00 Set charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep

52.00 To Bayou 4 chs wide bears E & W 2½ ft deep

80.00 Set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2½ ft high from pits 18 x 24 in 12 in deep for Cor to Secs 11. 12 13 & 14

Land sandy hills 3 rate

15 chs West of the ¼ Sec Cor on this line and in Sec 14 there is a small lake, water deep, banks high and irregular banks covered with brush and minor cottonwood. Plum brush, and grape vine

East on a random line between Secs 12 and 13
Va 13° 30' East

40.00 Set post for temporary ¼ Sec Cor

77.00 Slough 2 chs wide bears N & S

79.98 Intersect the East boundary of the township 5 lks North of post Cor to Secs 12 and 13 from which Cor.

I run North 89° 58' West on a true line between Secs 12 and 13
Va 13° 30' East

39.95 Set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for ¼ Sec Cor

79.98 The Cor to Secs 11. 12 13 and 14

Land sand hills 3 rate

Township 23 North of the Base line Range 17 West of the 6th Principal Meridian

North between Secs 11 and 12
Va 13° 30' East

40.00 Set charred post 3x3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18x24 in and 12 in deep for 1/4 Sec Cor

80.00 Set charred post 3x4 in x 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18x24 in and 12 in deep for Cor to Secs 1. 2. 11 and 12

Land sand hills 3 mts

East on a random line between Secs 1 and 12
Va 13° 30' East

1500 Leave hills and enter gentle rolling trail
Oaks N.D.S.

40.00 Set post for temporary 1/4 Sec Cor

7992 Intersect the East boundary of the Township 12 lks South of post Cor to Secs 1 and 12 from which Cor

I ran South 89° 55' West on a true line between Secs 1 and 12
Va 13° 30' East

3996 Set charred post 3x3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18x24 and 12 in deep for 1/4 Sec Cor

7992 The Cor to Secs 1. 2. 11. and 12

West 15 chs hilly balance level all very sandy 3 mts

Township 23 North of the Base line

North on a random line between Secs 1 and 2
Va 13° 30' East

28.30 To Pond bears E & W 4 chs wide

40.00 Set post for temporary 1/4 Sec Cor

57.00 To Pond 3.00 lks wide bears E & W

79.98 Intersect the North boundary of the Township 16 lks East of post Cor to Secs 1 and 2 from which Cor I ran South 7 East on a true line between Secs 1 and 2
Va 13° 30' East

39.98 Set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep

79.98 The Cor to Secs 1, 2, 11, and 12

Land sand hills 3 mile

Range 17 West of the 6th Principal Meridian

North between Secs 34 and 35
Va 13° 30' East

40.00 Set Charred post 3 x 4 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

80.00 Set Charred post 4 x 4 in x 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18 x 24 in and 12 in deep for Cor to Secs 26 27 34 35

Land sand hills 3 mile

June 10th 1873

Township 23 North of the Base line Range

East on a random line between Secs 26 and 35
Va 13° 30' East

40,00 Set post for temporary 1/4 Sec Cor

80,00 Intersect the N & S line 12 lks South of post cor to Secs 25, 26, 35 and 36 from which Cor I ran South 89° 55' West on a true line between Secs 26 & 35
Va 13° 30' East

40,00 Set charred post 3x3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

80,00 The Cor to Secs 26, 27, 34 & 35

Sand hills 3 rate Land

17 West of the 6th Principal Meridian

North between Secs 26 & 27
Va 13° 30' East

40,00 Set charred post 2x3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

80,00 Set charred post 3x3 in x 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18 x 24 in and 12 in deep for Cor to Secs 22, 23, 26 & 27

South 60 chs rolling 2 rate Land balance sand hills 3 rate

Township 23 North of the Base line Range

East on a random line between Secs 23 and 26

Va 13° 30' East

40.00 Set post for temporary 1/4 Sec Cor

79.52 Intersect the N and South line 20 lks North of post Cor to Secs 23, 24 25 and 26 from which Cor

I ran North 89° 57' West on a true line between Secs 23 and 26

Va 13° 30' East

39.76 Set charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

79.52 The Cor to Secs 22, 23 26 and 27

Land sand hills 3 rate

17 West of the 6th Principal Meridian

North between Secs 22 and 23

Va 13° 30' East

40.00 Set charred post 3 x 4 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

80.00 Set charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18 x 24 in and 12 in deep for Cor to Secs 14, 15 22 and 23

Land sand hills 3 rate

Township 23 North of the Base line

East on a random line between Secs 14 and 23
Va 13° 30' East

4 40.00 Set post for temporary 1/4 Sec Cor

7 79.50 Intersect the North and South line 70 lks South of post Cor to Secs 13.14 23 and 24 from which Cor
I ran South 89° 30' West on a true line between Secs 14 and 23
Va 13° 30' East

3 39.75 Set Charred post 2×3 in × 4 ft 12 in deep raised mound of earth 2 ft high from pits 18×24 in and 12 in deep for 1/4 Sec Cor

7 79.50 The Cor to Secs 14.15 22 & 23

Land sand hills 3 rate

Range 17 West of the 6th Principal Meridian

North between Secs 14 and 15
Va 13° 30' East

40.00 Set Charred post 2×3 in × 4 ft 12 in deep raised mound of earth 2 ft high from pits 18×24 in and 12 in deep for 1/4 Sec Cor

80.00 Set Charred post 3×3 in × 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18×24 in and 12 in deep for Cor to Secs 10.11.14 and 15

Land high sandy hills 3 rate

Township 23 North of the Base line

East on a random line between Sec 11 and 14
Va 13° 30' East

25.00 Set pit for temporary 1/4 Sec Cor

79.49 Intersect the North and South line 40 links South of first Cor to Secs 11, 12, 13 and 14 from which Cor ran South 89° 48' West on a true line between Secs 11 and 14
Va 13 30 East

29.74½ Set Charred post 2×4 in × 4 ft 12 in deep raised mound of earth 2 ft high from pit 18×24 in and 12 in deep for 1/4 Sec Cor

79.49 The Cor to Secs 10, 11, 14 & 15

Land high sandy hills & rate

Range 17 West of the 6th Principal Meridian

North between Secs 10 and 11
Va 13° 30' East

40.00 Set Charred post 3×3 in × 4 ft 12 in deep raised mound of earth 2 ft high from pit 18×24 in and 12 in deep for 1/4 Sec Cor

40.00 Set Charred post 3×4 in × 4 ft 12 in deep raised mound of earth 2½ ft high from pit 18×24 in and 12 in deep for Cor to Secs 2, 3, 10 and 11

Land sand hills & rate

Township 28 North of the Base line

East on a random line between Secs 2 and 11
Va 13° 30' East

40.00 Set post for temporary 1/4 Sec Cor

79.88 Intersect the North and South line 9 lks South of post Cor to Secs 1, 2, 11 and 12 from which Cor
I run South 89° 56' West on a true line between Secs 2 and 11
Va 13° 30' East

39.94 Set charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

79.88 The Cor to Secs 2, 3, 10 & 11

Land sandy hills 3 rate

Range 17 West of the 6th Principal Meridian

North on a random line between Secs 2 and 3
Va 13° 30' East

40.00 Set post for temporary 1/4 Sec Cor

80.22 Intersect the North boundary of the Township 28 lks West of post Cor to Secs 2 and 3 from which Cor
I run South 12 West on a true line between Secs 2 and 3
Va 13° 30' East

40.22 Set charred post 2 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

80.22 The Cor to Secs 2, 3, 10 and 11

Land sand hills 3 rate

Township 23 North of the Base line

North between Secs 33 and 34
Va 13° 30' East

40.00 Set charred post 2 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

80.00 Set charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18 x 24 in and 12 in deep for Cor to Secs 27, 28 33 and 34

Land rolling hills sandy 2 rute soil

Range 17 West of the 6th Principal Meridian

East on a random line between Secs 27 and 34
Va 13° 30' East

40.00 Set post for temporary 1/4 Sec Cor

79.85 Intersect the North and South line 52 lks South of post Cor to secs 26 27 34 and 35 from which Cor
I run South 89° 38' West on a true line between Secs 27 & 34
Va 13° 30' East

39.92 1/2 Set charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

79.85 The Cor to Secs 27, 28, 33 & 34

East 40 chs very sandy 3 rute balance 2 rute all rolling hills

June 11th 1873

Township 23 North of the Base line

North between Secs 27 and 28
Va 13° 30' East

40.00 Set Chained post 3x3 in x 4 ft
12 in dug raised mound of
earth 2 ft high from pits 18x24
in and 12 in dug for 1/4 Sec
Cor

80.00 Set chained post 3x3 in x 4 ft
12 in dug raised mound
of earth 2 1/2 ft high from pits
18x24 in and 12 in dug for
Cor to Secs 21, 22, 27 and 28

Land sand hills & pits

Range 17 West of the 6th Principal Meridian

East on a random line between
Secs 22 and 27
Va 13° 30' East

40.00 Set post for temporary 1/4 Sec Cor
1974 Intersect the north true South
line 32.46 north of post on to
22 23, 26 and 27 from which
Cor
Iron North 89° 46' West on a
true line between Secs 22 & 27
Va 13° 30' East

3987 Set chained post 3x3 in x 4 ft
12 in dug raised mound of
earth from pits 18x24 in and 12
in dug for 1/4 Sec Cor
7974 The Cor to Secs 21, 22, 27 & 28

Land sand hills & pits

Township 23 North of the Base line Range

North between Secs 21 and 22
Va 13 30' East

40.00 Set Charred post 3x3 in x 4 ft
12 in deep raised mound of
earth 2 ft high from pits 18x24
in and 12 in deep for 1/4 Sec Cor

80.00 Set charred post 3x4 in x 4 ft
12 in deep raised mound of
earth 2 1/2 ft high from pits 18x24
in and 12 in deep for Cor to Secs
15, 16, 21 and 22

Land sand hills 3 rate

17 West of the 6th Principal Meridian

East on a random line between Secs 15 & 22
Va 13° 30' East

40.00 Set post for temporary 1/4 Sec Cor
79.69 Intersect the North and South line
at post Cor to Secs 14, 15 22 & 23
from which Cor
I run West on a true line
between Secs 15 and 22
Va 13° 30' East

39.84 Set Charred post 3x3 in x 4 ft
12 in deep raised mound of earth
2 ft high from pits 18 x 24 in and
12 in deep for 1/4 Sec Cor
79.69 The Cor to Secs 15, 16 21 and 22

Land sand hills 3 rate

Township 23 North of the Base line

North between Secs 15 and 16
Va 13° 30' East

40,00 Set charred post 3x3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18x24 in and 12 in deep for 1/4 Sec Cor

80,00 Set charred post 3x3 in x 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18x24 in and 12 in deep for Cor to Secs 9, 10, 15 and 16

Land - sand hills 3 rate

Range 17 West of the 6th Principal Meridian

East on a random line between Secs 10 and 15
Va 13° 30' East

40,00 Set post for temporary 1/4 Sec Cor

79,52 Intersect the North and South line 12 lks South of post Cor to Secs 10, 11, 14 and 15 from which Cor I run South 89° 55' West on a true line between Secs 10 and 15
Va 13° 30' East

79,76 Set charred post 3x3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18x24 in & 12 in deep for 1/4 Sec Cor

79,52 the Cor to Secs 9 10 15 & 16

Land high sandy hills 3

Township 23 North of the Base line Range

North between Secs 9 and 10
Va 13° 30' East

40.00 Set chained post 3x3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18x24 in and 12 in deep for 1/4 Sec Cor

80.00 Set chained post 3x4 in x 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18x24 in and 12 in deep for Cor to Secs 3.4 9 & 10

Land sand hills 3 rate

17 West of the 6th Principal Meridian

East on a random line between Secs 3 and 10
Va 13° 30' East

40.00 Set post for temporary 1/4 Sec Cor

79.73 Intersect the N and S line 18 1/2 South of post Cor to Secs 2, 3, 10 and 11 from which Cor I ran South 89° 52 West on a true line between Secs 3 & 10
Va 13° 30' East

3986 1/2 Set chained post 3x3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18x24 in and 12 in deep for 1/4 Sec Cor

79.73 the Cor to Secs 3.4. 9 & 10

3d Rate

Township 23 North of the Base line Range 17 West of the 6th Principal Meridian

North on a random line between Secs 3 and 4
Va 13° 30' East

40.00 Set post for temporary 1/4 Sec Cor

80.36 Intersect the North boundary of the Township 29 l/s West of post Cor to Secs 3 and 4 from which Cor 12'
I ran South ~~to~~ West on a true line between Secs 3 & 4
Va 13° 30' East

40.36 Set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

80.36 The Cor to Secs 3, 4, 9 & 10

Land sand hills 3 rate

North between Secs 32 & 33
Va 13° 30' East

2.00 Leave valley and enter sand hills bears E & W

40.00 Set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep

80.00 Set Charred post ~~18 x 24~~ 3 x 4 in x 4 ft 12 in deep raised mound 2 1/2 ft high from pits 18 x 24 in and 12 in deep for Cor to Secs 28 x 29 32 & 33

Land mostly sandy hills 3 rate

Township 23 North of the Base line

East on a random line between Secs 28 and 33

Va 13° 30' East

40.00 Set post for temporary 1/4 Sec Cor

79.60 Intersect the North and South line 29 lks South of post Cor to Secs 27, 28, 33 & 34 from which Cor I can South 89° 48' West on a true line between Secs 28 and 33

Va 13° 30' East

39.80 Set charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

79.60 The Cor to Secs 28, 29, 32 and 33

Land rolling hills sandy 2 rate soil

Range 17 West of the 6th Principal Meridian

North between Secs 28 and 29

Va 13° 30' East

40.00 Set charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

80.00 Set charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18 x 24 in and 12 in deep for Cor to Secs 20 21 28 & 29

South 40 chs land rolling 2 rate balance sand hills 3 rate

June 12th 1878

Township 28 North of the Base line

East on a random line between Secs 21 and 28
N 13° 30' East

40.00 Set post for temporary 1/4 Sec Cor

79.96 Intersect the North and South line 13 lks North of post for 1/4 Secs 21, 22, 27 and 28 from which Cor
I run North 89° 57' West on a true line between Secs 21 and 28
N 13° 30' East

39.98 Set chained post 3 x 3 in x 4 ft 9 1/2 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

79.96 The Cor to Secs 20 21 28 & 29

Land rand hills & pits

Range 17 West of the 6th Principal Meridian

North between Secs 20 and 21
N 13° 30' East

40.00 Set chained post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

80.00 Set chained post 3 x 4 in x 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18 x 24 in and 12 in deep for Cor to Secs 16 17 20 and 21

Land rand hills & pits

Township 23 North of the Base line

East on a random line between Secs 16 and 21

Va 13° 30' East

40,00 Set post for temporary 1/4 Sec Cor

50,00 Leave sand hills & enter valley bears N W & S E

75 00 Leave level land and enter sand hills bears N W & S E

80 23 Intersect the North and South line 13 lks North of post Cor to Secs. 15, 16 21 and 22 from which Cor

I ran North 89° 54' West on a true line between Secs 16 & 21

Va 13° 30' East

40 11 1/2 Set Charred post 3x3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18x24 in and 12 in deep for 1/4 Sec Cor

80 23 the Cor to Secs 16, 17 20 & 21

East and West ~~North & South~~ part sand hills 3 rate
Middle part level & enter land

Range 17 West of the 6th Principal Meridian

North between Secs 16 and 17

Va 13° 30' East

40,00 Set Charred post 3x3 in x 4 ft 12 in deep raised mound of earth 2 ft deep from pits 18x24 in and 12 in deep for 1/4 Sec Cor

80,00 Set Charred post 3x4 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18x24 in and 12 in deep for Cor to Secs 8, 9, 16 and 17

Land sand hills 3 rate

Township 23 North of the Base line Range

East on a random line between Secs 9 and 16
Va 13 30 East

40.00 Set post for temporary 1/4 Sec Cor

80.50 Intersect the North and South line 38 lks North of post Cor to Secs 9, 10, 15 and 16 from which Cor I ran North 89°44' West on a true line between Secs 9 and 16
Va 13° 30' East

40.25 Set Charred post 3x3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18x24 in & 12 in deep for 1/4 Sec Cor

80.50 The Cor to Secs 8, 9, 16 & 17

Land sand hills 3 rate

17 West of the 6th Principal Meridian

North between Secs 8 and 9
Va 13° 30' East

40.00 Set Charred post 3x3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18x24 in 12 in deep for 1/4 Sec Cor

68.00 Slough 40 lks with bears N E & W

80.00 Set Charred post 3x3 in x 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18x24 in and 12 in deep for Cor to Secs 4, 5, 8 and 9

Land sand hills 3 rate

Township 23 North of the Base line

East on a random line between Secs 4 and 9

Va 13° 30' East

40.00 Set post for temporary 1/4 Sec Cor

42.00 Slough 50 lks wide bears N & S

80.58 Intersect the North end South line 12 lks South of post Cor to Secs 3, 4 9 and 10 from which Cor I ran South 89° 55' West on a line between Secs 4 & 9

Va 13° 30' East

40.29 Set charred post 3 x in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

80.58 The Cor to Secs 4 5, 8 & 9

Land sand hills 3 rate

Range 17 West of the 6th Principal Meridian

North on a random line between Secs 4 and 5

Va 13° 30' East

40.00 Set post for temporary 1/4 Sec Cor

52.00 Slough sand hills 3 rate - level land bears E & W

80.08 Intersect the North boundary of the Township 14 lks East of post Cor to Secs 4 and 5 from which Cor

I ran South 6' East on a true line between Secs 4 & 5

Va 13° 30' East

40.08 Set charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

80.08 The Cor to Secs 4, 5, 8 and 9

South 50 chs sand hills 3 rate balance level 1st rate soil

Township 23 North of the Base line

North between Secs 31 & 32
Va 13° 30' East

3025 To Calamus River 225 wide
Current runs South East

40.00 Set Charred post 3 x 3 in x
4 ft 12 in deep raised
mound of earth 2 ft high from
pits 18 x 24 End 12 in deep
for 1/4 Sec Cor

8000 Set charred post 3 x 3 in x 4 ft
12 in deep raised mound of
earth 2 1/2 ft high from pits
18 x 24 in 12 in deep for Cor
to Secs 29, 30 31 End 32

Land undulating valley
South 60 chs 1st rate balance
gravely 3 rate

Range 17 West of the 6th Principal Meridian

East on a random line
between Secs 29 End 32
Va 13° 30' East

4000 Set post for temporary 1/4 Sec Cor

5200 Leave Creek bottom & enter
Sand hills bears N S

7970 Intersect the North and South
line 30 lks South of post Cor
to Secs 28, 29 32, 33 from
which Cor
I ran South 89° 47' West on
a true line between Secs 29 & 32
Va 13° 30' East

3985 Set charred post 3 x 3 in x 4 ft
12 in deep raised mound of
earth 2 ft high from pits 18 x 24
in and 12 in deep for 1/4 Sec Cor

7970 The Cor to Secs 29, 30 31 & 32

West 52 chs gentle rolling bottom
2 rate evil balance sand hills
3 rate

Township 23 North of the Base line

West on a random line between Secs 30 and 31
Va 13° 30' East

6.00 Crack 15 lks wide current runs South

15.00 Leave Crack bottom & rate Sand hills bears N & S

40.00 Set post for temporary 1/4 Sec Cor

65.00 Leave sand hills & rate bully bears N, W, S, E

74.81 Intersect the West boundary of the Township 22 lks South of post Cor to Secs 30 & 31 from which Cor
I ran South 89° 50' East on a true line between Secs 30 & 31
Va 13° 30' East

36.81 Set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in & 12 in deep for 1/4 Sec Cor

76.81 The Cor to Secs 29, 30, 31 & 32
Land on bottom 1st rate balance 3 rate

Range 17 West of the 6th Principal Meridian

North between Secs 29 & 30
Va 13° 30' East

35.00 Creek 12 lks wide current runs S, W

40.00 Set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

60.00 Leave creek bottom & rate sand hills bears N, E, S, W

80.00 Set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 1/2 feet high from pits 18 x 24 in and 12 in deep for Cor to Secs 19, 20, 29 & 30

Land on creek bottom 1st rate balance sand hills 3 rate

At about 20 ch South East from the Cor to Secs 19, 20, 29 and 30 and in Sec 29 there is a large Spring of good fresh water

June 13th 1873

Township 23 North of the Base line

East on a random line between Secs 20 and 29

Va 13° 30' East

10.00 Leave Sand hills & enter valley bears N & S

16.00 Slough 40 lks wide bears N & S

40.00 Set post for temporary 1/4 Sec Cor

50.00 Leave valley and enter Sand hills bears N & S

80.00 Intersect the N & S line 12 lks South of post Cor to Secs 20 21 28 & 29 from which Cor

I ran South 89° 55' West on a true line between Secs 20 and 29

Va 13° 30' East

40.00 Set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in 12 in deep for 1/4 Sec Cor

80.00 The Cor to Secs 19, 20 29 & 30

Land on valley 1 rate Balance sand hills 3 rate

Land on [illegible] 1 rate Balance [illegible]

Range 17 West of the 6th Principal Meridian

West on a random line between Secs 19 and 30

Va 13° 30' East

40.00 Set post for temporary 1/4 Sec Cor

76.72 Intersect the N & S line West boundary of the Township 27 lks South of post Cor to Secs 19 & 30 from which Cor

I ran South 89° 48' East on a true line between Secs 19 and 30

Va 13° 30' East

36.72 Set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

76.72 The Cor to Secs 19, 20 29 & 30

Land sand hills 3 rate

Township 23 North of the Base line

North between Secs 19 & 20
Va 13° 30 East

41,00 Set charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

80.00 Set charred post 3 x 4 in x 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18 x 24 in and 12 in deep for Cor to Secs 17, 18 19 and 20

Land sand hills 3 rate

Range 17 West of the 6th Principal Meridian

East on a random line between Secs 17 and 20
Va 13° 30 East

39,70 Slough 30 lk wide bears N & S

40,00 Set post for temporary 1/4 Sec Cor

8010 Intersect the N & S line 23 lks North of post Cor to Secs 16, 17, 20 and 21 from which Cor I ran North 89° 50 West on a true line between Secs 17 and 20
Va 13° 30 East

4005 Set charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

8010 The Cor to Secs 17, 18, 19 & 20

Land sand hills 3 rate

Township 23 North of the Base line

West on a random line between Secs 18 and 19
Va 13 30 East

40,00 Set post for temporary 1/4 Sec Cor

76 24 Intersect the West boundary of the Township 24 lks North of post Cor to Secs 18 & 19 from which Cor I run North 89° 49' East on a true line between Secs 18 & 19
Va 13° 30 East

36 24 Set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

76,24 The Cor to Secs 17, 18, 19 & 20

Land rand hills 3 rate

Range 17 West of the 6th Principal Meridian

North between Secs 17 and 18
Va 13° 30 East

32 00 Slough 60 lks with bears N.W. & S.E.

40,00 Set Charred post 3 x 4 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

62 00 Slough 55 lks with bears N.E. & S.W.

80,00 Set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18 x 24 in and 12 in deep for Cor to Secs 7, 8, 17 and 18

North 65 chs rolling 2 rate land balance rand hills 3 rate

Township 23 North of the Base line

East on a random line between Secs 8 and 17
Va 13° 30' East

40.00 Set post for temporary 1/4 Sec Cor

5000 Slough 2 ch wide bears N and S

8026 Intersect the North and South line 12 lks North of post Cor to Secs 8. 9. 16 and 17 from which Cor
I ran North 89° 55' West on a true line between Secs 8 & 17
Va 13 30 East

4013 Set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

80.26 The Cor to Secs 7. 8. 17 & 18

East and West parts hills 3 middle gentle rolling 2 rate

Range 17 West of the 6th Principal Meridian

West on a random line between Secs 7 and 18
Va 13° 30' East

40.00 Set post for temporary 1/4 Sec Cor

7625 Intersect the West boundary of the Township 18 lks South of post Cor to Secs 7 and 18 from which Cor
I ran South 89° 52' East on a true line between Secs 7 & 18
Va 13° 30' East

3625 Set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 12 in deep for 1/4 Sec Cor

76.25 The Cor to Secs 7. 8. 17 & 18

Land rained hills 3 rate

Township 23 North of the Base line

North between Secs 7 and 8
Va 13° 30' East

40.00 Set Charred post 3x3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

80.00 Set Charred post 3x4 in x 4 ft 12 in deep raised mound of earth 2½ ft high from pits 18 x 24 in and 12 in deep for Cor to Sec 5, 6, 7 and 8

Land rand hills 3 rate

Range 17 West of the 6th Principal Meridian

East on a random line between Secs 5 and 8
Va 13° 30' East

40.00 Set post for temporary 1/4 Sec Cor

80.32 Intersect the N & S line 20 lks North of post Cor to Secs 4, 5, 8 and 9 from which Cor I ran North 89° 51' West on a true line between Secs 5 and 8
Va 13° 30' East

40.16 Set Charred post 3x3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

80.32 Cor to Secs. 5. 6. 7 & 8

Land rand hills 3 rate

Township 23 North of the Base line

West on a random line between Secs 6 and 7

Va 13° 30' East

40,00 Set post for temporary 1/4 Sec Cor

76,92 Intersect the West boundary of the Township 37 lks North of post Cor to Secs 6 & 7 from which Cor

I ran North 89° 43' East on a true line between Secs 6 & 7

Va 13° 30' East

36,92 Set charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 and 12 in deep for 1/4 Sec Cor

76,92 The Cor to Secs 5, 6, 7 & 8

East 20 chs sandy hills 3 rate balance rolling 2 rate sandy soil

Range 17 West of the 6th Principal Meridian

North on a random line between Secs 5 and 6

Va 13° 30' East

40,00 Set post for temporary 1/4 Sec Cor

79,49 Intersect the North boundary of the Township 46 lks West of post Cor to Secs 5 and 6 from which Cor

I run South 20 West on a true line between Secs 5 and 6

Va 13° 30' East

39,49 Set charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

79,49 The Cor to Secs 5, 6, 7 and 8

Land sand hills 3 rate

June 14th 1873

Township 23 North of the Base Line Range 17 West of the 6th Principal Meridian

General Description

The land in this Township is mostly poor, the greater part being sand hills, and not fit for cultivation. There is some good land along creek bottom in East part of the Township and also some on River & Creek vally in South and West part. It is well adapted for pasturage as there is a good growth of Grass throughout and plenty of water. The Calamus River flows across the S. W. Corner of the Township it is a beautifull stream of clear Water - gravely or sandy bottom & swift Current there is a number of large Springs in Sec 29, which forms creek which flows South and West & into the Calamus River in Sec 31 there is also a creek flows from Lake in Sec 14. it flows South and East leaving the Township on

South boundary of Secs 34

A list of the names of the individual employed to assist in running measuring or marking the lines or corners described in the foregoing field notes of the subdivision lines in Township No 23 North of the Base line of the Range No 17 West of the 6th Principal Meridian in the State of Nebraska showing the respective capacities in which they acted

Allard C. Peavey Chainman
Calvin Shaw Chainman

John Wenger Axeman
Herbert R Wilcox Axeman

We hereby certify that we assisted John H Daugherty Deputy Surveyor in Surveying the subdivision lines in Township No 23 North of the Base Line of Range No 17 West of the 6th Principal Meridian and that the said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General and of dimension Character Construction and marking and in the manner as specifically described in the foregoing field Notes

Allard C Pewey Chainman
Calvin Shaw Chainman

John Wenger Aleman
Herbert R Wilcox Aleman

Subscribed and sworn to by the above named persons before me a Notary Public in and for the County of Dodge and State of Nebraska this 14th day of September 1873

Geo H E Dorsey
Notary Public
Dodge Co Neb

Poron

I John W Daugherty Deputy Surveyor solemnly swear that in pursuance of a Joint Contract wherein John W Daugherty Dan S Ramsden and Walter C Campbell are Joint Contractors with E. E. Cunningham Surveyor General for the District of Nebraska and Iowa bearing date the 10th day of May 1873 I have well faithfully and truly in my own proper person and in strict conformity to the instructions furnished by the Surveyor General the surveying manual and the laws of the United States surveyed all those parts or portions of Township No 23 North of the Base line in Range No 17 West of the 6th Principal Meridian as are represented in the foregoing field notes as having been surveyed under my directions, and I do further solemnly swear that all the corners of said Survey have been established and perpetuated in strict accordance with the surveying manual printed instructions and special instructions of the Surveyor General, of dimensions character construction and marking and in the manner as specifically described in the foregoing field notes and that the foregoing are the true and original field notes of such Survey

40,0
5000
8020
4013
80,2

John W. Daugherty
Deputy Surveyor

Subscribed by said John W Daugherty Deputy Surveyor and sworn to before me a County Clerk in and for the County of Dodge and State of Nebraska this 23 day of Sept 1873

L. M. Keene
County Clerk
Dodge Co. Neb.

Surveyor General's Office

Plattsmouth Oct 31. 1873

The foregoing field notes of the survey of the subdivision lines of Township No 23 North of the Base line of Range No 17 West of the 6th P.M. in Neb. Executed by John H Daugherty under joint contract No 72 dated May 10th 1873 wherein John H Daugherty Dan S Parmelee & Walter C Campbell are joint contractors in the month of June 1873 having been critically examined the necessary corrections & explanations made the said field notes and they surveys they describe are hereby approved

E. E. Cunningham
Surveyor General

Town 24 Range 17 E

6	60	5	44	4	38	3	22	2	1
59		58		48		32		21	11
7	57	8	42	9	31	10	20	11	12
56		55		41		30		19	13
18	54	17	40	16	29	15	18	14	13
53		52		39		28		17	6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15	4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13	2
31	45	32	34	33	23	34	12	35	1	36

Field Notes of the Subdivision Lines in Township No 24 North of the Base Line of Range No 17 West of the 6th Principal Meridian in the State of Nebraska, Surveyed by John H Daughtry, Deputy Surveyor Commenced June 15th 1873 and Completed June 17th 1873

Names and duties of assistants employed in running the subdivision lines in Township No 24 North of the Base Line of Range No 17 West of the 6th Principal Meridian in the State of Nebraska

Allard C Peavey Chainman
Calvin Shaw Chainman

John Wenger Axeman
Herbert R Wilcox Axeman

To determine the proper adjustment of my Compass for Subdividing this Township I commenced at the Cor to Townships 23 and 24 North
Rs. 16 17 on 20 A.M. W
and ran North on a blank line along the East Boundary of Sec 36

Variation 13°30 East

3995 To the 1/4 Sec Cor
7989 To the Cor to Secs 25 & 36
7989

I finde my Compass to be in adjustment for Subdividing this Township

Township 24 North of the Base line

North between Secs 35 & 36
Va 13° 30'

6.35 To Pond 2 ft deep bears East West
I chain the distance through pond
7 chs & 65 lks

14.00 over Pond bears East West

40.00 Set Charred post 3 x 4 in x 4 ft
12 in deep raised mound of
earth 2 ft high from pits 18 x 24
in Encl 12 in deep for 1/4 Sec Cor

78.90 To swamp bears E & W. the point
for Cor to Secs 25, 26, 35, & 36
being in swamp. I here set
Charred post 3 x 3 in x 4 ft 12 in deep
raised mound of earth 2 1/2 ft high
from pits 18 x 24 in Encl 12 in deep
for Witness ~~point~~ corner 110 lks South 7
point in swamp for Cor to Secs 25 26 35
& 36 which Cor can not be permanently
established

80.00 A point in swamp for Cor to secs
25 26 35 Encl 36

Land rolling hills sandy 3
rate

Range 17 West of the 6th Principal Meridian

East on a random line between
Secs 25 Encl 36
Va 13° 30' East

From point in swamp for Cor to Secs
25 26 35 & 36. I chain East between
Secs 25 Encl 36

10.00 Leave swamp bears N W & E

40.00 Set post for temporary 1/4 Sec Cor

79.84 Intersect the East boundary of the
Township 12 lks North of post Cor
to Secs 25 Encl 36 from which Cor
I run North 89° 53' West on a true
line between Secs 25 & 36
Va 13 30 East

39.92 Set Charred post 3 x 3 in x 4 ft 12
in deep raised mound of earth
2 ft high from pits 18 x 24 in
Encl 12 deep for 1/4 Sec Cor

79.84 The Cor to Secs 25 26 35 & 36

Land nearly level sandy
2 rate soil

Township 24 North of the Basee line

North between Secs 25 & 26
Va 13 30 East

Beginning at point in swamp for cor to Secs 25. 26. 35 & 36

8.00 To low sand ridge and leave swamp bears E & W

26.00 Leave Low sand ridge & enter swamp bears East & West

39.80 Leave same swamp bears E & W

40.00 Set Channel post 3x3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18x24 in and 12 in deep

50.00 Enter swamp bears E & W

61.00 Leave same bears E & W

78.00 To South edge of swamp as it is impossible to permanently establish the corners to Secs 23 24 25 & 26 in the swamp I therefore at this point 2 chs South of the true point for said sec cor. Set a channel post 3x3 in x 4 ft 12 in deep raised mound of earth 2½ ft high from pits 18x24 in and 12 in deep for Witness Cor.

80.00 A point in swamp for cor to Secs 23 24 25 & 26 Land swamp and low sandy hills 3 rute

Range 17 West of the 6th Principal Meridian

East on a random line between Secs 24 and 25
Va 13° 30 East

Beginning at point for cor to Secs 23. 24. 25 & 26. in swamp, it not being to deep to prevent chaining

30.00 Leave swamp and enter sand hills bears N & S

40.00 Set post for temporary ¼ Sec Cor

42.00 Leave sand hills & enter low wet brushy land bears N. W & S. E

79.00 Leave low wet land bears N & S

7974 Intersect the East boundary of the Township 21 Mls North of post Cor to Secs 24 & 25 from which Cor

I run North 89° 51 West on a true line between Secs 24 & 25
Va 13 30 East

3987 Set Channel post 3x3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18x24 in and 12 in deep for ¼ sec Cor

7974 The Cor to Secs 23. 24 25 & 26
Land nearly all level swamp or wet 3 rute

Township 24 North of the Base line Range 17 West of the 6th Principal Meridian

North between Secs 23 and 24
Va 13° 30' East

Beginning at point in swamp for to Secs 23. 24 25 & 26

2.00 Leave swamp & enter dry sandy land bears East & W

12.00 Leave dry sandy land & enter swamp bears E & W

27.00 Leave swamp & enter sandy hills bears E & W

35.00 Leave dry sandy land enter swamp bears East & West

40.00 The point for 1/4 Sec Cor being in swamp it can not be permanently established

43.00 To North edge of swamp bears E & W I have set a charred post 3x3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18x24 in and 12 in deep for Witness Cor 3 chs North of point in swamp for 1/4 Sec Cor

65.00 Pond 4 chs wide bears East & West wide 2 ft deep and extend West into Secs 23 about 7 chs

80.00 Set charred post 3x3 in x 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18x24 and 12 in deep for Cor to Secs 13. 14 23 & 24

Land swamp and low sand hills 3 mi

East on a random line between Secs 13 and 24
Va 13 30 East

40.00 Set post for temporary 1/4 Sec Cor

79.55 Intersect the East boundary of the Township 7 lks North of post Cor to Secs 13 & 24 from which Cor I run North 89° 57' West on a true line between Secs 13 & 24
Va 13° 30' East

3977 1/2 Set charred post 3x3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18x24 in and 12 in deep for 1/4 Sec Cor

7955 The Cor to Secs 13. 14 23 & 24

Land gently rolling sandy 2 rats soil

Township 24 North of the Base line

North between Secs 13 and 14
Va 13° 30 East

2.00 To swamp bears E & W
7.00 Leave same swamp bears N W & S E
18.00 Slough 4 chs wide bears E & W
36.00 Enter swamp bears E & W
39.75 Leave same swamp bears E & W
40.00 Set charred post 3×3 in × 4 ft 12 in deep raised mound 2 ft high from pits 18×24 in and 12 in deep for 1/4 Sec Cor
49.00 Enter swamp bears N E & S W
56.00 Leave same bears N E & S W
73.00 Enter swamp bears N W & S E
79.00 Leave swamp bears E & W
80.00 Set charred post 3×4 in × 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18×24 in 12 in deep for Cor to Secs 11, 12, 13 & 14

The land along this line is swamp and low sand ridges 3 rate

Range 17 West of the 6th Principal Meridian

East on a random line between Secs 12 and 13
Va 13° 30 East

34.00 Leave sand hills and enter low wet land bears N W & S E
40.00 Set post for temporary 1/4 Sec Cor
50.00 To Pond 7 chs wide 2 1/2 ft deep
62.00 Leave level wet land and enter sand hills bears N W & S E
79.60 Intersect the N & S line the East boundary of the Township 25 lks North of post Cor to Secs 12 & 13 from which Cor
I ran North 89° 49 West on a true line between Secs 12 & 13
Va 13° 30 East
39.80 Set charred post 3×3 in × 4 ft 12 in deep raised mound of earth 2 ft high from pits 18×24 in and 12 in deep for 1/4 Sec Cor
79.60 The Cor to Secs 11, 12, 13 & 14

East and West part hills 3 rate land middle level 2 rate land

Township 24 North of the Base line

North between Secs 10 & 11
Va 13° 30 East

40.00 Set charred post 3×3 in × 4 ft 12 in deep raised mound of earth 2 ft high from pits 18×24 in and 12 in deep for 1/4 Sec Cor

80.00 Set Charred post 3×4 in × 4 ft 12 deep raised mound of earth 2 1/2 ft high from pits 18×24 in and 12 in deep for Cor to Secs 1, 2, 11 and 12

Land low rolling hills sandy 2 rate soil.

Range 17 West of the 6th Principal Meridian

East on a random line between Secs 1 and 12
Va 13° 30 East

40.00 Set post for temporary 1/4 Sec Cor

79.58 Intersect the ~~North~~ East boundary of the Township 62 lks North of post Cor to Secs 1 and 12 from which Cor I ran North 89° 33' West on a true line between Secs 1 and 12
Va 13° 30 East

39.79 Set Charred post 2×3 in × 4 ft 12 in deep raised mound of earth 2 ft high from pits 18×24 in and 12 in deep for 1/4 Sec Cor

79.58 The Cor to Secs 1, 2, 11 and 12

Land low rolling sand hills 3 rate

Township 24 North of the Base line.

North on a ~~random~~ true line between Secs 1 and 2

Va 13' 30" East

8.00 Swamp 6 ch wide bears E & W

23.00 Swamp 7 ch wide bears E & W

39.00 Edge of swamp and set post 3 x 3 in 12 in deep deposit charred stake raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for Wetrap cor 1 ch south of point in swamp for 1/4 Sec cor

45.00 Leave swamp bears E & W

53.00 Enter swamp bears N W & S E

64.00 Leave swamp bears N W & S E

78.04 Intersect the North boundary of the Township. the 6th Standard Parallel 8 ch and 90 lks East of the 1/4 Secs cor on the South boundary of Sec 36 Township 25 North of the Base line Range 17 West of the 6th principal Meridian. where I set charred post 4 x 4 in x 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 24 x 24 in and 12 in deep for closing corner to Secs 1 and 2

Land mostly low wet or swampy 3 mile

Range 17 West of the 6th Principal Meridian

North between Secs 34 & 35

Va 13' 30" East

40.00 Set post 3 x 3 in x 4 ft 12 in deep deposit charred stake raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec cor

80.00 Set post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18 x 24 in and 12 in deep for cor to Secs 26, 27 34 & 35

Land sand hills 3 mile

June 15th 1873

Township 24 North of the Base line

East on a random line between Secs 26 & 35

Va 13° 30 East

40.00 Set post for temporary 1/4 Sec Cor

72.00 To Pond bears N & South

80.20 Intersect the N & S line 22 lks North of point in swamp for Cor to Secs 25 26 35 and 36 from which point I run North 89° 51 West on a true line between Secs 26 and 35

Va 13° 30 East

40.20 Set charred post 2x3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18x24 in and 12 in deep

80.20 The Cor to Secs 26, 27, 34 & 35

Land sand hills 3 mile

Range 17 West of the 6th Principal Meridian

North between Secs 26 & 27

Va 13. 30 East

40.00 Set charred post 3x3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

80.00 Set charred post 3x3 in x 4 ft 12 in deep raised mound of earth 2 1/2 ft deep from pits 18 x 24 in and 12 in deep for Cor to Secs 22, 23, 26, & 27

Land sand hills 3 mile

Township 24 North of the Base line

East on a random line between Secs 23 and 26

Va 13° 30' East

2400 Leave sand hills and enter low level land bears N W & E

4000 Set post for temporary 1/4 Sec Cor

64.00 Enter Swamp North & South

7984 Intersect the North and South line 44 lks South of point in swamp for Cor to Secs 23 24 25 and 26. from which point I run South 89° 41' West on a true line between Secs 23 & 26

Va 13° 30' East

3992 Set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

7984 The Cor to Secs 22 23 26 & 27

West 24 chs sand hills. balance low and level mostly swampy all 3 mile

Range 17 W of the 6th Principal Meridian

North between Secs 22 & 23

Va 13° 30' East

29.00 Swamp 4 chs wide bears E & W

4000 Set Charred post 2 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

5200 Leave sand hills & enter swamp bears N E & S W

59.00 Leave swamp bears E & W

8000 Set Charred post 3 x 4 in x 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18 x 24 in and 12 in deep for Cor to Secs 14, 15, 22 & 23

Land mostly sand hills 3 mile

Township 24 North of the Base line

East on a random line between Secs 14 and 23

Va 13° 30 East

34.00 To edge of swamp bears N W & S E the point for 1/4 Sec Cor being in swamp I here set post for temporary Witness Cor

40.00 Point for temporary 1/4 Sec cor, cannot be set

50.00 Leave swamp & enter sand hills bears N W & S E

64.00 Leave hills & enter swamp bears N W & S E

74.00 Leave swamp bears N W & S E

79.66 Intersect the N & S line 37 lks South of post Cor to Secs 13 14 23 & 24 from which Cor I ran South 89° 44' East on a true line between Secs 14 & 23

Va 13° 30' East

39.83 A point in swamp for 1/4 Sec cor where it is impossible to permanently establish a Cor the Water being 2 feet deep

45.66 To West edge of swamp where I set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor Witness Cor 5.83 chs West of point in swamp for 1/4 Sec Cor

79.66 Cor to Secs 14, 15, 22 & 23

West 34 chs rolling 2 rate land balance 3 rate hills swamp

[illegible] 3 rate

Range 17 West of the 6th Principal Meridian

North between Secs 14 & 15

Va 13° 30 East

40.00 Set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

80.00 Set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18 x 24 in 12 in deep for Cor to Secs 10, 11, 14 & 15

South 50 chs rolling 2 rate balance sand hills 3 rate

Township 24 North of the Base line

East on a random line between Secs 11 and 14

Va 13° 30' East

40.00 Set post for temporary 1/4 Sec Cor

79.70 Intersect the N & S line 21 lks South of post Cor to Secs 11, 12, 13 and 14 from which Cor I ran South 89° 51' West on a true line between Secs 11 and 14

Va 13° 30' East

39.85 Set charred post 3×3 in × 4 ft 12 in dug raised mound of earth 2 ft high from pits 1 ft × 2 ft in and 12 in deep for 1/4 Sec Cor

39 79.70 The Cor to Secs 10, 11, 14 & 15

Land low rolling hill 2 cute soil

Range 17 West of the 6th Principal Meridian

North between Secs 10 & 11

Va 13° 30' East

40.00 Set charred post 3×3 in × 4 ft 12 in dug raised mound of earth 2 ft high from pits 1 ft × 2 ft in 12 in deep for 1/4 Sec Cor

80.00 Set charred post 3×3 in × 4 ft 12 in dug raised mound 2½ ft high from pits 1 ft × 2 ft in and 12 in deep for Cor to Secs 2, 3, 10 & 11

Land sand hills 3 cute

Township 24 North of the Base line

East on a random line between Secs 2 and 11

Va 13' 30" East

40.00 Set post for temporary 1/4 Sec Cor

79.66 Intersect the North and South line 28 lks North of post Cor to Secs 1. 2 11 and 12 from which Cor I run North 89° 48' West on a line line between Secs 2 & 11

Va 13' 30" East

39 & 3 Set charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

79.66 The Cor to Secs 2 3 10 & 11

Land rolling hills 3 rate

Range 17 West of the 6th Principal Meridian

North on a true line between Secs 2 and 3

Va 13. 30 East

40.00 Set charred post 3 x 3 in x 4 ft 12 deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

77.15 Intersect the North boundary of the Township 9.11 chs East of the 1/4 Sec Cor on the South boundary of Sec 35 Township 25 North of the Base line Range 17 West of the 6th Principal Meridian where I set post 3 x 4 in x 4 ft long 12 in deep deposit charred stake raised mound of earth 2 1/2 feet high from pits 24 x 24 in and 12 in deep for closing Cor to Secs 2 & 3, on the 6th Standard Parallel N.

Land sandy hills 3 rate

Township 23 North of the Base line

North between Secs 33 & 34
Va 13 30 East

40.00 Set post 3×3 in × 4 ft 12 in deep deposit charred stake raised mound of earth 2 ft high from pits 18×24 in and 12 in deep for 1/4 Sec Cor

80.00 Set post 3×4 in × 4 ft 12 in deep deposit charred stake raised mound of earth 2 ft high from pits 18×24 in 12 in deep for Cor to Secs 27. 28 33 & 34

Land sand hill 3 rate

Range 17 West of the 6th Principal Meridian

East on a random line between Secs 27 & 34
Va 13 30 East

40.00 Set post for temporary 1/4 Sec Cor
7967 Intersect the North South line 13 lks South of post Cor to Secs 26 27. 34 & 35 from which Cor I ran South 89°54' West on a true line between Secs 27 & 34
Va 13 30 East

3983½ Set post 3×3 in × 4 ft 12 in deep deposit charred stake raised mound of earth 2 ft high from pits 18×24 in and 12 in deep for 1/4 Sec Cor

79.61 The cor to Secs 27. 28. 33. & 34
Land sand hills 3 rate
June 15th 1873

Township 24 North of the Base line

North between Secs 27 and 28
Va 13° 30' East

40.00 Set charred post 3x3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

80.00 Set charred post 3x3 in x 4 ft 12 in deep from pits raised mound of earth 2 1/2 ft high from pits 18 x 24 in and 12 in deep for Cor to Secs 21, 22, 27 and 28

Land sand hills 3 rate

Range 17 West of the 6th Principal Meridian

East on a random line between Secs 22 and 27
Va 13° 30' East

40.00 Set post for temporary 1/4 Sec Cor
79.58 Intersect the N & S line 16 lks North of post Cor to Secs 22, 23, 26 & 27 from which Cor I ran North 89° 53' East on a true line between Secs 22 and 27
Va 13° 30' East

39.79 Set charred post 3x3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

79.58 The Cor to Secs 21, 22, 27 & 28

Land sand hills 3 rate

Township 24 North of the Base line

North between Secs 21 and 22
Var 13° 30' East

40.00 Set charred post 3 x 3 in x 4 ft
deep raised mound of earth
2 ft high from pits 18 x 24 in
and 12 in deep for 1/4 Sec Cor

60.00 Set charred post 3 x 4 in x 4 ft
12 in deep raised mound of
earth 2½ ft high from pits
18 x 24 in and 12 in deep
for Cor to Secs 15, 16, 21 & 22

South 60 chs rolling 2 cols
sandy soil balance hilly 3 cols

Range 17 West of the 6th Principal Meridian

East on a random line between
Secs 15 and 22
Var 13° 30' East

20.00 Line cross hills & rolling
land bears N to

40.00 Set post for temporary 1/4 Sec Cor

79.57 Intersect the N to S line 35 lks
South of post Cor to Secs 14, 15
22 & 23 from which Cor
a gum South 69° 45' West on a true
line between Secs 15 & 22
Var 13° 30' East

39.78½ Set charred post 3 x 3 in x 4 ft 12
in deep ~~for~~ raised mound of earth
2 ft high from pits 18 x 24 in and
12 in deep for 1/4 Sec Cor

79.57 The Cor to Secs 15, 16, 21 & 22

East 60 chs rolling 2 cols land
balance sand hills 3 cols

Township 24 North of the Base line 1 Range

North between Secs 15 and 16
Va 13° 30' East

40.00 Set charred post 3 x 3 in x 4 ft
12 in deep raised mound of
earth 2 ft high from pits 18 x 24
in and 12 in deep for 1/4 Sec Cor

80.00 Set charred post 3 x 3 in x 4 ft
12 in deep raised mound of earth
2 1/2 ft high from pits 18 x 24 in
and 12 in deep for Cor to Secs
9. 10, 15 & 16

Land sand hills 3 mts

17 West of the 6th Principal Meridian

East on a random line between
Secs 10 and 15
Va 13° 30' East

40.00 Set post for temporary 1/4 Sec Cor
7968 Intersect the North & South line 36 lks
North of Post Cor to Secs 10. 11. 14 & 15
from which Cor
I ran North 89° 45' West on
a true line between Secs 10 & 15
Va 13° 30' East

3984 Set charred post 3 x 3 in x 4 ft 12
in deep raised mound of earth
2 ft high from pits 18 x 24
in and 12 in deep for 1/4 Sec Cor
7968 The Cor to Secs 9. 10 15 & 16

Land sand hills 3 mts

Township 24 North of the Base line Range 17 West of the 6th Principal Meridian

North between Secs 9 and 10

Va 13° 30' East

40.00 Set Channel post 3x3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pit 18x24 in and 12 in deep for 1/4 Sec Cor

80.00 Set Channel post 3x3 in x 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pit 18x24 in and 12 in deep for Cor to Secs 3, 4 9.70

Land and hills 3° rate

East on a random line between Secs 3 & 10

Va 13° 30' East

41.00 Set post for temporary 1/4 Sec Cor

79.70 Intersect the N & S line 12 lks South of post Cor to Secs 2, 3, 10 & 11 from which Cor I run South 89.55 W at one time line between Secs

Va 13° 30' East

39.85 Set channel post 3x3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pit 18x24 in and 12 in deep for 1/4 Sec Cor

79.70 The Cor to Secs 3, 4 9 and 10

Land and hills 3° rate

Township 24 North of the Base line Range 17 West of the 6th Principal Meridian

North on a true line between Secs 3 & 4

Va 13 30 East

40.00 Set charred post 3x3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18x24 and 12 in deep for 1/4 Sec Cor

77.75 Intersect the North boundary of the Township 9.35 chs East of the 1/4 Sec Cor on the South boundary of Secs 34 Township 25 North of the Base line Range 17 West of the 6th Principal Meridian where I set charred post 3x3 in x 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18x24 in and 12 in deep for Closing Cor to Secs 3 & 4 on the 6th Standard parallel N

Land sand hills 3 rate

North between Secs 32 & 33

Va 13 30

East

40.00 Set charred post 3x3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18x24 in and 12 in deep for 1/4 Sec Cor

80.00 Set charred post 3x3 in x 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18x24 in and 12 in deep for Cor to Secs 28, 29 32 & 33

Land gently rolling 2 rate

Township 24 North of the Base line Range

East on a random line
between Secs 28 & 33
Va 13° 30' East

40.00 Set post for temporary
1/4 Sec Cor

65.00 Leave level land End enter
Sand hills bears North End South

8004 Intersect the North & South
line 30 lks North of post
Cor to Secs. 27, 28 33 & 34
from which Cor
I ran North 89° 47' West
on a true line between Secs
28 & 33
Va 13° 30' East

40.02 Set charred post 3 x 3 in x 4 ft
12 in deep raised mound of
earth 2 ft high from pits 18
x 24 in End 12 in deep for 1/4 Sec
Cor

8004 The Cor to Secs 28 29 32 & 33
West 65 chs gentle rolling 2
rate land balance sand hills 3 rate

17 West of the 6th Principal Meridian

North between Secs 28 & 29
Va 13° 30' East

40.00 Set charred post 3 x 3 in x 4 ft
12 in deep raised mound of
earth 2 ft high from pits 18 x 24
End 12 in deep for 1/4 Sec Cor

71.00 Leave level land & enter sand
hills bears E & W

80.00 Set charred post 3 x 3 in x 4 ft
12 in deep raised mound
of earth 2 1/2 ft high from pits
18 x 24 in End 12 in deep for Cor
to Secs 20 21 28 & 29

South 71 chs level good 2 rate
land balance, sand hills 3 rate
June 17th 1873

Township 24 North of the Base line

East on a random line between Secs 21 and 28

Va 13° 30' East

40.00 Set post for temporary 1/4 Sec Cor

8006 Intersect the North & South 70 lks North of post Cor to Secs 21 22 27 & 28 from which Cor

I ran North 89° 30' West on a true line between Secs 21 and 28

Va 13° 30' East

4003 Set Charred post 3x3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

8006 The Cor to Secs 20. 21 28 & 29

Land sand hills 3 rate

Range 17 West of the 6th Principal Meridian

North between Secs 20 & 21

Va 13 30 East

40.00 Set Charred post 3x3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

8000 Set Charred post 3x3 in x 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18 x 24 in and 12 in deep for Cor to Secs 16. 17 20 & 21

Land sand hills 3 rate

Township 24 North of the Base line

East on a random line between Secs 16 and 21

Va 13° 30 East

40.00 Set post for temporary 1/4 Sec Cor

7992 Intersect the North and South line 30 lks North of post Cor to Secs 15.16 21 & 22 from which Cor

I run North 89° 47 West on a true line between Secs 16 & 21

Va 13° 30 East

3996 Set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

7992 The Cor to Secs 16.17 20 & 21

Land sand hills 3° rate

Range 17 West of the 6th Principal Meridian

North between Secs 16 & 17

Va 13° 30 East

40.00 Set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in & 12 in deep for 1/4 Sec Cor

80.00 Set Charred post 3 x 4 in x 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18 x 24 in and 12 in deep for Cor to Secs 8.9.16 & 17

Land sand hills 3° rate

Township 24 North of the Base line

East on a random line between Secs 9 and 16
Va 13° 30' East

20,00 Leave sand hills & enter level Basin bears N & S

38,00 Leave Basin & enter sand hills bears N W & S E

40,00 Set post for temporary 1/4 Sec Cor

79.58 Intersect the N & S line 28 lks South of post Cor to secs 9, 10 15 & 16 from which Cor I run South 89° 48' West on a true line between Secs 9 & 16
Va 13° 30' East

39.79 Set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in End 12 in deep for 1/4 Sec Cor

79.58 The Cor to Secs 8, 9, 16 & 17

Land sand hills 3 mile except Basin which is 1st mile soil but liable to over flow at times of heavy rain

Range 17 West of the 6th Principal Meridian

North between Secs 8 & 9
Va 13° 30' East

40,00 Set Charred post 3 x 3 in 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in End 12 in deep for 1/4 Sec Cor

80,00 Set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18 x 24 in End 12 in deep for Cor to Secs 4, 5, 8 and 9

Land sand hills 3 mile

Township 24 North of the Base line

East on a random line between Secs 4 and 9
Va 13° 30' East

40.00 Set post for temporary 1/4 Sec Cor

7952 Intersect the North and South 27 lks North of post Cor to Secs 3, 4, 9 & 10 from which Cor I ran North 89° 48' West on a true line between Secs 4 and 9
Va 13° 30' East

3976 Set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

7952 The Cor to secs 4, 5, 8 & 9

Land sand hills 3 mile

Range 17 West of the 6th Principal Meridian

North on a true line between Secs 4 and 5
Va 13° 30' East

40.00 Set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in 12 in deep for 1/4 Sec Cor

7440 Intersect the North boundary of the Township 9.25 chs East of the 1/4 Sec Cor on the South boundary of Secs 33 Township 25 North of the Base line Range 17 West of the 6th Principal Meridian where I set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 24 x 24 in and 12 in deep for Closing Cor to Secs 4 and 5 on the 6th Standard Parallel N

Land sand hills

From the Closing Cor to Secs 4 & 5 on the 6th Standard Parallel I run East along the South boundary of Sec 4 at 3970 Post Cor to Secs 33 & 34 at 7075 a point 26.0 chs South of the 1/4 Sec Cor on the South boundary of Sec 34 there is Twenty an offset of 100 & 260 chs on the South boundary of Sec 34 Township 25 North Range 17 West

Township 24 North of the Baseline

North between Secs 32 & 33
Va 13° 30' East

4000 Set Channel post 3×3 in × 4 ft
12 in deep raised mound of
earth 2 ft high from pits
18×24 in end 12 in deep
for 1/4 Sec Cor

6500 Leave sand hills & enter level
Basin bears E & W

7800 Leave Basin & enter sand hills
bears E & W

8000 Set Channel post 3×3 in × 4 ft
12 in deep raised mound
of earth 2 ft high from pits
18×24 in end 12 in deep for
Cor to Secs 29, 30, 31 and 32

Land in Basin 1st rate balance
sand hills 3 rate

Range 17 West of the 6th Principal Meridian

East on a random line between
Secs 29 and 32
Va 13° 30' East

4000 Set post for temporary 1/4 Sec Cor

6800 Leave sand hills & enter level
Land bears N & S

7982 Intersect the North end South
7982 line 12 lks North of post Cor to
Secs 28, 29, 32 & 33 from which cor
I ran North 89° 55' West on a true
line between Secs 29 & 32
Va 13° 30' East

3991 Set Channel post 3×3 in × 4 ft
12 in deep raised mound of earth
2 ft high from pits 18×24 in end
12 in deep for 1/4 Sec Cor

7982 The Cor to Secs 29, 30, 31 & 32

West 68 chs sand hills 3 rate
balance level 1st rate

Township 24 North of the Base line

West on a random line between Secs 30 & 31
Va 13° 30' East

40.00 40.00 Set post for temporary 1/4 Sec Cor

77.12 Intersect the West boundary of the Township 76 lk North of post Cor to Secs 30 & 31 from which Cor

I run North 89° 26 East on a true line between Secs 30 & 31
Va 13° 30' East

65.00

78.00

80.00 37.12 Set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

77.12 The Cor to Secs 29, 30, 31 & 32

Land sand hills 3 rate

Range 17 West of the 6th Principal Meridian

North between Secs 29 & 30
Va 13° 30' East

40.00 Set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 & in 12 deep for 1/4 Sec Cor

60.00 Leave sand hills & rate land land bears N. W. D. E

80.00 Set charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18 x 24 in and 12 in deep for Cor to Secs 19, 20 29 & 30

North 20 chs good 2 rate land balance hilly 3 rate

June 18th 1873

Township 24 North of the Base line

	East on a random line between Secs 20 & 29
	Va 13° 30' East
4000	1000 Leave level land & enter sand hills bears N W & S E
	3600 Leave sand hills & enter level land bears N & S
6500	4000 Set post for temporary 1/4 Sec Cor
7800	6000 Leave level land and enter sand hills bears N & S
8000	7976 Intersect the North & South line 5 lks South of post Cor to Secs 20 21 28 & 29 from which Cor
	I ran South 89 58 West on a true line between Secs 20 & 29
	Va 13° 30' E
	3988 Set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor
	7976 The Cor to Secs 19 20 29 & 30 Land level most 1st rate balance 3 rate

Range 17 West of the 6th Principal Meridian

	West on a random line between Secs 19 & 30
	Va 13° 30' East
1500	Enter ~~Leave~~ Sand hills bears N & S
40.00	Set post for temporary 1/4 Sec Cor
7705	Intersect the West boundary of the Township 41 lks North of post Cor to Secs 19 & 30 from which Cor I ran North 89° 42' East on a true line between Secs 19 & 30
	Va 13° 30' East
3705	Set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in & 12 in deep for 1/4 Sec Cor
7705	The Cor to Secs 19, 20 29 & 30
	East 15 chs level 1st rate land balance sand hills 3 rate

Township 24 North of the Base line

North between Secs 19 & 20
Va 13° 30' East

6.00 Leave level and enter hilly land bears N W & S E

40.00 Set Charred post 3x3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18x24 in End 12 in deep for 1/4 Sec Cor

41.00 Leave sand hills & enter level land bears N W & S E

80.00 Set Charred post 3x3 in x 4 ft 12 in deep raised mound of earth 2½ ft high from pits 18x24 in End 12 in deep for ~~1/4 Sec~~ Cor to Secs 17.18.19 End 20

Level part land 1st rate balance 3 rate

Range 17 West of the 6th Principal Meridian

East on a random line between Secs 17 End 20
Va 13° 30' East

29.00 Leave level land & enter sand hills bears N & S

40.00 Set post for temporary 1/4 Sec Cor

79.70 Intersect the N & S line 15 lks South of post Cor to Secs 16.17 20 & 21 from which Cor I ran South 89° 54' West on a true line between Secs 17 & 20
Va 13° 30' East

39.85 Set Charred post 3x3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18x24 in End 12 in deep for 1/4 Sec Cor

79.70 The Cor to Secs 17.18.19.20

West 20 Chs level 1st rate land balance sand hills 3 rate

Township 24 North of the Base line

West on a random line between Secs 18 and 19

Va 13° 30' East

40.00 Set post for temporary 1/4 Sec Cor

43.00 Leave level land & enter sand hills bears N W & S E

76.65 Intersect the West boundary of the Township 59 lks North of post Cor to Secs 18 and 19 from which Cor I run North. 89° 34' ~~39~~ East on a true line between Secs 18 and 19

Va 13° 30' East

36.65 Set charred post 3x3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18x24 in and 12 in deep for 1/4 Sec Cor

76.65 The Cor to Secs 17.18.19 & 20

East 43 chs level good 2 rate land balance sand hills 3 rate

Range 17 West of the 6th Principal Meridian

North between Secs 17 and 18

Va 13° 30' East

37.00 Leave level land & enter sand hills bears N W & S E

40.00 Set charred post 3x3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18x24 in and 12 in deep for 1/4 Sec Cor

80.00 Set charred post 3x3 in x 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18x24 in and 12 in deep for Cor to Secs 7.8.17 and 18

South 37 chs good 2 rate land balance sand hills 3 rate

Township 24 North of the Base line

East on a random line between Secs 8 & 17
Va 13° 30' East

40.00 Set post for temporary 1/4 Sec Cor

80.12 Intersect the North & South line 12 lks North of post Cor to Secs 8. 9. 16 and 17 from which Cor
I ran North 89° 55' West on a true line between Secs 8 and 17
Va 13° 30' East

40.06 Set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor

80.12 The Cor to Secs 7. 8. 17 & 18

Land sand hills 3 rate

Range 17 West of the 6th Principal Meridian

West on a random line between Secs 7 and 18
Va 13° 30' East

30.00 Leave sand hills & enter level land bears N W & E

40.00 Set post for temporary 1/4 Sec Cor

77.60 Intersect the West boundary of the Township 48 lks North of post Cor to secs 7 & 18 from which Cor
I run North 89° 39' East on a true line between Secs 7 & 18
Va 13° 30' East

37.60 Set Charred post 3 x 3 in x 4 ft 12 in deep raised mound of earth 2 ft deep for 1/4 Sec Cor

77.60 The Cor to Secs 7. 8. 17 & 18

East 30 chs sand hills 3 rate balance level 2 rate land

Township 24 North of the Base line

North between Secs 7 & 8
Va 13°30' East

40.00 Set Charred post 3×3 in × 4 ft 12 in deep raised mound of earth 2 ft high from pits 18×24 in and 12 in deep for 1/4 Sec Cor

6500

7800 80.00 Set Charred post 3×3 in × 4 ft 12 in deep raised mound of earth 2 ft high from pits 18×24 in and 12 in deep for Cor to Secs 5 6. 7 & 8

8

Land rand hills 3 rate

Range 17 West of the 6th Principal Meridian

East on a random line between Secs 5 and 8
Va 13°30' East

40.00 Set post for temporary 1/4 Sec Cor

8018 Intersect the North and South line 17 lks North of post Cor to Secs 4. 5. 8 and 9 from which Cor
I ran North 89°53' West on a true line between Secs 5 and 8
Va 13°30' East

40.09 Set Charred post 3×3 in × 4 ft 12 in deep raised mound of earth 2 ft high from pits 18×24 in and 12 in deep for 1/4 Sec Cor

8018 The Cor to Secs 5. 6. 7 & 8.

Land high Broken sand hills 3 rate

Township 24 North of the Base line

Set on a random line between Secs 6 and 7

Va 13° 30' East

40.00 Set post for temporary 1/4 Sec Cor

76.85 Intersect the West boundary of the Township 5 lks South of post Cor to Secs 6 and 7 from which Cor I run South 89° 55' East on a true line between Secs 6 & 7

Va 13° 30' East

36.85 Set chained post 3x3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 16 x 24 in and 12 in deep for 1/4 Sec Cor

76.85 The Cor to Secs 5, 6, 7 & 8

Land sand hills & scrub

Range 17 West of the 6th Principal Meridian

North on a true line between Secs 5 and 6

Va 13° 30' East

40.00 Set chained post 3x3 in x 4 ft 12 in deep raised mound of earth 2 ft high from pits 16 x 24 in and 12 in deep for 1/4 Sec Cor

72.94 Intersected the North boundary of the Township, 5.70 chs East of the 1/4 Sec Cor on the South boundary of Sec 32 Township 25 North of the Base line Range 17 West of the 6th Principal Meridian where I set chained post 3x3 in x 4 ft 12 in deep raised mound of earth 2½ ft high from pits 24 x 24 in 12 in deep for closing Cor to Secs 5 and 6 on the Standard Parallel N

Land sand hills & scrub

June 19 1873

Township 24 North of the Base line

General Description

This Township is nearly all poor 3 rate land. but little of it fit for cultivation it is composed of sand hills & level Basins. the soil in the Basins is good but low and level and liable to be covered with water in wet seasons. the Township is covered with a good growth of grass and would make good pasturage being well watered by numerous Ponds

"Note" this certificate must be written in after the list of names & assistants certificates. S.L.

Range 17 West of the 6th Principal Meridian

I John W Daugherty Deputy Surveyor do solemnly swear that in pursuance of a Joint Contract wherein John W Daugherty Dan S. Parmelee and Walter C Campbell are Joint Contractors with E. E. Cunningham Surveyor General for the district of Nebraska and Iowa bearing date the 10th day of May 1873. I have well faithfully and truly in my own proper person and in strict conformity to the instructions furnished by the Surveyor General the Surveying manual and the laws of the United States Surveyed all those parts or portions of Township No 24 North of the Base line in Range No 17 West of the 6th Principal Meridian as are represented in the foregoing field notes as having surveyed under my directions and I do further solemnly swear that all the Corners of said Survey have been established and perpetuated in strict accordance with the surveying manual printed instructions and special instructions of the

Surveyor General of dimensions Character Construction and marking and in the manner as specifically described in the foregoing field notes and that the foregoing are the true and original field notes of such survey

John H. Daugherty

Deputy Surveyor

Subscribed by the said John H. Daugherty Deputy Surveyor and sworn to before me a County Clerk in and for the County of Dodge and State of Nebraska this 23rd day of Sept. 1873

L. M. Keene
County Clerk
Dodge Co. Neb.

A list of the names of the individual employed to assist in running measuring or marking the lines and corner described in the foregoing field of Township No 24 North of Range 17 West of the 6th Principal Meridian showing the respective capacities in which they acted

Allard C Beavers Chairman
Calvin Shant Chairman

John Henger Axeman
Herbert R Wilcox Axeman

We hereby certify that we assisted
John H Dougherty Deputy Surveyor
in Surveying the Subdivision lines in
Township No 24 North of the Base line
of Range No 17 West of the 6th Principal
Meridian and that the said Township has
been in all respects to the best of our
Knowledge and belief well and faithfully
Surveyed and the boundary monuments
planted according to the instruction furnished
by the Surveyor General, and the dimensions
Characters Construction and marking and
in the manner as specifically described
described in the foregoing field notes

Allard C Lequey Chainman
Calvin Shaw Chainman
John Wenger Axeman
Herbert R Wilcox Axeman

Subscribed and sworn to before me
a Notary Public in and for the County
of Dodge and State of Nebraska this
14th day of September 1872

Geo W Emorsley
Notary Public
Dodge Co Neb

Surveyor Generals Office

Plattsmouth Oct 31 1873

The foregoing field notes of the survey of the subdivision Lines of Township No 24 North of the Base Line of Range No 17 West of the 6th P.M. in Nebraska Executed by John W Dougherty under Joint Contract No 72 dated May 10th 1873 wherein John W Dougherty Dan S Parmelee and Walter C Campbell are joint contractors in the month of June 1873 having been critically examined the necessary corrections & explanations made the said field notes & the surveys they describe are hereby approved

E. E. Cunningham
Surveyor General

General Land Office • Original Field Notes

Book Number

418

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.