General Land Office • Original Field Notes

Book Number

419

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Town 25 Range 17 W

6	60	5	44	4	33	3	22	2	11	1
57		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		5
18	52	17	41	16	29	15	8	14	7	13
51		52		39		28		17		6
19	50	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Field notes of the Subdivision lines on Township No 25 North of the Base line Range No 17 West of the 6th Principal Meridian in the State of Nebraska.

Surveyed by John H Stephens Deputy Surveyor Commenced July 12th 1874 and Completed July 17th 1874

Township No 25 North of the Base line Range 17 West of the 6th Principal Meridian

Names and duties of Assistants employed in Subdividing Township No 25 North of the Base line Range No 17 West of the 6th Principal Meridian in the State of Nebraska

John Ingersoll } Chainmen
Edward Davis }

James R Ford Moundman

Herbert Gould Flagman

Commencing on the 6th Standard Parallel Cor to Township 25 North Ranges 16 and 17 West with Young improved Solar Compass in proper adjustment I am North along the East boundary of Sec 36

Variation 13°20' E

3996 To the 1/4 sec Cor
7992 To the Cor to secs 25 Bl

Township 25 North Range 17 West of the 6th Principal Meridian

Chains

North between Secs 35 36
Va 13.20 East

4000 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for 1/4 sec Cor. No timber or stone to be to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for 25 26 35 36, No timber or stone to be procured to mark Cor

Land rolling sand hill
3 rate

East on a random line between secs 25 and 36
Va 13°20' East

4000 Mark point for temporary 1/4 Sec Cor

7985 Intersect the East boundary of the Township 37 lks South of post Cor to secs 25 and 36 from which Cor I ran South 89°44' West on a true line between Secs 25 and 36
Va 13°20' East

3992½ Raised mound of earth 3 feet high from pits 20 + 30 in and 12 in deep for 1/4 sec Cor. no timber or stone to be procured to mark Cor

7985 The Cor to secs 25 26 35 and 36

Land rolling sand hills
3 rate

Township 25 North Range 17

North between sections 25 and 26
Va 13° 20' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor, No timber or stone to be procured to mark Cor.

8000 Raised mound of earth 3 feet high from pits 20 x 30 in and 12 in deep for Cor to secs 23, 24, 25 & 26 no timber or stone to be obtained to mark Cor
Land sand hills 3 rate

West of the 6th Principal Meridian

East on a random line between Secs 24 & 25
Va 13° 20' East

3.00 Leave hills and enter level basin bears N & S

4000 Mark point for temporary 1/4 Sec Cor

6000 Leave basin & enter sand hills N. E and S. W

7960 Intersect the East boundary of the Township 42 lks South of post Cor to secs 24 & 25 from which Cor
I ran South 89° 42' West on a line line between secs 24 & 25
Va 13 20 East

3980 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7960 The Cor to secs 23 24 25 & 26
Land in basin 2 rate sandy soil balance Broken sand hills 3 rate

Township 25 North Range 17

North between Secs 23 & 24
Va 13° 20' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor No timber or stone to be procured to mark Cor

80.00 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to Secs 13, 14 23 and 24 No timber or stone to be procured to mark Corner

Land Broken sand hills 3 rate

West of the 6th Principal Meridian

East on a random line between Secs 13 and 24
Va 13° 20' East

4000 Mark point for temporary 1/4 Sec Cor

7958 Intersect the East boundary of the Township 40 lks South of post Cor to Secs 13 & 24 from which Cor
I ran South 89 43 West on a true line between Secs 13 and 24
Va 13° 20' East

3979 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 Sec Cor no timber or stone to be obtained to mark Corner

7938 The Corner to Secs 13, 14 23 and 24

Land sand hills 3 rate

Township 25 South of the Base line

North between Secs 13 & 14
Va 13° 20' East

4000 Raised mound of earth 3 ft high from pits 24 & 30 mi and 12 mi deep for 14 Cor, No timber or stone to be procured to mark Cor

8000 Raised mound of earth 3 ft high from pits 21 & 30 mi and 12 mi deep for Cor to Secs 11, 12, 13 and 14 No timber or stone to be procured to mark Cor

Land Broken sand hills 3 rate

Range 17 West of the 6th Principal Meridian

East on a random line between Secs 12 and 13
Va 13° 20' East

4000 Meanded point for temporary 1/4 Sec Cor

7964 Intersect the East boundary of the Township 50 chs South of pint Cor to Secs 12 & 13 from which Cor
I run South 89° 39' West on a true line between Secs 12 and 13
Va 13° 20' East

3982 Raised mound of earth 3 ft high from pits 24 & 30 mi and 12 mi deep for 1/4 Sec Cor No timber or stone to be procured to mark Cor

7964 The Cor to Secs 11, 12, 13 & 14

Land Broken sand hills 3 rate

Township 25 North Range 17 West of the 6th Principal Meridian

North between Secs 11 & 12
Va 13° 20' East

4000 Raised mound of earth 3 ft high from pits 24 x 30 in dip for 1/4 Sec Cor, No timber or stone to be procured to mark Cor,

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in dip for Cor to Secs 1:2:11 & 12 No timber stone to be procured to mark Corner

Land Broken sand hills
3 rata

East on a random line between Secs 1 and 12
Va 13° 20' East

4000 Marked point for temporary 1/4 Sec Cor

7040 Intersected the East boundary of the Township 70 lks South of post Cor to Secs 1 and 12 from which Cor I ran South 89° 30' West on a true line between Secs 1 and 12
Va 13° 20' East

3970 Raised mound of earth 3 ft high from pits 24 x 20 in and 18 in dip for 1/4 Sec Cor No timber or stone to be procured to mark Cor

7940 The Cor to Secs 1, 2: 11 & 12

Land high broken sand hills 3 rata July 12th 1874

Township 25 North Range 17

North on a random line between secs 1 & 2
Va 13°20' East

4000 Marked point for temporary 1/4 sec Cor

8098 Intersect the North boundary of the Township 78 lks E of post Cor to secs 1 & 2 from which Cor
I ran South 33' East on a true line between secs 1 and 2
Va 13°20' East

4098 Raised mound of earth 3 ft high from pits 24 & 30 in and 12 in deep for 1/4 sec Cor No timber or stone to be procured to mark Cor

8098 The Cor to secs 1 2 11 & 12

Land broken sand hills 3 rate

West of the 6th Principal Meridian

North between Secs 34 & 35
Va 13°20' East

4000 Raised mound of earth 3 ft high from pits 24 & 30 in and 15 in deep for 1/4 sec Cor No timber or stone to be procured to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to secs 26 27 34 & 35 No timber or stone to be procured to mark Cor

Land sand hills 3 rate

Township 25 North Range 17

East on a random line
between Secs 26 & 35
Va 13° 20' East
40.00 Marked point for temporary
1/4 Sec Cor
8071 Intersect the North and
South line 39 lks North
of Mound Cor to secs
25 26 35 and 36 from
which Cor
I run North 89° ~~39~~ 43' West
on a line line between Secs
26 and 35
Va 13° 20' East
4035½ Raised mound of of
earth 3 ft high from pits
24 x 30 in and 12 in
deep for 1/4 Sec Cor. No
timber or stone to be
procured to mark Cor
8071 The Cor to secs 26 27 34
and 35
Land sand hills 3 rate

West of the 6th Principal Meridian

North between Secs 26 & 27
Va 13° 20' East
40.00 Raised mound of earth 3
feet high from pits 24 x 30
in and 12 in deep for 1/4 sec
Cor No timber or stone
to be procured to mark Cor
80.00 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for Cor
to secs 22 23 26 and 27
No timber or stone to be
procured to mark Cor

Land sand hills 3
rate

Township 25 North of the Base line Range 17 West of the 6th Principal Meridian

East on a random line between Secs 23 and 26
Va 13° 20' East

40.00 Marked point for temporary 1/4 Sec Cor

80.82 Intersect the North & South line 23 thro ~~South~~ NORTH of Mound Cor to secs 23, 24, 25 & 26 from which Cor
I can North 89° 29' West on a true line between Secs 23 and 26
Va 13° 20' East

40.41 Raised mound of earth 3 ft high from pits 24 + 30 in and 12 in deep for 1/4 Sec Cor No timber or stone to be procured to mark Corner

80.82 The Cor to secs 22, 23, 26 and 27

Land sand hills 3 with

North between Secs 22 & 23
Va 13° 20' East

40.00 Raised mound of earth 3 ft high from pits 24 + 30 in and 12 in deep for 1/4 No timber or stone to be procured to mark Cor

80.00 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for Cor to secs 14, 15, 22 & 23 No timber to be procured to mark Corner

Land sand hills 3 gate

Township 25 North Range 17

East on a random line between Secs 14 and 23
Va 13 20 East

4000 Marked point for temporary 1/4 Sec Cor

8060 Intersect the North and South Line 58 lks South of mound Cor to secs 13 14 23 and 24 from which Cor

I run South 89°35' West on a true line between secs 14 and 23
Va 13 20 East

4030 Raised mound of earth 3 ft high from pits 24 + 30 in and 12 in deep for 1/4 sec Cor No timber or stone to be procured to mark Cor

8060 The Cor to Secs 14, 15 22 23

Land sand hills 3 rate

West of the 6th Principal Meridian

North between Secs 14 and 15
Va 13 20 East

4000 Raised mound of earth 3 ft high from pits 24 + 30 in and 12 in deep for 1/4 sec Cor No timber or stone to be procured to mark Cor

8000 Set chased post 3 x 3 in 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18 + 24 in and 12 in deep for Cor to Secs 10, 11, 14 and 15

Land sand hills 3 rate

Township 25 North Range

East on a random line between Secs 11 and 14
Va 13° 20' East

40.00 Marked point for temporary 1/4 sec Cor

8068 Intersect the North and South line 37 lks South of mound Cor to secs 11.12 13 and 14 from which Cor I ran South 89 44 West on a true line between Secs 11 & 14
Va 13° 20' East

40 ~~39~~ 34 Raised mound of earth 3 ft high from pits 24 + 30 in and 12 in deep for 1/4 sec Cor No timber or stone to be procured to mark Cor

8068 The Cor to secs 10, 11, 14 and 15

Land sand hills 3 rate

17 West of the 6th Principal Meridian

North between Secs 10 & 11
Va 13 20 East

4000 Raised mound of earth 3 ft high from pits 24 + 30 in and 12 in deep for 1/4 sec Cor No timber or stone to be procured to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for secs 2, 3 10 and 11 No timber or stone to be procured to mark Cor

Land sand hills 3 rate

July 13th 1874

Township 25 South Range 17 West of the 6th Principal Meridian

East on a random line between Secs. 2 & 11
Va 13° 20' East
4000 Marked point for temporary 1/4 Sec Cor
8050 Intersected the north & south line 28 lks South of Found Cor to Secs 1, 2 11 and 12 from which Cor
I can South 89° 48' West on a line line between Secs 2 and 11
Va 13° 20' East
4023 Raised mound of earth 3 ft high from pits 24 + 30 in and 12 in deep for 1/4 Sec Cor No timber or stone to be found to mark Cor
8038 The Cor to Secs 2. 3. 10 and 11

Land sand hills 3 cats

North on a random line between Secs 2 and 3
Va 13° 20' East
4000 Marked point for temporary 1/4 Sec Cor
8064 Intersected the north boundary of this Township 17 lks West of the Cor to Secs 2 and 3 from which Cor
I can South 5 West on a line line between Secs 2 and 3
Va 13° 20' East
4064 Raised mound of earth 3 ft high from pits 24 + 30 in and 12 in deep for 1/4 Sec Cor No timber or stone to be found to mark Cor
8064 The Cor to Secs 2. 3 10 & 11

Land sand hills 3 cats

Township 25 North of the Base line Range 17 West of the 6th Principal Meridian

North between Secs 33 and 34
Va 13 20 East

40.00 Raised mound of earth 3 ft high from pits 24 by 30 in and 12 in deep for 1/4 Sec Cor No timber or stone to be procured to mark Corner

80.00 Raised mound of earth 3 ft high from pits 20 + 24 in and 12 in deep for Cor to secs 27. 28 33 and 34 No timber or stone to be procured to mark Cor

Land sand hills 3 rate

East on a random line between Secs 27 and 34
Va 13° 20' East

40.00 Marked point for temporary 1/4 Sec Cor

80.60 Intersect the North and South line 98 lks South of Mound Cor to secs 26 27 34 and 35 from which Cor

I ran South 89° 18' West on a true line between Secs. 27 and 34
Va 13° 20' East

40.30 Raised mound of earth 3 ft high from pits 24 + 30 in and 12 in deep for 1/4 Sec Cor No timber or stone to be procured to mark Cor

80.60 The Cor to secs 27 28 33 and 34

Land sand hills 3 rate

Township 25 North of the Base Line Range 17 West of the 6th Principal Meridian

North between Secs 27 and 28
Va 13° 20' East

4000 Raised mound of earth 3 ft high from pits 24 + 30 in and 12 in deep for 1/4 Sec Cor No timber or stone to be procured to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for Cor to Secs 21, 22, 27 and 28 No timber or stone to be procured to mark Corner

Land and hills 3 rate

East on a random line between Secs 22 and 27
Va 13° 20' East

4000 Marked point for temporary 1/4 Sec Cor

8038 Intersect the North and South line 70 lks South of of Mound Cor to secs 22 23 26 and 27 from which Cor

I run South 89° 30' West on a true line between Secs 22 and 27
Va 13 20 East

4029 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for 1/4 Sec Cor No timber or stone to be procured to mark Cor

8038 The Cor to Secs 21, 22, 27 and 28

Land sand hills 3 rate

Township 25 South of the Base line

North between Secs 21 & 22
Va 13° 20' East

4000 Raised mound of earth
3 ft high from pits 24 & 30
30 in diam & 12 in dep for 1/4
Sec Cor No timber or
stone to be procured to
mark Cor

8000 Raised mound of earth
3 ft high from pits 20 &
30 in diam & 12 in dep for
Cor to Secs 15, 16 21, & 22
No timber to be procured
to mark Cor

Land sand hills & cuts

Range 17 West of the 6th Principal Meridian

East on a random line
between Secs 15 and 22
Va 13° 20' East

4000 Marked point for temporary
1/4 Sec Cor

8022 Intersected the South and
South line 20 lks South
of mound Cor to Secs 14
15 22 and 23 from which
Corner
I run South 89° 51' West
on a true line between
Secs 15 and 22
Va 13° 20' E

4011 Raised mound of earth 3
ft high from pits 24 & 30
in diam & 12 in dep for 1/4
Sec Cor No timber or
stone to be procured to
mark Cor

8022 The Cor to Secs 15, 16 21
and 22.

Land sand hills & cuts

Township 25 North Range

North between Secs
15 and 16
Va 13° 20' East

40.00 Raised mound of earth
3 ft high from pits 24 x 30
in and 12 in deep for 1/4
Sec Cor. No timber or
stone to be procured to
mark Cor

80.00 Raised mound of earth
3 ft high from pits 20 x
24 in and 12 in deep for
Cor to secs 9, 10, 15 & 16
No timber or stone to be
procured to mark Cor

Land sand hills ⊖
rate

17 West of the 6th Principal Meridian

East on a random line
between Secs 10 and 15
Va 13 20 East

40.00 Marked point for temporary
1/4 Sec Cor

80.67 Intersect the North end
South line 73 lks South
of post Cor to secs 10, 11 14 &
15 from which Cor
I run South 69 29' West on
a true line between Secs
10 and 15
Va 13 20 East

40.~~30~~ 33½ Raised mound of earth
3 ft high from pits 24 x 30
in and 12 in deep for 1/4
Sec Cor No timber or stone
to be procured to mark
Cor

80.67 This Cor to secs 9, 10, 15
and 16

Land sand hills ⊖
rate July 14th 1874

Township 25 North Range 17

North between secs 9 & 10
Va 13° 20' East

40.00 Raised mound of earth 3 ft high from pits 20 & 24 in and 12 in deep for 1/4 sec Cor No timber or stone to be procured to mark Cor

80.00 Raised mound of earth 3 feet high from pits 20 & 24 in and 12 in deep for Cor to secs 3. 4 9 & 10 No timber or Stone to be procured to mark Cor

Land sand hills 3 rate

West of the 6th Principal Meridian

East on a random line between Secs 3 and 10
Va 13° 20' East

40.00 Marked point for temporary 1/4 Sec Cor

80.26 Intersect the North South line 30 lks South of Mound Cor to secs 2. 3 10 and 11 from which Cor
I ran South 89 47 West on a true line between secs 3 and 10
Va 13° 20' East

40.13 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 Sec Cor No timber or Stone to be procured to mark Cor

80.26 Cor to Secs. 3. 4. 9 & 10

Land sand hills 3 rate

Township 25 North of the Base line Range 17 West of the 6th Principal Meridian

North on a random line between Secs 3 and 4
Va 13° 20' East
4000 Marked point for temporary 1/4 Sec Cor
8038 Intersect the North boundary of the Township 15 lks West of post Cor to Secs 3 and 4 from which Cor
I ran South 6' West on a true line between Secs 3 and 4
Va 13° 20' East
4030 Raised mound of earth 3 ft high from pits 24 + 30 in and 12 in deep for 1/4 Sec Cor No timber or stone to be procured to mark Cor
8030 The Cor to Secs 3, 4, 9, 10

Land rand hills 3 rate

Township 25 North Range

North between Secs 32 and 33

Va 13°20' East

4000 Raised mound of earth 3 ft high from pits 24 30 in and 12 in deep for 1/4 sec Cor No timber or Stone to be procured to mark Cor

8000 Raised mound of earth 3 ft high from pits 20+24 in and 12 in deep for Cor to secs 28, 29 32 and 33 No timber or Stone to be procured to mark Cor

Land sand hills 3 rate

17 West of the 6th Principal Meridian

East on a random line between Secs 28 and 33

Va 13°20' East

4000 Set temporary 1/4 sec Cor

7970 Intersect the North and South line 97 lks South of Mound Cor to secs 27 28 33 and 34 from which Cor

I ran South 89° 18' West on a line line between secs 28 and 33

Va 13°20' East

3985 Raised mound of earth 3 ft high from pits 24+30 in and 12 in deep for 1/4 Sec Cor No timber or Stone to be procured to mark Cor

7970 The Cor to secs 28 29 32 33

Land sand hills 3 rate

Township 25 North of the base

North between Secs 28 & 29
Va 13° 20' East

4000 Raised mound of earth 3 ft high from pits 24 + 30 in 12 in deep for 1/4 Sec Cor
No timber or Stone to be procured to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for Cor to secs 20 21 28 & 29
No timber or Stone to be procured to mark Cor

Land sand hills 3

line Range 17 West of the 6th Principal Meridian

East on a random line between Secs 21 and 28
Va 13° 20' East

40,00 Mark point for temporary 1/4 Sec Cor

7948 Intersect the North and South line 39 lk South of mound Cor to secs 20 21, 22 28 & 29 from which Cor
I ran South 89° 43' West on a line line between Secs 21 and 28
Va 13° 20' East

3974 Raised mound of earth 3 ft high from pits 24 + 30 in and 12 in deep for 1/4 Sec Cor

7948 No timber or Stone to be procured to mark Cor

7948 The Cor to secs 20, 21 28 & 29

Land sand hills 3 into

Township 25 North Range 17

North between Secs 20 and 21

Va 13° 20' East

4000 Raised mound of earth 3 ft high from pits 24+30 in and 12 in deep for 1/4 Sec Cor No timber or Stone to be procured to mark Cor

8000 Raised mound of earth 3 ft high from pits 20+30 in and 12 in deep for Cor to secs 16 17 20 & 21 No timber or Stone to be procured to mark Cor

Land sound hills 3 rate

West of the 6th Principal Meridian

East on a random line between Secs 16 and 21

Va 13° 20' East

4000 Marked point for temporary 1/4 Sec Cor

7940 Intersect the North and South line 73 lks South of Mound Cor to secs 15, 16 21 and 22 from which Cor I ran South 89° 27' West on a true line between Secs 16 and 21

Va 13° 20' East

3970 Raised mound of earth 3 ft high from pits 24+30 in and 12 in deep for 1/4 Sec Cor No timber or Stone to be procured to mark Cor

7940 The Cor to secs 16, 17, 20 and 21

Land sound hills 3 rate

Township 25 North Range 17

North between Sections 16 & 17
Va 13° 20' East

4000 Raised mound of earth 3 ft from pits 20 + 24 in and 12 in deep for 1/4 Sec Cor. No timber or Stone to be procured to mark Corner

8000 Raised mound of earth 3 ft high from pits 20 + 24 in and 12 in deep for Cor to Secs 8. 9 16 and 17 No Timber or Stone to be procured to mark Cor

Land Sand hills 3 rate

July 15th 1874

West of the 6th Principal Meridian

East on a random line between Secs 9 and 16
Va 13° 20' East

4000 Marked point for temporary 1/4 Sec Cor

7946 Intersect the North and South line 28 lks South of Mound Cor to Secs 9, 10, 15 and 16 from which Cor

I ran South 89° 48' West on a true line between Secs 9 and 16
Va 13° 20' East

3973 Raised mound of earth 3 feet high from pits 20 + 30 in and 12 in deep for 1/4 Secs Cor No timber or Stone to be procured to mark Corner

7946 The Cor to secs 8. 9. 16 and 17
Land Sand hills 3 rate

Township 25 South Range 17 West of the 6th Principal Meridian

North between Secs
4 and 9
Va 13° 20' E
40.00 Raised Mound of earth
3 ft high from pits 24+
30 m and 12 m deep for
1/4 Sec Cor No timber or
Stone to be procured to
mark Cor
8000 Raised Mound of earth
3 ft high from pits 20+
24 m and 12 m deep for
Corner to secs 4 5 8 & 9
No timber or Stone to be
procured to mark Cor

Land Sand Hills
3 rate

East on a random line
between Secs 4 and 9
Va 13° 20' East
40.00 Mark temporary point for
40.00 temporary 1/4 Sec Cor
79.44 Splinder the North and
79.44 South line 71 links South
of Mound Corner Secs
3, 4 9 & 10, from which Cor
I run South 89° 51' West
on a true line between
Secs 4 and 9
Va 13 20 East
3972 Raised Mound of earth
3972 3 ft high from pits 20+24
m and 12 deep for 1/4 Sec
Cor No timber or Stone
to be procured to mark
Cor
79.44 The Cor to secs 4.5.8
79.44 and 9

Land Sand hills 3
rate

Township 25 North Range

North on a random line between Secs 4 and 5

Va 13° 20' East

4000 Marked point for temporary 1/4 Sec Cor

8068 Intersect the North boundary of the Township 47 lks East of the Cor to Secs 4 and 5 from which Cor

I run South ~~89 18~~ 20' East on a true line between Secs 4 and 5

Va 13 20 East

4068 Raised mound of earth 3 ft high from pits 24 + 30 in and 12 in deep for 1/4 Sec Cor No timber or stone to be procured to mark Cor

80.68 The cor. to Secs. 4. 5. 8 & 9.

Land sand hills 3 rate

17 West of the 6th Principal Meridian

North between Secs 31 and 32

Va 13° 20' East

4000 Raised mound of earth 3 ft high from pits 24 + 30 in and 12 in deep for 1/4 Sec Cor No timber or stone to be procured to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 + 24 in and 12 in deep for Cor to Secs 29 30 31 & 32 No timber to be procured to mark Cor

Land sand hill 3 rate

Township 25 North of the base line Range 17 West of the 6th Principal Meridian

East on a random line between Secs 29 & 32
Ta 13° 20' E

4000 Mark point for temporary 1/4 Sec Cor

7970 Intersect the North & South line 47 lks South of normal Cor to secs 28 29 32 and 33 from which Cor
I run South 89 40' East on a true line between Secs 29 and 32
Ta 13° 20' East

3985 Raised mound of earth 3 ft high from pits 20+24 mi and 12 mi deep for 1/4 Sec Cor No timber to stone procured for to mark Cor

7970 The Cor to secs 29 30 31 and 32

Land sand hills. Soil

West on a random line between Secs 30 and 31
Ta 13° 20' E on

4000 Marked point for temporary 1/4 Sec Cor

7978 Intersect the West boundary of the Township 27 lks South of point Cor to secs 30 31 from which Cor
I run South 89° 48' E on a true line between Secs 30 and 31
Ta 13° 20' East

3978 Raised mound of earth 3 feet high from pits 24+30 mi and 12 mi deep for 1/4 Sec Cor No timber or stone to be procured to mark Corner

7978 The Cor to secs 29 30 31 and 32

Land rolling sandy Soil

Township 25 North Range

North between Secs 29 and 30.

Va 13° 20' East

4000 Raised mound of earth 3 ft high from pits 24+30 in and 12 in deep for 1/4 sec Cor, No timber or Stone to be procured to mark Cor.

8000 Set post with Charcoal end 3+3 in 4 ft 12 in deep raised mound of earth 2 1/2 feet high from pits 18+24 in and 12 deep for Cor to secs 19 20 29 30 no timber or Stone to be obtained to mark Cor

Land sand hills 3 rate

17 West of the 6th Principal Meridian

East on a random line between Secs 20 and 29

Va 13° 20' East

4000 Marked point for temporary 1/4 sec Cor

7948 Intersect the North and South line 63 lks South of Mound Cor to secs 20 21 28 and 29 from which Cor

I ran South 89° 33' West on a true line between secs 20 and 29

Va 13° 20' East

3974 Raised mound of earth 3 ft high from pits 24+30 in and 12 in deep for 1/4 sec Cor No timber or stone to be procured to mark Cor

7948 The Cor to secs 19, 20 29 and 30

Land sand hills 3 rate

Township 23 North of the Line

West on a random line between Secs 19 & 30
Va 13° 28' East

4000 Marked point for temporary 1/4 sec Cor

7970 Intersect the West boundary of the Township 30 lks South of post Cor to secs 19 and 30 from which Cor

I ran South 89° 47' East on a true line between secs 19 & 30
Va 13 20 East

39~~85~~70 Raised mound of earth 3 ft high from pits 24 & 30 in and 12 in deep for 1/4 sec Cor No timber or stone to be procured for to mark Cor

7970 The Cor to secs 19 20, 29 & 30

Land sand hills 3 mile

July 16th 1874

Line Range 17 West of the 6th Principal Meridian

North between secs 19 & 30
Va 13° 20' East

4000 Raised mound of earth 3 ft high from pits 24 & 30 in and 12 in deep for 1/4 sec Cor No timber or stone to be procured to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 & 24 in and 12 in deep for Cor to secs 17 18, 19 20 & 21 No timber or stone to be procured to mark Corner

Land sand hills 3 mile

Township 25 North of the Base line Range 17 West of the 6th Principal Meridian

East on a random line between secs 17 and 20
Va 13 20 East

4000 Marked point for temporary 1/4 sec Cor

7995 Intersect the North & South line 89 lks South of Mound Cor to secs 16 17 20 & 21 from which Cor I ran South 89°22' West on a time line between secs 17 and 20
Va 13 20 East

3997½ Raised mound of earth 3 ft high from pits 24 & 30 in and 12 in deep for 1/4 sec Cor No timber or Stone to be procured to mark Cor

7995 The Cor to secs 17, 18 19 and 20

Land sand hills 3 note

West on a random line between secs 18 and 19
Va 13°20' East

4000 Marked point for temporary 1/4 sec Cor

8000 Intersect the West boundary of the Township 63 lks South of pit Cor to secs 18 and 19 from which Cor I ran South 89°33' East on a time line between secs 18 and 19
Va 13°20' East

4000 Raised mound of earth 3 feet high from pits 24 & 30 in and 12 in deep for 1/4 sec Cor No timber or Stone to be procured to mark Corners

8000 The Cor to secs 17, 18 19 & 20

Land sand hills 3 note

Township 25 South of the base line

North between Secs 17 & 18
Va 13° 20' East

4000 Raised mound of earth 3 ft high from pits 24 x 30 in and 12 in deep for 1/4 Sec Cor No timber or stone to be procured to mark Cor

6000 Raised mound of earth 3 ft high from pits 20 x 24 in and 12 in deep for Cor to Secs 7, 8, 17 and 18 No timber or stone to be procured to mark Corner

Land rough hills & rocks

Range 17 West of the 6th Principal Meridian

East on a random line between Secs 8 and 17
Va 13° 20' East

4000 Marked post for temporary 1/4 Sec Cor

79.38 Intersect the South and North line of the South of Mound Cor to secs 8, 9, 16 and 17 from which Cor
I run South 89° 24' West on a true line between secs 8 and 17
Va 13° 20' East

3989 Raised mound of earth 3 ft high from pits 24 x 30 in and 12 in deep for 1/4 Sec Cor No timber or stone to be procured to mark Cor

79.38 The Cor to secs 7, 8, 17 and 18

Land rough hills & pits

Township 25 North Range 17

West on a random line between secs 7 and 18

Va 13° 20' East

4000 Marked point for temporary 1/4 secs Cor

7990 Intersect the West boundary of the Township 79 lk South of first Cor to secs 7 & 18 from which Cor

I run South 89° 26' East on a true line between secs 7 and 18

Va 13° 20' East

39.~~45~~ 90 Raised mound of earth 3 ft high from pits 24 x 30 in and 12 in deep for 1/4 sec Cor No timber or stone to be procured to mark Cor

7990 The Cor to secs 7 8 17 & 18

Land sand hills 3 rate

West of the 6th Principal Meridian

North between secs 7 and 8

Va 13° 20' East

4000 Raised mound of earth 3 ft high from pits 24 ~~x~~ 30 in and 12 in deep for 1/4 sec Cor No timber or stone to be procured to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 24 in and 12 in deep for Cor to secs 5, 6, 7 and 8 No timber or stone to be procured to mark Corner

Land sand hills 3 rate

Township 25 North Range

East on a random line between secs 5 and 8
Va 13°20' East

4000 Marked point for temporary 1/4 sec Cor

7937 Intersect the North and South line 93 lks South of mound Cor to secs 4, 5, 8 and 9 from which Cor I ran South 89°20' West on a true line between secs 5 and 8
Va 13°20' East

3968½ Raised mound of earth 3 ft high from pits 24 & 30 in and 12 in deep for 1/4 sec Cor No timber or stone to be

7937 procured to mark Cor

7937 The Cor to secs 5, 6, 7 & 8

Land sand hills 3 rate

17 West of the 6th Principal Meridian

West on a random line between secs 6 and 7
Va 13°20' East

4000 Marked point for temporary 1/4 sec Cor

7978 Intersect the West boundary of the Township 97 lks South of post Cor to secs 6 and 7 from which Cor I ran South 89°18' East on a true line between secs 6 and 7
Va 13°20' East

39.~~84~~ 78 Raised mound of earth 3 ft high from pits 24 & 30 in and 12 in deep for 1/4 sec Cor No timber or stone to be procured to mark Cor

7978 The Cor to secs 5 6 7 and 8

Land sand hills 3 rate

Township 25 Range 17 West of the 6th Principal Meridian

North on a random line between secs 5 & 6
Va 13° 20' East
4000 Marked point for temporary 1/4 sec Cor
8087 Intersect the North boundary of the Township 85 lks East of post Cor to secs 5 and 6 from which Cor
I ran South 36' East on a true line between secs 5 and 6
Va 13° 20' East
4087 Raised mound of earth 3 ft high from pits 20 + 24 in and 12 in deep for 1/4 sec Cor No timber or stone to be procured to mark Cor
8087 the Cor to secs 5, 6, 7, 8

Land sand hills 3 rate

July 17th 1874

General Description

This Township is composed of high sandy land, all broken or very rolling hills, not fit for cultivation, but well adapted for grazing, there being a good growth of grass throughout the Township. water can be obtained in in small ponds, unless in very dry seasons, and can be obtained at any time by digging from 4 to 10 feet in low places between the hills. there is neither timber or stone to be found in the Township

A list of the names of the individuals employed to assist running measurement or marking the lines and corners described in the foregoing field notes of Township No 25 North of the Base line of Range 17 West of the 6th Principal Meridian showing the respective capacities in which they acted

John Ingersoll Chairman
Edmund Davis Chairman
James R Ford Moundman
Herbert Gould Flagman

Township 25 North Range 17 West of the 6th Principal Meridian

We hereby certify that we assisted John H Dougherty Deputy Surveyor in subdividing Township No 25 North of the Base line Range No 17 West of the 6th Principal Meridian and that the said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions of the Surveyor General and of dimensions characters construction and marking and in the manner as specifically described in the foregoing field notes.

John McCaslin Chainman
Edward Davis
James R Hood Rodman
Herbert Gould Flagman

Subscribed and sworn to by the above named persons before me a Notary Public within for the County of Dodge and State of Nebraska this 2 day of Sept 1874

George H. Rigg
Notary Public
Dodge County Nebraska

I John H Dougherty Deputy Surveyor do solemnly swear that in pursuance of the joint contract wherein John H Dougherty Dan S Parmelee and Walter C. Campbell Contractors are joint with E. E. Cunningham Surveyor General for the District of Nebraska and Iowa bearing date the 6th day of July 1874 I have well faithfully and truly on my own proper person and in strict conformity to the instructions furnished by the Surveyor General, the Surveying Manual and the Laws of the United States. Surveyed all those parts or portions of Township No 25 North of the Base line in Range No 17 West of the 6th Principal Meridian as represented in the foregoing field notes as having been surveyed under my directions and I do further solemnly swear that all the corners of said

Survey have been estab[illegible]
and perpetuated in stric[illegible]
accordance with the Survey[illegible]
Manual, printed Instructio[illegible]
and Special Instructions of
the Surveyor General of Ohio
[illegible], Character, Construction &
Marking, and in the manner
specifically described in the
foregoing field notes, and that
the foregoing are the true and
original field notes of such
Survey

John W. Daugherty
Deputy Survey[illegible]

Subscribed by the said John
W Daugherty, Deputy Surveyor and
sworn to before me a Notary
Public for Dodge County, [illegible]
State of Nebraska this 7 day
Sept 1874

George H. Briggs
Notary Public
Dodge County Nebraska

Surveyor Generals Office
Plattsmouth Oct. 31st 1874.
The foregoing field notes of
the Survey and Subdivision
of Township No 25 N of the
Base Line of Range No 17 West
of 6th P M. Executed by
John W Daugherty under
his Contract of the 8th
day of July 1874. in the
month of July 1874,
having been critically
Examined, the necessary
Corrections and Explanations
made, the said field notes
and the Surveys they des-
cribe are hereby approved

E. E. Cunningham
Surveyor General

Township 26 North Range 17 West of the 6th Principal Meridian

Town 26 N. Range 17 W

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Field Notes of the Subdivision lines Township No 26 North of the Base Range No 17 West of the 6th Principal Meridian in the State of Nebraska. Surveyed by Walter C. Campbell Deputy Surveyor, Commenced July 11 - 1874 and Completed July 17 1874

Township 26 North of the Base line

Names and duties of Assistants employed in Subdividing Township No 26 North of the Base line Range No 17 West of the 6th Principal Meridian in the State of Nebraska

John H Turner } Chairman
August Wyre }

David H Reynolds Mountaineer

Thomas Rowan Flagman

Range 17 West of the 6th Principal Meridian

To determine the proper adjustment of my Compass for Subdividing this Township I Commence at the Corner to Township 26 & 27 North Ranges 16 & 17 West and run North on a blank line along the East boundary of sec 36

Va 13 15 E

3997 To a point 7 lks E of the 1/4 sec Cor

7994 To a point 16 lks E of the Cor secs 25 & 36

To retrace this line or run parallel thereto my Compass must be adjusted to a variation of 13° 27' East

Township 26 North Range 17 West of the 6th Principal Meridian

North between Secs 35 B6
Va 13 22 East

4000 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for Cor 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for Cor to Secs 25 26 35 B6 no timber or stone to be obtained to mark Corners

Land high broken sand hills 3 mile

East on a random line between Secs 25 and 36
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

7972 Intersect the East boundary of the Township 63 Ks South of post Cor to Secs 25 B6 from which Cor
I ran South 89° 33' West on a true line between Secs 25 B6
Va 13° 22' East

3986 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7972 The Cor to Secs 25 26 35 B6

Land sand hills 3 mile

Township 26 North Range 17

North between secs 25 and 26

Va 13° 27' East

4000 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

4200 Leave sand hills & Enter level basin bears N, W, S, E

6100 Leave basin and enter sand hills bears N, E, S, W

8000 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for Cor to secs 23 24 25 and 26 no timber or stone to be obtained to mark Cor

Land in basin good balance 3 cut

West of the 6th Principal Meridian

East on a random line between sec 24 and 25

Va 13° 22' East

1600 Leave sand hills & Enter valley bears N, E, S, W

4000 Marked point for temporary 1/4 sec Cor

7972 Intersect the East boundary of the Township 70 lks South of post Cor to secs 24 and 25 from which Cor I saw South 89° 30' West on a true line between secs 24 and 25

Va 13° 22' East

3986 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7972 the Cor to secs 23 24 25 and 26

Land West 16 chs sand hills balance level all sandy 3 cut

Township 26 North Range 19 West of the 6th Principal Meridian

North between secs 23 & 24
Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in Avl 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in Avl 12 in deep for Cor to secs 13, 14, 23 & 24 no timber or stone to be obtained to mark Cor

Land high broken hills worthless

East on a random line between secs 13 and 24
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

7990 Intersect the East boundary of the Township 83 Ms South of post Cor to secs 13 & 24 from which Cor
I ran South 89° 24' West on a true line between secs 13 and 24
Va 13° 22' East

3995 Raised mound of earth 3 ft high from pits 20 & 30 in Avl 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7990 The Cor to secs 13, 14, 23 and 24

Land land hills 3 Cali

Township 26 North Range 17 West of the 6th Principal Meridian

North between secs 13 and 14

Va 13° 22' East

2300 Leave sand hills & rich oulley bears E & W

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor, no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to secs 11, 12, 13 & 14 no timber or stone to be obtained to mark Cor

South 23 Chs sand hills balance undulating 2 rich

East on a random line between secs 12 and 13

Va 13° 22' East

3000 Leave undulating & rich hilly land bears N & S

4000 Marked point for temporary 1/4 sec Cor

7900 Leave hills & rich oulley bears N & S

7976 Intersect the East boundary of the Township 47 lks South of post Cor to secs 12 & 13 from which Cor I ran South 89° 40' West on a true line between secs 12 and 13

Va 13° 22' East

3988 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7976 The Cor to secs 11, 12, 13 and 14

West 30 Chs undulating 2 rich land balance sand hills 3 rich

Township 26 North Range 17 West of the 6th Principal Meridian

North between secs 11 & 12
Va 13 22 E

4000 Raised mound of earth 3 ft high from pits 20 x 30 in Tuel 12 in deep for 1/4 sec Cor no timber or Stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in Tuel 12 in deep for Cor to secs 1 2 11 Tuel 12 no timber or Stone to be obtained to mark Cor

Land gently undulating 2 mile soil

July 12th 1874

East on a random line between secs 1 Tuel 12
Va 13° 22' East

3900 Leave valley and enter sand hills bears N W & S, E

4000 Marked point for temporary 1/4 sec Cor

7982 Intersect the East boundary of the Township 12 lks South of post Cor to secs 1 Tuel 12 from which Cor
I run South 89° 55' West on a true line between secs 1 Tuel 12
Va 13° 22' East

3991 Raised mound of earth 3 ft high from pits 20 x 30 in Tuel 12 in deep for 1/4 sec Cor no timber or Stone to be obtained to mark Cor

7982 The Cor to secs 1, 2, 11, & 12
West 39 chs is gentle rolling 2 mile land balance sand hills 3 miles

Township 26 North Range 17 West of the 6th Principal Meridian

North on a random line between secs 1 and 2

Va 13° 22' East

3400 Leave valley & enter low sand hills bears N E 2W

4000 Marked point for temporary 1/4 sec Cor

6200 Leave sand hills & enter valley bears N, W

8063 Intersect the North boundary of the Township 7 lks East of mound Cor to secs 1 and 2 from which Cor

I run South 3' East on a line line between secs 1 & 2.

Va 13 22 East

4063 Raised mound of earth 3 ft high from pits 20 x 30 in and 1 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8063 The Cor to secs 1, 2, 11 & 12

Land North and South part gently rolling valley middle part sand hills 3 feet

North between secs 34 & 35

Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 1 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Corner

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 3 in deep for Cor to secs 26, 27, 34 and 35 no timber or stone to be obtained to mark Cor

Land sand hills 3' rate

Township 26 North Range 17 West of the 6th Principal Meridian

East on a random line between Secs 26 and 35
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

8000 Intersect the N & S line 14 lks North of mound Cor to Secs 25 26 35 and 36 from which Cor

I can North 89° 54' West on a true line between Secs 26 and 35
Va 13° 22' East

1000 Raised mound of earth 3 ft high from pits 20 x 30 in & 12 in deep for 1/4 sec Cor no timber or stone to obtained to mark Cor

8000 The Cor to Secs 26 27 34 and 35

Land high broken sand hills 3 rate

North between Secs 26 & 27
Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in & 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to Secs 22. 23. 26 and 27 no timber or stone to be obtained to mark Corner

Land sand hills 3 rate

Township 26 North Range 17 West of the 6th Principal Meridian

East on a random line
between secs 23 and 26
Va 13° 22' East
4000 Marked point for temporary
1/4 sec Cor
8006 Intersect the North and
South line 29 lks South
of Mound Cor to secs
23, 24 25 and 26 from
which Cor
I run South 89° 48' Wid
on a true line between
secs 23 and 26
Va 13° 22' East
4003 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for 1/4
sec Cor. no timber or
stone to be obtained to
mark Cor
8006 The Cor to secs 22, 23, 26
and 27
Land rolling prov 2 cut
soil

North between secs 22 & 23
Va 13° 22' East
4000 Raised mound of earth
3 ft high from pits 20 x 30 in
and 12 in deep for 1/4 sec
Cor no timber or stone to
be obtained to mark
Corner
8000 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for
Corners to secs 14 15 22
and 23, no timber or
stone to be obtained to
mark Cor

Land low rolling land
hills mostly 3 cuts

Township 26 North Range 17 West of the 6th Principal Meridian

East on a random line between secs 14 and 23
Va 13° 22' East

1500 Leave hills & enter oakley bears N W, S E

4000 Marked point for temporary 1/4 sec Cor

6500 Leave oakley and enter hills bears N W

8051 Intersect the North and South line 42 lks South of mound Cor to secs 13, 14, 23 and 24 from which Cor I ran South 89° 42' West on a line line between secs 14 and 23

Va 13° 22' East

4025½ Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8051 The Cor to secs 14 15 22 & 23

Land on the oakley gentle rolling 2 ft
Balance 3 mile

North between secs 14 and 15
Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 10, 11, 14 and 15, no timber or stone to be obtained to mark Cor

Land low raised hills 3 mile

Township 26 North Range 17

East on a random line between secs 11 and 14
Mn 13° 22' East

4000 Marked point for temp. Cor. any 1/4 sec Cor

5900 Leave sand hills & enter valley bears N & S

7996 Intersect the North and South line 21 lks South of mound Cor to secs 11, 12, 13 and 14 from which Cor I run South 89° 51' West on a true line between secs 11 and 14
Mn 13° 22' East

3998 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7996 The Cor to secs 10 11, 14, 15 West 57 chs sand hills 3 rd balance undulating valley 2 rate

July 13th 1874

West of the 6th Principal Meridian

North between secs 10 and 11
Mn 13° 22' East

1700 Leave sand hills & enter valley bears N W, S E

4000 Raised mound of earth 3 ft high from pits 20 x 30 in & 12 in deep for 1/4 sec Cor

4900 Leave valley and enter sand hills bears N, W, S, E

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 2 3 10 and 11 no timber or stone to be obtained to mark Cor

Land on valley good 2 rate fit for Cultivation balance sand hills 3 rate

Township 26 North Range 17

East on a random line between Secs 2 and 11
Va 13° 22' East

4001 Marked point for temporary 1/4 sec Cor

5600 Leave sand hills & rule valley bears N, W, S, E

7966 Intersect the N & S line 26 lks South of mound Cor to Secs 2 3 10 & 11 from which Cor from which Cor
I run South 89° 49 West on a true line between Secs 2 and 11
Va 13° 22' East

3983 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor, no timber or stone to be obtained to mark Cor

7966 The Cor to Secs 2 3 10 & 11
Land on outlines good 2 rule - balance sand hills 3 rule

West of the 6th Principal Meridian

North on a random line between Secs 2 and 3
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

8075 Intersect the North boundary of the Township at mound Cor to Secs 2 and 3 from which Cor
I run South on a true line between Secs 2 and 3
Va 13° 22' East

4075 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8075 The Corner to Secs 2, 3, 10 and 11

Land sand hills 3 rule

Township 26 North Range 17 West of the 6th Principal Meridian

North between Secs 33 B.
Va 13° 22' East

4000 Raised mound of earth 3ft high from pits 20x30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3ft high from pits 20x30 in and 12 in deep for corner to secs 27, 28, 33 and 34 no timber or stone to be obtained to mark Cor

Land high broken sand hills 3 rods

East on a random line between secs 27 and 34
Va 13° 22' East

4000 Meanderd point for temporary 1/4 sec Cor

8010 The Cor to secs 26 & 27, 34 & 35 from which Cor I run West on a true line between secs 27 and 34
Va 13° 22' East

4000 Raised mound of earth 3ft high from pits 20x30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8010 The Cor to secs 27, 28, 33 and 34

Land high sand hills 3 rods

Township 26 North Range 17 West of the 6th Principal Meridian

North between secs 27 and 28

Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to secs 21, 22, 27 & 28 no timber or stone to be obtained to mark Cor

Land high broken sand hills 3 mile

East on a random line between secs 22 and 27

Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

8000 Intersect the N & S line 37 lks N of mound Cor to secs 22 23 26 and 27 from which Cor

I run North 89° 44' West on a true line between secs 22 & 27

Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in & 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 The Cor to secs 21, 22, 27 and 28

Land sand hills 3 mile

Township 26 North Range 17 West of the 6 Principal Meridian

North between secs 21 and 22

Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 15 16 21 & 22 no timber or stone to be obtained to mark Cor

Land sand hills 3 rate

East on a random line between secs 15 and 22

Va 13° 22' East

3400 Leave sand hills and enter level basin N. E. & S. W.

4000 Marked point for temporary 1/4 sec Cor

6000 Leave basin and enter sand hills bears N. E. & S. W.

8006 Intersect the North and South line 29 lks South of mound Cor to secs 14, 15, 22 and 23 from which Cor I ran South 89° 48' West on a line line between secs 15 and 22

Va 13° 22' East

4003 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8006 The Cor to secs 15, 16, 21 & 22

Land on basin level 1st rate balance hilly 3 rate

Township 26 North Range 17 West of the 6th Principal Meridian

North between secs 15 & 16
Ta 13° 22' East
4000 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for 1/4 sec
Cor no timber or stone to
be obtained to mark Cor
8000 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for Cor
to secs 9, 10, 15 & 16 no
timber or stone to be obtained
to mark Cor

Land low swampy some
hills 3 cult

July 14th 1874

East on a random line
between secs 10 and 15
Ta 13° 22' East
4000 Marked point for temporary
1/4 sec Cor
7996 Deflected this N and S line
21 lks North of mound Cor
to secs 10 / 11 / 14 & 15 from
which Cor
Bears North 89° 57' West
on a true line between
secs 10 and 15
Ta 13° 22' East
3998 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for 1/4
sec Cor no timber or
stone to be obtained to
mark Corner
7996 The Cor to secs 9, 10 15 & 16

Land rough hills 3 cult

Township 26 North Range 27

North between Secs 9 and 10

Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 Sec Cor no timber or stone to be obtained to mark Cor

5500 Leave sand hills & rolling bears N, W, S, E

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to Secs 3, 4, 9, & 10

Land south 55 chs rolling sand hills 3 rite balance good 2 rite

West of the 6th Principal Meridian

East on a random line between Secs 3 and 10

Va 13° 22' East

4000 Marked point for temporary 1/4 Sec Cor

4500 Leave rolling and enter sand hills bears N & S

7972 Intersect the N & S line 5 chs South of mound Cor to Secs 2, 3, 10 and 11 from which Cor

I ran South 89° 58' West on a true line between Secs 3 and 10

Va 13° 22' East

3986 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 Sec Cor no timber or stone to be obtained to mark Cor

7972 The Cor to Secs 3, 4, 9, and 10

West 45 chs gentle rolling rolling good 2 rite land balance hilly 3 rite

Township 26 North Range 17 West of the 6th Principal Meridian

North on a random line between Secs 3 & 4
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

8090 Intersect the North boundary of the Township 66 Lks East of the Cor to Secs 3 and 4 from which Cor

I run South 28' East on a true line between Secs 3 and 4
Va 13° 22' East

4090 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8090 The Cor to Secs 3, 4, 9 & 10

Land undulating good 2 rate soil

North between Secs 32 and 33
Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to Secs 28, 29, 32, & 33

Land sand hills 3 rate

Township 26 North Range

East on a random line
between secs 28 and 33
Va 13° 22' East
4000 marked point for temporary
1/4 sec Cor
8072 Intersect the North and
South line 37 lks South
of mound Cor to secs 27
28 33 and 34 from which
Cor
Train South 89° 44' West
on a true line between
secs 28 and 33
Va 13 22 East
4006 Raised mound of earth 3 ft
high from pits 20 x 30 in
and 12 in deep for 1/4
sec Cor no timber or
stone to be obtained
to mark Cor
8072 The Cor to secs 28, 29, 32
and 33

Land sand hills 3 mile

17 West of the 6th Principal Meridian

North between secs 28
and 29
Va 13° 22' East
4000 Raised mound of earth
3 ft high from pits 20 x 30 in
and 12 in deep for 1/4 sec
Cor
7600 Leave sand hills & entr-
ouling bears E & W
8000 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for Cor
to secs 20 21 28 & 29

Land mostly sand hills
3 mile

Township 26 North Range 17

East on a random line between Secs 21 & 28
Va 13° 22' East

1400 Leave bulley & rubi
Land hills bears N.E. & N.W.

4000 Marked point for temporary
1/4 sec Cor

7988 Intersect the North and South line at mound
Cor to secs 21 22 27 & 28
from which Cor
I saw West on a true line between Secs 21 & 28
Va 13° 22' East

3994 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7988 The Cor to secs 20, 21, 28 & 29

Land mostly high broken
Land hills 3 rule

West of the 6th Principal Meridian

North between secs 20 & 21
Va 13° 22' East

4000 Raised mound of earth
3 ft high from pits 20 x 30 in
and 12 in deep for 1/4 sec
Cor no timber or stone to be obtained
with which to mark Cor

8000 Raised mound of earth
3 ft high from pits 20 x 30 in
and 12 in deep for Cor to
secs 16 17 20 and 21 no
timber to be obtained
to mark Corner

Land undulating good
2 rule soil

Township 26 North Range 17 West of the 6th Principal Meridian

East on a random line between Secs 16 and 21
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

4300 Leave valley and enter hills bears N & S

7973 Intersect the N & S line 40 lks South of mound Cor to secs 15 16 21 & 22 from which Cor
I run South 89° 43' W on a true line between secs 16 and 21
Va 13° 22' East

3986½ Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Corner

7973 The Cor to secs 16 17 20 and 21

Land West 43 chs undulating good 2 rate balance land hills 3 rate

North between Secs 16 & 17
Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for Cor to secs 8, 9 16 and 17 no timber or stone to be obtained to mark Cor

Land fertility undulating good 2 rate soil

July 15th 1874

Township 26 North Range 17 West of the 6th Principal Meridian

East on a random line between Secs 9 and 16
Va 13° 22' East

3800 Lean rolling & rate hilly land bears N & E
4000 Marked point for temporary 1/4 sec Cr
7962 Intersect the North and South line 18 lks North of mound Cr to secs 9, 10, 15 and 16 from which Cr I ran North 89° 52' West on a true line between secs 9 & 16
Va 13° 22' East
3981 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cr no timber or stone to be obtained to mark Cr
7962 The Cr to secs 8 9 16, 17

West 38 Chs rolling clay land 2 rate balance rolling sandy hills 3 rate

North between Secs 8 and 9
Va 13° 22' East
4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cr no timber or stone to be obtained to mark Cr
8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cr to secs 4 5 8 and 9 no timber or stone to be obtained to mark Cr

Land undulating good 2 rate clay soil

Township 26 North Range 17 West of the 6th Principal Meridian

East on a random line between Secs 4 and 9

Va 13° 22' East

3700 Leave valley & rate hills bears N & S

4000 Marked point for temporary 1/4 sec Cor

7600 Leave sand hills & rate valley bears N & S

7969 Intersect the North & South line 50 lks South of mound Cor to Secs 3, 4, 9 and 10 from which Cor

I ran South 84 39 West on a line line between Secs 4 and 9

Va 13° 22' East

3984 pr Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7969 The Cor to Secs 4 5 8 9

North on a random line between Secs 4 and 5

Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

4500 Leave valley and enter sand hills bears N E & W

8000 Intersect the North boundary of the Township 35 lks East of the Cor to Secs 4 and 5 from which Cor

I ran South 15 East on a line line between Secs 4 and 5

Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 The Cor to Secs 4 5 8 9

South 45 Chs gentle rolling valley 2 rate land balance 3 rate

Township 26 North Range 17 West of the 6th Principal Meridian

North between Secs 31 and 32

Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 ft 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to Secs 29, 30, 31 and 32 no timber or stone to be obtained to mark Cor

Land sand hills 3 rate

East on a random line between Secs 29 and 32

Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

8028 Subtract the N & S line 25 lks South of mound Cor to Secs 28 29 32 & 33 from which Cor

I run South 89° 49' West on a true line between Secs 29 and 32

Va 13 22 East

4014 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber stone to be obtained to mark Cor

8028 The Cor to Secs 29, 30, 31, 32

Land sand hills 3 rate

Township 26 North Range 17 West of the 6th Principal Meridian

West on a random line between secs 30 and 31
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

7956 Intersect the West boundary of the Township at Mound Cor to secs 30 and 31 from which Cor

I can East on a line line between secs 30 31
Va 13° 22' East

3956 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7956 The Cor to secs 29, 30 31 and 32

Land sand hills 3 rate

North between Secs 29 and 30
Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 19 20 29 30 no timber or stone to be obtained to mark Cor

Land sand hills 3 rate

Township 26 North

East on a random line between secs 20 and 29
Va 13°22' East

4000 Marked point for temporary 1/4 sec Cor

7600 Leave sand hills & rolling Ozens N.W.

8016 Intersect the North and South line 7 lks North of mound Cor to secs 20 21 28 and 29 from which Cor
I ran North 89°57' West on a true line between secs 20 and 29
Va 13°22' East

~~8008~~ 4008 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8016 The Cor to secs 19, 20 29 30
Land mostly sand hills 3 rate

Range 17 West of the 6th Principal Meridian

West on a random line between secs 19 and 30
Va 13°22' East

4000 Marked point for temporary 1/4 sec Cor

7968 Intersect the West boundary of the Township 27 lks South of mound Cor to secs 19 30 from which Cor
I ran South 89°48' East on a true line between secs 19 and 30
Va 13°22' East

3968 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7968 The Cor to secs 19, 20, 29 and 30

Land sand hills 3 rate
July 16th 1874

Township 26 North Range 17 West of the 6th Principal Meridian

North between secs
19 and 20
Va 13° 22' East

4000 Raised mound
of earth 3 ft high from
pits 20 x 30 in and 12
in deep for 1/4 sec Cor

8000 Raised mound of earth
3 ft high from pits 20 x
30 in and 12 in deep
for corner to secs 17
18, 19 and 20
No timber or stone
to be obtained to mark
corners

Land level hills &
valls

East on a random line
between secs 17 and 20
Va 13° 22' East

4000 Marked point for temporary
1/4 sec Cor

7500 Leave level hills & enter
valley trend N.W. & S.E.

8012 Intersect the North and
South line 35 lks South
of mound Cor to secs 16
17 20 and 21 from which
Cor
I run South 89° 25' West
on a true line between
secs 17 and 20
Va 13° 22' East

4000 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for 1/4
sec Cor no timber or stone
to be obtained to mark
Cor

8042 The Cor to secs 17, 18, 19 & 20
Land mostly level hills &
valls

Township 26 North Range 17 West of the 6th Principal Meridian

West on a random line between secs 18 & 19
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

7963 Intersect the West boundary of the 35 lks South of pnt Cor to secs 18 and 19 from which Cor
I run South 89° 45' East on a true line between secs 18 and 19
Va 13° 22' E

3963 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7963 The Cor to Secs 17, 18, 19 and 20

Land rolling sand hills 3 rate

North between secs 17 & 18
Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to secs 7, 8, 17 and 18 no timber or stone to be obtained to mark Cor

Land low sand hills 3 rate

Township 26 North Range 17 West of the 6th Principal Meridian

East on a random line between secs 8 and 17
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

6500 Leave sand hills & rest valley Grass N & S

7994 Inlined the North and South line 15 lks North of mound Cor to secs 8, 9, 16 and 17 from which Cor
I ran North 89° 54' West on a true line between secs 8 and 17
Va 13° 22' East

3997 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7994 The Cor to secs 7, 8, 17 and 18
Land mostly sand hills 3 rate

West on a random line between secs 7 and 18
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

7940 Inlined the West boundary of the Township 42 lks South of post Cor to secs 7 and 18 from which Cor
I ran South 89° 42' East on a true line between secs 7 and 18
Va 13° 22' East

39~~70~~ .40 Raised mound of earth 3 ft high from pits 20 x 30 in ~~deep~~ and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7940 The Cor to secs 7, 8, 17 and 18

Land sand hills 3 rate

Township 26 North Range

North between Secs 7 and 8

Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec to secs 5 6 7 and 8 no timber or stone to be obtained to mark Cor

Land sand hills 3 mile

17 West of the 6th Principal Meridian

East on a random line between Secs 5 and 8

Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

4900 Leave sand hills & enter valley bears N & S

8009 Intersect the N & S line 10 lks South of mound Cor to secs 4 5 8 and 9 from which Cor I ran South 89 56 West on a true line between secs 5 & 8

Va 13° 22' East

4004 1/2 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8009 The Cor to secs 5, 6, 7 & 8 West 49 lks sand hills balance gentle rolling 2 mile land

Township 26 North Range

West on a random line between secs 6 and 7
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

6000 Leave sand hills & rate bottom bears N & S

7900 Intersect the West boundary of the Township 24 lks South of post Cor to secs 6 and 7 from which Cor
I ran South 89° 50' East on a true line between secs 6 and 7
Va 13° 22' East

3900 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor no timber or Stone to be obtained to mark Cor

7900 The Cor to secs 5, 6, 7 & 8
West 20 chs low bottom 2 rate
land balance hilly 3 rate

17 West of the 6th Principal Meridian

North on a random line between secs 5 and 6
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

8009 Intersect the North boundary of the Township 15 lks East of mound Cor to secs 5 & 6 from which Cor
I ran South 6' East on a true line between secs 5 and 6
Va 13° 22' East

4009 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor no timber or Stone to be obtained to mark Corner

8009 The Cor to secs 5, 6, 7 & 8

Land low sand hills 3 rate

July 17th 1874

Township 26 North Range 17 West of the 6th Principal Meridian

General Description

This Township is composed of good undulating oully, and sand hills. the largest part sand hills the oullys are well adapted for cultivation, and are mostly covered with a luxurient growth of grass. The sand hills are covered with a fine growth of grass, and are well adapted for grazing there is no timber or stone to be found in the Township water can be obtained by digging in the oully or in low places between the hills at a depth of from 4 to 10 feet

Township 76 North Range 17 West of the 6th Principal Meridian.

A list of the names of the individuals employed to assist in running, measuring, marking the lines and corners described in the foregoing field notes of Township No 76 N of the Base Line Range 17 West of the 6th Principal Meridian shown the respective capacities in which they acted

John H Turner } Chainmen
August Wyre }

David H Reynolds Monumentman

Thomas Rowan Flagman

We hereby certify that we assisted Walter G Cain Chief Deputy Surveyor in subdivisting Township No 76 North of the Base Line Range 17 West of the 6th Principal Meridian and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions of the Surveyor General, and of dimensions, characters, orientation and marking and in the manner as specified described in the foregoing field notes

John H. Turner } Chainmen
August Wyre }
David H Reynolds Monumentman
Thomas Rowan Flagman

Subscribed and sworn to by the

Township 26 North of the Base Line Range 17 West of the 6th Principal Meridian

Abovd named persons before me a Notary Public in and for Dodge County Nebraska this 2 day of Sept 1874

George H. Briggs
Notary Public
Dodge County Nebras

I Walter C. Campbell Deputy Surveyor do solemnly swear that in pursuance of a joint Contract wherein John W Daugherty Dan S Pamelee and Walter C Campbell are joint Contractors with E R Cunningham Surveyor General for the District of Nebraska and Iowa bearing date the 8th day of July 1874 I have well faithfully and truely in my own proper person and in strict Conformity to the Instructions furnished by the Surveyor General the Surveying Manual and the Laws of the United States, Surveyed all these parts or portions of Township No 26 North of the Base Line and Range No 17 West of the 6th Principal Meridian as are represented in the foregoing field Notes as having been Surveyed under my directions and I do further solemnly

swear that all the Corners of said Survey have been established and perpetuated in strict accordance with the Surveying manual pub. Instructions and Special Instructions of the Surveyor General, of dimensions, character, construction and marking, and in the manner as specifically described in the foregoing field notes and that the foregoing are the true and original field notes of such Survey

Walter C Campbell
Deputy Surveyor

Subscribed by said Walter C. Campbell Deputy Surveyor, and sworn to before me a Notary Public for Dodge County Nebraska this 2 day of Sept 1874

George H. Briggs
Notary Public Dodge County Nebraska

Surveyor General's Office
Plattsmouth Oct 31st 1874

The foregoing field notes of Township No 16. N. of Base Line of Range No 17. West of 6th P.M. in Nebraska Executed by Walter C. Campbell under joint contract No 84. dated July 1874 wherein John W. Daugherty Dan. S. Parmelle and Walter C. Campbell are joint contractors in the month of July 1874 having been critically examined the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved.

E. E. Cunningham
Surveyor General

Township 27 North Range 17 West of the 6th Principal Meridian

Town 27. N Range 17 W



Field Notes of the Subdivision lines in Township No 27 North of the Base Line Range No 17 West of the 6th Principal Meridian in the State of Nebraska. Surveyed by Walter C Campbell Deputy Surveyor Commenced Aug 11th 1874 and Completed Aug 16th 1874

Contract No 84
dated July 8th 1874

Township 27 North Range 17 West of the 6th Principal Meridian

Names and duties of assistants employed in subdividing Township No 27 North of the Base line Range No 17 West of the 6th principal Meridian in the State of Nebraska

John H Turner Chainman
August Wyre Chainman

David H Reynolds Mounderman

Thomas Rowan Flagman

To determine the proper adjustment of my Compass for subdividing this Township I Commence at the Corner to Township 26 and 27 North Ranges 16 & 17 and run North on a blank line along the East boundary of Sec 36

Variation 13° 24' East

3997 To a point 2 lks West of the 1/4 Sec Cor

7994 To a point 5 lks West of the Cor to Sec 25 and 36

To retrace this line or run parallel thereto my Compass must be adjusted to a Va of 13° 22' East

Township 27 North Range 17

North between Secs
35 and 36
Va 13° 22' East

2800 Leave undulating Brute
hilly land bearing E & W

4000 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for 1/4
Sec Cor

8000 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for Cor
to Secs 25 26 35 and 36

Land south 28 Chs
undulating good 2
rate soil balance sand
hills 3 rate

West of the 6th Principal Meridian

East on a random line
between Secs 25 & 36
Va 13° 22' East

4000 Marked point for temporary
1/4 Sec Cor

8023 Intersect the East boundary
of the Township 34 Chs N of
post Cor to Secs 25 & 36 from
which Cor
I run North 89° 45' West
on a line line between
Secs 25 & 36
Va 13° 22' East

4011 1/2 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for 1/4
Sec Cor

8023 The Cor to Secs 25 26 35
and 36

Land high broken sand
hills 3 rate

Township 27 North Range 17

North between secs 25 & 26

Va 13° 22' East

1800 Leave sand hills & rate-
oully bearing N.W. & S.E.

4000 Raised mound of earth
3 ft high from pits 20 & 30
in Feet 12 in deep for 1/4
sec Cor

6400 Leave oully & rate sand
hills bearing N.E. & S.W.

8000 Raised mound of earth
3 ft high from pits 20 & 30
in Feet 12 in deep for Cor
Cor to secs 23, 24, 25, & 26

Land on they oully is
level 2 rate the balance
3 rate

West of the 6th Principal Meridian

East on a random line
between secs 24 & 25

Va 13° 22' East

1300 Leave sand hills & rate-
oully bearing N & S

4000 Marked point for temporary
1/4 sec Cor

8015 Intersect the East boundary
of the Township 12 ch North
of post Cor to secs 24 & 25
from which Cor
I can North 89° 55' West on
a true line between secs
24 and 25

Va 13° 22' East

4007½ Raised mound of earth 3 ft high
from pits 20 & 30 in Feet 12
in deep for 1/4 sec. Cor

8015 The Cor to secs 23, 24, 25 & 26

Land level 1st rate except
West 13 chs which is sand
hills 3 rate

Township 27 North Range 17

North between secs 23 & 24
Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

4800 Leave sand hills & rates undulating land bears N, W, S, E

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 13, 14 23 & 24

Land south 48 chs sand hills balance undulating 2 rate

West of the 6th Principal Meridian

East on a random line between secs 13 and 24
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

70.80 To Lake, where I set temporary Witness Cor

8000 To point in Lake, water 12 inches deep, can find no traces of Corner. Thence I run South, at at 9 chs. leave Lake bearing E & W. I here look for Witness Cor. Can find no traces of such Cor. I conclude that the Cor to secs 13, 24, 18 & 19 must have been established at a time when there was no water where the Lake now is. I continue South at 40.06, from point in Lake the 1/4 sec Cor on the East boundary of sec 24. The length of the line between secs 13 and 24 would therefore be 80.00 and the Corner N 89° 57' W on a line between secs 13 & 24 Va 13° 22' East

920 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Witness to Cor to secs 13, 24 18 & 19 on bank of Lake

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 The Cor to secs 13, 14 23 & 24. The Lake noted on Land along this line is level good 2 rate, this line, contains about 60 acres. Lies mostly in sec 18 Range 16

Township 27 North Range 17

North between secs 13 & 14
Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to secs 11, 12, 13 and 14

Land undulating good soil, 1st rate

West of the 6th Principal Meridian

East on a random line between secs 12 and 13
Va 13° 22' East

1000 Leave valley and enter low sand hills bears N E & W

4000 Marked point for temporary 1/4 sec Cor

5800 Leave sand hills & enter valley N W & S E

8026 Intersect the East boundary of the Township 22 lks North of pit Cor to secs 12 & 13 from which Cor

I run North 89 51 West on a line line between secs 12 and 13
Va 13° 22' East

4013 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

8026 The Cor to secs 11, 12, 13 and 14,

Land on the valley is 1st rate the balance sand hills 3 rate

Township 27 North Range 17

North between 11 and 12
Va 13°22' East

4000 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for 1/4 sec Cor

4500 Leave oudley & Rutter sand hills bears E & W

5000 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for Cor to secs 1, 2, 11, and 12

Land 45 chs south 2 mi balance sand hills 3 mi

West of the 6th Principal Meridian

East on a random line between secs 1 and 12
Va 13°22' East

4000 Marked point for temporary 1/4 sec Cor

8018 Intersect the East boundary of the Township 28 lks North of post Cor to secs 1 and 12 from which Cor
I run North 89°48' West on a line line between secs 1 & 12
Va 13°22' East

4009 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for 1/4 sec Cor

8018 The Cor to secs 1, 2, 11 & 12

Land sand hills 3 mi

Aug 11th 1874

Township 27 North Range 17

North, on a random line between secs 1 & 2
Va 13° 22' East

2100 Leave sand hills & rate
valley bearing E & W

4000 Marked point for temporary
1/4 sec Cor

7916 Intersect the North boundary of
the Township 13 Chs West of
Mound Cor to secs 1 and 2
from which Cor
I can South 6 West on
a true line between secs 1 & 2
Va 13° 22' East

3916 Raised mound of earth
3 ft high from pits 20 & 30
in and 12 in deep for 1/4
sec Cor

7916 The Cor to secs 12, 11, & 12

Land South 21 Chs
sand hills 3 rate
balance undulating
good 2 rate

West of the 6th Principal Meridian

North between secs 34 & 35
Va 13° 22' East

4000 Raised mound of earth 3 ft
high from pits 20 & 30 in & 12
deep for 1/4 sec Cor

4100 Leave sand hills & rate
valley bearing E & W

8000 Raised mound of earth 3 ft
high from pits 20 & 30 in & 12
in deep for Corner to secs
26 27 34 and 35

Land South 41 Chs sand
hills 3 rate balance undulating
good 2 rate

Township 27 North Range 17

East on a random line between secs 26 and 35
Va 3° 22' East

4000 Marked point for temporary 1/4 sec Cor

5000 Leave valley & enter sand hills bearing N W S E

7967 Intersect the N & S line 79 lks South of mound Cor to secs 25 26 35 & 36 from which Cor
I saw South 89° 26' West on a line line between secs 26 and 35
Va 3° 22' East

3983½ Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7967 The Cor to secs 26, 27, 33 and 34

West 50 chs good 2 rate
Land balance sand hills 3 rate

West of the 6th Principal Meridian

North between secs 26 & 27
Va 3° 22' East

1100 Leave valley & enter sand hills bearing E & W

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

4200 Leave sand hills & enter valley bearing E & W

7900 Leave valley & enter hills bearing E & W

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Corner to secs 22 23 26 and 27

Land on the valley is good 2 rate balance 3 rate

Township 27 North Range 17 West of the 6th Principal Meridian

East on a random line between secs 23 and 26
Va 13° 22' East

2900 Leave sand hills & enter valley bearing N & S

4000 Marked point for temporary 1/4 sec Cor

4300 Leave valley & enter sand hills bearing N & S

7964 Intersect the North and South line at mound Cor to secs 23 24 25 and 26 from which Cor

I run West on a true line between secs 23 & 26
Va 13° 22' East

3982 Raised mound of earth 3 ft high from pits 20 & 30 and 12 in deep for 1/4 sec Cor

7964 The Corner to secs 22 23 26 and 27

The Land on valley is good 2 rate - balance 3 rate

North between secs 22 & 23
Va 13° 22' East

3700 Leave sand hills & enter valley bearing E & W

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

5400 To shallow lake bears N.W. & S.E. Chain distance across Lake 16 chs

7000 Leave Lake bearing E & W

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to secs 14 15 22 and 23

Land South 37 ch sand hills 3 rate balance level land 2 rate soil

The Lake noted on this line extended East into 23 about 30 chs and West into secs 22 about 10 chs. it is only about 12 inches deep in deepest part and liable to dry up in extreme dry weather

Township 27 North Range 17

East on a random line
between secs 14 and 23
Va 13° 22' East
4000 Marked point for temporary
1/4 sec Cor
7935 Intersect the N & S line 7
lks South of mound Cor
to secs 13, 14 23 & 24 from
which Cor
I ran South 89 57 West
on a true line between secs
14 and 23
Va 13° 22' East
3967 1/2 Raised mound of earth 3 ft
high from pits 20 x 30 in and
12 in deep for 1/4 sec Cor
7935 The Cor to secs 14, 15, 22
and 23

Land undulating
good 2 rate soil

West of the 6th Principal Meridian

North between secs 14 & 15
Va 13° 22' East
600 Leave oulley & enter sand
hills bearing N. W. S. E
4000 Raised mound of earth
3 ft high from pits 20 x 30 in
and 12 in deep for 1/4 sec
Cor
7300 Leave sand hills & enter
oulley bearing E & W
8000 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for Cor to
secs 10 11 14 and 15

Land mostly sand hills
3 rate

Township 27 North Range 17

East on a random line between secs 11 and 14

Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

7992 Intersect the North and South line 12 lks South of mound Cor to secs 11, 12, 13 and 14 from which Cor

I run South 89 55 West on a true line between secs 11 & 14

Va 13 22 East

3996 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7992 The Cor to secs 10, 11, 14 and 15

Land all gentle rolling oully 1st rate

West of the 6th Principal Meridian

North between secs 10 and 11

Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

4200 Leave oully and rate sand hills bearing E & W

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 2, 3, 10 & 11

South 42 chs good land balance sand hills 3 rate

Aug 12th 1874

Township 27 North Range 17

East on a random line between secs 2 and 11
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

7974 Intersect the N & S line 18 lks South of mound Cor to secs 1, 2, 11, and 12 from which Cor
I ran South 89° 52' West on a true line between secs 2 and 11
Va 13° 22' East

3987 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7974 The Cor to secs 2 3, 10 and 11

Land sand hills 3 rate

West of the 6th Principal Meridian

North between secs 2 and 3 on a random line
Va 13° 22' East

1800 Leave sand hills & enter valley bearing E & W

4000 Marked point for temporary 1/4 sec Cor

5600 Leave valley bearing E & W and enter sand hills

7916 Intersect the North boundary of the Township 30 lks East of mound Cor to secs 2 & 3 from which Cor
I ran South 13' East on a true line between secs 2 & 3
Va 13° 22' East

3916 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7916 The Cor to secs 2. 3. 10 & 11

Land on the valley is good 2 rate the balance 3 rate

Township 27 North Range 17

North between secs 33 and 34

Va 13° 22' East

500 Leave undulating land and enter sand hills bearing N. W. & S. E.

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Corner to secs 27. 28 33 and 34

Land mostly sand hills 3 rate

West of the 6th Principal Meridian

East on a random line between secs 27 and 34

Va 13° 22' East

3000 Leave sand hills & enter undulating land bearing N. W. & S. E.

4000 Marked point for temporary 1/4 sec Cor

7982 Intersect the N & S line 37 lks South of mound Cor to secs 26 27 34 and 35 from which Cor

I run South 89° 44' West on a true line between secs 27 & 34

Va 13° 22' East

3991 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7982 The Cor to secs 27 28 33 & 34

West 30 chs sand hills 3 rate land balance undulating 2 rate

Township 27 North Range 17

North between secs 27 & 28
Va 13' 22" East

4000 Raised mound of earth
3 ft high from pits 20 x 30 in
and 1½ in deep for "4 sec
Cor

8000 Raised mound of earth
3 ft high from pits 20 x 30
in and 1½ in deep for Cor
to secs 21 22 27 & 28

Land sand hills & rate

Township 27 North Range 17 West of the 6th Principal Meridian

East on a random line
between secs 22 and 27
Va 13 22 East

4000 Marked point for temporary
¼ sec Cor

7990 Intersect the North and
South line 35 lks South
of mound Cor to secs 22, 23
26 and 27 from which Cor
I can South 89° 45' West on
a true line between secs 22
and 27
Va 13° 22' East

3995 Raised mound of earth 3 ft
high from pits 20 x 30 in and
in deep for "4 sec Cor

7998 The Cor to secs 21, 22
27 and 28

Land sand hills &
rate

Township 27 North Range

North between secs 21 & 22
Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Set post with charcoal and 3 x 3 in 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18 x 24 in and 12 in deep for Cor to secs 15 16 21 and 22

Land sand hills 3 rate

17 West of the 6th Principal Meridian

East on a random line between secs 15 and 22
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

5400 Leave sand hills & enter oully bearing N.E. and S.W.

7992 Intersect the N & S line at mound Cor to secs 14, 15, 22 & 23 from which Cor
I run West on a true line between secs 15 and 22
Va 13° 22' East

3996 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7992 The Cor to secs 15, 16, 21 & 22

Land West 54 chs sand hills 3 rate balance level 2 rate

Township 27 North Range 17

Chains

North between secs 15 & 16
Va 13° 22' East

4000 Raised mound of earth
3 ft high from pits 20 x 30
in Acid 12 in deep for 1/4
sec Cor

6500 Leaves sand hills & rolling
valley drainage N.E. & S.W.

8000 Raised mound of earth
3 ft high from pits 20 x 30
in Acid 12 in deep for Cor
to secs 9 10 15 and 16

South 65 Chs sand hills
3 rate land balance
level good 2 rate

West of the 6th Principal Meridian

Chains

East on a random line
between secs 10 and 15
Va 13° 22' East

4000 Marked point for temporary
1/4 sec Cor

8000 Intersect the North and South
line 20 lks South of mound
Cor to secs 10 11 14 & 15
from which Cor
I run South 89 51 West on
a true line between secs
10 and 15
Va 13° 22' East

4000 Raised mound of earth
3 ft high from pits 20 x 30 in
Acid 12 in deep for 1/4 sec
Cor

8000 the Cor to secs 9 10 15 & 16

Land gently undulating
valley 1st rate soil
August 13th 1874

Township 27 North Range

North between secs 9 & 10
Va 13° 22' East

1100 Leave oulley & enter sand hills bearing N E & S W

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7800 Leave sand hills & enter oulley bears E & W

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 3, 4 9 and 10

Land mostly sand hills 3 rate

17 West of the 6th Principal Meridian

East on a random line between secs 3 and 10
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

4300 Leave oulley & enter sand hills bearing N E & S W

7988 Intersect the North and South line 10 chs North of mound Cor to secs 2, 3 10 & 11 from which Cor
I run North 89° 56' West on a line line between secs 3 and 10
Va 13° 22' East

3994 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7988 The Cor to secs, 3, 4 9 & 10

West 43 chs gentle rolling oulley 5 rate soil balance sand hills 3 rate

Township 27 North Range 17

North on a random line between secs 3 & 4
Va 13°22' East

4000 Marked point for temporary 1/4 sec Cor

7942 Intersect the North boundary of the Township 7 lks E of mound Cor to secs 3 and 4 from which Cor

I ran South 3 East on a line line between secs 3 and 4
Va 13°22' East

3942 Raised mound of earth 3 ft high from pits 20 x 30 in and 1/2 in deep for 1/4 sec Cor

7942 The Cor to secs 3, 4 9 & 10

Land undulating only 1st rate soil

West of the 6th Principal Meridian

North between secs 3 & 33
Va 13°22' East

4001 Raised mound of earth 3 ft high from pits 20 x 30 in and 1/2 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 1/2 in deep for Cor to secs 28, 29, 32, 33

Land sand hills 3 rate

Township 27 North Range 17

East on a random line between secs 28 & 33
Va 13° 22' East

800 Leave sand hills & enter undulating land bearing N.W.S.E.

4000 Marked point for temporary 1/4 sec Cor

5800 Leave undulating land & enter sand hills bearing N.S.

8028 Intersect the N.S. line 23 lks South of mound Cor to secs 27 28 33 and 34 from which Cor
I ran South 89° 50' West on a line line between secs 28 & 33
Va 13° 22' East

4014 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8028 The Cor to secs 28 29 32 & 33
The land on the valley is good 2 rate balance 3 rate

West of the 6th Principal Meridian

North between secs 28 & 29
Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

4600 Leave sand hills & enter level land bearing N.W.S.E.

4700 Enter swamp bearing E.W.

7800 Leave swamp bearing E.W.

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Corner to secs 20 21 28 & 29

Land South 46 chs sand hills balance level mostly swampy 3 rate

At about 8 chs South East from Cor to secs 20 21 28 & 29. there is a shallow Lake of strong alkali water of about 40 acres in area

Township 27 North Range

East on a random line between secs 21 & 28
Va 13° 22' East

3200 Leave level land & enter sand hills bearing N.W. and S.E.

4000 Marked point for temporary 1/4 sec Cor

8022 Intersect the N and S line 38 lks South of mound Cor to secs 27, 22, 27 & 28 from which Cor
I ran South 89° 44' West on a true line between secs 21 and 28
Va 13° 22' East

8011 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8022 The Cor to secs 20, 21, 28 & 29

West 32 chs level sandy poor 2 rate soil balance sand hills 3 rate

17 West of the 6th Principal Meridian

North between secs 20 & 21
Va 13° 22' East

1600 Leave undulating land & enter high broken sand hills bearing N.W. S.E.

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 16, 17, 20 & 21

South 18 chs level sandy poor 2 rate land balance 3 rate

Township 27 North Range 17

East on a random line
between secs 16 and 21
Va 13 22 East

4000 Marked point for temporary
1/4 sec Cor

8038 Intersect the N and S line
32 lks South of port Cor
to secs 15 16 21 and 22
from which Cor
I run South 89°46' West on
a line line between secs
16 and 21
Va 13 22 East

4019 Raised mound of earth 3 ft
high from pits 20 x 30 in and 12
in deep for 1/4 sec Cor

8038 The Cor to secs 16 17 20 21

Land broken sand hills 3 rate
rat

West of the 6th Principal Meridian

North between secs 16 & 17
Va 13 22 East

1492 Leave sand hills & enter
valley bearing E & N

4000 Raised mound of earth 3 ft
high from pits 20 x 30 in and 12
in deep for 1/4 sec Cor

5292 Leave valley & enter sand
hills bearing E & N

8000 Raised mound of earth 3 ft high
from pits 20 x 30 in and 12 high
from pits 20 x 30 in and 12 deep
for Cor to secs 8, 9, 16 & 17

Land on valley 1st rate
balance 3 rate
Aug 14th 1874

Township 27 North Range

East on a random line
between secs 9 & 16
Va 13° 22' East
4000 Marked point for temporary
1/4 sec Cor
7100 Leave hills & enter valley bearing N.E. S.W.
8008 Intersect the N & S line
9 lks South of mound Cor
to secs 9, 10, 15 & 16 from
which Cor
I run South 89° 56' West
on a true line between
secs 9 and 16
Va 13° 22' East
4004 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for 1/4
sec Cor
8008 The Cor to secs 8, 9, 16
and 17

Land sand hills 3 rate

19 West of the 6th Principal
Meridian

North between secs 8 & 9
Va 13° 22' East
2500 Leave sand hills & enter
valley bearing N.E. S.W.
4000 Raised mound of earth 3 ft high
from pits 20 x 30 in and 12 in
deep for 1/4 sec Cor
5500 Leave valley & enter sand
hills bearing N.E. S.W.
8000 Raised mound of earth 3 ft
high from pits 20 x 30 in and
12 in deep for Corner to
secs 4, 5, 8, and 9

Land North and South part
sand hills 3 rate - balance
gentle rolling 2 rate

Township 27 North Range 17

East on a random line
between secs 4 and 9
Va 13° 22' East

2500 Leave sand hills & enter
valley bearing N. E. &
S. W.

3940 Drain 40 lks wide descends
N. E.

4000 Marked point for temporary
1/4 sec Cor

4900 Leave valley & enter sand
hills bears N. E.

7500 Leave sand hills & enter valley
bearing N. W. S. E.

7996 Intersect the N & S line 65
lks North of mound Cor
to secs 3 4 9 & 10 from
which Cor I ran North
8932 West on a line line
between secs 4 and 9
Va 13° 22' East

3998 Raised mound of earth 3 ft
high from pits 20 x 30 in and 12
deep for 1/4 sec Cor

7996 The Cor to secs 4 5 8 & 9
Land on the valley is 1st rate balance 3 rate

West of the 6th Principal Meridian

North on a random line
between secs 4 and 5
Va 13° 22' East

4000 Marked point for temporary
1/4 sec Cor

7932 Intersect the North boundary
of the Township 12 lks East of
mound Cor to secs 4 & 5 from
which Cor
I ran South 5 East on a line
line between secs 4 and 5
Va 13° 22' East

3932 Raised mound of earth 3 ft
high from pits 20 x 30 in
and 12 in deep for 1/4 sec Cor

7932 The Cor to secs 4 5 8 & 9

Land sand hills 3 rate

Township 27 North Range

North between secs 31 & 32
Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 29 30 31 & 32

South 54 chs rolling 2 rate land balance 3 rate hilly

17 West of the 6th Principal Meridian

East on a random line between secs 29 & 32
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

7992 Intersect the N & S line 26 chs South of mound Cor to secs 28 29 32 & 33 from which Cor

I run South 89 49 West on a true line between secs 29 and 32
Va 13 22 East

3996 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7992 The Cor to secs 29 30 31 and 32

Land sand hills 3 rate

Township 27 North Range 17

West on a ranelown line
between secs 30 and 31
Va 13° 22' East
4000 Marked point for temporary
1/4 sec Cor
7936 Inclined the West boundary
of the Township 36 lbs
North of mound Cor to
secs 30 and 31 from which
Cor
I ran North 89° 45' East
on a line line between secs
30 and 31
Va 13° 22' East
3936 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for 1/4
sec Cor
7936 The Cor to secs 29, 30
31 and 32

Land sand hills 3
mile

West of the 6th Principal Meridian

North between secs 29 30
Va 13° 22' East
4000 Raised mound of earth 3 ft high
from pits 20 x 30 in and 12 in
deep for 1/4 sec Cor
8000 Raised mound of earth 3 ft
high from pits 20 x 30 in and 12
in deep for Cor to secs 19, 20
29 and 30

Land sand hills 3 mile

Township 27 North Range

East on a random line
between secs 20 and 29
Va 13° 22' East
4000 Marked point for temporary
1/4 sec
5200 Leave sand hills & ratio
oulley bearing N, W, S, E
7990 Intersect the N & S line 5 lks
South of mound Cor to secs
20 21 28 & 29 from which
Cor
I ran South 84° 58' West
on a true line between
secs 20 and 29
Va 13° 22' East
3995 Raised mound of earth
3 ft high from pits 20 & 30
in and 12 in deep for 1/4
sec Cor
7990 The Cor to secs 19 20 29
and 30

West 52 chs sand hills
balance undulating 2 cm

17 West of the 6th Principal Meridian

West on a random line
between secs 19 and 30
Va 13° 22' East
4000 Marked point for temporary
1/4 sec Cor
7968 Intersect the West boundary
of the Township 48 lks North
of mound Cor to secs 19 30
from which Cor
I ran North 89° 39' East
on a true line between secs
19 and 30
Va 13° 22' East
.68
3984 Raised mound of earth 3 ft
high from pits 20 & 30 in and
12 in deep for 1/4 sec Cor
7968 The Cor to secs 19, 20, 29
and 30

Land sand hills 3 cuts
Aug 15th 1874

Township 27 North Range

North between secs 19 and 20

Va 13° 22' East

1500 Leave sand hills & enter valley bearing E W

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Set post with Charred in 3 x 3 in 5 ft 12 in deep raised mound of earth 2 1/2 feet high from pits 20 x 30 in and 12 in deep for Cor to secs 17.18 19 and 20

Land North 65 Chs. gentle rolling 2 rate balance sand hills 3 rate

At about 12 Chs S.W. from the Cor to secs 17.18.19.20 and in sec 19. there is a Lake of Alkali water of the area of about 80 acres the water is shallow the deepest part being only about 15 inches deep

17 West of the 6th Principal Meridian

East on a random line between secs 17 and 20

Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

6800 Leave undulating land & enter sand hills bearing N, E, S, W

7988 Intersect the North and South line 35 lks South of mound Cor to secs 16.17.20 & 21 from which Cor I run South 84° 45' West on a true line between secs 17 and 20

Va 13 22 East

3994 Raised mound of earth 3 ft high from pits 20 x 30 in & 12 in deep for 1/4 sec Cor

7988 The Cor to secs 17.18 19 & 20

West 68 Chs undulating 2 rate balance sand hills 3 rate

Township 27 North Range 17

West on a random line
between secs 18 and 19
Va 13° 22' East

3800 Leave undulating sand
and enter sand hills
bearing N. E. & S. W.

4000 Marked point for temporary
1/4 sec Cor

7400 Leave sand hills & enter
valley bearing N. W. & S. E.

7968 Intersect the West boundary
of the Township 78 lks North
of mound Cor to secs 18 & 19
from which Cor
I run North 89° 27' East
on a true line between
secs 18 and 19
Va 13° 22' East

3968 Raised mound of earth 3 ft
high from pits 20 x 30 in and 12
in deep for 1/4 sec Cor

7968 The Cor to secs 17, 18, 19 & 20
The Land on sand hills 3
rate the balance good 2 rate

West of the 6th Principal Meridian

North between secs 17 & 18
Va 13 22 East

4000 Leave valley & enter sand
hills bearing E & W

4000 Raised mound of earth 3 ft
high from pits 20 x 30 in and 12
in deep for 1/4 sec Cor

7700 Leave sand hills & enter valley
bearing N. W. & S. E.

8000 Raised mound of earth 3 ft
high from pits 20 x 30 in &
12 in deep for Cor to secs
7, 8, 17 and 18

Land mostly sand hills 3
rate.

Township 27 North Range

East on a random line between secs 8 & 17
Va 13° 22' East

1800 Leave undulating land bearing N.E. S.W.

4000 Marked point for temporary 1/4 sec Cor

8036 Intersect the N & S line 7 lks South of mound Cor to secs 8, 9, 16 and 17 from which Cor
I ran South 89° 57' West on a true line between secs 8 and 17
Va 13° 22' East

2518 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8036 The Cor to secs 7, 8, 17 & 18

West 18 Chs undulating land 2 mile balance sand hills 3 mile

17 West of the 6th Principal Meridian

West on a random line between secs 7 and 18
Va 13° 22' East

250 Leave valley & enter sand hills bearing N.W. & S.E.

2300 Leave sand hills bearing N.E. S.W.

4000 Marked point for temporary 1/4 sec Cor

7960 Intersect the West boundary of the Township 42 lks North of mound Cor to secs 7 & 18 from which Cor
I ran North 89° 42' East on a true line between secs 7 and 18
Va 13° 22' East

~~396~~
3960 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7960 The Cor to secs 7, 8, 17 and 18

Land on the valleys good 2 mile balance 3 mile

Township 27 North Range 17

North between secs 7 & 8
Va 13°22' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in Ave 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 & 31 in Ave 12 in deep for Cor to secs 5 6 7 & 8

Land gentle rolling valley 1st rate soil

West of the 6th Principal Meridian

East on a random line between secs 5 and 8
Va 13°22' East

2100 Leave valley & rate 2 low sand hills N & S
4000 Marked point for temporary 1/4 sec Cor

8000 Inclined the N & S line 24 lks North of mound Cor to secs 4 5 8 and 9 from which Cor

I ran North 89 50 West on a true line between secs 5 and 8
Va 13°22' East

4003 Raised mound of earth 3 ft high from pits 20 & 30 in & 12 in deep for 1/4 sec Cor

8000 The Cor to secs 5 6 7 and 8

West 15 chs. valley good 2 rate land balance sand hills 3 rate

Township 27 North Range

West on a random line between secs 6 and 7
Va 13° 22' East

2000 Leave oulley & enter sand hills bearing N, W, S, E

4000 Marked point for temporary 1/4 sec Cor

8007 Intersect the West boundary of the Township 47 lks North of mound Cor to secs 6 and 7 from which Cor
I run North 89° 40' East on a true line between secs 6 and 7
Va 13° 22' East

4007 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8007 The Cor to secs 5, 6, 7, & 8

East 20 chs oulley level 1st rate soil balance sand hills 3 rate

17 West of the 6th Principal Meridian

North on a random line between secs 5 and 6
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

5700 Leave oulley and enter sand hills bearing East & W

7948 Intersect the North boundary of the Township 15 chs East of mound Cor to secs 5 & 6 from which Cor
I run South 6 East on a true line between secs 5 and 6
Va 13° 22' East

3948 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7948 The Cor to secs 5, 6, 7, & 8

South 57 chs undulating oulley good 2 rate land balance 3 rate. at about 20 chs East of the 1/4 sec Cor on this line (over)

Township 28 North Range 17

there is a shallow irregular Lake of about 70 acres. The water is strong alkali. of an average depth of about 13 inches. liable to be greatly reduced by evaporation

August 16, 1874

In the subdivision of this Township. I have not set posts or stone at the corners for the reason that there is neither timber or stone to be obtained in the region of country

West of the 6th Principal Meridian

General Description

This Township is about equal part valley & some hills. The valleys are gently rolling or undulating. good soil. sandy loam & clay soil fit for cultivation mostly covered with a luxuriant growth of grass. the hills are covered with a fine growth of grass and well adapted for grazing there is a number of small alkali Lake and ponds. through the Township. but no good water to be obtained. only by digging and then plenty of good water can be found in the valleys at a depth of from 4 to 12 feet. there is no timber or stone in the Township

Township 27 North Range 17 West of the 6th Principal Meridian

A list of the names of the individuals employed to assist in running measuring or marking the lines and corners described in the foregoing field notes of Township No 27 North of the Base line Range No 17 West of the 6th Principal Meridian showing the respective capacities in which they acted.

John H Turner Chainman
August Wyse Chainman

David H Reynolds Mounderman

Thomas Rowan Flagman

We hereby certify that we assisted Walter G Campbell Deputy Surveyor in subdividing Township No 27 North of the Base Line Range No 17 West of the 6th Principal Meridian, and that said Township been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions of the Surveyor General and of dimensions character, construction, and marking and in the manner as specifically described in the foregoing field notes

John H. Turner } Chainman
August Wyse }

David H Reynolds Mounderman

Thomas Rowan Flagman

Subscribed and sworn to by the

Township 27 North Range 17 West of the 6th Principal Meridian

above named persons before me a Notary Public in and for Dodge County Nebraska this 2d day of September 1874

George H. Briggs
Notary Public
Dodge County Nebraska

I Walter C Campbell deputy surveyor do solemnly swear that in pursuance to a joint contract wherein John W Dunghest Dean S Parmelee and Walter C Campbell are joint contractors with E E Cunningham Surveyor General for the District of Nebraska and Iowa bearing date the 8th day of July 1874 I have well faithfully and truely in my own proper person and in strict conformity to the Instructions furnish by the Surveyor General the surveying manual and the Laws of the United States, surveyed all those parts or portions of Township No 27 North of the Base line in Range No 17 West of the 6th Principal Meridian as are represented in the foregoing field notes as having been surveyed under my directions and I do further solemnly swear

Township 27 North Range 17 West of the 6th Principal Meridian

that all the corners of said survey have been established and perpetuated in such conformity with the surveying manual, printed instructions and special instructions of the Surveyor General, of dimensions character, construction and marking, and in the manner as specifically described in the foregoing field notes; and that the foregoing are the true and original field notes of such survey

Walter C Campbell
Deputy Surveyor

Subscribed by said Walter C. Campbell Deputy Surveyor and sworn to before me a Notary Public in and for Dodge County Nebraska this 2 day of September 1874

George H. Briggs
Notary Public Dodge County Nebraska

Surveyor Generals Office
Plattsmouth Oct 31st 1874.
The foregoing field notes of the Subdivision of Township No 27 N of Base Line of Range No 17 W of 6th P.M. in Nebraska Executed by Walter C Campbell under joint contract of the 8th day of July 1874. in the month of July 1874. having been critically examined, the necessary corrections and explanations made, the said field notes and the surveys they describe are hereby approved -

E. E. Cunningham
Surveyor General

Township 28 South Range 17 West of the 6th Principal Meridian

Town 28 N. Range 17 W.



Field Notes of the Subdivision lines of Township No 28 South of the Base Line Range No 17 West of the 6th Principal Meridian in the State of Nebraska. Surveyed by John H. Dunphett Deputy Surveyor Commenced Aug 18th 1874 and Completed Aug 23 1874

Township 28 North Range 17 West of the 6th Principal Meridian

Names and duties of Assistants employed in Subdividing Township No 28 North of the Base Line Range 17 West of the 6th Principal Meridian in the State of Nebraska

John Ingersoll Chainman
Edward Davis Chainman
James R Ford Moundman
Herbert Gould Flagman

Commencing at the Corner to Townships 27 & 28 North Ranges 16 and 17 West with Youngs improved Solar Compass in proper adjustment I run North along the East boundary of Sec 36
Va 13° 30' East
3996 To the 1/4 sec Cor
7994 To the Cor to secs 25 & 36
Therefore my compass is in proper adjustment.

Township 28 N. Range 17

North between Secs 35 & 36

Var 13° 30' East

1000 Leave valley & enter hills bearing E & W

3800 Leave hills & enter valley bearing N W & S E

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Set post with charred end 4 x 4 in and 12 in feet 1/2 in deep raised mound of earth 2 1/2 feet high from pits 18 x 24 in and 12 in deep for Corner to Secs 25 26 35 and 36

Land on the valley gentle rolling 1st rate balance low sandy hills 3 rate

West of the 6th Principal Meridian

East on a random line between Secs 25 and 36

Var 13° 30' East

2700 Leave valley & enter hills bearing N & S

4000 Marked point for temporary 1/4 sec Cor

8027 Intersect the East boundary of the Township 7 lks North of post Cor to Secs 25 & 36 from which Cor

I ran North 84 57 West on a true line between Secs 25 and 36

Var 13° 30' East

4013 1/2 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8027 The Cor to Secs 25, 26, 35 & 36

West 27 chs level 1st rate Land balance worthless sand hills

Township 28 North Range 17

North between secs 25 & 26

Va 13° 30' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in Encl 12 in deep for 1/4 sec Cor. on the South bank of a shallow Lake bears E, 0 ft

I chain the distance across the lake 29,00 chs

6900 To North bank of Lake where I raised mound of earth 3 ft high from pits 20 x 30 in & 12 in deep for meander Cor

8000 Set post with Channel encl 3 x 3 in 4 ft 12 in deep raised mound of earth 3 ft high from pits 20 x 30 in & 12 in deep for Cor to secs 23 24 25 Encl 26

Land gentle-rolling 1st note

The Lake noted on this line is strong alkali water it contains about 80 acres. lies mostly in secs 25. it is likely to dry up or be greatly reduced by evaporation

West of the 6th Principal Meridian

East on a random line between secs 24 and 25

Va 13° 30' East

4000 Marked point for temporary 1/4 sec Cor

6900 Leave rolling ~~rolly~~ & rule ~~hill~~ Land bearing N of

8019 Intersect the East boundary of the Township 14 lks North of post Cor to secs 24 & 25 from which Cor

I run North 89° 54' West on a true line between secs 24 and 25.

Va 13° 30' East

4018 1/2 Raised mound of earth 3 ft high from pits 20 x 30 in Encl 12 in deep for 1/4 sec Cor

8019 The Cor to secs 23, 24, 25 and 26

Land mostly gentle-rolling good 2nd note soil

Township 28 North Range 17

North between secs 23 and 24
Var 13° 30' East

1100 Leaves valley & enters hills bearing E & W

4000 Raised mound of earth 3 ft high from pits 20 x 30 in & 12 in deep for 1/4 sec Cor

6100 Leaves hills & enters valley bearing E & W

8000 Set post with charred end 3 x 3 in 4 feet 12 in deep - raised mound of earth 3 ft high from pits 20 x 24 in & 12 in deep for Cor to secs 13. 14 23 & 24

Land hilly part 3 rate - balance undulating 2 rate

West of the 6th Principal Meridian

East on a random line between secs 13 and 24
Var 13° 30' East

4000 Marked point for temporary 1/4 sec Cor

5500 Leaves valley & enters hills bearing N W & S E

8038 Intersect the East boundary of the Township 45 lks South of post Cor to secs 13 & 24 from which Cor
I run South 89 41 West on a true line between secs 13 and 24
Var 13° 30' East

4019 Raised mound of earth 3 ft high from pits 20 x 30 in & 12 in deep for 1/4 sec Cor

8038 The Cor to secs 13. 14 23 and 24

Land on the valley gentle rolling good 2 rate balance sand hills 3 rate

Township 28 North Range

North between secs 13 and 14
Va 13°30' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7600 Leave, valley & enter hills bearing N E, S, W

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 11 12, 13 and 14

Land mostly level low bottom. soil 1st rate

17 West of the 6th Principal Meridian

East on a random line between secs 12 and 13
Va 13°30' East

2500 Leave hills & enter valley bearing N, E, S, W

4000 Marked point for temporary 1/4 sec Cor

8040 Intersect the East boundary of the Township 27 lks South of post Cor to secs 12 & 13 from which Cor
I ran South 89°48' West on a true line between secs 12 and 13
Va 13°30' East

4020 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8040 The Cor to secs 11, 12, 13 and 14

Land West 25 chs hilly sandy 3 rate balance bottom 1st rate

Township 28 North Range 19 West of the 6th Principal Meridian

North between secs 11 & 12
Va 13°30' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in Mid 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in Mid 12 in deep for Cor to secs 1, 2, 11 & 12

Land hilly sandy 3 cats

East on a random line between secs 1 and 12
Va 13°30' East

4000 Marked point for temporary 1/4 sec Cor

8028 Intersect the East boundary of Township 40 lks South of post Cor to secs 1 and 12 from which Cor
I ran South 89°43' West on a true line between secs 1 and 12
Va 13°30' East

4074 Raised mound of earth 3 ft high from pits 20 & 30 in Mid 12 in deep for 1/4 sec Cor

8026 The Cor to secs 1 2 11 & 12

Land sand hills 3 cats

August 18th 1874

Township 28 North Range

North on a true line between secs 1 and 2
Va 13° 30' East

4 00 Leave hills & enter rolling
Land bearing E & W

4 00 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7 80 Intersect the North boundary of the Township 3.31 chs East of the 1/4 secs Cor on the south boundary of sec 36 Township 29 North Range 17 West of the 6th Principal Meridian where I raised mound of earth 3 ft high from pits 20 x 30 in & 12 in deep for closing Cor to secs 1 and 2 on the 7 Standard Parallel

Land mostly rolling poor sandy soil

17 West of the 6th Principal Meridian

North between secs 34 & 35
Va 13° 30' East

4 00 Raised mound of earth 3 ft high from pits 20 x 30 in & 12 in deep for 1/4 sec Cor

4 70 Leave hills & enter rolling ~~enter hills bearing~~ E & W

8 00 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 26 27 34 & 35

Land 47 chs south part sand hills balance gentle rolling rolling 1st rate

Township 28 North Range 17

East on a random line between secs 26 & 35
Va 13° 30' East

4000 Marked point for temporary 1/4 sec Cor

8016 Intersect the N & S line at post Cor to secs 25 & 35 and 36 from which cor I saw West on a line line between secs 26 & 35
Va 13° 30' East

4008 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8016 The Cor to secs 26, 27, 34 and 35

Land undulating 1st rate

West of the 6th Principal Meridian

North between secs 26 & 27
Va 13 30 East

3000 Leave valley & enter hills bearing N, W, & S, E

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 22, 23, 26 & 27

Land South 30 Chs gentle rolling valley 2 rate balance hilly sandy 3 rate

Township 28 North Range 17

East on a random line between secs 23 and 26
Va 13° 30' East

400 Leave sand hills & enter oulley bearing N & S

4000 Marked point for temporary 1/4 sec Cor

8009 Intersect the N & S line 7 lks North of post Cor to secs 23 24 25 and 26 from which Cor
I saw North 84° 57' West on a line line between secs 23 and 26
Va 13° 30' East

4004½ Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8009 The Cor to secs 22, 23 26 and 27

Land mostly level oully 1st rate soil

West of the 6th Principal Meridian

North between secs 22 & 23
Va 13° 30' East

2000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

4800 Leave hills & enter oulley bearing E. & W

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 14, 15 22, & 23

Land south 48 chs hilly sandy 3 rate balance lower bottom 1st rate

Township 28 North Range

East on a random line between secs 14 & 23
Va 13° 30' East

4000 Marked point for temporary 1/4 sec Cor

8003 Intersect the N & S line at pt Cor to secs 13, 14, 22 and 23 from which Cor

I run West on a true line between secs 14 & 23
Va 13° 30' East

4001½ Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8003 The Cor to secs 14, 15, 22 and 23

Land undulating oddly Clay soil 1st rate

7 West of the 6th Principal Meridian

North between secs 14 & 15
Va 13° 30' East

2000 Leave oddly & enter sand hills bearing N. E. & S. W.

4000 Raised mound of earth 3 ft high from pits 20 x 30 x in and 12 in deep for 1/4 sec Cor

6000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 10, 11, 14 & 15

South 20 chs undulating 1st rate land balance hilly sandy 3 rate

Township 28 North Range 17

East on a random line between secs 11 & 14
Va 13° 30' East

4000 Marked point for temp = orary 1/4 sec Cor

7988 Intersect the N & S line 37 lks South of mound Cor to secs 11, 1, 2, 13 & 14 from which Cor
I ran South 89° 44' West on a true line between secs 11 and 14
Va 13° 30' East

3994 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7988 The Cor to secs 10, 11, 14 and 15

Land low sandy hills
3 rate

West of the 6th Principal Meridian

North between secs 10 & 11
Va 13° 30' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 and 12 in deep for Cor to secs 2, 3, 10 and 11

Land low sandy hills
3 rate

August 19th 1874

Township 28 North Range 17 West of the 6th Principal Meridian

East on a random line between secs 2 and 11
Va 13 30 East

4000 Marked point for temporary 1/4 sec Cor

7975 Intersect the N of line 50 lks South of mound Cor to secs 1, 2, 11 & 12 from which Cor
I ran South 89° 39' West on a true line between secs 2 and 11
Va 13° 30' East

3987½ Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7975 The Cor to secs 2, 3, 10 & 11

Land rand hills 3 rate

North on a true line between secs 2 and 3
Va 13 30 East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7832 Intersect the North boundary of the Township 3.10 chs East of the 1/4 sec Cor on the South boundary of secs 35 Township 29 North Range 17 West of the 6th Principal Meridian where I raised mound of earth 3 ft high from pits 20 x 30 in & 12 in deep for closing Cor to secs 2 and 3 on the 7th Standard Parallel

Land hilly sandy 3 rate

Township 28 North Range

North between secs 33 and 34
Va 13 30 Earn

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

4500 Leave hills & enter valley bearing E & W

8000 Set post with charred end 3 x 3 in 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 20 x 24 in and 12 in deep for Cor to secs 27 28 33 and 34

South 45 chs raised hills 3 miles balance level bottom 1 mile

17 West of the 6th Principal Meridian

East on a random line between secs 27 and 34
Va 13 30 East

4000 Marked point for temporary 1/4 sec Cor

7984 Intersect the N & S line 5 lks South of mound Cor to secs 26 27 34 & 35 from which Cor
I ran South 89° 58' West on a line line between secs 27 and 34
Va 13 30 Earn

3992 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7984 The Cor to secs 27, 28, 33 and 34

Land gently undulating 1st rate

Township 28 North Range

North between secs
27 and 28
Va 13° 30' East
4000 Raised mound of earth
3 ft high from pits 20
x 30 in and 12 in deep
for 1/4 sec Cor
4400 Leave valley & enter
hills bearing E & W
8000 Raised mound of
earth 3 ft high from pits
20 x 30 in and 12 in
deep for Cor to secs 21, 22
27 and 28

Land South 44 chs gentle
rolling 1st rate soil balance
hilly sandy 3 rate

17 West of the 6th Principal Meridian

East on a random line
between secs 22 and 27
Va 13° 30' East
4000 Marked point for temporary
1/4 sec Cor
7980 Intersect the North & South
line 23 lks South of mound
Cor to secs 22 23 26 & 27
from which Cor
I saw South 84° 50' West
on a true line between
secs 22 and 27
Va 13° 30' East
3990 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for 1/4
sec Cor
7980 The Cor to secs 21 22
27 and 28

Land sand hills 3
rate

Township 28 North Range

North between secs 21 and 22
Va 13° 30' East

3700 Leave hills & enter only bearing E & W

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Set post with channel end 3 x 3 in 4 ft 12 in deep raised mound of earth 3 ft high from pits 20 x 24 in and 12 in deep for Cor to secs 15. 16 21 and 22

South 3 ½ chs hilly sand 3 mile land balance gentle rolling 2 mile

17 West of the 6th Principal Meridian

East on a random line between secs 15 and 22
Va 13° 30' East

4000 Marked point for temporary 1/4 sec Cor

7978 Intersect the N & S line 12 lks South of mound Cor to secs 14 15 22 & 23 from which Cor
I run South 89° 55' West on a line line between sec 15 and 22
Va 13° 30' East

3989 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7978 The Cor to secs 15. 16, 21 and 22

Land undulating 2 mile wide

Township 28 North Range 17

North between sec 15 and 16
Va 13° 30' East

1000 Leave valley & enter hills, bearing E & W

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 9, 10 15 & 16

Land hilly sandy 3 rule except South 10 Chs which is level 2 rule

West of the 6th Principal Meridian

East on a random line between secs 10 and 15
Va 13° 30' East

4000 Marked point for temporary 1/4 sec Cor

7998 Intersect the North & South line 18 Mks South of mound Cor to secs 10 11 14 & 15 from which Cor
I ran South 89 52 West on a true line between secs 10 and 15
Va 13° 30' East

3999 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7998 The Cor to secs 9, 10, 15 and 16

Land sand hills 3 rule
August 20th 1874

Township 28 North Range 17 West of the 6th Principal Meridian

North between secs
9 and 10
Va 13° 30' East

4000 Raised mound of
earth 3 ft high from pits
20 x 30 in and 12 in
deep for 1/4 sec Cor

4500 Leave sand hills & enter
valley bearing N.W.
& E

8000 Raised mound of earth
3 ft high from pits 20 x
30 in and 12 in deep
for Cor to secs 3, 4
9 and 10

Land on the valley good
2 miles hilly part 3 miles

At 20.00 chs S.E. from the Cor to
secs 3 4 9 & 10 and miles
10 there a Lake bearing E.&N.
about 20.00 chs wide and 40.00 long
the water is strong Alkali and
very shallow

East on a random line
between secs 3 and 10
Va 13° 30' East

1000 Leave valley & enter low
sandy hills bearing N.W.
& E

4000 Marked point for temporary
1/4 sec Cor

8023 Intersect the N & S line 10
lks South of mound Cor
to secs 2, 3 10 and 11
from which Cor
I run South 89° 56' West
on a line between secs
3 and 10
Va 13° 30' East

4011½ Raised mound of earth
3 ft high from pits 20 x
30 in and 12 in deep
for 1/4 sec Cor

8023 The Cor to secs 3, 4, 9 & 10

Land mostly sand hills
3 miles

Township 28 North Range 17 West of the 6th Principal Meridian

North on a true line between secs 3 and 4
Va 13° 30' East

100 Lawn valley & enter hills bearing N.W. & S.E.

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4

78.22 Intersect the North boundary of the Township 2.76 chs East of the 1/4 sec Cor on the South boundary of sec. 34 Township 29 North Range 17 West of the 6th Principal Meridian where I raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Closing Cor to secs 3 and 4 on the 7th Standard Parallel

Land hilly sandy 3 rate

North between secs 32 & 33
Va 13° 30' East

300 Lawn hills & enter valley bearing E & W

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8100 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 28 29 32 & 33

Land mostly undulating 2 rate

Township 28 North Range

East on a random line between secs 28 & 33
Va 13° 30' East

4000 Marked point for temporary 1/4 sec Cor

7985 Intersect the North & South line 9 lks N of mound Cor to secs 27, 28, 33, & 34 from which Cor
I run North 89° 56' West on a true line between secs 28 & 33
Va 13° 30' East

3992 1/2 Raised mound of earth 3 ft high from pits 20 x 30 in Avel 1/2 in deep for 1/4 sec Cor

7985 The Cor to secs 28, 29, 32, & 33

Land undulating, 1st rate

17 West of the 6th Principal Meridian

North between secs 28 & 29
Va 13° 30' East

2700 Leave valley & enter hills bearing N, E, S, W

4000 Raised mound of earth 3 ft high from pits 20 x 30 in Avel 1/2 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in Avel 1/2 in deep for Cor to secs 20 21 28 & 29

South 27 chs undulating valley balance sand hills 3 rate

Township 28 North Range 17

East on a random line between secs 21 and 28
Va 13° 30' East

40,00 Marked point for temporary 1/4 sec Cor

7987 Intersect the N & S line 20 lks North of mound Cor to secs 21, 22, 27 & 28 from which Cor
I ran North 89° 51' West on a line line between secs 21 and 28
Va 13° 30' East

3993½ Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

7987 The Cor to secs 20, 21, 28 and 29

Land rand hills 3 rate

West of the 6th Principal Meridian

North between secs 20 & 21
Va 13° 30' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to secs 16, 17, 20 & 21

Land rand hills 3 rate

Township 28 North Range

East on a random line between Secs 16 and 21

Va 13° 30' East

2000 Leaves hills & ruler gentle rolling land bearing N & S

4000 Marked point for temporary 1/4 sec Cor

7978 Intersect the N & S line at post Cor to secs 15 16 21 and 22 from which Cor

I run West on a true line between secs 16 & 21

Va 13° 30' East

3989 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7978 The Cor to secs 16 17 20 & 21

West 20 chs hilly bulander rolling all sandy 3 rute

17 West of the 6th Principal Meridian

North between secs 16 & 17

Va 13 30 East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7600 Leaves sand hills & ruler rolling bearing E & W

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 8 9 16 & 17

Land mostly sand hills 3 rute

August 21st 1874

Township 28 North Range 17 West of the 6th Principal Meridian

East on a random line between secs 9 and 16
Va 13° 30' East

1800 Leave valley & enter hills bearing N.E. & S.W.

4000 Marked point for temporary 1/4 sec Cor

7964 Intersect the N & S line 28 chs North of mound Cor to secs 9, 10, 15 & 16 from which Cor I saw North 89 48 West on a true line between secs 9 and 16
Va 13° 30' East

3982 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7964 The Cor to secs 8, 9, 16 and 17

West 18 chs valley 2 miles Land balance hilly sandy 3 miles

North between secs 8 & 9
Va 13° 30' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

5500 Leave valley & enter hills bearing N.E. & S.W.

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 4, 5, 8, & 9

South 55 chs gentle rolling Land good 2 miles balance hilly 3 miles

Township 28 North Range 17 West of the 6th Principal Meridian

East on a random line between secs 4 & 9
Va 13° 30' East

3800 Leave ~~outlay~~ sand hills and enter oully bearing N.W. & S.E.

4000 Marked point for temporary 1/4 sec Cor

7947 Intersect the N & S line 44 lks North of mound Cor to secs 3 4 9 & 10 from which Cor
I run North 89° 41' West on a line line between secs 4 and 9.
Va 13° 30' East

3973 1/2 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

7947 The Cor to secs 4 5 8 & 9

West 38 Chs sand hills 3 rate land balance land oully 1st rate

North on a line line between secs 4 and 5
Va 13° 30' East

3400 Leave hills & enter oully bearing N.W. & S.E.

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

5800 Leave oully & enter hills bearing N.W. & S.E.

7848 Intersect the North boundary of the Township 3.60 Chs East of the 1/4 sec Cor on the South Side of secs 33 Township 29 North Range 17 West of the 6th Principal Meridian where I raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for closing Cor to secs 4 and 5 on the 7th Standard Parallel

Land on the oully is 1st rate the balance hilly sandy 3 rate

Township 28 North Range

North between secs
31 and 32
Va 13° 30' East

4000 Raised mound of earth
3 ft high from pits 20 x
30 in and 12 in deep
for 1/4 sec Cor

7000 Leave sand hills & enter
valley bearing E. & W.

8000 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for
Cor to secs 29, 30, 31
and 32

Land mostly high
broken hills B. note

17 West of the 6th Principal Meridian

East on a random line
between secs 29 & 32
Va 13° 30' East

4000 Marked point for temporary
1/4 sec Cor

7932 Intersect the N & S line
45 Chs South of mound
Cor to secs 28, 29, 32 & 33
from which Cor
I run South 89 41 West on
a line line between sec
29 and 32
Va 13° 30' East

3966 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for 1/4
sec Cor

7932 The Cor to secs 29 30 31 &
32

Land gently undulating
1st note

Township 28 North Range 17 West of the 6th Principal Meridian

West on a random line between secs 30 & 31
Va 13° 30' East

4000 Marked point for temporary 1/4 sec Cor

7000 Leave valley & enter sand hills bearing N.E and S.W

8090 Intersect the West boundary of the Township 9 lks North of mound Cor to secs 30 and 31 from which Cor
I saw North 89° 56' 46" East on a true line between secs 30 and 31
Va 13° 30' East

4090 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8090 The Cor to secs 29 30 31 and 32
Land mostly level 1st rate

North between secs ~~28 & 29~~ 29 & 30
Va 13° 30' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 19 20 29 30

Land gently undulating 1st rate soil

Township 28 North Range 17

East on a random line between sec 20 and 29
Va 13° 30' East

3500 Leave valley & rise hills bearing N. E. & S. W.

4000 marked point for temporary 1/4 sec Cor

7958 Intersect the N & S line 37 lks South of mound Cor to secs 20 21 28 & 29 from which Cor
I run South 89° 44' West on a true line between secs 20 and 29
Va 13 30 East

3979 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

7958 The Cor to secs 19 20 29 & 30
West 35 chs level 1st rate
Land balance 3 rate

West of the 6th Principal Meridian

West on a random line between secs 19 & 30
Va 13° 30' East

4000 marked point for temporary 1/4 sec Cor

8040 Intersect the West boundary of the Township 32 lks North of mound Cor to secs 19 & 30 from which Cor
I run North 89° 46' East on a true line between secs 19 & 30
Va 13 30 East

4040 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

8040 The Cor to secs 19, 20 29 and 30

Land gently undulating good 2 rate
August 22 1874

Township 28 North Range

North between secs 19 & 20
Va 13 30 East

500 Enter swamp bearing E & W

1200 Leave swamp bearing E & W

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec cor

3725 Raised mound of earth 3 feet high from pits 20 & 30 in & 12 in deep for meander cor on South bank of a shallow lake which bears E & W I continue chaining North through the Lake

8000 To point in Lake for cor 17, 18, 19, and 20. As this cor can not be permanently established I make the point for cor temporally by driving a small stake the water being about 8 inches deep,

The Land on this line is level 1st rate

17 West of the 6th Principal Meridian

East on a random line between secs 17 and 20
Chains Va 13° 30' East

Beginning at point in Lake for cor to secs 17, 18, 19 & 20 thence I ran East

4080 To East bank of Lake where marked point for temporary meander cor

7980 Intersect the N & S line 39 lks South of mound cor to secs 16 17 20 and 21 from which cor
I ran South 89° 43' West on a line line between secs 17 and 20
Va 13 30 East

3900 To East bank of Lake where I raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for meander cor

7980 To point in Lake for cor to secs 17, 18, 19 & 20

The Land East of lake is broken sand hills 3 rate. The water in the Lake is strong alkali, and from 6 to 15 inches deep

Township 28 North Range

West between secs 18 & 19
on a random line
Var 13° 30' East
Beginning at point for Cor
to secs 17, 18, 19 & 20. Thence
I chain West
2779 To West bank of Lake where
I marked point for temporary
meander Cor Lake bears N E, S W
4000 Marked point for temporary 1/4 sec Cor
7960 Intersect the West boundary
of the Township 42 lks North
of post Cor to secs 18 & 19 from
which Cor I raise North 89° 42' East
3960 Raised mound of earth 3 ft high
from pits 20 x 30 in and 12 in deep for 1/4
sec Cor
5781 To West bank of Lake where
I raised mound of earth 3 ft
high from pits 20 x 30 in and 12
deep for meander Cor
7960 The point in Lake for Cor to
secs 17, 18, 19 and 20

Land West of Lake hilly sandy 3 rat
The water along the line in the Lake is
from 6 to 18 inches deep

17 West of the 6th Principal Meridian

North between secs 17 & 18
Var 13 30 East
Beginning at point in Lake for
Cor to secs 17, 18, 19 and 20
Thence I chain North
1250 To North bank of Lake where
I raised mound of earth 3 ft high
from pits 20 x 30 in and 12 in
deep for meander Cor from
this point the Lake bears N 10° E
about 30,00 chains, and South 15° West
about 12 00 chains
4000 Raised mound of earth 3 ft high
from pits 20 x 30 in and 12 in deep
for 1/4 sec Cor
5600 Lower land hills & ridges only bears N E, S W
8000 Raised mound of earth 3 ft high from
pits 20 x 30 in deep for Cor to secs
7, 8, 17 & 18

Land North part level 1st rate
balance hilly sandy 3 rate
The Lake noted on this line, is
all shallow, and likely to dry
up or be greatly reduced by
evaporation

Township 28 North Range 17

East on a random line between sec 8 & 17
Va 13°30' East

4000 Marked point for temporary 1/4 sec Cor

8000 Intersect the North South line 13 lks South of mound Cor to secs 8, 9, 16 & 17 from which Cor
I ran South 89°54' West on a true line between secs 8 and 17
Va 13°30' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 The Cor to secs 7, 8, 17 & 18

Land gentle undulating 1st rate

West of the 6th Principal Meridian

West on a random line between secs 7 & 18
Va 13°30' East

4000 Marked point for temporary 1/4 sec Cor

5500 Leaves oulley & enter sand hills bearing N, W, S, E

7915 Intersect the West boundary of the Township 67 lks North of post Cor to secs 7 & 18 from which Cor
I ran North 89°31' East on a true line between secs 7 and 18
Va 13°30' East

39.15 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7915 The Cor to secs 7, 8, 17 & 18

East 55 chs undulating 1st rate land balance hilly sandy 3 rate

Township 28 North Range 17

North between secs 7 & 8
Va 13° 30' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 5, 6, 7 & 8

Land undulating 1st rate clay soil.

West of the 6th Principal Meridian

East on a random line between secs 5 and 8
Va 13° 30' East

1000 Leave valley & enter hills bearing N.W. & S.E.

4000 Marked point for temporary 1/4 sec Cor

8004 Intersected the N & S. line 5 ch South of mound Cor to secs 4 5 8 and 9 from which Cor I ran South 8.9' 58" West on a true line between secs 5 and 8
Va 13° 30' East

4002 Raised mound of earth 3 ft high from pits 20 x 30 in & 12 in deep for 1/4 sec Cor

8004 The Cor to secs 5, 6, 7, & 8

West 10 chs level 1st rate land balance hilly sandy 3 rate

Township 28 North Range

West on a random line between secs 6 & 7
Var 13° 30' East

4000 Marked point for temporary 1/4 sec Cor

7865 Intersect the West boundary of the Township 35 lks North of post Cor to secs 6 & 7 from which Cor
I ran North 89° 45' East on a true line between secs 6 and 7
Var 13° 30' East

3865 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7865 The Cor to secs 5, 6, 7, & 8

Land oolley undulating 1st rate

17 West of the 6th Principal Meridian

North on a true line between secs 5 and 6
Var 13° 30' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

4500 Land oolley & entire hills bearing N, W, & S, E

7885 Intersect the North boundary of the Township 3.84 chs East of the 1/4 sec Cor on the south boundary of sec 32 Township 29 N. Range 17 West of the 6th Principal Meridian when I raised mound of earth 3 ft high from pits 20 x 30 in deep for Closing Corner to secs 5 and 6 on the 4th Standard parallel

South 45 chs undulating 1st rate Land balance hilly sandy 3 rate

August 23 1874

Township 28 North Range 17 West of the 6th Principal Meridian

In the subdivision of this Township I have not set posts or stone at many of the corners for the reason that there is no timber or stone to be obtained in the region of country

General Description

This Township is about equal parts sand hills and good undulating rolling. The rollings are well adapted for cultivation the soil is a rich sandy loam. There is a good growth of grass throughout the Township. There is no timber or stone. Good water can be obtained by digging in low places at a depth of from 4 to 12 feet

Township 28 North Range 17 West of the 6th Principal Meridian

A List of the names of the individuals employed to assist in running measuring or marking the lines and Corners described in the foregoing field Notes of Township No 28 North of the Base line Range No 17 West of the 6th Principal Meridian Giving the respective Capacities in which they acted

John Ingersoll Chainman
Edward Davis Chainman

James R Ford Woodsman

Herbert Gould Flagman

We hereby Certify that we assisted John W Daugherty Deputy Surveyor in Subdividing Township No 28 North of the Base Line Range No 17 West of the 6th Principal Meridian, and that said Township has been in all respects to the best of our knowledge and belief well and faithfully Surveyed and the boundary monuments planted according to the Instructions of the Surveyor General and of dimensions characteristic of Construction, and marked and in the manner as specifically described in the foregoing field Notes

John Ingersoll Chainman
Edward Davis

James R Ford Woodsman

Herbert Gould Flagman

Subscribed and sworn to by the

Township 28 North Range 17 West of the 6th Principal Meridian

Above named persons before me a Notary Public in and for Dodge County Nebraska this 2 day of Sept 1874

George H. Briggs
Notary Public Dodge County Nebraska

I John W Daugherty Deputy Surveyor do solemnly swear that in pursuance of a joint Contract where in John W Daugherty Dan S Pamelee and Walter C Campbell are joint Contractors with E E Cunningham Surveyor General for the District of Nebraska and Iowa bearing date the 8th day of July 1874 I have well faithfully and truely in my own proper person and in strict Conformity to the Instructions furnished by the Surveyor General, the Surveying Manual and the Laws of the United States Surveyed all those parts or portions of Township No 28 North of the Base Line in Range No 17 West of the 6th Principal Meridian, as are represented in the foregoing field notes as having been surveyed under my directions, and I do further solemnly swear that all the Corners of said Survey

Township No 28 N Range 17 West of the 6th Principal Meridian

have established and perpetuated in strict accordance with the Surveying manual printed instructions, and special Instructions of the Surveyor General of Dimension Character, Construction and marking, and in the manner as specifically described in the foregoing field Notes and that the foregoing ~~are~~ the true and original field notes of such Survey

John W Daugherty
Deputy Surveyor

Subscribed by said John W Daugherty Deputy Surveyor and sworn to before me a Notary Public in and for Dodge County Nebraska this 2, day of Sept 1874

George H. Briggs
Notary Public
Dodge County Nebraska

Surveyor General's Office
Plattsmouth Neb Dec 10th 1874.

The foregoing field notes of the survey and subdivision of Township No 28 North of the Base Line, of Range No 17 West of the 6th P. M. in Nebraska executed by John W. Daugherty under joint contract No 84 dated July 8th 1874, in the month of August 1874 having been critically examined, the necessary corrections and explanations made, the said field notes and the surveys they describe are hereby approved.

E. E. Cunningham
Surveyor General.

General Land Office • Original Field Notes

Book Number

419

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.