General Land Office • Original Field Notes

Book Number

428

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

(37)

T.25-28N.

R.18 W.

Field Notes
of
T 25 N R 18 W

37.

by John W Daugherty
under Contract
No 84
Dated July 8 1874

Joint Contractors
J. W. Daugherty
Walter C Campbell
Dan S. Parmalee

Township 25 North Range 18 West of the 6th Principal Meridian



Field Notes of the Subdivision lines in Township No 25 North of the Base Line Range No 18 West of the 6th Principal Meridian in the State of Nebraska Surveyed by John W Dougherty Deputy Surveyor Commenced July 18th 1874 and Completed July 23 1874

Contract No 84
dated July 8th 1874.

Town 25 N. Range 18 W.

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	29	12
56		55		41		30		29		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Township 25 North of the Base line Range 18 West of the 6th Principal Meridian

Names and duties of Assistants employed in Subdividing Township No 25 North of the Base line, Range No 18 West of the 6th Principal Meridian in the State of Nebraska

John Ingersoll) Chainman
Edward Dunn)

James R. Ford Mountainman

Herbert Gould Flagman

Commencing on the 6th Standard Parallel Corner to Township No 25 North of the Base line Ranges 17 and 18 West, with Young's improved Solar Compass I run North along the East boundary of sec B6

Va 13°21' East

3997 To the 1/4 sec Cor
7995 To the Cor to secs 25 & 36

Township 25 North of the base line Range 18 West of the 6th Principal Meridian

North between secs 35 & 36

Va 13° 21' East

4000 Raised mound of earth 3 ft high from pits 24 & 30 in Aud 12 in deep for 1/4 sec Cor. No timber or stone to be procured to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 & 24 in Aud 12 in deep for Cor to secs 25 & 26 35 Aud 36 No timber or stone to be procured to mark Cor

Land level good
2 rate soil

East on a random line between secs 25 and 36

Va 13° 21' East

4000 Marked point for temporary 1/4 sec Cor

7980 Intersect the East boundary of the Township 20 lks South of pit Cor to secs 25 & 36 from which Cor

I ran South 89° 51' West on a true line between secs 25 and 36

Va 13° 21' East

3990 Raised mound of earth 3 ft high from pits 24 & 30 in Aud 12 in deep for 1/4 sec Cor No timber or stone to be procured to mark Cor

7980 The Cor to secs 25 & 36 35 36

Land gently rolling good
2 rate soil

Township 25 North Range 18

North between secs 25 & 26
Va 13° 21' East

3000 Leave level land & rate
sand hills bears E and W

4000 Raised mound of
earth 3 ft high from pits
24 + 30 in and 12 in deep
for 1/4 sec Cor No timber
or stone to be procured
to mark corner

8000 Raised mound of earth
3 ft high from pits 20 + 24
in and 12 in deep for Cor
to secs 23, 24, 25 & 26
No timber or stone to
be procured to mark Cor

South 30 chains level
1st rate land balance
hilly sandy 3 rate

West of the 6th Principal Meridian

East on a random line
between secs 24 and 25
Va 13° 21' East

4000 Marked point for temporary
1/4 sec Cor

4100 Leave sand hills & rate level land
bears N & S

7200 Leave level land & rate sand
hills bears N and S

7947 Intersect the East boundary of
the Township 33 lks North
of post Cor to secs 24 & 25 from
which Cor
I run North 89° 46' West
on a true line between secs
24 and 25
Va 13° 21' East

3973½ Raised mound of earth 3 ft
high from pits 24 + 30 in
and 12 in deep for 1/4 sec
Cor No timber or stone to be
procured to mark Cor

7947 The Cor to secs 23 24 25 and 26
Level land along this line 1st rate
balance worthless

Township 25 North Range 18

North between secs 23 and 24

Va 13° 21 East

4000 Raised mound of earth 3 ft high from pits 24 x 30 in and 12 in deep for 1/4 sec Cor No timber or stone to be procured to mark Corn.

8000 Set post with charred end 3 x 3 in 4 feet 12 in deep, raised mound of earth 2½ feet high from pits 18 x 24 in and 12 in deep for Cor to secs 13, 14, 23 and 24

Land rolling sandy poor 2 mile soil

West of the 6th Principal Meridian

East on a random line between secs 13 and 24

Va 13° 21 East

3700 Leave rolling hills & sub-level valley bears N & S

4000 Marked point for temporary 1/4 sec Cor

6200 Leave level valley & sub-sand hills bears N & S

7984 Intersect the East boundary of the Township 70 lbs South of post Cor to secs 13 and 24 from which Cor

I run South 89 30 West on a true line between secs 13 and 24

Va 13 21 East

3992 Raised mound of earth 3 ft high from pits 24 x 30 in and 12 in deep for 1/4 sec Cor No timber to be procured to mark Cor

7984 Ke Cor to secs 13, 14, 23 & 24

Land on valley 1 mile balance 3 mile

Township 25 North of the Base line

Mile between secs 13 and 14

Va 13° 21' East

4000 Raised mound of earth 3 ft high from pits 24 + 30 in and 12 in deep for 1/4 sec Cor No timber or stone to be procured to mark Cor

7100 Leave sand hills and enter level valley bears N.W. & S.E.

8000 Raised mound of earth 3 ft high from pits 24 + 30 in and 12 in deep for Cor to secs 11, 12, 13 and 14 No timber or stone to be procured to mark Cor

Level mostly sand hills 3 miles

Range 18 West of the 6th Principal Meridian

East on a random line between secs 12 and 13

Va 13° 21' East

4000 Marked point for temporary 1/4 sec Cor

6200 Leave valley and enter sand hills bears N.W. & S.E.

8000 Intersect the East boundary of the Township at post Cor to secs 12 and 13 from which Cor

I run West on a true line between secs 12 & 13

Va 13° 21' East

4000 Raised mound of earth 3 ft high from pits 24 + 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 The Cor to secs 11, 12, 13 and 14

West 62 chains good 2 miles land balance 3 miles

Township 25 North Range 18

North between secs 11 & 12
Va 13° 21' East

4000 Raised mound of earth 3 ft high from pits 24 & 30 in and 12 in deep for 1/4 sec Cor. No timber or stone to be procured to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 & 24 in and 12 in deep for Cor to secs 1, 2, 11 & 12 No timber or stone to be procured to mark Corner

Land undulating good 2 miles soil

West of the 6th Principal Meridian

East on a random line between secs 1 and 12
Va 13° 21' East

1,50 Leave valley and enter sand hills N. W & S. E

4000 Marked mound of earth point for temporary 1/4 sec Cor

7994 Intersect the East boundary of the Township 27 lks North of first Cor to secs 1 and 12 from which Cor
I ran North 89° 48' West on a line line between secs 1 and 12
Va 13° 21' East

3997 Raised mound of earth 3 ft high from pits 24 & 30 in and 12 in deep for 1/4 sec Cor No timber or stone to be procured to mark Cor

7994 The Cor to secs 1, 2, 11 & 12

Land mostly sand hills 3 miles July 18th 1874

Township 25 North of the base line

North on a random line between secs 1 and 2
Va 13° 21' East

650 Leave valley and enter sand hills bears N. W. & S. E

4000 Marked point for temporary 1/4 sec Cor

7925 Intersect the North boundary of the Township 54 lks West of mound Cor to secs 1 and 2 from which Cor I ran South 87 37 23' West on a true line between secs 1 and 2
Va 13° 21' East

3925 Raised mound of earth 3 ft high from pits 24 x 30 in and 12 in deep for 1/4 sec Cor No timber or stone to be procured to mark Cor

7925 The Cor to secs 1. 2. 11 & 12

Land mostly sand hills
3 rate

Range 17 West of the 6th Principal Meridian

North between secs 34 & 35
Va 13° 21' East

4000 Raised mound of earth 3 ft high from pits 24 x 30 in and 12 in deep for 1/4 sec Cor No timber to be procured to mark Cor

6000 Leave sand hills and enter level land bears N. W. & S. E

8000 Raised mound of earth 3 ft high from pits 24 x 30 in and 12 in deep for Cor to secs 26 27 34 & 35 No timber or stone to be procured to mark Cor South 60 chs sand hills
3 rate North 20 chs good
2 rate soil fit for cultivation

Township 25 North of the base line

East on a random line between secs 26 and 35
Va 13° 21 East

4000 Marked point for temporary 1/4 sec cor

7994 Intersect the North and South line 40 lks south of mound cor to secs 25 26 35 and 36 from which cor I saw South 8943 W on a line line between sec 26 & 35 Va 13 21 East

3997 Raised mound of earth 3 ft high from pits 24 + 30 in and 12 in deep for 1/4 sec cor No timber or stone to be procured to mark cor

7994 The cor to secs 26 27 34 and 35

Land undulating sandy poor 2 rate soil

Range 18 West of the 6th Principal Meridian

North between secs 26 and 27
Va 13° 21' East

4000 Raised mound of earth 3 ft high from pits 24 + 30 in and 12 in deep for 1/4 sec cor No timber or stone to be procured to mark cor

8000 Raised mound of earth 3 ft high from pits 20 + 24 in and 12 in deep for cor to secs 22 23 26 and 27 No timber or stone to be procured to mark cor

Land undulating 2 rate

Township 25 North of the Base line

East on a random line
between secs 23 and 26
Va 13° 21' East

4000 Marked point for temporary
1/4 sec Cor

6200 Leave undulating and rub
hilly land bear N E

7990 Intersect the N E line
40 lbs South of mound Cor
to secs 23 24 25 &c
from which Cor
I ran South 89° 43' West
on a true line between secs
23 and 26
Va 13° 21' East

3995 Raised mound of earth 3 ft
high from pits 24 + 30 in and
12 in deep for 1/4 sec Cor No
timber to be procured to mark
Cor

7990 The Cor to secs 22, 23, 26
and 27
Land West 62 Chs undu
lating 2 rub - balance rand
hilly 3 rub

Range 17 West of the 6th Principal Meridian

North between secs 22
and 23 Va 13° 21' East

4000 Raised mound of earth
3 ft high from pits 24 + 30
in and 12 in deep for 1/4
sec Cor No timber or stone
to be procured to mark Cor

8000 Raised mound of earth
3 ft high from pits 24 + 30
in and 12 in deep for Cor to secs
14, 15, 22 and 23 No timber
or stone to be procured
to mark Cor

Land undulating 2
rub

Township 25 North of the base line

East on a random line
between secs 14 and 23
Va 13 21 East
6000 Leave level land and enter
sand hills bears N, W, S, E
4000 Marked point for temporary
1/4 sec Cor
8000 Intersect the North and South
line at post Cor to secs 13
14 23 and 24 from which
Cor I run West on a true
line between secs 14 & 23
Va 13° 21' East
4000 Raised mound of earth 3
ft high from pits 24 + 30
in and 12 in deep for 1/4
sec Cor No timber or
stone to be procured to
mark Cor
8000 Thi Cor to secs 14, 15 22
and 23

Land mostly sand hills
3 rate

Range 18 West of the 6th Principal Meridian

North between secs 14 & 15
Va 13° 21' East
4000 Leave valley and enter
sand hills bears N W S E
4000 Raised mound of earth
3 ft high from pits 24 + 30 in
and 12 in deep for 1/4 sec
Cor No timber or stone
to be procured to mark Cor
8000 Raised mound of earth
3 ft high from pits 24 + 30
in and 12 in deep for Cor to
secs 10, 11, 14 and 15 No
timber or stone to be procured
with which to mark Cor

Land mostly sand
hills 3 rate

Township 25 South Range 17

East on a random line
between Secs 11 and 14
Va 13° 21' East
4000 Marked point for temporary 1/4 Sec Cor
6800 Land sand hills & [illegible] Fully [illegible]
7965 Intersect the Mpto South
line 26 lks South of mouse
Cor to Secs 11, 12, 13 and 14
from which Cor
I ran South 89° 49' West on
a true line between Secs
11 and 14
Va 13° 21' East
3982½ Raised mound of earth
3 ft high from pits 24 & 30
in and 12 in deep for 1/4
Sec Cor No timber or stone
to be procured with which
to mark Cor
7965 The Cor to Secs 10, 11, 14 & 15

Land mostly sand
hills 3 rate

West of the 6th Principal Meridian

North between Secs 10 and 11
Va 13° 21' East
4000 Raised mound of earth 3 ft
high from pits 24 & 30 in
and 12 in deep for 1/4 Sec
Cor No timber or stone to
be procured with which to
mark Cor
8000 Raised mound of earth
3 ft high from pits 24 & 30 in
and 12 in deep for Cor to
Secs 2 3 10 and 11 No timber
or stone to be procured
with which to mark Cor

Land sand hills 3 rate

July 19th 1874

Township 25 North Range 18

East on a random line between secs 2 and 11
Va 13° 21' East

4000 Marked point for temporary 1/4 sec Cor

7957 Intersect the North and South line at Mound Cor to secs 1, 2, 11 and 12 from which Cor

I ran West on a true line between secs 2 and 11
Va 13° 21' East

3978½ Ranged mound of earth 3 ft high from pits 24 + 30 in and 12 in deep for 1/4 sec Cor No timber or stone to be procured with which to mark Cor

7957 The Cor to secs 2, 3, 10 & 11

Land West 23 chs sand hills 3 rate balance rolling mostly good 2 rate soil

West of the 6th Principal Meridian

North on a random line between secs 2 and 3
Va 13° 21' East

4000 Marked point for temporary 1/4 sec Cor

6200 Leave sand hills & rolling bearing E & W

7925 Intersect the North boundary of the Township 70 lks East of first Cor to secs 2 and 3 from which Cor

I ran South 30' East on a true line between secs 2 and 3
Va 13 21 East

3925 Ranged mound of earth 3 ft high from pits 24 + 30 in and 12 in deep for 1/4 sec Cor No timber or stone to be procured with which to mark Cor

7925 The Cor to secs 2 3 10 & 11

Land South 62 chs hilly 3 rate balance undulating 2 rate

Township 25 North Range

North between secs 33 and 34
Va 13° 21' East

4000 Raised mound of earth 3 ft high from pits 24 + 34 and 12 in deep for 1/4 sec Cor No timber or stone to be procured to mark Corner

8000 Raised mound of earth 3 ft high from pits 24 24 in and 12 in deep for Cor to secs 27, 28 33 and 34 No timber or stone to be procured to mark Cor

Land sand hill 3 rate

18 West of the 6th Principal Meridian

East on a random line between secs 27 and 34
Va 13° 21' East

4000 Marked point for temporary 1/4 sec Cor

6000 Leave sand hills & Entire valley bears N.W. S.E.

8000 Intersect the North and South line 48 lks South of Mound Cor to secs 26 27 34 and 35 from which Cor

I ran South 89° 39' West on a line line between secs 27 and 34
Va 13° 21' East

4003 Raised mound of earth 3 ft high from pits 24 + 24 in and 12 in deep for 1/4 sec Cor No timber to be procured to mark Cor

8000 The Cor to secs 27 28 33 and 34

West 60 chains sand hills 3 rate land balance land good 2 rate

Township 25 North Range 18 West of the 6th Principal Meridian

North between secs 27 and 28

Va 13° 21' East

4000 Raised mound of earth 3 ft high from pits 24 & 24 in and 12 in deep for 1/4 sec Cor No timber or stone to be procured to mark Cor

3700 Leave sand hills and enter level land bears N W and S E

8000 Raised mound of earth 3 ft high from pits 24 & 24 in and 12 in deep for Cor to secs 21 22 27 & 28 No timber to be procured with which to mark Cor

Land south 57 chs sand hills 3 rate balance level good 2 rate

East on a random line between secs 22 and 27

Va 13° 21' East

4000 Marked point for temporary 1/4 sec Cor

5000 Leave level land and enter sand hills bears N W and S E

300 Leave sand hills & enter hills bears N W & S E

8004 Intersect the North and South line at mound Cor to secs 22 23 26 and 27 from which Cor

I can West on a true line between secs 22 and 27

Va 13° 21' East

4002 Raised mound of earth 3 ft high from pits 20 & 24 in and 12 in deep for 1/4 sec Cor No timber or stone to be procured to mark Corner

8004 The Cor to secs 21 22 27 & 28

West 50 chs level good 2 rate soil balance sand hills 3 rate

Township 25 North Range 18 West of the 6th Principal Meridian

North between secs 21 and 22

Va 13° 21' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor No timber or stone to be procured to mark Corner

8000 Set post with chained end 3 x 3 in 4 ft 12 in deep raised mound of earth 2 1/2 ft high from pits 18 x 24 in and 12 in deep for Cor to secs 15, 16 21 and 22 no timber or stone to be obtained to mark Cor

Land undulating good 2 rate soil

East on a random line between secs 15 and 22

Va 13° 21' East

4000 Marked point for temporary 1/4 sec Cor

8002 Intersect the North and South line 9 Ks South of mound Cor to secs 14, 15, 22 and 23 from which Cor

I run South 89° 56' West on a line line between secs 15 and 22

Va 13° 21' East

4001 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor No timber or stone to be procured to mark Cor

8002 Cor to secs. 15, 16, 21 & 22

Land undulating good 2 rate soil

Township 25 North of the Base line Range 18 West of the 6th Principal Meridian

North between secs 15 and 16

Va 13° 21' East

4000 Raised mound of earth 3 ft high from pits 20×30 in and 12 in deep for 1/4 sec Cor No timber or stone to be procured to mark Cor

8000 Raised mound of earth 3 ft high from pits 20×30 in and 12 in deep for Cor to 9, 10 15 and 16 No timber or stone to be obtained to mark Cor

Land undulating 2 rate

East on a random line between secs 10 and 15

Va 13 21 East

200 Leave, outlier and enter sand hills, bears N.W. & S.E.

4000 Marked point for temporary 1/4 sec Cor

8006 Intersect the North and South line of the North of Mound Cor to secs 10, 11 14 and 15 from which Cor

I ran North 89° 57' West on a true line between secs ~~15~~ 10 and ~~22~~ 15

Va 13° 21' East

4003 Raised mound of earth 3 ft high from pits 20×30 in and 12 in deep for 1/4 sec Cor No timber or stone to be obtained to mark Cor

8006 The Cor to secs 9, 10 15 & 16

Land mostly sand hills 3 rate

July 20th 1874

Township 25 North Range

North between secs
9 and 10
Va 13° 21' East

4000 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for
1/4 sec Cor No timber or stone
to be obtained to mark Cor
4750 Leave valley and cute
sand hills bears N W
and S E
8000 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for Cor
to secs 3 4 9 and 10 No
timber or stone to be obtained
to mark Cor

South 47 Chs undulating
valley balance good 2
rate soil balance
sand hills 3 rate

18 West of the 6th Principal Meridian

East on a random line
between secs 3 and 10
Va 13° 21' East
4000 Marked point for temporary 1/4
sec Cor
7982 Intersect the North and South
line 11 lks South of mound
Cor to secs 2 3 10 and 11
from which Cor
I ran South 89 55 West
on a line line between
secs 3 and 10
Va 13° 21' East
3991 Raised mound of earth 3 ft
high from pits 20 x 30 in
12 in deep for 1/4 sec Cor
7982 No timber or stone to be
procured to mark Cor
7982 The Cor to secs 3 4 9 10

Land West 40 Chs hills
3 rate balance rolling
2 rate soil

Township 25 North Range 18

North on a random line between Secs 3 & 4
Va 13° 21' East

4000 Marked point for temporary 1/4 Sec Cor

7978 Intersect the North boundary of the Township 16 Chs East of Mound Cor to secs 3 and 4 from which Cor
I run South 7' East on a true line between secs 3 and 4
Va 13 21 East

3978 Raised mound of earth 3 ft
18 high from pits 20 & 30 in and 12 in deep for 1/4 Sec Cor No timber or stone to be obtained to mark Cor

7978 The Cor to secs 3, 4, 9 & 10

Land sand hills 3 rate

West of the 6th Principal Meridian

North between Secs 32 & 33
Va 13° 21' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 Sec Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to secs 28 29 32 and 33 No timber or stone to be obtained to mark Corners

Land sand hills 3 rate

Township 25 North Range 18

East on a random line
between Secs 28 and 33
Va 13°21' East

4001 Marked point for temporary
1/4 Sec Cor

8008 Intersect the North and
South line 16 lks South
of mound Cor to secs
27, 28, 33, and 34 from
which Cor
I ran South 89°53' West
on a true line between
secs 28 and 33
Va 13 21 East

4004 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for 1/4
Sec Cor No timber or stone
to be procured to mark
Cor

8008 This Cor to secs 28 29
32 and 33
Land sand hills 3
rate

West of the 6th Principal Meridian

North between secs 28 & 29
Va 13°21' East

4000 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for 1/4
Sec Cor No timber or stone
to be obtained to mark Cor

6000 Leave sand hills & rate
undulating land bears
N. W. & S. E.

8000 Raised mound of earth
3 ft high from pits 20 x 30 in
and 12 in deep for Cor to secs
20 21 28 and 29 No timber
or stone to be obtained
to mark Cor

South 60 chs broken
sand hills balance undulating
good 2 rate soil

Township 25 South Range

East on a random line
between secs 21 and 28
Va 13° 21' East
4000 Marked point for temporary
1/4 sec Cor
8012 Intersect the North and South
line 34 lks South of mound
Cor to secs 21 22 27 & 28
from which Cor
I run South 89° 45' West
on a true line between secs
21 and 28
Va 13 21 East
4006 Raised mound of earth
3 ft high from pits 20 + 30
in and 12 in deep for 1/4
sec Cor No timber or stone
to be obtained to mark
Cor
8012 The Corner to secs 20
21 28 and 29

West 68 chs undulating 2
rate land balance Sandy rolling
3 rate

18 West of the 6th Principal Meridian

North between secs 20 & 21
Va 13° 21' East
4000 Raised mound of earth 3 ft
high from pits 20 + 30 in and
12 in deep for 1/4 sec Cor. No
timber or stone to be procured
to mark Cor
8000 Raised mound of earth
3 ft high from pits 20 + 30
in and 12 in deep for Cor to
secs 16 17 20 and 21

Land undulating 2
rate

Township 25 North Range 18

East on a random line
between secs 16 and 21
Va 13 21 East

1000 Leave undulating land
and enter rarial hills
bears N and South

4000 Marked point for temporary
1/4 sec Cor

5000 Leave low rarial hills and enter level land bears N & S

8008 Intersect the north and south
line 5 lks north of mound
Cor to secs 15, 16 21 & 22
from which Corner
I ran South 89° 58' West
on a true line between
secs 16 and 21
Va 13 21 East

1002 Rarial mound of earth 3 ft
high from pits 20 x 30 in and
12 in deep for 1/4 sec Cor
No timber or stone to be
obtained to mark Corner

8008 The Cor to secs 16, 17 20 & 21

Land East West part good 2 rate
soil balance low rarial hills 3 rate

West of the 6th Principal Meridian

North between Secs 16 and 17
Va 13 21 East

4000 Rarial mound of earth
3 ft high from pits 20 x 30 in
and 12 in deep for 1/4 sec
Cor No timber or stone to
be obtained to mark Cor

8000 Rarial mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for Cor
to secs 8, 9 16 and 17 No
timber to be obtained to
mark Corner

Land undulating good
2 rate soil
July 21st 1874

Township 25 North of the base line

East on a random line
between Secs 9 and 16
Va 13° 21' East

4000 Leave valley and enter
sand hills bears N. W. & S. E.

4000 Marked point for temporary
1/4 Sec Cor

40.60 Leave sand hills and
enter valley bears N. S.

7962 Intersect the N and S line
at Mound Corner to secs
9. 10 15 and 16 from which
Corner

I run West on a true line
between Secs 9 and 16
Va 13° 21' East

3981 Raised mound of earth 3 ft
high from pits 20 x 30 in
and 12 in deep for 1/4
Sec Cor No timber or stone to
be procured to mark Cor

7962 The Cor to secs 8. 9 16 17

Land in valley good 2 rate
balance low rolling hills sandy 3
rate

Range 18 West of the 6th Principal Meridian

North between Secs 8 and 9
Va 13° 21' East

4000 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for 1/4 Sec
Cor No timber or stone to be
obtained to mark Cor

8000 Raised mound of earth
3 ft high from pits 20 x 30 in
and 12 in deep for Cor to Secs
4. 5. 8 and 9 No timber or
stone to be procured to
mark Cor

Land undulating 2 rate

Township 25 North of the base line

East on a random line
between Secs 4 and 9
Va 13° 21' East

4100 Marked point for temporary
1/4 Sec Cor

7100 Leave undulating land & rate
sand hills bearing N & S

7950 Intersect the North and
South line 48 lks South
of Mound Cor to secs
3 4 9 and 10 from which
Cor I ran South 89° 39' W
on a true line between secs
4 and 9
Va 13 21 East

3975 Raised mound of earth 3 ft
high from pits 20 x 30 in
and 12 in deep for 1/4
sec Cor No timber or stone
to be procured to mark Cor

7951 The Cor to secs 4 5 8 and 9
Land mostly undulating
2 mile

Range 18 West of the 6th Principal
Meridian

North on a random line
between Secs 4 and 5
Va 13° 21' East

4000 Marked point for temporary
1/4 Sec Cor

7968 Intersect the North boun-
dary of the Township 63 lks
East of Mound Cor to secs 4 5
from which Cor
I ran South 27' East on a
true line between secs 4 5
Va 13° 21' East

3968 Raised mound of earth 3 ft
high from pits 20 x 30 in
and 12 in deep for 1/4 sec
Cor No timber or stone to
be procured to mark Cor

7968 The Cor to secs 4, 5, 8, and 9

Land gently rolling 2 mile

Township 25 North Range

North between Secs 31 & 32
Va 13° 21' East

4000 Raised mound of earth
3 ft high from pits 20 + 30
in and 12 in deep for ¼
sec Cor No timber or stone
to be procured to mark Cor

8000 Raised mound of earth
3 ft high from pits 20 + 30
in and 12 in deep for
Corner to secs 29 30 31
and 32 No timber or
stone to be procured to
mark Cor

Land sand hills 3
rate

18 West of the 6th Principal Meridian

East on a random line
between Secs 29 and 32
Va 13° 21' East

4000 Marked point for temporary
¼ sec Cor

8028 Intersect the North and South
line 29 lks South of mound
Cor to secs 28 29 32 33
from which Cor
I ran South 89° 48' West on
a true line between secs
29 and 32
Va 13° 21' East

4014 Raised mound of earth 3 ft
high from pits 20 + 30 in & 12 in
deep for ¼ sec Cor

8028 No timber or stone to
be procured to mark Cor

8028 The Cor to secs 29, 30, 31 & 32

Land sand hills 3 rate

Township 25 North Range 18

West on a random line between Secs 30 and 31
Va 13° 21' East

40 4000 Marked point for temporary 1/4 sec Cor

7989 Intersect the West boundary of the Township 70 lks North of Mound Cor to Secs 30 31

80 from which Cor
I ran North 89° 30' East on a line line between Secs 30 and 31
Va 13° 21' East

3989 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for 1/4 sec Cor No timber or Stone to be procured to mark Cor

7989 The Corner to Secs 29 30 31 and 32

Level sand hills 3rd rate

West of the 6th Principal Meridian

North between Secs 29 30
Va 13° 21' East

4000 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for 1/4 sec Cor No timber or Stone to be procured to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for Cor to Secs 19 20 29 and 30 No timber or Stone to be obtained to mark Cor

Level sand hills 3 rate

Township 25 North of the base line

East on a random line between Secs 20 and 29
Va 13° 21' East

4000 Marked point for temporary 1/4 Sec Cor

6500 Leave sand hills & Rite undulating land bears N.W. and S.E.

8004 Intersect the North and South line 10 Lks South of mound Cor to secs 20 21 28 and 29 from which Cor

I run South 89 56 West on a true line between secs 20 and 29
Va 13 21 East

4002 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for 1/4 Sec Cor No timber or stone to be obtained to mark Cor

8004 The Cor to secs 19 20 29 30
East 15 ch undulating 2 rate land below sand hills 3 rate

Range 18 West of the 6th Principal Meridian

West on a random line between secs 19 and 30
Va 13° 21' East

4000 Marked point for temporary 1/4 Sec Cor

7985 Intersect the West boundary of the Township 35 lks North of mound Cor to secs 19 and 30 from which Cor

I run North 89° 45' East on a true line between secs 19 and 30
Va 13° 21' East

3985 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for 1/4 Sec Cor No timber or stone to be procured to mark Cor

7985 The Cor to secs 19 20 29 and 30

Land high sandy hills 3 rate July 22 1874

Township 25 North Range 18

North between Secs 19 and 20

Va 13° 21' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor No timber or stone to be procured to mark Cor

50,00 Leave sand hills & enter undulating land bears E and W

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to Secs 17, 18, 19 and 20 No timber or stone to be procured to mark Cor

Land South 50 Chs sand hills 3 mts balance undulating good 2 mts

West of the 6th Principal Meridian

East on a random line between Secs 17 and 20

Va 13° 21' East

4000 Marked point for temporary 1/4 sec Cor

7990 Intersect the North and South line 70 lks South of mound Cor to Secs 16 17 20 and 21 from which Cor

I run South 89° 30' West on a line line between Secs 17 and 20

Va 13° 21' East

3995 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor No timber or stone to be procured to mark Cor

7990 The Cor to Secs 17, 18, 19 & 20

Land undulating 2 mts sandy soil

Township 25 North Range 18

West on a random line between Secs 18 and 19
Va 13°21'E

4000 Marked point for Uniformity 1/4 Sec Cor

7968 Intersect the West boundary of the Township 42 ths North of Mound Cor to Secs 18 and 19 from which Cor I ran North 89°42'E on a true line between Secs 18 and 19
Va 13°21' East

3968 Raised Mound of earth 3 ft high from pits 20 x 30 in Feet 12 in deep for 1/4 Sec Cor No timber to be procured to mark Cor

7968 The Cor to Secs 17, 18, 19 and 20

Land East part undulating good 2 miles West part rolling sandy 3 miles

West of the 6th Principal Meridian

North between Secs 17 and 18
Va 13°21' East

4000 Raised Mound of earth 3 ft high from pits 20 x 30 in Feet 12 in deep for 1/4 Sec Cor No timber or Stone to be procured to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in Feet 12 in deep for Cor to Secs 7, 8, 17 and 18 No timber or Stone to be procured to mark Corner

Land undulating 2 miles wide

Township 25 North Range

East on a random line between secs 8 and 17
Va 13° 21' East

4000 Marked point for temporary 1/4 sec Cor

8000 Intersect the North and South line at mound Cor to secs 8, 9, 16 and 17 from which Cor

I ran West on a true line between secs 8 and 17
Va 13° 21' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be procured to mark Cor

8000 The Cor to secs 7, 8, 17 and 18

Land undulating 2 rate sandy soil

18 West of the 6th Principal Meridian

West on a random line between secs 7 and 18
Va 13° 21' East

4000 Marked point for temporary 1/4 sec Cor

4700 Leave undulating land and enter sandy hills bears N and South

7960 Intersect the West boundary of the Township 25 lks North of mound Cor to secs 7 & 18 from which Cor

I ran North 89° 49' East on a true line between secs 7 and 18
Va 13° 21' East

3960 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7960 The Cor to secs 7, 8, 17 and 18

Land East 2 rate but in hilly 3 rate point undulating poor

Township 25 North Range 18

North between secs 7 and 8

Va 13° 21' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be procured to mark Cor

80,00 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs. 5 6 7 and 8 no timber or stone to be procured to mark Cor

Land undulating 2 vali

West of the 6th Principal Meridian

East on a random line between secs 5 and 8

Va 13° 21' East

4000 Marked point for temporary 1/4 sec Cor

7982 Intersect the North and South line 12 lks South of Mound Cor to secs 4, 5 6 and 9 from which Cor I run South 89 55 West on a true line between 5 and 8

Va 13° 21' East

3991 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7982 The Cor to secs 5, 6, 7, 8

Land undulating mostly 2 vali fit for Cultivation

Township 25 North Range

West on a random line between secs 6 and 7
Va 13,21 E

2200 Leave undulating and enter hilly land bears N E and S W

4000 Marked point for temporary 1/4 sec Cor

7932 Intersect the West boundary 28 lks North of mound Cor to secs 6 and 7 from which Cor I ran North 89 48 East on a true line between secs 6 and 7
Va 13° 21 East

3952 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber to be procured to mark Cor

7952 The Cor to secs 5 6 7 8

Land E 22 chs undulating 2 rate balance 3 rate hilly

18 West of the 6th Principal Meridian

North on a random line between Secs 3 and 6
Va 13° 21 East

2400 Leave undulating and hilly land bears E & N

4000 Marked point for temporary 1/4 sec Cor

7983 Intersect the North boundary of the Township 23 lks E of mound Cor to secs 5 & 6 from which Cor
I ran South 10' East on a true line between secs 5 & 6
Va 13° 21 East

3983 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7983 The Cor to secs 5, 6, 7 & 8

Land, South 24 chs undulating balance low sand hills 3 rate July 23rd 1874

Township 25 South Range 18 West of the 6th Principal Meridian

General Description

There is a fair proportion of good land in this Township situated in undulating or gently rolling outlying where the soil is mostly composed of a rich sandy loam and well adapted for cultivation. The upland is rolling or broken and not fit for any thing except grazing the soil being loose sand but covered with a fine growth of grass. There is neither timber or stone to be found in the Township. Water can be obtained by digging in low places at a depth of from 4 to 10 feet

Township 25 North Range 18 West of the 6th Principal Meridian

A list of the names of the individuals employed to assist running and marking the lines and corners described in the foregoing field notes of Township No 25 North of the base line of Range No 18 West of the 6th Principal Meridian showing the respective capacities in which they acted

John Ingersoll Chainman
Edward Davis Chainman
James R Ford Moundman
Herbert Gould Flagman

We hereby certify that we assisted John W Dwyer Deputy Surveyor in subdividing Township No 25 North of the Base line, Range No 18 West of the 6th Principal Meridian, and that the said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions of the Surveyor General and of distinctive character, construction and marking and in the manner as specifically described in the foregoing field notes

John Ingersoll Chainman
Edward Davis
James R Ford Moundman
Herbert Gould Flagman

Subscribed and sworn to

Township 25 North Range 18 West of the 6th Principal Meridian

by the above named persons, before me a Notary Public for the County of Dodge in the State of Nebraska this 2 day of Sept 1874

George H. Briggs
Notary Public
Dodge County Nebraska

I John W Daugherty Deputy Surveyor do solemnly swear that in pursuance of a joint Contract wherein John W Daugherty Dan S Parmelee and Walter C Campbell are joint Contractors with E. E Cunningham Surveyor General for the District of Nebraska & Iowa bearing date the 8 day of July 1874, I have well faithfully and truly in my own proper person and in strict Conformity to the Instructions furnished by the Surveyor General the Surveying Manual and the laws of the United States, Surveyed all those parts or portions of Township No 25 North of the Base line in Range No 18 West of the 6 Principal Meridian, as are represented in the foregoing field notes as having been surveyed

under my directions
and I do further solemnly
swear that all the Corners
of said Survey have been
established and perpetuated
in strict accordance with
the Surveying Manual, printed
instructions and special
instructions of the Surveyor
General, of dimensions, chain
acter, constructions and mar-
king, and in the manner as
specifically described in the
foregoing field notes; and that
the foregoing are the true and
original field notes of such
Survey

John W Dougherty
Deputy Surveyor

Subscribed by said John W Dougherty
Deputy Surveyor, and sworn to before
me a Notary Public for Dodge Co.
in the State of Nebraska this 2 day of
Sept 1874

George H. Bizzy
Notary Public
Dodge County Nebraska

Surveyor Generals Office
Plattsmouth Oct 31st 1874
The foregoing field notes of the Survey and Subdivision of Township No 23 N of Base Line of Range No 18 West of 6th P.M. in the State of Nebraska, Executed by John H Daugherty, under his joint Contract of the 8th of July 1874 in the month of July 1874, having been critically examined, the necessary corrections and Explanations made, the said field notes and the Surveys they describe are hereby approved.

E. E. Cunningham
Surveyor General

Township 26 North Range 18 West of the 6th Principal Meridian

Field Notes of the Subdivisional lines of Township No. 26 North of the Base Line Range 18 West of the 6th Principal Meridian in the State of Nebraska surveyed by Walter B. Campbell

Commenced July 18th 1874 and Completed July 23 1874

Contract No. 84. dated July 8th 1874

Town 26 N. Range 18 W

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Township 26 North Range 18 West of the 6th Principal Meridian

Names and duties of Assistants employed in Subdividing Township No 26 North of the Base Line Range 18 West of the 6th Principal Meridian in the State of Nebraska

John H Turner } Chairman
August Wyre }

David H Reynolds Mountaineer

Thomas Rowan Flagman

To determine the proper adjustment of my Compass for Subdividing this Township I Commence at the Corner to Township 26 and 27 North Ranges 17 and 18 West and run North on a blank line along the East boundary of Sec 36

Va 13° 22' E

3995 ~~7995~~ To the 1/4 sec Cor

7991 To the Corner to secs 25 and 36

I finish my Compass to be in proper adjust to subdivide this Township

Township 26 North Range

North between secs 35 and 36

Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for Cor to secs 25 26 35 and 36 no timber or stone to be obtained to mark Corner

Land broken sand hills 3 rate

18 West of the 6th Principal Meridian

East on a random line between secs 25 36

Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

8004 Intersect the East boundary of the Township 30 lks South of mound Cor to secs 25 36 from which Cor

I ran South 89° 47' West on a true line between secs 25 and 36

Va 13° 22' East

4002 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8004 The Cor to secs 25 26 35 and 36

Land sand hills 3 rate

Township 26 North Range 18

North between Secs
25 and ~~26~~ 26
Va 13° 22' East

4000 Raised mound of
earth 3 ft high from
pits 20 & 30 in and 12
in deep for 1/4 sec Cor
no timber or stone to
be obtained to mark
Cor

8000 Raised mound of earth
3 ft high from pits 20 & 30
in and 12 in deep for
Corner to Secs 23, 24
25 and 26 no timber or
stone to be obtained to mark Cor
Land sand hills 3
mile

West of the 6th Principal Meridian

East on a random
line between Secs 24 and 25
Va 13° 22' East

4000 Marked point for 1/4
sec

7996 Intersect the East boundary
of the Township 27 lks South
of mound Cor to Secs 24 & 25
from which Cor
I ran South 89 48 West
on a true line between
Secs 24 and 25
Va 13° 22' East

3998 Raised mound of earth
3 ft high from pits 20 & 30
in and 12 in deep for 1/4
sec Cor no timber or
stone to be obtained to
mark Cor

7996 The Cor to Secs 23, 24
25 and 26

Land sand hills 3
mile

Township 26 North Range

North between Secs 23 and 24

Va 13° 22½' East

4000 Raised mound of earth 3 ft. high from pits 20 + 30 in and 12 in deep for ¼ sec Cor no timber or Stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for Cor to Secs 13, 14, 23 and 24 no timber or Stone to be obtained to mark Corner

Laid sand hills 3 rate

18 West of the 6th Principal Meridian

East on a random line between Secs 13 and 24

Va 13° 22½' East

500 Leave sand hills and entr valley bears N & S

4000 Marked point for temporary ¼ sec Cor

6400 Leave valley and entr sand hills bears bears N & S

7977 Intersect the East boundary of the Township 40 lks South of post Cor to secs 13 & 24 from which Cor

I run South 89° 43' West on a line line between Secs 13 and 24

Va 13° ~~22~~ 22' East

3988½ Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for ¼ sec Cor no timber or Stone to be obtained to mark Cor

7977 The Cor to secs 13, 14, 23 & 24

Laid along valley good 2 rate balance 3 rate

Township 26 North Range

North between secs 13 and 14

Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Corner

8000 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for Corner to secs 11, 12 13 and 14 no timber or stone to be obtained to mark Cor

Land sand hills 3 rate

18 West of the 6th Principal Meridian

East on a random line between secs 12 and 13

Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

7972 Intersect the East boundary of the Township 48 lks South of post Cor to secs 12 & 13 from which Cor

I ran South 89° 39' West on a true line between secs 12 and 13

Va 13 22 East

3986 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7972 The Cor to secs 11, 12 13 and 14

Land low sand hills 3 rate

Township 26 North Range 18 West of the 6th Principal Meridian

North between secs 11 and 12
Va 13° 22' East

3300 Leave sand hills & enter valley bears E & W

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to secs 1 2 11 and 12 no timber or stone to be obtained to mark Cor

Land on valley good 2 rate balance sand hills 3 rate

East on a random line between secs 1 and 12
Va 13° 22' East

4000 Leave valley and enter sand hills bears N and S

4000 Marked point for temporary 1/4 sec Cor

7970 Intersect the East boundary of the 49 lks South of pit 6 Cor to secs 1 and 12 from which Cor
I run South 89° 39' West on a true line between secs 1 and 12
Va 13° 22' East

3985 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7970 The Cor to secs 1, 2, 11, & 12
Land mostly sand hills 3 rate July 18th 1874

Township 26 North Range 18 West of the 6th Principal Meridian

North on a random line between secs 1 and 2
Va 13° 22' East

4000 Marked point for temp-
or any 1/4 sec Cor

6350 Leave valley and enter
sand hills bears N, E & W

8050 Intersect the North boundary
of the Township 30 lks E of
post Cor to secs 1 and 2
from which Cor
I run South ~~64~~ 13' East
on a true line between secs
1 and 2
Va 13° 22' East

4030 Raised mound of earth 3 ft
high from pits 20 x 30 in
and 12 in deep for 1/4
sec Cor no timber or
stone to be obtained to
mark Cor

8030 The Cor to secs 1, 2, 11, & 12
Land South 63 chs gentle
rolling 2 rate balance sand
hills 3 rate

North between secs 34 & 35
Va 13° 22' East

4000 Raised mound of earth 3 ft high
from pits 20 x 30 in and 12
in deep for 1/4 sec Cor
no timber or stone to be
obtained to mark Cor

8000 Raised mound of earth 3 ft
high from pits 20 x 30 in and
12 in deep for Corner to
secs 26 27 ~~24~~ 34 and ~~25~~ 35
no timber or stone to be
obtained to mark Cor

Land sand hills 3 rate

Township 26 North Range

East on a random line
between secs 26 and 35
Va 13° 22' East

4000 Marked point for temporary
1/4 sec Cor

7990 Intersect the N & S line 27 lks
North of mound Cor to secs
25 26 35 and 36 from which
Cor. I ran North 89° 48 West
on a true line between secs
26 and 35
Va 13° 22' East

3995 Raised mound of earth 3 ft
high from pits 20 x 30 in and
12 in deep for 1/4 sec Cor
no timber or stone to be
obtained to mark Cor

7990 The Cor to secs 26 27 34 35

Land sand hills 3 mi

18 West of the 6th Principal Meridian

North between Secs 26 & 27
Va 13° 22' East

4000 Raised mound of earth 3 ft high
from pits 20 x 30 in and 12 in
deep for 1/4 sec Cor no timber
or stone to be obtained to
mark Cor

8000 Raised mound of earth 3 ft
high from pits 20 x 30 in and 12
in deep for Corner to secs 22
23 26 & 27 no timber or
stone to be obtained to mark
Cor

Land sand hills 3 mi

Township 26 North Range 18

East on a random line
between Secs 23 and 26
Va 13° 22' East
4000 Marked point for temporary
1/4 sec Cor
7974 Intersect the North & South
line 54 lks South of mound
Cor to Secs 23, 24, 25 & 26
from which Cor
I run South 89 37 West
on a line line between
Secs 23 and 26
Va 13° 22' East
3987 Raised mound of earth 3 ft
high from pits 20 x 30 in
and 12 in deep for 1/4 sec
Cor no timber or stone to
be obtained to mark Cor
7974 Cor to secs 22.23.26 and 27
Land high sandy hills
3 rate

West of the 6th Principal Meridian

North between Secs 22 and 23
Va 13° 22' East
4000 Raised mound of earth 3 ft
high from pits 20 x 30 in and
12 in deep for 1/4 sec Cor
no timber or stone to be
obtained to mark Cor
8000 Raised mound of earth 3 ft
high from pits 20 x 30 in & 12
in deep for Cor to secs 14
15 22 and 23 no timber or
stone to obtained to mark
Corner

Land sand hills 3 rate

Township 26 North Range 18

East on a random line
between secs 14 and 23
Va 13° 22' East
4000 Marked point for temporary
1/4 sec Cor
7968 Intersect the North South
line 43 lks South of mound
Cor to secs 13, 14, 23 & 24
from which Cor
I ran South 89° 42' West
on a line line between
secs 14 and 23
Va 13° 22' East
3984 Raised mound of earth 3 ft
high from pits 20 x 30 in
and 12 in deep for 1/4 sec
Cor no timber or stone
to be obtained to mark
Cor
7968 The Cor to secs 22, 23, 26
and 27

Land sand hills 3 mile

West of the 6th Principal Meridian

North between secs 14
and 15
Va 13° 22' East
4000 Raised mound of earth 3 ft
high from pits 20 x 30 in
and 12 in deep for 1/4 sec
Cor no timber or stone
to be obtained to mark Cor
8000 Raised mound of earth 3 ft
high from pits 20 x 30 in & 12
in deep for Cor to secs 10, 11
14 and 15 no timber or
stone to be obtained to
mark Cor

Land low rolling sand hills
3 mile

Township 26 North Range 18

East on a random line between secs 11 and 14
Va 13°22' East

4000 Marked point for temporary 1/4 sec Cor

7962 Intersect the North South line 38 lks South of mound Cor to secs 11, 12, 13 and 14 from which Cor
I run South 89°44' West on a true line between secs 11 and 14
Va 13°22' East

3981 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7962 The Cor to secs 10, 11, 14 and 15

Land low sand hills 3 rate

West of the 6th Principal Meridian

North between secs 10 and 11
Va 13°22' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

4700 Leave sand hills & rate only bears E & W

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 2, 3, 10 & 11 no timber or stone to be obtained to mark Cor

South 47 chs sand hills balance rolling clay land good 2 rate soil

July 19th 1874

Township 26 North Range 18

East on a random line between secs 2 & 11
Va 13° 22' East

2000 Land rolling land & water ~~[illegible]~~ from N&S
4000 Marked point for temporary 1/4 sec Cor
4700 Land sand hills & water valley brass N&S
7960 Intersect the N&S line 48 lks South of mound Cor to secs 1, 2, 11 and 12 from which Cor
I ran South 89° 39' West on a true line between secs 2 and 11
Va 13° 22' East
3980 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor
7960 The Cor to secs 2, 3, 10 & 11
Land mostly sand hills
3 rate

West of the 6th Principal Meridian

North on a random line between secs 2 and 3
Va 13° 22' East
4000 Marked point for temporary 1/4 sec Cor
8060 Intersect the North boundary of the Township 20 lks East of mound Cor to secs 2 & 3 from which Cor
I ran South ~~89~~ 9' East on a true line between secs 2 and 3
Va 13° 22' East
4050 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained for to mark Cor
80.50 Cor to secs 2, 3, 10 and 11
Land rolling good in rate soil

Township 26 North Range 18

North on a random line between Secs 33 & 34
Va 13° 22' East

3200 Leave sand hills & rub rolling clay land & trace N.W. & S.E.

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 27 28 33 & 34 no timber or stone to be obtained to mark Cor

North 48 chs gentle rolling good 2 rate land balance sand hills 3 rate

West of the 6th Principal Meridian

East on a random line between Secs 27 and 34
Va 13° 22' East

2700 Leave rolling clay land & enter sand hills & trace N.W. & S.E.

4000 Marked point for temporary 1/4 sec Cor

7996 Intersect the North and South Line 27 chs North of mound Cor to secs 26 27 & 34 and 35 from which Cor I can North 89° 48' West on a true line between secs 27 and 34
Va 13° 22' East

3998 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7996 The Cor to secs 27, 28, 33 & 34 Land West 27 chs rolling clay land 2 rate balance sand hills 3 rate

Township 26 North Range 18

North between secs 27 and 28

Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 21 22 27 & 28 no timber or stone to be obtained to mark Cor

Land south 60 chs gently undulating balance rolling All good 2 rate day soil

West of the 6th Principal Meridian

East on a random line between secs 22 and 27

Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

6000 Leave rolling clay land & sub sand hills bears N W S E

8030 Intersect the North and South Line 35 lks North of mound Cor to secs 22, 23 & and 27 from which Cor I ran North 89° 45' West on a true line between secs 22 and 27

Va 13° 22' East

4015 Raised mound of earth 3 ft high from pits 20 x 30 in & 12 in deep for temporary 1/4 sec Cor no timber or stone to be obtained to mark Cor

8030 The Cor to secs 21, 22, 27, & 28

Land West 60 chs rolling clay soil 2 rate balance sand hills 3 rate

Township 26 North Range 18

North between secs 21 & 22
Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Set post with channel and 3 x 3 in 4 ft 12 in deep raised of earth 2 1/2 ft high from pits 15 & 24 in and 12 in deep for Cor to secs 15, 16, 21 & 22

Land rolling 2 mile sandy soil

West of the 6th Principal Meridian

East on a random line between secs 15 and 22
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

8006 Intersect the N & S line at post Cor to secs 14, 15, 22 & 23 from which Cor
I ran ~~West~~ on a true line between secs 15 and 22
Va 13° 22' East

4003 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8006 The Cor to secs 15, 16, 21 and 22

Land rolling sand hills 3 mile

Township 26 North Range 18

North between secs 15 & 16
Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to secs 9 10 15 and 16 no timber or stone to be obtained to mark Cor

Land low rolling hills mostly sandy 3 mile

West of the 6th Principal Meridian

East on a random line between secs 10 and 15
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

7992 Subsided the North and South line 7 lks South of mound Cor to secs 10, 11 14 & 15 from which Cor
I ran North 89° 57' West on a true line between secs 10 and 15
Va 13° 22' East

3996 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7992 The Cor to secs 9, 10, 15 & 16

Land sand hills 3 mile
July 20th 1874

Township 26 North Range

North between secs 9 and 10
Va 13° 22' E

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 3 4, 9, & 10 no timber or stone to be obtained to mark Corners

Land low sand hills 3 rate

18 West of the 6th Principal Meridian

East on a random line between secs 3 and 10
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

4970 Leave sand hills & rolling clay land bears N & S

7970 Intersect the North and South line 17 lks South of mound Cor to secs 2 3, 10 and 11 from which Cor I ran South 89° 53' West on a true line between secs 3 and 10
Va 13° 22' East

3985 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7970 The Cor to secs 3, 4, 9, & 10

Township 26 North Rang 18

North on a random line between secs 3 & 4
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

8000 Intersect the North boundary of the Township 32 Chs East of mound Cor to secs 3 and 4 from which Cor

I run South 14' East on a true line between secs 3 and 4
Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Thro Cor to secs 3, 4, 9 & 10

Land low sand hills 3 rate

West of the 6th Principal Meridian

North between secs 32 & 33
Va 13° 22' East

3000 Leave undulating land & enter sand hills bears E & W

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to secs 28 29 32 and 33 no timber or stone to be obtained to mark Cor

South 30 Chs undulating 2 rate land balance sand hills 3 rate

Township 26 North Range 18

East on a random line between Nos 28 and 33

Va 13°22' East

4000 Marked point for temp- or any 1/4 sec Cor

7200 Leave sand hills & into rolling clay land bears N, W & S, E

8000 Intersect the North and South line 25 lks North of mound Cor Nos 27, 28, 33 and 34 from which Cor I run ~~South~~ N 89°49 West on a true line between Nos 28 & 33

Va 13°22' East

4008 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8016 The Cor to Nos 28 29 32 & 33 Land mostly sand hills 3 rate

West of the 6th Principal Meridian

North between Nos 28 & 29

Va 13°22' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in & 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to Nos 20 21 28 & 29 no timber or stone to be obtained to mark Cor

Land rolling sand hills 3 rate

Township 26 North Range 18

East on a random line between secs 21 and 28
Va 13' 22" East

4000 Marked point for temporary 1/4 sec Cor

7968 Intersect the North South Line 10 lks South of mound Cor to secs 21 22 27 28 from which Cor
I can South 89 56 West on a true line between secs 21 and 28
Va 13° 22 East

3984 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7968 The Cor to secs 20, 21, 28 and 29

Land rolling West 20 chs sandy 3 mile balance 5 mile

West of the 6th Principal Meridian

North between secs 20 & 21
Va 13° 22" East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 16 17 20 & 21 no timber or stone to be obtained to mark Cor

Land gently rolling mostly good 5 mile clay soil

Township 76 North Range

East on a random line between secs 16 & 21

Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

7960 Intersect the North South line 4 lks North of post Cor to secs 15 & 16 21 & 22 from which Cor

I ran North 89° 58' West on a true line between secs 16 and 21

Va 13° 22' East

3975 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7950 The Cor to secs 16, 17, 20 and 21

Land rolling 2 mile

18 West of the 6th Principal Meridian

North between secs 16 and 17

Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 8, 9, 16 & 17 no timber or stone to be obtained to mark Cor

Land low rolling hills mostly sandy 3 mile

July 21st 1874

Township 26 North Range

East on a random line between Secs 9 & 16
Va 13° 22' E

4000 Marked point for temporary 1/4 Sec Cor

7949 Intersect the North and South line 12 lks North of Mound Cor to secs 9, 10, 15 and 16 from which Cor
I can North 89° 55' West on a true line between Secs 9 and 16
Va 13° 22' East

3974½ Raised mound of earth 3 ft high from pits 20 x 30 in and 2 in deep for 1/4 Sec Cor no timber or stone to be obtained to mark Cor

7949 The Cor to secs 8, 9, 16 and 17
Land sandy rolling
3 rate

8 West of the 6th Principal Meridian

North between Secs 8 & 9
Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 2 in deep for 1/4 Sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 2 in deep for Cor to secs 4, 5, 8 & 9 no timber or stone to be obtained to mark Cor

Land low sandy hills
3 rate

Township 26 North Range

East on a random line between Secs 4 and 9
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

7928 Intersect the North South and South line at mound Cor to secs 3 4 9 & 10 from which Cor
I ran West on a true line between secs 4 & 9
Va 13° 22' East

3964 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7928 The Cor to secs 4, 5, 8 & 9

Land low rained hills
3 rate

18 West of the 6th Principal Meridian

North on a random line between secs 4 and 5
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

7978 Intersect the North boundary of the Township 65 lks East of the Cor to secs 4 & 5 from which Cor
I ran South 28' East on a true line between Secs 4 and 5
Va 13° 22' East

3978 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7978 The Cor to secs 4 5 8 & 9

Land low hills rainly
3 rate

Township 26 North Range

North between Secs 32 and 32

Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 28 30 31 32 no timber or stone to be obtained to mark Cor

Land low rolling hills sandy 3 rate

18 West of the 6th Principal Meridian

East on a random line between secs 29 32

Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

6010 Intersect the North and South line 21 lks North of mound Cor to secs 28 29 32 33 from which Cor

I ran North 89° 51' West on a true line between secs 29 and 32

Va 13° 22' East

4005 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

6010 The Cor to secs 29, 30, 31 32

Land rolling hills sandy 3 rate

Township 26 North Range 18

West on a random line between Secs 30 & 31
Va 13° 22' East

4000 Marked point for temporary 1/4 Sec Cor.

8012 Intersect the West boundary of the Township 40 lks South of mound Cor to secs 30 and 31 from which Cor
I ran South 89° 43' East on a true line between Secs 30 and 31
Va 13° 22' East

4012 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 Sec Cor no timber or stone to be obtained to mark Cor

8012 The Cor to Secs 29, 30 31 and 32

Land sand hills 3 rate

West of the 6th Principal Meridian

North between Secs 29 & 30
Va 13° 20' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 Sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 19, 20, 29 & 30 no timber or stone to be obtained to mark Cor

Land sand hills 3 rate

Township 26 North Range 15

East on a random line between secs 20 & 29
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

8013 Intersect the N & S line 25 lks North of mound Cor to secs 20, 21, 28 & 29 from which Cor
I ran ~~South~~ N 89° 49' West on a true line between secs 20 and 29
Va 13° 22' East

4006½ Raised mound of earth 3 ft high from pits 20 & 30 in Aud 1/2 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8013 The Cor to secs 19, 20, 29 30

Land rolling sand hills 3 rate

West of the 6th Principal Meridian

West on a random line between secs 19 & 30
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

8023 Intersect the West boundary of the Township 18 lks North of mound Cor to secs 19 & 30 from which Cor
I ran North 89° 52' East on a true line between secs 19 and 30
Va 13° 22' East

4023 Raised mound of earth 3 ft high from pits 20 & 30 in Aud 1/2 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8023 The Cor to secs 19, 20, 29 and 30

Land rolling hills mostly 2 rate Clay soil July 22 1874

Township 26 North Range 18 West of the 6th Principal Meridian

North between Secs 19 & 30
Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Corner to secs 17, 18, 19 and 20 no timber or stone to be obtained to mark Cor

Land rolling south 60 chs 2 rate clay soil balance sandy 3 rate

East on a random line between secs 17 and 20
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

8007 Intersect the North South line at mound Cor to secs 16, 17, 20 and 21 from which Cor I ran West on a true line between secs 17 and 20 Va 13° 22' East

4003½ Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8007 The Cor to secs 17, 18, 19, & 20

Land gently rolling mostly clay soil 2 rate

Township 26 North Range

West on a random line between secs 18 & 19
Va 13° 22 East

4000 Marked point for temporary 1/4 sec Cor

8030 Intersect the North & South line 5 Mks North of mound Cor to secs 18 and 19 from which Cor
Iron North 89° 58 East on a true line between secs 18 and 19
Va 13° 22 East

4030 Rural mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8030 The Cor to secs 17, 18 19 and 20

Land rolling hills sandy 3 rate

18 West of the 6th Principal meridian

North between secs 17 & 18
Va 13° 22 East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 7, 8, 17 and 18 no timber or stone to be obtained to mark Cor

Land low rolling hills sandy 3 rate

Township 26 North Range

East on a random line between sec 8 & 17
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

8000 Intersect the North and South line 15 lks North of mound Cor to secs 8, 9, 16 and 17 from which Cor
I ran North 89° 54' West on a true line between secs 8 and 17
Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 & 31 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 The Cor to secs 7, 8, 17 and 18

Land low sand hills
3 rate

18 West of the 6th Principal Meridian

West on a random line between secs 7 and 18
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

8004 Intersect the West boundary of the Township 9 lks North of mound Cor to secs 7 & 18 from which Cor
I ran North 89° 56' East on a true line between secs 7 and 18
Va 13° 22' East

4004 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8004 The Cor to secs 7, 8, 17, & 18

Land low sand hills
3 rate

Township 26 North Range

North between sec 7 & 8
Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 5 6 7 & 8 no timber or stone to be obtained to mark Cor

Land low sand hills 3 rate

18 West of the 6th Principal Meridian

East on a random line between secs 5 and 8
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

8024 Intersect the North and South line 20 lks North of mound Cor to secs 4, 5 8 and 9 from Cor
I run North 89° 31' West on a true line between secs 5 and 8
Va 13° 22' East

4012 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone
~~8024~~ to be obtained to mark Cor

8024 The Cor to secs 5, 6, 7 & 8

Land low sand hills 3 rate

Township 26 North Range

West on a random line
between Secs 6 and 7
N 13° 22' East

4000 Marked point for temporary
1/4 Sec Cor

8018 Intersect the West boundary
of the Township at mound
Cor to Secs 6 and 7 from
which Cor
I run East on a true line
between Secs 6 and 7
N 13° 22' East

4008 Raised mound of earth
3 ft high from pits 20 + 30
in diam 1/2 mi dist for
1/4 Sec Cor no timber
or stone to be obtained
to mark Cor

8008 The Cor to Secs 5, 6, 7
and 8

Land low sandy hills
rate

North on a random line
between Secs 5 and 6
N 13° 22' East

4000 Marked point for temporary
1/4 Sec Cor

7979 Intersect the North boundary
of the Township 23 Ms 6
West of mound Cor to Secs
5 and 6 from which Cor
I run South 10' West on
a true line between Secs
5 and 6
N 13° 22' East

3979 Raised mound of earth
3 ft high from pits 20 + 30
in diam 1/2 mi dist for 1/4
Sec Cor no timber or stone
to be obtained to mark
Cor

7979 The Cor to Secs 5, 6, 7 + 8

Land low hills sandy
3 rate July 23 1874

Township 26 North Range 18 West of the 6th Principal Meridian

General Discription

This Township is composed of rolling hills the greater part sandy and not fit for Cultivation, but there is some good Clay land in different parts of the Township which is well adapted for Cultivation there is a fair growth of Grass through out the Township. There is no timber or stone to be formed. water can be obtained by digging in low places between the hills at a depth of from 3 to 12 feet

Township No 26 North of the Base Line Range 18 West of the 6th Principal Meridian

A list of the names of the individuals employed to assist in running measuring or marking the lines and corner described in the foregoing field notes of Township No 26 North Range of the Base Line Range No 18 West of the 6th Principal Meridian shown the respective capacities in which they acted

John H Turner } Chainman
August Wyre }

David H Reynolds Mountman

Thomas Rowan Flagman

We hereby certify that we assisted Walter C Campbell Deputy Surveyor in subdividing Township No 26 North of the Base Line Range No 18 West of the 6th Principal Meridian and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions of the Surveyor General and of dimensions character construction and marking and in the manner as specifically described in the foregoing field notes

John H. Turner } Chainman
August Wyre

David H Reynolds Mountman
Thomas Rowan Flagman

Subscribed and sworn to by the

Township 26 North Range 18 West of the 6th Principal Meridian

above named Surveyor
before me a Notary Public
in and for the County of Dodge
and State of Nebraska this
2 day of September 1874

George H. Riggs
Notary Public
Dodge County Nebraska

I Walter C Campbell
Deputy Surveyor do solemnly
swear that in pursuance of
a joint contract wherein John
W Dougherty Dan S Pamela
and Walter C Campbell are
joint contractors with
E. E. Cunningham Surveyor
General for the District of
Nebraska and Iowa bearing
date the 8th day of July 1874
I have well faithfully and
legally in my own proper
person and in strict conform-
ity to the instructions furnished
by the Surveyor General, the
Surveying process and the
Laws of the United States
Surveyed all those parts or
portions of Township No 26 North
of the Base Line in Range
No 18 West of the 6 Principal
Meridian as are represented
by the foregoing field notes
to have been Surveyed

under my direction and
I do further solemnly swear that
all the corners have been esta-
blished and perpetuated in
strict accordance with the Sur-
veying Manual printed Instructions &
Special Instructions of the
Surveyor General of dimensions
character, construction and
marking and in the manner
as specifically described in
the foregoing field notes and
that the foregoing are the
true and original field notes
of said Survey

Wallace C Campbell
Deputy Surveyor

Subscribed by said Wallace C
Campbell Deputy Surveyor and
sworn to before me a Notary
Public within for the County
of Dodge and State of Nebraska this
12 day of Sept 1894

George H. Biggs

Notary Public
Dodge County Nebraska

Surveyor Generals Office
Plattsmouth Oct 31st 1874.
The foregoing field notes of the Survey and Subdivision of Township No 26 N of Base Line of Range No 18 W of 6th P.M. Executed by Walter & Campbell under joint Contract No 54, dated July 8th 1874. in the month of July 1874. having been critically Examined, the necessary corrections and Explanations made, the said field notes, and the surveys they describe are hereby approved

E. E. Cunningham
Surveyor General

Township 27 North of the Base line

Town 27. Range 18 W

6	60	5	40	4	38	3	22	2	1
59		58		39		27		21	10
7	57	8	42	9	31	10	20	11	12
56		55		40		28		19	14
18	54	17	41	16	29	15	18	14	13
53		52		39		28		17	16
19	51	20	38	21	27	22	16	23	5
50		49		37		26		15	4
30	48	29	36	28	25	27	14	26	3
47		46		35		24		13	2
31	45	32	34	33	23	34	12	35	1
44		43		32		21		10	11

Range 18 West of the 6 Principal Meridian

Field Notes of the Subdivision lines in Township No 27 North of the Base line Range No 18 West of the 6 Principal Meridian in the State of Nebraska Surveyed by Walter C Campbell Deputy Surveyor Commenced Aug 5th 1874 & Closed Completed Aug 10th 1874

Township 27 North Range 18 West of the 6th Principal Meridian

Names and duties of Assistants employed in subdividing Township No 27 North of the Base Line Range No 18 West of the 6th Principal Meridian with State of Nebraska

John H Turner Chainman
August Wyse Chainman

David H Reynolds Mounderman
Thomas Rowan Flagman

To determine the proper adjustment of my Compass for subdividing this Township I Commence at the Corner to Township 26 & 27 North Range 17 and 18 West and run North on a blank line along the East boundary of sec 36

Variation 13°24' E

3997 To the 1/4 sec Cor
7993 To the Cor to sec 25 & 36

I finde my Compass to be in adjustment to subdivide this Township

Township 27 North Range 18

North between secs 35 and 36

Va 13° 24' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

4800 Leave high broken hills & rate gentle rolling land bears E & W

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 25 26 35 & 36

South 48 chs sand hills 3 rate land balance gentle rolling 2 rate

West of the 6th Principal Meridian

East on a random line between secs 25 and 36

Va 13° 24' East

4000 Marked point for temporary 1/4 sec Cor

8006 Intersect the East boundary of the Township 7 chs North of mound Cor to secs 25 & 36 from which Cor

I ran North 89° 3' 7" West on on a true line between secs 25 and 36

Va 13° 24' East

4003 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8006 The Cor to secs 25 26 35 & 36

Land mostly undulating 2 rate

Township 27 North Range 18

North between secs 25 and 26

Va 13° 22' 24" East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 23 24 25 & 26

Land south part low rolling hills. North broken hills all sandy 3 mile

West of the 6th Principal Meridian

East on a random line between secs 24 and 25

Va 13 24 East

800 Leave sand hills & rule oulley bearing N.W. & S.E.

4000 Marked point for temporary 1/4 sec Cor

4600 Leave oulley & rule sand hills bearing N.E. & S.W.

7980 Intersect the East boundary of the Township 22 lks South of mound Cor to secs 24 & 25 from which Cor

I vare South 89° 51' West on a true line between secs 24 and 25

Va 13° 24' East

3990 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for for 1/4 sec Cor

7980 The Cor to secs 23 24 25 & 26

Land on the oulley 2 mile on the sand hills 3 mile

Township 27 North Range 18

North between secs 23 & 24
Va 13 24 East

600 Leave hills & enter oulley bearing E & W

3400 Leave oulley & enter hills bearing E & W

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 13, 14 23 & 24

Level on the oulley good 2 rate balance worthless sand hills

West of the 6th Principal Meridian

East on a random line between secs 13 and 24
Va 13° 24' East

4000 Marked point for temporary 1/4 sec Cor

5000 Leave hills & enter undulating level bearing N, W, S, E

7960 Intersect the East boundary of the Township 5 lks North of mound Cor to secs 13 & 24 from which Cor
I run North 89° 38' West on a true line between secs 13 and 24
Va 13° 24' East

3980 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7960 The Cor to secs 13, 14, 23 and 24

Level West 50 chs sand hills balance undulating good 2 rate

Township 27 North Range 18

North between Secs 13 and 14

Va 13°24' East

1000 Leave hills & enter valley bearing E & W

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 Sec Cor

5500 Leave valley & enter hills bearing E & W

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to Secs 11, 12, 13 and 14

Land on valley good 2 rate the balance sand hills 3 rate

West of the 6th Principal Meridian

East on a random line between Secs 12 and 13

Va 13°24' East

4000 Marked point for temporary 1/4 Sec Cor

5000 Leave hills & enter valley bearing N. E. & W.

7976 Intersect the East boundary of the Township 16 Mls North of mound Cor to Secs 12 & 13 from which Cor

I run North 89°53' West on a line line between Secs 12 and 13

Va 13°24' East

3988 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 Sec Cor

7976 The Cor to Secs 11, 12, 13 & 14

Land sand hills 3 rate

Township 27 North Range 18

North between secs 11 & 12
Va 13° 24' East

3400 Leave sand hills & enter
valley bearing N. E. & S. W.

4000 Raised mound of earth 3 ft
high from pits 20 x 30 in
and 12 in deep for 1/4 sec
Cor

5000 Slough 17 chs wide bears
N. E. & S. W.

8000 Raised mound of earth 3 ft
high from pits 20 x 30 in
and 12 in deep for Cor.
to secs 1, 2, 11, & 12

South 34 chs sand hills
3 rate balance level
valley 1st rate soil

West of the 6th Principal Meridian

East on a random line
between secs 1 and 12
Va 13° 24' East

4000 Marked point for temporary
1/4 sec Cor

6500 Leave valley & enter sand
hills bearing N. E. & S. W.

7976 Intersect the East boundary
of the Township 19 chs North
of mound Cor to secs 1 & 12
from which Cor
I run North 89° 52' West
on a true line between
secs 1 and 12
Va 13° 24' East

3988 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for 1/4
sec Cor

7976 The Cor to secs 1, 2, 11, & 12

West 65 chs undulating 2 rate
valley balance 3 rate hills
August 5th 1874

Township 27 North Range 18

North on a random line between secs 1 and 2
Va 13° 24' East

4000 Marked point for temporary 1/4 sec Cor

6700 Pond 450 chs wide bearing N.W. S.E. I chain the distance across the pond the water only being 15 in deep

7230 Leave Pond & enter swamp

7980 Intersect the North boundary of the Township 5.84 chs West of of Witness Cor to secs 1 & 2 which Cor stand 5.70 E of point in swamp for Cor to secs 1 and 2 my closing is therefore 14 lks West of point in swamp for Cor to secs 1 and 2 from which point I run South 6 West on a true line between secs 1 and 2
Va 13° 24' East

3980 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7980 Ree Cor to secs 1, 2, 11 & 12

Land all oully, sandy poor & rate

West of the 6th Principal Meridian

North between secs 34 & 35
Va 13° 24' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for secs 26 27 34 and 35

South 40 chs gentle rolling land North level all good & rate clay soil

Township 27 North Range 18

East on a meadow line between secs 26 & 35
Va 13° 24' East

2,00 Leave level land and enter hills bearing N & S

4000 Marked point for temporary 1/4 sec Cor

8027 Intersect the N & S line 19 lks North of mound Cor to secs 25, 26, 35 and 36 from which Cor
Iran North 89° 52' West on a true line between secs 26 and 35
Va 13° 24' East

4013½ Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8027 The Cor to secs 26 27 34 35

Land mostly high sand hills 3 mile

West of the 6th Principal Meridian

North between secs 26 & 27
Va 13° 24' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 22 23 26 and 27

Land undulating sandy 2 mile soil

Township 27 North Range 18

East on a random line between secs 23 and 26
Va 13° 24' East

2000 Marked point for temporary 1/4 sec Cor

6800 Leave undulating land and enter sand hills, bearing N.S.

8004 Intersect the N.S. line 16 lks North of mound Cor to secs 23 24 25 and 26 from which Cor
I ran North 89 53 West on a tin line between secs 23 and 26
Va 13° 24' East

2002 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8004 The Cor to secs 22, 23 26 and 27

West 68 Chs undulating balance rolling hills all sandy poor land

West of the 6th Principal Meridian

North between secs 22 & 23
Va 13° 24' East

1500 Leave level land & enter sand hills bearing E & W

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 14 15 22 & 23

South 15 Chs level balance hilly all sandy 3 rate

Township 27 North Range

East on a random line between secs 14 & 23
Va 13 24 East

4000 Marked point for temporary 1/4 sec Cor

7997 Intersect the N & S line at mound Cor to secs 13 14 23 and 24 from which Cor
I can West on a true line between secs 14 & 23
Va 13 24 East

3998½ Raised mound of earth 3 ft high from pits 20 & 30 and 12 in deep for 1/4 sec Cor

7997 The Cor to secs 14 15 22 and 23

Land sand hills 3 rate

18 West of the 6th Principal Meridian

North between secs 14 & 15
Va 13 24 East

300 Leave sand hills & enter valley bearing N, E, S, W

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

7300 Leave valley & enter sand hills bearing E & W

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to secs 10 11 14 and 15

Land mostly undulating 2 rate

Township 27 North Range

East on a random line between secs 11 and 14
Var 13° 24' East

4000 Marked point for temporary 1/4 sec Cor

7986 Subtract the North South line 23 lks North of mound Cor to secs 11 12 13 & 14 from which Cor
I run North 84° 50' West on a line line between secs 11 and 14
Var 13° 24' East

3993 Ranged mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7986 The Cor to secs 10 11 13 & 14 and 15

Land sand hills 3 mile

18 West of the 6th Principal Meridian

North between secs 10 & 11
Var 13° 24' East

4000 Ranged mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Ranged mound of earth 3 ft high from pits 20 x 30 in & 12 in deep for Corner to secs 2 3 10 and 11

Land sand hills 3 mile

August 6th 1874

Township 27 North Range 18

East on a random line
between secs 2 and 11
Va 13° 24' East
4000 Marked point for temporary
1/4 sec Cor
7200 Leave sand hills & enter
valley bearing N & S
7961 Intersect the N & South
line 30 lks North of
mound Cor to secs 1, 2 11
and 12 from which Cor
I run North 84° 47' West
on a true line between
secs 2 and 11
Va 13° 24' East
3980 1/2 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for
1/4 sec Cor
7961 The Cor to secs 2 3 10 & 11

Land mostly sand
hills 3 cuts

West of the 6th Principal Meridian

North between secs 2 & 3
on a random line
Va 13° 24' East
4000 Marked point for temporary
1/4 sec Cor
7968 Intersect the North boun-
dry of the Township 19 lks
East of post Cor to secs
2 and 3 from which Cor
I run South 8' East on
a true line between secs
2 and 3
Va 13° 24' East
3968 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for 1/4
sec Cor
7968 The Cor to secs 2 3 10 & 11

Land low sand hills
3 cuts

Township 27 North Range

North between secs 33 and 34
Va 13° 24' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Corner to secs 27, 28, 33, 34

Land sand hills 3 rate

18 West of the 6th Principal Meridian

East on a random line between secs 27 and 34
Va 13° 24' East

4000 Marked point for temporary 1/4 sec Cor

5000 Leaves sand hills bearing N.W. & E. Trail - outlet

7987 Intersect the N & S line 16 lks South of mound Cor to secs 26, 27, 34, 35 from which Cor
I run South 89° 49' West on a true line between secs 27 and 34
Va 13° 24' East

3993½ Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7987 The Cor to secs 27, 28, 33 and 34

West 30 Chs sand hills 3 rate balance only 2 rate land

Township 27 North Range

North between secs 27 and 28

Va 13° 24' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor.

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 21, 22, 27 and 28

Land sand hills 3 mile

18 West of the 6th Principal Meridian

East on a random line between secs 22 and 27

Va 13° 24' East

3700 Leave hills & enter undulating land bearing N. E. S. W.

4000 Marked point for temporary 1/4 sec Cor

7980 Inclined the N & S line 14 lks North of mound Cor to secs 22 23 26 and 27 from which Cor

I ran North 89° 54' West on a true line between secs 22 and 27

Va 13° 24' East

3990 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7980 The Cor to secs 21, 22 27 and 28

West 37 chs sand hills balance undulating oaklys good 2 mile soil

Township 27 North Range 18 West of the 6th Principal Meridian

North between secs 21 and 22

Va 13 24 East

3200 Leave hills & enter valley bearing E & W

4000 Raised mound of earth 3 ft high from pits 20 & 24 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to secs 15 16, 21, & 22

Land South 32 chs sand hills 3 rate balance gentle rolling valley sandy poor 2 rate soil

East on a random line between secs 15 and 22

Va 13° 24' East

4000 Marked point for temporary 1/4 sec Cor

7000 Leave valley & enter hills bearing N.E. & S.W.

7975 Intersect the North South line 23 lks South of mound Cor to secs 14, 15 22 and 23 from which Cor

I run South 89 50 West on a true line between secs 15 and 22

Va 13° 24' East

3967 ~~1/2~~ .87 1/2 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

7975 The Cor to secs 15, 16 21 and 22

West 70 chs undulating 2 rate Land balance sand hills 3 rate

Township 27 North Range 18

North between secs 15 and 16

Va 13° 24' East

4000 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for 1/4 sec Cor

5767 Leave oulley & enter sand hills bearing E & W

8000 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for Cor to secs 9, 10 15 and 16

South 57 chs undulating oulley 2 mile land balance sand hills 3 mile

West of the 6th Principal Meridian

East on a random line between secs 10 and 15

Va 13° 24' East

2000 Leave sand hills & enter oulley bearing N & S

4000 Marked point for temporary 1/4 sec Cor

6000 Leave oulley & enter hills bearing N & S

7988 Intersect the N & S line 4 chs North of mound Cor to secs 10 11 14 and 15 from which Cor

I run North 89° 58' West on a line line between secs 10 and 15

Va 13° 24' East

3994 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for 1/4 sec Cor

7988 The Cor to secs 9, 10 15 and 16

Land on oulley good 2 mile balance 3 Vale Aug 7th 1874

Township 27 North Range

North between secs 9 & 10
Va 13° 24' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Corner to secs 3 4 9 and 10

Land sand hills 3 rate

18 West of the 6th Principal Meridian

East on a random line between secs 3 and 10
Va 13° 24' East

2500 Leave sand hills Enter valley
4000 Marked point for temporary 1/4 sec Cor
5300 Leave valley Enter sand hills Beam N & S
8028 Subject to the N & S line at mound Cor to secs 2 3 10 and 11 from which Cor
Train West on a line line between secs 3 and 10
Va 13° 24' East

4014 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor
8028 The Cor to secs 3 4 9 and 10

Land on valley 2 rate balance sand hills 3 rate

Township 27 North Range

North on a random line between secs 3 & 4
Va 13° 24' East

4000 Marked point for temporary 1/4 sec Cor

7948 Subject the North boundary of the Township 25 lks East of post Cor to secs 3 and 4 from which Cor
I run South 11' East on a true line between secs 3 and 4
Va 13° 24' East

3948 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7948 The Cor to secs 3, 4 9 and 10

Land low sand hills 3 mi

18 West of the 6th Principal Meridian

North between secs 3 & 33
Va 13° 24' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

5000 Leave sand hills & rule gentle rolling land bearing E & W

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 28 29 33 & 34

Land South 50 chs high sand hills 3 mi balance gentle rolling 2 mi

Township 27 North Range

East on a random line between secs 26 and 33

Va 13° 24' East

3200 Leave gentle rolling land and enter sand hills brass N&S

4000 Marked point for temporary 1/4 sec Cor

9975 Intersect the North South line 5 lks South of mound Cor to secs 27, 28, 33 and 34 from which Cor I run South 8° 58' West on a line line between secs 28 and 33

Va 13° 24' East

.87½

3980 Raised mound of earth 3 ft high from pits 20 & 30 in and 2 in deep for 1/4 sec Cor

7975 The Cor to secs 28, 29, 32 and 33

West 32 chains gentle rolling 2 rate Land bed [illegible] 3 rate

18 West of the 6th Principal Meridian

North between secs 28 & 29

Va 13° 24' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 2 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 2 in deep for Cor to secs 20 21 28 & 29

Land gentle rolling valley Good 2 rate land

Township 27 North Range 18

East on a random line between secs 21 & 28
Va 13° 24' East

1000 Leave valley & enter sand hills bearing N & S

4000 Marked point for temporary 1/4 sec Cor

7700 Leave hills & enter valley bearing N & S

7989 Intersect the N & S line 16 lks North of mound Cor to secs 15, 16, 21 & 22 from which Cor
I run North 89° 53' West on a true line between secs 21 and 28
Va 13° 24' East

3994½ Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

7989 The Cor to secs 20, 21, 28 and 29

Land mostly sand hills
3 rate

West of the 6th Principal Meridian

North between secs 20 & 21
Va 13° 24' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to secs 16, 17, 20 & 21

Land gently undulating
2 rate soil

Township 27 North Range 18

East on a random line between secs 16 & 21
Va 13° 24' East

1200 Leave oulley & enter sand hills bearing N & S

4000 Marked point for temporary 1/4 sec Cor

7700 Leave hills & enter oulley bearing N & S

8008 Intersect the N & S line 33 lks South of mound Cor to secs 15, 16, 21 & 22 from which Cor I ran South 89 46 West on a true line between secs 16 and 21
Va 13 24 East

4004 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8008 The Cor to secs 16, 17, 20 & 21
Land mostly sand hills
3 rate

West of the 6th Principal Meridian

North between secs 16 and 17
Va 13 24 East

1500 To shallow Lake 15 chs with bears E & W chain distance across lake

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

4800 Leave oulley & enter sand hills bearing N, E, S, W

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 8, 9, 16 & 17

Land on oulley level 1 mile balance sand hills 3 mile

The Lake noted on this line is strong alkali water about 12 in deep, it is about 30 acres in extent, lies mostly in sec 16

August 8th 1874

Township 27 North Range

East on a random line between secs 9 & 16
Va 13° 24' East
4000 Marked point for temporary 1/4 sec Cor
7976 Intersect the N & S line 31 lks South of mound Cor to secs 9, 10, 15 and 16 from which Cor.
I run South 89° 47' W on a true line between secs 9 and 16
Va 13° 24' East
.88
3968 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 deep for 1/4 sec Cor
7976 The Cor to secs 8, 9, 16 and 17

Land sand hills 3 rate

18 West of the 6th Principal Meridian

North between secs 8 & 9
Va 13° 24' East
3100 Leave sand hills & enter valley bearing N, E, S, W
4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor
6600 Leave valley & enter sand hills bearing N, E, S, W
8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to secs 4, 5, 8 and 9

Land on the valley good 2 rate balance 3 rate

Township 27 North Range

East on a random line between Secs 4 & 9
Va 13° 24' E
4000 Marked point for temp
Bary 1/4 Sec Cor
7961 Intersect the N & S line
6 lks North of mound
Cor to Secs 3 4 9 & 10
from which Cor
I ran North 89 57 West
on a true line between
Secs 4 and 9
Va 13° 24' E
3980 1/2 Raised mound of earth
3 ft high from pits 20 & 30
and 12 in deep for 1/4
Sec Cor
7961 The Cor to Secs 4, 5
8 and 9

Land rand hills
3 rate

18 West of the 6th Principal Meridian

North on a random line
between Secs 4 and 5
Va 13° 24' East
4000 Marked point for temporary
1/4 Sec Cor
7975 Intersect the N & S line
54 lks East of post
Cor to Secs 4 and 5 from
which Cor
I ran South 23 East on
a true line between
Secs 4 and 5
Va 13° 24' East
3975 Raised mound of earth
3 ft high from pits 20 & 30
in and 12 in deep for 1/4
Sec Cor
7975 The Cor to Secs 4, 5, 8 and
9

Land rand hills 3
rate

Township 27 North Range

North between secs
31 and 32
Va 13°24' East

4000 Raised mound of earth
3 ft high from pits
20 x 30 in and 12 in
deep for 1/4 sec Cor

7600 Lava hills & enter valley
bearing E & W

8000 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for Cor
to secs 29, 30, 31, & 32

Land mostly sand
hills 3 mts

18 West of the 6th Principal Meridian

East on a random line
between secs 29 & 32
Va 13°24' East

2000 Lava valley & enter hills
bearing N, W, S, E

4000 Marked point for temporary
1/4 sec Cor

8012 Intersect the N & S line 12
lks North of mound Cor
to secs 28, 29, 32 & 33
from which Cor
I ran North 89°55' West
on a true line between
secs 29 and 32
Va 13°24' East

4006 Raised mound of earth 3 ft
high from pits 20 x 30 in
and 12 in deep for 1/4 sec
Cor

8012 The Cor to secs 29, 30, 31,
and 32.

Land undulating all 2 mts dry
soil

Township 27 North Range

West between secs 30 & 31
Va 13° 24' East

2000 Leave valley & rule hills bearing N, W, S, E

4000 Marked point for temporary 1/4 sec Cor

8026 Intersect the West boundary of the Township 28 Chs North of mound Cor to secs 30 and 31 from which Cor I saw N 8948 E on a tree line between secs 30 & 31
Va 13 24 East

4026 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8026 The Cor to secs 29 30 31 and 32

East 20 Chs rolling 2 rule land balance land hills 3 rule

16 West of the 6th Principal Meridian

North between secs 29 and 30
Va 13° 24' East

2700 Leave gentle rolling & rule hills land bearing N, W, S, E

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 19 20 29 30

South 27 Chs rolling 2 rule land balance high land hills 3 rule

Township 27 North Range

East on a random line between secs 20 and 29

Va 13° 24' East

4000 Marked point for temporary 1/4 sec Cor

5800 Leave sand hills & rut-outlay bearing N & S

8000 Intersect the N & S line 23 lks South of mound Cor to secs 20, 21, 28 and 29 from which Cor

I ran South 89° 58' West on a true line between secs 20 and 29

Va 13° 24' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

8000 The Cor to secs 19 20 29 and 30

West 56 chs sand hills 3 mi balance level 1 mi Land

18 West of the 6th Principal Meridian

West on a random line between secs 19 & 30

Va 13° 24' East

4000 Marked point for temporary 1/4 sec Cor

8012 Intersect the West boundary of the Township 18 lks North of mound Cor to secs 19 & 30 from which Cor

I ran North 89° 52' ~~West~~ East on a true line between secs 19 and 30

Va 13° 24' East

4012 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

8012 The Cor to secs 19, 20, 29 and 30

Land sand hills 3 mi

Aug 9th 1874

Township 27 North Range

North between secs
19 and 20
Va 13°24' East

4000 Raised mound of earth
3 ft high from pits 20 & 30
in and 12 in deep for
1/4 sec Cor

8000 Raised mound of earth
3 ft high from pits 20 & 30
in and 12 in deep for
Corner to secs 17, 18, 19
and 20

Land sand hills
3 rate

18 West of the 6th Principal Meridian

East on a random line
between secs 17 and 20
Va 13°24' East

4000 Marked point for temporary
1/4 sec Cor

4300 Leave hills & rule - oully bearing
N & S

7994 Intersect the N & S line 10
lks North of mound cor
to secs 16 17 20 & 21 from
which Cor
I run North 89°56' West on
a line line between secs
17 and 20
Va 13°24' East

3997 Raised mound of earth
3 ft high from pits 20 & 30
in and 12 in deep for 1/4
sec Cor

7994 The Cor to secs 17, 18, 19
and 20

Land West 43 chs sand hills
3 rate balance undulating
2 rate

Township 27 North Range 18 West of the 6th Principal Meridian

West on a random line between secs 18 & 19
Va 13° 24' East

4000 Marked point for temporary 1/4 sec Cor

8020 Intersect the West boundary of the Township 11 lks North of mound Cor to secs 18 and 19 from which Cor

I run North 89 55 East on a true line between secs 18 and 19
Va 13° 24' East

4020 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

8020 The Cor to secs 17. 18 19 and 20

Land low sand hills 3 rate

North between secs 17 & 18
Va 13° 24' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to secs 7 8 17 and 18

Land low hills sandy 3 rate

Township 27 North Range

East on a random line between secs 8 & 17
Va 13° 24' East

4000 Marked point for temporary 1/4 sec Cor

8013 Intersect the N & S line 12 lks South of mound Cor to secs 8, 9, 16, & 17 from which Cor
I ran South 89 55 West on a line line between secs 8 and 17
Va 13° 24' East

4006 1/2 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8013 The Cor to secs 7, 8, 17 and 18

Land low sand hills 3 rate

18 West of the 6th Principal Meridian

West on a random line between secs 7 and 18
Va 13° 24' East

4000 Marked point for temporary 1/4 sec Cor

8022 Intersect the West boundary of the Township 17 lks North of mound Cor to secs 7 & 18 from which Cor
I ran North 89° 53' East on a line line between secs 7 and 18
Va 13 24 East

4022 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8022 The Cor to secs 7, 8, 17 & 18

Land low hills sandy 3 rate

Township 27 North Range

North between secs 7 & 8
Va 13 24 East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Corner to secs 5, 6, 7, & 8

Land low sand hills
3 rate

18 West of the 6th Principal Meridian

East on a random line between secs 5 and 8
Va 13 24 East

4000 Marked point for temporary

7998 Intersect the North and South line at mound Cor to secs 4, 5 8 and 9 from which Cor
I run West on a line line between secs 5 & 8
Va 13° 24 East

3999 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

7998 The Cor to secs 5, 6, 7, & 8

Land low sandy hills
3 rate

Township 27 North Range

West on a random line between secs 6 & 7
Va 13° 24' East

4000 Marked point for temporary 1/4 sec Cor

8011 Intersect the North and South line 4 lks North of post Cor to secs 6 & 7 from which Cor
I ran North 89° 58' East on a true line between secs 6 and 7
Va 13° 24' East

4011 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8011 The Cor to secs 5 6 7 & 8

Land low sand hills 3 rate

18 West of the 6th Principal Meridian

North on a random line between secs 5 & 6
Va 13° 24' East

4000 Marked point for temporary 1/4 sec Cor

7200 Left hills & into valley bearing N E & S W

8009 Intersect the North boundary of the Township 26 lks East of post Cor to secs 5, 6, 31 and 32 from which Cor
I ran South 11' East on a true line between secs 5 and 6
Va 13° 24' East

4009 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8009 The Cor to secs 5 6 7 and 8

Land mostly sand hills 3 rate

August 10th 1874

Township 27 North Range 18 West of the 6th Principal Meridian

In the subdivision of this Township I have not set posts in stone at the corners for the reason that there is neither timber or stone to be obtained in this region of country

General Description

The largest portion of the land in this Township is sand hills not fit for cultivation but there is considerable good undulating valley land in the Township. The soil is a rich sandy loam and well adapted for cultivation. There is a fair growth of grass on the hills and a luxuriant growth on the valleys. There is no timber or stone to be found in the Township. Good water can be obtained by digging in the valleys at a depth of from 4 to 12 feet

Township 27 North Range 18 West of the 6th Principal Meridian

A list of the names of the individuals employed to assist running, measuring or marking the lines and Corners described in the foregoing field notes of Township No 27 North of the Base Line Range No 18 West of the 6th Principal Meridian, showing the capacities in which they acted

John H Pusey Chainman
August Wyse Chainman
David H Reynolds Moundman
Thomas Rowan Flagman

We hereby Certify that we appointed Walter C Campbell Deputy Surveyor in subordinate Township No 27 North of the Base Line Range No 18 West of the 6th Principal Meridian and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions of the Surveyor General, and of dimensions, character, construction and marking and in the manner as specifically described in the foregoing field notes

John H. Pusey Chainman
August Wyse Chainman
David H Reynolds Moundman
Thomas Rowan Flagman

Subscribed and sworn to by the

Township 27 North of the Base Line Range 18 West of the 6th Principal Meridian

above named persons before me a Notary Public in and for Dodge County Nebraska this 2 day of September 1874

George H. Briggs
Notary Public
Dodge County Nebraska

I Walter C Campbell Deputy Surveyor do solemnly swear that in pursuance of a Joint Contract wherein John W Daugherty Dan S Parmelee and Walter C Campbell are Joint Contractors with E E Cunningham Surveyor General for the District of Nebraska and Iowa bearing date the 8th day of July 1874, I have well faithfully and truly in my own proper person and in strict conformity to the Instructions furnished by the Surveyor General, the Surveying Manual and the Laws of the United States, surveyed all those parts or portions of Township No 27 North of the Base Line and Range No 18 West of the 6th Principal Meridian as are represented in the foregoing field notes as having been surveyed under my directions and I do further solemnly swear that all the

Township 27 North Range 18 West of the 6th Principal Meridian

Corners of said Survey have been established and perpetuated in strict accordance with the Surveying Manual printed instructions and Special Instructions of the Surveyor General of Dimensions, Character, Construction and Marking and in the manner as specifically described in the foregoing field notes and that the foregoing are the true and original field notes of such Survey

Walter C Campbell
Deputy Surveyor

Subscribed by said Walter C Campbell Deputy Surveyor and sworn to before me a Notary Public in and for Dodge County Nebraska this 2 day of Sept 1874

George H. Briggs
Notary Public
Dodge County Nebraska

Surveyor Generals Office
Plattsmouth Oct. 31st 1874

The foregoing field notes of the surveyed subdivision of Township No. 27 N of Base Line of Range No 18 W. of 6th P.M. in Neb. Executed by Walter C. Campbell under joint Contract No 84 dated July 8th 1874 - Wherein John W. Daugherty Dan S. Parnelle & Walter C Campbell are joint contractors - in the month of August 1874 having been critically examined the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved.

E. E. Cunningham
Surveyor General.

Township 28 North Range 18 West of the 6th Principal Meridian

Town 28 Range 18 W

6	40	5	44	4	33	3	22	2	11	1
55		54		53		52		51		50
7	37	8	42	9	31	10	20	11	9	12
56		55		54		53		52		51
18	34	17	40	16	29	15	18	14	7	13
57		58		59		60		61		62
19	37	20	38	21	27	22	16	23	5	24
50		49		48		47		46		45
30	44	29	36	28	25	27	14	26	3	25
47		46		45		44		43		42
31	43	32	34	33	23	34	12	35	1	36

Field Notes of the Subdivision Lines in Township No 28 North of the Base Line Range No 18 West of the 6th Principal Meridian in the State of Nebraska, Surveyed by John H Dougherty Deputy Surveyor Commenced August 12th 1874 and Completed August 17th 1874

Contract No 84
July 6th 1874

Township 28 North Range 18 West of the 6th Principal Meridian

Names and duties of assistants employed in subdividing Township No 28 North of the Base line Range 18 West of the 6th Principal Meridian in the State of Nebraska

John Ingersoll Chainman
Edward Davis Chainman

James R Ford Moundman

Herbert Gould Flagman

To determine the proper adjustment of my compass for subdividing this Township I commence at the Cor to Townships 27 & 28 North Range 17 and 18 West and run North on a blank line the East boundary of Sec 36 Va 18° 30' East

3936 To a point 17 lks West of the ¼ sec Cor

7992 To a point 35 lks West of the Cor to Sec 25 & 36

To retrace this line or run parallel thereto my Compass must be adjusted to a Variation 13° 15' East

Township 28 North Range

North between secs 35 and 36
Va 13°15' East

3400 Leave swamp bearing N.W. & S.E.

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

4400 Leave valley & enter hills bearing N.W. & S.E.

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 25.26.35 B.C.

South 44 chs low bottom 1 mile wire balance sandy hills 3 miles

18 West of the 6th Principal Meridian

East on a random line between secs 25 B.C.
Va 13°15' East

4000 Marked point for temporary 1/4 sec Cor

8015 Intersected the East boundary of the Township 20 lk South of post Cor to secs 25 B.C. from which Cor
I ran South 89°51' West on a line between secs 25 B.C.
Va 13°15' East

4007½ Raised mound of earth 3 ft high from pits 20 x 30 in & 12 in deep for 1/4 sec Cor

8015 The Cor to secs 25.26.35 B.C.

Land very broken sandy 3 miles

Township 28 North Range 18

North between secs 25 & 26
Va 13°15' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

4800 Leave sand hills & water valley bearing E & W

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 23, 24, 25, & 26

South 48 Chs hilly sandy 3 ft
Land balance undulating 2 rate

West of the 6th Principal Meridian

East on a random line between secs 24 and 25
Va 13°15' East

4000 Marked point for temporary 1/4 sec Cor

8008 Intersect the East boundary of the Township 18 Chs South of post Cor to secs 24 & 25 from which Cor

I run South 89°52' West on a true line between secs 24 & 25
Va 13°15' East

4004 Raised mound of earth 3 ft high from pits 20 x 30 in & 12 in deep for 1/4 sec Cor

8008 The Cor to secs 23, 24, 25 and 26

Land gentle undulating 2 rate

Township 28 North Range 18

North between secs 23 & 24
Va 13° 15' East
1800 Leave valley & enter hills
bearing E and W
4000 Raised mound of earth 3 ft
high from pits 20 x 30 in & 12
in deep for 1/4 sec cor
8000 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for Cor
to secs 13, 14 23 & 24

South 18 chs level 2 mi
Land balance hilly sandy
3 rate

West of the 6th Principal Meridian

East on a random line between
secs 13 and 24
Va 13° 15' East
4000 Marked point for temporary
1/4 sec cor
8032 Intersect the East boundary
of the Township 42 chs South
of post cor to secs 13 and 24
from which cor
I run South 89° 42' West
on a true line between
secs 13 and 24
Va 13° 15' East
4016 Raised mound of earth 3 ft
high from pits 20 x 30 in and
12 in deep for 1/4 sec cor
8032 The cor to secs 13 14 23 & 24

Land sand hills 3 rate

Township 28 North Range 17 18

North between secs 13 & 14
Va 13° 15' East

3500 Leave hills & enter valley
bearing N. E & S. W

4000 Raised mound of earth
3 ft high from pits 20 & 30
in and 12 in deep for 1/4
sec Cor

8000 Raised mound of earth
3 ft high from pits 21 & 31 in
and 12 in deep for Cor
to secs 11, 12, 13 & 14

Land South 35 Chs hilly
sandy 3 mile balance
undulating 2 mile

West of the 6th Principal Meridian

East on a random line
between secs 12 and 13
Va 13° 15' East

4000 Marked point for temporary
1/4 sec Cor

6500 Leave valley & enter hills
bearing N E & S W

8034 Intersect the East boundary
of the Township 66 Chs South
of first Cor to secs 12 & 13
from which Cor
I saw South 89 32 West
on a true line between
secs 12 & 13
Va 13° 15' East

4017 Raised mound of earth 3 ft
high from pits 20 & 30 in & 12
in deep for 1/4 sec Cor

8034 The Cor to secs 11, 12, 13 & 14

West 65 Chs undulating
valley 1 mile Land balance
sand hills 3 mile

Township 28 North Range 18

North between secs 11 & 12
Va 13° 15' East
200 Leave valley & enter hills
bearing E & W
4000 Raised mound of earth 3 ft
high from pits 20 x 30 in
and 12 in deep for 1/4 sec
Cor
8000 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for Cor
to secs 1, 2, 11, & 12

Land mostly hilly sandy
3 miles

West of the 6th Principal Meridian

East on a random line
between secs 1 and 12
Va 13° 15' East
4000 Marked point for temporary
1/4 sec Cor
6000 Leave hills & enter valley
bearing N W & S E
8069 Inclose at the East boundary
of the Township 75 lks South
of post Cor to secs 1 and 12
from which Cor
I run South 89° 30' West on
a line line between secs
1 and 12
Va 13° 15' East
4034½ Raised mound of earth 3 ft
high from pits 20 x 30 in and 12
in deep for 1/4 sec Cor
8069 The Cor to secs 1, 2, 11, & 12

West 60 Chs sand hills 3 miles
balance undulating valley
2 miles

August 12th 1874

Township 28 North Range 18

North on a true line between sec 1 and 2 Va 13° 15' East

2000 Leave sand hills & enter valley bearing E & W

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

5500 Leave valley & enter hills bearing N E, N & N.

8029 Intersect the North boundary of the Township 5.60 chs East of the 1/4 sec Cor on the South boundary of sec 34 Township 29 North Range 18 West when I raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Closing Cor to sec 1 & 2 on the 7th Standard parallel

The Land on the valley is good & rich balance 3rd rate

West of the 6th Principal Meridian

North between sec 34 & 35 Va 13° 15' East

7000 Leave sand hills & enter valley bearing E & W

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

6100 Leave dry bottom land & enter swamp bearing E & W

7600 Leave swamp bearing N E & N.

8000 Raised mound of earth 3 ft high from pits 20 x 30 in & 12 in deep for Cor to secs 26 27 34 and 35

Land on the valley except swamp is first rate bottom land

Township 28 North Range 18

East on a random line between secs 26 & 35
Va 13 15

400 Enter swamp bearing N.E & S.W
800 Enter shallow Lake bearing N.E & S.W when I marked point for temporary meander Cor
3500 Leave Lake N.W. & S.E. and mark point for temporary meander Cor
4000 Mark point for temporary 1/4 sec Cor
5800 Leave bottom & enter hills bears N.B
7986 Intersect the N & S line 12 lks N of mound Cor to secs 25, 26, 35 & 36 from which Cor I ran North 89°55' W on a true line between secs 26 & 35
Va 13° 15 East
3994 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor
4488 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for meander Cor on bank of Lake
7188 Raised mound of earth 3 ft high from pits 20 x 30 in & 12 in deep for meander Cor on West bank of Lake
7988 The Cor to secs 26, 27, 34 & 35

Land on bottom level 2 mi balance 3 mi.
The Lake noted on this line contains about 70 acres this mostly in sec 35. It is strong alkaline water very shallow from 8 to 20 inches deep. likely to dry up or be greatly reduced by evaporation

West of the 6th Principal Meridian

North between secs 26 & 27
Va 13° 15 East
2500 Leave valley & enter hills bearing E & W
4000 Raised mound of earth 3 ft high from pits 20 x 30 in & 12 in deep for 1/4 sec Cor
5500 Leave hills & enter bottom bearing E & W
8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 22, 23, 26, & 27

Land on the bottom and valley 1st mi balance hilly rarely 3 mi.

Township 28 North Range

East on a random line
between secs 23 & 26
Va 13° 15' East
1200 Leave bottom & rut-hills
bearing N & S
2300 Leave hills & rute outlying
bearing N W & S E
4000 Marked point for temporary
1/4 sec Cor
7997 Intersect the N & S line 7
lks South of mound
Cor to secs 23 24 25 & 26
from which Cor
I saw South 89° 57' West
on a true line between secs
23 and 26
Va 13° 15' East
3998 Raised mound of earth 3 ft
high from pits 20 x 30 in 8 ft
in deep for 1/4 sec Cor
7997 The Cor to secs 22, 23 26 & 27

Land mostly level & rute

18 West of the 6th Principal Meridian

North between secs 22 & 23
Va 13° 15' East
2500 Leave low bottom land
and enter sand hills bearing
N. W. & S. E
4000 Raised mound of earth
3 ft high from pits 20 x 30
in and 1/2 in deep for 1/4
sec Cor
6000 Raised mound of earth
3 ft high from pits 20 x 30
in and 1/2 in deep for
Cor to secs 14, 15, 22 & 23

South 25 chs level bottom
1st rut-soil bed and sandy
3 rute

Township 28 North Range 18

East on a random line between secs 14 & 23
Var 3° 15' East

4000 Marked point for temporary 1/4 sec Cor

8000 Intersected the N S line 7 lks South of mound Cor to secs 13, 14 23 By from which Cor I ran South 89° 48' West on a true line between secs 14 and 23
Var 3° 15' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 The Cor to secs 14 15 22 23

Land low rolling hills sandy poor 2 miles

West of the 6th Principal Meridian

North between secs 14 & 15
Var 3° 15' East

4000 Lower hills & miles only bearing E & W

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 10 11 14 & 15

Land nearly all only undulating 2 miles

Township 28 North Range

East on a random line between secs 11 & 14
Va 13° 15' East

4000 Marked point for temporary 1/4 sec Cor

8033 Intersect the N & S line 45 lks South of mound Cor to secs 11, 12, 13 & 14 from which Cor I ran South 89 41 West on a line line between secs 11 and 14
Va 13° 15' East

4016½ Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8033 The Cor to secs 10, 11, 14 & 15

Land undulating only 1st rate soil

8 West of the 6th Principal Meridian

North between secs 10 & 11
Va 13° 15' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 2, 3, 10 & 11

Land undulating only 1st rate soil

August 13th 1874

Township 28 North Range 18

East on a random line between secs 25 11

Va 13° 15' East

4000 Marked point for temporary 1/4 sec Cor

5500 Lawn valley & entire hills bearing N & S

8040 Intersect the N & S line at mound Cor to secs 1, 2 11 & 12 from which Cor

I ran West on a true line between secs 2 & 11

Va 13 15 East

4020 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8040 The Cor to secs 2 3 10 and 11

South 55 chs undulating valley 1st mile balance hilly sandy 3 miles

West of the 6th Principal Meridian

North on a true line between secs 2 and 3

Va 13° 15' East

1800 Lawn valley & entire hills bearing N. W. & S. E

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8129 Intersect the North boundary of the Township 5.20 chs East of the 1/4 sec Cor on the South boundary of secs 35 Township 29 North Range 18 West of the 6th Principal Meridian, where I raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Closing Cor to secs 2 and 3 on the 7th Standard parallel

Land 18 chs south part level 1st mile balance 3 miles, hilly sandy,

Township 28 North Range 18 West of the 6th Principal Meridian

North between secs 33 and 34
Va 13° 15' East

2200 Lawn hills & rite outlying
Drawing E & W

4000 Raised mound of earth
3 ft high from pits 20 & 30
in and 12 in deep for
1/4 sec Cor

8000 Raised mound of earth
3 ft high from pits 20 & 30
in and 12 in deep for Cor
to secs 27, 28, 33 & 34

South 22 Chs sand hills
3 rite balance undulating
1st rite Land

East on a random line
between secs 27 and 34
Va 13° 15' East

4000 Marked point for temporary
1/4 sec Cor

7990 Intersect the N & S line 10
lks south of mound Cor
to secs 26 27 34 & 35
from which Cor
I run South 89° 56' West
on a true line between
secs 27 and 34
Va 13° 15' East

3995 Raised mound of earth 3 ft high
from pits 20 & 30 in and 12 in
deep for 1/4 sec Cor

7990 The Cor to secs 27 28 33 & 34

Land level 1st rite

Township 28 North Range 18 West of the 6th Principal Meridian

North between secs 27 and 28
Va 13° 15' East

3000 Leave valley & enter hills bearing E & W

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7900 Leave hills & enter valley bearing E & W

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 21, 22, 27, & 28

Land mostly sand hills 3 inches

East on a random line between secs 22 & 27
Va 13° 15' East

3600 Leave valley & enter sand hills bearing N, E, S, W

4000 Marked point for temporary 1/4 sec Cor

5600 Leave hills & enter low bottom

7992 Subs sec the N & S line 8 lks North of mound Cor to secs 22 23 26 & 27, from which Cor

Train North 89° 57' West on a line line between secs 22 & 27
Va 13 15 East

3996 Raised mound of earth 3 ft high from pits 20 x 30 in & 12 in deep for 1/4 sec Cor

7992 The Cor to secs 21, 22, 27 & 28

Land mostly level 1st rate soil

Township 28 North Range

North between secs 21 & 22
Va 13 45 East

4000 Raised mound of earth
3 ft high from pits 20 x 30
in Ave 12 in deep for 1/4
sec Cor

6400 Leave oulley and enter hills
bearing E & W

8000 Raised mound of earth
3 ft high from pits 20 x 30
in Ave 12 in deep for Cor
to secs 15 16 21 & 22

Land on the oulley level
1 mile hilly part sandy
3 mile

18 West of the 6th Principal Meridian

East on a random line
between secs 15, and 22
Va 13 25 East

100 Leave hills & enter oulley
bearing N W & S E

4000 Marked point for temporary
1/4 sec Cor

7800 Leave oulley & enter hills
bearing N W & S E

7985 Intersect the N & S line at
post Cor to secs 14 15 22
and 23 from which Cor
I ran West on a true
line between secs 15 & 22
Va 13 15 East

3902 1/2 Raised mound of earth
3 ft high from pits 20 x 30
in Ave 12 in deep for 1/4
sec Cor

7985 The Cor to secs 15 16 21 & 22
Land Hills 3d rate

Township 28 North Range

North between secs 15 and 16

Va 13° 15' East

1000 Leave sand hills & enter valley bearing N W S E

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

5500 Leave valley & enter hills bearing E & W

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to secs 9, 10, 15, & 16

Land on the valley level 2 rate balance hilly sandy 3 rate

18 West of the 6th Principal Meridian

East on a random line between secs 10 and 15

Va 13° 15' East

4000 Marked point for temporary 1/4 sec Cor

6500 Leave hills & enter valley bearing N W S

7986 Intersect the S W S line 4 lks N of mound Cor to secs 10, 11, 14 & 15 from which Cor I ran North 89° 58' West on a true line between secs 10 and 15

Va 13° 45' East

3993 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

7986 The Cor to secs 9, 10, 15 and 16

Land low sandy hills 3 rate

August 14th 1874

Township 28 North Range

North between secs 9 and 10
Va 13° 15' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to secs 3, 4 9 and 10

Land same hills 3 rate

18 West of the 6th Principal Meridian

East on a random line between secs 3 and 10
Va 13° 15' East

4000 Marked point for temporary 1/4 sec Cor

5000 Leave hills & enter valley bearing N, W, S, E

8000 Intersect the North & South line 62 lks South of mound Cor to secs 2, 3, 10 & 11 from which Cor
I ran South 89° 33' West on a true line between secs 3 and 10
Va 13° 15' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

8000 The Cor to secs 3 4 9 & 10

West 50 Chs hilly sandy 3 rate Land balance level 2 rate

Township 28 North Range 18 West of the 6th Principal Meridian

North on a true line between secs 3 and 4
Va 13° 15' East

1700 Leave sand hills & rocks
valley bearing E & W

4000 Raised mound of earth 3 ft
high from pits 20 x 30 in
and 12 in deep for 1/4 sec
Cor

7400 Leave valley & rocks hills
bearing E & W

8100 Intersect the North
boundary of the Township
5.08 ~~Chs~~ East of the 1/4 sec
Cor on the South boundary
of sec 33 Township 29
North Range 18 West of the
6th Principal Meridian where
I raised mound of earth 3 ft
high from pits 20 x 30 in
and 12 in deep for Closing
Cor to secs 3 and 4 on
the 7th Standard parallel
Land on the valley 1st rate
balance 3 rate

North between secs 32 & 33
Va 13° 15' East

4000 Raised mound of earth 3 ft
high from pits 20 x 30 in
and 12 in deep for 1/4 sec
Cor

6200 Leave valley & rocks sand
hills bearing E & W

8000 Raised mound of earth 3 ft
high from pits 20 x 30 in
and 12 in deep for Cor to
secs 28 29 32 & 33

Land South 62 chs level
valley 1st rate balance
sandy hills 3 rate

Township 28 North Range 18

East on a random line between secs 28 and 33

Va 13° 15' East

3400 Leave sand hills drain vulley bearing N. E. & S. W.

4000 Marked point for temporary 1/4 sec Cor

7972 Intersect the N S line 5 chs North of mound Cor to secs 27 28 33 and 34 from which Cor

I ran North 84° 58' West on a true line between secs 28 & 33

Va 13° 15' East

3986 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

7972 The Cor to secs 28, 29, 32 and 33

West 34 chs sand hills 3 rate

Land on the vulley level 1st rate

West of the 6th Principal Meridian

North between secs 28 and 29

Va 13° 15' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to secs 20, 21, 28, & 29

Land sand hills 3 rate

Township 28 North Range

East on a random line between secs 21 and 28
Var 3° 15' East

500 Leave hills & enter valley bearing N & S

2800 Marked point for temporary meander Cor on West bank of a small lake which bears N.E. & S.W. the Lake being shallow a chain across distance 1500 chs

4300 To East bank of Lake where I marked point for temporary meander Cor

7968 Intersect the N & S line 14 chs south of mound Cor to secs 21 22 27 & 28 from which Cor I run South 89° 54' West on a line line between secs 21 & 28
Var 3° 15' East

3668 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Meander Cor on East bank of Lake and a N.C. for ¼ Cor.

3984 Point in Lake for 1/4 sec Cor

5168 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Meander Cor on West bank of Lake

7968 The Cor to secs 20, 21, 28 & 29

Land mostly level good 2 rate. The Lake in line on this line contains about 50 acres, the water is good. Lake very irregular lies mostly in sec 21

18 West of the 6th Principal Meridian

North between secs 20 & 21
Var 3° 15' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 16 17 20 & 21

Land broken sand hills 3 rate

Township 28 North Range

East on a random line between secs 16 and 21
Va 13°15' East

4000 Marked point for temp-orary 1/4 sec Cor

8077 Subsect the N Line 24 lks south of mound cor to secs 15, 16, 21 & 22 from which Cor
I run South 89°50' West on a true line between secs 16 and 21
Va 13°15' East

4088½ Raised mound of earth 3 ft high from pits 20 & 31 in and 12 in deep for 1/4 sec Cor

8077 The Cor to secs 16 17 20 & 21

Land sand hills 3 rate

18 West of the 6th Principal Meridian

North between secs 16 & 17
Va 13°15' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to secs 8 9 16 & 17

Land sand hills 3 rate

August 15th 1874

Township 28 North Range 18

East on a random line between secs 9 & 16
Va 13°15' East

4000 Marked point for temporary 1/4 sec Cor

8074 Intersect the N & S line at mound Cor to secs 9, 10, 15, & 16 from which Cor

I ran West on a true line between secs 9 & 16
Va 13°15' East

4007 Raised mound of earth 3 ft high from pits 20 x 30 in Aul 12 in deep for 1/4 sec Cor

8074 The Cor to secs 8, 9, 16 & 17

Land low sand hills
3 rate

West of the 6th Principal Meridian

North between secs 8 and 9
Va 13°15' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in Aul 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in Aul 12 in deep for Cor to secs 4, 5, 8, & 9

Land Low sand hills
3 rate

Township 28 North Range

East on a random line
between secs 4 and 9
Va 13°15' East
4000 Marked point for temporary 1/4 sec Cor
7988 Intersected the N & S line
17 lks South of mound
Cor to secs 3 4 9 & 10
from which Cor
I run South 89.53 West
on a true line between
secs 4 and 9
Va 13°15' East
3994 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for 1/4
sec Cor
7988 The Cor to secs 4, 5, 8, & 9

Land Low sand hills
3 rate

18 West of the 6th Principal Meridian

North on a true line between
secs 4 and 5
Va 13°15' East
1700 Leave oulley sand hills & enter
& enter oulley bearing E & W
4000 Raised mound of earth 3 ft
high from pits 20 x 30 in and
12 in deep for 1/4 sec Cor
5100 Leave oulley & enter sand
hills bearing E & W
8100 Intersect the North boundary
of the Township 5.60 chs East
of the 1/4 sec Cor on the South
boundary of sec 33 - Township
29 North Range 18 West of
the 6th Principal Meridian where
I raised mound of earth
3 ft high from pits 20 x 30 in
and 12 in deep for Closing
Cor to secs 4 and 5 on the
7th Standard Parallel

The Land on oulley line
1st rate - Balance low hills
Sandy 3 rate

Township 28 North Range 18

North between secs 31 & 32
Va 13° 15' East

3100 Leave valley & enter
sand hills bearing
E & W

4000 Raised mound of earth
3 ft high from pits 20 & 30
in Aud 12 in deep for 1/4
sec Cor

8000 Raised mound of earth
3 ft high from pits 20 & 30
in Aud 12 in deep for Cor
to secs 29 30 31 & 32

South 31 chs level valley
1st rate land bulance
broken sand hills 3 rate

West of the 6th Principal Meridian

East on a random line
between secs 29 & 32
Va 13° 15' East

4000 Marked point for temporary
1/4 sec Cor

7990 Intersect the N & S line
10 lks south of mound Cor
to secs 28 29 32 & 33 from
which Cor
I run South 89 56 West on
a true line between secs
29 & 32
Va 13° 15' East

3995 Raised mound of earth
3 ft high from pits 20 & 30
in Aud 12 in deep for 1/4
sec Cor

7990 The Cor to secs 29 30 31
and 32

Land hilly & sandy 3 rate

Township 28 North Range 17 West

West on a random line between secs 30 & 31
Va 13° 15 East

4000 Marked point for temporary 1/4 sec Cor

7885 Intersect the West boundary of the Township 24 lks South of post Cor to secs 30 and 31 from which cor I saw South 84 60 East on a tree [illegible] between secs 30 & 31
Va 13 15 East

3885 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7885 The Cor to secs 29 30 31 and 32

Land broken sand hills worthless

of the 6th Principal Meridian

North between secs 29 & 30
Va 13° 15 East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Corner to secs 19, 20 29 & 30

Land sand hills 3 miles

Township 28 North Range 17 West of the 6th Principal Meridian

East on a random line between Secs 20 and 29
Var 13° 15' East

4000 Marked point for temporary 1/4 sec Cor

7978 Intersect the N & Line; 18 lks South of mound Cor to Secs 20, 21, 28 and 29 from which Cor I ran South 89° 52' West on a line line between Secs 21 and 29
Var 13° 15' East

3989 Ranged mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

7978 The Cor to Secs 19, 20 29 & 30

Land sand hills 3 rate

West on a random line between Secs 19 & 30
Var 13° 15' East

4000 Marked point for temporary 1/4 sec Cor

7855 Intersect the West boundary of the Township 12 lks South of post Cor to Secs 19 and 30 from which Cor I ran South 89° 55' East on a line line between Secs 19 and 30
Var 13° 15' East

3855 Ranged mound of earth 3 ft high from pits 20 & 30 in & 12 in deep for 1/4 sec Cor

7855 The Cor to Secs 19, 20, 29 and 30

Land broken sandy 3 rate

August 16th 1874

Township 28 North Range 18

North between secs 19 and 20
Var 3° 15' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in & 12 in deep for Cor to secs 17, 18, 19 & 20

Land broken hills sandy 3 rate

West of the 6th Principal Meridian

East on a random line between secs 17 & 20
Var 3° 15' East

600 Leave hills & enter valley bearing N & S

4000 Marked point for temporary 1/4 sec Cor

4600 Leave valley & enter hills bearing N & S

7968 Intersect the N & S line at mound Cor to secs 16, 17, 20 and 21 from which Cor I run West on a line line between secs 17 & 20
Var 3° 15' East

3984 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7968 The Cor to secs 17, 18, 19 and 20

Land on the valley level 1st rate - balance rolling hills 3 rate

Township 28 North Range 18 West of the 6th Principal Meridian

West on a variation line between secs 18 & 19
Var 3° 15' East

4000 Marked point for temp 1/4 sec Cor

7807 Intersect the West boundary of the Township 55 ch North of post Cor to secs 18 and 19 from which Cor

I run ~~South~~ North 89° 36' East on a line line between secs 18 and 19,
Var 3° 15' East

3807 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

7807 Ther Cor to secs 17, 18 19 and 20

Land sand hills 3 rate

North between secs 17 & 18
Var 3° 15' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in and 12 in deep for Cor to secs 7, 8 17 and 18

Land low hills sandy 3 rate

Township 28 North Range

East on a random line between secs 8 & 17
Va 13°15 East

4000 Marked point for temporary 1/4 sec Cor

7934 Subtract the North & South line 36 lks South of mound Cor to secs 8, 9, 16 & 17 from which Cor I ran South 8944 West on a true line between secs 8 and 17
Va 13°15 East

3967 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

7934 The Cor to secs 7, 8, 17 and 8

Land low sandy hills 3 rule

17 West of the 6th Principal Meridian

West on a random line between secs 7 and 8
Va 13°15 East

4000 Marked point for temporary 1/4 sec Cor

7820 Subtract the West boundary of the Township 24 lks South of pit Cor to secs 7 and 18 from which Cor I ran South 8950 East on a true line between secs 7 and 18
Va 13°15 East

3820 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

7820 The Cor to secs 7, 8, 17 and 18

Land low sandy hills 3 rule

Township 28 North Range

North between secs 7 & 8
Va 13° 15' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 and 12 in deep for Cor to secs 5 6 7 and 8

Land low sand hills
3 mile

17 West of the 6th Principal Meridian

East on a random line between secs 5 and 8
Va 13° 15' East

4000 Marked point for temp or any 1/4 sec Cor

7973 Intersect the Id & line 17 lks South of mound Cor to secs 4, 5, 8 & 9 from which Cor
I ran South 89° 53' West on a true line between secs 5 and 8
Va 13 15 East

3986 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7973 The Cor to secs 5, 6, 7 & 8

Land low sand hills
3 mile

Township 28 North Range 18 West of the 6th Principal Meridian

West on a random line between secs 6 and 7
Va 13°15' East

1000 Leave hills & enter bottom bearing N.W. & S.E.

4000 Marked point for temporary 1/4 sec Cor

5200 Leave bottom & enter hills bearing N.W. & S.E.

7760 Intersect the West boundary of the Township at post Cor to secs 6 and 7 from which Cor
I ran East on a true line between secs 6 & 7
Va 13°15' East

3760 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

7760 The Cor to secs 5, 6, 7 and 8

Land on bottom low wet rich soil balance hilly 3 rate

North on a true line between secs 5 and 6
Va 13°15' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

8108 Intersect the North boundary of the Township 5.90 chs East of the 1/4 sec Cor on the South boundary of sec 32 Township 29 North Range 18 West of the 6th Principal Meridian where I raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Closing Cor to secs 5 and 6 on the 7th Standard Parallel

Land sand hills 3 rate

August 16th 1874

Township 28 N. R. 18 West of the 6th Principal Meridian

In the Subdivision of this Township, I have not set post or stones at the Corner for the reason that there is no timber or stone to be obtained in this region of Country

General Description

This Township is composed of sand hills and undulating valleys. the largest part sand hills which are not fit for cultivation. the valley are good land and well adapted for cultivation. there is a good growth of grass throughout the Township but no timber or stone to be found there a small lake of good water in Secs 21 and 28. the water is about 4 feet deep in the deeper part. the Lake is fed by springs at the West end

Township 28 North Range 18 West of the 6th Principal Meridian

A list of the names of individuals employed to assist in running measuring and marking the Lines and Corners described in the foregoing field notes of Township No 28 North of the Base line Range No 18 West of the 6th Principal Meridian showing the respective capacities in which they acted

John Ingersoll Chainman
Edward Davis Chainman

James R Ford Moundman

Herbert Gould Flagman

We hereby certify that we assisted John W Dougherty Dep Surveyor in subdividing Township No 28 North Range No 18 West of the 6th Principal Meridian and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the Instructions furnished by the Surveyor General, and of dimensions character construction and marking and in the manner as specifically described in the foregoing field notes

John Ingersoll Chainman
Edward Davis

James R Ford Moundman

Herbert Gould Flagman

Subscribed and sworn to

Township 28 North Range 18 West of the 6th Principal Meridian

by the above named person before me a Notary Public in and for the County of Dodge and State of Nebraska this 2 day of Sept. 1874

George H. Briggs
Notary Public
Dodge County Nebraska

I John W Daugherty Deputy Surveyor do solemnly swear that in pursuance of a joint Contract wherein John W Daugherty Dan S Pannelee and Walter C Campbell are joint Contractors with E E Cunningham Surveyor General for the District of Nebraska and Iowa bearing date the 8th day of July 1874 I have well faithfully and truly in my own proper person and in strict Conformity to the Instructions furnished by the Surveyor General, the Surveying Manual and the Laws of the United States surveyed all those parts or portions of Township No 28 North of the Base line Range No 18 West of the 6th Principal Meridian, as are represented by the foregoing field note as having been surveyed under my directions and I do further solemnly swear

Township 28 North Range 18 West of the 6th Principal Meridian

that all the corners have been established and perpetuated in strict accordance with the surveying manual printed instructions and special instructions of the Surveyor General of Dimensions Character Constructions and marking and in the manner as specifically described in the foregoing field notes; and that the foregoing are the true and original field notes of such survey

John W Daugherty
Deputy Surveyor

Subscribed by said John W Daugherty Deputy Surveyor and sworn to before me a Notary Public in and for Dodge County Nebraska this 2 day of September 1874

George H. Briggs
Notary Public
Dodge County Nebraska

Surveyor Generals Office
Plattsmouth Dec 10th 1874

The foregoing field notes of the Subdivision of Township No 28 N of Base Line of Range No 18 W of 6th P.M. in Nebraska Executed by John H Daugherty, Deputy Surveyor under joint Contract No 84 dated July 8th 1874, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved

E. E. Cunningham
Surveyor General

General Land Office • Original Field Notes

Book Number

428

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.