

GENERAL LAND OFFICE • ORIGINAL FIELD NOTES

BOOK NUMBER

430

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

T. 33-35 N.

R. 18 W.

51

Field of
of the
Survey and Sub-division
Township No. 33 North
of the
Base Line
Range No. 18 West
of the
Principal Meridian
in the
State of Nebraska.

Executed
by Frank Crowell
Deputy Surveyor under
Joint Contract No. 89
dated April 29th 1875.

Survey
Commenced June 8th 1875
Completed June 13th 1875

Index Diagram
 of
 Town 33 North
 of the base line
 Range 18 West of 6th P.M.

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

List of Names

A list of the names
 of the persons who were
 employed to assist
 in surveying & subdividing
 this Township.

W. J. Sears Chairman
 Aukrey Miller
 G. H. Brown Moderator
 Esau Belding Assessor
 Flagman

Township 33 North

To determine the proper adjustment of my compass for self-dividing this Township. I begin at the corner to Towns 33 and 34 of the base line of Range 17 West of 101st M. and run thence North along the East bound line of Section 36.

Variation 13°40'E

As the S.E. corner of this ~~Township~~ ^{Township} comes in Niobrara River the trial line cannot be run.

Thence I assume the Variation 13°40'E.

Range 18 West 101st M. 19

From the established corner to Sections 35 and 36 on South boundary of the Township on the 18th Standard Parallel and run

North bet. Sec. 35 and 36

Variation 13°40' East

40.00

Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit charred stake, raise

mound of earth - 2 ft high from pits 2 1/2 in x 2 1/2 in 12 in deep for 1/2 Sec. for

55.00

Center Oak Cañon 1/2

65.00

Leary Oak Cañon 1/2

80.00

Set cedar post 3 in x 3 in x 4 ft - 12 in deep.

Deposit charred stake raise mound of earth - 2 ft high from

pits 2 1/2 x 2 1/2 in - 12 in deep for corner to Secs

25, 26, 35 and 36

Surface broken

Soil 2nd rate

Township 33 North

chains

East on random line bet. Sec. 25 and 36

Variation 13°40'E

40.00

Set post for temporary

71.30

Spring branch, in Caffe ravine or canon, 3 1/2 miles S

80.43

Intersect East Boundary of Township at a point 12 1/2 miles South of corner to Sec. 25 and 36 from which corner

run S 89°55' West on true line bet. Sec. 25 and 36

Variation 13°40'E

40.21

Set cedar post 3 in x 2 in x 4 ft - 12 in deep

Deposit chance stake raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep for 4 Sec. corner

80.43

Corner to Sec. 25, 26, 35 and 36

Surface rolling soil 2" rate

Range 18 West 6 1/2 miles

chains

North - bet. Sec. 25 and 26

Variation 13°40'E

40.00

Set cedar post 3 in x 2 in x 4 ft - 12 in deep

Deposit chance stake raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep for 4 Sec. corner

80.00

Set cedar post 3 in x 3 in x 4 ft - 12 in deep, Deposit chance stake raise mound of earth 2 ft high from pits 24 in x 24 in 12 in deep for corner to Sec. 23, 24, 35 and 26.

Surface rolling Soil 2" rate

19
11.

Township 33 North-

chain

East on random line
bet. Sec. 24 and 25

Variation 13°40'E

40.00

Set post for temporary 1/4 Sec. Cn

53.63

Spring branch 2 1/2 in. wide
in rapine N.E. Oaks pine & Cedar

64.77

Spring branch 2 1/2 in. wide S.E. oak "

80.14

Intersect East boundary
of Township at a point
24 1/2 ft. S. of corner to
Sec. 24 and 25 from
which corner run
S 89°30' West on true line
bet. Sec. 24 and 25

Variation 13°40'E

40.07

Set cedar post 3 in x 2 in
x 4 ft - 12 in deep. Deposit
chained stake. raise
mound of earth - 2 ft
high from pits 2 1/2 in
x 2 1/2 in - 12 in deep
for 1/4 Sec. corner

80.14

corner to Sec. 23, 24, 25
(26)

Surface rolling
Soil 2% rate

Range 18 West C. W. M.

chain

North bet. Sec. 23 and 24

Variation 13°40'E

27.52

Spring branch 2 1/2 in.
wide S.E.

40.00

Set cedar post 3 in x 2 in
x 4 ft - 12 in deep

Deposit chained stake
raise mound of earth
2 ft high from pits
2 1/2 in x 2 1/2 in - 12 in
deep for 1/4 Sec. corner

80.00

Set cedar post 3 in
x 2 in x 4 ft - 12 in deep

Deposit chained stake
raise mound of earth -
2 ft high. from pits
2 1/2 in x 2 1/2 in - 12 in
deep for corner to Sec.
13, 14, 23 and 24.

Surface rolling
Soil sandy 2% rate

6 Township 33 North

chains
 40.00
 80.44
 40.22
 80.44

East on random
 line bet. Secⁿ 13th & 24th
 Variation 13°40'E
 Set post for temporary
 1/4 Sec. Corner
 Intersect Boundary
 of Township at of
 point 18th lth South
 of corner to Secⁿ 13th & 24th
 from which corner
 I run
 89°52' West on
 true line bet. Secⁿ
 13 and 24
 Variation 13°40'E
 Set cedar post 3 in x 2 in
 x 4 ft - 12 in deep.
 Deposit chanced stake
 raise mound of earth -
 2 ft high from pits
 24 in x 24 in - 12 in deep
 for 1/4 Sec. Corner
 corner to Secⁿ 13:14:23
 on 24
 Surface rolling
 Soil sandy & rate -

7 Range 18 West 6 April

chains
 40.00
 80.00

North bet Secⁿ 13th & 14th
 Variation 13°40'E
 Set cedar post 3 in
 x 2 in x 4 ft - 12 in deep
 Deposit chanced
 stake. raise mound
 of earth - 2 ft high
 from pits 22 in x 22 in
 12 in deep for 1/4 Sec. Corner
 Set cedar post 3 in
 x 3 in x 4 ft - 12 in deep
 Deposit chanced stake
 raise mound of earth -
 2 ft high. from pits
 24 in x 24 in - 12 in
 deep. for Corner to Secⁿ
 11:12:13 and 14 -
 Surface rolling
 Soil sandy & rate -

8 Township 33 South-

chains

40.00 East on ground line bet. Sec. 12^{and} 13
Variation 13° 40' E -
Set post for temporary
1/4 section corner -
80.38 Intersect East Bound-
ary of Township
at a point 16 ch
South of corner to
Sec. 12 and 13 from
which corner

Draw
S 89° 53' West on line
line bet. Sec. 12^{and} 13
Variation 13° 40' E
40.19 Set Cedar post 3 in
x 2 in x 4 ft - 12 in
deep. Deposit charred
slake, raise mound
of earth - 2 ft high
from pits 2 2 in x 2 2 in
12 in deep for 1/4 section
corner to Sec. 11, 12, 13

80.38
11
Surface rolling
Soil sandy & salt
line & W 1875.

9 Range 18 West 6^{up} M

chains

40.00 North bet. Sec. 11^{and} 12
Variation 13° 40' E
Set Cedar post 3 in
x 2 in x 4 ft - 12 in deep.
Deposit charred slake
raise mound of
earth - 2 ft high from
pits 2 2 in x 2 2 in
12 in deep for 1/4 section

65.00 Corner Valley N.E. & S.E.
80.00 Set Cedar post 3 in
x 3 in x 4 ft - 12 in deep
Deposit charred slake
raise mound of
earth - 2 ft high from
pits 2 4 in x 2 4 in 12 in
deep for corner to Sec. 1, 2
11^{and} 12

Surface gently rolling
Soil 2nd class.

Township 33 North

chains East on random line bet. Sec. 1st & 12th
 Variation 13°40'E -
 40.00 Set post for temporary 1/4 Sec. corner -
 70.00 Leave Valley N. and S.
 80.37 Intersect East Boundary of Township at a point 20 lbs South of corner to Sec. 1st and 12th from which corner I run S 89°51' West on true line bet. Sec. 1st and 12th
 Variation 13°40'E -
 40.18 1/2 Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chanced stake raise mound of earth 2 ft high from pits 2.2 in x 2.2 in 1/2 in deep for 1/4 Sec. corner -
 80.38 Corner to Sec. 1, 2, 11, 12 Surface level Soil 2nd rate

Range 18 West

chains North on random line bet Sec. 1st & 2nd
 Variation 13°40'E
 40.00 Set post for temporary 1/4 Section corner -
 79.80 Intersect North boundary of Township at a point 16 lbs West of corner to Sec. 1st and 2nd from which corner I run S. 6° West on true line bet Sec. 1st and 2nd
 Variation 13°40'E -
 39.80 Set cedar post 3 in x 2 in x 4 ft - 12 in deep Deposit chanced stake raise mound of earth - 2 ft high from pits 2.2 in x 2.2 in 1/2 in deep for 1/4 Sec. corner -
 79.80 Corner to Sec. 1, 2, 11 and 12 Surface gently rolling Soil 2nd rate

Township 33 North

chains

North bet Secs. 34th & 35th
Variation 13° 40' E

2.00 Ravine descends S.E.

36.00 Ravine descends S.E.

38.00 Ravine descends S.E.

40.00 Set Cedar post 3 in x 2 in
x 4 ft - 12 in deep.

Deposit chanced stake, raise
mound of earth 2 ft high
from pits 22 in x 22 in
12 in deep for 1/4 Sec. for

60.00 Stream on W. side S.E.

66.00 Ravine descends S.W.

80.00 Set Cedar post 3 in x 2 in x 4 ft
12 in deep. Deposit chanced
stake, raise mound
of earth 2 ft high from
pits 24 in x 24 in 12 in
deep. for corner to Secs.

26, 27, 34 and 35 -
Surface broken
Soil 2nd rate

Range 18 West 6th P.M.

chains

East on random line bet
Secs. 26th and 35th
Variation 13° 40' E

20.00 Deep Ravine S.W.

34.00 Enter Oak and Cedar canon S.W.

40.00 Set post for temporary Sec. Cor.

80.47 Intersect N. and S. line
at a point 47 ft South
of corner to Secs. 25, 26,
33 and 36 from which
I run

S 89-89' West on true
line bet. Secs. 26th and 35th
Variation 13° 40' E

40.23 Set Cedar post 3 in x 2 in
x 4 ft - 12 in deep. Deposit
chanced stake, raise
mound of earth 2 ft high
from pits 22 in x 22 in
12 in deep for 1/4 Sec. for

from which.
An Oak 10 in dia bears N 65° E. 45 W. dist

80.47 Corner to Secs 26, 27, 34th & 35th
Surface broken
Soil 2nd rate

Enter Oak and Cedar

M.

Township 33 North-

chains

North bet. Sec. 26th & 27th
Variation 13°30'E

23.00 Deep ravine, Spring
branch 1/2 mile West

26.00 Same bears West

40.00 Set cedar post 3 in x 2 in
x 4 ft. 12 in deep. Deposit
chanced stake, raise
mound of earth 2 ft
high from pits 22 in
x 22 in, 12 in deep. for
1/4 Sec. corner.

80.00 Set cedar post 3 in x 3 in
x 4 ft. 12 in deep.

Deposit chanced stake
raise mound of earth
2 ft high from pits
24 in x 24 in - 12 in
deep for corner to
Sec. 22, 23, 26 and 27

Surface gently & broken
Soil 2" rate.

Range 18 West 6th P. M.

chains

East on random line
bet Sec. 23 and 26

Variation 13°40'E

40.00 Set post for temporary
1/4 Sec. corner.

80.18 Intersect N. and S. line at
a point 25 lks. S. of
corner to Sec. 23, 24,
25 and 26 from
which corner
I run

889.49 West on true line
bet Sec. 23 and 26

Variation 13°40'E

40.09 Set cedar post 3 in
x 2 in x 4 ft. 12 in
deep Deposit chanced

stake raise mound
of earth - 2 ft high

from pits 22 in x 22 in
12 in deep for 1/4 Sec. corner

80.18 corner to Sec. 22, 23,
26 and 27

Surface gently rolling
Soil 2" rate.

19
M.

Township 33. North-
chains North bet Sec 22^{9/23}

Variation 13°35'E

40.00 Set cedar post 3 in x
2 in x 4 ft - 12 in deep
Deposit chanced stake
raise mound of
earth 2 ft high from
pits 22 in x 22 in
12 in deep for 4 Sec. 14.

80.00 Set cedar post 3 in
x 3 in x 4 ft - 12 in
deep. Deposit chanced
stake, raise mound
of earth 2 ft high
from pits 24 in
x 24 in - 12 in deep
for Corner to Sec.
14, 15, 22 and 23
Surface gently rolling sand-hill
Soil 2nd rate

Range 18 West 6^{1/2} M

chains East on random
line bet. Sec. 14²³

Variation 13°40'E

40.00 Set post for temporary
Sec. Corner -

80.18 Intinget N. and S. line
at a point 21 Ch.

S. of corner to Sec.
13, 14, 23 and 24 from
which corner I run
89.51 West on true
line bet. Sec. 14 and 23.

Variation 13°40'E

40.00 Set cedar post 3 in x 2 in
x 4 ft - 12 in deep
Deposit chanced stake
raise mound of
earth 2 ft high from
pits 22 in x 22 in
12 in deep for 4 Sec.
Corner -

80.18 Corner to Sec. 14, 15, 22
and 23

Surface gently rolling
Soil sandy 2nd rate

Township 33 North-

chain

North bet Sec. 14th & 15th

Variation 13° 35' E

40.00

Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit charred stake, raise mound of earth - 2 ft high from pits 2 2 in x 2 2 in 12 in deep for 1/4 Sec. Co.

80.00

Set cedar post 3 in x 3 in x 4 ft - 12 in deep. Deposit charred stake, raise mound of earth - 2 ft high from pits 2 4 in x 2 4 in 12 in deep for corner to Sec. 10, 11, 14 and 15

Surface gently rolling Soil sandy 2nd rate

Range 18 West 6th R.M.

chain

East on raydown line bet. Sec. 11th & 14th

Variation 13° 40' E

40.00

Set post for temporary to Section Corner of

79.88

Intersect 1/4th line at a point 27 yds S. of corner to Sec. 11, 12, 13 and 14 from which corner runs S 89° 40' West on true line bet. Sec. 11 and 14

Variation 13° 40' E

39.94

Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit charred stake raise mound of earth - 2 ft high from pits 2 2 in x 2 2 in 12 in deep for 1/4 Sec. Co.

79.88

Corner to Sec. 10, 11, 14 and 15

Surface gently rolling Soil sandy 2nd rate

Township 33 North

chains

North bet Sec 10^W 11
Variation 18° 35' E

40.00 Set cedar post 3 in
x 2 in x 4 ft - 12 in deep
Deposit chained stake
raise mound of
earth 2 ft high
from pits 2 2/2 in x 2 2/2 in
1 1/2 in deep for 1/4 Sec. cor

80.00 Set cedar post 3 in
x 2 in x 4 ft - 12 in
deep Deposit chained
stake, raise mound
of earth - 2 ft high
from pits 2 7/8 in x
2 4 in 12 in deep
for corner to Sec.
2, 3, 10, 11

Surface gently rolling
Soil sandy 2" salt

Range 18 West 6^{up} M.

chains

East on a random
line bet. Sec 2^W 11

7.00
40.00
79.64
Variation 13° 45' E
Enter valley bet. 10^W and 11^W
Set post for temporary
1/4 Section corner -
Intersect N. and S. line
at a point 34 ch. S. of
corner to Sec. 1, 2, 11, 12
from which corner

run
89° 45' West on true
line bet. Sec. 2^W 11
Variation 13° 45' E

39.82 Set cedar post 3 in
x 2 in x 4 ft - 12 in deep
Deposit chained stake
raise mound of earth
2 ft high from pits
2 2 in x 2 2 in 12 in
deep for 1/4 Sec. cor -

79.64 corner to Sec. 2, 3, 10, 11
Surface ^{gently} rolling
Soil dark, sandy 2" salt

Township 33 North-

chains

North-on random line bet. Sec. 2nd & 3

Variation 13° 35' E.

5.00 Enter Valley N.W. 4th S.E.
 40.00 Set post for temporary side
 50.00 Leave Valley N.W. 4th S.E.
 79.68 Intersect North-boundary of Township at a point 120 yds. East of corner to Sec. 2nd & 3

from which corner run S 9° East on true line bet. Sec. 2nd & 3

Variation 13° 35' E

39.68 Set cedar post 3 in x 2 in x 4 ft. 12 in deep. Deposit charred stake raise mound of earth 2 ft high from pits 2 1/2 in x 2 1/2 in 12 in deep. For 4 Sec. Cor -

79.68 Corner to Sec. 2. 3. 10. 11
 Surface rolling except Valley land
 Soil 3" rate except A
 Valley - 2" rate

Range 18 West 6th N.M.

chains

North bet Sec. 33rd & 34th
Variation 13° 30' E

7.00 Cañon 1 ch. wide S.E.
 35.00 Cañon 1 ch. wide S.W.
 40.00 Set cedar post 3 in x 2 in x 4 ft. 12 in deep. Deposit charred stake, raise mound of earth 2 ft high from pits 2 1/2 in x 2 1/2 in 12 in deep for 4 Sec. corner -
 46.00 Cañon 1 ch. wide S.E.
 62.60 Oak Cañon 150 yds. wide S.E.
 80.00 Set cedar post 3 in x 3 in x 4 ft. 12 in deep. Deposit charred stake, raise mound of earth 2 ft high from pits 2 1/2 in x 2 1/2 in 12 in deep for corner to Sec. 27, 28, 33 and 34.

Surface very broken & hilly
Soil 3" rate

Township 33 North

chain

East on random line
bet. Sect. 27th and 34

Variation 13° 30' E

35.70 Spring branch 2¹/₂ lbs. wide in pine
cañon N.E.

40.00 Set post for temporary
1/4 Sec. corner.

70.00 Spring branch 6 lbs. wide
in Oak Cañon S.E.

80.78 Intersect N. and S. line
at a point 44 lbs
South of corner to Sect.
26. 27. 34 and 35

From which corner
I run

S 89° 41' West on true
line bet. Sect. 27th and 34

Variation 13° 30' E

40.39 Set cedar post 3 in x 3 in
x 4 ft. 12 in deep. Deposit
chained stake, raise
mound of earth 2 ft
high from pits 22 in x 22 in
12 in deep for 1/4 Sec. Co.

80.78 Corner to Sect 27. 28. 33. 34
Surface very hilly
Soil 3" salt

Range 18 West 6th P.M.

chain

North - bet. Sect. 27th and

28

Variation 13° 30' E

40.00 Set cedar post 3 in x 2 in
x 4 ft. 12 in deep. Deposit
chained stake, raise
mound of earth 2 ft
high from pits 22 in
x 22 in - 12 in deep
for 1/4 Section corner -

50.28 Stream 3 lbs. wide N.E. then
East

61.00 Stream 3 lbs. wide S.E. skirted
by scattering oak and pine

80.17 Set a cedar post 3 in
x 3 in x 4 ft. 12 in deep
Deposit chained stake
raise mound of earth
2 ft high. from pits -
24 in x 24 in - 12 in
deep for corner to
Sections 21. 22. 27th and

28

Surface very hilly
Soil 3" salt
Timber Oak and Pine

Township 33 North

chains

East on random line bet. Sec. 22 and 27
Variation 13° 30' E -

35.00 Stream 4 lks. wide in pine cañon, South -

40.00 Set post for temporary 4 Sec. corner

43.00 Enter cañon, South, pine, cedar & oak

47.00 Stream 4 lks. wide South -

54.00 Leave cañon South -

80.42 Intersect N. and S. line at a point 22 lks. N. of corner to Sec. 22, 23, 26 and 27 from which corner I run

189° 51' West on true line bet Sec. 22 and 27

Variation 13° 30' E -

40.21 Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chanced stake, raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep for 4 Sec. corner -

80.42 Corner to Sec. 21, 22, 27 and 28
Surface broken soil 2" pale -

Range 18 West C¹ R¹¹ M

chains

North bet Sec. 21 and 22

Variation 13° 30' E -

40.00 Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chanced stake, raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep for 4 Sec. corner -

80.00 Set cedar post 3 in x 2 in 12 in deep. Deposit chanced stake raise mound of earth 2 ft high from pits 24 in x 22 in 12 in deep for corner to Sec. 15, 16, 21 and 22

Surface rolling soil sandy 2" pale -

Township 33 North

chains

East on random line bet. Sec. 15 and 22

Variation 13° 30' East

40.00 Set post for temporary 1/4 Sec. Corner

79.00 Intercor. of A and B line at a point 38 ch. South of corner to Sec. 14, 15, 22 and 23 from which corner I run

89° 44' Vert on true line bet. Sec. 15 and 22

Variation 13° 30' E

39.90 Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chanced stake, raise mound of earth 2 ft high from pits 2 1/2 in x 2 1/2 in - 12 in deep for 1/4 Sec. Corner

79.80 Corner to Sec. 15, 16, 21, 22 Surface rolling Soil sandy - 2% salt

Range 18 West. C. M. P. T. L.

chains

North - bet. Sec. 15 and 16

Variation 13° 30' E

40.00 Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chanced stake, raise mound of earth 2 ft high from pits 2 1/2 in x 2 1/2 in - 12 in deep for 1/4 Sec. Corner

80.00 Set cedar post 3 in x 3 in x 4 ft - 12 in deep. Deposit chanced stake, raise mound of earth 2 ft high from pits 2 1/2 in x 2 1/2 in - 12 in deep for corner to Sections 9, 10, 15 and 16 Surface rolling Soil sandy 2% salt

Township 33 South

chain East on random
line bet Sec. 10 and 15
Variation 13° 30' E

40.00 Set post for temporary ^{1/4} Sec. C

80.14 Intersect N and S. line
at post, corner to Sec.
10. 11. 14 and 15 from
which corner I run
West on true line bet
Sec. 10 and 15

Variation 13° 30' E

40.07 Set cedar post 3 in x 2 in x 4 ft
12 in deep. ^{Deposit chanced stake} ^{raise mound of earth}
of earth 2 ft high from
pits 22 in x 22 in 12 in
deep for ^{1/4} Sec. Corner -

80.14 Corner to Sections 9. 10.
15 and 16.
Surface quietly rolling
Soil 2" rate

Range 18 West 6th P.M.

chain North bet. Sec. 9 and 10
Variation 13° 30' E

40.00 Set cedar post 3 in x 2 in
x 4 ft - 12 in deep.
Deposit chanced stake
raise mound of
earth 2 ft high from
pits 22 in x 22 in 12 in
deep for ^{1/4} Section Corner

80.00 Set cedar post 3 in x 2 in
x 4 ft - 12 in deep.
Deposit chanced stake
raise mound of earth
2 ft high from pits
24 in x 24 in 12 in
deep for corner to
Sec. 3. 4. 9 and 10.
Surface rolling
Soil 2" rate

Township 33 North

chain

East on random line bet. Sec. 3rd and 10

Variation 13°30'E

40.00 Set post for temporary 1/4 Sec. corner -

80.38 Intersect N and S. line at a point 74 lks. N. of corner to Secs. 2, 3, 10, and 11 from which corner run S 89°28' West on true line bet. Sec. 3rd and 10

Variation 13°30'E

40.19 Set cedar post 3 in x 2 in x 4 ft - 12 in deep deposit charred stake raise mound of earth - 2 ft high. from pits 22 in x 22 in - 12 in deep for 1/4 Sec. corner -

80.38 corner to Secs. 3, 4, 9, 10. Surface gently rolling Soil 2nd rate -

Range 18 West 6th P.M.

chain

North on random line bet. Sec. 3rd and 4

Variation 13°30'E

40.00 Set post for temporary 1/4 Section corner -

79.10 Intersect North bound line of Township at a point 50 lks. East of corner to Sec. 3rd and 4 from which corner draw

S 22° East on true line bet. Sec. 3rd and 4

Variation 13°30'E

39.10 Set cedar post 3 in x 2 in x 4 ft - 12 in deep deposit charred stake, raise mound of earth - 2 ft high. from pits 22 in x 22 in - 12 in deep for 1/4 Sec. corner -

79.10 corner to Sections 3, 4, 9 and 10

Surface rolling Soil sandy - 2nd rate June 10th

Township 33 North

chain

North bet. Secs. 32nd & 33rd

Variation 13° 30' E

40.00 Set Cedar post 3 in x 2 in x 4 ft - 12 in deep

Deposit charred stake, raise mound of earth - 2 ft high from pits - 22 in x 22 in, 12 in deep for 1/4 Sec. Corner -

55.20 Run 1 ch. side S.E.

80.00 Set Cedar post 3 in x 3 in x 4 ft - 12 in deep.

Deposit charred stake, raise mound of earth 2 ft high from pits - 24 in x 24 in, 12 in deep for corner to Sections 28, 29, 32nd & 33rd

Surface broken
Soil 3" salt

Range 18 West 6th N.

chain

East on random line bet. Secs. 28th and 33rd

Variation 13° 30' E

8.30 Pine canon 2 ch. wide

40.00 Set post for temporary Section Corner -

80.21 Intersect 1/4 and 1/2 line at a point 90 deg. South of corner to Secs. 27, 28, 33rd & 34th from which corner

I run S 89° 21' West on true line bet. Secs. 28th and 33rd

Variation 13° 30' E

40.60 Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit charred stake, raise mound of earth 2 ft high from pits - 22 in x 22 in, 12 in deep. for 1/4 Sec. Corner to

80.21 Corner to Secs. 28, 29, 32nd and 33rd

Surface very broken
Soil 3" salt

Township 33 North-

chains

North bet Sec. 28 & 29
Variation 13° 30' E

13.30 Oak and Pine Cañon 2 ch. wide N.W. SE

35.60 Stream 5 ft. wide in Oak Cañon 1 ch. wide S.E.

40.00 Set Cedar post 3 in x 2 in
x 4 ft. - 12 in deep.

Deposit charred stake,
raise mound of earth 2 ft.
high from pits 22 in x 22 in
12 in deep for 1/4 Sec. Cor

48.50 Oak Cañon 2 ch. wide S.E.

78.00 Pine Cañon 1 ch. wide N.E. then
N.W. then E. then S.E.

80.00 Set Cedar post 3 in x 2 in
x 4 ft. - 12 in deep. Deposit

charred stake. raise
mound of earth 2 ft
high from pits 24 in
x 24 in 12 in deep for
Corner to Sec. 20, 21, 28 & 29
- in West edge of the
cañon above noted

Surface very broken
Soil 3" rate -

Range 10 West 6 W.P.M.

chains

East on random line
bet Sec. 27 and 28

Variation 13° 30' E.

18.00 Leave Pine Cañon S.E.

40.00 Left post for temporary 1/4 Sec. Cor -

40.50 Stream S.E. 2 ch. wide

50.00 Stream 2 ft. wide in Pine Cañon S.E.

76.00 Stream 2 " " " " S.E.

80.50 Intersect N. and S. line
at a point 64 ft. South
of corner to Sec. 21, 22,
27 and 28; from which
corner I run

S 89° 33' West on true
line bet. Sec. 21 & 28

Variation 13° 30' East

40.75 Set Cedar post 3 in
x 2 in x 4 ft. - 12 in deep

Deposit charred stake
raise mound of
earth 2 ft high. from
pits 22 in x 22 in
12 in deep. for 1/4 Sec. Cor -

80.50 Corner to Sec. 20, 21, 28
& 29

Surface very broken
Soil 3" rate -

Township 33 North-

chains
 40.00 North bet. Sec. 20^{and} 21
 Variation 13° 30' E
 Set ^{Cedar} post 3 in x 2 in x
 4 ft. 12 in deep. Depoint
 chanced stake, raise
 mound of earth -
 2 ft high. From pits
 20 2 in x 22 in - 12 in
 deep for $\frac{1}{4}$ Sec. corner -
 80.00 Set Cedar post 3 in x 3 in
 x 4 ft. 12 in deep.
 Depoint chanced stake
 raise mound of earth -
 2 ft high. From pits
 24 in x 24 in, 12 in
 deep for corner to Sec.
 16, 17, 20 and 21
 Surface rolling
 Soil sandy & $\frac{1}{2}$ rate

Range 15 North 6^{up} W.

chains
 40.00 East on random line
 bet Sec. 16 and 21
 Variation 13° 30' E
 Set post for temporary
 $\frac{1}{4}$ Sec. corner
 79.66 Intersect N and S line
 at a point 66 ch.
 South of corner to Sec.
 15, 16, 21 and 22 from
 which corner I run
 89° 32' West on true
 line bet Sec. 16 and 21
 Variation 13° 30' E
 39.83 Set Cedar post 3 in x 2 in
 x 4 ft. 12 in deep.
 Depoint chanced stake
 raise mound of earth -
 2 ft high from pits
 22 in x 22 in 12 in deep
 for $\frac{1}{4}$ Sec. corner -
 79.66 Corner to Sec. 16, 17, 20
 and 21
 Surface rolling
 Soil sandy & $\frac{1}{2}$ rate

40 Township 33 North-

chains North-bet. Secs. 16th & 17th
 Variation 13° 40' E
 30.00 Enter high sandy ridge
 E. and W.
 40.00 Set cedar post 3 in x 2 in
 x 4 ft. 12 in deep.
 Deposit chanced
 stake, raise mound
 of earth 2 ft high
 from pits 22 in x 22 in
 12 in deep for $\frac{1}{4}$ Sec. for
 65.00 Leave high sandy ridge
 E. and W.
 80.00 Set cedar post 3 in x 3 in
 x 4 ft. 12 in deep,
 Deposit chanced stake
 raise mound of
 earth 2 ft high
 from pits 24 in x 24 in
 12 in deep for corner
 to Secs. 8, 9, 16th and 17th
 Surface rolling
 Soil sandy - 2nd rate -

Range 10 West C. W. M.

chains
 East on random
 line bet. Secs. 9th and 16th
 Variation 13° 30' E
 40.00 Set post for temporary
 $\frac{1}{4}$ Sec. corner.
 79.34 Intersect N. and S. line
 at a point 90th E.
 South of corner to
 Secs. 9, 10, 15th and 16th
 from which corner
 I run
 S 89° 21' West on true
 line bet. Secs 9th and 16th
 Variation 13° 30' E
 39.67 Set cedar post 3 in x 2 in
 x 4 ft. 12 in deep.
 Deposit chanced stake
 raise mound of earth
 2 ft high from pits
 22 in x 22 in 12 in
 deep for $\frac{1}{4}$ Sec. for
 79.34 corner to Secs. 8, 9, 16th
 and 17th
 Surface rolling
 Soil sandy 2nd rate -

Township 33 North-

chains

North bet Sec 8th & 9th
Variation 13° 30' E
40.00 Set cedar post 3 in x 2 in
x 4 ft - 12 in deep
Deposit chanced stake
raise mound of
earth - 2 ft high
from pits 2 1/2 in x 2 1/2 in
12 in deep for 1/4 Sec
corner

80.00 Set cedar post 3 in x 3 in
x 4 ft - 12 in deep.
Deposit chanced stake
raise mound of earth -
2 ft high from pits
2 1/2 in x 2 1/2 in - 12 in
deep for corner to Sec.
4.5.8 and 19

Surface rolling -
Soil sandy & frate.

Range 18 West 6th R.M.

chains

East on random
line bet. Sec. 4th & 9th
Variation 13° 30' E

40.00 Set post for temporary 1/4
Sec. corner.

79.34 Intersect N. and S. line
at a point 90th E. South
of corner to Sec. 3.4.9
and 10 from which
corner run
S 89° 21' West on true
line bet Sec. 4th & 9th

Variation 13° 30' E
39.67 Set cedar post 3 in x 2 in
x 4 ft - 12 in deep.
Deposit chanced stake
raise mound of earth
2 ft high from pits
2 1/2 x 2 1/2 in, 12 in deep
for 1/4 Sec corner

79.34 Corner to Section 4.5.8
& 9

Surface rolling
Soil & frate

44 Township 33 North-

chains North on random
line bet. 4^{and} 5
Variation 13° 30' E
3 40.00 Set post for temporary
4 Sec. corner -
77.20 Intersect North-bound
- ang of Township at
a point 82 lks. East
of corner to Sec. 4^{and} 5
from which corner
I run
S 35 E on true line
bet. Sec. 4^{and} 5
Variation 13° 30' E
39.20 Set cedar post. 3 in x
2 in x 4 ft. 12 in deep.
Deposit charred
stake, raise mound
of earth 2 ft high
from pits 22 in x 22 in
12 in deep for $\frac{1}{4}$ sec. cor-
ner to Sec. 4, 5, 8^{and} 9
79.20
Surface rolling
Soil sandy 2ⁱⁿ pale -
June 11th.

45

Range 18 West 6^{up} N.W.

chains North bet Sec. 31^{and} 32
Variation 13° 35' E
5.00 Leave cañon S. W.
11.00 Ravine descends S. E.
40.00 Set cedar post 3 in x
2 in x 4 ft. 12 in
deep. Deposit charred
stake, raise mound
of earth 2 ft high
from pits 22 in x 22
in - 12 in deep. for
 $\frac{1}{4}$ Section corner -
50.00 Enter pine cañon S. E.
56.00 Spring branch 2 lks. side S. E.
60.50 Leave cañon S. E.
80.00 Set cedar post 3 in x 2 in
x 4 ft. 12 in deep.
Deposit charred stake
raise mound of earth ^{2 ft high}
~~3 in x 3 in x 4 ft 12 in~~
deep for corner to Sec.
29, 30, 31^{and} 32
Surface rolling ^{and broken}
Soil 2ⁱⁿ rate

from pits 22 in x 22 in

46 Township 33 North

chains
 East on random
 line bet. Sec. 29th & 32nd
 Variation 13° 40' E
 24.00 Enter pine cañon S.
 31.00 Leave cañon South -
 40.00 Set post for temporary
 1/4 Section Corner -
 65.00 Enter Oak cañon 5 ch. under ^{N.E.} E.
 80.50 Intersect N. ^{W.} Sluice
 at a point 30 lks. South
 of corner to Sec. 28, 29
 32nd and 33 from which
 corner run -
 S 89° 47' West on true line
 bet. Sec. 29th and 32nd
 Variation 13° 40' E
 40.25 Set Cedar post 3 in x 2 in
 x 4 ft 12 in deep. Deposit
 chanced stake, raise
 mound of earth 2 ft
 high from pits 22 in
 x 22 in - 12 in deep for 1/4
 Section Corner -
 80.50 Corner to Sections 29, 30,
 31st and 32nd.
 Surface broken. Soil 2" rate

47 Range 18 West C. ^{W.} P. U.

chains
 West on random
 line bet. Sec. 30th and 31st
 Variation 13° 40' E
 40.00 Set post for temporary
 1/4 Section Corner -
 79.60 Intersect West boundary
 of Township at a point
 42 lks. S. of corner to
 Sec. 30th and 31st from which
Cor. of line N 89° 42' E. in a true line
 bet. Sec. 30 & 31 Variation 13° 40' E
 39.60 Set post (Cedar) 2 in x 3 in
 x 4 ft 12 in deep.
 Deposit chanced stake
 raise mound of earth
 2 ft high from pits
 22 in x 22 in - 12 in
 deep for 1/4 Sec. Corner -
 99.60 Corner to Sections
 29, 30, 31st and 32nd
 Surface level table land
 Soil 2" rate

48

Township 33 North

chain

North let Sec. 29th

30 Variation 13° 35' E

25.00

Range descends S.E.

40.00

Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit charred stake. raise mound of earth 2 ft high from pit 22 in x 22 in 12 in deep for 1/4 Sec. 29

80.00

Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit charred stake. raise mound of earth 2 ft high from pit 24 in x 24 in 12 in deep. for corner to Sec. 19. 20. 29 and 30

Surface high level table land Soil 2nd rate

49

Range 18 West 6th West

chain

Back on random line bet. Sec. 20th and 29

Variation 13° 30' E

40.00

Set post for temporary 1/4 Section corner.

80.24

Intersect N and S line at a point 24 lb. S. of corner to Sec. 20. 21. 28 and 29 from which corner

Run S 89° 50' West on true line bet. Sec. 20th and 29

40.12

Variation 13° 30' E Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit charred stake. raise mound of earth 2 ft high, from pit 22 in x 22 in 12 in deep for 1/4 Section corner -

80.24

Corner to Sec. 19. 20. 29 and 30

Surface gently rolling Soil 2nd rate

Township 33 North

chains

West on random line bet. Sec. 19 and 30

Variation 13° 40' E

40.00 Set post for temporary 1/4 Sec. Corner

79.70 Intersect West boundary of Township at a point 18 ch. South of corner to Sec. 19 and 30 from which corner is run

N 89° 52' East on true line bet Sec. 19 and 30

Variation 13° 40' E

39.70 Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chained stake, raise mound of earth - 2 ft high from pits 22 in x 22 in - 12 in deep. for 1/4 Sec. Corner

79.70 Corner to Sec. 19, 20, 29, 30

Surface level table land Soil 2" rate

Range 18 West 6 1/2 W

chains

South - bet Sec. 19 and 20

Variation 13° 35' E

40.00 Set Cedar post 3 in x 2 in x 4 ft 12 in deep. Deposit chained stake, raise mound of earth -

2 ft high from pits 22 in x 22 in - 12 in deep for 1/4 Sec. corner

67.00 Drain descends S.E. 180.00 Set Cedar post 3 in x 3 in x 4 ft - 12 in deep. Deposit chained stake, raise mound of earth -

2 ft high from pits 24 in x 24 in - 12 in deep for corner to Sec. 17, 18, 19 and 20

Surface gently rolling table land Soil 2" rate

50

52

Township 33 North

chain

Cart on random line bet. Sec. 17 and 20
Variation 13° 30' E

40.

40.00

Set post for temporary 1/4 Sec. corner

79.

80.06

Intersect N and S line at a point 36 lks N. of corner ^{to Secs 16, 17, 20, 21 from this}
N 89° 45' West on a true line bet. Sec. 17 and 20
Variation 13° 30' E

40.08

Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chanced stake raise mound of earth 2 ft high from pits. 22 in x 22 in - 12 in deep for 1/4 Sec. corner

39.

80.06

Corner to Secs 17, 18, 19, 20.
Surface rolling
Soil 2nd rate

79.

53

Range 18 West 6th P.M.

chain

Went on random line bet. Sec. 18 and 19
Variation 13° 40' E

21.00

Drain descends S.E.

40.00

Set post for temporary 1/4 Sec. corner

79.80

Intersect West bound - any of Township at a point 30 lks N. of corner to Secs 18 and 19 from which corner I run N 89° 47' East on true line bet. Sec. 18 and 19
Variation 13° 40' E

39.80

Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chanced stake raise mound of earth 2 ft high from pits 22 in x 22 in, 12 in deep for 1/4 Sec. corner

79.80

Corner to Secs 17, 18, 19, 20. Surface table land
Soil 2nd rate

50

54

Township 33 North

chain

chains

North bet Sec. 17^{and} 18

Variation 13° 35' E

40.00 Set cedar post 3 in x 2 in x 4 ft - 12 in deep

40.

Deposit chained stake raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep for 1/4 Sec. corner -

79.7

80.00 Set cedar post 3 in x 3 in x 4 ft - 12 in deep

Deposit chained stake raise mound of earth 2 ft high from pits 24 in x 24 in 12 in deep for corner to Sec. 7, 8, 17^{and} 18

39.

Surface gently rolling
Soil sandy 2^d rate

79.

55

Range 18 West 6th P.M.

chain

East on random line bet Sec. 8^{and} 17

Variation 13° 30' E

40.00 Set post for temporary 1/4 Section corner

40.

79.78 Intersect of said line at a point 24 lb. South of corner to Sec. 8, 9, 16^{and} 17 from which corner I run

79.78

S 89° 50' West on true line bet Sec. 8^{and} 17

Variation 13° 30' E

39.89 Set cedar post 3 in x 3 in x 4 ft - 12 in deep

39.89

Deposit chained stake raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep for 1/4 Sec. corner to Sections

79.78

7, 8, 17^{and} 18

Surface rolling
Soil 2^d rate.

50

56

Township 33 North

chain

West on random line bet. Sec. 7th & 18th

Variation 13°40'E

40. 40.00

Set posts for temporary 1/4 Section Corner.

79. 79.87

Intersect West bound line of Township at a point 28 ft. S. of corner to Sec. 7th & 18th from which corner I run

N 89° 48' East on a true line bet. Sec. 7th & 18th

Variation 13°40'E

39. 39.87

Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit charred stake raise mound of earth 2 ft high from pits 22 in x 22 in - 12 in deep for 1/4 Sec. C.

79. 79.87

Corner to Sec. 7, 8, 17, 18

Surface gently rolling Soil sandy 2nd rate

57

Range 18 West P. M.

chain

North bet Sec. 7th & 8th

Variation 13°40'E

40.00

Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit charred stake raise mound of earth 2 ft high from pits 22 in x 22 in - 12 in deep. For 1/4 Sec. C.

80.00

Set cedar post 3 in x 3 in x 4 ft - 12 in deep. Deposit charred stake raise mound of earth 2 ft high from pits 24 in x 24 in - 12 in deep for corner to Sec. 5, 6, 7, 8

Surface gently rolling Soil sandy 2nd rate

Township 33 North

chain chain

East on random line bet. Sec. 5 and 8
Variation 13° 40' E

40.40.00 Set post for temporary 1/4 Sec. Corn

79.96 Intersect N. and S. line at a point 50 lks. E. of corner to Sec. 4, 5, 8 and 9 from which corner I run N 89° 39' West on true line bet. Sec. 5 and 8

79.

39.98 Set cedar post 3 in x 2 in x 4 ft - 12 in deep

Deposit chained stake raise mound of earth - 2 ft high from pits 22 in x 22 in x 4 ft - 12 in deep for 1/4 Sec. Corn

39.

79.96 Corner to Sec. 5, 6, 7 and 8
Surface rolling sand hills
Soil 3^d rate

79.

Range 18 West Twp. 33 N.

chain

West on random line bet. Sec. 6 and 7
Variation 13° 40' E

40.00 Set post for temporary 1/4 Sec. Corner

80.00 Intersect West bound - and of Township at a point 20 lks. E. of corner to Sec. 6 and 7 from which corner I run

N 89° 39' East on true line bet. Sec. 6 and 7
Variation 13° 40' E

40.00 Set Cedar post. 3 in x 2 in x 4 ft - 12 in deep. Deposit chained stake raise mound of earth - 2 ft high from pits 22 in x 22 in - 12 in deep. for 1/4 Sec. Corner

80.00 Corner to Sec. 5, 6, 7, 8
Surface rolling sand hills. Soil 3^d rate

Township 33 North

chain

North on random line bet. Sec. 5 and 6

Variation $13^{\circ}40'E$

40 40.00

Set post for temporary $\frac{1}{4}$ Sec. Corner

79 79.50

Intersect North Boundary of Township at a point 15 $\frac{1}{4}$ East of corner to Sec. 3 $\frac{1}{4}$ from which corner I run

$\frac{1}{2}$ 6' East on true line bet. Sec. 5 and 6

Variation $13^{\circ}40'E$

39 39.50

Set cedar post 3 in x 2 in x 4 ft, 12 in deep

Spit chanced stake raise mound of earth 2 ft high. from pits 2 2 in x 2 2 in 12 in deep for $\frac{1}{4}$ Sec. corner

79 79.50

Corner of Sec. 5, 6, 7 and 8

Surface rolling sand hills

Soil 3 "rate"

June 12th 1875

Range 10 West (up M.)

chain

Meanders

of the left bank of the Niobrara River through this Township.

Begin at Meander corner to fractional sections 31 and 36 on East Boundary of Township, and run with Meanders of the left bank up stream in Section 36 as follows;

Variation $13^{\circ}40'E$

com. chains

$\$50^{\frac{1}{2}}$ 7.00'

$\$82^{\frac{1}{2}}$ 13.00'

$\$69^{\frac{1}{2}}$ 6.30'

$\$57^{\frac{1}{2}}$ 7.20'

To Meander corner to frac. Sec. 31 and 36 and 8th Standard Parallel

June 13th 1875

Township 33 North

General Description.

The S. part of this Town. is badly broken by deep, rugged cañons.

The principal timber is Pine, Cedar, Oak and Cottonwood.

Nearly all of these cañons have spring-branches flowing Southward to the Ohio River.

Secs. 18, 19, 20, 29 and 30 are high level table-land.

The soil is light with gravel sub-soil. The surface is covered with Buffalo grass.

A part of Secs. 1, 2, 3, 11 & 12 is level valley, with dark sandy soil, & white sandy sub-soil.

This is very good meadow land. In a part of Secs. 16 and 17 is a

Range 18 West 6. th N. W. 6.

high, rugged sand-hill almost barren. This is a notable object for miles around.

Nearly all of the rest of this Township is rolling soil, sandy, 3rd rate.

This Township is well adapted to grazing.

List of Names.

A list of the names of the individuals who were employed to assist in running, measuring or marking the lines and corners described in the foregoing field notes of T.

33 N. of base line, of R. 18 W. 6th

P. Meridian, showing the respective capacities in which they acted.

E. A. Sears, Chairman

A. K. Miller

C. H. Brown, Groundmen

E. A. Beldie, Assessee and Surveyor

I subscribed and sworn to before me this 14th day of June 1846 - of Bossard &

Notary Public in and for the Antelope County State of Nebraska

We hereby certify that we assisted Frank Crowell Deputy Surveyor in Surveying the Exterior boundaries and subdividing and Meandering Township No 33 North of the Base line of Range No 18 West of the 6th principal Meridian and that said township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General and of dimensions, character, construction and marking and in the manner as specified and detailed in the foregoing field notes.

F. S. Edwards } Chairman
C. H. Brown }
E. A. Beldin } Assn

I Frank Crowell Deputy Surveyor do solemnly swear that in pursuance of a joint contract - where in Chauncey Wittse, Frank Crowell & George W. Burtou are joint Contractors with E. E. Cunningham United States Surveyor General for the district of Nebraska bearing date the 29th day of April 1846 - I have well faithfully and truly in my own proper person and in strict conformity with the instructions furnished by the Surveyor General and the Surveying manual and the laws of the United States surveyed all those parts or portions of township No 33 North of the base line of Range No 18 West of the sixth principal

x of the Surveyor General, of dimensions
character in construction and
marking and in the manner
by which they were derived in the
foregoing field notes.

Meridian ~~as~~ are represented
in the foregoing field notes
as having been surveyed
under my direction.
And I do further solemnly
swear that all the corners
of said surveys have been
established and perpetuated
in strict accordance
with the surveying
manual and printed
instructions, ^{and special instructions} and that
the foregoing are the true
and original field notes
of such survey.

Frank Crowell
Deputy Surveyor

Subscribed and sworn
to before me this 14th day
of June 1875-

J. B. Corraige
Notary Public in and
for ^{the} State of Nebraska

Surveyor General's Office
Platteburgh, Neb. Aug 14th 1875

The foregoing field notes of the survey
of the subdivision lines and Meanders of
Township No. 33 North of the Base Line, of Range
No. 18 West of the 6th Principal Meridian in
the State of Nebraska executed by Frank
Crowell Deputy Surveyor, under Joint Contract
No. 89 dated April 29th 1875, whose Agency
Walter Frank Crowell & George W. Burton are
Joint Contractors, in the month of June 1875,
having been critically examined, the
necessary corrections and explanations
made, the said field notes and the
surveys they describe are hereby approved.

J. M. Clark
Surveyor General.

Field Notes
of the
Survey and Sub-division
of Township No. 34 N.
Base Line
Range No. 18 West
of the
Tenth Meridian
in the
State of Nebraska

Executed
by Geo. W. Burston, deputy
Surveyor, under joint
contract No. 89 dated
April 29th 1875

Survey
Commenced May 27th 1875
Completed June 2nd 1875

Index Diagram
 Township 34 North
 of the
 Base Line
 Range 18 West of 6th P.M.

6	58	5	42	4	31	3	20	2	1
57	56	41	30	19					
7	55	8	40	9	29	10	18	11	9
54	53	38	28	17					
18	52	17	38	16	27	15	16	14	7
51	50	37	26	15					
19	49	20	36	21	25	22	14	23	5
48	47	35	24	13					
30	46	29	34	28	23	27	12	26	3
45	44	33	22	11					
31	43	32	32	33	21	34	10	35	1
									36

List of Names.

A list of the names
 of the persons who
 were employed to
 assist in surveying
 and sub-dividing
 this Township.

William B. Spangler
 Leslie E. Scott

Charles Bowers
 Adelbert D. Pierce

Monahan
 Aronson
 and
 Laguerre

Township 34 South-

chain

From the established corner to Towns. 35 and 36 N. of base line, Range 17 and 18 West of 6th Prin. Mer.

I run North on a blank line East along East boundary of Sec. 36

Variation 13° 35' E

39.98

To a point 5 lks. E. of 1/4 Sec.

79.97

To a point 12 lks. E. of corner to Sec. 25 and 36

Therefore to retrace this line or run parallel thereto my compass must be adjusted to Variation 13° 40' E

Range 18 West 6th P.M.

From established corner of Sec. 35 and 36 South bet Sec. 35 and 36

Variation 13° 40' E

40.00

Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chamed stake, raise mound of earth - 2 ft high from pits 2 2 in x 2 2 in x 12 in deep for 1/4 Sec.

8000

Set cedar post 3 in x 3 in x 4 ft - 12 in deep. Deposit chamed stake raise mound of earth 2 ft high from pits 2 2 in x 2 2 in x 12 in deep for corner to Sec. 25, 26, 35 and 36

Surface broken Soil sandy 3rd rate

Township 34 North

chains

East on sand run line bet Secs 25 and 36

Variation 13° 40' E

21.56 Wagon trail N.W.

25.50 Slough 100 lbs wide North

40.00 Set post for temporary 1/4 Sec. Cr.

79.82 Intersect East boundary of Township at a point 5/2 k. South of corner to Secs 25, 26, 35 and 36 from which corner

39.9
79.9

Run

S 89° 38' West on true line bet Secs 25 and 36

Variation 13° 40' E

39.91 Set Cedar post 3 in x 2 in x 4 ft - 12 in deep

Deposit chanced stake raise mound of earth - 2 ft high from pits 22 in x 22 in x 12 in deep for 1/4 Sec. Corner

79.82 Corner to Secs 25, 26, 35 and 36

Surface rolling Soil sandy 2^d rate

Range 18 West 6 Chap.

chains

North bet Secs 25 and 26

Variation 13° 40' E

11.66 Wagon trail N.W.

40.00 Set Cedar post 3 in x 2 in x 4 ft - 12 in deep

Deposit chanced stake raise mound of earth - 2 ft high from pits 22 in x 22 in x 4 ft - 12 in deep for 1/4 Sec. Cr.

80.00 Set Cedar post 3 in x 3 in x 4 ft - 12 in deep

Deposit chanced stake - raise mound of earth - 2 ft high from pits 24 in x 24 in x 4 ft - 12 in deep for Corner to Secs 25, 24, 25 and 26

Surface rolling Soil 2^d rate

4 Township 34 North

chains
cha
East on random
line bet. Sec. 24th & 25th
Variation 13° 40' E

10.20 Ravine 15th bet. mile N.E.

36.00 Slough 50 " " North-

40.00 Set post for temporary
1/4 Sec. Corner -

79.78 Intersect East boundary
of Township at a point
1/4th mile South of corner
to Sec. 24th & 25th from which

39.
79.

89° 39' West on true
line bet. Sec. 24th & 25th.

39.89 Set cedar post 3 in x 2 in
x 4 ft - 12 in deep
Deposit charred stake
raise mound of earth -
2 ft high from pits
22 in x 22 in x 12 in
deep for 1/4 Sec. Corner

79.78 Corner to Sec. 23 24 25
(and) 26

Surface rolling
Soil 2nd rate -

5
7
11.
Range 18 West 6th P.M.

chains
North bet. Sec. 23rd & 24th
Variation 13° 50' E

40.00 Set cedar post 3 in x 2 in
x 4 ft - 12 in deep.

Deposit charred stake
raise mound of earth -
2 ft high from pits
22 in x 22 in x 12 in
deep for 1/4 Sec.
Corner -

68.30 Slough 3rd mile East

80.00 Set cedar post 3 in x 2 in
x 4 ft - 12 in deep.

Deposit charred stake
raise mound of earth -
2 ft high from pits
24 in x 24 in x 4 ft - 12 in
deep for Corner to Sec.
13, 14, 23 and 24.

Surface rolling
Soil 2nd rate -

6 Township 34 North -

chains East on random
line bet Sec. 13rd & 24
Variation 13° 40' E

24.10 Slough 30 lbs side N.E.

34.37 Stream 3 lbs side N. then N.E.

80.08 Intersect East boundary
of Township at a point
28 lbs South of corner
to Sections 13. and 24
from which corner
I run
S 89° 48' West on line
line bet. Secs. 13rd & 24
Variation 13° 40' E

140.04 Set cedar post 3 in x 2 in
x 4 ft - 12 in deep.
Deposit chanced stake
raise mound of
earth 2 ft high. from
pits 22 in x 22 in - 1 ft
deep. for ^{1/4} Sec. Cor -

80.08 Corner to Sec. 13. 14. 23
and 24
Surface rolling
Soil 1st rate. p

39.
79.

7
1
Range 18 West 6th April

chains North bet. Sec. 13rd & 14
Variation 13° 40' E

40.00 Set cedar post 3 in x 2 in
x 4 ft - 12 in deep. Deposit
chanced stake, raise
mound of earth - 2 ft
high. from pits 22 in x
22 in - 12 in deep
for ^{1/4} Section corner -

80.00 Set cedar post 3 in x
3 in x 4 ft - 12 in deep
Deposit chanced stake
raise mound of
earth - 2 ft high from
pits 22 in x 22 in -
12 in deep for corner
to Sections 11. 12. 13. 14
Surface rolling
Soil sandy 2nd rate

8 Township 34 North-

chain

Cart on random line bet. Sec. 12 and 13
Variation 13° 40' E

40.00 Set post for temporary ^{4/16} _{4/16}

75.00 Stream 4 lb. wide ^{at} _{at}

76.95 " 18 " " S.E. ^{scalling} _{on bank}

80.16 Intersect East boundary of Township at a point 18 lb. South of corner to Sec. 12 and 13 from which corner I run

S 89° 52' West on true line bet Sec. 12 and 13

Variation 13° 40' E -
40.08 Set Cedar post 3 in x 2 in x 4 ft - 12 in deep.

Deposit chanced stake raise mound of earth - 2 ft high from pits - 2 2 in x 2 2 in - 12 in deep for 1/4 Sec. corner

80.16 corner to Sec. 11, 12, 13, 14

Surface rolling

Soil sandy 3% rate

39.
79.

9 Range 18 West 6th N. 11

chain North - bet. Sec. 11 and

12 Variation 13° 40' E -

40.00 Set post - Cedar - 3 in x

2 in x 4 ft - 12 in deep

Deposit chanced stake raise mound of earth - 2 ft high from pits -

2 2 in x 2 2 in x 4 ft

12 in deep for 1/4 Sec. corner

50.50 Enter bottom East N.

80.00 To right bank of Keya

Paha River and set

Cedar post for ^{meandered} _{meandered}

corner to Sec. 11 and 12 ^{Sec 11}

from which

A Cottonwood 15 in dia bears N 27° E 30 lb. dia

A Cottonwood 24 in " " N 25° W 210 " "

These trees are below the

bank at water's edge.

No others

May 2nd 1875

10

Township 34 North-

chain

North bet. Sec. 34^{and}
35

Variation 13°40'E

40.00

Set post Cedar, 3 in x 2 in
x 4 ft - 12 in deep.

Deposit chanced stake
raise mound of
earth - 2 ft high. from
pits 22 in x 22 in x 12 in
deep for $\frac{1}{4}$ Sec. corner

39.
79.

80.00

Set Cedar post 3 in x 3 in
x 4 ft - 12 in deep

Deposit chanced stake
raise mound of
earth - 2 ft high. from
pits 24 in x 24 in x 12 in
deep. for corner to
Sections 26, 27, 34^{and} 35
Surface rolling sand-hills
Soil 3% rate -

11

Range 18 West 6^{up} 1/2

chain

East on random
line bet. Sec. 26^{and} 35

Variation 13°40'E

40.00

Set post for temporary
 $\frac{1}{4}$ Sec. corner -

80.35

Intersect N and S line
at a point 70 k. S. of
corner to Sec. 25, 26,
35 and 36 from which
corner I run

S 89° 30' West on true
line bet Sec. 26^{and} 35

Variation 13°40'E

40.17 1/2

Set Cedar post 3 in x 2 in
x 4 ft - 12 in deep

Deposit chanced stake
raise mound of
earth - 2 ft high. from
pits 22 in x 22 in x 12
in deep for $\frac{1}{4}$ Sec. Co-

80.85

Corner to Sec. 26, 27, ~~34~~ 35
²⁶ and 35 -

Surface sand-hills
Soil 3% rate

Township 34 North

chain

North bet. Sec. 26 and 27
Variation 13° 40' E

35.00 Enter valley E. and W.

37.00 Wagon road West

45.00 Set Cedar post 3 in x 2 in
x 4 ft - 12 in deep.

Deposit charred stake
raise mound of earth
2 ft high from pits 22
in x 22 in 12 in deep

39

79

78.00 Leave Valley S. W. and S. E.

80.00 Set Cedar post 3 in x
2 in x 4 ft 12 in deep.
Deposit charred stake
raise mound of earth
2 ft high from pits
22 in x 24 in 12 in
deep for corner to Sec.

Sec. 27, 26 and 27

Surface rolling

Soil 3" rate

except valley. level - 2" rate

Range 18 West C. cap. M.

chain

East on random line
bet. Sec. 23 and 26
Variation 13° 40' E

28.00 Enter Valley N. & S. W.

40.00 Set post for temporary Sec. Cor.

70.00 Leave Valley S. and S. W.

79.80 Intersect N. and S. line

at a point 49 ch. S. of
corner to Sec. 23, 24,
25 and 26 from which

corner I have
S. 89° 39' West on true
line bet. Sec. 23 and 26

Variation 13° 40' E

39.90 Set Cedar post 3 in
x 2 in x 4 ft - 12 in deep

Deposit charred stake
raise mound of
earth - 2 ft high from
pits 22 in x 22 in 12
in deep for 1/4 Sec. corner

to Sec. 22, 23, 26
and 27

79.80 Surface rolling

Soil sandy 1/2" rate

at the surveyor's general, of dimensions

Township 34 South

chains North bet. Sec. 22nd & 23rd

40.00 Variation 13° 40' E
Set Cedar post 8 in x 2 in x 4 ft - 12 in deep. Deposit chanced stake. raise mound of earth - 2 ft high, from pits 22 in x 22 in 1/2 in deep. for 4 Sec. Corner

3
7

80.00 Set cedar post 3 in x 3 in x 4 ft - 12 in deep. Deposit chanced stake. raise mound of earth 2 ft high from pits 24 in x 24 in 1/2 in deep. for corner top Sec. 14, 15, 22nd & 23rd
Surface gently rolling
Soil sandy 2nd rate

Range 18 West 6th N.

chains East on random line bet. Sec. 14th & 23rd

40.00 Variation 13° 50' E
Set post for temporary 1/4 Section Corner -
79.40 Intersect - N and S. line at a point 18th E. S. of corner to Sec. 13, 14, 23rd & 24th from which corner I ran

89.52 West on true line bet. Sec. 14th & 23rd

39.70 Variation 13° 50' E
Set cedar post 8 in x 2 in x 4 ft - 12 in deep. Deposit chanced stake raise mound of earth - 2 ft high. from pits 22 in x 22 in 1/2 in deep for 1/4 Sec. corner -

79.40 (run to Sec. 14, 15, 22nd & 23rd)

Surface gently rolling
Soil sandy 2nd rate

Township 34 North

chains

North bet Sec 14th & 15th

Variation 13° 40' E

40.00 Set cedar post 3 in x 4 ft - 12 in deep.

Deposit chanced stake & raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep for 1/4 Sec. 14

80.00 Set cedar post 3 in x 3 in x 4 ft - 12 in deep.

Deposit chanced stake & raise mound of earth 2 ft high from pits 24 in x 24 in 12 in deep for corner to Sec. 10, 11, 14 and 15

Surface undulating Soil 2% rate

Range 18 West 6th N. M.

chains

East on random line bet 11th and 14th

Variation 13° 50' E

40.00 Set post for temporary Section Corner

79.80 Intersect N. and S. line at a point 54 ch.

South of corner to Sec. 11, 12, 13 and 14 from which corner I run

S 89° 37' West on true line bet Sec. 11th and 14th

Variation 13° 50' E

39.90 Set cedar post 3 in x 2 in x 4 ft - 12 in deep

Deposit chanced stake & raise mound of

earth 2 ft high from pits 22 in x 22 in

12 in deep for 1/4 Sec. 10, 11, 14 and 15

79.80 Corner to Sec. 10, 11, 14 and 15

Surface gently rolling Soil sandy 2% rate

Township 34 North-

chains North-bet. Sec. 10¹¹/₁₁

Variation 13°40'E.

40.00 Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chanced stake raise mound of earth - 2 ft high from pits 2 1/2 in x 2 1/2 in 12 in deep for 1/4 Sec. Corner

70.00 Enter bottom N. and S.

80.00 Set cedar post 3 in x 3 in x 4 ft - 12 in deep. Deposit chanced stake raise mound of earth - 2 ft high from pits 2 1/2 in x 2 1/2 in 12 in deep for corner to Sec. 2. 13. 10. 11

Surface rolling

Soil 2nd rate - { except bottom level 1st rate

Range 18 West 6th P.M.

chains East on random line bet. Sec. 2¹¹/₁₁

Variation 13°50'E.

7.50 Leave bottom N. E. and S. W. 40.00 Set post for temporary 1/4 Sec. Corner -

56.00 Enter bottom N. and S. 79.34 Intersect N. and S. line at a point 28 ch. S. of corner to Sec. 2¹¹/₁₁

(which is also p. 1/4 Sec. corner) from which corner I run

S 89°48' West on true line bet. Sec. 2¹¹/₁₁

Variation 13°50'E.

39.67 Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chanced stake raise mound of earth - 2 ft high from pits 2 1/2 in x 2 1/2 in 12 in deep for 1/4 Section corner

79.34 Corner to Sections 2. 3. 10¹¹/₁₁

Surface Valley level. Soil 1st rate. Balance g. r. 2nd rate

Township 34 North

chains

North ^{fourth line} bet. Sect 2nd & 3rd
Variation 13-45° E

40.0 11.00 Enter scattering cottonwood
bears N.E. & S.W.

24.00 To Koya - Paha
River and set Cedar
post for Meander
Corner to frac. Sect. 2nd & 3rd
from which

70.0
80.0 Cottonwood 12 in dia bears
S 40° West 150 ^{ch. dist.}

Surface bottom level
Soil 1st rate -

May 28th - 1875.

Range 18 West 6th N.P.M.

chains

From established
corner to Sect. 33rd & 34th
on South boundary of
Tmn.

I run
North bet. Sect. 33rd and 34th
Variation 13-40° E

40.00 Set cedar post 3 in x 2 in
x 4 ft 12 in deep. Deposit
chained stake, raise
mound of earth - 2 ft
high. from pits 22 in
x 22 in 12 in deep
for ¹/₄ Section Corner -

80.00 Set cedar post 3 in
x 3 in x 4 ft - 12 in deep
Deposit chained stake
raise mound of earth -
2 ft high. from pits
24 in x 24 in, 12 in
deep for corner to Sect.
27, 28, 33 and 34

Surface rolling and
broken sand-hills
Soil 3rd rate

Township 34 North-

chains

40

40.00

East on random line bet. Sect. 27th and 34

Variation 13° 40' E

Set post for temporary 1/4 Sec. corner -

80.10

Intersect N and S line at a point 1/4 blk S. of corner to Sects 26, 27, 33 and 34 from which corner I run

70

80

S 89° 54' West on true line bet. Sect. 27th and 34

Variation 13° 40' E

40.05

Set cedar post 3 in x 2 in x 4 ft. 12 in deep for 1/4 Sec. cor. from which

A Hackberry 10 in dia bear S 44° 15' E

80.10

lep. to Sec. 27, 28, 33 and 34
Surface broken sand hills
Soil 3rd rate -

Range 18 West 6th up m

chains

North bet. Sect. 27 and 28

Variation 13° 45' E

40.00

Set cedar post 3 in x 2 in x 4 ft. 12 in deep. Deposit charred stake

raise mound of earth 2 ft high. from pits 22 in x 22 in x 12 in deep for 1/4 Sec. corner -

77.00

North-Boundary and Black Hills "Wagon trail" N. N.

80.00

Set cedar post 3 in x 3 in x 4 ft. 12 in deep. Deposit charred stake

raise mound of earth 2 ft high. from pits 22 in x 22 in - 12 in deep for the corner to Sections 21, 22, 27 and 28.

Surface sand hills

Soil 3rd rate

Township 34 North

chains

Cart on random line bet. Sec. 22 and 27

Variation 13° 50' E

40.

40.00

Set post for temporary 1/4 Sec. Cor.

80.22

Intersect N. and S. line at a point 28 lb. N. of corner to Sec. 22, 23, 26 and 27 from which corner I run

70.

80.

N 89° 48' West on true line bet. Sec 22 and 27

Variation 13° 50' E

40.11

Set cedar post 3 in x 2 in x 4 ft. 12 in deep

Deposit charred stake raise mound of earth 2 ft high from pits 22 in x 22 in x 12 in deep for 1/4 Sec. Cor.

80.22

Corner to Sections 21, 22, 27 and 28

Surface gently rolling Soil sandy - 2% salt.

Range 18 West 6 N.M.

chains

North bet. Sec. 21 and 22

Variation 13° 45' E

45.00

Set cedar post 3 in x 2 in x 4 ft. 12 in deep

Deposit charred stake raise mound of earth 2 ft high from pits 22 in x 22 in x 12 in deep for 1/4 Sec. Cor.

80.00

Set cedar post 3 in x 3 in x 4 ft. 12 in deep

Deposit charred stake raise mound of earth 2 ft high from pits 24 in x 24 in x 12 in deep for corner to Sec. 15, 16, 21 and 22

Surface gently rolling Soil sandy 2% salt

Township 34 North

chains

East on random line bet. Sec. 10 and 15.

40.

Variation 13° 50' E

40.00 Set post for temporary

4 Sec. corner -

80.34 Intersect said line at a point 36 lbs. S. of corner to Sec. 10, 11, 14, 15

70.

from which corner run S 89° 45' West on true line bet. Sec. 10 and 15

80.

Variation 13° 50' E

40.17 Set cedar post 3 in x 2 in x 4 ft - 12 in deep.

Deposit charred stake raise mound of earth 2 ft high from pits 24 in x 24 in x 12 in deep for 4 Sec. corner

80.34 Corner to Sec. 9, 10, 15 and 16

Surface gently rolling Soil 2nd rate

Range 18 West 6th N.M.

chains

North bet. Sec. 9 and 10

Variation 13° 45' E

40.00

Set cedar post 3 in x 2 in x 4 ft - 12 in deep.

Deposit charred stake raise mound of earth 2 ft high from pits 24 in x 24 in x 12 in deep for 4 Section corner

80.00

Set cedar post 3 in x 3 in x 4 ft - 12 in deep

Deposit charred stake raise mound of earth 2 ft high from pits 24 in x 24 in x 12 in deep for corner to Sec. 3, 14, 9 and 10

Surface gently rolling Soil 1st rate

Township 34 North

chains

East on random line
bet. Sec. 3 and 10

40.

Variation 13° 50'

40.00 Set post for temporary
1/4 Section Corner -

41.00 Spring branch 3 lks. wide &

63.00 Ends bottom of pit

80.40 Intercept of line
at a point 28 lks. N. of
corner to Sec. 2, 3, 10

70.

80.

11 from which I run
N 89° 48' West on true
line bet. Sec. 3 and 10

Variation 13° 50'

40.20 Set Cedar post 3 in
x 2 in x 4 ft - 12 in deep
Deposit charred stake
raise mound of earth
2 ft high from pits
2 1/2 in x 2 1/2 in x 12 in
deep for 1/4 Sec. corner

80.40 (mark to Sec. 3, 4, 9, 10)
Surface gently roll. + level
Soil 1/2" rate

Range 18 West 6th up

chains

North 1/4 Sec. 3 & 4

Variation 13° 45'

40.00

Set Cedar post 3 in
x 2 in x 4 ft - 12 in deep

Deposit charred stake
raise mound of earth
2 ft high from pits
2 1/2 in x 2 1/2 in x 12 in
deep for 1/4 Sec. corner -

53.00

Ends bottom of pit

60.30

Set Cedar post 3 in x 2 in
x 4 ft - 12 in deep for

Meander Corner to
fractional Section 3
and 4 on Right bank
of Kupa. Paha River
from which cor.

A. Cottonwood 20 in
dia. bears S 60° W
165 lks. distant
Surface rolling, Soil 2nd order
Balance bottom " 1st "

May 29th 1875

Township ³⁴ North

chains

40.

4000

North bet. Sect. 32nd & 33rd
Variation 13° 40' E
Set cedar post 3 in
x 2 in x 4 ft - 12 in
deep. Deposit charred
stake, raise mound
of earth, 2 ft high
from pits 2 1/2 in x 2 1/2
in - 12 in deep for
1/4 Sec. corner

70.

80.

8000

Set cedar post 3 in
x 3 in x 4 ft - 12 in
deep. Deposit charred
stake, raise mound
of earth, 2 ft high
from pits 2 1/2 in
x 2 1/2 in - 12 in
deep for corner to
Sect. 28, 29, 32nd & 33rd

Surface rolling
Soil sandy 2nd rate

Range 18 West 6th N

chains

40.00

East on random
line bet Sect 28th & 33rd
Variation 13° 50' E

80.50

Set post for temporary
intersection corner
Intersect N. and S. line
at a point 28 lks.
South of corner to
Sect. 27, 28, 33rd & 34th
from which corner

40.25

I run
89° 48' West on true
line bet Sect. 28th & 33rd
Variation 13° 50' E

80.50

Set cedar post 3 in
x 2 in x 4 ft - 12 in
deep. Deposit charred
stake, raise mound
of earth - 2 ft high from
pits 2 1/2 in x 2 1/2 in - 12
in deep for 1/4 Sec. cor-
ner to Sect. 28, 29,
32nd & 33rd

Surface sand-hills
Soil 3rd rate

Township 34 North

chain

North bet Sec 28 & 29

Variation 13° 40' E

40.0 40.00

Set Cedar post 3 in x 2 in x 4 ft - 12 in deep

Deposit chanced slate raise mound of earth - 2 ft high. From pits 22 in x 22 in - 12 in deep for 1/4 Sec. corner

70.0 80.00

Set Cedar post 3 in x 3 in x 4 ft - 12 in deep.

Deposit chanced slate raise mound of earth - 2 ft high. From pits 22 in x 22 in - 12 in deep. for corner to Sec. 20, 21, 28 and 29

80.0

Surface rolling Soil 2" rate

Range 18 West 1/4 PM

chain

East on random line bet. Sec. 21 and 28

Variation 13° 50' E

37.50

Mt. Bonday + Blk Hills Dragon road N. N.

40.00

Set post for temporary 1/4 Sec. corner -

80.13

Intersect N. and S. line at a point 88 lb. S. of corner to Sec. 21, 22, 27 and 28 from which corner I run

S 89° 22' West on line line bet. Sec. 21 and 28

Variation 13° 50' E

40.06 1/2

Set Cedar post 3 in x 2 in x 4 ft - 12 in deep

Deposit chanced slate raise mound of earth - 2 ft high. From pits 22 in x 22 in - 12 in deep. for 1/4 Sec. corner -

80.13

cor. to Sec. 20, 21, 28 and 29 Surface rolling Soil 2" rate

Township 34 North-

chains

40.00

3.30

10.00

32.65

40.00

70.00

80.00

North bet. Sec. 20th & 21st
Variation 13°40'E

Wagon trail N.W.

Enter Valley N.E.

Spring branch of W. from
Spring 2 ch. S.E.

Set cedar post 3 in x 2 in
x 4 ft - 12 in deep.

Deposit charred stake
raise mound of
earth 2 ft high from
pits 2 2 in x 2 2 in 12 in
deep for 4 Sec. corner -

80.00 Set cedar post 3 in x
3 in x 4 ft 12 in deep

Deposit charred stake
raise mound of
earth 2 ft high from
pits 24 in x 24 in
12 in deep for corner
to Sec. 16, 17, 20 and 21

Surface rolling
Soil 2" rate of

Range 10 West C. up Mt.

chains

36.00

40.00

53.40

60.00

84.24

42.12

80.24

East on random
line bet. Sec. 16th & 21st

Variation 13°50'E

Spring branch 2 blk. wide
runs North:

Set post for temporary
1/4 Sec. corner -

Spring branch 2 blk. wide
runs North.

Leave bottom N and S

Intersect N and S line
at a point 90 blk. S. of
corner to Sec. 15, 16, 20
and 22 from which
corner I run

S 89° 21' - West on true
line bet. Sec. 16th & 21st

Variation 13°50'E

Set cedar post 3 x 2 in
x 4 ft - 12 in deep.

Deposit charred stake
raise mound of earth -

2 ft high from pits 22
in x 22 in - 12 in deep for 4 Sec.

corner to Sec. 16, 17, 20 & 21
Surface gently rolling. Soil 1" rate

Township 34 North

chains

North bet. Sec. 16th &

17

Variation 13° 40' E

40.

8.20

A. Creek, 10th lth.

wide. runs N.E.
Along its banks are numerous
springs and scattering oak
trees + meadow brush.

70.

40.00

Set cedar post 3 in
x 2 in x 4 ft - 12 in deep
Deposit charred stake
raise mound of earth
2 ft high from pits 24 in x 24 in - 12 in deep

80.

80.00

Set cedar post 3 in
x 3 in x 4 ft - 12 in deep.
Deposit charred stake
raise mound of earth -
2 ft high. from pits
24 in x 24 in - 12 in
deep for corner to
Sections 8, 9, 16th & 17

Surface rolling
Soil 2% rate of

Range 18 West 6th W.M.

chains

East on random
line bet. Sec. 9th & 16

Variation 13° 40' E

40.00

Set post for temporary
1/4 Sec. corner -

58.78

Creek 10th lth.
wide N.E. Scattering oak
Cottonwood + willow brush.

79.64

Intersect N. and S. line
at a point 80 lth S.
of corner to Sec. 8, 9, 10,
15 and 16 from which
corner is run

Set 9° 26' West on true
line bet. Sec. 9th & 16

39.82

Variation 13° 40' E
Set cedar post 3 in x
2 in x 4 ft - 12 in deep
Deposit charred stake
raise mound of
earth - 2 ft high. from
pits 22 in x 22 in - 12 in
deep for 1/4 Sec. cor -

79.64

Corner to Sec. 8, 9, 16th and
17. Surface rolling
Soil 2% rate

18
40 Township 34 North

chains
40.00
70
80
40.00
80.00
Variation 13°40'E
Set cedar post 3 in
x 3 in x 4 ft - 12 in
deep. Deposit charred
stake. raise mound
of earth 2 ft high
from pits 2 2/4 x 2 2/4 in
12 in deep. for 1/4 Sec. 8
Set Cedar post 3 in
x 2 in x 4 ft - 12 in
deep. Deposit charred
stake. raise mound
of earth 2 ft high
from pits 2 2/4 in x
2 2/4 in - 12 in deep
for corner to Sec. 4.
5.8^{ans} 9.
Surface rolling
Soil 2" rate.

41
Range 18 West 1/4 Sec. 4

chains
28.00
40.00
79.95
39.95
79.90
East on random
line bet. Sec. 4^{ans} 9
Variation 13°40'E -
12th mile north
Set post for temporary
1/4 Sec. corner
Intersect. of line
at a point 4th S. of
corner to Sec. 3.4.9.10
from which corner
Brew
89°58' set on true
line bet. Sec. 4^{ans} 9
Variation 13°40'E
Set Cedar post 3 in x 2 in
x 4 ft - 12 in deep
Deposit charred
stake. raise mound
of earth 2 ft high from
pits 2 2/4 in x 2 2/4 in
12 in deep. for 1/4 Sec.
corner to Sections
4.5.8^{ans} 9
Surface rolling
Soil 2" rate

Township 34 South

chains

Knowing that I will intersect the Kaya, Kaha River in less than 80 chains I run North, on a true line bet. Sec. 4 and 5

Variation 13° 40' E

4000 Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chanced stake raise mound of earth 2 ft high from pits 22 in x 22 in x 4 ft - 12 in deep for 1/4 Sec. Cor.

67.20 Intersect Kaya Kaha River right bank, and set a cedar post 3 in x 2 in x 4 ft - 12 in deep for meander corner to frac. Sec 4 and 5

from which

A Cottonwood 15 in dia bears S 45 W ^{dist.} 1/2 mile to tree in limits in Sec. 4 Scattering oak and Cottonwood on bank Surface rolling Soil 2" rate

Range 18 West C. P. M.

chains from established corner to Sec. 31 and 32 North - bet. Sec. 31 and 32

Variation 13° 40' E

4000 Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chanced stake raise mound of earth 2 ft high from pits 22 in x 22 in x 12 in deep for 1/4 Sec. Corner

5000 Enter valley N. E. S. N.

8000 Set cedar post 3 in x 3 in x 4 ft - 12 in deep. Deposit chanced stake, raise mound of earth 2 ft high from pits 24 in x 24 in - 12 in deep for corner to Sec. 29, 30, 31 and 32

Surface rolling Soil 2" rate

Township 34 North

chains

East on random line bet. Secs 29th & 32

Variation 13°40'E

40.00 Set post for temporary 1/4 Section Corner -

60.00 Leave Valley N.W. 1/4

79.66 Intersect Ot. 4th S line at a point 38 lbs

4 South of corner to Secs 28, 29, 32nd & 33 from which corner

I run S 89°44' West on true line bet. Secs 29th & 32

Variation 13°40'E

67.39.83 Set Cedar post, 3 in x 2 in x 4 ft - 12 in deep. Deposit charred stake, raise mound of earth 2 ft high

from pits 22 in x 22 in 12 in deep for 1/4 Sec.

79.66 Corner to Secs 29, 30, 31st and 32

Surface rolling Soil 2nd rate

Range 18 West 6th W

chains

West on random line bet. Secs 30th & 31

Variation 13°40'E

40.00 Set post for temporary 1/4 Section Corner -

79.70 Intersect West bound

any of Township at a point 60 lbs N. of corner to Secs 30th & 31

from which corner I run

N 89°44' East on true line bet. Secs 30th and 31

Variation 13°40'E

39.55
39.85 Set Cedar post 3 in x 2 in x 4 ft

12 in deep. Deposit charred stake

raise mound of earth 2 ft high from

pits 22 in x 22 in 12 in deep for 1/4 Sec.

79.80 Corner to Secs 29, 30, 31st and 32

Surface gently rolling Soil 1st rate

Township 34 North

chains

North bet Secs 29^{and}30

Variation 13°35'E

38.65 Stream 300 yds wide N.W.

40.00 Set cedar post 3 in x 2 in x 4 ft - 12 in deep

Deposit charred stake raise mound of earth 2 ft high from pits

69.76 ^{22 in x 22 in x 42 in deep for 1/4 Sec 29} Creek 100 yds wide N.W.

Scattering oak trees & undergrowth of cherry

80.00 Set cedar post 3 in x 3 in x 4 ft deep

Deposit charred stake raise mound of earth - 2 ft high from pits

24 in x 24 in - 12 in deep for corner to Secs 19, 20

29 and 30 -

Surface rolling Soil 2" rate

Range 18 West of PM

chains

East on random line bet Secs 20 and 29

Variation 13°40'E

7.00 Creek 100 yds wide N.W.

30.00 Through 100 yds wide N.W.

40.00 Set post on temporary line bet Secs 20 and 29

55.00 Leave valley N.W.

79.70 Intersect of Old Stage at a point 52 yds

of corner to Secs 20, 21, 28 and 29

from which corner run

S 89° 38' West on true line bet Secs 20

and 29

Variation 13°40'E

39.85 Set cedar post 3 in x 2 in x 4 ft - 12 in deep

Deposit charred stake raise mound of earth - 2 ft high from pits

22 in x 22 in - 12 in deep for 1/4 Sec 29

and 30 -

Surface rolling Soil 2" rate

79.70 Corner to Secs 19, 20, 29 and 30 -

Surface rolling Soil 2" rate

Township 34 North

chains

West on random line bet. Sec. 19th & 30th Variation 13°40'E

38.65

5.00

Leave Valley N. & S.

40.00

40.00

Deposit for temporary 1/4 Sec. corner

80.52

Intersect West bound-ary of Township at a point 68th blk. N. & S. corner to Sec. 19th & 30th from which corner I run N 89°31' East on true line bet. Sec. 19th & 30th Variation 13°40'E

69.76

80.00

40.52

Set cedar post. 3 in x 2 in x 4 ft - 12 in deep

Deposit chanced stake raise mound of earth - 2 ft high - from pits 22 in x 22 in 12 in deep. for 1/4 Sec. corner to Sec. 19. 20. 29. 30

80.52

Surface rolling Soil 2" rate of

May 31st 1875

Range 18 West C. 1/4 NW

chains

North bet. Sec. 19th & 20th Variation 13°40'E

40.00

Set cedar post 3 in x 2 in x 4 ft - 12 in deep

Deposit chanced stake raise mound of earth - 2 ft high - from pits 22 in x 22 in 12 in deep. for 1/4 Sec. corner to Sec. 17. 18. 19th & 20th

48.82

Flag on trail - "North Boundary and Elk Hills road". West. Scattered oaks and willow.

60.60

Stream East - 3rd blk. wide

80.00

Set cedar post 3 in x 3 in x 4 ft - 12 in deep. Deposit chanced stake raise mound of earth - 2 ft high from pits 24 in x 24 in 12 in deep. for corner to Sec. 17. 18. 19th & 20th

Surface rolling Soil 2" rate of

Township 34 North-

chains

East on random line bet. Sec. 17th and 20

Variation 13° 40' E

38.65

40.00

Set post for temporary 1/4 Sec. corner

63.80

cross 10 th. wide Mt. Scattering oaks and willow

79.70

Intersect N. and S. line at a point 62 ft. South-

69.7

of corner to Sec. 16, 17, 20th and 21 from which

80.0

corner I run S 89° 34' West on true line bet. Sec. 17th and 20

Variation 13° 40' E

39.85

Set cedar post 3 in x 2 in x 4 ft - 12 in deep

Deposit charred stake raise mound beneath

2 ft high from pits 22 in x 22 in - 12 in deep for 1/4 Sec. corner

79.70

Corner to Sections 17, 18, 19th and 20

Surface rolling Soil 2nd rate

Range 18 West 6th N. W.

chains

West on random line bet. Sec. 18th and 19

Variation 13° 50' E

40.00

Set post for temporary 1/4 Section corner -

80.33

Intersect West bound

and of Township at a point 15 th. S. of

corner to Sec. 18 and 19. from which

corner I run N 89° 54' East on true line bet. Sec. 18th and 19

41.33

Set cedar post 3 in x 2 in x 4 ft - 12 in deep

Deposit charred stake, raise mound of earth - 2 ft high

from pits 22 in x 22 in x 12 in deep, for

1/4 Sec. corner of

80.33

Corner to Sec. 17, 18, 19, 20.

Surface gently rolling Soil sandy 3rd rate

Township 34 North-

chains

chains

North-bet. Sec. 17^Q & 18

Variation 13°50'E-

38.65

40.00

Set cedar post 3 in x 2 in x 4 ft - 12 in deep.

40.00

Deposit chanced stake raise mound of earth 2 ft high from pits 2 1/2 in x 2 1/2 in - 12 in deep for 1/4 Sec. corner-

69.7

80.00

Set cedar post 3 in x 3 in x 4 ft - 12 in deep.

80.0

Deposit chanced stake raise mound of earth 2 ft high from pits 2 1/2 in x 2 1/2 in - 12 in deep for corner to Sec. 7, 8, 17^Q & 18

Surface rolling - Soil sandy 3" pale-

Range 18 West 63rd P.M.

chains

East on random line bet. Sec. 8^Q & 17

Variation 13°40'E

40.00

Set post for temporary 1/4 section corner

79.64

Intersect N. & S. lines at a point 14 ft. N. of corner to Sec. 8, 9, 16^Q & 17 from which corner I run

N 89°54' West on true line bet Sec. 8^Q & 17

Variation 13°40'E

39.82

Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chanced stake, raise mound of earth 2 ft high from pits 2 1/2 in x 2 1/2 in - 12 in deep for 1/4 Sec. corner

79.64

Corner to Sec. 7, 8, 17^Q & 18

Surface rolling Soil 2" pale

54
Township 34 North

chains chains
 West bet. Sec. 7th and 18th
 Variation 13° 50' E
 38.6 40.00 Set post for temporary
 40.00 1/4 Section Corner -
 79.96 Intersect West
 Boundary of Township
 at a point 32 ft.
 N. of corner to Sec.
 69.7 7th and 18th from which
 corner I run
 N 89° 46' East on true
 line bet. Sec. 7th and 18th
 Variation 13° 50' E
 80.0 39.96 Set cedar post 3 in
 x 2 in x 4 ft - 12 in
 deep. Deposit chanced
 stake, raise mound
 of earth - 2 ft high
 from pits 22 in x 22 in
 12 in deep. for 1/4 Sec. Cor-
 79.96 1/4 corner to Sec. 7, 8, 17
 and 18
 Surface gently rolling
 Soil 2nd grade

Range 10 West 6th 1/2th

chains
 North bet. Sec. 7th and 18th
 Variation 13° 50' E
 40.00 Set post. Cedar. 3 in x 2
 x 4 ft 12 in deep.
 Deposit chanced stake
 raise mound of earth -
 2 ft high. from pits
 22 in x 22 in 12 in
 deep. for 1/4 Sec. Cor-
 79.00 1/4 corner to Sec. 7, 8, 17
 and 18
 80.00 Set cedar post. 3 in
 x 3 in x 4 ft - 12 in deep
 Deposit chanced stake
 raise mound of
 earth - 2 ft high from
 pits 24 in x 24 in
 12 in deep. for corner
 to Sections 5, 6, 7 and 8
 Surface gently rolling
 Soil 2nd grade

Township 34 North-

chains chains

38.6

40.0

.10

40.00

69.7

80.0

East on random
line bet. Sec. 5^{and} 8
Variation 13°40' East
Spring branch 2 lb.
wide W.C.
Set post for temporary
1/4 Section Corner
Intersect N. 1/4 S. line
at a point 10 lb. S. of
corner to Sec. 4. 5. 8 & 9
from which corner draw
S 89°56' West on true
line bet. Sec. 5^{and} 8
Variation 13°40' E
Set cedar post 3 in
x 2 in x 4 ft - 12 in
deep. Set post chanced
stake. raise mound
of earth - 2 ft high
from pit 22 in x
22 in - 12 in deep
for 1/4 Sec. Corner -
Corner to Sections
5. 6. 7^{and} 8
Surface rolling
Soil 2nd rate -

Range 18 West 6th 1/2 W.

chains

40.00

62.50

80.00

40.00

80.00

West on random
line bet. Sec. 6^{and} 7
Variation 13°50' E
Set post for temporary
1/4 Sec. Corner -
4 legs of Spring branch
ch. S.
Intersect West boundary
of Township at a point
14 lb. S. of corner
to Sec. 6^{and} 7 from
which corner draw
N 89°54' East on true
line bet. Sec. 6^{and} 7
Variation 13°50' E
Set cedar post, 3 in
x 2 in x 4 ft - 12 in
deep. Set post chanced
stake. raise mound
of earth - 2 ft high
from pit 22 in x 22 in
1/2 in deep for 1/4 Sec.
corner -
Corner to Sections 5. 6. 7^{and} 8
Surface gently rolling
Soil 2nd rate -

Township 34 North

chain chain

38.6

40.0

Knowing that I will intersect the Keya Paha River in less than 50 chains.

Draw North on true line bet. Sec. 5 and 6

Variation 13°40'E

69.7

37.80

40.00

Oak Ravine N.E. Set cedar post 3 in x 2 in x 4 ft - 12 in deep -

80.0

Deposit chanced stake raise mound of earth - 2 ft high from pits 22 in x 22 in x 2 in deep for 1/4 Sec. corner -

47.10

Stream 3 ft. wide in Oak Ravine N.E.

58.30

Leave high bluff + enter bottom of W.

60.00

Right bank of Keya Paha River. Set Cedar post 3 in x 2 in x 4 ft - 12 in deep for Meander Corner

From which

A Cottonwood 18 in dia bears N 87° E 35 ft dist

A Bur Oak 18 " " " S 49 1/2° W 105 " "

Scattering Oak + Cottonwood trees along the banks surface rolling soil 2% rate

Range 18 West 6th Mer.

Meanders of the right bank of Keya Paha River through this Township.

Begin at Meander Corner to Jac. Sec. 6 and 31 on N. bank of the Township and on right bank of River + run thence with meanders of said right bank down stream in section as follows:

Variation 13°45'E

56.1 chains

833 E 10.60

864 E 11.70

2 844 3/4 E 13.30

4 77 3/4 E 14.40

4 61 1/2 E 32.00

8 72 E 17.30

8 72 E 9.50

3 840 E 10.40

8 57 E 16.80

8 44 1/2 E 18.00

8 8 1/2 E 11.00

8 17 1/2 E 13.20

8 25 W 13.30

8 27 E 4.30

To Meander Corner to Sec. 5 and 6 thence in Sec 5 Spring branch comes from S.W.

To Meander Corner to Jac. Secs 4 and 5 thence in Sec 7

Mouth of Creek comes from S.

Township 34 North-
Course chains

chain	N 85 1/2 E	17.10	
	S 76 1/4 E	20.10	To Meander Corner to
38.6	14		frac. Secs 3 and 4
40.0	S 75 1/2 E	9.70	Thence in Sec. 3
	N 47 3/4 E	8.80	
	N 19.00 E	11.70	
	N 60 1/2 E	6.30	
	N 86 1/2 E	14.60	
69.7	S 64 1/2 E	23.50	Mouth of Spring branch from South.
	S 24 1/2 E	7.00	
	S 10 W	21.50	
80.	S 21 E	12.80	
	S 62 1/2 E	12.70	
	N 68 1/4 E	5.30	To Meander Corner to frac. Secs
	5		2 and 3 - Thence in Sec. 2
	S 73 1/2 E	7.60	
	N 55 3/4 E	10.00	
	N 36 1/4 E	25.10	
	N 70 1/2 E	7.80	
	East	16.80	
	S 40 E	15.80	
	S 50 1/4 E	9.40	
	S 13 E	33.20	To Meander Corner to frac. Secs 11 & 12
	6		Thence in 12
	S 43 1/2 E	14.00	
	S 79 E	14.70	
	S 37 E	10.70	
	S 4 1/2 W	11.30	

Range 18 West 6 W.P.M.
Course chains

	S 62 E	16.00	
	N 70 1/2 E	12.50	
	N 35 E	22.70	
	S 87 E	11.50	To Meander Corner to
7			frac. Secs 7 and 12
			bet Ranges 17 and 18 East
			boundary of Township.

June 2nd 1875

General Description.

This Township has a generally gently rolling surface. Soil nearly all good 2^d rate. It is well watered by the Keya-Paha River (which runs through the northern part) and numerous Spring branches. A Creek 12 ft. wide flows through the N.W. part. It has numerous Spring branches. The

Township 34 North-

chain

water is excellent.

38.6

40.0

The northern part of
this Township is well
adapted to agriculture

The southern part
being more sandy is better
adapted to grazing.

69.7

The "Northern Boundary
and Black Hills" wagon
trail runs through
the southern part, entering
the Township near the
S.E. corner and
taking a N. westerly it
leaves the Township
about the centre of
the west side.

80.0

Range 18 West 6th N.

List of Names

A list of the names
of the individuals
who were employed
to assist in running
measuring or marking
the lines and corners
described in the Survey
field-notes of Range
Twp. 34 N. of base line,
Range 18 West, 6th
Meridian, showing
the respective capacities
in which they acted,

William B. Spaulding, Chairman
Leslie E. Scott

Charles Bowers }
Adelbert D. Bierce }
 } Assessor &
 } Flagman

cha

38.

40.

69.

80

We hereby certify that we assisted George W. Burton deputy surveyor in surveying the exterior boundaries and subdividing ^{and meandering} township number thirty-four north of the base line of range ^{number} eighteen west the sixth principle meridian, and that said township has been in all respects to the best of our knowledge and belief well and faithfully surveyed, and the boundary monuments planted according to the instructions furnished

by the surveyor general and ^{of Nebraska} William B. Spangler.

Leslie C. Scott. Chairman.
 Charles Brown. Assman.
 Adelbert D. Diegel

Witnessed and sworn to before me J. B. Sledge a notary public in and for ^{Antelope County} State of Nebraska this 14th day of June 1875
 J. B. Sledge Notary Public

J. George W. Burton, deputy

surveyor, do solemnly swear that in pursuance of a joint contract, wherein Chauncy Wiltie, Frank Crowell, and Geo. W. Burton are joint contractors with C. E. Cunningham United States surveyor general for the district of Nebraska bearing date the 29th day of April 1875, I have faithfully well and truly in my own proper person and in strict conformity with the instructions furnished by the surveyor general, the surveying manual and the laws of the United States, surveyed all those parts or portions of township number thirty-four north of the base line of range number eighteen west of the sixth principal meridian, as are represented in the foregoing field notes.

as having been surveyed
under my direction, and
I do further solemnly
swear, that all the corners
of said surveys have been
re-established and perpetuated
in strict accordance with
the surveying manual and
printed instructions, and
that the foregoing are the true
and original field notes
of such survey.


George W. Burton
Deputy Surveyor

Subscribed and sworn to
before me J. B. Cassage, Antelope County
notary public in and for
state of Nebraska, this 14th day of
June 1875 J. B. Cassage
Notary Public

of surveyor and of Antelope County
I have the construction of the
and in the program of the
decided in the favor of full notes

Surveyor General's Office
Plattsmouth Neb Aug 14th 1875.

The foregoing field notes of the survey of
the Subdivision Lines and Meanders of
Township No 34 North of the Base Line
of Range No 18 West of the 6th Principal
Meridian in the State of Nebraska, executed
by George W. Burton Deputy Surveyor,
under joint Contract No. 59, dated April 29th
1875, wherein Chauncey Wittse, Frank Crowell
and George W. Burton are joint contractors,
in the months of May and June 1875,
having been critically examined, the
necessary corrections and explanations
made, the said field notes and the surveys
they describe are hereby approved.

 Surveyor General.

Field Notes
of the
Survey and Subdivisions
of
Township 35 North
of the
Base Line
Range 18 West
of the
6th P.M. Mer.
State of Nebraska

Executed
by Frank Crowell,
Deputy Surveyor, under
Joint Contract No 89 dated
April 29th 1875 -

Survey
Commenced June 2^d 1875
Completed June 2^d "

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

List of Names:

A list of the names
of the individuals
who were employed
to assist in surveying
and subdividing this
Township, showing the
respective capacities in which they acted

J. A. Sears
Auckney Miller Chairman
G. W. Brown Warrantman
Esau Beldin Assessor and
Flagman

Township 35 N. Range 18 W.

Meanders of the Kuya Gaha River, through Sec. 31 in this Township.

Begin at Meander Corner, top Sec. 31 and 36 on the West boundary of this Township. and run with the meanders of Right bank down stream as follows
Variation $13^{\circ} 45' E$

Course chains

N $64\frac{1}{4} E$ 10.80

N $71\frac{3}{4} E$ 13.40

N $61\frac{1}{2} E$ 9.00

N $85\frac{1}{2} E$ 7.40

S $74 E$ 10.60

S $41 E$ 15.80

S $63\frac{1}{2} E$ 5.70

S $72\frac{1}{2} E$ 8.00

S $34 E$ 9.20

S $13\frac{3}{4} W$ 20.20

S $45\frac{1}{4} W$ 12.00

To Meander Corner

Township 35 N. Range 18 West

to fractional Sec. 6 and 31. on the South-boundary of the Township.

June 2^d 1875.

Description

Gently rolling, Soil 2^d rate.

We hereby certify that
we assisted Frank Crowell
Deputy Surveyor in
surveying the exterior
boundaries and Meandering
Township No 35 North
of the base line of Range
No 18 West of the sixth
principal Meridian
and that said township
has been in all respects
to the best of our knowledge
and belief well and
faithfully surveyed
and the boundary
monuments planted
according to the instructions
furnished by the Surveyor
General of dimensions, character
construction and marking and in the
presence of

W. A. Sears }
Chaumman
Linker Miller }

C. H. Brown }
E. A. Beldin }
A. J. ... }
A. J. ... }

Subscribed and sworn to before me
at ... a notary public in and
for the state of Nebraska this 13th day of
June 1885 J. B. ... notary public

I Frank Crowell
Deputy Surveyor
do solemnly swear that
in pursuance of a joint
contract - wherein
Chauncey Wittge, Frank
Crowell and George W
Burton are joint-
contractors with E. E.
Birmingham, United
States Surveyor General
for the district of
Nebraska bearing date
the 29th day of April 1885
I have well faithfully
and truly in my own
proper person and
in strict conformity
with the instructions
furnished by the Surveyor
General the surveying
manuel and the laws
of the United States
surveyed all those parts
of portions of township
No 35 North of the base
line

x And Special instructions of the Surveyor General of America. Character of the construction and in making the said the manner, as specifically set forth in the foregoing.

Range No 18 West of the 6th principal Meridian as are represented in the foregoing field notes as having been surveyed under my direction And I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions and that the foregoing are the true and original field notes of such survey

Frank Crowell
Deputy Surveyor

Subscribed and sworn to before me
J. B. Cassage a notary public
in and for ^{Antelope County} state of Nebraska
this fourteenth day of June 1875
J. B. Cassage
notary public

Surveyor General's Office
Hallsmouth Aug 14th 1875

The foregoing field notes of the Survey and Meanders of Township 35 N. R. 18 W of 6th P.M. in the State of Nebraska, executed by Frank Crowell deputy Surveyor under joint contract No 89 dated April 29th 1875 in the month of July 1875 having been critically examined the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved

J. J. Clark
Surveyor General

GENERAL LAND OFFICE • ORIGINAL FIELD NOTES

BOOK NUMBER

430

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.