General Land Office • Original Field Notes

Book Number

435

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Town 17 N Range 19 W

6	5	4	3	2	1
59	58	43	32	21	10
7	8	9	10	11	12
56	55	41	30	19	8
18	17	16	15	14	13
53	52	39	28	17	6
19	20	21	22	23	24
50	49	37	26	16	4
30	29	28	27	26	25
47	46	35	24	13	2
31	32	33	34	35	36

Field notes of the Subdivision lines in Township 17 North Range 19 West of the 6th Principal Meridian in the State of Nebraska. Surveyed by John W. Doughirty, Deputy Surveyor

Commenced Aug 21st 1872 and completed Aug 24th 1872

Names and duties of assistants employed in Subdividing Township 17 North Range 19 West of the 6th Principal Meridian in the State of Nebraska

Allard C. Peavey } Chainmen
Albert P. Janney }

Frank Littlefield } Axemen
Peter E. Barnet }

Township 17 North Range 19

To determine the proper adjustment of my compass for Subdividing this Township I commenced on the 4th Standard Parallel corner to Township 17 North Ranges 18 & 19 West and ran North on a blank line along the East boundary of Section 36 Va 13° East

4000 To a point 9 links East of the ¼ Sec cor

8002 To a point 28 links East of the corner to Sections 25 & 36 To retrace this line or run parallel thereto my compass must be adjusted to a Va of 13° 12' East

West 6th Principal Meridian

North between Sections 35 and 36 Va 13° 12' East

3600 Drain 25 links wide descends East

4000 Set charred post in mound of earth with pits as per instructions for ¼ Sec Cor

8001 Set charred post in mound of earth with pits as per instructions for corner to Sections 25. 36. 35 and 36

Land broken 2d rate

Township 17 North Range 19

East on a random line
between Sections 25 and 36
Va 13° 12' East

3600 Drain 25 links wide descends
South East

4000 Set post for temporary
1/4 Sec Cor

5500 Drain 25 links wide
descends North East

8004 Intersect the East boundary
of the Township 21 lks North
of post corner to Sections
25 and 36 from which corner
I ran North 89° 51' West
on a true line between
Sections 25 and 36
Va 13° 12' East

4002 Set charred post in mound
of earth with pits as per
instructions for 1/4 Sec Cor

8004 The corner to Sections 25.
26. 35 and 36
Land rolling 2d rate

West 6th Principal Meridian

North between Sections 25 & 26
Va 13° 12' East

1850 Drain 30 Links wide descends
South East

4000 Set charred post in mound
of earth with pits as per
instructions for 1/4 Sec Cor

8000 Set charred post in mound
of earth with pits as per
instructions for corner to
Sections 23. 24. 25 and 26

Land hilly - 2d rate -

Township 17 North Range 19

	East on a random line between Sections 24 and 25 Va 13° 12' East
4000	Set post for temporary ¼ Sec cor
8009	Entered the East boundary of the Township 12 links South of post corner to Sections 24 and 25 from which corner I ran South 89° 55' West on a true line between Sections 24 and 25 Va 13° 12' East
4004½	Set charred post in mound of earth with pits as per instructions for ¼ Sec cor
8009	~~Set charred post in mound of earth with pits as per instructions for corner to Sec~~ The corner to Sections 23, 24, 25 and 26 Land rolling 2d rate

West 6th Principal Meridian

	North between Sections 23 & 24 Va 13° 12' East
4000	Set charred post in mound of earth with pits as per instructions for ¼ Sec corner
8000	Set charred post in mound of earth with pits as per instructions for corner to Sections 13, 14, 23 and 24
	Land broken 3d rate

Township 17 North Range 19

East on a random line
between Sections 13 and 24
Va 13° 12' East

4000 Set post for temporary
¼ Sec cor

8028 Intersect the East boundary
of the Township 16 links
South of post corner to
Sections 13 and 24 from
which corner ☉ ran South
89° 53' West on a true line
between Sections 13 and 24
Va 13° 12' East

4014 Set charred post in mound
of earth with pits as per
instructions for ¼ Sec cor

8028 The corner to Sections 13, 14
23 and 24
Land broken 3d rate

West 6th Principal Meridian

North between Sections 13 and 14
Va 13° 12' East

4000 Set charred post in mound
of earth with pits as per
instructions for ¼ Sec cor

8000 Set charred post in mound
of earth with pits as per
instructions for corner to
Sections 11, 12, 13 and 14

Land rolling, good, 2d rate

Township 17 North Range 19 West 6th Principal Meridian

East on a random line
between Sections 12 and 13
Va 13° 12' East

40.00 Set post for temporary
¼ Sec Cor

80.10 Entered the East boundary
of the Township 5 links North
of post corner to Sections 12
& 13 from which corner I ran
North 89° 58' West on a true
line between Sections 12 & 13
Va 13° 12' East

40.05 Set charred post in mound
of earth with pits as per
instructions for ¼ Sec Cor

80.10 The corner to Sections 11, 12,
13 and 14
Land gently rolling 2d rate

North between Sections 11 and 12
Va 13° 12' East

7.00 Enter bottom bears East & West

21.30 Creek 2 lks wide course runs East

40.00 Set charred post in mound
of earth with pits as per
instructions for ¼ Sec Cor

75.00 Leave bottom and enter
rolling land bears North
East and South West

80.00 Set charred post in mound
of earth with pits as per
instructions for corner to
Sections 1, 2, 11 and 12

Creek Bottom land. Balance Rolling
all 1st rate land

Township 17 North Range 19

	East on a random line between Sections 1 and 12 Va 13° 12' East
800	Enter creek bottom bears North East and South West
4000	Set post for temporary ¼ Sec cor
7000	Leave bottom and enter rolling land bears N. W. & E.
7968	Intersect the East boundary of the Township 7 Links North of post corner to Sections 1 and 12 from which corner I ran North 89° 57' West on a true line between Sections 1 and 12.
	Va 13° 12' East
3984	Set charred post in mound of earth with pits as per instructions for ¼ Sec cor
7968	The corner to Sections 1. 2 11 and 12
	Land mostly level 1st rate

West 6th Principal Meridian

	North on a random line between Sections 1 and 2 Va 13° 12' East
4000	Set post for temporary ¼ Sec cor
8035	Intersect the North boundary of the Township 35 Links East of post corner to Sections 1 and 2 from which corner I ran South 15' East on a true line between Sections 1 & 2
	Va 13° 12' East
4035	Set charred post in mound of earth with pits as per instructions for ½ Sec cor
8035	The corner to Sections 1. 2 11 and 12.
	South half mile, rolling 1st rate
	North half mile, broken, Sandy. 3d rate
	Aug 21 1872

Township 17 North Range 19 West 6th Principal Meridian

North between sections 34 & 35
Va 13° 12' East

4000 Set charred post in mound of earth with pits as per instructions for ¼ Sec cor

8000 Set charred post in mound of earth with pits as per instructions for corner to sections 26. 27. 34 and 35

Land broken 2d rate

East on a random line between Sections 26 and 35
Va 13° 12' East

4000 Set post for temporary ¼ Sec cor

7980 Intersect the North and South line 37 links South of post corner to Sections 25. 26. 35 & 36 from which corner a tree bears South 89° 44' West on a true line between Sections 26 & 35 and 11 links distant

Va 13° 12' East

3990 Set charred post in mound of earth with pits as per instructions for ¼ Sec cor

7980 The corner to Sections 26 27. 34 and 35

Land very broken 3d rate

Township 17 North Range 19

	North between Sections 26 & 27
	Va 13° 12' East
4000	Set chained post in mound
	of earth with pits as per
	instructions for ¼ Sec cor
8000	Set chained post in mound
	of earth with pits as per
	instructions for corner to
	Sections 22. 23. 26 and 27
	Sand hills 3d rate

West 6th Principal Meridian

	East on a random line
	between Sections 23 and 26
	Va 13° 12' East
4000	Set post for temporary
	¼ Sec cor
7998	Intersect the North and South
	line 28 links South of post
	corner to Sections 23. 24. 25 & 26 from which corner
	I ran South 89° 48' West
	on a true line between
	Sections 23 and 26
	Va 13½ East
3999	Set chained post in mound
	of earth with pits as per
	instructions for ¼ Sec cor
7998	The corner to Sections 22
	, 23. 26 and 27
	Land broken 3d rate

Township 17 North Range 19 West 6th Principal Meridian

	North between Sections 22 & 23 Va 13° 12' East
4000	Set charred post in mound of earth with pits as per instructions for ¼ Sec cor
8000	Set charred post in mound of earth with pits as per instructions for corner to Sections 14, 15, 22 and 23
	South 40 chains. broken Soil 3d rate North 40 chains rolling Soil 2d rate

	East on a random line between Sections 14 and 23 Va 13° 12' East
4000	Set post for temporary ¼ Sec cor
8021	Intersect the North and South line 12 links South of post set corner to Sections 13. 14. 23 & 24 from which corner Bears South 89° 53' West on a true line between Sections 14 & 23 Va 13° 12' East
40102	Set charred post in mound of earth with pits as per instructions for ¼ Sec cor
8021	The corner to Sections 14. 15. 22 and 23 Land very broken 3d rate

Township 17 North Range 19 West 6th Principal Meridian

North between Sections 14 & 15
On 13° 12' East

4000 Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor

8000 Set charred post in mound of earth with pits as per instructions for corner to Sections 10, 11, 14 and 15

Land rolling 2d rate

East on a random line between Sections 11 and 14
On 13° 12' East

4000 Set post for temporary 1/4 Sec cor

8036 Intersect the North and South line 21 links North of post corner to Sections 11, 12, 13 & 14 from which corner B ran North 89° 57' West on a true line between Sections 11 and 14
On 13° 12 East

4018 Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor

8036 The corner to Sections 10, 11, 14 and 15

Land rolling, good, 2d rate

Township 17 North Range 19

	North between Sections 10 and 11 Va 13° 12' East
1200	Enter creek bottom bears East and West
3300	Creek 10 links wide current runs East
4000	Set charred post in mound of earth with pits as per instructions for 1/4 sec cor
5000	Leave bottom bears E & W and enter rolling hills
8000	Set charred post in mound of earth with pits as per instructions for corner to Sections 2. 3. 10 and 11
	Bottom land. level. 1st rate

West 6th Principal Meridian

	East on a random line between Sections 2 and 11 Va 13° 12' East
4000	Set post for temporary 1/4 Sec cor
8008	Intersect the North and South line 14 links North of post corner to Sections 1. 2. 11 & 12 from which corner I ran North 89° 54' West on a true line between Sections 2 and 11 Va 13° 12' East
4004	Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor
8008	The corner to Sections 2. 3. 10 and 11
..	Land rolling 1st rate

Township 17 North Range 19 West 6th Principal Meridian

		North on a random line between Sections 2 and 3 Va 13° 12' East-
4	4000	Set post for temporary ¼ Sec. Cor
8	8004	Intersect the North boundary of the Township 30 Links West of post corner to Sections 2 and 3. from which corner I ran South 13' West on a true line between Sections 2 and 3 Va 13° 12' East-
	4000	Set chared post in mound of earth with pits as per instructions for ¼ sec cor
	8004	The corner to Sections 2. 3 10 and 11 South half hilly. North half gently rolling Soil 2nd rate

	North between Sections 33+34 Va 13° 12' East
4000	Set chared post in mound of earth with pits as per instructions for ¼ Sec cor
8000	Set chared post in mound of earth with pits as per instructions for corner to Sections 27. 28. 33. 34
	Land rolling 1st rate-

Township 17 North Range 19

	East on a random line between Sections 27 and 34 Va 13° 12' East
4000	Set post for temporary ¼ Sec cor
8024	Intersect the North and South line 35 Links North of post corner to Sections 26. 27. 34 and 35 from which corner Q Ran North 89° 45' West on a true line between Sections 27 and 34 Va 13° 12' East
4012	Set charred post in mound of earth with pits as per instructions for ¼ Sec corner
8024	The corner to Sections 27 28. 33 and 34 Land very broken 3d rate

Aug 21st 1872

West 6th Principal Meridian

	North between Sections 27 & 28 Va 13° 12' East
4000	Set charred post in mound of earth with pits as per instructions for ¼ Sec cor
8000	Set charred post in mound of earth with pits as per instructions for corner to Sections 21. 22. 27 and 28
	Land broken 3d rate

Township 17 North Range 19 West 6th Principal Meridian

		East on a random line between Sections 22 and 27 Va 13°12 East	North between Sections 21 & 22 Va 13°12 East
4			
	4000	Set post for temporary 1/4 Sec cor	4000 Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor
8	8030	Intersect the North and South line 16 links South of post corner to Sections 22. 23. 26 & 27 from which corner 8 ran South 89°53' West on a true line between Sections 22 and 27 Va 13°12' East	8000 Set charred post in mound of earth with pits as per instructions for corner to Sections 15. 16. 21 and 22
	4015	Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor	Land very broken 3d rate
	8030	The corner to Sections 21, 22, 27 and 28 Land very broken 3d rate	

East on a random line
between Sections 15 and 22
Va 13° 12' East

4000 Set post for temporary
1/4 Sec cor

8040 Intersect the North and
South line 18 2/3 links South
of post corner to Sections
14. 15. 22 and 23 from
which corner I ran South
89° 5-2' West on a true
line between Sections 15 & 22
Va 13° 12' East

4020 Set charred post in
mound of earth with pits
as per instructions for
1/4 Sec cor

8040 The corner to Sections 15
16. 21. and 22.
Land rolling 2d rate

North between Sections 15 & 16
Va 13 1/2° East

4000 Set charred post in mound
of earth with pits as per
instructions for 1/4 Sec cor

8000 Set charred post in mound
of earth with pits as per
instructions for corner
to Sections 9. 10. 15 and 16

Land gently rolling 1st rate

Township 17 North Range 19

		East on a random line between Sections 10 and 15 Va 13° 12' East
4	4000	Set post for temporary 1/4 Sec cor
8 3	8012	Intersect the North and South line 5 links South of post corner to Sections 9, 11, 14 and 15 from which corner I ran South 89.5 West on a true line between Sections 10 and 15 Va 13° 12' East
8	4006	Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor
	8012	The corner to Sections 9, 10, 15 and 16 Land rolling. Good. 2d rate

West 6th Principal Meridian

	North between Sections 9 & 10 Va 13° 12' East
4000	Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor
7600	Enter bottom bears East and West
8000	Set charred post in mound of earth with pits as per instructions for corner to Sections 3, 4, 9 and 10
	Land gently rolling 1st rate

Township 17 North Range 19 West 6th Principal Meridian

		East on a random line between Sections 3 and 10 Va 13° 12' East		North on a random line between Sections 3 and 4 Va 13° 12' East
4				
1	1 50	Creek 7 lks wide current runs South East	108	Creek 6 links wide current runs East
8 3	4000	Set post for temporary 1/4 Sec cor	2400	Leave creek bottom, bears North West and South East and enter broken Ground
	5 00	Leave bottom bears N. W and S. E. and enter rolling land	4000	Set post for temporary 1/4 Sec cor
	8005	Intersect North and South line 7 links North of post corner to Sections 2. 3. 10 and 11 from which corner I ran North 89° 57' West on a true line between Sections 3 and 10 Va 13° 12' East	6400	Enter cedar grove bears N. W and S. E.
8			7700	Leave Grove bears N. W and S. E
			8036	Intersect the North boundary of the Township 5 links East of post corner to Sections 3 and 4 from which corner I ran South 2' East on a true line between Sections 3 and 4 Va 3° 12' East
	4002 1/2	Set charred post in mound of earth with pits as per instructions for 1/4 Sec Corner	4036	Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor
	8005	The corner to Sections 3. 4. 9 and 10	8036	The corner to Sections 3. 4. 9 & 10

Bottom land, level, 1st rate, East 30 chains rolling 2d rate

South Level, Soil 1st rate North broken 3d rate

Township 17 North Range 19 West 6th Principal Meridian

North between Sections 32 & 33
Va 13° 12' East

4000 Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor

5-200 Drain 30 links wide descends South West

8000 Set charred post in mound of earth with pits as per instructions for corner to Sections 28. 29. 32 and 33

Land rolling, hills
2d rate

East on a random line between Sections 28 & 33
Va 13° 12' East

4000 Set post for temporary 1/4 Sec cor

7200 Drain 20 links wide descends South West

8020 Intersect North and South line at post corner to Sections 27. 28. 33 & 34 from which corner I ran West on a true line between Sections 28 & 33
Va 13° 12' East

4010 Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor

8020 The corner to Sections 28. 29. 32 and 33
Land rolling 2d rate

Township 17 North Range 19 West 6th Principal Meridian

	North between Sections 28 & 29 Va 13° 12' East
900	Drain 20 links wide descends South West
4000	Set charred post in mound of earth with pits as per instructions for "4 Sec cor
8000	Set charred post in mound of earth with pits as per instructions for corner to Sections 20, 21, 28 and 29

Land rolling 2d rate
Aug 22 1872

	East on a random line between Sections 21 & 28 Va 13° 12' East
4000	Set post for temporary 1/4 Sec cor
7982	Intersect the North and South line 18 links North of post corner to Sections 21, 22, 27 and 28 from which corner I ran North 89° 52' West on a true line between Sections 21 and 28 Va 13° 12' East
3991	Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor
7982	The corner to Sections 20, 21, 28 and 29

Land broken 3d rate

Township 17 North Range 19

	North between Sections 20 and 21 Va 13° 12' East
4000	Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor
8000	Set charred post in mound of earth with pits as per instructions for corner to Sections 16. 17. 20 and 21
	Land rolling, hills. 2d rate

West 6th Principal Meridian

	East on a random line between Sections 16 and 21 Va 13° 12' East
4000	Set post for temporary 1/4 Sec cor
7768	Intersect the North and South line 7 links South of post corner to Sections 15. 16. 21 and 22 from which corner I ran South 89° 57' West on a true line between Sections 16 and 21 Va 13° 12' East
3984	Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor
7968	The corner to Sections 16 17. 20 and 21 Land hilly 2d rate

Township 17 North Range 19

	North between Sections 16 & 17 Va 13° 12' East
4000	Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor
8000	Set charred post in mound of earth with pits as per instructions for corner to Sections 8, 9, 16 and 17
	Land rolling 2d rate

West 6th Principal Meridian

	East on a random line between Sections 9 and 16 Va 13° 12' East
4000	Set post for temporary 1/4 Sec cor
7996	Intersect North and South line at post corner to Sections 9, 10, 15 and 16 from which corner I ran West on a true line between Sections 9 and 16 Va 13° 12' East
3998	Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor
7996	The corner to Sections 8, 9, 16 and 17
	Land gently rolling 1st rate

Township 17 North Range 19

		North between sections 8 & 9 Va 13° 15' East
4	4000	Set chared post in mound of earth with pits as per instructions for ¼ Sec cor
8	6900	Drain 20 links wide descends North East
	8000	Set chared post in mound of earth with pits as per instructions for corner to Sections 4. 5. 8 and 9 Land gently rolling 1st rate

West 6th Principal Meridian

	East on a random line between Sections 4 and 9 Va 13° 15' East
600	Enter bottom bears N. W. & S. &
700	creek 8 links wide current runs South East
4000	Set post for temporary ¼ Sec cor
7300	creek 7 links wide current runs North East
8010	Intersect the North and South line 14 links South of post corner to Sections 3. 4. 9 and 10 from which corner I ran South 89° 54' West on a true line between Sections 4 and 9 Va 13° 12'
4005	Set chared post in mound of earth with pits as per instructions for ¼ Sec cor
8010	The corner to Sections 4, 5. 8 and 9 Land gently rolling 1st rate

Township 17 North Range 19

		North on a random line between sections 4 and 5 Va 13° 12' East
4	5.00	
	5.65	Ends Bottom Creek 8 links wide current runs East
	4000	Set post for temporary 1/4 Sec Cor
	5.00	Leave Creek Bottom 7 links broken high bank E & W
8	79.70	Intersect the North boundary of the Township 35 links West of post corner to Sections 4 & 5 from which corner I ran South 15' West on a true line between Sections 4 & 5 Va 13° 12' East
	39.70	Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor
	79.70	The corner to Sections 4. 5. 8 and 9 South 30 chains gently rolling 2nd rate Bal 2 Va North 50 chains, broken 3rd rate

West 6th Principal Meridian

	North between Sections 31 & 32 Va 13° 12' East
40.00	Set charred post in mound of earth with pits as per instructions for 1/4 Sec Cor
80.00	Set charred post in mound of earth with pits as per instructions for corner to Sections 29. 30. 31 and 32 South half mile gently rolling 1st rate North half hilly 3rd rate

Township 17 North Range 19 West 6th Principal Meridian

East on a random line between Sections 29 & 32. Va 13° 12' East

4000 Set post for temporary 1/4 Sec cor

6800 Drain 20 links wide descends South West

8018 Intersect the North and South line 35 links South of post corner to Sections 28. 29. 32 and 33 from which corner I ran South 89° 45' West on a true line between Sections 29 and 32

Va 13° 12' East

4009 Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor

8018 The corner to Sections 29, 30, 31 and 32 Land broken 3d rate

West on a random line between Sections 30 and 31 Va 13° 12 East

4000 Set post for temporary 1/4 Sec cor

7948 Intersect the West boundary of the Township 28 links South of post corner to Sections 30 and 31 from which corner I ran South 89° 48' East on a true line between Sections 30 and 31

Va 13° 12' East

3948 Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor

7948 The corner to Sections 29, 30, 31 and 32 Land rolling 2d rate

Township 17 North Range 19

	North between sections 29 & 30 Va 13° 12' East
4000	Set charred post in mound of earth with pits as per instructions for 1/4 Sec. cor
8000	Set charred post in mound of earth with pits as per instructions for corner to Sections 19. 20. 29 and 30

Land broken. hills. 3d Rate

Aug 23" 1872

West 6th Principal Meridian

	East on a random line between Sections 20 and 29 Va 13° 12' East
4000	Set post for temporary 1/4 Sec cor
8023	Intersect the North and South line 37 links South of post corner to Sections 20. 21. 28 and 29 from which corner I ran South 89° 44' West on a true line between Sections 20 and 29 Va 13° 12' East
4011½	Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor
8023	The corner to Sections 19. 20. 29 and 30

Land hilly 3d rate

Township 17 North Range 19

	West on a random line between sections 19 and 30 Va 13°12' East
4000	Set post for temporary 1/4 Sec cor
8042	Intersect the West boundary of the Township 14 links South of post corner to Sections 19 and 30 from which corner I ran South 89°54' West on a true line between Sections 19 and 30 Va 13°12' East
4042	Set chared post in mound of earth with pits as per instructions for 1/4 Sec cor
8042	The corner to Sections 19, 20, 29 and 30 Land hilly; Soil Good 2d Rate

West 6th Principal Meridian

	North between Sections 19 & 20 Va 13°12' East
4000	Set chared post in mound of earth with pits as per instructions for 1/4 Sec cor
8000	Set chared post in mound of earth with pits as per instructions for corner to Sections 17 18, 19 and 20

Land broken 3d rate

Township 17 North Range 19

	East on a random line between Sections 17 and 20 Va 13°12' East
4000	Set post for temporary 1/4 Sec cor
8024	Intersect the North and South line 16 links South of post corner to Sections 16, 17, 20 and 21 from which corner I ran South 89°53' West on a true line between Sections 17 and 20 Va 13°12' East
4012	Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor
8024	The corner to Sections 17, 18, 19 and 20 Land broken 3d rate

West 6th Principal Meridian

	West on a random line between Sections 18 and 19 Va 13°12' East
4000	Set post for temporary 1/4 Sec cor
8056	Intersect the West boundary of the Township 21 links South of post corner to Sections 18 and 19 from which corner I ran South 89°51' West on a true line between Sections 18 and 19 Va 13°12' East
4056	Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor
8056	The corner to Sections 17 18, 19 and 20 Land very broken 3d rate

Township 17 North Range 19

	North between Sections 17 & 18 Va 13°12' East
4 4000	Set charred post in mound of earth with pits as per instructions for ¼ Sec cor
8 8000	Set charred post in mound of earth with pits as per instructions for corner to Sections 7. 8. 17 and 18
	Land broken 3d rate

West 6th Principal Meridian

	East on a random line between Sections 8 and 17 Va 13°12' East
4000	Set post for temporary ¼ Sec cor
80 20	Intersect the North and South line 21 links North of post or corner to Sections 8. 9. 16 & 17 from which corner I ran North 89°.51' West on a true line between Sections 8 and 17 Va 13°12' East
4010	Set charred post in mound of earth with pits as per instructions for ¼ Sec cor
8020	The corner to Sections 7. 8. 17 and 18
	Land broken 3d rate

Township 17 North Range 19 West 6th Principal Meridian

	West on a random line between Sections 7 and 18 Va 13°12' East		North between Sections 7 & 8 Va 13°12'
40 00	Set post for temporary ¼ Sec cor	40 00	Set charred post in mound of earth with pits as per instructions for ¼ Sec cor
80 68	Intersect the West boundary of the Township 28 links North of post corner to Sections 7 and 18 from which corner 7 ran North 89° 48' East on a true line between Sections 7 & 18 Va 13°12' East		20 chains West of this corner there is a grove of Red Cedar containing about 8 acres. The trees are large and straight
		80 00	Set charred post in mound of earth with pits as per instructions for corner to Sections 5. 6. 7 and 8
40 68	Set charred post in mound of earth with pits as per instructions for ¼ Sec cor		Most of the land in Sections 7 & 8 is very broken
80 68	The corner to Sections 7. 8, 17 and 18 Land broken 3d rate		Land along the line, rolling. 2d rate

Township 17 North Range 19

	East on a random line between Sections 5 and 8 Va 13°12' East
4000	Set post for temporary ¼ Sec cor
8014	Intersect the North and South line 20 links South of post corner to Sections 4, 5, 8 and 9 from which corner I ran South 89°50' West on a true line between Sections 5 and 8 Va 13°12' East
4007	Set charred post in mound of earth with pits as per instructions for ¼ Sec cor
8014	The corner to Sections 5, 6, 7 and 8 Land hilly 2d rate

West 6th Principal Meridian

	West on a random line between Sections 6 and 7 Va 13°12' East
4000	Set post for temporary ¼ Sec cor
6000	Drain 20 links wide descends
8072	Intersect the West boundary of the Township 35 links North of post corner to Sections 6 and 7 from which corner I ran North 89°45' East on a true line between Sections 6 and 7 Va 13°12' East
4072	Set charred post in mound of earth with pits as per instructions for ¼ Sec cor
8072	The corner to Sections 5, 6 7 and 8 Land rolling 2d rate

Township 17 North Range 19 West 6th Principal Meridian

	North on a random line between Sections 5 and 6 Va 13° 12' East
4000	Set post for temporary 1/4 Sec cor
7200	Creek 8 links wide runs South East 5 chains North West of this point there is a large spring which creates the creek
7948	Intersect the North boundary of the Township 14 links East of post corner to Sections 5 and 6 from which corner I ran South 6' East on a true line between Sections 5 and 6 Va 13° 12' East
7948	Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor
7948	The corner to Sections 5, 6, 7 and 8 Land broken 3d Rate

aug 24th 1872

The land in this Township is mostly rolling or broken poor 2d and 3d Rate. Soil of Sections 9, 10, 11 and 12 and the South part of Sections 1, 2 & 3 is good, and the land well adapted for cultivation. There is a large Spring of good water rises in the N. E quarter of Section 6 which creates creek, that flows S. E through the Township leaving it in the S E quarter of Section 12. There is a grove of cedar about 10 acres in extent part in the N. W quarter of Section 3, and part in the N. E quarter of Section 4 the trees are large and straight. There is also a Grove of Red cedar in the East half of Section 7 which contains about 8 acres Township all prairie except the groves above named

The Township is well adapted for Grazing

Township 17 North Range 19 West 6th Principal Meridian

A list of the names of the individuals employed to assist in running measuring or marking the lines and corners described in the foregoing field notes of Township No 17 North Range No 19 West of the 6th Principal Meridian showing the respective capacities in which they acted

Allard C. Peavey } Chainmen
Albert P. Gamey }
Frank Littlefield Axeman
Peter T. Bennett Axeman

We hereby certify that we assisted John W. Daugherty deputy Surveyor in Surveying ~~the~~ and Subdividing Township No 17 North of the base line of Range No 19 West of the 6th Principal Meridian, and that said Township has been in all respects to the best of our knowledge and belief well and faithfully Surveyed, and the boundary monuments planted according to the instructions furnished by the Surveyor General

Allard C Peavey Chainman
Albert P Gamey Chainman
Frank Littlefield Axeman
Peter T Bennett Axeman

Subscribed and sworn to by the above named persons, before me a Notary Public for the County of Dodge in the State of Nebraska this 9th day of Oct 1872

Geo W Post
Notary Public
Dodge Co Neb

Township 17 North Range 19

I John W. Daugherty Deputy Surveyor do Solemnly Swear that in pursuance of a joint-contract wherein John W Daugherty and L. S. Parmalee are joint-contractors with E. E. Cunningham United States Surveyor General for the District of Iowa and Nebraska bearing date the 2 day of July 1872 I have well faithfully and truly in my own proper person and in strict-conformity with the instructions furnished by the Surveyor General, the Surveying Manual and the laws of the United States Surveyed all those parts or portions of Township 17 North Range 19 West of the 6th Principal Meridian as are represented in the foregoing field notes as having been Surveyed under my direction, and I do further Solemnly Swear that all the corners of said Surveys have been established and perpetuated in strict-accordance with the

West 6th Principal Meridian

Surveying Manual and printed instructions, and that the foregoing are the true and original field notes of such Survey

John W. Daugherty,
Deputy Surveyor

Subscribed by the said John W. Daugherty and sworn to before me a Notary Public for the County of Dodge in the State of Nebraska this 16" day of Oct 1872

Geo W. Doty
Notary Public
Dodge Co Neb

Township 17 North Range 19 West 6th Principal Meridian

Surveyor Genl's Office
Sacramento Feb 14th 1873

The foregoing field Notes of the Resurvey and Subdivision of Township No 17 North Range 19 West of the 6th P.M. Executed by John W Daugherty under Contract No 64 dated July 2nd 1872 wherein John W Daugherty and Dan S. Tuttle are joint Contractors in the Month of August 1872 having been duly Examined the Necessary Corrections and Explanations Made the said field Notes and Surveys they describe are hereby approved

E. E. Cunningham
Surveyor Genl

Town 18 Range 19 West



Field notes of the subdivision lines in Township 18 North Range 19 West of the 6th Principal Meridian in the State of Nebraska, Surveyed by John W. Daugherty, Deputy Surveyor

Comenced Aug 25th 1872 and concluded Aug 29th 1872

Names and duties of assistants employed in Subdividing Township 18 North Range 19 West of the 6th Principal Meridian in the State of Nebraska

Allard C. Peavey }
Albert P. Janney } Chainmen

Frank Littlefield }
Peter G. Bennett } Axemen

Township 18 North Range 19 West 6th Principal Meridian

			North between Sections 35 & 36 Va 13° 18' East
		4000	Set charred post in mound of earth with pits as per instructions for ¼ Sec cor
		8000	Set charred post in mound of earth with pits as per instructions for corner to Sections 25. 26. 35 & 36
	To determine the proper adjustment for Comp for subdividing this Township Commenced at the cor to Township 17 and 18 North Ranges 18 and 19 and run North on a Bank Lines along the East boundary of Sec 36		
	Variation 13° 15' E		
3982	To a point 6 lks East of the ¼ Sec Cor		South 20 chains broken 3d rate
7976	To a point 7 lks East of the cor to Secs 25 and 36		South 15 chains. broken 3d rate
	To retrace this line on a parallel therewith (my Compass must be adjusted to a Variation of 13° 18 E		Middle part gently rolling 1st rate

Township 18 North Range 19

East on a random line
between Sections 25 & 36
Va 13° 18' East

4000 Set post for temporary ¼ Sec cor
8038 Intersect the East boundary of
the Township 35 Links North
of post corner to Sections 25 26
from which corner I ran
North 89° 45' West on a true
line between Sections 25 & 36
Va 13° 18' East
4019 Set charred post in mound
of earth with pits as per
instructions for ¼ sec cor
8038 The corner to Sections 25. 26. 35. 36

East half mile. Broken 3d rate
West half mile rolling 2d rate

West 6th Principal Meridian

North between Sections 25 & 26
Va 13° 18' East
4000 Set charred post in mound
of earth with pits as per
instructions for ¼ Sec cor
4300 Drain 20 lks wide descends S. W
8000 Set charred post in mound
of earth with pits as per
instructions for corner to
Sections 23. 24. 25 & 26

Land rolling hills. poor Soil

Township 18 North Range 19

	East on a random line between Sections 24 & 25 Va 13° 18' East
4000	Set post for temporary ¼ Sec cor
8042	Intersect the East boundary of the Township 9.3 links North of post corner to Sections 24 & 25 from which corner I ran North 89° 56' West on a true line between Sections 24 & 25 Va 13° 18' East
4021	Set chained post in mound of earth with pits as per instructions for ¼ Sec cor
8042	The corner to Sections 23. 24. 25 & 26
	Land rolling 2d rate

West 6th Principal Meridian

	North between Sections 23 & 24 Va 13° 18' East
4000	Set chained post in mound of earth with pits as per instructions for ¼ Sec cor
8000	Set chained post in mound of earth with pits as per instructions for corner to Sections 13. 14. 23 & 24
	Land. Br Run hills 3rd rate

Township 18 North Range 19 West 6th Principal Meridian

	East on a random line between Sections 13 & 24 Va 13° 18' East
4000	Set post for temporary ¼ Sec cor
8048	Intersect the East boundary of the Township 12 links South of post corner to Sections 13 and 24 from which corner I ran South 89° 55' West on a true line between Sections 13 & 24
	Va 13° 18' East
4024	Set chared post in mound of earth with pits as per instructions for ¼ Sec cor
8048	The corner to Sections 13. 14. 23 & 24
	Land very broken 3d rate

	North between Sections 13 & 14 Va 13° 18' East
4000	Set chared post in mound of earth with pits as per instructions for ¼ Sec cor
5200	Ravine 300 links wide descends North West
8000	Set chared post in mound of earth with pits as per instructions for corner to Sections 11. 12. 13 & 14
	Land broken 3d rate

Township 18 North Range 19 West 6th Principal Meridian

To		
		East on a random line between Sections 12 & 13 Va 13° 18' East
4000		Set post for temporary ¼ Sec cor
8036		Intersect the East boundary of the Township 7 links North of post corner to Sections 12 & 13
		from which corner I ran North 89° 57' West on a true line between Sections 12 & 13 Va 13° 18' East
4018		Set charred post in mound of earth with pits as per instructions for ¼ Sec cor
8036		The corner to Sections 11. 12. 13 & 14
		Land, East part rolling 2d Rate West part broken 3d Rate

	North between Sections 11 & 12 Va 13° 18 East
4000	Set charred post in mound of earth with pits as per instructions for ¼ Sec cor
6300	Ravine 330 links wide discends North West
8000	Set charred post in mound of earth with pits as per instructions for corner to Sections 1. 2. 11 & 12
	Land broken hills 3d rate

Township 18 North Range 19

East on a random line
between Sections 1 & 12
Va 13° 18' East

4000 Set post for temporary ¼ Sec cor
8013 Intersect the East boundary of the Township 14 links South of post corner to Sections 1 & 12 from which corner I ran South 89° 54' West on a true line between Sections 1 & 12
Va 13° 18' East

4006½ Set charred post in mound of earth with pits as per instructions for ¼ Sec cor
8013 The corner to Sections 1. 2. 11 & 12

West half broken 3d rate
East half rolling 2d rate

West 6th Principal Meridian

North on a random line
between Sections 1 & 2
Va 13° 18' East

4000 Set post for temporary ¼ Sec cor
8017 Intersect the North boundary of the Township 23⅓ links West of post corner to Sections 1 & 2 from which corner I ran South 10' West on a true line between Sections 1 & 2
Va 13° 18' East

4017 Set charred post in mound of earth with pits as per instructions for ¼ Sec cor
8017 The corner to Sections 1. 2. 11 & 12

Land broken hills 3d rate

Township 18 North Range 19

	North between Sections 34 & 35
	Va 13° 18' East
4000	Set charred post in mound
	of earth with pits as per
	instructions for 1/4 Sec cor
8000	Set charred post in mound
	of earth with pits as per
	instructions for corner to
	Sections 26. 27. 34 & 35
	Land gently rolling
	Soil 1st rate
	Aug 25th 1872

West 6th Principal Meridian

	East on a random line
	between Sections 26 & 35
2000	Lake gulch road bears North and South from this point
4000	Set post for temporary 1/4 Sec cor
8011	Intersect the North and South
	line 11 2/3 links South of post
	corner to Sections 25. 26. 35. 36
	from which corner I ran
	South 89° 55' West on a true
	line between Sections 26 & 35
	Va 13° 18' East
4007	Set charred post in mound
	of earth with pits as per
	instructions for 1/4 Sec cor
8014	The corner to Sections 26. 27. 34 & 35
	West 20 chains Gently rolling
	1st rate
	Balance, broken 3d rate

Township 18 North Range 17

North between Sections 26 & 27
Va 13° 18' East

2000 Sewgutt within land & Creek Bottom pass N. W. & E.

4000 Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor

4700 Drain 20 links wide discends South West

8000 Set charred post in mound of earth with pits as per instructions for corner to Sections 22. 23. 26 & 27

Land South 20 chains gently rolling 1st rate

Balance broken 3d rate

West 6th Principal Meridian

East on a random line between Sections 23 & 26
Va 13° 18' East

4000 Set post for temporary 1/4 Sec cor

8009 Intersect the North and South line 28 links North of post corner to Sections 23. 24. 25 & 26 from which corner I ran North 89° 48' West on a true line between Sections 23 & 26
Va 13° 18' East

4004 1/2 Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor

8009 The corner to Sections 22. 23. 26. 27

Land broken hills 3d rate

Township 18 North Range 19

North between Sections 22 & 23
Va 13°18' East

4000 Set charred post in mound of earth with pits as per instructions for 1/4 Sec Cor

8000 Set charred post in mound of earth with pits as per instructions for corner to Sections 14.15.22.23

Land broken 3d rate

West 6th Principal Meridian.

East on a random line between Sections 14 & 23
Va 13°18' East

4000 Set post for temporary 1/4 Sec Cor

8020 Intersect the North and South line 7 links South of post corner to Sections 13. 14. 23 & 24 from which corner I ran South 89°57' West on a true line between Sections 14 & 23
Va 13°18' East

4010 Set charred post in mound of earth with pits as per instructions for 1/4 Sec Cor

8020 The corner to Sections 14.15.22 & 23

Land broken hills 3d rate

Township 8 North Range 19

	North between Sections 14 & 15 Va 13°18' East
4000	Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor
8000	Set charred post in mound of earth with pits as per instructions for corner to Sections 10. 11. 14 & 15
	Land broken 3d rate
	North 63 chains and 2 chains East of this line in Section 14 there is a grove of timber cedar & cottonwood in the head of ravine. Grove contains about 2½ acres

West 6th Principal Meridian

	East on a random line between Sections 11 & 14 Va 13°18' East
4000	Set post for temporary 1/4 Sec cor
5200	Ravine 200 links wide descends North
8018	Intersect the North and South line 28 links North of post corner to Sections 11. 12. 13 & 14 from which corner I ran North 89°48' West on a true line between Sections 11 & 14 Va 13°18' East
4009	Set charred post in mound of earth with pits as per instructions for corner to 1/4 Sec
8018	The corner to Sections 10. 11. 14 & 15
	Land very broken 3d rate

Township 18 North Range 19

	North between Sections 10 & 11 Va 13° 18' East
4000	Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor
5200	Ravine 400 links wide descends South East
8000	Set charred post in mound of earth with pits as per instructions for corner to Sections 2. 3. 10 & 11

Land rolling hills 2d rate

There are a few scattering Elm trees, and Plum brush in Ravine South West of line in Section 10

West 6th Principal Meridian

	East on a random line between Sections 2 and 11 Va 13° 18' East
1100	Ravine 400 lks wide descends N E
4000	Set post for temporary 1/4 Sec cor
5300	Ravine 300 lks wide descends N W
8022	Intersect the North and South line 25 2/8 links North of post corner to Sections 1. 2. 11 & 12 from which corner I ran North 89° 49' West on a true line between Sections 2 & 11 Va 13° 18' East
4011	Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor
8022	The corner to Sections 2. 3. 10 & 11

Land rolling hills poor 2d rate

Tow

Township 18 North Range 19

		North on a random line between Sections 2 & 3 Va 13°18' East
400		
	1400	Ravine 400 lks wide descends S
	4000	Set post for temporary 1/4 Sec cor
520	8041	Intersect the North ~~and South line~~ boundary of the Township 18 2/3 links East of post corner to Sections 2 & 3 from which corner I ran South 8' East on a true line between Sections 2 & 3
		Va 13°18' East
	40 41	Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor
	8041	The corner to Sections 2. 3. 10 & 11
		Land broken 3d rate

West 6th Principal Meridian

	North between Sections 33 & 34
3000	Va 13°18' East Leave gulch running West Land & Ent. Bostic bears N 45 E
4000	Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor
8000	Set charred post in mound of earth with pits as per instructions for corner to Sections 27. 28. 33 & 34
	South 30 chains gently rolling 1st rate
	Balance broken 3d rate

Township 18 North Range 19 West 6th Principal Meridian

		East on a random line between Sections 27 & 34 Va 13°18' East
400	2001	Figure 3 of Diagram of Trail going North & South
	4000	Set post for temporary 1/4 Sec Cor
	8007	Intersect the North and South line 18 2/3 links South of post corner to Sections 26. 27. 34. 35
520		
800		from which corner I ran South 89°52' West on a true line between Sections 27 & 34 Va 13°18' East
	4003½	Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor
	8007	The corner to Sections 27. 28. 33. 34
		East 60 chains gently rolling land 1st rate
		Balance broken 3d rate
		Aug 24th 1872

	North between Sections 27 & 28 Va 13°18' East
3960	Dry creek bed 20 links wide descends South West
4000	Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor
8000	Set charred post in mound of earth with pits as per instructions for corner to Sections 21. 22. 27 & 28
	Land rolling 2d rate

Township 18 North Range 19

	East on a random line between Sections 22 & 27 Va 13°18' East
4000	Set post for temporary ¼ sec cor
8016	Intersect the North and South line 37⅓ links South of post corner to Sections 22. 23. 26. 27 from which corner I ran South 89°44' West on a true line between Sections 22 & 27 Va 13°18' East
4007½	Set charred post in mound of earth with pits as per instructions for ¼ Sec cor
8015	The corner to Sections 21. 22. 27. 28
	Land hilly poor Soil

West 6th Principal Meridian

	North between Sections 21 & 22 Va 13°18' East
4000	Set charred post in mound of earth with pits as per instructions for ¼ Sec cor
8000	Set charred post in mound of earth with pits as per instructions for corner to Sections 15. 16. 21 & 22
	Land broken hills poor Soil

Township 18 North Range 19

East on a random line
between Sections 15 & 22
Va 13° 18' East

400 4000 Set post for temporary 1/4 Sec Cor
8012 Intersect the North and South
520 line 21 lks South of post
corner to Sections 14 & 15. 22. 23
800 from which corner I ran
South 89° 37' West on a true
line between Sections 15 & 22
Va 13° 18' East
4006 Set charred post in mound
of earth with pits as per
12
8016 instructions for 1/4 Sec Cor
The corner to Sections 15. 16. 21. 22

Land rolling hills 2d rate

West 6th Principal Meridian

North between Sections 15 & 16
Va 13° 18' East
4000 Set charred post in mound
of earth with pits as per
instructions for 1/4 Sec Cor
8100 Set charred post in mound
of earth with pits as per
instructions for corner to
Sections 9. 10. 15 & 16

Land very broken 3d rate

Township 18 North Range 19

	East on a random line between Sections 10 & 15 Va 13°18' East
4000	Set post for temporary ¼ Sec cor
7700	Deep ravine 11 chains wide descends S.
520	
8011	Entersect the North and South
800	line 18 2/5 links South of post corner to Sections 10. 11. 14 & 15 from which corner I ran South 89°52' West on a true line between Sections 10 & 15 Va 13°18' East
4005½	Set charred post in mound of earth with pits as per instructions for ¼ Sec cor
8011	The corner to Sections 9. 10. 15 & 16

Land very broken 3rd rate

West 6th Principal Meridian

	North between Sections 9 & 10 Va 13°18 East
4000	Set charred post in mound of earth with pits as per instructions for ¼ Sec cor
8000	Set charred post in mound of earth with pits as per instructions for corner to Sections 3. 4. 9 and 10

South broken. North rolling hills. all 3d rate

Township 18 North Range 19

	East on a random line between Sections 3 & 10 Va 13°18' East
3000	Dup ravine 200 links wide descends North
4000	Set post for temporary ¼ sec cor
8029	Entered the North and South line 30⅓ links South of post corner to Sections 2. 3. 10 & 11 from which corner I ran South 89° 47' West on a true line between Sections 3 & 10 Va 13°18' East
4014½	Set charred post in mound of earth with pits as per instructions for ¼ Sec cor
8029	The corner to Sections 3. 4. 9 & 10
	Land broken hills 3d rate

West 6th Principal Meridian

	North on a random line between Sections 3 and 4 Va 13°18' East
4000	Set post for temporary ¼ Sec cor
8016	Intersect the North boundary of the Township at post corner to Sections 3 and 4 from which corner I ran South on a true line between Sections 3 and 4 Va 13°18 East
4016	Set charred post in mound of earth with pits as per instructions for ¼ Sec cor
8016	The corner to Sections 3. 4. 9 & 10
	Land moderately rolling 1st rate

Township 18 North Range 19 West 6th Principal Meridian

		North between Sections 32 & 33 Va 13° 18' East		
400	4000	Set charred post in mound of earth with pits as per instructions for ¼ Sec cor		
520	7800	Ravine 75 lks wide descends SE		
	8000	Set charred post in mound of earth with pits as per instructions for corner to Sections 28. 29. 32 & 33		
800				
		South half broken land 3d rate		
		North half moderately rolling 1st rate		

		East on a random line between Sections 28 & 33 Va 13° 18' East
	3600	Dry creek bed 25 lks wide descends South
	4000	Set post for temporary ¼ Sec cor
	7778	Intersect the North and South line 21 links South of post corner to Sections 27. 28. 33 & 34 from which corner I ran South 89° 57' West on a true line between Sections 28 & 33 Va 13° 18' East
	3989	Set charred post in mound of earth with pits as per instructions for ¼ Sec cor
	7978	The corner to Sections 28. 29. 32. 33
		Land rolling good 2d rate

Township 18 North Range 19 West 6th Principal Meridian

	North between Sections 28 & 29 Va 13°18' East		
4000	Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor	4000	
8000	Set charred post in mound of earth with pits as per instructions for corner to Sections 20, 21, 28 & 29	6500 8009	
	South half mile rolling 2d rate North half broken 3d rate Aug 27th 1872		

	East on a random line between Sections 21 & 28 Va 13°18' East		
	Set post for temporary 1/4 Sec cr		
	Drain 15 links wide descends		
	Intersect the North and South line at post corner to Sections 21, 22, 27 & 28 from which corner I run West on a true line between Sections 21 & 28 Va 13°18' East		
	Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor	4004½	
	The corner to Sections 20, 21, 28 & 29	8009	
	West half broken 3d rate East half very good 2d rate		

Township 18 North Range 19

		North between Sections 20 & 21 Va 13° 18' East
4	4000	Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor
5	8000	Set charred post in mound of earth with pits as per instructions for corner to Sections 16. 17. 20. 21
8		Land broken 3d rate

West 6th Principal Meridian

	East on a random line between Sections 16 & 21 Va 13° 18' East
1000	Ravine 300 lks wide descends S.
4000	Set pist for temporary 1/4 Sec cor
8023	Intersect the North and South line 14 links South of post corner to Sections 15. 16. 21 & 22 from which corner I ran South 89° 34' West on a true line between Sections 16 & 21 Va 13° 18' East
4011½	Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor
8023	The corner to Sections 16. 17. 20. 21
	Land broken hills 3d rate

Township 18 North Range 19 West 6th Principal Meridian

		North between Sections 16 & 17 Va 13°18' East
4	1000	Deep ravine 300 links wide descends South East
	3900	Begin to descend into deep gulch
8	4000	Set charred post in mound of earth with pits as per instructions for ¼ Sec cor on side of Gulch
	4130	To bottom of Gulch 200 lks wide, descends N. W
	4330	To opposite Side of Gulch
	7000	Begin to descend into deep gulch
	7200	To bottom of gulch, descends N W
	7400	To opposite Side of gulch
	8000	Set charred post in mounds of earth with pits as per instructions for corner to Sections 8. 9. 16. 17
		Land broken 3d rate
		Scattering timber along Gulches cedar. cottonwood and Elm

		East on a random line between Sections 9 & 16 Va 13°18' East
	4000	Set post for temporary ¼ Sec cor
	8023	Intersect the North and South line 23⅓ links South of post corner to Sections 9. 10. 15 & 16 from which corner 9 ran South 89°50' West on a true line between Sections 9 & 16 Va 13°18' East
	4011½	Set charred post in mound of earth with pits as per instructions for ¼ Sec cor
	8023	The corner to Sections 8. 9. 16 & 17
		Land very broken 3d rate

Township 18 North Range 19 West 6th Principal Meridian

	North between Sections 8 & 9 Va 13°18' East	
4 1050	Deep ravine 350 links wide descends North West	
4000	Set charred post in mound of earth with pits as per instructions for ¼ Sec cor	
8		
4050	Enter ravine with plum brush and grapevines bears N.E & S.W	
5000	Leave brush bears N.E & S.W	
5050	Leave ravine which descends N.E	
8000	Set charred post in mound of earth with pits as per instructions for corner to Sections 4. 5. 8 & 9	

Land mostly broken hills 10 chains West of the quarter corner in Section 8 there is a Grove of cottonwood and Elm, about 4 acres. There are also a few scattering trees along ravine in Sections 8 &

	East on a random line between Sections 4 & 9 Va 13°18 East
200	Ravine 300 lks wide descends N.W
4000	Set post for temporary ¼ sec cor
8008	Entered the North and South line 7 links South of post corner to Sections 3. 4. 9 & 10 from which corner I ran South 89°57' West on a true line between Sections 4 & 9 Va 13°18' East
4004	Set charred post in mound of earth with pits as per instructions for ¼ Sec cor
8008	The corner to Sections 4. 5. 8 & 9

Land mostly gently rolling 1st rate

Township 18 North Range 19

	North on a random line between Sections 4 & 5 Va 13°18' East
600	Enter ravine bears N.W & S.E
3600	Leave same ravine bears N.E & S.W
4000	Set post for timpmary ¼ Sec cor
5100	Enter ravine bears N.W & S.E
5900	Leave same ravine bears N.W & S.E
8049	Intersect the North boundary of the Township 16⅔ links East of post corner to Sections 4 & 5 from which corner Bears South 7' East on a true line between Sections 4 & 5 Va 13°18' East
4049	Set charred post in mound of earth with pits as per instructions for ¼ Sec cor
8049	The corner to Sections 4. 5. 8 & 9
	Land rolling 1st rate

West 6th Principal Meridian

	North between Sections 31 & 32 Va 13°18' East
4000	Set charred post in mound of earth with pits as per instructions for ¼ Sec cor
8000	Set charred post in mound of earth with pits as per instructions for corner to Sections 29. 30. 31 & 32
	Land rolling hills 2d rate

Township 18 North Range 19

East on a random line
between Sections 29 & 32
Va 13° 18' East

4000 Set post for temporary ¼ Sec cor
8038 Intersect the North and South
line 25 2/3 links South of post
corner to Sections 28. 29. 32 & 33
from which corner ✓ ran
South 89° 49' West on a true
line between Sections 29 & 32.
Va 13° 18' East

4019 Set chared post in mound
of earth with pits as per
instructions for ¼ Sec cor
8038 The corner to Sections 29. 30. 31. 32

Land rolling 2d rate

West 6th Principal Meridian

West on a random line
between Sections 30 & 31
V. 13° 18'
4000 Set post for temporary ¼ Sec cor
8090 Intersect the West boundary of
the Township 11 2/3 links South of
post corner to Sections 30 & 31
from which corner ✓ ran
South 89° 55' East on a true
line between Sections 30 & 31
Va 13° 18' East

4090 Set chared post in mound
of earth with pits as per
instructions for ¼ Sec cor
8090 The corner to Sections 29. 30. 31 & 32

Land rolling hills, poor soil

Township 18 North Range 19

	North between sections 29 & 30
	Va 13° 18' East
4000	Set charred post in mound
	of earth with pits as per
	instructions for 1/4 Sec cor
8000	Set charred post in mound
	of earth with pits as per
	instructions for corner to
	Sections 19. 20. 29 & 30
	Land moderately rolling
	2d rate
	Aug 28"

West 6th Principal Meridian

	East on a random line
	between Sections 20 & 29
	Va 13° 18' East
4000	Set post for temporary 1/4 Sec cor
8030	Intersect the North and South
	line 18 2/3 links South of post
	corner to Sections 20. 21. 28. 29
	from which corner I ran
	South 89 52' West on a true
	line between Sections 20 & 29
	Va 13° 18' East
4015	Set charred post in mound
	of earth with pits as per
	instructions for 1/4 Sec cor
8030	The corner to Sections 19. 20. 29. 30
	Land moderately rolling
	2d rate

Township 18 North Range 19

	West on a random line between Sections 19 & 30 Va 13°18' East
1900 4000	Comi 27.5 lgs and 4 links South East Set post for temporary 1/4 Sec Cor
8074	Entered the West boundary of the Township 7 links North of post corner to Sections 19 and 30 from which corner I ran North 89°57' East on a true line between Sections 19 & 30 Va 13°18' East
4074	Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor
8074	The corner to Sections 17.20.29.30
	Land rolling 1st rate

West 6th Principal Meridian

	North between Sections 19 & 20 Va 13°18' East
4000	Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor
8000	Set charred post in mound of earth with pits as per instructions for corner to Sections 17.18.19 & 20
	Land rolling Good Soil 10 chains NE from the corner to Sections 17.18.19 & 20 in Section 17 there is a Grove of ash & cedar mostly cedar, the trees are large and straight The grove contains about 12 acres

Township 18 North Range 19

		East on a random line between Sections 17 & 20 Va 13°18' East
600	4000	Set post for temporary ¼ sec cor
3600	8027	Intersected the North and South line 28 links North of post corner to Sections 16. 17. 20 & 21 from which corner I ran North 89° 48' West on a true line between Sections 17 & 20 Va 13°18' East
4000	4013½	Set charred post in mound of earth with pits as per instructions for ¼ Sec cor
5100	8027	The corner to Sections 17. 18. 19. 20
5900		
804		Land very broken 3d rate
40		
80		

West 6th Principal Meridian

	West on a random line between Sections 18 & 19 Va 13°18' East
4000	Set post for temporary ¼ sec cor
8088	Intersect the West boundary of the Township 14 links South of post corner to Sections 18 & 19 from which corner I ran South 89°54' East on a true line between Sections 18 & 19 Va 13°18' East
4088	Set charred post in mound of earth with pits as per instructions for ¼ sec cor
8088	The corner to Sections 17. 18. 19. 20
	Land very broken 3d rate

Township 18 North Range 19

North between sections 17 & 18
Va 13° 18' East

3700 Deep ravine 200 links wide
descends East

4000 Set shared post in mound
of earth with pits as per
instructions for ¼ Sec cor

8000 Set shared post in mound
of earth with pits as per
instructions for corner to
Sections 7. 8. 17. 18

Land very broken 2d rate
25 chains West of the ¼ Secor
on this line there is a grove
of timber, ash. cedar Box
Elder & cottonwood with
thick undergrowth of
Plumbrush and grape
vines This grove is in and on
the side of a deep ravine
and contains about 20 acres

West 6th Principal Meridian

East on a random line
between Sections 8 & 17
Va 13° 18' East

4010 Set post for temporary ¼ Secor

4400 Deep ravine 450 links wide
descends North East

6500 Deep ravine 200 links wide
descends North West

8017 Intersect the North and South
line at post corner to
Sections 8. 7. 16. 17 from which
corner I ran West on a true
line between Sections 8 & 17
Va 13° 18' East

4008½ Set shared post in mound
of earth with pits as per
instructions for ¼ Sec cor

8017 The corner to Sections 7. 8. 17 & 18

Land very broken poor Soil

Township 18 North Range 19 West 6th Principal Meridian

	West on a random line between Sections 7 & 18 Va 13°18' East		North between Sections 7 & 8 Va 13°18 East
4000	Set post for temporary ¼ Sec cor	3600	Enter timber and begin to
600 8018	Intersect the West boundary of		descend into deep gulch
3600	the Township 28 links North		bears East and West
4000	of post corner to Sections	3800	To bottom of gulch 150 lks wide
5100	7 & 18 from which corner		descends East
5900	ran North 89°48' East on a	3950	To opposite side of gulch and
8040	true line between Sections 7 & 18		leave timber bears East & West
	Va 13°18' East	4000	Set charred post in mound
4018	Set charred post in mound		of earth with pits as per
	of earth with pits as per		instructions for ¼ Sec cor
	instructions for ¼ Sec cor	6000	Enter timber bears East & West
8018	The corner to Sections 7. 8. 17 & 18		and begin to descend into deep gulch
		6300	To bottom of gulch 200 lks wide
40			descends South East
	East part. land broken 3d rate	7000	To opposite side of gulch, and
	West part rolling 1st rate		leave timber bears N. W & S E
80		8000	Set charred post in mound
			of earth with pits as per
			instructions for corner to
			Sections 5. 6. 7 & 8. There is good
			timber on this line in and on side of gulches
			which extends into Sec 7 & 8 mostly in Sec 8
			The S. W. Quarter of Sec 8 is half timber, ash

Township 18 North Range 19

East on a random line
between Sections 5 & 8
Va 13°18' East

4000 Set post for temporary ¼ Sec cor
7100 Ravine 200 lks wide descends N E
8048 Intersect the North and South
line 4 2/8 links South of post
corner to Sections 4. 5. 8. 9 from
which corner 9 ran South 89°58'
West on a true line between
Sections 5 & 8
Va 13°18' East
4024 Set charred post in mound
of earth with pits as per
instructions for ¼ Sec cor
8048 The corner to Sections 5. 6. 7. & 8

Land broken 3d rate
There are a few scattering trees
in ravines South and near
the line in Section 8

West 6th Principal Meridian

West on a random line
between Sections 6 & 7
Va 13°18' East

3200 Begin to descend into deep gulch
3400 To bottom of gulch descends S E
3600 To opposite side of gulch
4000 Set post for temporary ¼ Sec cor
8005 Intersect the West boundary of
the Township 28 links South of
post corner to Sections 6 & 7
from which corner 8 ran
South 89°48' East on a true
line between Sections 6 & 7
Va 13°18' East
4005 Set charred post in mound
of earth with pits as per
instructions for ¼ Sec cor
8005 The corner to Sections 5. 6. 7. & 8

Land broken 3d rate

Township 18 North Range 19 West 6th Principal Meridian

	North on a random line between Sections 5 & 6 Va 13°18' East
300	Ravine 150 lks wide descends East
1600	Ravine 200 lks wide descends S.E.
3000 4000	Lays between hills and gently rolling land Set post for temporary 1/4 Sec Cor
8037	Entered the North boundary of the Township 12 lks West of post corner to Sections 5 & 6 from which corner I ran South 5' West on a true line between Sections 5 & 6 Va 13°18' East
4037	Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor
8037	The corner to Sections 5. 6. 7 & 8 Land South 30 chains broken hills. Balance gently rolling 1st rate
	Land South 30 chains broken hills. Balance gently rolling 1st rate. There are two small groves of timber west of line. about
Aug 29 1872	40 chains in head of ravine. about 4 acres in each Ash Elm Box & Elder

General Description

The land in this Township is poor mostly S prairie and not fit for cultivation but is good grazing land. it is mostly high broken hills all Prairie except in the S.W. Quarter of Sec 8. which is about half timber and a few Groves in different parts of the Township the Groves are small but the timber is good mostly Ash. with some Elm, Cottonwood Box Elder & Red Cedar the trees are mostly very large in the Ravines with a thick and growth of Grape Vines and Plum Brush

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the foregoing Field notes of Township No 18 North of the base line of Range No 19 West of the 6th Principal Meridian in the State of Nebraska, showing the respective capacities in which they acted

Allard C. Peavey } Chairmen
Albert P. Janney }
Frank Littlefield } Axemen
Peter J. Bennett }

We hereby certify that we assisted John W. Daugherty, deputy Surveyor in Surveying and Subdividing Township No 18 North of the base line of Range No 19 West of the 6th Principal Meridian in the State of Nebraska

and that said Township has been in all respects to the best of our knowledge and belief, well and faithfully Surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General

Allard C Peavey Chainman
Albert P Janney Chainman
Frank Littlefield Axeman
Peter J Bennett Axeman

Subscribed and sworn to by the above named persons before me a Notary Public for the County of Dodge in the State of Nebraska this 9th day of Oct 1872

Geo E Dorsey
Notary Public
Dodge Co Neb

I John W. Daughetty Deputy
Surveyor, do Solemnly Swear that
in pursuance of a joint contract
wherein John W. Daughetty and
D. S. Parmalee are joint contractors
with C. E. Cunningham United
States Surveyor Gneral for the
district of Iowa and Nebraska
bearing date the 2 day of July 187[illegible]
I have well faithfully and truly
in my own proper person
and in strict conformity with
the instructions furnished by the
Surveyor General, the Surveying
Manual, and the laws of the
United States, Surveyed all those
parts or portions of Township
No 18 North of the base line of
Range No 12 West of the 6th
Principal Meridian in the
State of Nebraska, as are
represented in the foregoing
field notes as having been
Surveyed under my direction
and I do further Solemnly Swear
that all the corners of said
Surveys have been established
, and perpetuated in strict
accordance with the Surveying
Manual and printed instruc-
-tions, and that the foregoing
are the true and original field
notes of such Survey

John W. Daughetty

Deputy Surveyor

Subscribed by the said
John W Daughetty Deputy Surveyor
and Sworn to before me a
Notary Public for the County
of Dodge in the State of
Nebraska this 16" day of Oct
1872

Geo E Dorsey
Notary Public
Dodge Co Neb

Surveyor Genrals Office
Plattsmouth Feb. 14th 1873

The foregoing Field Notes of the Survey of the Subdivision Lines of Township No. 18 North of the Base Line Range No. 19, West of the 6th P.M. in the State of Nebraska Executed by John W. Daugherty Under Joint Contract No. 4, Dated July 2nd 1872. Wherein John W. Daugherty & Dan D. Paxton are Joint Contractors in the Month of August, 1872, having been critically examined the necessary corrections and explanations made by said Field Notes and the Surveys they describe are hereby approved

E. E. Cunningham
Surveyor Genral.

Township 19 North Range 19

Town 19 Range 19 East



West of the 6th Principal Meridian

Field notes of the subdivision and meanders of Middle Loup River in Township No 19 North of the base line Range No 19 West of the 6th Principal Meridian in the State of Nebraska Surveyed by John H. Daugherty Deputy Surveyor commenced Aug 30 1872 and completed Sept 4th 1872

Township 19 North Range 19 West of the 6th Principal Meridian

Names and Duties of assistants employed in running the subdivision lines and meanders of Middle Loup River in Township No 19 North of the base line Range No 19 West of the 6th Principal in the State of Nebraska

Allard C. Pearcy Chainman
Albert P. Landby Chainman

Frank Littlefield Axeman
Peter L. Bennett Axeman

To determine the proper adjustment of my compass for subdividing this Township I commenced at the Cor to Townships 18 & 19 North Range 18 & 19 West and ran South on a blank line along the East boundary of Sec 36
Da 13° 15' East

1885 Jo the [illegible] Cor
8016 To the Cor to Secs 25 and 36
My Compass is therefore set
proper adjustment for subdividing
this Township

(1)

Township 19 North Range 19

Chains	North between Secs 35 and 36 Va 13° 15' East
26 00	Raised 30 lks mile drains S.E.
4 00	Set stone post mound of earth with pits as per instruction for 4 Sec cor
6 00	Raised 70 lks mile drains SE
8 00	Set stone post mound of earth with pits as per instructions for cor to Secs 25.24 35 and 36
	Land very rolling good soil

(2)

West of the 6th Principal Meridian

Chains	East on a random line between Secs 25 and 36 Va 13° 15 East
4 00	Set post for temporary 1/4 Sec cor
4 50	Raised 60 lks mile drains S. E
8 39	Intersect the East boundary of the Township 21 lks South of post for Secs 25 and 36 from which an Ash South 89° 51' West on a true line between Secs 25 & 36 Va 13° 15 East
10 14.72	Set stone post mound of earth with pits as per instructions for 1/4 Sec cor
80.29	The cor to Secs. 25. 26. 35 & 36 Land rolling good soil Soil

Township 17 North Range 19

Chains	North between Secs 23 & 24
	Va 13 15' East
1300	Racine rock mile mound S E
3400	Racine 1.50 mile mound S E
4000	Set Channel post mi mound
	of earth with pits as per
	instructions for Cor to Secs
8000	Set Channel post mi mound
	of earth with pits as furnish-
	ructions for Cor to Secs
	23. 24 25 & 26
	Land rolling good &
	soil Secs 1

West of the 6th Principal Meridian

Chains	East on a random line between Secs
	24 & 25
	Va 13 15' East
4000	Set post for Compass Cor Sec on
8009	Line at the East boundary of
	the Township 12 lks South of post
	Cor to Secs 24 & 25 from which
	Cor a gum
	South 89 33' West on a true line
	between Secs 24 & 25
	Va 16 15 East
4004½	Set Channel post mi mound
	of earth with pits as per
	Instructions for 1/4 Sec Cor
8009	The Cor to Secs 23. 24. 25 & 26
	Land rolling good soil

Township No 19 North Range 19

Chains

2000 Set chained pit mound of earth with pits as per instructions for ¼ Sec Cor

2200 Raonie 50 lks with bears N E

800 Set chained pit mound of earth with pits as per instructions for ¼ Sec to Secs 13.14 23 24

Land rolling hills soil sandy

West of the 6th Principal Meridian

Chains

East on a random line between Secs 13.24

Va 13° 15' East

2000 Set post for temporary ¼ Sec Cor

7050 Raonie 2.50 chs with bears North

7092 Intersect the East boundary of the Township at post on the Secs 13 24 from which cor bears West on a true line between Secs 13 24

Va 13° 15' East

8098 Set chained pit mound of earth with pits as per instructions for ¼ Sec Cor

7992 The Cor to Secs 13.14 23 24

Land very hilly & rocky

Fou

6

55

7

56

18

63

19

50

30

47

31

Township 19 North Range 19

Chains

2 00 North between Secs 13 & 14 Va 13° 15' East

2 00 Set channel post mound of earth with pits as per instructions for Cor to Secs 11 12 13 & 14

47 00 Ravine 50 lks gold descends E

8 00 Set channel post mound of earth with pits as per instructions for Cor to Secs 11 12 13 & 14

South 3 chs clay hill, balance Sand hill all 3 rod- Good

West of the 6th Principal Meridian

Chains

East on a random line between Secs 12 and 13 Va 13° 15' East

2 00 Set post for temporary 1/4 Sec Cor

79 00 Ravine 75 lks gold descends N. E

80 00 Intersect the East boundary of the Township 28 lks North of post Cor to Secs 12 & 13 from which an Iron

North 89 30 West on a random line between Secs 12 and 13 Va 13° 15' East

1103 1/2 Set channel post mound of earth with pits as per instruction for 1/4 Sec Cor

1106 Thy cor to Secs. 11, 12, 13 & 14 and Sand hills 3 rods

Town

Township 19 South Range 19

Chains	
	North between Secs 11 and 12 Va 13° 15' East ins.
7.00	Drain 20 lks north descends N.
20.00	Set Channel post in mound of earth with pits as per instructions for 1/4 Sec Cor
43.00	Same Sand hills & Cedars River bottom Runs East and West
55.12	To right bank of Middle Loup River where I set Channel post in mound of earth with pits as per instructions for Cor to fractional Secs 11 & 12 The River is not to be kept as to prevent flowing across the line
	distance across River 9.17 chs
64.89	To left bank of Middle Loup River where I set Channel post in mound of earth with pits as per instructions for Cor to fractional Secs 11 & 12
80.05	Set Channel post in mound of earth with pits as per instructions for Cor to Secs 1, 2, 11 & 12
	Land South 43 chs Sand hills 3 chs Bottom South of River 1 1/2 mile North of River Sandy 3 chs

West of the 6th Principal Meridian.

Chains	
	East on random line between Secs 11 & 12 Va 13° 15' East
40.00	Set post for temporary 1/4 Sec Cor
3.70	
61.29	To left bank of Middle Loup River where I set post for temporary cor to fractional Secs 11 & 12 Thence down
79.90	3.70 chs North to a point Thence down East on a offset line 19.61 chs.
	Intersect the East boundary 7 lks South of post cor to fractional Secs 11 & 12 which on Stands 3.70 chs North of point for cor to Secs 11 & 12 in River Therefore the length of the line between Secs. 11 & 12 would be 79.90 chs and my 7 lks North of point in River for Cor to Secs 11 & 12 from which point I run North 89° 57' West on a true line between Secs 11 & 12 Va 13° 15' East Counting distance in River
19.61	To left bank of Middle Loup River where I set Channel post in mound of earth with pits as per instructions for cor to fractional Secs 11 & 12
39.95	Set Channel post in mound of earth with pits as per instructions for 1/4 Sec Cor
79.90	The Cor to Secs 1, 2 11 & 12 Land Sandy bottom 3 chs Sand



Township No 19 South Range 19 West of the 6th Principal Meridian

Chains

Runs South on a random line between Secs 1 and 2
Va 18' 15' East

3780 Wagon Road bears East
3700 Set post for temporary Sec Cor
4000 Leave very Sandy and enter Post Oak bear East
7968 Intersect the North boundary of the Township 7 lks East of post cor to Secs 1 and 2 from which an Iron bears South 3' East on a true line between Secs 1 and 2
Va 18' 15 East
8968 Set charred post mounds & earth with pits as per instructions for 1/4 Sec Cor
7968 The cor to Secs 1, 2, 11 12

South 4 chs Sandy 3 rods Inclined to ridge all gentle rolling bottom

Chains

North between Secs 34 35
Va 18' 15' East
2500 Ravine 20 lks wide bears S E
3000 Ravine 1,75 lks wide bears S E
4000 Set charred post mounds & earth with pits as per instructions for 1/4 Sec Cor
8000 Set charred post mounds & earth with pits as per instructions for Cor to Secs 26, 27, 34 35

Land moderately rolling 2 prairie

Aug 30 1872

Township 19 South Range 19

Chains	East on a random line between Secs 26 & 35
	Va 13° 15' East
4.00	Set post for witness ¼ Sec Cor
79.80	Intersect the N & S ½ Mile ½ Chs
	South of post Cor to Secs 23, 26, 35 & 36
	from which Cor Corn
	South 89° 42' West on a true line
	between Secs 26 & 35
	Va 13° 15' East
39.91	Set Channel post mi mound of
	earth with pits as per instructions
	for ¼ Sec Cor
79.80	The Cor to Secs 26 27 34 35
	Land rolling 1st rate Soil

West of the 6th Principal Meridian

Chains	North between Secs 26 & 27
	Va 13° 15' East
40.00	Set Channel post mi mound
	of earth with pits as per
	instructions for ¼ Sec Cor
80.00	Set Channel post mi mound
	of earth with pits as per
	instructions for Cor to Secs
	22. 23. 26 & 27
	Land moderately rolling 1st rate

Township No 19 North Range 19

Chains East on a random line between Secs 23 & 26
Va 13° 15' East
2000 Set post for temporary ¼ Sec Cor
7997 Intersect the N & S line 28.00 South of post on to Secs 23, 24 25 and 26 from which an Iron bound 8" & 8" West on a true line between Secs 23 & 26
Va 13° 15' East
3998½ Set charred post in mound of earth with pits as per instruction for ¼ Sec Cor
7997 Thence on to Secs 22, 23 26 & 27

Land rolling good 2nd rate Soil

West of the 6th Principal Meridian

Chains North between Secs 22 & 23
Va 13° 15' East
2000 Set charred post in mound of earth with pits as per instructions for ¼ Sec Cor
5000 Set charred post in mound of earth with pits as per instructions for Cor to Secs 14, 15 22 & 23

Land rolling good 2nd rate Soil

Township 19 North Range 19

Chains | East on a random line between Secs 14 & 23 Va 12° 15' East

2000 | Set temporary ¼ Sec Cor

8015 | Intersect the N&S line 73 lks South of post Cor to Secs 13,14 23 & 24 from which Cor Same bears South 89° 29' West on a true line between Secs 14 & 23 Va 13° 15' East

2009½ | Set Stone mound post mound of earth with pits as per instruction for ¼ Sec Cor

8015 | The Cor to Secs 14.15 22 & 23

Land rolling 1st rate

West of the 6th Principal Meridian

Chains | North between Secs 14 & 15 Va 13° 15' East

2800 | Racine 150 wide descends N

4000 | Set Stone mound post mound of earth with pits as per instructions for ¼ Sec Cor

5200 | Racine 80 lks wide descends N

8001 | Set Stone mound post mound of earth with pits as per instructions for Cor to Secs 10, 11, 14 & 15

Land broken & rate Sand

Township No 19 South Range 19

Chains	East on a random line between Secs 11 & 14 Va 13° 15 East
20 00	Set post for temporary Sec Cor
73 00	Ravine 40 links wide sounds N & E
80 29	Intersect the N & S line 29 lks South of post cor to Secs 11, 12, 13 & 14 from which Cor Pine South 89° 30' West on a true line between Secs 11 and 14 Va 13° 15 East
40 12½	Set chained post mound of earth with pits as per instructions for Sec Cor
80 29	The Cor to Secs 10. 11. 14 & 15

Sand Sand hill & vale

West of the 6th Principal Meridian

Chains	South between Secs 10 and 11 Va 13° 15 East
40 00	Set chained post mound of earth with pits as per instructions for Cor
30 50	Leave Sand hills and enter River bottom bearing East & West
64 90	To the right bank of Middle Loup River where I set chained post mound of earth with pits as per instructions for Cor to fractional Secs 10 & 11 The River is not 20 chs as to prevent chaining across the line. Distance across 11 94 chs
75 88	To the left bank of Middle Loup River where I set chained post mound of earth with pits as per instructions for Cor to fractional Secs 10 & 11 from which A Willow 6 in. dia bears N 29 E 1.79 dist A Willow 7 in. dia bears N 75 W 1.45 dist
80 00	Set chained post mound of earth with pits as per instructions for Cor to Secs 2, 3, 10 & 11 from which A Willow 6 in. dia bears S 63 West 21 lks dist A Willow 5 in. dia bears S 87 E 55 1/2 lks dist A Willow 6 in. dia bears N 63 E 66 lks dist There large enough to mark on Sec 3 Sand hill 50 chs Sand hills bottom of River 1 mile South of River West and Sandy 2 vale

Township 19 North Range 19

40.00	East on a random line between Secs 2 & 11
	Va 13° 15' East
30.00	Leave Swamp and willow brush bears N. W. & E
40.00	Set post for temporary 1/4 Sec Cor
80.21	Intersect the N. & S. line 18 lks E of post cor to Secs 1, 2, 11, 12 from which Cor I ran South 89° 52 West on a true line between Secs 2 & 11
	Va 13° 15' East
40.02	Set stone post in mound of earth with pits as per instructions for 1/4 Sec Cor
80.24	The Cor to Secs 2, 3, 10 & 11
	West 30 lks: Swampy with brush & small willow trees balance dry Sandy bottom, all S. rate Surv

West of the 6th Principal Meridian

40.00	North on a random line between Secs 2 & 3
	Va 13° 15' East
7.00	Leave Swamp and willow brush and enter rolling sandy bottom bears E & N
40.00	Set post for temporary 1/4 Sec Cor
40.50	Wagon Road bears E & W
75.00	Leave Sand and enter rocky land
79.75	Intersect the North boundary of the Township 12 lks East of post cor to Secs 2 & 3 from which Cor I ran South 1/2 East on a true line between Secs 2 & 3
	Va 13° 15' East
39.75	Set stone post in mound of earth with pits as per instructions for 1/4 Sec Cor
79.75	The Cor to Secs 2, 3, 10 & 11
	Land mostly rolling Sandy S. rate

Township 19 North Range 19 West of the 6th Principal Meridian

Akami | North between Secs 33 & 34 Va 13° 15' East

3000 | Set Channel post mi mound of earth with pits as per instructions for Ty Sec Cor

3000 | Set Channel post mi mound of earth with pits as per instructions for Cor to Secs 27, 28 33 & 34

Land selling 1st rate

Aug 31st 1872

Akami | East on a random line between Secs 27 and 34 Va 13° 15' East

3990 | Set post for temporary ¼ Sec Cor

7984 | Intersect the N & S Lake 37 lks S of post Cor to Secs 26, 27, 34, 35 from which an Iron South 87½ West on a true line between Secs 27 & 34 Va 13° 15' East

3992 | Set Channel post mi mound of earth with pits as per instructions for ¼ Sec Cor

7984 | The Cor to Secs 27 28 33 & 34

Land selling 1st rate Soil

Township 19 South Range 19 West of the 6th Principal Meridian

Chains

North between Secs 27 & 28
Va 13° 15' East

2000 Set Channel post mi mound
of earth with pits as per
instructions for 1/4 Sec Cor

8000 Set Channel post mi mound
of earth with pits as per
instructions for Cor to Secs
21. 22. 27 & 28

Land rolling & rate Soil

Chains

East on a random line
between Secs 22 & 27
Va 13° 15' East

3200 Ravine 10 lk wide descends NW
4000 Set post for temporary 1/4 Sec Cor
8034 Intersect the S.B.L. of Sec 23 Wks South
& post Cor to Secs 22. 23 26 & 27
from which Cor I ran
South 89° 30 West on a line
between Secs 22 & 27
Va 13° 15' East

4117 Set Channel post mi mound
of earth with pits as per
instructions for 1/4 Sec Cor
8034 The Cor to Secs 21. 22. 27 & 28

Land very broken 3rd rate

Township 19 North Range 19 West of the 6th Principal Meridian

Chains	North between Secs 21 & 22 Va 13° 15' East	
2500	Raonne 1.25 wide descend N.W.	
4000	Set Chained post mi mound of earth with pits as per instructions	
6300	Dep Raonne 3 chs wide descends North East	
7650	Same Raonne 3 ch wide descends North West	
8000	Set Chained post mi mound of earth with pits as per instructions for Cor to Secs 15, 16, 21 & 22	
	Land very broken Slate	

Chains	East on a random line between Secs 15 and 22 Va 13° 15' East	
2000	Raonne 2 chs wide descends N.W.	
4000	Set post for temporary 1/4 Sec Cor	
8072	between the N & S line 16 chs North of post on to Secs 14, 15, 22 & 23 from which cor I ran North 89° 53' West on a true line between Secs 15 & 22 Va 13° 15' East	
7936	Set Chained post mi mound of earth with pits as per instructions for Temp Sec Cor	
8072	The Cor to Secs 15, 16, 21, 22	
	Land broken clay hills Slate	

Township 17 North Range 19 West of the 6th Principal Meridian

Chains	North between Secs 15 & 16 Va 13° 15 East
1200	Chains 2 chs with descends N & W
2400	Set Stamped post mi mound of earth with pits as per instructions for ¼ Sec Cor
8000	Set Stamped post mi mounds of earth with pits as per instructions for Cor to Secs 9, 10, 15 & 16
	South 2 chs very broken 3 rods balance rolling hill 2 rods

Chains	East on a random line between Secs 10 & 15, Va 13° 15 East
2200	Chains 2 chs with descends N
3200	Chains 3 chs with descends N
4000	Set post for temporary ¼ Sec Cor
8028	Intersect the N&S line with the South & post Cor to Secs 10, 11, 14 & 15 from which Cor I corn South 84° 43' West on a true line between Secs 10 & 15 Va 13° 15' East
2824	Set Stamped post mi mound of earth with pits as per instructions for ¼ Sec Cor
8028	to Secs 9, 10, 15 & 16 Sand broken hills 3 rods

Township 19 North Range 19 West of the 6th Principal Meridian

Chains	North between Secs 9 & 10 Va 13° East
0.00	Set Chained post mi mound of earth with pits as per instructions for Cor to Secs 9 & 10 Cor
37.00	Leave hills and enter Swampy bottom bearing E 33'
63.90	To right bank of Middle Loup River where I set Chained post mi mound of earth with pits as per instructions for Cor to fractional Secs 9 & 10 Reference to dep as to present meandering of the line with the chain the distance is 13.68 chs
77.53	To left bank of Middle Loup River where I set Chained post mi mound of earth with pits as per instructions for Cor to fractional Secs 9 & 10
80.00	Set Chained post mi mound of earth with pits as per instructions for Cor to Secs 3, 4 9 & 10
	South 37 chs rolling hills and bottom S. of River West 3 chs South of River Sandy Soil

Chains	East on a random line between Secs 3 & 10, Va 13° 15' East
26.00	Leave dry Sandy bottom and enter Swamp bears N. E. & W.
40.00	Set Post for temporary 1/4 1/4 Cor
80.12	Intersect the N. & S. line of Secs 2, 3 South of post Cor to Secs 2, 3 & 10 & 11 from which Cor I ran South 87 36' West on a true line between Secs 3 & 10 Va 13° 15' East
48.66	Set Chained post mi mound of earth with pits as per instructions for Cor to Secs 3, 4, 9 & 10
80.12	The Cor to Secs 3, 4, 9 & 10
	East 32 chs Wet boggy swamp balance dry Sandy Bottom all the rest

Township 19 North Range 19

chains | North on a random line between Secs 3 & 4
Va 13° 15' East
4000 | Set post for temporary ¼ Sec Cor
5000 | Wagon Road bears E 2 lks
4100 | Leave Sandy and enter Valley land bears E 2 lks
7992 | Intersect the N boundary of the Township 18 Ns West of 5th Std Cor to Secs 3 & 4 from which Cor bears
South 8° West on a line between Secs 3 & 4
Va 13° 15 East
3992 | Set Stone pit mound of earth with pits as per instructions for ¼ Sec Cor
7992 | The Cor to Secs 3. & 9 & 10

Sand gently rolling bottom
South 41 chs very Sandy 3 rd to
balance 1st rate

West of the 6th Principal Meridian

chains | North between Secs 32 & 33
Va 13° 15' East
4000 | Set Stone pit mound of earth with pits as per instructions for ¼ Sec Cor
4200 | Reach 3 lks wide descend E
8000 | Set Stone pit mound of earth with pits as per instructions for Cor to Secs 28 & 29 32 & 33

Sand gently rolling 1st rate

Township 19 North Range 19

Chains	
	East on a random line between Secs 28 & 33
	Va 13° 15' East
11 00	Ravine 3 lks wide descends N'
14 00	Set post for temporary Qr Sec Cor
8 00	Saluvia the North & South Cor 7 lks South of post on to Secs 27, 28, 33, & 34 from which a Cor Elm
	South 89° 57' West on a true line between Secs 28 & 33
	Va 13° 15' East
48 32	Set Stoned post pi mound of earth with pits as per instructions for Qr Sec Cor
80 64	The Cor to Secs 28 29 32, 33

Land nothing to note

West of the 6th Principal Meridian

Chains	
	North between Secs 28 & 29
	Va 13° 15' East
9 00	Ravine 1 lk wide descends E
24 00	Ravine 150 lks wide descends E
20 00	Set Stoned post pi mound of earth with pits as per instructions for Qr Sec Cor
66 00	Ravine 125 lks wide descends E
60 00	Set Stoned post pi mound of earth with pits as per instructions for Cor to Secs 20, 21 28 & 29
	South 25 lks rolling & rocky Saluvia bearing 3 links

Dept 1 1872

Township 19 South Range 19 West of the 6th Principal Meridian

Chains | Easterly a random line between Secs 21 & 28
Va 16° 15' East

300 | Ravine 2.50 chs wide discends South
4000 | Set post for temporary ¼ Sec Cor
2700 | Ravine 1.20 chs wide discends S W
8040 | Summit the N & S line as post for ¼ Secs 21, 22, 27, 28 & from which an X cor
Westerly a random line between Secs 21 & 28
Va 13° 15' East
4020 | Set Stones post in mound of earth with pits as per instructions for ¼ Sec Cor
8040 | The Cor to Secs 21, 22, 27, 28

Land rolling hill & vale

Chains | North between Secs 20 & 21
Va 13½ East

700 | Ravine 90 lks wide discends E
2400 | Ravine 20 chs wide discends E
4000 | Set Stones post in mound of earth with pits as per instructions for ¼ Sec Cor
6300 | Ravine 3 chs wide discends S W
8000 | Set Stones post in mound of earth with pits as per instructions for Cor to Secs 16, 17, 20 & 21

Land very broken & rocky

Township 19 North Range 19 West of

Chains	East on a random line between Sec 16 & 21. Va 13° 15' East
15.00	Ravine 2 chs wide descends North
40.00	Set post for temporary ¼ Sec Cor
79.51	Ravine 2 chs wide descends S.W.
80.21	Intersect the N & S line 25 lks South of post Cor to Secs 15. 16. 21 & 22 from which angle bears South 8¾ West on a true line between Sec 16 & 21 Va 13 15 East
40.16½	Set chained post mound of earth with pits as per instructions for ¼ Sec Cor
80.21	The Cor to Secs 16. 17. 20. 21

Land very broken & rocky

the "Principal Meridian

Chains	North between Secs 16 & 21. Va 13°. 15' East
23.01	Ravine 2.50 chs wide descends S.E.
40.00	Set chained post in mound of earth with pits as per instructions for ¼ Sec Cor
80.00	Set chained post in mound of earth with pits as per instructions for for Cor to Secs 8. 9. 16 & 17

Land very broken & rocky

Township 19 North Range 19

Chains	East on a random line between Secs 9 & 10 Va 13° 15' East
31.00	Raone 2.50 chs wide 50 feet deep south bank breaks descends N
40.00	Set post for Temporary 1/4 Sec Cor
80.19	Set right the N & S line 14 lks North of post Cor to Secs 9.10 15 and 16 from which an Iron Post bears S 89° 54' West on a true line between Secs. 9 & 16 Va 13° 15' East.
400.92	Set Channel post mi mound of earth with pits as per instructions for 1/4 Sec Cor
801.9	The Cor to Secs 8.9.16 & 17
	Said East half rolling hills 2 soil - balance very broken 3 soil -

West of the 6th Principal Meridian

Chains	North between Secs 8 & 9 Va 13° 15' East
40.00	Set Channel post mi mound of earth with pits as per instructions for 1/4 Sec Cor
57.00	Leave hills and enter Raone Bottom Secs 8 & 9
80.00	Set Channel post mi mound of earth with pits as per instructions for Cor to Secs 4, 5, 8, 9 and Meander Cor on right bank of Middle Loup River
	Land South of the broken hills 3 soil - balance Wet bottom 3 soil Soil

Township 19 North Range 19

Chains	
	East on a random line between Secs 4 & 9 Va 13° 15' East
	The River not being so deep as to prevent Chaining across on the line Returned across
2065	To Left bank of Middle Loup River where I set post for temporary Cor to fractional Secs 4 & 9
4000	Set post for temporary W 1/4 Sec Cor
7980	Entered the N B Line 54 lks W of post on to Secs 3, 4, 9, 10 from which Cor I pace
	South 89° 30' West on a true line between Secs 4 & 9 Va 13° 15' East
3090	Set Channel post mound of earth with pits as per instructions for 1/4 Sec Cor
3815	To Left bank of Middle Loup River where I set Channel post mound of earth with pits as per instructions for Cor to fractional Secs 4 & 9
7980	To the Cor to Secs 4, 5, 8 & 9 Sand Level Sandy bottom & sub

West of the 6th Principal Meridian

Chains	
	North on a random line between Secs. 4 & 5 Va 13° 15'
	The River not being so deep as to prevent Chaining across on the line
1173	To Left bank of Middle Loup River where I set post for temporary Cor to fractional Secs 4 & 5
4000	Set post for temporary 1/4 Sec Cor
4220	Wagon Road bears E 93 lks
7985	Entered the N boundary of the Township 18 lks East of post on to Secs 4 & 5 from which Cor I pace South 8° East on a true line between Secs 4 & 5
3985	Va 13° 15' East Set Channel post mound of earth with pits as per instructions for 1/4 Sec Cor
6812	To Left bank of Middle Loup River where I set Channel post mound of earth with pits as per instructions for Cor to fractional Secs 4 & 5
7985	To right bank of Middle Loup River and Cor to Secs 4, 5, 8 & 9 Sand Sandy & sub bottom

Township 19 North Range 19

Chains | North between Secs 31 & 32
Va 13° 15' East
2000 | Ravine 50 lks wide descends NW
2000 | Set Channel post mi mound of earth with pits as per instructions fm Cor Secs on
8000 | Set Channel post mi mound of earth with pits as per instructions fm Cor to Secs 29, 31, 31 & 32

Land moderately rolling 1st rate

West of the 6th Principal Meridian

Chains | East on a random line between Secs 29 & 32
Va 13° 15 East
4000 | Set post for temporary Cor Secs
8081 | Ledge set the N & last 23 lks North of post on the Secs 28 29 32 & 33 from which Cor I own North 89° 30' West on a true line between Secs 29 & 32
Va 13° 15 East
4015½ | Set Channel post mi mounded of earth with pits as per instructions fm Cor Secs
8031 | The Cor to Secs 29, 30 31 & 32

Land moderately rolling 1st rate Soil

Township 19 South Range 19

chains	West on a gentle hill between Secs 31 & 32 Va 13° 15' East
2000	Set post for temporary ¼ Sec Cor
7983	Intersect the West boundary of the Township 60 lks South of post Cor to Secs 31 & 32 from which Cor I run South 89° 34' East on a true line between Secs 31 & 32 Va 13° 15' East
3983	Set Stoned post mi mound of earth with pits as per instructions for ¼ Sec Cor
7983	The Cor to Secs 29, 30, 31 & 32 Land West half broken 3 links balance rolling 2 links

West of the 6th Principal Meridian

chains	North between Secs 29 & 30 Va 13° 15' East
2503	Leave gentle rolling and undulating hill Broken Land bears E & W
4003	Set Stoned post mi mound of earth with pits as per instructions for ¼ Sec Cor
4800	Racine 1.25 lks wide crosses A & W
8001	Set Stoned post mi mound of earth with pits as per instructions for Cor to Secs 19, 20 29 & 30

South 2 & 3 lks gently rolling 1st rate balance very broken 3 lks

Sept 2 1872

Township 19 North Range 19

Chains	
	East on a random line between Secs 20 & 29 Va 13° 15' East
4000	Set post for temporary 1/4 Sec Cor
8028	Sylvanet the N & line 27 lks South of post on to Secs 20 & 29 from which and an South 89° 48' West on a line between Secs 20 & 29 Va 13° 15' East
4014	Set Stoned post in mound of earth with pits as per instructions for 1/4 Sec Cor
8028	The Cor to Secs 19, 20 & 29 & 30

Land very broken & rocky

West of the 6th Principal Meridian

Chains	
	West on a random line between Secs 19 & 30, Va 13° 15' East
4000	Set post for temporary 1/4 Sec Cor
5000	1 Ravine 20 lks wide & runs N &
6200	1 Ravine 2.00 chs wide & runs N &
7975	Intersect the West boundary of the Township 30 lks South of post on to Secs 19 & 30. from which and an South 89° 48' East on a line between Secs 19 & 30 Va 13° 15' East
3975	Set Stoned post in mound of earth with pits as per instructions for 1/4 Sec Cor
7975	The Cor to Secs 19 20 29 & 30

Land very broken & rocky

Township 19 North Range 19

Chains	North between Secs 19 & 20 Va 13° 15' East
1300	Chains 90 lks wide descends N.E.
3600	Chains 2,00 lks wide descends N.W.
4000	Set chained post mound of earth with pits as per instructions for 1/4 Sec Cor
5200	Chains 2,25 lks wide descends N.E.
7000	Chains 1,50 lks wide descends N.E.
8000	Set chained post mound of earth with pits as per instructions for Cor to Secs 17, 18, 19, 20

Land very broken Estate

West of the 6th Principal Meridian

Chains	East on a random line between Secs 17 & 20 Va 13° 15' East
1000	Chains 2,75 lks wide descends N.W.
3700	Chains 1,40 lks wide descends N.W.
4000	Set post for Compensating 1/4 Sec Cor
7700	Chains 1,00 lks wide descends N.W.
8008	Intersect the N. & S. Line 35 lks South of post Cor to Secs 16, 17, 20, & 21 from which Cor a Line South 89° 45' West on a true line between Secs 17 & 20 Va 13° 15' East
4004	Set chained post mound of earth with pits & per instructions for 1/4 Sec Cor
8008	The Cor to Secs 17, 18, 19 & 20

Land Broken Estate

Township 9 North Range 19 West of the 6th Principal Meridian

Chains

West on a random line between Secs 18 & 19 Va 13° 15'

4000 Set post for temporary 1/4 Sec Cor

7960 Intersect the West boundary of the Township 12 chs South of post on to Secs 18 & 19 from which Cor I run South 89° 53' East on a true line between Secs 18 & 19 Va 13° 15' East

3960 Set charred post mound of earth with pits as per instructions for 1/4 Sec Cor

7960 Thence on to Secs 17, 18, 19 & 20

Sand & any broken 3 rds

Chains

North between Secs 17 & 18 Va 13° 15'

3300 Ravine 1.90 chs wide descends S & W

4000 Set charred post mound of earth with pits as per instructions for 1/4 Sec Cor

8000 Set charred post mound of earth with pits as per instructions from Cor on to Secs 7, 8, 17 & 18

Sand Sand hills & rds

Township 19 South Range 19 West of the 6th Principal Meridian

	Chains		Chains
	East on a random line between Secs 8 and 17 Va 13° 15' East		West on a random line between Secs 7 & 18 Va 13° 15' East
		3108	Records 1.20 Chs mile descends N.W.
	4000	Set post for temporary 1/4 Sec Cor	4000
	8016	Intersect the 3rd Std line 10 Chs South of post on to Secs 8, 9, 16 and 17 from which an Iron bolt 8 ins diam 6 ins long bears South 89° West on a line between Secs 8 & 17 Va 13° 15' East	7950 Intersect the West Boundary of the Township 31 Chs South of post on to Secs 7 & 18 from which an Iron bolt 8 ins diam 6 ins long bears South 89° 47' East on a line between Secs 7, 18 Va 13° 15' East
	4008	Set Channel post mi mound & 4 cubic pits as per instructions for 1/4 Sec Cor	3950 Set Channel post mi mound & 4 cubic pits as per instructions for 1/4 Sec Cor
4	8016	The Cor to Secs 7, 8, 17 & 18	7950 The Cor to Secs 7, 8, 17 & 18
		Land Sand hills 3 chs to	East Sand hills 3 chs to Sand balance rolling Sandy 2 chs to Sand
8			

Township 19 North Range 19

Chains	
	North between Secs 7 & 8 Va 13 15 East
4.00	Set Chained post w/ mound of earth with pits as per instructions for 1/4 Sec Cor
42.00	Leave hills and enter valley bears E & W
8.00	Set Chained post w/ mound of earth with pits as per instructions for Cor to Secs 5,6,7,8

South-42 chs Broken Land hills
Lamance River bottom Sandy alluvial Soil

West of the 6th Principal Meridian

Chains	
	East on a random line between Secs 5 and 8 Va 13° 15' East
8.00	Set post for temporary 1/4 Sec Cor
63.00	Leave dry sandy bottom and enter Swamp bears N, W, S, E
79.88	Intersect the N and S line 5 links South of post Cor to Secs 4,5,8,9 from which Cor I own North 89° 58' West on a line line between Secs 5 & 8 Va 13° 15' East
39.94	Set Chained post w/ mound of earth with pits as per instructions for 1/4 Sec Cor
79.88	Sec Cor to Secs 5,6,7,8

Land—West 65 chs Sandy
2 chs Soil balance Swamp
3 rods

Township 19 North Range 19

	Chains	West on a random line between Secs 6 & 7, Va 13° 15' East
	2000	Set post for temporary ¼ Sec Cor
	5300	Drain 30 lks wide descends N W
	7958	Intersect the West boundary of the Township 10 lks South of post cor to Secs 6 & 7 from which Cor I yon South 89° 52' East on a true line between Secs 6 & 7 Va 13° 15' East
	3958	Set Chained post in mound of earth with pits as per instructions for ¼ Sec Cor
4	7958	The Cor to Secs 5 6. 7 8
8		Land gently rolling good 2nd rate soil

West of the 6th Principal Meridian

	Chains	North on a random line between Secs 5 and 6 Va 13° 15' East
	1264	To right bank of Middle Loup River where I set post for temporary cor to fractional Secs 5 and 6 the River is not so deep as to prevent chaining across on the line distance across 11.60 chs
	2424	To left bank of Middle Loup River where I set post for temporary cor to fractional Secs 5 and 6
	2800	Set post for temporary ¼ Sec Cor
	4240	Trag on Road bears E, N
	8324	Intersect the N Boundary of the Township 20 lks West of post cor to Secs 5 6 from which cor I yon South 9° West on a true line between Secs 5 & 6 Va 13° 15 East
	4884	Set Chained post in mound of earth with pits as per instructions for ¼ Sec Cor
	3240	To left bank of Middle Loup River where I set Chained post in mound of earth with pits as per instructions for Cor to fractional Secs 5 & 6
	6720	To Right bank of Middle Loup River where I set Chained post in mound of earth with pits as per instructions for cor to fractional Secs 5 & 6
	8034	The Cor to Secs 5 6. 7 8 Land South of River Sandy & gute South of River Soil all gently rolling Prairie

Sept 3 1872

Township 17 North Range 19 West of the 6th Principal Meridian

Meanders of the right bank of Middle Loup River through the Township
Beginning at the Corner to fractional Secs 7 and 12 on the East Boundary of the Township and on right bank of said South East of the River thence up Stream South Meanders mi Sec 12
Variation 13°15' East

Courses	Distance	Remarks
S 58° W	30.00	Thence up a Ravine 4 links mid. course from South
S 68° W	11 00	
S 75° W	12 00	
West	15 00	
N 78½° W	18 50	To Corner to fractional Secs 11 & 12
	86.50	thence mi Sec 11
West	24 00	
S 79° W	10 00	
West	22 00	
N 38° W	9 00	
N 74° W	5 00	
N 63° W	13 50	To Corner to fractional Sec 10 & 11
	83.50	

Courses	Distance	Remarks
		Land along River mi Fractional Secs 11 and 12 is mostly very sandy poor Soil Meanders mi Sec 10
S 69° W	17.00	
S 87° W	35.00	at 32 chs on this course bank bottom and subject to frequent land bears S. W.
S 73° W	7.00	
N 67° W	20 00	
N 75° W	4 00	To the Corner to fractional Secs 9 and 10. Land level
	83.00	Sandy & rich. except wet-
	4	marshy part which is liable to overflow and 3 mi Meanders mi Sec 9
S 75° W	82.00	at 27 chs on this course
West	10 00	there is a Spring brook
N 70° W	20.00	comes from S. W.
N 49° W	27 00	To Corner to fractional
	89.00	Secs 3 & 9 and also on
	5	to Secs 4, 5 & 8 & 9 the Land along fractional Sec 9 is Level wet and marshy

Township 19 South Range 19 West of the 6th Principal Meridian

Meanders on Sec 5

Beginning at Corner to Secs 4. 5 & 8 and 9

Course	Distance	
N 65° 30' W	300	
N 73° W	6,00	At 1 chs on this course leave
N 73° W	8 00	swpt timby land and enter
S 81° W	18 00	high bottom bears S.E.
S 80° 30' W	8 00	To Corner to fractional Secs
	53.00	5 and 6. Land along Sec
	5	5, is gently rolling good 2nd rate Soil, except timby part which is 3 rate

Meanders on Sec 6

S 39° W	4,00	
S 7½° W	20,00	
4 West	27.00	
N 62° W	21. 00	at 5 chs on this course Down
N 20° W	7,00	30 lks wide come from South
8 N 19° W	16.50 7.50	At 2 chs on this line thru a
	27.50	creek come from West 3 chs
	7	wide At creek boundary and enter post timby bottom bears West

To Corner to fractional Secs 1 and 6

on Range line 34.90 chs North of Corner to Secs. 1. 6. 7 and 12

Land along fractional Sec 6 is mostly dry sandy bottom 3 rate Soil Sept 4th 1872

Township 1 N. North Range 19 West of the 6th Principal Meridian

General Description

There is but little good land in this Township the River bottom is nearly all sandy 3rd rate. The part South of Bottom is mostly high broken hills not fit for cultivation. The Township is well adapted for grazing as there is a good growth of grass through out the Township Middle Loup River runs through the Township entering it at West Boundry of Sec 6 N and running East leaving it at Corner to Secs 1 and 12 this is a stream with an average width of about 10 chs it is shallow & swift current and Sandy Bottom. There is a few Willows in places along the River bank. with this exception the Township is Prairie

Township 19 North Range 19

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the foregoing field notes of Township No 19 North of the base line of Range No 19 West of the 6th Principal Meridian, showing the respective capacities in which they acted

Allard C. Peavey } Chainmen
Albert P. Janney }

Frank Littlefield } Axemen
Peter Bennett }

We hereby certify that we assisted John W. Daugherty Deputy Surveyor in Surveying the meanders and Subdivision lines of Township No 19 North of the base line of Range No 19 West

West of the 6th Principal Meridian

of the 6th Principal Meridian and that said Township has been in all respects to the best of our knowledge and belief, well and faithfully Surveyed, and the boundary monuments planted according to the instructions furnished by the Surveyor General

Allard C Peavey Chainman
Albert P Janney Chainman
Frank Littlefield Axman
Peter Bennett Axman

Subscribed and sworn to by the above named persons before me a Notary Public for the County of Dodge in the State of Nebraska this 9th day of Oct 1871

Gerd E Dorsey
Notary Public
Dodge Co Neb

For

60
360
400
57
59
80

Township 19 North Range 19 West of the 6th Principal Meridian

I John H Daugherty Deputy Surveyor do solemnly swear that in pursuance of a certain Contract whereby I John H Daugherty and Dan S Donahue are joint Contractors with E. E Cummings from United States Surveyor General for the District of Nebraska and Iowa bearing date the 2nd day of July 1872 I have well faithfully and truly in my own proper person and by Deputies employed by me strictly kept the instructions furnished by the Surveyor General the Surveying Manual and the laws of the United States Surveyed all those parts or portions of Township No 19 North of the base line & Range No 19 West of the 6th Principal Meridian in the State of Nebraska as represented in the foregoing field notes as having been Surveyed under my direction, and I do further solemnly swear that all the corners of said Survey have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions and that the foregoing are the true and original field notes of such Survey

John H Daugherty
Deputy Surveyor

Subscribed by the said John H Daugherty Deputy Surveyor and sworn to before me a Notary Public for the County of Dodge in the State of Nebraska this 12th day of Nov 1872

Geo E Dorsey
Notary Public
Dodge Co Neb

Surveyor Generals Office
Plattsmouth Feb 14th 1873

The foregoing Field Notes of the Subdivision of Township No 9 North of the Base line, of Range No 19 West of the 6th Principal Meridian in the State of Nebraska. Executed by John H Dungherty Deputy Surveyor under first Contract #1064 dated July 2d 1872 wherein John H Dunghe-rty was Dan. S. Parmelee are first Contractors. in the Months of Aug & September 1872 having been Critically Examined, the necessary Corrections & Explanations Made, the said Field Notes & the Surveys they discribe are hereby approved

E. E. Cunningham
Surveyor General

Field notes of the subdivision lines in Township 20 North Range 19 West of the 6th Principal Meridian in the State of Nebraska. Surveyed by John H Daugherty, Deputy Surveyor commenced Sept 6 1872 and concluded Sept 9 1872

Names and duties of assistants employed on subdividing Township 20 North Range 19 West of the 6th Principal Meridian in the State of Nebraska

Willard G. Peavey Chainman
Albert P. Jones Chainman

Frank Littlefield Axeman
Peter P. Bennett Axeman

Town 20 N. Range 19 W.

6	60	5	41	4	33	3	32	2	11	1	
59		58		43		32		21		10	
7	57	8	42	9	31	10	20	11	9	12	
62		56		41		30		19		8	
18	54	17	40	16	29	15	18	14	7	13	
53		52		39		28		17		6	
19	51	20	38	21	27	22	16	23	5	24	
50		49		36		26		15		4	
30	48	29	3	28	25	27	14	26	3	25	
47		46		35		24		13		2	
31	45	32	34	33	23	34	12	35	1	36	

Township 20 North Range 19 West of the 6th Principal Meridian

To determine the proper adjustment of my Compass for Subdividing the Township I commenced at the cor to Townships 19 & 20 North Ranges 18 & 19 West and ran North on a blank line along the East Boundry of Sec 36 Va 13° 12' East

3992 Co a point 7 lks East of the ¼ Sec Cor

7988 Co a point 14 lks East of the cor to Secs 25 & 36

To get true this line or any parallel thereto, my Compass must be adjusted to a Variation of 13° 18' East

Chains

A with between Secs 35 & 36 Va 13° 18' East

4000 Set Charcoal post mound of earth with pits as per instructions for Under Cor

8000 Set Charcoal post mound of earth with pits as per instructions for Cor to Secs 25 26 35 & 36

Signal gently rolling Prairie bottom

(2)

Township 20 South Range 19

Chains	
Chains	East on a random line between Secs 25 & 26 Va 13° 18' East
1200	Down 30 lks mile descends South
4000	Set Post for temporary ¼ Sec Cor
7976	Intersect the East boundy of the Township 30 lks South of East Cor to Secs 25 & 36 from which Cor a Pine South 89½ West 2 links Iron bolted on Secs 25 & 36 Va 13° 18' East
3988	Set Mound post mound of earth with pits as per instructions for ¼ Sec Cor
7976	Thence to Secs 25 26 35 & 36

Land gently rolling 1st Bottom

(3)

Westerly on 6th Principal Meridian

Chains	
Chains	North between Secs 25 & 26 Va 13° 18' East
1000	Ravine 15 lks wide descends S E
2300	Centre Ravine bottom and enters hills bears E and West
3100	Ravine 80 lks wide descends South East
4000	Set Mound post no mound of earth with pits as per instructions for ¼ Sec Cor
8000	Set Mound post no mound of earth with pits as per instructions for Corner to Secs 23. 24 25 & 26

South 23 chs Level bottom 1st rate soil balance hilly poor soil

Township 2 South Range 19

chains	East on a random line between Secs 24 & 25 Var 13° 15' East
40 00	Set post for temporary ¼ Sec Cor
61 00	Reach pt. on creek bears South
80 22	Subtract the East boundary of the Township 12 links North of post on to Sec 24, 25 from South Cor Chain
	North 84 ½° West on a line between Secs 24 & 25 Var 13° 15' East
40 11	Set chained post mi mound of earth with pits as per instructions for ¼ Sec Cor
80 22	The Cor to Secs 23, 24, 25 & 26
	Saul Valley 2 links pole

West of the 6th Principal meridian

chains	North between Secs 23 & 24 Var 13° 15' East
40 00	Set chained post mi mound of earth with pits as per instructions for ¼ Sec Cor
80 00	Set chained post mi mound of earth with pits as per instructions for Cor to Secs 13, 14, 23, & 24
	Saul valley 2 links pole

Township 20 North Range 19 West

Chains | Course and Distance | Remarks

Chains: Course and Distance

Var 18° East

5 50 — Drain 27 lks north descends SE

4 00 — Set post for Compromise Sec Cor

79 88 — Intersect the East boundary of the Township 72 lks North of post for the Sec 13 24 from which a Cor bears North 87 29' West a true line between Secs 13 & 24

Var 18° East

39 94 — Set chained post mi mound of earth with pits as per instructions for 4 Sec Cor

79 86 — The Cor to Secs 13, 14, 23 & 24

Sand broken hills & vale Soil

of the 6th Principal Meridian

Chains: Course and Distance

North between Secs 18 & 19 "Var 18° East"

2 90 — Drain 22 lks wide descends SE

4 00 — Set chained post mi mound of earth with pits as per instructions for 4 Sec Cor

42 00 — Drain 60 lks wide descends S, E

80 00 — Set chained post mi mound of earth with pits as per instructions for Cor to Secs 11, 12, 13 & 14

Sand broken hills & vale Soil

Township 20 North Range 19 West

Chains	East on a random line between Secs 12 & 13 Va 18° 15' East
4.00	Set post for temporary ¼ Sec Cor
8.32	Intersect the East boundary of the Township 16 lks South of post for ¼ Sec between Secs 12 & 13 from which Cor a pine bears South 84° 53' West on a true line between Secs 12 & 13 Va 3° 15' East
4.16	Set Stone post mound of earth with pits as per instructions for ¼ Sec Cor
8.32	The Cor to Secs 11. 12 13 and 14

Land rolling & rich Soil

of the 6th Principal Meridian

Chains	North between Secs 11 and 12 Va 13° 15' East
4.00	Set Stone post mound of earth with pits as per instructions for ¼ Sec Cor
8.00	Set Stone post mound of earth with pits as per instructions for Cor to Secs 1. 2, 11 and 12

Land broken & rich

Township 21 North Range 19 West

Chains	East on a random line between Secs 1 and 12
	Va 13° 18' East
2401	Set post for temporary Sec Cor
7964	Intersect the East boundary of this Township 5 lks North of post Cor to Secs 1 and 12 from which Cor I own Capt. E. 38 Feet on a tan line between Secs 1 and 12
	Va 13° 18' East
3952	Set Chained post mi mound of earth with pits as per instructions for ¼ Sec Cor
7964	Tan Cor to Secs 1. 2. 11. and 12
	Land rolling good Scale Soil

Township 21 North Range 19 West of the 6th Principal Meridian

Chains	North on a true line between Secs 1 and 12
	Va 13° 18' East
2401	Reno 65 lks mile down to N W
3952	Set Chained post mi mound of earth with pits as per instructions for ¼ Sec Cor
7913	Intersect the North boundary of the Township 5th Standard Parallel 580 lks E of the ¼ Sec Cor on the South boundary of Sec 36 Township 21 North Range 19 West returned Set Chained post mi mound of earth with pits as per instructions for closing Corner to Secs 1 and 2
	South 30 lks rolling good Scale balance very broken Scale

Township 20 South Range 19 West

Chains

North between Secs 34 & 35
Va 18' East

1000 Set Ahamed post mound
of earth with pits as per
instructions for ¼ Sec Cor

2000 Set Ahamed post mound
of earth with pits as per instructions
for Cor to Secs 26, 27 34 & 35

Sand gently rolling bottom
1st rate soil Sept 5 1872

Of the 6th Principal Meridian

Chains

East on a random line
between Secs 26 & 35
Va 18' East

1000 Set post for temporary ¼
Sec Cor

2000 Intersect the N & S line 5 links
North of post Cor to Secs
25 26 35 & 36 from
which Cor a pine
North 84 30' West dist
line between Secs 26 & 35
Va 18' East

4000 Set Ahamed post mound of earth with pits
as per instructions for ¼ Sec
Cor

5000 The Cor to Secs 26, 27 34 & 35
Sand gently rolling bottom
1st rate Soil

Township 20 North Range 19 West of the 6th Principal Meridian

Chains		Chains	
	North between Secs 20 & 29 West 18 East		East on a random line between Secs 28 & 29 West 18 East
2000	Line Bottom & Ends hills Secs E & W	90	Raised 75 lks mile dis mks S.
4000	Set Stone & post mi mound of earth with pits as per instructions for ¼ Sec Cor	3600	Raised 120 lks mile dis mks S.
		4000	Set post for Temporary ¼ Sec Cor
		7600	Raised 80 lks mile dis mks South
8000	Set Stone & post mi mound of earth with pits as per instructions for Cor to Secs 22. 23 20 & 29	8049	Intersect the N. bank of [illegible] 37 lks North of post Cor to Secs 23, 24 25 & 26 from which Cor a pine bears South 8 9 44 West on a line between Secs 28 & 29 West 18 East
		4024	Set Stone & post mi mound of earth with pits as per instructions for ¼ Sec Cor
		8049	The Corner to Secs 22. 23 26 & 27
	South 20 chs gentle rising Bottom 1st mile Dark Loamy rising hills 2 mile		Land hilly 2 mile Dark

Township 21 South Range 19

Chains	North between Sec 27 & 28 Va 13° 15' East	
4.00	Set chained post mound & earth with pits as per instructions for ¼ Sec Cor	
8.00	Set Chained post mound & earth with pits as per instructions for Cor to Secs 14, 15, 22 & 23	
	Land hilly & rocky Soil	

West of the 6th Principal Meridian

Chains	East on a random line between Secs 15 and 22 Va 13° 15' East
31.80	Cr. Ponca 15 lks wide Course N. E
4.00	Set post for temporary ¼ Sec Cor
8.79	Intersect the N bdy of Lot 2 lks South of post Cor to Secs 13, 14 23 and 24 from which Cor a Cedar 8 in diam bears South 89° 30' West 0.50 links distant
40.14½	Set Chained post mound & earth with pits as per instructions for ¼ Sec Cor
80.29	The Cor to Secs 14, 15, 22 & 23
	Land rolling & rocky Soil

Township 20 North Range 19

Chains	North between Secs 14 & 15 Var 18° East
4.00	Set Stone post mound of earth with pits as per instructions for ¼ Sec Cor
6.50	Dram' 20 lks wide downs E. & E.
5.00	Set Stone post mound of earth with pits as per instructions for Corner to Secs 10. 11. 14 & 15 —
	Land rolling & rich Soil

West of the 6th Principal Meridian

Chains	East on a random line between Secs 11 and 14 Var 18° East
24.50	Dram' 20 lks wide downs E.
39.40	Dram' 25 lks wide downs E. & E.
40.00	Set post mound & pits for ¼ Sec Cor
78.50	Ravine 15 wide downs South
80.78	Intersect N. & S. line ¼ chs South of post Cor to Secs 11. 12. 13 & 14 from which Cor I run South 64° 15' West on a line between Secs 11 and 14 Var 18° East
4.04	Set Stone post mound of earth with pits as per instructions for ¼ Sec Cor
80.78	The Cor to Secs 10. 11. 14 and 15 Land rolling & rich Soil

Township 20 North Range 19

Chains	
Chains	North between Secs 10 & 11 Var 18° 18 East
1800	Ø gan 20 lks right deemed S
4000	Set Chained post gi mound of earth with pits as per instructions for ¼ Sec Cor
8000	Set Chained post mi mound of earth with pits as per instructions for Cor to Secs 2. 3. 10 & 11
	Land rolling & rocky

West of the 6th Principal Meridian

Chains	
Chains	East on a random line between Secs 2 & 11 Var 18° 18
4000	Set post for Compensating ¼ Sec Cor.
8048	Intersect the N & S line 2 chs South of post Cor to Secs 1. 2. 11 & 12 from which Cor Ø gan South 89° 48' West on a true line between Secs 2 & 11 Var 18° 18' East
8048	Set Chained post mi mound of earth with pits as per instructions for ¼ Sec Cor
8046	The Cor to Secs 2. 3. 10 & 11
	Land rolling good & rich Soil

Township 20 South Range 19

Chains	
	North on a true line between Secs 2 and 3 Var 18° 18' East
4100	Set Stone and post mound of earth with pits as per instructions for 1/4 Sec Cor
7744	Intersect the North boundary of the Township 5th Standard Parallel 6.45 chs E of the 1/4 Sec Cor on the South boundary of Secs 35 Township 19 South Range 19 West, set stone and post mound of earth with pits as per instructions for Closing Cor to Secs 2 and 3
	Land rolling good 2nd rate Soil

West of the 6th Principal Meridian

Chains	
	North between Secs 33 & 34 Var 18 18 East
2000	Set Stone and post mound of earth with pits as per instructions for 1/4 Sec Cor
8000	Set Stone and post mound of earth with pits as per instructions for Corner to Secs 27, 28, 33 & 34
	Land level bottom 1st rate Soil Sept 6 1872

Township 21 South Range 19

Chains	Meridian
	East between Secs 27 & 34
	Va 13 18 East
2400	Ranni 7 lks wide bounds &
4000	Set post for temporary ¼
	Sec Cor
7962	Intersect thy N & S Line & lks
	South of post Cor to Secs 26, 27
	34, 35 from which an Oran
	bears S 85° W distant
	one link between Secs 27 & 34
	Va 13 18 East
3971	Set Charred post mound
	of earth with pits as per
	instructions for ¼ Sec Cor
7982	The Cor to Secs 27, 28, 33 & 34
	Land gently rolling & Soil
	1st rate Soil

West of the 6th Principal Meridian

Chains	North between Secs 27 & 28
	Va 13 18
2500	Leave bottom and enter hills
	bears East and West
3300	Drain 18 lks wide bounds
	South East
4000	Set Charred post mound
	of earth with pits as per
	instructions for ¼ Sec Cor
8000	Set Charred post mound
	of earth with pits as per
	instructions for Corners to
	Secs 21, 22, 27 & 28
	South 23.00 lks gently rolling broken
	1st rate Soil. Saline hilly & rocky

Township 20 South Range 19 West

	Chains	East on a random line between Secs 22 & 27 Va 13° 18' East
	3.00	Range 1.50 lks mile diamds South
	4.00	Set post for temporary 1/4 Sec Cor
	5.00	Range 1.50 lks mile diamds S & E
	8.22	Intersect the A & S line 11 lks North of post on b. Secs 22, 23 26 & 27 from which cedar bears North 89° 53' West on a true line between Secs 22 and 27 Va 13° 18 East
	4.11	Set Shaved post w/ mound of earth with pits as per instructions for 1/4 Sec Cor
	5.22	The Cor to Secs 21, 22, 27 & 28

Land hilly & rocky soil

of the 6th Principal Meridian

	Chains	North between Secs 27 and 22 Va 13° 18' East
	12.00	Range 11.50 lks mile diamds E.
	40.00	Set Shaved post w/ mound of earth with pits as per instructions for 1/4 Sec Cor
	80.00	Set Shaved post w/ mound of earth with pits as per instructions for Corner to Secs 15, 16, 21 and 22

South 40 chs very broken 3rd rate land balance rolling 2nd rate land

Township 20 South Range 19 West

Chains	East on a random line between Secs 15 and 22 Va 13. 18 East	
4000	Set Post for temporary ¼ Sec Cor	
7986	Intersect the S dist line 28 lks South of Joint Corn Secs 16, 15, 22 & 21 from which an Oak bears South 84 48 West dist line between Secs 15 and 22 Va 13 18 East	
3993	Set Chained post mi mound of earth with pits as per instructions for ¼ Sec Cor	
7986	The Cor to Secs 15, 16, 21 & 22	
	Land nothing good Dale Soil	

of the 6th Principal Meridian

Chains	North between Secs 15 and 16 Va 13. 18 East
4000	Set Chained post mi mound of earth with pits as per instructions for ¼ Sec Cor
8000	Set Chained post mi mound of earth with pits as per instructions for Corner to Secs 9, 10, 15 and 16
	Land nothing good Dale Soil

Township 21 North Range 19

	Chains	East on a random line between Secs 18 and 13 Va 13 18 East
	80	Drain 25 lks wide 6 inds deep
	4000	Set post for temporary Sec Cor
	3600	Point 80 lks wide 6 inds deep
	800	Intersect the N & S line 8 lks N of post on b Secs 18, 13, 14, 19 from which bears North 89 37 West on a true line between Secs 18 and 13 Va 13, 18 East
	4000	Set Stone post mounded of earth with pits as per instructions for 1/4 Sec Cor
	8000	The Cor to Secs 7, 18, 13 & 18

Land rolling & rich Soil

West of the 6th Principal Meridian

Chains	North between Secs 7 and 18 Va 13 18 East
80	Drain 26 lks wide 6 inds deep
4000	Set Stone post mounded of earth with pits as per instructions for 1/4 Sec Cor
8000	Set Stone post mounded of earth with pits as per instructions for Corner to Secs 13, 24, 7 and 18

Land rolling & rich soil

Township 20 South Range 19

Chains	East on a random line between Secs 3 & 4 Va 18° East
3.50	Ranni 1.50 Cks void descends B.T.
4.00	Set Post for temporary 1/4 Sec Cor
8.16	Intersect the A.D. line 18 Lks South of Post Cor to Secs 2,3,10 & 11 from which Ord Cor North 80.5 Links West on the line between Secs 3 & 10 Va 18° East
4.06	Set Chained Post & mound of earth with pits as per instructions for 1/4 Sec Cor
8.16	the Cor to Secs 3,4,9 & 10

Land rolling 2nd rate

West of the 6th Principal Meridian

Chains	North on a true line between Secs 3 & 4 Va 18° East
1.20	Ranni 2.5 Lks void descends B.T.
4.00	Set Chained Post & mound of earth with pits as per instructions for 1/4 Sec Cor
76.76	Intersect the North boundary of the Township 5th Standard Parallel 7.06 Lks E of the 1/4 Sec Cor on the South boundary of Sec 34 Township 2 North Range 19 West whence I set Chained Post & mound of earth with pits as per instructions for Closing Corner to Secs 3 & 4

Land moderately rolling good 2nd rate Soil

Township 20 North Range 19

Chains	North between Secs 32 & 33	
	Va 13 18 East	
40 00	Set Channel post mi mound	
	of earth with pits as per	
	instructions for ¼ Sec Cor	
80 00	Set Channel post mi mound	
	of earth with pits as per	
	instructions for Corner to	
	Secs 28 29 32 33	
	South 30.00 chs very Sandy	
	& rate balance 1st rate soil	
	all gently rolling bottom	

West of the 6th Principal Meridian

Chains	East on a random line
	between Secs 28 and 33
	Va 13 18 East
40 00	Set post for temporary
	¼ Sec Cor
80 12	Deviated the N&S line at
	post Cor to Secs 29, 28, 32 & 33
	from which Cor Iron
	West on a true line between
	Secs 28 and 33
	Va 13 18 East
40 06	Set Channel post mi mound
	of earth with pits as per
	instructions for ¼ Sec Cor
80 12	The Cor to Secs 28, 29 32 33
	Sand gently rolling bottom
	1st rate Soil

Township 20 South Range 19

40 chains	North between Secs 28 & 29 Var 13° 18' East
2000	Leave bottom of Eden hills begins E and W
1000	Set chained post mound of earth with pits as per instructions for 1/4 Sec Cor
2000	Set chained post mound of earth with pits as per instructions for Corner to Secs 20 21 28 and 29
	Land South 20 ch Ohs Level bottom 1st rate balance rolling hill 2d rate Soil Sept 7th 1872

West of the 6th Principal meridian

40 chains	East on a random line between Secs 21 and 28 Var 13° 18' East
3900	Reach P.O. the mile descends E.C.
4000	Set post for temporary 1/4 Sec Cor
8040	Cylinder Ohs N 80 chs 14 lks South of post Cor to Secs 21 22 27 and 28 from which Cor I ran South 89° 54' West on a true line between Secs 21 and 28 Var 13° 18' East
4020	Set chained post mound of earth with pits as per instructions for 1/4 Sec Cor to the Cor to Secs 20 21 28 and 29
8040	West 30 chs rolling good 2d rate Soil balance very broken 3d rate

Township 20 South Range 19

Chains	North between Secs 20 & 21
	Va 13° 15' East
2100	Ranne 50 lks wide deserts
	N 37°
3600	Ranne 1,50 chs wide deserts
	N 37°
4100	Set Chained post mi mound
	of earth with pits as per
	instructions for 1/4 Sec Cor
5300	Ranne 50 lks wide deserts N.
5700	Set Chained post mi mound
	of earth with pits as per
	instructions for Cor to Secs
	16, 17, 20, 21
	Land broken 3 sides

West of the 6th Principal Meridian

Chains	East on a random line between
	Secs 16 and 21
	Va 13° 15' East
4100	Set Chained post mi mound
8118	of earth with pits as per
	instructions for 1/4 Sec Cor
	South of post Cor to Secs
	13, 16, 21 and 22 from which
	Cor a pine
	South 87° 45' West on a true line
	between Secs 16 and 21
	Va 13° 15' East
4100	Set Chained post mi mound
	of earth with pits as per
	instructions for 1/4 Sec Cor
8818	Sec Cor to Secs 16, 17, 20 & 21
	Land rolling good 2 inches soil

Township 21 North Range 19

Chains	North between Secs 16 and 17 West of 6th P.M.	
3730	Ravine 125 wide descends SW	
4000	Set Channel post mound & earth with pits as per instructions for 1/4 Sec Cor	
8000	Set Channel post mound & earth with pits as per instructions for Cor to Secs 8, 9, 16 and 17	

Land rolling good 2nd rate soil

West of the 6th Principal Meridian

Chains	East on a random line between Secs 9 and 16 Tp 21 N Range 18 West
2700	Ravine 80 lks wide descends South
4000	Set post for temporary 1/4 Sec Cor
4150	Drain 2 lks wide descends South
8009	Intersect the N & S line 7 lks South of post Cor to Secs 9, 10 15 and 16 from which Cor bears North 89° 57' West on a random line between Secs 9 and 16 Tp 21 N Range 18 West
4004½	Set Channel post mound & earth with pits as per instruction for 1/4 Sec Cor
8009	the Cor to Secs 8, 9, 16 and 17

Land rolling good 2nd rate soil

Township 20 North Range 19 West of the 6th Principal Meridian

Chains
North fifteen Lks & Links
Va 18' 18" East
800 Set Chained post mi monmd
& south with pits as per
instructions for 1/4 Sec Cor
8000 Set Chained post mi
mound & south with
pits as per instructions
for Corner to Secs 4 5,8,9

Land rolling good & sale Soil

Chains
Edge of a pond on mi bdry
Secs 4 & 9
Va 13' 18' East
800 Down 20 lks to mi chained South
1600 set post for temporary 1/4 Sec Cor
7976 Inclinced the N & thence 20 lks
South of post for to Secs 3,4,9,10
from which Corner I run
South 89° 51' West on mi
bdry between Secs 4 & 9
Va 13' 18' East
3988 Set Chained post mi mound
& south with pits as per
instructions for 1/4 Sec Cor
7976 The Cor to Secs 4,5,8 & 9

Land rolling good & sale
Soil

Township 20 North Range 19 West

Mound North on a true line between Secs 4 and 5 — Va 13° 18' East

2.50 Pgonic 70 lks wide deprnds South East

4.00 Set Channel post mi mound of earth with pits as per instructions for 1/4 Sec Cor

7.83 Subject the North Boundary of the Township 5 Standard Parallel 8.00 chs E. of the 1/4 Sec Corner on the South Boundary of Secs 33 Township 21 North Range 19 West of the 6th Principal Meridian whence I set Channel post mi mound of earth with pits as per instructions for Closing Corner to Secs 4 and 5

Land rolling 2nd rate corn

of the 6th Principal Meridian

Mound North between Secs 31 and 32 Va 13° 18' East

40.00 Set Channel post mi mound of earth with pits as per instructions for 1/4 Sec cor

80.00 Set Channel post mi mound of earth with pits as per instructions for for Corner to Secs 29 30 31 and 32

Land rolling bottom Sandy soil 2nd rate

Township 28 North Range 19

Chains | East on a random line between Secs 29 and 32 Va 18' 18 East

1901 | Down 28 Lks with descend. 8,
2000 | Set post for temporary ¼ Sec Cor
7961 | Deviate Up A & S Chs 18 Lks North of post Cor to Secs 28,29 32 733 from which Cor I ran North 93 2/3 West on a true line between Secs 29 732 Va 13 18' East
3980½ | Set charred post mound of earth with pits as per instructions for ¼ Sec Cor
7961 | The Cor to Secs 29, 30, 31, 732

East 20 Chs 1st rate land balance Sandy Soil all gentle rolling bottom

West of the 6th Principal Meridian

Chains | West on a random line between Secs 30 and 31 Va 13 18 East
4000 | Set post for temporary ¼ Sec Cor
7885 | Deviate the West boundary of the Township 15 Lks North of post Cor to Secs 30 and 31 from which Cor I ran North 87 3/4 East on a true line between Secs 30 and 31 Va 13' 18' East
3883 | Set charred post mound of earth with pits as per instructions for ¼ Sec Cor
7885 | The Cor to Secs 29 30 31 and 32

Land gently rolling bottom Sandy Soil

Township 20 South Range 19

Chains	North between Secs 29 30 Va 13° 18' East
20,00	Land Rising, bottom and over rolling hills Secs 29 30
40,00	Set Chained post mi mound of earth with pits as per instructions for 1/4 Sec Cor
61,00	Ravine 35 lks wide descends S.E.
80,00	Set Chained post mi mound of earth with pits as per instructions for Corner to Secs 19, 20 29 & 30

Bottom gently rolling & land Hill side rolling hills
2 rods

Sept 8" 1872

West of the 6th Principal meridian

Chains	East on a random line between Secs 20 & 29 Va 13° 18' East
28,00	Ravine 30 lks wide descends South
40,00	Set post for temporary 1/4 Sec Corner
79,78	Intersect the N & S line 4 lks North of post Cor to Secs 20, 21 28 & 29 from which Cor a Cedar North 89° 38' West on a true line between Secs 20 & 29 Va 13° 18' East
39,89	Set Chained post mi mound of earth with pits as per instructions for 1/4 Sec Cor
79,78	The Corner to Secs 19, 20, 29 & 30

Land mostly very broken
3 rods

Township 20 North Range 19

Chains	West on a random line between Secs 19 and 30
	Va 13° 18' East
2000	Ravine 2 to 4 links wide descends S, E
4000	Set post for temporary 1/4 Sec Cor
7600	Ravine 4 to 6 links wide descends S, E
7890	Intersect the West boundary of the Township 14 Chs North of post Cor to Secs 19 and 30 from which Corner Bears North 89° 54' East on a true line between Secs 19 and 30
	Va 13° 18 East
3891	Set Channel post mi mound of earth with pits as per instructions for 1/4 Sec Cor
7890	the Cor to Secs 19, 20, 29 & 30 Land broken S side

West of the 6th Principal Meridian

	North between Secs 19 and 20
	Va 13° 18' East
Chains 4000	Set Channel post mi mound of earth with pits as per instructions for 1/4 Sec Cor
4700	begin to descend Sandy bluff
5000	To foot of bluff 90 feet high and ever Ravine descends S, E
6200	Leave Ravine and begin to ascend Steep hill Bears N 70 W
6400	To top of hills
8000	Set Channel post mi mound of earth with pits as per instructions for Corner to Secs 17, 18, 19 and 20
	Land very broken S side

Township 20 South - Range 19

Drain	East on a random line between Secs 17 and 20 Va 13° 18' East
2000	Set post for temporary 1/4 Sec Cor
6100	Ravine 170 lks wide descends S
7962	Left edge of the N & S line 30 lks South of post on S. Secs 16 17 20 and 21 from which Cor Brass South 89° 47' West on a true line between Secs 17 and 20 Va 13° 18 East
3981	Set Stamed post in mound of earth with pits as per instructions for 1/4 Sec Cor
7962	The Cor to Secs 17, 16, 17 and 20
	Land East & rocky broken & sale balance rolling & sale

West of the 6th Principal Meridian

Drain	West on a random line between Secs 18 and 19 Va 13° 18' East
2000	Begin to descend Steep banks Brass N, W & S, E
2130	To foot of bank 30 feet high
4000	Set post for temporary 1/4 Sec Cor
4300	Drain 20 lks wide Descends S, E
4600	To foot of Steep bluff Brass N W & E
4720	To top of Bluff 70 feet high Brass N W & E
7963	Intersect the West boundary of the Township 28 lks N of post Cor to Secs 18 and 19 from which Cor Brass run North ~~South~~ 89° 48' East on a true line between Secs 18 & 19, Va 13° 18 East
3963	Set Stamed post in mound of earth with pits as per instructions for 1/4 Sec Cor
7963	The Corner to Secs 17, 18, 19 & 20 Land very broken & sale

Township 21 North Range 19

Chains	North between Secs 17 & 18 Va 13° 18' East
40.00	Set Chained post, pit, mound of earth with pits as per instructions for 1/4 Sec Cor
80.00	Set Chained post, pit, mound of earth with pits as per instructions for 1/4 Sec Cor to Secs 7, 8, 17 & 18
	Land rolling & rocky

West of the 6th Principal Meridian

Chains	East on a random line between Secs 8 and 17 Va 13° 18' East
40.00	Set post for temporary 1/4 Sec Cor
60.00	Drain 19 lks wide Easterly
80.32	Intersect the N & S line 23 lks N of the post for 1/4 Sec Cor to Secs 8, 9, 16 and 17 from which bears Oak 12 links South 89° 30' West on the line between Secs 8 and 17 Va 13° 18' East
40.11	Set Chained pit, pit, mound of earth with pits as per instructions for 1/4 Sec Corner
80.22	the Corner to Secs 7, 8, 17 & 18
	Land rolling & rocky Soil

Township 20 South Range 19 West

Chain

West on a random line
between Secs 7 and 18
T 20 S R 19 E

37.00 To top of Steep Bluff bears N 11 W
3600 To foot of Bluff 60 feet high
4.00 Set post for temporary 1/4 Sec Cor
4.00 Chain 20 links with descends E, E
43.00 Steep bank 30 feet high bears
N W & S E

79.44 Intersect the West boundary of the Township 75 links North of post Corner to Secs 7 and 18 from which Corner I bear North 89° 28' East on a true line between Secs 7 and 18 T 20 S R 19 E

39.44 Set Charred post mound of earth with pits as per instructions for 1/4 Sec Cor
79.44 The Cor to Secs 7, 8, 17 and 18

Land hilly & rocky Soil

of the 6th Principal Meridian

Chain

North between Secs 7 and 8
T 20 S R 19 E

41.00 Set Charred post mounded of earth with pits as per instructions for 1/4 Sec Cor
60.00 Leave rolling and entirely broken land and Timber bears E and W.
73.00 Leave Timber bears E and W
80.00 Set Charred post mounded of earth with pits as per instructions for Cor to Secs 5, 6, 7, 8 from which
An Ash 22 in. dia bears N 47 E 1.40 dist
An Ash 18 in. dia. bears N 38 West 1.07 dist

Land South 60 chs rolling good 2 inds Soil South 26 chs very broken & stony
The Timber noted on this line is Red Cedar, large trees

Township 28 North Range 13

Chains	East on a random line between Secs 5 and 8 Va 13° 18' East
130	Canyon 5.00 chs wide 60 feet deep Cedars South bank and small trees along bottom of Canyon
30.00	Cedar Grove bears N & S South
40.00	Set post for temporary 1/4 Sec Cor
42.00	Cedar Grove and ends Prairie bears N 40° E
80.26	Intersect the N.S. line at post Corner to Secs 4, 5 & 8 from which Cor I am West on a true line between Secs 5 and 8 Va 13° 18' East
40.14	Set charred post mound of earth with pits as per instructions for 1/4 Sec Cor from which N Red Cedar 10 in. dia bears E 10 W 25 links dist N Red Cedar 12 in. dia bears S 78 E 42 links dist
80.28	The Cor to Secs 5, 6, 7 and 8 Land very broken & rocky

West of the 6th Principal Meridian

Chains	West on a random line between Secs 6 and 7 Va 13° 18' East
40.00	Set post for temporary 1/4 Sec Cor
79.00	Intersect the West boundary of the Township 12 lks South of post Corner to Secs 6 and 7 from which Cor I am South 89° 55' East on a true line between Secs 6 and 7 Va 13° 18' East
39.00	Set charred post mound of earth with pits as per instructions for 1/4 Sec Cor
79.00	The Corner to Secs 5, 6, 7 and 8

Land broken & rocky

Township 20 North Range 19 West of the 6th Principal Meridian

	Dains North on a true line between Secs 5 & 6 Va 13° 18'	General Description
100	Cedar Timber bears East	This is a good Township of land except part in the Northern and Western part of the Township where it is broken. the land on the River bottom is excelent and well adapted for cultivation the soil on the hills is nearly equaly as good as the bottom but as it is mostly rolling or hilly it is not so valuable But is a good growth of grass throughout. The Timber that is good Timber in Sec 3. 5. 6. 7 and 8 It is mostly Red Cedar. some Ash Cottonwood. Box Elder Red Elm
200	Ravine 150 wide descends S. E.	
4000	Set Stoned post in mound of earth with pits as per instructions for 1/4 Sec Corner to which	
	A Red Cedar 9 ins dia bears S 20 E 7 links dist	
4400 7663	A Cottonwood 10 ins dia bears S 16 W 40 links dist Legal portion and pile of stones bears E. Intersect the N. boundary of the Township 58 Chs and 22 Links a Parallel N. 8.45 chs E. of the 1/4 Sec Cor on the South boundary of Secs 31 Township 21 North Range 19 West whence I set Stoned post in mound of earth with pits as per instructions for Closing Corner to Secs 5 and 6	
	Land very broken East to the South bank of the river which on this line is a good timber Red Cedar Ash and Cottonwood	

Sept 9 1872

Township 21 North Range 19

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the foregoing field notes of Township No 20 North of the base line of Range No 19 West of the 6th Principal Meridian Showing the respective capacities in which they acted

Allard C. Peavey } Chainmen
Albert P. Janney }

Frank R Littlefield } Axemen
Peter Bennett }

— — — — —

We hereby certify that we assisted John W. Daugherty, deputy Surveyor in Surveying and Subdividing Township No 20 North of the base line of Range No 19 West of the 6th Principal

West of the 6th Principal Meridian

Meridian, and that said Township has been in all respects to the best of our knowledge and belief, well and faithfully Surveyed, and the boundary monuments planted according to the instructions furnished by the Surveyor General

Allard C Peavey. Chainman
Albert P. Janney Chainman
Frank R. Littlefield Axeman
Peter Bennett Axeman

Subscribed and sworn to by the above named persons before me a Notary Public for the County of Dodge and the State of Nebraska this 9th day of Oct 1872

Geo N E Dorsey
Notary Public
Dodge Co Neb

I John H Daugherty Deputy Surveyor do solemnly swear that in pursuance of a joint Contract wherein John H. Daugherty and Dan B Emmitt are joint Contractors with E. E Cunningham United States Surveyor General for the District of Nebraska and Iowa bearing date the 2nd day of July 1872 I have well faithfully and truly in my own proper person and in strict conformity with the instructions furnished by the Surveyor General the Surveys required and the laws of the United States Surveyed all those portions of Township No 20 North of the base line of Range 10 to 13 West of the 6th Principal Meridian as are represented on the foregoing field notes as having been Surveyed under my direction and I do further solemnly swear that all the Corners of said Survey have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions. And that the foregoing are the true and original field notes of such Survey

John H. Daugherty
Deputy Surveyor

Subscribed by the said John H Daugherty Deputy Surveyor and sworn to before me a Notary Public for the County of Dodge in the State of Nebraska This 12th day of Nov 1872

Geo N Dorsey
Notary Public
Dodge Co Neb

Surveyor Generals Office
Plattsmouth Feb. 14th 1873

The accompanying Field Notes of the Survey & Subdivision of Township No 20 South of the Base line. of Range No 19 West of the 6th Principal Meridian in the State of Nebraska. Executed by John W Daugherty Deputy Surveyor under joint Contract No 64 dated July 2d 1872 wherein John W. Daugherty & Dan. S. Parmelee are joint Contractors in the Month of September 1872 having been Critically Examined, the necessary Corrections & Explanations made, the said Field Notes & the Surveys they describe are hereby Approved

E. E. Cunningham
Surveyor General

General Land Office • Original Field Notes

Book Number

435

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.