General Land Office • Original Field Notes

Book Number

437

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Township 25 North Range 19

Town 25 N. Range 19 W

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

West of the 6th Principal Meridian

Field notes of the Subdivision lines in Township No. 25 North of the Base Line, Range No. 19 West of the 6th Principal Meridian in the State of Nebraska. Surveyed by John N. Daughtry Deputy Surveyor Commenced July 24th 1874 and Completed July 29th 1874

Township 25 North Range 19 West of the 6th Principal Meridian

Names and Duties of Assistants employed in Subdividing Township No 25 North of the Base Line Range No 19 West of the 6th Principal Meridian in the State of Nebraska

John Ingersoll } Chainman
Edward Davis }

James R Ford Monumentman

Herbert Gould Flagman

Commencing on the 6th Standard Parallel Corner to Township 25 North of the Base Line Ranges 18 and 19 West of the 6th Principal Meridian with Young improved Solar Compass in proper adjustment I run North along the East boundary of Sec 36

Variation 13° 22' E

3998 To 1/4 Sec Cor

7996 To Sec Cor to Secs 25 & 36

Township 25 North Range

North between Secs
35 and 36
Va 13° 22' East

4000 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for 1/4
sec Cor No timber or
stone to be found with
which to mark Cor

8000 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for Cor to
Secs 25 26 35 and 36
No timber or stone to
be obtained to mark
Cor

Land high broken
sand hills 3 mile

19 West of the 6th Principal Meridian

East on a random line
between Secs 25 and 36
Va 13° 22' East

4000 Marked point for temporary
1/4 sec Cor

8072 Intersect the North and
South line 42 lks North
of mound Cor to Secs 25
and 36 from which Cor
I ran North 89° 42' West
on a true line between
Secs 25 and 36
Va 13° 22' East

4006 Raised mound of earth 3 ft
high from pits 20 x 30 in and
12 in deep for 1/4 sec Cor
No timber or stone to be
obtained to mark Cor

8072 The Cor to Secs 25 26 35 &
36

Land high broken sand
hills 3 mile

Township 25 North Range 19

North between secs. 25 and 26

Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor No timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 23 24 25 and 26 No timber or stone to be procured to mark Cor

Land sand hills worthless

West of the 6th Principal Meridian

East on a random line between secs 24 and 25

Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

8030 Intersect the East boundary of the Township 27 lks North of Mound Cor to secs 24 and 25 from which Cor

I ran North 89° 48' West on a true line between secs 24 and 25

Va 13° 22' East

4015 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor No timber or stone to be obtained to mark Cor

8030 The Cor to secs 23 24 25 and 26

Land mostly sand hills

3 rate

Township 25 North Range

North between secs 23 and 24

Va 13° 22' East

40,00 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

80,00 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 13 14 23 and 24 No timber or stone to be obtained to mark corner

Land sand hills 3 rate

19 West of the 6th Principal Meridian

East on a random line between secs 13 and 24

Va 13° 22' East

40,00 Marked point for temporary 1/4 sec Cor

80,21 Intersect the ~~North and~~ East boundary of the Township 34 lks North of mound Cor to secs 13 and 24 from which Cor

I run North 89° 45' West on a true line between secs 13 and 24

Va 13° 22' East

40,00 10½ 1½ Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor No timber to be obtained to mark corner

80,21 The Cor to secs 13, 14, 23 and 24

Land sand hills 3 rate

Township 25 North Range 19

North between 13 and 14
Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor
No timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 11, 12, 13 and 14 No timber or stone to obtained to mark Cor

Land sand hills 3 rate

West of the 6th Principal Meridian

East on a random line between secs 12 and 13
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

8014 Intersect the East boundary of the Township 37 lks West of mound Cor to secs 12 & 13 from which Cor
I cause North 89° 44' West on a true line between secs 12 and 13
Va 13° 22' East

4007 Raised mound of earth 3 ft high from pits 20 x 30 in & 12 in deep for 1/4 sec Cor
No timber or stone to be obtained to mark Cor

8014 The Cor to secs 11, 12, 13 & 14

Land sand hills 3 rate

Township 25 North Range 19

North between Secs 11 and 12

Va 13' 22" East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 1, 2, 11 and 12 no timber or stone to be obtained to mark Cor

Level sand hills 3 rate

West of the 6th Principal Meridian

East on a random line between Secs 1 and 12

Va 13' 22" East

4000 Marked point for temporary 1/4 sec Cor

8000 Intersect the East boundary of the Township 18 lks North of mound Corner to secs 1 & 12 from which Cor I ran North 89° 52' West on a true line between Secs 1 and 12

Va 13' 22" East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Corner

8000 The Cor to secs 1, 2, 11 & 12

Level sand hills 3 rate

July 24th 1874

Township 25 North Range 19

North on a random line
between secs 1 and 2
Va 13 22' East
4000 Marked point for temporary
1/4 sec Cor
7966 Intersect the North boundary
of the Township 3 lks West
of mound Cor to secs 1 & 2
from which Cor
I run South 1' West on
a true line between secs
1 and 2
Va 13 22 East
3966 Raised mound of earth 3 ft
high from pits 20 x 30 in and
12 in deep for 1/4 sec Cor
no timber or stone to be
obtained to mark Cor
7966 The Cor to secs 1, 2, 11 & 12

Land rolling clay hills 2
mile [illegible]

West of the 6th Principal Meridian

North between secs 34 & 35
Va 13 22 East
3000 Leave sand hills & enter
level burn brass E & W
4000 Raised mound of earth
3 ft high from pits 20 x 30 in
and 12 in deep for 1/4 sec
Cor
5000 Leave burn & enter sand
hills brass E & W
8000 Raised mound of earth 3 ft
high from pits 20 x 30 in & 12
in deep for Cor to secs 26 27
34 and 35 no timber or stone
to be obtained to mark corners

Land in burn 1st mile - balance
sand hills 3 mile

Township 25 North Range 19

West of the 6th Principal Meridian

East on a random line between secs 26 and 35
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

7996 Intersect the North and South line 23 lks South of mound Cor to secs 25 26 35 and 36 from which Cor I run South 89° 50' West on a line line between secs 26 and 35
Va 13° 22' East

3998 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber to be obtained to mark Corner

7996 The Cor to secs 26° 27' 34 35

Land mostly sand hills 3 rate

North between secs 26 and 27
Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 22, 23 26 and 27 no timber or stone to be obtained to mark Corner

Land sand hills 3 rate

Township 25 North of the base

East on a random line between secs 23 and 26
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

7994 Intersect the North and South line 40 lks South of mound Cor to secs 23 24 25 and 26 from which Cor

I run South 89° 43' West on a true line between secs 23 & 26

Va 13° 22' East

3997 Raised mound of earth 3 ft high from pits 20 x 30 in & 12 in deep for 1/4 sec Cor no timber to be obtained to mark Cor

7994 The cor. to secs 22. 23. 26 and 27

Land sand hills 3 rate

line Range 19 West of the 6th Principal Meridian

North between secs 22 & 23
Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in & 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 14. 15 22 and 23 no timber or stone to be obtained to mark Cor

Land broken sand hills 3 rate

Township 25 North Range 19

East on a random line between secs 14 and 23
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

7982 Intersect the North and South line 9 lks North of mound Cor to secs 13, 14 23 and 24 from which Cor I ran North 89° 56' West on a true line between secs 14 and 23
Va 13° 22' East

3991 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7982 The Cor to secs 14. 15 22 and 23

Land sand hills 3 mile

West of the 6th Principal Meridian

North between secs 14 and 15
Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for Cor to secs 10, 11, 14 & 15 No timber or stone to be obtained to mark the Corners

Land sand hills 3 mile

Township 25 North Range 19

East on a random line between Secs 11 and 14
Va 13°22' East

4400 Marked point for temporary 1/4 Sec Cor

7980 Intersect the North South line 14 lks North of mound Cor to Secs 11, 12, 13 & 14 from which Corner I run North 89°54' West on a true line between Secs 11 and 14
Va 13°22' East

3990 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 Sec Cor no timber or Stone to be obtained to mark Corner

7980 The Cor to Secs 10, 11, 14, 15, ~~22~~ and ~~23~~

Land sand hills 3 cute

West of the 6th Principal Meridian

North between Secs 10 and 14
Va 13 22 East

3500 Leave hills & enter basin bears N W & S E

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 Sec Cor no timber to be obtained to mark Cor

4900 Leave basin & enter sand hills bears N W & S E

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to Secs 2, 3, 10 & 11

Land mostly sand hills 3 cute

July 25th 1874

Township 25 North Range 19

East on a random line between secs 2 and 11
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

7952 Intersect the North & South line 36 lks North of mound Cor to secs 1, 2, 11 and 12 from which Cor

I run North 89° 45' West on a true line between secs 2 and 11
Va 13° 22' East

3976 Raised mound of earth 3 ft high from pits 20 & 30 in Accel 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7952 The Cor to secs 2, 3, 10 & 11

Land West 52 chs sand hills balance rolling 2 miles clay soil

West of the 6th Principal Meridian

North between secs 2 & 3 on a random line
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

7943 Intersect the North boundary of the Township 85 lks East of mound Cor to secs 2 & 3 from which Cor

I run South 89° 37' East on a true line between secs 2 and 3
Va 13° 22' East

3943 Raised mound of earth 3 ft high from pits 20 & 30 in Accel 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7943 The Cor to secs 2, 3, 11 and 12

Land sand hills 3 miles

Township 25 North Range 19

North between secs 33 & 34

Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to secs 27 28 33 & 34 no timber or stone to be obtained to mark Corner

Land low sand hills 3 rate

West of the 6th Principal Meridian

East on a random line between secs 27 and 34

Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

7968 Intersect the North and South line 16 lks South of mound Cor to secs 26 27 34 & 35 from which Cor

I run South 89° 53' West on on a true line between secs 27 and 34

Va 13° 22' East

3984 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Corner no timber or stone to be obtained to mark Cor

7968 The Cor to secs 27, 28, 33 and 34

Land sand hills 3 rate

Township 25 North Range

North between Secs 27 and 28
Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

6200 Leave sand hills & rate level land bears E & W

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 21, 22, 27 & 28 no timber or stone to be obtained to mark Cor

Land south 62 chs low sand hills 3 rate balance level good 2 rate soil

19 West of the 6th Principal Meridian

East on a random line between Secs 22 and 27
Va 13° 22' East

3700 Leave level land & rate sand hills bears N.W. & E

4000 Marked point for temporary 1/4 sec Cor

7944 Subtract the North and South line 42 lks South of mound Cor to secs 22 23 26 and 27 from which Cor I ran South 89 42 West on a line [illegible] secs 22 & 27
Va 13 22 East

3972 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7944 The Cor to secs 21, 22 27 and 28

West 37 chs level good 2 rate land balance sand hills 3 rate

Township 25 North Range

North between secs 21 & 22
Va 13° 22' East

500 Leave basin and cute
sand hills bears 6 ft

4000 Raised mound of earth
3 ft high from pits 20 & 30
and 12 in deep for 1/4
sec Cor no timber or
stone to be procured to
mark Cor

8000 Raised mound of earth
3 ft high from pits 20 &
30 in and 12 in deep for
Cor to secs 15, 16 21 & 22
no timber or stone to
be obtained to mark
Cor

Land mostly sand
hills 3 rate

19 West of the 6th Principal meridian

East on a random line between
secs 15 and 22
Va 13° 22' East

4000 Marked point for temporary
1/4 sec Cor

7964 Intersect the North and
South line 12 lks South of
mound Cor to secs 14, 15
22 and 23 from which Cor
I ran South 89° 55' West on
a line line between secs
15 and 22
Va 13° 22' East

3982 Raised mound of earth
3 ft high from pits 20 & 30
in and 12 in deep for 1/4
sec Cor no timber or
stone to be obtained to
mark Cor

7964 The Cor to secs 15, 16 21
and 22

Land sand hills 3
rate soil

Township 25 North Range 19

North between Secs
15 and 16
Va 13° 22' East

40.00 40.00 Raised mound of earth 3 ft
high from pits 20 x 30 ft
and 12 in deep for 1/4 Sec
Cor on timber or stone
to be obtained to mark
Cor

80.00 Raised mound of earth 3 ft
high from pits 20 x 30 ft &
12 in deep for Cor to Secs
9, 10, 15 and 16 on
timber or stone to be
obtained to mark Cor

39.[illegible] Land sand hills 3 rods

79.[illegible]

West of the 6th Principal Meridian

East on a random line between
Secs 10 and 15
Va 13° 22' East

40.00 Marked post for temporary
1/4 Sec Cor

80.00 Followed the South and South
line 21 lks North of mound
Cor to Secs 10 11 14 & 15
from which Cor
I run South 89° 57' West
on a true line between Secs
10 and 15
Va 13° 22' East

40.00 Raised mound 3 ft high
from pits 20 x 30 ft & 12
in deep for 1/4 Sec Cor
on timber or stone to be
obtained to mark Cor

80.00 The Cor to Secs 9 10 15 &
16

Land sand hills 3 rods
July 24th 1874

Township 25 North Range 19

North between Secs 9 and 10

Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to secs 3, 4, 9, & 10 no timber or stone to be obtained to mark Cor

Land sand hills 3 rate

West of the 6th Principal Meridian

East on a random line between secs 3 and 10

Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

8028 Intersect the North and South line at mound Cor to secs 2, 3, 10 and 11 from which Cor

I ran West on a line between secs 3 and 10

Va 13° 22' East

4014 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8028 The Cor to secs 3, 4, 9, & 10

Land sand hills 3 rate

Township 25 North Range

North on a random line between secs 3 and 4
Va 13° 22' East
4000 Marked point for temporary 1/4 sec Cor
7970 Intersect the North boundary of the Township 37 lks East of mound Cor to secs 3 and 4 from which Cor
I can South 16 East on a line line between secs 3 and 4
Va 13 22 East
3970 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor
7970 The Cor to secs 3 4 9 & 10

Land land hills 3 mile

19 West of the 6th Principal Meridian

North between secs 3 2 B 3
Va 13° 22' East
4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor
8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 28 29 32 B 3 no timber or stone to be obtained to mark Cor.

Land undulating good 2 mile soil fit for Cultivation

Township 25 North Range

East on a random line between Secs. 28 & 33
Va 13° 22' East

4000 Marked point for temporary 1/4 Sec Cor

5600 Leave valley & enter sand hills bears N. W. S. E.

7998 Intersect the North and South 27 lks south of mound Cor to secs 27 28 33 and 34 from which Cor.

I run South 89° 48' West on a true line between secs 28 and 33.
Va 13° 22' East

3999 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 Sec Cor, no timber or stone to be obtained to mark Cor

7998 The Cor to secs 28 29 32 & 33

West 56 chs undulating land good 2 rate balance sand hills 3 rate

19 West of the 6th Principal Meridian

North between secs 28 and 29
Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 Sec Cor, no timber or stone to be obtained to mark Cor

5600 Leave valley and enter sand hills bears N. W. S. E.

8001 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 20 21 28 & 29 no timber or stone to be obtained to mark Cor

South 56 chs undulating good 2 rate land balance sand hills 3 rate

Township 25 North Range

East on a random line between secs 21 and 28
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

5400 Leave sand hills & enter farming bears N.O.S.

7986 Intersect the North and South line 8 lks North of mound Cor to secs 21, 22, 27 & 28 from which Cor
I run North 89° 57' West on a true line between secs 21 and 28,
Va 13° 22' East

3993 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor, no timber or stone to be obtained to mark Cor

7986 The Cor to secs 20 21 28 & 29

West 54 chs sand hills 3 rec land balance level bearing good 2 rds - soil

19 West of the 6th Principal Meridian

North between secs 20 & 21
Va 13° 22' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor, no timber to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to secs 16, 17, 20 & 21 no timber or stone to be obtained to mark Cor

Land sand hills 3 rds

Township 25 North Range 19

East on a random line between secs 16 and 21
Va 13°22' East

4000 Marked point for temporary 1/4 sec Cor

5100 Lean hills & rute level basin bears N, W, S, E

7000 Lean Basin & rute sand hills bearing N W S E

7947 Inland at the N & S line 4 lks South of mound Cor to secs 15 16 20 and 22 from which Cor

I ran South 89°58 West on a true line between secs 16 21
Va 13°22' East

3973 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7947 The Cor to secs 16 17 20 21

Land hilly, sandy, worthless

West of the 6th Principal Meridian

North on a random line between secs 16 and 17
Va 13°22' East

1800 Lean sand hills & rute-valley bears E W

4000 Raised mound of earth 3 ft high from pits 20 & 30 & 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

4500 Lean valley and rute sand hills bears E W

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to secs 8 9 16 and 17 no timber or stone to be obtained to mark Cor

Land on valley good 2 rute-ft for Cultivation balance sand hills worthless

July 27th 1874

Township 25 North Rng 19

East on a random line between secs 9 & 16
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

7950 Intersect the N & S line 18 lks North of mound Cor to secs 9, 10, 15 and 16 from which Cor I run South 89 52 West on a line line between secs 9 and 16

Va 13° 22' East

3975 Raised mound of earth 3 ft high from pits 20 x 30 in & 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7950 The Cor to secs 8, 9, 16 & 17

Land sand hills 3 rate soil

West of the 6th Principal Meridian

North between secs 8 and 9
Va 13 22 East

1600 Leave hills & rate valley bears N.W. S.E.

3975 Leave valley bears E & W

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 4, 5, 8, and 9 no timber or stone to be obtained to mark Cor

Land on valley good 2 mi balance sand hills worthless

Township 25 North Range

East on a random line between secs 4 and 9

Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

7967 Intersect the N & S line 10 lks North of mound Cor 3, 4 9 10 from which Cor

I ran North 89° 36' West on a true line between secs 4 and 9

Va 13° 22' East

3983½ Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7967 The Cor to secs 4, 5, 8, 9

Land sand hills 3 mile

19 West of the 6th Principal Meridian

North on a random line between secs 4 and 5

Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

7995 Intersect the North boundary of the Township 13 lks East of mound Cor to secs 4 and 5 from which Cor

I ran South 6 East on a true line between secs 4 and 5

Va 13° 22' East

3995 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7995 The Cor to secs 4, 5, 8 9

Land sand hills 3 mile

Township 25 North Range 19

North between Secs 31 and 32
Va 13° 22' East

7000 Leave valley & enter sand hills bears N.W. S.E.

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to Secs 29, 30, 31, B2 no timber or stone to be obtained to mark Cor

Land mostly sand hills 3 rate

West of the 6th Principal Meridian

East on a random line between Secs 29 B2
Va 13° 22' East

2000 Leave sand hills & enter valley bears N & S

3000 Enter swamp bears N W S E

39.38 Creek 10 lks wide current runs S E

4000 Marked point for temporary 1/4 sec Cor

4080 Leave swamp bears N & S

8006 Intersect the N & S line at mound Cor to Secs 28 29 32 B3 from which Cor I run West on a true line between Secs 29 B2
Va 13° 22' East

(4003)
~~39.26~~ 39.26. Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Witness Cor to 1/4 secs 77 lks East of point in swamp for 1/4 secs when it can not be permanently established no timber or stone to be obtained to mark Cor

8006 The Cor to Secs 29, 30 31 B2
Land on valley 1st rate except swamp: West 20 ch sand hills 3 rate

Township 25 North Range 19

West on a random line between secs 30 and 31
Var 13° 22' East

3400 Leave sand hills & rate oully bears N W & S E

4000 Marked point for temporary 1/4 sec Cor

8003 Intersect the West boundary of the Township 44 lks North of Mound Cor to secs 30 and 31 from which Cor

Train North 89° 41' East on a true line between secs 30 and 31
Var 13° 22' E

4002 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8003 The Cor to 29 30 31 B2

~~West 36~~ 41 lks good 2 rate level balance sand hills 3 rate

West of the 6th Principal Meridian

North between secs 29 30
Var 13° 22' East

2000 Leave sand hills & rate oully bears N W & S E

4000 Raised mound of earth 3 ft high from pits 20 x 30 in & 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7970 Creek 8 lks wide Cement runs S E

8000 Raised mound of earth 3 ft high from pits 20 x 30 in & 12 in deep for Corner to secs 19 20 29 30 no timber or stone to be obtained to mark Cor

Level on the oully 1st rate balance very sandy 3 rate

Township 25 North Range

East on a random line between secs 20 & 29
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

4200 Leave undulating & rate hilly land bears N W & S E

8004 Intersect the N & S line 40 lks south of of mound Cor to secs 20 21 28 & 29 from which Cor
I ran South 89° 43' West on a line line between secs 20 and 29
Va 13° 22' East

4002 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8004 The Cor to secs 19, 20, 29 and 30
West 42 chs undulating, valley good 2 rate land balance sandy hills 3 rate

19 West of the 6th Principal Meridian

West on a random line between secs 19 & 30
Va 13° 22' East

90 Creek 6 lks wide Cement mass S E

4000 Marked point for temporary 1/4 sec Cor

5500 Leave valley and rate low rolling sand hills bears N W & S E

7980 Intersect the West boundary of the Township 35 lks North of mound Cor to secs 19 & 30 from which Cor
I ran North 89° 45' East on a line line between secs 19 and 30
Va 13° 22' East

3980 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7980 The Cor to secs 19, 20, 29 & 30
East 55 chs good undulating 2 rate land balance low sandy hills 3 rate July 28 1874

Township 25 North Range

North between secs 19 and 20

Va 13° 23' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 17, 18, 19 & 20 no timber to be obtained to mark Cor Land undulating 1st rate soil

19 West of the 6th Principal Meridian

East on a random line between secs 17 and 20

Va 13° 23' East

4300 Leave valley and enter sand hills bears N & S

4000 Mark point for temporary 1/4 sec Cor

8016 Intersect the N and S line 16 lks South of mound Cor to secs 16, 17, 20 & 21 from which Cor

I ran South 89 53 West on a true line between secs 17 and 20

Va 13° 23' East

4008 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8016 The Cor to secs 17, 18, 19 and 20

West 13 chs level good land between sand hills 3 rate

Township 25 North Range 19

West on a random line between secs 18 and 19
Va 13° 23' East

4000 Marked point for temporary ¼ sec Cor

4600 Slough 30 lks wide discovers South East

7908 Intersect the West boundary of the Township 47 lks North of mound Cor to secs Cor to secs 18 and 19 from which Cor I ran North 89° 40' East on a true line between secs 18 and 19

Va 13° 22' East

3908 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for ¼ sec Cor no timber or stone to be obtained to mark Cor

7908 The Cor to secs 17, 18, 19 and 20

Land level 1st rate covered with a luxurient growth of grass

West of the 6th Principal Meridian

North between secs 17 and 18
Va 13° 23' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for ¼ sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 7 8 17 and 18 no timber or stone to be obtained to mark Cor

Land undulating good 2 rate soil

Township 25 North Range

East on a random line between secs 8 and 17
Va 13° 23' West

4000 Marked point for temporary 1/4 sec Cor

5200 Leave undulating & rate hilly land bears N & S

7998 Intersect the N & S line 12 lks South of mound Cor to secs 8 9 16 and 17 from which Cor I ran South 89 58 West and line line between secs 8 & 17 Va 13 23 East

3999 Raised mound of earth 3 ft high from pits 20 x 30 1/2 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7998 The Cor to secs 7, 8 17 & 18

Land West 52 ch good 2 rate land, undulating only, balance ~~[illegible]~~ hills 3 rate

19 West of the 6th Principal Meridian

West on a random line between secs 7 and 18
Va 13° 23' East

4000 Marked point for temporary 1/4 sec Cor

5200 Slough 40 lks wide descends South

7900 Intersect the West boundary of the Township 50 lks North of mound Cor to secs 7 and 18 from which Cor I ran North 89 39 East on a line line between secs 7 & 18
Va 13° 23' East

3900 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7900 The Cor to secs 7, 8 17 & 18

Land gently undulating 1 in rate soil covered with a luxurient growth of grass

Township 25 North of the base line

North between secs 7 & 8
Va 13° 22' East

3800 Leave undulating and enter hilly land bears E & N

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 feet and 12 in deep for Cor to secs 5 6 7 & 8 no timber or stone to be obtained to mark Cor

South 38 chs undulating 2 rate land balance sandy hills 3 rate

Range 19 West of the 6th Principal Meridian

East on a random line between secs 5 and 8
Va 13° 22' East

4000 Marked point for temporary 1/4 sec Cor

7982 Intersect the North and South line 23 lks North of mound Cor to secs 4 5 8 and 9 from which Cor
I ran North 89° 50' West on on a line line between secs 5 and 8
Va 13° 24' East

3991 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7982 The Cor to secs 5 6 7 & 8

Land sand hills 3 rate

Township 25 North Range 19

West on a random line between Secs 6 and 7
Va 13° 28' East
700 Leave sand hills & enter level land bears N. W. S. E
3400 Leave level land & enter sand hills bears N. W. S. E
4000 Mark point for temporary 1/4 sec Cor
5200 Leave sand hills & enter valley bears N. W. S. E
7990 Intersect the West boundary of the Township 28 lks North of mound Cor to secs 6 and 7 from which Cor I ran North 89° 48' East on a true line between Secs 6 and 7
Va 13° 24' East
3990 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor
7990 The Cor to secs 5 6 7 and 8
Land on valley, ~~[illegible]~~ balance 3 rate

West of the 6th Principal Meridian

North on a random line between Secs 5 and 6
Va 13° 24' East
4000 Marked point for temporary 1/4 sec Cor
7952 Intersect the North boundary of the Township 53 lks East of mound Cor to secs 5 and 6 from which Cor
I ran South 89° 23' East on a true line between secs 5 and 6
Va 13° 24' East
3952 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor
7952 The Cor to secs 5 6 7 & 8

Land low sand hills
3 rate July 29th 1874

Township 25 North Range 19 West of the 6th Principal Meridian

General Discription

The largest part of this Township is rolling hills. There is a small Creek running through the South West part of the Township. The land along this Creek is good rich sandy loam, well adapted for Cultivation or hay land it being mostly covered with a luxurient growth of grass. The hilly part of the Township is covered with a fine growth of grass, and would make good grazing land. There is no timber or stone to be found in the Township

Township 25 North Range 19 West of the 6th Principal Meridian

A list of the names of the individuals employed to assist in running measuring or marking the the lines and corners described in the foregoing field notes of Township No 25 North of the Base Line Range No 19 West of the 6th Principal Meridian showing the respective capacities in which they acted

John Ingersoll } Chairman
Edward Davis }

James R Ford Mounderman

Herbert Gould Flagman

We hereby certify that we assisted John W Daugherty Deputy Surveyor in Subdividing Township No 25 North of the Base Line Range No 19 West of the 6th Principal Meridian, and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions of the Surveyor General and of dimensions, character construction and marking and in the manner as specifically described in the foregoing field notes

John Ingersoll } Chairman
Edward Davis }
James R Ford Mounderman
Herbert Gould Flagman

Subscribed and sworn to by

Township 25 North Range West of the 6th Principal Meridian

the above named person
before a Notary Public in
and for the County of Dodge
and State of Nebraska
this 2 day of Sept 1874

George H. Riggs
Notary Public
Dodge County Nebr

I John H Daugherty Deputy
Surveyor do solemnly swear
that in pursuance of a joint
Contract wherein John H Daugherty
Dan S Pannelee and Walter C
Campbell are joint Contractors
with E E Cunningham Surveyor
General for the district of Nebraska
and Iowa bearing date the 8
day of July 1874. I have well
faithfully and truly in my own
proper person and in strict
Conformity to the Instructions
furnished by the Surveyor General
the Surveying Manual and
the Laws of the United States
Surveyed all those parts of
Sections of Township No 25
North of the Base Line Range
No 10 West of the 6th Principal
Meridian as are represented
in the foregoing field notes as
having been Surveyed under
my directions, and I do
further solemnly swear that

Township 25 North Range 19 West of the 6th Principal Meridian

all the corners of said Survey have been established and perpetuated in strict accordance with the Surveying manual printed Instructions and Special Instructions of the Surveyor General, of dimensions Chain Active Construction and marking and in the manner as specifically described in the foregoing field notes; and that the foregoing are the true and original field notes of such Survey

John W Daugherty
Deputy Surveyor

Subscribed by said John W Daugherty Deputy Surveyor, and sworn to before me a Notary Public in and for Dodge County Nebraska this 2 day of Sept 1874

George H Briggs
Notary Public Dodge County Nebraska

Surveyor General's Office
Plattsmouth Oct 31st 1874

The foregoing field notes of the survey & subdivision of Township No 25 N. of Base Line of Range No 19 W. of 6th P.M. in Neb. Executed by John W Daugherty Deputy Surveyor under joint Contract No 84. dated July 8 1874 wherein John W. Daugherty, Dan S. Parmelee and Walter C. Campbell are joint contractors in the month of July 1874, having been critically examined the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved

E. E. Cunningham
Surveyor General

Township 26 North - Range 19 West of the 6th Principal Meridian.

Town 26 N. Range 19 W

6	60	5	41	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Field Notes of the Subdivision lines in Township No. 26 North of the Base line & Range No. 19 West of the 6th Principal Meridian in the State of Nebraska. Surveyed by Walter C. Campbell, Deputy Surveyor. Commenced July 24th 1874 and Completed July 29th 1874

Township 26 North Range 19 West of the 6th Principal Meridian

Names and duties of Assistants employed in Subdividing Township No 26 North Range No 19 West of the 6th Principal Meridian in the State of Nebraska

John H Turner } Chainman
August Hyre }

David H Reynolds Mountainman

Thomas Rowan Flagman

To determine the proper adjustment of my Compass for Subdividing I Commence at the Corner to Township 25 & 26 Range 18 & 19 and run North on a blank line along the East boundary of sec 36

Va 13° 21' East

3997 To a point 5 lks E of the 1/4 sec Cor

3993 To a point 7 lks E of the Cor to secs 25 & 36

To retrace this line or run parallel thereto my Compass must be adjusted to a Variation of 13° 24' E

Township 26 North Range 19

North between secs 35 & 36
Va 13° 24 East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Set post with Charred end 3 x 3 in 4 feet 12 in deep raised mound of earth 2 1/2 ft high from pits 18 x 24 in and 12 in deep for Cor to secs 25 26 35 and 36, no timber or stone to be obtained to mark Cor
Land mostly rolling 2 rate clay soil

West of the 6th Principal Meridian

East on a random line between secs 25 and 36
Va 13° 24 East

4000 Marked point for temporary 1/4 sec Cor

8053 Intersect the East boundary of the Township 70 lks South of mound Cor to secs 25 & 36 from which Cor
I ran South 89 30 West on a true line between secs 25 and 36
Va 13° 24 East

4026 1/2 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8053 the Cor to secs 25 26 35 and 36

West 60 Chs good 2 rate land balance sandy 3 rate all gully rolling

Township 26 North Range 19

North between secs 25 and 26

Va 13° 24' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

4100 Leave gentle rolling land and enter sand hills bears E & W

8000 Raised mound of earth 3 ft high from pits 20 x 30 in & 12 in deep for Cor to secs 23 24 25 & 26 no timber or stone to be obtained to mark Cor

Land south part gentle rolling 2 rate North part sand hills 3 rate

West of the 6th Principal Meridian

East on a random line between secs 24 and 25

Va 13° 24' East

4000 Marked point for temporary 1/4 sec Cor

8002 Intersect the East boundary 48 lks south of mound Cor to secs 24 and 25 from which Cor

I ran South 89° 39' West on a true line between secs 24 and 25

Va 13° 24' East

4007 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8002 The Cor to secs 3 2 24 25 and 26

Land rolling mostly 2 rate

Township 26 North Range 19

North between secs 23 & 24
Va 13° 24' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 13 14 23 and 24 no timber or stone to be obtained to mark Cor

Land low sand hills 3 mile

West of the 6th Principal Meridian

East on a random line between secs 13 and 24
Va 13° 24' East

4000 Marked point for temporary 1/4 sec Cor

7988 Intersect the East boundary of the Township 68 Ks Solth of mound Cor to secs 13 & 24 from which Cor
I ran South 89 ~~35~~ 31' West on a true line between secs 13 and 24
Va 13° 24' East

3994 Raised mound of earth 3 ft high from pits 20 x 30 in & 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7988 The Cor to secs 13. 14 23 and 24

Land sand hills 3 mile

Township 24 North Range 19 West of the 6th Principal Meridian

North between Secs 13 & 14
Va 13° 24' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 1/2 in deep for 1/4 Sec Cor no timber or Stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 1/2 in deep for 1/16 to Secs 11, 12, 13 & 14 no timber or Stone to be obtained to mark Cor

Land low rolling hills
3 rate

East on a random line between Secs 12 and 13
Va 13° 24' East

4000 Marked point for Temporary 1/4 Sec Cor

7980 Intersect the East boundary of this Township 32 chs South of mound Cor to Secs 12 & 13 from which Cor I ran South 89° 46' West on a true line between Secs 12 and 13
Va 13° 24' East

3990 Raised mound of earth 3 ft high from pits 20 & 30 in and 1/2 in deep for 1/4 Sec Cor no timber or Stone to be obtained to mark Cor

7980 The Cor to Secs 11, 12, 13 & 14

Land sand hills 3
rate

Township 26 North Range 19

North between secs 11 & 12
Va 13° 24' East

1100 Leave sand hills & enter
rolling clay land bearing E&W

4000 Raised mound of earth 3 ft high
from pits 20 x 30 in and 12
in deep for 1/4 sec Cor, no
timber or stone to be obtained
to mark Cor

8000 Raised mound of earth
3 ft high from pits 20 x 30 in
and 12 in deep for Cor to
secs 1, 2, 11 and 12 no
timber or stone to be obtained
to mark Cor

South 11 chs sand hills
3 rate Land balance
rolling clay land 2 rate

West of the 6th Principal Meridian

East on a random line
between secs 1 and 12
Va 13° 24' East

100 Leave rolling clay land & enter
sand hills bearing N&S

4000 Marked point for temporary
1/4 sec Cor

7967 Intersect the East boundary
of the Township 24 chs
South of Ground Cor to
secs 1 and 12 from
which Cor
I ran South 89 50 West
on a true line between
secs 1 and 12
Va 13° 24' East

3983 1/2 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for 1/4
sec Cor no timber or stone
to be obtained to mark
Cor

7967 The Cor to secs 1 2 11 & 12
Land mostly sand hills 3
rate July 24th 1874

Township 26 North Range 19

North on a random line between Secs 1 and 2
Va 13° 24' East

1000 Leave rolling clay land & enter sand hills bearing N.W., S.E.

4000 Marked point for temporary 1/4 sec Cor

8076 Intersect the North boundary of the Township 16 lks East of mound Cor to Secs 1 & 2 from which Cor
I run South 7' East on a true line between Secs 1 and 2
Va 13° 24' East

4076 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8076 The Cor to Secs 1, 2, 11 & 12
Land mostly sand hills 3 inch

West of the 6th Principal Meridian

North between Secs 34 & 35
Va 13° 24' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in & 12 in deep for 1/4 sec Cor, no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to Secs 26, 27, 34 & 35, no timber or stone to be obtained to mark Cor

Land rolling hills mostly clay, poor 2 inch soil

Township 26 North Range 18

East on a random line between secs 26 & 35
Va 13° 24' East

4000 Marked point for temporary 1/4 sec Cor

8036 Intersect the North & South line 7 lks North of mound Cor to secs 25 26 35 & 36 from which Cor
I run North 89° 57' West on a line line between secs 26 & 35
Va 13° 24' East

4018 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8036 The Cor to secs 26, 27 34 & 35

Land West part broken 3 rate
East part rolling 2 rate

West of the 6th Principal Meridian

North between secs 26 & 27
Va 13° 24' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in & 12 in deep for Cor to secs 22 23 26 and 27 no timber or stone to be obtained to mark Cor

Land sand hills 3 rate

Township 26 North Range 19

East on a random line between secs 23 & 26
Va 13° 24' East

4000 Marked point for temporary 1/4 sec Cor

8025 Intersect the N & line 11 lks North of mound Cor to secs 23 24 25 & 26 from which Cor

I ran North 89° 55' West on a true line between secs 23 and 24
Va 13° 24' East

40.12½ ~~40.12½~~ Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8025 The Cor to secs 22, 23, 26 and 27

Land West 20 Chs hilly balance rolling all very sandy 3 mts

West of the 6th Principal Meridian

North between secs 22 & 23
Va 13° 24' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in & 12 in deep for 1/4 sec Cor, no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in & 12 in deep for Cor to secs 14 15 22 and 23 no timber or stone to be obtained to mark Cor

Land sand hills 3 mts

Township 26 North Range 19

East on a random line between secs 14 & 23
Va 13° 24' East

4000 Marked point for temporary 1/4 sec Cor

8002 Intersect the North & South line 18 lks North of mound Cor to secs 13, 14, 23, & 24 from which Cor
I ran North 89° 52' West on a true line between secs 14 and 23
Va 13° 24' East

4001 Raised mound of earth 3 ft high from pits 20 & 30 in and 2 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8002 The Cor to secs 14, 15, 22 and 23

Land rolling 2 rat sandy soil

West of the 6th Principal Meridian

North between secs 14 & 15
Va 13° 24' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 2 in deep for 1/4 sec Cor, no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 2 in deep for Cor to secs 10, 11, 14, & 15

Land rolling 2 rat clay soil

Township 26 North Range 19

East on a random line between Secs 11 and 14
Va 13° 24' East

4000 Marked point for temporary 1/4 sec Cor

8000 Intersect the N S line 21 lks North of mound Cor to Secs 11 12, 13 & 14 from which Cor

I ran North 89° 51' West on a true line between Secs 11 and 14
Va 13° 24' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 The Cor to Secs 10, 11, 14 and 15

Land rolling mostly clay soil 2 cut

West of the 6th Principal Meridian

North between Secs 10 & 11
Va 13° 24' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to Secs 2, 3, 10 and 11 no timber or stone to be obtained to mark Cor

Land level prairie good 2 cut soil

July 25th 1874

Township 26 North Range 19

East on a random line between secs 2 and 11
Va 13° 24' East

4000 Marked point for temporary 1/4 sec Cor

7972 Intersect the N & S line 23 lks North of mound Cor to secs 1, 2 11, 12 from which Cor
I ran North 89° 58' West on a true line between secs 2 and 11
Va 13° 24' East

3986 Raised mound of earth 3 ft high from pits 20 x 31 in 1/2 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7972 The Cor to secs 2, 3, 10 & 11

Land rolling 2 rate clay soil

West of the 6th Principal Meridian

North on a random line between secs 2 and 3
Va 13° 24' East

2700 Leave rolling land & Ruler-sand hills bearing East West

4000 Marked point for temporary 1/4 sec Cor

7976 Intersect the North boundary of the Township 28 lks East of mound Cor to secs 2 & 3 from which Cor
I ran South 12' East on a true line between secs 2 and
Va 13 24 East

3976 Raised mound of earth 3 ft high from pits 20 x 31 in and 1/2 in deep for 1/4 sec Cor

7976 The Cor to secs 2, 3, 10, 11

Land South 27 chs rolling 2 rate balance sandy hilly 3 rate

Township 26 North Range 19

North between secs
33 and 34
Va 13° 24' East
4000 Raised mound of earth
2 ft high from pits 20 x
30 in and 12 in deep
for 1/4 sec Cor no timber
or stone to be obtained
to mark Cor
8000 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for
Cor to secs 27 28 33 & 34
no timber or stone to
be obtained to mark Cor

Land sand hills 3 rate

West of the 6th Principal Meridian

East on a random line between
secs 27 and 34
Va 13° 24' East
4000 marked point for temporary
1/4 sec Cor
7988 Intersect the North & South
25 lks North of mound Cor
to secs 26, 27, 34 & 35
from which Cor
I ran North 89° 49' West
on a true line between
secs 27 and 34
Va 13° 24' East
3994 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for 1/4
sec Cor. no timber or
stone to be obtained
to mark Cor
7988 the Cor to secs 27, 28 33
and 34

Land sand hills 3
rate

Township 26 North Range

North between secs 27 & 28
Va 13° 24' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 21, 22, 27 & 28 no timber or stone to be obtained to mark Cor

Land sand hills 3 rate

19 West of the 6th Principal Meridian

East on a random line between secs 22 and 27
Va 13° 24' East

4000 Marked point for temporary 1/4 sec Cor

7972 Intersect the North South line 7 lks south of mound Cor to secs 22, 23, 26 & 27 from which Cor
I ran South 89° 57' West on a true line between secs 22 & 27
Va 13° 24' East

3986 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or

~~7972~~ Stone to be obtained to mark Cor

7972 The Cor to secs 21, 22, 27 and 28

Land rolling sand hills 3 rate

Township 26 North Range 19

North between secs
21 and 22
Va 13° 24' East

4000 Raised mound of earth
3 ft high from pits 20 & 30
in and 12 in deep for 1/4
sec Cor no timber or
stone to be obtained to
mark Cor

8000 Set post with channel end
3 x 3 in 4 ft 12 in deep
raised mound of earth
2 1/2 feet high from pits 20
x 24 in and 12 in deep
for Cor to secs 15, 16, 21
and 22

Land rolling south
60 chs sandy 3 cut
balance 2 cut clay
soil

West of the 6th Principal Meridian

East on a random line
between secs 15 and 22
Va 13° 24' East

4000 Marked point for temporary
1/4 sec Cor

7970 Intersect the N & S line
35 chs south of mound
Cor to secs 14 15 22 & 23
from which Cor
I ran South 89° 45' West
on a true line between
secs 15 and 22
Va 13° 24' East

3985 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for
1/4 sec Cor no timber
or stone to be obtained
to mark Cor

7970 Pre Cor to secs 15, 16, 21
and 22

Land rolling hills ~~West~~
25 chs 2 cut clay soil balance
sandy 3 cut

Township 26 North Range

North between secs 15 and 16

Va 13° 24 East

2500 Leave rolling & rate - hilly land bearing E & W

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Set post with chained end 3 x 3 in 4 feet 12 in deep raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 9, 10 15 x 16

Land south 25 chs rolling 2 rate balance sand hills 3 rate

19 West of the 6th Principal Meridian

East on a random line between secs 10 and 15

Va 13° 24 East

4000 Marked point for temporary 1/4 sec Cor

7960 Intersect the North and South line at mound Cor to secs 10 11 14 and 15 from which Cor

I run West on a true line between secs 10 & 15

Va 13° 24 East

3980 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor. no timber or stone to be obtained to mark Cor

7960 The Cor to secs 9, 10 15 and 16

Land rolling 2 rate clay soil

July 26th 1874

Township 26 North Range

North between secs 9 and 10

Va 13° 24' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 2 in deep for 1/4 sec Cor no timber or Stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 2 in deep for Cor to secs 3, 4, 9 & 10 no timber or Stone to be obtained to mark Cor

Land South 34 chs rolling hills sandy 3 rate balance rolling clay land 2 rate

19 West of the 6th Principal Meridian

East on a random line between secs 3 and 10

Va 13° 24' East

4000 Marked point for temporary 1/4 sec Cor

7958 Intersect the North & South line 5 lks South of mound Cor to secs 2, 3, 10 & 11 from which Cor

I ran South 9° 58' West on a true line between secs 3 and 10

Va 13° 24' East

3979 Raised mound of earth 3 ft high from pits 20 & 30 in and 2 in deep for 1/4 sec Cor no timber or Stone to be obtained to mark Cor

7958 The Cor to secs 3, 4, 9 & 10

Land East and West part rolling 2 rate clay balance sandy 3 rate

Township 26 North Range 19

North on a random line between secs 3 & 4
Va 13° 24' East

1800 Leave rolling land & sandy sand hills bears E & W

4000 Marked point for temporary 1/4 sec Cor

7966 Intersect the North boundary of the Township 40 lks E of mound Cor to secs 3 and 4 from which Cor I ran South 17' East on a true line between secs 3 & 4
Va 13° 24' East

3966 Raised mound of earth 3 ft high from pits 20 x 30 in and 1/2 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7966 The Cor to secs 3 4 9 & 10 South 18 chs rolling 2 rate land balance sand hills 3 rate

West of the 6th Principal Meridian

North between secs 32 & 33
Va 13° 24' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 1/2 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 1/2 in deep for Corners to secs 28, 29, 32 and 33. no timber or stone to be obtained to mark Corners

Land sand hills 3 rate

Township 26 North Range 19

East on a random line between secs 28 & 33
Va 13° 24' East

4000 Marked point for temporary 1/4 sec Cor

7982 Intersect the North South line 27 lks South of mound Cor to secs 27 28 33 & 34 from which Cor I ran South 89° 48' West on a line line between secs 28 & 33
Va 13° 24' East

39.91 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7982 The Cor to secs 28 29 32 & 33

Land rolling mostly 2 mile clay soil

West of the 6th Principal Meridian

North between secs 28 and 29
Va 13° 24' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to secs 20 21 28 & 29 no timber or stone to be obtained to mark Cor

Land sandy hills 3 rate

Township 26 North Range

East on a random line between secs 21 & 28

Va 13°24' East

4000 Marked point for temporary 1/4 sec Cor

7978 Intersect the N & S line 27 lks North of post Cor to secs 21, 22, 27 & 28 from which Cor

I ran North 89°48' West on a true line between secs 21 & 28

Va 13°24' East

3989 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7978 The Cor to secs 20 21 28 & 29

Land rolling sandy poor 2 rate soil

19 West of the 6th Principal Meridian

North between secs 20 & 21

Va 13°24' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Corner to secs 16, 17 20 & 21 no timber or stone to be obtained to mark Cor

Land rolling south 13 chs sandy 3 rate balance good 2 rate clay soil

Township 26 North Range

East on a random line between secs 16 and 21

Va 13° 24' East

4000 Marked point for temporary 1/4 sec cor

7968 Intersect the N & S line 35 lks South of post cor to secs 15 16, 21 & 22 from which cor

I ran South 89° 45' West on a true line between secs 16 and 21

Va 13° 24' East

3984 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec cor no timber or stone to be obtained to mark cor

7968 The cor to secs 16, 17 20 & 21

Land gentle rolling good 2 rate clay soil

19 West of the 6th Principal Meridian

North between secs 16 & 17

Va 13° 24' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec cor no timber or stone to be obtained to mark cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for cor to secs 8, 9, 16 and 17 no timber or stone to be obtained to mark cor

Land rolling South 34 ch good 2 rate soil balance sandy 3 rate

July 29th 1874

Township 26 North Range 19 West of the 6th Principal Meridian

East on a random line between secs 9 & 16
Va 13°24' East

4000 Marked point for temporary 1/4 sec Cor

7996 Intersect the North & South line 23 lks North of post Cor to secs 9, 10, 15, & 16 from which Cor
I ran North 89°50' West on a true line between secs 9 and 16
Va 13°24' East

3998 Raised mound of earth 3 ft high from pits 20 x 30 in and 2 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7996 The Cor to secs 8, 9, 16 & 17

Land rolling hills sandy 3 rate

Township 26 North Range 19 West of the 6th Principal Meridian

North between secs 8 and 9

Va 13° 24' East

4000 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for 6 or to secs 4, 5, 8, & 9

Land rolling sandy 3 rate

East on a random line between secs 4 & 9

Va 13° 24' East

4000 Marked point for temporary 1/4 sec Cor

8008 Subsect the North and South line 26 lks South of mound Cor to secs 3, 4, 9, & 10 from which Cor I ran South 89° 49' West on a true line between secs 4 and 9

Va 13° 24' East

4002 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for 1/4 sec Cor no timber or stone

~~8008~~ to be obtained to mark Cor

8008 The Cor to secs 4 5 8 & 9

Land rolling West 36 Chs sandy balance clay land 2 rate

Township 26 North Range

North on a random line between secs 4 & 5
Va 13° 24' East

4000 Marked point for temporary 1/4 sec Cor

5400 Leave rolling land & into bottom bears E & W

8072 Intersect the North boundary of the Township at mound Cor to secs 4 and 5 from which Cor
I run South on a true line between secs 4 and 5
Va 13° 24' East

4072 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8072 The Cor to secs 4, 5, 8 & 9
Land south 54 chs rolling hills 3 mile soil balance low bottom of mi

19 West of the 6th Principal Meridian

North between secs 31 and 32
Va 13° 24' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in & 12 in deep for Corner to secs 29 30 31 and 32 no timber or stone to be obtained to mark Cor

Land land hills & rati

Township 26 North Range

East on a random line between secs 29 and 32

Va 13° 24' East

4000 Marked point for temporary 1/4 sec Cor

8077 Intersect the North South line 63 lks North of mound Cor to secs 28 29 32 and 33 from which Cor

I ran North 89° 33' West on a true line between secs 29 32

Va 13° 24' East

4008 1/2 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8007 The Cor to secs 29 30 31 and 32

Land Sand hills 3 rate

19 West of the 6th Principal Meridian

West on a random line between secs 30 and 31

Va 13° 24' East

2000 Leave sand hills Fruit valley bears N W & E

4000 Marked point for temporary 1/4 sec Cor

7977 Intersect the West boundary of the Township 3 lks North of mound Cor to secs 30 31 from which Cor

I ran N 89 59 East on a true line between secs 30 and 31

Va 13° 24' East

3977 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7977 The Cor to secs 29 30 31 and 32

Land on bulls good 2 rate but are 3 rate

Township 26 North Range

North between secs 29 and 30

Va 13° 24' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Corner to secs 19, 20, 29 and 30 no timber or stone to be obtained to mark Cor

Land sand hills 3 rate

19 West of the 6th Principal Meridian

East on a random line between secs 20 & 29

Va 13° 24' East

4000 Marked point for temporary 1/4 sec Cor

79.89 Intersect the North South line 21 lks North of mound Cor to secs 20, 21, 28 & 29 from which Cor

I run North 89° 31' West on a true line between secs 20 and 29

Va 13° 24' East

39.94 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

79.89 The Cor to secs 19, 20, 29 and 30

Land sand hills 3 rate

Township 26 North Range

West on a random line
between secs 19 & 30
Va 13 24 East

4000 Mark point for temporary
1/4 sec Cor

5400 Leave sand hills & rate
valley bearing N E

7880 Subject the West boundary
78.80 of the Township at mound
Cor to secs 19 & 30 from which
Cor

I ran East on a true
line between secs 19 & 30
Va 13° 24' East

3880 Raised mound of earth 3 ft
high from pits 20 x 30 in
and 12 in deep for 1/4
sec Cor no timber or
stone to be obtained to
mark Cor

7880 The Cor to secs 19, 20
29 & 30
East 54 Ch. sand hills
3 rate land balance
level valley 2 rate July 28th 1874

19 West of the 6th Principal meridian

North between secs 19 and 20
Va 13 24 East

4000 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for 1/4
sec Cor no timber or stone
to be obtained to mark Cor

8000 Raised mound of earth 3 ft
high from pits 20 x 30 in
and 12 in deep for Cor to
secs 17, 18 & 19 and 20
no timber or stone to be
obtained to mark Cor

Land rolling hills mostly
2 rate soil

Township 26 North Range 19

East on a random line between secs 17 and 20
Va 13°24' East

4000 Marked point for temporary 1/4 sec Cor

6850 Leave sand hills & rute rolling clay land bearing N & W

7976 Intersect the North & South line 19 lks South of mound Cor to secs 16 17 20 & 21 from which Cor
I ran South 89°52 West on a true line between secs 17 and 20
Va 13°24' East

3988 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7976 The Cor to secs 17, 18 19 and 20

West 68 lks hilly sandy 3 rec Outlance rolling 2 rec

West of the 6th Principal Meridian

West on a random line between secs 18 and 19
Va 13°24' East

4000 Marked point for temporary 1/4 sec Cor

7780 Intersect the West boundary of the Township 17 lks North of mound Cor to secs 18 and 19 from which Cor
I ran ~~North~~ 89°53 East on a true line between secs 18 and 19
Va 13°24' East

3780 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7780 The Cor to secs 17 18 19 & 20

Land sand hills 3 rute

Township 26 North Range

North between secs 17 and 18

Va 13° 24' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor. no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 7, 8, 17 and 18 no timber or stone to be obtained to mark Cor

Land sand hills 3 rate

19 West of the 6th Principal Meridian

East on a random line between secs 18 and 17

Va 13° 24' East

4000 Marked point for temporary 1/4 sec Cor

7970 Intersect the North and South line 12 lks North of mound Cor to secs 8, 9, 16 and 17 from which Cor

I ran North 89° 55' West on a true line between secs 8 and 17

Va 13° 24' East

3985 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7970 The Cor to secs 7, 8, 17 & 18

Land low sand hills 3 rate

Township 26 North Range 19

West on a random line between secs 7 and 8
Va 13 24 East

4000 Marked point for temporary 1/4 sec Cor

7755 Subject to the West boundary of the Township 23 lks North of mound Cor to secs 7 and 18 from which Cor
I ran North 89°50 East on a true line between secs 7 and 18
Va 13°24 East

3755 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7755 The Cor to secs 7, 8 17 + 18

Land sand hills 3 rate

West of the 6th Principal Meridian

North between secs 7 + 8
Va 13°24 East

4000 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

8000 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for Cor to secs 5 6 7 and 8 no timber or stone to be obtained to mark Cor

Land sand hills 3 rate

Township 26 North Range

East on a random line between Secs 5 and 8
Va 13° 24' East

4000 Marked point for temporary 1/4 sec Cor

9988 Intersect the North & South line 8 lks South of mound Cor to Secs 4, 5, 8, & 9 from which Cor
I ran South 89° 57' West on a true line between Secs 5 and 8
Va 13° 24' East

39.94 ~~[illegible]~~ Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7988 The Cor to Secs 5, 6, 7, & 8

Land low sand hills 3 rate

19 West of the 6th Principal Meridian

West on a random line between Secs 6 and 7
Va 13° 24' East

4000 Marked point for temporary 1/4 sec Cor

7758 Intersect the West boundary of the Township 10 lks South of mound Cor to Secs 6 & 7 from which Cor
I ran South 89° 56' East on a true line between Secs 6 and 7
Va 13° 24' East

3758 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7758 The Cor to Secs 5, 6, 7, & 8

Land sand hills 3 rate

Township 26 North Range 19 West of the 6th Principal Meridian

North on a random line between secs 5 & 6
Va 13° 24' East

4000 Raised point for temporary 1/4 sec Cor

7995 Intersect the North boundary of the Township 60 l.k. East of mound Cor to secs 5 & 6 from which Cor
I ran South 26' East on a true line between secs 5 and 6
Va 13° 24' East

3995 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor no timber or stone to be obtained to mark Cor

7995 The Cor to secs 5, 6, 7, & 8

Land sand hills 3 mile
July 29th 1874

General Description

This Township is composed of rolling and hilly land about half of which is clay soil and fit for cultivation, the other half is too sandy for cultivation but well adapted for grazing there is neither timber or stone to be found in the Township water can be obtained by digging at a depth of from 4 to 12 feet in low places between the hills

Township 26 North of the Base Line Range 19 West of the 6th Principal Meridian

A list of the names of the individuals employ to assist in running measuring or marking the lines and corner described in the foregoing field notes of Township No 26 North of the Base Line Range No 19 West of the 6th Principal Meridian showing the respective capacities in which they acted

John H. Turner } Chainman
August Wyre }

David H. Reynolds Mounduan

Thomas Rowan Flagman

We hereby certify that we assisted Walter C Campbell Deputy Surveyor in subdividing Township No 26 North of the Base Line Range No 19 West of the 6th Principal Meridian, and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions of the Surveyor General and of dimensions, character, construction and marking and in the manner as specifically described in the foregoing field notes

John H. Turner } Chainman
August Wyre }

David H Reynolds Mounduan
Thomas Rowan Flagman

Subscribed and sworn to by

Township 26 North Range 19 West of the 16th Principal Meridian

The above named persons before me a Notary Public in and for Dodge County Nebraska this 2 day of September 1874

George H. Briggs
Notary Public
Dodge County - Nebraska

I Walter C Campbell do solemnly swear that in pursuance of a joint contract wherein John W Dunherty Dan S Pannelee and Walter C Campbell are joint contractors with E. E. Cunningham Surveyor General for the District of Nebraska and Iowa bearing date the 8th day of July 1874 I have well faithfully & truly in my own proper person and in strict conformity to the instructions furnished by the Surveyor General, the surveying manual - and the laws of the United States, surveyed all those parts or portions of Township No 26 North of the Base Line in Range 19 West of the 6th Principal Meridian as are represented in the foregoing field notes as having surveyed under my directions, and

Township 26 North of the Base Line Range 09 West of the 6th Principal Meridian

I do further solemnly swear that all the Corners have been established and perpetuated in strict accordance with with the Surveying Manual, printed Instructions and Special Instructions of the Surveyor General, of dimensions, Character, Construction and marking, and in the manner as specifically described in the foregoing field notes and that the foregoing are the true and original field notes of such Survey

Walter C Campbell
Deputy Surveyor

Subscribed by said Walter C Campbell Deputy Surveyor and sworn to before me a Notary Public in and for Dodge County Nebraska this 2 day of Sept 1874.

George H. Briggs

Notary Public
Dodge County Nebraska

Surveyor General's Office

Plattsmouth Oct. 31st 1874

The foregoing field notes of the survey and subdivision of Township No 16. N. of Range No 19. West of 6th P.M. in Neb. Executed by Walter C. Campbell deputy Surveyor under joint contract No 84 dated July 8th 1874 wherein John W. Daughaday, David Parmele and Walter C. Campbell are joint contractors in the month of July 1874. having been critically examined & the necessary corrections and explanations made the said field notes and the survey they describe are hereby approved —

E. E. Cunningham
Surveyor General

Township 27 North Range 19

West of the 6th Principal Meridian

Town 27 N. Range 19 W

6	60	5	49	4	38	3	22	2	1
57		58		43		32		21	11
7	57	8	42	9	31	10	20	11	12
56		55		41		30		19	8
18	54	17	41	16	29	15	18	14	7	13
53		52		39		28		17	6
19	57	20	38	21	27	22	16	23	5	24
52		49		37		26		15	4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13	2
31	48	32	34	33	23	34	12	35	1	36

Field Notes of the Subdivision Lines in Township No 27 North of the Base Line & Range No 19 West of the 6th Principal Meridian in the State of Nebraska Surveyed by Walter C Campbell Deputy Surveyor Commenced July 31 1874 and Completed Aug 4 1874

Township 27 North of the Base line Range 19 West of the 6th Principal Meridian

Names and duties of Assistants employed in Subdividing Township No 27 North of Base line Range No 19 West of the 6th Principal Meridian in the State of Nebraska

John H Turner } Chairman
August Wyre }

David H Reynolds Mountaineer

Thomas Rowan Flagman

To determine the proper adjustment of my Compass for subdividing this Township I commence at the Cor to Township 26 & 27 North Ranges 18 and 19 and run North on a blank line along the East boundary of Sec 36

Va 13° 24' E

3998 To a point 2 lks E of the 1/4 Sec Cor

7996 To a point 5 lks E of the Cor to Secs 25 & 36

To retrace this line or run parallel thereto my Compass must be adjusted to a variation of 13° 24' E

Township 27 North Range

North between secs 35 & 36

Va 13° 26' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Corner to secs 25 26 35 and 36

Land sand hills 3 rate

19 West of the 6th Principal Meridian

East on a random line between secs 25 and 36

Va 13° 26' East

4000 Marked point for temporary 1/4 sec Cor

8015 Intersect the East boundary of the Township at post Cor to secs 25 & 36 from which Cor

I ran West on a true line between secs 25 & 36

Va 13° 26' East

4007 1/2 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

8015 The Cor to secs 25 26 35 and 36

Land low hills sandy 3 rate

Township 27 North Range 19 West of the 6th Principal Meridian

North between secs 25 and 26
Va 13°26' E

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs, 23, 24, 25 and 26

Land hilly sandy 3 rate

East on a random line between secs 24 and 25
Va 13°26' East

4000 Marked point for temporary 1/4 sec Cor

8010 Intersect the East boundary of the Township 7 lks South of post Cor to secs 24 & 25 from which Cor I ran South 89°57' West on a line line between secs 24 and 25
Va 13°26' East

4005 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8010 The Cor to secs 23 24 25 and 26

Land sand hills 3 rate

Township 27 North Range 17

North between secs 23 and 26

Va 13° 26' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 13, 14, 23 & 24

Land sand hills 3 rate

West of the 6th Principal Meridian

East on a random line between secs 13 and 24

Va 13° 26' East

4000 Marked point for temporary 1/4 sec Cor

8008 Intersect the East boundary of the Township 12 lks south of post Cor to secs 13 and 24 from which Cor

I ran South 89° 55' West on a true line between secs 13 and 24

Va 13° 26' East

4004 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8008 The Cor to secs 13, 14, 23 and 24

Land sand hills 3 rate

Township 27 North Range

North between secs 13 and 14

Va 13°26' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

4050 Leave hills & rule - valley N W S. E

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 11 12, 13 & 14

Land south part sand hills 3 rule North part undulating poor 2 rule

19 West of the 6th Principal Meridian

East on a random line between secs 12 and 13

Va 13°26' East

4000 Marked point for temporary 1/4 sec Cor

7980 Intersect the East boundary of the Township 17 lks North of post Cor to secs 12 & 13 from which Cor I ran North 89°53' West on a true line between secs 12 and 13

Va 13°26' East

3990 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7980 The Cor to secs 11, 12, 13 & 14

Land undulating valley 2 rule soil

Township 27 North Range 19

North between secs 11 and 12
Va 13° 26' East

4000 Ranged mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

8000 Ranged mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to secs 1, 2, 11, & 12

Land gentle rolling oulley sandy 3 mi

West of the 6th Principal Meridian

East on a random line between secs 1 and 12
Va 13° 26' East

100 Leave oulley & enter hills bearing N, E

4000 Marked point for temporary 1/4 sec Cor

7967 Intersect the East boundary of the Township 25 chs North of post Cor to secs 1 and 12 from which Cor I can North 89° 49' West on a true line between secs 1 and 12
Va 13° 26' East

3983½ Ranged mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

7967 The Cor to secs 1, 2, 11, & 12

Land sand hills 3 mi
July 30th 1874

Township 27 North Range

North on a random line between secs 1 & 2
Va 13° 26' East

4000 Marked point for temporary 1/4 sec Cor

7500 Leave valley & enter sand hills Bearing E & W

7970 Intersect the North boundary of the Township 15 lks East of mound Cor to secs 1 and 2 from which Cor
I ran South 6' East on a true line between secs 1 and 2
Va 13° 26' E

3970 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7970 The Cor to secs 1, 2, 11 & 12

Land mostly valley level 5 rate

19 West of the 6th Principal Meridian

North between secs 34 & 35
Va 13° 26' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in & 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 26 27 34 & 35

Land high sandy hills 3 rate

Township 27 North Range

East on a random line
between secs 26 & 35
Va 13° 26 East
4000 Marked point for temporary 1/4 sec Cor
8015 Inclined the North South
line 35 lks South of
mound Cor to secs
25 26 35 and 36 from
which Cor
I ran South 89° 45 West
on a true line between
secs 26 and 35
Va 13° 26 East
4007 1/2 Raised mound of earth
3 ft high from pits 20 x 30
in area 12 in deep for 1/4
sec Cor
8075 The Cor to secs 26 27
~~35 and 36~~
34 and 35
Land sand hills 3 rate

19 West of the 6th Principal Meridian

North between secs 26 & 27
Va 13° 26 East
4000 Raised mound of earth 3 ft
high from pits 20 x 30 in area
12 in deep for 1/4 sec Cor
8000 Raised mound of earth
3 ft high from pits 20 x 30
in area 12 in deep for Cor to
secs 22 23 26 and 27

Land sand hills 3 rate

Township 27 North Range 19

East on a random line between secs 23 and 26
Va 13° 26' East

4000 Marked point for temporary 1/4 sec Cor

8000 Intersect the N & S line 14 lks South of mound Cor to secs 23 24 25 and 26 from which Cor
I can South 89° 54' West on a true line between secs 23 and 26
Va 13° 26' East

4005 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8010 The Cor to secs 22, 23 26 and 27

Land sand hills 3 rate

West of the 6th Principal Meridian

North between secs 22 & 23
Va 13° 26' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 14 15 22 & 23

Land sand hills 3 rate

Township 27 North Range

East on a random line between secs 14 and 23

Va 13° 26' East

4000 Marked point for temporary 1/4 sec Cor

8027 Intersect the N & S line 13 lks South of mound Cor to secs 13 14, 23 and 24 from which Cor

I saw South 89° 54' West on a true line between secs 14 and 23

Va 13° 26' East

4013 1/2 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8027 The Cor to secs 14, 15, 22 and 23

Land sand hills 3 cuts

18 West of the 6th Principal Meridian

North between secs 14 & 15

Va 13° 26' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 10 11, 14 & 15

Land low sandy hills 3 cuts

Township 27 North Range

East on a random line between secs 11 & 14
Va 13 26 East

4000 Marked point for temp. or any 1/4 sec Cor

Lemon sand hills & Ends - only bearing N & S

8007 Intersect the North South line 10 lks North of mound Cor to secs 11 and 14 from which Cor
I saw North 89° 56' West on a true line between secs 11 and 14
Va 13° 26' East

4003/2 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

8007 The Cor to secs 10, 11, 14 and 15

Land sand hills 3 rate West 40 chs balance level valley 1st rate

19 West of the 6th Principal Meridian

North between secs 10 & 11
Va 13° 26 East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in & 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to secs 2 3 10 and 11

Land sand hills 3 rate

July 31st 1874

Township 27 North Range

East on a random line between secs 2 & 11
Va 13° 26' East

4000 Marked point for temporary 1/4 sec Cor

5500 Lower hills & enter valley bearing N W, S E

8000 Intersect the North South line 30 lks South of mound Cor to secs 1, 2, 11 & 12 from which Cor

I run South 89° 47' West on a true line between secs 2 and 11
Va 13° 26' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

8000 The Cor to secs 2, 3, 10 and 11

Land West 55 Chs
sand hills 3 mi balance undulating valley 2 mi

19 West of the 6th Principal Meridian

North on a random line between secs 2 and 3
Va 13° 26' East

1200 Lower hills & enter valley bearing E & W

3370 Lower valley & enter hills bearing E & W

4000 Marked point for temporary 1/4 sec Cor

7980 Intersect the North boundary of the Township at post Cor to secs 2 and 3 from which Cor

I run South on a true line between secs 2 & 3
Va 13° 26' East

3980 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

7980 The Cor to secs 2, 3, 10 & 11

Land on the valley 1 mi balance sand hills 3 mi

Township 27 North Range 19

North between secs 33 and 34

Va 13° 26' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Corner to secs 27, 28 33 and 34

Land rolling hills mostly 2 rate clay soil

West of the 6th Principal Meridian

East on a random line between secs 27 and 34

Va 13° 26' East

4000 Marked point for temporary 1/4 sec Cor

8008 Intersect the North & South line 27 lks North of mound Cor to secs 26, 27 34 & 35 from which Cor

I ran North 89° 48' West on a true line between secs 27 and 34

Va 13° 26' East

4004 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8008 The Cor to secs 27, 28 33 and 34

Land sand hills 3 rate

Township 27 North Range 19

North between secs 27 and 28

Va 13° 26' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Corner to secs 21 22 27 and 28

Land sand hills 3 rate

West of the 6th Principal Meridian

East on a random line between secs 22 & 27

Va 13° 26' East

4000 Marked point for temporary 1/4 sec Cor

8012 Intersect the North South line 21 lks North of mound Cor to secs 22 23 26 & 27 from which Cor

I ran North 89° 51' West on a true line between secs 22 & 27

Va 13° 26' East

4006 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8012 The Cor to secs 21, 22, 27 and 28

West 60 chs rolling bula=ace hilling all sandy 3 rate land

Township 27 North Range

North between secs 21 and 22
Va 13° 26' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

6000 Leave rolling hills & enter level land bearing N.W. & S.E.

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 15 16 21 & 22

South 60 chs rolling hills & enter land North 20 chs level 1st rate

19 West of the 6th Principal Meridian

East on a random line between secs 15 and 22
Va 13° 26' East

2700 Leave rolling & enter land hills bearing N.S.

4000 Marked point for temporary 1/4 sec Cor

8008 Intersect the N.S. line at mound Cor to secs 14, 15 22 and 23 from which Cor

I saw West on a true line between secs 15 & 22
Va 13° 26' East

4004 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8008 The Cor to secs 15, 16 21 & 22

West 27 chs level 1st rate land balance land hills 3 rate

Township 27 North Range 19

North between secs 15 and 16

Va 13° 26' East

1600 Leave valley & rate sand hills bearing E & W

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to secs 9, 10, 15 and 16

Land on the valley 1st rate balance B rate

West of the 6th Principal Meridian

East on a random line between secs 10 and 15

Va 13° 26' East

4000 Marked point for temporary 1/4 sec cor

8002 Intersect the N & S line 19 chs South of mound cor to secs 10 11 14 and 15 from which cor.

I ran South 89 52 West on a true line between secs 10 and 15

Va 13° 26' East

4001 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec cor

8002 The cor to secs 9, 10, 15 and 16

Land sand hills 3 miles

August 1st 1874

Township 27 North Range

North between secs 9 & 10

Va 13° 26' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 3, 4, 9 & 10

Land low hills sandy 3 rate

14 West of the 6th Principal Meridian

East on a sandown line between secs 3 and 10

Va 13° 26' East

4000 Marked point for temporary 1/4 sec Cor

8012 Intersect the N & S line at mound Cor to secs 2, 3, 10 & 11 from which Cor

I saw West on a tree line between secs 3 and 10

Va 13° 26' East

4006 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8012 The Cor to secs 3, 4, 9 & 10

Land low sand hills 3 rate

Township 27 North Range

North on a random line between secs 3 & 4
Va 13° 26' East
4000 Marked point for temp
orary 1/4 sec Cor
8025 Intersect the North boundary of the Township 4 lks West of mound Cor to secs 3 and 4 from which Cor
I ran South 2' West on a true line between secs 3 and 4
Va 13° 26' East
4025 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor
8025 The Cor to secs 3, 4, 9 and 10

Land sand hills 3 cuts

19 West of the 6th Principal Meridian

North between secs 32 & 33
Va 13° 26' East
4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor
8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to secs 28, 29, 32, & 33

South 40 chs rolling 2 cuts balance hilly sandy 3 cuts
Land

Township 27 North Range 19

East on a random line between Secs 28 & 33

Va 13° 26' East

4000 Marked point for temp: or any 1/4 sec Cor

8015 Intersect the North & South line 37 lks N of mound Cor to secs 27 28 33 & 34 from which Cor

I saw North 89° 44' West on a true line between secs 28 and 33

Va 13° 26' East

4007 1/2 Raised mound of earth 3 ft high from pits 20 & 30 in and 1/2 in deep for 1/4 sec Cor

8015 The Cor to secs 28, 29 32 and 33

Land high sandy hills 3 rate

West of the 6th Principal Meridian

North between secs 28 & 29

Va 13° 26' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 1/2 in deep for 1/4 sec Cor

6000 Lower sand hills & rate level land bearing E & W

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 1/2 in deep for Cor to secs 20 21 28 & 29

South 60 chs sand hills 3 rate land balance level 2 rate

Township 27 North Range 19

East on a random line between secs 21 & 28
Va 13° 26' East

4000 Marked point for temporary 1/4 sec Cor

5200 Leave level land & enter low rolling sand hills bearing N & S

7996 Intersected the N & S line at mound Cor to secs 21 22 27 & 28 from which Cor
I run West on a true line between secs 21 & 28
Va 13° 26' East

3998 Raised mound of earth 3 ft high from pits 20 x 30 in Aud 2 in deep for 1/4 sec Cor

7996 The Cor to secs 20 21, 28 Aud 29

West 52 Chs level sandy 2 mile soil balance hilly sandy 3 mile

West of the 6th Principal Meridian

North between secs 20 & 21
Va 13° 26' East

2500 Leave level land & enter sand hills bearing E & W

4000 Raised mound of earth 3 ft high from pits 20 x 30 in Aud 2 in deep for 1/4 sec Cor

6000 Leave hills & enter low valley bearing E & W

8000 Raised mound of earth 3 ft high from pits 20 x 30 in Aud 2 in deep for 1/4 cor to secs 16 17 20 & 21

Land South 25 Chs level 2 mile balance hilly sandy 3 mile

Township 27 North Range

East on a random line between secs 16 & 21

Va 13° 26' East

4000 Marked point for temporary 1/4 sec Cor

7994 Intersect the N & line 57 lks North of mound Cor to secs 15, 16, 21 & 22 from which Cor I saw North 89 36 West on a true line between secs 16 and 21

Va 13° 26' East

3997 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

7994 The Cor to secs 16, 17, 20 and 21

Land gently rolling poor 2 mile sandy soil

19 West of the 6th Principal Meridian

North between secs 16 & 17

Va 13° 26' East

1400 Leave valley & enter hills bearing E & W

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to secs 8, 9, 16 & 17

Land mostly sand hills 3 mile

August 2 1814

Township 27 North Range 19 West of the 6th Principal Meridian

East on a random line between secs 9 & 16
Var 13° 26' East

4000 Marked point for temporary 1/4 sec Cor

8004 Subject the North & South line 33 lks North of mound Cor to secs 9, 10, 15 & 16 from which Cor
I ran North 89° 46' West on a true line between secs 9 and 16
Var 13° 26' East

4002 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

8004 The Cor to secs 8, 9, 16 & 17

Land hilly sandy 3 rate

North between secs 8 & 9
Var 13° 26' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to secs 4 5 8 and 9

Land sand hills 3 rate

Township 27 North Range

East on a random line between secs 4 and 9
Va 13° 26' East

4000 Marked point for temporary 1/4 sec Cor

8018 Intersect the N & S line 19 lks North of mound Cor to secs 3, 4, 9, 10 from which Cor
I run North 89° 52' West on a true line between secs 4 and 9
Va 13° 26' East

4009 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep fr 1/4 sec Cor

8018 The Cor to secs 4 5 8 9

Land low hills sandy 3 rate

19 West of the 6th Principal Meridian

North on a random line between secs 4 and 5
Va 13° 26' East

4000 Marked point for temporary 1/4 sec Cor

8025 Intersect the North boundary of the Township 7 lks East of mound Cor to secs 4 5 from which Cor
I run South 3' East on a true line between secs 4 and 5
Va 13° 26' East

4025 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep fr 1/4 sec Cor

8025 The Cor to secs 4, 5, 8, 9

Land low sand hills 3 rate

Township 27 North Range

North between secs 31 & 32
Va 13° 26' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for ~~corner~~ to secs 29 30 31 & 32

Land rolling hills south part sandy 3 mile North part clay land 2 mile

19 West of the 6th Principal Meridian

East on a random line between secs 29 & 32
Va 13° 26' East

4000 Marked point for temporary 1/4 sec Cor

8012 Intersect the N & S line 25 lks North of mound Cor to secs 28 29 32 & 33 from which Cor
I run North 89° 49' West on a line line between secs 29 & 32
Va 13° 26' East

4006 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

8012 The Cor to secs 29 30 31 and 32
Sandy 2d rate and 3d rate,

Township 27 North Range

West on a random line between secs 30 & 31
Va 13° 26' East

4000 Marked point for temporary 1/4 sec Cor

7774 Intersected the West boundary of the Township 27 Mls North of mound Cor to secs 30 & 31 from which Cor

I ran North 89° 48' East on a true line between secs 30 & 31
Va 13° 26' East

3774 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

7774 The Cor to secs 29, 30, 31 and 32

Land rolling hills
West 30 chs 7 mts balance
Early 3 mts

19 West of the 6th Principal Meridian

North between secs 29 & 30
Va 13° 26' East

4000 Raised mound of earth 3 ft high from pits 20 & 31 in and 12 in deep for 1/4 sec Cor

6000 Leave rolling and intermediate land bearing E & N

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to secs 19 20 29 & 30

South 60 chs rolling 3 mts balance undulating 12 mts land

Township 21 North Range 14 West of the 6th Principal Meridian

East on a random line between secs 20 & 29
Var 13° 26' East

4000 Marked point for temporary 1/4 sec Cor

8016 Intersect the North & South line 7 lks North of mound Cor to secs 20, 21, 28 & 29 from which Cor
I run North 89° 57' West on a true line between secs 20 and 29
Var 13° 26' East

4008 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

8016 The Cor to secs 19, 20 29 and 30

Land undulating
West part 1st rate East part 2 rate

West on a random line between secs 19 & 30
Var 13° 26' East

2200 Leave undulating land and enter hills bearing N & S

4000 Marked point for temporary 1/4 sec Cor

7815 Intersect the N & S West boundary of the Township 48 lks North of mound Cor to secs 19 & 30 from which Cor
I run North 89° 39' East on a true line between secs 19 and 30
Var 13° 26' East

3815 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

7815 The Cor to secs 19, 20 29 and 30

East 32 Chs undulating 2 rate Land balance 3 rate
August 3 1874

Township 27 North Range

North between secs 19 and 20
Va 13°26' East

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to secs 17, 18, 19 & 20

Land undulating south 40 chs 1st rate balance 2 rate

19 West of the 6th Principal meridian

East on a random line between secs 17 and 20
Va 13°26' East

4000 Marked point for temporary 1/4 sec Cor

8008 Intersect the N & S line 21 lks North of mound Cor to secs 16, 17, 20 & 21 from which Cor
I ran North 89°51' West on a true line between secs 17 and 20
Va 13°26' East

4004 Raised mound of earth 3 ft high from pits 20 & 30 in & 12 in deep for 1/4 sec Cor

8008 The Cor to secs 17, 18, 19 & 20

Land undulating 2 rate

Township 27 North Range

West on a random line between secs 18 and 19

Va 13° 26' East

2800 Leave valley & enter hills bearing N.S.

4000 Marked point for temporary 1/4 sec Cor

7780 Intersect the West boundary of the Township 54 lks North of mound Cor to secs 18 and 19 from which Cor

I run North 89° 36' East on a true line between secs 18 and 19

Va 13° 26' East

3780 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7780 The Cor to secs 17, 18, 19 and 20

East 28 chs undulating 2 mi balance hilly 3 mi

19 West of the 6th Principal Meridian

North between secs 17 & 18

Va 13 26 East

1200 Leave valley & enter sand hills bearing E & W

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 7, 8, 17, and 18

South 12 chs level 2 mi Land balance 3 mi

Township 27 North Range 19

East on a random line between secs. 8 and 17
Va 13 26 East

4000 Marked point for temporary 1/4 sec Cor

8027 Intersect the N & S line 10 lks South of mound Cor to secs 8 9 16 & 17 from which Cor.
I run South 89 56 West on a true line between secs 8 and 17
Va 13 26 East

4073 1/2 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

8027 The Cor to secs 7, 8, 17 and 18

Land sand hills 3 rate

West of the 6th Principal Meridian

West on a random line between secs 7 and 18
Va 13 26 East

3200 Lawn sand hills & rate-outlying bearing N & S

4000 Marked point for temporary 1/4 sec Cor

7800 Intersect the West boundary of the Township 37 lks North of mound Cor to secs 7 & 18 from which Cor
I run North 89 44 East on a true line between secs 7 and 18
Va 13 26 East

3800 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

7800 The Cor to secs 7, 8, 17 & 18

East 32 Chs sand hills balance undertaking 2 rate

Township 27 North Range 19 West of the 6th Principal Meridian

North between secs 7 & 8
Va 13 26 Eam

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 5, 6, 7, & 8

Land sand hills 3 mile

East on a random line between secs 5 and 8
Va 13° 26' Eam

3000 Leave sand hills & enter valley bearing N, W, S, E

4000 Marked point for temporary 1/4 sec Cor

7500 Leave sand hills & enter valley bearing N, W, S, E

8005 Intersect the N & S line 18 lks N of mound cor to secs 4 5 8 & 9 from which Cor

I run North 89° 52' West on a random line between secs 5 and 8
Va 13° 26' Eam

4002½ Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8005 The Cor to secs 5, 6, 7, & 8 West 30 chs sand hills 3 mile balance undulating 2 mile

Township 27 North Range

West on a random line between secs 6 & 7
Va 13° 26' East

4000 Marked point for temporary 1/4 sec Cor

7875 Intersect the West boundary of the Township 35 lks North of mound Cor to secs 6 and 7 from which Cor

I ran North 8945 East on a true line between secs 6 and 7
Va 13° 26' East

3875 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

7875 The Cor to secs 5 6, 7 and 8

Land rolling hills 3 rate

19 West of the 6th Principal Meridian

North on a random line between secs 5 & 6
Va 13° 26' East

3400 Leave hills & enter undulating land bearing N, W, S, E

4000 Marked point for temporary 1/4 sec Cor

7965 Intersect the North boundary of the Township 20 lks East of mound Cor to secs 5 & 6 from which Cor I ran South 89° East on a true line between secs 5 & 6 Va 13° 26' East

3965 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

7965 The Cor to secs 5, 6, 7, & 8

South 34 lks sand hills 3 rate Land balance undulating 2 rate

August 4th 1874

Township 27 South Range 19 West of the 6th Principal Meridian

In the establishment of this Township I have not set post or stone at the corner for the reason that there is neither timber or stone in this region of country

General description.

This Township is mostly sand hills poor soil not fit for cultivation. There is a small part land or meandering valley good soil, rich sandy loam there is a good growth of grass throughout the Township it is well adapted for grazing water can be obtained by digging in the valley or low places between the hills at a depth of from 5 to 12 feet. There is no stone or timber in this Township

Township 27 North Range 19 West of the 6th Principal Meridian

A list of the names of the individuals employed to assist running measuring or marking the lines and corner described in the foregoing field notes of Township No 27 North of the Base line Range No 19 West of the 6 Principal Meridian showing the respective capacities in which they acted

John H Turner Chainman
August Wyre Chainman

David H Reynolds Mounduan

Thomas Rowan Flagman

We hereby certify that we assisted Walter C Campbell Deputy Surveyor in subdividing Township No 27 North of the Base line Range 19 West of the 6th Principal Meridian and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the Instructions of the Surveyor General and of dimensions, character, construction and marking and in the manner as specifically described in the foregoing field notes

John H. Turner } Chainmen
August Wyre }

David H Reynolds Mounduan
Thomas Rowan Flagman

Subscribed and sworn to by the

Township 27 North Range 19 West of the 6th Principal Meridian.

above named persons before
me a Notary Public in
and for Dodge County Nebraska
this 5th day of September 1874

George H. Biggs
Notary Public
Dodge county Nebraska

I Walter C Campbell
Deputy Surveyor do solemnly
swear that in pursuance
of a joint Contract wherein
John W Campbell and Daniel
and Walter C Campbell are
joint Contractors with E. E.
Cunningham Surveyor General
for the District of Nebraska & Iowa
bearing date the 8th day of July
1874 I have well faithfully
and truly in my own proper
person and the said Deputy
to the Instructions furnished by
the Surveyor General the Surveyors
Manual and the laws of the United
States, Surveyed all those parts
or portions of Township No 24
North of the Base Line in Range
No 19 West of the 6 Principal
Meridian as an represented
in the foregoing field notes as
having been Surveyed under
my directions. And I do further
solemnly swear that all the

Township 27 North Range 19 West of the 6th Principal Meridian

Corners of said Survey have been established and perpetuated in strict accordance with the Surveying Manual printed instructions and Special Instructions of the Surveyor General, of dimension Character, Construction and marking and in the manner so graphically described in the foregoing field notes and that the foregoing are the true and original field notes of such Survey

Walter C Campbell
Deputy Surveyor

Subscribed by said Walter C Campbell Deputy Surveyor and sworn to before me a Notary Public in and for Dodge County this 2 day of Sept 1874

George W. Briggs
Notary Public
Dodge County Nebraska

Surveyor General's Office
Plattsmouth December 10th 1874

The foregoing field notes of the Survey and Subdivision of Township No 27 N. Range No 19 West of 6th P.M. in Nebraska Executed By Walter C. Campbell deputy Surveyor under joint contract No 84 dated July 8th 74 wherein John H. Dougherty, Don S. Parmelee and Walter C. Campbell are joint Contractors in the month of July & August 1874, having been critically examined the necessary correction and explanations made the said field notes and the Surveys they describe are hereby approved

E. E. Cunningham
Surveyor General.

Township 28 North Range 19 West of the 6th Principal Meridian

Town 28 N. Range 19 W

6	60	5	44	4	38	3	22	2	1
59		58		43		32		9	11
7	57	8	42	9	31	10	20	11	12
57		56		41		30		13	14
18	55	17	40	16	29	15	8	14	13
53		52		39		28		17	6
19	51	20	34	21	27	22	16	23	5 24
51		49		37		26		15	4
30	48	29	36	28	25	27	14	26	3 25
47		46		35		24		13	2
31	45	32	34	33	23	34	12	35	1 36

Field Notes of the subdivision lines in Township No 28 North Range 19 West of the 6th Principal Meridian in the State of Neb Surveyed by John W Dunphy Deputy Surveyor Commenced August 6th 1874 and Completed August 11th 1874

Township 28 North Range 19 West of the 6th Principal Meridian

Names and duties of Assistants employed to assist in Subdividing Township No 28 North of the Base line Range No 19 West of the 6th Principal Meridian in the State of Nebraska

John Ingersoll Chainman
Edward Davis Chainman

James R Ford Monumentman

Herbert Gould Flagman

To determine the proper adjustment of my Compass for Subdividing this Township I commenced at the Corner to Township 27 and 28 North Range 18 and 19 West and ran

North on a blank line the East boundary of secs 36 Va 13 15 East

3994 To the 1/4 sec Cor
7988 To the Cor to secs 25 & 36

My Compass is in proper adjustment for Subdividing this Township

Township 28 North Range 19

North between Secs 35 & 36
Var 13 15 East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 Sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in 12 in deep for Cor to Secs 25 26 35 & 36

Land sand hills 3 mile

West of the 6th Principal Meridian

East on a random line between Secs 25 & 36
Var 13° 15' East

4000 Marked point for temporary 1/4 Sec Cor

7985 Intersect the East boundary of the Township 9 Chs North of pert Cor to Secs 25 & 36 from which Cor
I saw North 89° 56' West on a true line between Secs 25 & 36
Var 13° 15' East

3992½ Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 Sec Cor

7985 The Cor to Secs 25, 26, 35 & 36

Land sand hills 3 mile

Township 28 North Range 19

North between Secs 25 & 26
Var 13° 15' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to Secs 23 24 25 & 26

Land same hills 3 mile

West of the 6th Principal Meridian

East on a random line between Secs 24 and 25
Var 13° 15' East

4000 Marked point for Temporary 1/4 sec Cor

7970 Intersect the East boundary of the Township 18 lks North of pit Cor to Secs 24 & 25 from which Cor
I ran North 89 52 West on a true line between Secs 24 and 25
Var 13° 15' East

3985 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7970 The Cor to Secs 23 24 25 & 26

Land same hills 3 mile

Township 28 North Range

North between secs 23 & 24
Var 13° 15' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in Well 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in Well 12 in deep for Cor to secs 13, 14 23 & 24

Land sand hills 3 mile

19 West of the 6th Principal Meridian

East on a random line between secs 13 and 24
Var 13° 15' East

4000 Marked point for temporary 1/4 sec Cor

7968 Intersect the East boundary of the Township 23 lks North of post Cor to secs 13 and 24 from which Cor
I run North 89° 30' West on a true line between secs 13 and 24
Var 13° 15' East

3982 Raised mound of earth 3 ft high from pits 20 x 30 in & 12 in deep for 1/4 sec Cor

7968 The Cor to secs 13.14 23 & 24

Land sand hills 3 mile

Township 28 North Range 19

North between secs 13 & 14
Var 3° 15' East

700 Leave hills & enter level
basin bearing E & W

4000 Raised mound of earth 3 ft high
from pits 20 x 30 in and
12 in deep for 1/4 sec cor

6100 Leave level basin & enter
hills bearing E and W

8000 Raised mound of earth 3 ft
high from pits 20 x 30 in & 12
in deep for 6 cor to secs 11, 12
13 and 14

Land in the basin level 1st
rate soil balance sandy hilly
3 rate

West of the 6th Principal Meridian

East on a random line
between secs 12 and 13
Var 13° 15' East

7000 Marked point for temporary 1/4
sec cor

8002 Intersect the East boundary
of the Township 33 lks North
of pres cor to secs 12 & 13
from which cor
I run North 89° 46' West
on a true line between
secs 12 & 13
Var 13° 15' East

4001 Raised mound of earth
3 ft high from pits 20 x 30 in
and 12 in deep for 1/4 sec
cor

8002 The cor to secs 11, 12, 13 & 14

Land low hills sandy
3 rate

Township 28 North Range 19

North between secs 11 & 12
Va 13° 15' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 1, 2, 11 and 12

Land low sand hills 3 rate

West of the 6th Principal Meridian

East on a random line between secs 1 and 12
Va 13° 15' East

4000 Marked point for temporary 1/4 sec Cor

8045 Intersect the East boundary of the Township 46 lks North of post Cor to secs 1 and 12 from which Cor
Iron North 89° 41' West on a true line between secs 1 and 12
Va 13° 15' East

4022 1/2 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8045 The Cor to secs 1, 2, 11, 12

Land low sandy hills 3 rate

August 6th 1874

Township 28 North Range 19

North on a line line between secs 1 and 2
Va 13° 15' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8119 Intersect the North boundary of the Township 7.87 chs East of the 1/4 sec Cor on the South boundary of sec 36 Township 29 North Range 19 West on the 7th Standard Parallel where I raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Closing Cor to secs 1 and 2

Land sand hills 3 mile

West of the 6th Principal Meridian

North between secs 34 & 35
Va 13° 15' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 26, 27, 34 & 35

Land sand hills 3 mile

Township 28 North Range 19

East on a random line between secs 26 & 35
Var 13 15 East

4000 Marked point for temporary 1/4 sec Cor

7986 Intersect the N & S line 27 lks South of mound Cor to secs 25, 26, 35 & 36 from which Cor
I can South 89 48 West on a true line between secs 26 and 35
Var 13 15 East

3993 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7986 The Cor to secs 26, 27 34 and 35

Land rolling hills sandy
3 rate

West of the 6th Principal Meridian

North between secs 26 & 27
Var 13 15 East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 22, 23, 26 & 27

Land low sand hills
3 rate

Township 28 North Range 19

East on a random line between Secs 23 and 26
Var 13° 15' East

500 Leave hills & enter bushes bearing N & S

2300 Leave bushes & enter hills bearing N & S

4000 Marked point for temporary 1/4 sec Cor

7981 Intersect the N & S line 30 lks South of mound Cor to Secs 23 24 25 and 26 from which Cor

I run South 89° 47' West on a true line between Secs 23 and 26
Var 13° 15' East

3990 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7980 The Cor to Secs 22 23 26 and 27

Land low sandy hills 3 mi except bushes which is low and wet sick in

West of the 6th principal Meridian

North between Secs 22 & 23
Var 13° 15' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to Secs 14, 15 22 & 23

Land low rolling hills sandy 3 mi

Township 28 North Range

East on a random line between secs 14 and 23
Var 13° 15' East

4000 Marked point for temporary 1/4 sec Cor

7974 Intersect the North and South line 21 lks South of mound Cor to secs 13, 14, 23 and 24 from which Cor, I saw South 89° 57' West on a true line between secs 14 and 23
Var 13° 15' East

3987 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

7974 The Cor to secs 14, 15, 22 and 23

Land same hills 3 mi

19 West of the 6th Principal Meridian

North between secs 14 & 15
Var 13° 15' East.

4000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep for Cor to secs 10, 11, 14, & 15

Land low rolling hills sandy 3 mi

Township 28 North Range 19

East on a random line
between sec 11 and 14
Var 13° 15' East
4000 Marked point for temporary
and 1/4 sec cor
7960 Course on the N & S line
35 lks South of monument
on to sec 11, 12 1874
from which cor
I ran South 89 45 East
on a true line between
sec 11 and 14
Var 13° 15' East
3980 Raised mound of earth
3 ft high from pits 20 x 30
in and 1/2 mi dist for
1/4 sec cor
7960 The cor to secs 10, 11, 14
and 15

Land low rolling hills
3 acres

West of the 6th Principal Meridian

North between sec 10 & 11
Var 13° 15' E cor
4000 Raised mound of earth
3 ft high from pits 20 x 30
in and 1/2 mi dist for 1/4
sec cor

8000 Raised mound of earth
3 ft high from pits 20 x 30
in and 1/2 mi dist for
cor to secs 2 3, 10 & 11

Land low rolling sand
hills 3 acres
August 7th 1874

Township 28 North Range 19

East on a random line between secs 2 & 11
Va 13° 15' East

4000 Marked point for temporary 1/4 sec Cor

7969 Intersect the N & S line 16 lks South of mound Cor to secs 1, 2, 11 and 12 from which Cor
I ran South 89° 53' West on a true line between secs 2 and 11
Va 13° 15' East

3984 1/2 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7969 The Cor to secs 2 3 10 & 11

Land low rolling sand hills 3 rate

West of the 6th Principal Meridian

North on a true line between secs 2 and 3
Va 13° 15' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8122 Intersect the North boundary of the Township 7.70 Chs East of the 1/4 sec Cor on the south boundary of secs 35 Township 29 North Range 19 West where I raised mound of earth 3 ft high from pits 20 x 30 and 12 in deep for closing Cor to secs 2 & 3 on the 7th Standard Parallel

Land low sandy hills 3 rate

Township 28 North Range 19

North between sec 23 & 24
Var 13° 15' East

4000 Raised mound of earth
3 ft high from pits 20 & 30
in diam 12 in deep for 14
sec cor

8000 Raised mound of earth
3 ft high from pits 20 & 21
in diam 12 in deep for cor
to secs 27 28 33 & 34

Land low rolling hills
3 culti

West of the 6th Principal Meridian

East on a random line
between secs 27 and 34
Var 13° 15' East

4000 Marked point for temporary
1/4 sec cor

8056 Intersect the N & S line
3 chs South of normal cor
to secs 26 27 34 & 35 from
which cor
I run South 89 59 West on
a true line between secs 27 & 34
Var 13° 15' East

4028 Raised mound of earth
3 ft high from pits 20 & 30
in diam 12 in deep for 1/4
sec cor

8056 The cor to secs 27 28 33 & 34

Land low rolling hills 3
culti

Township 28 North Range

North between secs 22 and 27
Var 13° 15' East

4 00 Raised mound of earth 3 ft high from pits 20 x 30 in and 1½ in deep for 1/4 sec Cor

8 00 Raised mound of earth 3 ft high from pits 20 x 30 in and 1½ in deep for Cor to secs 21, 22, 27 and 28

Land low sandy hills & rocks

19 West of the 6th Principal Meridian

East on a random line between secs 22 and 27
Var 13° 15' East

4 00 Marked point for temporary 1/4 sec Cor

8 00 4 Intersect the North & South line at mound. On to secs 22 23 26 27 from which Cor
I run West on a true line between secs 22 and 27
Var 13° 15' East

4 00 Raised mound of earth 3 ft high from pits 20 x 30 in and 1½ in deep for 1/4 sec Cor

8 00 The Cor to secs 21, 22, 27 and 28

Land low sand hills & rocks

Township 28 North Range 19

North between secs
21 and 22
Var 13° 15' East

4000 Raised mound of earth
3 ft high from pits 20 & 30
in Gul 12 in deep for 1/4
sec Cor

8000 Raised mound of earth
3 ft high from pits 20 & 30
in Gul 12 in deep for
Corner to secs 15. 16 21
and 22

Land low sandy hills
3 mile

West of the 6th Principal Meridian

East on a random
line between secs 15 & 22
Var 13° 15' East

4000 Marked point for temporary
1/4 sec Cor

7991 Intersect the N & S line 5 chs
North of mound Cor to secs
14. 15 22 & 23 from which
Cor
I ran North 89° 38' West
on a true line between
secs 15 and 22
Var 13° 15' East

3995½ Raised mound of earth
3 ft high from pits 20 & 30
and 12 in deep for 1/4
sec Cor

7991 The Cor to secs 15. 16 21 & 22

Land low sandy hills
3 mile

Township 28 North Range

North between secs 15 and 16

Va 13° 15' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 9, 10, 15 and 16

Land low sand hills 3 rate

19 West of the 6th Principal Meridian

East on a random line between secs 10 & 15

Va 13° 15' East

4000 Marked point for temporary 1/4 sec Cor

7964 Intersected the North & South line 7 lks North of mound Cor to secs 10, 11, 14, & 15 from which Cor I can North 89° 57' West on a true line between secs 10 and 15

Va 13° 15' East

3992 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7984 The Cor to secs 9, 10, 15 and 16

Land low sand hills 3 rate

August 6th 1874

Township 28 North Range

North between secs 9 & 10
Var 13° 15' East

4 00 Raised mound of earth
3 ft high from pits 20 x 30
in Mid 12 in deep fr 1/4
sec Cor

8 00 Raised mound of earth
3 ft high from pits 20 x 30
in Mid 12 in deep fr
Cor to secs 3 4
9 Mid 10

Land low sand hills
3 cubic

19 West of the 6th Principal Meridian

East on a random line
between secs 3 and 10
Var 13° 15' East

4 00 Marked point for temporary 1/4 sec Cor

7965 Intersect the N & line
15 lks North of Cor to secs
2 3 ~~9~~ 10 Mid ~~10~~ 11 from which
Cor
I run North 89° 54' West
on a true line between
secs 3 and 10
Var 13° 15' East

3987 1/2 Raised mound of earth
3 ft high from pits 20 x 30
in Mid 12 in deep fr 1/4
sec Cor

7965 The Cor to secs 3, 4, 9 & 10

Land low sandy hills
3 cubic

Township 28 North Range 19 West of the 6th Principal Meridian

North on a true line between secs 3 and 4
Va 13° 15' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8122 Intersect the North boundary of the Township 7.87 ch East of the 1/4 sec Cor on the South boundary of sec 34 Township 29 North Range 19 West where I raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for closing Cor to secs 3 and 4 on the 7th Standard Parallel

Land low sandy hills 3 cubic

North between secs 32 and 33
Va 13° 15' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 28 29 32 33

Land low sand hills 3 cubic

Township 28 North Range

East on a random line between secs 28 & 33
Va 13' 15 East

4000 Marked point for temporary 1/4 sec Cor

7983 Intersect the North & South line 28 lks South of mound Cor to secs 27 28 33 and 34 from which Cor
I ran South 89°48' West on a true line between secs 28 and 33
Va 13 15 East

3991½ Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7983 The Cor to secs 28, 29 32 & 33

Land low sand hills
3 mile

19 West of the 6th Principal Meridian

North between secs 28 & 29
Va 13 15 East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in and 12 in deep for Cor to secs 20 21 28 and 29

Land low rolling hills
3 mile

Township 28 North Range

East on a random line between secs 21 and 28

Va 13° 15' East

4000 Marked point for temporary 1/4 sec Cor

8000 Intersect the North & South line 35 lks North of mound Cor to secs 21 22 27 and 28 from which Cor

I run North 89° 45' West on a true line between secs 21 and 28

Va 13° 15' East

4000 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for 1/4 sec Cor

8000 The Cor to secs 20, 21, 28 and 29

Land rolling hills 3 rate

19 West of the 6th Principal Meridian

North between secs 20 and 21

Va 13° 15' East

4000 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 + 30 in and 12 in deep for Cor to secs 16, 17, 20 & 21

Land rolling hills 3 rate

Township 28 North Range

East on a random line between secs 16 & 21
Va 13° 15' East

4000 Marked point for temp-
or and 1/4 sec Cor

7994 Intersect the N & S line
7 lks North of mound
Cor to secs 15 16 21 & 22
from which Cor
I ran North 89° 57' West
on a true line between
secs 16 and 21
Va 13° 15' East

3997 Raised mound of
earth 3 ft high from pits
20 x 30 in and 12 in deep
for 1/4 sec Cor

7994 The Cor to secs 16, 17
20 and 21

Land sand hills 3
miles

19 West of the 6th Principal Meridian

North between secs 16 & 17
Va 13° 15' East

4000 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for 1/4
sec Cor

8000 Raised mound of earth
3 ft high from pits 20 x 30
in and 12 in deep for
Cor to secs 8, 9, 16 & 17

Land rolling hills sandy
3 miles

August 9th 1874

Township 28 North Range 19 West of the 6th Principal Meridian

East on a random line between secs 9 & 16
Va 13° 15' East

4000 Marked point for temp-
orary 1/4 sec Cor

8009 Intersect the N & S line
6 or 10 South of mound
Cor to secs 9, 10, 15 & 16
from which Cor
I ran South 89° 33' West
on a true line between
secs 9 and 16
Va 13° 15' East

4004 Raised mound of earth
3 ft high from pits 20 &
30 in and 12 in deep
for 1/4 sec Cor

8009 The Cor to secs 8, 9, 16
and 17

Land rolling hills sandy
3 rate

North between secs 8 & 9
Va 13° 15' East

4000 Raised mound of earth
3 ft high from pits 20 & 30
in and 12 in deep for 1/4
sec Cor

8000 Raised mound of earth
3 ft high from pits 20 & 30
in and 12 in deep for Cor
to secs 4, 5, 8, and 9

Land low rolling sand
hills 3 rate

Township 28 North Range

East on a random line between secs 4 and 9 Va 13° 15' East

4000 Marked point for temporary 1/4 sec Cor

8002 Intersect the North South line 38 lks North of mound Cor to secs 3, 4, 9 and 10 from which Cor

I ran North 89° 44' West on a true line between secs 4 and 9 Va 13° 15' East

4001 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8002 The Cor to secs 4, 5, 8 & 9

Land low rolling hills 3 cuts

19 West of the 6th Principal Meridian

North on a true line between secs 4 and 5 Va 13° 15' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

81.40 Intersect the North boundary of the Township 8, 10 chs East of the 1/4 sec Cor on the South boundary of secs 33 Township 29 North Range 19 West of the 6th Principal Meridian where I raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for closing Cor on the 7th Standard Parallel Cor to secs 4 and 5

Land sand hills 3 cuts

Township 28 North Range 19

North between secs 31 and 32
Va 13° 15' East

4 00 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep pit 14 sec Cor

8 00 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep pit Cor to secs 29, 30, 31 & 32

Land sand hills 3 mi

West of the 6th Principal Meridian

East on a random line between secs 29 & 32
Va 13° 15' East

4 00 Marked point for temporary 14 sec Cor

7992 Intersect the St Lines 18 lks South of mound Cor to secs 28 29 32 & 33 from which Cor
I ran South 89° 52' West on a line line between secs 29 & 32
Va 13° 15' East

3996 Raised mound of earth 3 ft high from pits 20 & 30 in and 12 in deep pit 14 sec Cor

7992 The Cor to secs 29, 30, 31 and 32

Land rolling hills sandy 3 mi

Township 28 North Range 19 West of the 6th Principal Meridian

West on a random line between secs 30 & 31
Va 13°15' East

4000 Marked point for temporary 1/4 sec Cor

7945 Intersect the West boundary of the Township 39 lks North of mound Cor to secs 30 and 31 from which Cor

I sam North 89°43' East on a true line between secs 30 and 30
Va 13°15' East

3945 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7945 The Cor to secs 29, 30, 31 and 32

Land rolling sand hills 3 mile

North between secs 29 & 30
Va 13°15' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 19, 20, 29 and 30

Land sand hills 3 mile

Township 28 North Range

East on a random line between secs 20 & 29
Va 13° 15' East

4000 Marked point for temporary 1/4 sec Cor

7990 Intersect the N & S line 20 lks North of mound Cor to secs 20 21 28 & 29 from which Cor
I ran North 89° 51' West on a true line between secs 20 and 29
Va 13° 15' East

3995 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7990 The Cor to secs 19, 20, 29 and 30

Land low rolling hills sandy 3 mile

19 West of the 6th Principal Meridian

West on a random line between secs 19 and 30
Va 13° 15' East

4000 Marked point for temporary 1/4 sec Cor

7910 Intersect the West boundary of the Township 23 lks North of mound Cor to secs 19 and 30 from which Cor
I ran North 89° 50' East on a true line between secs 19 and 30
Va 13° 15' East

3910 Raised mound of earth 3 ft high from pits 20 x 30 in deep for 1/4 sec Cor

7910 The Cor to secs 19, 20, 29 and 30

Land low sandy hills 3 mile

August 10th 1874

Township 28 North Range

North between secs 19 and 20

Va 13° 15' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 17, 18, 19 & 20

South 40 chs hilly balance undulating all sandy. 3 mile land

19 West of the 6th Principal Meridian

East on a random line between secs 17 and 20

Va 13° 15' East

4000 Marked point for temporary 1/4 sec Cor

7985 Intersect the N & S line 20 lks South of mound Cor to secs 16, 17, 20 and 21 from which Cor

I run South 84° 51' West on a true line between secs 17 and 20

Va 13° 15' East

3992 1/2 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7985 The Cor to secs 17, 18, 19 & 20

Land sand hills 3 mile

Township 28 North Range

West on a variation line between secs 18 and 19
Va 13° 15' East

4000 Marked point for temporary 1/4 sec Cor

7886 Intersect the West boundary of the Township 9 lks South of mound Cor to secs 18 and 19 from which Cor
I run South 89° 56' East on a true line between secs 18 and 19.
Va 13° 15' East

3886 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7886 The Cor to secs 17, 18, 19 and 20

Land East part undulating balance hilly all sandy 3 mile

19 West of the 6th Principal Meridian

North between secs 17 & 18
Va 13° 15' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Corner to secs 7, 8, 17 & 18

Land mostly undulating sandy 3 mile

Township 28 N 12th Range

East on a random line between secs 8 & 17
Va 13° 15' East

4000 Marked point for temp: 0 rays 1/4 sec Cor

7960 Intersect the N & S line 29 lks South of mound Cor to secs 8 9, 16 & 17 from which Cor I ran South 89 48 West on a true line between secs 8 and 17
Va 13° 15' East

3980 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7960 The Cor to secs 7. 8. 17 & 18

Land rolling sandy 3 rate

19 West of the 6th Principal Meridian

West on a random line between secs 7 and 18
Va 13° 15' East

4000 Marked point for temporary 1/4 sec Cor

7850 Intersect the West boundary of the Township 4 lks South of mound Cor to secs 7 & 18 from which Cor I ran South 89 58 East on a true line between secs 7 and 18
Va 13° 15' East

3850 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7850 The Cor to secs 7. 8. 17 & 18

Land rolling hills sandy 3 rate

Township 28 North Range

North between secs 7 and 8

Va 13° 15' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Cor to secs 5, 6, 7 and 8

Land rolling hills 3 mts

19 West of the 6th Principal Meridian

East on a random line between secs 5 and 8

Va 13° 15' East

4000 Marked point for temporary 1/4 sec Cor

7965 Enlarged the N & S line at mound Cor to secs 4, 5, 8 & 9 from which Cor

I ran West on a true line between secs 5 and 8

Va 13° 15' East

3982½ Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7965 The Cor to secs 5, 6, 7 & 8

Land West part broken hills but and rolling all sandy 3 mts

Township 28 North Range 19

West on a random line between secs 6 and 7
Va 13°15' East

4000 Marked point for temporary 1/4 sec Cor

7820 Intersect the West boundary of the Township 30 chs South of mound Cor to secs 6 and 7 from which Cor

I run South 89°47' East on a true line between secs 6 and 7
Va 13°15' East

3820 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

7820 Intersect the Cor to secs 5, 6 7 and 8

Land sand hills 3 rate

West of the 6th Principal Meridian

North on a true line between secs 5 and 6
Va 13°15' East

4000 Raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for 1/4 sec Cor

8135 Intersect the North boundary of the Township 8.25 chs East of the 1/4 sec Cor on the South boundary of Sec 32 Township 29 North Range 19 West where I raised mound of earth 3 ft high from pits 20 x 30 in and 12 in deep for Closing Cor to secs 5 & 6 on the 7th Standard Parallel

Land sand hills 3 rate

August 11th 1874

Township 28 North Range 19 West of the 6th Principal Meridian

In the subdivision of this Township I have neither set posts or stones at the corners for the reason that there is neither timber or stone to be obtained in this region of Country

General Description

This Township is composed of rolling sandy hills, mostly poor soil not fit for cultivation but adapted for grazing there being a fine growth of Grass throughout the Township. There is no timber water or stone to be found in this Township

Township 28 North Range 19 West of the 6th Principal Meridian

Names and duties of Assistants employed in running measuring measuring or marking the lines and Corners and lines described in the foregoing field notes of Township No 28 North Range No 19 West of the 6th Principal Meridian showing the respective Capacities in which they acted

John Ingersoll Chainman
Edward Davis Chainman

James R. Ford Moundman

Herbert Gould Flagman

We hereby Certify that we Assisted John W Daugherty Deputy Surveyor in Subdividing Township No 28 North of the Base line Range No 19 West of the 6th Principal Meridian and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the Instructions of the Surveyor General and of dimensions Character Construction and marking and in the manner as specifically described in the foregoing field notes

John Ingersoll Chainman
Edward Davis

James R Ford Moundman
Herbert Gould Flagman

Subscribed by the above named

Township No 28 North Range

persons and sworn to before me a Notary Public in and for Dodge County Nebraska this 2 day of September 1874

George H. Briggs
Notary Public
Dodge County Nebraska

19 West of the 6th Principal Meridian

I John W Dougherty Deputy Surveyor do solemnly swear that in pursuance of a joint contract wherein John W Dougherty, Dan S Pannelee and Walter C Campbell are joint Contractors with E E Cunningham Surveyor General for the District of Nebraska and Iowa bearing date the 8th day of July 1874 I have well faithfully and truly in my own proper person and in strict conformity to the Instructions furnished by the Surveyor General, the Surveying Manual and the Laws of the United States, surveyed all those parts or portions of Township No 28 North of the Base Line in Range No 19 West of the 6th Principal Meridian as are represented in the foregoing field notes as having been surveyed under my directions

and I do further solemnly swear that all the Corners of said Survey have been established and perpetuated in strict accordance with the Surveying manual printed instructions and special Instructions of the Surveyor General, of dimensions Character Construction and marking and in the manner as specifically described in the foregoing field notes and that the foregoing are the true and original field notes of such survey

John W Daugherty
Deputy Surveyor

Subscribed by said John W Daugherty Deputy Surveyor and sworn to before me a Notary Public in and for Dodge County Nebraska
this 2 day of Sept 1874

George H. Briggs
Notary Public
Dodge County Nebraska

Surveyor General's Office
Plattsmouth Neb December 10th 1874.

The foregoing field notes of the survey and subdivision of Township No 28 North of the Base Line, of Range No 14 West of the 6th P. M. in Nebraska executed by John W. Dougherty, under joint contract No 84. dated July 8th 1874. in the month of August 1874, having been critically examined, the necessary corrections and explanations made, the said field notes and the surveys they describe are hereby approved.

E. E. Cunningham
Surveyor General.

General Land Office • Original Field Notes

Book Number

437

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.