General Land Office • Original Field Notes

Book Number

438

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

T.29-32N.
R.19 W.
39.

Survey
Township No 29 N
Range No 19 West
of the
6th Principal Meridian
in the
State of Nebraska.

Executed
by
Henry Clark Deputy
Surveyor under Contract
No 74 dated
May 1st 1873

Survey
Commenced July 10th 1873
Completed July 14th 1873

Diagram

Town. 29 N. Range 19 West

6	60	5	44	4	33	3	22	2	11	1	
59		58		43		32		21		10	
7	57	8	42	9	31	10	20	11	9	12	
56		55		41		30		19		8	
18	54	17	40	16	29	15	18	14	7	13	
53		52		39		28		17		6	
19	51	20	38	21	27	22	16	23	5	24	
50		49		37		26		15		4	
30	48	29	36	28	26	27	14	26	3	25	
47		46		35		24		13		2	
31	45	32	34	33	23	34	12	35	1	36	

List of Names.

A list of the names of the persons who were employed to assist in surveying and Sub-dividing This Township.

W. H. Philips } Chainmen
Thomas Wolfe }

Henry Johnson } Monumenters
C. W. H. Brown } Axemen &
Flagmen

Township No 29 N

To determine the proper adjustment of any Omission for Sub-Dividing this Township I begin at Corner to Townships 29 and 30 N. R. 18 and 19 W. and run thence North on a blank line along the East Boundary of Sec. 36

Variation 13° 45' E

Chains	
39.99	To a point 5 lks East of 1/4 Sec. Cor.
79.98	To a point 12 lks East of corner to Secs. 25 and 36 Therefore to adjust the line so run parallel thereto my compass must be adjusted to Variation 13° 45' E

1

Range No 19 West 6th P.M.

Chains	
	North between Secs. 35 & 36
	Variation 13° 45' E
40.00	Set Cedar Post. 3 in x 2 in x 4 Ft - 12 in deep depositt Stone and Stake mound gently 2 Ft high from pits 24 in x 24 in - 12 in deep for Corner to Secs. 25. 26. 35 & 36
80.00	Set Cedar Post 3 in x 3 in x 4 Ft - 12 in deep. Deposit Stone and Stake mound gently 2 Ft high from pits 24 in x 24 in - 12 in deep for Corner to Secs. 25. 26. 35 & 36

Surface gently rolling Soil 2nd rate

Township No 29 N

chains	
	Each on range line bet. Sec's 25 and 36
	Variation 18° 30' E
4.00	Set pgt for temporary ¼ Sec. Corner
80.15	Intersect East Boundary of Township at a point 0.15 chs. N. of corner to Sec's 25 & 36 from which corner X sun S 89° 58' West pos true line bet. Sec's 25 and 36
	Variation 18° 30' E.
40.07½	Set Cedar post 3 in x 2 in x 4 ft — 12 in deep. Ddpmit-Chaind stake, rock mound 2 ft high from pit. 22½ x 22½ in 12 in deep. Pos ¼ Sec. Corner
80.15	Corner to Secs 25, 26, 35, 36 Surface gently rolling. Soil 2nd rate

Range No 19 West 6th P.M.

chains	
	North bet Sec's 25 & 26
	Variation 13° 40' E
40.00	Set Cedar post - 3 in x 2 in x 4 ft — 12 in deep. dePmit-Chaind stake, rock mound 2 ft high from pit - 24 in x 24 in 12 in deep. Pos Corner to Sec's 23, 24, 25 and 26
80.00	Set Cedar post — 3 in x 3 in x 4 ft — 12 in deep. dePmit-Chaind stake, rock mound 2 ft high from pit - 24 in x 24 in 12 in deep. Pos Corner to Sec's 23, 24, 25 and 26
	Surface level Soil 2nd rate

Township No 29 N.

Chains	
	East on random line bet Sec? 24 & 25
	Variation 18° 30' E
40.00	Set post & temporary ¼ Sec. Corner —
80.05	Intersect East Boundary of Township at a point 10 lks North of corner to Sec? 24 and 25 from which corner Bears N 89° 56' West on true line bet. Sec? 24 and 25
	Variation 13° 30' E
40.82½	Set Cedar post 3 in x 2 in x 4 ft 12 in deep. depositchased stake mound 2 lks high from pits 2 ft x 2 ft 12 in deep for ¼ Sec. Corn —
80.05	Enter to Sec? 23. 24. 25. 26 Surface level Soil 2 in. sale

Range No 19 West 6th P.M.

Chains	
	South - bet Sec? 23 and 24
	Variation 13° 40' East
40.00	Set Cedar post — 3 in x 2 in x 4 ft - 12 in deep. deposit chased stake mound 2 lks high from pits 22 in x 22 in 12 in deep for ¼ Sec. Corner —
7.60	Leave Bottom at 9 lks S.E.
80.00	Set Cedar post. 3 in x 3 in x 4 ft - 12 in deep. deposit chased stake mound 2 lks high from pits 24 in x 24 in — 12 in deep for corner to Sec? 13. 14. 23 and 24 Surface - Bottom land Soil 2 in. sale - Balance rolling Soil Sandy - 3 in. sale

Township No 29 North-

chains	
	East on random line bet Sec. 13 & 24
	Variation 13° 30' E
40.00	Set pinf for ten[porary] ¼ Sec. Corner
79.82	Intersect East Boundary of Township at a pinf 20 lks N. of corner to Secs. 13 & 24 & from which corner I run
	N 89° 51' West on [random] line bet Sec. 13 & 24
	Variation 13° 30' E
39.91	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. depinit chaind stake, raise mound 2 feet high from pits - 22 in x 22 in 12 in deep Ant[hill] Scribe Corner to Secs. 13. 14. 23 and 24
79.82	Surface rolling Soil sandy 2d rate

Range No 19 West 6th P.M.

chains	
	North-bet. Secs. 13 & 18
	Variation 13° 40' E
40.00	Set Cedar post. 3 in x 2 in x 4 ft - 12 in deep. depinit chaind stake, raise mound 2 feet high. from pits - 22 in x 22 in 12 in deep. Corner to Secs. 11. 12. 13. 14
	Surface 1st. 60 chs. rolling
	Soil sandy
	Balance creek - 2d rate
60.00	Enter Bottom M.C. & R.
80.00	Set Cedar post. 3 in x 3 in x 4 ft - 12 in deep. depinit chaind stake, raise mound 2 feet high. from pits - 24 in x 24 in 12 in deep. Corner to Secs. 11. 12. 13. 14
	Surface 1st. 60 chs. rolling
	Soil sandy
	Balance creek - 2d rate

Township No. 29 South-

Chains	
	East on random line bet Sec. 12 & 13 Variation 13° 30' E
40.00	Set prop for temporary 1/4 Sec. Corner.
79.90	Intersect East Bound of Township at a point 21 lks. N. of corner to Sec. 12 & 13 from which corner I run S 89° 51' West on true line bet Sec. 12 & 13 Variation 13° 30' E
39.96	Set Cedar Post 3 in x 2 in x 4 Ft - 12 in deep. depoit chand stake. raise mound 2 Ft high. from pits 2 1/2 in x 2 2 in - 12 in deep for 1/4 Sec. Cor -
79.90	Corner to Sec. 11. 12. 13. 14 Surface level Soil 2 in. sale

Range 19 West 6th P.M.

Chains	
	North bet Sec. 11 & 12 Variation 13° 40' E
10.00	Leave bottom E. & W.
40.00	Set Cedar Post - 8 in x 2 in x 4 Ft - 12 in deep depoit chaned stake. raise mound 2 Ft high from pits 22 in x 22 in 12 in deep. for 1/4 Sec Corner.
80.00	Set Cedar post. 8 in x 8 in x 4 Ft - 12 in deep. depoit chaned stake. raise mound 2 Ft high from pits 24 in x 24 in - 12 in deep. for corner to Sec. 1. 11. 2. 11 & 12
	Surface rolling 10 ch. level Soil 2 in. sale Balance rolling Soil sandy - 8 in. sale

Township No 29 North-

chains	
	East on random line bet Sec 1 & 12 Variation 13° 30' E
40.00	Set pgrt Sp temporary. 1/4 Sec. Cor —
79.89	Intersect East Bound — ary of Township at a point 30 lks S. of corner to Sec 1 & 12 from which corner bears N 89° 47' West true line bet Sec 1 and 12 — Variation 13° 30' E
39.94½	Set Cedar Post 3 in x 2 in x 4 Ft — 12 in deep, depression chained stakes, rain mound 2 Ft high from pits 22 in x 22 in — 12 in deep for 1/4 Sec. Cor —
79.89	Corner to Sec 1. 2. 11 & 12
	Surface gently rolling

Range No 19 West 6th P.M.

chains	
	North - on random line bet. Sec 1 & 12 Variation 13° 40' E
xx 40.00	Set Post for temporary Sec. Corner —
xx 19.50	Enter Bottom L.W. 2 E
79.86	Intersect North Bound — ary of Township at a point 10 lks East of corner to Sec. 1 & 12 and run S 4' East on true line bet. Sec. 1 and 12 Variation 13 7/10° E
39.85	Set Cedar Post 3 in x 2 in x 4 Ft 12 in deep. depression chained stakes, rain mound 2 Ft high from pits 22 in x 22 in — 12 in deep for 1/4 Sec. Corner —
79.85	Corner to Sec 1. 2. 11 & 12
July 10	Surface gently rolling Soil Sandy Grate —

Township No 29 North-

chains	
	North bet. Sec. 34 & 35
	Variation 13° 45' E
40.00	Set Cedar Post
	3 in x 2 in x 4 ft
	12 in deep. depositt
	chand stake, pace
	mound 2 ft high
	from pits 22 in x
	22 in 12 in deep
	for 1/4 Sec. Corner
80.00	Set Cedar Post
	3 in x 3 in x 4 ft
	12 in deep. depositt
	chand stake. pace
	mound 2 ft high
	from pits 24 in x 24 in
	12 in deep for
	Corner to Sec. 26.
	27. 34 and 35.
	Surface rolling
	Soil Sandy Bottom

Range No 19 West 6th PM

chains	
	East on random
	line bet Sec. 26
	and 35
	Variation 13° 30' E
40.00	Set post for temporary
	1/4 Sec. Corner
79.85	Intersect S. B. & Mich
	at a point 10 lks E. of
	corner to Sec. 25.
	26. 34 and 35. from
	which corner
	I pace
	S 89° 36' W. set on true
	line bet. Sec. 26 & 35
	Variation 13° 30' E
39.92½	Set Cedar Post
	3 in x 2 in x 12 ft
	12 in deep. depositt
	chand stake. pace
	mound 2 feet high
	from pits 22 in x 22 in
	12 in deep for 1/4
	Sec Corner
79.85	Corner to Sec. 26. 27.
	34 & 35 Surface rolling &
	Soil Sandy Bottom

Township No 29 South-

chains	
	Northwest Sec. 26
	W 2 T
	Variation 13° 45' E
40.00	Set Cedar Post
	3 in x 2 in x 4 Ft — 12
	in deep. depositt
	stones stake, pair
	mound 8 links high
	from pits 22 x 22 in
	12 in deep. for
	Corner to Sec. 22. 23.
	26 and 27
80.00	Set Cedar Post
	3 in x 3 in x 4 Ft —
	12 in deep. deposit
	stones stake, pair
	mound 8 links high
	from pits 24 in x 24 in
	12 in deep. for
	Corner to Sec. 22. 23.
	26 and 27
	Surface gently rolling
	Soil 2nd rate

Range No 19 West 6th P.M.

chains	
	East on random
	line bet Sec. 23 and
	26
	Variation 13° 30' E
40.00	Set Post for temporary
	1/4 Sec. Corner.
80.20	Intersect S. 2nd Std line
	at 9 Point 12 Ch.
	S. of Corner to Sec.
	23. 24. 25 and 26
	from which corner
	Quarter
	S 89° 55' West on
	true line bet. Sec. 23 & 26
	Set Variation 13° 30' E
40.10	Set Cedar Post. 8 in
	x 2 in x 4 Ft — 12
	in deep. deposit
	stones stake, pair
	mound 8 links high
	from pit 22 in x 22 in
	12 in deep. for 1/4 Sec. Cor.
80.20	Corner to Sec. 22. 23.
	26 and 27
	Surface gently rolling
	Soil 2nd rate

Township No 29 North-

chains	
	North bet. Sec's. 22 and 23
	Variation 13° 45' E
40.00	Set Cedar post — 3 in x 2 in x 4 ft — 12 in deep. Deposit chained stake, pair mound 2 feet high 2 pits 22 in x 22 in — 12 in deep for 1/4 Sec. —
80.00	Set Cedar post 3 in x 2 in x 4 ft — 12 in deep. Deposit chained stake pair mound 2 feet high 2 pits 24 in x 24 in — 12 in deep for Corner to Sec's. 14. 15. 22 and 23
	Surface gently rolling Soil 2d rate

Range No 19 West 6th P.M.

chains	
	East on random line bet Sec's 14 and 23
	Variation 13° 30' E
40.00	Set post for temporary 1/4 Section Corner.
72.00	Leave level land.
80.40	Intersect N. and S. line at a point 15 ch's S. of county Rd Sec. 13. 14 23 and 24 from which Pine 6 in dia bears S 89° 54' West 50 links distant
	Variation 13° 30' E
40.20	Set Cedar Post 3 in x 2 in x 4 ft — 12 in deep. deposit chained stake, pair mound 2 feet high 2 pits 22 in x 22 in x 12 in deep. Set Post for Sec. Corner to Sec's. 14. 15. 22 and 23
80.40	Surface gently rolling Soil 2d rate

Township No 29 North-

chains	
	North bet Sec. 14 & 15
	Variation 13° 40' E
40.00	Set Cedar post 3 in x 2 in x 4 Ft 12 in deep. d Spirit chained stake, raise mound 2 feet high pits 22 in x 22 in 12 in deep. for 1/4 Cor.
80.00	Set Cedar post 3 in x 3 in x 4 Ft 12 in deep. d Spirit chained stake, raise mound 2 feet high from pits. 24 in x 24 in - 12 in deep for corner to Secs 10. 11. 14. 15 - Surface gently rolling Soil 2nd rate

Range No 19 West 6th P.M.

chains	
	East on random line bet Sec. 11 and 14
	Variation 13° 30' E
40.00	Set post for temporary 1/4 Sec. Corner
80.28	Intersect N. and S. line at a point 25 lks South of cor. to Secs. 11. 12. 13 and 14 from which corner Spruce S 89° 45' West on true line bet Secs 11 & 14
	Variation 13° 30' E
40.14	Set Cedar post - 3 in x 2 in x 4 Ft 12 in deep. d Spirit chained stake raise mound 2 feet high from pits - 22 in x 22 in 12 in deep for 1/4 Sec. Corner
80.28	Corner to Secs. 10. 11. 14 15 - Surface gently rolling Soil 2nd rate

Township No 29 North

Range No 19 West 6th P.M.

chains	
	North bet Sec. 10 & 11, Variation 18° 40' E
40.00	Set Cedar Post 3 in x 2 in x 4 Ft — 12 in deep. dep'd — Chained Stake — range pronged 2 ft high from pits 24 in x 24 in — 12 in deep for — corner to Sec. 2. 3. 10. and 11 — Surface gently rolly — Soil 2nd rate —
80.00	Set Cedar Post 3 in x 3 in x 4 Ft — 12 in deep — dep'd Chained Stake — range pronged 2 ft high from pits 24 in x 24 in — 12 in deep for — corner to Sec. 1. 2. 11 and 12 — Surface gently rolly — Soil 2nd rate —

chains	
	East on random line bet Sec. 2 & 11 Variation 18° 30' E
40.00	Set Post for temporary 1/4 Sec. Corner
46.00	Leave level land N.E. and S.W.
80.46	Intersect N. and Slue at a point 13 lks S. of corner to Sec. 1. 2. 11 and 12 from which corner Bears S 89° 54' W set on true line bet. Sec. 2 and 11 Variation 18° 30' E
40.22½	Set Cedar Post 3 in x 2 in x 4 Ft — 12 in deep. dep'd Chained Stake, range pronged 2 ft high from pits 12 x 12 in 2 ft deep for corner to Sec. 2. 3. 10 and 11 Surface gently rolly Soil 2nd rate
80.45	

Township No 29 South

Chains	
	North on random line bet. Sec. 2 & 3. Variation 13° 30' E
40.00	Set Post for temporary ¼ Sec. Corner.
79.60	Intersect North Boundary of Township at a point 35 lks West of corner to Sec. 2 and 3. from which corner 3 Pine 15 West on true line bet Sec. 2 & 3
	Variation 13° 30' E
39.60	Set Cedar Post 3 in x 2 in x 4 ft 12 in deep. depression chamfered ½ gallon rock mound. 2 ft high from pits 2 ft in x 2 ft in — 12 in deep for ¼ Sec. Corner to Sec. 2. (3.) 101 Links
179.60	Surface gently rolling Soil 2nd rate

Range No 19 West 6th P.M.

Chains	
	North bet Sec. 33 and 34
	Variation 13° 45' E
40.00	Set Cedar Post 8 x 2 in x 4 ft — 12 in deep. depression chamfered & dug ½ gallon rock mound 2 ft high from pits 24 x 24 in 12 in deep for ¼ Sec. Corner to Sec. 27. 28, 33 and 34
80.00	Set Cedar Post 3 in x 3 in x 4 ft — 12 in deep. depression chamfered dug ½ gallon rock mound 2 ft high from pits 24 x 24 in 12 in deep for Corner to Sec. 27. 28, 33 and 34
	Surface gently rolling Soil 2nd rate

Township No 29 South.

Chains	
	East on random line bet Sec. 27 & 34
	Variation 18° 30' E
40.00	Set Pint Planted in temporary ¼ Sec. Corner —
80.28	Intersect N bdy of Lake bearing about S 70° E 7 lks. South of corner to Sec. 26. 27. 34 and 35 from which corner Sun S 89° 57' West on true line bet Sec. 27 & 34
	Variation 18° 30' E
40.14	Set Cedar post — 3 in x 2 in x 4 ft 12 in deep. deposit — chained 4 links. Stake, mound 2 ft high. from pits 2 ft x 2 ft 12 in deep for ¼ Sec. Corner to Sec. 27. 28. 33. 34
80.28	Surface rolling. Soil 2nd rate

Range No 1 West 6th P.M.

Chains	
	North bet Sec. 27 & 28
	Variation 18° 45' E
40.00	Set Cedar Post 3 in x 2 in x 4 ft — 12 in deep. deposit Chained Stake, mound 2 links high from pits 2 ft x 2 ft 12 in deep for ¼ Sec Corner
80.00	Set Cedar Post 3 in x 2 in x 4 ft. 12 in deep. deposit Chained Stake, mound 2 links high from pits 2 ft x 2 ft 12 in deep — for Corner to Sec. 21. 22. 27 & 28
	Surface gently rolling Soil 2nd rate —

Township No 29 North

chains

East on range line bet. Secs. 22 and 27

Variation 18° 30' E

40.00 Set post for quarter sec. 1/4 Section Corner

80.05 Intersect S. bank of Sluice at a point 12 lks S. of comer to Secs. 22. 23. 26 and 27 from which corner Pine 8 89 links Spruce 30 links bears N 89° E

Variation 18° 30' E

40.02½ Set Cedar post 3 in x 2 in x 4 ft — 12 in deep. Mound chamfered stake, pits mound 2 ft high from pits 22 in x 22 in — 12 in deep for 1/4 Sec. corner

80.02 Corner to Secs 21, 22, 27, 28 Surface gutter pits 2 in. wide

Range No 19 West 6th Mer.

chains

North bet. Secs. 21 and 22

Variation 18° 45' E

40.00 Set Cedar post 3 in x 2 in x 4 ft — 12 in deep. Mound chamfered stake, pits mound 2 ft high, from pits 22 in x 22 in — 12 in deep for 1/4 Sec. corner

80.00 Set Cedar post 3 in x 3 in x 4 ft — 12 in deep. Mound chamfered stake, pits mound 2 ft high from pits 24 in x 24 in 12 in deep for Corner to Secs 15 16. 21 and 22 — Surface gutter pits 2 in. wide —

Township No 29 North

chains	
	East on random line bet. Sec. 15 & 22
	Variation 13° 30' E
40.00	Set Post for ten. cor.
	1/4 Sec. Corner —
80.00	Intersect N. & S. line at a point —
	30 lks. South of corner to Sec. 14, 15, 22 and 23 from which corner Found
	S 89° 47' W. two trees bet. Secs. 15 and 22
	Variation 13° 30' E
40.00	Set Cedar Post 3 in. x 2 in. x 4 ft. — 12 in. deep. depression chamfered stake, same projecting 2 ft. high, from which bears N. 24 in. x 24 in. 12 in. deep for corner
80.00	Corner to Secs. 14, 15, 22 and 23 Surface gently rolling, soil 1st rate

Range No 1 West 6th P. M.

chains	
	North bet. Secs. 15 & 16
	Variation 13° 45' E
40.00	Set Cedar post 3 in. x 2 in. x 4 ft. — 12 in. deep. depression chamfered stake, same projecting 2 ft. high, from which bears N. 24 in. x 24 in. 12 in. deep for corner
80.00	Set Cedar post 3 in. x 3 in. x 4 ft. — 12 in. deep. depression chamfered stake, same projecting 2 ft. high, from which bears N. 24 in. x 24 in. 12 in. deep for corner to Secs. 9, 10, 15 and 16 Surface gently rolling, soil 2nd rate

Township No 29 South — Range No 19 West 6th P.M.

chains	
	East on random line bet Secs. 10 and 15 — Variation 13° 30' E
40.00	Set Post for temporary 1/4 Sec. Corner — Intersect South bdy. of said line at a point 42 lks. South of corner to Secs. 10, 11, 14 and 15 from which corner Spruce 8 ins. diam. S 89 — 42' West 39 lks. line bet Secs. 10 and 15 —
39.95	Set Variation 13° 30' E Cedar post 3 ins. x 2 ins. x 14 Ft. — 12 ins. deep, ditch and stake, raise mound of earth 2 Ft. high, pits 2½ ins. x 22 ins. 12 ins. deep, for 1/4 Sec. Corner to Secs. 10, 11, 14 and 15 Spruce 8 ins. diam. bears S. E. 15 links distant — Pine 12 ins. diam. bears S. W. 15 links distant —
79.90	

chains	
	North bet Secs. 9 and 10 — Variation 13° 45' E
40.00	Set Cedar post 3 ins. x 2 ins. x 4 Ft. — 12 ins. deep, ditch and stake, raise mound of earth 2 Ft. high, pits 2½ ins. x 2½ ins. — 12 ins. deep, for 1/4 Sec. Corner —
80.00	Set Cedar post 3 ins. x 3 ins. x 4 Ft. — 12 ins. deep, ditch and stake, raise mound of earth 2 Ft. high, pits 2½ ins. x 2½ ins. — 12 ins. deep, for corner to Secs. 3, 4, 9 and 10 — Surface gently rolling — Soil 2nd rate —

Township No 2 South

chains	
	East on random line bet. Sec. 3 & 10 Variation 13° 30' E
40.00	Set post for ten. pine 1/4 Sec. Corner
79.60	Intersect N. and S. line at a point 24 lks. South - Connects Sec. 2. 03. 10 and 11 from which Corner 2 pines S 89° 60' West one vine line bet. Sec. 3 & 10 Variation 13° 30' E
39.80	Set Cedar post. 3 in x 2 in x 4 ft - 12 in deep. deposit - Chained & take - 2 pits mound 2 ft high from pits - 22 in x 22 in - 12 in deep. - for 1/4 Sec. Cor
79.60	Corner to Sec. 3.4. 9 and 10
	Surface 1st 1/2 level 2nd 1/2 gently rolling
	Soil 1st rate 2nd 1/2 indifferent

Range No 19 West 6th P.M.

chains	
	South on random line bet Sec. 3 & 4 Variation 13° 30' E
40.00	Set post for ten. pine 1/4 Sec. Corner
79.80	Intersect North Boundary of Township at 1/4 post Corner to Sec 3 & 4 from which corner 2 pines South 1/4 Sec. line bet. Sec. 3 & 4 Variation 13° 30' E
39.80	Set Cedar post 3 in x 2 in x 4 ft 12 in deep. deposit Chained & take 2 pits mound 2 ft high from pits 22 in x 22 in 12 in deep Corner to 1/4 Sec. Corner to Sec. 3.4. 9 and 10
79.80	Surface level 1st 1/2 Soil 1st rate

Township No 29 North

Chains	
	North bet. Sec. 32 and 33
	Variation 13° 45' E
40.00	Set Cedar post 3 in x 2 in x 4 ft — 12 in deep — deposit chained stake, raise mound of earth 2 ft high from pits 2 2 ft x 2 ft 12 in deep — for 1/4 Sec Corner
80.00	Set Cedar post 3 in x 3 in x 4 ft — 12 in deep — deposit chained stake, raise mound 2 ft high from pits 2 ft 4 in x 24 in 12 in deep for corner to Secs 28. 29. 32 and 33
	Surface gently rolling Soil 2nd rate

Range No 17 West 6th P.M.

Chains	
	East on random line bet Sec. 28 and 33
	Variation 13° 30' E
40.00	Set post for temporary 1/4 Sec. Corner
79.90	Intersect S. and L. line at a point 10 lks S. of corner to Secs 28. 33. 32 and 33 from which corner a Burr Oak 10 ins diam bears S 89° 30' West true line bet Sec. 28 & 33
	Variation 13° 30' E
39.95	Set Cedar post 3 in x 2 in x 4 ft — 12 in deep deposit chained stake, raise mound 2 ft high from pits 2 ft 2 in x 2 ft 12 in deep — for 1/4 Sec. Corner to Secs 28. 29. 32 and 33
79.90	Surface gently rolling Soil 2nd rate

Township No 29 South -

chains	
	North bet Sec. 28 & 29
	Variation 13° 45' E
40.00	Set Cedar post
	3 in x 2 in x 4 Ft
	12 in deep. deposit
	Chained stake,
	raise mound of earth
	2 Ft high from
	pits 24 in x 24 in
	12 in deep for
	1/4 Sec. Corner
80.00	Set Cedar post
	3 in x 3 in x 4 Ft
	12 in deep. deposit
	Chained stake
	raise mound of earth
	2 Ft high from
	pits 24 in x 24 in
	12 in deep for
	Corner to Sec. 20.
	21, 28 and 29
	Surface gently rolling
	Soil 2nd rate

Range No 19 West 6th P.M.

chains	
	East on random
	line bet. Sec. 21 & 28
	Variation 13° 30' E
40.00	Set post for temporary
	1/4 Sec. Corner
79.80	Intersect N. & S.
	line at a point
	14 lks. South of
	corner to Sec. 28
	21, 22, 27 and 28
	from which corner
	Pine
	S. 49° E. 4 Links
	true line bet. Sec. 21 & 28
	Variation 13° 30' E
79.90	Set Cedar post
	3 in x 2 in x 4 Ft
	12 in deep; deposit
	Chained stake, raise
	mound of earth
	from pits 22 in x 22 in
	12 in deep for 1/4
	Sec. Corner
79.80	Corner to Sec. 20. 21.
	28 and 29
	Surface gently rolling. Soil 2nd rate

Township 29 North -

Chains	
	North bet. Sec. 20 & 21 Variation 13 45 E
40.00	Set Cedar Post 3 in x 2 in x 4 ft — 12 in deep. de Spirit- chard stake. Pine mound 2 ft high from pits 22 in x 22 in x 12 in deep for 1/4 Sec. Corner —
80.00	Set Cedar Post 3 in x 3 in x 4 ft — 12 in deep. de Spirit- chard stake range mound South- 2 ft high. from pits 22 in x 24 in 12 in deep for Corner to Sec. 16. 17. 20 and 21 Surface gently Soil 2 ft. pale —

Range No 19 West 6th PM

Chains	
	East on random line bet. Sec. 16 & 21 Variation 13 30 E
40.00	Set Post for temporary 1/4 Sec. Corner
79.70	Intersect N. and S. line at a point 30 lks. South of corner to Sec. 15. 16. 21 and 22 from which comdy. Pine S 89 47' W. 26 lks True line bet. Sec. 16 and 21 Variation 18 30 E.
39.85	Set Cedar Post 3 in x 2 in x 4 ft — 12 in deep - de Spirit chard stake & pine mound 2 ft high from pits 22 in x 22 in 12 in deep — for 1/4 Sec. Corner to Sec. 16. 17. 20 and 21
79.70	Surface gently rolling Soil 2 ft. pale

Township No 29 South-

Chains	
	North bet Sec. 16 & 17
	Set Variation 13 3/4° E
40.00	Set post (Cedar) 3 in x 2 in x 4 ft 12 in deep. deposit Chand dg'tze pairs mound, 2 ft high from pits 22 in x 22 in 12 in deep for 1/4 Sec. Corner
80.00	Set Cedar post 3 in x 2 in x 4 ft 12 in deep. deposit Chand stakes pairs mound South 2 ft high from pits 24 in x 24 in 12 in deep for Corner to Secs. 8. 9. 16 and 17
	Surface gently rolling Soil 2nd rate

Range No 19 West 6th PM

Chains	
	East on random line bet. Secs 9 & 16
	Variation 13° 30' E
40.00	Set post for temporary 1/4 Sec. Corner
79.65	Intersect N. & S. line at a point 15 lks South of corner to Secs 9. 10. 15 and 16 from which corner is South 89° 30' West on true line bet Secs 9 and 16
	Variation 13° 30' E
39.82½	Set Cedar post - 8 in x 2 in x 4 ft - 12 in deep deposit Chand dg'tze pairs mound South 2 ft high from pits 22 in x 22 in 12 in deep for 1/4 Sec. Corner
79.65	Corner to Secs. 8. 9. 16 and 17
	Surface gently rolling. Soil 2nd rate

Township No 29 N.

chains	
	North bet Sec. 8 & 9
	Variation 13° 45' E
40.00	Set Cedar posts 3 in x 2 in x 4 ft 12 in deep. d[illegible] chaned stake, pits mound 2 ft high from pits 2 ft x 2 ft 12 in deep for 1/4 Sec. Cor
80.00	Set Cedar post 3 in x 3 in x 4 ft 12 in deep. d[illegible] chaned stake, pits mound 2 ft high from pits. 2 ft x 2 ft 12 in deep for corner to Sec's. 4. 5. 8. 9 Surface gently rolling Soil 2 ft. fair

Range No 19 West 6th P.M.

chains	
	East on random line bet. Sec. 4 & 9
	Variation 13° 30' E
40.00	Set post for temporary 1/4 Sec. Cor.
79.77	Intersect N. & S. line at a point 15 lks. South of corner to Sec's 3. 4. 9 and 10 from which corner 1 inch diameter S 89° 54' West on true line bet. Sec's 4 and 9
	Variation 13° 30' E
39.88½	Set Cedar post 3 in x 2 in x 4 ft 12 in deep. d[illegible] chaned stake, mound 2 ft high from pits 2 ft x 2 ft 12 in deep for 1/4 Sec. Cor
79.77	Corner to Sec. 4. 5. 8. 9. Surface gently rolling Soil 2 ft. fair

Township No 29 N

Range No 19 West 6th P.M.

Chains	
	North on random line bet. Secs. 4 & 5 Variation 18° 40' E
40.00	Set post for temporary S 1/4 Sec Corner -
79.40	Intersect South Boundary of Township at or about 30 links W. of corner to Secs 4 and 5 from which corner a pine 13" diam bears S 13° West one link bet. Secs. 4 & 5 Variation 18° 40' E
39.40	Set Cedar post 3 in x 2 in x 4 Ft - 12 in deep. deposit chased stake, raise mound 2 Ft high from pits 2 2 in x 2 2 in 12 in deep for 1/4 Sec. Corner to Secs. 4. 5. 8 & 9
79.40	Surface rolling
Lat -3	Soil 2nd rate

Chains	
	North bet Secs. 31 & 32
	Variation 18° 40' E
40.00	Set Cedar post 3 in x 2 in x 4 Ft - 12 in deep. deposit chased stake, raise mound 2 Ft high from pits 2 2 in x 2 2 in 12 in deep for 1/4 Sec. Cor.
80.00	Set Cedar post 3 in x 8 in x 4 Ft - 12 in deep. deposit chased stake, raise mound 2 Ft high from pits 2 4 in x 2 4 in 12 in deep for Corner to Secs. 29. 30. 31 & 32
	Surface rolling
	Soil 2nd rate

Township No 29 N.

Chains	
	East on random line bet Secs. 29 & 32
	Variation 13° 30' E
40.00	Set post for temporary 1/4 Sec. Corner
79.95	Intersect N. and S. line at post. corner to Secs. 28. 29. 32 and 33 from which corner I run
	West on true line bet. Secs. 29 and 32
	Variation 13° 30' E
39.97½	Set Cedar post 3 in x 2 in x 4 feet 12 in deep. deposit chained stake raise mound 2 ft high from pits 22 in x 22 in 12 in deep. for 1/4 Sec. Cor-
79.95	Corner to Secs. 29. 30. 31 and 32
	Soil 2nd rate-
	Surface rolling

Range No 19 West 6th P.M.

Chains	
	West on random line bet Secs. 30 and 31
	Variation 13° 30' East
40.00	Set post for temporary 1/4 Sec. Corner
79.85	Intersect West Boundary of Township at a point 42 lks N. of corner to Secs. 30 and 31 from which corner I run
	S 89° 42' E on true line bet. Secs. 30 and 31
	Variation 13° 30 East
39.92½	Set Cedar post. 3 in x 2 in x 4 ft 12 in deep. deposit chained stake raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep for 1/4 Sec. Cor-
79.85	ner to Secs 29. 30. 31 and 32
	Surface gently rolling
	Soil 2nd Rate.

Township No 29 N

Chains	
	North bet Sec 29 & 30
	Variation 13° 45' E
40.00	Set Cedar post 3 in x 2 in x 4 ft 12 in deep. d Spirit-chained stake raise mound 5 feet 2 ft high from pits - 2 pits 2 in x 22 in 12 in deep for 1/4 Sec Corner
80.00	Set Cedar post 3 in x 2 in x 4 ft 12 in deep. d Spirit-chained stake, raise mound 5 feet 2 ft high from pits. 2 pits 2 in x 22 in 12 in deep for Corner to Sec 19. 20. 29. 30
	Surface gently rolling
	Soil 2nd rate

Range No 17 West

Chains	
	East on random line bet Sec 20 and 29
	Variation 13° 30' East
40.00	Set post for temporary 1/4 Sec Corner
79.88	Intersect N. and S line at a point 33 lks S. of corner to Sec 20. 21, 28 and 29 from which corner bears S 89° 46' West on true line bet Sec 20 and 29
	Variation 13° 30' E
39.94	Set Cedar Post - 3 in x 2 in x 4 ft - 12 in deep - d Spirit chained stake, raise mound 5 feet 2 ft high from pits 2 pits 2 in x 22 in 12 in deep for 1/4 Sec Corner
79.88	Corner to Sec 19. 20 29 and 30
	Surface gently rolling
	Soil 2nd rate

Township No 29 North

chains	
	West on random line bet Sec. 19 & 30 Variation 13° 30' E
40.00	Set post for temporary ¼ Sec Cor Intersect West Boundary of Township at a point 50 lks N. of corner to Secs 19 & 30 from which corner Found
79.97	N 89° 30' East on true line bet Sec. 19 & 30
97	
39.97½	Set Variation 13° 30' E Cedar post 3 in x 2 in x 4 ft — 12 in deep. deposit charcoal stake, rock mound 2 feet high from pit 22 in x 22 in, 12 in deep for ¼ Sec Cor
79.97	Comer to Secs 19. 20. 29 & 30 — Surface gently rolling Soil 2nd rate —

Range No 19 West 6th P. M.

chains	
	North bet Secs. 19 & 20 Variation 13° 40' E
40.00	Set Cedar post — 3 in x 2 in x 4 ft — 12 in deep. deposit charcoal stake, rock mound 2 feet high from pit 22 in x 22 in, 12 in deep. for ¼ Sec Cor.
80.00	Set Cedar post 3 in x 3 in x 4 ft — 12 in deep. deposit charcoal stake, rock mound 2 feet high from pit 24 in x 24 in 12 in deep. Cor comer to Secs. 17. 18. 19 & 20 Surface gently rolling Soil 2nd rate

Township No 29 North

Chains	
	East on random line bet. Sec. 17 & 20 Variation 13° 30' E
40.00	Set post for temporary ¼ Sec. Corner
79.76	Intersect N. and S. line at a point 15 lks S. of corner to Sec. 16. 17 20 and 21, from which corner a pine S 89° 54' West on true line bet. Sec. 17 & 20 Variation 13° 30' E
39.88	Set Cedar post 3" x 2" x 4 ft - 12" deep, depression & heaped earth, & rock mound 2 ft high from pits 2 ft x 2 ft x 12" deep. West ¼ Section Corner. -
79.76	Corner to Sec. 17. 18. 19. 20 Surface gently rolling Soil 2nd rate

Range No 19 West 6th P.M.

Chains	
	West on random line bet. Sec. 18 and 19 Variation 13° 30' E
40.00	Set post for temporary ¼ Sec. Corner
79.98	Intersect West Boundary of Township at a point 56 lks N. of corner to Sec. 18 and 19, from which corner a pine N 89° 36' East on true line bet. Sec. 18 and 19 Variation 13° 30' E
39.98	Set Cedar post 8" x 2" x 4 ft - 12" deep, heaped earth & rock mound 2 ft high from pits 2 ft x 2 ft x 12" deep for ¼ Sec. Cor.
79.98	Corner to Sec. 17. 18. 19 & 20 Surface gently rolling Soil 2nd rate

Township No 29 North

chains	
	North bet Sec. 17 & 18
	Variation 18° 40' E
40.00	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. depvit - chaned 2 stake, raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep for 1/4 Sec. Corner
80.00	Set Cedar post 3 in x 2 in x 4 ft 12 in deep. depvit - chaned stake raise mound of earth 2 ft high from pits 24 in x 24 in - 12 in deep for corner to Sec. 17. & 17/18 Surface gently rolling Soil 2nd rate

Range No 19 West 6th P.M.

chains	
	East on random line bet Sec. 8 & 17
	Variation 18° 30' East
40.00	Set post for temporary 1/4 Sec. Corner
79.10	Intersect S and S line at a point 3 lks N. of corner to Sec. 8. 9. 16 and 17 from which corner S 89° 59' W on true line bet Sec. 8 and 17
	Variation 18° 30' E
3985	Set Cedar post 3 in x 2 in x 4 ft 12 in deep. depvit - chaned stake raise mound of earth 2 ft high from pits - 22 in x 22 in - 12 in deep for 1/4 Sec Corner —
79.10	Corner to Sec. 7. 8. 17. & 18 — Surface gently rolling Soil 2nd Rate

Township No 29 South

chains	
	West on random line bet. Sec. 7 & 18
	Variation 13° 30' E
40.00	Set post for temporary 1/4 Sec. Corner
80.05	Intersect West boundary of Township at a point 49 lks N. of corner to Sec. 7 & 18 from which corner bears N 89° 30' East on true line bet. Secs 7 and 18
	Variation 13° 30' E
40.05	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. dd pit - chamfered stake - rain mound 2 ft high pits - 22 in x 22 in - 12 in deep for 1/4 Section Corner
80.05	Corner to Secs 7, 8, 17 & 18 Surface rolling. Soil 2nd rate

Range No 19 West 6th P.M.

chains	
	North bet Sec. 7 & 18
	Variation 13° 40' E
40.00	Set Cedar post - 3 in x 2 in x 4 ft - 12 in deep. dd pit - chamfered stake - rain mound 2 ft high pits - 22 in x 22 in - 12 in deep for 1/4 Section Corner
80.00	Set Cedar post 3 in x 3 in x 4 ft 12 in deep. dd pit - chamfered stake - rain mound 2 ft high from pits 22 in x 22 in 12 in deep. for Sec. Corner - Secs 5, 6, 7 and 8. Surface rolling Soil 2nd rate

Township No 29 N

Chains	
	East on random line bet Sec. 5 and 8
	Variation 13° 30' E
40.00	Set post for temporary 1/4 Sec. Corner
79.94	Intersect West line at post — Corner to Sec. 4. 5. 8 and 9 from which corner I run West on true line bet. Sec. 5 and 8
	Variation 13° 30' E
39.97	Set Cedar post 3 in. x 2 in. x 4 ft 12 in deep. deposit — Chained stake, rain mound 2 ft high from pits 22 in x 22 in 12 in deep for 1/4 Sec. Corner to Sec. 5. 6. 7. 8
79.94	Surface gently rolling Soil (2) in. sale

Range No 19 West 6th P.M.

Chains	
	West on random line bet Sec. 6 and 7
	Variation 13° 30' E
40.00	Set post for temporary 1/4 Section Corner
79.95	Intersect West Boundary of Township at a point 60 lks N. of corner to Sec. 6 and 7 from which corner I run N 89° 34' East on true line bet. Sec. 6 and 7
	Variation 13° 30' E
39.95	Set Cedar post 3 in. x 2 in. x 4 ft 12 in deep. deposit — Chained stake, rain mound 2 ft high from pits 22 in x 22 in 12 in deep for 1/4 Sec. Corner to Sec. 5. 6. 7 and 8
79.95	Surface gently rolling Soil 2 in. sale

Township No. 29 North -

chains	
	North on random line bet. Sec. 5 & 6 Variation 13° 40' E
40.00	Set post for temporary 1/4 Sec. Corner
79.25	Intersect North Boundary of Township at a point 40 lks West of corner to Secs 5 and 6 from which Iron S 17° West on true line bet. Secs 5 and 6 Variation 13° 40' E
39.25	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. deposit charcoal stake, 2 pits, mound 2 ft high from pits 22 in x 22 in - 12 in deep for 1/4 Sec Corner
79.25	Cross to Secs. 5. 6. 7. 8 Surface rolling Soil 2d rate
Dec 14th	

- Range No 19 West 6th PM.

chains

General Description

The surface of this Township is gently rolling. Soil generally 2d rate. Timber is very little value except in ponds which are liable to disappear by evaporation. It can however be obtained by digging a short distance. Timber can be obtained from the Township adjacent, which will make this Township available and valuable for cultivation.

List of Names.

A list of the names of the individuals who were employed to assist in surveying, meanding, & marking the lines & corners described in the foregoing field notes of Town. 29 S. R. 10 E. 19 West of 6th P. Meridian showing the respective capacities in which they acted.

W. J. Phillips } Chainmen
Thos Wolfe }

Henry Johnson } Axemen and
C. H. Bunn } Flagmen

We hereby certify that we assisted Henry Conn, Deputy Surveyor in surveying and sub-dividing Township No 29 North of the Base line of Range No 19 West of the 6th Principal Meridian and that said Township has been in all respects, to the best of our knowledge and belief well and faithfully surveyed and the Boundary monuments placed according to the instructions furnished by the Surveyor General and of dimensions, character, and marking and in the manner as specifically described in the foregoing field notes.

Thomas Wolfe } Chainmen
W. H. Phillips }

Henry Johnson } Rodmen
C. H. Brown } Axemen & Flagmen

Subscribed and sworn to by the above named persons before me, a Clerk of the Dist Court for Gradison County, State of Nebraska, this 31st day of January, 1878.

Jos Mathewson

I Henry Count,
Deputy Surveyor, do
solemnly swear that-
in pursuance of a
joint Contract wherein
Chauncey Willis and
Henry Count are
joint Contractors with-
E.E. Cunningham
Surveyor General
for Nebraska
and Dakota, bearing
date the 14th day of
May, 1873. I have
well, faithfully and
truly, in due and
proper manner surveyed
all those parts of
portions of Townships
No 29 North of
the Base line of
Range No 19 West
of the 6th Principal
Meridian in the
State of Nebraska,
as are represented in
the foregoing field notes
as having been surveyed
under my direction;
and I do further
solemnly swear
that all the corners
of said surveys have
been established
and perpetuated
in strict accordance
with the Surveying
Manual, printed
instructions and
Special instructions
of the Surveyor General,
of dimensions, character
constructed and
marked and in the
manner as specifically
described in the
foregoing field
notes. And that
the foregoing and
the plat

original field notes
of such survey.

Henry Gannett
Deputy Surveyor

Subscribed by said
Henry Gannett
Deputy Surveyor,
and sworn to
before me a Clerk B
Dist Court for Madison
County State of
Nebraska. this 31st
day of July, 1873.

Jos Matthewson
Clerk of Dist Court
Madison Co,
Nebraska

Surveyor Generals Office
Omaha. Oct 28th
1873

The foregoing field notes of the
Survey and subdivision of Town
ship No 29. North of the Base
Line of Range No 9. West of
the 6th P. M. Executed by Henry
Gannett under Joint Contract
No 71. dated May 1st 1873
Wherein Chauncey Wilcox &
Henry Gannett are Joint Contract
ors the month of July 1873
having been critically Examined
and the necessary Corrections
and explanations made the
said field notes and the
Survey they describe are
hereby approved.

E. E. Cunningham
Surveyor General

Field Notes

of the

Survey & Sub-divisions

of Township No 30 N.

of the

Base Line

of Range No 19 W.

of the

6th P.M. Meridian

in the

State of Nebraska.

Executed

by

Henry Hunt, Deputy

Surveyor under Contract

Contract No 71, dated

May 1st, 1873.

Survey

Commenced July 13th 1873

Completed July 19th 1873

Diagram.

Town. 30 N. Range 19 West

6	60	5	44	4	33	3	22	2	11	1	
	59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12	
	56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13	
	53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24	
	50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25	
	47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36	

List of Names.

A list of the names of the persons who were employed to assist in subdividing Township No 30 N. Range No 19 West of 6th P.M.

W. H. Philips } Chainmen
Thomas Wolfe }

Henry Johnson } Marksmen and
C. H. Brown } Flagmen

Township No 38 N

Range No 19 West

To determine the proper adjustment of any compass for East and West Boundaries of Township.

I begin at corner to Townships 29 & 30 N. Ranges 18 and 19 West 6th P.M. and run North on a blank line along the East Boundary of Section 36

Variation 13°30' East

39.92 To a point 2 3 lks East of 1/4 Sec Cor

79.86 To a point 46 lks East of Corner to Secs 25 and 36.

Therefore to retrace this line or run parallel thereto my compass must be adjusted to

Variation 18°30' E

chains

Stone Cor to Secs 1. 2 35 & 36 on S. Boundary of Township

North bet. Sec. 35 & 36

Variation 13°30' E

.40.00 Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. deposit stones and stake - mound 2 ft high from pits 22 in x 22 in & 12 in deep for 1/4 Sec Corner

80.00 Set Cedar post - 3 in x 3 in x 4 ft - 12 in deep. deposit stones and stake - mound 2 ft high from pits 24 in x 24 in - 12 in deep for corner to Secs 25. 26. 35. 36

Surface rolling

Soil sandy - Bl. Sale

Township No 30 South-

Chains	
	East on random line bet Sec. 25 & 36
	Variation 13° 30' E
40.00	Set post for temporary ¼ Section Corner
80.65	Intersect East Boundary of Township at a point 44 lks South of corner to Sec. 25 and 36 from which corner Bears S 89° 41' West on true line bet Sec. 25 and 36
	Variation 13° 30' E
40.32½	Set Cedar post 3 in × 2 in × 4 ft — 12 in deep deposit chand stake, pair mound 2 cubic feet high from pit 22 in × 22 in 12 in deep for ¼ Sec Cor —
80.65	Corner to Sec. 25 26, 35 and 36 — Surface gently rolling Soil Loam and clay — Stones

Range No 19 West 6th P. M.

Chains	
	South bet Sec. 25 & 26
	Variation 13° 40' E
40.00	Set Cedar post 3 in × 2 in × 4 ft — 12 in deep deposit chand stake, pair mound 2 cubic feet high from pit 24 & 34 in 12 in deep for corner to Sec. 23. 24. 25 and 26
80.00	Set Cedar post 8 in × 3 in × 4 ft 12 in deep deposit chand stake, pair mound 2 cubic feet high from pit 24 & 34 in 12 in deep for corner to Sec. 23. 24. 25 and 26
	Surface gently rolling Soil 2 in Slate

Township No 30 North

chains	
	East on random line bet Sec. 24 and 25
	Variation 13° 30' E
40.00	Set post for corner 1/4 Sec. Corner —
80.58	Intersect East Boundary of Township at a point 25 lks. South of corner to Sec. 24 and 25 from which corner Bears S 89° 49' West one mile line bet. Sec. 24 and 25
	Variation 13° 30' E
40.29	Set cedar post 3 in x 2 in x 24 in 12 in deep, deposit chamd stake, rock mound 2 ft high from pits 22 in x 22 in 12 in deep for 1/4 Sec. corner bet Sec. 23. 24. 25 and 26
	Surface gently rolling soil 2nd rate

Range No 1 West 6th P.M.

chains	
	North bet Sec. 23 and 24
	Variation 13° 40' E
40.00	Set cedar post 3 in x 2 in x 4 ft — 12 in deep, deposit chamd stake, rock mound 2 ft high, from pits 22 in x 22 in 12 in deep for 1/4 Sec. corner
80.00	Set cedar post 3 in x 3 in x 4 ft 12 in deep, deposit chamd stake, rock mound 24 in x 24 in 12 in deep for corner to Sec. 13, 14, 23, 24
	Surface gently rolling Soil 2nd rate

Township No 30 North Range No 19 West 6th P.M.

Chains	
	East on random line bet Sec. 13 & 24 Variation 18° 30' East
40.00	Set post for temporary 1/4 Sec. Corner +
80.56	Intersect East Boundary of Township at a point 2 lks South of corner to Secs. 13 & 24 from which corner Spruce 9" diam bears S 89 - 30' West 21 links distant
	true line bet. Secs. 13 and 24 Variation 18° 30'
40.28	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. deposit charcoal stake, pyramid 2 ft high from pits 22 in x 22 in - 12 in deep for 1/4 Sec Corner +
80.56	Corner to Secs. 13. 14. 23 and 24 Surface gently rolling Soil 2nd rate

Chains	
	North bet Secs. 13 & 14 Variation 13° 40' E.
40.00	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. deposit charcoal stake, pyramid 2 ft high from pits 22 in x 22 in - 12 in deep for 1/4 Sec Corner +
80.00	Set Cedar post 3 in x 3 in x 4 ft - 12 in deep. deposit charcoal stake, pyramid 2 ft high from pits 24 in x 24 in - 12 in deep for Corner to Secs. 11. 12. 13 and 14 Surface gently rolling Soil 2nd rate

Township No 31 North-

Range No 19 West 6th P.M.

Chains		Chains	
	East on random line bet Sec 12 & 13		North bet Sec 11 & 12
	Variation 13° 30' E		Variation 13° 40' E
40.00	Set Spike for temporary ¼ Sec. Corner	40.00	Set Cedar Post - 3 in x 2 in x 4 Ft - 12 in deep. deposit chard stake, pile mound 2 feet high from pits 22 in x 22 in 12 in deep for ¼ Sec. Corner
80.46	Intersect E. and W. Boundary of Township at a point 18 lks North of Corner to Secs. 12 and 13 from which corner Bears S 89 - 52' West and true line bet. Secs 12 and 13	80.00	Set Cedar Post 3 in x 3 in x 4 Ft - 12 in deep. deposit chard stake, pile mound 2 feet high from pits 24 in x 24 in 12 in deep for corner to Secs. 11, 12 and 12 Surface, gently rolling Soil Sandy
	Variation 13° 30' E		
40.23	Set Cedar Post 3 in x 2 in x 4 Ft - 12 in deep. deposit chard stake, pile mound 2 feet high from pits. 22 in x 22 in 12 in deep for ¼ Sec. Corner		
80.46	Corner to Secs 11, 12, 13 and 14 Surface Gently rolling Soil Sandy		

Township No 30 North-

chains	
	East on random line bet Sec. 1 & 12
	Variation 18° 30' E
40.00	Set post for temporary ¼ Sec. Corner -
80.36	Intersect East Boundary of Township at a point 20 lks S. of corner to Secs. 1 and 12 from which corner I pine S 89° 50' West 39 links true line bet. Secs. 1 and 12
	Variation 18° 30' E
40.18	Set Cedar post 3 ins x 2 ins x 4 Ft - 12 ins deep. deposit chained stake, raise mound of earth 2 ft high from pits - 22 ins x 22 ins 12 ins deep for ¼ Sec. Corner
80.36	Corner to Secs. 1. 2. 11 and 12.
	Surface gently rolling Soil 2nd rate

Range No 19 West 6th P.M.

chains	
	North on random line bet Sec. 1 & 12
	Variation 18° 40' E
40.00	Set post for temporary ¼ Sec. Corner
79.82	Intersect North Boundary of Township at a point 7 lks. West of corner to Secs. 1 and 12 from which corner I pine S 3° West 39 links dist. bet. Secs. 1 & 12
	Variation 18° 40' E
39.82	Set Cedar post 3 ins x 2 ins x 4 Ft, 12 ins deep. deposit chained stake, raise mound of earth 2 ft high, from pits - 22 ins x 22 ins 12 ins deep for ¼ Sec. Corner
79.82	Corner to Secs. 1. 2. 11 and 12
July 15th	Surface gently rolling Soil 2nd rate

Township No 30 North—

chains	
	North bet. Sec. 34 & 35
	Variation 13° 40' E
40.00	Set Cedar post
	3 in x 2 in x 4 ft—
	12 in deep. dePosit
	Chained stake
	raise mound 2 feet
	2 ft high. from
	pits 22 in x 22 in
	12 in deep for 1/4
	Sec. Corner
80.00	Set Cedar post. 3 in
	x 2 in. x 4 ft— 12 in
	deep. dePosit chained
	stake. raise mound 2 feet
	2 ft high from
	pits 22 in x 22 in
	12 in deep. for corner
	to Sec. 26 27. 34
	& 35
	Surface gently rolling
	Soil 2nd rate

Range No 19 West 6th P.M.

chains	
	East on random line
	bet. Sec. 26 and 35
	Variation 13° 30' E
40.00	Set post for temporary
	1/4 Sec. Corner—
79.40	Intersect N and S line
	at a point 10 lks.
	S. of corner to Sec 25,
	26. 35. 36 from which
	corner I bear
	S 89° 56' West on line
	line bet. Sec. 26 & 35
	Variation 13° 30' E
39.70	Set Cedar post
	3 in x 2 in x 4 ft—
	12 in deep. depositd
	Chained stake. raise
	mound 2 ft high
	from pits 22 in x 22 in
	12 in deep for 1/4 Sec
79.40	Corner to Sec. 26. 25
	34 and 35
	Surface gently rolling
	Soil 2nd rate

Township No 30 North-

Chains		Chains
	North bet Sec. 26 & 27	
	Variation 13° 40' E.	
40.00	Set Cedar post. 8 in.	
	x 2 in x 4 ft - 12 in	
	deep. deposit chand	
	stake y rock mound 3 links	
	2 ft high. from pit	
	12 in x 24 in	
	12 in deep for 1/4 Cor.	
80.00	Set Cedar post	
	3 in x 3 in x 4 ft - 12	
	in deep. deposit	
	chand stake rock	
	mound 2 links 2 ft high	
	from pit 24 in x 24 in	
	12 in deep for corner	
	to Sec. 22. 23. 26. 27	
	Surface gently rolling	
	Soil 2nd rate	

Range No 19 West 6th Prin.

Chains	
	East on random
	line bet Sec. 23
	& 26
	Variation 13° 30' E
40.00	Set post for temporary
	1/4 Sec. Corner
79.33	Intersect S. A. & S.
	line at post. comm
	to Sec. 23. 24. 25
	& 26 from which
	corner bears
	West on true line
	bet Sec. 23 & 26
	Variation 13° 30' E
39.66	Set Cedar post -
	3 in x 2 in x 4 ft - 12
	in deep. deposit
	chand stake bears
	mound 2 links high from
	pit 22 in x 22 in 12 in
	deep. for 1/4 Sec. Cor.
79.33	Center to Sec. 22. 23.
	26 and 27
	Surface gently rolling
	Soil 2nd rate

Township No 30 North

Chains	
	North bet Sec 22 and 23
	Variation 13° 40' E
40.00	Set Cedar post, 3 in x 2 in x 4 Ft 12 in deep. deposit- ed stakes, scribed mound, 2 Ft high, from pits 2 ½ x 2 in 12 in deep. for ¼ Sec. Corner
80.00	Set Cedar post 3 in x 3 in x 4 Ft. 12 in deep. deposited stakes, scribed mound, 2 Ft high from pits 2 ½ x 2 ½ in 12 in deep. for Corner to Sec. 8 14. 15. 22 and 23
	Surface gently rolling Soil 2nd rate

Range No 19 West 6th P.M.

Chains	
	East on random line bet Sec. 14 and 23
	Variation 13° 30' E
40.00	Set post for temporary ¼ Sec. Corner
79.56	Intersect N and S line at a point 25 lks E. of corner to Sec. 13. 14. 23 and 24 from which corner
	Comm
	S 89° 49' West on true line bet. Sec. 14 and 23
	Variation 13° 30' E
39.78	Set Cedar post 8 in x 2 in x 4 Ft 12 in deep. deposited stakes, scribed mound, 2 Ft high from pits 2 x 2 in deep for ¼ Sec. Corner
79.56	Corner to Sec. 14. 15. 22 and 23
	Surface gently rolling Soil 2nd rate

Township No 30 North—

Range No 19 West 6th P.M.

Chains	
	North bet Sec. 14 & 15 Variation 18° 40' E
40.00	Set Cedar Post— 3 in x 2 in x 4 Ft— 12 in deep. deposit chained stake, pan mound 12 Ft high from pits 22 Ft x 22 Ft— 12 in deep for 1/4 Sec. Cor—
80.00	Set Cedar Post 8 in x 3 in x 4 Ft— 12 in dep. deposit— Chained stake, pan mound 12 Ft high from pits— 2 4 Ft x 22 Ft 12 in deep for corner to Sec. 10. 11. 14. 15 Surface gently rolling— Soil Sandy, rocky

Chains	
	East on random line bet. Sec. 11 and 14 Variation 18° 30' E
40.00	Set post for temporary 1/4 Sec. Corner—
79.47	Intersect S. and J. line at a point 30 lks S. of corner to Sec. 10. 11. 12, 13 and 14 from which corner Sun S 89° 47' West true line bet. Sec. 11 and 14 Variation 18° 30' E.
39.73½	Set Cedar post— 3 in x 2 in x 4 Ft— 12 in deep. deposit— Chained stake, pan mound 12 Ft high from pits 2 2 Ft x 22 in 12 in deep for 1/4 Sec. Corner
79.47	Corner to Sec. 10. 11. 14. 15 Surface level. Soil Sandy.

Township No 30 N.

Range No 19 West 6th P.M.

chains	
	North bet Sec. 10 & 11
	Variation 13° 40' E
40.00	Set Cedar post
	3 in x 2 in x 4 Ft -
	12 in deep. depont-
	Chand stake,
	rane mound Earth
	2 Ft high from,
	pits 24 in / 22 in
	12 in deep for 1/4
	Sec corner
80.00	Set Cedar post
	3 in x 3 in x 4 Ft
	12 in deep. depont-
	chand stake
	rane mound Earth-
	2 Ft high. from
	pits 24 in x 24 in
	12 in deep. for corner
	to Sec. 2. 3. 10. 11
	Surface level
	Soil 2d rate

chains	
	East on random
	line bet. Sec. 2 & 11
	Variation 13° 30' E
40.00	Set post for temporary
	1/4 Sec. Corner
79.70	Intersect St. aug. S.
	line at a point 2.7
	lks South of corner
	to Sec. 1. 2. 11 & 12
	from which corner
	Pine
	S 89° 45' West on
	true line bet. Sec.
	2 & 11
	Variation 13° 30' E
39.85	Set Cedar post
	3 in x 2 in x 4 Ft
	12 in deep. depont- Chand
	stake & rane mound
	Earth 2 Ft high. from pits
	22 in & 22 in 12 in
	deep for 1/4 Sec. Corner
79.70	Over to Sec. 2. 3. 10. 11
	Surface gently rolling
	Soil 2d Rate

Township No 30 North, Range No 19 West 6th P.M.

Chains	
	North on random line bet. Sec. 2 & B Variation 13°40' E
40.00	Set post for temporary 1/4 Sec. Corner
79.72	Intersect North Boundary of Town at a point 40 lks West of corner to Secs 2 and 3 from which corner Dam 17 links West on true line bet. Secs 2 and 3 Variation 13°40' E
39.72	Set a Cedar post 3 in x 2 in x 4 Ft — 12 in deep, drive Stake, 2 Ft high from pits 22 in x 22 in 12 in deep for 1/4 Sec. Corner
79.72	Corner to Secs. 2, 3, 10 and 11 Surface, gently rolling Soil 2nd rate

Chains	
	North bet Secs. 33 & 34 Variation 13°40' E
40.00	Set post Cedar post 3 in x 2 in x 4 Ft — 12 in deep, deposit charcoal Stake, ring mound earth 2 Ft high from pits 22 in x 22 in — 12 in deep for 1/4 Sec. Corner
80.00	Set Cedar post 3 in x 3 in x 4 Ft — 12 in deep, deposit charcoal Stake, ring mound earth 2 Ft high from pits 22 in x 22 in — 12 in deep for corner to Secs. 27, 28, 33 & 34 Surface level — Soil 2nd rate.

Township No 30 North

chains	
	East on random line bet Sec. 2 & 34 Variation 13° 30' E
40.00	Set post for temporary 1/4 Sec. Cor
80.48	Intersect N. and S. line at a point 40 lks. S. of corner to Sec. 26. 27. 34 and 35 from which corner Bears S 89° 45' West on true line bet. Sec. 27 and 34 Variation 13° 30' E
40.24	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. deposit stones and stake. raise mound 2 ft. high from pits 2 1/2 ft x 2 1/2 ft - 12 in deep for 1/4 Sec. corner
80.48	Cannot to Sec. 27. 28. 33 and 34 Surface gently rolling Soil sandy

Range No 19 West 6th P.M.

chains	
	North bet Sec. 27 & 28 Variation 13° 30' E
40.00	Set post (Cedar) 3 in x 2 in x 4 ft - 12 in deep. deposit stones and stake. raise mound 2 ft high from pits 2 1/2 ft x 2 1/2 ft - 12 in deep for 1/4 Sec. corner
80.00	Set Cedar post - 3 in x 2 in x 4 ft - 12 in deep deposit stones and stake raise mound 2 ft high from pits 2 1/2 ft x 2 1/2 ft - 12 in deep for corner to Sec. 21. 22. 27. and 28 Surface gently rolling Soil sandy

Township No 30 North-

chains	
	East on random line bet Secs 22 & 27 Variation 13° 35' E
40.00	Set post for temporary 1/4 Section Corner
80.30	Intersect N and S line at a point 33 lks. S. of corner to Secs. 22. 23. 26 and 27 from which corner I saw S 89° 45' West on true line bet. Secs 22 & 27 Variation 13° 35' E
3 40.15	Set Cedar post 3 in x 2 in x 4 ft. 12 in deep. deposit Chained Stake, rais mound 2 ft high. from pits 22 in x 22 in 12 in deep ft to 1/4 Sec Corner
80.30	Corner to Secs. 21, 22, 27 and 28 Land generally rolling Soil 2nd rate

Range No 19 West 6th P.M.

chains	
	North bet Secs 21 & 22 Variation 13° 35' E
40.00	Set Cedar post 3 in x 2 in x 4 ft 12 in deep. deposit Chained Stake, rais mound 2 ft high from pits 24 in x 24 in 12 in deep for 1/4 Sec Corner
80.00	Set Cedar post 3 in x 3 in x 4 ft 12 in deep. deposit Chained Stake, rais mound 2 ft high from pits 24 in x 24 in 12 in deep for Corner to Secs. 15, 16, 21 and 22. Surface gently rolling Soil 2nd rate

Township No 30 N

chains	
	East on variation line bet Sec 15 and 22
	Variation 13° 30' E
40.00	Set post for temporary ¼ Sec. corner
80.22	Intersect N. and S. mile at a point 40 lks S. of corner to Secs 14. 15. 22 and 23 from which corner is N 89° W 43' Station tree bears N. Sec. 15 and 22
	Variation 13° 30' E
40.11	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. deposit chard stake, rocks mound 2 ft high from pits 2 ft x 2 ft x 12 in deep, for ¼ Sec. corner
80.22	Corner to Secs. 15. 16 21 and 22 Surface gently rolling - Soil 2nd rate

Range No 19 West 6th P.M.

chains	
	North - bet. Sec 15 - 22
	Variation 13° 30' E
40.00	Set cedar post - 3 in x 3 in x 4 ft - 12 in deep deposit chard stake, rocks mound 2 ft high, from pits 22 in x 22 in - 12 in deep - for ¼ Sec corner
80.00	Set Cedar post 3 in x 3 in x 4 ft - 12 in deep deposit chard stake rocks mound 2 ft high, from pits 24 in x 24 in 12 in deep. for Corner to Secs 9. 10. 15 and 16 Surface gently rolling Soil 2nd rate

Township No 30 North-

Chains.	
	East on random line bet Sec. 10 & 15
	Variation 13° 35' E
40.00	Set Post for temporary 1/4 Sec. Corner
79.80	Intersect N. & S. Line at a point 49 lks. S. of corner to Secs. 10, 11, 14 and 15 from which corner bears S 89° 30' West on true line bet Sec. 10 and 15
	Variation 13° 35' E
39.90	Set Cedar post 3 in x 2 in x 4 ft 12 in deep. deposit. Chained stake, raised mound 2 links high from pit 22 in x 22 in 12 in deep for 1/4 Sec. Corner
79.80	Corner to Secs. 9, 10 15 and 16 Surface gently rolling Soil 2nd rate

Range No 19 West 6th P.M.

Chains	
	North bet Sec. 9 & 10
	Variation 13° 40' East
40.00	Set Cedar post. 3 in x 2 in x 4 ft - 12 in deep. deposit chained stake, raised mound 2 links high from pits 22 in x 22 in 12 in deep for 1/4 Sec. Co.
80.00	Set Cedar post 3 in x 3 in x 4 ft - 12 in deep - deposit chained stake, raised mound 2 links high from pits 24 in x 24 in - 12 in deep for corner to Secs. 3. 4. 9 and 10 Surface rolling Soil sandy 3rd rate

Township No 80 North—

—Range No 19 West 6th P.M.

chains		chains	
	East on random line bet. Secs. 3 & 10 Variation 13° 35' E		North on random line bet. Secs. 3 & 34 Variation 13 3/4° E
40.00	Set pipt for temporary 1/4 Sec. Corner	40.00	Set post for temporary 1/4 Section Corner
79.78	Intersect St. and. line at a point 49 lks. S. of corner to Secs. 3, 10, 11, & 14 and 15 from which corner I run S 89 3/4 39 7/4 West on true line bet Secs. 3 and 10 Variation 13° 35' E	80.20	Intersect North Boundary of Township at a point 10 lks East of Corner to Secs. 3, 33 and 34 from which corner I run S 4° East on true line bet. Secs. 3 & 34 Variation 13° 40' E
39.89	Set Cedar post 3 in x 2 in x 4 ft — 12 in deep. d pit & stand stake, ram mound 2 ft high from pit. — 22 in x 22 in 12 in deep for 1/4 Sec Corner	40.20	Set Cedar post — 3 in x 2 in x 4 ft — 12 in deep. d pit & stand stake, ram mound 2 ft high from pit 22 in x 22 in — 12 in deep for 1/4 Sec — Corner
79.78	Corner to Secs. 3 4 9 10 Surface gently rolling Soil 2% sale	80.20	Corner to Secs. 3, 4, 9 and 10 { Surface level Soil 2" sale

Township No 30 North-

chains	
	North bet. Sec. 32 and 33
	Variation 13° 40' E
40.00	Set post - (Cedar) 3 in x 2 in x 4 ft - 12 in deep. deposit chaned stake, rais mound 22 in x 22 in - 12 in deep for 1/4 Sec. Cor -
40.00	Set Post. (Cedar) 3 in x 3 in x 4 ft - 12 in deep. deposit chaned stake, raise mound 12 inches high. from pits - 24 in x 24 in - 12 in deep for corner to Sec 21. 29. 32 & 33. Surface rolling Soil sandy Timber

Range No 19 West 6th P.M.

chains	
	East on random line bet. Sec. 28 & 33.
	Variation 13° 30' E
40.00	Set post for temporary 1/4 Sec. Corner
79.60	Intersect N. and S. line at a point 4 21 lks. South of corner to Sec. 27. 28. 33 & 34. from which corner 2 pines S 89 - 45' West one link bet. Sec. 28 and 33
	Variation 13° 30' E
39.80	Set Cedar post - 3 in x 2 in x 4 ft - 12 in deep. deposit chaned stake, raise mound 2 ft high. from pits 22 in x 22 in 12 in deep for 1/4 Sec. Corner
79.60	Corner to Sec. 21. 29. 32 and 33
	Surface rolling - Soil sandy - Timber

Township No 30 North—

Range No 19 West 6th P.M.

chains		chains	
	North bet Sec. 28 & 29 Variation 13°40' E		East on random line bet. Sec. 21 & 28 Variation 13°35' E
40.00	Set Cedar post 3 in x 2 in x 4 ft 12 in deep. depression-Chand stake range mound Spear 2 ft high from pits 24 in x 24 in 12 in deep for Corner to Sec. 20. 21. 28 and 29	40.00	Set Cedar post 3 in x 2 in x 4 ft 12 in deep depression-Chand stake range mound Spear 2 ft high from pits 24 in x 24 in 12 in deep for 1/4 Section Corner
		79.65	Intersect N and S line at a point 21 lks. E. of corner to Sec. 21. 22. 27 and 28 from which corner I also S 89° E. Variation 13°35' E.
80.00	Set Cedar post 3 in x 3 in x 4 ft 12 in deep. depression-Chand stake range mound Spear 2 ft high from pits 24 in x 24 in 12 in deep for Corner to Sec. 20. 21. 28 and 29	39.82½	Set Cedar post 3 in x 2 in x 4 ft 12 in deep depression-Chand stake range mound Spear 2 ft high from pits 24 in x 24 in 12 in deep for 1/4 Sec. Corner
		79.65	Corner to Sec. 20. 21. 28 and 29
	Surface gently rolling Soil 2 in. Prairie		Surface gently rolling Soil 2 in. Prairie

Township No 30 South

Chains	
	North bet Sec. 20 & 21 Variation 13° 45' E
40.00	Set Cedar post 3 in x 2 in x 4 ft — 12 in deep, depind- chand stake and mound, Scalth- high. From pit. 22 in x 22 in 12 in deep for Corner to Secs 16, 17, 20 and 21 Surface gently rolling Soil Sandy — Timber
80.00	Set Cedar post 3 in x 3 in x 4 ft. 12 in deep. depind- chand stake, and mound, Scalth- high. From pit 22 in x 24 in 12 in deep for Corner to Secs 16, 17, 20 and 21 Surface gently rolling Soil Sandy — Timber

Range No 19 West 6th P.M.

Chains	
	East on random line bet. Sec. 16 & 21 Variation 13° 35' E
40.00	Set Post for Quarter 1/4 Section Corner and Intersect N. and S. line at a point 20 Chs. South of corner to Sec. 15, 16, 21 and 22 from which corner a Pine S 89° 30' W Pointers line bet Sec. 16 and 21 Variation 18° 25' E
39.85 1/2	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. depind- chand stake and mound, Scalth- high. From pit 22 in x 22 in 12 in deep for 1/4 Section Corner to Sec. 16, 17, 20 and 21 Surface rolling Soil Sandy — Timber

40

Township No 30 N

Range No 19 West 6th P. M.

Chains		Chains	
	North bet. Sec. 16 & 17 Variation 18°55' E		East on random line bet. Sec. 9 and 16 Variation 18°35' E
40.00	Set Cedar post 3 in x 2 in x 4 Ft — 12 in deep. Ditch- shaved stake, raised mound of earth 2 Ft high from ditch 22 in x 22 in x 12 in deep. for 1/4 Sec. Co-	40.00	Set post for temporary 1/4 Sec. Corner
79.80		79.80	Intersect N. and S. line at or point 28 lks. South of corner to Sec. 9 10. 15 and 16 from which corner Pine 8 89-48' West on true line bet. Sec. 9 and 16
80.00	Set Cedar post 3 in x 3 in x 4 Ft — 12 in deep. Ditch- shaved stake, raised mound of earth 2 Ft high from ditch 2 1/2 in x 2 1/2 in x 12 in deep for Corner to Sec. 8. 9. 16 and 17 Surface rolling Soil 2nd rate	39.95	Variation 13°35' E Set Cedar post 3 in x 2 in x 4 Ft — 12 in deep. Ditch- shaved stake, raised mound of earth 2 Ft high from ditch 2 1/2 in x 2 1/2 in x 12 in deep. for 1/4 Sec. Corner
		79.80	Corner to Sec 8. 9. 16 & 17 Surface rolling Soil 2nd rate

Township No 30 N

chains	
	North bet Secs. 8 & 9 Variation 13° 45 E
40.00	Set Cedar post 8 in x 2 in x 4 ft 12 in deep. Ddpnt Chained to Stake, raised mound & pit, Sight from pits 22 in x 22 in 12 in deep
	Cor to Secs 4 & 5
80.00	Set Cedar post 3 in x 3 in x 4 ft 12 in deep. ddpnt Chained to stake, raised mound & pit, Sight from pits 22 in x 22 in 12 in deep Cor to Secs 4. 5. 8 and 9 Surface gently rolling Soil 2nd rate

Range No 19 West 6th P.M.

chains	
	East on random line bet. Secs 4 and 9 Variation 13° 35 E
40.00	Set post for witness Cor 1/4 Sec. Cor Intersect N. and S. line at a point 25 lks S. of the Cor to Secs 3. 4. 9 and 10 from which cor Pine 8 in S 89° 49' West on true line bet. Secs 4 and 9
	Variation 13° 35 E
39.92½	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. ddpnt - chained to stake & mound, Sight from pits 22 in x 22 in 12 in deep for 1/4 Sec Cor
79.87	Cor to Secs 4. 5. 8. & 9 Surface gently rolling Soil 2nd rate

Township No 30 N.

Range No 19 West 6th P. M.

Chains		Chains	
	North bet Sec.s 4 and 5 (on random line) Variation 18° 50' E		North bet Sec.s 31 and 32 Variation 18° 40' E
40.00	Set post for temporary 1/4 Sec. corner.	40.00	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep - depositd charcoal stake, raised mound of earth - 2 ft - high. from pits 22 in x 22 in - 12 in deep for 1/4 Sec. Corner
80.47	Intersect North Boundary of Township at a point 15 lks East of corner to Sec.s 4 and 5 from which corner I run S 6° East on true line bet. Sec.s 4 and 5. Variation 18° 50' E	80.00	Set Cedar post 3 in x 3 in x 4 ft - 12 in deep. deposit - charcoal stake pit mound 2 ft high from pits 24 in x 24 in 12 in deep for Corner to Sec.s 29. 30. 31 and 32
40.47	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep - deposit - charcoal stake, raised mound of earth - 2 ft - high. from pits 22 in x 22 in - 12 in deep for 1/4 Sec Corner		Surface rolling Soil Sandy - 3 rd rate
80.47	Corner to Sections 4. 5. 8 and 9		
	Surface 1st gently rolly Soil 2nd rate 1st rolly 2nd Sandy - 3rd rate -		

July 1st 1873

Township No 30 South

Ch	Chains	
		East on random line bet. Sec. 29 and 32
4		Variation 13° 30' E
	40.00	Set pint for temporary ¼ Sec. Corner
8	80.08	Intersect N. by E. line at 9 points 10 lks E. Sec. 29. 32 and 33 from which corner S. 89° 56' West on true line bet. Sec 29 and 32
4		Variation 13° 30' E
	40.04	Set Cedar post 8 in x 2 in x 4 ft 12 in deep. Adjoining Shanel Lake, raised mound of earth 2 ft high, from pit 2 ft in x 2 ft 12 in deep for ¼ Sec Cor Sec. 29. 30. 31 and 32
	80.08	Surface rolling, Soil sandy

Range No 19 West 6th P.M.

Chains	
	West on random line bet. Sec. 30 and 31
	Variation 13° 30' E
40.00	Set pint for temporary ¼ Sec Cor
80.30	Intersect West Boundary of Township at a point 40 lks South of corner to Sec. 30 and 31 from which corner S. 89° 43' East on true line bet. Sec 30 and 31
	Variation 13° 30' E
40.30	Set Cedar post 3 in x 2 in x 4 ft 12 in deep. Adjoining Shanel Lake, raised mound 2 ft high from pit 2 ft x 2 ft 1 ft deep for ¼ Sec Cor
80.30	Corner to Sec. 29. 30 31 and 32 Surface rolling Soil sandy — Shanel Lake

Township No 30 North-

Range No 19 West 6th P.M.

ch	chains		chains	
		North bet Sec. 29 & 30		East on random line bet. Sec. 20 & 29
		Variation 18 40 E		Variation 18 35 E
4	40.00	Set Cedar post 3 ins x 2 ins x 4 ft 12 ins deep. Mound-chamfered stake range mound South 2 ft high from pits 22 ins x 22 ins 12 ins deep for 1/4 Sec Corner	40.00	Set Post for temporary 1/4 Sec Corner Intersect N. and S. line at post, corner to Sec. 20, 21, 28 & 29 from which Witness bears line bet. Sec. 20 and 29
		Variation 18 40 E		Variation 18 35 E
8	80.00	Set Cedar post 3 ins x 3 ins x 4 ft 12 ins deep. Mound-chamfered stake range mound South 2 ft high from pits 24 ins x 24 ins 12 ins deep for Corner to Sec. 19, 20, 29, 30. Surface gently rolling Soil Clay	40.10 80.20	Set Cedar Post 3 ins x 2 ins x 4 ft 12 ins deep. Mound-chamfered stake range mound South 2 ft high from pits 22 ins x 22 ins 12 ins deep for 1/4 Sec Corner to Sec. 19, 20, 29 and 30. Surface gently rolling Soil Clay

Township No 30 North-

Range No 19 West 6th P.M.

ch	chains	
		West on random line bet Sec. 19 & 20
		Variation 13°30' E
4	40.00	Set post for temporary 1/4 Lo. Corner
8	80.30	Intersect West Boundary of Township at a point 30 lks. South of corner to Sec. 19 & 20 from which corner Sycamore 8 9° 47' East 30 lks bet Sec. 19 & 20
		Variation 13° 30' E
	40.30	Set Cedar post 3 ins x 2 ins x 4 ft 12 ins deep. Mound Stones, Sand Stake, Pits 2 ft high from which Pits 22 ft x 22 ins 12 ins deep for 1/4 Sec. Corner
	80.30	Corner to Sec. 19, 20, 29 and 30. Surface gently rolling Soil 2nd rate

chains	
	North bet Sec. 19 and 20.
	Variation 13° 40' E
40.00	Set Cedar post 3 ins x 2 ins x 4 ft 12 ins deep. Mound Stones, Sand Stake, Pits 2 ft high from which Pits 24 ft x 24 ins 12 ins deep for 1/4 Sec. Corner
80.00	Set Cedar post 3 ins x 3 ins x 4 ft 12 ins deep. Mound Stones, Sand Stake, Pits 2 ft high from which Pits 24 ft x 24 ins 12 ins deep for Corner to Sec. 17, 18, 19 & 20 Surface gently rolling Soil 2nd rate

Township No 30 N

Range No 19 West 6th P.M.

	chains	
4		East on said com line bet. Sec. 17 & 20
		Variation 13° 30' E
4	40.00	Set post for temporary
8	80.18	¼ Sec. Corner Intersect N. and S. line at a point 10 lks. N. West of corner to Secs. 16. 17. 20 & 21 from which corner Bears N 89° 56' West on said line bet Secs. 17 and 20
		Variation 13° 30' E
	40.09	Set Cedar post 8 ins x 2 ins x 4 ft 12 ins deep. Adjoining channel state, raise mound 2 feet high from pits 2 ft x 2 ft 12 ins deep on line bet Secs. 17 & 20
	80.18	Corner to Secs. 17. 18. 19 & 20 Surface gently rolling Soil 2nd rate

	chains	
		West on said com line bet. Sec. 17 & 19
		Variation 13° 30' E
	40.00	Set post for temporary
	80.48	¼ Sec. Corner Intersect West Boundary of Township at a point 30 lks. South of corner to Secs. 17 and 18 from which corner Bears S 89° 47' East on said line bet Secs. 18 and 19
		Variation 13° 30' E
	40.48	Set Cedar post 3 ins x 2 ins x 4 ft 12 ins deep. Adjoining channel state, raise mound 2 feet high from pits 2 ft x 2 ft 12 ins deep on line bet Secs. 17. 18. 19 & 20
	80.48	Corner to Secs. 17. 18. 19 & 20. Surface gently rolling Soil 2nd rate

Township No 30 N Range No 19 West 6th P.M.

Chains	Chains	
		North bet Sec. 17 and 18
		Variation 13° 40' E.
4	40.00	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. deposit chard & stake, mound 2 ft high from pits 22 in x 22 in - 12 in deep for 1/4 Sec Cor -
80.00		Set Cedar post - 3 in x 3 in x 4 ft - 12 in deep. deposit - chard & stake, raise mound of earth 2 ft high. from pits - 24 in x 24 in 12 in deep for Corner to Sec. 7. & 8. 17, 18
		Surface gently rolling Soil 2nd rate

Chains	Chains	
		Eastern random line bet Sec 8 and 17
		Variation 13° 35' E
41.00		Set post for temporary 1/4 Sec. Corner.
88.70		Intersect N. and S. line at a point 35 lks S. of corner to Sec 8 & 9. 16 and 17 from which corner a pine N 89° 45' West on true line bet. Sec. 8 and 17
		Variation 13° 35 E
40.35		Set Cedar post. 3 in x 2 in x 4 ft - 12 in deep. deposit chard & stake, raise mound 2 ft high from pits 22 in x 22 in - 12 in deep for 1/4 Sec Corner -
80.70		Corner to Sec. 7. 8. 17 and 18, Surface gently rolling Soil 2nd rate -

Township No 30 North

Chains		
		West on random line bet. Sec. 7 & 18 Variation 18° 30' E.
4	40.00	Set post for temporary 1/4 Sec. Corner
8	80.75	Intersect West Boundary of Township abt 18 lks. South of corner to Sec. 7 and 18 from which corner Bears S 89° 52' East 80 lks bet Sec. 7 & 18 Variation 18° 30' E
4	40.75	Set Cedar post 8 ins x 2 ins x 4 Ft 12 ins deep. dd pit chamd stake, raise mound 2 Ft high from pits 22 ins x 22 ins 2 ins deep for 1/4 Sec Cor -
	80.75	Camp to Sec. 7. 8. 17 18. Surface gently rolling Soil 2 ft. rate

Range No 19 West 6th P.M.

57

Chains		
		North - bet. Sec. 7 & 8 Variation 18° 30' E.
40.00		Set Cedar post 3 ins x 2 ins x 4 Ft - 12 ins deep. dd pit chamd stake, raise mound 2 Ft high from pits 24 ins x 24 ins 12 ins deep - Bears East to Sec. 5. 6. 7 & 8 Surface gently rolling Soil 2 ft. rate
80.00		Set Cedar post 3 ins x 3 ins x 4 Ft - 12 ins deep. dd pit chamd stake, raise mound 2 Ft high from pits 24 ins x 24 ins 12 ins deep - Bears East to Sec. 5. 6. 7 & 8 Surface gently rolling Soil 2 ft. rate

Township No 30 North-

ch	chains	
		East on random line bet. Secs 5 and 8
		Variation 13° 35' E.
4	40.00	Set post for temporary 1/4 Sec. Corner.
8	80.60	Intersect G.P. & R. line at a point 32 lks. N. of corner to Secs. 5 and 8 from which corner bears N 89° 46' West on true line bet. Secs 5 and 8
		Variation 13° 35' E.
4	40.30	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chained stake, rails mounds 2 each 2 ft high. from pits 22 in x 22 in - 12 in deep - for 1/4 Sec. Co.
8	80.60	Corner to Secs. 5.6.7 and 8
		Surface gently rolly Soil 2". Sale

Range No 19 West 6th P.M.

chains	
	West on random line bet. Secs 6 and 7
	Variation 13° 35' E.
40.00	Set post for temporary 1/4 Sec Corner
80.85	Intersect West Boundary of Township at a point 10 lks. S. of angle in Secs 6 and 7 from which corner bears S 89° 56' East on true line bet. Secs 6 and 7
	Variation 13° 30' E.
40.85	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chained stake, rails mounds 2 each 2 ft high. from pits 22 in x 22 in - 12 in deep for 1/4 Sec. Co.
80.85	Corner to Secs 5.6.7.8 Surface gently rolly Soil 3". Sale

Township No 30 N

Range No 19 West 6th P.M.

chs	chains	
		North on random line bet Sec. 5 & 6 Variation 13° 30' E
4	40.00	Set post for temporary 1/4 Sec. Corner —
8	80.05	Intersect North — Boundary of Township at a point 25 lks West of corner to Sec. 5 & 6 Twp which corner bears N 51° W 40 lks dist —
4		North on true line bet. Sec. 5 & 6
		Variation 13° 30' E
4	0.05	Set Cedar post 3 in x 2 in x 4 ft — 12 in deep. depression Mound Pit — Scribed N 25° E 2 lks from pit — 2 in x 2 in x 12 in deep
8		on 1/4 Sec. Corner —
	0.05	Corner to Sec. 5. 6. 7. 8
		Surface rolling & Soil Sandy & 3 in. sub —

General Description

The surface of this Township is generally gently rolling. Soil 2 in. rich & well adapted to agriculture.

List of Names.

A list of the names of the individuals who were employed to assist in ~~running~~ measuring, & marking the lines and courses described in the foregoing field notes of Township No 38, North of the Base line & Range No 19 W. of 6th P. M. Spec. showing the respective capacities in which they acted;

W. H. Phillips } Chainmen
Thomas Wolfe }

Henry Johnson } Mound men
C. H. Brown } Axmen &
Flagmen

We hereby certify that we assisted Hosper Com'd. Deputy Surveyor in Surveying and Sub-dividing Township No 30 North of the Base line of Range No 1 West of the 6th Principal Meridian and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and that said mounments planted according to the instructions furnished by the Surveyor General, and of subdivisions, character, construction and marking and in the manner as specifically described in the foregoing field notes

W. H. Phillips } Chainmen
Thomas Stolle }
Henry Johnson } Monumentman
C. H. Brown } Asst. Flagman

Subscribed by the above named persons and sworn to before me. Clerk of District Court for Madison County State of Nebraska this 31st day of July 1873

Jo Mathewson
Clerk Dist Court
Madison County
Nebraska

I Henry Condit,
Deputy Surveyor, do solemn-
-ly swear that in
performance of a Joint
Contract wherein Chauncey
Wilkie and Henry Condit
are joint contractors
with E. E. Cunningham
Surveyor General for
the District of Nebraska
and Dated beginning date
the 1st day of May, 1873
I have well, faithfully
and truly, in my
own proper person, and
in strict conformity to
the instructions furnished
by the Surveyor General
the Surveying Manual
and the Laws of the
United States, surveyed
all those fractional
portions of Town-
-ship No 30 North
of the Base line
of Range No 19 West
of the 6th Principal
Meridian as are
represented in the
foregoing field notes
as having been survey-
-ed under my direction,
and I do further solemnly
swear that all the
corners of such survey
have been established
and perpetuated in
strict accordance with
the Surveying Manual
and printed instructions
and Special instructions
of the Surveyor General,
of dimensions, character,
construction and
marking and in the
manner as specifically
described in the foregoing
field notes and
that the foregoing
are the true and

original field notes
of such survey

Henry Court
Deputy Surv

Subscribed by the said
Henry Court
Deputy Surveyor, and
sworn to before me a
Clerk of Dist Court for
Madison County, State
of Nebraska, this 31st
day of July 1873.
Jos Matthewson

Surveyor Generals Office
Plattsmouth. Oct 28th 1873

The foregoing field notes of Township
No 30 North of the Base Line of
Range No 1 West of the 6th P.M.
in Nebraska Executed by Henry
Court under joint Contract
No 71. dated May 1st 1873 wherein
Chauncey Wilbur and Henry
Court are joint contractors
in the month of July 1873
having been critically examin-
ed the necessary corrections
and explanations made the
said field notes and the
Surveys they describe are
hereby approved.

E. E. Cunningham
Surveyor General

Field Notes.

of the

Survey of the Sub-divisions

of

Township No 31 North

of the

Base Line

of

Range No 19 West

of the

6th Prin Meridian

in the

State of Nebraska

Executed

by

Henry Yount Deputy

Surveyor, under

Joint Contract No.

71 dated May 1st 1873

Survey

Commenced July 21st 1873

Completed July 25th 1873

Diagram

Town. 31 N. Range 19 West

6	60	5	44	4	33	3	22	2	11	1	
	59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12	
	56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13	
	53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24	
	50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25	
	47		46		35		24		13		2
31	46	32	34	33	23	34	12	35	1	36	

List of Names.

A list of the names of the persons who were employed to assist in surveying and sub-dividing this Township.

W. H. Phillips, Chainmen
Thomas Wolfe,

Henry Johnson, Mensuration
C. H. Brown, Axemen and Flagmen

Township No 31 South-

To determine the proper adjustment of mt compass. For subdividing this Township I began at Corner to Townships No 30 and 31 South - Ranges No 18 and 19 West of 6th Prin. Meridian - and run South - on a blank line along the East Boundary of Sec. 36

Variation 14° East

39.99 To 1/4 Sec. Cor -
79.99 Corner to Secs. 25 & 36

Therefore my compass is in proper adjustment

1

Range No 19 West 6th P.M.

Chains Begin Corner to Secs. 1. 2. 35 and 36 on S. Boundary of Twp North bet Secs. 35 and 36

Variation 14° East

40.00 Set Cedar Post - 3 in x 2 in x 4 ft - 12 in deep. dug pit - chained stake. raise mound of earth 2 ft high from pits 2 ft x 22 in - 12 in deep for 1/4 Sec. Cor -

80.00 Set Cedar post - 3 in x 3 in x 4 ft - 12 in deep. dug pit chained stake. raise mound of earth 2 ft high from pits 24 in x 24 in - 12 in deep for corner to Secs 25. 26. 35 and 36 -

Surface rolling
Soil sandy - 3rd rate -

Township No 31 North-

Range No 19 West 6th P.M.

Chains		Chains	
	East on a random line bet. Sec. 25 and 36		North bet. Sec. 25 & 26
	Variation 18° 30' E		Variation 18° 30' E
40.00	Set post for 1/4 Sec. Corner	40.00	Set Cedar post 3 in x 2 in x 4 ft — 12 in deep. Depositd Stone and stake, mound 2 links high from pits 22 in x 22 in — 12 in deep
80.62	Intersect Eastern Boundary of Township at a point 15 lks. South of corner to Sec. 25 and 36 from which corner Bears S 89° 54' West on true line bet. Sec. 25 and 36.	80.00	Set Cedar post — 3 in x 3 in x 4 ft — 12 in deep. Deposit Stone and stake, mound 2 links high from pits 24 in x 24 in — 12 in deep for corner to Sec. 23. 24. 25 and 36 Surface gently rolling Soil sandy 2 in rate —
	Variation 18° 30' E		
40.31	Set Cedar post 3 in x 2 in x 4 ft — 12 in deep. Deposit Stone and stake, mound 2 links high from pits 22 in x 22 in — 12 in deep for 1/4 Sec. Corner
80.62	Corner to Secs. 25. 26. 35 & 36 Surface gently rolling Soil sandy 2 in rate

4 Township No 31 North

chains	
	East on random line bet Sec.s 24 & 25 Variation 18° 30' E
40.00	Set post for temporary 1/4 Sec. Corner
80.68	Intersect East Boundary of Township at a point 15 lks S. of corner to Sec.s 24 and 25 from which corner bears S 89 - 54. West bet Sec.s 24 & 25
40.34	Set Variation 18° 30' E Cedar post 3 in x 2 in x 4 ft - 12 in deep. deposit chaned stake, raise mound 1 foot high from pits 22 in x 22 in 12 in deep for 1/4 Sec. Corner
80.68	Corner to Sec.s 23. 24. 25 and 26

Surface gently rolling Soil sandy 3 ft. rock

5 Range No 19 West 6th P.M.

chains	
	North bet Sec.s 23 & 24 Variation 18° 45' E
40.00	Set Cedar post. 3 in x 2 in x 4 ft - 12 in deep. deposit chaned stake, raise mound 1 foot high from pits 22 in x 22 in 12 in deep for 1/4 Sec. Corner
80.00	Set Cedar post 3 in x 3 in x 4 ft - 12 in deep, deposit chaned stake, raise mound 1 foot high from pits 24 in x 24 in - 12 in dyp for corner to Sec.s 13. 14. 23 & 24

Surface gently rolling Soil 2 ft. rock

Township No 31 North-

chains	
	East on random line bet Sec 13 & 24
	Variation 18° 30' E
40.00	Set post for temporary 1/4 Sec Cor
80.38	Intersect East Boundary of Township at a point 18 lks South of corner to Sec 12 & 13 & 24
	Variation 18° 30' E
40.19	Set Ash post 3 in x 2 in x 4 ft 12 in deep, deposit charcoal stake, raise mound 2 ft high, from pits 22 in x 22 in 12 in deep for 1/4 Sec. Corner
80.38	Corner to Sec. 13. 24. 23 & 24
	Surface gently rolling Soil 2nd rate

Range No 19 West 6th P.M.

chains	
	North bet Sec 13 & 24
	Variation 13 1/2° E
40.00	Set Ash post 3 in x 2 in 12 in deep, deposit charcoal stake, raise mound 2 ft high, from pits 22 in x 22 in 12 in deep for 1/4 Sec Corner
80.00	Set Ash post 3 in x 2 in x 4 ft 12 in deep, deposit charcoal stake, raise mound 2 ft high, from pits 22 in x 22 in 12 in deep for Corner to Sec. 11 & 12. 13 & 14
	Surface gently rolling Soil 2nd rate

8

Township No 31 South

chains	
	East on random line bet Sec. 12 and 13
	Variation 13°30' E
40.00	Set post for Quarter and 1/4 Sec. Cor —
80.26	Intersect East Boundary of Township at a point 10 lks. South of corner to Sec. 12 and 13 from which corner a Gum — S 89° 56' West on true line bet Sec. 12 and 13
	Variation 13°30' E
40.18	Set Ash post. 3 ins. x 4 ins. - 12 ins. deep, deposit charcoal stake, raise mound 2 cubic yds. 2 ft. high from pits 22 ins. x 22 ins. 12 ins. deep. for 1/4 Sec. Cor.
80.26	Corner to Sec. 11. 12. 13 and 14 { Surface gently rolling Soil Sandy loam

9

Range No 19 West 6th P.M.

chains	
	North bet Sec. 11 and 12
	Variation 13° 45' E
40.00	Set Ash post. 3 ins. x 2 ins. x 4 ft. - 12 ins. deep. deposit charcoal stake, raise mound 2 cubic yds. 2 ft. high from pits 22 ins. x 22 ins. 12 ins. deep. for 1/4 Sec. Corner.
80.00	Set Ash post. 3 ins. x 3 ins. x 4 ft. - 12 ins. deep. deposit charcoal stake, raise mound 2 cubic yds. 2 ft. high from pits 24 ins. x 24 ins. 12 ins. deep. for Corner to Sec. 1. 2. 11 and 12
	Surface very rolling Soil Sandy loam

Township No 31 North

chains	
	East on random line bet. Sec. 1 & 12 Variation 13° 30' East
40.00	Set post for temporary 1/4 Sec. Corner —
52.10	Stream 3 lks. wide runs North.
80.30	Intersect East Bound — ary of Township at a point 10 lks. S. of corner to Sec. 1 and 12 — from which corner Bears S 89 - 30 West and true line bet. Sec. 1 & 12 — Variation 13° 30 E
40.10	Set Ash post. 3 ins x 2 ins x 4 ft — 12 ins deep. deposit Stones stake, raise mound 22 ins x 22 ins — 12 ins deep — for 1/4 Sec. Corner —
80.30	Corner to Sec. 1. 2. 11. 12 — Surface gently rolling Soil 2d. rate —

Range No 19 West of 6th P.M.

chains	
	North - on random line bet Sec. 1 and 2 Variation 13° 40' E
40.00	Set post for temporary 1/4 Sec. Corner —
79.75	Intersect North — Boundary of Township at a point 25 lks. East of corner to Sec. 1 and 2. from which corner Bears S 11' East on true line bet. Sec. 1 & 2 — Variation 13° 40' E
39.87½	Set Ash post. 3 ins x 2 ins x 4 ft — 12 ins deep. deposit stones stake. raise mound 2 ft high from pits 2 ft wide x 2 ft 2 ins — 1 ft deep — for 1/4 Sec. Corner to Sec. 1. 2. 11 and 12 — Surface Gently rolling Soil 2d rate

July 21 " 1873

Township No 31 North-

Range No 19 West 6th P.M.

chains		chains	
	North bet Sec. 34 & 35 Variation 18° 30' E		East on rounded line bet. Sec. 26 & 35 Variation 18° 35' E
40.00	Set Ash post 3 in x 2 in x 4 ft 12 in deep. deposit Chained stake, rock mound, 2 ft high from pits 2 ft x 22 in 12 in deep for 1/4 Section Corner.	40.00	Set post for temporary 1/4 Sec. Corner
80.00	Set Ash post 3 in x 3 in x 4 ft 12 in deep. deposit Chained stake, rock mound 2 ft high from pits 2 ft x 24 in 12 in deep for corner to Sec. 26. 27. 34 and 35 Surface rolling - Soil Sandy - Stone scarce	79.17	Intersect N. and S. line at 9 points 10 lks. E. of corner to Sec. 25, 26, 35 and 36 from which corner S 89° 30' West one line bet. Sec. 26 & 35 Variation 18° 35' E
		39.58½	Set Ash post. 3 in x 2 in x 4 ft - 12 in deep, deposit chained stake, rock mound 2 ft high from pits 2 ft x 22 in 12 in deep for 1/4 Sec Corner
		79.17	Corner to Sec. 26. 27. 34 and 35 Surface rolling Soil Sandy - Stone scarce

Township No 31 North -

- Range No 19 West 6th P.M.

chains	
	North bet Sec. 26 & 27
	Variation 13° 55' E
40.00	Set Ash post - 8 in.
	x 2 in x 4 ft - 12 in
	deep deposit Chaned
	stake raise mound
	2 ft high from
	pits 2 2 in x 22 in
	12 in deep for
	1/4 Sec. Corner
80.00	Set Ash post
	3 in x 3 in x 4 ft
	12 in deep. deposit
	chaned stake, rais
	mound of earth - 2 ft
	high from pits 0
	24 in x 24 in - 12
	in deep for corner
	to Sec. 22. 23. 26
	and 27.
	Surface rolling
	Soil 2nd rate

chains	
	East on random
	line bet. Sec. 23 & 26
	Variation 13° 35' E
40.00	Set post for temporary
	1/4 Section Corner,
79.20	Intersect N & S line
	at a point 5 lk.
	South - of corner to
	Sec. 23. 24, 25 &
	26 from which
	Corner bears
	S 89 - 30' West on
	true line bet. Sec.
	23 and 26
	Variation 13° 35' E
39.60	Set Ash post, 8 in
	x 2 in x 4 ft - 12 in
	deep. deposit Chaned
	& stake raise mound
	of earth 2 ft high from pits
	2 2 in x 22 in 12 in
	deep for 1/4 Sec. Corner
79.20	Corner to Sec. 22. 23.
	26 and 27
	Surface gently rolling
	Soil 2nd rate

16

Township No 31 North.

chains	
	North bet Sec. 22 & 23
	Variation 14° E
40.00	Set Ash post 3 in x 2 in x 4 ft 12 in deep. deposit chained stake raise mound of earth 2 ft high pits 22 in x 22 in 12 in deep for 1/4 Sec. Corner
80.00	Set Ash post 3 in x 3 in x 4 ft 12 in deep. deposit chained stake raise mound of earth 2 ft high pits 24 in x 24 in 12 in deep for Corner to Sec. 14. 15. 22 & 23
	Surface gently rolling
	Soil 2nd rate

17

Range No 19 West 6th P.M.

chains	
	East on random line bet Sec. 14 & 23
	Variation 18° 35' E
40.00	Set post for temporary 1/4 Sec. Corner
79.35	Intersect N. and S. line at a point 7 lks. N of corner to Sec. 13. 14. 23 & 24 from which corner 8 inch cottonwood N 89° 37' W pt on line bet. Sec. 14 & 23
	Variation 18° 35' E
39.67	Set Ash post 3 in x 2 in x 4 ft 12 in deep, deposit chained stake. raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep for 1/4 Sec. Corner to Sec. 14. 15. 22 and 23
79.35	Surface gently rolling
	Soil 2nd rate

Township No 31 North-

Range No 19 West 6th P.M.

chains	
	North-bet Sec. 14 & 15
	Variation 13° 50' E
40.00	Set Ash post
	3 in x 2 in x 4 ft
	12 in deep. Deposit
	Chained stake
	raise mound & Pearth-
	2 ft high. from
	Pits 22 in x 22 in
	12 in deep for corner
	to Sec. 10. 11. 14. 15
	Surface gently rolling
	Soil sandy - 2 Grade
80.00	Set Ash post
	3 in x 3 in x 4 ft
	12 in deep. deposit
	Chained stake,
	raise mound & earth
	2 ft high. from
	Pits 24 in x 24 in 12 in
	deep for corner
	to Sec. 10. 11. 14. 15
	Surface gently rolling
	Soil sandy - 2 Grade

chains	
	East on random
	line bet. Sec. 11 & 14
	Variation 13° 35' E
40.00	Set post for temporary
	¼ Sec. Corner
79.64	Intersect Sp. Co. Line
	at a point 35 lks
	S. of corner to Sec.
	11. & 2. 13 and 14
	from which corner
	Bears
	S 89° 45' West on
	true line bet. Sec.
	11 and 14
	Variation 18° 35' E
39.82	Set Ash post. 3 in
	x 2 in x 4 ft. 12 in
	deep. deposit Chained
	stake, raise mound
	2 ft high from pits
	22 in x 22 in 12 in
19.64	deep for ¼ Sec. Corner
	Entered to Sec. 10. 11. 14
	15
	Surface rolling &
	Soil sandy — B grade

20

Township No 31 North

Chains	Chains	
		North bet. Secs. 10 and 11
		Variation 13 3/4° E
4	40,00	Set Ash post 3 in. x 2 in x 4 ft - 12 in deep. deposit chand & stake, rain mound 2 ft high, found pits 2 1/2 in x 22 in 12 in deep for 1/4 Sec. Corner
8	80,00	Set Ash. post 3 in x 2 in x 4 ft - 12 in dep. deposit chand & stake, rain mound 2 ft high found pits 2 1/4 in x 24 in - 12 in deep for corner to Secs. 2. 3. 10. 11 Surface rolling Soil sandy 3rd rate of

21

Range No 19 West 6th P.M.

Chains	Chains	
		East on random line bet Secs. 2 and 11
		Variation 13° 35' E
7.30		Set post for temporary
4.00		1/4 Section Corner
79.60		Intersect N. and S. line at a point 20 lks South of corner to Secs. 1. 2. 11 and 12 from which corner
		a pine
		S 89° 45' West on true line bet. Secs. 2 and 11
		Variation 13° 35' E
39.80		Set Ash post. 3 in x 2 in x 4 ft - 12 in dep. deposit chand & stake, rain mound 2 ft high found pits 2 2 in x 22 in 12 in dep for 1/4 Sec. Corner
79.60		Corner to Secs. 2. 3. 10 11
		Surface rolling Soil sandy — 3rd rate

Township No 31 North-

Chains		
		South on said line bet. Sec. 23 & 24 Variation 14° East
4	4.00	Set post for temporary 1/4 Sec. Corner
8	19.80	Intersect North-Boundary of Township at a point 5 links East of corner to Sec. 2 and 3 from which corner a pine 21" Diam bears East on said line bet. Sec. 2 & 3
4	39.80	Variation 14° East Set Ash post, 8 in x 2 in x 4 ft - 12 in deep. Deposit Stand stake, Bearing mound 2 ft high from pits 2 ft x 2 in x 2 ft 4 Links deep. Corner
	79.80	Corner to Sec. 2, 3, 10 & 11
		Surface rolling Soil Sandy - 3rd rate -
		July 22d 1873

Range No 19 West 6th P.M.

Chains	
	North bet. Sec. 33 and 34 Variation 13° 50' E
40.00	Set Ash post, 8 in x 2 in x 4 ft - 12 in deep. Deposit Stand stake, Bearing mound 2 ft high from pits 2 ft x 2 ft x 2 ft - 12 in deep. Corner to Sec. 27, 28, 33 and 34.
80.00	Set Ash post 3 in x 3 in x 4 ft 12 in deep. Deposit Stand stake, Bearing mound 2 ft high from pits 2 ft x 2 ft x 2 ft - 12 in deep. Corner to Sec. 27, 28, 33 and 34.
	Surface rolling. Soil Sandy 2nd rate.

Township No 31 South-

chains	
	East on ragedown line bet. Sec. 27 & 34
	Variation 13° 35' E
40.00	Set post for temporary 1/4 Sec. Corner
80.10	Intersect S. B. & M. line at a point 8 lks. S. of corner to Sec. 26. 27. 34 and 35 ~~a~~ from which corner 2 pine 8 89 - 59' W. 80 lks true line bet Sec. 27 and 34
	Variation 13° 35' E
40.05	Set Ash post — 3 in x 2 in x 4 ft — 12 in deep. Dep'd it — Chained stake. raise mound of earth 2 ft high. from pits — 2 in x 22 in 12 in deep Cor 1/4 Sec.
80.10	Corner to Sec. 27. 28. 33. 34. Surface gently rolling Soil Sandy 2nd rate

Range No 19 West 6th P.M.

chains	
	South bet Sec. 27 & 28
	Variation 13° 50' E
40.00	Set Ash post — 3 in x 2 in x 4 ft — 12 in deep. Dep'd it Chained stake. raise mound 2 ft high. from pits 22 in x 22 in - 12 in deep. for 1/4 Sec.
80.00	Set Ash post — 3 in x 2 in x 4 ft — 12 in deep. Dep'd it chained stake. raise mound 2 ft high from pits 22 in x 22 in - 12 in deep. for corner to Sec. 21. 22. 27 & 28. Surface rolling Soil sandy - 3rd rate

Township No 21 North-

Range No 19 West 6th P.M.

chains	chains	
		East on standard line bet Sec. 22 & 27
		Variation 18° 45' E
4	40.00	Set post for temporary 1/4 Sec. Corner
8	80.02	Intersect Standard line at a point corner to Sec 22, 23, 26 and 27 from which corner Quarter Post on true line bet Sec. 22 and 27
		Variation 18° 45' E
4	40.01	Set Ash post. 3 ins x 2 ins x 4 ft - 12 ins deep. deposit chamfered stake, rock mound 2 ft high, from pits 22 ins x 22 ins 12 ins deep In 1/4 Sec Corner
	80.02	Same to Sec. 21, 22, 27, 28
		Surface gently rolling Soil 2nd rate

chains	
	North-West Sec. 21 and 22
	Variation 18° 45' E
40.00	Set Ash post. 3 ins x 2 ins x 4 ft - 12 ins deep - deposit chamfered stake, rock mound South-East from pits 22 ins x 22 ins 12 ins deep In 1/4 Sec. Corner
80.00	Set Ash post. 3 ins x 3 ins x 4 ft - 12 ins deep, deposit chamfered stake, rock mound 2 ft high from pits 24 ins x 24 ins 12 ins deep On Corner to Sec. 15, 16, 21 and 22
	Surface gently rolling Soil 2nd rate

Township No 31 South

chains	chains	
		East on regulation line bet. Sec. 15 and 22
		Variation 18° 35' E
4	40.00	Set post for ¼ Sec. Corner
8	80.08	Intersect N. and S. line at a point 6 lks. E. of corner to Sec. 14, 15, 22 and 23 from which corner Chestnut 8 in. dia. bears S 89° 37' W. 40 lks. true line bet. Sec. 15 and 22.
		Variation 18° 35' E
40.04		Set Ash post 3 in. x 2 ft. — 4 ft. 12 in. deep. Set mound stake, pail mound 2 ft. high from pits 20 in. x 22 in. 12 in. deep — for ¼ Sec. Corner to Sec. 15, 16, 21 and 22 — Surface gently rolling. Soil 2nd rate
80.08		

Range No 1 West 6th P. M.

chains	
	North bet. Sec. 15 and 16
	Variation 14° East
40.00	Set Ash post 3 in. x 2 in. x 4 ft. — 12 in. deep. Set mound stake, pail mound 2 ft. high from pits 24 in. x 24 in. — 12 in. deep for Corner to Sec. 9, 10, 15 and 16
80.00	Set Ash post 3 in. x 3 in. x 4 ft. — 12 in. deep. Set mound stake, pail mound 2 ft. high from pits 24 in. x 24 in. — 12 in. deep for Corner to Sec. 9, 10, 15 and 16
	Surface gently rolling. Soil 3rd rate

Township No 31 North

ch	chains	
		East on random line bet Secs 15 and 15 Variation 13° 35' E
4	40.00	Set post for temporary ¼ Sec. corner —
8	80.18	Intersect N. and S. line at a point 3 lks N. of corner to Secs 10, 11, 14 and 15 — from which Corner bears N 89° 59' West true line bet. Secs 10 and 15
		Variation 13° 35' East
	40.09	Set Ash post, 8 in x 2 in x 4 ft. 12 in deep. deposit chan. & lake, raise mound 2 ft high from pit 2½ in x 2½ in 12 in deep for ¼ Sec. corner —
	80.18	Corner to Secs 9, 10, 15 & 16 Surface rolling Soil 2nd rate

Range No 19 West 6th P.M.

chains	
	North bet. Secs 9 and 10 Variation 14° East
40.00	Set post 3 in x 2 in x 4 ft. 12 in deep — deposit chan. & lake, raise mound 2 ft high from pits 2½ in x 2½ in 12 in deep for ¼ Sec corner.
80.00	Set Ash post. 3 in x 3 in x 4 ft. 12 in deep, deposit chan. & lake, raise mound 2 ft high from pits 2½ in x 2½ in 12 in deep for Corner to Secs 3, 4, 9 & 10 Surface rolling Soil 2nd rate

Township No 31 North—

ch	chains	
		East on range line bet. Sec. 3 & 10 Variation 13° 35' E
4	40.00	Set post for temporary 1/4 Sec. Corner —
8	80.38	Intersect N. & S. line at a point 13 lks. N. of post corner to Secs 2.3. 10 and 11 from which corner Pine 8 inches diam N 89° 34' West one link bet. Sec. 3 & 10 Variation 13° 35' E
	40.19	Set Ash post — 3 in x 2 in x 14 In. 12 in deep. de[illegible] Chained [illegible] ground 12 inches high from pit 22 in x 22 in 12 in deep for 1/4 Sec. Corner to Secs 3.4. 9 and 10
8	80.38	Surface rolling Soil 8" rate

Range No 19 West 6th P.M.

chains	
	North on range line bet Sec. 3 & 4 Variation 14° East
40.00	Set post for temporary 1/4 Sec Corner —
79.98	Intersect North Boundary of Township at a point 24 links East of corner to Secs. 3 and 4 from which corner Pine 10 inches diam bears East on true line bet Sec. 3 & 4 Variation 14° East
39.98	Set Ash post. 8 in x 2 in x 4 Ft — 12 in deep. depositd charcoal [illegible] ground 12 inches high from pits 22 in x 22 in 12 in deep — for 1/4 Sec Corner
79.98	Corner to Secs. 3. 4. 9 10
July 23	Surface rolling Soil 8" rate

Township No 31 North — Range No 19 West 6th P.M.

Chains		Chains	
	North bet Sec. 32 and 33		East on random line bet Sec. 28 and 33
	Variation 13° E		Variation 13° 40' E
40.00	Set Ash post 3 li x 2 li x 4 ft 12 li deep. deposit chained stake	40.00	Set post for temporary 1/4 Sec. Corner
	range mound of earth 2 ft high	80.10	Intersect S. bdy of S. Lyon Gt a point 10 lks S. of corner to Sec. 27, 28, 33 and 34
	from pits 22 li x 22 li 12 li deep. for 1/4 Sec. Corner		Thence N 89° E 80 chains to line bet. Secs 28 and 33
80.00	Set Ash post 3 li x 3 li x 4 ft 12 li deep. deposit chained stake. range mound of earth 2 ft high from pits 22 li x 22 li 12 li deep. for corner to Secs 28. 29. 32 and 33		Variation 13° 40' E
	Surface rolling Soil sandy	40.05	Set Ash post 3 li x 2 li x 4 ft 12 li deep. deposit chained stake, range mound of earth 2 ft high from pits 22 li x 22 li 12 li deep for 1/4 Sec Corner
		80.10	Corner to Sec. 28. 29. 32 and 33. Surface rolling Soil sandy

Township No 31 North-

Chains	Chains	
		North bet. Sec. 29 & 29
		Variation 13° 50' E
	40.00	Set Ash post 3 ins x 2 ins x 4 ft — 12 ins deep. Deposit chand stake, 2 cu ft mound 2 ft high from pits 22 ins x 22 ins 12 ins deep for 1/4 Sec. Cor.
	80.00	Set Ash post 3 ins x 3 ins x 4 ft — 12 ins deep — deposit chand stake, raise mound 2 ft high from pits 24 ins x 24 ins 12 ins deep for Corner to Secs. 20, 21, 28 and 29
		Surface rolling Soil 3 ins sandy

Range No 19 West 6th P.M.

Chains	
	East on random line bet. Secs. 21 & 28
	Variation 13° 35' E
40.00	Set 3 post for temporary 1/4 Sec. Corner
79.97	Intersects S. and S. line at corner to Secs. 21, 22, 27 and 28 from which Witness Tree on true line bet Secs. 21 and 28 —
	Variation 13° 35' E
39.98½	Set Ash post 3 ins x 2 ins x 4 ft — 12 ins deep. deposit chand stake. raise mound 2 cu ft high from pits 22 ins x 22 ins — 12 ins deep for 1/4 Sec. Cor.
79.97	under to Sec. 20. 21, 28 and 29
	Surface W 1/2 rolling Soil sandy 3 ins rocky
	East 1/2 gently rolling 2 ins

Township No. 30 North

chains	chains	
		North - bet Sec. 20 & 21. Variation 18° 30' E.
4	40.00	Set Ash post 3 in x 2 in x 4 ft - 12 in deep - deposit chained 2 stakes, range mound 2 ft high from pits 22 in x 22 in 12 in deep - for 1/4 Sec Cor.
8	80.00	Set Ash post 3 in x 3 in x 4 ft - 12 in deep. deposit chained 2 stakes, range mound 2 ft high from pits 24 in x 24 in 12 in deep for corner to Secs. 16, 17, 20 and 21 Surface gently rolling Soil 2nd rate N 1/2 level. 1st rate

Range No 19 West 6th P.M.

chains	
	East on a random line bet Secs. 16 & 21 Variation 18° 30' E
40.00	Set post for temporary 1/4 Sec. Corner
79.95	Intersect W. bank of Big Dry at a point 5 lks South of corner to Secs 15, 16, 21 & 22 from which corner a Cottonwood 9 in diam bears S 89° E 8 links. Witness tree Cottonwood 18 in diam bears N 89° E 20 links
39.97½	Set Ash post 3 in x 2 in x 4 ft - 12 in deep. deposit chained 2 stakes, range mound 2 cubic ft high from pits 22 in x 22 in - 12 in deep for 1/4 Sec Cor.
79.95	Corner to Secs 16, 17, 20 and 21 Surface gently rolling Soil 2nd rate

Township No 31 North — Range No 19 West 6th P.M.

chains	chains	
		North bet. Sec. 16 & 17
		Variation 14° East
4	4.00	Set Ash post. 3 in x 2 in x 4 ft — 12 in deep. depsit Chained 4 links to stake & mound. 2 ft high from pits 22 in x 22 in 12 in deep for 1/4 Sec. Corner
8	10.00	Set Ash post 3 in x 3 in x 4 ft — 12 in deep. depsit Chained 4 links to stake & mound. 2 ft high from pits 24 in x 24 in x 12 in deep. for Corner to Secs. 8, 9, 16 and 17
		Surface gently rolling Soil 2nd rate

chains	
	East on a random line bet. Secs. 9 & 16
	Variation 18° 40' E
40.00	Set post for temporary 1/4 Sec. Corner
79.88	Intersect N. & S. Line at a point 4 lks E. of corner to Secs. 9, 10, 15 and 16 from which corner B. pine N. 89° E. 8 links West on true line bet. Secs. 9 and 16
	Variation 18° 40' E
39.94	Set Ash post 3 in x 2 in x 4 ft — 12 in deep, depsit Chained 4 links to stake & mound 2 ft high from pits 22 in x 22 in — 12 in deep for 1/4 Sec. Corner.
79.88	Corner to Secs. 8, 9, 16 & 17 } Surface gently rolling Soil 2nd rate

Township No 31 North- Range No 19 West 6th P.M.

chains		chains	
	North bet. Sec. 8 & 9 Variation 14° East		East on a random line bet Sec. 4 & 9 Variation 13° 30' E
40.00	Set Ash post 3 in x 2 in x 4 ft 12 in deep. Depositd Chaned stake, raise mound, 2 ft high from pits 24 in x 22 in 12 in deep for 1/4 Sec. Corner	40.00	Set post for temporary 1/4 Sec. Corner
80.12		80.12	Intersect N. and S. line at a point 5 lks W. of corner to Sec. 3. 4. 9. 10 from which corner N 89 - 58 W Set on true line bet. Sec. 4 and 9
			Variation 13° 30' E
80.00	Set Ash post 3 in x 3 in x 4 ft 12 in deep. Deposited Chaned stake, raise mound 2 ft high from pits 24 in x 24 in 12 in deep for corner to Sec. 4. 5. 8 & 9 Surface rolling Soil sand & 3d rate	40.06	Set Ash post. 8 in x 2 in x 4 ft 12 in deep, deposited Chaned stake, raise mound 2 ft high. from pits 22 in x 22 in 12 in deep for 1/4 Sec Cor to Sec. 4. 5. 8 & 9
		80.12	Surface rolling Soil sand - 3d rate

4 4

Township No 31 North

Range No 19 West 6th Pm.

chains	chains	
		North on random line bet. Sec. 4 and 5
4	4	Variation 14° E
	40.00	Set post for temporary 1/4 Sec. Corner —
8	79.97	Intersect East Boundary of Township at point 14 lks. West of corner to Secs 4 & 5 from which corner 9 inch 6 ft Pine on line bet. Secs. 4 & 5 bears North
		Variation 14° East
	39.97	Set Ash post 3 in x 2 in x 4 ft 12 in deep. Adjoining chained stakes and mound 2 ft high from pits 2 ft x 2 ft 12 in deep for 1/4 Sec. Corner
	79.97	Corner to Secs. 4 5 8 9 Surface rolling, Soil sandy Grade

chains	
	North bet. Secs 31 & 32
	Variation 13° E
40.00	Set Ash post, 3 in x 2 in x 4 ft — 12 in deep, deposit chained stakes, mound of earth 2 ft high from pits 22 in x 22 in 12 in deep. for 1/4 Sec. Co—
80.00	Set Ash post 8 in x 3 in x 4 ft 12 in deep. deposit chained stakes and mound of earth 2 ft high from pits 24 in x 24 in 12 in deep. for corner to Secs. 29. 30. 31 & 32 Surface rolling Soil sandy Grade

4 6

Township No 31 North

chains	chains	
		East on random line bet Sec 29 and 32 Variation 18 5/8 E
4 24	40.00	Set post for temporary 1/4 Section Corner
8	0.13	Intersect N 88 line at post corner to Secs 28, 29, 32 and 33 from which corner Spruce Western pine bears N 89 E 54 links dist Ash 3 in x 2 in x 4 ft 12 in deep. Deposit charred stake, mound of stone 2 ft high, pits 22 in x 22 in 12 in deep - Sun 1/4 Sec. Corner bears S 1 E 30.13 links dist Cotton wood 30 in dia
80.13		Corner to Secs 29. 30. 31. 32 Surface rolling - Soil Sandy - Stone

4 5

Range No 19 West 6th Mer.

chains	chains	
		West on random line bet. Sec. 30 & 31 Variation 18° 35 East
40.00		Set post for temporary 1/4 Section Corner
81.40		Intersect West Boundary at a point 14 links N. of corner to Sec. 30 & 31 from which corner Spruce N 89° 54' East 99 links dist Cotton wood 30 in dia
		Variation 18° 35' E
41.40		Set Ash post - 3 in x 2 in x 4 ft - 12 in deep. deposit chared stake, mound stones 2 ft high from pits, 22 in x 22 in x 12 in deep for 1/4 Sec. Corner
81.40		Corner to Sec 29. 30. 31 and 32 Surface rolling. Soil Sandy Stone

Township No 31 North

check	chains	
		North bet. Sec. 29 & 30
		Variation 13° 55' E
4	4000	Set Ash post, 8 in x 8 in. x 4 ft - 12 in deep - deposit charcoal - stake, raise ground 2 ft high, from pits 2 1/2 in x 2 2 in 12 in deep, for 1/4 Sec. Corner -
8	80.00	Set Ash post, 3 in x 3 in x 4 ft - 12 in deep. deposit charcoal stake, raise ground 2 ft high from pits 2 1/4 in x 2 1/4 in 12 in deep for Corner to Sec. 19 29. 29. 30 -
		Surface rolling
		Soil sandy 3 feet

Range No 19 West 6th Pm

chains	
	East on random line bet. Sec. 20 & 29
	Variation 13° 55' E
4000	Set post for temporary 1/4 Sec. Corner to Sec.
80.08	Intersect N. and S. line at post corner to Sec. 20. 21. 28 and 29 from which corner I chain West on true line bet. Sec. 20 & 29
	Variation 13° 35' East
40.04	Set Ash post - 2 in x 2 in x 4 ft 12 in deep. deposit charcoal stake, raise ground 2 ft high from pits. 22 in x 22 in 12 in deep. for 1/4 Sec. Corner -
80.08	Corner to Sec. 19, 20, 29 & 30.
	Surface rolling
	Soil sandy 3 ft. stake

50

Township No 3 North

Range No 19 West 6th P.M.

Chains	Chains	
		West on random line bet Sec 19 & 30 Variation 18° 35' E
4	40.00	Set post for temporary 1/4 Sec Cor
8	81.60	Intersect West Boundary of Township at a point 42 lks N. of corner to Sec 19 and 30 from which Ash 9 inches Diam N 89° E 42 Links Ash tree line bet Sec 19 and 30 Variation 18° 35' E
	41.60	Set Ash post 3 in x 2 in x 4 ft - 12 in deep. Mound stake and mound 2 ft high from pits 22 in x 22 in 12 in deep. In 1/4 Sec. Corner to Sec 19, 20, 29 and 30 Surface rolling Soil sandy - 3 in.

51

Chains	
	North bet Sec 19 and 20 Variation 18° 35' E
40.00	Set Ash post 3 in x 2 in x 4 ft - 12 in deep. deposit charcoal stake, pits mound 2 ft high from pits 24 in x 24 in 12 in deep In Corner to Sec 17, 18, 19 and 20 Surface rolling Soil sandy - 3 in.
80.00	Set Ash post 3 in x 3 in x 4 ft - 12 in deep. deposit charcoal stake, pits mound 2 ft high from pits 24 in x 24 in 12 in deep In Corner to Sec 17, 18, 19 and 20 Surface rolling Soil sandy - 3 in.

Township No 31 North - - - Range No 19 West 6th Pm.

Chs.	Chains		Chains	
		East on range line bet. Secs. 17 and 20 Variation 18° 35' E		West on range line bet. Secs 18 and 19 Variation 18° 35' E
4	4.00	Set post for temporary 1/4 Sec. Corner	4.00	Set post for temporary 1/4 Sec. Corner
8	79.90	1/4 Section Corner & Intersect N 4° E line at 3.50 lks. South of corner to Secs. 16, 17, 20 and 21 from which corner Bears S 89° 45' West on said line bet. Secs. 17 and 20 Variation 18° 35' E	81.81	Intersect West Boundary of Township at a point 7 lks. South of corner to Secs 18 and 19 from which corner Bears N 89° 45' East on said line bet Secs. 18 and 19 Variation 18° 35' E
	39.95	Set Ash post, 8 in x 2 in x 4 Ft - 12 in deep. depart Chained stake, range mound bears 2 Ft high from pit - 22 in x 22 in 12 in deep for 1/4 Sec. Corner	41.81	Set Ash post 8 in x 2 in x 4 Ft 12 in deep. depart Chained stake range mound bears 2 Ft high from pit - 22 in x 22 in 12 in deep for 1/4 Sec. Corner
	79.90	Corner to Secs 17, 18, 19, 20 Surface rolling soil - Sandy - 3 ft sale	81.81	Corner to Secs 17, 18, 19, 20 Surface rolling soil Sandy - 3 ft sale

Township No 31 North - Range No 19 West 6th P.M.

chain	chain	
		North bet. Secs. 1 & 7 and 1 & 8 Variation 13° 55' E
4	40.00	Set Ash post - 3 in x 2 in x 4 ft - 12 in deep. Set mound chained & staked, pail mound 2 cubic ft high from pits 2 ft x 2 ft - 12 in deep for 1/4 Sec. corner -
8	80.00	Set Ash post - 3 in x 3 in x 4 ft - 12 in deep. Set mound chained & staked, pail mound 2 cubic ft high from pits 2 ft x 2 ft - 12 in deep for corner to Secs. 7. 8. 17 and 18 Surface rolling Soil sandy - 8" fall
		East on random line bet. Secs. 8 and 17 Variation 13° 40' E
	38.08	Stream 4 lks wide course N. W.
	40.00	Set post for temporary 1/4 Sec.
	80.08	Intersects S. bdy. and S. line at 20 lks E. of Sec. 8. 9. 16 and 17 Thence chain course West on true line bet. Secs. 8 and 17 Variation 13 40 E
	40.84	Set Ash post - 3 in x 2 in x 4 ft - 12 in deep. Set mound chained & staked, pail mound 2 cubic ft high from pits 2 ft x 2 ft - 12 in deep for 1/4 Sec. Cor.
	80.08	Corner to Secs. 7. 8. 17 and 18 Surface gently rolling Soil 20" fall

5-6

Township No 31 North-

Range No 19 West 6th Pm.

Chains	Chains	
		West on random line bet Sec. 7 & 18
		Variation 18° 35' E
4	40.00	Set post for temporary 1/4 Sec. Corner
8	82.10	Intersect West Boundary of Township at a point 5 lks. South of corner to Secs. 7 & 18
		Variation 18° 35' E
8	42.10	Set Ash post 8 in x 2 in x 4 ft 12 in deep. deposit-ed charcoal & stake, raise mound of earth 2 ft high from pits. 22 in x 22 in 12 in deep for 1/4 Sec. Corner
	82.10	Corner to Secs. 7. 8. 17 & 18 -
		Surface rolling Soil sandy - 3/4 Stake

Chains	
	North bet. Secs. 7 & 8
	Variation 18° 55' E
40.00	Set Ash post. 8 in x 2 in x 4 ft - 12 in deep, deposit charcoal & stake, raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep for 1/4 Sec. Corner.
25.00	Stream 6 lks wide runs N.W.
80.00	Set Ash post - 8 in x 3 in x 4 ft - 12 in deep deposit charcoal & stake, raise mound of earth 2 ft high from pits 24 in x 24 in. - 12 in deep for Corner to Secs. 5. 6. 7 & 8
	Surface rolling Soil sandy - 2/3 Stake

Township No 31 North—

chs	chains	
		East on random line bet. Secs. 5 and 8 Variation 13° 40' East
4	40.00	Set post for temporary 1/4 Sec. Corner
8.	79.88	Intersect N. and S. line at post. comer to Secs. 4.5.8 and 9 from which comer Pine Elm brs West on true line bet. Secs. 5 and 8 Variation 13° 40' E
4	39.94	Set Ash post 3 in x 3 in x 4 ft - 12 in deep - deposit chaned stake; cairn mound 2 ft high from pits 2/2 in x 2 2 in 12 in deep - for 1/4 Sec. Corner to Secs. 5.6.7.8
	79.88	Surface rolling Soil sandy - B. grate -

Range No 19 West 6th P. M.

chains	
	West on random line bet. Secs. 6 and 7 Variation 13° 35' E
31.20	Stream 9 lks. wide runs N. W. skirted with timber
40.00	Set post for temporary 1/4 Section Corner
40.50	Stream 3 lks wide runs N. W.
82.50	Intersect West Bound -ary of Township at post, comer to Secs. 6 and 7 from which corner Pine and Elm brs East on true line bet Secs. 6 and 7 Variation 13° 35' East
42.50	Set Ash post. 3 in x 2 in x 4 ft - 12 in deep. deposit chaned stake, cairn mound 2 ft high from pits 2 2 in x 2 2 in 12 in deep for 1/4 Sec. Corner to Secs. 5.6.7.8
82.50	Surface rolling Soil sandy - B. grate -

Township No 31 North —

Range No 19 West

	chains	North bet Sec. 5 & 6 — on random line — Variation 13° 55' E	
4	40.00	Set post for temporary 1/4 Section Corner	
8	80.06	Intersect North Boundary of Township at a point 21 lks East of corner to Sec. 5 & 6 from which corner Sec. 5 bears S 9° East on true line bet Sec. 5 & 6	
4	40.06	Variation 13° 55' E Set Ash post — 3 in x 2 in x 4 ft — 12 in deep. dug pits — stand slate with mound 2 ft high from pits — 2 pits 22 in x 22 in — 12 in deep for 1/4 Sec Cor —	
	80.06	Corner to Secs 5. 6. 7 & 8	

Surface rolling

Soil Sandy — Timber

General Description.

The surface of this Township is rolling. The soil sandy, ranging from 1st to 3rd rate Timber good for grazing and tillage, the soil is hilly and mostly produces good crops of any kind.

There are a number of small streams in the North part of the Township, some of which are skirted with Birch Oak Cedar and Pine.

List of Names.

A list of the names of the individual who were employed to assist in running preamuning or mak-ing the lines and corners described in the foregoing field notes of Township No 8 S. of Base line, Range No 19 West of 6th P.M. showing the respective capac-ities in which they acted,

W. H. Phillips } Chainmen
Thomas Wolfe }

Henry Johnson } Mounduers
C. H. Brown } Axemen and Flagmen

We hereby certify that we assisted Henry Count, Deputy Surveyor, in Surveying and Sub-dividing Township No 31 North of the Base line of Range No 9 West of the 6th Principal Meridian in the State of Nebraska, and that said Township has been, in all respects, to the best of our knowledge and belief, well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General, and of disinterested, character, and conducted and making and in the manner as specifically described in the foregoing field notes.

W. H. Johnson
Thomas Wolfe } Chainmen
Henry Johnson
C. H. Brown } Axmen
Flagmen

Subscribed and sworn to by the above named persons before me a Clerk of District Court in and for Madison County, State of Nebraska, this 31st day of July 1873.

Jo. Masteroso
Clerk of Dist Court
Madison County Neb

I, Henry Covert,
Deputy Surveyor, do
solemnly swear that
in pursuance of a
joint contract
wherein Chauncy
Wilkie and Henry
Covert are joint
contractors with
E. E. Cunningham
Surveyor General
for the District
of Nebraska and Iowa
bearing date the 1st
day of May 1873. I have
well faithfully and
truly in every
proper respect, surveyed
all those parts of
portions of Township
No 31 North of
the Base line of
Range No 19 West
of the 6th Principal
Meridian, as are
represented in the
foregoing field notes
as having been
surveyed under my
direction; and I do
further solemnly
swear that all the
corners of said surveys
have been established
and perpetuated in strict
accordance with the
foregoing Manual
the Supplied Instructions
and Special Instruct-
ions of the Surveyor
General, of Diagrams,
Characters, construction,
and marking and in the
manner as specifically
described in the foregoing
field notes, and
that the foregoing are
the true and original
field notes of
such Survey.

Henry. Court
Deputy Surveyor

Subscribed by said
Henry Copper A.
Deputy Surveyor &
sworn to before me
this Clerk of Dist Court
for Madison County.
State of Nebraska
this 31st day of
July 1873.
Joe Mathewson

Surveyor Generals Office
Plattsmouth Oct. 28th 1873

The foregoing field Notes of the
Survey and Subdivision of Township
No 31 North of the Base Line of Range
No 1 West of the 6th P.M. in Nebraska
Executed by Henry Court under
Joint Contract No 71. dated May
1st 1873 wherein Chauncey Wilcox
and Henry Court are joint
Contractors viz the month of
July 1873 having been critically
Examined the necessary
correction and Explanations made
the said field notes and the survey
they describe are hereby
approved.

E. E. Cunningham
Surveyor General

Field Notes

of the

Survey of the Sub-divisions

of

Township No 32 North

of

Range No 19 West

of the

6th Principal Meridian

in the

State of Nebraska

Executed

by Channcey Wills, —

Deputy Surveyor —

under Joint Contract

No 71 Dated May 1st 1873

Survey

Commenced July 1st 1873

Completed July 6th 1873

Diagram.

Township 32. Range 19 W

6	74	5	56	4	44	3	29	2	15	1
73		72		35		42		27		14
7	71	8	54	9	40	10	26	11	13	12
70		69		53		38		24		11
18	68	17	52	16	37	15	23	14	9	13
67		66		51		36		22		7
19	64	20	50	21	35	22	29	23	5	24
63		62		49		34		19		4
30	61	29	47	28	32	27	18	26	3	25
59		58		46		31		17		2
31	57	32	45	33	30	34	16	35	1	36

List of Names.

A list of the names of the persons who were employed to assist in Surveying and Sub-dividing this Township

Anthony H. Clinton Chainmen
Joseph Patros

W. O Sanders
Frank Thibault

Unmarked Corners
+ Flagmen

Township No 32 N.

Range No 19 West

To determine the proper adjustment of my compass for sub dividing this Township I begin at corner to Townships 31 and 32 N. Ranges 18 and 19 West and run thence North on a blank line along the East Boundary of Sec. 36 Variation 14° East

40.00 To ¼ Sec. Comer.
80.00 To Comer to Sect 25 & 36

Shewing my compass is in proper adjustment

chains

North bet. Sec. 35 and 36

Variation 14° East

1000 Set Cedar post. 3 in. x 2 in x 4 ft — 12 in deep. deposit chaned & lake, ½ gang mound 2 ft high from pits

" 22 in x 22 in x 4 ft 12 in deep. for ¼ Sec. Comer

80.00 Set Cedar post. 3 in x 3 in x 4 ft — 12 in deep. deposit chaned & lake, ½ gang mound 2 ft high from pits.

" 24 in x 24 in — 12 in deep for comer to Sections 25. 26. 35 and 36

Surface rolling
Soil 3d rate

Township No 32 N.

chains	
	East on random line bet. Sec. 25 and 36
	Variation 18° 35' E
38.00	Stream 10 lks wide runs N.E. skirted with Bur Oak
80.30	Intersect East Boundary of Township 35 lks S. of Corner to Sec 25-26 and 36 from which corner
	S 89° 45' West on true line bet. Secs 25 and 36
	Variation 18° 35' E
40.15	Set Cedar post 2 in x 2 in x 4 ft — 12 in deep, dep mound stake, raise mound 2 ft high from pits 22 in x 22½ in 12 in deep for ¼ Sec. Corner on line between Secs 25-26 35-36 Timber Bur Oak
80.30	Corner to Secs 25 26 35 36 Surface rolling — Soil sandy — 3 chains rate

Range No 19 West 6th P.M.

chains	
	North bet. Sec. 25 and 26
	Variation 14° E
40.00	Set Cedar post 8 in x 2 in x 4 ft — 12 in deep, deposit chand stake, raise mound 2 ft high. from pits 22 in x 22 in 12 in deep for ¼ Sec. Corper — from which
	A Bur Oak 12 in dia bears S 83° W. 62 lks dist
	A Bur Oak 10" " " S 69° E 13 " "
42.50	Enter Bur Oak Timber N.E. and S.W.
48.20	Stream 15 lks wide N.E.
50.00	Leave timber N.E. & S.W.
80.00	Set Cedar post — 3 in x 3 in x 4 ft — 12 in dep, deposit chand stake, raise mound 2 ft high from pits 24 in x 24 in 12 in deep for Corner to Sec. 23. 24. 25 and 26. Timber Bur Oak
	Surface rolling — Soil 2 " rate

Township No 32 North-

chains	
	East on random line bet. Sec. 24 & 25
	Variation 18° East
30.00	Stream 12 lks. wide skirted with Bur Oak
40.00	Set Cedar post for temporary ¼ Sec. Cor
60.20	Stream 4 lks. wide runs N. W.
80.80	Intersect East Bound ary of Township at 26 lks. South of corner to Secs. 24 & 25 from which corner Bear S 89° 49' West on true line bet. Secs. 24 & 25
	Variation 18° 35' East
40.40	Set Cedar post. 3 in x 2 in x 4 Ft - 12 in deep: depositd charcoal & stake, raise mound 2 Ft high from pits 22 & 22 lks - 12 in deep for ¼ Sec Cor Comer to Secs 23. 24. 25. & 26 Surface rolling Timber Bur Oak

Range 19 West 6th P.M.

chains	
	North bet. Sec. 23 & 24
	Variation 13° East
10.00	Enter Bottom NE ¼ Sec.
30.80	Right Bank of Niobrara River - set Cedar post 3 in x 2 in x 4 Ft - 12 in deep. deposit charcoal & stake, raise mound 2 Ft high from pits 22 in x 22 in 12 in deep for Meander Corner & fractional Sections 23 and 24 as certain distances shown by the annexed Plat - for ¼ Cor in River. ~~Cedar post. 3 in x 2 in x 4 Ft - 12 in deep. deposit charcoal & stake, raise mound 2 Ft high from pits 22 in x 22 in 12 in deep for ¼ Sec Cor~~
40.80	~~Set Cedar post. 3 in x 2 in x 4 Ft - 12 in deep. deposit charcoal & stake, raise mound 2 Ft high from pits 22 in x 22 in 12 in deep for ¼ Sec Cor~~
44.20	Open River and on Left Bank,

Township No 32 N.

Chains	
	Set Cedar post 3 in x 2 in x 4 Ft 12 in deep. deposit Chained stake raise mound 2 feet high South 22 in x 22 in 12 in deep, for Meander Corner to fractional Sec. 23 & 24
80.00	Set Cedar post 3 in x 3 in x 4 Ft 12 in deep. deposit Chained stake, raise mound 2 feet high from pit 24 in x 24 in 12 in deep for Corner to Sec's 13, 14, 23 and 24
	Surface - Upland rolling Soil 2nd rate - Bottom level Soil 2nd rate

Range No 19 West 6th P.M.

Chains	
	East on said land line bet. Sec's 18 & 19 & 24 Variation 18° 35' E
40.00	Set post for temporary 1/4 Sec. Corner
80.50	Intersect East Bound ary of Township at a point 62 lks South of corner to Sec's 18 and 24 from which corner Bears S 89° 33' West true line bet. Sec's 18 and 24 Variation 18° 35' E
40.25	Set Cedar post 3 in x 2 in x 4 Ft 12 in deep - deposit Chained stake, raise mound 2 feet high from pit 22 in x 22 in x 4 Ft 12 in deep. for 1/4 Sec. Cor.
80.50	~~Set Cedar post 3 in x 3 in x 4 Ft~~

8

Township No 32 N

chains

~~12 ui deep deposit~~
~~channel stake raising~~
~~mound 2 ft high~~
~~from pits 2 ui x 24 ui~~
~~12 ui deep for same~~

8050 Corner to Sections 13. 14.
23 and 24.
Surface rolling
Soil 2nd rate

9

Range No 19 West

chains

North-East Sec. 13 1/4
Variation 13° 30' E

4000 Set Cedar post
8 ui x 2 ui x 14 ft
12 ui deep - deposit
charred stake raising
mound 2 ft high
from pits 22 ui x 22 ui
12 ui deep for 1/4
Sec. corner

67.00 Enley Fork Canon N.E.
and S.W.

77.80 Stream 5 lk. wide
runs S.E.

80.00 Set Cedar post. 3 ui
x 3 ui x 4 ft - 12 ui
deep - deposit charred
stake, raising mound
2 ft high from
pits 24 ui x 24 ui
12 ui deep for Corner
to Sec. 11. 12. 13 and
14 from which
A Pine 20 in dia bears
S 56 1/2 W 46 lk. distant

Township No 32 North-

Range No 19 West 6th W.M.

Chains		Chains	
	A Pine 32 in. diá. bears N 56° W 54 lks. distant		East on 7th guide line bet. Secs. 12 & 13
	A Pine 10 " " " N 75 E 45 " "		Variation 13° 35' East
	A Pine 12 " " " S 34 E 27 " "	36.50	Stream 4 lks. wide runs N.E.
	Surface broken	40.00	Set post for temporary 1/4 Section Corner — Leave Pine timber - N.E. & W.
	Soil 2nd rate —	50.00	Enter timber - N.W. & S.E.
	Timber - Pine —	63.00	Stream 6 lks. wide S.E.
		65.00	Leave Pine timber N.W. & S.E.
		80.62	Intersect East Boundary of Township at a point 10 lks. S. of corner to Secs. 12 & 13 from which corner a pine 8 ins. bears S 89° 56' West on true line bet. Secs. 12 & 13 B
			Variation 13° 35' E
		24.31	Set Cedar post 3 ins x 2 ins x 4 ft. 12 ins deep. Adjoining Round Lake

Township 32 South—

chains	
	Pair mound 2 ft high from pits 2 ft x 2 ft 12 in deep for 1/4 Section Corner from which A Pine 15 inches bears N 56 W. 100 lks. dist. A Pine 12 " " bears S 30 E. 40 " "
80.62	Corner to Secs 11, 12, 13 and 14
	Surface broken Soil 12", rate Timber — Pine

Range 19 West 6th P.M.

chains	
	North bet. Secs. 11 & 12 Variation 18° 50' E
3.00	Leave timber N. W. & S. E.
4.00	Set Cedar post 3 in x 2 in x 4 ft — 12 in deep — deposit chand & stake pair mound 2 ft high from pits 2 ft x 2 ft 12 in deep. for 1/4 Corner
43.00	Enter Timber N. W. & S. E.
47.00	Ravine descends S. E.
55.00	Leave timber N. W. & S. E.
80.00	Set Cedar post — 3 in x 3 in x 4 ft — 12 in deep. deposit chand & stake pair mound 2 ft high from pits 24 in x 24 in — 12 in deep. for Corner to Secs 1, 12, 11 and 12 Surface broken — Soil 3" rate —

Township No 32 N.

Range No 19 West 6th PM.

Chains		Chains	
	East on random line bet. Secs. 1 & 12 Variation 13° 35' E		South - on true line bet. Secs. 1 & 2 Variation 13° 50' E
15.00	Enter timber N. W. & S. E.	25.00	Enter Timber N. W. & S. E.
18.50	Stream 4 lks. wide runs S. E.	33.00	Stream 3 lks. wide runs S. E.
21.00	Leave timber N. W. & S. E.	38.00	Leave timber N. W. & S. E.
40.00	Set post for temporary 1/4 Sec. Corner —	40.00	Set cedar post — 3 in x 2 in x 4 ft — 12 in deep. dep'nt Chaned stake, rain mound 1/2 ft high
80.30	Intersect East Bdry of Township at a point 14 lks S. of Corner to Secs 1 & 12 from which Corner bears S 89° 54' West on true line bet. Secs 1 & 2 Variation 13° 35' E	78.00	Intersect South Boundary of Township at a point 15 lks East of 1/4 Sec. Corner to South side of Section 36. Township 33 N. Range 19 W. and set Cedar post — 3 in x 3 in x 4 ft - 12 in deep Bears Chained stake, rain mound 2 ft high from pit — 2 in x 2 in x 4 ft - 12 in deep for Closing Corner to Sec. 1 & 2. Surface broken Timber — Pine. Soil 3rd rate
40.15	Set Cedar post — 3 in x 2 in x 4 ft — 12 in deep. dep'nt Chaned stake, rain mound 1/2 ft high from pit 2 in x 2 in x 12 in deep for 1/4 Sec. Corner to Secs 1 & 12 Surface Broken — Timber — Pine. Soil 3rd rate		

16

Township 32 North- Range 19 West 6th P.M.

chains	
	North- bet Sec. 34 and 35-
	Variation 14° East
40.00	Set Cedar post- 3 in x 2 in x 4 ft- 12 in deep. deposit chaned stake, rain mound 2 feet high
	Spr. Cedar
20.00	Set Cedar post 3 in x 3 in x 4 ft- 12 in deep. deposit chaned stake- rain mound 2 feet high from pits 24 in x 24 in 12 in deep. for Comn to Sec. 26. 27. 34. 35.
	Surface gently rolling Soil 2nd rate

chains	
	East on random line bet. Sec. 26 and 35- Variation 18° 35' E
40.00	Set post for temporary
42.00	1/4 Sec. Corner N. E. & S. W. Cor. to Big Bluffs (Pine Oak)
45.50	Cut timber
	N. E. and S. W.
49.00	Stream. 12 lks. wide N.
56.00	Leave timber & top of high bluffs- N. E. & S. W.
80.80	Intersect N. & S. line at a point 4 lks. E. of corner to Secs 25. 26. 35 and 36 from which corner I chain S 89° 45' W. Neighbourhood line bet. Sec. 26 & 35- Variation 18° 35' E
40.40	Set Cedar post 3 in x 2 in x 4 ft- 12 in deep. deposit chaned stake, rain mound 2 feet high from pits 24 in x 24 in 12 in deep. for M. section Corner to Secs 26. 27. 34. & 35-
80.80	Surface Broken Soil 2nd rate Timber Burr Oak

Township No 32 N

chains	
	North-bet. Sec. 26 & 27
	Variation 18° 30' E
30.00	Leave Upland for bolting E. and W.
40.00	Set Cedar post. 3 in. x 2 in. x 4 ft - 12 in. deep. depsit chaned stake, pairie mound 2 ft high from pits 2 2 in. x 22 in. 12 in. deep. for 1/4 Sec. cor.
68.68	Intersect Niobrara River and marked a Bur Oak on right bank for Meander Corner to fractional Sec. 26 & 27 from which A Bur Oak 6 in. dia. bears N 61° E 75 links dist
	A Bur Oak 8 " " N 67° W. 30 " "
	A Bur Oak 10 " " N 69° E. 15 " "
80.00	Pt. for Cor to Secs 22 23. 26 27 in. Cannot cannot be established Surface broken.
	Soil 2nd rate.
	Timber Bur Oak.

Range No 19 West 6th P.M.

chains	
	Knowing that I will intersect Niobrara River di less than 80 chains I began at corner to Sec. 23. 24. 25 and 26. and run West on true line bet Sec. 23 and 26.
	Variation 18° 35' E
18.20	Eglen Bolton N. & S. W.
40.00	Set Cedar post. 8 in. x 2 in. x 4 ft - 12 in. deep. depsit chaned stake pairie mound 2 ft high from pits 22 in. x 22 in. 12 in. deep for 1/4 Sec. Cor.
51.00	Intersect Niobrara River and set Cedar post. 3 in. x 2 in. x 4 ft. 12 in. deep. depsit chaned stake pairie mound 2 ft high from pits 2 2 in. x 2 2 in. 12 in. deep for Meander Corner to Sec. 23 & 26 Surface broken Soil 2nd rate

Township No 32 North-

Range No 19 West 6th P.M.

Chains	
	From point in River, comm to Sec. 22. 23. 26 and 27
	Variation 18° 30' E
4.10	North bank of Niobrara River, Set Elm post 3 in x 2 in x 4 ft - 12 in deep.
	for Meander Comm to frac. Sec. 22 and 23
	from which
	A Cottonwood 4 in dia bears N 85 W 108 lks.
	A Cottonwood 3 " " " N 8 E 30 "
13.00	Leave scattering Timber NE ¼ of S. W. ¼
36.00	Leave Bottom E. & W.
40.00	Set Cedar post — 3 in x 2 in x 4 ft - 12 in dep. deposit chand stake, x cairn mound

Chains	
	2 ft high from pit — 22 in x 22 in — 12 in deep. for ¼ Sec Cor from which
	A Bur Oak 9 in dia bears N 23 W 250 lks dist.
80.00	Set Cedar post. 3 in x 3 in x 4 ft - 12 in deep. deposit chained stake, cairn mound pit 2 ft high from pit to 24 in x 24 in — 12 in deep — for corner to Sec. 14. 15. 22 and 23
	from which
	A Bur Oak 9 in dia bears N 75 E 245 lks dist
	A Bur Oak 8 " " " N 8 E 520 "
	Surface broken
	Soil 2nd rate
	Timber Bur Oak & Cottonwood

Township No 32 South

chains	
	East on range line bet. Sec. 14 & 23 Variation 18° 30' E
5.00	Ravine skirted with timber, descends S.E.
23.00	Enter timber N. & S.
31.00	Stream 10 lks. wide runs South -
34.00	Leave timber N. & S.
40.00	Set post for temporary ¼ Sec. Corner -
80.90	Intersect N. & S. line at a point 70 lks. N. of corner to Sec. 13. 14. 23 and 24 from which corner Bl. pine N 89° 30' West on range line bet Sec. 14 & 23 Variation 18° 30' E
40.45	Set Cedar post. 3 ins x 2 ins x 4 ft. 12 ins deep deposit - shaved stake raise mound 2 ft high for pits 22 ins x 22 ins - 12 ins deep for ¼ Sec. Corner -
80.90	Corner to Secs 14. 15. 22 & 23 Surface rolling Soil 1st rate Timber Pine & Bm Oak

Range No 19 West 6th P.M.

chains	
	North bet. Sec. 14 and 15 - Variation 18° 30' East
12.00	Enter timber S. & N.
13.50	Ravine descends S.E.
24.00	Leave timber N.E. & S.W.
40.00	Set Cedar post. 3 ins x 2 ins x 4 ft - 12 ins deep deposit shaved stake raise mound 2 ft high from pits 22 ins x 22 ins - 12 ins deep for ¼ Sec. Corner -
63.00	Enter timber S.W. & N.E.
65.00	Stream 2 lks wide N.E.
67.50	Leave timber S.E. & N.W.
80.00	Set Cedar post - 3 ins x 2 ins x 4 ft - 12 ins deep. deposit - shaved stake, raise mound 2 ft high. from pits 24 ins x 24 ins - 12 ins deep for corner to Sec. 10. 11. 14 and 15 - Surface broken Soil 3rd rate Timber Pine & Bm Oak

Township No 32 North

Chains	
	East on random line bet. Sec. 11 and 14 Variation 13° 35' E
18.00	Entey Scattering Pine N.W. and S.E.
14.00	Steam 2 lk. wide runs S.E.
37.60	Steam 3 lk. wide runs S.E.
40.00	Set post for Quarter ¼ Sec. Corner
71.00	Ravine skirted with Pine timber descends N.E.
80.10	Stream 4 lks. wide S.E.
80.95	Intersect N. and S. line at a point 38 lks. S. of corner to Secs. 11.12. 13 and 14 From which corner Iron S 89° 44' West on line bet. Secs. 11 and 14 Variation 13° 35' E
40.47½	Set Cedar post

Range No 19 West 6th P.M.

Chains	
	3 in x 2 in x 4 ft 1.2 in deep. ~~Adjacent stamped~~ ~~stone, trees mounds~~ ~~2 ft pits~~ ~~2 ft x 2 ft x 2 ft deep~~ Iron ¾ Sealed Stone which A Bur Oak 10 in dia bears N 88° E 230 links, A Bur Oak 14 " " " S 89¼ 195 " "
80.95	Corner to Secs. 10. 11. 14. 15 Surface broken Soil 3d rate Timber Bur Oak & Pine

Township No 32 North-

Chains	
	North bet Sec. 10 & 11 Variation 13° 50 E
13.00	Enter timber S.E. ¼ & N.W.
15.00	Bottom of Ravine descends S.E.
30.00	Leave timber descends S.E.
40.00	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. depositd chaned stake, raise mound 2 ft high from pits 24 in x 24 in - 12 in deep for corner to Sec. 2. 3. 10 and 11
80.00	Set Cedar post 3 in x 3 in x 4 ft - 12 in deep. deposit chaned stake, raise mound 2 ft high. from pits 24 in x 24 in - 12 in deep for corner to Sec. 2. 3. 10 and 11

Surface rolling Soil 8 in. rate - 2 Timber Cedar and Bur Oak

Range 19 West 6th P.M.

Chains	
	Carbon random line bet. Sec. 2 & 11 Variation 13° 35' East
15.00	Ravine skirted by timber N.E.
38.00	Ravine skirted by timber N.E.
40.00	Set post for temporary ¼ Sec. Corner
40.10	Stream 3 links wide runs S.E.
42.00	Leave timber N.W. & S.E.
80.98	Intersect N. & S. line at a point 8 links west of corner to Sec. 1. 2. 11 & 12 from which corner I mark N 89° 45' West on true line bet. Sec. 2 & 11 Variation 13° 35' E
40.79	Set Cedar post - 3 in x 2 in x 4 ft - 12 in deep. deposit - chaned stake. raise

Township No 32 N.

chains	
	mound 2 2 in x 22 in dia scribed 2 ft high from pits
	— 12 in deep Sec
	1/4 Sec corner +
80.98	Course to Sec. 2. 3. 11
	W 12
	Surface broken
	Soil 3d rate
	Timber Bur Oak and Elm.
	From which
	An Elm 24 in dia bears South 100 lks dist
	A Bur Oak 12 " " " N 10 W 25 " "

Range No 19 West 6th P.M.

chains	
	North on true line between Sec. 2 and 3 Variation 13° 50 East
27.00	Enter Pine timber N.W. cor. S.E.
31.00	Cañon 100 ft deep - descends S.E.
39.00	Leave Pine timber N.W. cor. S.E.
40.00	Set Cedar post 8 in x 2 in x 4 ft - 12 in deep - deposit chamfer stakes, Sand mound 2 ft high from pits 22 in x 22 in - 12 in deep. for 1/4 Sec. Cor. Intersect 8th Standard Parallel at a point 5.78 lks East of 1/4 Section Corner on South side of Section 35. Town 33 N. Range 19 West, and set Cedar post 3 in x 3 in x 4 ft - 12 in deep. from pits 24 in x 24 in 12 in deep Stone Corner to Secs 2 and 3 on South B. Standard 4 lks
77.20	Surface gently rolling valley - upland timber 2d rate — Pine

July 2nd

Township No 32 South -

chains	
	North bet. Sec. 33 & 34
	Variation 13° 50' E
40.00	Set Cedar post - 3 in x 2 in x 4 ft - 12 in deep. Deposit - chained stake, pair mound of earth 2 ft high from pits 2 in x 2 in 12 in deep for 1/4 Sec. Corner -
80.00	Set Cedar post 3 in x 3 in x 4 ft - 12 in deep. deposit - chained stake, pair mound of earth - 2 ft high from pits 24 in x 24 in 12 in deep for Corner to Secs. 27. 28. 33 & 34 Surface gently rolling Soil 2nd rate

Range No 19 West 6th Pm.

chains	
	East on random line bet Secs. 27 & 34
	Variation 18° 35' East
18.00	Ravine descends N.
37.00	Ravine descends N.
40.00	Set post for temporary 1/4 Sec. Corner.
79.60	Intersect Sp. and S. line at a point 15 lks South of corner to Secs. 2 & 27. 34 & 35 - from which corner I own S 89 - 54' W Govt line bet. Secs. 2 and 34 Variation 13 35 E
39.80	Set Cedar post - 3 in x 2 in x 4 ft - 12 in deep. deposit chained stake, pair mounds earth 1 ft high from pits 2 in x 2 in 12 in deep for 1/4 Sec. Corner to Secs. 27. 28. 33 & 34 Surface rolling - Soil 2nd rate
79.60	

Township 32 North—

chains

Nor[th] bet Sec. 27 & 28
Variation 13° 30' East

26.00 Bottom 2nd timber E. 2 chs N.

26.00 Willow Swamp. E. 2 chs N.

30.00 Leave Willow Swamp E. 4 chs N.

40.00 Set Cedar Post. 3 ins x 2 ins x 4 Ft. 12 ins deep. Deposit chained stake, raise mound (earth) 2 Ft high. from pits 22 ins x 22 ins 12 ins deep for ¼ Sec. Cor. from which corner
A Cottonwood 20 ins dia bears N. 76 E. 64 lks. dist. (in dia bears)
A Cottonwood 20 ins dia bears N. 31½ W. 74 lks. (in dia bears)

43.00 To Soul[th] (right) Bank of Niobrara and Set Cedar Post— 3 ins x 2 ins x 4 Ft. 12 ins deep. Deposit chained stake, raise mound (earth) 2 Ft high. from pits 22 ins x 22 ins 12 ins deep for Meander Corner to frac. Sec. 27 & 28
from which
A Cottonwood 14 ins dia bears N. 82 E. 23 lks. dist.

Range No. 9 West 6th P.M.

chains

A Cottonwood 12 ins dia bears S. ¼ W. 35 lks. distant (abbreviations distinguished by spacing)

59.20 Deer River and set Cedar Post. 3 ins x 2 ins x 4 Ft. 12 ins deep. Deposit chained stake, raise mound (earth) 2 Ft high. from pits 22 ins x 22 ins 12 ins deep for Meander Corner to frac. Sec. 27 & 28
from which
A Willow 10 ins dia bears S. 67 E. 15 lks. distant.

73.00 Leave bottom. E. and W.

80.00 Set Cedar post. 3 ins x 3 ins x 4 Ft. 12 ins deep. Deposit chained stake, raise mound (earth) 2 Ft high from pits 24 ins x 24 ins 12 ins deep for Corner to Sec. 21. 22. 27 & 28

Timber, Willow, Cottonwood

Surface — Upland rolling, Soil 2nd rate — Soil — bottom level —

Township No 8 S R

chains	
	~~Ranging tree 8 Chs. Inspected 21.22.27.28~~
	Carbon tree
	line Set Sec. 22 & 27
	Variation 13° 35' E
12.00	Enter Bottom 19 ~~links~~
40.00	Set Cedar post 8 in x 2 in x 4 ft - 12 in deep - Deposit - Chained stake, rain mound 2 ft high from pits - 22 in x 22 in - 12 in deep for 1/4 Sec. Corner
65.12	Intersect River
	and Set Cedar
	post. 3 in x 2 in x 4 ft -
	12 in deep. deposit
	Chained stake, rain
	mound 2 ft high
	from pits - 22 in
	x 22 in x 4 ft 12 in
	deep - for Meander
	Corner to Sec.
	Sec. 22 & 27 T.
80.00	~~Point for Section Corner~~
	via Ribeo Corner cannot be
	Established
	Surface - upland - rolling
	Soil 2nd rate -
	Bottom level - 1st rate

Range 19 West 6th P.M.

chains	
	North bet. Sec. 21 & 22
	Variation 13° 50' E
40.00	Ranie deceased 8 ft
	Set Cedar post - 8 in.
	x 2 in x 4 ft - 12 in
	deep. deposit - Chained
	stake, rain mound 2 ft high from pits - 22 in x 22 in - 12 in deep for 1/4 Sec. Cor -
80.00	Set Cedar post
	3 in x 8 in x 14 ft -
	12 in. deep. pitted
	deposit Chained
	stake, rain mound 2 ft high. from pits - 24 in x 24 in - 12 in deep. for Corner to Sec. 15. 16. 21 & 22.
	Surface rolling
	Soil 2nd rate

Township 32 North-

chains	East on range line bet. Sec. 15 & 22 Variation 13° 35' East
32.00	Ravine descends S.E.
35.00	Ravine descends S.E.
40.00	Set post for temporary 1/4 Sec. Corner
63.00	Enter timber S.E. & N.W.
68.00	Ravine descends N.W.
70.00	Leave timber S.E. & N.W.
80.50	Intersect N. & S. line at a point 0.40 ch. S. of corner to Sec. 14. 15. 22 & 23. from which corner bears S. 89° 56' West on true line bet. Sec. 15 & 22 Variation 13° 35' E.
40.25	Set Cedar post 3 in x 2 in x 4 ft — 12 in deep. depression chamfered stake, rock mound 2 ft high from pit. 22 in x 22 in 12 in deep. Bears 1/4 Sec Corner — Corner to Sec. 2. 15. 6 21 & 22 Surface rolling Soil 2" rate 1 — Timber Pine

Range No 19 West 6th W.M.

chains	North bet. Sec. 15 & 16 Variation 13° 5' East
38.00	Ravine descends S.E.
40.00	Set Cedar Stone 16 in x 10 x 6 in from which A Pine 16 in dia bears N 73 1/2 W 35 lks dist
44.00	Enter timber N. & E.
45.00	Ravine descends East
50.00	Leave timber E. & N.
80.00	Set Cedar post — 3 in x 3 in x 4 ft — 12 in deep. depression chamfered stake, rock mound 2 ft high from pits. 44 x 24 in — 12 in deep for corner to Sec. 9. 10. 15 and 16 A Pine 9 in dia S 89 1/4 E 43 0 lks dist A Pine 10 in dia N 85 E 46 2 " "
	Surface broken Soil 2", rate Timber - Pine.

Township No 32 N

chains	
	East on random line bet. Sec. 10 and 15 —
	Variation 13° 40' E
24.00	Ravine descends NE
31.00	Enter timber N.W. & S.E.
40.00	Set post for temporary 1/4 Sec. Corner —
56.00	~~Stream~~ 4 lks wide S.E.
64.00	Leave timber N.W. and S.E.
80.32	Variance N. and S. line at a point, 14 lks. South of corner to Sec. 10. 11. 14 and 15, from which corner a pine 9 ins dia bears S 89° E 38 links. West on true line bet. Sec. 10 and 15.
	Variation 13° 40' E
40.16	Set Corner post 3 ins x 2 ins x 4 ft 12 ins deep, depression channel stakes, pair mound, 2 feet high from pits 22 ins x 22 ins 12 ins deep

Range No 19 West

chains	
	For 1/4 Section Corner from which, A Pine 14 ins dia bears S 60 W 71 lks distant
	A Pine 20 " " " N 44 W 125 lks "
	A Bur Oak 7 " " " N 60 E 10 lks "
80.32	Corner to Sections 9. 10. 15 and 16
	Surface rolling Soil 3rd rate — Timber — Pine and Bur Oak.

Township No 32 N

Chains	
	North bet Sec. 9 & 10
	Variation 13° 40' E
10.00	Enter timber N.W. & S.E.
18.50	Ravine descends S.E.
29.00	Ravine descends S.E.
30.00	Leave timber N.W. & S.E.
40.00	Set Cedar post. 8 in x 2 in x 4 ft — 12 in deep. depubit chaned stake, rais, mound 2 ft high from pit. 24 in x 24 in x 12 in deep for 1/4 Sec. Cor — from which A Pine 6 in dia bears S 29° E 64 lk dis. A Pine 15 " " " N 69 W 127 "
45.00	Enter timber N.W. & S.E.
50.00	Ravine descends S.E.
74.00	Ravine descends S.E.
80.00	Set Cedar post — 3 in x 3 in x 4 ft — 12 in deep. depubit chaned stake, raise mound 2 ft high from pit — 24 in x 24 in — 12 in

Range No 19 West 6th Prin

Chains	
	deep for corner to Sections 3. 4. 9 and 10 from which A Bur Oak 10 in dia. bears N 61 East - 30 lks distant Surface broken — to lil 3 rd rate
	Timber Bur Oak and Pine.

Township No 32 North -

Chains	
	East on random line bet. Sec. 3 and 10
	Variation 13° 40' E
5.50	Ravine descends S.E.
12.60	Ravine descends S.
17.40	Ravine descends S.E.
29.60	Ravine descends S.
40.00	Set post for temporary 1/4 Section corner —
43.00	Cañon descends S.E.
56.00	Cañon descends S.
80.60	Intersect N. and S. line at a point 8 lks. S. of corner to Secs. 2. 3. 10 and 11 from which corner bears S 89° - 57' West on true line bet. Secs. 3 and 10
	Variation 13° 40' E
40.30	Set Cedar post - 3 in x 2 in x 4 ft 12 in deep. depression chained 15 links North of corner mound, 2 ft

Range No 19 West 6th Pm.

Chains	
	deep from pits. 22 in x 22 in x 12 in deep For 1/4 Sec. corner from which A Pine 9 in dia. bears N. 19° E 38 lks. distant A Pine 6 in dia. bears S. 51° W 65 " "
80.60	Corner to Secs. 3. 4. 9 and 10 Surface broken Soil 2 ft sale
	Timber — Pine.

Township No 32 N

chains	
	North on true line bet. Sec.s 3 and 4
	Variation 13° 30' E
5.00	Ravine descends S.E.
40.00	Set post (cedar) 3 in x 2 in x 4 ft - 12 in deep - deposit chained stake, rain mound 2 feet high from pits 22 in x 22 in - 12 in deep for 1/4 Sec. corner - Bytenicht & Nash - Standard Parallel N. at a point 6.50 lks. E. of 1/4 Sec. Cor. on S side of Sec. 34. T 33 N. R. 19 W.
	Set cedar post. 3 in x 3 in x 4 ft - 12 in deep - deposit - chained stake rain mound 2 feet high from pits 24 in x 24 in - 12 in deep for closing corner to Sec 3 & 34
76.90	Surface level. Soil 1st. calc-

July 3 d 1873

Range No 19 West 6th P.M.

chains	
	North bet Sec.s 32 and 33
	Variation 13° 00' East
40.00	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. deposit chained stake, rain mound 2 feet high from pits 22 in x 22 in - 12 in deep for 1/4 Sec. corner
80.00	Set Cedar post. 3 in x 3 in x 4 ft - 12 in deep. deposit chained stake, rain mound 2 feet high from pits 24 in x 24 in 12 in deep. for corner to Sec.s 28. 29. 32 and 33
	Surface rolling Soil sandy - Bottom

46

Township No 32 N

chains	
	East on random line bet. Sec. 28 & 33 Variation 18° 35' E
40.00	Set post for temporary 1/4 Sec. Cor.
43.20	Enter timber N.E. and S.W. Stream 4 ft. wide runs N.E.
47.00	Leave timber N.E. & W.
80.50	Intersect N. and S. line at a point 19 lks S. of corner to Sec. 27. 28. 33. 34 from which I pine S 89° E. Set on line bet. Sec. 28 & 33 Variation 18° 35' E
40.25	Set Cedar post 3 in x 2 in x 4 ft 12 in deep, deposit chard, stake, raise mound, pit high from pits 22 in x 2½ in 12 in deep for 1/4 Sec. Cor. Corner to Sec. 28. 29. 32. 33 Timber Bur Oak Soil Sandy

47

Range No 19 West 6th P.M.

chains	
	North bet. Sec. 28 & 29 Variation 18° 35' E
34.00	Enter timber N.E. and S.W.
40.00	Set Cedar post 3 in x 2 in x 4 ft — 12 in deep. deposit chard and stake raise mound 2 ft high from pits 22 in x 22 in — 12 in deep for 1/4 Sec. Cor — point in rock 1 A Coffee Bean 8 in diameter 48 W 15 lks distant. An Iron Rod 5 in dia S 72° W 12 lks distant
44.00	Leave timber N.E. and S.W.
53.30	To Right bank of Niobrara River and Set Cedar post 3 in x 2 in x 4 ft 12 in deep. deposit chard stake raise mound 2 ft high from pits - 2 2 in x 12 in 12 in deep for Meander Corner to fractional

Township No 32 N

Chains	
	Sections 28 & 29
78.10	actual distance passed in chaining To Left Bank of Niobrara River
	and Set Cedar post
	3 in x 2 in x 4 ft. —
	12 in deep. deposit
	chand stake, rain
	mound 2 feet high
	from pits 24 in x 24 in
	12 in deep for Comer
	to Sec. 20. 21. 28 & 29
	Surface — Upland, rolling
	Soil 3rd rate
	Bottom level
	Soil 1st rate —
	Timber, Pine, Oak,
	Cotton Bean & Iron Wood,

Range No 19 West 6th P.M.

Chains	
	East on random
	line bet. Sec. 21 & 28
	Variation 13° 35' East
21.00	Enter Bottom land
	& Set.
40.00	Set post for temporary
	1/4 Sec. Corner.
79.65	Intersect N. bank S. fork
	at a point 60 lks. S
	of corner to Sec. 21. 22.
	27 & 28 from which
	corner I mark
	S 89° E 4 Pecan trees
	line bet. Sec. 21 & 28
	Variation 13° 35' E
39.77	Set Cedar post —
	3 in x 2 in x 4 ft. - 12 in
	deep. deposit Chand.
	stake. rain mound
	2 feet high from pits
	22 in x 22 in 14 in
	deep. for 1/4 Sec. Cor —
79.55	Corner to Sec. 20. 21,
	28 and 29
	Surface rolling
	Soil 2nd rate

Township No 8 2 North

Chains	
	North bet Sec. 20 & 21 Variation 18° 40' East
10.00	Leave Bottom Cedar P.
40.00	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. dig pit chamd stake, raise mound 2 ft high from pits 2 in x 2 in - 12 in deep. for Corner to Sec. 16. 17. 20 & 21 Surface broken Soil 8 in. sale
80.00	Set Cedar post 3 in x 3 in x 4 ft - 12 in deep. dig pit chamd stake, raise mound 2 ft high from pits 24 in x 24 in - 12 in deep. for Corner to Sec. 16. 17. 20 & 21 Surface broken Soil 8 in. sale

Range No 19 West 6th Principal

Chains	
	East on random line bet Sec. 16 & 21 Variation 18° 35' E
40.00	Set post for temporary 1/4 Sec. Corner
80.20	Intersect West bank of Lake at a point 14 lks. South of corner to Sec. 15, 16, 21 & 22 from which corner Pine 30 in. diam bears N 89 - 3/4° West true line bet Sec. 16 & 21 Variation 18° 35' E
40.10	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. dig pit chamd stake, raise mound 2 ft high from pits 24 in x 24 in - 12 in deep. for 1/4 Sec. Corner Cor. to Sec. 16. 17. 20 & 21 Surface broken Soil 2 in. sale
80.20	

Township No 8 2 North-

Range No 19 West 6th P. M.

Chains		Chains	
	North bet. Sec. 16 & 17		East on random
	Variation 18° 40' E		line bet. Sec. 9 & 16
40.00	Set Cedar post.		Variation 18° 35' E
	3 in x 2 in x 4 ft. 12 in	40.00	Set post for temporary
	deep. deposit Chained		1/4 Sec. Corner
	stake, raise mound	80.55	Intersect N. and S. line
	2 ft high from		at a point 12 lks. S.
	pits 22 in x 22 in		of corner to Sec. 9. 10
	12 in deep for		15 and 16 from which
	1/4 Sec. Corner.		corner I chain
80.00	Set Cedar post		S 89 E 5 links
	3 in x 3 in x 4 ft		East line bet. Sec. 9 & 16
	12 in deep. deposit		Variation 18° 30' E
	Chained 1 stake	40.27½	Set Cedar post
	raise mound 2 ft		3 in x 2 in x 4 ft
	high from		12 in deep. deposit
	pits 24 in x 24 in		Chained 1 stake raise
	12 in deep for Corner		mound 2 ft high
	to Sec. 8. 9. 16 & 17		from pits 22 in
	Surface broken		x 22 in 12 in
	Soil 3 in. sale		deep for 1/4 Sec. Cor.
		80.55	to Sec. 8. 9. 16
			and 17
			Surface broken
			Soil 3 in. sale

Township No 32 N.

chains	
	North bet Sec. 8 & 9
	Variation 18° East
40.00	Set Cedar post —
	3 in x 2 in x 4 ft —
	12 in deep. Mound
	Chand & stake pits
	pine mound 2 ft high
	ft high from pits
	22 in x 22 in — 12 in
67.00	Enter Timber Sec. 4 & 9
*71.00	Set Cedar post
	3 in x 3 in x 4 ft —
	12 in deep. Mound
	Chand & stake pits
	mound 2 ft high
	from pits to 24 in x 24 in
	12 in deep for Corner
	to Sec. 4. 5. 8 & 9
	Surface broken
	Soil 3 in. rate Timber Pine & Oak
*71.00	Leave timber S. W. & N.E.

Range 19 West 6th P.M.

chains	
	East on random line
	bet. Sec. 4 & 9
	Variation 18° 35' East
6.00	Enter Timber S. W. & S.E.
6.80	Stream 3 lks. wide W.
15.00	Leave timber S. W. & N.
40.00	Set post for temporary
	1/4 Section Corner
70.00	Enter Pine timber
	N. & S.
80.50	Intersect N. & S. line
	at a point 20 lks. E. of
	corner to Sec. 3. 4. 9
	& 10 from which
	Corner I mark
	S 89 — 51' West and
	that being bet. Sec. 4 & 9
	Variation 13 3/4° E.
40.25	Set Cedar post
	3 in x 2 in x 4 ft - 12 in
	deep. Mound Chand &
	Stake, pine mound 2 ft
	high from pits 22 in x 22 in
	for 1/4 Sec. Cor 12 in deep
80.50	Corner to Sec. 4. 5. 8 & 9
	Surface broken
	Soil 3 in. rate

Township No 32 N.

chains	
	South on true line bet. Sec. 4 and 5
	Variation 18° 40' East
6.00	Enter timber S.E. & N.W.
10.00	Ravine descends S.E.
29.00	Leave timber S.E. & N.W.
40.00	Set Cedar post 3 ins. x 2 ins x 4 ft - 12 ins deep. deposit chance stake, rais mound 2 ft high iron pits 22 ins x 22 ins - 12 ins dep. for 1/4 Sec. Corner.
77.40	Intersect 8 ch Stand - and Parallel North - at a point 5 26 lks East of 1/4 Sec. Corner on South - side of Sec. 33. Town. 33 N. R 19 West. and Set Cedar post 3 ins x 2 ins x 4 ft - 12 ins deep deposit - chance stake, rais mound 2 ft high iron pits - 22 ins x 22 ins - 12 ins deep for a Closing Corner on ~~East~~ lines 4 and 5 Surface broken + Soil 3rd rate - timber Pine

July 4th 1873

Range No 19 West 6th P.M.

chains	
	North bet Sec. 31 & 32
	Variation 18° 50' East
40.00	Set Cedar post 3 ins x 2 ins x 4 ft - 12 ins deep. deposit chance stake, rais mound 2 ft high iron pits 22 ins x 22 ins - 12 ins deep for 1/4 Sec. Corner.
70.00	Stream 12 lks wide runs N.E. Spirited into timber
78.00	Stream 12 lks wide runs N.W.
80.00	Set Cedar post. 8 ins x 3 ins x 4 ft - 12 ins dep. deposit chance stake, rais mound 2 ft high iron pits 24 ins x 24 ins - 12 ins deep for Corner to Sec. 29. 30. 31 & 32 from which 8 Walnut 16 ins dia. bears S 82° East 45 lks distant. Surface rolling Soil 3rd rate Timber Walnut & Oak

Township 32 North Range 19 West 4th P.M.

chains		chains	
	East on random line bet. Sec. 29 & 32 Variation 13° 35' E		West on random line bet. Sec. 30 & 31 Variation 13 35 E
40.00	Set post for temporary 1/4 Section Corner	2.10	Stream 2 ft. wide skirted with timber - runs N. W.
79.90	Intersect S. and S. line at a point 30 lks. South of corner to Sec. 28. 29. 32 & 33 from which corner Osage - S 89° 47' West on true line bet. Sec. 29 & 32 Variation 13° 35' E -	4.00	Set post for temporary 1/4 Sec. Corner -
		62.10	Cedar timber N. E. & W.
		69.90	Stream 12 lks. wide runs N. E.
		73.10	Cedar timber N. E. & W.
		78.00	Ravine descends N. E.
		82.10	Intersect West Boundary of Township at a point 30 lks. South of corner to Sec. 30 and 31 from which corner Osage S 89° 47' East on true line bet Sec. 30 and 31 Variation 13° 35' E
39.95	Set Cedar post 3 in. x 2 in. x 4 ft. - 12 in. deep. Deposit Stone, Stake, Mound, pit 2 ft. high, from pit - 2 1/2 in. x 22 in. 12 in. deep for 1/4 Sec. Cor.		
79.90	Corner to Sec. 29. 30. 31 and 32		
	Surface rolling Soil Sandy 2	42.10	Set Cedar post 2 in. x 2 in. x 4 ft. - 12 in.

Township No 32 North-

Range 19 West 6th P.M.

chains		chains	
	deep. deposit-chained		North bet Sec. 29 & 30
	stake. raise mound		Variation 18° E
	2ft high from	24.00	Enter timber
	pits 22 in x 22 in		S. & W. and N.E.
	12 in deep for	35.00	Beam 10 links wide
	1/4 Section corner,	38.00	Same timber S. 45 deg E.
82.10	Corner to Sec. 29. 30.	40.00	Set Cedar post
	31 and 32.		8 in x 2 in x 4 ft
	Surface rolling		12 in deep. deposit
	Soil 2nd rate		chained stake raise
	Timber - Oak,		mound 2 ft high
	Elm and Cedar.		from pits 22 in x 22 in
			12 in deep for 1/4 Section Corner,
			from which
			An Ash 10 in dia. N 50° W 30 lks dist
			A Basswood N 75° E 20 "
		75.60	Right Bank of Niobrara River
			Set Cedar post 8 in x 2 in x 4 ft
			12 in deep. deposit-chained
			stake, raise mound 2 ft
			high from pits 22 in x 22 in
			12 in deep for Meander Corner 30 links
			29 & 30 ascertain distance agreed by chains
		80.00	Find-Iron Corner to Sec 19. 20. 29. 30
			Set mound Cannot be set on account of rock
			Surface broken, Soil 2nd rate, Timber Ash, Elm & Basswood

Township 32 North-

chains

Knowing that I will reach the River Niobrara [illegible] 8 chs. & begin at Comr to Sec. 20. 21. 28. 29

Sprs

West on true line bet. Sec. 20 & 29

Variation 18° 35' E

9.35 To Niobrara River and Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Mound & stake pace mound to east. High Pine pst 2 1/2 in x 2 1/2 in 12 in deep for Meander Corner to fractional Sec. 20 and 29

Surface level - Soil 1st rate

Range No 19 West 6th P.M.

chains

Knowing that I will reach Niobrara River in [illegible] 8 chs. & begin at Comr to Sec. 19 & 30 on West Boundary of Township and from thence East on true line bet Sec. 19 & 30

Variation 13° 40' East

16.00 To Niobrara River and Set Cedar post - 3 in x 2 in x 4 ft - 12 in deep. Mound & stake pace mound to East. High pine pst 2 1/2 in x 2 1/2 in - 12 in deep for Meander Corner to fractional Sec. 19 & 30

Surface level

Soil 1st rate

Township 22 North-

Range 19 West 6th PM

Chains	
	From Joint in River, for Corner to Secs. 19. 20. 29 and 30
	Thence North 1/4 Sec. 19 and 20 Variation 13° 30' East
7.80	Left bank of Niobrara River and Set Cedar Post 3" x 2" x 4 Ft — 12" deep. deposit Chained stake, rocks mound 2 Ft high. from pits — 22" x 22" — 12" deep. for Meander Corner on prop. Sec. 19 & 20 from which Set Willow 12" dia bears N87° E 30 links dist
40.00	Set Cedar post 3" x 2" x 4 Ft - 12" deep. deposit Chained stake rocks mound 2 Ft high from pits - 22" x 22" - 12" deep for 1/4 Section Corner — Timber Willow thicket N. and S.
72.00	
73.00	Stream 6 links wide runs S. W.
76.00	Leave Willow thicket N. E. and S. W.
80.00	Set Cedar Post — 3" x 2" x 4 Ft — 12" deep. deposit Chained stake, rocks mound 2 Ft high from pits. 24" x 24" — 12" deep. for corner to Sections 17, 18, 19, 20. Surface gently rolling Soil Sandy Timber — Willow

Township No 22 North-

Chains	
	East on random line bet. Secs. 17 & 20
	Variation 13° 35' E
1.50	Enter Willow thicket- N.E. and S.W.
3.50	Stream 6 lks. wide S.W.
7.00	Leave Willow Thicket- N. & S.
40.00	Set pint for temporary 1/4 Sec. Cor
80.15	Intersect N. & S. Line at point 21 lks. S. Comm to Sec. 16. 17. 20 & 21 from which comm Pine S 89° 51' W Set on this line bet. Secs. 17 & 20
	Variation 13° 35' E
40.00	Set Cedar Post 3 ins x 2 ins x 4 ft — 12 ins deep. deposit charcoal & stones around — Bears N. 45° W. 2 links distant. Witness Pine 22 ins x 2 ins 12 ins deep Cor 1/4 Sec. Comm to Sec. 17. 18. 19. 20 —
80.15	Surface broken & stony. Soil 2nd rate. Timber - Willow

Range No 19 West 6th P.M.

Chains	
	West on random line bet Secs. 18 & 19
	Variation 13° 40' East
6.70	Leave bottom N. W. ly. Bk.
40.00	Set post for temporary 1/4 Sec. Cor.
47.20	Ravine descends S.E.
64.70	Ravine descends S.E.
81.70	Intersect West Bound ary of Township at a post 21 lks. S. A comm to Secs 18 & 19 from which comm Pine N 89° 51' East on this line bet Secs. 18 and 19
	Variation 13° 40' East
41.70	Set Cedar Post. 3 ins x 2 ins 4 ft. 12 ins deep. deposit charcoal & stones around Bears N. 2 lks. distant. Witness Pine 22 ins x 22 ins deep. Iron Pipe 12 ins deep Cor 1/4 Sec. Comm to Secs. 17. 18. 19. 20.
81.70	Surface broken Soil 2nd rate

Township 32 North

Chains	
	North between Sec. 17 & 18
	Variation 13° 35' East
4.00	Enter timber S.E. cor.
10.00	Ravine descends S.E.
12.80	Leave timber N.E. & N.W.
40.00	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. deposit charred stake. raise mound 2 ft high from pits 22 in x 22 in x 12 in deep for 1/4 Sec. corner — from which A Bur Oak 4 in dia bears N 32° E 10 links
67.50	Stream 2 lks. wide S.E. & N.W. enter timber N.W. & S.E.
70.00	Leave timber N.W. & S.E.
80.00	Set Cedar post - 3 in x 3 in x 4 ft - 12 in deep. deposit - charred stake. raise mound 2 ft high from pits 22 in x 22 in x 12 in deep for Corner to Sec. 7. 8. 17 & 18 Surface rolling Soil 2nd rate Timber - Bur Oak

Range 19 West 6th P.M.

Chains	
	East on random line bet. Sec. 8 and 17
	Variation 13° 35' East
20.00	Enter Willows N.E. & S.W.
21.10	Stream 1 lk. wide runs S.W.
23.00	Leave Willows N.E. & S.W.
40.00	Set post for temporary 1/4 Section
50.00	Enter timber - N.W. and S.E.
53.00	Ravine descends N.E.
56.00	Leave timber N.W. & S.E.
80.30	Intersect N. and S. line at a point 14 lks. S. of cor. to Sec. 7. 8. 17 & 18 from which corner Sun S 89° 3/4 W. and on true line bet. Sec. 8 and 17
	Variation 13° 35' East
40.15	Set Cedar post. 3 in x 2 in x 4 ft - 12 in deep. deposit charred stake, raise mound 2 ft high from pits. 22 in x 22 in 12 in deep. for 1/4 Section Corner to Sec. 7. 8. 17. 18 - Surface broken Soil 3rd rate Timber - Pine and Willows
80.30	

Township 32 North—

Chains	
	West on random line bet. Sec. 7 & 18 Variation 13° 40' E
12.00	Enter timber N. W. & S. E.
16.80	Stream 3 lks. wide S. E.
40.00	Set post for temporary ¼ Sec. Corner—
57.80	Ravine descends S. E.
59.80	Ravine descends S. E.
69.30	Ravine descends S. E.
81.80	Intersect West Boundary of Township at a point 20 lks. N. of corner to Secs. 7 & 18 from which corner Witness N. 89° 52' East on true line bet. Sec. 7 & 18 Variation 13° 40' E.
41.80	Set Cedar post 3 in. x 2 in. x 4 ft. 12 in. deep. deposit charcoal stake, pile mound 2 ft. high Iron Pits 22 in. x 22 in. 12 in. deep. for ¼ Sec. Corner Bur. Oak 9 in. dia. bears N. ¼ W. 15 lks. dist. Bur. Oak 9 in. " " S. 86½ E. 300 " " Pine Corner to Secs. 7. & 17 and 18 Surface broken— Soil 3d rate— Timber Bur. Oak and Pine

Range 19 West 6th P. M.

Chains	
	North bet Secs. 7 & 18 Variation 13° 50' East
35.00	Enter timber N. W. & S. E.
37.50	Stream 6 lks. wide runs S. E.
38.00	Leave timber N. W. & S. E.
40.00	Set Cedar post 3 in. x 2 in. x 4 ft. — 12 in. dep. deposit charcoal stake pile mound 2 ft high Iron pits 22 in. x 22 in. — 12 in. dep. for ¼ Sec. Corner
80.00	Set Cedar post— 3 in. x 3 in. x 4 ft. 12 in. deep. deposit charcoal stake pile mound 2 ft high Iron pits 2½ in. x 2½ in. — 12 in. deep. for ¼ Sec. Corner Center to Secs. 5, 6, 7 & 8 Surface broken Soil 2d rate Timber. Pine.

Township No 82 N

Range No 19 West

Ch.	Ch.	Chains		Chains	
			East on random line bet. Sec. 5 & 8 Variation 18° 35' E		West on random line bet. Sec. 6 & 7 Variation 18° 40' East
24	40	13.00	Enter timber N. W. & S E.	83.40	Enter timber N. W. & S E.
		16.00	Steam 5 lks. wide S E.	35.40	Steam 3 lks. wide S E.
		23.00	Leave timber N. W. & S E.	36.00	Leave timber N. W. & S E.
		32.00	Ravine ascend S W.		
		40.00	Set post for temporary 1/4 Sec. Cor.	40.00	Set post for temporary 1/4 Section Corner
	4	45.00	Ravine descends S W.		
		47.00	Leave timber S. W. & N E.	82.40	Ravine descends S W.
		80.48	Intersect S. line of Sec. at a point 22 lks. S. of Corner to Secs. 4, 5, 8 & 9 from which corner bears S 89 3/4° West on line bet. Secs. 5 and 8 Variation 18° 35' E	81.40	Intersect West Bound ary of Township at a point 13 lks. S. of Corner to Sec. 6 & 7 from which corner bears S 89 3/4° East on line bet. Secs. 6 & 7 Variation 18° 40' East
		40.24	Set Cedar post 8 in. x 2 in. 4 Ft. - 12 in. deep. depression stained stake & mound 2 Ft. high from pits 2 ft. x 2 ft. - 12 in. Deep	41.40	Set Cedar post 8 in. x 2 in. 4 Ft. - 12 in. deep. depression stained stake & mound 2 Ft. high from pits 2 ft. x 2 ft. - 12 in. Deep
		80.48	Corner to Secs. 5, 6, 7 & 8 Surface broken Soil 2 d, rate	81.40	Corner to Secs. 5, 6, 7 & 8 Surface rolling Soil 3d, rate Timber Pine

Township No 32 North - Range No 19 West 6th P.M.

Chains	
	North on true line bet. Sec. 5 and 6
	Variation 13° 30' E
23.00	" Pine Ravine descends East
38.00	Enter timber N.W. & S.E.
40.00	Set Cedar post 3 in x 2 in 4 ft. deep & deposit Chained stake [illegible] from which A Pine 14 in dia bears N 85 E 45 lks. dist. A Pine 12 in dia " N 72 W 25 " "
60.00	Leave timber N.W. & S.E.
77.00	Intersect S. Bk Standard Parallel North at a point 5.95 lks. E. of ¼ Sec. Corner on South side of Section 32 Town 33 N. R 19 West and set Cedar post 9 in x 3 in x 4 ft. 12 in deep deposit chained stake Cairn of 2 cubic yards 2 ft high from pit 22 in x 22 in x 12 in deep for Witness Corner to Sec. 5 & 32 Lot 1 Lot 2 Broken Stone Timber Pine.

July 5th 1873

Meanders

Of the Right Bank of the Niobrara River along the Township.

Begin at Meander Corner to fractional Secs. 19 and 24 on East Boundary of Township and on Right or South bank of the Niobrara River, and run with the Meanders of said Right bank Upstream, thro Sec 24 as follows:

Variation 18° 35' E

Course	Chains	
S 82° W	29.00	
S 86 W	26.70	at 5 chains, Stream 15 lks wide comes from S.W.
N 72 W	25.20	To Meander Corner to fractional Secs. 23 & 24

Township 32 North.

Courses	Chains	
		Thence in Sec. 23
S 76 W	14.50	
S 65 W	10.00	
S 60 W	16.30	
S 44 W	19.40	To Meander Corner to fractional Sec. 23 & 26
		Thence in Sec. 26
S 72 W	9.00	
S 65 W	10.00	
S 69 W	12.20	to Meander Corner to frac. Sec. 26 & 27
		Thence in Sec 27
S 62 W	29.50	
S 65 W	23.50	
S 78 W	14.00	at 4 ch. Enter timber S.W.
West	10.50	
N 77 W	9.20	To Meander Corner to fractional Sec. 27 and 28
		Thence in Sec. 28
N 85 W	31.00	at 25 ch. Stream 10 lks wide from S.
N 80 W	30.20	at 5 ch. leave timber N.W.
		To Meander Corner to frac. Sec. 28 & 29

Range 19 West 6th P.M.

Courses	Chains	
		Thence in Sec. 29
N 76 W	25.50	Enter Scattering Timber S.E.
N 70½ W	20.00	
N 60 W	10.00	at 9 ch. Stream from S. 12 lks wide
N 70 W	11.00	at 10 ch. leave Timber S.E.
N 87 W	17.40	To Meander Corner to frac. Sec. 29 & 30
		Thence in Sec. 30
N 87 W	17.00	
S 76½ W	10.00	Enter timber S.W.
S 69 W	33.00	at 17 Stream 12 lks wide (course from South)
S 75 W	12.50	at 2 ch. leave timber S.E.
West	11.70	To Meander Corner to fractional Sec. 29 and 30 on the West Boundary of the Township

Township 32 North-

Range No 19 West 6th P.M.

Meanders of the Left Bank of the Niobrara River through the Township.

Begin at corner to fractional Sec. 25 & 30 on West Boundary of Township, on the North- or Left Bank of River and run with the Meanders of said Left Bank down stream as follows; In Sec. 30. Variation 13°30' E

Courses	Chains	
S 88 E	4.90	
N 51 E	13.50	To Meander Corner to fractional Sec. 19 & 30 - thence in Sec. 19 -
N 62 E	7.20	
N 85 E	18.50	At 14 ch. Stream comes from North
S 85 E	19.30	
S 88 E	22.10	To Meander Corner to fractional Sec. 19 & 20 Thence in Sec. 20
N 84 E	20.00	
S 88 E	17.00	
S 78 E	16.50	
S 72 E	18.20	To Meander Corner to fractional Sec. 29 & 20 Thence in Sec. 29
S 78 E	9.50	To Meander Corner to fractional Sec. 28 & 29 Thence in Sec. 28
S 74 E	27.20	
S 76 E	25.50	
S 79 E	29.80	To Meander Corner to fractional Sec. 27 & 28 Thence in Sec. 27
S 70 E	10.30	
N 85 E	11.00	
N 72 E	10.80	
N 59 E	14.50	

Township 32 South—

	chains	
N 55 E	18.00	
N 74¾ E	7.20	To Meander corner to fractional Sec. 22 on W. 27
		Thence in Sec. 22
		At 8 ch. leave timber bear N.E.
N 74½ E	15.50	To Meander corner to frac. Sec. 22 & 23.
		Thence in Sec. 23
N 54 E	23.50	
N 65 E	23.00	
N 67 E	22.00	At 20.50 Stream 6 lks. wide from N
N 62 E	15.50	at 10 ch. leave bottom & timber E.
N 87 E	6.40	To Meander Corner to fractional Sec. 23 on W. 24
		Thence in Section 24
S 83 E	13.50	
S 89 E	28.50	At 2 ch. Enter bottom N.
N 85 E	18.00	
N 80 E	12.50	
N 56 E	9.60	To Meander corner to fractional Sec. 19 & 24 on East Boundary of Township.

Note — All distances across Niobrara River are by measuring with chain.

Range No 19 West 6th P.M.

General Description.

The surface of this Township is broken by numerous ravines and Streams.
A small amount of bottom-land along the Niobrara River is 1/4 mile wide.
North of the River the ridges and Streams are skirted with a dense growth of Pine timber.
On the divide bet. the ravines and streams the timber is scattering.
The Township is mainly valuable for its timber.

List of Names

A list of the names of the individuals who were employed to assist in running, beginning or marking the lines and corners described in the foregoing field notes of Township 32 N. Range 19 West of the 6th P.M.

Anthony H. Clinton, Chainmen
Joseph J. Patros

W. O. Sanders, Monumenting and
Frank Thibault, Axemen
Flagmen

We hereby certify that we assisted Chauncey Wilson Deputy Surveyor, in Surveying Township No 32 North of the Base line of Range No 19 West of the 6th Principal Meridian, and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed, and the Bounds and Monuments planted according to the Instructions furnished by the Surveyor General, and of dimensions, character, construction and marking and in the manner as specifically described in the foregoing field notes.

Anthony H. Clinton
Joseph Potras } Examiners

W. O. Sanders
Frank his X Thebault } Surveyors and Agents
mark

Subscribed and sworn to by the above named Surveyors, before me a Clerk of Dist Court for Madison County, State of Nebraska, this 31st day of July 1873.

J. W. Matthewson

I Chauncey Wiltse,
Deputy Surveyor, do solemnly
swear that in pursuance
of a Joint Contract, wherein
Chauncey Wiltse and
Leroy Pratt are Joint
contractors with E.E.
Cunningham, Surveyor
General for the District of
Iowa and Nebraska bearing
date the 9th day of May
1873. I have well, faithfully
and truly, in my own
proper person, and in
strict conformity to the
instructions furnished by
the Surveyor General, the Surveying
Manual for the Lands of the
United States, surveyed
all those parts or portions
of Township No 32 North
of the Base line of
Range No 19 West of
the 6th Principal
Meridian, as are

represented in the foregoing
field notes as having been
surveyed under my direction,
and I do further solemnly
swear that all the corners
of said surveys have been
established and perpetuated
in strict accordance with
the Surveying Manual and
Printed Instructions and
Special Instructions of the
Surveyor General, of dimensions,
character, construction and marking
and in the manner as specifically
described in the foregoing
field notes, and that
the foregoing are the true and
original field notes of such
survey.

Chauncey Wiltse
Deputy Surveyor

Subscribed by said Chauncey Wiltse
Dep. Surveyor, and sworn to before me
Clerk of Pet Court for Madison County
Nebraska this 31st day of July 1873

Job Mathewson

Surveyor Gen'ls Office

Plattsmouth Oct 28th 1873

The foregoing field notes of the Survey subdivision of Township No. 32 N of Base Line of R. No. 19 W of 6th P. M. in the State of Nebraska executed by Channey Wills U.S. deputy Surveyor under his Contract No. 71. dated May 1st 1873, having been critically examined the necessary corrections & Explanations made the said field notes & the surveys thereby depicted are hereby approved

E. E. Cunningham
Surveyor Gen'l

General Land Office • Original Field Notes

Book Number

438

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.