General Land Office • Original Field Notes

Book Number

439

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Field Notes
of the
Survey and Sub-divisions
of Township 33 North
of the
Base Line
of Range 1 West
of the 6th Principal Meridian
in the
State of Nebraska.

Executed
by
George W. F. Burton deputy
Surveyor, under Fourth
Contract No 89 dated
April 29th 1875

Survey
Commenced June 3rd 1875
Completed June 7th 1875

Index Diagram

Township 33 South
of the
Base line
Range 19 West
6th Prin. Meridian.



List of Names

A list of the names of the persons who were employed to assist in surveying and sub-dividing this Township.

William B. Spangler, Chainman
Leslie E. Scott

Charles Bowers, Monumenter
Adelbert D. Pierce, Axeman
Flagman

Township 33 South Range 19 West 6th P.M.

		chains	
	To determine the proper adjustment of the compass for declination this Township I begin at the established Corner to Twns. 32 and 33 N. Ranges 18 and 19 West & run thence North on a blank line along East boundary of Section 36. Variation 13° 40' E		From the established corner to Sect. 35 and 36 on South boundary of the Township - I run South bet. Sect. 35 and 36 Variation 13° 40' E
39.98	To ¼ Section Corner.	40.00	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chained stake raise mound of earth 2 ft high. from pits 22 in x 22 in - 12 in deep for ¼ Section Corner.
80.01	To Corner to Sections 25 and 36.	80.00	Set Cedar post 3 in x 3 in x 4 ft - 12 in deep. Deposit chained stake raise mound of earth 2 ft high from pits 24 in x 24 in 12 in deep for corner to Sec. 25. 26. 35 and 36 - Surface gently rolling Soil 1st rate.
	Therefore my compass is in proper adjustment.		

Township 33 South—

Chains	
	Eastg. random line bet. Secs. 25 and 36
	Variation 13° 40' E
41.00	Set post for temporary ¼ Section Corner
79.86	Intersect East boundary of Township at a point 60 lks. North of Corner to Secs. 25 & 36 from which corner Oak 8 ins. N 89° 34' West on true line bet. Secs. 25 and 36
	Variation 13° 40' E—
39.93	Set Cedar post, 3 ins x 2 ins x 4 ft - 12 ins deep. Deposit- chaned stake, raise mound of earth - 2 ft high. from pits 2 2 ins x 22 ins — 12 ins deep for ¼ Sec. corner.
79.86	Corner to Secs. 25. 26, 35 and 36
	Surface gently rolling Soil 1st rate —

Range 19 West 6th P.M.

Chains	
	North- bet. Secs. 25 & 26
	Variation 13° 30' E
40.00	Set Cedar post 3 ins x 2 ins x 4 ft - 12 ins deep. Deposit chaned stake, raise mound of earth - 2 ft high. from pits 2 2 ins x 22 ins - 12 ins deep for ¼ Section Corner.
80.00	Set Cedar post 3 ins x 3 ins x 4 ft - 12 ins deep. Deposit chaned stake, raise mound of earth - 2 ft high. from pits 24 ins x 24 ins - 12 ins deep for Corner to Secs. 23. 24. 25 and 26
	Surface rolling Soil 1st rate —

Township 33 North-

Range 19 West 6th P.M.

chains	
	East on random line bet. Sec.s 24 & 25 Variation 13° 30' E
40.00	Set Post for temporary ¼ Section Corner
79.80	Intersect East boun- dary of Township at a point 68 lks. N. of corner to Secs. 24 and 25 from which corner a pine N. 89° 31' West on true line bet. Secs. 24 & 25 Variation 13° 30' E
39.90	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep Deposit chained stake raise mound of earth - 2 ft high. from pits 2 ½ in x 2 ½ in - 12 in deep for ¼ Sec. corner
79.80	Corner to Secs. 23. 24, 25 and 26 Surface rolling Soil 1st rate

chains	
	North bet. Secs. 23 and 24 Variation 13° 30' E
40.00	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chained stake raise mound of earth - 2 ft high. from pits 2 ½ in x 2 ½ in - 12 in deep for ¼ Sec. corner
55.70	Ordinary (gravel bed) 50 lks wide -
80.00	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chained stake - raise mound of earth - 2 ft high. from pits 24 in x 24 in - 12 in deep. for corner to Secs. 13. 14. 23 and 24 Surface rolling Soil 2nd rate

Township 33 North-

chains	
	East on random line bet. Sec.s 13 and 24
	Variation 13° 30' E
40.00	Set post for temporary ¼ Sec. Corner -
79.62	Intersect ~~the~~ S. line ~~of~~ E. boundary of Tp. at a point 48 lks. N. of corner to Sec.s 13 & 24
	from which corner
	Drum
	N 89° 30' West on true line bet. Sec.s 13 and 24
	Variation 13° 30' E
39.81	Set Cedar post 8 in x 2 in x 4 ft, 12 in deep
	Deposit Chained stake, raise mound of earth 2 ft high
	from pits 2 2 in x 2 in 12 in deep, for ¼ Sec. Corner
79.62	Comm to Sections 13. 14. 23 and 24
	Surface rolling
	Soil 2nd rate

Range 19 West 6th P.M.

chains	
	North bet. Sections 13 and 14
	Variation 13° 30' E
40.00	Set Cedar post 8 in x 2 in x 4 ft - 12 in deep.
	Deposit chained stake raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep for ¼ Sec.
80.00	Set Cedar post 8 in x 2 in x 4 ft - 12 in deep.
	Deposit chained stake raise mound of earth 2 ft high from pits 24 in x 24 in 12 in deep. for Corner to Sections 11, 12, 13, 14,
	Surface rolling
	Soil sandy 3rd rate

Township 33 South

chains	
	East on random line bet. Sec.s 12 and 13
	Variation 13° 30' E
40.00	Set post for temporary ¼ Section Corner
79.38	Intersect East boundary of Township at a point 34 lks. N. of Corner to Sec.s 12 and 13 from which corner I mark N 89° 45' West by true line bet. Sec.s 12 and 13
	Variation 13 30 E
39.69	Set Cedar post 8 in x 2 in x 4 ft - 12 in deep. Deposit chand stake. raise mound of earth 2 ft high - from pits 22 in x 22 in 12 in deep. for ¼ Sec. Corner to Sections 11. 12. 13 and 14.
79.38	Surface rolling Soil Sandy 2nd Rate

Range 19 West 6th P.M.

chains	
	North bet. Sec.s 11 and 12
	Variation 13° 45' E
40.00	Set Cedar post 8 in x 2 in x 4 ft - 12 in deep. Deposit chand stake raise mound of earth - 2 ft high. from pits 22 in x 22 in 12 in deep. for ¼ Sec. Corner
50.00	Ascend a broken, stony and sandy ridge
80.00	Set a Cedar post 3 in x 3 in x 4 ft - 12 in deep. Deposit chand stake raise mound of earth - 2 ft high. from pits 24 in x 24 in - 12 in for corner to Sec.s 1. 2. 11 and 12
	Surface broken Soil 3rd. rate

Township 33 North—

chains	
	East on random line bet. Secs 1 and 12 Variation 13° 30' E
35.00	Leave said ridge N 45
40.00	Set post for temporary ¼ Sec. Corner
79.44	Intersect East boundary of Township at a point 1 ½ lks N. of comer to Secs 1 and 12 from which cor. I run N 89° 35' West on true line bet. Secs 1 and 12 Variation 13° 30' E
39.72	Set Cedar post 8 in x 2 in x 4 ft - 12 in deep. Deposit chained stakes raise mound of earth 2 ft high. from pits 2 2 in x 2 2 in - 12 in dep for ¼ Sec Corner —
79.44	Corner to Secs 1. 2. 11. 12 Surface broken Soil 2nd rate —

Range 19 West 6th P.M.

Chains	
	North on random line bet. Secs 1 and 12 Variation 13° 30' E
12.00	Leave aforesaid ridge E and W.
40.00	Set post for temporary ¼ Sec for-
79.80	Intersect S. boundary of Township at a point 60 lks East of corner to Secs 1 and 12 from which corner I run S 26° East on true line bet. Secs 1 and 12 Variation 13° 30' E
39.80	Set Cedar post 8 in x 2 in x 4 ft - 12 in deep Deposit chained stakes raise mound of earth 2 ft high. from pits 2 2 in x 2 2 in 12 in dep. for ¼ Sec. Corner
79.80	Corner to Secs 1. 2. 11 and 12 Surface gently rolling Soil 2nd rate June 3rd 1875

Township 38 South

Range 19 West 6th P.M.

Chains	North bet. Sec. 34 and 35. Variation 13° 30' E	East on random line bet. Sec. 26 and 35 Variation 13° 30' E
40.00	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chained stake, raise mound of earth - 2 ft high from pits 22 in x 22 in 12 in deep. for ¼ Sec. Cor.	29.68 Drain descends South —
		40.00 Set post for temporary ¼ Section Cor. —
80.00	Set Cedar post 3 in x 3 in x 4 ft - 12 in deep. Deposit chained stake, raise mound of earth - 2 ft high from pits 24 in x 24 in - 12 in deep for corner to Sec. 26. 27. 34 and 35	79.68 Intersect N. 48 S. line at a point 42 lks. South of corner to Sec. 26. 26. 35 and 36 from which corner I note S 89° 42' West on true line bet. Sec. 26 and 35 Variation 13° 30' E
		39.84 Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chained stake, raise mound of earth - 2 ft high. from pits - 22 in x 22 in - 12 in deep for ¼ Sec. Corner —
	Surface gently rolly Soil 2d. rate —	79.68 Corner to Sections 26. 27 34 and 35 Surface rolling Soil 2d. rate

Township 38 North-

chains	
	North bet. Sec.s 26 & 27 Variation 13° 30' E
35.00	Leave upland & enter bottom E. & W.
40.00	Set Cedar post 3 in x 2 in x 4 ft. 12 in deep. Deposit chaned stake raise mound of earth 2 ft high. from pits 22 in x 22 in - 12 in deep. for ¼ Sec. Cor.
66.58	Drain N. E.
80.00	Set Cedar post 3 in x 3 in x 4 ft - 12 in deep. Deposit chaned stake raise mound of earth 2 ft high. from pits 22 in x 22 in - 12 in deep. for corner to Sec.s 22. 23. 26 and 27 Surface - upland rolling Soil 1st rate Bottom level Soil 1st rate

Range 19 West 6th P.M.

chains	
	East on random line bet. Sec.s 23 and 26 Variation 13° 30' E
3.70	Drain descends North-
6.56	Drain descends North-
36.00	Leave bottom A. and S.
40.00	Left post for temporary ¼ Section
79.92	Intersect N. and S. line at a point 6 lks South of Corner to Sec.s 23. 24. 25 and 26 from which corner I mound S 89° 57' West on base line bet. Sec.s 23 and 26 Variation 13° 30' E
39.96	Set Cedar post - 3 in x 2 in x 4 ft - 12 in deep. Deposit chaned stake raise mound of earth 2 ft high. from pits 22 in x 22 in - 12 in deep. for ¼ Sec. Cor- ner to Sec.s 22. 23. 26 and 27.
79.92	Surface - upland rolling. Bottom level Soil 1st rate Base " " + bottom bottom 1st rate

Township 33 North-

chains	
	North bet. Sec. 22 & 23
	Variation 13° 30' E.
.10	Drain descends N.E.
25.50	Drain descends N.W.
34.60	Drain descends N.E.
40.00	Set Cedar post 3 in x 2 in x 4 Ft., 12 in deep. Deposit chaned stake raise mound of earth 2 Ft high. from which 22 in x 22 in 12 in deep. for ¼ Sec. Cor
40.60	Drain descends N.W.
42.00	Drain " N.E.
48.25	Drain " N.W. here a slough 30 Lks wide
55.60	Drain " N.E. " " " 30 Lks
60.00	Drain " N.W. " " " 30 "
75.83	Drain " S.E. thro N.E. " " " 30 "
80.00	Set Cedar post 8 in x 2 in x 4 Ft - 12 in deep. Deposit chaned stake. raise mound of earth 2 Ft high. from which 22 in x 24 in 12 in deep. for corner to Sec. 14. 15. 22 and 23. Surface level - Soil 1st rate

Range 19 West 6th P.M.

chains	
	East on random line bet. Sec. 14 and 23
	Variation 13° 30' E
1.00	Slough 30 Lks wide North
25.00	Ledge bottom N. and S.
40.00	Set post for temporary ¼ Sec. Corner
56.53	Drain 30 Lks wide N.W.
80.18	Intersect N. and S. line at point for Cor to Secs 13. 14. 23 and 24 from which Cor. from West on 3 line bears N. 14 E = 3 links. Set Cedar post 3 in x 2 in x 4 Ft - 12 in deep. Deposit chaned stake. raise mound of earth 2 Ft high from which 22 in x 22 in - 12 in deep for ¼ Section Corner
80.18	Cor to Secs 14. 15. 22 and 23 Surface bottom level Soil 1st rate Upland rolling Soil 2d rate

Township 33 North -

chains	
	North bet. Sec. 14 and 15. Variation 13° 30' E.
2.00	Slough 30 lk. wide N.W.
19.63	Slough 30 " wide East.
30.80	Slough 30 " wide N. West
40.00	Set Cedar post 8 in x 2 in x 4 ft. 12 in deep. Deposit chained stake raise mound of earth 2 ft high. from pits 22 in x 22 in - 12 in deep. for ¼ Sec. Cor.
59.00	Slough 30 lk. wide N.E.
80.00	Set Cedar post 8 in x 3 x 4 ft - 12 in deep. Deposit chained stake raise mound of earth - 2 ft high. from pits 24 in x 24 in 12 in deep for corner to Sec. 10, 11, 14, 15 Surface level Soil 1st rate -

Range 19 West 6th Prin Mer.

chains	
	East on random line bet. Sec. 11 and 14 Variation 13° 30' E.
3.12	Slough 30 lk. wide N. then S.E.
7.46	Slough 30 lk. wide S.W.
8.00	Slough 30 lk. wide N.W.
28.00	Leave Bottom Land S.E.
40.00	[illegible]
80.28	Intersect N. and S. line at a point 10 lk. N. of corner to Sec. 11, 12, 13, 14 from which corner bears N 89° 56' West on line line bet Sec. 11 and 14 Variation 13° 30' E.
40.14	Set Cedar post 8 in x 2 in x 4 ft - 12 in deep Deposit chained stake raise mound of earth - 2 ft high from pits 22 in x 22 in 12 in deep for ¼ Sec Cor -
80.28	Corner to Sec. 10, 11, 14, 15 Surface bottom level Soil 1st rate Upland rolling. Soil 2nd rate

Township 33 South—

chains	
	North bet. Sec. 10 and 11
	Variation 13° 30' E
40.00	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep, Deposit chained stake raise mound of earth 2 ft high from pits 2½ in x 2½ in - 12 in deep for ¼ Section corner
80.00	Set Cedar post 3 in x 3 in x 4 ft - 12 in deep Deposit chained stake, raise mound of earth - 2 ft high from pits - 2½ in x 2½ in 12 in deep. for corner to Sec's. 2. 3. 10. 11.
	Surface gently rolling Soil 1st rate

Range 19 West 6th P.M.

chains	
	East on random line bet. Sec's 2 and 11
	Variation 13° 30' E
17.84	Slough 30 lks wide South-
18.44	" " " E.
21.08	Slough " " " South-
40.00	Set post for temp. ¼ Sec. Cor.
57.00	Leave bottom N. and S.
79.80	Intersect N. and S. line at a point 6 lks. N. of comm. to Sec's 1. 2. 11 and 12 from which comm. I run
	N 89° - 23' West on line line bet. Sec's 2 and 11
	Variation 13° 30' E
39.00	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chained stake, raise mound of earth - 2 ft high from pits 2½ in x 2½ in 12 in deep for ¼ Sec. Cor. to Sec's 2 3 10 11
79.80	Surface bottom level Soil 1st rate " Upland rolling Soil 2d rate

Township 33 South-

chains	
	North-on xpndown line bet. Secs. 2 and 3 Variation 13°50' E
40.00	Set post for temporary [illegible]
79.10	Intersect N. boundary of Township at a point 8 lks East of corner to Secs. 2 and 3 from which corner I run S 38' East on true line bet. Secs. 2 and 3 Variation 13°50' E
39.10	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chand stake raise mound of earth - 2 ft high from pits 2 2 in x 22 in 12 in deep for 1/4 Sec. Cor
79.10	Corner to Secs. 2, 3, 10, 11 Surface gently rolling Soil 2d rate -

June 4th 1875

Range 19 West 6th P.M.

chains	
	North - bet. Secs. 33 & 34 Variation 13°45' E.
40.00	Set Cedar post 8 in x 2 in x 4 ft - 12 in deep. Deposit chand stake raise mound of earth - 2 ft high. from pits 22 in x 22 in 12 in deep. for 1/4 Sec. Corner -
65.50	Drain descends N. W.
80.00	Set Cedar post 3 in x 3 in x 4 ft - 12 in deep. Deposit chand stake - raise mound of earth - 2 ft high. from pits 22 in x 24 in - 12 in deep for corner to Secs. 27, 28, 33 and 34 Surface 1st 1/2 level table land 2d 1/2 gently rolling ch. slopes - All 2d rate.

Township 33 North

Chains	
	East on random line bet. Sec. 2 and 34 Variation 13° 45' E
30.00	Drain comm. South-
40.00	Set post for temporary ¼ Sec. Corner-
80.22	Intersect N. and S. line at a point 34 lks. S. of corner to Secs. 22; 23. 26 and 27 from which corner L run S 89° 46' West on true line bet. Sec. 27 and 34 Variation 13° 45' E
40.11	Set Cedar post 3 in x 2 in x 4 ft- 12 in deep. Deposit chaned stake raise mound of earth 2 ft high. from pits 22 in x 22 in 12 in deep for ¼ Sec. Corner-
80.22	Corner to Secs. 27. 28. 33 and 34 {Surface gently Soil 2nd rate-

Range 19 West 6th P.M.

Chains	
	North bet. Sec. 27 and 28 Variation 13° 45' E
12.00	Enter bottom E. and W.
40.00	Set post (Cedar) 3 in x 2 in x 4 ft- 12 in deep. Deposit Chaned stake raise mound of earth 2 ft high. from pits 22 in x 22 in- 12 in deep for ¼ Sec. Corner-
41.00	Drain descends East.
46.00	Leave bottom E. and W.
80.00	Set Cedar post 3 in x 3 in x 4 ft- 12 in deep Deposit chaned stake raise mound of earth- 2 ft high. from pits. 22 in x 22 in 12 in deep for corner to Sec. 21. 22. 27 and 28 Surface rolling Soil 2nd rate-

Township 33 North—

chains	
	East on random line bet. Sec. 22 & 27 Variation 13° 50' E
30.00	Enter bottom N.E. & S.W.
40.00	Set post for temporary ¼ Section Corner—
79.78	Intersect N. & S. line at 3 pos. & t. corner to Sec 22. 23. 26 and 27 from which corner 5 runs West on true line bet Sec. 22 and 27 Variation 13° 50' E
39.89	Set cedar post 3 in x 2 in x 4 ft - 12 in deep for ¼ Sec. corner.
79.78	Corner to Sec. 21. 22 27 and 28 Surface gently rolling Soil 2nd rate

Range 19 West of 6th P.M.

chains	
	South bet. Sec. 21 and 22 Variation 13° 45' E
40.00	Set Cedar post. 8 in x 2 in x 4 ft - 12 in deep Deposit Chained stake raise mound of earth - 2 ft high. Iron pipe 2½ in x 2½ in - 12 in deep. For ¼ Sec. corner
80.00	Set Cedar post. 8 in x 3 in x 4 ft - 12 in deep. Deposit chained stake raise mound of earth - 2 ft high. Iron pipe 2½ in x 2½ in 12 in deep. For Corners Sections 15. 16. 21 and 22 Surface gently rolling Soil 2nd Rate

Township 33 South-

chains	
	East on random line bet. Sec. 15 and 22 Variation 13° 50' E.
5.00	Enter bottom S.E. cor. Mt.
56.00	Drain descends N.E.
40.00	Set post for temporary ¼ Sec. cor.
79.83	Intersect N. and S. line at a point 48 chs. S. 0 cor. to Sec. 14. 15. 22 and 23 from which corner I run N 89-30' West on true line bet. Sec. 15 and 22 Variation 13° 50' E.
39.91½	Set cedar post 3 in x 2 in x 4 ft 12 in deep, Deposit Chained 2 lake, raise mound of earth 2 ft high from pits 22 in x 22 in - 12 in deep for ¼ Sec. Cor.
79.83	Corner to Sec. 15. 16. 21. 22. Surface rolling Soil 2nd rate

Range 19 West 6th P.M.

chains	
	S. 89-30' E. bet Sec. 15 and 16 Variation 13° 45' E.
3.00	Enter bottom S.W. cor. 16
15.00	Drain descends N.E.
40.00	Set cedar post 3 in x 2 in x 4 ft. 12 in deep Deposit chained stake raise mound of earth 2 ft high from pits 22 in x 22 in. 12 in deep for ¼ Sec. cor.
41.00	Enter bottom E. and W.
80.00	Set cedar post 3 in x 3 in x 4 ft 12 in deep Deposit chained stake raise mound of earth 2 ft high from pits 24 in x 24 in - 12 in deep for corner to Sec. 9. 10. 15 and 16 Surface bottom land Soil 1st rate. Balance Rolling - Soil 2nd rate

Township 33 South-

chains	
	East on random line bet. Sec.s 10 and 15 Variation 13° 40' E.
35.00	Enter Polygon S.11.B.M.
40.00	Set post for temporary ¼ Sec. Corner-
80.30	Intersect N. & S. Line at a point 28 lks N. of corner - to Sec.s 10, 11, 14 and 15. From which corner Pine N 89° 48' West on true line bet. Sec.s 10 & 15 Variation 13° 40' E.
40.15	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep - Deposit chand & stake raise mound of earth - 2 ft high. Pits 22 in x 22 in deep 12 in deep for ¼ Sec Corner -
80.30	Corner to Sec.s 9.10.15 and 16. Surface bottom level Soil 1st rate, balance broken.

Range 19 West 6th P.M.

chains	
	North bet. Sec.s 9 and 10 Variation 13° 40' E.
40.00	Set post (Cedar) 3 in x 2 in x 4 ft - 12 in deep. Deposit chand & stake, raise mound of earth 2 ft high. Pits 22 in x 22 in, 12 in deep. for ¼ Sec Corner
80.00	Set Cedar post 3 in x 3 in x 4 ft - 12 in deep. Deposit chand & stake raise mound of earth - 2 ft high. Pits 24 in x 24 in - 12 in deep. for corner to Sec.s 3.4.9 and 10 Surface gently rolling Soil 2nd rate.

Township 33 North-

Chains	
	East on random line bet. Sec. 3 and 10. Variation 13° 45' E
30.00	Enter bottom of 2nd S.
40.00	Set post for temporary ¼ Sec. Corner.
79.87	Intersect N. and S. line at a point 34 lks. N. of corner to Secs. 2 + 3 and 10 11 from which corner Down 89° 37' West on true line bet. Secs. 3 and 10 Variation 13° 45' E
39.93½	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit charred stake raise mound of earth - 2 ft high from pits 22 in x 22 in 12 in deep for ¼ Sec. Cr.
79.87	Corner to Secs. 3. 4. 9. 10. Surface bottom level Soil 1st rate Balance rolling 2d rate -

Range 19 West 6th P.M.

Chains	
	North - on random line bet. Sec. 3 and 4. Variation 13° 40' E
40.00	Set post for temporary ¼ Sec Corner -
75.00	Enter bottom E. and W.
79.00	Intersect North-bounding Township at a point 48 lks West of corner to Secs. 3 and 4 from which corner Down 20' East of corner to Secs 3 and 4. Variation 13° 40' E.
39.00	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep Deposit Charred stake, raise mound of earth - 2 ft - 12 in deep. For ¼ Sec. Cr.
79.00	Corner to Secs. 3. 4. 9 and 10
	Surface rolling Soil 2d rate June 5 -

Township 33 North-

chains

0.00 North bet Sec. 32 & 33
Variation 13°-45' E
40.00 Set post (Cedar) 3 ii
x 2 ii x 4 ft - 12 ii
deep. Deposit chained
stake, raise mound
of earth 2 ft high
from pits 2 ft ii
x 22 ii - 12 ii deep
for ¼ Sec. Corner
80.00 Set Cedar post 3 ii
x 3 ii x 4 ft. 12 ii
deep. Deposit chained
stake, raise mound
of earth 2 ft high
from pits 2 ft ii x 2 ft
12 ii deep. for corner
to Sec. 28. 29. 32 & 33
Surface gently rolling table land
Soil 2nd rate

Range 19 West 6th P.M.

chains

Eaton random
line bet Sec. 28 and 33
Variation 13°-45' E
23.00 Drain S.E.
28.80 Same S.E.
40.00 Set post for temporary ¼
Sec Cor
74.37 Drain descends N.W.
80.30 Intersect N. and S. line
at a point 3 lks N. of
corner to Sec. 27. 28.
33 and 34 from which
corner I run
N 89-5' West on true
line bet. Sec. 28 and 33
Variation 13°-45' E
40.15 Set Cedar post 3 in
x 2 ii x 4 ft - 12 ii
deep. Deposit chained
stake, raise mound
of earth 2 ft high
from pits 22 ii x
22 in - 12 in deep
for ¼ Sec. Cor -
80.30 Corner to Sec. 28. 29. 32 & 33
Surface gently rolling. Soil 2nd rate -

Township 33 North-

Range 19 West 6th P.M.

Chains	
	North bet. Sec. 28 & 29
	Variation 13° 45' E -
3.50	Grade descends to E.
40.00	Set Cedar post 8 in x 2 in x 4 ft - 12 in deep. Deposit chaned stake, raise mound of earth - 2 ft high. from pits 22 in x 22 in 12 in deep for ¼ Sec. Cor.
80.00	Set Cedar post 3 in x 3 in x 4 ft - 12 in deep, Deposit chaned stake. raise mound of earth - 2 ft high from pits - 24 in x 24 in 12 in deep. for Corner to Sec. 20. 21. 28 and 29
	Surface gently rolling open Soil 2nd grade -

Chains	
	East on random line bet. Sec. 21 and 28
	Variation 13° 45' E
40.00	Set post for temporary ¼ Section Corner -
80.65	Intersect N. and S. line at a point 14 lks. S. of corner to Sec. 21. 28.
27.00	33 and 34 from which
dist	Corner Drops S 89° 54' West on true line bet. Sec. 21 and 28.
	Variation 13° 45' E
40.37½	Set Cedar post - 3 in x 2 in x 4 ft - 12 in deep. Deposit Chaned stake raise mound of earth - 2 ft high from pits 22 in x 22 in 12 in deep for ¼ Sec Corner.
80.65	~~Corner~~ to Sec. 20. 21. 28 and 29
	Surface gently rolling Soil 2nd grade -

Township 33 North—

Chains	
	North bet Sec. 20 & 21 Variation 13° 45 E—
40.00	Set Cedar Post 8 in x 2 in x 4 ft - 12 in deep. Deposit chand stake raise mound of earth 2 ft high. From pits 22 in x 22 in deep for ¼ Sec. Cor— E & W.
60.00	Enter bottom E & W.
65.00	Drain descends N E
77.00	Drain descends East
80.00	Set Line stone 24 in x 20 in x 4 in - In Excavate two pits 2 qrs x 24 in 2 in deep on line for corner to Sec. 16, 17, 20 and 21— Surface gently rolling Soil 2nd rate—

Range 19 West 6th P. M.

Chains	
	East on random line bet. Sec. 16 & 21 Variation 13° 45' E
24.50	Drain descends N E
40.00	Set Post for temporary ¼ Sec. Corner.
74.50	Leave Excavation S 21 & 16
80.48	Intersect N and Line at a point 10 lks E. of corner to Sec. 15, 16, 21 and 22. From which corner I run S. 89° 56' West on true line bet. Sec. 16 & 21 Variation 18° 45 E—
40.24	Set Cedar Post 8 in x 2 in x 4 ft - 12 in deep. Deposit chand stake, raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep for ¼ Sec Cor—
80.48	Corner to Section 16, 17, 20 & 21 Surface level Soil 1st rate—

Township 33 North—

Chains	
	North bet. Sec.s 16 and 17
	Variation 13° 45' E—
5.00	Leave bottom E. and W.
39.00	Drain descends East
40.00	Set a limestone 15 in x 12 in x 6 in -
	Excavate two pits 24 in x 24 in - 12 in deep on line for ¼ Section Corner—
60.00	Drain descends S.E.
80.00	Set a limestone 24 in x 20 in x 5 in -
	Excavate two pits on line, 24 in x 24 in, 12 in deep for corner to Sec.s 8.9.16 and 17
	Surface gently rolling
	Soil 2nd rate—

Range 19 West 6th P.M.

Chains	
	Carry on random line bet Sec.s 9 and 16
	Variation 13 ¾° East—
40.00	Set Post for temporary ¼ Section Corner—
80.34	Intersect N and S line at a point 6 lks S. of Corner to Sec.s 9.10.15 and 16 from which corner I saw
	S 89° 57' West on true line bet. Sec.s 9 and 16
	Variation 13° 45' E
40.17	Set Cedar Post 3 in x 2 in - 12 in deep
	Deposit charred stake with mound of earth 2 ft high. from pits 2 2 in x 2 2 in - 12 in deep. for ¼ Sec. Corner
80.34	Corner to Sec.s 8.9.16.17
	Surface gently rolling
	Soil 2nd rate.

Township 3 S Nalle-

chains	
	North bet. Sec.s 8 and 9 Variation 13° 45' E
40.00	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chained stake. raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep for 1/4 Sec. Cor
80.00	Set Cedar post 3 in x 3 in x 4 ft - 12 in deep. Deposit chained stake raise mound of earth 2 ft high. from pits 24 in x 24 in - 12 in deep for corner to Sec.s 4. 5. 8. 9.
	Surface rolling Soil sandy 2d rate-

Range 19 West 6th P.M.

chains	
	East on random line bet. Sec.s 4 and 9 Variation 13° 45' East
40.00	Set Post for temporary 1/4 Sec. Corner.
80.20	Intersect N and S line at a point 50 lks E. of corner to Sec.s 3. 4. 9. 10 from which corner a pine S 89° 30' West on true line bet. Sec.s 4 and 9 Variation 13° 45' E
40.10	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chained stake, raise mound of earth 2 ft high from pits 22 in x 22 in. 12 in deep for 1/4 Sec. Cor
80.20	corner to Sec.s 4. 5. 8 and 9 Surface rolling Soil 2d rate.

Township 33 North-

Chains	
	North on random line bet. Sec. 4 and 5 Variation 13° 45 E-
40.00	Set post for temporary ¼ Sec. Corner
79.20	Intersect North-bound-ary of Township oak at point 16 Lks East of corner to Sec. 4 and 5 from which corner 6 inch. 6 East on true line bet. Sec. 4 and 5 Variation 13 45 E
39.20	Set Cedar post 3 in x 2 in x 24 In deposit chained stake, raise mound for ¼ Sec. corner.
79.20	Corner to Sections 4. 5 and 9 Surface rolling Sand. hills Soil 3rd rate-

Range 19 West 6th P.M.

Chains	
	From the established corner to Sections 31 and 32 on South boundary of Township I run North bet. Sec. 31 and 36 Variation 13° 40 E- (This line begins in an Oak and Pine canon)
4.97	Spring branch 2 Lks. wide S.E.
6.94	Spring branch 2 Lks. wide S.E.
13.00	Leave canon N. 40. E. 2.
15.98	Oak and Pine canon 2 chs wide, S.W.
40.00	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chained stake raise mound of earth- 2 ft high from pits 22 in x 2 1/2 in - 12 in deep for ¼ Sec. cor-
80.00	Set Cedar post 3 in x 3 in x 4 ft - 12 in deep. Deposit chained stake raise mound of earth 2 ft high from pits 24 in x 24 in 12 in deep for Corner to Sec. 29-30 32 and 5 2 1/2 mile broken Soil 2nd rate. 29-30 2½ mile rolling Soil 1st rate

Township 33 North—

Chains	
	East on random line bet Sec. 29 and 32
	Variation 13° 45' East
40.00	Set Post for temporary ¼ Section Corner
42.50	Drain L.H.
69.50	Drain R.E.
79.50	Intersect N. and S. line at post, corner to Sec. 28. 29. 32 and 33 from which corner I run West on true line bet. Sec. 29 and 32
	Variation 13° 45 E
39.75	Set Cedar Post 8 in x 2 in x 4 Ft - 12 in deep. Deposit Stamped stake, raise mound of earth 2 Ft high from pits 2 2 in x 22 in 12 in deep for ¼ Sec. Corner
79.50	Corner to Sec. 29. 30. 31 and 32 Surface gently rolling Soil 1st rate

Range 19 West 6th P.M.

Chains	
	West on random line bet Sec. 30 and 31
	Variation 13° 40 E.
40.00	Set Post for temporary ¼ Sec. Corner
79.32	Intersect West boundary of Township at a Point 58 lks. N. of corner to Sec. 30 and 31 from which corner I run N 89° 35' East on true line bet. Sec. 30 and 31
	Variation 13° 40 E
39.32	Set Cedar Post 8 in x 2 in x 4 Ft - 12 in deep. Deposit stamped stake, raise mound of earth 2 Ft high. from pits 22 in x 22 in - 12 in deep. for ¼ Section Corner -
79.32	Corner to Sec. 29. 30. 31 and 32 Surface rolling Soil 1st rate

Township 33 North-

chains	
	North- bet. Sec.s 29 & 30
	Variation 13° 40' E
40.00	Set post Cedar. 8 in x 2 in
	x 4 ft - 12 in deep
	Deposit-chained stake
	raise mound of
	earth- 2 ft high
	from pits 22 in x 22 in
	12 in deep for ¼ Sec. Cor
80.00	Set Cedar post 8 in
	x 3 in x 4 ft - 12 in
	deep. Deposit chained
	stake. raise mound
	of earth 2 ft high
	from pits 24 in x 24 in
	12 in deep for Corner
	to Sec.s 19. 20. 29. 30.
	Surface rolling
	Soil 1st rate

Range 19 West 6th P.M.

chains	
	East on random
	line bet. Sec.s 20 and 29
	Variation 13° 45' E
7.20	Small drain, N.E.
40.00	Set post for temporary
	¼ Sec. Corner -
53.20	Drain N.E.
79.20	Intersect N and S
	line at a point
	24 lks. N. of corner
	to Sections 20. 21. 28
	and 29. from which
	corner a mound
	S 89 - 30' West on
	true line bet. Sec.s
	20 and 29
	Variation 13° 45' E
39.60	Set Cedar post 8 in
	x 2 in x 4 ft - 12 in
	deep, Deposit chained
	stake, raise mound
	of earth - 2 ft high from
	pits 22 in x 22 in & 12 in
	deep for ¼ Sec. Corner -
79.20	Corner to Sec.s 19. 20. 29. 30
	Surface generally rolling
	Soil 2nd rate -

Township 28 North-

chains	
	West on random line bet. Sec's. 19 & 30
	Variation 13° 40' E
40.00	Set post for temporary ¼ Section Corner —
79.32	Intersect West boundary of Township at a point 5 & 6 chs. N. of corner to Secs. 19 and 30 from which corner R mm N 89° W 36' Oak on true line bet. Secs. 19 and 30
	Variation 13° 40' E
39.32	Set cedar post 3 in x 2 in x 4 Ft 12 in deep. Deposit chained stake, raise mound of earth 2 Ft high, from pits 22 in x 22 in 12 in deep for ¼ Sec. Cor —
79.32	corner to Secs. 19. 20. 29 and 30. Surface gently rolling Soil 1st rate —

Range 19 West 6th P.M.

chains	
	North bet. Sec's. 19 and 20
	Variation 13° 30' E
40.00	Set cedar post 3 in x 2 in x 4 Ft — 12 in deep. Deposit chained stake, raise mound of earth — 2 Ft high from pits 22 in x 22 in 12 in deep for ¼ Sec Corner —
80.00	Set cedar post 3 in x 3 in x 4 Ft 12 in deep. Deposit chained stake, raise mound of earth — 2 Ft high — from pits 24 in x 24 in — 12 in deep for Corner to Sec's 17. 18. 19. 20 Surface rolling Soil 1st rate —
	June 6th —

Township 33 North

chains	
	East on random line bet. Sec's. 17 & 20
	Variation 13°45' E
3.74	Drain S.E.
4 40.00	Set post for temporary ¼ Sec. Corner
4 49.74	Enter bottom N. & S.
6 79.74	Intersect N. and S. line at a point 36 lks. N. of corner to Sec's 16. 17. 20 and 21 from which corner Drum S 89° 45' West on true line bet. Sec's 17 & 20
	Variation 13°45' E
39.87	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit Chand, stake, raise mound of earth - 2 ft high from pits 22 in x 22 in 12 in deep for ¼ Sec.
79.74	Corner to Sec's. 17. 18, 19 20. Surface gently rolling & slightly broken. Soil 2nd rate

Range 19 West 6th P.M.

chains	
	West on random line bet. Sec's. 18 and 19
	Variation 13°40' E
40.00	Set post for temporary ¼ Section Corner.
74.40	Range 1 chain wide S. W.
78.78	Intersect S. boundary of Township at a point 14 lks N. of Corner to Sec's. 18 and 19 from which corner Drum N 89° 34' East on true line bet. Sec's. 18 and 19
	Variation 13°40' E
38.78	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit Chand stake, raise mound of earth - 2 ft high from pits 22 in x 22 in x 12 in deep. For ¼ Section Corner to Sections 17. 18. 19 20
78.78	Surface gently rolling Soil 1st rate

Township 23 North-

chains	
	North bet Secs 1, 12 & 18
	Variation 13°40' E
40.00	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit Chard stake, raise mound of earth 2 ft high from pits 22 in x 22 in - 12 in deep for ¼ Sec. Corner
80.00	Set Cedar post 3 in x 3 in x 4 ft - 12 in deep. Deposit chared stake, raise mound of earth 2 ft high. from pits 24 in x 24 in 12 in deep for Corner to Secs 7. 8, 17 & 18
	Surface rolling
	Soil 1st rate

Range 19 West of 6th P.M.

chains	
	East on random line bet Secs 8 and 17
	Variation 13°45' E
27.90	Drain descends S.E.
31.90	~~Drain descends S.E.~~
40.00	Set post for temp'y ¼ Section Corner -
49.90	Drain descends S.E.
79.90	Intersect N. and S. line at a point 8 lks N. of corner to Secs 8. 9. 16 and 17 from which Copper Drum bears S 89° 57' West on true line bet Secs. 8 and 17
	Variation 13°45' E
99.95	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit charred stake raise mound of earth - 2 ft high, from pits 22 in x 22 in - 12 in deep. for ¼ Sec. Corner to Secs 7. 8. 17. 18
79.90	Surface gently rolling
	Soil 2nd rate

Township 33 North-

chains	
	Set on rapid on line bet. Sec.s 7 & 18
	Variation 13° 40' E
40.00	Set post for temporary 1/4 Sec. Cor.-
78.50	Intersect N. extension of Township at a point 58 lks. North of corner to Sec.s 7 & 18 from which cor. I run N 89° 36' East on said line bet. Sec.s 7 & 18
	Variation 13° 40' E
38.50	Set Cedar post 3 ins x 2 ins x 4 ft 12 ins deep. Deposit chained stake, raise mound of earth 2 ft high from pits 22 ins x 22 ins - 12 ins deep for 1/4 Sec. Corner-
78.50	Corner to Secs. 7. 8. 17. 18.
	Surface gently rolling Soil 1st rate.

Range 19 West 6th P.M.

chains	
	North- bet. Sec.s 7 & 18
	Variation 13° 40' E
40.00	Set Cedar post 3 ins x 2 ins x 4 ft - 12 ins deep. Deposit chained stake raise mound of earth 2 ft high from pits 22 ins x 22 ins - 12 ins deep for 1/4 Sec. Corner
80.00	Set Cedar post 3 ins x 2 ins x 4 ft - 12 ins deep. Deposit chained stake, raise mound of earth 2 ft high from pits 24 ins x 24 ins - 12 ins deep for corner to Sec.s 5. 6. 7 and 8
	Surface gently rolling Soil 1st rate.

Township 38 North -

Chains	
	East on random line bet. Sec. 5 and 8 Variation 13° 40' E.
40.00	Set post for temporary ¼ Section Corner -
79.44	Intersect N and S line at a point 56 lks South of corner to Sec. 5 and 8 from which corner Azm S 89° 36' West on true line bet. Sec. 5 and 8 Variation 13° 40' E
39.72	Set Cedar post 3 in x 2 in x 4 Ft - 12 in deep Deposit chained stake, raise mound of earth - 2 Ft high from pits 22 in x 22 in 12 in deep. For ¼ Sec Corner
79.44	Corner to Sections 5. 6. 7 and 8 Surface rolling Soil 2nd rate

Range 19 West 6th P.M.

Chains	
	West on random line bet. Sec. 6 and 7 Variation 13° 40' E
40.00	Set post for temporary ¼ Section Corner -
78.48	Intersect N and S boundary of Township at a point 48 lks W. of corner to Sec. 6 and 7 from which corner Azm S 89° 49' East on true line bet Sec. 6 and 7 Variation 13° 40' E
38.48	Set Cedar post 3 in x 2 in x 4 Ft - 12 in deep. Deposit chained stake, raise mound of earth - 2 Ft high from pits 2 2 in x 22 in - 12 in deep. For ¼ Sec Corner
78.48	Corner to Sec. 5. 6. 7. 8 Surface rolling Soil 1st rate

Township 88 North-

chains	
	North on random line bet. Secs 5 and 8 Variation 13°40' E
40.00	Set post for temporary ¼ Section Corner
79.12	Intersect S. boundary of Township at a point 50 lks East of corner to Secs 5 and 6 from which corner Bears S 22° East on true line bet. Secs 5 and 8 Variation 13°40' E
39.12	Set Cedar post 3 in x 2 in x 4 ft — 12 in deep. Deposit charcoal stake 1 raise mound of earth 2 ft high from pits 2 ft x 2 ft 12 in deep. Jun ¼ Sec. Corner
79.12	Corner to Secs 5. 6. 7. 8 Surface rolling Soil 2nd rate Timber

Range 19 West 6th P.M.

General Description

This Township is generally gently rolling. Soil good 2nd rate.

A large Pine and Cedar Canon runs S.E. through Section 31. This is the only Section that drains to the Niobrara River. The rest of the Township has a Northward slope to the Keya Paha River.

A large Creek heads in the N.E. portion of the Township and drains quite a large portion of 1st rate land.

There are outcroppings of a soft, sandy, lime

substance very nearly stone. in several places in this Township.

The soil is generally a sandy loodpy from 6 inches to 1 foot deep.

The valleys are well adapted to agriculture and the uplands to grazing.

List of Names

A list of the names of the individuals employed to assist in running, meaning or marking the lines and corners described in the foregoing field-notes of Township 33 North of the base line and Range 19 West of the 6th Prin. Meridian showing the respective capacities in which they acted;

Leslie E. Scott } Chainmen
Wm. R. Spangler }

Charles Bowers } Mound men
Adelbert D. Bierce } Axemen
and Flagmen

4

We hereby certify that we assisted George W. Burton deputy surveyor in surveying the exterior boundaries and subdividing and meandering township number thirty-three north of the base line of range number nineteen west of the sixth principal meridian and that said township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the surveyor general, of dimension character, construction & marking and in the manner specifically described in the foregoing field notes.

Leslie E. Scott. Chainman
William B. Spangler. Chainman
Charles Barnes Axman
Adelbert D. Pierce Axman

Subscribed and sworn to before me this 14th day of June 1875 J B Bossaye Hitchcock county Notary Public in and for the State of Nebraska

I George W. Burton deputy surveyor do solemnly swear that in pursuance of a joint contract wherein Chauncey Hiltse, Frank Crowell and George W. Burton are joint contractors with E. E. Cunningham United States surveyor general for the district of Nebraska bearing date the 29 day of April 1875. I have well, faithfully, and truly, in my own proper person, and in strict conformity with the instructions furnished by the surveyor general and the Surveying Manual and the laws of the United States, surveyed all those parts or portions of township number thirty-three north of the base line of range number nineteen (19) west of the sixth principal meridian as are represented in the foregoing field notes as having been

surveyed under my direction

and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the surveying manual and printed instructions and that the foregoing are the true and original field notes of such Survey.

George W. Burton
Deputy Surveyor

Subscribed and sworn to before me
J. B. Gossage a notary public
in and for Antelope county State of Nebraska
This 14th day of June 1875

J. B. Gossage
Notary Public

Surveyor Generals Office

Plattsmouth Neb Aug 14th 1875

The foregoing field Notes of the Survey and Subdivision of Township No 33 North of Base Line of Range No 19 West of 6th P. M. in Neb Executed by George W. Burton under Contract No 89 dated April 29th 1875 in the Month of June 1875 having been critically examined the necessary correction and the Explanations made the said field Notes and the Surveys they describe are hereby approved

Jno J. Clark
Surveyor General

Field Notes
of the
Survey and Sub-divisions
of Township No 34 North
of the
Base Line
Range No 19 West
of the
6th Prin Meridian
in the
State of Nebraska.

Executed
by Frank Crowell
Deputy Surveyor.
under Joint Contract
No 8 & 9. dated April 29th
1875.

Survey
Commenced June 8th 1875
Completed June 12th "

Index Diagram
of
Township 34 North
of the
Base Line
of
Range No 19 West, 6th P.M.



List of Names.

A list of the names of the persons who were employed to assist in surveying and subdividing this Township.

T. A. Sears } Chainmen
Huckeney Miller }

C. H. Brown } Monumenters
Evan Beldin } Axmen &
Flagmen.

Township 34 North

To determine the proper adjustment of my compass for the different Townships. I began at corner to Townships 33 and 34 N. Ranges 18 and 19 West and run thence North on a blank line along the East boundary of Sec. 36

Variation 18° 40' E

40.02 To a point 7 lks West of ¼ Section Corner.

79.99 To a point 12 lks West of corner to Sec. 25 & 36

Therefore to retrace this line or run parallel thereto my compass must be adjusted to a Variation 18° 35' E

Range No 19 West 6th P.M.

Chains

From the established corner to Sections 35 and 36 on the South boundary of the Township and run North on a true line bet. Sec. 35 and 36

Variation 18° 35 E

40.00 Set Cedar post 3 in x 2 Ft x 4 Ft - 12 in deep. for ¼ Sec. Cor - Deposit chained stake, raise mound of earth - 2 Ft high from pits 22 in x 22 in 12 in. deep for ¼ Sec Cor

64.90 Creek 12 lks. wide N.E.

80.00 Set Cedar post 3 in x 2 in x 4 Ft - 12 in deep Deposit chained stake raise mound of earth - 2 Ft high from pits 22 in x 22 in - 12 in deep for Corner to Sec. 25 - 26. 35 and 36 Surface gently rolling Land 2nd rate

Township 34 North-

chains	
	Cast on random line bet. Sec.s 25 and 36 Variation 18° 35' E
22.41	Creek 12 lks. wide N.E.
40.00	Set Post for temporary ¼ Sec.r Corner -
79.75	Intersect E. bdy of Township at a point 30 lks. S. of Corner to Sec.s 25 & 36 from which corner a run N 89° 47' West on true line bet. Sec.s 25 and 36 Variation 18° 35' E
39.87½	Set Cedar Post 3 in x 2 in x 14 Ft 12 in deep. Deposit shaved stake raise mound of earth - 2 Ft high. Iron pits 2 2 in x 2 2 in - 12 in deep for ¼ Sec. Cor -
79.75	Corner to Sections 25 35 and 36 - Surface gently rolling. Soil rich loam

Range 19 West 6th P.M.

chains	
	North - bet Sec.s 25 and 26 Variation 18° 35' E
5.00	Leave bottom E. and S. Pit -
40.00	Set Cedar post 3 in x 3 in x 4 Ft - 12 in deep. Deposit chained stake raise mound of earth - 2 Ft high from pits 2 2 in x 2 2 in - 12 in deep for ¼ Sec. Corner
80.00	Set Cedar post 3 in x 3 in x 4 Ft - 12 in deep. Deposit chained stake, raise mound of earth - 2 Ft high from pits 24 in x 24 in - 12 in deep for corner to Sec.s 23. 24. 25 and 26 Surface rolling - Soil sandy 2d rate

Township 34 South-

Chains	
	East on random line bet. Secs. 24 & 25 13° 35' East
4.00	Set post for temporary Section Corner
39.14	Intersect East bound of Township at a point 6 lks South of corner to Secs. 24 Jan & 25 from which corner Drum Mt. S 89° 57' West one mile Dist Secs. 24 and 25
	Variation 13° 35' E
39.07	Set Cedar post 3 ins x 2 ins x 4 ft 12 ins deep. Deposit Chained stake, raise mound of earth 2 ft high. From pits 22 ins x 22 ins - 12 ins deep for ¼ Sec. Corner
79.14	Corner to Secs 23. 24. 25 & 26 - Surface rolling Soil Sandy 2 Loam

Range 19 West 6th P.M.

Chains	
	North bet Secs 23 & 24 Variation 13° 35' E
4.00	Set Cedar post. 3 ins x 2 ins x 4 ft - 12 ins deep. Deposit Chained Stake raise mound of earth 2 ft high. From pits 22 ins x 22 ins - 12 ins deep for ¼ Sec.
8.00	Set Cedar post 3 ins x 3 ins x 4 ft - 12 ins deep. Deposit Chained stake, raise mound of earth - 2 ft high From pits 2 ft sq. x 24 ins 12 ins deep. Cor Corner to Secs. 13. 14. 23 and 24 Surface rolling Soil Sandy 2 Loam

Township 34 North

Chains	
	East on random line bet. Sec. 13 & 24 Variation 13° 35' E.
40.00	Set post for temporary ¼ Section Corner.
47.52	Wagon trail N.W.
79.08	Intersect East bound line of Township at a point 18 lks. N. of corner by Sec. 13 and 24 from which corner Iron at S 89° 52' West on line bet Sec. 13 & 24 Variation 13° 35' E.
39.54	Set Cedar post 3 in x 2 in x 4 ft 12 in. deep. Deposit charcoal & stake, raise mound of earth 2 ft high from pits 2 ft in x 2 ft 12 in deep. For ¼ Sec. Corner to Sec. 13, 14, 23 and 24
79.08	Surface rolling Soil 1st rate

Range 19 West 6th P.M.

Chains	
	North bet. Sec. 13 & 14 Variation 13° 45' E.
26.67	Wagon trail N.W.
40.00	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit charcoal & stake raise mound of earth 2 ft high from pits 2 ft in x 2 ft 12 in deep. For ¼ Sec.
80.00	Set Cedar post 3 in x 3 in x 4 ft. 12 in deep Deposit charcoal & stake raise mound of earth 2 ft high. from pits 2 ft in x 2 ft in 12 in deep. For corner to Sec. 11, 12, 13 and 14
	Surface rolling Soil 1st rate

8

Township 34 South — Range 19 West 6th P.M.

chains		chains	
	East on random line bet Sec 12 and 13 Variation 13° 45' E		North bet Sec 11 & 12 Variation 13° 55' E
40.00	Set pivot for temporary ¼ Sec. cor.	41.00	Set Cedar post 3 in x 2 in x 4 ft - 12 in dep 2 Depnit chained stake, raised mound of earth 2 ft high from pits 2 2 in x 2 2 in - 12 in deep. for ¼ Sec. cor -
79.24	Intersect East bound any of Township at a point 64 lks North of corner to Sec. 12 and 13 from which corner a Burr Oak 8 in diam bears N 89° 30' West one link bet. Sec. 12 and 13 Variation 13° 45' E	81.00	Set Cedar post 3 in x 3 in x 4 ft - 12 in deep. 2 Depnit. chained stake, raised mound of earth 2 ft high from pits 2 4 in x 2 4 in - 12 in deep. for corner to Sec. 11. 12. 11 and 12 - Surface rolling Soil 1st rate -
39.62	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep 2 Depnit - chained stake raised mound of earth 2 ft high. from pits 2 2 in x 2 2 in - 12 in deep. for ¼ Sec. cor -
79.24	Corner to Sec. 11. 12. 13. 14 Surface gently rolling Soil 1st rate.

Township 34 North—

chains	
	East on random line bet. Sec 8 & 17 & 12
	Variation 13° 45' E
40.00	Set post for temporary ¼ Section Corner
79.48	Intersect East bound of Township at a point 30 lks. N. of corner to Sec 1 and 12 from which corner I bear N 89° 47' West on line bet Sec 1 & 12
	Variation 13° 45' E
39.74	Set cedar post 3 in. x 2 in x 4 ft - 12 in deep, Deposit Chand stake, raise mound of earth 2 ft high from pits 2 2 in x 2 ft 12 in deep. for 4 Lee Corner to Sec 1. 2. 11. 12
79.48	
	Surface rolling Soil 1st rate

Range 19 West 6th PM

chains	
	North on random line bet Sec 1 and 12.
	Variation 13° 55' E
2.22	Slough 40 lks. wide N. E.
8.20	Slough 40 " " N. E.
25.30	Slough 40 " " N. E.
40.00	Set Post for temporary ¼ Section Corner
79.58	Intersect North boundary of Township at a point 10 lks. East of corner to Sec 1 and 12 from which corner I bear S 4 East on line bet Sec 1 and 12
	Variation 13° 55' E
39.58	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit Chand stake, raise mound of earth 2 ft high from pits 2 2½ x 2 2½ 12 in deep. for 4 Section Corner to Sec 1. 2. 11. 12
79.58	Surface rolling Soil 1st rate

June 8th

Township 34 North—

Chains	
	From the established corner to Sec. 34 & 35 on South boundary of Town. Run
	North 80 ch. Sec. 34 & 35
	Variation 13° 45' E
25.15	Slough 20 lk. wide from S. Spring 3 ch. West bank East
40.00	Set Cedar post 3 in x 2 in x 4 ft 12 in deep. Deposited stone and stake, raise mound of earth 2 ft high from pits 2 2 in x 2 2 in x 12 in deep for ¼ Sec. Cor.
48.00	Leave Cotton & enter Sand-hills N.E. and S.W.
56.00	Set Cedar post 3 in x 3 in x 4 ft - 12 in deep Deposited stone and stake raise mound of earth 2 ft high from pits 24 in x 24 in - 12 in deep for Corner to Sec. 26. 27. 34 and 35 — Surface Cotton and Sandy hills Soil 1st rate. Upland Hilly [illegible]

Range 19 West 6th P.M.

Chains	
	East on random line bet. Sec. 26 and 35
	Variation 13° 45' E
38.00	Enter Cotton Wood S
41.00	Set post for Temporary ¼ Sec. Cor. —
80.20	Intersect N and S line at a point 24 lk. South of corner to Sec. 26 & 35 — from which corner
	Run
	S 89° 50' West on this line bet. Sec. 26 & 35
	Variation 13° 45' E
40.10	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit stone and stake raise mound of earth 2 ft high from pits 22 in x 22 in x 12 in deep for ¼ Sec. Cor. —
80.20	Corner to Sec 26. 27. 34 and 35 —
	Surface Undulating Hilly Soil 2nd rate Bottom 1st rate

Township 34 South—

Range 19 West 6th Prin

Chains		Chains	
	North bet. Secs 26 & 27 Variation 13° 45' E		East on regular line bet. Secs 23 & 26 Variation 13° 45' E
40.00	Set cedar post 8 in. x 2 in x 4 Ft - 12 in. dep. & Deposit chared stake, raise mound of earth - 2 Ft high from pits 22 in x 22 in - 12 in dep. for Corner to Secs 22. 23 26 & 27 From this corner a clump of 5 or 6 Ash trees bears S 78 E 1 link	40.00	Set post for Temporary ¼ Sec. Corner
		81.34	Intersect N and S line at a point 4 Lks S. of corner to Secs 23 and 26 from which corner I am S 89° 58' W 40 links to Section Corner on E. & W. line bet. Secs 23 and 26. Variation 13° 45' E
80.00	Set Cedar post 3 in x 3 in x 4 Ft - 12 in deep. & Deposit chared stake raise mound of earth - 2 Ft high from pits 24 in x 24 in - 12 in deep. for Corner to Secs 22. 23 26 & 27 From this corner a clump of 5 or 6 Ash trees bears S 78 E 1 link	40.17	Set cedar post 8 in x 2 in x 4 Ft - 12 in deep. & Deposit chared stake, raise mound of earth - 2 Ft high from pits 22 in x 22 in - 12 in deep for ¼ Section Corner from this corner Ash tree 8 in dia bears S 78 E 1 link
		80.34	Corner to Secs 22. 23 26 and 27 -
	Surface hilly Soil sandy 2nd rate.		Surface rolling Soil sandy 2nd rate

Township 34 South -

Chains	
	South bet. Secs. 22 & 23
	Variation 13°45' E
40.00	Set Cedar post 3 in x 2 in x 4 ft 12 in deep. Deposit Chained stake, raise mound 2 ft high. Pits 12 in x 22 in 12 in deep. For 1/4 Section
80.00	Set Cedar post 3 in x 3 in x 4 ft - 12 in deep. Deposit chained stake, raise mound of earth - 2 ft high from pits 24 in x 24 in - 12 in deep. for corner to Sections 14, 15, 22 and 23. Surface rolling Soil 2nd rate.

Range 19 West 6th Principal

Chains	
	East on random line bet. Secs 14 & 23
	Variation 18°55' E
40.00	Set post for temporary 1/4 Section Corner -
80.28	Intersect N. and S. line at a point which connects Secs 13, 14, 23 and 24 from which corner Iron
	West on true line bet. Secs 14 & 23
	Variation 13°55' E
40.14	Set Cedar post. 3 in x 2 in x 4 ft - 12 in deep Deposit chained stake, raise mound of earth 2 ft high from pits 22 in x 22 in - 12 in deep for 1/4 Sec. Corner
80.28	Corner to Secs 14, 15, 22 and 23 Surface gently rolling Soil 2nd rate.

Township 34 North—

Chains	
	North bet Sect 14 & 15 — Variation 13°45' E
40.00	Set Cedar post 8 in x 2 in x 4 ft - 12 in deep. Dep'nt chand stake, rain mound of earth, 2 ft high. From pits 2 ft in x 2 in - 12 in deep for ¼ Section Corner
46.92	Wagon trail N.W.
60.00	Enters East part High Sand hill E and N.
72.00	Leave same E + N.
80.00	Set Cedar post 3 in x 3 in x 4 ft - 12 in deep. Dep'nt chand stake, rain mound of earth - 2 ft high From pits 2 ft in x 24 in - 12 in deep for corner to Sec's 10 - 11 - 14 & 15. Surface gen. even & hilly Soil, Sandy

Range 19 West 6th P.M.

Chains	
	East on random line bet. Sec. 11 and 14 Variation 13°45' E
40.00	Set post for temporary ¼ Section Corner —
80.10	Intend N and S line at a point 82 lks South of corner to Sections 11, 12, 13 and 14 from which corner a pine 18 & 9 inches 25 links bears true line bet. Sec's 11 and 14 Variation 13°45' E
40.05	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep Dep'nt - Chand stake rain mound of earth - 2 ft high. From pits 2 ft in x 2 ft in 12 in deep for ¼ Sec. Corner B Sec's 10 11 14 and 15.
80.10	Surface gently rolling Soil 1st Rate

Township 34 South

chains	
	South bet. Sec. 10 and 11
	Variation 13° 45' E.
40.00	Set Cedar post 3 in x 2 in x 4 Ft - 12 in deep. Deposit chand stake, raise mound of earth 2 Ft high from pits 22 in x 22 in - 12 in deep for ¼ Sec. Cor -
80.00	Set Cedar post 3 in x 3 in x 4 Ft - 12 in deep. Deposit chand stake, raise mound of earth 2 Ft high. From pits 24 in x 24 in - 12 in deep for Corner to Secs. 2, 3, 10, 11
	Surface gently rolling Soil 1st rate

Range 19 West 6th P.M.

chains	
	East on random line bet. Sec. 2 and 11
	Variation 13° 45' E.
40.00	Set post for temporary ¼ Section Corner.
76.35	Slough 30 lks. wide N.E.
79.52	Intersect N. and S. line at a point 35 lks. South of Corner to Sec. 2, 11 and 12 from which corner I found S 89° 45' West on true line bet. Sec. 2 and 11
	Variation 13° 45' E.
39.76	Set Cedar post 3 in x 2 in x 4 Ft - 12 in deep. Deposit Chand stake, raise mound of earth 2 Ft high from pits 22 in x 22 in 12 in deep for ¼ Sec. Cor Corner to Secs 2. 3. 10. 11
79.52	Surface gently rolling Soil 1st rate

Township 34 North

Chains	
	North on random line bet. Secs. 2 & 3 Variation 18° 55' E
40.00	Set post for temporary ¼ Section Corner
79.82	Intersect North boundary of Township at a point 76 lks. East of corner to Secs. 2 & 3 from which corner Pine 30 East on true line, bet. Secs. 2 & 3 Variation 18° 55' E
39.82	Set Cedar post 8 in x 2 in x 4 Ft - 12 in deep. Deposit chard stake. raise mound of earth 2 ft high from pits 2 2 in x 2 2 in 12 in deep. for ¼ Sec Corner
79.82	Corner to Sections 2. 3. 10 and 11 Surface rolling Soil 2nd rate

June 9th

Range 19 West 6th P.M.

Chains	
	Town Up established corner to Sections 33 and 34 on South boundary of Township Run - North bet. Secs 33 & 34 Variation 18° 45' E
40.00	Set post. Cedar post 8 in x 2 in x 4 Ft - 12 in deep. Deposit chard stake. raise mound of earth from pits 2 2 in x 2 2 in 12 in deep. for 4 Sec Corner
79.00	Bottom E. and W.
81.00	Set Cedar post 3 in x 3 in x 4 Ft - 12 in deep Deposit chared stake raise mound of earth 20 high from pits 2 2 in x 2 2 in 12 in deep. for corner to Sec. 27. 28. 33. 34 Surface undulating Bottom Soil 1st rate

Township 34 North

Chains	
	Eastern, random line bet. Secs. 27 and 34. Variation 13° 45' E
40.00	Set post for temporary ¼ Sec. Corner
80.00	Intersect N. and Shore of a point 9 lks S. of Corner to Secs 26 27. 34 and 35 from which corner a Elm 8 inches diameter bears N. 89° E. 6 links distant. Meander true line bet. Secs 27 and 28. Variation 13° 45' E
40.00	Set cedar post 3 in. x 2 in. x 4 ft. 12 in. deep. Depression-channel stake, raise mound of earth 2 ft high from pits 22 in. x 22 in. 12 in. deep. For ¼ Sec. Corner to Secs. 27. 28 33 and 34
80.00	Surface gr. rock, sand hills. Soil 2nd rate

Range 19 West 6th P.M.

Chains	
	North bet. Secs. 27 and 28. Variation 13° 45' E
40.00	Set cedar post 3 in. x 2 in. x 4 ft. 12 in. deep. Depression-channel stake, raise mound of earth 2 ft high from pits 22 in. x 22 in. 12 in. deep. For ¼ Section Corner.
80.00	Set cedar post 3 in. x 3 in. x 4 ft. 12 in. deep. Depression-channel stake, raise mound of earth 2 ft high from pits 24 in. x 24 in. 12 in. deep. For corner to Secs. 21. 22. 27 and 28. Surface gr. sand hills. Soil 2nd rate

Township 34 North

Chains	
	East on random line bet. Sec. 22 and 27
	Variation 13°45' E
40.00	Set post for temporary ¼ Section Corner
79.52	Intersect N. and S. line at a point 18 lks. S. of corner to Sec. 22, 23, 26 and 27. From which Iron Pin bears S. 9° E. 52 links. Witness tree bears bet. Sec. 22 and 27
	Variation 13°45' E
39.76	Set Cedar post 3 in. x 2 in. x 4 ft. - 12 in. deep. Deposit - shaved stake, raise mound of earth 2 ft. high. From pits 22 in. x 22 in. 12 in. deep. For ¼ Section to Sec. 21, 22, 27 and 28.
74.52	Surface gently roll. Sandy Soil 2nd rate

Range 9 West 6th P.M.

Chains	
	North bet Sec. 21 and 22
	Variation 18°45' E
40.00	Set Cedar post 3 in. x 2 in. x 4 ft. - 12 in. deep. Deposit - shaved stake, raise mound of earth - 2 ft. high. From pits 24 in. x 24 in. 12 in. deep. for corner to Sections 15, 16, 21, 22.
80.00	Set Cedar post 3 in. x 2 in. x 4 ft. - 12 in. deep. Deposit - shaved stake, raise mound of earth - 2 ft. high. From pits 24 in. x 24 in. 12 in. deep. for corner to Sections 15, 16, 21, 22.
	Surface gently rolling Sandy Soil 2nd rate

Township 84 North

Chains	
	East on random line bet. Secs. 15 and 22
	Variation 18° 45' E
40.00	Set post for temporary ¼ Sec. Cor.
39.54	Intersect N. and S. line at a point 36 lks E. of corner to Secs. 14. 15. 22 and 23
	from which corner Sun S 89° 45' West on true line bet. Secs. 15 and 22.
	Variation 18° 45' E
39.77	Set Cedar post 3 in x 2 in x 4 Ft - 12 in deep. Deposit Chas. & stake, raise mound of earth 2 Ft high from pits 22 lks x 22 lks - 12 in deep for ¼ Sec. Cor.
79.54	Corner to Secs. 15, 16, 21 and 22
	Surface gently sand hills rolling
	Soil 2nd rate

Range 19 West 6th P.M.

Chains	
	North bet. Secs. 15 and 16
	Variation 18° 45' E
40.00	Set Cedar post 3 in x 2 in x 4 Ft - 12 in deep. Deposit chas. & stake, raise mound of earth 2 Ft high from pits 22 lks x 22 lks 12 in deep. for ¼ Sec. Cor.
35.20	Wagon trail West
70.00	Base of high sand & clay hill E and W. Some outcroppings of limestone
80.00	Set a limestone 20 in x 18 in x 10 in - Excavate two pits on line, 24 in x 24 in 12 in deep for Corner to Sections 9. 10 15 and 16
	Surface gently rolly Soil 2nd rate -

Township 34 North

Chains	
	East on random line bet. Secs. 15 & 16 — Variation 13° 45' E
40.00	Set post for temporary ¼ Sec. Corner
78.00	Leave Sand Hills N. 45° W. & S. E.
79.50	Intersect N. & S. line at a point 54 lks. S. of corner to Secs. 10, 11, 14 and 15 from which corner I bear N. 89° W. 37 lks. Set on true line bet. Secs. 10 & 15 — Variation 13° 45' E
39.75	Set cedar post 3 in x 2 in x 24 in 12 in deep. Deposit charcoal stake raise mound of earth 2 ft high. Four pits 2 x 2 in x 24 in 12 in deep. for ¼ Secs. Corner to Secs. 9, 10, 15, 16
79.50	Surface high Sand ridges Sole 3 in vale

Range 19 West 6th Mer.

Chains	
	North bet. Secs. 9 & 10 — Variation 13° 45' E
37.50	Leave hill for high bottom or Upland E. & W.
40.00	Set Lime-stone 22 in x 20 in x 14 in Excavate 2 pits on line. 22 in x 22 in - 12 in deep, for ¼ Secs.
80.00	Set a lime-stone 22 in x 20 in x 14 in Excavate two pits on line, 24 in x 24 in - 12 in deep — For corner to Secs. 3, 4, 9 and 10
	Surface gently rolling Soil 2nd rate

Township 34 North-

chains	
	East on random line bet. Sec 8 and 10 Variation 13° 45' E
9.50	Drain, water in holes N.E.
22.50	Drain = N. W
40.00	Set post for temporary ¼ Section Corner
79.50	Intersect N and line at a point 35 lks. South of corner to Sections 2. 3. 10 and 11 from which corner Drum S 89° 45' W Station true line bet. Sec. 3 + 10 Variation 13° 45' E
39.75	Set Cedar post 3 in x 3 in x 4 ft - 12 in deep Spirit chained stake, raise mound of earth - 2 ft high from pits 22 in x 22 in. 12 in deep. for ¼ Sec Cor - ner to Sec 3. 4. 9 and 10
79.50	Surface gently rolling upland Soil 2nd rate

Range 18 West 6th P.M.

chains	
	North on random line bet. Sec. 3 and 4 Variation 13° 55' E
6.50	Drain descends East
40.00	Set post for temporary ¼ Section Corner.
80.16	Intersect North boundary of Township at a point 30 lks. E. of Corner to Sec. 3 and 4. from which corner Station S 13° East on true line bet Sec. 3 and 4 Variation 13° 55' E
40.16	Set a limestone 19 in x 18 in x 18 in - 12 in deep Excavate two pits on line. 22 in x 22 in. 12 in deep. for ¼ Sec. corner Corner to Sec. 3. 4. 9 and 10
80.16	Surface gently rolling upland. Soil 2nd rate

June 10th

Township 32 North-

Range 19 West 6th P.M.

Chains		Chains	
	From the established corner to Sec. 32 and 33 on the boundary of Township South bet Sec. 32 and 33 Variation 18° 50' E		East on and on line bet. Sec. 28 and 33 Variation 18° 50' E
40.00	Set Cedar post 3 in x 2 in x 4 ft., 2 in deep. Set mound of earth 2 ft high from pits 22 in x 22 in 12 in deep. Set Cedar post 3 in x 2 in x 4 ft. 12 in deep. Set mound of earth 2 ft high from pits 24 in x 24 in 12 in deep. for corner to Sections 28. 29. 32 and 33	40.00	Set post for temporary 1/4 Section Corner
		80.50	Intersect A and A line at a point 20 lks. S. of corner to Sec 27. 28 33 and 34 from which corner Iron S 89° 51' West on true line bet. Sec. 28 and 33 Variation 18° 50' E
		40.25	Set Cedar post 3 in x 2 in x 4 ft 12 in deep, deposit charcoal stake, raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep, for 1/4 Sec. Corner to Sections 28. 29. 32 and 33
	Surface gently rolling sandy hills Soil 2nd rate	8.50	Surface gently rolling sandy-hills Soil 2nd rate

Township 34 North—

Chains	
	North bet. Sec. 28 and 29
	Variation 13° 30' E
40.00	Set Cedar post 3 in x 2 in x 4 ft — 12 in deep Deposit chained stake, raise mound of earth 2 ft high from pit 2 ft in x 2 ft in 12 in deep for ¼ Sec. Cor.
80.00	Set Cedar post 3 in x 3 in x 4 ft — 12 in deep. Deposit chained stake raise mound of earth 2 ft high from pit 24 in x 24 in — 12 in deep for Corner to Sec. 20. 21. 28 and 29.
	Surface—gently rolling Land hilly Soil 2nd rate

Range 19 West 6th P.M.

Chains	
	Station standard line bet Sec. 21 and 28
	Variation 13° 30' E
40.00	Set post for temporary ¼ Sec. Corner.
80.47	Intersect N. and S. line at a point 30 lks E. of corner to Sec. 20. 21. 28 and 29 from which corner I chain S 89° 48' West on line bet. Sec. 21 and 28
	Variation 13° 30' E
40.23½	Set Cedar post 3 in x 2 in x 4 ft-12 in deep. Deposit chained stake. raise mound of earth 2 ft high from pit 22 in x 22 in 12 in deep. for ¼ Sec.
80.47	Corner to Sec. 20. 21 28 and 29
	Surface gently rolling Soil sandy 2nd rate

Township 34 North-

Chains

Range 19 West 6th P.M.

Chains

North bet. Sec. 21 & 22
21
Variation 13° 50' E

40.00 Set Cedar post
2 in x 2 in x 4 ft
12 in deep.
Deposit chained
stake, raise mound
of earth 2 ft high
from pits 22 in x 22
12 in deep. For ¼ Sec Cor

80.00 Set Cedar Post 3 in x
3 in x 4 ft - 12 in deep,
Deposit chained
stake, raise mound
of earth 2 ft high
from pits 24 in x 24
in - 12 in deep
for Corner to Sec
16. 17. 20 and 21 Bottom ~~Bottom~~ Elm 18 in high
bottom bearing E 4 links
Surface gently
rolling
Soil Sandy - 2 in sale

Chains

Stake on ground on
line bet Sec. 16 and 21
Variation 13° 50' E

40.00 Set post for temporary
¼ Section Corner

80.72 Intersect N. and S.
line at a point 14
lks South of corner
to Sec. 15, 16, 21 and
22, from which corner
Iron
S 89° 54' West on
true line bet. Sec.
16 and 21
Variation 13° 50' E

40.36 Set Cedar Post
3 in x 2 in x 4 ft. 12 in
deep. Deposit chained
stake, raise mound
of earth 2 ft high
from pits 22 in x 22 in
12 in deep for ¼ Sec.
80.72 Corner to Sec. 16. 17. 20
and 21
Surface gently rolling
Soil Sandy 2 in sale

Township 34 North-

Chains	
	North bet. Sec. 16 & 17 Variation 13°50E
9.80	Dragoon trail West
27.00	Drain N. & W.
40.00	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit charred stake raise mound of earth 2 ft high. Bound pits 24 in x 22 in, 12 in deep. For 1/4 Cor. bears
56.00	Drain descends W.
80.00	Set Cedar post 3 in x 3 in x 4 ft - 12 in deep, Deposit charred stake, raise mound of earth 2 ft high from pits 24 in x 24 in deep for corner to Sections 8, 9, 16, 17 Surface High bottom Soil 2nd rate Buffalo grass

Range 19 West 6th P.M.

Chains	
	East on random line bet Sec. 9 and 16 Variation 13°50E
16.00	Drain descends W.
40.00	Set post for temporary 1/4 Sec. Corner
69.00	Leave bottom for high hill N. and E.
80.75	Intersect N. and S. line at a point 2 lks. South of corner to Sec. 9, 16, 15 and 16 from which corner B. Pine S 89-59 West on true line bet. Sec. 9 and 16 Variation 13°50E
40.37½	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep Deposit charred stake raise mound of earth 2 ft high from pits 22 in x 22 in - 12 in deep
80.75	for 1/4 Sec. Cor common to Sec. 8, 9, 16, 17

Surface bottom
Soil 1st rate
Bal. hilly
Soil 2nd rate

40

Township 34 North -

Chains	
	North bet Sec 9 & 10
	Variation 13° 5' E
14.00	Drain descends S. W.
40.00	Set Post for Quarter ¼ Section Corner
69.00	Large bottom for high hill - W. and S.
80.75	Intersect N. and S. line at a point 2 lks. South of

42

Range 19 West 6th P.M.

Chains	
	North bet Sec. 8 & 9
	Variation 13° 45' E
14.50	Drain descends W.
40.00	Set Cedar Post 3in x 2 in x 4 ft - 12 in deep - 2 Depidit Mound Lake, raise mound of earth - 2 Trough from pit - 2 ft x 2 ft 12 in deep for 4 Sec Range
80.00	Set Cedar Post 8 in x 3 in x 4 ft - 12 in deep. Deposit Mound Lake, raise mound of earth - 2 Trough from pit - 2 ft x 2 ft - 12 in deep for — corner to Sec. 4. 5. 8 & 9 Surface high bottom Solid Rock —

Township 34 North -

Range 19 West 6th P.M.

chains		chains	
	East on random line bet Sec 4 & 9 Variation 18° 30' E		North on random line bet Sec 4 & 5 Variation 13° 45' E
40.00	Set post for temporary ¼ Section Corner	40.00	Set post for temporary ¼ Section Corner
80.42	Intersect N and S. line at a point 7 lks S. of corner to Sec 3, 4, 9 & 10 from which comm Pine S 89° E 7 Varas true line bet. Secs 4 and 9 Variation 13° E	58.00	Drain descends N.E.
		80.00	Intersect North bound of Township at a point 35 lks West of corner to Secs 4 & 5. from which comm Pine S 15° West 9 links true line bet Secs 4 & 5 Variation 13° 45' E
40.21	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit charcoal stake, raise mound of earth 2 ft high from pits - 22 in x 22 - 12 in deep for ¼ Sec Corner to Secs 4. 5. 8. 9 Surface high level boll. Soil 1st rate	41.00	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit charcoal stake, raise mound of earth 2 ft high from pits - 22 in x 22 - 12 in deep for ¼ Section Corner to Sections 4. 5. 8. 9 Surface 1st ½ level 2d ½ rolly Soil 1st rate / Soil 2d rate
80.00			
101.42			

Township 34 North-

d	chains	
		North bet. Sec 31 & 32
		Variation 13° 5' E
	22.00	Leave Upland & enter Valley
		E. & W.
4		
1	40.00	Set Cedar post 3 in x 2 in
		x 4 ft - 12 in deep. Deposit
8		Chained stake, raise
		mound 2 ft high. Iron pipe 2 1/2 in
		high. Iron pipe 2 1/2 in
		x 2 1/2 in x 12 in deep
		for 1/4 Section Corner -
	80.00	Set Cedar post 3 in
		x 3 in x 4 ft - 12 in deep
		Deposit chained
		stake, raise mound
4	4	2 ft high
		Iron pipe 2 1/2 in x 2 1/2
		in deep. For corner
		to Sections 29. 30. 31 &
		32
		Surface gently rolling
		Soil Sandy -

Range 19 West 6th P.M.

chains	
	Edit on random
	line bet. Sec. 29 & 32
	Variation 13° 45' E
40.00	Set post for temporary
	1/4 Section Corner
60.00	Leave valley 8 lks. N.E.
80.00	Intersect N. and S. line
	at 9 point 20 lks
	S. of corner to Sec.
	28. 29. 32 and 33
	from which corner
	I run
	S. 89° 31' W. on true
	line bet. Sec. 29 & 32
	Variation 13° 45' E
40.00	Set Cedar post 3 in
	x 2 in x 4 ft - 12 in
	deep. Deposit Chained
	stake. raise mound
	of earth 2 ft high
	Iron pipe 2 1/2 in x 2 1/2
	in deep. for 1/4 Sec
	Corner
80.00	Corner to Sections 29. 30.
	31 & 32
	Surface gently rolling Soil Sandy 2 in rate

Township 34 South -

chains	
	West on random line bet. Sec. 30 & 31
	Variation 13° E.
40.00	Leave bottom of ravine S. and set post for Quarter Sec. Cor.
7.10	Intersect West boundary of Township at a point 44 lks. South of Corner to Sec. 30 & 31
	Bound which corner S 89° 40' East on true line bet. Sec. 30 and 31
	Var. 13° 30' E
37.10	Set Cedar post 8 in x 2 in x 4 ft - 12 in deep. Deposit Charred stake raise mound of earth 2 ft high. from pits 2½ in x 2½ in - 12 in deep. For ¼ Sec. Cor.
77.10	Bound to Sec. 29, 30. 31 & 32 Surface gently rolling Soil Sandy - Loam -

Range 19 West 6th P.M.

chains	
	South bet. Sec. 29 & 30.
	Variation 13° E.
40.00	Set Cedar post 8 in x 2 in x 4 ft - 12 in deep. Deposit Charred stake raise mound of earth 2 ft high. from pits 2½ in x 2½ in 12 in deep. For ¼ Sec. Cor.
14.00	Steep grade 3 chs side S.W. to E.
80.00	Set Cedar post 8 in x 2 in x 4 ft - 12 in deep. Deposit Charred stake, raise mound of earth 2 ft high from pits 2½ in x 2½ in 12 in deep. For Cor. to Sec. 19. 20. 29 and 30
	Surface gently rolling Soil Sandy

June 11th

Township 84 North

chains		
	East on random line bet. Sec. 20 & 29	
	Variation 13° 45' E	
2.70	Spring branch 3 lks wide N	40.00
6.90	Spring branch 3 " " N	
29.80	Cedar bearing S. 1/2 W. 1/2 E.	77.20
40.00	Set post for temporary 1/4 Section Corner	
79.80	Intersect N. and S. line at a point 35 lks. E. of corner to Secs. 20. 21. 28 and 29. From which corner I run S 89° 45' West on said line bet. Secs. 20 and 29	
	Variation 13° 45' E	
89.90	Set cedar post 8 in x 2 in x 4 ft - 12 in deep. Deposit charred stake & raise mound of earth 2 ft high. Scribe pits 22 in x 22 in 12 in deep for 1/4 Sec. Cor.	
79.80	Comm to Secs. 19. 20. 29 and 30. Surface gently rolling Soil 2nd rate	

Range 19 West 6th P.M.

chains	
	East on random line bet. Secs. 19 & 30
	Variation 13° 50' E
40.00	Set post for temporary 1/4 Section Corner
77.20	Intersect West bound of Township at a point 40 lks. N. of corner to Secs. 19 and 30 from which corner I run S 89° 45' East on said line bet. Secs. 19 & 30
	Variation 13° 50' E
37.20	Set cedar post 8 in x 2 in x 4 ft - 12 in deep Deposit charred stake scribe mound of earth 2 ft high from pits 22 in x 22 in. 12 in deep for 1/4 Sec. Cor.
77.20	Comm to Secs. 19. 20. 29 and 30 Surface rolling Soil 2nd rate

Township 24 North-

Range 19 West 6th P.M.

chains	
	North- bet. Sec. 19 & 20 Variation 18° 50' E
40.00	Set Cedar post 3 in x 2 in deep. Deposit charred stake, raise mound of earth 2 ft high. Iron pits 2 Rods x 2 1/2 in. 12 in deep for 1/4 Section Cor-
56.10	ner Creek 12 lks. wide N.E. willows on banks
80.00	Set Cedar post 3 in x 3 in x 4 ft - 12 in dep. & Deposit charred stake, raise mound of earth 2 ft high Iron pits 24 in x 24 in 12 in deep for cor- ner to Sec's. 17, 18, 19, 20 Surface rolling Soil 1st rate

chains	
	East on random line bet Sec's 17 & 20 Variation 18° 45' E.
27.95	Creek 12 lks. wide N.
40.00	Set post for temporary
	1/4 Section Corner
38.95	Leave bottom 4 lks. W. & E.
79.95	intersect N. and S. line at a point 12 lks. S. of corner to Sec's. 16, 17, 20 and 21 from which corner N. run S 89° 55' W. Random line bet. Sec's. 17 & 20 Variation 18° 45' E.
39.97 1/2	Set Cedar post 3 in x 2 in x 4 ft - 12 in dep. Deposit charred stake, raise mound of earth 2 ft high Iron pits 24 in x 24 in 12 in deep for 1/4 Sec Cor-
79.95	ner to Sec's 17, 18, 19 & 20 Surface bottom level Soil 1st rate, Upland rolling 2d rate

53

Township 34 North

Chains	
	Set on random line bet. Secs. 18 and 19 Variation 18° 50' E
40.00	Set post for temporary ¼ Sec. Corner
37.32	Intersect West boundary of Township at a point 0.50 ch. N. of corner to Secs. 18 and 19 from which corner 3 runs N 89° 24' East on the line bet. Secs. 18 and 19 Var. 18° 50' E
37.32	Set Cedar post 8 in. x 2 in. x 4 ft. - 12 in. deep. Deposit chard stake, raise mound of earth 2 ft. high from pits 22 in. x 22 in. 12 in. deep. West ¼ Sec. Cor.
77.32	Corner to Secs. 17, 18, 19 20. Surface rolling Soil 2nd rate

54

Range 19 West 6th P.M.

Chains	
	North bet. Secs. 17 and 18 Variation 18° 50' E
2.00	Slough 30 lks. wide Scattering willows & cotton wood along banks.
40.00	Set Cedar post 8 in. x 2 in. x 4 ft. - 12 in. deep. Deposit Charred stake raise mound of earth 2 ft. high from pits 22 in. x 22 in. - 12 in. deep for ¼ Sec. Corner.
80.00	Set Cedar post 3 in. x 3 in. x 4 ft. - 12 in. deep. Deposit charred stake, raise mound of earth 2 ft. high from pits 24 in. x 24 in. 12 in. deep for corner to Secs. 17, 18. Surface rolling Soil 2nd rate

Township 84 North—

Chain	
	East on random line bet. Sec.s 8 and 17 Variation 13° 45' E
18.00	Stag on trail N. ℄.
40.00	Set post for temporary ¼ Sec. corner—
66.20	Creek 12 lks. wide N.
79.74	Intersect N. and S. line at a point 14 lks. E. of corner to Sections 8. 9 16 and 17 from which corner Bear S. 89° E. 4 Trees on line bet. Sec.s 8 and 17 Variation 13° 45' E
39.87	Set Cedar post 3 in. x 2 in. x 4 ft. — 12 in. deep. Deposit Chas. Lake, raise mound of earth 2 ft. high from pits 22 in. x 22 in. 12 in. deep for ¼ Sec. Corner Bears N. 89° E. 19.74 Links to Sec.s 7. 8. 17. 18
	Surface gently rolling Soil 1st. rate and 2d. rate

Range 19 West 6th P.M.

Chain	
	West on random line bet. Sec.s 7 and 18 Variation 13° 50' E
40.00	Set post for temporary ¼ Sec. Corner
77.28	Intersect West bound ary of Township at a Point 90 lks. N. of corner to Sec.s 17 and 18 from which corner Bears N. 89° 20' East on line bet. Sec.s 7 and 18 Variation 13° 50' E
37.28	Set Cedar post 3 in. x 2 in. x 4 ft. — 12 in. deep. Deposit Chas. stake, raise mound of earth 2 ft. high from pits 22 in. x 22 in. 12 in. deep. for ¼ Sec.
7.28	Corner to Sec.s 7. 8. 17. 18
	Surface rolling Soil 3d. rate

Township 34 North

Range 19 West 6th P.M.

Chains		Chains	
	North bet Sec. 7 & 18 Variation 13° 40' E		East on random line bet. Sec. 5 and 8 Variation 13° 40' E
38.00	Irrg on trail N.W.	30.48	Creek 20 lks. wide about
40.00	Set Cedar post 3 in x 2 in x 4 Ft-12 in deep. Deposit-chaind Stake, raise mound of earth 2 Ft high Iron pipe 2½ in x 22 in 12 in deep. for ¼ Sec. Cor.	40.00	Set Post for temporary ¼ Sec. Corner
		80.18	Intersect N and S line at a point 74 lks. W. of comm to Sec. 4. 5. 8 & 9 from which comm a Pine S 89° 28' W. 18 lks. true line bet Sec. 5 and 8 Var. 13° 40' E.
80.00	Set Cedar post. 3 in x 2 in x 4 Ft-12 in deep. Deposit-chaind Stake raise mound of earth 2 Ft high. Iron pipe 2½ in x 24 in 12 in deep for comer to Sec. 5. 6. 7. 8 Surface rolling Soil 2nd rate	40.09	Set Cedar post 8 in x 2 in x 4 Ft-12 in deep. Deposit-chaind Stake. Raise mound of earth 2 Ft high Iron pipe 2½ in x 22 in. 12 in deep for ¼ Sec Cor.
		80.18	Comm to Sec. 5. 6. 7. 8 Surface rolling Soil 2nd rate

Township 34 North -

Chains	
	West on random line bet. Secs 6 and 7
	Variation 13° 50' E
30.50	Wagon trail N.W.
40.00	Set post for temporary ¼ Sec. Cor.
77.38	Intersect North boundary of Township at a point 70 lks S. B. corner to Secs 6 and 5 from which corner Drum 189° 29' East on true line bet. Secs 6 and 5
	Variation 13° 50' E
37.38	Set Cedar post 8 in x 2 in x 4 ft - 12 in deep. Deposit charcoal stake, raise mound of earth - 2 ft high from pits - 2 ½ in x 2 ½ - 12 in deep. for ¼ Sec. Cor -
77.38	Corner to Secs 5. 6. 7. 8
	Surface rolling Soil sandy - 2nd rate

Range 19 West 6th Prin.

Chains	
	North on random line bet Secs 5 and 6.
	Variation 13° 40' E
27.00	Enter high sandhill N.E. & S.W.
37.00	Leave " " " N.W. & S.E.
40.00	Set post for temporary ¼ Sec. Corner -
79.48	Intersect North boundary of Township at a Sprinkle Ck. Post ¼ corner to Secs 4 and 5 from which Corner Drum S. 51 West on true line bet. Secs 4 and 5
	Variation 13° 40' E
39.48	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit charcoal stake, raise mound of earth - 2 ft high from pits 2 ½ in x 2 in 12 in deep. for ¼ Sec. Corner to Secs. 5. 6. 7. 8
79.48	Surface rolling Soil 2nd rate

June 12th

Township 34 North—

Chains

General Description

The surface of this Township is generally gently rolling with considerable timber along the streams. Soil good 2d rate & 1st rate. A Creek 12 Lks. wide enters the Town. on the West side of Section 19 and takes a N.E. course and leaves the Township on the N. side of Section 5. The valley or bottom is generally narrow along the stream but near the North-side of Town. it spreads out and forms a high bottom or level upland.

This has a deep, rich soil, 1st rate — Buffalo grass is abundant.

This stream is fed by numerous springs which flow in from both sides

A Creek flows across the South-Eastern part this creek has a valley of 1st rate soil

Range 19 West 6th P.M.

Chains

The N. boundary & Black Hills Dragon Trail enters near N.E. corner and flows Westerly to S.W. part of Sec 16. Thence N.W. and leaves Town. near N.W. corner - There is a range of hills - Sand & clay mixed. With out - croppings of lime stone. This ridge runs in Sec. 14 and extends thro a part of Secs 10 - 15. & 9 and 16 There is a large Sand-hill in Secs 5 and 6 which is noticable from all points -

The valleys are well adapted to agriculture - uplands to grazing -

List of Names

A list of the names of the individuals employed to assist in running, meaning and marking the lines & corners described in foregoing field notes of Town. 34 N. R 19 W showing the respective capacities in which they acted -

F. A. Sears
Buckeney Miller } Chainmen
C. H. Brown. } Monumenters & Axemen
Evan Weldin

43

We hereby Certify We assisted Frank Crowell

Deputy Surveyor in Surveying The Exterior Boundaries and Subdividing Grd Meandering ↑ Township No 34 North of the base line of Range No 19 W of the 6th principal Meridian, and that said Township has been in all respects to the best of our knowledge and belief well and faithfully Surveyed and the boundary Monuments planted according to the instructions furnished by the Surveyor General of Dimensions character contents & Marking and in the manner described in the field notes

X Sears
Cyrkeney Miller
C H Brown
his
Esau + Reldin
mark
Axman

Subscribed and Sworn to before me this 14th day of June 18 y s J. B. Lonergan

Notary Public in and for Custer County State of Nebraska

I Frank Crowell

Deputy Surveyor do Solemnly Swear that — in pursuance of a Joint-Contract — Wherein Chauncy Wetter Frank Crowell and George W Burton are Joint-Contractors with E. E. Cunningham United States Surveyor General for the district of Nebraska bearing date the 29th day of April A D 18 y s — I have well faithfully and truly in my own proper person and in strict conformancy with the instructions furnished by the Surveyor General the Surveying Manual and the laws of the United States Surveyed all those parts or portions of Township No 34 North of the base line of Range No 19 West — of the

43

Principal Meridian

as are represented in the
foregoing Field Notes
as having been Surveyed
under my direction and
I do further Solemly
Swear that all the
Corners of said Surveys
have been Established and
perpetuated in Strict
Accordance with the
Surveying Manuall
and Printed instructions
and Special instructions of Surveyor
and that the foregoing
are the true and Original
field Notes of Such Survey

Frank Crowell
Deputy Surveyor

Subscribed And Sworn to
before me this 14th day
of June 1875

J. B. Sconce
Notary Public in and
for Antelope County
the State of
Nebraska

Surveyor General's Office
Plattsmouth Neb Aug 14th 1875

The foregoing field notes of the
Survey and Subdivision of
Township 34 North of Base Line
of Range 1 West of 6th P M in Neb
Executed by Frank Crowell
under your Contract #989.
dated April 29th 1875. in
the month of June 1875.
having been critically
Examined the necessary
corrections and explanations
made, the said field notes
with the Surveys thereby des-
cribed are hereby approved

Jno. Clark
Surveyor General

Field Notes
of the
Survey and Sub-division
of
Township 35 South
Range 19 West
of the 6th Prin. Meridian
in the
State of Nebraska

Executed by
George W. Burleigh
Deputy Surveyor, under
Joint Contract No 89.
Dated April 29th 1875

Survey
Commenced June 13th 1875
Completed June 14th 1875

43

Inside Diagram

of

Township 20 South

of the

Base Line

of

Range 19 West 6th P.M.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

List of Names

A list of the names of the persons who were employed to assist in surveying and subdividing this Township.

Leslie E. Scott } Chainmen
Wm. B. Spangler }

Charles Bowers } Monumenters
Adelbert D. Bierce } Axemen & Flagmen

Township 3 South- Range 19 West 6th P.M.

To determine the proper adjustment of the convergence for surveying and sub-dividing this Township I begin at Corner to Townships 24 and 25, Ranges 18 and 19 and run thence South on a blank line along the East side of Section 36
Variation

The East boundary of Sec 36 being less than 1 mile I assume the Variation 18 45 E

chains	
	From the established corner to Sec. 35 and 36 on South boundary of the Township. I run South bet. Sec. 35 and 36 Variation 13° 45' E
40.00	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep Deposit shaved stake 2 feet high from pits 22 in x 22 in - 12 in deep. For ¼ Sec. corner Enter Bottom, scattering oaks, N.W. and S.E.
53.00	
66.45	Right bank of Tuya Lake Tuya River and Set Cedar post 3 in x 3 in x 4 ft - 12 in deep for meander Corner to Sections 35 and 36 From which An Oak 8 in dia bears S 65 E 46 lks dist An Oak 30 " " " N 65 W 100 " " Upland rolling 1st rate Bottom level 1st rate

June 19 14

Timber Oak &
Cottonwood

Township 84 N.

Chains	
	From selected cor. to Sec. 34 & 35 on S. bound.
	Fourth Std. Par. 34 & 35
	Variation 13° 45' E
40.00	Set Cedar post 3 in x 2 in x 4 ft. 12 in deep
	Deposit charred stake, raise mound of earth 2 ft high
	From pits 12 in x 12 in deep for 4 Sec. Cor.
74.00	Enter Cotton Wd. N.E. & S.W.
80.00	Set a Line Stone 14 in x 8 in x 6 in - Excavate two pits on line 24 in x 24 in - 12 in deep
	For Corner to Sec. 26. 27. 34 and 35
	Surface rolling
	Soil 2d rate

Range 19 West 6th P.M.

Chains	
	Run Downing that 2 Mile reach the Keya-Paha River in 15 Links thence 80 chains
	Run
	East on a true line bet. Sections 26 and 35
	Variation 13° 45' E
8.00	Leave bottom N.E. and S.W.
36.00	Enter bottom N.W. and S.E.
40.00	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep Deposit charred stake raise mound of earth - 2 ft high From pits 12 in x 12 in - 12 in deep. For 1/4 Section Corner
71.50	To right bank of Keya-Paha River and Set Cedar post 3 in x 3 in x 4 ft - 12 in deep For Meander Cor. to Sec. 26 and 35
	From which
	A Cottonwood 24 in. dia. bears S 50 W 14 lks dist
	Upland rolling - Bottom level Soil all 1st rate - Timber Cotton + Elm

Township 33 South-

Range 19 West 6th P.M.

chains	
	South bet. Sec. 26 and 27
	Variation 18° 45' E
3.40	Right bank of Keya-Paha River
	Set Cedar post 8 in x 2 in x 4 ft - 12 in deep. Deposit stone and stake raise mound of earth 2 ft high
	Pits 2 2 in x 22 in 12 in deep. For Meander Corner to Frac. Sec. 26 and 27 in Hillocky-Bush.
	Surface bottom land Soil 1st rate
	June 13th

chains	
	From the established corner on Southerly boundary of Township.
	Set bet. Sec. 33 and 34
	Variation 18° 45' E
40.00	Set a Lime-Stone 22 in x 20 in x 15 in
	Excavate two pits on line. 22 in x 22 in 12 in deep for 1/4 Sec. Cor.
80.00	Set a Lime-Stone 24 in x 18 in x 14 in
	Excavate two pits on line 24 in x 24 in - 12 in deep. For corner to Sections 27. 28. 33 and 34.
	Surface gently rolling Upland Soil 2nd rate

Township 35 North Range 19 West 6th P.M.

chains		chains	
	East on range down line bet Sec. 27 and 34		North bet. Sections 27 and 28. Variation 13° 45' E.
	Variation 13° 45' E	27.00	Enter bottom & set Sandstone post. Scattering cotton wood
40.00	Set post for temporary ¼ Section Corner		
		40.00	Set a cedar post 3 in x 2 in x 4 ft. 12 in dep. from which A Cottonwood 36 in dia. bears West 40 lks distant. A Cottonwood 30 in. dia bears S 48° W 45 lks distant.
50.00	Enter bottom of Mt. on S.E.		
79.90	Intersect N. and S. line at a point 14 lks S. of comb to Sec. 26. 27. 34 and 35 from which comm Pine 289° 54' West on line bet. Sec. 27 and 34		
	Variation 13° 45' E		
4 39.95	Set Cedar post 3 in x 2 in x 4 ft — 12 in dep., for ¼ Section Corner from which An Oak 6 in dia bears N 2° East 60 lks distant Surface gently rolling and level Soil 1st rate	47.00	To South bank of Keya Paha River and set a cedar post 3 in x 2 in x 4 ft. 12 in deep for Meander Corner to fractional Sections 27 and 28 from which

(over)

79.90 T. 35 N. R. 19 W. 28. 33 & 34

Township 35 North-

chains

A Cottonwood 10 in diameter, bears S 30° W. 6 lks distant

A Cottonwood 8 in dia bears S 70° W 75 lks distant.

Surface — gently rolling and level

Soil 2nd rate —

June 13th —

Range 19 West 6th P.M.

chains

From the established corner to Sec. 32 and 33
From which Witness Sec. 32 and 33 bears Variation 18° E

18.00 Oak sapling bears

20.00 Enter low bottom
S. W. and N. E.

36.00 Stream 12 lks wide N. E.

38.00 Leave bottom for rough side-hill, scattering oak trees N. and S.

40.00 Set Cedar post, 3 in x 2 in x 4 ft. 12 in deep for ¼ Sec. Cor.
From which
An Oak 10 in dia bears East 21 lks. distant
An Oak 10 in dia bears S 45° E - 30 lks. distant

70.00 Leave side hill N. E.

80.00 Set Cedar post 3 in x 2 in x 4 ft. 12 in deep. Depression stake, mound of earth 2 ft high. Trench pits 24 in x 24 in 12 in deep for Corner to Secs 28 & 29, 32 and 33
Bottom level, Soil 1st rate, Bal rolling 2nd rate

Timber Oak -

6

Township 35 South

Range 1 West 6th P.M.

Chains		Chains	
	East on random line bet. Sec's 28 and 33 Variation 18° 30' E		North bet. Sec's 28 & 29 Variation 18° 30' E
18.00	Enter bottom dr. S.	40.00	Set Cedar post 3 in x 2 in x 14 - 12 in deep, deposit charcoal, stake, brass mound of earth 2 ft high from pits - 2 2 in x 22 in - 12 in deep
31.00	Stream 20 lks. wide N.		
40.00	Set post for temporary		
41.00	Section Corner E. and S.		
59.00	Square bottom dr. E. and S.		
79.69	Drain descends N.		
	Intersect N. and S. line at a point 45 lks. S. of Comm to Sec. 27. 28. 33 and 34 from which comer 2 pine S 89° 45' W set on true line bet. Sec's 28 & 33 Variation 18° 30' E	53.00	Enter bottom E. & W.
		80.00	Set Cedar post 3 in x 3 in x 4 ft 12 in deep for comm to Sec's 20. 21. 28 and 29 from which
4 39.84	Set Cedar post 8 in x 2 in x 4 ft 12 in deep for 1/4 Sec. cor from which		Cottonwood 12 in dia bears N. 70 W. 125 lks. dist. Bottom 1 1/4 gate - Rolling 2 " rate
	An Oak 18 in dia. bears N 80° E 120 lks. distant		Timber Cottonwood + oak
	Surface rolling Soil 2nd Except Bottom land 1st rate		
79.69	Cor. to Sec's 28. 34. 32 + 33		

Township 35 South-

chains	
	Knowing that I will intersect Keya-paha River in lea thereof 80 chains I run East on a true line bet. Sec. 21 & 28 Variation 18° 45' E
11.57	To Keya-paha River and set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit charcoal 1 stake, raise mound of earth 2 ft high from pits - 2 2 in x 12 in - 12 in deep, from meander Corner to Sec. Sec. 21 & 28
	Surface Bottom
	Soil 2nd rate
	Undergrowth of Willow

Range 19 West 6th P.M.

chains	
	Knowing that I will intersect Keya-paha River in lea thereof 80 chains I run West on a true line bet. Sec. 20 & 29 Variation 18° 45' E
37.50	Spring branch 3 lks wide runs South -
400	Set Cedar post - 3 in x 2 in x 4 ft - 12 in deep for Witness Corner from which a Cottonwood 12 in dia bears S 30 E 22 lks dist a Cottonwood 8 in dia bears S 20 W 30 lks dist
46.50	Intersect Keya-paha and set Cedar post 3 in x 2 in x 4 ft - 12 in deep for Meander Corner from which a Cottonwood 12 in dia bears S 40 E 1.00 chain dist
	Low Sandy bottom, Soil 2nd rate Scattering Cottonwood timber

See page 19

Township 33 South-

Chains

North bet. Sec. 20 & 21

Variation 18° 45' E

2.50 To Right bank of Royal Vaha River and bet (among Willow bush) a Cedar post 3 in x 2 in x 4 ft 12 in deep, Deposit Chained stake, brass mound of earth 2 ft high from pits 22 in x 22 in x 12 in deep. for Meander Corner to fractional Sections 20 and 21

Surface level

Soil Sandy 3rd rate

June 13th "

Range 19 West 6th Principal

Chains

South bet. Sec. 31 & 32

Variation 18° 50' E

40.00 Set Cedar post 8 in x 2 in x 4 ft - 12 in deep, Deposit Chained stake, brass mound of earth 2 ft high from pits 22 in x 22 in - 12 in deep for ¼ Section Corner

80.00 Set Cedar post 8 in x 3 in x 4 ft - 12 in deep, Deposit Chained stake, brass mound of earth 2 ft high from pits 24 in x 24 in - 12 in deep. for Corner to Sec 29. 30 31 and 32

Surface rolling

Soil 1st rate -

Township 35 N.

chains	
	East on random line bet. Sec.s 29 & 32 Variation 13° 50' E
40.00	Set post for temporary ¼ Section Corner
79.41	Intersect N. and S. line at a point 19 lks. S. of corner to Sec.s 28. 29. 32 and 33, from which Cor. S. Dun S 89° 52' West on line bet. Sec.s 29 & 32 Variation 13° 50' E
39.70½	Set Cedar post. 3 in. x 2 in. x 4 ft. 12 in. deep. Deposit chased stake, raise mound of earth 2 ft. high
4	From pits 2 in. x 22½ 12 in. deep for ¼ Sec. Cor.
79.41	Corner to Sec.s 29. 30. 31 and 32
	Surface gently rolly Soil sandy 2d. rate

Range 19 West 6th P.M.

chains	
	West on random line bet. Sec.s 30 & 31 Variation 13° 50' E
40.00	Set post for temporary ¼ Section Corner
77.10	Intersect W. and E. boundary at a point 34 lks. South of corner to Sec.s 30 & 31 from which corner S. Dun S 89° 45' East on true line bet. Sec.s 30 and 31 Variation 13° 50' E
37.10	Set Cedar post 3 in. x 2 in. x 4 ft. 12 in. deep. Deposit chased stake, raise mound of earth 2 ft. high from pits 22 in. x 22 in. 12 in. deep for ¼ Sec. Cor.
77.10	Corner to Sections 29. 30, 31 and 32
	Surface rolling Soil 2d. rate

Township 35 North

chains	
	South bet. Sec. 29 and 30
	Variation 13° 35' E
40.00	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chained stake. Raise mound of earth - 2 ft high from pits 24 in x 24 - 12 in deep. for 1/4 Section Corner
40.00	Enter bottom E and W. scattering oak and cottonwood
80.00	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chained stake. raize mound of earth - 2 ft high from pits 24 in x 24 - 12 in deep for comn to Sections 19. 20 29 30
	Surface upland rolling
	Soil 2nd rate -
	Bottom level 2nd rate -
	Timber Oak & Cottonwood

Range 19 West 6th P.M.

chains	
	Knowing that I will interpret the Kaya Paha River in lieu chain 80 chains I run
	East on a true line bet. Sec. 20 and 29
	Variation 13° 45' E
1.50	Left Right bank of Kaya Paha River ad. Set a Cedar post 3 in x 2 in x 4 ft - 12 in deep for Meander Corner to fractional Sec. 28 & 29 from which A Cottonwood 24 in dia. bears S 59° West 160 lks. distant.
	Surface level
	Soil 2nd rate -

See page 13

20

Township 35 North-

chains	
	West on random line bet. Sec. 19 and 30
	Variation 18° 35' E.
17.00	Leave bottom of W. bank 8 E.
27.38	Spring branch 2 lks. wide Jun Oak bearing N. E.
40.00	Set post for temporary ¼ Section Corner —
77.80	Intersect — West boundary of Township at 2 links 16 lks. North of corner to Sec. 19 & 30 from which corner I run S 89° E 3 East on true line bet. Sec. 19 and 30
	Variation 18° 35' E.
37.80	Set cedar post 8 in. x 2 in x 4 ft - 12 in deep. Deposit charred stake. 5 in mound of earth 2 ft high from pits - 22 in x 22 in 12 in deep for ¼ Sec. Cor. — Corner to Sec. 19. 20. 29 & 30 Surface level - Soil 2nd rate
77.80	

21

Range 19 West 6th Pm.

chains	
	North bet. Sec. 19 and 20
	Variation 18° 35' E.
12.60	Right bank of Kiya Raha River - Cedar post - 3 in x 2 in x 4 ft - 12 in deep for Meander Corner to Sec. Sec. 19 and 20 from which
	I Cottonwood 15 in dia bears S 39½ W 15 lks. dist.
	I Cottonwood 12 in dia bears S 8° E 20 lks.
	Surface level Soil 2nd rate
	June 14th 1875

Township 35 North-

Meanders of the Koya Toha River in this Township.

Begin at the Meander Corner to Sec. 19 and 24 on West boundary of the Township and run with the Meanders of said Township down Stream as follows:

In Section 19

Variation 13 3/4 E

	courses	chains
	1.	
N	55 1/2 E	3.00
N	11 E	7.50
N	8 1/2 E	9.80
N	34 1/2 E	6.00
N	89 1/4 E	7.00
S	60 E	8.70
N	70 1/2 E	6.00
S	55 E	5.90
S	15 E	10.20
S	18 W	4.50
S	32 W	5.00
S.	46 3/4 E	13.40
		9.10

Range 19 West 6th Pm

courses	chains	
S 76 1/4 E	6.50	
N 76 E	10.00	Spring branch 2 links from Sec
N. 64 3/4 E.	17.60	
S 85 1/2 E	6.40	
S 69 1/4 E	4.40	To Meander Cor. to Sec Sec. 19 and 20 thence in Sec 20
2		
S 51 E	3.00	
S 29 E	10.90	
S 23 E	1.00	To Meander Corner to Frac Sec 29 and 20 on East line thence in Sec 29
3		
S 23 E	2.50	
S 63 E	5.20	
N 85 1/4 E	11.20	
N 67 3/4 E	10.00	To Meander Corner to Frac Sec. 20 and 29 on West line thence in Sec. 20 Spring branch 3 lks wide comes from South-
4		
N 89 E	9.20	
75 3/4	12.50	
N		
S 85 E	7.20	
S 84 3/4 E	11.10	
N 83 E	7.00	
5		To Meander Corner to Frac Sec 20 and 21 Thence in Sec 21

24

Township 35 North-

Courses	Chains	
[illegible] E	40	
15 E	3.80	To Meander Corner to Frac Sec. 2 & 11 on 28 Thence in Sec. 28
6		
S 40½ E	16.60	
S 21½ E	11.50	
S 4½ E	11.10	
S 23 E	14.20	
S 47½ E	12.10	
S 84 E	4.00	Mouth of creek from South 4 ch. - 20 links wide
S 84 E	7.10	
N 57 E	12.50	
N 21¾ E	11.00	
N 54 E	11.20	
N 85¼ E	3.50	To Meander Corner to Frac Sec. 2 & 11 on 28 Thence in Sec 27
7		
N 85¼ E	3.50	
S 66½ E	7.30	
S 43½ E	6.20	
S 26½ E	4.10	
S 17½ E	6.00	
N 86½ E	6.40	
N 42 E	6.30	
N 1½ E	9.10	
N 16½ W	7.00	

25

Range 19 West 6th P.M.

Courses	Chains	
N 15 E	15.00	
N 70½ E	8.50	
S 31¼ E	13.00	
S 6½ E	13.30	
S 28½ E	23.00	
S 44 E	31.20	To Meander Corner to Fractional Sec. 26 & 27. Thence in Sec. 26
8		
N 78 E	6.40	
N 64¾ E	4.00	
N 11¾ E	11.00	
N 46 E	21.30	
N 72¾ E	9.00	
N 78 E	8.90	
S 34 E	25.30	
S 26½ E	4.70	To Meander Corner to Frac Sec. 26 & 35 Thence in Sec 35
9		
S 22 E	4.00	
S 33 E	12.00	To Meander Corner to Fractional Sec. 35 & 36 Thence in Sec 36
10.		
S 33 E	5.00	
S 6½ E	6.50	
S 72½ E	6.00	

Township 30 South—

S 80½ E	7.30
S 53¾ E	7.50
S 59¼ E	14.00
S 85 E	6.00
S 88 E	8.70
S 81¾ E	15.00
N 84½ E	11.60
11.	

To Meander Line to Sec. 31 and 86 on East Boundary of Township.

June 14th 1875

Range 9 West 6th P.M.

General Description

The soil of this Township is very good 2d. rate. The surface is generally rolling and broken by numerous Groves and Spring Branches. Buffalo is the principal kind of grass.

This Town. is better adapted to grazing than to Agricultural purposes.

Its bordering Boundary is the Nemaha River, which is also the Southern Boundary of the State of Nebraska. There is considerable Timber along this River and its tributaries. The timber is principally oak and Cottonwood.

List of Names

A list of the names of the individuals who were employed to assist in making measurings or marking the lines and corners described in the foregoing field notes of Township 35 North of Range 19 West of the 6th Prin. Meridian in Nebraska.

Leslie E. Scott } Chainmen
Wm. B. Spangler }

Charles Bowers } Marksmen
Adelbert D. Bierce } Axemen & Flagmen

We hereby certify that
we assisted Geo. W. Burton
deputy Surveyor in
Surveying the exterior
boundaries and subdividing
and meandering township
number thirty-five, north
of the base line of range
number nineteen, west,
of the sixth principal meridian
and that said township
has been in all respects
to the best of our
knowledge and belief well
and faithfully surveyed,
and the boundary monuments
planted according the
instructions furnished by
the Surveyor General. of dimensions
character, & inscription as per marking
and in the manner specified
described in the foregoing field notes

Leslie G. Scott Chainman
William B. Spangler
Charles Bazaar } Axmen
Adelbert D Pierce Monumentman
Flagman

Subscribed and sworn to before me
this 11th
Day of June 1875

John B. Cassell
Notary Public

I George W. Burton
deputy Surveyor do
solemnly swear that in
pursuance of a joint
Contract wherein Chauncy
Wilbur, Frank Crowell and I
Geo. W. Burton are joint contractors
with E. E. Cunningham United
States Surveyor general for the
district of Nebraska, bearing
date of 29th day of April 1875.
I have well, faithfully and
truly in my own proper person
and in strict conformity with
the instructions furnished by
the Surveyor General, the
Surveying manual and laws
of the United States, surveyed all
all those parts or portions
of township number thirty-
five, north of the base line
of range number nineteen
west of the sixth principal
meridian, as are represented
in the foregoing field notes
as having been surveyed

under my direction and
I do further solemnly swear
that all the corners of
said surveys have been
established and perpetuated
in strict accordance with
the Surveying Manual and
printed instructions * and that
the foregoing are the true
and original field notes
of such survey.

George W. Burton
Deputy Surveyor

Subscribed and sworn to before me
~~a notary public~~ J B Gonzales
a notary public in and for Archuleta
State of Colorado
County, this 4th day of June 1875

J. B. Gonzales
Notary Public

* and special instructions of the
Surveyor General, as to dimensions, character
construction and marking
and in the manner as
specifically described in
the foregoing field notes
that to - (as above)

Surveyor Generals Office
Plattsmouth Neb Aug 14th 1875

The foregoing field Notes of the Subdivision and Meanders of Townships 35 N of Base Line of Range 14 E of 6th P.M. in Neb. Executed by Geo W Burbee under joint Contract No 89 dated April 29th 1875. in the month of June 1875. having been critically examined, the necessary corrections and Explanations made. the said field notes, and the Surveys ther describe are hereby approved

Jno Q Clark.
Surveyor General

Corner
N 55½
N 11
N 8½
N 84½
S 18
S 32
S 46½

General Land Office • Original Field Notes

Book Number

439

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.