General Land Office • Original Field Notes

Book Number

441

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Town 5. N. R. 20 W. 6th P.M.

6	60	5	44	4	33	3	22	2	11	1	
	59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12	
	56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13	
	53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24	
	50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25	
	47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36	

Subdivision of Township
No 5 North Range No 20
West of 6th Principal
Meridian Nebraska

Commenced July 5th - 1869
Finished July 8th - 1869
By
William E Daugherty
Deputy Surveyor

Township No. 5. North, Range No. 20 West of the 6th Principal Meridian

Names and duties of Assistants

To determine the corner of the East boundary of the Township I commence at the corner of Townships 4 and 5 Ranges 19 & 20 West and run thence North on a blank line bar 13° 45' East

4000 fell 51 links West of 1/4 sec cor

8000 fell 93 links West of sec cor

From aforesaid Township corner I run west on a blank line

bar 13° 45' East

39.96 fell 44 links South of 1/4 sec cor

79.91 fell 95 links South of sec cor

Township No. 5. North, Range No. 20 West of the 6th Principal Meridian

North between Sections 35 & 36
Var 13° East

40.00 Set charred post in mound with pits as per instructions for 1/4 Sec cor

80.00 Set charred post in mound with pits as per instructions for corner to Sections 25 26 35 & 36

Surface hilly Soil 3rd Rate

N 89° 58' E on random line between Sections 25 & 36
Var 13° East

40.00 Set Temporary 1/4 Sec cor

80.14 Intersect Range line 91 links North of post

N 89° 23' W on a true line between Sections 25 and 36
Var 13° East

40.07 Set charred post in mound with pits as per instructions for 1/4 Sec cor

80.14 The corner to Sections 25 26 35 & 34

Surface hilly soil 2nd Rate

Township No. 5. North. Range No 20 West of the 6th Principal Meridian

North between Sections
25 and 24
Var 13° East

40.00 Set chained post in mound
with pits as per instructions
for 1/4 Sec cor

80.00 Set chained post in mound
with pits as per instructions
for corner to Sections
23 24 25 & 26
Surface hilly soil 2nd Rate

N 89° 38' E on a random line
between Sections 24 & 25
Var 13° East

40.00 Set Temporary 1/4 Sec cor

80.00 Intersect Range line 18 links North
of post

N 89° 5~~4~~6' W on a true line
between Sections 24 & 25
Var 13° East

40.00 Set chained post in mound
with pits as per instructions
for 1/4 Sec cor

80.00 The corner to Sections
23 24 25 & 26
Surface hilly soil 2nd Rate

Township No: 5. North. Range No 20 West of the 6th Principal Meridian

North between Sections 23 & 24
Bar 13 East

40.00 Set charred post in mound with pits as per instructions for
65.00 1/4 Sec Cor
80.00 Set charred post in mound with pits as per instructions for corner to Sections
13 14 23 & 24
Surface hilly Soil 3rd Rate

N 89° 58' E on a random line between Sections 13 and 24
76 Stream 25 links wide runs South
40.00 Set Temporary 1/4 Sec Cor Bar 13 East
80.24 Intersect Range line 16 links South of post

S 89° 55' W on a true line between Sections 13 and 24
Bar 13 East
40.13 Set charred post in mound with pits as per instructions for 1/4 Sec Cor
80.26 The corner to Sections
13 14 23 & 24
Surface level Soil 2nd Rate

Township No. 5. North. Range No. 20 West of the 6th Principal Meridian

	North between Sections 13 & 14
	Bear 13° East
10.25	Stream 25 links wide runs S.E.
40.00	Set charred post in mound
	with pits as per instructions
	for ~~corner 14~~ Sec cor
80.00	Set charred post in mound
	with pits as per instructions
	for corner to Sections
	11 12 13 and 14
	Surface hilly Soil 2nd Rate

	N 89° 58' E on a random line
	between Sections 12 and 13
	Bear 12° East
7.25	Stream 20 links wide runs South
40.00	Set Temporary 1/4 Sec cor
80.24	Intersect Range line 40 links
	North of post
	N 89° 45' W on a true line
	between Sections 12 and 13
	Bear 13° East
40.12	Set charred post in mound with
	pits as per instructions
	for 1/4 Sec cor
80.24	The corner to Sections
	11 12 13 & 14
	Surface hilly Soil 2nd Rate

Township No. 5. North. Range No. 20 West of the 6th Principal Meridian

North between Sections 11 & 12
Bar 13° East

40.00 Set chained post in mound with pits as per instructions for 1/4 Sec cor

80.00 Set chained post in mound with pits as per instructions for corn to Sections 1. 2. 11 & 12

Surface hilly soil 2nd Rate

N 89° 58' E on a random line between Sections 1 & 12
Bar 13° East

40.00 Set Temporary 1/4 Sec cor

80.36 Intersect Range line 10 links North of post

N 89° 58' W on a true line between Sections 1 and 12
Bar 13° East

40.18 Set chained post in mound with pits as per instructions for 1/4 Sec cor

80.36 The corn to Sections 1. 2. 11 & 12

Surface hilly Soil 3rd Rate

Township No. 5 North. Range No 30 West of the 6th Principal Meridian

North Random between Sections
1 & 2
Ven 13° East
40,00 Set Temporary 1/4 Sec cor
79,98 Intersect North boundary 25
links East of post

S 11° E on a true line
between Sections 1 & 2
Ven 13° East
39,98 Set charred post in mound with
pits as per instructions for
1/4 Sec cor
79,98 The corner to Sections
1, 2, 11 & 12
Surface hilly Soil 2d Rate
July 15th 1869

North between Sections 34 & 35
Ven 13° East
40,00 Set charred post in mound with
pits as per instructions for
1/4 Sec cor
45,00 Stream 25 links wide runs S W
80,00 Set charred post in mound with
pits as per instructions for Cor.
to 1/4 Secs. ~~cor~~ 26, 27, 34 and 35
Surface hilly Soil 3d Rate

Township No 5. North. Range No 20 West of the 6th Principal Meridian

N 89° 58' E on a random line between Sections 26 & 35
Var 13° East

7.50 Stream 25 links wide runs South
40.00 Set Temporary 1/4 Sec cor
80.00 Intersect North & South line 39 links South of post

S 89° 41' W on a true line between Sections 26 & 35
Var 13° East

40.00 Set chared post in mound with pits as per instructions for 1/4 Sec cor
80.00 ~~Set chared post in mound with pits as per instructions for~~ corner to Sections
26. 27. 34 & 35
Surface hilly Soil 2 Rate

North between Sections 26 & 27
Var 13° East

40.00 Set chared post in mound with pits as per instructions for 1/4 Sec cor
80.00 Set chared post in mound with pits as per instructions for corner to Sections
22 23 26 & 27
Surface hilly Soil 2 Rate

Township No 5 North. Range No 20 West of the 6th Principal Meridian

N 89° 58' E on a random line between Sections 23 & 24
Var 13° East

40.00 Set Temporary 1/4 Sec cor

45.00 Stream 15 links wide runs South

80.30 Intersect North & South line 15 links North of Nort

N 89° 56' W on a true line between Sections 23 & 24
Var 13° East

40.15 Set chared post in mound with pits as per instructions for 1/4 Sec cor

80.30 The corner to Sections 22 23 26 & 27
Surface hilly Soil 2 Rate

North between Sections 22 & 23
Var 13° East

40.00 Set chared post in mound with pits as per instructions for 1/4 Sec cor

80.00 Set chared post in mound with pits as per instructions for 1/4 Sec cor. to Secs 14. 15 22 & 23
Surface hilly Soil 3 Rate

Township No 5 North, Range No 20 West of the 6th Principal Meridian

N 89° 58' E on a random line
between Sections 14 and 23
Ran 13° East

40.00 Set Temporary 1/4 Sec cor
80.42 Intersect North South line
17 links South of Post

N. ~~S~~ 89° 55' W on a true line
between Sections 14 and 23
Ran 13° East

40.21 Set charred post in mound
with pits as per instructions
for 1/4 Sec cor

80.42 The corner to Sections
14, 15 ~~to~~ 22 & 23
Surface hilly Soil 2nd Rate

North between Sections 14 & 15
Ran 13° East

40.00 Set charred post in mound with
pits as per instructions for
1/4 Sec cor

80.00 Set charred post in mound with
pits as per instructions for
corner to Sections 10. 11. 14 & 15
Surface hilly soil 2 Rate

Township No. 5. North, Range No. 20 West, of the 6th Principal Meridian

N 89° 58' E on a random line
between Sections 11 & 14
Var 13° East

40.00 Set Temporary 1/4 Sec cor
80.12 Intersect West & South line
13 links North of post

N 89° 56' W on a true line
between Sections ~~10~~ 11 & ~~15~~ 14
Var 13° East

40.06 Set charred post in mound
with pits as per instructions
for 1/4 Sec cor

80.12 The corners to Sections
10, 11, 14 & 15
Surface hilly soil 2nd Rate

North between Sections 10 & 11
Var 13° East

40.00 Set charred post in mound
with pits as per instructions
for 1/4 Sec cor

80.00 Set charred post in mound
with pits as per instructions
for corner to Sections
2, 3, 10 & 11
Surface hilly soil 3rd Rate

Township No 5. North. Range No 20 West of the 5th Principal Meridian

N 89° 38' E on a random line
between Sections 2 & 11
Var 13° East
40.00 Set ~~Temporary 1/4 Sec cor~~ ~~chained post in mound with~~
~~pits as per instructions for~~
80.34 ~~Intersection~~ North & South line
39 links North of post

N 89° ~~35~~ 45' W on a true line
between Sections 2 & 11
Var 13° East
40.17 Set chained post in mound with
pits as per instructions
for 1/4 Sec cor
80.34 The corner to Sections
2 3 10 & 11
Surface hilly Soil 3rd Rate

North random between Sections
2 & 3
Var 13° East
40.00 Set Temporary 1/4 Sec cor
80.17 Intersect North boundary 63 link
East of post

S 27' E on a true line between
Sections 2 and 3
Var 13° East
40.17 Set chained post in mound with
pits as per instructions for
1/4 Sec cor
80.17 The corner to Sections
2 3 10 & 11
Surface hilly Soil 3rd Rate

Township No 5 North. Range No 20 West of the 6th Principal Meridian

North between Sections
33 & 34
Var 13° East

40.00 Set chained post in mound with pits as per instructions for 1/4 Sec cor

80.00 Set chained post in mound with pits as per instructions for corner to Sections 33 & 34 & 27 & 28
Surface hilly Soil 3rd Rate

N 89° 58' E on a random line between Sections 27 & 34
Var 13

20.00 Stream 15 links wide runs South

40.00 Set Temporary 1/4 Sec cor

80.16 Intersect North & South line between Sections 68 links South of Post

S
~~N~~ 89° ~~33~~ 29' W on a true line between Sections 27 & 34
Var 13° East

40.08 Set chained post in mound with pits as per instructions for 1/4 Sec cor

80.16 The corner to Sections 27 28 33 & 34
Surface hilly Soil 3rd Rate

Township No. 5. North, Range No 20 West of the 6th Principal Meridian

North between Sections 27 & 28
Var 14° East

38.00 Creek 20 links wide runs S 10 E

40.00 Set chased post in mound with pits as per instructions for 1/4 Sec cor

80.00 Set chased post in mound with pits as per instructions for corner to Sections
21 22 27 & 28
Surface hilly Soil 3rd Rate

July 6th 1869

N 89° 58' E on a random line between Sections 22 & 27
Var 13° East

40.00 Set Temporary 1/4 Sec cor

80.00 Intersect North & South line 55 links South of post

S 89° 37' W on a true line between Sections 22 & 27
Var 13° East

40.00 Set chased post in mound with pits as per instructions for 1/4 Sec cor

80.00 ~~Set chased post in mound with pits as per instructions for~~ corner to Sections
21 . 22 . 27 & 28
Surface hilly Soil 3rd Rate

Township No. 5. North, Range No 20 West of the 6th Principal Meridian

North between Sections 21 & 22
~~Bear~~ 13° 30' East

40.00 Set charred post in mound with pits as per instructions for 1/4 Sec cor

80.00 Set charred post in mound with pits as per instructions for corner in Sections 15 16 21 & 22
Surface hilly Soil 3rd Rate

N 89° 58' E on a random line between Sections 15 & 22
Bear 13° 30' East

40.00 Set Temporary 1/4 Sec Cor

80.28 Intersect North & South line 52 links North of post

N 89° 40' ~~E~~ W on a ~~random~~ true line between Sections 15 & 22
Bear 13° 30' East

40.14 Set charred post in mound with pits as per instructions for 1/4 Sec cor

80.28 The corner in Sections 15. 16. 21 & 22
Surface hilly Soil 3rd Rate

Township No. 5. North, Range No

North between Sections 15 & 16
Var 13° East

40.00 Set charred post in mound
with pits as per instructions
for 1/4 Sec cor

80.00 Set charred post in mound
with pits as per instructions
for corner to Sections
9 10 15 & 16
Surface hilly Soil Gravel

20 West of the 6th Principal Meridian

N 89° 58' E on a random line
between Sections 10 & 15
Var 13° East

40.00 Set Temporary 1/4 Sec cor

80.30 Intersect North & South line 67
links South of post

S 89° ~~33~~ 29' W on a true line between
Sections 10 & 15
Var 13° East

40.15 Set charred post in mound with
pits as per instructions for
1/4 Sec cor

80.30 The corner to Sections
9 10 15 & 16
Surface hilly Soil Gravel

✓

Township No. 5. North, Range No

North between Sections 9 & 10
Var 13° East

40.00 Set charred post in mound with pits as per instructions for 1/4 Sec cor

80.00 Set charred post in mound with pits as per instructions for cor to Sections 3 4 & 9 & 10

Surface hilly Soil 3rd Rate.

to west of the 6th Principal Meridian

N 89° 58' E on a random line between Sections 3 & 10
Var 13° East

40.00 Set Temporary 1/4 Sec cor

80.00 Intersect North & South line 72 links South of post

S 89° ~~31~~ 27' W on a true line between Sections 3 & 10
Var 13° East

40.00 Set charred post in mound with pits as per instructions for 1/4 Sec cor

80.00 ~~Set charred post in mound with pits as per instructions for~~ cor to Sections 3 4 9 & 10

Surface hilly Soil 3rd Rate

Township No 5, North, Range No 20 West of the 6th Principal Meridian

North random between Sections 3 & 4
Var 13° East

4000 Set Temp 1/4 Sec cor ~~chared post in mound with pits as per instructions for 1/4 Sec cor~~

8000 Set Interest North boundary 31 links East ~~chared post in mound with pits as per instructions for~~ of post

S 13° E on a tim line between Sections 3 & 4
Var 13° East

4000 Set chared post in mound with pits as per instructions for 1/4 Sec cor

8000 The corr in Sections 3 4 9 & 10
Surface hilly soil 3° Rat

North between Sections 32 & 33
Var 13° East

4000 Set chared post in mound with pits as per instructions for 1/4 Sec cor

8000 Set chared post in mound with pits as per instructions for corr in Sections 28 29 32 & 33
Surface hilly soil 3° Rat.

Township No. 5. North. Range No 20 west of the 6th Principal Meridian

N 89° 58' E on a random line between Sections 28 & 33
Var 13° East

4000 Set Temporary 1/4 Sec cor

8000 Intersect North & South line 40 links South of post

S 89° 45' W on a true line between Sections 28 & 33
Var 13° East

4000 Set chared post in mound with pits as per instructions for 1/4 Sec cor

8000 Set ~~chared~~ The corner to Sections 28 29 32 & 33
Surface hilly Soil 3rd Rate

North between Sections 28 & 29
Var 13° East

4000 Set chared post in mound with pits as per instructions for 1/4 Sec cor

8000 Set chared post in mound with pits for corner to Sections 20 21 28 & 29
Surface hilly Soil 3rd Rate

Township No. 5. North, Range No 20 west of the 6th Principal Meridian

N 89° 58' E on a random line
between Sections 21 & 28
Var 13° East

40.00 Set Temporary 1/4 Sec cor
55.00 Stream 20 links wide runs South
80.10 Intersect North & South line
38 links North of Nort

N 89° 46' W on a true line
between Sections 21 & 28
Var 13° East

40.05 Set chared post in mound with
pits as per instructions for
1/4 Sec cor
80.10 The corner to Sections
20 21 28 & 29
Surface hilly soil 3° Rat

North between Sections 20 & 21
Var 13° East

40.00 Set chared post in mound
with pits as per instructions
for 1/4 Sec cor
80.00 Set chared post in in mound
with pits as per instructions
for corner to Sections
16 17 20 & 21
Surface hilly soil 3° Rat

Township No. 5. North, Range No. 20 West of the 6th Principal Meridian

N 89° 58' E on a random line
between Sections 16 & 21
Var 13° East

40.00 Set Temporary 1/4 Sec cor
60.00 Chain 20 links wide mud South
80.66 Intersect North & South line
114 links North of post

N 89° 13' W on a true line
between Sections 16 & 21
Var 13° East

41.33 Set charred post in mound
with pits as per instructions
for 1/4 Sec cor
80.66 The cor to Sections
16, 17, 20 & 21
Surface hilly Soil 3rd Rate

North between Sections 16 & 17
Var 13° East

40.00 Set charred post in mound with
pits as per instructions for
1/4 Sec cor
80.00 Set charred post in mound with
pits as per instructions
for corr to Sections
8, 9, 16 & 17
Surface hilly Soil 3rd Rate

Township No 5. North. Range No 20 West of the 6th Principal Meridian

N 89° 58' E on a random line
between Sections 9 & 16
Var 13° East

3100 Shown 10 links under mus south
4000 ~~The~~ Set Temporary 1/4 Sec cor
79,98 Intersect North & South line 50
links South of West

S 89° ~~41~~ 37' W on a true line
between Sections 9 & 16
Var 13° East

39,99 Set chared post in mound
with pits as per instructions
for 1/4 Sec cor
79,98 The corn in Sections
8 9 16 & 17
Surface hilly soil 3" Rate

North between Sections 8 & 9
Var 13° East

40,00 Set chared post in mound with
pits as per instructions for
1/4 Sec cor
80,00 Set chared post in mound with
pits as per instructions for
corn in Sections 4. 5. 8 & 9
Surface hilly soil 3" Rate

Township No 5. North. Range No 20 west of the 6th Principal Meridian

N 89° 58' E on a random line
between Sections 4 & 9
Var 13° East
40.00 Set Temporary 1/4 Sec cor
43.30 Stream 10 links wide runs South
80.30 Intersect North & South line
36 links North of post

N 89° 47' W on a true line
between Sections 4 & 9
Var 13° East
40.15 Set chared post in mound
with pits as per instructions
for 1/4 Sec cor
80.30 The corn to Sections
4 5 8 & 9
Surface hilly Soil 3rd Rate

North random between sections
4 and 5
Var 13° East
40.00 Set ~~chared~~ Temporary 1/4 post ~~in mound with~~
~~pits as per instructions for~~
~~1/4 Sec cor~~
~~80.00~~ 80.20 Intersect North boundary 56 links
west of post

S 24' W on a true line
between Sections 4 & 5
Var 13° East
40.20 Set chared post in mound
with pits as per instructions
for 1/4 Sec cor
80.20 The corn to Sections
4. 5. 8 & 9
Surface hilly Soil 3rd Rate

Township No. 5 North. Range No 20 West of the 6th Principal Meridian

North between Sections 31 & 32
Var 13° East

40.00 Set Chared post in mound with pits as per instructions for 1/4 Sec cor

80.00 Set chared post in mound with pits as per instructions for corn to Sections 29 30 31 & 32
Surface hilly Soil 3° Rate.

N 89° 58' E on a random line between Sections 29 & 32
Var 13° 45' East

40.00 Set Temporary 1/4 Sec cor

79.82 Intersect North & South line 16 links North of post

N 89° 55' W on a true line between Sections 29 & 32
Var 13° 45' East

39.91 Set chared post in mound with pits as per instructions for 1/4 Sec cor

79.82 The corn to Sections 29, 30, 31 & 32
Surface hilly Soil 3° Rate

Township No. 5. North. Range No 20 West of the 6th Principal Meridian

S 89° 38' W on a random line
between Sections 30 & 31
Var. 13° 30' East
4000 Set Temporary 1/4 Sec cor
B.T. 19 Intersect Range line 27 links
South of post

S 89° 50' E on a true line
between Sections 30 & 31
Var. 13° 30 East
40.19 Set charred post in mound with
pits as per instructions for
~~Cor~~ 1/4 Sec cor
80.19 The corr in Sections
29. 30. 31 & 32
Surface hilly Soil 3rd Rate

July 7th 1869

North between Sections 29 & 30
Var 13° 30' East
40.00 Set charred post in mound with
pits as per instructions for
1/4 Sec cor
80.00 Set charred post in mound with
pits as per instructions for
corr in Sections 19. 20. 29 & 30
Surface hilly Soil 3rd Rate

Township No. 5. North. Range No. 70 West of the 6th Principal Meridian

N 89° 58' E on a random line between Sections 20 & 29
Bar 13° East

40.00 Set Temporary 1/4 Sec cor
80.16 Intersect North & South line 20 links North of post

N 89° 53' W on a similar line between Sections 20 & 29
Bar 13° East

40.08 Set charred post in mound with pits as per instructions for 1/4 Sec cor
80.16 The corr to Sections 19, 20, 29 & 30
Surface hilly Soil 3rd Rate

S 89° 58' W on a random line between Sections 19 & 30
Bar 13° East

40.00 Set Temporary 1/4 Sec cor
80.00 Intersect Range line 70 links North of post

N 89° ~~32~~ 28' E on a true line between Sections 19 & 30
Bar 13° East

40.00 Set charred post in mound with pits as per instructions for 1/4 Sec cor
80.00 The corr to Sections 19, 20, 29 & 30
Surface hilly Soil 3rd Rate

Township No. 5. North. Range No. 20 west of the 6th Principal Meridian

North between Sections 19 & 20
Var 13° East

40.00 Set chained post in mound with pits as per instructions for 1/4 Sec cor

80.00 Set chained post in mound with pits as per instructions for corn to Sections
17 18 19 & 20
Surface hilly Soil 3rd Rate

N 89° 58' E on a random line between Sections 17 & 20
Var 13° East

40.00 Set Temporary 1/4 Sec cor

80.24 Intersect North & South line 37 links South of cor

S 89° 47' W on a true line between Sections 17 & 20
Var 13° East

40.13 Set chained post in mound with pits as per instructions for 1/4 Sec cor

80.26 The corn to Sections
17 18 19 & 20
Surface hilly, Soil 3rd Rate

Township No. 5. North, Range No. 20 west of the 6th Principal Meridian

S 89° 58' W on a random line between Sections 18 & 19
Var 18° East

40.00 Set Temporary 1/4 Sec cor
79.93 Intersect Range line 40 links North of post

~~N 89° 58' E~~ N 89° 41' E ~~45'~~ E on a true line between Sections 18 & 19
Var 13° East

39.93 Set charred post in mound with pits as per instructions for 1/4 Sec cor
79.93 The corn to Sections 17 18 19 & 20
Surface hilly Soil 3rd Rate

North between Sections 17 & 18
Var 13° East

40.00 Set charred post in mound with pits as per instructions for 1/4 Sec cor
80.00 Set charred post in mound with pits as per instructions for corn to Sections 7. 8. 17 & 18
Surface hilly Soil 3rd Rate

Township No. 5 North, Range No 20 West of the 6th Principal Meridian

N 89° 58' E on a random line between Sections 8 & 17
Var 13° East

40.00 Set Temporary 1/4 Sec cor
80.12 Intersect North & South line 58 links North of post

N 89° 37' W on a true line between Sections 8 & 17
Var 13° East

40.06 Set charred post in mound with pits as per instructions for 1/4 Sec cor
80.12 The cor to Sections 7, 8, 17 & 18
Surface hilly Soil 3rd Rate

S 89° 58' W on a random line between Sections 7 & 18
Var 13° East

40.00 Set Temporary 1/4 Sec cor
79.87 Intersect Range line 60 links South of post

S 89° 46' E on a true line between Sections 7 & 18
Var 13° East

39.87 Set charred post in mound with pits as per instructions for 1/4 Sec cor
79.87 The cor to Sections 7 8 17 & 18
Surface hilly Soil 3rd Rate

Township No. 5 North, Range No 20 West of the 6th Principal Meridian

North between Sections 7 & 8
Var 13° East

40.00 Set chased post in mound with pits as per instructions for 1/4 Sec cor

80.00 Set chased post in mound with pits as per instructions for corr to Sections 5, 6, 7 & 8
Surface hilly Soil 3rd Rate

~~North~~ N 89° 58' E on a random line between Sections 5 & 8
Var 13° East

40.00 Set Temporary 1/4 Sec cor

80.24 Intersect North and South line 28 links North of post

N 89° 50' W on a line between Sections 5 & 8
Var 13° East

40.12 Set chased post in mound with pits as per instructions for 1/4 Sec cor

80.24 The corr to Sections 5, 6, 7 & 8
Surface hilly Soil 3rd Rate

Township No. 5. North, Range No

S 89° 38' W on a random
line between Sections 6 & 7
Bar 13° East
4000 Set Temporary 1/4 Sec cor
79.73 Intersect Range line 60 links
North of post

N 89° ~~44~~ 32' W on a true line
between Sections 6 & 7
Bar 13° East
39.73 Set charred post in mound
with pits as per instructions
for 1/4 Sec cor
7973 The cor to Sections
5 6 7 & 8
Surface hilly soil 3rd Rate

to west of the 6th Principal Meridian

North random between Sections
5 and 6
Bar 13° East
4000 Set Temporary 1/4 Sec cor
79.90 Intersect North boundary 17
links west of cor

S 89° 7' W on a true line between
Sections 5 and 6
Bar 13° East
39.90 Set charred post in mound
with pits as per instructions
for 1/4 Sec cor
7990 The cor to Sections
5 6 7 & 8
Surface hilly soil 3rd Rate

July 8th 1849

General description. The surface of this Township is generally hilly; soil mostly 2nd rate; watered by Spring Creek, which runs through the Township in a Southerly direction; this stream is skirted with Cottonwood & Elm timber.

See paper attached 4 leaves forward

A. L. Brown Chf. Clk.

A list of the names of the individuals, employed to assist in running, measuring or marking the lines and corners described in the foregoing field notes, of the subdivision of Township No 5. North, Range 20 West of the 6" Principal Meridian in the State of Nebraska

Shewing the respective capacities position in which they acted

We hereby certify that ~~the fore~~ we assisted William E. Daugherty Deputy Surveyor, in surveying and subdividing Township No 5. North Range 20. West of the 6" Principal Meridian, and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the monuments planted according to the instructions of the Surveyor General

Benjamin Mullikin chainmen
Thaddeus Galey
Allen Develniss
Axman

Subscribed and sworn to before me at my office in North Platte Lincoln County and State of Nebraska this 14th day of July, A.D. 1869.
M H Stone
(Supapn) Judge of Probate

I, William E. Dougherty Deputy Surveyor, do solemnly swear that in pursuance of a contract with R.W. Hitchcock, Surveyor General of the Public lands of the United States in the State of Nebraska, bearing date the 15th day of September 186[illegible] and in strict conformity to the laws of the United States and the instructions furnished by the Surveyor General I have faithfully, Surveyed and subdivided, Township No 5 North Range No 20 West of the 6th Principal Meridian State of Nebraska, and further Solemnly swear that the foregoing are the true and original field notes of the said Survey

William E Dougherty
Deputy Surveyor

Subscribed and Sworn to before me at My Office in North Platte Lincoln County and State of Nebraska this 14th day of July, A.D. 1869.

[illegible] Stone
Judge of Probate

(See paper attached)

Approval

Surveyor General's Office
Plattsmouth Neb. Aug. 27. 1869

The foregoing field notes of the Survey of the Subdivision lines of Township No 5. N. Range No. 20 W. of the 6th Principal Meridian in the State of Neb. Executed by William E. Daugherty, Deputy Surveyor, under his contract of the 15th day of September 1868. in the Month of July 1869. having been critically examined, the necessary corrections and explanations made, the said field notes and the Surveys they describe, are hereby approved.

Robt. R. Simpson
Surveyor General.

Township 5 N R 25 W

General Description

The Surface generally hilly
Soil mostly 2nd Rate
watered by Spring creek
which runs through the Township
in a Southerly direction
the Stream is skirted with
Cottonwood & Elm Timber

Index. Diagram. T. 6 N. Range 20 W.

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36.

Subdivision of Township
No 6 North of Range No
20 West of the 6 principal
Meridian Nebraska
Commenced July 26th 1869
Finished July 31st 1869
By
William E Dougherty
Deputy Surveyor

Township No 6 North Range No

Names of Assistants

Herbert R Wiley } Chainmen
Thaddeus Foley }

Allen Develvis } Axemen

2

20 West of the 6th Principal Meridian

To determine the corner of the East boundary of the Township I commence at the corner of Townships 5 and 6 Ranges 19 and 20 West and run thence North on a blank line
Bar 14° East

40.00 fall 24 links West of 1/4 Sec cor

79.95 fall 4 links East of Section corner

From aforesaid Township corner I run S 89° 58' W on a blank line
Bar 14° East

40.07 fall 14 links South of 1/4 Sec corner

80.19 fall 12 links South of Section corner

Township No 6 North Range No 20

North between Sections
35 and 36
Var 14° East

40.00 Set charred post in mound of
Earth with pits as per
instruction for 1/4 Sec corn

80.00 Set charred post in mound of
Earth with pits as per
instruction for corn to
Sections 25 26, 35 and 36
Surface gently rolling
Soil 2nd Rate

West of the 6th Principal Meridian

N 89° 58' E on a random line
between Sections 25 and 36
Var 14° East

40.00 Set Temporary 1/4 Sec corn

80.20 Intersect Range line 60 links
North of post

N 89° 46' W on a true line
between Sections 25 and 36
Var 14° East

40.10 Set charred post in mound of
Earth with pits as per
instructions for 1/4 Sec corn

80.20 The corn of Sections
25 26 35 and 36
Surface gently rolling
Soil 2nd Rate

Township No. 6 North of Range No. 20 West of 6th Principal Meridian

North between Sections
25 and 26
Var 14° East

4000 Set chained post in mound
" of Earth pits as per
instructions for 1/4 Sec cor
8000 Set chained post in mound of
Earth with pits as per
instruction for corner to Sections
23, 24, 25 and 26
Surface gently rolling
Sol 2 Rate

N 89° 58' ~~W~~ E on a random line between
Sections 24 and 25
Var 14° East
4000 Set Temporary 1/4 Sec corner
7992 Intersect Range line 16 links South
of post

S 89° 55' W on a true line between
Sections 24 and 25
Var 14° East
3994 Set chained post in mound of
Earth with pits as per instruction
for 1/4 Sec corner
7992 The corner of Sections
23, 24, 25 and 26
Surface level Sol 2 Rate

Township No 6 North of Range No

North between Sections
23 and 24
Var 14° East

40.00 Set chained pit in mound of
Earth with pits as per
instructions for 1/4 Sec corner

80.00 Set chained pit in mound of
Earth with pits as per
instructions for corner to
Sections 13, 14, 23 and 24
Surface rolling Soil
2nd Rate

20 West of the 6th Principal Meridian

N 89° 58' E on a random line
between Sections 13 and 24
Var 13° 45' East

40.00 Set Temporary 1/4 Sec corner

80.30 Intersect Range line 28 links
North of post.

N 89° 58' W on a true line between
Sections 13 and 24
Var 13° 45' East

40.15 Set chained pit in mound of
Earth with pits as per instructions
for 1/4 Sec corner

80.30 The corner of Sections
13, 14, 23 and 24
Surface gently rolling
Soil 2nd Rate

Township No 6 North of Range No 20

North between Sections
13 and 14
Var 13°40' East

40.00 Set chared post in mound of Earth with pits as per instruction for 1/4 Sec corner

80.00 Set chared post in mound of Earth with pits as per instruction for corner to Sections 11, 12, 13 and 14
Surface rolling Soil 2nd Rate.

West of 6th Principal Meridian

N 89°58' E on a random line between Sections 12 and 13
Var 13°40' East

40.00 Set Temporary 1/4 Sec corner

80.00 Intersect Range line 58 links North of post

N 89°37' W on a true line between Sections 12 and 13
Var 13°40' East

40.00 Set chared post in mound of Earth with pits as per instructions for 1/4 Sec. corner ~~to Sections~~

80.00 The corner to Sect. 11, 12, 13 & 14
~~11, 12, 13 and 14~~
Surface rolling Soil 2nd rate

Township No. 6 North of Range No 20

North between Sections
11 and 12
Bar 13° 40' East

40.00 Set charred post in mound of
Earth with pits as per
instructions for 1/4 Sec corn

80.00 Set charred post in mound
of Earth with pits as per
instructions for corner to
Sections 1, 2, 11 and 12
Surface gently rolling
Soil 2 Rate

20 Town of 6th Principal Meridian

N 89° 58' E on a random line
between Sections 1 and 12
Bar 13° 30' East

40.00 40.00 Set Temporary 1/4 Sec cor

80.24 80.24 Intersect Range line 38 links
North of post

N 89° 44' W on a true line
between Sections 1 and 12
Bar 13° 30' East

40.12 Set charred post in mound of Earth
with pits as per instructions
80.24 for 1/4 Sec corn

80.24 The corner of Sections
1, 2, 11 and 12
Surface gently rolling
Soil second rate

Township No 6 North of Range No 20 West of the 6th Principal Meridian

North random between
Sections 1 and 2
Var 13° 30' East

4000 Set Temporary 1/4 Sec corn
79.73 Intersect North boundary 39 links East of post

S 17' E on a true line between
Sections 1 and 2
Var 13° 30' East

39.73 Set charred post in mound of Earth with pits as per instructions for 1/4 Sec corn
79.73 The corner of Sections 1, 2, 11 and 12
Surface rolling Soil 2nd Rate

July 26th 1869

North between Sections 34 and 35
Var 14° East

4000 Set charred post in mound of Earth with pits as per instructions for 1/4 Sec corn
8000 Set charred post in mound of Earth with pits as per instructions for corn to Sections 26 27 34 and 35
Surface gently rolling.
Soil 2nd Rate

Township No 6 North of Range No

N 89°58' E on a random
between Sections 24 & 35
Var 14° East

~~40,00 Set chained post in mound of~~
~~Earth with pits as per~~
~~instructions for 1/4 Sec corn~~

~~80,00 Set chained post in mound of~~
~~Earth with pits as per~~
~~instructions for corner of Sections~~
~~26 27 & 35~~

40,00 Set Temporary 1/4 Sec corn
80,10 Intersect North & South line
27 links North of post

N 89°50' W on a true line
between Sections 26 and 35
Var 14° East

40,05 Set chained post in mound of
Earth with pits as per
instructions for 1/4 Sec corn

80,10 The corner of Sections
26, 27, 34 and 35
Surface rolling
Soil 2nd Rate

20 Range of the 6th Principal Meridian

North between Sections 26 and 27
Var 13°45' East

40,00 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner

80,00 Set chained post in mound of Earth
with pits as per instructions
for corner to Sections
22, 23, 26 and 27
Surface gently rolling
Soil 2nd Rate

Township No. 6 North of Range No 20 West of the 6th Principal Meridian

N 89° 58' E on a random
~~line 76~~ between Sections
23 and 26
Ben 13° 30' East
4000 Set Temporary 1/4 Sec corn.
80.44 Intersect North and South line
76 links North of post

N 89° 30' W on a true line
between Sections 23 & 26
Ben 13° 30' East
40.22 Set chained post in mound of
Earth with pits as per
instructions for 1/4 Sec corn.
80.44 The corns of Sections
22, 23, 26 & 27
Surface rolling Soil
2nd Rate

North between Sections 22 and 23
Ben 13° 30' East
4000 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
8000 Set chained post in mound of Earth
with pits as per instructions
for corner to Sections
14, 15, 22 and 23
Surface rolling Soil 2nd Rate

Township No 6 North of Range No

N 89° 58' E on a random line
between Sections 14 and 23
Var 13° 30' East
4000 Set Temporary 1/4 Sec corner
79.88 Offset North and South line
18 links South of post

89° 50'
S 89° 50' W on a true line between
Sections 14 and 23
Var 13° 30' East
39.94 Set charred post in mound
of Earth with pits as per
instructions for 1/4 Sec corner
79.88 The corner of Sections
14, 15, 22 and 23
Surface rolling Soil
2nd Rate

20 West of the 6th Principal Meridian

North between Sections 14 and 15
Var 13° 30' East
40.00 Set charred post in mound of Earth
with pits as per instructions
8000 Set charred post in mound of Earth
with pits as per instructions
for corner to Sections
10, 11, 14 and 15
Surface rolling Soil 2nd Rate

Township No 6 North of Range No 26 West of the 6th Principal Meridian

N 89° 58' E on a random between Sections 11 and 14
Var 13° 30' East

4000 Set Temporary 1/4 Sec corner
80.26 Intersect North and South line 28 links North of mor

N 89° 50' W on a tie line between Sections 11 and 14
Var 13° 30' East

40.13 Set chared post in mound of Earth with pits as per instructions for 1/4 Sec corner
80.26 The corner to Sections 10, 11, 14 and 15
Surface gently rolling
Soil 2nd Rate

North between Sections 10 & 11
Var 13° 30' East

4000 Set chared post in mound of Earth with pits as per instructions for 1/4 Sec corner
8000 Set chared post in mound of Earth with pits as per instructions for corner to Sections 2, 3, 10 and 11
Surface level Soil 2nd Rate

Township No 6 North of Range No

N 89° 58' E on a random line
between Sections 2 and 11
Var 13° 30' East

40.00 Set Temporary 1/4 Sec corn
80.04 Intersect North and South line
40 links South of post

~~S~~ 89° 45' W on a true line line
between Sections 2 & 11
Var 13° 30' East

40.02 ~~Intersect North & South line~~
Set ~~Set~~ charred post in mound of
Earth with pits as per
instructions for 1/4 Sec corn
80.04 The corner of Sections
2, 3, 10 & 11
Surface rolling Soil
2nd Rate

20 West of the 6th Principal Meridian

North random between Sections
2 and 3
Var 13° 30' East

40.00 Set Temporary 1/4 Sec corn
80.27 Intersect North boundary 1.00
links west of post

S 43' W on a true line between
Sections 2 and 3
Var 13° 30' East

40.27 Set charred post in mound of
Earth with pits as per
instructions for ~~corner of~~ 1/4 Sec cor
80.27 The corner of Sections
2, 3, 10 & 11
Surface rolling Soil 2nd Rate

July 27th 1869

Township No 6 North of Range No 20 West of the 6th Principal Meridian

North between Sections
33 and 34
Var 14° East

40.00 Set charred post in mound of Earth with pits as per instruction for 1/4 Sec corn

80.00 Set charred post in mound of Earth with pits as per instruction for corn to Sections 27, 28 33 & 34

Surface rolling Soil 2nd Rate

N 89° 58' E on a random line between Sections 27 and 34
Var 14° East

40.00 Set Temporary 1/4 Sec corner

79.72 Intersect North and South line 67 links North of post

N 89° 33' W on a true line between Sections 27 and 34
Var 14° East

39.86 Set charred post in mound of Earth with pits as per instructions for 1/4 Sec corner

79.72 The corner to Sections 27 28 33 and 34

Surface rolling Soil 2nd Rate

Township No 6 North of Range 20

North between Sections
27 and 28
Var 14° East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner to Sections 21, 22, 27 and 28
Surface rolling soil 2nd Rate

~~No 6 North of Range~~ West of 6th P.M.

~~North~~ N 89°38' E on a random line between Sections 22 and 27
Var 13°45' East

40.00 Set Temporary 1/4 Sec corner

80.28 Intersect North and South line 4.3 links South of post

S 89°34' W on a true line between Sections 22 and 27
Var 13°45' East

40.14 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.28 ~~Surface~~ The corner of Sections 21, 22, 27 and 28
Surface rolling soil 2nd Rate

Township No 6 North of Range No

North between 21 and 22
Var 13°45' East

40.00 Set chased post in mound of Earth with pits as per instruction for 1/4 Sec corner

80.00 Set chased post in mound of Earth with pits as per instruction for corner to Sections 16, 15, 21 and 22
Surface rolling soil 2nd Rate

20 West of the 6th Principal Meridian

N 89°58' E on a random line between Sections 15 and 22
Var 13°30' East

40.00 Set Temporary 1/4 Sec corner

80.46 Intersect North and South line 43 links North of post

N 89°44' W on a true line between Sections 15 and 22
Var 13°30' East

40.23 Set chased post in mound of Earth with pits as per instruction for 1/4 Sec corner

80.46 The corner of Sections 15, 16, 21 and 22
Surface level Soil 2nd Rate

Township No 6 North of Range No 20 West of the 6th Principal Meridian

North between Sections 15 and 16
Var 13° 20' East

40.00 Set charred post in mound of Earth with pits as per instructions for 1/4 Sec corn

80.00 Set charred post in mound of Earth with pits as per instructions for corner to Sections 9, 10, 15 and 16

Surface gently rolling
Soil 2nd Rate

N 89° 58' E on a random line between Sections 10 and 15
Var 13° 45' East

40.00 Set Temporary 1/4 Sec corner

80.12 Intersect North and South line 27 links North of post

N 89° 58' W on a true line between Sections 10 and 15
Var 13° 45' East

40.06 ~~80.16~~ Set ~~1/4 Sec~~ charred post in mound of Earth with pits as per instructions for 1/4 Sec corn

80.12 The corner to Sections 9, 10, 15 and 16
Surface rolling Soil 2nd Rate

Township No. 6 North of Range No. 21 West of the 6th Principal Meridian

North between Sections
9 and 10
Var 13° 45' East

40.00 Set chained post in mound of
Earth with pits as per
instructions for 1/4 Sec corner

80.00 Set chained post in mound of
Earth with pits as per
instruction for corner to
Sections 3, 4, 9 and 10
Surface rolling Soil
2nd Rate

N 89° 58' E on a random line
between Sections 3 and 10
Var 13° 40' East

40.00 Set Temporary 1/4 Sec corner
79.92 Intersect North and South line
113 North of post

N 89° 14' W on a true line between
Sections 3 and 10
Var 13° 40' East

39.94 Set chained post in mound of
Earth with pits as per
instructions for 1/4 Sec corner
79.92 The corner of Sections
3, 4, 9 & 10
Surface rolling Soil 2nd Rate

Township No 6 North of Range No 20 West of the 6th Principal Meridian

North random between Sections 3 and 4
Var 13° East

40.00 Set Temporary 1/4 Sec corn
79.10 Intersect North boundary 33 links East of post

S 14' E on a true line between Sections 3 and 4
Var 13° East

39.10 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corn
79.10 The corns of Sections 3, 4, 9 & 10
Surface gently rolling Soil 2nd Rate

July 28th 1869

North between Sections 32 & 33
Var 14° East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corn
80.00 Set chained post in mound of Earth with pits as per instructions for corns to Sections 28, 29, 32 and 33
Surface rolling Soil 2nd Rate

Township No 6 North of Range No 20

N 89° 58' E on a random line between Sections 28 and 33 Var 14° East

4000 Set Temporary 1/4 Sec corn

80.34 Intersect North and South line 31 links South of pos

S 89° 45' W on a true line between Sections 28 and 33 Var 14° East

40.17 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corn

80.34 The corn of Sections 28 29 32 and 33 Surface rolling Soil 2nd Rate

~~North~~ West of the 6th Principal Meridian

North between Sections 28 & 29 Var 14° East

4000 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corn

8000 Set chained post in mound of Earth with pits as per instructions for corn to Sections 20 21, 28 and 29 Surface rolling Soil 2nd Rate

Township No 6 North of Range No 20 (20)

N 89° 58' E on a randomly line between Sections 21 & 28
Var 14° East

4000 Set Temporary 1/4 Sec corner
8 60 36 6 Intersect North of post (45 links)

N 89° 43' W on a true line between Sections 21 (21) and 28
Var 14 East

40 18 Set chared post in mound of post with pits as per instructions for 1/4 Sec corner
80 36 The corner of Sections 20, 21, 28 & 29
Surface rolling
Soil 2 Rate

West of the 6th Principal Meridian

North between Sections 20 and 21 (21)
Var 14° East

4000 Set chared post in mound of earth with pits as per instructions for 1/4 Sec corner
8 8000 Set chared post in mound of earth with pits as per instructions for corner to Sections ~~20 and 24 21~~
~~Var 14° East~~
16, 17, 20 & 21 (21)
Surface rolling Soil 2 Rate

Township No 6 North of Range No 20

N 89° 58' E on a random line between Sections 16 and 21
Var 13° 45' East

40.00 Set Temporary 1/4 Sec cor

80.00 Intersect North and South line 18 links North of post

N 89° 54' W on a line line between Sections 16 and 21
Var 13° 45'

40.00 Set chared post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.00 ~~Set chared~~ The corner of Sections 16 17 20 & 21
Surface rolling soil
2° Rate

West of the 6th Principal Meridian

North between Sections 16 and 17
Var 14° East

40.00 Set chared post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.00 Set chared post in mound of Earth with pits as per instructions for corner to Sections
8 9 16 & 17
Surface rolling soil 2° Rate

✓

Township No. 6 North of Range No. 20

N 89°58' E on a random line between Sections 9 and 16
Var 13°40' East

4000 Set post for Temp. 1/4 Sec. Cor.
80.16 Intersect North and South line 30 links North of post

N 89°49' W on a true line between Sections 9 and 16
Var. 13°40' East

40.08
80.18 Set chased post in mound of Earth with pits as per instructions for 1/4 Sec cor
80.16 The corner of Sections 8, 9, 16 and 17
Surface rolling Soil
2" Rate

West of the 6th Principal Meridian

North between Sections 8 and 9
Var 13°45' East

4000 Set chased post in mound of Earth with pits as per instructions for 1/4 Sec cor
8000 Set chased post in mound of Earth with pits as per instructions for corner to Sections 4, 5, 8 and 9
Surface gently rolling Soil 2" Rate

Township No 6 North of Range No 20

N 89° 58' E on a random line between Sections 4 & 9 Var 13° 45' East

40.00 Set Temporary 1/4 Sec corner

79.84 Intersect North and South line 25 links South of post

S 89° 47' W on a true line between Sections 4 and 9 Var 13° 45' East

39.92 Set charred post in mound of earth with pits as per instructions for 1/4 Sec corner

79.84 The corner of Sections 4, 5, 8 and 9

Surface rolling Soil 2nd Rate

West of the 6th Principal Meridian

North between Random Sections 4 and 5 Var 13° 30' East

40.00 Set Temporary 1/4 Sec corner

80.65 Intersect North boundary 49 links West of post

S 21' W on a true line between Sections 4 and 5 Var 13° 30' East

40.65 Set charred post in mound of earth with pits as per instructions for 1/4 Sec corner

80.65 The corner of Sections 4, 5, 8 and 9

Surface gently rolling Soil 2nd Rate

July 29th 1869

Township No 6 North of Range No 20

North between Sections
31 and 32
Var 14° East

40.00 Set chased post in mound of
Earth with pits as per
instructions for 1/4 Sec corner

80.00 Set chased post in mound of
Earth with pits as per
instructions for corner to Sections
29, 30, 31, and 32
Surface rolling Soil 2nd Rate

West of the 6th Principal Meridian

N 89° 58' E on a random line
between Sections 29 and 32
Var 14° East

40.00 Set Temporary 1/4 Sec corner
80.34 Intersect North and South line
38 links North of post

N 89° 46' W on a true line between
Sections 29 and 32
Var 14° East

30.18 Set chased post in mound of Earth
with pits as per instructions for
1/4 Sec corner

80.36 The corner of Sections
29, 30, 31 and 32
Surface rolling Soil 2nd Rate

Township No 6 North of Range No 20

S 89° 58' W on a random line between Sections 30 and 31 (3)
Var 14° East

4000 Set Temporary 1/4 Sec corn
81.49 Intersect Range line 81 links (8) South of post

S 89° 27' ~~W~~ (3) ~~W~~ (E) on a true line between Sections 30 & 31
Var 14° East

41.49 Set chared post in mound of Earth with pits as per instructions for 1/4 Sec corn
81.49 (81) The corner of Sections 29, 30, 31 and 32
Surface rolling soil
2nd Rate

West of the 6th Principal Meridian

North between Sections 29 and 30
Var 14° East

4000 Set chared post in mound of Earth with pits as per instructions for 1/4 Sec corn
8000 Set chared post in mound of Earth with pits as per instructions for corner to Sections 19, 20, 29 and 30 (30)
Surface rolling soil 2nd Rate

Township No. 6 North of Range No. 20 West of the 6th Principal Meridian

N 89° 58' ~~W~~ 6 on a ~~true~~ random line
between Sections 20 and 29
Var 13° 40' East

4000 Set Temporary 1/4 Sec cor
79.90 Intersect North and South line
15 links South of post

S 89° 5~~4~~ 52' W on a true line
between Sections 20 & 29
Var 13° 40' East

39.95 Set charred post in mound of Earth
with pits as per instructions
for 1/4 Sec corner

79.90 The corner of Sections
19, 20, 29 & 30
Surface rolling
Soil 2nd Rate

S 89° 58' W on a random line
between Sections 19 and 30
Var 13° 30' East

4000 Set Temporary 1/4 Sec corner
81.73 Intersect Range line 12 links
North of post

N 89° 5~~4~~ 3' E on a true line between
Sections 19 and 30
Var 13° 30' East

41.73 Set charred post in mound of Earth
with pits as per instructions for
1/4 Sec corner

81.73 The corner of Sections
19, 20, 29 and 30
Surface rolling Soil 2nd Rate

Township No 6 North of Range No 20 West of 6th Principal Meridian

North between Sections 19 & 20
Var 14° East

40.00 Set charred post in mound of Earth with pits as per instruction for 1/4 Sec corn

80.00 Set charred post in mound of Earth with pits as per instruction for corner of Sections 17, 18, 19 and 20

Surface rolling soil 2nd Rate

July 30th 1869

N 89° 58' E on a random line between Sections 17 and 20
Var 13° 35' East

40.00 Set Temporary 1/4 Sec corner

80.32 Intersect North and South line 42 links South of post.

S 89° 44' W on a true line between Sections 17 and 20
Var 13° 35' East

40.16 Set charred post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.32 The corner of Sections 17, 18, 19 and 20
Surface rolling soil 2nd Rate

Township No 6 North of Range No. 20 West of the 6th Principal Meridian

S 89° 58' W on a random line between Sections 18 and 19
Var 13° 30' East

40.00 Set Temporary 1/4 Sec corner

81.56 Intersect Range line 24 links South of post

S 89° 52' E on a true line between Sections 18 and 19
Var 13° 30' East

41.56 Set chased post in mound of Earth with pits as per instructions for 1/4 Sec corner

81.56 The corner of Sections 17, 18, 19 and 20
Surface rolling Soil 2nd Rate

North between Sections 17 and 18
Var 13° 45' East

40.00 Set chased post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.00 Set chased post in mound of Earth with pits as per instructions for corner to Sections 7, 8, 17 and 18
Surface rolling Soil 2nd Rate

Township No 6 North of Range No

N 89° 38' E on a random line between Sections 8 & 17
Var 13° 30' East

40,00 Set Temporary 1/4 Sec post ~~chained post in mound of Earth with pits as per instructions for 1/4 Sec corner~~

80,00 Intersect North and South line 48 links South of post

S 89° 37' W on a true line between Sections 8 and 17
Var 13° 30' East

40,00 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner

80,00 The corner of Sections 7, 8, 17 and 18
Surface gently rolling
Soil 2nd Rate

20 West of the 6th Principal Meridian

S 89° 58' W on a random line between Sections 7 and 18
Var 13° 35' East

40,00 Set Temporary 1/4 Sec post ~~chained post in mound of Earth with pits as per instructions for 1/4 Sec corner~~

81,43 Intersect Range line 35 links North of post

N 89° 43' E on a true line between Sections 7 and 18
Var 13° 35' East

41,43 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner

81,43 The corner of Sections 7, 8, 17 and 18
Surface rolling Soil 2nd Rate

Township No 6 North of Range No 20 West of the 6th Principal Meridian

North between Sections 7 & 8
Var 14° East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner to Sections 5, 6, 7 and 8

Surface rolling Soil 2nd Rate

N 89° 58' E on a random line between Sections 5 and 8
Var 13° 45' East

40.00 Set Temporary 1/4 Sec corner

80.20 Intersect North and South line 42 links North of post

N 89° 35' W on a true line between Sections 5 and 8
Var 13° 45' East

40.10 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.20 The corner of Sections 5, 6, 7, and 8

Surface rolling Soil 2nd Rate

Township No 6 North of Range No 20 West of the 6th Principal Meridian

S 89° 58' W on a random line
between Sections 6 and 7
Var 13° 30' East
40.00 Set Temporary 1/4 Sec corner
81.60 Intersect North and South
line 168 links South of post

S 88° 52' E on a true line
between Sections 6 and 7
Var 13° 30' East
41.60 Set Charred post in mound of
Earth with pits as per
instructions for 1/4 Sec corner
81.60 The corner of Sections
5. 6. 7 and 8
Surface gently rolling
Soil 2nd Rate

North Random between Sections 5 and 6
Var 13° 30' East
40.00 Set Temporary 1/4 Sec post
81.14 Intersect North boundary 34
links west of post

S 15° 5' W on true line between
Sections 5 and 6
Var 13° 30' East
41.14 Set charred post in mound of
Earth with pits as per
instructions for 1/4 Sec corner
81.14 The corner of Sections
5. 6. 7 and 8
Surface rolling Soil 2nd Rate

July 31st 1869

General Description

The surface of this Township is generally rolling Soil all good 2d Rate and well adapted to agricultural purposes

A list of the names of the individuals employed to assist in running measuring & marking the lines and corners described in the foregoing field notes of Township No 6 North Range 28 West of the 6th Principal Meridian State of Nebraska showing the respective capacities in which they acted

Herbert R Wilcox — Chainman
Thadeus Foley
Allen Develbis — Axeman

We hereby certify that we assisted William E Daugherty Deputy Surveyor in Surveying and Subdividing Township No 6 North of Range No 20 West of the 6th Principal Meridian State of Nebraska and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General

H R, [illegible]
Haddie Foley

L Chamman

Allen Develoy Laxman
Subscribed in my presence & Sworn to before me this Sept 10th A D 1869
R C Daugherty
Justice of the Peace

⊗ in and for Lincoln County, Nebraska ⊗

Affidavit

I William E Daugherty deputy Surveyor do solemnly swear that in pursuance of a contract with P. W. Hitchcock Surveyor General of the public lands of the United States for the States of Iowa and Nebraska bearing date the 15th day of September 1868 and in strict conformity to the laws of the United States

and the instructions furnished by the said Surveyor General I have faithfully surveyed and Subdivided Township No 6 North of Range No 20 West of the 6th principal Meridian State of Nebraska and I do further swear that the foregoing are the true and original field notes of such survey

William E Daugherty
Deputy Surveyor

Subscribed in my presence and sworn to before me this Sept 10th A D 1869

R C Daugherty
Justice of the Peace in and for Lincoln County, Nebraska.

Surveyor Generals Office
at Plattsmouth Neb. Oct. 20th 1869.

The foregoing field notes of the survey of the subdivision lines of Township No 6 North Range 20 West of the 6th Principal Meridian in the State of Nebraska. executed by William E. Daugherty, under his contract of the 15th day of September 1868 in the month of July 1869 having been critically examined the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved.

Robt. R. Livingston
Surveyor General.

T. 7 N. R. 20 W.

W. E. Daugherty

Index Diagram

Referring the lines to the Pages of the Field Notes

Tow 7 R. 20 W



(Ex 8)

Subdivision of Township No 7 North of the base line of Range No 20 West of the 6th principal Meridian; Contract No. 13 of Sept. 15. 1868

Commenced October 21st 1868

Finished October 27th 1868

By William C Daugherty
Deputy Surveyor

To determine the proper adjustment of my compass I commence at the corner of Township 7 and 8 Ranges 19 and 20 and run North on a blank line

Variation 14° 36' East

4002 To a point 12 links East of 1/4 Section corner

7997 To a point 20 links East of corner 25 and 36

To retrace this line a run parallel thereto my ~~compas~~ compass must be adjusted to a Variation of 14° 34' East

Township N 7 North Range No 20 West of the 6th principal Meridian

	North between Sections 35 and 36 Var 14° 15' East
40.00	Set chared post in mound as per instructions for 1/4 Section corner
80.00	Set chared post in mound as per instructions for corner to Sections 25 26 35 & 36 Surface rolling Soil 2nd rate

	~~East on a random line~~ East on a Random line between Sections 25 and 36 Var 14° 20' East
40.00	Set a temporary 1/4 Sec post
79.80	Intersect ~~Range line~~ East (Boundary) 17 links North of post corner to Sections 25 & 36 from which I run
89.53	~~S 89° 36'~~ W on a true line between Sections 25 and 36 Var 14° 20' East
39.90	Set chared post in mound as per instructions for 1/4 Section corner
79.80	To corner to Sections 25 26 35 and 36 Surface gently rolling Soil 2nd rate

Township No 7 North Range No 20 West of the 6th principal Meridian

North between sections 25 and 26
Var 14° 20' East

40.00 Set chared post in mound as
per instructions for 1/4 Sec cor
80.00 Set chared post in mound as
per instructions for corner to
Sections 23 24 25 and 26
Surface rolling Soil 2nd
rate

East on a Random line
~~East on a random~~ between Sections
24 and 25
Var 14° East

40.00 Set Temporary 1/4 Sec post
80.88 Intersect ~~Range~~ East Boundary line 80 links
North of ~~post~~ Corners to Sections
24 & 25 from which I run
N 89° ~~11~~ 26' W on a true line between
Sections 24 and 25
Var 14° East
40.04 Set chared post in mound as
per instructions for 1/4 Sec cor
80.08 To corner of Sections 23 24
25 and 26

Surface rolling Soil 2nd rate

North between Sections 23 & 24
Var 14° East
40.00 Set chared post in mound as
per instructions for 1/4 Sec cor
80.00 Set chared post in mound
as per instructions for corner
to Sections 13 14 23 and 24
Surface rolling soil
2nd rate

Township N 7 North Range No 20 West of the 6th principal Mer

all right East on a Random line
~~East on a random~~ between
Sections 13 and 24
Var 14 East—

40.00 Set temporary 1/4 Sec post
80.00 Intersect East Boundary ~~Range line~~ 31 links
North of post corner to Sections
13 and 24 from which I run
N 89° ~~30'~~ 47' W on a true line
between Sections 13 and 24
Var 14° East—

40.00 Set chared post in mound as
per instructions for 1/4 Sec cor
80.00 ~~Set chared post in mound~~
~~as per instructions for corner~~
to Sections 13. 14. 23 & 24
Surface level soil
2nd rate

North between Sections 13 and 14
Var 13° 30' East—

40.00 Set chared post in mound as
per instructions for 1/4 Sec cor
80.00 Set chared post in mound as
per instructions for corner to Sections
11. 12. 13 and 14
Surface gently rolling
Soil 2nd rate

all right East on a random line
~~East on a random line~~
between Sections 12 and 13
Var 13° 30' East—

40.00 Set temporary 1/4 Sec post
80.28 Intersect East Boundary ~~Range line~~ 22 links
South of post corner to Sections
12 and 13 from which I run
S 89° ~~54'~~ 51' W on a true line
between Sections 12 and 13
Var 13° 30' East—

40.14 Set Chared post in mound as
per instructions for 1/4 Sec cor

Township No 7 North Range No 20 West of the 6th principal Meridian

80.28 To ~~section~~ corner to sections
11 12 13 and 14
Surface ~~Var~~ gently rolling
Soil 2nd rate

North between sections 11 and 12
Var 14° East

40.00 Set charred post in mound
as per instructions for 1/4 Sec cor
80.00 Set charred post in mound for
corner to Sections 1. 2. 11 & 12
Surface gently rolling
Soil 2nd rate

all right ~~East on a random line between~~ Easton Random line
Sections 1 and 12
Var 13° 45' East

40.00 Set Temporary 1/4 Sec post
79.90 Intersect Range line 11 links
North of post corner to sections 1 & 12 from which I
saw

N 89° ~~34~~ 55' W on a ~~true~~ line between
Sections 1 and 12
Var 13° 45' East

39.95 Set ~~for~~ charred post in mound as
per instructions for 1/4 Sec cor
79.90 To corner to Sections 1 2 11 and 12
Surface gently rolling
Soil 2nd rate

North on a random line between
Sections 1 and 2
Var 14 East

40,00 Set temporary 1/4 Sec post
80,35 Intersect North boundary 30 links
East of post, corner to Sections 1 & 2
from which I run
S 13' E between Sections 1 and 2
Var 14 East

40,35 Set chared post in mound as
per instructions for 1/4 Sec cor
80,35 To corner to sections 1, 2, 11 and 12
Surface gently rolling
Soil 2nd rate

October 21st 1868

North between sections 34 and 35
Var 14° 15' E

40,00 Set chared post in mound as
per instructions for 1/4 Sec cor
80,00 Set chared post in mound as
per instructions for corner to
Sections 26 27, 34 and 35
Surface rolling Soil 2nd rate

East on a random line between
Sections 26 and 35
Var 14° East
40,00 Set temporary 1/4 Sec post
80,24 Intersect North and South line
at post corner to Sections
25 26 35 and 36 from which I run
West on a true line between
Sections 26 and 35
Var 14° East
40,12 Set chared post in mound as
per instructions
80,24 To corner to Sections
24 27 34 and 35
Surface rolling
Soil 2nd rate

North between Sections 26 and 27
Var 14° East
40,00 Set chared post in mound as
per instructions for 1/4 Sec cor
80,00 Set chared post in mound as
per instructions for corner to
Sections 22 23 26 and 27
Surface rolling
Soil 2nd rate

Township No 7 North Range No 20 West of 6th principal Mer

East on a random line
between Sections 23 and 26
Var 14° 15' East—

40.00 Set temporary 1/4 Sec post—
80.00 Intersect North and South line
19 links South of post corner to
Sections 23.24.25 & 26 from which I run
S. 89° 52' W between Sections
23 and 26
Var 14° 15' East—

40.00 Set chared post in mound as
per instructions for 1/4 Sec cor
80.00 To corner to Sections
22 23 26 and 27
Surface rolling
Soil 2nd rate—

North between Sections 22 & 23
Var 14° East—

40.00 Set chared post in mound as
per instructions for 1/4 Sec cor
80.00 Set chared post in mound
as per instructions for corner to
Sections 14 15 22 and 23
Surface rolling Soil 2nd
rate

Township No 7 North Range No 20 West of 6th principal Meridian

East on a random line between
Sections 14 and 23
Var 14° East —
40.00 Set temporary 1/4 Sec post
80.16 Intersect North and South line
27 links North of post corner
to Sections 13. 14. 23 & 24 from which I run
N. 89° 48' W between Sections
14 and 23
Var 14° East —
40.08 Set chared post in mound as
per instructions for 1/4 Sec cor
80.16 To corner to Sections
14 15 22 & 23
Surface rolling
Soil 2nd rate —

North between Sections 14 and 15
Var 14° 30' East
40.00 Set chared post in mound as
per instructions for 1/4 Sec cor
80.00 Set chared post in mound as
per instructions for corner to Sections
10. 11. 14 and 15
Surface rolling
Soil 2nd rate —

Township No 7 North Range No 20

East on a random between
Sections 11 and 14
Var 13° 45' East
40.00 Set temporary 1/4 sec post
79.60 Intersect North and South line
32 links North of post corner to
Sections 11.12, 13 & 14, from which Iron
N 89° 46' W between sections
11 and 14
Var 13° 45 East
39.80 Set chared post in mound
as per instructions for 1/4 sec cor
79.60 To corner to Sections 10 11
14 and 15
Surface rolling soil 2nd rate

West of the 6th Principal Meridian

North between Sections 10 and 11
Var 14° East
40.00 Set chared post in mound as
per instructions for 1/4 sec cor
80.00 Set chared post in mound as
per instructions for corner to
Sections 2. 3. 10 and 11
Surface gently rolling
soil 2nd Rate

Township No 7 North Range No 20

East on a random line between
Sections 2 and 11
Var 14° East—
40.00 Set temporary 1/4 sec post
80.20 Intersect North and South
line at post corner to Sections
12. 11 & 12 from which I run
West on a true line between
Sections 2 and 11
Var 14° East—
40.10 Set chared post in mound as
per instructions for 1/4 sec post—
80.20 To corner to Sections
2 3 10 and 11
Surface gently rolling
Soil 2nd rate—

West of the 6th Principal Mer

North on a random line between
Sections 2 and 3
Var 14° East—
40.00 Set temporary 1/4 sec post—
80.10 Intersect North boundary at post
corner to Section 3 & 2 from which I run
South on a true line between
Sections 2 and 3
Var 14° East—
40.10 Set chared post in mound as
per instructions ~~for corner to~~
1/4 sec post
80.10 To corner to sections 2 3
10 and 11
Surface rolling
Soil 2nd rate—
October 22nd 1868

Township No 7 North Range No 20 of the 6th Principal Mer

North between Sections
33 and 34
Var 14° 15' East

40.00 Set chared post in mound
as per instructions for
1/4 sec cor

80.00 Set chared post in mound as
per instructions for corner to
Sections 27. 28. 33 and 34
Surface rolling
Soil 2nd rate

East ~~on a true~~ a random line between
Sections 27 and 34
Var 14° East

40.00 Set temporary 1/4 sec post

80.00 Intersect North and South line
14 links North of post
corner to Sections 26.27.34 & 35 from which I move
N 89° 54' W ~~between Sections~~ on a
true line between Sections
27 and 34
Var 14° East

40.00 Set chared post in mound
as per instructions for 1/4 sec cor

80.00 To Sections 27, 28, 33 and 34
Surface rolling
Soil 2nd rate

Township No 7 North Range No 20

North between Sections
27 and 28
Var 14° 15' East

14.50 Enter dry marsh bears
East and West

40.00 Set charred post in mound as
per instructions for 1/4 Sec cor

60.00 Leave dry marsh bears East
and West ~~entering in the~~
~~S E and S W~~

80.00 Set charred post in mound as
per instructions for corner to
Sections 21. 22. 27 and 28
Surface rolling
Soil 2nd rate

of the 6th Principal Meridian

East on a ~~[illegible]~~ line between
Sections 22 and 27
Var 14° East

40.00 Set temporary 1/4 Sec post

79.80 Intersect North and South line
19 links North of post ~~[illegible]~~
to Sections 22.23.26 & 27 from which I run
N 89° 52' W on a true line
between Sections 22 and 27
Var 14° East

39.90 Set charred post in mound as
per instructions for 1/4 Sec cor

79.80 To corner to Sections 21 22
27 and 28
Surface rolling
Soil 2nd rate

S

Township No 7 North Range No 20

North between Sections
21 and 22
Var 14° East -

40,00 Set chared post in mound as
per instructions for 1/4 Sec cor
80,00 Set chared post in mound as
per instructions for corner to
Sections 15 16 21 and 22
Surface rolling Soil
2nd rate -

of the 6th Principal Meridian

East - on a random line
between Sections 15 and 22
Var 14° East -

40,00 Set temporary 1/4 Sec post -
8,78 Intersect North and South line
9 links North of post corner to
Sections 14. 15. 22 & 23 from which Drawn
N 89° 56' W on a true line
between Sections
15 and 22
Var 14° East -

40,09 Set chared post in mound
as per instructions for ~~cor~~ 1/4 Sec cor
80,18 To corner to Sections 15 16
21 and 22
Surface rolling
Soil 2nd rate -

Township No 7 North Range No 20 of the 6th Principal Meridian

North between Sections 15 and 16
Var 14° East

40.00 Set chared post in mound as per instructions for 1/4 Sec cor

80.00 Set chared post in mound as per instructions for corner to Sections 9 10 15 and 16
Surface rolling Soil 2nd rate

East on a random line between Sections 10 and 15
Var 14° East

40.00 Set temporary 1/4 Sec post

79.94 Intersect North and South line 29 links North of post corner to Sections 10. 11. 14 & 15 from which, I run N 89° 48' W on a true line between Sections 10 and 15
Var 14° East

39.97 Set chared post in mound as per instructions for 1/4 Sec cor

79.94 To ~~Sections~~ corner to Sections 9 10 15 and 16
Surface rolling Soil 2nd rate

North between Sections 9 and 10
Var 13° 30' East

40.00 Set chared post in mound as per instructions for 1/4 Sec cor

80.00 Set chared post in mound as per instructions for corner to Sections 3 4 9 & 10
Surface gently rolling
Soil 2nd rate

Township No 7 North Range No 20 of the 6th Principal Meridian

East on a random line
between Sections 3 and 10
Var 14° East

40.00 Set temporary 1/4 Sect post

80.00 Intersect North and South
line 24 links North of post
comes to Sections 2. 3. 10 & 11 from which I run
N 89° 50' W on a true line
between Sections 3 and 10
Var 14° East

40.00 Set charred post in mound as
per instructions for 1/4 Sec cor

80.00 To corner to Sections
3 4 9 and 10
Surface gently rolling
Soil 2nd rate

North on a random line
between Sections 3 and 4
Var 13° ~~and~~ 30' East

40.00 Set temporary 1/4 Sec post

82.70 Intersect North boundary 17 links
East of post comes to Sections 3 & 4
from which I run
S 7' E between Sections 3 and 4
Var 13° 30' East

40.70 Set charred post in mound as
per instructions for 1/4 Sec cor

80.70 To corner of Sections
3. 4. 9. and 10
Surface gently rolling
Soil 2nd rate
October 28th 1868

Township No 7 North Range No 20

North between Sections 32 and 33
Var 14° East —

4000 Set chared post in mound as per instructions for 1/4 Sec cor

8000 Set chared post in mound as per instructions for corner to Sections 28. 29. 32 and 33
Surface rolling
Soil 2nd rate —

of the 6th Principal Meridian

East on a random line between Sections 28 and 33
Var 14° 15' East —

4000 Set temporary 1/4 Sec Post

8000 Intersect North and South line 22 links South of post corner to Sections 27. 28. 33 & 34 from which I run S 89° 51' W on a true line between Sections 28 and 33
Var 14° 15' East —

4000 Set chared post in mound as per instructions for 1/4 Sec post —

8000 To the corner of Sections 28 29 32 and 33
Surface rolling
Soil 2nd rate —

Township No 7 North Range No 20

North between Sections 28 and 29
Var 14° East —

40,00 Set chared post in mound as
per instructions for 1/4 Sec cor

80,00 Set chared post in mound as
per instructions for corner to
Sections 20. 21. 28 and 29
Surface rolling
Soil 2nd rate

West of the 6th Principal Meridian

East on a random line between
Sections 21 and 28
Var 14° East —

40,00 Set temporary 1/4 Sec post

80,12 Intersect North and South
line 10 links South of post —
corner to Sections 21. 22. 27 & 28 from which I run
S 89° 56' W on a true line between
Sections 21 and 28
Var 14° East —

40,16 Set chared post in mound as
per instructions for 1/4 Sec cor

80,12 To the corner of Sections
20 21 28 and 29
Surface rolling
Soil 2nd rate —

Township No 7 North Range No 20 West of the 6th Principal Meridian

North between Sections
20 and 21
Var 14° 15' East

40,00 Set chared post in mound as
per instructions for 1/4 Sec post
80,00 Set chared post in mound as
per instructions for corner to Sections
16 17 20 and 21
Surface rolling
Soil 2nd rate

East on a random line
between Sections 16 and 21
Var 14° East

40,00 Set temporary 1/4 Sec post
80,40 Intersect North and South
line 26 links North of post ~~corner~~
to Sections 10.16.21 & 22 from which Drum
N 89° 49' W on a true line between
Sections 16 and 21
Var 14° East

40,20 Set chared post in mound as
per instructions for 1/4 Sec cor
80,40 To the corner of Sections
16, 17, 20 and 21
Surface rolling
Soil 2nd rate

Township No 7 North Range No 20

North between Sections 16 and 17
Var 14° East

40.00 Set chared post in mound
as per instructions for 1/4 Sec cor
80.00 Set chared post in mound as
per instructions for corner to
Sections 8, 9, 16 and 17
Surface rolling
Soil 2nd rate

West of 6th Principal Meridian

East on a random line between
Sections 9 and 16
Var 13° 30' East
40.00 Set temporary 1/4 Sec post
80.40 Intersect North and South line
31 links South of post corner to
Secs. 9.10.15 & 16 from which I run
S 89° 47' W ~~between Sections~~ on a true line between
Sections 9 and 16
Var 13° 30' East
40.20 Set chared post in mound as
per instructions for 1/4 Sec cor
80.40 To the corner of Sections
8 9 16 and 17
Surface rolling
Soil 2nd Rate

Township No 7 North Range No 20

North between Sections
8 and 9
Var 13° 45' East

4 40.00 Set chared post in mound as
per instructions for 1/4 Sec cor
8 80.00 Set chared post in mound
as per instructions for
corner to Sections
4 5 8 and 9
Surface rolling
Soil 2nd Rate

West of the 4th Principal Meridian

East on a random line
between Sections 4 and 9
Var 14° East

40.00 Set temporary 1/4 Sec post
79.92 Intersect North and South line
31 links North of post corner to
Sections 3.4.9 & 10 from which I run
N 89° 47' W on a true line
between Sections 4 and 9
Var 14° East

39.96 Set chared post in mound as
per instructions for 1/4 Sec cor
79.92 To the corner of Sections
4 5 8 and 9
Surface rolling
Soil 2nd Rate

Township No 7 North Range No 20 West of the 6th Principal Meridian

North on a random line
between Sections 4 and 5
Var 14° East

40,00 Set temporary 1/4 Sec post

80,36 Intersect North boundary 30
links West of post — comes to
Sections 4 and 5 from which I run
S 13' W on a true line betwn
Sections 4 and 5
Var 14° East

40,36 Set chared post — in mound as
per instructions for 1/4 Sec post

80,36 To the corner of Sections
4, 5, 8 and 9
Surface rolling
Soil 2nd Rate
October 24th 1868

North between Sections
31 and 32
Var 14° East

40,00 Set chared post in mound in
as per instructions for 1/4 Sec post

80,00 Set chared post in mound as per
instructions for corner to Section
29 30 31 and 32
Surface rolling
Soil 2nd Rate

Township No 7 North Range No 20

East on a random between
Sections 29 and 32
Var 14° East

~~40.00~~ Set temporary 1/4 Sec post
80.14 Intersect North and South line
16 links North of post comes
to Sections 28. 29. 32 & 33 from which Drawn
N 89° 53' W on a true line
between Sections 29 and 32
Var 14° East

40.07 Set charred post - in mound as
per instructions 1/4 Sec post
80.14 To the corner of Sections
29 30, 31 and 32
Surface rolling
~~Surface~~ Soil 2nd rate

West of the 6th Principal Mer

West on a random line between
Sections 30 and 31
Var 14° 15' East

40.00 Set temporary 1/4 Sec post
79.10 Intersect ~~Range line~~ West Boundary 48 links
South of post comes to Section 30
and 31 from which Drawn
N 89° 43' E on a true line
between Sections 30 and 31
Var 14° 15' East

39.10 Set charred post - in mound as
per instructions for 1/4 Sec post
79.10 To the corner of Sections
29 30 31 and 32
Surface rolling
Soil 2nd Rate

North between Sections 29 and 38
Var 14° East—

40,00 Set chared post in mound as per instructions for 1/4 Sec cor
80,00 Set chared post in mound as per instructions for corner to Sections 19 20 29 and 30
Surface rolling
Soil 2nd Rate—

East on a random line between Sections 20 and 29
Var 14° East—

40,00 Set temporary 1/4 Sec post—
80,00 Intersect North and South line 15 links South of post comes to Sec. 20. 21. 28 and 29 from which I run S 89° 54' W on a true line between Sections 20 and 29
Var 14° East—

40,00 Set chared post in mound as per instructions for 1/4 Sec cor
80,00 To the corner of Sections 19. 20. 29 and 30
Surface rolling
Soil 2nd rate—

Township No 7 North Range No 20 West of the 6th Principal Meridian

West on a random line
between Sections 19 and 30
Var 14° 15' East—

40.00 Set temporary 1/4 Sec post—

79.45 Intersect ~~Range line~~ West Boundary 35 links
South of post—Corner to Sections
19 and 30 from which I run
S 89° 45' E on a true line
between Sections 14 and 15
Var 14° 15' East—

39.45 Set chared post in mound as
per instructions for 1/4 Sec post—

79.45 To the corner of Sections
19 20 29 and 30
Surface rolling
Soil 2nd Rate—

North between Sections 19 and 20
Var 14° East—

40.00 Set chared post in mound as
per instructions for 1/4 Sec post—

80.00 Set chared post in mound as
per instructions for corner to Sections
17. 18. 19 and 20
Surface rolling
Soil 2nd Rate—

Township No 7 North Range No 20 West of 6th Principal Meridian

East on a ~~true~~ random line between
Sections 17 and 20
Var 14° East

40.00 Set temporary 1/4 Sec post
79.72 Intersect North and South line
23 links North of post corner
to Sections 16. 17. 20 and 21 from which Drum
N 89° 50' W on a true line
between sections 17 and 20
Var 14° East

39.86 Set chared post in mound as
per instructions for 1/4 Sec cor
79.72 To the corner of Sections
17. 18 19 and 20
Surface rolling
Soil 2nd Rate

West on a random line
between Sections 18 and 19
Var 14° East

40.00 Set temporary 1/4 Sec post
78.69 Intersect ~~Range line~~ West Boundary 85 links
South of post corner to Sec. 18 & 19
from which Drum
S 89° 24' E on a true line between
Sections 18 and 19
Var 14° East

38.69 Set chared post in mound as
per instructions for 1/4 Sec post
78.69 To the corner to sections
17 18 19 and 20
Surface rolling
Soil 2nd Rate
October 26th 1868

North between Sections
17 and 18
Var 13° 30' East

40.00 Set chained post in mound as per instructions for 1/4 Sec cor

80.00 Set chained post in mound as per instructions for corner to Sections 7, 8, 17 and 18
Surface rolling
Soil 2nd Rate

East on a random line between Sections 8 and 17
Var 13° 30' East

40.00 Set temporary 1/4 sec post

80.30 Intersect North and South line at corner to Sections 8.9.16 and 17 from which I run,
West on a true line between Sections 8 and 17
Var 13° 30' East

40.15 Set chained post in mound as per instructions for 1/4 Sec cor

80.30 To the corner of Sections 7. 8. 17 and 18
Surface rolling
Soil 2nd rate

West on a random line
between Sections 7 and 18
Var 13° 30' East

40.00 Set temporary 1/4 Sec post
West Boundary
78.09 Intersect ~~Range line~~ 41 links
South of post — corner to Sections
7 and 18 from which I run
S 89° 43' E on a true line
between Sections 7 and 18
Var 13° 30' East

38.09 Set chared post in mound as
per instructions for 1/4 Sec cor
78.09 To the corner to Sections
7. 8. 17 and 18
Surface rolling
Soil 2nd Rate

North between Sections
7 and 8
Var 13° 30' East

40.00 Set chared post in mound as
per instructions for 1/4 Sec cor
80.00 Set chared post in mound as
per instructions for corner to
Sections 5. 6. 7 and 8
Surface rolling
Soil 2nd rate

Township No 7 North Range No 20 West of the 6th Principal Meridian

	East on a random line between Sections 5 and 8
	Var 13° 30' Ears
40.00	Set temporary 1/4 Sec post
80.21	Intersect North and South line 17 links North of post comes to Sections 4. 5. 8 and 9 from which Dist
	N 89° 53' W on a true line between Sections 5 and 8
	Var 13° 30' East
40.10	Set chared post in mound as per instructions for 1/4 Sec post
80.20	To the corner of Sections 5. 6. 7 and 8
	Surface rolling
	Soil 2nd Rate

	West on random line between Sections 6 and 7
	Var 13° East
~~40.00~~	~~Set temporary 1/4 Sec post~~
16.00	Enter dry marsh bears N E & S W
35.00	Leave same bears same
40.00	Set temporary 1/4 Sec post
78.55	Intersect ~~Range line~~ West Boundary 29 links South of post comes to Sections 6 and 7. from which Dist
	S 89° 48' E on a true line between Sections 6 and 7
	Var 13° East
38.55	Set chared post in mound as per instructions for 1/4 Sec cor
78.55	To corner of Sections 5 6 7 and 8
	Surface rolling
	Soil 2nd Rate

Township No 7. North Range No 20 West of the 6th Principal Meridian

North on a random line
between Sections 5 and 6
Var 13° 30' East
40.00 Set temporary 1/4 Sec post
79.88 Intersect North boundary 34 lnks
West of post corner to Sections
5 and 6 from which I run
S 15' W ~~between Sections~~ on a
true line between Sections
5 and 6
Var 13° 30' East
39.88 Set charred post in mound as
per instructions for 1/4 sec cor
79.88 To the corner of Sections
5 6 7 and 8
Surface rolling Soil 2nd rate
October 27th 1868

pg 63 – General Description
See page 63

Oath of assistants see page 65

Township No 7 North Range No 20 West of the 6th Principal Meridian

I William E. Daugherty Deputy Surveyor do solemnly swear that in pursuance of a contract with P. W. Hitchcock Surveyor of the public lands of the United States for the States of Iowa and Nebraska bearing date the 15th day of September 1868 and in strict conformity to the laws of the United States and the instructions furnished by the said Surveyor General I have faithfully surveyed and subdivided Township No 7 North of Range No 20 West of the 6th Principal Meridian State of Nebraska and I do further solemnly swear that the above are the true and original field notes of such survey

William E. Daugherty
Deputy Surveyor

Subscribed in my presence and sworn to before me by the said William E. Daugherty at my office in Omaha Nebraska this 13th day of November A.D. 1868

Geo. W. O'Brien
United States Commissioner in and for the Dist. of Nebraska

Township No 7 North Range No 20 West of the 6th P M

General Description

The surface of this Township is generally rolling soil mostly 2nd rate and would be well adapted to agricultural purposes if the land could be irrigated which there are chances of doing

A list of names of individuals employed to assist in running measuring or marking the lines and corners described in the foregoing field notes of Township No 7 North of the Base line of Range No ~~19~~ ~~20~~ 20 West of the 6th Principal Meridian Showing the respective capacities in which they acted

William H Andrews
Oscar Mason } Chainmen
Frank Underhill
Nathaniel W Davis } Mound builders

Oath of Surveyor see pg 59

We hereby certify that we assisted William E. Daugherty, deputy Surveyor, in Surveying ~~the exterior boundaries~~ and Subdividing Township number seven North of the base line of Range number ~~twenty~~ twenty-Eight West of the Sixth Principal Meridian, and that said Township has been in all respects, to the best of our knowledge and belief, well and faithfully Surveyed, and boundary monuments planted according to the instructions furnished by the Surveyor-General

W. H. Andrews Chainman
O. Mason Chainman
T. Underhill Foundman
W. Davis

Subscribed and Sworn to by the above named persons before me a Justice of the Peace in and for the County of Douglas in the State of Nebraska this Third day of November 1868

J. E. Kelley
Justice of the Peace

Surveyor Generals Office
Plattsmouth Neb Feb 1st 1869

The foregoing field notes of the survey and Subdivision of Town No 7. N. of the Base line of Range No 20 West 6th Principal Meridian State of Nebraska executed by Wm E Daugherty under his contract No 13 dated the 15th day of Sept 1868 in the month of Oct. 1868. having been critically examined the necessary corrections and explanations made the said field notes and the surveys they describe are hereby

Approved.

P W Hitchcock
Surveyor General

T 8 N
R 20 W

Town 8. N Range 20 W.

—2d. Standard Parallel North.—

6	59	5	43	4	32	3	20	2	10	1	
58		57		42		31					
7	56	8	41	9	30	10	19	11	9	12	
55		54		40		29		18		8	
18	53	17	39	16	28	15	17	14	7	13	
52		51		38		27		16		6	
19	50	20	37	21	26	22	15	23	5	24	
49		48		36		25		14		4	
30	47	29	35	28	24	27	13	26	3	25	
46		45		34		23		12		2	
31	44	32	33	33	22	34	11	35	1	36	

Meanders on pages 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72

Subdivision of Township No 8 North

Range No 20 West of the 6th Principal Meridian State of Nebraska

Commenced September 28th 1868
Finished October 6th 1868

By William E Daugherty
Deputy Surveyor

To determine the proper adjustment of my compass for subdividing this Township I commence at at the corner to Townships No 7 and 8 Ranges 19 and 20 West of the 6th Principal Meridian an run North as a blank line along the East Boundary of Section 36

Var 14° East

39.89 To a point - 3 links East of quarter Section corner

79.94 To a point - 4 links West of corner to Sections 25 and 36

To retrace this line or run parallel thereto my compass must be adjusted to a Variation of ~~14°~~ East

13° 58'

North between Sections 35 and 36

Var 14° East

40.00 Set charred post in mound as per instructions for 1/4 Sec cor

80.00 Set charred post post in mound as per instructions for corn to Sections 25, 24, 35 and 36

Surface rolling Soil 2nd Rate

Township No 8 North - Range No 20

East on a random line
between Sections 25 and 36
Var 14° East

4000 Set temporary 1/4 Sec Post

79.92 Intersect ~~Range line~~ East Boundary 72 links
North of post corner to Sections
25 and 36 from which I run
N 89° 29' W on a true line
between Sections 25 and 36
Var 14° East

39.96 Set chained post in mound as
per instruction for 1/4 Sec cor

79.92 To the corner of Sections
25 26 35 and 36
Surface rolling Soil 2nd Rate

West of the 6th Principal Mer

North between Sections 25 and 26
Var 14° East

40.00 Set chained post in mound as
per instructions for 1/4 Sec cor

80.00 Set chained post in mound as
per instructions for corn to
Sections 23 24 25 and 26
Surface rolling Soil 2nd Rate

Township No 8 North Range No 20

East on a random line
between Sections 24 and 25
Var 14° E
40.00 Set temporary 1/4 Sec post
80.00 Intersect ~~Range line~~ East Boundary 29 link,
South of post corner to Sections
24 and 25, from which I run
S 89° 47' W on a true line
between Sections 24 and 25 —
Var 14° East
40.00 Set chared post in mound as
per instructions for 1/4 Sec cor
80.00 To the corner of Sections
23 24 25 and 26
Surface rolling
Soil 2nd Rate —

West of 6th Principal Meridian

North between Sections 23 and 24
Var 14° East
21.00 Enter Platte River bottom bears E & W.
40.00 Set chared post in mound as
per instructions for ~~corner~~ 1/4 Sec to cor
80.00 Set chared post in mound as
per instructions for corner to
Sections 13, 14, 23 and 24
Surface rolling Soil
2nd Rate —

Township No 8 North Range No 20 West of 6th Principal Meridian

East on a random line
between Sections 13 and 24
Var 14° East

40.00 Set temporary 1/4 Sec Post
79.80 Intersect ~~Range line~~ East Boundary 12 links
South of post corner to Sections
13 and 24 from which I run
S 89° 54' W on a ~~true~~ line
between Sections 13 and 24
Var 14° East

39.90 Set charred post in mound as
per instructions for 1/4 Sec cor
79.80 To the corn of Sections
13 14 23 and 24
Surface rolling
Soil 2nd Rate

North between Sections
13 and 14
Var 14° East

~~2.00 Enter Platte river bottom~~
~~bears East and West~~

40.00 Set charred post in mound as
per instructions for 1/4 Sec cor
63.00 Rogue bears East & West
80.00 Set charred post in mound as
per instructions for corn
to Sections 11, 12, 13 and 14
Surface level Soil 2nd Rate

Township No 8 North - Range No 20 West of the 6th Principal Meridian

East on a random line
between Sections 12 and 13
Var 14° East
40.00 Set temporary 1/4 Sec post
80.32 Intersect ~~Range line~~ East Boundary 5.4 links
South of post corner to Sections
12 and 13 from which I run
S 89° 36' W on a true line
between Sections 12 and 13
Var 14
40.16 Set chained post in mounds
per instructions for 1/4 Sec cor
80.32 To the corner of Sections
11, 12 and 13 and 14
Surface level Soil 2nd Rate

North between Sections
11 and 12
Var 14° East
28.81 To Right bank of Platte
river and set chained post
in mound as per instructions
for meander corner
Surface level Soil 2nd Rate

Township No 8 North Range No 20

The line between
Sections 1 and 2
In the river

West of the 6th Principal Meridian

North between Sections 1 and 2
Var 14° East

From meander corner on right
bank of river I measure
across the river by chain
and at 75.50 chains gain
left bank of river Therefore at
24.31 Left bank of river where I set
charred post in mound as
per instructions for meander corner
40.00 Set charred post in mound as
per instructions for 1/4 Sec. cor
79.65 Intersect 2d Standard parallel
7.48 chains East of quarter-section
corner between Sections 2 and 34
Surface level Soil 1st rate

September 28th 1868

Township No 8 North Range No 21

North between Sections
34 and 35
Var 14° East

40,00 Set chared post in mound as
per instructions for 1/4 Sec post

80,00 Set chared post in mound as per
instructions for corner to
Sections 26 27 34 and 35
Surface rolling
Soil 2° Rate

West of the 6th Principal Meridian

East on a random line
between Sections 26 and 35
1/4 Sec post
4 on Sec line pass. Var 13° 30' East

80,74 Intersect North and South line
16 links South of post corner
to Sections 25. 26. 35 and 36 from which True
S 89° 52' W on a true line
between Sections 26 and 35
Var 13° 30' East

40,07 Set chared post in mound as
per instructions for 1/4 Sec post

80,74 To the corner of Sections
26 27 34 and 35
Surface rolling Soil 2° Rate

Township No 8 North Range No 20

North between Sections 26 & 27
Var 14° East

40.00 Set chared post in mound as
per instructions for 1/4 Sec cor
80.00 Set chared post in mound as
per instructions for comm
to Sections 22, 23, 26 & 27
Surface rolling Soil 2nd rate

West of the 6th Principal Meridian

East on a random line
between Sections 23 and 26
Var 14° East

40.00 Set temporary 1/4 Sec post
79.92 Intersect North & South line
65 links North of pos corner to
Secs. 23. 24. 25 and 26 from which I run
N 89° 32' W ~~between Sec~~ on a true
line between Sections 23 and 26
Var 14° East

39.96 Set chared post in mound as
per instructions for 1/4 Sec cor
79.92 To the comm of Sections
22 23 26 & 27
Surface rolling
Soil 2nd Rate

Township No 8 North Range No 20

North between Sections
22 and 23
Var 14° East

40.00 Set chared post in mound as
per instructions for 1/4 Sec cor
80.00 Set post corner to Sections
14 15, 22 and 23
Surface rolling
Soil 2nd Rate

West of the 6th Principal Meridian

East on a random line
between Sections 14 and 23
Var 14° East
17.00 Enter river bottom bears NW & SE
40.00 Set temporary 1/4 Sec post
80.24 Intersect North and South line
at post corner to Sections
13.14.23 and 24 from which I run
West
~~N 89° 59' W~~ on a true line
between Sections 14 and 23
Var 14° East
40.12 Set chared post in mound as
per instructions for 1/4 Sec cor
80.24 To the corner of Sections
14 15 22 and 23
Surface rolling
Soil 2nd Rate

Township No 8 North Range No 20

North between Sections
~~13 and~~ 14 & 15
Var 14° East

6.00 Enter-river bottom bears east & west
40.00 Set chained post in mound as
per instructions for 1/4 Sec cor
~~6.00 Enter-river bottom bears east & west~~
80.00 Set chained post in mound as
per instructions for corner to
Sections 10, 11, 14 and 15.
Surface rolling Soil 2 Rah-

West of 6th Principal Meridian

East on a random line
between Sections 11 and 14
Var 14° East

3.00 Road bears NW & SE
40.00 ~~79.86~~ Set temporary 1/4 Sec post
79.86 Intersect North and South line
86 links South of post corner
to Sections 11, 12, 13 & 14 from which I run
S 89° ~~21'~~ 23' W on a true line
between Sections 11 and 14
Var 14° East
39.93 Set chained post in mound as
per instructions for 1/4 Sec cor
79.86 To the corner of Sections
10, 11, 14 and 15
Surface level Soil 2 Rah-

✓

Township No 8 North Range No 20

North between Sections
10 and 11
Var 14° 15' East

1000 Road bears East and West
31,86 To right-bank of Platte river
and set chained post in mound
as per instructions for
meander corn
Surface level Soil 1st rate

Line between Sections
2 and 11
in River

West of 6th Principal Meridian

North between Sections 2 and 3
Var 14° East
Found meander corner between
Sections 10 and 11 on right-
bank of river I measure
~~North~~ my chain across the
river and at 76,14 chains
gained left-bank of river
Therefore at
2800 Left-bank of river where I set
chained post in mound as
per instructions ~~for 1/4 Sec~~ meander corner
4000 Set chained post in mound as
per instructions for 1/4 Sec cor
6700 drain Slough 70 links wide bears S E
8055 Intersect 2d Standard parallel
7.58 chains East of quarter-
Section corner between Sections
~~3 and~~ 35
and set chained post in mound as
per instructions for corn to
Sections 2 and 3
Surface level Soil 1st rate
September 30th 1868

Township No 8 North Range No 20

North between Sections
33 and 34
Var 14° East

40,00 Set chared post in mound as
per instructions for 1/4 Sec cor
80,00 Set chared post in mound as
per instructions for corner
to Sections 27, 28, 33 & 34
Surface rolling Soil 2nd Rate

West of the 6th Principal Mer

East on a random line
between Sections 27 and 34
~~80,30 40,00~~ Var 14° 15' East
40,00 Set temporary 1/4 Sec post
80,30 Intersect North and South line
58 links North of post corner to
Sections 26.27.33 & 34 from which Jun
N 89° ~~34~~ 35' W on a true line
between Sections 27 and 34
Var 14° 15' East
40,15 Set chared post in mound as
per instructions for 1/4 Sec cor
80,30 To the corner of Sections
27. 28. 33 and 34
Surface rolling Soil 2nd Rate

Township No 8 North Range No 20

North between Sections
27 and 28
Var 14° East

40,00 Set charred post in mound as
per instructions for 1/4 Sec cor
80,00 Set charred post in mound as
per instructions for corner
to Sections 21, 22, 27 & 28
Surface rolling
Soil 2nd Rate

West of 6th Principal Meridian

East on a random line
between Sections 22 and 27
Var 14° East

40,00 Set temporary 1/4 Sec cor
80,22 Intersect North and South line
28 links North of post corner to
Sections 22.23.26 & 27 from which I run
N 89° 47' W on a true line
between Sections 22 and 27
Var 14° East

40,71 Set charred post in mound as
per instructions for 1/4 Sec cor
80,22 To the corner of Sections
21, 22, 27 and 28
Surface rolling
Soil 2nd Rate

5th Township No 8 North Range No 2

North between Sections 21 and 22
Var 14° East

40.00 Set ~~temporary 1/4 Sec post~~
chained post in mound as
per instructions for 1/4 Sec cor

80.00 Set chained post in mound as
per instructions for common
Sections 15, 16, 21 and 22
Surface rolling Soil 2nd rate

West of 6th Principal Meridian

East on a random line
between Sections 15 and 22
Var 14° 15' East

40.00 Set temporary 1/4 Sec post

79.88 Intersect North and South line
35 links South of post corner to
Sections 14. 15. 22 and 23 from which Drum
S 89° 44' W on a true line
between Sections 15 and 22
Var 14° 15' East

39.94 Set chained post in mound as
per instructions for 1/4 Sec cor

79.88 To the corner of Sections
15 16. 21 and 22
Surface rolling
Soil 2nd Rate

Township No 8 North - Range No 20 West of 6th Principal Meridian

North between Sections
15 and 16
Var 14° East -

40.00 Set charred post in mound as
per instructions for 1/4 Sec cor
42.00 Enter Platte river bottom
bears East and West
80.00 Set charred post in mounds
per instructions for corn to
Sections 9 10 15 and 16
Surface on South 1/2 hilly
Soil 3rd Rate - on North 1/2
level Soil 2nd Rate -

East on a random line
between Sections 10 and 15 -
Var 14° 15' East -
40.05 Set temporary 1/4 Sec post
80.70 Intersect North and South line
13 links North of post corner
to Sections 10. 11. 14 and 15 from which I run
N 89° 54' W on a true line
between Sections 10 and 15
Var 14° 15' East -
40.05 Set charred post in mound as
per instructions for 1/4 Sec cor
80.70 To the corn of Sections
9, 10, 15 and 16
Surface level Soil 2nd Rate -

Township No 8 North Range No 20

North between Sections
9 and 10
Var 14° East

14,00 ~~Set chared post in mound~~ Road bears N 75 W & S 75 E as
34,00 To right bank of river and set
chared post in mound as per
instructions for meander corner
56,50 To Island and set chared post
as per instructions for meander post
80,00 Set chared post in mound as
per instructions for corner to
Sections 3, 4, 9 and 10
Surface level Soil 1st rate

West of the 6th Principal Mer

East on a true line between
Sections 3 and 10
Var 14° East
37,65 To river and set chared post in
mound as per instructions
for meander corner
Surface level Soil 1st rate

Township No 8 North Range No 20

North between Sections
3 and 4
Var 14° East

10.18 To river and set chained post in mound as per instructions for meander corn

~~28.00~~

56.52 To Left-bank of Platte river (distance obtained by chaining from meander post on North side of Island) and set chained post in mound as per instructions for Meander post

79.39 Intersect 2d Standard Parallel 7.39 Chains East of quarter Section post between 4 & 34 Surface level Soil 1st rate

October 1st 1868

South side of Section 34, T. 9 N R 20 W

West of the 6th Principal Meridian

North between Sections 32 and 33
Var 14° East

40.00 Set chained post in mound as per instructions for 1/4 Sec cor

80.00 Set chained post in mound as per instructions for corn to Sections 28 29 32 and 33 Surface rolling Soil 2nd Rate

Township No 8 North Range No 20

East on a random line
between Sections 28 and 33
Var 14° East

40.00 Set temporary 1/4 Sec post
79.60 Intersect North and South line
70 links North of post comes to
Sections 27. 28. 33. & 34 from which I run
N 89° ~~29'~~ 30' W on a true line
between Sections 28 and 33
Var 14° East

39.80 Set chained post in mound as
per instruction for 1/4 Sec cor
79.60 To the corn of Sections
28. 29. 32 and 33
Surface ~~gently~~ rolling
Soil 2d Rate

West of the 6th Principal Meridian

North between Sections 28 & 29
Var 14° 30' East

40.00 Set chained post in mound as per
instructions for 1/4 Sec cor
80.00 Set chained post in mound as
per instructions for corn to
Sections 20 21 28 and 29
Surface rolling Soil 2d Rate

Township No 8 North Range No 20

East on a random line
between Sections 21 and 28
Var 14° East

4000 Set Temporary 1/4 Sec post
8070 Intersect North and South line
32 links North of post corner to
Sections 21. 22. 27. & 28 from which I run
N 89° ~~37~~ 38' W on a true line
between Sections 21 and 28
Var 14° East

4005 Set chained post in mound as
per instructions for 1/4 Sec post
8080 To the corner of Sections
20 21. 28 and 29
Surface rolling
Soil 2° Rate —

West of the 6th Principal Meridian

North between Sections
20 and 21
Var 14° 30' East

4000 Set chained post in mound as
per instructions for 1/4 Sec cor
8000 Set chained post in mound as
instructions for corner to
Sections 16 17 20 and 21
Surface gently rolling
Soil 2° Rate —

Township No 8 North Range No 20

East on a random line
between Sections 16 and 21
Var 13° 45' East

40.00 Set temporary 1/4 Sec post
80.00 Intersect North and South line
68 links South of post corner
to Sections 15. 16. 21 & 22 from which I run
S 89° 38' W ~~between~~ on a true
line between Sections 16 and 21
Var 13° 45' East

40.00 Set chained post in mound as
per instructions for 1/4 Sec cor
80.00 To the corner of Sections
16. 17. 20 & 21
Surface rolling Soil
2nd Rate

West of the 6th Principal Merid.

North between Sections 16 & 17
Var 14° 30' East

24.00 Enter Platte river bottom bears
East and West

40.00 Set chained post in mound as
per instructions for 1/4 Sec cor

80.00 Set chained post in mounds
per instructions for corner
to Sections 8. 9. 16 & 17
South of the bottom the
Surface is broken Soil 3rd Rate
in bottom Surface level
Soil 2nd Rate

Township No 8 North Range No 20

East on a random line between Sections 9 & 16
Var 14° East

40.00 Set temporary 1/4 Sec cor
80.06 Intersect North and South line 24 links South of post comes to Sections 9 & 15 and 16 from which I run
S 89° ~~49~~ 50' W on a true line between Sections 9 and 16
Var 14° East

40.03 Set chared post in mound as per instructions for 1/4 Sec cor
80.06 To the corner of Sections 8 9 16 and 17
Surface level Soil 2nd Rate

West of the 6th Principal Mer

North between Sections 8 and 9
Var 14° 30' East

23.50 Road bears East and west
37.00 To right bank of Platte river and chared post in mound as per instructions for meander corner
72.00 To Island and set chared post in mound as per instructions for meander corner
80.00 Set chared post in mound as per instructions for corn to Sections 4 5 8 and 9
Surface rolling Soil 2nd Rate

Township No 8 North Range No 20

East on a random line
between Sections 4 and 9
Var 14° 30' East
40.00 Set temporary 1/4 sec post
80.44 Intersect North and South
line at post corner to Sect.
3. 4. 9 and 10 from which Dist
~~N 89° 59' W~~ West on a true line
between Sections 4 and 9
Var 14° 30' East
40.22 Set chased post in mound as
per instructions for 1/4 sec cor
80.44 To the corner of Sections
4 5 8 and 9
Surface level
Soil 1st rate

West of 6th Principal Meridian

North between Sections 4 and 5
Var 14° 30' East
33.10 To river and chased post in
mound as per instructions
for meander corner
66.69 To Left-bank of Platte
river (distance ascertained by
chaining from meander post on
North side of Island) and
set chased post in mound
as per instructions for
meander post
80.24 Intersect 2d Standard
parallel 8.10 Chains
East of quarter Section
post between 5 & 33
Surface level Soil 1st
rate

October 2nd 1868

Township No 8 North Range No 2 W

North between Sections 31 and 32
Var 14° 30' East

40.00 Set chained post in mounds
per instructions for 1/4 Sec cor
80.00 Set chained post in mound as run
for corner to Sections
29 30 31 and 32
Surface gently rolling
Soil 1st Rate

West of the 6th Principal Mer

East on a ~~true~~ random line
between Sections 29 and 32
Var 14° 30' East

40.00 Set temporary 1/4 Sec Post
80.38 Intersect North and South line
18 links North of post corner to
Sections 28.29.32 & 33 from which I run
N 89° 53' W on a true line
between Sections 29 and 32
Var 14° 30' East

~~40~~ 19 Set chained post in mound as
per instructions for 1/4 Sec cor
80.38 To the corner of Sections
29 30, 31 and 32
Surface gently rolling
Soil 2nd Rate

Township No 8 North - Range No 2 West of the 6th Principal Mer

West on a random line
between Sections 30 and 31
Var 14° 30' East

40.00 Set temporary 1/4 Sec Post
78.52 Intersect ~~Range line~~ West Boundary
at corner to Sections 30 & 31
from which I run
~~N 89° 59' E~~ East on a true line
between Sections 31 and 31
Var 14° 30' East

38.52 Set charred post in mound as
per instructions for 1/4 Sec cor
78.52 To the corn. of Sections
29 30 31 and 32
Surface rolling Soil
2nd Rate -

North between Sections
29 and 30
Var 14° 30' East

40.00 Set charred post in mound as
per instructions for 1/4 Sec cor
80.00 Set charred post in mound as
per instructions for corner to
Sections 19 20 29 and 30
Surface gently rolling Soil
2nd Rate -

Township No 8 North Range 10 20

East on a random line
between Sections 20 and 29
Var 14° 30' East

40.00 Set temporary 1/4 Sec post
80.78 Intersect North and South line
54 links North of post corner
to Sec. 20. 21. 28 & 29 from which Drum
N 89° 37' W on a true line
between sections 20 and 29
Var 14° 30' East
40.79 Set charred post in mound as
per instructions for 1/4 Sec cor
80.18 To the corner of Sections
19 20 29 and 30
Surface gently rolling
Soil 2nd Rate

of the 6th Principal Meridian

West on a random line
between Sections 19 and 30
Var 14° 30' East

40.00 Set temporary 1/4 Sec post
79.30 Intersect ~~Range line~~ West Boundary 40 links North
of corner to Sections 19 & 30 from which
Drum
N 89° 43' E on a true line
between Sections 19 and 30
Var 14° 30' East
39.30 Set charred post in mound as
per instructions for 1/4 Sec cor
79.30 To the corner of Sections
19. 20. 29 and 30
Surface gently rolling
Soil 2nd Rate

Township No 8 North Range No 20

North between Sections 19 and 20
Var 14° 30' East

40.00 Set chained post in mound as
per instructions for 1/4 Sec cor
80.00 Set chained post in mound as
per instructions for corner
to Sections 17 18 19 & 20
Surface gently rolling
Soil 2nd Rate

West of 6th Principal Meridian

East on a random line
between Sections 17 and 20
Var 14° 30' East

40.00 Set temporary 1/4 Sec post
80.20 Intersect North and South line
14 links South of post corner to
Sections 16.17.20 & 21 from which I run
S 89° 58' W on a true line
between Sections 17 and 20
Var 14° 30' East

40.10 Set chained post in mound
as per instructions for 1/4 Sec cor
80.20 To the corner of Sections
17 18 19 and 20
Surface gently rolling
Soil 2nd Rate

October 3rd 1868

Township No 8 North Range No 20

West on a random line
between Sections 18 and 19
Var 14° 30' East

40.00 Set temporary 1/4 Sec post
78.30 Intersect North and South line
89 links South of post corner
to Sections 18 & 19 from which I run
S 89° 21' E on a true line
between Sections 18 and 19
Var 14° 30' East

38.30 Set charred post in mound as
per instructions for 1/4 Sec cor
78.30 To the corner of Sections
17 18 19 and 20
Surface rolling
Soil 2nd Rate

West of the 6th Principal Meridian

North between Sections 17 and 18
Var 14° 30' East

40.00 Set charred post in mound as
per instructions for 1/4 Sec cor
61.50 Enter Platte river bottom
bears N 70 W & S 70 E
80.00 Set charred post in mound as
per instructions for Corn to
Sections 7. 8. 17 and 18
Surface rolling Soil 2nd Rate

Township No 8 North Range No 20

East on a random line
between Sections 8 and 17
Var 14° 30' East

40.00 Set Temporary 1/4 Sec post
79.40 Intersect North South line at post
Corner to Sect. 8.9.16 & 17 from which
~~On 89° 59' W~~ West on a true line
between Sections 8 and 17
Var 14° 30' East

39.70 Set chared post in mound as
per instructions for 1/4 Sec cor
79.40 To the corner of Sections
7, 8, 17 and 18
Surface rolling
Soil 2 Rate

West of the 6th Principal Meridian

West on a random line
between Sections 7 and 8
Var 14° 45' East

40.00 Set Temporary 1/4 Sec cor
78.16 Intersect ~~Range line~~ 50 ~~Range~~ River bottom ~~Range~~ N.W. & S.E. 78 links
South of West Boundary post corner to Sections 7
& 18 from which I run
S 89° ~~38~~ 25' E on a true line
between Sections 7 and 8
Var 14° 45' East

38.16 Set chared post in mound as
per instructions for 1/4 Sec cor
78.16 To the corner of Sections
7 8 17 & 18
Surface rolling
Soil 2 Rate

27

Township No 8 North Range No 20

North between Sections 7 and 8
Var 14° 30' East

4000 Set chared post in mound as
per instructions for 1/4 Sec cor

4560 Plum creek 40 links wide runs
N E ~~banks~~ ~~tin~~ ~~current~~ ~~gentle~~
water 1 foot deep

4600 road bears N W & S E

~~7812~~ To right bank of Platte river
7812 and set chared post in mound
as per instructions for meander
corner
Surface level Soil 2nd Rate

West of the 6th Principal Meridian

West on a true line
between Sections 5 and 8
Var 14° 30' East
~~beginning at the corner to Sections~~
~~4 5 8 and 9 and runing~~
~~thence N 89° 59' W~~

2625 To river and set chared post
in mound for meander cor
Surface level Soil 2nd Rate

Line between Sections 6 and 7
all in Platte River

Township No 8 North Range No 20

North between Sections
5 and 6
Var 14° 30' East
From meander corner between
Sections 7 and 8 measure across
river at 17.59 gain Island
Thence at
15.71 To Island and set chained post
in mound as per instructions
for meander corner
32.00 To river and set chained post in
mound as per instructions
for meander corner
77.00 To left-bank of river and set
meander post in mound as per instructions
80.11 Intersect 2d Standard
parallel 7.90 chains
East of quarter section
post between 6 and 32
Surface level Soil
1st rate

October 4th 1868

West of the 6th Principal Meridian

Meanders of Platte river
begining at meander post
on Right-bank on the
Range line between Ranges
19 and 20
thence in Section 12
S 89 W 18.00 Var. 14° East
S 66 W 7.50
N 74½ W 14.50
S 81 W 25.50
N 79 W 16.00 To meander post
between Sections
11 and 12

In Section 11
Var 14° East
West 26.00
N 51 W. 4.50
S 44 W 6.00
N 85 W 46.00 To meander
post between
Sections 10 & 11

N 85 W 28 00 In Section 10
S 86½ W 27 00 Var 14° East
N 88½ W 25 00 4 To meander
post between
Section ~~8 & 9~~ 9 & 10

N 86 W 7 50 In Section 9
N 83 W 20 00 Var 14° East
S 79 W 19 00
S 72 W 12 00
N 73 W 24 00 5 To meander
post between
Section 8 & 9

In Section 8
Var 14° East
N 81 W 4 50 Plum creek
40 links wide banks
high ~~water & fast~~
~~deep~~

N 53 W 22 50
N 59 W 35 50
N 73 W 26 50
S 85 W 1 87 6 To meander post
between Sections 7 & 8

In Section 7
Var 14° East
S 83½ W 21.80
West 29.00
S 84 W 14 50
S 88 W 12 50 7 To meander
post on Range
line Banks of river
high no Timber

Meanders of Island in Sections 3 4 and 5 beginning at meander post on South side of Island ~~between Mean~~ as-meander ~~post on~~ between Sections 9 and 10

In Section 9
Var 14° East

8 N 81 W 2350
N 79 W 5800 9 To meander post between Sections 8 x 9

N 77 W 2100 In Section 8
N 65 W 675 10 To meander post between Sections 5 x 8

In Section 5
Var 14° East

N 64 W 1900
N 18 W 1650
N 10 E 600
N 55 E 900
N 77 E 1350

S 70 E 1100
S 80 E 1500 11 To meander post between Sections 4 and 5

In Section 4
Var 14° East

S 78 E 3100
S 73 E 3100
S 70 E 2150 12 To meander post betwn Sec 3 and 4

In Section 3
Var 14° East

S 79 E 1000
N 87 E 1800
S 47 E 1300 13 To meander post between Sections 3 and 10

In Section 10
Var 14° East

S 36 E 2000
S 2 W 1050
S 78 W 2100
N 15 W 650
S 84 W 850
N 82½ W 1815 8 To place of
beginning

Banks of Island high
Soil 1st-rate - Timber a
few scattering cottonwoods

Meanders of Island in
Sections 5 and 6
beginning at meander post
on Range line on South
Side of Island

In Section 6
Var 14° East

14 N 89 E 1100
S 85 E 2500
N 88 E 2500
S 75 E 1750 15 To meander
post between
Sections 5 & 6

S 82 E 1000 In Section 5
N 74 E 600 Bar
N 88 E 700
N 17 E 300
N 53 W 1200
N 68 W 1300 16 To meander post
on North Side of
Island

N 77 W 2600 In Section
N 49 W 900 6

N 65 W 13.50
N 84 W 18.00
S 88 W 16.00 17 To meander post on Range line on North Side of Island

Soil on the Island 1st rate with some scattering cottonwood timber and an undergrowth in places on the East end of Island of cottonwood ash and as pear

October 5th 1868

Meanders of Island in Section 1 begining at Meander post on South side of Island on Range line

In Section 1
bar 14° East

18 S 86 W 400
S 66 W 600
S 35 W 1100
S 89 W 1700
N 77 W 1400
N 73 W 775
N 30 W 550
N 30 E 700
N 81 E 730
S 70 E 400
East 650
N 64 E 600
S 89 E 1200
N 79 E 11.50
N 87 E North 200 617 19 To meander post on North side of Island Banks of Island low timber all cut-off

Meanders of the left bank of Platte river begin at meander post on Range line between Ranges 19 and 20

In Section 1
Var 14° East

20 N 88 W 7.00
S 64 W 10.00
S 88 W 16.00 Bayou trees N W
S 74 W 4.30
S 78 W 3.50
N. 85 W 7.00
S 79 W 2.30
S. 88 W 27.00 21 To meander post between Sections 1 and 2

In Section 2
Var 14° East

~~West 27~~
~~N 87 W 11.00~~
West 35.00
N 87 W 11.00
West 22.00
N 78 W 12.50 22 To meander post between Sections 2 & 3

In Section 3
Var 14° East

N 75 W 16.00
N 56 W 30.00
N 81 W 25.00
N 77½ W 15.50 23 To meander post between Sections 3 & 4

In Section 4
Var 14° East

N 81 W 47.00 cuck 10 links west
N 83 W 11.50 bear N.W
N 88 W 22.50 24 To meander
post between
Sections 4 & 5

In Section 5
Var 14° East

N 86 W 12.70
S 60 W 13.50
N 80 W 17.00
N 73 W 24.30
N 62 W 13.50 25 To meander
post between
Section 5 & 6

In Section 6
Var 14° East

N 79 W 7.00
West 15.50
N 82 W 10.40 26 To meander
post on North
Boundary
Banks of river high
no Timber

October 6th 1868

Township No 8 North Range No 20 West of the 6th Principal Mer

General Description

The surface of this Township on the South ½ is rolling and the Soil generally 2nd rate – on the North ½ the Surface is level Soil 1st and 2nd rate –
the Platte river runs ~~westerly~~ Easterly through the Northern part of the Township on which there is some scattering Timber

Township No 8 North Range No 20 West of the 6th Principal Mer

Affidavit

I William E Daugherty Deputy Surveyor do solemnly swear that in pursuance of a contract with J W Hitchcock Surveyor General of the ~~United States~~ of the public lands of the United States in the State of Nebraska bearing date the 15th day of September 1868 and in strict conformity to the laws of the United States and the instructions furnished by the said Surveyor General I have forth fully surveyed and subdivided Township No 8 North of Range No 20 of the 6th Principal Meridian in the State of Nebraska and I do further solemnly swear that the foregoing are the true and original field notes of such Survey

William E Daugherty
Deputy Surveyor

Subscribed and sworne to before me at my office this first day of December 1868

Silas Moore
Notary Public

We hereby certify that we assisted William E Daugherty, Deputy Surveyor, in Surveying ~~the Exterior boundaries~~ and Sub-dividing Township number eight North of the base line of Range number twenty West of the Sixth Principal Meridian, and that said Township has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the boundary monuments planted according to the instructions furnished by the Surveyor General

W. H. Andrews Chainman
O. Mason Chainman
F. Underhill Moundman
W W Davis Moundman

Subscribed and sworn to by the above named persons before me a Justice of the Peace for the County of Douglas in the State of Nebraska this 3rd day of November 1865

J E Kelley
Justice of the peace

Surveyor Generals Office
Plattsmouth Neb, Feb 1st 1869

The foregoing field notes of the survey and Subdivision of Township 8 N. Range 20 West 6th Principal Meridian executed by Wm. E. Daugherty deputy surveyor under his contract No 13 dated Sept 15th 1868. in the months of Sept and October. 1868, having been critically examined The necessary corrections and explanations made the said field notes and the surveys the describe are hereby

Approved.

P W. Hitchcock
Surveyor General

General Land Office • Original Field Notes

Book Number

441

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.