

GENERAL LAND OFFICE • ORIGINAL FIELD NOTES

BOOK NUMBER

448

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Field Notes
of the
Survey and Sub-divisions
of Township 33 North
of the
Base Line
Range 20 West
of the
6th Prin. Mer.
in the
State of Nebraska

Executed
by George W. Barton
Deputy Surveyor
under joint contract
No 89 dated April 29th
1875.

Survey
Commenced June 15th 1875
Completed June 19th "

Index Diagram
 Township 33 North
 of the
 Base Line
 Range 19 West 6th W.

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	7	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		12		2
31	45	32	34	33	23	34	12	35	1	36

List of Names

A list of the names
 of the persons who
 were employed
 to assist in
 surveying and
 subdividing
 this Township

William B. Spaulder } Chairman
 Jessie E. Scott }

Charles Bowers } Foreman
 Adelbert D. Bince } Foreman
 +
 Flagmen

Township 33 North-

To determine the
proper adjustment
of my compass
for sub-dividing
this Township

I begin at corner
to Towns. 32 and 33
N. Ranges 19th and 20th
West & run
North on a flank
line along East
boundary of Sec 36

Variation 13° 45' E

40.00
80.01

To $\frac{1}{4}$ Sec. Cor
to corner to Sec 35
and 36

Therefore my
compass is in
proper adjustment

Range 20 West 6th N.

^{claim} From the established
corner to Sec. 35 and 36
on South boundary
of Township

North of Sec. 35 and 36
Variation 13° 45' E

4000 Set cedar post 3 in
x 2 in x 4 ft - 12 in
deep. Deposit mound
of earth 2 ft high
from pit 27 in
x 22 in - 12 in
deep. for $\frac{1}{4}$ Sec. Cor -

8000 Set cedar post
3 in x 3 in x 4 ft - 12 in
deep. Deposit
mound of
earth 2 ft high
from pit 24 in x 24 in
12 in deep. for corner
to Sec. 25, 26, 35
36 - Surface gently rolling
Soil 1st level

Township 33 North

chain

East on random line bet. Secs 25 and 36

Variation 13° 45' E

40.00 Set post for line in Section corner

67.00 Ravine 150' wide

S.E. Pine + cottonwood

80.38 Intersect East Boundary of Township at a point 16 lbs. South of corner to Secs 25 and 36 from which corner I run 489' 53" West on true line bet. Secs 25 and 36

Variation 13° 45' E

40.19 Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit charred stake, raise mound of earth 2 ft high from pits - 22 in x 22 in - 12 in deep

for 1/4 Sec. corner to Secs 25, 26, 35, 36

Surface rolling - Soil 17' thick

80.38

for 1/4 Sec. corner to Secs 25, 26, 35, 36

Range 20 West 6th P.M.

chain

North bet. Secs 25 and 26

Variation 13° 45' E

40.00 Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit charred stake, raise mound of earth 2 ft high from pits - 22 in x 22 in - 12 in deep, for 1/4 Sec. in

80.00 Set cedar post 3 in x 3 in x 4 ft - 12 in deep. Deposit charred stake, raise mound of earth 2 ft high from pits - 24 in x 24 in - 12 in deep. for corner to Secs 23, 24, 25 and 26

Surface rolling

Soil 17' thick

Township 33 North

chains

East on random line bet. Secs 24 and 25

Variation 13°45'E

40.00

Set post for temporary Section Corner

80.42

Intersect East boundary of Township at a point 28' S. of corner to Secs 24 and 25 from which corner I run N 89°48' West on true line bet. Secs 24 and 25

Variation 13°45'E

40.21

Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chain stake, raise mound of earth - 2 ft high from pits 22 in x 22 in 12 in deep for to Sect.

80.42

Corner to Sections 23, 24, 25 and 26 - Surface rolling Soil 1st rate

Range 20 West 6th T. N.

chains

North bet. Secs 23 and 24

Variation 13°45'E

40.00

Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chain stake, raise mound of earth - 2 ft high from pits 22 in x 22 in - 12 in deep for to Sec. Cor.

80.00

Set cedar post 3 in x 3 in x 4 ft - 12 in deep. Deposit chain stake, raise mound of earth - 2 ft high from pits 24 in x 24 in 12 in deep for Corner to Secs 13, 14, 23 and 24

Surface rolling Soil 1st rate

6 Township 33 North

chain Carbon random
line bet. Sect 13th and
24th
Variation 13°45'E
4000 Set post for temporary
57.20 Section corner
80.60 Gain to the middle of
Intersect of 13th and 24th
line, at a point 28
ft. north of corner
to Sect. 13 and 24 from
which cor. of Range N. 29-48 N. ~~is~~ ^{is} ~~the~~ ^{the} ~~line~~ ^{line}
Variation 13°45'E
4030 Set cedar post
3 in x 2 in x 4 ft
12 in deep. Deposit
chared stake, raise
mound of earth
2 ft high from pits
22 in x 22 in - 12 in
deep. For 1/4 Sec. Cor -
80.60 corner to Sect. 13, 14,
23 and 24
Surface rolling
Soil 1/4 rate of

7 Range 20 West 6th N

chain North bet. Sec.
13 and 14
Variation 13°45'E
4000 Set cedar post 3 in
x 2 in x 4 ft - 12 in
deep. Deposit chared
stake, raise mound
of earth 2 ft high from
pits 22 in x 22 in
12 in deep. For 1/4 Sec. Cor
8000 Set cedar post 3 in
x 4 ft - 12 in deep
Deposit chared stake
raise mound of
earth 2 ft high
from pits 24 in x
24 in 12 in deep.
For corner to Sect.
11, 12, 13 and 14
Surface
Soil

Township 33 North

chains

Cart on random line bet. Secs. 12nd & 13th Variation 13° 35' E

15.00 Drain descends N. 71. 50 W. side

45.00 Set post for temporary 4 Section corner

80.78 Intersect East boundary of Township 38 W. S. W. of corner top Sections 12nd & 13th from which corner

I run N. 89° 44' West on true line bet. Secs. 12nd & 13th Variation 13° 35' E

40.39 Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chanced stake, raise mound of earth 2 ft high from pit 22 in x 22 in 12 in deep. for 4 Sec.

80.78 Corner to Sections 11, 12, 13th & 14th Surface rolling Soil 2 in rate

Range 20 West 6th P.M.

chains

North bet. Secs. 11th & 12th Variation 13° 30' E

16.00 Drain descends NW 50 W. side

45.00 Set cedar post 3 in x 2 in 12 in deep. Deposit chanced stake, raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep. for 4 Section corner

80.00 Set cedar post 3 in x 2 in x 4 ft 12 in deep. Deposit chanced stake raise mound of earth 2 ft high from pits 24 in x 24 in - 12 in deep for corner to

Sections 1, 2, 11, 12 Surface rolling Soil 2 in rate

Township 33 North-
chains

East on random
line bet. Sec. 1^{and} 12
Variation 13° 30' E
40.00 Set post for temporary
1/4 Section Corner
80.60 Intersect East
boundary of Township
at a point, compare
to Sec. 1^{and} 12 from
which corner
I run
West on true line
bet. Sec. 1^{and} 12
Variation 13° 30' E
40.30 Set cedar post 3 in
x 2 in x 4 ft - 12 in
deep. Deposit chain
stake, raise mound
of earth 2 ft high
from pits 2 1/2 ft x 2 1/2 ft
12 in deep. For 1/4 Section
80.60 Corner to Sec. 1, 2, 11, 12
Surface rolling
Soil 2" rate

Range 20 West 6^{up} 1/4 M.
chains

North on random
line bet. Sec. 1^{and} 2
Variation 13° 30' E
8.00 Leave upland & enter
valley N.E. ^{and} S.W.
40.00 Set post for temporary
1/4 Section Corner
79.47 Intersect W. bound-
ary of Township at
a point 4 1/4 lb. West
of corner to Sec. 1^{and} 2
From which corner
I run
S 19 West on true
line bet. Sec. 1^{and} 2
Variation 13° 30' E
39.47 Set cedar post 3 in
x 2 in x 4 ft - 12 in
deep. Deposit chain
stake, raise mound
of earth 2 ft high
from pits 2 1/2 ft x 2 1/2 ft
12 in deep. For 1/4 Section
79.47 Corner to Sec. 1, 2, 11, 12
Surface gently rolling
Soil 2" rate June 15th 75

Township 33 North

Chain From established corner to Sec. 34^{and} 35 on South boundary of Township

Drum North bet. Sec. 34^{and} 35 Variation 13° 40' E

4000 Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chanced stake, raise mound of earth 2 ft high from pits 22 in x 22 in - 12 in deep for $\frac{1}{4}$ Sec. cor.

8000 Set cedar post 3 in x 3 in x 4 ft - 12 in deep. Deposit chanced stake, raise mound of earth 2 ft high from pits 24 in x 24 in - 12 in deep for cor. to Sec. 26 - 27 - 34^{and} 35

Surface gently rolling Upland. Soil 1st rate

Range 20 West 6th P.M.

Chain Part on ray down line bet Sec. 26^{and} 35 Variation 13° 40' E

4000 Set post for temporary $\frac{1}{4}$ section corner

8000 Intersect $\frac{1}{4}$ Sec line at a point 12 ch. South of corner to sections 25, 26, 35^{and} 36 from which corner Drum

289.55 West on true line bet. Sec. 26^{and} 35 Variation 13° 40' E

4000 Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chanced stake, raise mound of earth 2 ft high from pits 22 in x 22 in - 12 in deep for $\frac{1}{4}$ Sec. cor.

8000 Corner to sections 26 - 27 - 34^{and} 35 Surface gently rolling Upland Soil 1st rate

144 Township 33 North

chains North-bet. Secs
26^{and} 27 Variation 13⁴⁰'E

40.00 Set cedar post 3 in
x 2 in x 4 ft - 12 in
deep. Deposit chanced
stake, raise mound
of earth - 2 ft high
from pits 22 in
x 22 in - 12 in
deep. for $\frac{1}{4}$ Section
Corner

8.00 Set cedar post 3 in
x 2 in x 4 ft - 12 in
deep. Deposit chanced
stake, raise mound
of earth - 2 ft high
from pits 24 in x 24 in
12 in deep, for
corner to Sections
22. 23. 26. 27
Surface rolling
Soil 1" rate

15 Range 20 West 6^{and} 7th

chains East on random
line bet. Secs 23^{and}
26 Variation 13⁴⁰'E

40.00 Set post for temporary
 $\frac{1}{4}$ Section Corner
79.82 Intersect of and S
line at a point
10 blk. South of corner
to Secs 23. 24. 25
and 26 from which
corner I run
S 89-56 West on
true line bet. Secs
23^{and} 26

39.91 Var. 13⁴⁰'E
Set cedar post
3 in x 2 in x 4 ft
12 in deep.
Deposit chanced
stake, raise mound
of earth - 2 ft high
from pits 22 in x 22 in
12 in deep for $\frac{1}{4}$ Sec
79.82 Corner to Secs 22. 23.
26^{and} 27 Surface rolling
Soil 1" rate

Township 33 North

chains

East on random line bet Sect. 23 and 26

Variation 13° 40' E

4000 Set post for temporary 1/4 Sec. corner.

79.82 Intersect of line at a point 10 Ch. S. of corner to Sect. 23, 24, 25 and 26 from which corner run S 89° 56' West on true line bet Sect. 23 and 26

Variation 13° 40' E

39.91 Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chanced stake. raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep. for 1/4 Sec. corner to Sect.

79.82 22, 23, 26 and 27 Surface rolling Soil 1st rate

Range 20 West 6th

chains

North bet. Sec. 22 and 23

Variation 13° 40' E

4000 Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chanced stake. raise mound of earth 2 ft high. from pits 22 in x 22 in 12 in deep for 1/4 Sec. corner

5000 Enter Valley S.W. N.E. 65.00 Drain (gravel bed) 150 ft. grade descends N.E. Leave Valley S.W. N.E.

8000 Set cedar post 3 in x 3 in x 4 ft - 12 in deep. Deposit chanced stake. raise mound of earth 2 ft high from pits 24 in x 24 in 12 in deep. for corner to Sections 14, 15, 22 and 23

Surface gently rolling Soil 1st rate

Township 33 North

chains East on random line bet. Sect. 14 and 23

Variation 13° 40' E
4 Section Corner

79.80 Intersect of Rand. line at a point 18 lb. South of corner to Sections 13, 14, 23 and 24 from which corner I run

89.52 West on true line bet. Sect. 14 and 23

39.90 Variation 13° 40' E Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chanced stake, raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep for 1/4 Sec. Corner to Sects. 14, 15, 22 and 23

79.80 Surface gently rolling Soil 1" rate

Range 20 West 6 1/4

North bet. Sections 14 and 15

Variation 13° 40' E Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chanced stake, raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep. for 1/4 Sec. Corner -

50.00 Enter Valley, E and W.

80.00 Set Cedar post 3 in x 3 in x 4 ft - 12 in deep. Deposit chanced stake, raise mound of earth 2 ft high from pits 24 in x 24 in 12 in deep for Corner to Sects. 10, 11, 14 and 15

Surface gently rolling Soil 1" rate

Township 33 North

chain East on random line bet. Sec. 11^{and} 14 Variation 13° 40' E

26.10 Slough 50 lbs. wide North.

40.00 Set post for temporary 1/4 Section Corner

45.00 Leave Valley N. and S.

80.00 Intersect N and S line at a point 3 lbs. N. of corner to Sec. 11, 12, 13 and 14 from which corner I run

189.59 West on true line bet. Sec. 11^{and} 14 Variation 13° 40' E

40.00 Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit charred stake raise mound of earth - 2 ft high from pits 22 in x 22 in 12 in deep for 1/4 Sec. Corner to Sec. 10, 11, 12, 13, 14

80.00 Surface rolling - Soil fertile

Range 20 West 16^{up} 11

chain North - bet Sec. 10^{and} 11 Variation 13° 40' E

31.67 Slough 50 lbs. wide East.

40.00 Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit charred stake raise mound of earth - 2 ft high from pits 22 in x 22 in 12 in deep. for 1/4 Sec. Corner

80.00 Set cedar post 3 in x 3 in x 4 ft - 12 in deep. Deposit charred stake raise mound of earth - 2 ft high from pits 24 in x 24 in - 12 in deep. for corner to Sec. 2, 3, 10, 11

Surface rolling Soil sandy - 2" salt

22
Township 33 North

Chain	East on railroad line bet. Sec. 2 nd and 11 th
	Variation 13° 40' E
40.00	Set post for temporary 1/4 Section Corner
51.00	Slough 50 ft. wide about
70.00	Leave bottom N. and S. W.
80.64	Intersect at S. line at corner to Sec. 1, 2, 11 and 12 from which corner run West on a true line bet. Sections 2 nd and 11 th
	Variation 13° 40' E
40.32	Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit sand stake, raise mound of earth - 2 ft high from pits 22 in x 22 in 12 in deep. For 1/4 Sec. corner to Sec. 2, 3, 10 and 11
80.64	Surface gently rolling Soil 2 nd class June 16 th 1885

23
Range 20 West 6th PM

Chain	North on railroad line bet. Sec. 2 nd and 3 rd
	Variation 13° 40' E
40.00	Set post for temporary 1/4 Section Corner
49.70	Intersect. about boundary of Township at a point to the West of corner to Sec. 2 and 3 from which corner run S 30° West on true line bet. Sections 2 nd and 3 rd
	Variation 13° 40' E
39.70	Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit sand stake, raise mound of earth - 2 ft high from pits 22 in x 22 in 12 in deep. For 1/4 Sec. corner to Sec. 2, 3, 10 and 11
49.70	Surface rolling Soil sandy 2 nd rate

Township 33 North-

chain

North bet. Sect. 33 & 34

Variation 13° 45' E

40.00

Set cedar post
3 in x 2 in x 4 ft

12 in deep. Deposit
chained stake, raise
mound of earth

2 ft high from
pits 22 in x 22 in
12 in deep for 1/4 Sec.

64.00

Drain descend to

80.00

Set cedar post
3 in x 3 in x 4 ft
12 in deep

Deposit chained
stake, raise mound
of earth 2 ft high
from pits 24 in x 24 in

12 in deep for corner
to Sect. 27, 28, 33, 34

Surface 1/2 half level
table - land
Soil 2nd rate.

Second 1/2 gently rolling
with slope - Soil 2nd rate

Range 20 West 6th N

chain

East on random
line bet Sect. 27th &

34 Variation 13° 45' E

40.00

Set post for temporary
4th section corner

45.00

Drain course to
intersect at

80.03

line at a point 34
ft. N. of corner
to Sect. 26, 27, 34

at B5 from which
corner run

at 89° 45' across
tree line bet
sections 27th & 34th

Variation 13° 45' E

40.00

Set cedar post
3 in x 2 in x 4 ft
12 in deep

Deposit chained
stake, raise mound
of earth 2 ft high from
pits 22 in x 22 in x 2 in
deep for 1/4 Sec.

80.03

Corner to Sect. 27, 28, 33, 34
Surface gently rolling Soil 2nd rate

Township 33 North

chains

North bet. Sec. 27 & 28

Variation 13° 45' E

7.00 Drain N.E.

39.50 Drain N.W.

40.00 Set Cedar post 3 in x 2 in x 4 ft. 12 in deep

Deposit chanced stake, raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep for 1/4 Section Corner.

45.00 Drain N.E.

80.00 Dry Sand bed 100 ft wide

water in holes, East

81.00 Set Cedar post 3 in x 3 in x 4 ft. 12 in deep.

Deposit chanced stake, raise mound of earth 2 ft high from pits 22 in x 24 in 12 in deep for a Witness Corner on N. bank of dry sand bed to Corner of Sec. 21, 22, 27, 28. Surface gently rolling, soil 21, 22, 27, 28.

Range 20 West 1/4 Sec 21, 22, 27, 28

chains

21, 22, 27, 28

Cart on road on line bet. Sec. 22 & 27

Variation 13° 45' E

6.00 Leave dry bed of sand N.E.

40.00 Set post for temporary

Set corner

46.00 Drain North

80.15 Intersect of line at a point 4 k. N. of corner to Sec. 22, 27, 26 and 27 from which corner I run

N 89° 58' West on true line bet. Sec. 22 & 27

Variation 13° 45' E

40.00 Set Cedar post 3 in x 2 in x 4 ft. 12 in deep

Deposit chanced stake

raise mound of earth 2 ft high from pits 22 in x 24 in 12 in deep

80.13 Point for Corner to Sec. 21, 22, 27

Surface gently rolling

Soil 21, 27, 28

Township 33 North-

chains North bet. Sec. 21⁴/₂ & 22
 Variation 13°45'6"

28.00 Drain course

40.00 Set cedar post 3 in
 x 2 in x 4 ft - 12 in
 deep. Deposit chanced
 stake, raise mound
 of earth 2 ft high
 from pits 22 in x 22 in
 1/2 in deep. for 1/4 Sec.
 for -

50.00 Dry sand bed course East

8.00 Set cedar post 3 in x 2 in
 12 in deep. Deposit chanced
 stake, raise mound
 of earth 2 ft high
 from pits 24 in x 24 in
 12 in deep. for corner
 to Sections 15, 16, 21 & 22
 Surface gently rolling
 Soil 2nd grade

Range 20 West 6th N.W. 1/4

chains Carbon random
 line bet. Sec. 15 and 22
 Variation 13°45'6"

40.00 Set post for temporary
 section corner - P

43.75 Drain descends to
 80.13 Intersect pt. of S.
 line at a point 4th
 N. of corner to Sec.
 14, 15, 22 and 23
 from which corner
 I run
 89°58' West on line
 line bet. Sec. 15 and 22
 Variation 13°45'6"

40.06 1/2 Set cedar post
 3 in x 2 in x 4 ft - 12 in
 deep. Deposit chanced
 stake, raise mound
 of earth - 2 ft high
 from pits 22 in x 22 in
 1/2 in deep. for 1/4 Sec. for
 corner to Sec. 15, 16, 21
 and 22.
 80.13 Surface gently rolling
 Soil 2nd grade

Township 3rd North-

Chains
 North - bet. Secs. 15th & 16th
 Variation 13° 45' E
 40.00 Set cedar post
 3 in x 2 in x 4 ft -
 12 in deep.
 Deposit chanced stake
 raise mound of
 earth - 2 ft high from
 pits 2 2 in x 2 2 in -
 12 in deep for 4 Secs.
 Enter bottom E & W.
 1000 Set cedar post 3 in
 x 3 in x 4 ft 12 in deep.
 8000 Deposit chanced stake
 raise mound of earth
 2 ft high. from
 pits 2 2 in x 2 4 in
 12 in deep. for
 Corner to Secs. 9, 10, 15
 and 16
 Surface bottom level
 Soil 1st rate
 Upland rolling, 2^d rate

Range 20 West 16th N

Chains
 East on random line
 bet. Secs. 10th and 15th
 Variation 13° 45' E
 4000 Set post for temporary
 1/4 Sec. corner -
 8006 Intersect of said
 line at a point
 46 lks. South of corner
 to Secs. 10, 11, 14, 15, & 16
 from which corner
 I run
 89° 40' West on true
 line bet. Secs. 10th and 15th
 Variation 13° 45' E
 40.03 Set cedar post 3 in x 2 in
 x 4 ft - 12 in deep.
 Deposit chanced stake
 raise mound of
 earth - 2 ft high from
 pits 2 2 in x 2 2 in
 12 in deep. for 4 Secs. -
 8006 Corner to Secs. 9, 10, 15
 and 16
 Surface bottom
 Soil 1st rate. Bal. rolling
 Soil 2^d rate -

Township 33 North

chain

North bet. Secs 9th & 10th
Variation 13° 45' E

25.00 Drains descend E.

40.00 Set cedar post 3 in
x 2 in x 4 ft 12 in
deep. Deposit chanced
stake, raise mound
of earth 2 ft high
from pits 22 in x 22 in
12 in deep. for 1/4 section

43.00 League bottom E and W

8.00 Set cedar post
3 in x 3 in x 4 ft
12 in deep.

Deposit chanced
stake, raise mound
of earth 2 ft high
from pits 24 in x 24 in
12 in deep. for corner
to Secs 3, 4, 9 and 10

Surface bottom level
Soil 1 1/2 rate
Upland rolling
Soil 2 1/2 rate

Range 20 West 6th P.M.

chain

East on random
line bet. Secs 3rd & 10th

Variation 13° 45' E

40.00

Set post for temporary
1/4 section corner

80.70

Intersect N. and S
line at post, corner
to Secs 2, 3, 10 and 11
from which corner
is run

West on true line
bet. Secs 3rd & 10th

Variation 13° 45' E

40.35

Set post 3 in x 2 in
x 4 ft 12 in deep

Deposit chanced
stake, raise mound
of earth 2 ft high
from pits 27 in x 22
in - 12 in deep. for
1/4 section corner

80.70

corner to Secs 3, 4, 9/10

Surface gutty rolling
Soil sandy 2 1/2 rate

Township 33 North-

North on random line bet. Sec. 3rd & 4th Variation 13° 40' E

40.00 Set post for temporary 1/4 Section corner

79.84 Intersect south boundary of Township at a point 48 lbs North of corner to Sec. 3rd & 4th, from which corner I run S 21 West on true line bet. Sec. 3rd & 4th Variation 13° 40' E

39.84 Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit charred stake, raise mound of earth 2 ft high from pits 2 1/2 in x 2 1/2 in 12 in deep for 1/4 Sec. -

79.84 Run to Sec. 3, 4, 9th & 10 Surface gently rolling Soil 2nd rate

Range 20 West 6th N.M.

North bet. Sec. 32nd & 33rd Variation 13° 45' E

40.00 Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit charred stake raise mound of earth 2 ft high from pits 2 1/2 in x 2 1/2 in - 12 in deep for 1/4 Sec. for -

80.00 Set cedar post 3 in x 3 in x 4 ft - 12 in deep. Deposit charred stake, raise mound of earth 2 ft high from pits 2 1/2 in x 2 1/2 in 12 in deep for corner to Sec. 28, 29, 32nd & 33

Surface level table land Soil 2nd rate

June 17th -

Township 33 North

chains

East on random line bet. Sec. 28th & 33rd Variation 13°45' E

4000 Set post for temporary Section Corner

78.00 Drain course North

80.15 Intersect N. and S. line at a point 30 ft S. of corner to Sec. 27, 28, 33 and 34 from which corner I run

N. 89°47' West on true line bet. Sections 28th & 33rd

Variation 13°45' E

40.00 Set cedar post 3 in x 2 in x 4 ft - 12 in deep Deposit charred stake raise mound of earth 2 ft high from pits 22 in x 22 in - 12 in deep for 1/4 Sec. on -

80.15 corner to Sec. 28, 29, 32 and 33

Surface gently rolling upland Soil 2nd grade

Range 20 West 6th N.M.

chains

North bet. Sec. 28th & 29

29 Variation 13°45' E

21.00

Drain descends N.E.

40.00

Set cedar post 3 in x 2 in x 4 ft - 12 in deep Deposit charred stake raise mound of earth - 2 ft high from pits - 22 in x 22 in - 12 in deep for 1/4 Sec. on -

80.00

Set cedar post 3 in x 3 in x 4 ft - 12 in deep. Deposit charred stake, raise mound of earth 2 ft high from pits 24 in x 24 in - 12 in deep for corner to Sec. 29, 21, 28 and 29 Surface gently rolling Soil 2nd grade

Township 33 North

chains East on random
line bet. Secs. 21^{and} 28
2.00 ^{Drain} Variation 13°45'E
40.00 Set post for temporary
1/4 Section Corner -
65.00 Enter dry sand-bed Cr.
80.03 Intersect N. and S. line
at a point 43 lks. d.
of corner to Secs. 21, 22,
27^{and} 28 from which
corner I run
N 89° 42' West on true
line bet. Sect. 21^{and} 28
Variation 13°45'E
40.01 1/2 Set cedar post 3 in x 2 in
x 4 ft - 12 in deep.
Deposit charred stake
raise mound of earth
2 ft high from pits
22 in x 22 in 12 in deep
for 1/4 Sec. Corner
80.03 Corner to Secs. 20, 21, 28
and 29
Surface gently rolling
Soil 2" brat

Range 20 West 6th W.

chains North bet Sec. 20^{and} 21
Variation 13°45'E
2.00 Drain descends East
30.00 Drain descends W. E.
40.00 Set cedar post 3 in x 2 in
x 4 ft - 12 in deep. Deposit
charred stake; raise
mound of earth - 2 ft
high from pits 22 in
x 22 in - 12 in deep
for 1/4 Section Corner.
66.00 Drain S. E.
80.00 Set cedar post 3 in x 3 in
x 4 ft - 12 in deep.
Deposit charred stake
raise mound of earth
2 ft high from pits
24 in x 24 in, 12 in
deep for corner to Sec. 16, 17
20^{and} 21
Surface gently rolling
Soil 2" brat

Township 33 North-

chains

East on random
line bet. Sec. 16^{and 21}

Variation 13° 45' E

40.00

Set post for temporary
1/4 Section corner.

79.69

Intersect of ^{and} S. line
at a point 35 lks. S. of
corner to Sec. 15, 16, 21
and 22 from which
corner I run

N 89° 45' West on true
line bet. Sec. 16^{and 21}

Variation 13° 45' E

39.84^{1/2}

Set cedar post - 3 in
x 2 in x 4 ft - 12 in deep
Deposit chanced stake
raise mound of earth
2 ft high. from pits
22 in x 22 in - 12 in deep
for 1/4 Sec. cor.

79.69

Corner to Sec. 16, 17, 20
and 21

Surface gently rolling
Soil 2nd rate

Range 20 West 6th N

chains

North bet. Sec. 16^{and 17}
Variation 13° 45' E

40.00

Set cedar post 3 in
x 2 in x 4 ft - 12 in
deep. Deposit chanced
stake, raise mound
of earth 2 ft high
from pits 22 in x 22
in - 12 in deep. for
1/4 Section corner

80.00

Set cedar post 3 in
x 3 in x 4 ft - 12 in
deep. Deposit chanced
stake, raise mound
of earth 2 ft high
from pits 22 in x 24
in - 12 in deep. for corner
to Sec. 8, 9, 16^{and 17}
Surface gently rolling
Soil 2nd rate

41 Township 33 North-

chains East on random
line bet. Sec. 9^{and} 16
Variation 13°40'E

4000 Set post for temporary
1/4 Section corner

5000 Enter bottom N.W. 1/4 Sec 8
79.55 Intersect N and S line
at a point 17 lps. S. of
corner to Sec. 9, 10, 15
and 16 from which cor.
I run

N 89°53' West on true
line bet. Sec. 9^{and} 16
Variation 13°40'E

39.77 1/2 Set cedar post 3 in x 2 in
12 in deep. Depoint
chained stake, raise
mound of earth 2 ft
high, from pits 22 in
x 22 in - 12 in deep
for 1/4 Section

79.55 Corner to Sec. 8, 9, 16, 17
Surface rolling
Soil 2^d rate (except
bottom level 1st rate

Range 20 West 6th P.M.

chains North-bet. Sec. 8
and 9 Variation 13°40'E

4000 Set cedar post 3 in x
2 in x 4 ft - 12 in deep
Depoint - chained
stake, raise mound
of earth 2 ft high, from
pits 22 in x 22 in
12 in deep - for 1/4 Sec. 8

8000 Set cedar post 3 in
x 2 in x 4 ft - 12 in
deep. Depoint chained
stake, raise mound
of earth 2 ft high
from pits 24 in x 24 in
12 in deep. for corner
to Sec. 4, 5, 8 and 9
Surface gently rolling
Soil 2^d rate

Township 33 South

Chains

East on railroad on line bet. Secs. 4^{and} 9

Variation 13°40'E

4 4000 Set post for temporary $\frac{1}{4}$ Section Corner

5 79.50 Intersect N^{and} S line at a point 10 Ch. N. of corner to Secs. 3, 4, 9 and 10 from which corner I run N 89° 56' West on true line bet. Secs. 4^{and} 9

Variation 13°40'E

3 39.75 Set cedar post 3 in x 2 in x 4 ft 12 in deep.

Deposit chanced stake, raise mound of earth - 2 ft high from pits 22 in x 22 in 12 in deep for $\frac{1}{4}$ Sec. Corner

79.50 Surface gently rolling - Soil 2nd rate

Range 20 West 6th Rll.

Chains

Walk on railroad on line bet. Secs. 4^{and} 5

Variation 13°40'E

4000 Set post for temporary $\frac{1}{4}$ Section Corner

80.12 Intersect North bound ary of Township at a point 65 Ch. West of corner to Secs. 4^{and} 5 from which corner I run S 28° West on true line bet. Secs. 4^{and} 5

Variation 13°40'E

40.12 Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chanced stake, raise mound of earth - 2 ft high from pits 22 in x 22 in - 12 in deep for $\frac{1}{4}$ Sec. corner -

80.12 Corner to Secs. 4, 5, 8, 9 Surface gently rolling Soil 2nd rate -

Township 33 North-

chains

North - bet Secs. 31st & 32nd
 Variation 13°40' E
 4000 Set cedar post 3 in
 x 2 in x 4 ft - 12 in
 deep. Depoint charred
 stake, raise mound
 of earth - 2 ft high
 from pits 22 in x 22 in
 12 in deep for $\frac{1}{4}$ Sec.
 8000 Set cedar post
 3 in x 3 in x 4 ft -
 12 in deep. Depoint-
 charred stake, raise
 mound of earth -
 2 ft high. from
 pits 24 in x 24 in
 12 in deep. for
 corner to Secs. 29,
 30, 31 and 32
 Surface high level table land
 Soil 2nd rate

Range 20 West 6th N.P.M.

chains

East on random
 line bet. Secs. 29th & 32nd
 Variation 13°45' E
 4000 Set post for temporary
 $\frac{1}{4}$ Sec. corner -
 79.77 Intersect N and S line
 at a point, 12 ch.
 South of corner
 to Secs. 28, 29, 30 and
 33 from which corner
 I run.
 S 89°55' West on true
 line bet. Secs. 29th & 32nd
 Variation 13°45' E
 3988 Set cedar post 3 in x 2 in
 x 4 ft - 12 in deep
 Depoint-charred stake
 raise mound of
 earth - 2 ft high
 from pits - 22 in x
 22 in - 12 in deep
 for $\frac{1}{4}$ Section corner
 79.77 Corner to Secs. 29, 30
 31 and 32
 Surface gently rolling
 upland - Soil 2nd rate

47 Township 33 North-

chain West on random line bet. Secs. 30th & 31st

Variation 13° 40' E

4000 Set post for temporary 1/4 Section Corner

79.87 Intersect West boundary of Township 14th South of corner to Secs. 30th & 31st from which corner

run S 89° 34' East on true line bet. Secs. 30th & 31st

Variation 13° 40' E

~~39.87~~ 39.87 Set a Cedar post 3 in x 2 in x 24 ft. 12 in deep. Deposit chanced stake, raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep for 1/4 Sec. Cor.

79.87 Corner to Secs. 29.30 31st and 32

Surface high level table land Soil 2nd rate

48 Range 20 West 6th N.M.

chain North-bet. Secs. 29th & 30th Variation 13° 40' E

5100 Drain descends East 5-6 ft wide -

4000 Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chanced stake, raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep for 1/4 Sec. Cor.

8000 Set cedar post 3 in x 3 in x 4 ft - 12 in deep - Deposit chanced stake, raise mound of earth 2 ft high from pits 24 in x 24 in 12 in deep for corner to Secs. 19.20 29th and 30

Surface high level table land Soil 2nd rate

June 18th

Township 33 North

chains

East on random line bet. Secs 20 and 29
Variation 13°45'E

4

4000

Set post for temporary 1/4 Sec. corner
Gain N.E. N. and S. line
Intersect N. and S. line
at a point 50 chs
South of corner
to Secs 20, 21, 28 and 29
from which corner
I run

5

67.46
79.46

N 89°39' West on
true line bet. Secs 20 and 29
Variation 13°45'E

39.73

Set cedar post 3 in
x 2 in x 4 ft - 12 in
deep. Deposit chanced
stake, raise mound
of earth - 2 ft high
from pits 22 in x 22 in
12 in deep for 1/4 Sec. corner
to Secs 19, 20,
29 and 30

79.46

Surface gently rolling
Soil 2" rate

Range 20 West 6th P.M.

chains

West on random line bet. Secs 19 and 30
Variation 13°40'E

4000

Set post for temporary 1/4 Section corner
Intersect West
boundary of Town
at a post corner
to Sections 19 and 30
from which corner
I run

80.37

East on true line bet.
Secs 19 and 30

40.37

Variation 13°40'E
Set cedar post - 3 in
x 2 in x 4 ft - 12 in
deep. Deposit chanced
stake, raise mound
of earth - 2 ft high
from pits 22 in x 22 in
12 in deep for 1/4 Sec. corner
to Secs 19, 20,
29 and 30

80.37

Surface high level table land
Soil 2" rate -

Township 33 North

chains

North bet. Secs 19th and 20

Variation 13° 40' E

40.00 Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chanced stake, raise mound of earth - 2 ft high from pits 22 in x 22 in 1/2 in deep. For 1/4 Sec.

80.00 Set Cedar post 3 in x 3 in x 4 ft - 12 in deep. Deposit chanced stake, raise mound of earth - 2 ft high from pits 24 in x 24 in 1/2 in deep. For corner to Secs 17, 18, 19, 20 Surface rolling Soil 2" rate

Range 20 West 6th P.M.

chains

East on random line bet. Secs 17th and 20

Variation 13° 40' E

40.00 Set post for temporary 1/4 Section corner -

67.00 Drain descends S. E. 79.50 Intersect N. and S. line at a point 10 ch. South of corner to Sections 16, 17, 20th from which corner I run

S 89° 56' West on true line bet. Secs 17th and 20

Variation 13° 40' E

39.75 Set Cedar post 3 in x 2 in x 4 ft - 12 in deep Deposit chanced stake raise mound of earth - 2 ft high from pits 22 in x 22 in 1/2 in deep for 1/4 Sec. -

79.50 Corner to Secs 17, 18, 19, 20 Surface gently rolling Soil 2" rate

Township 33 North

chains

West on random line bet Secs 18 and 19 Variation 13° 30' E

1.00 Grain 30 lbs. wide NE

40,000 Set post for temporary Section Corner

81.12 Intersect West boundary of Township at post, corner to Secs 18 and 19 from which corner I run

East on true line bet. Secs. 18 and 19

41.12 Variation 13° 30' E Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chanced stake, raise mound of earth - 2 ft high from pits 22 in x 22 in 12 in deep. for 1/4 Sec.

81.12 Corner to Secs 17, 18, 19, 20 Surface rolling Soil 2" rate

Range 20 West 6th pr

chains

North bet. Secs 17 & 18 Variation 13° 30' E

10 Grain - 30 lbs. wide NE 4000 Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chanced stake, raise mound of earth - 2 ft high from pits 24 in x 24 in 12 in deep for 1/4 Sec.

8000 Set cedar post 3 in x 3 in x 4 ft - 12 in deep. Deposit chanced stake, raise mound of earth - 2 ft high from pits 24 in x 24 in 12 in deep for Corner to Secs 17 & 18.

Surface gently rolling Soil 2" rate

Township 33 North

chain

East on random line bet. Sec. 8 and 17

Variation 13°40'E

4000 Set post for temporary Section Corner.

79.80 Intersect N and S line at a point 10 lb. S. of corner to Sec. 8, 9, 16 and 17 from which corner I run

N 89°56' West on true line bet. Sec. 8 and 17

Variation 13°40'E

39.90 Set cedar post 3 in x 2 in x 4 ft - 12 in deep.
 Set post - 2 in x 2 in x 4 ft - 12 in deep for 1/4 Sec. Corner - mound of earth

79.80 Corner to Sec. 7, 8, 17, 18. Surface gently rolling. Soil 2" rate

Range 20 West 6th pm.

chain

West on random line bet. Sec. 7 and 18

Variation 13°40'E

4000 Set post for temporary 1/4 Section Corner

81.70 Intersect West bound line of Township at a point 10 lb. N. of corner to Sec. 7 and 18 from which corner I run

N 89°56' East on true line bet. Sec. 7 and 18

Variation 13°40'E

41.70 Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Set point chisel stake. raise mound of earth - 2 ft high from pits 2 2 in x 2 2 in - 12 in deep. for 1/4 Sec. Cor -

81.70 Corner to Sec. 7, 8, 17, 18. Surface rolling. Soil 2" rate

Township 33 North

cham's

North-bet. Sec. 7th & 8th

Variation 13° 30' E

4000 Set Cedar post 3 in x 2 in x 4 ft - 12 in deep

Deposit chanced stake, raise mound of earth 2 ft high from pits 22 in x 22 in - 12 in deep

80.00 for 1/4 Sec. corner

Set Cedar post 3 in x 3 in x 4 ft - 12 in deep. Deposit chanced stake, raise mound of earth - 2 ft high from pits 24 in x 24 in 12 in deep for corner to Sec. 5, 6, 7, 8

Surface rolling of 2" rate

Range 20 West 6th N.P.M.

cham's

East on random line bet. Sec. 5th & 8th

Variation 13° 40' E

4000 Set post for temporary intersection corner

79.10 Intersection Nth & S. line at a point 18 lbs. N. of corner to Sec. 4, 5, 8 and 9 from which corner I run

N 89° 52' West on true line bet. Sec. 3th & 8th Variation 13° 40' E

39.55 Set Cedar post 3 in x 2 in x 4 ft - 12 in deep

Deposit chanced stake, raise mound of earth - 2 ft high from pits 22 in x 22 in - 12 in deep for 1/4 Sec. corner

79.10 Same to Sec. 5, 6, 7, 8

Surface gently rolling Soil soil 2" rate

Township 33 North

chains
4
4000
82.55
7
42.55
82.55

West on random line bet. Sec. 6th & 7th Variation 13°40' E
Set post for temporary 1/4 Section corner -
Intersect West boundaries of Township at a point 24 lbs N. of corner to Sec. 6th & 7th from which corner run N 89° 50' East on true line bet. Sec. 6th & 7th (Va 130 40' E)
Set cedar post 3 in x 2 in x 4 ft 12 in deep. Deposit chanced stake, raise mound of earth - 2 ft high from pit 22 in x 22 in - 12 in deep for 1/4 section corner to Sec. 5. 6. 7 & 8
Surface rolling
Soil 2^d rate

Range 20 West 6th M.

chains
4000
79.20
39.20
79.20

North on random line bet. Sec. 5th & 6th Variation 13°40' E
Set post for temporary 1/4 Section corner -
Intersect ~~West~~ boundaries of Township at a point 30 lbs East of corner to Sec. 5th & 6th from which corner run S 18° East on true line bet. Sec. 5th & 6th Variation 13°40' E
Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chanced stake, raise mound of earth - 2 ft high from pit 22 in x 22 in - 12 in deep for 1/4 Sec. corner -
corner to Sec. 5. 6. 7 & 8
Surface rolling
Soil 2^d rate
June 19th

General Description

This township has a fair average of 2^d rate land.

The Southern boundary is on the divide between the Ohio River and Kaya-Paha River and the whole Township has a Northern slope. There are numerous drains and dry sand-beds which form a creek that takes its start in Section 14 - and runs South through the Township.

This Creek furnishes quite a large Valley of 1st rate land which is well adapted to agriculture. The rest of Town. is level upland and

gently rolling, covered with buffalo grass. The soil is light, with gravel sub-soil and is only useful for grazing.

List of Names
A list of the names of individuals employed to assist in running the lines and corners described in the preceding field notes of Town. 33^d of base line of Range 12^d West of 6th Mer. showing the respective capacities in which they acted.

- Benji E. Scott
- Wm B. Shaugler
- Charles Bowes
- Edbert Birce

- John D. Daines
- Wm. D. Daines
- Wm. D. Daines
- Wm. D. Daines

We hereby certify that we
assisted George W. Burton
deputy surveyor in surveying
~~the interior boundaries~~
and subdividing township
number thirty-three north
of the base line of range
number ~~twenty~~ (20) west of
the sixth principal meridian
and that said township has
been in all respects to the
best of our knowledge and
belief well and faithfully
surveyed and the boundary
monuments planted
according to the instructions
furnished by the Surveyor
general.

<sup>of dimensions, character,
construction and material & in
the manner specified all described
in our original field notes</sup>
Leslie O. Scott
William B. Spangler
Charles Bowers
Adelbert Pierce

Subscribed and sworn to
before me this 14th day of June
1875 J. B. Cassner
Notary Public in and for the
State of Nebraska

J. George W. Burton
deputy surveyor do
solemnly swear that in
pursuance of a joint
contract wherein Chauncy
Wilke, Frank Crowell and
Geo. W. Burton are joint
contractors with E. G.
Cunningham United States
Surveyor general for the
district of Nebraska, bearing
date of the 29th day of
April 1875, I have well
faithfully and truly in
my own proper person
and in strict conformity
with the instructions furnished
by the Surveyor general,
the surveying manual,
and the laws of the United
States, surveyed all those
parts or portions of
township number thirty-
three north of the base
line of range number
twenty (20) west of the sixth

Principal meridian, as are
represented on the foregoing
field notes, as having been
surveyed under my
direction; and I do further
solemnly swear that all
the corners of said survey
have been established
and perpetuated in strict
accordance with the
surveying manual and
printed instructions ^{and}
that the foregoing are the
true and original notes
of such survey.

George W. Burton
Deputy Surveyor

Subscribed and sworn
to before me this 14th day
of June 1875 -

J. B. Cassady
Notary Public in and
for Antelope county
State of Nebraska

Surveyor General's Office
Platts mouth Neb Aug 14th 1875.
The foregoing field notes of the
Subdivision ^{and} Meanders of
Township 33 N of 13th Line
of Range 20 W of 6th T M in Neb.
Created by Geo W Burton
under joint Contract No 89
dated April 29th 1873, in
the month of June 1875,
having been critically ex-
amined, the necessary cor-
rections and explanations
made the said field notes,
and the surveys they describe
are hereby approved

J. M. Clark
Surveyor General

Field Notes
of the
Survey and Sub-division
of Township 34 North
of the
Base Line
Range 20 West
of the
6th Principal Meridian
in the
State of Nebraska

Executed
by George N. Buntou
Deputy Surveyor under
Joint Contract No 89
dated April 29th 1878

Survey
Commenced June 20th 1878
Completed June 24th 1878

Index Diagram
 Township 34 North
 of the
 Base line of
 Range 20 West
 of the 6th Prin. Meridian

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

List of Names

A list of the names
 of the persons who
 were employed
 to assist in
 surveying and sub-divid-
 ing Township 34
 N. of the base line
 of Range 20 West
 of the 6th Prin. Mer.

Leslie E. Scott, Chairman
 Wm B. Spangler

Charles Bowers, Chairman
 Adelbert Barce, Chairman
 Blaguna

Township 34 North

To determine the proper adjustment of my compass for sub-dividing this Township I began at corner to Township 34 and 35 N. Range 20th and run thence on a blank line along East side of Section 36.

Variation 13° 40'

39.99

To $\frac{1}{4}$ Sec. cor

79.98

To corner to Secs. 25th and 36

Therefore my compass is in proper adjustment

Range 20 West 6th N.P.M.

chain From the established corner to Sections 35 and 36 on South bound

any of the Township I run South bet. Secs. 35 and 36

Variation 13° 40'

4000

Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit charred stake

raise mound of earth 2 ft high from pit

22 in x 22 in x 12 in deep for $\frac{1}{4}$ Sec. cor

8000

Set cedar post 3 in x 3 in x 4 ft - 12 in deep. Deposit charred stake

raise mound of earth 2 ft high from pit

24 in x 24 in x 12 in deep. In corner to

Secs. 25, 26, 35, 36

Surface gently rolling soil white

chains
 East on random
 line bet. Secs 25th & 36th
 Variation 18° 40' E
 45.00 Set post for temporary
 in Sec. 36
 79.82 Intersect back
 boundary of Township
 at a point 12 lbs.
 S. of corner to Sec.
 25th and 36th from which
 corner I run
 S 89° 35' West on
 true line bet. Secs
 25th and 36th
 Variation 18° 40' E
 39.91 Set cedar post
 3 in x 2 in x 4 ft -
 12 in deep, deposit
 chanced stake
 raise mound of earth
 2 ft high from pits
 22 in x 22 in 12 in
 deep for 4 Sec. cor.
 79.82 corner to Secs 25, 26
 35th and 36th } Surface gully
 rolling
 Soil 2nd rate

chains
 North bet. Secs 25th & 36th
 Variation 18° 40' E
 10.00 2nd rate
 40.00 Set cedar post 3 in x 2 in
 x 4 ft - 12 in deep. Deposit
 chanced stake raise
 mound of earth
 2 ft high from pits
 22 in x 22 in - 12 in
 deep for 4 Sec. corner
 80.00 Set cedar post 3 in
 x 3 in x 4 ft - 12 in
 deep. Deposit chanced
 stake, raise mound
 of earth - 2 ft high
 from pits 24 in x
 24 in 12 in deep
 for corner to Secs
 23, 24, 25 and 26
 Surface gully rolling
 Soil 2nd rate

Township 32 North-

chains

East on random line bet. Secs

24 and 25

Variation 13° 40' E

6.20

Creek 3 lks. wide N.E.

14.64

Creek 3 lks. wide N.E.

40.00

Set post for temporary Section Corner

79.70

Intersect N. and line at a point 56 lks.

N. of corner to Secs 24 and 25 from which corner I run

N 89° 36' West on true line bet Secs 24 and 25

39.85

Variation 13° 40' E Set Cedar post 3 in

x 2 in x 4 ft - 12 in deep. Deposit chain

stakes. raise mound of earth 2 ft high

from pits 2 2/4 ft x 2 3/4 ft 1/2 in deep for 4 dec.

79.70

Corner to Secs 23, 24, 25. Surface gently rolling

Soil 2/3 rate

Range 20 West's 1/4 Sec.

chains

North bet Secs 23 and

24

Variation 13° 50' E

4.00

Creek 4 lks. wide East + Enter sand hills E. N.

35.00

Enter Valley N. W. and E.

40.00

Set Cedar post 3 in x 2 in x 4 ft - 12 in deep

Deposit chain stakes. raise mound

of earth 2 ft high from pits 2 2/4 ft x 2 3/4

ft 1/2 in deep. for 4 dec.

81.00

Set Cedar post 3 in x 3 in x 4 ft - 12 in

deep. Deposit chain stakes. raise mound

of earth 2 ft high from pits 2 2/4 ft x 2 3/4

ft 1/2 in deep. for corner to Secs 23 and 24

Surface rolling

Soil sandy - 2/3 rate

6 Township 34 North

Chain East on random line bet. Secs 13rd and 24

Variation 13° 45' E

4000 Set post for temporary 1/4 Sec. Corner

8000 Intersect Nth and Sth the East boundary of Town. at a point 60 lks. ch. of corner to Secs 13rd and 24 from which corner S. run

N 89° 34' West on true line bet. Secs 13rd and 24

Variation 13° 45' E
4000 Set cedar post 3 in x 2 in x 4 ft 12 in deep

Deposit chanced stake raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep

8000 for 1/4 Sec. corner to Secs 13, 14, 23, 24 surface rolling - Soil 2" rate

7 Range 20 West 6th P.M.

Chain North bet. Secs 13rd and 14

Variation 13° 45' E

4000 Enter sand hills E^{ast} N^{orth}

4000 Set cedar post 3 in x 2 in x 4 ft 12 in deep. Deposit chanced stake, raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep for 1/4 Sec. corner

8000 Set cedar post 3 in x 3 in x 4 ft 12 in deep. Deposit chanced stake, raise mound of earth 2 ft high. From pits 24 in x 24 in 12 in deep. for corner to Secs 11, 12, 13rd and 14

Surface broken Soil sandy - 2" rate

8 Township 34 North-

chain East on railroad
line bet. Secs 12nd & 13th
Variation 13° 45' E
10.00 Leave sand hills
NW. and S.E.
40.50 Set post for temporary
1/4 sec. corner
80.00 Intersect East
boundary of Township
at a point 60 ft
N. of corner to Sec.
12 and 13 from
which corner run
at 89° 34'. West on true
line bet. Secs 12nd & 13th
Variation 13° 45' E
40.00 Set cedar post 3 in x
2 in x 4 ft - 12 in
deep. Deposit charred
stake, raise mound
of earth 2 ft high
from pits 2 2 in x 2 2
in deep for 1/4 Sec. C-
60.00 Corner to Secs 11, 12, 13 &
14. Surface rolling
Loh 2nd rate

9 Range 20 West 6th N. 111

chain North bet. Secs 11 & 12
Variation 13° 45' E
12.00 Leave sand hills NW
SE
40.00 Set cedar post 3 in
x 2 in x 4 ft - 12 in deep
Deposit charred stake
raise mound of
earth 2 ft high
from pits 2 2 in
x 2 2 in x 12 in deep
for 1/4 Sec. C-
80.00 Set cedar post
3 in x 3 in x 4 ft
12 in deep. Deposit
charred stake, raise
mound of earth
2 ft high from
pits 2 4 in x 2 4 in
12 in deep. For
corner to Secs 1, 2, 11, 12
Surface rolling
Loh 1st rate

Township 34 North

chain

East on random line bet. Sec. 1st & 12

Variation 13° 45' E

40.00 Set post for temporary 1/4 Sec. corner

80.12 Intersect N. and S. 1/4 line at a point 34 1/2 ft. of corner to Sec. 1st & 12

from which corner I run 139° 45' West on true line bet. Sec. 1st & 12

40.06 Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit charred stakes, raise mound of earth 2 ft high, from pits 2 1/2 in x 2 1/2 in 12 in deep for 1/4 Sec

80.12 corner to Sec. 1, 2, 11, 12

Surface rolling Soil 1st rate

Range 20 Herb 6 Cap...

chain

North on random line bet. Sec. 1st & 2

Variation 13° 45' E

40.00 Set post for temporary 1/4 Section

79.80 Intersect N. Boundary of the Township at a point 7 1/2 ft East of corner to Sec. 1st & 2

from which corner I run

3' East on true line bet. Sec. 1st & 2

Variation 13° 45' E

39.80 Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit charred

stakes, raise mound of earth 2 ft high

from pits 2 1/2 in x 2 1/2 in 12 in deep. for 1/4 Sec

79.80 Surface rolling Soil 1st rate

June 20th 1875

Township 34 North-

From the established corner to Sections 34 and 35 on South-Boundary of the Township I run north bet. Secs 34 and 35 Variation 13°45'E

40.00 Set Cedar post 3 in x 2 in x 4 ft 12 in deep. Deposit chaul stake, raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep for 1/4 Sec. corner

70.00 Dracis water in holes etc

79.00 Slough 50 ft wide N.W.

80.00 Set Cedar post 3 in x 3 in x 4 ft 12 in deep. Deposit chaul stake, raise mound of earth 2 ft high from pits 24 in x 24 in 12 in deep for corner to Sections 26, 27, 34 and 35.

Surface level bottom soil rate

Range 20 West 6th P.M.

Cart on random line bet. Sections 26 and 35 Variation 13°45'E

15.50 Stream 2 ft wide south

18.00 Leave bottom for sand - hills N. and S.

40.00 Set post for temporary 1/4 Section corner -

80.27 Intersect East bound ary of Township at a point 45 lbs. S. of corner to Secs 26, 27, 34, 35

From which corner I run 889°41' West on true line bet. Secs 26 and 35 Variation 13°45'E

40.135 Set Cedar post 3 in x 2 in x 4 ft 12 in deep. Deposit chaul stake, raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep for 1/4 Sec. corner to Secs 26, 27, 34, 35

80.27 Surface - bottom level. Soil rate

Township 34 North-

chain North bet Sec. 26 and 27
 Variation 13° 45' E
 9.50 Slough 5.0 lks. wide NE
 40.00 Set Cedar post 3 in x 2 in x 4 ft. 12 in deep. Set point chain stake, raise mound of earth 2 ft high from pits 2 2 in x 22 in 12 in deep for 1/4 Sec. Cor.
 65.00 Grain dividends E
 80.00 Set Cedar post 3 in x 3 in x 4 ft. 12 in deep. Set point chain stake, raise mound of earth 2 ft high from pits 2 4 in x 24 in - 12 in deep for corner to Sec. 22, 23, 26 and 27
 Surface undulating Soil 2nd rate

Range 50 West 6th N.P.M.

chain Part on random line bet. Sec. 23 and 26
 Variation 13° 45' E
 29.50 Stream 2 lks. wide NE
 36.00 Stream 2 lks. wide SE
 40.00 Set post for temporary 1/4 Sec. Cor.
 49.50 Stream 2 lks. wide NE
 55.00 Stream 2 " " SE
 57.00 Stream 2 " " NE
 68.00 Enter slough NE
 Leave slough NE
 Enter N. end of line at a point 2.7 lks. south of corner to Sections 23, 24, 25, 26
 From which corner
 Run
 89-48' West on true line bet. Sec. 23 & 26
 Variation 13° 45' E
 40.00 Set Cedar post 3 in x 2 in x 4 ft. 12 in deep
 Definite-chain stake raise mound of earth 2 ft high from pits 2 2 in x 22 in 12 in deep. for 1/4 Sec. Cor. - Section Cor. Sec. 22, 23, 26, 27
 Surface gently rolling. Soil 2nd rate

16 Township 34 North-

chain North bet. Secs 22 & 23

Variation 13°45'E

4000 Set Cedar post
3 in x 2 in x 4 ft 12 in
deep. Deposit chanced
stake, raise mound
of earth 2 ft high
from pits 22 in
x 22 in - 12 in
deep. for 1/4 Sec. 22

8000 Set Cedar post
3 in x 3 in x 4 ft
12 in deep. Deposit
chanced stake, raise
mound of earth
2 ft high. from
pits 24 in x 24 in
12 in deep. for
corner to Secs. 14,
15, 22 and 23

Surface undulating bottom
Soil 2nd rate

17 Range 20 West 6th P.M.

chain East on random line
bet. Secs 14^{and} 23

Variation 13°45'E

4000 Set post for temporary
1/4 Section corner.

79.79 Intercept of ^{and} line
at a point 25 lbs.

South of corner
to Sections 13, 14, 23

~~and~~ 24 from which
corner I run

at 9°49' West on true
line bet. Sections 14^{and} 23

Variation 13°45'E

39.88 Set Cedar post 3 in
x 2 in x 4 ft - 12 in
deep. Deposit chanced
stake, raise mound
of earth 2 ft high
from pits 22 in x 2 in
12 in deep for 1/4 Sec. 14

79.77 corner to Secs. 14, 15,
22 and 23

Surface undulating
Soil 2nd rate

Township 34 North

North bet. Sec. 14. ^{14.15}
 Variation 13° 45' E
 20,000 Leave bottom E. N.
 40,000 Set cedar post 3 in
 x 2 in x 4 ft - 12 in
 deep. Deposit chanced
 stake, raise mound
 of earth - 2 ft high
 from pits 22 in x 22 in
 1/2 in deep for
 1/4 Section Corner
 80,000 Set cedar post
 3 in x 3 in x 4 ft -
 12 in deep.
 Deposit chanced
 stake, raise mound
 of earth 2 ft high
 from pits 24 in x 24 in
 1/2 in deep for corner
 to Sections 10, 11, 14, 15
 Surface bottom level
 Soil 2" rate.
 Upland rolling
 Soil 3" rate

Range 20 West 6th PM

Start on random
 line bet. Sec. 11 +
 14
 Variation 13° 45' E
 40,000 Set post for temporary
 1/4 Section Corner
 80,000 Intersect N. and S.
 line at a point 14
 bl. South - of corner
 to Secs. 11, 12, 13, 14
 from which corner
 I run
 S 89° 54' West on
 true line bet. Sec.
 11 and 14
 Variation 13° 45' E
 40,000 Set cedar post 3 in
 x 2 in x 4 ft - 12 in
 deep. Deposit chanced
 stake, raise mound
 of earth - 2 ft high
 from pits 22 in x 22 in
 1/2 in deep. In 1/4 Sec. -
 80,000 Corner to Secs. 10, 11, 14, 15
 Surface rolling sand-hills
 Soil 3" rate

Township 34 North

chain

North bet. Secs 10 & 11

Variation 13-458

4000

Set cedar post 3 in x 2 in x 4 ft - 12 in deep.

Deposit chanced

stake, raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep for

Section corner

8000

Set cedar post 3 in x 3 in x 4 ft - 12 in deep.

Deposit chanced

stake, raise mound of earth 2 ft high from pits 24 in x 24 in 12 in deep for

corner to Sec. 2, 3, 10, 11

Surface 1st rolling

sandy hills. Soil 1st rate

2nd rolling. Soil 2nd rate

2nd rolling. Soil 2nd rate

Range 20, Twp 6 N, R 20 W

This page was left blank by mistake.

Township 34 North

chain

East on random line bet. Sec. 2nd & 11

4000

Variation 13° 45' E
Set post for temporary 1/4 Section Corner
Intersect N. and S. line at a point 20 lks. S. of corner to Secs. 1.

80.07

2. 11. 12 from which corner I run S 89° 51' West on true line bet. Sec. 2nd & 11

40.03 1/2

Variation 13° 45' E
Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chamed stake, raise mound of earth 2 ft high from pits 22 in x 22 in 1/2 in deep. In 1/4 Sec. Cor.

8007

Corner to Secs 2. 3. 10. 11
Surface gently rolling
Soil 2nd rate

Range 20 West 6th P.M.

chain

North on random line bet. Sec. 2nd & 3

4000

Variation 13° 45' E
Set post for temporary 1/4 Section Corner
Intersect North - Boundary of Township at a point 14 lks. East of corner to Sec. 2nd & 3 from which corner

79.90

I run S 6° East on true line bet. Sec. 2nd & 3

39.90

Variation 13° 45' E
Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chamed stake, raise mound of earth 2 ft high from pits 22 in x 22 in 1/2 in deep. In 1/4 Sec. Cor.

79.90

Corner to Secs 2. 3. 10 and 11
Surface gently rolling
Soil 2nd rate (Buffalo Grass)

Township 34 North

chain From the established corner to Sec 33rd 34 on South boundary of Township, run North bet. Sec 33rd 34 Variation 13°45' E

15.00 Enter valley E and W.

40.00 Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chain stake, raise mound of earth 2 ft high from pits 2 2 in x 2 2 in 12 in deep for $\frac{1}{4}$ Sec. C.

80.00 Set cedar post 3 in x 3 in x 4 ft - 12 in deep. Deposit chain stake, raise mound of earth 2 ft high from pits 2 4 in x 3 4 in 12 in deep for corner to Sec 27, 28 33rd 34

Surface - gently rolling Soil 2" pate

Range 20 West 16th P.M.

chain East on random line bet. Sec. 27 and 34 Variation 13°45' E

40.00 Set post for temporary station corner

79.00 Through 50 ft. side North.

80.12 Intersect N and S line at a point 6 ft E of corner to Sec. 26 27 34 and 35 from which corner run N 89°57' West on true line bet. Sec. 27 and 34 Variation 13°45' E

40.06 Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chain stake, raise mound of earth 2 ft high from pits 2 2 in x 2 2 in - 12 in deep for $\frac{1}{4}$ Sec. Corner

80.12 corner to Section 27, 28, 33, 34

Surface gently rolling Soil 2" pate

Township 34 North

chains

North bet. Sec. 27 & 28

Variation 13° 45' E

40.00

Set cedar post 3 in x 2 in x 4 ft - 12 in deep.

Depoint chanced stake, raise mound of earth - 2 ft high

from pits 22 in x 22 in 12 in deep for 1/4

Section corner

80.00

Set cedar post 3 in x 3 in x 4 ft - 12 in deep.

Depoint chanced stake, raise mound of earth - 2 ft high

from pits 24 in x 24 in 12 in deep for corner

to Sections 21. 22. 27 and 28.

Surface, gently rolling Soil 2 in soil

Range 30 West 6th P.M.

chains

East on random line bet Sec. 22

and 27 Variation 13° 45' E

40.00

Set post for temporary 1/4 Section corner

46.50

Drain S.E.

80.04

Intersect A and B line at a point 8 blk. W of corner to Sec. 22. 23

26 and 27 from which corner from

A 89° 57' West on true line bet. Sec. 22

and 27 Variation 13° 45' E

40.02

Set cedar post 3 in x 2 in x 4 ft - 12 in deep.

Depoint-chanced stake, raise mound of earth - 2 ft high

from pits 22 in x 22 in 12 in deep for 1/4

80.04

corner to Sec. 21. 22. 27 and 28 { Surface gently rolling Soil 2 in soil

Township 34 North

chains

North bet. Secs 21⁴/₄

22 Variation 13° 45' E

40.00

Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chanced stake, raise mound of earth 2 ft high from pits 2 1/2 ft x 2 1/2 in - 12 in deep for 1/4 Sec. for

60.00

Leave bottom E^{and} W.

80.00

Set cedar post 3 in x 3 in x 4 ft, 12 in deep. Deposit chanced stake, raise mound of earth 2 ft high from pits 2 1/2 ft x 2 1/2 in 12 in deep. for corner to Sections 15, 16, 21 and 22.

Surface bottom gently rolling
Soil 2" rate -
Upland rolling
Soil sandy 2" rate

Range 20 West 16th 1/4

chain

East on random line bet. Secs 15⁴/₄ & 22

Variation 13° 45' E

40.00

Set post for temporary 1/4 Section Corner

55.00

Enter bottom N^{and} S.

79.96

Intersect N^{and} S line at a point 32¹/₂ ft. Ch. of corner to Secs 14, 15, 22 and 23 from which corner I run

to 89° 48' West on true line bet. Sec 15⁴/₄ & 22

Variation 13° 45' E

39.98

Set cedar post 3 in x 2 in x 4 ft, 12 in deep. Deposit chanced stake, raise mound of earth 2 ft high from pits 2 1/2 ft x 2 1/2 in - 12 in deep. for 1/4 Sec. corner

79.96

to Secs 15, 16, 21 and 22
Surface bottom gently rolling
Soil 1" rate
Upland rolling
Soil 2" rate

Township 34 North

chain

North bet Secs. 15^{and} 16

Variation 13° 45' E
 4000 Set cedar post 3 in
 x 2 in x 4 ft - 12 in
 deep. Depoint chained
 stake, raise mound
 of earth 2 ft high
 from pits 22 in
 x 22 in - 12 in
 deep. For $\frac{1}{4}$ Sec. cor-
 ner Valley E. and N.W.

77.00

8000 Set cedar post 3 in
 x 3 in x 4 ft - 12 in
 deep. Depoint chained
 stake, raise mound
 of earth 2 ft high
 from pits - 24 in x 24 in
 12 in deep. For corner
 to Secs. 9, 10, 15^{and} 16
 Surface very rolling
 Soil 2nd rate

Range 20 West 6th N.P.M.

chain

East on random
line bet. Secs. 10^{and} 15

Variation 13° 45' E
 2500 Leave Valley N. and S.

4000 Enter Valley N. and S.

78.00 Leave Valley N. and S.

79.60 Intersect N. and S. line

at a point 48 lbs. N. of corner to Sec. 10.
 N. 14^{and} 15 from
 which corner Sec. 10
 N. 89° 39' West on true
 line bet. Secs. 10^{and} 15

39.80

Variation 13° 45' E
 Set cedar post 3 in
 x 2 in x 4 ft - 12 in deep.
 Depoint chained stake
 raise mound of
 earth 2 ft high from
 pits - 22 in x 22 in
 12 in deep. For $\frac{1}{4}$ Sec. cor-
 ner

79.60

Section Corner Secs. 9, 10, 15^{and} 16

Surface Valley gently rolling
 Soil 1st rate Upland rolling
 Soil 2nd rate

Township 34 North

chance North-bet. Secs. 9^{and}

10 Variation 13^{and} 15^{and} E

4000 Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chance stake, raise mound of earth 2 ft high from pits 22 in x 22 in - 12 in deep for 1/4 Section Corner -

8000 Set cedar post 3 in x 3 in x 4 ft - 12 in deep. Deposit chance stake raise mound of earth 2 ft high from pits 24 in x 24 in - 12 in deep for corner to Sections 3. 4. 9. 10

Surface gently rolling Soil 1/2 prairie

Range 20 West 1/4

chance East on random line bet. Section 3^{and} 10

25.00 Variation 13^{and} 45^{and} E

4000 Leave hill + enter valley N.E. and S.W.

4000 Set post for temporary 1/4 Section corner

79.40 Intersect N^{and} S^{and} line at a point 52 ch. north of corner to Sections 2. 3. 10. 11

from which corner I run N 89^{and} 38' West on true line bet. Sec. 3^{and} 10

39.70 Variation 13^{and} 45^{and} E

Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chance stake, raise mound of earth 2 ft high from pits 22 in x 22 in

12 in deep for 1/4 Sec. Cor. 3^{and} 10^{and} 11^{and} 12^{and} Soil 3/4 prairie 1/4 rocky hill - Soil 3/4 prairie 1/4 hill

Township 34 North

chain

North on railroad
line bet. Secs 3rd & 4th

Variation 13° 45' E

4.00 Set post for temporary
1/4 Section corner

55.00 Leave hill for valley
E and W.

79.45 Intersect North-bound
-angle of Township
at a point, 14th E.
Part of corner to
Secs. 3rd and 4th from
which corner I run
S 6° West on true
line bet. Secs. 3rd & 4th

Variation 13° 45' E

39.45
87.50 Set bedau post 3 in
x 2 in x 4 ft - 12 in
deep. Deposit charred
stake, raise mound
of earth 2 ft high
from pits 22 in
x 22 in - 12 in
deep for 1/4 Sec. corner

79.45 - Corner to Sec 3 & 4
Surface 1.00 ch. broken
Lart 30 ch. quality rolling 1/4 rate

Range 20 West 6th P.M.

chain

From the established
corner to sections 32nd
33 & run

North on true line
bet. Secs. 32nd and 33

Variation 13° 45' E

12.00 Enter valley E and W.

40.00 Set bedau post 3 in
x 2 in x 4 ft - 12 in
deep. Deposit charred
stake, raise mound
of earth 2 ft high
from pits 22 in x 22 in
12 in deep for 1/4 Sec. corner

44.00 Enter low sand-ridge
East and West

70.00 Leave same E & W

85.00 Set bedau post 3 in x
3 in x 4 ft - 12 in deep
Deposit charred stake
raise mound of earth
2 ft high from pits
22 in x 24 in - 12 in deep
for corner to Sec 28, 29,
32 and 33.

Surface undulating soil 1/4 rate

Township 34 North

chains East on railroad
line bet. Secs. 28th & 33rd
Variation 18° 45' E
40.00 Set post for temporary
1/4 Section corner
80.32 Intersect N.W.S.
line at a point
44 lks. South of
corner to Sec. 27, 28,
33 and 34 from which
corner I run
S 89° 41' West on true
line bet. Secs. 28th & 33rd
Variation 13° 45' E
40.16 Set cedar post 3 in
x 2 in x 4 ft - 12 in
deep. Deposit chanced
stake, raise mound
of earth 2 ft high
from pits 2 2 in x
2 2 in - 12 in deep
for 1/4 Sec. corner
80.32 corner to Sec. 28, 29, 32
and 33.
Surface undulating bottom
Soil 1st rate

Range 20 West 6th N.M.

chains North bet. Secs. 28th & 29th
Variation 13° 45' E
40.00 Set cedar post 3 in x
2 in x 4 ft - 12 in
deep. Deposit chanced
stake, raise mound
of earth 2 ft high
from pits 2 2 in x 2 2 in
12 in deep. for 1/4 Sec. corner
9000 Leave valley
8000 Set cedar post 3 in x
3 in x 4 ft - 12 in deep
Deposit chanced
stake, raise mound
of earth 2 ft high
from pits 2 4 in x 2 4 in
12 in deep. for
corner to Sect. 20, 21
28 and 29
Surface of valley
gently rolling. Soil 1st rate
Remaining 10 chains
rolling. Soil sandy
2nd rate

Township 34 North

chains

East on random line bet. Secs 21 and 28

Variation 13° 45'

30.00 Enter valley N and S.

40.00 Set post for temporary 1/4 Sec. corner

80.30 Intersect N and S line at a point 28 ch South of corner to Sections 21, 22, 27 and 28 from which corner I run S 89° 48' West on true line bet. Secs 21 and 28

Variation 13° 45'

40.15 Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chain stake, raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep for 1/4 Sec Cor -

80.30 Corner to Secs 20, 21, 28, 29 Surface 1" gentle rolling valley gentle rolling " 2" salt

Range 2 West 6 1/2 W.

chains

North bet. Secs 20 and 21

Variation 13° 45'

40.00 Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chain stake, raise mound of earth 2 ft high from pits 22 in x 22 in - 12 in deep for 1/4 Sec Cor -

80.00 Set cedar post 3 in x 3 in x 4 ft 12 in deep. Deposit chain stake, raise mound of earth 2 ft high from pits 22 in x 24 in 12 in deep. For corner to Sections 16, 17, 20 and 21

Surface rolling Soil sandy 2% salt

Township 34 North-

chains

East on random line bet Secs 16^{and} 21
Variation 13° 45' E
4070 Set post for temporary
in Section Center
8020 Intersect N^{and} line
at a point 52 ch.
S. of corner to Sec.
16. ~~16~~ ¹⁶ ~~21~~ ²¹ from
which corner from
S 89° 38' West on
true line bet. Secs
16^{and} 21

Variation 13° 45' E
40.10 Set Cedar post 3 in
x 2 in x 4 ft - 12 in
deep. Deposit charred
stake, raise mound
of earth 2 ft high
from pits 22 in x 22 in
12 in deep for ^{1/4} Sec.

8020 Corner to Sec. 16. 15
20^{and} 21
Surface rolling
Soil 2 in rate

Range 20 West 6th R.M.

chains

North bet. Secs 16^{and}

17 Variation 13° 45' E
4000 Set Cedar post 3 in
x 2 in x 4 ft - 12 in
deep. Deposit charred
stake, raise mound
of earth 2 ft high
from pits 22 in
x 22 in - 12 in
deep for ^{1/4} Sec.

8070 Set Cedar post
3 in x 3 in x 4 ft - 12 in
deep. Deposit charred
stake, raise mound
of earth 2 ft high
from pits 14 in x 24 in
12 in deep. go corner
to Secs 8, 9, 10^{and} 17

Surface rolling
Soil 2 in rate

Township 34 North

chains
 East on section
 line bet. Sec. 9^{and} 16
 Var. 13° 45' East
 40.00 Set post for temporary
 1/4 Sec. corner.
 75.00 Euter valley N. and S.E.
 80.22 Intersect N and S line
 at a point 54 ft.
 South of corner to
 sections 9, 10, 15^{and} 16
 from which corner
 Drun
 S 89° 37' West on true
 line bet. Sec. 9^{and} 16
 Variation 13° 45' E
 40.11 Set cedar post
 3 in x 2 in x 4 ft - 12 in
 deep. Deposit
 chained stake, raise
 mound of earth 2 ft
 high. from pits - 22 in
 x 22 in deep for
 80.22 corner to sections 8, 7
 16^{and} 17
 Surface rolling Soil 2^{1/2} rate

Range 20 West 6^{up} W.

chains
 North bet. Sec.
 8 and 9
 Variation 13° 45' E
 40.00 Set cedar post 3 in
 x 2 in x 4 ft - 12 in
 deep. Deposit chained
 stake, raise mound
 of earth 2 ft high
 from pits - 22 in x
 22 in x 12 in deep
 for 1/4 Sec corner -
 80.00 Set cedar post
 3 in x 3 in x 4 ft - 12 in
 deep. Deposit chained
 stake, raise mound
 of earth 2 ft high
 from pits 2 1/4 in x 2 1/4 in
 12 in deep for
 corner to Sec. 4, 5, 8, 9
 Surface rolling
 Soil 3^{1/2} rate

Township 34 North

chains
 East on random
 line bet. Sec. 4^{and} 9
 Variation 13° 45' E
 5.00 Enter valley N^{and} S.
 40.00 Set post for temporary
 1/4 Section corner
 79.52 Intersect N^{and} S.
 line at a point 20
 lbs. back of corner
 to Sec. 3, 4, 9^{and} 10
 from which corner
 I run
 West on true line
 bet. Sec. 4^{and} 9
 Variation 13° 45' E
 39.91 Set cedar post 3 in
 x 2 in x 4 ft - 12 in
 deep. Deposit chain
 stake raise mound
 of earth - 2 ft high
 from pits 22 in x 22 in
 1/2 in deep. for 1/4 Sec. Cor
 79.82 Corner to Sec. 4, 5, 8, 9
 Surface gently rolling
 Soil 3rd rate

Range 2 West 6^{up} W.

chains
 North on random
 line bet. Sec. 4^{and} 5
 Variation 13° 45' E
 40.00 Set post for temporary
 1/4 Section corner
 79.40 Intersect North
 boundary of Township
 at a point 20 lbs.
 East of corner to
 Sec. 4^{and} 5 from
 which corner I run
 19 East on true
 line bet. Sec. 4^{and} 5
 Variation 13° 45' E
 39.70 Set cedar post
 3 in x 2 in x 4 ft - 12 in
 deep. Deposit chain
 stake raise mound
 of earth - 2 ft high from
 pits - 22 in x 22 in - 12 in
 deep for 1/4 Sec. Cor -
 79.40 Corner to Sec. 4, 5, 8, 9
 broken
 Surface gently rolling
 Soil 3rd rate

Township 34 North-

chains

From the established corner to Sec. 31 and 32 on South boundary of the Township I run North bet. Sec. 31 and 32

Variation 13° 45' E

10.00

Enter Valley E. and W.

40.00

Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chanced stake, raise mound of earth 2 ft high from pits 2 1/2 in x 2 1/2 in x 4 ft - 12 in deep for 1/4 Sec. corner

50.00

Leave Valley E. and W.

80.00

Set Cedar post 3 in x 3 in x 4 ft - 12 in deep. Deposit chanced stake raise mound of earth 2 ft high from pits 2 1/4 in x 2 1/4 in - 12 in deep. In corner to Sections 29, 30, 31, 32 Surface rolling Soil 2^d rate

Range 20 West 6th P.M.

chains

East on random line bet. Sec. 29 and 32

Variation 13° 45' E

5.00
79.72

Enter Valley, and S. Intended it and S. line at a point 54 lb. S. of corner to Sec. 28, 29, 32 and 32 from which corner I run

N 89° 37' West on true line bet. Sec. 29 and 32

Variation 13° 45' E

39.86

Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chanced stake, raise mound of earth 2 ft high from pits 2 1/4 in x 2 1/4 in x 12 in deep. for 1/4 Sec. corner

79.72

from to Sections 29, 30, 31 and 32 Surface gently rolling Soil 2^d rate

Township 34 North

chain West on random
line bet Sec. 30^{and} 31
Variation 13°45'E

20.00 Ecyter Valley, N. B.

40.00 Set post for
temporary $\frac{1}{4}$ Sec. cr -

82.14 Intersect West bound
and of Township
at a point 48^{ft}
N. of corner to Sec.
30 and 31 from
which corner run
N 89° ~~W~~ East on line
line bet Sec. 30^{and} 31
Variation 13°45'E

42.14 Set cedar post 3 in
x 2 in x 4 ft - 12 in
deep. Deposit chaul
stake, raise mound
of earth - 2 ft high
from pits 22 in x 22 in
12 in deep for $\frac{1}{4}$ Sec. cr -

82.14 corner to Sec. 29, 30
31^{and} 32
Surface rolling
Soil 1" rate

Range 20 West 6th N.M.

chain North bet Sec. 29^{and} 30
Variation 13°45'E

4000 Set cedar post 3 in
x 2 in x 4 ft - 12 in
deep. Deposit chaul
stake, raise mound
of earth - 2 ft high
from pits 22 in
x 22 in - 12 in
deep for $\frac{1}{4}$ Sec. cr -

8000 Set cedar post 3 in
x 3 in x 4 ft - 12 in
deep. Deposit chaul
stake, raise mound
of earth - 2 ft high
from pits 24 in x 24 in
12 in deep. For
corner to Sec. 19, 20,
29^{and} 30
Surface rolling
Soil 2" rate

June 23rd

Township 34 North-

chains East on random
line bet. Sec. 28th & 29
Variation 13° 45' E
4000 Set post for temporary
1/4 Section Corner
79.82 Intersect of true line
at a point 34 W. of
of corner to Sec. 20. 21
28 and 29 from which
corner I run
N 89° 45' West on
true line bet. Sec.
20 and 29
Variation 13° 45' E
39.91 Set cedar post 3 in
x 2 in x 4 ft - 12 in
deep. Deposit chains
stake, raise mound
of earth 2 ft high
from pits 22 in x 22 in
12 in deep for 1/4 Sec. 6
79.82 Corner to Sec. 19, 20, 21
and 30
Surface rolling
Soil 2" rate

Range 30 West 6th NPM

chains West on random
bet Sec. 19 and 30
Variation 13° 45' E
4000 Set post for temporary
1/4 Section Corner
81.89 Intersect West bound
ary of Township at
a point 83 W. of
of corner to Sec. 19
and 30 from which
corner I run
N 89° 25' East on true
line bet. Sec. 19 and 30
Variation 13° 45' E
41.89 Set cedar post 3 in
x 2 in x 4 ft - 12 in
deep. Deposit chains
stake. raise mound
of earth 2 ft high
from pits 22 in x 22 in
12 in deep for
1/4 Section Corner
81.80 Corner to Sec. 19, 20
29 and 30
Surface rolling
Soil 2" rate

Township 34 Nth-

chains

North bet. Secs. 17 & 20

Variation 13° 45' E

40.00

Set post Cedar post 2 in x 2 in x 4 ft 12 in deep. Deposit chanced stake, raise mound of earth 2 ft high from pits - 22 in x 22 in - 12 in deep for 1/4 Sec. corner.

80.00

Set cedar post 3 in x 3 in x 14 ft - 12 in deep. Deposit chanced stake, raise mound of earth 2 ft high from pits - 24 in x 24 in - 12 in deep. For corner to Secs. 17, 18, 19, 20. Surface rolling Soil 2% rate.

Range 20 West 6th P.M.

chains

East on sandown line bet. Secs. 17 & 20

Variation 13° 45' E

40.00

Set post for temporary 1/4 Section corner -

80.10

Intersect of 1/4 Sec. D. line at post corner to Secs. 16, 17, 18 and 19 from which corner I drew post on true line bet. Secs. 17 & 20

40.05

Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chanced stake, raise mound of earth 2 ft high from pits - 22 in x 22 in - 12 in deep. For 1/4 Sec. corner -

80.10

Corner to Secs. 17, 18, 19 & 20. Surface rolling Soil 3% rate -

Township 34 North

Chains West on random line bet. Sec. 18th & 19th Variation 13th 45th E
 40.00 Set post for temporary Section corner
 81.85 Interset post boundary of Township at pt. point 90 lbs. North of corner to Sec. 18th and 19th from which corner run ~~at 89~~ 22' East on true line bet. Sec. 18th and 19th Variation 13th 45th E
 41.85 Set cedar post 3 in x 2 in x 4 ft 12 in deep. Deposit charred stake, raise mound of earth - 2 ft high from pits 22 in x 22 in 12 in deep for $\frac{1}{4}$ section corner to Sec. 17, 18
 81.85 Corner to Sec. 17, 18 19, 20 | Surface broken Soil 2nd rate

Range 20 West 6th N.W.

Chains North bet. Sec. 17th & 18th Variation 13th 45th E
 40.00 Set cedar post 3 in x 2 in x 4 ft 12 in deep. Deposit charred stake, raise mound of earth - 2 ft high from pits 22 in x 22 in 12 in deep. for $\frac{1}{4}$ Section corner -
 80.00 Set cedar post - 3 in x 3 in x 4 ft 12 in deep. Deposit charred stake raise mound of earth - 2 ft high from pits 24 in x 24 in 12 in deep. for corner to Sec. 7, 8, 17, 18
 Surface upland rolling Soil 2nd rate
 Valley gently rolling Soil 4th rate

Township 34 North

chain
 Carbon random
 line bet. Sect. 8^{and} 17
 Variation 13°45' E
 40.00 Set post for temporary
 1/4 Section corner
 79.80 Intersect N^{and} S. line
 at a point 24 ch. N.
 of corner to Sect.
 8^{and} 17. From
 which corner I run
 N 89° 50' West one
 true line bet. Sect.
 8^{and} 17. Variation 13°45' E
 39.90 Set cedar post 3 in
 x 2 in x 4 ft - 12 in
 deep. Deposit chanced
 stake. raise mound
 of earth 2 ft high
 from pits 22 in x 22 in
 12 in deep for 1/4 Sec. C.
 79.80 corner to Sections 18, 17
^{and} 18
 Surface gently rolling
 Soil 2" rate

Range 20 West 6th P.M.

chain
 Perl on random
 line bet. Sect. 17^{and} 18
 Variation 13°45' E
 21.00 Drain N.W.
 40.00 Set post for temporary
 1/4 Section corner
 80.88 Stream 3 ch. wide
 N.E.
 81.80 Intersect West bound
 any of Township at
 a point 86 ch. N.
 of corner to Sect.
 7^{and} 18. From which
 corner I run
 N 89° 24' East one
 true line bet. Sec
 7^{and} 18. Variation 13°45' E
 41.80 Set cedar post 3 in x 3 in
 x 4 ft - 12 in deep
 Deposit chanced
 stake. raise mound
 of earth 2 ft high
 from pits 22 in x 22 in
 12 in deep for 1/4 Sec. C.
 81.80 corner to Sections 18, 17, 15
 Surface gently rolling Soil 1 1/2" rate

Township 34 North

chains North bet. Sec. 7th & 8th
Variation 13° 45' E

21.00 Drain N.W.

40.00 Set cedar post 3 in
x 2 in x 4 ft - 12 in
deep. Deposit channel
stake, raise mound
of earth - 2 ft high
from pits 22 in
x 22 in - 12 in
deep for 1/4 Sec. for

80.00 Set cedar post 3 in
x 2 in x 4 ft - 12 in
deep. Deposit channel
stake, raise mound
of earth - 2 ft high
from pits 24 in x 24 in
12 in deep for
corner to Secs. 5, 6, 7, 8
Surface rolling
Soil 2nd rate.

Range 20 West 6th N.P.M.

chains East on random
line bet. Sec. 5th and 8th
Variation 13° 45' E

40.00 Set post for temporary
1/4 Section corner -

79.82 Intersect random line
at a point 46 ch.
South of corner to
Sections 4, 5, 8 and 9
from which corner
is run

89.40 Set on line
bet. Sec. 5th and 8th
Variation 13° 45' E

89.91 Set cedar post 3 in
x 2 in x 4 ft - 12 in
deep. Deposit channel
stake, raise mound
of earth - 2 ft high
from pits 22 in x 22 in
12 in deep for 1/4 Sec. for

89.82 Corner to Sections 5, 6, 7, 8
Surface hilly
Soil sandy 2nd rate.

Township 34 North

chain
 West on random ^{line} bet. Sect. 6^{and} 7
 " Variation 13°45'E
 4000 Set post for temporary
 1/4 Section corner
 43.10 Spring branch, 10^{ord} ch.
 side N. W.
 51.15 Same. 15 ch. side
 N then N. W.
 81.90 Intersect West boundary
 of Township at a point
 82 ch. N. of corner
 to Sect. 6^{and} 7 from
 which corner I run
 N 89°25' East on true
 line bet. Sect. 6^{and} 7
 Variation 13°45'E
 41.90 Set cedar post 3 in x 3 in
 12 in deep. Fax x Lax -
 Deposit charred stakes, saw
 mounds of earth 2 ft high
 from pits 22 in x 22 in, 12 in
 deep for 1/4 Sec. Cor.
 81.90 Corner to Sect. 5, 6, 7, 8
 Surface gently rolling
 Soil 1st brate

Range 20 West

chain
 South on random
 line bet. Sect. 5^{and} 6
 Variation 13°45'E
 4000 Set post for temporary
 1/4 Sec. corner
 79.30 Intersect North
 boundary of Township
 at a point. corner
 to Sect. 5^{and} 6 from
 which corner I run
 South on true line
 bet. Sect. 5^{and} 6
 Variation 13°45'E
 39.30 Set cedar post
 3 in x 2 in x 4 ft
 12 in deep. Deposit
 charred stakes, saw
 mounds of earth
 2 ft high. From pits
 22 in x 22 in, 12 in
 deep. for 1/4 Sec. Cor.
 79.30 Corner to Sect. 5, 6, 7,
 8
 Surface broken
 Soil 2nd rate

June 24th

Township 34 North-

General Description

This township has a fair average of 2nd rate land, and is adapted to agriculture and grazing.

A stream of an average width of 16 links runs through the South Eastern part of the Township and a creek of an average width of 15 links runs through Section 6 in a N.E. direction.

A high hill in Sec. 3rd 4th is a notable object.

The Southern portion of the Township is mostly Valley - 1st rate soil.

The N.E. portion is gently rolling prairie sloping Southward toward the Kana-Paha River, while through the centre extends a range of sand-hills.

Range 20 West 6th P.M.

List of Names.

A list of the names of the individuals who were employed to assist in determining or marking the line and corner described in the foregoing field-notes of Township 34 N. of the base line of Range 20 West of the 6th P.M. in Dakota showing the respective capacities in which they acted.

Lewis E. Scott (Chairman)
Wm. B. Spangler

Charles Bowers (Recorder)
Adelbert Pierce (Assessor)
Haynes

We hereby certify that
we assisted George W. Burton
deputy surveyor in surveying
the exterior boundaries and
subdividing township number
thirty-four north of the base
line of range number twenty
west of the sixth principal
meridian and that said
township has been in all
respects to the best of our
knowledge and belief well
and faithfully surveyed and
the boundary monuments
planted according to the
instructions furnished by
the surveyor general of Illinois
character, construction & material
and in the manner described in
said instructions & copies of them
Leslie C. Scott Chairman
William B. Spangler
Abner B. Boop
Adelbert D. Pierce

Subscribed and sworn to before me
J. B. Blosser
notary public in
and for the state of Indiana this 14th
day of June 1875 John Blosser
Notary Public

I George W. Burton
deputy surveyor do solemnly
swear that in pursuance
of a joint contract wherein
Chauncy Milne, Frank Crowell
and Geo. W. Burton are joint
contractors with E. G.
Cunningham, United States
Surveyor general for the
district of Nebraska, bearing
date of the 29th day of April
1875, I have well,
faithfully, and truly, in my
own proper person, and in
strict conformity with the
instructions furnished by
the surveyor general, the
surveying manual and the
laws of the United States
surveyed all those parts
or portions of township no.
thirty-four north of the base
line of range number
twenty west of the sixth
principal meridian as are
represented in the foregoing

field notes as having
been surveyed under
my direction, and I
do further solemnly swear
that all the corners of said
survey have established
and perpetuated in strict
accordance with the surveying
manual and printed instructions
and that the foregoing are the
true and original field notes
of such survey.

George W. Burton
Deputy Surveyor

Subscribed and sworn to before me
J. B. Cassage a notary public
in and for ^{Antelope county} state of Nebraska this
14th day of June 1875.

J. B. Cassage
Notary Public

Surveyor General's Office
Plattsburgh Neb Aug 14th 1875
The foregoing field notes of the
Survey of Townships 34 N
of Base Line of Range 20
W of 6 P.M. in Nebraska
Executed by Geo W. Burton
under joint Contract No 89
dated April 29th 1875.
In the month of June 1875.
having been critically examin-
ed, the necessary corrections
and explanations, made, the
said field notes and the Survey
they describe are hereby
approved

J. M. Clark
Surveyor General

of said survey, as prepared by said surveyor in pursuance of the instructions of the Surveyor General, and the printed instructions of the Surveyor General, and the printed instructions of the Surveyor General.

Field Notes
of the
Survey and Sub-division
of
Township 35 North
of the
Base Line
Range 20 West
of the
6th Principal Meridian
in the
State of Nebraska

Executed
by Frank Powell
deputy Surveyor, under
joint Contract No 89,
dated April 29th 1875

Survey

Commenced June 20th 1875
Completed June 23rd 1875

Index Diagram
 Township 35 North
 of the base line -
 Range 20 West
 6th of the
 Principal Meridian

6	5	4	3	2	1					
7	8	9	10	11	12					
18	35	17	28	16	22	15	15	14	8	13
27		36	27		21		2			6
19	35	20	26	21	20	22	13	23	5	24
34		33	25		19		12			4
30	32	29	24	28	18	27	11	26	3	25
31		30	23		17		10			2
31	29	32	22	33	16	34	9	35	1	36

List of Names
 A list of the names
 of the individuals
 who were employed
 to assist in surveying
 and sub-dividing
 Township 35 North
 of the base line, Range
 20 West of the 6th Meridian,
 in Nebraska -
 J. A. Sears }
 Auckney Miller }
 C. H. Brown }
 Esau Beldin }
 H. J. Brown }

Township 35 North

To ascertain the variation of this Township I commence at the corner to Townships 34 & 35 North, Ranges 19 and 20 West and run on a blank line along the East Boundary of section 36

Variation $13^{\circ}45'$

40.02 to the $\frac{1}{4}$ section corner
80.03 to the corner to Sect. 25th & 36.

Therefore my compass is found to be in proper adjustment

Range 20 West 6th N.P.

From the established corner to Sect. 35th & 36 on South bound - any of the Township I run North bet. Sect. 35th & 36

Variation $13^{\circ}45'$

4.00 Let a lime-stone 10 in x 16 in x 14 in

for $\frac{1}{4}$ Section Corner

Excavate 2 pits on line - 22 in x 22 in - 12 in deep. for $\frac{1}{4}$ Sec. Corner

8.00 Let lime-stone 12 in x 8 in x 7 in

Excavate two pits on line 24 in x 24 in - 12 in deep. for corner to Sections 25, 26, 35th & 36

Surface gently rolling
Soil sandy 2nd rate

2 Township 35 North-

East on random line
bet. Sec. 25^{and} 36
Variation 13°45'E
7.00 Wagon trail N.W.
40.00 Set post for lempage
1/4 Sec. corner -
50.30 Intersect East corner
of Township
at a point 20 Ch.
S. of corner to Secs. 25
and 36 from which
corner I run
189.51 West on true
line bet. Secs. 25^{and} 36
Var. 13°45'E
40.15 Set cedar post 3 in
x 2 in x 4 ft - 12 in
deep. Deposit charred
stake, raise mound
of earth 2 ft high
from pit 22 in x 22 in
12 in deep for 1/4 Sec.
corner to Sec. 25.26
35.36
Surface gently rolling
Soil 2nd rate

3 Range 20 North 6th West

North bet. Secs. 25
and 26
Variation 13°45'E
4.50 Wagon road N.W.
40.00 Set Lime stone
14 in x 18 in x 17 in
Excavate two pits
22 in x 22 in - 12 in
deep for 1/4 Sec. C
80.00 Set Lime stone
15 in x 7 in x 6 in - 12 in
Excavate two pits
on line, 24 in x 24 in
12 in deep for corner
to Sections 23, 24, 25
and 26
Surface gently rolling
Soil 2nd rate

Township 35 North

chain

East on random
line bet. Secs 24 and 25
Variation 13° 45' E

40.00 Set post for temporary
¼ Section corner

45.00 Enter Oak cañon N.

49.20 Spring Branch 3 Ch. made
N.

51.00 Leave cañon N.

80.57 Intersect N. and S. line
East boundary of Town.
at a point 30 Ch.
South of corner to
Secs 24 and 25. From
which corner I run
S 89° 47' West on
true line bet. Secs 24 + 25
Var. 13° 45' E -

40.28 1/2 Set cedar post 3 in x 2 in
x 4 ft - 12 in deep
Deposit - chained stakes
same mound of earth 1 ft
high from pits 22 in x 22 in
12 in deep. for 4 Sec. Co.

80.57 Corner to Secs 23, 24, 25
and 26
Surface gently rolling soil 2 in

S. 2. 1/2

Range 20 West 6 W.P.M.

chain

North bet. Secs 23 and 24
Variation 13° 45' E

36.00 Enter bottom E. and W.

40.00 Set Lime stone 10 in x 9 in
x 8 in - Excavate two
pits on line 22 in x 22 in
12 in deep for 4 Sec. Co.

80.00 Set cedar post 3 in
x 3 in x 4 ft - 12 in
deep. Deposit chained
stakes same mound
of earth 1 ft high
from pits 22 in x
22 in - 12 in deep
for corner to Secs
13, 14, 23 and 24.
Surface gently rolling
Soil 2 in silt

Township 35 North

chain ^{Knowing that I will reach level}
~~in less than 50 chains - 8 in~~
east on a tree

line bet. Secs. 13^{and} 24
Variation 13° 45' E

8.50 Intercept Right
bank of Keya-Paha
River. and set Cedar
post 3 in x 2 in x 4 ft -
12 in deep.

Deposit charred stake
and raise mound
of earth 2 ft high
from pits 22 in x 27 in
12 in deep for
meander corner
to frac. Secs. 13^{and} 24

Surface bottom level
Soil 3rd rate sandy -
undergrowth of
Willow brush

v.f.

Range 20 West 6th P.M.

chain ^{Knowing that I will}
intersect Keya Paha
River in less than
50 chains I run
post on true line
bet. Secs. 14^{and} 23

Variation 13° 45' E

12.28 Set Cedar post 3 in
x 2 in x 4 ft - 12 in
deep, deposit charred
stake, raise mound
of earth 2 ft high
from pits 22 in x 27 in
12 in deep for meander
corner - to frac. Secs. 14^{and}
23.

Surface ^{level} bottom
Soil sandy 3rd rate

8 Township 34 North

chain

North bet Secs. 13rd &

14 Variation 13° 45' E

12.33

To South bank of

Keya-Paha River

and set Cedar post

3 in x 2 in x 4 ft 12 in

deep. Depaint chain

stakes, raise mound

of earth 2 ft high from

posts 22 in x 22 in deep

for meander corner

to frac. Secs. 13rd & 14

Surface level bottom

Soil sandy 3rd rate

Undergrowth of willows

1.5 ft

9 Range 20 West 6th N

chain

From the established

corner to Secs. 34th & 35

on South boundary of

Township I run

North bet Secs. 34th & 35

Variation 13° 45' E

40.00

Set lime stone 18 in x 6

x 5 in Excavate two

pits on line 22 in x 22 in

12 in deep for Sec. 34

80.00

Set a lime stone

3 in x 8 in x 24 in long

Excavate two pits

on line 24 in x 24 in

12 in deep for corner

to Secs. 26, 27, 34th &

35

Surface rolling

Soil sandy 2nd rate

Township 35 North

chain
 Cart on random
 line bet. Secs. 26th & 35th
 Variation 13°45'E
 40.00 Set post for temporary
 1/4 Section corner
 80.04 Intersect N and S
 line at a point
 20 lks. South of
 corner to Secs. 25,
 26, 35 and 36 from
 which corner
 I run
 S 89°51' West on
 true line bet
 Secs. 26 and 35
 Variation 13°45'E
 40.02 Set cedar post 3 in
 x 2 in x 4 ft - 12 in
 deep. Dep. out chain
 stake, raise mound
 of earth 2 ft high
 from pits 22 in x 22 in
 12 in deep for 1/4 section
 80.04 Corner to Secs. 26, 27,
 34 and 35
 surface rolling
 Soil sandy 2nd rate

chain

Range 20 West 16th N. W.
 North bet. Secs. 26th
 27
 Variation 13°45'E
 Slough 20 lks. side N.E.
 Slough 20 lks. side N.W.
 Slough 20 lks. side N.E.
 Set lime stone 12 in
 x 10 in x 11 in - excavate
 two pits 22 in x 22 in - 12 in deep
 dragon trail N.W.
 48.89 Set lime stone 18 in x 10 in
 x 4 in. Excavate two
 pits on line 24 in
 x 24 in - 12 in deep
 for corner to Secs.
 22, 23, 26 and 27
 Surface rolling
 Soil sandy 2nd rate

Township 35 North

chain

East on road down
line bet Secs 23 & 26

Variation 13° 45' E

20.88 Stream 4 ft wide
A.G.

4000 Set post for temporary
in Section Corner

49.72 Intersect N. and S.
line at a point
36 ft. South
of corner to Secs

23, 24, 25 and 26
from which corner
I run

S 89° 45' West on
true line bet. Secs
23 and 26 -

Variation 13° 45' E

39.86 Set cedar post 3 in
x 2 in x 4 ft - 12 in
deep. Deposit charred
stake, raise mound
of earth 2 ft high
from pit 22 in x 22 in

12 in deep for seal
corner to Secs 22, 23, 26, 27
Surface rolling: Soil 2" rate

1.5 ft

Range 20 West 6th P.M.

chain

North bet Secs 22
and 23

Variation 13° 45' E

4000 Set a lime-stone 24 in x 8 in
x 5 in - Excavate two pits
on line 22 in x 22 in - 12 in
deep for Sec. Cor.

58.00 Enter bottom and
scattering oak and
cottonwood E and W.

8000 Set cedar post 3 in
x 3 in x 4 ft - 12 in
deep. Deposit charred
stake, raise mound
of earth 2 ft high
from pits 24 in x 24 in
12 in deep for corner
to Secs 22, 23, 26 and
27.

Surface upland
rolling - Soil 2" rate
Bottom level - Soil 1/4 rate

Township 35 North

chain ^{Showing that it will strike true in less than 200 ft. of run}

Cart on a tree
line bet. Secs 14th & 23rd
Variation 13° 45' E

2 1.40 Intersect Right
bank of Kuya Taba
River and set
a cedar post 3 in
x 2 in x 14 ft - 12 in
deep. At point, chain
stake, raise mound
of earth 2 ft high
from pit 2 ft
x 2 ft - 12 in deep
for a meander
course to frac-
tional Sec. 14th & 23rd

Surface bottom level
Soil 1st rate

39

Range 20 West 6th N.M.

North bet. Sec. 14th ^{and 15th}

Variation 13° 45' E

95- Intersect North Boundary line
of the State of Nebraska
at a point 90 ft. West
of the ^{original} Initial Point of
said State line, and
set a line-stone 16 in x
14 in x 3 in.

Excavate a pit on line
22 in x 22 in, 12 in deep
for a Closing Corner to
Sec. 14th ^{and 15th}

Surface bottom, level
Soil 1st rate.

June 20th 1875-

Township 35 North

chains

North bet. Secs 33 & 34
Variation 13° 45' E

4000 Set Lime Stone 18 in x
16 in x 4 in - for $\frac{1}{4}$ Sec. C
Excavate two pits
on line 22 in x 22 in
12 in deep. for $\frac{1}{4}$ Sec. C

8000 Set Lime Stone
15 in x 14 in x 5 in -
Excavate two pits on
line 24 in x 24 in - 12 in
deep. for corner to Secs
27, 28, 33 and 34

Surface rolling
Soil 2" rate

S. S. C.

Range 20 West 16th N. M.

chains

East on random
line bet. Secs 2 & 34
Variation 13° 45' E

4000 Set post for temporary
 $\frac{1}{4}$ section
75.00 Slough 20 ft. wide
N.E.

79.44 Intersect A. and S. line
at a point 30 ft. S. of
corner to Secs 26, 27
34 and 35 from which
corner I run
S 89° 47' West on
true line bet. Secs
2 & 34

39.72 Var. 13° 45' E
Set cedar post 8 in
x 2 in x 4 ft - 12 in
deep. Deposit
chanced stake, raised
mound of earth - 2 ft
high - from pits 22 in x 22 in
12 in deep. for $\frac{1}{4}$ Sec. C

79.44 Corner to Secs 27, 28, 33
& 34. Surface rolling
Soil 2" rate

Township 35 North

North bet. Sect. 27^{and}

28 Variations 13° 45' E

4000 Set line stone 18 in x 15 in x 5 in. Excavate two pits on line 22 in x 22 in - 12 in deep for 1/4 Sec. Cor.

6580 Orogen trail work

8000 Set line stone 20 in x 16 in x 5 in - Excavate two pits 22 in x 22 in 12 in deep. for corner to Sect. 21, 22, 27^{and} 28

Surface rolling
Soil 2nd rate

Range 20 West 6th N.M.

chain

East on random line bet. Sect. 22^{and} 27

Variation 13° 45' E

4000 Set post for temporary 1/4 Sec. corner.

79.30 Intersect N. and S. line at corner to Sect 22, 23, 26^{and} 27 from which corner I run

post on true line bet. Sect. 22^{and} 27

Variation 13° 45' E

39.65 Set cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit mound of earth 2 ft high from pits 22 in x 22 in 12 in deep for 1/4 Sec. Cor.

79.35 Corner to Sect. 21, 22 27^{and} 28

Surface rolling
Soil 2nd rate

Township 35 North

Chain

North-bet. Sect. 21
and 22

Variation 13°45'E

4000 Set line-stone

14 in x 12 in x 5 in. Excavate

two pits on line 22 in

x 22 in 12 in deep

for section corner

8000 Set a line-stone

8 in x 8 in x 7 in

Excavate two pits

on line 24 in x 24 in

12 in deep for

corner to Sect. 15, 16,

21 and 22

Surface rolling

Soil 2" rate

Range 20 North

Chain

East on random

line bet. Sect. 15 and 22

Var. 13°45'E

4000 Set post for camp

in Dec. 1892

5700 Enter bottom of

pit

8020 Intersect of

line at a point

28 lbs. South of

corner to Sections

14, 15, 22 and 23

from which corner

is run

S 89°48' West on

true line bet. Sect. 15

and 22

Var. 13°45'E

4010 Set cedar post 3 in

x 2 in x 4 ft 12 in

deep. Set post

stake. same mound

of earth 2 ft high

from pits 22 in x 22 in

12 in deep for section

corner to Sect. 15, 16, 21, 22

8020 Surface rolling

Soil 2" rate - Bottom coil

Township 35 North

chains

North bet Sec. 15th & 16th
Variation 13° 45' E

95 Intersect north Boundary
line of State and at a
point 1.04 ch. West
of 1st mile post and
set a line stone 20 in
x 10 in x 8 in

Excavate an pit on
line 22 in x 22 in - 12 in
deep for Closing corner
to Sec. 15th and 16th.

Surface rolling
Soil 2" rate

From established cor. to Sec 32 and 33
S. boundary of town. 21st June
North bet. Sec 32 and 33

- 1.00 Machine & F.
- 25.00 Iron & St.
- 33.00 Iron & St.
- 140.00 Set cedar post 3 in x 2 in x 4 ft - 12 in deep
Report also of better corner monument of 2 ft
high from pits 18 x 24 x 12 in deep for 4 sec. cor.
- 55.00 Level hill
- 30.00 Set cedar post 3 in x 2 in x 4 ft - 12 in deep
Report also of better corner monument of 2 ft
high from pits 18 x 24 x 12 in deep for 4 sec. cor.

Range 20 West 16th P.M.

chains

East on range down
line bet. Sec. 28th & 33rd
Variation 13° 45' E

4000 Set post for temporary
1/4 Section corner
79.72 Intersected and S. line
at a point 48 ch.

South of corner
to Secs 27, 28, 33
and 34 from which
corner I run

89-39 Post on
true line bet
Secs 28 and 33

Variation 13° 45' E
3986 Set cedar post
3 in x 2 in x 4 ft - 12 in
deep. Deposit charred
stake, raise mound
of earth 2 ft high
from pits 22 in x
22 in x 12 in deep
for 1/4 Section corner

79.72 Corner to Secs 28, 29
32 and 33 } Surface rolling
Soil 2" rate

Township 35 North
chains

North bet Sects 28th & 29th
 Variation 13° 45' E
 40.00 Set Line - Stone
 14 in x 12 in x 5 in
 Excavate two pits
 on line - 22 in x 22 in
 12 in deep. for $\frac{1}{4}$ Sec. C
 59.50 Dragon Trail West -
 80.00 Set limestone 15 in x 12 in
 x 4 in - Excavate two
 pits on line 24 in x 24 in
 12 in deep. for corner
 to Sects 20, 21, 28th & 29th
 Surface rolling
 Soil 2nd rate - $\frac{1}{2}$

Range 20 West 6th up

chains
 East on sandow
 line bet. Sects 21st & 28th
 Variation 13° 45' E
 40.00 Set post for temporary
 $\frac{1}{4}$ Section corner.
 79.88 Intersect N and S line
 at a point 54 ch. S
 of corner to Sects 21
 & 22, 27 and 28 from
 which corner I run
 S 77° 37' West on
 true line bet. Sects
 21 and 28
 Variation 13° 45' E
 39.94 Set Cedar post 3 in x 2 in
 x 4 ft - 12 in deep. Set post
 chanced stake, raise
 mound of earth 2 ft high from
 pits 22 in x 22 in - 12 inches
 deep. for $\frac{1}{4}$ Sec. C
 79.88 Corner to Sects 20, 21, 28
 and 29.
 Surface rolling
 Soil 2nd rate

Coronship 35 North

chains North bet. Secs. 20^{and} 21
 Variation 13° 45' E
 40.00 Set line stone 14 in x 12 in
 x 4 in - Excavate two
 pits on line, 22 in x 22 in
 12 in deep. for $\frac{1}{4}$ Sec. Co
 80.00 Set line stone 15 in
 x 11 in x 5 in - Excavate
 2 pits on line, 24 in
 x 24 in - 12 in deep
 for corner to Secs.
 16, 17, 20 and 21

Surface rolling
 Soil 2nd rate

1.5.18

Ranga 20 West 16^{and} 21

chains East on random
 line bet Secs. 16^{and} 21
 Variation 13° 45' E
 40.00 Set post for temporary
 $\frac{1}{4}$ section corner
 50.76 Spring branch 2nd class
 wide - North Oak +
 cottonwood on banks
 80.10 Intersect of ^{and} S.
 line at post
 corner to Secs. 15, 16,
 21 and 22 from
 which corner I run
 West on true line
 bet. Secs. 16^{and} 21
 Variation 13° 45' E
 40.05 Set cedar post
 3 in x 2 in x 4 ft -
 12 in deep. Depaint
 charred stake
 same mound of
 earth 2 ft high
 from pit 27 in x 27 in
 12 in deep. for $\frac{1}{4}$ Sec. Co -
 80.10 Corner to Secs. 16, 17, 20
^{and} 21 } Surface rolling
 Soil 2nd rate

Township 35 North

chains

1.27

North bet. Sect. 16^Q & 17^Q
 Variation 13° 45' 8"
 Intersect State line
 - North boundary
 and at a point 1,341
 links west of 2nd
 mile post, and
 set a lime stone 15 in
 x 10 in x 6 in
 Excavate into pits
 on line 24 in x 24 in
 12 in deep. for closing
 corner to Sect. 16^Q & 17^Q
 Surface rolling
 Soil 2nd rate

Range 20 West

chains

9.84

16.70

40.00

92.15

80.00

From established
 corner to Sect. 30^Q & 32^Q
 from
 North bet Sect. 31^Q & 32^Q
 Variation 13° 45' 8"
 Stream 2nd side N.W.
 Creek 15th side N.W.
 Scattering oaks on banks
 Set Cedar post 8 in x
 2 in x 4 ft - 12 in deep
 Deposition changed stake
 raise mound of
 earth - 2 ft high
 from pits 22 in x 22 in
 12 in deep for 4 Sec
 Creek 15th side N.W.
 Scattering oaks on banks
 Set ~~lime~~ ^{cedar} stone 3 in x
 3 in x 4 ft - 12 in deep
 Deposition changed
 stake, raise mound
 of earth - 2 ft high
 from pits 24 in x 24 in
 12 in deep. for corner
 to Sect. 29. 30. 31^Q & 32^Q
 Surface broken soil 2nd rate

Township 35 North

chains

East on random line bet. Sec. 29^{and 30}

Variation 13° 45' E

40.00 Set post for temporary 1/4 Section corner

79.82 Intersect of ^{and 3} line at a point

10 ch. W. of corner to Sec. 28. 29. 32

and 33 from which corner D runs

N 89° 56' West on true line bet

Sec. 29^{and 32}

Variation 13° 45' E

39.91 Set cedar post 3 in x 2 in x 4 ft -

12 in deep. Deposit chance stake, raise mound of earth

2 ft high from pits 2 1/2 in x 2 1/2 in

1 1/2 in deep. for 1/4 Sec. corner

79.82 Section corner Secs 29. 30. 31 and 32. Surface rolling soil 2" rate

Range 20 West 6th P.M.

chains

West on random line bet. Sec. 30^{and 31}

Variation 13° 45' E

12.00 Creek 15 ch. wide N. Oaks on banks

40.00 Set post for temporary 1/4 Section

82.28 Intersect West boundary of Township

at a point 30 ch. W. of corner to Sec. 30

and 31 from which corner D runs

N 89° 41' East on true line bet

Sec. 30^{and 31}

Variation 13° 45' E

42.28 Set cedar post 3 in x 2 in x 4 ft -

12 in deep. Deposit chance stake, raise mound of earth

2 ft high from pits 2 1/2 in x 2 1/2 in 1 1/2 in deep. for 1/4 Sec. corner

82.28 Corner to Secs 29. 30. 31 and 32. Surface rolling soil sandy - 2" rate

32 Township 35 North

chains

Angle bet. Sec. 29th & 30th
Variation 13° 45' E

40.00 Set a lime-stone

17 in x 8 in x 5 in

Excavate 2 pits on
line - 22 in x 22 in
12 in deep. for 1/4 Sec.

80.00 Set lime-stone

16 in x 9 in x 6 in

Excavate two pits
24 in x 24 in - 12 in
deep. for corner
to Sections 19, 20, 29,
30

Surface rolling
Soil 1st rate

33 Range 20 West 16 1/2 mi

chains

Cont on railroad
line bet Sec. 20th & 29th

Variation 13° 45' E

21.55 Iron nail trail N.W.

40.00 Set post for
temporary 1/4 Sec. line

79.80 Intersect N and S
line at a point

30 lbs. South of
corner to Sec. 20, 21

28th & 29th. from
which corner run

S 89° 47' West on
true line bet. Sec.

20th & 29th

Var. 13° 45' E

39.90 Set cedar post 3 in x
2 in x 4 ft - 12 in deep

Repair chained
stake, raise mound

of earth 2 ft high
from pits 22 in x 22 in

12 in deep. for 1/4 Sec.

79.80 Corner to Sec. 19, 20
29, 30 Surface rolling

Soil 1st rate

Township 35 North-

chains West on railroad
 line bet Secs 19th & 30th
 Variations 13° 45' E

4.14 Creek 15 lks. wide &
 willows along banks

4000 Set post for temporary
 1/4 Sec. Cor.

42.44 Stream 2 lks. wide North

82.14 Intersect West
 boundary of Township
 at a point 45 lks.
 N. of corner to Sec 19
 1/4 30 from which
 corner run
 489-41' East on line
 line bet. Secs. 19th & 30th
 Variations 13° 45' E

42.14 Set Cedar post 3 in x 2 in
 12 in deep. Deposit
 chanced stake, raise
 mound of earth 2 ft
 high. Saw pits 22 in
 x 22 in - 12 in deep for
 1/4 Sec. corner

82.14 Corner to Secs 19, 20, 29
 30. Large rolling
 soil 1st rate

Range 20 West 6th N.M.

chains North bet. Secs 19th & 20th
 Variations 13° 45' E

4000 Set Cedar post 3 in x 2 in
 12 in deep. Deposit chanced
 stake, raise mound
 of earth 2 ft high from
 pits 22 in x 22 in - 12 in
 deep. for 1/4 Sec. Cor

57.40 Creek 15 lks. wide N.E.
 willows

64.20 Creek 15 lks. wide N.W.
 willows on creek banks

76.00 Creek 15 lks. wide N.E.
 willows on banks

8000 Set Cedar post 3 in
 x 3 in x 4 ft - 12 in
 12 in deep
 Deposit chanced
 stake, raise mound
 of earth 2 ft high
 from pits 24 in x 24 in
 12 in deep for corner
 to Secs 17, 18, 19, 20
 Surface level creek valley
 Soil 1st rate

Township 35 North

chains East on random line bet. Sec. 17th & 20th
 Variation 13° 45' E
 3.70 Creek 15 lbs. wide N.E.
 Cottonwood on banks
 40.00 Set post for temporary 1/4 Sec. corner
 80.24 Intersect N. 1/4 S. line at a point 30 lbs. S. of corner to Sec. 16, 17, 20th & 21 from which corner I run
 89° 47' West on line line bet. Sec. 17th & 20th
 Variation 13° 45' E
 40.12 Set cedar post 30 x 2 in x 4 ft - 12 in deep. Deposit chain stake, raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep for 1/4 Sec. corner to Sec. 17, 18, 19, 20
 Surface rolling Soil 1" rate

Range 20 West 6th P.M.

chains West on random line bet. Sec. 18th & 19th
 Variation 13° 45' E
 40.00 Set post for temporary 1/4 section corner -
 73.30 Stream 4 lbs. wide N.E.
 81.78 Intersect West bound ang of Township at a point 16 lbs. South of corner to Sec. 18th & 19 from which corner
 Run East
 89° 53' West on line line bet. Sec. 18th & 19th
 Variation 13° 45' E
 41.75 Set cedar post 30 in x 2 in x 4 ft - 12 in deep. Deposit chained stake, raise mound of earth 2 ft high from pits 22 in x 22 in - 12 in deep for 1/4 Sec. corner to Sec. 17, 18, 19, 20
 Surface rolling Soil 1" rate

Township 35 North

chains

both bet. Secs 17th & 18th
Variation 13° 45' E
1.32 Intersect State line
(both Boundary) at a
point 146 lks West
of 3rd mile post, + set
lime stone 14 in x 12 in
x 5 in. Excavate one
pit on line - 22 in x
22 in x 12 in deep
for a closing corner
to Secs 17th & 18th.

Surface level
Soil 1st rate
June 22^d

Range 20 West 6th N.P.M.

Meanders
of
Keya Paha River
in this Township.
Begin at "Initial Point"
on State line - North
boundary and ^{right bank of river +} run
thence with the meanders
of said ^{right} bank down
stream as follows:
In Sec
Variation 13° 45' E

Corner chains
S 42° E 1.08 To Meander Cor to
frac. Sec. 14th & 23rd.
Thence in 23
S 42° E 10.00
S 24° E 7.70
S 13° E 10.00 Leave scattering oak and cottonwood
timber and bottom for bluffs etc.
N 86° E 27.00 at 12.00 enter bottom E + W
N 56° E 12.00 to Meander corner to fractional
N 80° E 23.30 sections 14 + 23 thence in 23

Township 35 North

courses Chunks

N 35 E 11.60

N 64 E 6.10 to the Meander Comes to fractional sections 13 and 14 thence in section 13

S 36 E 7.10 ✓

S 42 E 4.00 ✓

S 3 N 5.30 to the meander Comes to fractional sections 13 and ~~14~~²⁴ thence in 24

S 3 N 5.40 ✓

S 2 1/2 N 19.40 ✓

S 10 1/2 E 10.80 ✓

S 28 E 8.50 ✓

S 35 E 4.40 ✓

N 8 1/2 E 11.60 ✓

S 70 E 10.30 ✓

S 55 1/2 E 9.80 ✓

S 27 E 6.50 ✓

S 64 1/2 E 6.30 ✓

S 76 1/2 E 6.40 ✓

N 66 E 7.20 ✓

N 86 E 9.70 ✓

N 35 E 3.00 to the Meander

Range 20 West of 6th P.M.

Corner to fractional sections ¹⁹ on east Boundary of Township ²⁴ June 23^d 1873

General Description

The land in this Town, will average a good 2^d. rate, and is adapted to agriculture and grazing. It slopes toward the North draining into the Keya Paha River. It is bounded on the North by that Stream and by the North boundary of the State. A creek of about 15 lbs wide runs through the center part of the Township from S. to N. This is a beautiful stream of clear water and has numerous beaver dams.

It has also, scattering

oak & cottonwood timber
along its banks,
Several other and
smaller streams
run north from
this Township into
the Kaya Paha River.
The "Hill Country
and Black Hills"
wagon trail runs
through the Township
from East to West.
A high hill, covered
with limestone is
a conspicuous
object. It is in
Secs. 32 and 33.

List of Names
A list of the names
of individuals
who were employed
to assist in running
measuring and
marking the lines
and corners described
in the foregoing
field notes of
Township 35 N.
Range 120 West
of the 6th R.M.
showing the respective
capacities in which
they acted -

L. A. Sears
A. H. Miller

C. H. Brown
Esau Peldun

J. Chamer
J. Chamer
J. Chamer

We hereby certify that we
assisted Frank Crowell
deputy Surveyor in surveying
~~the exterior boundaries~~
subdividing and meandering
Township number thirty-five
north of the base line, of
range number twenty west
of the sixth principal meridian
and that said township has
been in all respects to the
best of our knowledge and
belief well and faithfully
surveyed and the boundary
monuments planted according
to the instructions furnished
by the Surveyor General of

Dimensions Charles C. *Chapman*
marked and in manner as specified
T. A. Sears
Chairman

Chapman
C. H. Brown
Assessor
Esau *mark* Peltier
Subscribed and sworn to before

me this 14th day of June 1875
J. B. Cassady
Notary Public in and for
Abletote County
State of Nebraska

I, Frank Crowell, deputy
Surveyor, do solemnly swear
that in pursuance of a joint
contract, wherein Chauncey Miller
Frank Crowell, and George
W. Burton are joint contractors
with C. C. Cunningham the
United States Surveyor General
for the district of Nebraska
bearing date of 29th day
of April 1875. I have ^{well} faithfully
and truly in my own
proper person, and in strict
conformity with the instructions
furnished by the Surveyor
General, the surveying manual
and the laws of the United
States, surveyed all those parts
or portions of township
number thirty-five north of
the base line, of range number
twenty west of the sixth
principal meridian, as are
represented in the foregoing
field notes as having been
surveyed under my direction;

and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the surveying manual and printed instructions and that the foregoing are the true and original field notes of such survey.

Frank Crowell
Deputy Surveyor

Subscribed and sworn to before me this 14th day of June 1875 -

J. B. Hossage

Notary Public in and for the State of Nebraska

I, J. B. Hossage, Notary Public in and for the State of Nebraska, do hereby certify that the foregoing is a true and correct copy of the original field notes of the survey of the Subdivision Lines and Meanders of Township No. 35 North of the Pace Line of Range No. 20 West of the 6th Principal Meridian in the State of Nebraska, executed by Frank Crowell under joint contract No. 89, dated April 29th 1875, wherein Chauncey Witter, Frank Crowell and George W. Burton are joint contractors, in the month of June 1875, having been critically examined, the necessary corrections and explanations made, the said field notes and the surveys they describe are hereby approved.

Surveyor General's Office

Plattsburgh Neb Aug 14th 1875

The foregoing field notes of the Survey of the Subdivision Lines and Meanders of Township No. 35 North of the Pace Line of Range No. 20 West of the 6th Principal Meridian in the State of Nebraska, executed by Frank Crowell under joint contract No. 89, dated April 29th 1875, wherein Chauncey Witter, Frank Crowell and George W. Burton are joint contractors, in the month of June 1875, having been critically examined, the necessary corrections and explanations made, the said field notes and the surveys they describe are hereby approved.

M. J. Clark
Surveyor General

GENERAL LAND OFFICE • ORIGINAL FIELD NOTES

BOOK NUMBER

448

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.