General Land Office • Original Field Notes

Book Number

449

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Town 1. N. Range 21 W

6	62	5	46	4	35	3	24	2	13	1
61		60		45		34		23		12
7	59	8	44	9	33	10	22	11	11	12
58		57		43		32		21		10
18	56	17	42	16	31	15	20	14	9	13
55		54		41		30		19		8
19	53	20	40	21	29	22	18	23	7	24
52		51		39		28		17		6
30	50	29	38	28	27	27	16	26	5	25
49		48		37		26		15		4
31	47	32	36	33	25	34	14	35	3	36

Field Notes
of
The Survey and Subdivision
of
Township 1 N. R. 21. W. 6th P.M.
in the
State of Nebraska

Executed
By James L. Slocum Deputy Surveyor under joint Contract No 49. dated June 16th 1871

Survey
Commenced July 24. 1871
Completed July 29. 1871 40.03

List of Names 80.07
Of persons employed to assist in surveying this Township showing the respective capacities in which they acted
Aaron Lovett Chainman
Ladock Stephenson Chainman
James Stephenson { Axeman and Monumentman
John B Lovett Flagman

Field Notes of the Subdivision Lines

hains: of Township 1. North, Range 21. W. of the 6th Prin Meridian.

To determine the proper adjustment of my Compass for subdividing this Township.
I commenced at the corner of Township 1 North, Range 20 and 21 W. of the 6th P.M. on the base line, and run north in a blank line along the E. boundary of Sec 36.
Variation 13° 30' E
To a Point 12 links East of the 1/4 Sec Cor
To a point 24 links East of the Cor to Sec 25 & 36.
To retrace this line or run a line parallel thereto my Compass must be adjusted to a Variation of 13° 40' E

Township 1. N. R 21. W.

Chains	
	North. between Sec 35 and 36
	Va 13°40' E.
40:00	Drove a chared stake, set post & raised mound of Earth as per instructions for 1/4 Sec Cor.
62.00	Ravine bears East.
80:00	Drove chared stake, set post & raised mound of Earth as per instructions for Corner to Sec 25. 26, 35 and 36.
	Land high & broken 2nd rate soil

6th P M.

Township 1. N. R 21. W. of the

Chains	
	East on a random line between Sec 25 and 36.
	Va 13°40' E.
37.00	Ravine, bears S.E.
40:00	Set Flag. for temporary 1/4 Sec Cor
80:08	Intersect the east boundary of the township 6 links south of Cor to Sec 25 and 36. from which Corner I run
	South 89°57' W.
	On a true line between Sec 25 & 36
	Va 13°40' E
40:04	Drove chared stake. Set Post and raised mound of earth as per instructions for 1/4 Sec Cor.
80:08	The Cor to Sec 25, 26. 35 and 36.
	Land broken 2nd rate soil

Township 1. N. R 21. W.

Chains.	North between Sec 25.26 Va 13°.40'
30:00	Ravine bears N. E.
40:00	Drove chared Stake. Set post and raised mound of Earth as per instructions for a 1/4 Sec Cor.
80:00	Drove chared Stake, Set post + raised mound of Earth as per instructions for Cor to Sec 23, 24. 25 and 26
	Land broken Soil 2nd rate

Township 1. N. R 21. W.

Chains	East on a random line between Sec 24 and 25 Va 13°40'
35.00	A Ravine bears N.
40.00	Set Flag for temporary 1/4 Sec Cor.
75.00	Ravine bears N. W.
79.90	Intersect the East boundary of township. 10 links S. of Cor to Sec 24 and 25 from which Corner I run
	South 89°.56' W
	On a true line bet Sec 24+25 Va 13°40' E
39.95	Drove chared stake, Set post + raised mound of Earth as per instructions for 1/4 Sec Cor.
79.90	The Corner to Sec 23. 24. 25 and 26 -
	Land broken 2nd rate soil

Township 1 N. R 21. W.

Chains	
	North between Sec 23 and 24 Va 13° 40' E
30.00	Ravine bears N.E.
40.00	Set a Sandstone 12×12×8 for 1/4 Sec Cor.
80.00	Set Sandstone 16×12×8 for Cor to Sec 13, 14, 23 and 24. Land high & broken. Soil 2nd rate

Township 1 N. R 21. W.

Chains	
	East on a random line between Sec 13 and 24. Va 13° 40' E
30.00	Deep Ravine bears N.
40.00	Set Flag for temporary 1/4 Sec cor
79.96	Intersect the E boundary of the township at Cor to Sec 13 and 24 from which corner I run
	West on true line bet Sec 13 & 24 Va 13° 40' E
39.98	Set Sandstone 12×10×8 for 1/4 Sec Cor
79.96	The Cor to Sec 13. 14. 23 and 24.
	Land broken 2nd rate Soil

Township 1. N. R 21. W.

Chains	
	North between Sec 13 & 14 Va 13°.40' E
40:00	Set a Sandstone 13×9×7 for 1/4 Sec Cor
~~40~~ 45.00	Ravine bears N. E.
80.00	Set a Sandstone 15×14×8 for Cor to Sec 11.12.13 & 14. Land broken 2nd rate Soil

Township 1. N. R 21. W.

Chains.	
	East on a random line between Sec 12 & 13 Va 13°40' E
28.00	Deep Ravine bears N.
40:00	Set Flag for temporary 1/4 Sec Cor.
64.00	A Ravine bears N. W.
80.00	Intersect the East boundary of the township. 15 links South of Cor to Sec 12 & 13 from which corner I run South 89°.54' West On true line between Sec 12 & 13 Va 13°40' E
40.00	Set Sandstone. 12×12×7 for 1/4 Sec Cor.
80.00	The Cor to Sec 11.12.13 & 14. Land broken Soil 2nd rate

Township 1. N. R 21. W.

Chains	
	North between Sec 11 and 12 Va 13°. 40'. E
40.00	Set a Sandstone 13×10×5 for a 1/4 Sec Cor
80.00	Drove chaned stake. Set post & raised mound of Earth as per instructions for Cor to Sec 1. 2. 11 and 12. Land broken Soil 2nd rate

Township 1. N. R 21. W.

Chains.	
	East on a random line between Sec 1 and 12 Va 13°. 45'. E
36.00	Spring Branch 2 links wide runs N. Scattering timber above line 30 chains.
40.00	Set Flag for temporary 1/4 Sec Cor
80.30	Intersect the E boundary of the township at Cor to Sec 1 and 12. from which corner I run
	West On true line between Sec 1 & 12 Va 13°. 45' E
40.15	Set Sandstone 10×10×4 for a 1/4 Sec Cor.
80.30	The Corner to Sec 1. 2. 11 and 12. Land broken. 2nd rate Soil

Township 1. N. R 21. W.

Chains	North on a random line between Sec 1 and 2. Va 13° 40' E
21:00	Leave up land and enter bottom bars E and S. W.
40:00	Set Flag for temporary 1/4 Sec Cor
80:20	Intersect the N boundary of the township at Corner to Sec 1 and 2 from which corner I run South on a true line bet Sec 1 & 2 Va 13° 40' E
40.20	Set Sandstone 10×10×5 for 1/4 Sec Cor.
80.20	The Cor to Sec 1. 2. 11 and 12. Bottom land good farming - Upland fit only for grazing

July 24. 1871

Township 1. N. R 21. W.

Chains	North between Sec 34 and 35 Va 13° 40' E
40:00	Set Sandstone 12×12×8 for 1/4 Sec Cor.
80:00	Drove hard slate set Post & raised mound of Earth as per instructions for Cor to Sec 26. 27. 34. and 35. Land rolling Soil 2nd rate

Township 1. N. R 21. W.

Chains	East on a random line between Sec 26 & 35 Va 13° 40' E
20:00	Ravine bears N.E.
38.00	Ravine bears North
40:00	Set Flag for temporary 1/4 Sec cor.
43.00	Ravine bears N.
72.00	Ravine bears N.W.
80:10	Intersect Sec line 9 links N of Cor to Sec 25, 26. 35 & 36. from which corner I run

North 89° 56' W.

On true line bet. Sec 26 & 35 Va 13° 40' E

40.05	Drove shared State Set Post & raised mound of Earth as per instructions for 1/4 Sec Cor
80.10	Corner to Sec 26. 27. 34 & 35 Land broken, unfit for cultivation

Township 1. N. R 21. W.

Chains	North between Sec 26 & 27 Va 13° 40' E
40:00	Set Sandstone 16x10x4 for 1/4 Sec Cor.
75.00	down in bottom of Ravine bears North from S.E.
80:00	Set Sandstone 18x10x6 for Cor to Sec 22, 23, 26 & 27 from which a Cottonwood 18 in in diameter bears S. 0. 30' E. 3.03 no other trees near

Land broken Soil 2nd rate

Township 1. N. R 21. W.

Chains	
	East on a random line between Sec 23 & 26. Va 13°40' E
1.00	Out of Ravine
40.00	Set Flag for temporary 1/4 Sec Cor
50.00	Ravine bears N. E.
80.20	I closed 12 links south of Cor to Sec 23, 24, 25 & 26 from which corner I run South 89°55' W. On a true line bet Sec 23 & 26. Va 13°40'
40.10	Set Sandstone 12×10×8 for 1/4 Sec Cor.
80.20	The Cor to Sec 22, 23, 26 & 27. Land high & rolling fit only for grazing.

Township 1. N. R 21. W.

Chains	
	North between Sec 22 & 23 Va 13°35' E
3.00	Out of Ravine bears N. W.
40.00	Set a Sandstone 13×10×6 for 1/4 Sec Cor.
68.00	Ravine bears W. 25 chains to a Spring Branch.
80.00	Set Sandstone 16×8×6 for Corner to Sec 14, 15, 22 & 23. Land broken, Soil 2nd rate

Township 1. N. R 21. W.

Chains	
	East on a random line between Sec 14 & 23 Va 13°. 40' E
40.00	Set Flag, for temporary 1/4 Sec Cor.
52:00	Ravine bears N. E.
80.04	I closed 8 links S. of Cor to Sec 13. 14. 23 & 24. from which corner I run South 89°. 57 W.
	On true line bet Sec 14 & 23. Va 13° 40' E
40.02	Set Sandstone 10×10×6 for a 1/4 Sec Cor
80.04	The Cor to Sec 14. 15. 22 & 23.
	Land rolling 2nd rate Soil

Township 1. N. R 21. W.

Chains	
	North between Sec 14 & 15 Va 13°. 40' E
10:00	Ravine bears N. W.
39:00	Same Ravine bears N. E.
40:00	Set Sandstone 12×10×9 for 1/4 Sec Cor.
41.00	Same Ravine bears N. W. with Pools of water therein
80:00	Set Sandstone 16×8×8 for Cor to Sec 10. 11. 14 & 15
	Land broken Soil 2nd rate

Township 1 N. R 21. W

Chains	
	East on a random line between Sec 11 & 14 Va 13°40' E
40:00	Set Flag for temporary 1/4 Sec Cor.
50:00	Ravine bears N. W.
79.96	I closed 6 links north of Cor to Sec 11.12.13 & 14 from which corner I run E. 89° 57 W on true line between Sec 11 & 14 Va 13°40' E
39.98	Set Sandstone 12x10x8 for a 1/4 Sec Cor
79.96	The Cor to Sec 10.11.14 & 15 Land broken Soil 2nd rate

Township 1 N. R 21. W.

Chains	
	North between Sec 10 & 11 Va 13°40' E
40:00	~~Drove~~ Chared Stake Set post & raised mound of earth as per instructions for 1/4 Sec Cor.
80:00	Drove Chared Stake Set Post & raised mound of Earth as per instructions for Cor to Sec 2, 3, 10 & 11.
	Land rolling Soil 2nd rate

Township 1 S. R 21. W.

Chains	
	East on a random line between Sec 2 and 11 Va 13° 40' E
40:00	Set Flag for temporary 1/4 Sec cor
44:00	Ravine bears N.
79:84	Intersects Sec line 23 links North of Cor to Sec 1, 2, 11 and 12 from which corner I run North 89° 50' W. On true line bet Sec 2 and 11 Va 13° 40' E
39.92	Drove hard State, Set post & raised mound of earth as per instructions for a 1/4 Sec Cor.
79.84	The Cor to Sec 2, 3, 10 and 11.
	Land rolling 2nd rate soil

Township 1 S. R 21. W.

Chains	
	North on a random line between Sec 2 and 3 Va 13° 35' E
20:00	Leave up land and Enter bottom bears N. E. and S. W.
40:00	Set Flag for temporary 1/4 Sec cor.
77.00	Sappy Creek runs N. E.
80.06	Intersect North boundary of the township 12 links east of Corner to Sec 2 and 3 from which corner I run South 05' E On a true line between Sec 2 & 3 Va 13° 35' E.
40.06	Drove hard State, Set post & raised mound of Earth as per instructions for a 1/4 Sec Cor
80.06	The Cor to Sec 2, 3, 10 and 11.
	Bottom land good farming
	Upland " grazing

July 25. 1871

Township 1. N. R 21. W.

Chains	North between Sec 33 & 34 Va 13° 40' E
40:00	Drove chard stake set post & raised mound of earth as per instructions for a 1/4 Sec Cor.
80:00	Drove chard stake, set post & raised mound of earth, as per instructions for Cor to Sec 27. 28. 33 & 34.
	Land rolling Soil 2nd rate

Township 1. N. R 21. W.

Chains	East on a random line between Sec 27 & 34. Va 13° 40' E
40:00	Set Flag for temporary 1/4 Sec Cor.
55.00	Raised brass N.E.
79.88	I closed 15 links South of Cor to Sec 26. 27. 34 & 35 from which corner I run South 89° 54' W.
	On a true line bet Sec 27 & 34 Va 13° 40' E
39.94	Set a Sandstone 16 x 8 x 4 for a 1/4 Sec Cor.
79.88	The Cor to Sec 27. 28. 33 and 34.
	Land rolling Soil 2nd rate

Township 1. N. R 21. W.

Chains	North between Sec 27 and 28 Va 13° 40' E
1.00	Head of Ravine bears N. W.
40:00	Set Sandstone 10x10x6 for a 1/4 Sec Cor.
80:00	Set Sandstone 14x10x5 for Cor to Sec 21, 22, 27 and 28.
	Land rolling 2nd rate soil

Township 1. N. R 21. W.

Chains	East on a random line between Sec 22 and 27 Va 13° 40' E
2:00	A Ravine bears N. W.
40:00	Set Flag for temporary 1/4 Sec cor.
79:00	Ravine bears N.
80:00	I closed at the Cor to Sec 22. 23. 26 and 27 from which corner I run West on a true line bet Sec 22 & 27 Va 13° 40' E
40:00	Set Sandstone 18x10x6 for 1/4 Sec Cor.
80.00	The Cor to Sec 21. 22, 27 and 28
	Land broken 2nd rate soil

Township 1 N. R 21. W.

Chains	
	North between Sec 21 and 22 Va 13° 40' E
5.00	Down in bed of Ravine N.
9.00	Leave bed of Ravine bears N. W.
40:00	Set a Sandstone 16x12x10 for a 1/4 Sec Cor and piled loose rock around it. This point falls on a bed of Sandstone, besides the Ravine has ledges of Sandstone.
80:00	Set Sandstone 17.x10x7 for Cor to Sec 15, 16, 21 and 22. Land high & broken good for grazing only

Township 1 N. R. 21. W.

Chains	
	East on a random line between Sec 15 and 22. Va 13° 40' E.
40:00	Set Flag for temporary 1/4 Sec Cor.
52:00	Spring Branch bears N.
79.84	I closed 12 links South of Cor to Sec 14, 15, 22 and 23 from which corner I run
	South 89° 55 W. On true line bet Sec 15 & 22 Va 13° 40' E
39.92	Set Sandstone 12x10x8 for 1/4 Sec Cor.
79.84	The Corner to Sec 15, 16, 21 and 22.
	Land rolling 2nd rate soil

Township 1 N. R 21. W.

Chains.	North between Sec 15 & 16 Va 13° 40' E
40:00	Set a Sandstone 16x8x7 for a 1/4 Sec Cor.
55:00	Ravine bears N. W.
80.00	Drove Chard Stake, Set post & raised mound of earth as per instructions for Cor to Sec 9. 10. 15 & 16.
	Land rolling Prairie 2nd rate Soil

Township 1. N. R 21. W.

Chains	East on a random line between Sec 10 & 15. Va 13° 40' E
31.00	Deep Ravine bears N. then N. W. Scattering timber along the banks
40:00	Set Flag for temporary 1/4 Sec cor.
50:00	Spring Branch bears N. W.
80.10	I close 13 links South of Cor to Sec 10. 11. 14 & 15. from which corner I run South 89° 54' W. On true line bet Sec 10 & 15 Va 13° 40' E
40:05	Drove chard Stake, Set post & raised mound of Earth as per instructions for 1/4 Sec Cor
80.10	The Cor to Sec 9. 10. 15 & 16.
	Land broken 2nd rate Soil

Township 1. N. R 21. W.

Chains	
	North between Sec 9 and 10. Va 13° 40' E
30:00	Deep Ravine bears W. then N W to Sappy Creek
32.00	Leave up large entry bottom bears S W. & N E
40:00	Drove chared stake set post and raised mound of Earth as per instructions for a 1/4 Sec Cor.
80:00	Drove chared stake, set post & raised mound of Earth as per instructions for Cor to Sec 3.4.9 and 10.
	Bottom good farming land Upland better for grazing

Township 1. N. R 21. W.

Chains	
	East on a random line between Sec 3 and 10 Va 13° 40' E
40:00	Set Flag for temporary 1/4 Sec cor.
80.07	I closed at the Cor to Sec 2, 3. 10 and 11. from which corner I run
	West. on a true line bet Sec 9 & 10 Va 13° 40' E
40:03½	Drove chared stake, set post & raised mound of Earth as per instructions for 1/4 Sec Cor.
80:07	The Corner to Sec 3.4.9 and 10.
	Land rolling 2nd rate Soil

Township 1 N. R 21. W.

Chains	
	North on a random line between Sec 3 and 4. Va 13° 40' E
40:00	Set Flag for temporary 1/4 Sec Cor
80:15	Intersect the north boundary of the township 10 links west of Cor to Sec 3 and 4. from which corner I run South, 04' W. on a true line bet Sec 3 + 4 Va 13° 40' E
40:15	Drove chared stake, set Post + raised mound of earth as per instructions for a 1/4 Sec Cor.
80.15	The Corner to Sec 3. 4. 9 and 10. Land rolling 2nd rate Soil

July 26th 1871

Township 1 N. R 21. W.

	North between Sec 32 and 33 Va 13° 40' E
40:00	Set Sandstone 14×12×8 for a 1/4 Sec Cor.
80:00	Set Sandstone 14×12×10 for Cor to Sec 28. 29. 32 and 33 Land rolling 2nd rate Soil.

Township 1. N. R 21. W.

Chains	East on a random line between Sec 28 and 33 Va 13° 40' E
28:00	A Ravine, bears N. E.
40:00	Set Flag for temporary 1/4 Sec Cor.
62.00	A Ravine bears N.
80.12	I closed 8 links South of Cor to Sec 27. 28. 33 and 34 from which corner I run South 89° 57' W on true line bet Sec 28 & 33 Va 13° 40' E
40:06	Set Sandstone. 14x10x7 for a 1/4 Sec Cor.
80:12	The Cor to Sec 28, 29. 32 & 33
	Land broken Soil 2nd rate

Township 1. N. R 21. W.

Chains	North, between Sec 28 and 29. Va 13° 40' E
40:00	Set Sandstone 12x12x10 for 1/4 Sec Cor.
46:00	Ravine bears N. E.
80:00	Set a Sandstone 18x10x8 for Cor to Sec 20. 21. 28 & 29.
	Land rolling 2nd rate Soil

Township 1 N. R 21. W.

Chains	
	East on a random line between Sec 21 & 28 Va 13° 40' E
30:00	Ranin bears S.E.
40:00	Set Flag for temporary 1/4 Sec Cor.
56.00	Ranin bears N.
80.00	Intersect the Sec line at Cor. to Sec 21.22.27 & 28. from which corner I run West on true line bet Sec 21 & 28 Va 13° 40' E
40.00	Drove chard stake, set post and raised mound of earth as per instructions for a 1/4 Sec Cor.
80.00	The Corner to Sec 20.21. 28 & 29. Land broken Soil 2nd rate

Township 1. N. R 21. W.

Chains	
	North between Sec 20 & 21 Va 13° 40' E
40:00	Drove chard stake set post & raised mound of earth as per instructions for 1/4 Sec Cor.
80.00	Drove chard stake set post & raised mound of earth as per instructions for Cor to Sec. 16.17.20 & 21. Land rolling 2nd rate Soil

Township 1. N R 21. W

Chains.	
	East on a random line, between Sec 16 and 21, Va 13° 40' E
15:00	Ravine bears N.E.
40:00	Set Flag for temporary 1/4 Sec Cor
43.00	Deep Ravine bears N.
80.10	I closed 15 links North of Cor to Sec 15.16.21 and 22, from which corner I run North 89° 54 W.
	On true line bet Sec 16 & 21 Va 13° 40' E
40.05	Set Sandstone 10x10x8 for 1/4 Sec Cor.
80.10	The Cor to Sec 16.17.20 and 21.
	Land rolling 2nd rate soil

Township 1. N. R 21. W

Chains	
	North between Sec 16 and 17. Va 13° 40' E
40:00	Drove chard stake set post & raised mound of earth as per instructions for a 1/4 Sec Cor
48:00	Sappy Creek 20 links wide runs N.E. a belt of timber about 1 chain wide on either bank
80:00	Drove chard stake set post & raised mound of earth as per instruction for Cor to Sec 8.9.16 and 17.
	Land rolling along creek good farming upland good grazing
	2d rate

Township 1. N. R 21. W.

Chains	
	East on a random line between Sec 9 and 16 Va 13°. 40' E.
33.00	Sappy Creek, runs North then North East
40:00	Set a Flag for temporary 1/4 Sec Cor
45:00	Leave bottom & Enter upland N.E and S.W.
60:00	Deep Ravine runs North
80:08	I close 15 links South of Cor to Sec 9. 10. 15 and 16 from which Corner I run South 89°. 54' W on true line bet Sec 9 & 16 Va 13° 40' E
40:04	Drove chared State, Set post & raised mound of Earth as per instructions for 1/4 Sec Cor
80.08	The Cor to Sec 8, 9. 16 and 17 Land gently rolling, fair farming land along Creek

Township 1. N. R 21. W.

Chains	
	North between Sec 8 and 9 Va 13° 40' E.
40:00	Drove chared State, Set post & raised mound of Earth as per instructions for 1/4 Sec Cor.
80.00	Drove chared State Set post & raised mound of Earth as per instructions for Corner to Sec 4, 5. 8 and 9. Land rolling 2nd rate Soil

Township 1. N. R 21. W.

Chains	
	East on a random line between Sec 4 and 9. Va 13° 40' E
40:00	Set Flag for temporary 1/4 Sec Cor.
50.00	Sappy Creek runs N. & S.
79.90	I closed 10 links north of the Cor to Sec 3.4. 9 and 10. from which corner I run North 89° 56' W On true line bet Sec 4 and 9 Va 13° 40' E
39:95	Drove chared stake. Set post and raised mound of earth as per instructions for a 1/4 Sec Cor.
79.90	The Cor to Sec 4. 5. 8 and 9 Land rolling 2nd rate Soil

Township 1. N. R 21. W.

Chains	
	North on a random line between Sec 4 and 5 Va 13° 40' E
36:00	A Ravine bears E.
40:00	Set Flag for temporary 1/4 Sec Cor.
80:10	Intersect the north boundary of the township 10 links West of Cor to Sec 4 and 5. from which corner I run South 4' W. On true line bet Sec 4 and 5. Va 13° 40' E
40:10	Drove chared stake, set post & raised mound of Earth as per instructions for 1/4 Sec Cor.
80.10	The Cor to Sec 4. 5. 8 and 9. Land rolling Soil 2nd rate

July 24th 1871

Township 1. N. R 21. W.

Chains	
	North between Sec 31 and 32 Va 13° 40' E
40:00	Set Sandstone 13×12×10 for 1/4 Sec Cor.
52:00	Ravine bears N. W.
80:00	Drove a shaved stake. Set post & raised mound of earth as per instructions for Cor to Sec 29. 30. 31 and 32
	Land rolling Soil 2nd rate

Township 1. N. R 21. W.

Chains	
	East on a random line between Sec 29 and 32. Va 13° 40' E
40:00	Set Flag for temporary 1/4 Sec cor.
45:00	Ravine bears N. E.
79.80	I closed 17 links South of Cor. to Sec 28. 29. 32 and 33 from which corner I run South 89° 53' W.
	On true line bet Sec 29 and 32 Va 13° 40' E
39.90	Drove shaved stake. Set post & raised mound of earth as per instructions for 1/4 Sec Cor.
79:80	The Cor to Sec 29. 30. 31 & 32.
	Land rolling 2nd rate Soil

Township 1. N. R. 21. W.

Chains	
	West on a random line between Sec 30 & 31 Va 13°35' E.
6:00	Dry Ravine bears N.
40:00	Set Flag for temporary 1/4 Sec Cor
79:90	Intersect the west boundary of the township 10 links N. of Cor to Sec 30 & 31 from which corner I run North 89°56' E on a true line bet Sec 30 & 31 Va 13°35' E
39.90	Set a Sandstone 10X10X8 for 1/4 Sec Cor.
79.90	The Cor to Sec 29. 30. 31 & 32.
	Land rolling Soil 2nd rate

Township 1. N. R 21. W.

Chains	
	North between Sec 29 & 30 Va 13°40' E.
20:00	A Ravine bears N. W.
40:00	Set Sandstone 13×12×10 for a 1/4 Sec Cor.
50:00	Ravine bears N. W.
80:00	Drove charred stake, Set post and raised mound of earth as per instructions for the Corner to 19. 20. 29 & 30
	Land rolling 2nd rate Soil

Township 1. N. R 21. W.

Chains	
	East on a random line between Sec 20 and 29. Va 13° 40' E.
40:00	Set Flag for temporary 1/4 Sec Cor
79.90	I closed 17 links North of Cor to Sec 20. 21. 28 and 29 from which corner I run North 89° 53' W On true line bet Sec 20 & 29 Va 13° 40' E
39.95	Set a Sandstone 12×12×6 for a 1/4 Sec Cor.
79.90	The Cor to Sec 19. 20. 29 and 30. Land rolling 2nd rate Soil

Township 1. N. R 21. W.

Chains	
	West on a random line between Sec 19 and 30 Va 13° 35' E,
24:00	Dry Ravine 2 chs wide scattering timber along the banks
40:00	Set Flag for temporary 1/4 Sec Cor
55:00	Ravine bears N. E.
79.98	Intersect the west boundary of the township 9 links N. of Cor to Sec 19 and 30. from which corner I run North 89° 56' E. On true line bet Sec 19 and 30 Va 13° 35' E
39.98	Set Sandstone 13×9×5 for a 1/4 Sec Cor.
79.98	The Cor to Sec 19. 20. 29 and 30. Land broken 2nd rate Soil

Township 1. N. R 21. W.

Chains	
	North between Sec 19 and 20. Va 13° 40' E.
40:00	Drove chared stake, Set post & raised mound of earth as per instructions for a 1/4 Sec Cor.
80:00	Drove chared stake, Set post & raised mound of Earth as per instructions for Corner to Sec 17. 18. 19 and 20. Land rolling 2nd rate Soil

Township 1. N R 21. West.

Chains	
	East on a random line between Sec 17 and 20. Va 13° 40' E.
40:00	Set Flag for temporary 1/4 Sec cor.
80.08	I closed at the Corner to Sec 16. 17. 20 and 21. from which Corner I run
	West on a true line between Sec 17 & 20 Va 13° 40' E.
40:04	Drove chased stake. Set post & raised mound of Earth as per instructions for 1/4 Sec Cor.
80:08	The Corner to Sec 17. 18. 19 and 20.
	Land rolling 2nd rate Soil.

Township 1. N. R 21. W.

Chains	
	West on a random line between Sec 18 and 19 Va 13°45' E.
20:00	Bed of Dry Creek. bears N. timber along the banks.
40:00	Set Flag for temporary 1/4 Sec Cor
80:04	I closed 6 links South of Cor to Sec 18 and 19 from which corner I run South 89°54' E on true line bet Sec 18 & 19 Va 13°35' E
40:04	Set Sandstone 13×8×6 for 1/4 Sec Cor.
80:04	The Corner to Sec 17. 18. 19 and 20.
	Land broken 2nd rate soil

July 28th 1871

Township 1. N. R 21. W

Chains	
	North, between Sec 17 and 18. Va 13°40' E.
40:00	Set Sandstone 12×12×6 for a 1/4 Sec Cor.
79.00	A Ravine bears N. E.
80:00	Drove shaved stake, set post & raised mound of earth as per instructions for Corner to Sec 7. 8. 17 and 18.
	Land rolling Soil 2nd rate

Township 1. N. R 21. W.

Chains	
	East on a random line between Sec 8 and 17. Va 13° 40' E.
2:00	A Ravine bears N. E.
40:00	Set Flag for temporary 1/4 Sec Cor
46:00	Sappy Creek runs S.W.
79:86	I closed 15 links North of Corner to Sec 8. 9. 16 and 17. from which corner I run North 89° 54' W.
	On true line bet Sec 8 and 17 Va 13° 40' E
39.93	Drove a chared stake. set Post & raised a mound of Earth as per instructions for a 1/4 Sec Cor.
79:86	The Corner to Sec 7. 8. 17 and 18.

Land rolling. Bottom land good farming Upland better for grazing

Township 1. N. R 21. W.

Chains	
	West on a random line between Sec 7 and 18 Va 13° 35 E.
40:00	Set Flag for temporary 1/4 Sec Cor.
50:00	Bed of Dry Creek bears N.
79.94	Intersect the west boundary of the township at Cor to Sec 7 and 18. from which Corner I run East on a true line bet Sec 7 + 18 Va 13° 35 E
39:94	Drove a chared stake. set Post & raised mound of Earth as per instructions for a 1/4 Sec Cor.
79:94	The Cor to Sec 7. 8. 17 and 18.

Land rolling Soil 2nd rate

Township 1 N. R 21. W.

Chains	
	North between Sec 7 and 8 Va 13° 40' E.
40:00	Drove chared stake. set post and raised mound of earth as per instructions for a 1/4 Sec Corner.
80:00	Drove chard stake set post and raised mound of earth as per instructions for Cor to Sec 5, 6, 7 and 8.
	Land rolling 2nd rate soil

Township 1 N. R 21. W.

Chains	
	East on a random line between Sec 5 and 8. Va 13° 40' E
3.00	Leave up Land enter bottom
8.00	Sappy Creek 25 links wide runs South
40:00	Set Flag for temporary 1/4 Sec cor.
79:80	I close 10 links North of Cor to Sec 4, 5, 8 and 9. from which corner I run North 89° 56' W. on true line bet Sec 5 and 8 Va 13° 40' E
39.90	Drove chard stake set post & raised mound of Earth as per instructions for 1/4 Sec Cor.
79.80	The Corner to Sec 5. 6. 7 and 8.
	Bottom land first rate farming on Creek Upland broken & suitable only for grazing

Township 1 N. R 21. W.

Chains	
	West. On a random line between Sec 6 and 7 Va 13° 35' E.
27.00	Sappy Creek runs N.W.
31.00	Dry Creek bears South
40.00	Set Flag for temporary 1/4 Sec Cor
79.78	Intersect the west boundary of the township 35 links North of Cor to Sec 6 and 7. from which corner I run North 89° 45' E On a true line bet Sec 6 and 7 Va 13° 35' E
39.78	Drove a chared stake. set post & raised mound of Earth as per instructions for a 1/4 Sec Corner
79.78	The Cor to Sec 5, 6, 7 and 8.

Land broken 2nd rate soil

Township 1 N. R 21. W.

Chains	
	North on a random line between Sec 5 and 6 Va 13° 40 E.
23.00	Sappy Creek bears E. thro N.E.
40.00	Set Flag for temporary 1/4 Sec Cor.
79.78	Intersect the North boundary of the township 29 link East of the Cor to Sec 5 and 6. from which corner I run South 17° E On true line between Sec 5 & 6 Va 13° 40' E
39.78	Drove chared stake, set post & raised mound of Earth as per instructions for a 1/4 Sec. Cor.
79.78	The Corner to Sec 5. 6. 7 and 8.

July 29th 1871

Land rolling Soil 2nd rate

Survey commenced July 24th AD 1871 and Completed July 29th AD 1871

Township 1. N. R 21. W.

Chains

List of Names

A list of the names of the individuals employed to assist ~~in running, measuring~~ or marking, the lines & corners described in the foregoing field Notes of Township One North of the base line of Range twenty One west of the Sixth Principal Meridian, showing the respective Capacities in which they acted

Aaron Lovett Chainman
Zadock Stephenson Chainman
James Stephenson { Axeman / Moundman
John B. Lovett Flagman
James L Slocum Compassman

Township 1. N. R 21. W.

Chains

We hereby certify that we assisted James L. Slocum Deputy Surveyor in Subdividing Township One (1) North of the base line of Range twenty one West of the Sixth Principal Meridian and that said Township has been in all respects to the best of our knowledge and belief, well and faithfully Surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General

Aaron Lovett Chainman
Zadok Stephenson Chainman
James Stephenson { Axeman / Moundman
J. B. Lovett, Flagman
James L Slocum Compassman

Chains

Subscribed and sworn to by the above named persons before me a Notary Public in and for the County of Cass and state of Nebraska this eighteenth day of September AD. 1871

Lloyd Bennett
Notary Public
Cass County Nebraska

I James L Slocum Deputy Surveyor do solemnly swear that in pursuance of a Contract with Ebenezer E. Cunningham Surveyor of the Public Lands of the United States in the state of Nebraska bearing date the Sixteenth day of June AD 1871 and in strict conformity to the laws of the United

Chains

States and the instructions furnished by the said Surveyor General, I have faithfully surveyed the Subdivision lines of Township One (1) North of the base line of Range number twenty one (21) West of the Sixth Principal Meridian in the State aforesaid, and do further solemnly swear that the foregoing are the true and original Field Notes of such Survey.

James L Slocum

Deputy Surveyor

Subscribed by the said James L Slocum Deputy Surveyor and sworn to before me a Notary Public in and for the County of Cass and State of Nebraska this day of

A D. 1871

Notary Public
Cass County Nebraska

I James L. Slocum Deputy Surveyor do solemnly swear that in pursuance of a joint Contract No wherein David V Stephenson and James L. Slocum are joint Contractors with E. E. Cunningham United States Surveyor General for the District of Nebraska and Iowa bearing date the Sixteenth day of June A D 1871. I have well, faithfully and truly in my own proper person and in strict conformity with the instructions of the Surveyor General the Surveying Manual and the laws of the United States, Surveyed all those parts or portions of Township One (1) North of the Base line of Range No Twenty One (21) West of the 6th Principal Meridian in the state of Nebraska as are represented in the foregoing Field Notes as having been Surveyed under my direction, and I do further solemnly swear that the foregoing are the true and original Field Notes of such Survey

James L Slocum
Deputy Surveyor

Subscribed by the Said James L Slocum Deputy Surveyor and Sworn to before me a notary Public within and for Cass County Nebraska this 18th day of September A D 1871

Eliza D Burnett
Notary Public

Surveyor General's Office
Plattsmouth, Neb., Oct. 28th 1871.

The foregoing Field Notes of the survey and subdivision of Township No 1. North of the Base line of Range No 21 West of the 6th Principal Meridian in the State of Nebraska as executed by James L. Slocum Deputy Surveyor under Joint Contract No 49 dated June 16th AD 1871. wherein David Y. Stephenson and James L. Slocum are joint Contractors with E. E. Cunningham Surveyor General and in the month of July AD 1871 having been critically examined, the necessary corrections and explanations made - the said Field Notes and the Survey they describe are hereby approved

E. E. Cunningham
Surveyor General

T 2 N., R 21 W

6	61	5	45	4	34	3	23	2	12	1	
	60		59		44		33		22		11
7	58	8	43	9	32	10	21	11	10	12	
	57		56		42		31		20		9
18	55	17	41	16	30	15	19	14	8	13	
	54		53		40		29		18		7
19	52	20	39	21	28	22	17	23	6	24	
	51		50		38		27		16		5
30	49	29	37	28	26	27	15	26	4	25	
	48		47		36		25		14		3
31	46	32	35	33	24	34	13	35	2	36	

Field Notes
of
The Survey and Subdivision
of
Township 2 N R 21 W. 6th P.M.
in the
State of Nebraska
Executed

By James L. Slocum Deputy Surveyor under joint Contract No 49. dated June 16th 1871

Survey

Commenced July 31st 1871
Completed August 5th 1871

List of Names

Of persons employed to assist in Surveying this Township showing the respective capacities in which they acted.

Aaron Lovett	Chainman
Zadock Stephenson	Chainman
James Stephenson	Axeman and Moundman
John B Lovett	Flagman

Field Notes of the Subdivision Lines

Chains	
	of Township 2 North R 21 West of the 6th P.M.
	To determine the propper adjustment of my Compass for subdividing this Township. I commenced at the corner to townships 1. and 2. North Ranges 20 and 21. West and run north in a blank line along the east boundary Sec 36
	Variation 13:30 E
39.98	To a point 32 Links West of the Quarter Sec Corner.
79.89	To a point 64 Links West of Corner to Sec 25 & 36
	To retrace this line or run parallel thereto my compass must be adjusted to a Variation of 13.03 E

Township 2 N R 21 West of the

Chains	
	From the corner to Sec 1. 2. 35 and 36 I run north between Sec 35 and 36
	Variation 13: 0.3
40: 00	Drove a Charred Stake Set post and raised mound of Earth as per instructions for a 1/4 Sec Cor
50: 00	Creek 30 links wide, runs N.E. high banks water 3 feet deep
52: 00	Same Creek runs N.W.
52: 30	High Bluffs bears S.E. N.W. A ledge of Slate Rock 4 feet thick along the edge of Water. A belt of timber along either bank about one chain wide. Ash and Box Alder -
80: 00	Set a post, drove a charred Stake and raised a mound of Earth as per instructions for Corner to Sec 25. 26 35 and 36
	Land rolling 2nd rate farming

Township 2 N R 21 W. of the

Chains	
	East on a random line between Sections 25 and 36
	Variation 12: 45 E
40. 00	Set post for temporary 1/4 Sec Cor.
79: 85	~~I closed~~ Intersect East boundary of Township at the corner to Sections 25 and 36. from which cor true West on a true line bet Sec 25 & 36 Va 12° 45' E
39: 42 1/2	Drove a charred Stake. Set post and raised a mound of Earth as per instructions for a 1/4 Sec Cor
79: 85	Corner to Sec 25. 26. 35 and 36
	Land broken Soil 2nd rate

Township 2 N. R 21 West of the

Chains	
	North on true line between Sections 25 and 26
	Variation 13:03 E.
30:00	Off of 2nd Bottom on 1st bottom, bearing N.E.
40:00	Drove a charred Stake Set post & raised a mound of Earth as per instructions for a 1/4 Sec Cor
46:00	Creek 40 links wide runs N.E.
50:00	Leave low bottom Enter 2nd bottom
80:00	Drove a charred Stake Set post, & raised mound of Earth as per instructions for Cor to Sec 23. 24, 25 and 26.
	Land on Bottom good farming Upland fit only for grazing

Township 2 N. R 21 West

Chains	
	East on a random line between Sec 24 & 25
	Variation 12:50 E.
15:00	Off high bottom on low bottom, bearing North E
38:00	~~Same~~ Creek runs North then N.W.
40:00	Set ~~Stake~~ post for temporary 1/4 Sec cor.
79:73	Intersected East boundary of township - 8 links South of Corner to Sec 24 & 25. from which Cor I run South 89:57 W. on true line between Sec 24 & 25 Va 12°50' E.
39:86½	Drove a charred Stake Set post raised a mound of Earth as per instructions for 1/4 Sec Cor.
79.73	Corner to Sections 23. 24. 25 & 26
	Land along Creek 1st rate farming

Township 2 N. R 21 W. of the

Chains	
	North between Sec 23 & 24 Variation 12:55 E.
12:00	Same Creek bears N.W. and runs into Beaver Creek 8. chains N.W.
22:00	Beaver Creek 50 links wide runs East. timber between the Creeks extends 20 chains East - Timber Elm - Ash & Box Elder
40:00	Drove a charred Stake. Set post. & raised mound of Earth as per instructions for 1/4 Sec Cor.
42:00	leave 1st bottom Enter 2nd bottom
71:00	Leave 2nd bottom Enter 1st
72:00	Beaver Creek. 30 links wide runs S. W.
80:00	Drove a charred Stake. Set post & raised mound of Earth as per instructions for Corner to Sec 13. 14. 23 & 24 Land gently rolling 1st rate soil on Creek bottom

Township 2 N R 21. W. of the

Chains	
	East on a random line between Sec 13 and 24. Variation 12:40 E
15:00	Beaver Creek runs S.W.
30:00	Leave low bottom enter 2nd bottom
40:00	Set post for temporary 1/4 Sec Cor.
79:80	Intersect the East boundary of township 13 links South of Cor to Sec 13 and 24 from which Cor. S. 89° 54' W in true line between Sec 13 & 24 Var 12° 40' E
39:90	Drove charred stake. Set post raised mound of Earth as per instructions for 1/4 Sec Cor
79:80	The Corner to Sec 13. 14. 23 & 24. Land level along creek. Soil 1st & 2nd rate

Township 2 N R 21. W. of the

Chains	North between Sec 13 and 14 Variation 12:45 E.
36:00	Beaver Creek bears S. E. then S. W.
40:00	Drove chared Stake. Set post & raised mound of Earth as per instructions for 1/4 Sec Cor.
55:00	Leave low bottom enter 2nd bottom S.E.
80:00	Drove chared Stake. Set post & raised mound of Earth as per instructions for Corner of Sec 11. 12. 13 & 14. Land gently rolling Soil 2nd rate

Township 2 N R 21. W. of the

Chains	East on a random line between Sec 13 & 14 Variation 12:43 E.
30:00	Leave high bottom bears S.E. & N.W.
40:00	Set Flag for temporary 1/4 Sec Corner
79:00	Short Ravine - runs South West
79:60	Intersect East boundary of the township 6 links South of Corner to Sec 12 and 13. from which corner I run South - 89° 57' West on a true line bet Sec 13 and 14 Va 12°43' E
39:80	Drove chared Stake. Set post raised mound of Earth as per instructions for 1/4 Sec Cor.
79:60	To Corner of Sec 11. 12. 13 & 14 Land rolling 2nd rate Soil

Township 2 N. R 21. W. of the

Chains	
	North between Sec 11 and 12
	Variation 13° E.
20:00	Leave high bottom bears West and S.E.
40:00	Drove Charred Stake Set post raised mound of Earth as per instructions for 1/4 Sec Cor.
79:00	Ravine bears S.W.
80:00	Set a Sand Stone 14 x 10 x 6 for Cor. to Sec 1. 2. 11 & 12
	Land broken 2nd rate Soil

Township 2 N R 21. W. of the

Chains	
	East. On a random line between Sec 1 and 12.
	Variation 13° E
1.00	A Ravine bears S.W.
40:00	Set ~~Flag~~ post for temporary 1/4 Sec Cor.
43:00	Ravine runs S.E.
80:40	Intersect the East boundary of the township 16. links South of Corner to Sec 1 and 12. from which corner I run
	South 89:53' West
	On true line bet Sec 1 and 12. Va 13° E
40:20	Set a Sand Stone 16 x 8 x 5 for a 1/4 Sec Cor
80:40	Corner to Sec 1. 2. 11 and 12
	Land broken Soil 2nd rate

6th P.M.

Township 2 N R 21 W. of the

Chains	
	North. On a random line between Sec 1 and 2. Variation 13° E
20:00	A Ravine runs west. comes from the N.E.
40:00	Set Stake for temporary 1/4 Sec Cor
80:40	Intersect north boundary of the township 62 links west of Cor to Sec 1 and 2. from which corner I run South 25' W on a true line Variation 13° E
40:40	Drove a charred stake. Set a post & raised mound of earth as per instructions for 1/4 Sec. Cor.
80:40	Cor to Sec 1, 2, 11, & 12. Land rolling 2nd rate Soil

July 31st 1871

6th P.M.

Township 2 N. R 21. W. of the

Chains	
	North between Sec 34 and 35. Variation 13° E.
28:00	Deep Ravine bears S.E. and N.W.
40:00	Drove charred stake Set Post raised mound of earth as per instructions for 1/4 Sec Cor.
80:00	Drove charred stake. Set Post raised mound of earth as per instructions for Corner of Sec 26. 27. 34 & 35

Land broken Soil 2nd rate

Township 29 N. R 21. W. of the

Chains	
	East on a random line between Sec 26. and 35. Variation 12° 42' E
40:00	Set Post for temporary 1/4 Sec Cor.
60:00	Bed of Creek 50 lks bears N.E. and S.W. Water 40 links wide.
79.60	Intersects Section line 78 links north of Cor. to Sections 25. 26. 35 and 36. from which corner I run North 89° 27' West. on a true line bet Sec 26 and 35 Var 12° 42' E
39:30	Drove charred Stake. Set post & raised mound of Earth as per instructions for 1/4 Sec Cor.
79:60	The Cor to Sec 26. 27. 34 & 35 Land rolling 2nd rate Soil

Township 29 N. R 21. W. of the

Chains	
	North between Sec 26 & 27 Variation 13° E
40:00	Drove charred Stake Set Post & raised mound of Earth as per instructions for 1/4 Sec. Cor.
79:00	Deep Ravine bears S.E.
80:00	Drove charred Stake Set Post raised mound of Earth as per instructions for Corner to Sections 22. 23. 26 and 27. Land rolling 2nd rate Soil

Township 2 N R 21 W. of 6th P.M.

Chains	
	E on random line between Sec 23 & 26. Variation 12° 42 E
40:00	Set Flag post for temporary 1/4 Sec Cor
79:40	Intersect Section line 37 links North of Cor. to Sec 23, 24, 25 & 26 from which corner I run North 89° 45' West On a true line bet Sec 23 + 26
39:70	Var 12° 42' E Drove chared stake, Set Post + raised mound of earth as per instructions for 1/4 Sec Cor
79:40	The Cor. to Sec 22, 23, 26 & 27. Land rolling 2nd rate Soil

Township 2 N R 21. W. of 6th P.M.

Chains	
	North between Sec 22 & 23. Variation 13° E.
40:00	Drove chared stake, Set Post + raised mound of Earth as per instructions for 1/4 Sec Cor.
80:00	Drove chared stake, Set Post + raised mound of Earth as per instructions for Cor. to Sec. 14, 15, 22 & 23 Land rolling Soil 2nd rate

Township 2 S. R 21. W of 6th P.M.

Chains	
	East on a random line between Sec 14 & 23
20:00	Variations 12° 42' E.
20:00	Deep Ravine bears N.
40:00	Set Wooden Stake for temporary 1/4 Sec Cor.
79:80	Intersect the Sec line 30 links N of Cor to Sections 13, 14, 23 & 24. from which Corner I run North 89° 48' West On a true line bet Sec 14 & 23 Va 12° 42' E
39:90	Set Sand Stone 14 x 12 x 8 for 1/4 Sec Cor.
79:80	Corner to Sec 14, 15, 22 and 23 -

Land rolling 2nd rate soil
Setters Claim on N.E 1/4 of Section 23 and extensive Stone quarry on same extending to N.W. 1/4 Sec

Township 2 S R 21. W. of

Chains	
	North between Sec 14 and 15 Va 13° E
40:00	Drove Chared Stake, Set Post & raised mound of Earth as per instructions for 1/4 Sec. Cor.
57:00	Beaver Creek runs E.
80:00	Drove Chared Stake, Set Post & raised mound of Earth as per instructions for Cor to Sec. 10, 11, 14 and 15.

Land gently rolling bottom good farming land along creek

6th P.M.

Township 2 N R 21. W. of

East on a random line bet Sec 11 and 14. Va 13° E.

40:00 Set Post for temporary 1/4 Sec Corner

46:00 Spring Branch runs S.

79:82 Intersects Sec line 8 links North of Cor to Sections 11.12, 13 and 14. from which corner I run

North 89°.57' West

On a true line bet Sec 11 and 14 Va 13° E

39:91 Drove Chared Stake Set Post & raised mound of Earth as per instructions for 1/4 Sec Cor.

79:82 The Cor to Sec 10.11.14 & 15.

Land broken Soil 2nd rate

Township 2 N R 21. W. of 6th P.M.

Chain North between Sec 10 and 11.

Va 13° E.

39:00 Leave bottom and enter up land bears W & S.E.

40:00 Drove Chared Stake, Set Post & raised mound of Earth, as per instructions for 1/4 Sec. Cor.

80:00 Drove Chared Stake Set Post & raised mound of Earth as per instructions for Corner to Sec 2, 3, 10 and 11.

Land broken Soil 2nd rate

Township 2 N R 21 W. of

Chains	
	East. On a random line between Sections 2 & 11. Va 13° 05' E.
40:00	Set a ~~Flag~~ post for temporary 1/4 Sec Cor.
62:00	Spring Branch bears S.
79:80	Intersect the Section line at Cor to Sect 1, 2, 11 & 12. from which corner I run West on true line bet Sec 2 & 11 Va 13° 5' E.
39:90	Drove Chared Stake. Set Post & raised mound of Earth as per instructions for 1/4 Sec. Cor.
79:80	Cor. to Sec 2, 3, 10 & 11.
	Land Broken Soil 2nd rate

Township 2 N R 21. W. of

Chains	
	North On a random line between Sec 2 & 3. Va 13° E
40:00	Set ~~Flag~~ post for temporary 1/4 Sec cor.
80:30	Intersect the North line of the township 40 links west of Cor. to Sec 2 & 3. from which corner I run South 17' 2/4 On a true line between Sec 2 & 3. Va 12° 42' E
40:30	Drove chared Stake Set Post & raised mound of Earth as per instructions for 1/4 Sec. Cor.
80:30	Cor to Sec 2, 3, 10 & 11.
	Land rolling Soil 2nd rate

August 1st 1871

6th P.M.

Township 2 N R 21. West of

Chains	
	North, On true line between Sec 33 & 34 Va 13° E
8:00	Creek bears E. and W. Water 40 links wide
40:00	Drove Chared Stake Set Post & raised mound of Earth as per instructions for 1/4 Sec Cor.
41:00	Leave bottom enter up Land
80:00	Drove Chared Stake, Set Post & raised mound of Earth as per instructions for Corner to Sect 27, 28, 33, & 34. Land in bottom good farming Upland broken & suitable for grazing

Township 2 N R 21. W. of 6th P.M.

Chains	
	East. on random line between Sec 27 & 34. Va 12° 45' E
9:00	Deep Ravine runs S.E.
26:00	Deep Ravine runs S.
40:00	Set Post for temporary 1/4 Sec Cor.
74:00	Ravine runs South
80:00	Intersect Sec line 50 links South of Cor. to Sec 26, 27, 34 & 35. from which corner I run
	South 89° 39' West On true line bet Sec 27 & 34 Va 12° 45' E
40:00	Drove Chared Stake. Set Post raised mound of Earth as per instructions for 1/4 Sec Cor.
80:00	The Cor. to Sec 27, 28, 33 & 34 Land high & broken 3rd rate soil

Township 2 N R 21 W. of

Chains	North. between Sec 27 & 28 Va 13° E.
4:00	Deep Ravine bears S.E.
40:00	Drove chared Stake. Set Post raised mound of Earth as per instructions for 1/4 Sec Cor
44:00	Ravine bears S.E. & N.W.
80:00	Drove chared Stake. Set Post & raised mound of earth as per instructions for Corner to Sec 21.22, 27 & 28
	Land rolling Prairie 2nd rate Soil

Township 2 N R 21. W. of

Chains	East. On a random line between Sections 22 & 27 Va 12° 50' E.
21:00	Ravine bears S.
40:00	Set ~~F.Stake~~ post for temporary 1/4 Sec Cor.
58:00	Deep Ravine bears S.E.
79:00	Ravine bears S.E.
79:80	Intersect the Sec line 43 links South of Cor. to Sec 22, 23, 26 & 27, from which corner I sun
	South. 89° 42' West on a true line between Sec 22 & 27 Va 12° 50' E.
39:90	Drove chared Stake Set post raised mound of earth as per instructions for 1/4 Sec. Cor.
79:80	Corner to Sec 21.22, 27 & 28.
	Land broken Soil 3rd rate

Township 2 N R 21 W of

Chains	North between Sections 21 and 22. Va 12°50' E
40:00	Drove chared Stake, set Post & raised mound of Earth as per instructions for 1/4 Sec. Cor.
46:00	Ravine bears N.W drains S.E.
80:00	Drove chared Stake, set Post raised mound of Earth as per instructions for Corner of Sec 15.16.21 and 22.
	Land rolling 2nd rate soil

Township 2 N R 21 W of

Chains.	East On a random line between Sec 15 and 22. Va 12°45' E.
18:00	Deep Ravine, N.W. Ledge of Sand Stone
40:00	Set post for temporary 1/4 Sec Cor.
55:00	Deep Ravine drains North
80:40	Intersects Section line, 26 links south of Cor. to Sec 14.15.22 and 23. from which corner I run
	South 89°49' West On a true line bet Sec 15 and 22 Va 12°45' E
40:20	Drove chared Stake, set Post and raised mound of earth as per instructions for 1/4 Sec. Cor.
80:40	Corner to Sec 15.16.21 and 22.
	Land broken 3rd rate Soil

Township 2 N R 21. W. of

Chains	
	N. between Sec 15 & 16 – Va 12°38' E.
40:00	Drove chared Stake. Set Post and raised mound of Earth as per instructions for 1/4 Sec. Cor.
48:00	Ravine bears N. W.
80:00	Drove chared Stake, Set Post and raised mound of Earth as per instructions for Cor. of 9. 10. 15 & 16.
	Land rolling Soil 2nd rate

Township 2 N R 21. W of

Chains	
	East on random line between Sec 10 & 15 Va 12°42' E
7:00	Timber about 1 Chain wide ~~bears N.~~
8.78	Beaver Creek 30 links wide S
40:00	Set ~~Xxxx~~ post for temporary 1/4 Sec Cor.
80:00	Intersected the East boundary of Section 13 links North of Cor Section 10.11.14 & 15. from which corner I run North 89°54 West on a true line bet. Sec 10 & 15. Va 12°42' E
40:00	Drove chared Stake. Set Post raised mound of Earth as per instructions for 1/4 Sec. Cor.
80:00	The Cor. Sec 9.10.15 & 16. Land along brook good farming

Township 2 N. R 21 W. of

Chains	North, between Sec 9 and 10 Va 12° 38' E.
40:00	Drove hard stake. Set post and raised mound of Earth as per instructions for 1/4 Sec. Cor.
42:70	Beaver Creek 30 links wide. E
80:00	Drove hard stake. Set post raised mound of Earth as per instruction for Cor. to Sections 3, 4, 9 and 10.
	Land gently rolling Soil 2nd rate

Township 2 N. R 21 W. of

Chains	East. On a random line between Sec 3 and 10 Va 12° 42' E.
40:00	Set a post for temporary 1/4 Sec Cor
55:00	Ravine bears N and S. drains S.
80:10	I stood at the Cor. to Sections 2, 3, 10 and 11 from which corner I run
	West. On true line between Sec 3 & 10 Va 12° 42' E
40:00	Drove hard stake. Set Post raised mound of Earth as per instructions for 1/4 Sec. Cor.
80:10	The Cor. to Sec 3, 4, 9 and 10.
	Land rolling Soil 2nd rate
	Land rolling Soil 2nd rate

Township 2 N R 21 W of 6 P.M.

Chains.	
	North on R. line between Sec 3 and 4 Va 12° 48' E.
40:00	Set ~~Stake~~ post for temporary 1/4 Sec Cor.
50:00	Ravine bears S.E.
80:30	Intersected the north line of the township 29 links west of the Cor. Sec 3 and 4 from which Corner I run South 12' W. on true line between Sec 3 and 4 Va 12° 48' E
40:30	Drove chared stake, set post and raised mound of earth as per instruction for 1/4 Sec. Cor.
80:30	The Cor. to Sec. 3, 4, 9 and 10. Land rolling 2nd rate Soil

August 2nd 1871

Township 2 N R 21 W of 6th PM

Chains	
	North between Sec 32 and 33 Va 13° E
40:00	Drove a chared stake, set post raised mound of earth as per instructions for 1/4 Sec Cor.
80:00	Drove chared stake, set post & raised mound of earth as per instructions for Corner to Sec 28, 29, 32 and 33. Land rolling 2nd rate Soil

Township 2. N. R. 21. W. of the 6th P.M.

Chains	
	East on a random line between Sec 28 & 33 Va 13° E.
20:00	Deep Ravine S.E.
40:00	Set ~~Wing~~ post for temporary 1/4 Sec Cor.
79:80	Intersect the Sec line 16 links N of Corner to Sec 27. 28, 33 & 34 from which corner I run
	N. 89° 53 W on true line between Sections 28 & 33. Va 13° E.
39.90	Drove charred stake Set post & raised mound of earth as per instructions for 1/4 Sec Cor.
79:80	the Corner to Sections 28. 29. 32 and 33 –
	Land rolling Soil 2nd rate

Township 2 N R 21. W. of the 6th P.M.

Chains	
	North. between Sec 28 & 29 Va 13° – E.
39:00	Ravine bears S.E.
40:00	Drove charred stake. Set Post & raised mound of earth as per instructions for 1/4 Sec Cor.
80:00	Drove charred stake Set Post & raised mound of earth as per instructions for Corner to Sections 20. 21, 28 & 29.
	Land rolling Soil 2nd rate

Township 2 N. R. 21 W. of the 6th P.M.

Chains	East On a random line between Sec 21 and 28 Va 13° E
40:00	Set post 4 links for temporary 1/4 Sec Cor.
80:40	Intersect the Sec line 11 links North of Cor. to Sec 21. 22, 27 and 28 from which Corner I run N 89° 55' W. On true line between Sec 21 & 28. Va 13° E.
40:20	Drove Chared Stake, Set Post and raised mound of Earth as per instructions for 1/4 Sec Cor.
80:40	The Cor to Sections 20. 21 28 and 29.
	Land rolling 2nd rate Soil

Township 2 N. R 21. W. of the 6th P.M.

Chains	North between Sec 20 and 21 Va 12°:40' E.
40:00	Drove Chared Stake Set Post & raised mound of Earth as per instructions for 1/4 Sec Cor.
80:00	Drove Chared Stake Set Post and raised mound of Earth as per instructions for Corner to Sec 16. 17. 20 and 21.
	Land rolling. 2nd rate Soil

Township 2 N. R 21. W.

Chains	
	East on a random line between Sec 16 & 21 Va 13° E.
40:00	Set post ~~stake~~ for temporary ¼ Sec Cor
41:00	Ravine bears S. E.
79:80	Intersects section line 8 links South of Cor. to Sec 15.16 21 & 22 from which corner I run
	South 89°.57' W on true line bet. Sec 16 & 21 Va. 13° E
39:90	Drove chared stake, set post & raised mound of Earth as per instructions for ¼ Sec Cor
79:80	~~Drove chared stake set post & raised mound of Earth as per instructions for Cor~~ to Sec 16.17. 20 & 21.
	Land rolling 2nd rate Soil

Township 2 N. R 21. W.

Chains.	
	North between Sec 16 & 17 Va 13° E.
40:00	Drove chared stake set post & raised mound of Earth as per instructions for ¼ Sec Cor
70:00	leave up land and enter bottom
80:00	Drove chared stake set post and raised mound of Earth as per instructions for Corner to Sections 8, 9, 16 & 17.
	Upland 2nd rate farming Bottom good farming land.

Township 2 N. R 21 W

Chains	East on a random line between Sec 9 and 16 Va 13° E.
40:00	Set post ~~Flag~~ for temporary 1/4 Sec Cor
80:15	I close at the Corner to Sections 9.10.15 and 16 – from which corner I run West on true line between Sec 9 & 16 Va 13° E
40:07½	Drove chared stake Set Post & raised mound of Earth as per instructions for a 1/4 Sec Cor.
80:15	The Corner to Sections 8.9.16 and 17.
	Land rolling. Soil 2nd rate

Township 2. N. R 21. W

Chains	North between Sec 8 and 9 Va 13° E.
31:00	Beaver Creek 40 links wide banks high and muddy Water 3 feet deep runs E
40:00	Drove chared stake, Set Post & raised mound of Earth as per instructions for a 1/4 Sec Cor.
80:00	Drove a chared stake, Set Post & raised mound of Earth as per instructions for Corner to Sections 4.5.8 and 9.
	Land gently rolling 1st rate Soil

Township 2 N R. 21. W

Chains	
	East on a random line between Sec 4. and 9 Va 13° E
20:00	Leave bottom and Enter upland bears S E & N W
40:00	Set ~~Stake~~ post for temporary 1/4 Sec Cor.
79:94	Intersect the Sec line 15 links South of Corner to Sec 3, 4, 9 and 10 - from which corner I run South 89° 54' W on true line bet Sec 4 and 9 Va 13° E.
39.97	Drove chard stake Set Post & raised mound of Earth as per instructions for a 1/4 Sec Cor
79.94	The Cor to Sec 4. 5. 8 and 9 Land broken Soil 2nd rate

Township 2. N R 21. W.

Chains	
	North on random line between Sec 4 and 5 Va 12°. 40' E
40:00	Set post ~~Stake~~ for temporary 1/4 Sec Cor.
80:28	Intersect the north boundary of the township 24 links East of Corner to Sec 4 and 5 from which corner I run South 10° E On true line between Sec 4 & 5 Va 12° 40' E
40:28	Drove a chard stake Set Post & raised mound of Earth as per instructions for 1/4 Sec Cor
80:28	The Corner to Sections 4. 5 - 8 and 9.

Land rolling 2nd rate Soil

August 3rd 1871

Township 2 N R 21 W.

Chains	North between Sec 31 & 32 Va 13° E.
40:00	Drove chared Stake Set post and raised mound of Earth as per instructions for 1/4 Sec Cor.
70:00	Ravine bears S E
80:00	Drove chared Stake Set Post & raised mound of Earth as per instructions for Corner to Sec 29. 30. 31 & 32.
	Land broken. Soil 2nd rate

6th P.M.

Township 2 N. R 21. W. of the

Chains	East on a random line between Sec 29 & 32 Va 13° E
40:00	Set post ~~Stake~~ for temporary 1/4 Sec cor.
80:10	Intersects the Corner to Sec 28, 29, 32 & 33. from which corner I run
	West on a true line between Sec 29 & 32 Va 13° E
40:05	Drove chared Stake. Set Post and raised mound of earth as per instructions for a 1/4 Sec Cor.
80:10	The Corner to Sections 29, 30, 31 & 32.
	Land rolling 2nd rate soil

Township 2 N. R 21. W. of 6th P.M.

Chains	
	West on a random line between Sec 30 & 31. Va 12°.45' E.
8:00	a Ravine bears S.E.
40:00	Set post ~~stake~~ for temporary 1/4 Sec Cor.
79:40	Intersect the west boundary of the township 10 links South of the Cor to Sect 30 & 31 from which corner I run South 89.56' East On a true line between Sec 30 & 31 Va 12°45' E
39.40	Drove a Chard Stake, Set post & raised mound of earth as per instructions for a 1/4 Sec Cor.
79:41	The Corner to Sections 29. 30. 31 & 32
	Land broken. Soil 2nd rate

Township 2 N R 21. W. of 6th P.M.

Chains	
	North between Sec 29 & 30. Va 13°- E.
5:00	Ravine bears S.W.
40:00	Drove a Chard Stake, Set post & raised mound of Earth as per instructions for a 1/4 Sec Cor.
80:00	Drove Chard Stake, Set Post and raised mound of earth as per instructions for Corner to Sec 19. 20. 29 & 30.
	Land broken Soil 2nd rate

Township 2 N. R 21. W. of the 6th PM

Chains	
	East on a random line between Sec 20 and 29. Va 13° 10' E
40:00	Set ~~Flag~~ post for temporary 1/4 Sec Cor.
80:10	I closed at the corner to Sec 20. 21. 28 and 29. from which corner I run West on a true line between Sec 20 & 29 Va 13° 10' E
40:05	Drove shard stake, Set Post X raised mound of earth as per instructions for 1/4 Sec Corner.
80:10	The Corner to Sec 19. 20, 29 & 30.
	Land broken, Soil 3rd rate

Township 2 N. R 21. W. of the 6th PM

Chains	
	West on a random line between Sec 19 & 30 Va 12° 50' E.
40:00	Set ~~Flag~~ post for temporary 1/4 Sec Cor.
55:00	Ravine bears N. W.
79.65	Intersect the west boundary of the township 8 links south of Corner to Sect 19 & 30. from which corner I run South 89.57 E on a true line bet Sec 19 & 30 Va 12° 50 E
39.65	I set a sand Stone 12 x 12 x 8 for a 1/4 Sec Cor
79.65	The Corner to Section 19. 20. 29 & 30
	Land broken Soil 3rd rate

Township 2. N. R 21. W. of the 6th P.M.

Chains	
	North between Sec 19 and 20.
	Var 13° E.
40:00	Drove a hard stake, Set post & raised mound of earth as per instructions for a 1/4 Sec. Cor.
80:00	Set Sandstone 20x16x6 for Cor to Sec 17, 18, 19 and 20
	Land broken Soil 2nd rate

Township 2 N. R 21. W. of the 6th P.M.

Chains	
	East on a random line between Sec 17 and 20
	Var 13° E.
40:00	Set post & flag for temporary 1/4 Sec Cor.
80.22	Intersect the Sec line 12 links north of corner to Sec 16, 17, 20 and 21. from which corner I run
	North 89° 55' W on true line bet. Sec 17 and 20. Var 13° E.
40:11	Set a Sandstone 13x12x10
80:22	The Corner to Sec 17, 18, 19 and 20.
	Land broken. Soil 2nd rate

August 4th 1871

Township 2 N. R 21 W. of the 6th P.M.

Chains	
	West on a random line between Sec 18 and 19 Va 12° 40' E.
31.00	Deep Ravine bears North. 4 chains and runs into bottom
40:00	Set Post for temporary 1/4 Sec Cor. on East Edge of Ravine
	3 chains North to bottom Sand rock along either Edge
43.50	Ravine runs into bottom 2 chs N.
46.00	Leave broken Ridges and enter level bottom bears N E and S W
79:70	Intersect the west boundary of the township 19 links South of Corner to Sec 18 and 19.
	South 89° 52' E on true line
39.70	Set a Sandstone 20 x 15 x 8 for 1/4 Sec Cor.
79:70	The Corner to Sec 17. 18, 19 and 20.
	Land high and rolling. Soil 3rd rate underlaid with Sandstone. Bottom Land Soil 1st rate

Township 2 N. R 21 W. of the 6th P.M.

Chains.	
	North between Sec 17 and 18. Va 13° E.
15.00	Leave up land and enter bottom bears N.E. S.W.
40:00	Set a Sandstone 10 x 10 x 8 for a 1/4 Sec Cor.
80:00.	Drove Charred Stake Set Post & raised mound of Earth as per instructions for Corner to Sec 7. 8. 17 and 18.
	Land level 1st rate soil in bottom

Township 2. N. R 21. W. of the 6th P.M.

Chains	East On a random line between Sec 8 and 17 Va 12° 55' E
40:00	Set post for temporary 1/4 Sec Cor
80:30	Intersect the Sec line 13 links north of the Cor to Sec 8. 9. 16 and 17 from which Corner I run
	North 89° 54' W on true line bet Sec 8 and 17. Va 12° 55'
40.15	Drove hard State Set post & raised mound of Earth as per instructions for 1/4 Sec Cor
80.30	The Corner to Sec 7. 8. 17 and 18.
	Land gently rolling 2nd rate Soil

Township 2. N. R 21. W. of the 6th P.M.

Chains	West on a random line between Sec 7. and 18 Va 12° 50' E.
36:00	Enter timber bears S. W. & N. E.
40:00	Set post for temporary 1/4 Sec Cor.
41.00	Beaver Creek 30 links wide enter timber runs N
79.80	Intersects the west boundary of the township 20 links north of Corner to Sec 7 and 18. from which Corner I run
	North 89° 54' E. on a true line between Sec 7. and 18. Va 12° 50' E
39.80	Set post in mound from which a Box Alder 10 in in diameter bears S. 68 1/2 W. 13 links.
	An Ash 8 in in diameter bears N 8° E 7 links
79.80	The Corner to Sec 7. 8. 17 and 18.
	Timber about 2 chains wide on either bank of Creek Timber, Elm, Ash and Box Alder.
	Good farming land on bottom

Township 2. N. R. 21. W. of the 6th P.M.

Chains	North between Sec 7 and 8 Va 12°.55' E.
40:00	Drove a chared Stake. Set post and raised mound of earth as per instructions for a 1/4 Sec Cor.
60:00	1 Beaver Creek comes from the S.W. & runs N. E
80:00	Drove a chared Stake, Set post & raised mound of earth as per instructions for Corner to Sec 5. 6, 7 and 8.
	Good farming land along Creek

Township 2 N R 21. W. of the 6th P.M.

Chains	East on a random line between Sec 5 and 8 Va 12°.45' E.
40:00	Set a post Flag for temporary 1/4 Sec Cor.
79:80	Intersect the Section line 10 links north of Corner to Sec 4, 5 8 and 9 - from which Corner I run North 89°.56' W. on true line bet. Sec 5 and 8. Va 12°.45' E
39:90	Drove chared Stake Set post and raised mound of Earth as per instructions for a 1/4 Sec Cor
79:80	The Corner to Sec 5, 6, 7 and 8.
	Land rolling Prairie Soil 2nd rate

Township 2. N. R. 21. W. of the 6th P.M.

Chains	
	West On a random line between Sec 6 and 7 Va 13° E.
40:00	Set a post Stake for temporary 1/4 Sec Cor
80:13	Intersect the west boundary of the township 6 links north of Corner to Sec 6 and 7. from which Corner I run North 89° 57' E on true line between Sec 6 & 7 Va 13° E
40:13	Drove hard Stake, Set post & raised mound of Earth as per instructions for 1/4 Sec Cor.
80.13	The Corner to Sec 5, 6 and 7 Land rolling Soil 2nd rate

August 5th 1871

Township 2. N. R. 21. W. of the 6th P.M.

Chains.	
	North on a random line between Sec 5 and 6 Va 12° 50' E.
40:00	Set post ~~Stake for temporary~~ 1/4 Sec Cor.
45:00	Ravine bears S.E.
80:35	Intersect the north boundary of the township 20 links East of the Corner to Sec 5 and 6. from which corner I run South 9' E. on true line between Sec 5 and 6 Va 12° 50' E.
40.35	Drove hard Stake Set post & raised mound of earth as per instructions for 1/4 Sec Cor
80:35	The Corner to Sec 5. 6. 7 and 8 Land broken Soil 2nd rate

Survey commenced July 31st AD 1871 and Completed August 5th AD 1871

For general description See Page 68.

List of Names

A list of the Names of the individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of Township two (2) North of the base line of Range number twenty One (21) West of the Sixth Principal Meridian, showing the respective capacities in which they acted

Aaron Lovett	Chainman	
Zadock Stephenson	Chainman	
James Stephenson	and	Axeman Moundman
John B. Lovett	Flagman	
~~James L. Slocum~~	~~Compassman~~	

We hereby certify that we assisted James L. Slocum Deputy Surveyor in subdividing

Township two (2) North of the base line of Range number twenty one (21) West of the Sixth Principal Meridian, and that said Township has been in all respects to the best of our knowledge and belief, well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General

Aaron Lovett	Chainman	
Zadock Stephenson	Chainman	
James Stephenson	and	Axeman Moundman
J. B. Lovett.	Flagman	
~~James L. Slocum~~	~~Compassman~~	

Subscribed and sworn to by the above named persons before me a Notary Public

in and for the County of
Cass and state of Nebraska
this eighteenth day of
September AD 1871

Lloyd D Demott
Notary Public
Cass County Nebraska

I James L. Slocum Deputy
Surveyor do solemnly swear that
in pursuance of a Contract
with Ebenezer E Cunningham
Surveyor of the Public lands
of the United States in the
State of Nebraska, bearing date
the Sixteenth day of June AD
1871, and in strict conformity
to the laws of the United States
and the instructions furnished
by the said Surveyor General
I have faithfully surveyed

the Subdivision lines of
Township two (2) North of
the base line of Range No 21
West of the 5th Principal
Meridian in the State aforesaid
and do further solemnly
swear that the foregoing
are the true and original
Field notes of such Survey

James L Slocum
Deputy Surveyor

Subscribed by the said
James L Slocum Deputy Surveyor
and sworn to before me
a Notary Public in and for
the County of Cass and State
of Nebraska this
day of AD 1871

Notary Public
Cass County Nebraska

I James L. Slocum Deputy Surveyor do solemnly swear that in pursuance of a Joint Contract No 49. wherein David V Stephenson and James L. Slocum are joint Contractors with E. E. Cunningham United States Surveyor General for the District of Nebraska and Iowa bearing date the Sixteenth day of June AD 1871. I have well faithfully and truly in my own proper person and in strict conformity with the instructions of the Surveyor General the Surveying Manual and the Laws of the United States Surveyed all those parts or portions of Township two (2) North of the Base line of Range No twenty one (21) West of the Sixth Principal

Meridian in the State of Nebraska as are represented in the foregoing Field Notes as having been surveyed under my direction, and I do further solemnly swear that the foregoing are the true and original Field Notes of such survey

James L Slocum
Deputy Surveyor

Subscribed by the said James L Slocum Deputy Surveyor and sworn to before me a Notary Public within and for the County of Cass State of Nebraska this 18th day of September 1871

Lloyd D Bennett
Notary Public

General Description

The Land along Beaver Creek in this Township is generally level rich bottoms growing good grass and well adapted to cultivation The Upland is high and broken with Deep Ravines without water Soil Sandy 2nd and 3rd rate worth little except for grazing purposes Timber along Creek Box Alder & Ash.

Surveyor Generals Office
Plattsmouth Oct. 28th 1871

The foregoing field notes of the Survey and Subdivision of Township No. 12 North of Base Line of Range No. 21 West of the 6th Principal Meridian in the State of Nebraska Executed by James L. Slocum, under Joint Contract No. 49. wherein David V. Stephenson & James L. Slocum are joint Contractors bearing date the 16th day of June AD 1871. having been critically examined, the necessary corrections and explanations made, the said field notes and the Survey they describe are hereby approved

E. E. Cummingham
Surveyor General

T 3 N., R 21 W

6	61	5	45	4	34	3	23	2	12	1	
	60		59		44		33		22		11
7	58	8	43	9	32	10	21	11	10	12	
	57		56		42		31		20		9
18	55	17	41	16	30	15	19	14	8	13	
	54		53		40		29		18		7
19	52	20	39	21	28	22	17	23	6	24	
	51		50		38		27		16		5
30	49	29	37	28	26	27	15	26	4	25	
	48		47		36		25		14		3
31	46	32	35	33	24	34	13	35	2	36	

Subdivision of Township No 3 North of Range No 21 West of the 6th Principal Meridian State of Nebraska

Commenced August 23rd 1870
Finished August 29th 1870

By
William E Daugherty
Deputy Surveyor

Names of Assistants

Henry Lewis
Charles Fitzpatrick } Chainmen

Joseph Kearny
Thomas Dayly } Mound builders

To determine the course of the East boundary of the Township I commence at the corner of Township No 2 and 3 North Ranges 20 & 21 West of the 6th Principal Meridian State of Nebraska and run thence North on a blank line on E. side of Sec. 36

variation 13° 30' East

3989 fell 68 links west of 1/4 Sec corner
7983 fell 78 links west of Section corner

From the aforesaid Township corner I run West on a blank line, along the S. side of Sec. 36

variation 13° 30' East

3986 fell 8 links South of 1/4 Sec corner
7993 fell 21 links South of Section corner

Township No. 3 North Range No.

	North between Sections 35 & 36.
	Variation 13° East.
4000	Set Chained Post in mound of earth with pits as per instructions for 1/4 Section corner.
8000	Set Chained Post in mound of earth with pits as per instructions for corner to Sections 25, 26, 35 & 36
	Surface rolling Soil 2nd rate

21 West of 6th Principal Meridian

	East Random between Sections 25 & 36.
	Variation 13° East.
4000	Set temporary 1/4 Section corner.
8018	Intersect Range line 12 links North of Post.
	N. 89° 55' W. on true line between Sections 25 & 36.
	Variation 13° East.
4009	Set Chained Post in mound of earth with pits as per instructions for 1/4 Section corner.
8018	The corner of Sections 25, 26, 35 & 36.
	Surface rolling – Soil, 2nd rate.

Township No. 5 North, Range No. 21 West of 6th Principal Meridian.

North between Sections 25 & 26
Variation 13° East.

4000 Set chained Post in mound of earth with pits as per instructions for 1/4 Section corner.

8000 Set chained Post in mound of earth with pits as per instructions for corner to Sections 23, 24, 25 & 26
Surface rolling. Soil 2nd rate.

East random between Sections 24 & 25
Variation 13° 20' East.

300 Ravine - bears North

4000 Set temporary 1/4 Section corner.

4950 Ravine - bears North.

8014 Intersect Range line 60 links North of Post.

N. 89° 34' W. on true line between Sections 24 & 25
Variation 13° 20' East.

4072 Set chained Post in mound of earth with pits as per instructions for 1/4 Section corner

8014 The corner to Sections 23, 24, 25 & 26
Surface rolling - Soil 2nd rate

Township No. 3 North, Range No

	North between Sections 23 & 24
	Variation 13° 20' East.
300	Enter ravine bears North 15' East & thru North
3600 00	Leave ravine bears North 15' East.
4000	Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.
8000	Set chased Post in mound of earth with pits as per instructions for corner to Sections 13, 14, 23 & 24
	Surface rolling Soil 2nd rate.

21 West of 6th Principal Meridian

	East Random between Sections 13 & 24.
	Variation 13° 20' East.
1300	Ravine bears N. E.
4000	Set Temporary 1/4 Section corner.
7550	Ravine bears North
8072	Intersect Range line 16 links South of Post.
	S. 89° 53' W. on true line between Sections 13 & 24.
4036	Set chased Post Var. 13° 20' E. in mound of earth with pits as per instructions for 1/4 Section corner.
8072	The corner of Sections 13, 14, 23 & 24.
	Surface rolling - Soil 2nd rate

Township No. 3 North, Range No 21 West of 6th Principal Meridian

North between Sections 13 & 14
Variation 13° East.

3300 Ravine 300 chains with bears N E
4000 Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.

8000 Set chased Post in mound of earth with pits as per instructions for corner to Sections 11, 12, 13 & 14.
Surface rolling soil 2nd rate.

East Random between Sections 12 & 13
Variation 13° East.

4000 Set temporary 1/4 Section corner.

5400 Ravine 300 chains with bears North
8080 Intersect - Range line 24 links North of Post.

N. 89° 50' W. on true line between Sections 12 & 13.
Variation 13 East.

4040 Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.

8080 The corner of Sections 11, 12, 13, & 14.
Surface rolling - soil 2nd rate.

Township No 3 North, Range No. 21

North between Sections 11 & 12.
Variation 13° East.

33.00 — Enter bottom, bears E & W.

4000 Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.

6520 Right-bank of Republican river and set chased Post in mound of earth with pits as per instructions for meander corner.

7000 Left-bank of Republican river and set chased Post in mound of earth with pits as per instructions for meander corner.

8000 Set chased Post in mound of earth with pits as per instructions for corner to Sections 1, 2, 11 & 12.
Surface level, Soil 2nd rate.

Width of river found by chaining

West of 6th Principal Meridian

East Random between Sections 1 & 12
Variation 13° East.

4000 Set temporary 1/4 Section corner.

8032 Intersect Range line 29 links South of Post.

S. 89° 48' W. on true line between Sections 1 & 12.
Variation 13° East.

4016 Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.

8032 The corner of Sections 1, 2, 11 & 12.
Surface level — Soil 2nd rate.

Township No 3 North, Range No. 21 West of 6th Principal Meridian

North Random between Sections 1 & 2
Variation 13° East.

4000 Set temporary 1/4 Section corner

5858 Leave Republican river bottom, bears East and West.

7984 Intersect township line 39 links West of Post.

S. 17° W on true line between Sections 1 & 2.
Variation 13 East.

3984 Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.

7984 The corner of Sections 1, 2, 11 & 12.
Surface gently rolling Soil 3rd rate.

August 23rd 1870

North between Sections 34 & 35
Variation 13° 20' East.

4000 Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.

8000 Set chased Post in mound of earth with pits as per instructions for corner to Sections 26, 27, 34 & 35.
Surface rolling Soil 2nd rate.

Township No. 3 North, Range No 21 West of 6th Principal Meridian

East Random between Sections 26 & 35.
Variation 13° East

4000 Set temporary 1/4 Section corner.

7992 Intersect North and South line 10 links South of Post.

S. 89° 56' W. on true line between Sections 26 & 35.
Variation 13° East.

3996 Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.

7992 The corner of Sections 26, 27, 34 & 35
Surface rolling Soil 2nd rate

"North between Sections 26 & 27.
Variation 13° 20' East.

4000 Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.

5700 Ravine 2.00 chains wide bears N. E.

8000 Set chased Post in mound of earth with pits as per instructions for corner to Sections 22, 23, 26 & 27.
Surface rolling Soil 2nd rate.

Township No 3 North, Range No 21 West of 6th Principal Meridian

East Random between Sections 23 & 26
Variation 13° East.

4000 Set temporary 1/4 Section corner.

4300 Ravine 3.00 chains wide bears North & drains N. and South.

8006 Intersect North and South line at Post.

West on true line between Sections 23 & 26.
Variation 13° East.

4003 Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.

8006 The corner of Sections 22, 23, 26 & 27.
Surface rolling Soil 2nd rate.

North between Sections 22 & 23
Variation 13° East

4000 Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.

8000 Set chased Post in mound of earth with pits as per instructions for corner to Sections 14, 15, 22 & 23
Surface rolling. Soil 2nd rate.

Township No. 3. North, Range No.

East Random between Sections 14 & 23.
Variation 13° East.

4000 Set temporary 1/4 Section corner.

6450 Ravine 4.00 chains wide bears North.

7990 Intersect North and South line 12 links North of Post.

N. 89° 55' W. on true line between Sections 14 & 23.
Variation 13° East.

3995 Set chaned Post in mound of earth with pits as per instructions for 1/4 Section corner.

7990 The corner of Sections 14, 15, 22 & 23
Surface rolling Soil 2nd rate.

21 West of 6th Principal Meridian

North between Sections 14 & 15
Variation 13° East.

4000 Set chaned Post in mound of earth with pits as per instructions for 1/4 Section corner.

8000 Set chaned Post in mound of earth with pits as per instructions for corner to Sections 10, 11, 14 & 15
Surface rolling Soil 2nd rate.

Township No. 3, North, Range No. 21 West of 6th Principal Meridian

East Random between Secs. 11 & 14
Variation 13° East.

1900 Enter Ravine bears North 70° East, & thru East

3010 Creek 5. links wide — ~~runs N. E.~~ comes in from the S. W.

3100 Leave ravine, bears N. E.

4000 Set temporary 1/4 Section corner.

~~4400 Enter Republican river bottom bears N. W. & S. E.~~

8020 Intersect North and South line 25 links North of Post.

N. 89° 47' 9" W. on a true line between Sections 11 & 14.
Variation 13° East.

4010 Set chared Post in mound of earth with pits as per instructions for 1/4 Section corner.

8020 The corner of Sections 10, 11, 14 & 15.

Surface rolling Soil 2nd rate.

North between Sections 10 & 11
Variation 13° East.

250 Ravine 2,00 chains wide, bears East.

3200 Enter Republican river bottom — bears "N. W." & "S. E."

4000 Set chared Post in mound of earth with pits as per instructions for 1/4 Section corner.

5545 Right-bank of Republican river — and Set chared Post in mound of earth with pits as per instructions for meander corner.

5900 Left bank of Republican river and Set chared Post in mound of earth with pits as per instructions for meander corner.

8000 Set chared Post in mound of earth with pits as per instructions for corner to Sections 2, 3, 10 & 11.

Surface rolling, Soil 2nd rate.

Width of river found by chaining

Township No. 3 North, Range No. 21 West of 6th Principal Meridian.

East Random between Sections 2 & 11.
Variation 13° East.

4000 Set temporary 1/4 Section corner

8000 Intersect North and South line 65 links South of Post

S. 89° ~~52~~ 3 W. on true line between Sections 2 & 11.
Variation 13° East.

4000 Set chared Post in mound of earth with pits as per instructions for 1/4 Section

8000 The corner of Sections 2, 3, 10 & 11.
Surface level, Soil 2nd rate.

North Random between Sections 2 & 3.
Variation 13° East.

4000 Set temporary 1/4 Section corner.

6600 Leave Republican river bottom, bears East and West.

7948 Intersect Township line 27 links West of Post.

S. ~~14~~ 2' ~~E.~~ W. on true line between Sections 2 & 3.
Variation 13° East

3948 Set chared Post in mound of earth with pits as per instructions for 1/4 Section corner.

7948 The corner of Sections 2, 3, 10 & 11.
Surface rolling - Soil 2nd rate.
August 24th 1870

Township No. 3 North, Range No. 21 West of 6th Principal Meridian.

North between Sections 33 + 34.

Variation 13° 20' East.

4000 Set chased Post in mound of earth with pits as per instruction for 1/4 Section

8000 Set chased Post in mound of earth with pits as per instructions for corner to Sections 27, 28, 33 + 34. Surface rolling, Soil 2nd rate.

East Random between Sections 27 + 34

Variation 13° East.

4000 Set temporary 1/4 Section corner.

5700 Ravine 2.50 chains wide bears South

8010 Intersect North and South line at Post.

West on true line between Sections 27 + 34.

Variation 13° East.

4005 Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.

8010 The corner of Sections 27, 28, 33 + 34. Surface rolling - Soil 2nd rate.

Township No. 3 North, Range No. 21 West of 6th Principal Meridian.

North between Sections 27 & 28.
Variation 13° 10' East.

4000 Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.

8000 Set chased Post in mound of earth with pits as per instructions for corner to Sections 21, 22, 27 & 28.
Surface rolling — Soil 2nd rate.

East Random between Sections 22 & 27.
Variation 13° East.

4000 Set temporary 1/4 Section Corner.

8018 Intersect North and South line 24 links South of Post.

S. 89° 50' W. on true line between Sections 22 & 27.
Variation 13° East.

4009 Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.

8018 The corner of Sections 21, 22, 27 & 28.
Surface rolling — Soil 2nd rate.

Township No 3 North, Range No. 21 West of 6th Principal Meridian

"North between Sections 21 & 22.
Variation 13° East.

4000 Set chared Post in mound of earth with Pits as per instructions for 1/4 Section corner.

8000 Set chared Post in mound of earth with Pits as per instructions for corner to Sections 15, 16, 21 & 22
Surface rolling, Soil 2nd rate.

"East Random between Sections 15 & 22.
Variation 13° East.

4000 Set temporary 1/4 Section corner.

7996 Intersect North and South line 38 links South of Post.

"S. 89° 44' W. on true line between Sections 15 & 22.
Variation 13° East.

3998 Set chared Post in mound of earth with Pits as per instructions for 1/4 Section corner

7996 The corner of Sections 15, 16, 21 & 22.
Surface rolling - Soil 2nd rate.

Township No 3 North, Range No

North between Sections 15 & 16.
Variation 13° East.

4000 Set chared Post in mound of earth with pits as per instruction for 1/4 Section corner.

4400 Enter ledge of Sand rock — good for mason work. bears N. 10 E 9 N.

6300 Leave ledge of Sand rock. bears N. E.

8000 Set chared Post in mound of earth with pits as per instruction for corner to Sections 9, 10, 15 & 16
Surface rolling — Soil 2nd rate

21 West of 6th Principal Meridian

East Random between Sections 10 & 15
Variation 13° East.

4000 Set temporary 1/4 Section corner.

6900 Ravine 3.00 chains wide bears North.

8014 Intersect North and South line 18 links South of post.

S. 89° 52' W. on true line between Sections 10 & 15
Variation 13° East.

4007 Set chared Post in mound of earth with pits as per instructions for 1/4 Section. corner

8014 The corner of Sections 9, 10, 15 & 16.
Surface rolling — Soil 2nd rate.

Township No. 3 North, Range No. 21 West of 6th Principal Meridian

North between Sections 9 & 10.

Variation 13° East

1800 Ravine 2.50 chains wide bear N. E.

3000 Enter Republican River bottom - bears North 65° West and South 65° East.

4000 Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.

8000 Set chased Post in mound of earth with pits as per instruction for corner to Sections 3, 4, 9 & 10.

Surface rolling - Soil 2nd rate.

East Random between Sections 3 & 10.

Variation 13° East.

413 Right-bank of Republican river and set ~~chased~~ temporary meander post ~~post in mound of earth with pits as per instructions for meander corner.~~

868 Left-bank of Republican river by chaining and set temporary meander post ~~set chased post in mound of earth with pits as per instructions for meander corner~~

4000 Set temporary 1/4 Section corner.

7962 Intersect North and South line 38 links South of Post.

S. 89°44' W. on true line between Sections 3 & 10.

Variation 13° East.

3981 Set chased Post in mound of earth with pits as per instructions for 1/4 Sec. corner

7094 Left-bank of Republican river and Set chased Post in mound of earth with pits as per instructions for meander corner.

7549 Right-bank of Republican river and Set chased Post in mound of earth with pits as per instructions for meander corner

7962 The corner of Sections 3, 4, 9 & 10.

Surface level, Soil 2nd rate

Township No. 3 North, Range No.

North Random between Sections 3 & 4.

Variation 13° East.

12.00 — Set post for temporary meand. Cor. to frac. Sect. 3 & 4
22.00 — " " " " " " " " "

4000 Set temporary 1/4 Section corner
6900 Leave River Bottom / bias East & West
8029 Intersect township line 18 links East of Post.

S. 8' E. on true line between Sections 3 & 4.

Variation 13° East.

4029 Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner
5829 Left bank of Republican river and set chased Post in mound of earth with pits as per instructions for meander corner.
6829 Right bank of Republican river and set chased Post in mound with pits as per instructions for meander corner.
8029 The corner of Sections 3, 4, 9 & 10 ~~Surf~~
Surface rolling — Soil 2nd rate.

August 25th 1870

21 West of 6th Principal Meridian

North between Sections 32 & 33.

Variation 13° 10' East.

4000 Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.
8000 Set chased Post in mound of earth with pits as per instructions for corner to Sections 28, 29, 32 & 33.
Surface rolling — Soil 2nd rate.

Township No 3 North, Range No 21 West of 6th Principal Meridian

East Random between Sections 28 & 33
Variation 13° East.

2300 Ravine 3.00 chains wide — bears N. W. & S. E.

4000 Set temporary 1/4 Section corner

4200 Ravine 2.00 chains wide bears South.

8000 Intersect North and South line 35 links North of Post.

N. 89° 25' 4" W. on true line between Sections 28 & 33.
Variation 13° East.

4000 Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.

8000 The corner of Sections 28, 29, 32 & 33.
Surface rolling Soil 2nd rate.

North between Sections 28 & 29.
Variation 13° East.

4000 Set chased Post in mound of earth with pits as per instructions for 1/4 Sections corner

4200 Ravine 2.00 chains wide bears N. E.

8000 Set chased Post in mound of earth with pits as per instructions for corner to Sections 20, 21, 28 & 29.
Surface rolling — Soil 2nd rate.

Township No 3 North, Range No. 21 West of 6th Principal Meridian

East Random between Sections 21 & 28.
Variation 13° East.

3700 Ravine 2.00 chains wide bears South

4000 Set ~~Chaned~~ temporary Post ~~in mound of earth with pits as per instructions~~ for 1/4 Section corner.

8024 Intersect North and South line 13 links North of Post.

N. 89° 54' W. on true line between Sections 21 & 28.
Variation 13° East.

4012 Set chaned Post in mound of earth with pits as per instructions for 1/4 Section

8024 The corner of Sections 20, 21, 28 & 29.
Surface rolling Soil 2nd rate.

North between Sections 20 & 21.
Variation 13° East.

4000 Set chaned Post in mound of earth with pits as per instructions for 1/4 Section corner

4300 Ravine ~~bears~~ drains N. W. ~~& S. E.~~

8000 Set chaned Post in mound of earth with pits as per instructions for corner to Sections 16, 17, 20 & 21.
Surface rolling — Soil 2nd rate.

Township No 3 North, Range No 21 West, of 6th Principal Meridian

Variation 13° East.

East Random between Sections 16 & 21

4000	Set temporary 1/4 Sec. corner.
6800	Ravine 3.00 chains wide bears North.
8036	Intersect North and South line 34 links South of Post.
	S. 89° 45' W. on true line between Sections 16 & 21
	Variation 13° East.
~~29~~ 40 18	Set chained Post in mound of earth with pits as per instructions for 1/4 Section corner.
8036	The corner of Sections 16, 17, 20 & 21
	Surface rolling - Soil 2nd rate

" North between Sections 16 & 17

Variation 13° East.

4000	Set chained Post in mound of earth with pits as per instructions for 1/4 Section corner.
8000	Set chained Post in mound of earth with pits as per instructions for corner to Sections 8, 9, 16 & 17
	Surface rolling - Soil 2nd rate.

Township No. 3 North, Range No. 21 West of 6th Principal Meridian

East	Random between Sections 9 & 16
	Variation 13° East.
3400	Ravine 3.00 chains wide — bears North
4000	Set temporary 1/4 Section corner.
7500	Ravine 2.50 chains wide — bears North.
7958	Intersect North and South line 33 links North of Post.
	N. 89° 46' West on true line between Sections 9 & 16.
	Variation 13° East
3979	Set chared Post in mound of earth with pits as per instructions for 1/4 Section corner.
7958	The corner of Sections 8, 9, 16 & 17
	Surface Rolling Soil 2nd Rate.

	North between Sections 8 & 9.
	Variation 13° East.
4000	Set chared post in mound of Earth with pits as per instructions for 1/4 Section corner.
4200	Enter Republican River bottom bears East and West.
5000	Right bank of Republican river and Set chared Post in mound of earth with pits as per instructions for meander corner.
5320	Left bank of Republican river, and Set chared Post in mound of earth with pits as per instructions for meander corner.
8000	Set chared Post in mound of earth with pits as per instructions for corner to Sections 4, 5, 8 & 9. Surface rolling Soil 2nd Rate.

Width of river found by chaining

Township No. 3 North, Range No. 21 West of 6th Principal Meridian

East Random between Sections 4 & 9
Variation 13° 10' East.

~~4000~~ 39.80. Set temporary 1/4 Section & meander corner.
47.60 6 Set post for temporary meander Cor. to frac. Sec. 4 & 9
7970 Intersect North and South line 25 links North of Post.

N. 89° ~~50'~~ 49' W. on true line between Sections 4 & 9.
Variation 13° 10' East.

3200 Right bank of Republican river and set chased Post in mound with pits as per instructions for meander corner.

3980 Set chased Post in mound of earth with pits as per instruction for 1/4 Section & meander corner on right-bank of Republican river

7960 The corner of Sections 4, 5, 8 & 9.
Surface Rolling - Soil 2nd rate.

" North Random between Sections 4 & 5.
Variation 13° East

4000 Set temporary 1/4 Section corner

6750 Leave Republican River bottom bears East and West.

8028 Intersect Township line 58 links East of Post.

S. 2~~6~~ 5' E. on true line between Sections 4 & 5.
Variation 13° East.

4028 Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.

8028 The corner of Sections 4, 5, 8 & 9.
Surface Rolling Soil 2nd Rate.

August 26th 1870

Township No 3 North, Range No. 21 West of 6th Principal Meridian

North between Sections 31 & 32.
Variation 13° East.

40.00	Set chaned Post in mound of earth with pits as per instruction for 1/4 Section corner.
47.00	Ravine 4.00 chains wide bears "N. W." "drains" & S. E."
80.00	Set chaned Post in mound of earth with pits as per instruction for corner to Section 29, 30, 31 & 32. Surface rolling - Soil "2nd" Rate.

East Random between Sections 29 & 32
Variation 13° East.

16.00	Ravine 1.50 chains wide, bears South.
29.50	Ravine 2.00 chains wide - bears South.
40.00	Set temporary 1/4 Section corner.
51.00	Ravine 1.00 chains wide bears South
80.12	Intersect North and South line 29 links North of Post.
	N. 89° 48' W. on true line between Sections 29 & 32. Var. 13° East
40.06	Set chaned Post in mound of earth with pits as per instructions for 1/4 Section corner.
80.12	The corner of Sections 29, 30, 31, 32. Surface rolling. Soil 2nd Rate.

Township No. 3 North, Range No. 21 West of 6th Principal Meridian

	West Random between Sections 30 & 31. Variation 13° East.
32.00	Ravine 4.00 chains wide bears South.
40.00	Set temporary 1/4 Section Corner.
79.64	Intersect Range line 45 links North of Post.
	N. 89°41' E. on true line between Sections 30 & 31.
39.64	Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.
79.64	The corner of Sections 29, 30, 31 & 32. Surface Rolling — Soil 2nd Rate.

	North between Sections 29 & 30 Variation 13° East.
40.00	Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.
80.00	Set chased Post in mound of earth with pits as per instructions for corner to Sections 19, 20, 29 & 30 Surface Rolling — Soil 2nd Rate.

Township No. 3 North, Range No. 21 West of 6th Principal Meridian

East Random between Sections 20 & 29.
Variation 13° East.

40.00 Set temporary 1/4 Section corner

45.00 Ravine 3.00 Chains wide bears South

79.94 Intersect North and South line 35 links South of Post

S. 89° 45' W. on true line between Sections 20 & 29.
Variation 13 East.

39.97 Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.

79.94 The corner of Sections 19, 20, 29 & 30
Surface rolling — Soil 2nd Rate.

" West Random between Sections 19 & 30
Variation 13° East.

31.00 Ravine 3.00 chains wide bears "S. E."

40.00 Set temporary 1/4 Section corner.

79.31 Intersect Range line 29 links North of Post.

N. 89° 48' E. on true line between Sections 19 & 30
Variation 13° East.

39.31 Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.

79.31 The corner of Sections 19, 20, 29 & 30.
Surface Rolling — Soil 2nd rate.

Township No 3 North Range No. 21 West of 6th Principal Meridian

North between Sections 19 & 20
Variation 13° East.

40.00 Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.

80.00 Set chased Post in mound of earth with pits as per instructions for corner to Sections 17, 18, 19 & 20.
Surface Rolling Soil 2nd Rate.

East Random between Sections 17 & 20
Variation 13° East.

4.50 Ravine 1.50 chains wide bears North.

37.00 Ravine 2.00 chains wide bears North.

40.00 Set temporary 1/4 Section corner.

77.00 Ravine 2.00 chains wide bears North.

80.22 Intersect North and South line 48 links South of Post.

S. 89° 39' W. on true line between Sections 17 & 20.
Variation 13° East.

40.11 Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.

80.22 The corner of Sections 17, 18, 19 & 20
Surface Rolling Soil 2nd Rate.

Township No. 3 North, Range No. 21 West of 6th Principal Meridian

West	Random between Secs. 18 & 19 Variation 13° East.
3.75	Ravine 1.50 links wide bears N. E.
17.00	Ravine 150 links wide — bears North.
46.00	Set temporary 1/4 Section corner
72.00 Ravine descends N. E.	
79.11	Intersect Range line 56 links North of Post.
	N. 89° 36' E. on true line between Sections 18 & 19.
	Variation 13° East.
39 ~~40~~.11	Set chained Post in mound of earth with pits as per instructions for 1/4 Section corner.
79.11	The corner of Sections 17, 18, 19 & 20.
	Surface Rolling — Soil 2nd Rate.

	North between Sections 17 & 18. Variation 13° East.
40.00	Set Chained Post in mound of earth with pits as per instructions for 1/4 Section corner.
80.00	Set Chained Post in mound of earth with pits as per instructions for corner to Sections 7, 8, 17 & 18
	Surface Rolling — Soil 2nd Rate

Township No. 3 North, Range No. 21 West of 6th Principal Meridian

East	Random between Sections 8 & 17. Variation 13° East.
40.00	Set temporary 1/4 Section Corner.
~~40.00~~ in	Ravine 2.00 chains wide bears North.
80.64	Intersect North and South line 76 links North of Post.
	N 89° 27' W. on true line between Sections 8 & 17. Variation 13° East.
40.32	Set Chared Post in mound of Earth with Pits as per instructions for ~~one fourth~~ 1/4 Sections corner.
80.64	The corner of Sections 7, 8, 17 & 18. Surface Rolling - Soil 2nd Rate.

West	Random between Sections 7 & 18. Variation 13° East.
12.00	Ravine descends N & S
40.00	Set temporary 1/4 Section Corner.
70.00	Ravine 3.00 chains wide bears North.
78.59	Intersect Range line at Post.
	East on true line between Sections 7 & 18. Variation 13° East.
38.59	Set Chared Post in mound of earth with Pits as per instructions for 1/4 Sections corner.
78.59	The corner of Sections 7, 8, 17 & 18. Surface Rolling - Soil 2nd Rate.

Township No. 3 North, Range No.

	North between Sections 7 & 8.
	Variation 13° East.
10.00	Ravine 2.50 chains wide bears East.
40.00	Set chased Post in mound of earth with pits as per instructions 1/4 Section corner
66.00	Enter Republican river bottom - bears East and West.
80.00	Set chased Post in mound of earth with pits as per instructions for corner to Sections 5, 6, 7 & 8.
	Surface Rolling - Soil 2nd Rate.

21 West of 6th Principal Meridian

	East Random between Sections 5 & 8.
	Variation 13° East.
21.34	Set post for temporary mound. Co. to frac. Sec. 5 & 8.
35.38	" " " " " " " "
40.00	Set temporary 1/4 Section corner.
79.88	Intersect North and South line 6 links South of Post.
	S. 89° 57' W. on true line between Sections 5 & 8.
	Variation 13° East.
39.94	Set chased post in mound of earth with pits as per instructions for 1/4 Section corner.
44.50	Left bank of Republican river and chased post in mound of earth with pits as per instructions for meander corner
58.54	Right bank of Republican river and set chased post in mound of earth with pits as per instructions for meander corner.
79.88	The corner of Sections 5, 6, 7 & 8.
	Surface Rolling - Soil 2nd Rate.

Township No. 3 North Range No. 21 West of 6th Principal Meridian

West Random between Sections 6 & 7
Variation 13 East.

3.26 R
7.17 L
30.40 R
33.50 R
Set post for temporary meand Cor. to frac. Secs 6 & 7 on rt & lft. bks

40.00 Set temporary 1/4 Section corner.

72.00 Leave Republican river bottom, Bears N. W. & S. E.

78.36 Intersect Range line 41 links North of Post.

N. 89° 42' E. on true line between Sections 6 & 7.
Variation 13° East.

38.36 Set chared Post in mound of earth with pits as per instructions for 1/4 Sec. corner.

44.86 Right bank of Republican river and set chared Post in mound of earth with pits as per instructions for meander corner.

47.96 Left bank of Republican river and set chared Post in mound of earth with pits as per instructions for meander corner.

71.19 Left bank of Republican river and set chared Post in mound of earth with pits as per instructions for meander corner.

75.10 Right bank of Republican river and set chared Post in mound of earth with pits as per instructions for meander corner.

78.36 The corner of Sections 5, 6, 7 & 8
Surface level - Soil 2nd Rate.

North Random between Sections 5 & 6.
Variation 13° East.

40.00 Set temporary 1/4 Section corner
47.43 R
52.08 L
Set post for temp. meand Cor. to frac. Secs 5 & 6 on rt & lft. bks

80.65 Intersect Township line 47 links East of Post.

S. 20' E. on true line between Sections 5 & 6.
Variation 13' East.

28.57 Left bank of Republican river and set chared post in mound of earth with pits as per instructions for meander corner, to frac. Secs. 5 & 6

33.22 Right bank of Republican river and set chared Post in mound of earth with pits as per instructions for meander corner. to frac. Secs. 5 & 6.

40.65. Set chared Post in mound of earth with pits as per instructions for 1/4 Section corner

80.65 The corner of Sections 5, 6, 7, & 8.
Surface level Soil 2nd rate.

August 27th 1870

Township No 3 North Range No 21 West of the 6th Principal Meridian

Meanders of the Right bank of the Republican River begining at Meander post on Range line Between Ranges 20 and 21 & Sec. 7 & 12

thence up stream In Section 12

S 48 W 500
N 81 W 1750 Variation 13° East
N 42 W 850
N 28 E 1~~750~~ 900
N 41 W 650
S 70 W 850
N 70 W 1700
N 27 W 1250
N 58 W 1300
S 85 W 950
S 43 W 1058 3 To meander post between Sections 11 and 12

(Write each bank continuously thro' the township)

On left Bank begining at Meander post on Range line 7 & 12 bet. Sec.

13 S 50 W 630 thence up stream In Section 12
N 88 W 800
N 58 W 630 Variation 13° East
N ~~18~~ 25 E ~~19~~ 20 00

N 41 W 800
N 71 W 450
S 76 W 900
N 80 W 430
N 32 W 1050
N 26 W 950
N 61 W 1850 1850 To meander post between
S 82 W 1100 Sections 11 and 12
S 53 W 500
S 37½ W 600 14

Meanders of the Right bank of the Republican River begining at Meander post between Sections 11 and 12 thence up stream

S 56 W 1250 In Section 11
N 75 W 1450 Variation 13° East
N 23 W 850
N 71 W 1000
S 10 9 W 1650
S 67 W 1200
N 72 W 425
N 7 W 1300
N 66 W 325
S 21 W 850
S 62 W 900 (Sections 10 & 11
S 79½ W 816 3 To meander post between

Township No 3 North Range No 21 West of 6th Principal Meridian

Meanders of the left bank of the Republican River begining at Meander post between Sections 11 and 12 thence up stream In Section 11

Variation 13° East

S	41 W	400	
S	59 W	750	
N	83 W	400	
N	57 W	900	
N	22 W	600	
N	75 W	1630	
S	~~27~~ 31 W	~~8~~ 7 00	
S	9 W	1200	
S	69 W	650	
N	16 W	1230	
N	67 W	830	
S	62 W	700	
S	10 W	700	
S	69½ W	1230 15	To meander post between Sections 10 and 11

Meanders of the Right bank of the Republican River begining at Meander post between Sections 10 & 11 thence up stream In Section 10

Variation 13° East

S	74 W	900	
N	67 W	1275	
N	15 W	600	
N	18 E	300	
S	87 W	825	
S	34 W	1000	
S	70 W	830	
N	78 W	1350	
N	54 W	1300	
N	42 W	1200	
N	15½ W	6214	To meander post between Sections 3 and 10

thence up the right bank In Section 3

Variation 13° East

N	19½ W	12625	To meander post between Sections 3 and 4

Township 2 North of Range No 21 West of the 6th Principal Meridian

Meanders of the left bank of the Republican river beginning at the Meander post between Sections 10 & 11 thence up stream Variation 13° East

S	70 W	900	In Section 10
N	68 W	750	
N	43 W	430	
N	14 E	430	
N	37 W	500	
S	87 W	830	
S	55 W	630	
S	25 W	600	
S	68 W	625	
N	67 W	1175	
N	54 W	1300	
N	33 W	1269 16	To meander post between Sections 3 & 10

thence up the left bank In Section 3 Variation 13° E

N	17½ W	1000	
N	24¾ W	1357 14	To meander post between Sections 3 & 4

Meanders of the right bank of the Republican River beginning at Meander post between Sections 3 & 4 thence up stream In Section 4

N	30 W	900	Variation 13° East
N	9 W	600	
N	17 W	750	
N	63 W	1630	
S	75 W	930	
S	52 W	1200	
S	6 E	850	
S	72 E	675	
N	85 E	375	
S	15 E	1000	
S	23 W	11 34 6	To meander post between Sections 4 and 9

thence up the right bank In Section 9

S	38 W	1150	Variation 13° E
S	59 W	3250	
S	75 W	14 00 7	To meander post between Sections 8 and 9

August 28th 1870

Township No 3 North Range 20 West of the 6th Principal Meridian

Meanders of the Republican river begining at Meander post between Sections 3 and 4 on left bank

thence up stream In Section 4

N 18° W 850 Variation 13° East
N 8 W 650
N 63 W 1350
N 50 W 550 Creek 250 links wide
S 77 W 1430 bears North
S 5~~2~~1 W 1600
South 900
S 30 ~~W~~ E 950
S 68 ~~W~~ E 700
S 33 ~~W~~ E 350
S 48 W 500
S 28 W 750 18 To meander post between Sections 4 & 9

thence up the left bank

In Section 9

S 41 W 1100
S 57½ W 2700
S 7~~5~~2½ W ~~1100~~ 10.50 19 To meander post between sections 8 & 9

Meanders of Right bank of Republican River begining at Meander post between Sections 8 & 9, thence up stream

S 72 W 1500 In Section 8
N 78 W 1100 Variation 13° East
N 27 W 225
S 88 W 2050
N 61 W 1750
N 39 W 1000
N 14 E 1100
N 61½ E 750 8 To meander post between Sections 5 and 8

On left Bank, Sect. 8 & 9 from Cor to fr.

thence up stream

S 80 W 600 In Section 8
S 70 W 700 Variation 13°
N 83 W 950
N 64 W 650
S 8~~3~~5 W 1600
N 64 W 1300
N 55 W 900
N 7 E 600
N 65 E 900
N 57 E 1000 20 To meander post between Sections 5 & 8

Township No 3 North Range No 21 West of 6th Principal Meridian

Meanders of the Republican river beginning at Meander post between Sections 5 and 8 thence in Section 5 up stream on Right bank

N	70 E	875	Variation 13° East
N	59 E	1350	
N	11 E	500	
N	60 W	1800	
N	18 W	1100	
N	26 E	650	
N	59 W	500	
S	84 W	600	
N	73 W	1720	9 To Meander post between Sections 5 and 6

On ~~right~~ Left bank to fr. Sect. 5 & 8 from cor. thence up stream

N	58 E	1230	In Section 5
N	9 E	700	Variation 13° East
N	59 W	1430	N 10 W 500
N	29 W	850	
N	15 E	875	Creek 20 links wide bear
N	52 W	1000	North
N	87 W	1600	
N	74 W	900	21 To Meander post between Sections 5 and 6

Meanders of Republican river beginning at Meander post between Sections 5 and 6 On Right bank thence up stream

N	70 W	875	Section 6
N	25 W	875	Variation 13° E
N	89 W	600	
S	60 W	750	
S	7½ E	900	
S	50 E	1700	
S	3~~8~~5 E	1500	
S	5½ E	1150	
S	15 W	1100	10 To meander post between Sections 6 and 7

On Left bank from cor. to fr. Secs 5 & 6 thence up stream

N	69 W	650	In Section 6
N	38 W	950	Variation 13 E
S	83 W	1000	
S	54 W	1200	
S	10 E	1050	
S	49 E	1600	
S	3~~7~~5 E	15~~3~~0	
S	18 E	1200	
S	11½ W	913	22 To meander post between Sections 6 and 7

Township No 3 North Range 21 West of the 6th Principal Meridian

Meanders of the Republican River beginning at Meander post between Sections 6 and 7 On Right bank

thence up stream

S 19½ W 13 00 In Section 7
S 67 W 9 00 Variation 13° E
N 79 W 13 50
N ~~20~~ 17 W 1~~3~~4 00 11 To meander post between Sections 6 & 7

thence up the right bank

N 10 W 8 00 In Section 6
N 52 W 6 50 Variation 13° E
S 60 W 8 50
N 67 W 17 00
N ~~5~~ 3 ~~6~~ W 1~~3~~4 00
N 52 E 11 50
N 10 E 9 00
N 40½ W 10 50
N 80 W 6 50
S 74 W 12 00 12 To Meander post on Range line Between Ranges 21 & 22 & Sect. 1 & 6 West of the 6th Principal Meridian

On Left bank to frac Sect. 6 & 7 from cor.

thence up stream

S 18 W 7 50 In Section 7
S 77 W 7 50 Variation 13° East
N ~~81~~ 79 W ~~7~~ 8 50
N 35 W 8 65 23 To meander post between Sections 6 & 7

thence up the left bank

N 12 W 5 00 In Section 6
N 25 W 8 00 Variation 13° East
N 59 W 8 50
S 88 W 5 50
S 50 W 6 00
N 65 W 9 00
N 8 E 9 00
N 51 E 8 50
N 18 E 12 50
N 29 W 9 50
N 49 W 11 50
N 89 W 9 50
S 72 W 8 00 24 To meander post on Range line between ~~Sections~~ Ranges 21 and 22 West of the 6th Principal Meridian & Sect. 1 & 6

August 29th 1870

General Description

The Surface of this Township is mostly rolling but level in the river bottom: the soil throughout the Township is good and well adapted to agricultural purposes the river bottom lands afford excellent chances for cutting hay but are all sufficiently dry for cultivation: the lands along the river can be irrigated by the numerous small streams running into the river and also by building dams across the mouths of the large ravines (emptying into the river) they would hold the water falling in the Spring months which would constitute a reservoir that could be drawn upon when the season became dry the high lands South of the river can not be irrigated but I think the soil is adapted to raising wheat it being a crop that matures early in the season and experience has demonstrated that in the more Eastern States the dry seasons have produced the best wheat crops there are many ledges of Sand stone rock throughout the Township that is suitable for Masonry work there is considerable Timber along the Republican River which enters the Township in Section 6 and runs in an Easterly direction untill it leaves the Township in Section 12

Township No 3 North Range No 21 West of the 6th Principal Meridian

List of Names

A list of the names of the individuals employed to assist in running measuring & marking lines and corners described in the foregoing field notes of Township No 3 North of Range No 21 West of the 6th Principal Meridian State of Nebraska Showing the respective capacities in which they acted

Henry Lewis
Charles Fitzpatrick } Chainmen

Joseph Kearny
Thomas Dayly } Mound builders

We hereby certify that we assisted William E Dougherty Deputy Surveyor in surveying and subdividing Township No 3 North of Range No 21 West of the 6th Principal Meridian and that said Township has been in al respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions of the Surveyor General

Henry Lewis } Chainmen
Charles Fitzpatrick

Joseph Kearny } Mound builders
Thomas Daly

Subscribed and sworn to before me at my office in the city of Plattsmouth State of Nebraska this 19 day of October 1870

Seal A S Chase Probate Judge
in and for Cass County, Neb.

Township No 3 North Range No 21 West of the 6th Principal Meridian

I William E Dougherty Deputy Surveyor do solemnly swear that in pursuance of a contract with Robert R Livingston Surveyor General of the United States for the State of Nebraska bearing date the 6th day of August 1870 and in strict conformity to the laws of the laws of the United States and the instructions of the said Surveyor General I have faithfully surveyed and subdivided Township No 3 North of Range No 21 West of the 6th Principal Meridian in the State aforesaid and do further swear that the foregoing are the true and original field notes of such survey

Wm E Dougherty
Deputy Surveyor

Subscribed and sworn to before me at my office in the City of Plattsmouth in the State of Nebraska this 21st day of October 1870

A S Chase
Probate Judge
in and for Cass County, Nebraska

Seal

Surveyor General's Office
Plattsmouth Neb. Dec. 16. 1870.

The foregoing field notes of the Survey of the Subdivision lines & Meanders of Township No. 3 North of the Base Line & Range No 21 West of the Sixth Principal Meridian in the State of Nebraska, executed by William E. Daugherty, under his contract of the Sixth day of August 1870, in the month of August 1870, having been critically examined the necessary corrections and explanations made, the said field notes and the surveys they describe are hereby approved.

Robt. R. Livingston
Surveyor General.

Field Notes
of
The Survey
of
The Subdivision Lines
of
Township No 14 North Range
No 21. West 6th P.M.
in the
State of Nebraska.

Executed by W Scott Hunnason Deputy Surveyor under joint contract No 8 bearing date the 8th day of August 1868 wherein W Scott Hunnason & Allen J. Converse are joint contractors.

Survey Commenced June 20th 1869
Survey Completed June 25th 1869

Names and duties of assistants.

Wm Rogers, chainman,
John Rogers, chainman,
Dan'l McDonald Moundman.
Chas Woodard Moundman.

T 4 N., R 21 W

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

T. 4 N. Range 21. W 6th P.M.

chains

To determine the proper adjustment of my compass for subdividing this Township I commence at the S.E. corner to section 36. and run North on a blank line along the East Boundary. at a Va of 14° East –

40.10 To a point 3 lks East of the 1/4 Sec cor –

80.13 To a point 1 link East of the corner to sections 25 and 36 –

To retrace this line or run parallel thereto my compass must be adjusted to a Va of 14° E –

T. 4. N. Range 21 W 6th P.M.

chains	North between sections 35 & 36 Va 14° E —
40.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor —
80.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to sections 25, 26, 35 & 36 Land gently rolling Soil dry 2d rate —

T. 4. N. Range 21 W 6th P.M.

chains	East on a random line between sections 25 & 36 — Va 13° 45' E —
40.00	Set post for temporary 1/4 sec cor.
70.50	Ravine course S —
79.88	Intersect the East Boundary of the Township 11 lks North of corner to sections 25 & 36 from which corner I run N. 89° 55' West on a true line between sections 25 & 36 — Va 13° 45' E —
39.94	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.
79.88	The corner to sections 25 — 26, 35 & 36 — Land rolling Soil dry 2d rate

T. 4. N. Range 21 W 6th P.M.

chains	
	North between sections 25 & 26. Var 14° E.
40.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.
80.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to sections 23-24, 25 & 26. Land gently rolling Soil dry 2nd rate.

T. 4. N. Range 21 W 6th P.M.

chains	
	East on a random line between sections 24 & 25 Var 13° 40' E.
40.00	Set post for Temporary 1/4 sec cor.
78.00	Ravine course S
79.52	Intersect the East Boundary of the Township 22 lks South of corner to sections 24 & 25 from which corner I run S 89° 48' West on a true line between sections 24 & 25 Var 13° 40' E.
39.76	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.
79.52	The corner to sections 23, 24, 25 & 26. Land rolling Soil dry 2nd rate.

T. 4. N. Range 21 W 6th PM.

chains	
	North between sections 23 and 24 Va 14° E —
40.00	Set frost deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.
80.00	Set frost deposited charred stake and raised mound of earth with pits as per instructions for corner to sections 13, 14, 23 and 24, Land gently rolling Soil dry 2d rate

T. 4. N. Range 21 W 6th PM

chains	
	East on a random line between sections 13 and 24. Va — 13° 45' E —
40.00	Set frost for Temporary 1/4 sec cor.
79.98	Intersect the East Boundary of the Township 28 lks North of corner to sections 13 and 24 from which corner I run N. 89° 48' West on a true line between sections 13 and 24. Va 13° 45' E —
34.99	Set frost deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.
79.98	The corner to sections 13, 14, 23 and 24. Land rolling Soil dry 2d rate —

T. 4. N. Range 21 W 6th P.M.

chains	
	North between sections 13 and 14. Va 13° 50' E.
23.00	Ravine course S.W.
40.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor.
64.00	Ravine course W.
80.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to sections 11, 12, 13 and 14. Land rolling. Soil dry 2d-rate,

T. 4. N. Range 21 W 6th P.M.

chains	
	East on a random line between sections 12 and 13 — Va 13° 50' E. —
40.00	Set post for Temporary 1/4 Sec cor.
62.00	Ravine course S. —
79.84	Intersect the East Boundary of the Township 18 lks South of corner to sections 12 and 13 — from which corner I run S 89° 52' West on a true line between sections 12 and 13 — Va 13° 50' E.
39.92	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor.
79.84	The corner to sections 11, 12, 13 and 14. Land rolling Soil dry 2d-rate

T. 14 N. Range 21 W 6th P.M.

chains	
	North between sections 11 and 12 Var 13° 50' E.
40.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor,
80.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to sections 1, 2, 11 and 12. Land gently rolling Soil dry 2d rate -

T. 14 N. Range 21 W 6th P.M.

chains	
	East on a random line between sections 1 and 12 Var 13° 50' E.
40.00	Set post for Temporary 1/4 sec cor.
61.00	Ravine course S.
79.92	Intersect the East Boundary of the Township 21 lks South of corner to sections 1 and 12. from which corner 2 run S 89° 51' West on a true line between sections 1 and 12 Var 13° 50' E.
39.96	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.
79.92	The corner to sections 1, 2, 11 and 12. Land rolling Soil dry 2d rate

T. 4. N. Range 21 W 6th P.M.

chains	
	North on a true line between sections 1 and 2. Var 13° 50' E.
40.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.
82.25	Intersect the North Boundary, the 1st Standard Parallel N 10.16 chains East of the 1/4 sec cor on South side of Section 36. Town 5 N. Range 21 West 6th P.M. where I. Set post deposited charred stake and raised mound of earth with pits as per instructions for closing corner to sections 1 and 2. Land gently rolling Soil dry 2nd rate.

20th June 1864.

T. 4. N. Range 21 W 6th P.M.

chains	
	North between sections 34 and 35 Var 14° E.
40.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.
80.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to sections 26, 27, 34 and 35. Land rolling Soil dry 2nd rate

T. 4 N. Range 21 W 6th P.M.

chains	
	East on a random line between sections 26 and 35. Va 13° 35' E.
40.00	Ravine course S. Scattering timber on sides. Set post for Temporary 1/4 sec cor.
69.50	Ravine course S.
74.69	Intersect N and S line at post corner to sections 25, 26, 35 and 36 - from which corner I run
	West on a true line between sections 26 and 35. Va 13° 35' E.
39.84½	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.
74.69	The corner to sections 26, 27, 34 and 35. Land rolling Soil dry 2d rate Timber Hollowood and Elm

T. 4 N. Range 21 W 6th P.M.

chains	
	North between sections 26 and 27 Va 14° E.
40.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.
80.00	Set post deposited charred stake and raised mound of earth, with pits as per instructions for corner to sections 22, 23, 26 & 27. ~~34 and 35.~~ Land rolling gently Soil dry 2d rate.

T. 4. N. Range 21 W 6th P.M.

chains	
	East on a random line between sections 23 and 26. Va 13° 45' E.
40.00	Set post for temporary 1/4 Sec cor.
40.50	Ravine course S scattering timber on sides.
79.78	Intersect N. and S. line 50 lks South of corner to sections 23. 24. 25 and 26. from which corner I run S 89° 39' West on a true line between sections 23 and 26. Va 13° 45' E.
39.89	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor
79.78	The corner to sections 22 23. 26 and 27. Land rolling Soil dry 2nd rate. Timber Cottonwood and Elm

T. 4. N. Range 21 W 6th P.M.

chains	
	North between sections 22 and 23 Va 13° 50' E.
38.00	Ravine course S E.
40.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor.
80.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to sections 14 15. 22 and 23. Land rolling Soil dry 2nd rate

T. 4. N. Range 21 W 6th P.M.

6	chains	East on a random line between sections 14 and 23 Va 13° 45' Ea
4	19.50	Ravine course S.Ea –
	40.00	Set post for temporary 1/4
4		Sec cor in
		Ravine course S. scattering timber on sides.
7		
	79.90	Intersect N and S line 10 lks South of corner to sections 13, 14, 23 and 24 from which corner I run
		S 84° 56' West on a true line between sections 14 and 23. Va 13° 45' Ea –
3		
	39.95	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor,
7		
	79.90	The corner to sections 14 15. 22 and 23.
		Land rolling Soil dry 2d rate Timber Elm and Cottonwood

T. 4. N. Range 21 W 6th P.M.

chains	North between sections 14 and 15. Va 13° 45' Ea
40.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor –
50.00	Ravine course Ea –
64.00	Enter Ravine course S.Ea –
80.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to sections 10, 11, 14 and 15 in ravine
	Land rolling Soil dry 2d rate

T. 4. N. Range 21 W 6th P.M.

chains	
	East on a random line between sections 11 and 14. Va 13° 45' E.
36.00	Ravine course S. scattering timber on sides.
40.00	Set post for temporary 1/4 sec cor.
79.78	Intersect N. and S. line 28 lks South of corner to sections 11 12. 13 and 14. from which corner I run S 89° 48' West on a true line between sections 11 and 14. Va 13° 45' E.
39.89	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.
79.78	The corner to sections 10 11. 14 and 15. Land rolling Soil dry 2d rate, Timber Elm and Cottonwood

T. 4. N. Range 21 W 6th P.M.

chains	
	North between sections 10 and 11. Va 13° 45' E.
12.00	Leave Ravine at Head.
40.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.
63.00	Ravine course S.E.
80.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to sections 2. 3. 10 and 11. Land rolling Soil dry 2d rate

T. 4 N. Range 21 W 6th P.M.

chains	East on a random line between sections 2 and 11. Va 13° 45' Ee
40.00	Set post for temporary 1/4 sec cor.
50.00	Ravine course S. scattering timber on sides, water in holes.
79.62	Intersect N and S line 24 lks North of corner to sections 1, 2, 11 and 12 from which corner L run N. 89° 57' West on a true line between sections 2 and 11. Va 13° 45' Ee
39.81	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.
79.62	The corner to sections 2, 3, 10 and 11. Land rolling soil dry 2nd rate Timber Elm and Cottonwood

T. 4 N. Range 21 W 6th P.M.

chains	North on a true line between sections 2 and 3. Va 13° 45' Ee
40.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.
50.00	Ravine course S. Ee.
82.52	Intersect the 1st Standard Parallel North 10.68 chains East of the 1/4 sec corner on South side of ~~to~~ sections 35 Town 5 N Range 21 W. Where I. Set post deposited charred stake and raised mound of earth with pits as per instructions for closing corner to sections 2 and 3. Land rolling soil dry 2nd rate.

June 21st 1864.

T. 4. N. Range 21 W. 6th P.M.

chains	
	North between sections 33 and 34. Va 14° E.
12.00	Leave Republican River Bottom bears - N.W. and S.E.
40.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor.
80.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to sections 27. 28. 33 and 34. Land 1st 12 chs River bottom Soil 2d rate Subject to overflow.

T. 4. N. Range 21 W 6th P.M

chains	
	East on a random line between sections 27 and 34 Va 13° 45' E.
22.00	Ravine course S.W.
40.00	Set post for Temporary 1/4 Sec cor.
80.00	Intersect N and S line 18 lks South of corner to sections 26. 27. 34 and 35 from which corner I run S. 89° 52' West on a true line between sections 27 and 34. Va 13° 45' E.
40.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor.
80.00	~~The~~ The corner to sections 27 28. 33 and 34. Land rolling Soil dry 2d rate

T. 4. N. Range 21 W 6th P. M.

chains	
	North between sections 27 and 28. Var 14° E
40.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor.
80.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to sections 21, 22, 27 and 28, Land rolling gently Soil dry 2d rate.

T. 4. N. Range 21 W 6th P M

chains	
	East on a random line between sections 22 and 27. Var 13° 45' E
40.00	Set post for Temporary 1/4 Sec cor.
74.92	Intersect N. and S line 40 lks South of corner to sections 22 23, 26 and 27. from which corner 2 trees
	S 89° 43' West on a true line between sections 22 and 27. Var 13° 45' E
39.96	Set post deposited charred stake and raised mound of earth, with pits as per instructions for 1/4 Sec cor.
79.92	The corner to sections 21, 22, 27 and 28.
	Land rolling Soil dry 2d rate.

T. 4 N. Range 21 W. 6th P.M.

chains	North between sections 21 and 22 Va 13° 45' E.
1.00	Branch 10 lks wide runs S.W.
5.00	Same Branch 10 lks wide runs S.E.
40.00	Set frost deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.
80.00	Set frost deposited charred stake and raised mound of earth with pits as per instructions for corner to sections 15. 16. 21 and 22.

Land rolling Soil dry 2d rate.

T. 4 N. Range 21 W 6th P.M.

chains	East on a random line between sections 15 and 22 Va 13° 30' E.
21.00	Ravine course S.
31.00	Ravine course S.
40.00	Set frost for Temporary 1/4 sec cor.
80.07	Intersect N. and S line at frost corner to sections 14. 15. 22 and 23. from which corner I run West on a true line between sections 15 and 22. Va 13° 30' E.
40.03½	Set frost deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.
80.07	The corner to sections 15. 16. 21 and 22.

Land rolling Soil dry 2d rate

T. 4 N. Range 21 W 6th P.M.

chains	North between sections 15 and 16. Va 13° 35' E.
40.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.
52.50	Branch 10 lks wide runs S.W. Skirted with timber.
80.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to sections 9, 10, 15 and 16. Land rolling Soil dry 2d rate Timber Elm and Cottonwood.

T. 4 N. Range 21 W 6th P.M.

chains	East on a random line between sections 10 and 15. Va 13° 30' E.
8.05	Branch 6 lks wide runs S. skirted with timber.
40.00	Set post for temporary 1/4 sec cor.
80.04	Intersect N and S line at post corner to sections 10, 11, 14 and 15 from which corner I run West on a true line between sections 10 and 15 Va 13° 30' E.
40.02	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.
80.04	The corner to sections 9, 10, 15 and 16. Land rolling Soil dry 2d rate Timber Cottonwood and Elm

T. 4. N. Range 21 W. 6th P. M.

chains	
	North between sections 9 and 10. Va 13° 30' E.
40.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.
80.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to sections 3. 4. 9. and 10. Land rolling gently Soil dry 2nd rate.

T. 4. N. Range 21 W 6th P. M.

chains	
	East on a random line between sections 3. and 10. Va 13° 30' E.
23.20	Branch 10 lks wide runs S. Skirted with Timber.
40.00	Set post for Temporary 1/4 sec cor.
79.76	Intersect N. and S. line 26 lks South of corner to sections 2. 3. 10 and 11 from which corner I run
	S. 89° 49' West on a true line between sections 3. and 10. Va 13° 30' E.
39.88	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.
79.76	The corner to sections 3 4. 9 and 10. Land rolling Soil dry 2nd rate Timber Elm and Cottonwood

T. 4. N. Range 21 W 6th P.M.

chains	North, on a true line between sections 3 and 4. Va 13° 30' E.
40.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.
82.87	Intersect the 1st Standard Parallel North 11.02 chains East of the 1/4 sec cor on the South side of section 34 Town 5. N. Range 21 West — where I — Set post deposited charred stake and raised mound of earth with pits as per instructions for closing corner to sections 3 and 4. Land rolling gently Soil dry 2d rate.

June 23th 1869

T. 4. N. Range 21 W 6th P.M.

chains	North between sections 32 and 33 — Va 13° 50' E —
40.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor —
66.00	Branch 10 lks wide runs S.E. Skirted with Timber.
80.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to sections 28, 29, 32 and 33 Land river Bottom Soil 2d rate —

T. 4. N. Range 21 W 6th P. M.

chains	
	East on a random line between sections 28 and 33 Var 13° 30' Ee -
19.00	Leave bottom bears N.W. and S.E.
40.00	Set post for Temporary 1/4 sec cor -
66.00	Branch 10 lks. wide runs S.W. skirted with timber.
80.25	Intersect N. and S - line 10 lks North of corner to sections 27. 28. 33 and 34 - from which corner I run N 89° 56' West on a true line between sections 28 and 33 - Var 13° 30' Ee -
40.12½	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor -
80.25	The corner to sections 28. 29. 32. and 33 - Land rolling Soil 2d rate Timber Cottonwood and Elm

T. 4. N. Range 21 W 6th P. M.

chains	
	North between sections 28 and 29 Var 13° 45' Ee -
14.00	Leave river bottom bears N.W. and S.E. -
40.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor
42.00	Branch 10 lks wide runs S.W. skirted with timber -
68.00	Enter Bed of Branch runs S.E. -
75.00	Leave Branch comes from the E. -
80.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for Corner to sections 20. 21. 28 and 29. Land rolling Soil dry 2d rate -

T. 4. N. Range 21 W. 6th P. M.

	chains	
		East on a random line between sections 21 and 28 Va 13° 30' E.
1	2.50	Branch 10 lks wide runs S.
4	40.00	Set post for temporary 1/4 sec cor.
6	79.40	Branch course S. 10 lks wide
8	79.77	Intersect N. and S. line 29 lks.
8		North of corner to sections 21, 22, 27 and 28 from which corner I run
		N. 89° 48' West on a true line between sections 21 and 28 - Va 13° 30' E.
	39.88½	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.
8	79.77	The corner to sections 20 21. 28 and 29.
		Land rolling Soil dry 2d rate

T. 4. N. Range 21 W 6th P M

chains	
	North between sections 20 and 21. Va 13° 40' E. -
1.00	Branch course S.E. 10 lks wide Plenty Brush and Grape Vines on banks -
17.00	Same Branch course S.W. skirted with small Timber -
29.00	Spring Branch 5 lks wide runs S.E.
40.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.
80.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to sections 16. 17. 20 and 21.
	Land rolling Soil dry 2d rate

T. 4. N. Range 21 W 6th P.M.

chains	
	East on a random line between sections 16 and 21. Va 13° 30' E.
8.00	Branch 10 lks wide runs S – Scattering timber on banks.
40.00	Set post for temporary 1/4 sec cor –
49.00	Branch course S 10 lks wide skirted with timber.
80.15	Intersect N. and S line 44 lks North of corner to sections 15, 16 21 and 22 – from which corner I run
	N. 84° 41' West on a true line between sections 16 and 21. Va 13° 30' E
40.07½	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.
80.15	The corner to sections 16 17. 20 and 21
	Land rolling Soil 2d rate Timber Cottonwood & Elm

T. 4. N. Range 21 W 6th P.M.

chains	
	North between sections 16 & 17 Va 13° 40' E –
14.60	Bend of Branch 45 lks wide runs S. E – H.W.
30.50	Same Branch runs S.E. 6 lks wide
34.90	Same Branch 6 lks wide runs W.
40.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor –
40.30	Same Branch 7 lks wide runs S.E –
41.60	Same Branch 7 lks wide runs S.W.
48.70	Bend of Same Branch 70 lks wide runs S.E.
56.00	Same Branch 5 lks wide runs S.E –
64.75	Bend of Same Branch 50 lks wide runs S.W.
76.00	Same Branch 5 lks wide runs S.W.
78.80	Same Branch 6 lks wide runs S.E –
80.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to sections 8, 9, 16 & 17.
	Land broken Soil dry 3d rate – Timber scattering along the Branch –

T. 4 N. Range 21 W. 6th P.M.

chains	
	East on a random line between sections 9 & 16 – Var 13° 30' E. –
40.00	Set post for temporary 1/4 sec cor.
74.92	Intersect N. and S line 34 lks South of corner to sections 9, 10, 15 and 16. from which corner I run S. 89° 45' West on a true line between sections 9 and 16. Var 13° 30' E. –
34.46	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor. –
74.92	The corner to sections 8, 9, 16 and 17. Land gently rolling Soil 2nd rate.

T. 4 N. Range 21 W 6th P.M.

chains	
	North between sections 8 and 9. Var 13° 40' E. –
6.10	Branch course S.W. 5 lks wide.
23.40	Same Branch 4 lks wide runs S.E. –
27.40	Same Branch 6 lks wide runs W.
40.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor. –
80.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to sections 4, 5 8 and 9. Land rolling Soil dry 2nd rate

T. 4. N. Range 21 W 6th P.M.

chains	East on a random line between sections 4 and 9. Var 13° 30' E.
33.60	Branch 5 lks wide runs S.
40.00	Set post for Temporary 1/4 sec cor.
79.66	Intersect N. and S line 43 links South of corner to sections 3.4 9 and 10. from which corner I run
	S 89° 42' West on a true line between sections 4 and 9. Var 13° 30' E.
39.83	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.
79.66	The corner to sections 4.5.8 and 9.
	Land rolling Soil dry 2d rate,

T. 4. N. Range 21 W 6th P.M.

chains	North on a true line between sections 4 and 5. Var 13° 40' E.
40.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.
64.00	Branch 5 lks wide (dry) runs S.E.
69.50	Same Branch 5 lks wide (dry) runs S.W.
82.76	Intersect the 1st Standard Parallel North 11.49 chains East of the 1/4 sec cor on South Side of section 33. Town 5 N Range 21 W. where I
	Set post deposited charred stake and raised mound of earth with pits as per instructions for closing corner to sections 4 and 5.
	Land rolling Soil dry 2d rate

T. 4. N. Range 21 W 6th P.M.

chains	
	North between sections 31 & 32. Va 13° 40' E.
10.20	Turkey Creek 20 lks wide runs E. skirted with timber.
40.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.
80.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to sections 29. 30. 31 and 32. Land level bottom Soil 1st rate

T. 4. N. Range 21 W 6th P.M.

chains	
	East on a random line between sections 29 and 32 Va 13° 40' E.
5.00	Ravine course S. E.
40.00	Set post for temporary 1/4 sec cor.
72.00	Branch 10 lks wide runs S. skirted with timber.
80.12	Intersect N. and S. line 40 links North of corner to sections 28. 29. 32 and 33. from which corner I run
	N 89° 43' West on a true line between sections 29 and 32. Va 13° 40' E.
40.06	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.
80.12	The corner to sections 29. 30 31. and 32. Land level bottom Soil 1st rate Timber Cottonwood and Elm

June 24th 1869

T. 4. N. Range 21 W 6th P.M.

chains	
	West on a random line between sections 30 and 31. Va 13° 20' E —
35.00	Turkey Creek 30 lks wide runs S. skirted with Timber,
40.00	Set post for temporary 1/4 sec cor.
78.65	Intersect the West Boundary of the Township 38 lks North of corner to sections 30 & 31 from which corner I run N 84° 44' East on a true line between sections 30 and 31. Va 13° 20' E —
38.65	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor
78.65	The corner to sections 29, 30, ~~and~~ 31 & 32

Land rolling gently Soil 1st rate,

T. 4. N. Range 21 W 6th P.M.

chains	
	North between sections 29 & 30 Va 13° 45' E —
5.00	Ravine course S. E. —
11.00	Same Ravine course S. W.
29.00	Leave Bottom Enter bluffs bear N.W. and E —
40.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor —
48.00	Same Ravine course S.E.
80.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for ~~1/4 sec cor~~ corner to sections 19, 20, 29, and 30.

Land 1st 29.00 chains level bottom Soil 1st rate Balance rolling Soil 2d rate —

T. 4 N. Range 21 W 6th P.M.

chains	
	East on a random line between sections 20 and 29 Va 13° 30' E
40.00	Set post for temporary 1/4 sec cor.
79.78	Intersect N. and S. line 36 lks North of corner to sections 20, 21, 28 and 29. from which corner I run N. 89° 45' West on a true line between sections 20 and 29 Va 13° 30' E
39.89	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor
79.78	The corner to sections 19, 20, 29 and 30 — Land rolling Soil dry 2d rate,

T. 4 N. Range 21 W 6th P.M.

chains	
	West on a random line between sections 19 and 30 — Va 13° 25' E —
4.00	Ravine drains South
40.00	Set post for temporary 1/4 sec cor —
52.50	Turkey Creek 18 lks wide runs S.E. Skirted with timber
78.42	Intersect the West Boundary of the Township 50 lks North of corner to sections 19 and 30 from which corner I run N 89° 39' East on a true line between sections 19 and 30 — Va 13° 25' E
38.42	Set post deposited charred stake and raised mound of earth, with pits as per instructions for 1/4 sec cor.
78.42	The corner to sections 19, 20, 29 and 30 — Land rolling Soil dry 2d rate — Timber Elm Box Elder and Cottonwood

T. 4. N. Range 21 W 6th P. M.

chains	North between sections 19 and 20 Va 13° 30' E
40.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.
80.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to sections 17. 18. 19 and 20. Land gently rolling Soil dry 2° rate.

T. 4. N. Range 21 W 6th P. M.

chains	East on a random line between sections 17 and 20 Va 13° 30' E
40.00	Set post for temporary 1/4 sec cor.
79.88	Intersect the N and S. line 28 lks South of corner to sections 16. 17 20. and 21 from which corner I run S. 89° 48' West on a true line between sections 17 & 20 Va 13° 30 –
39.94	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.
79.88	The corner to sections 17. 18. 19 & 20 – Land gently rolling Soil 2° rate

T. 4. N. Range 21 W 6th P. M.

chains	
	West on a random line between sections 18 and 19. Va 13° 25' E.
8.00	Ravine course S —
40.00	Set post for temporary 1/4 sec cor.
78.36	Intersect the West Boundary of the Township 44 links North of corner to sections 18 & 19 from which corner I run N. 89° 42' E. East on a true line between sections 18 & 19 Va 13° 25' E
38.36	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.
78 36.	The corner to sections 17, 18, 19 & 20 — Land rolling Soil 2nd rate,

T. 4. N. Range 21 W 6th P. M.

chains	
	North between sections 17 & 18 Va 13° 30' E
30.00	Ravine course S ~~E~~ W
40.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor —
80 60.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for Corner to sections 7. 8. 17 and 18 Land rolling Soil dry 2nd rate

T. 24. N. Range 21 W 6th P.M.

chains	
	East on a random line between sections 8 and 17. Va 13° 30' E.
40.00	Set post for temporary 1/4 sec cor.
73.65	Branch 5 lks wide runs S.W. skirted with timber.
79.66	Intersect N. and S. line 33 lks South of corner to sections 8, 9, 16 & 17. from which corner I run S. 89° 46' West on a true line between sections 8 and 17. Va 13° 30' E.
39.~~78~~ 83	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.
79.~~66~~ 66	The corner to sections 7, 8, 17, and 18. Land rolling Soil 2nd rate Timber Cottonwood & Elm.

T. 24. N. Range 21 W 6th P.M.

chains	
	West on a random line between sections 7 and 18. Va 13° 30' E.
21.00	Ravine course S.
40.00	Set post for temporary 1/4 sec cor.
78.12	Intersect the West Boundary of the Township 13 lks South of corner to sections 7 & 18 from which corner I run S. 89° 55' ~~West~~ East on a true line between sections 7 and 18. Va 13° 30' E.
38.12	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.
78.12	The corner to sections 7, 8, 17, & 18. Land rolling Soil dry 2nd rate

T. 4. N. Range 21 W 6th P.M.

chains	
	North between sections 7 & 8. Va 13° 50' E.
40.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.
80.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to sections 5. 6. 7 and 8. Land gently rolling Soil dry 2nd rate.

T. 4. N. Range 21 W 6th P.M.

chains	
	East on a random line between sections 5. and 8. Va 13° 40' E.
40.00	Set post for temporary 1/4 sec cor.
79.44	~~Intersect the~~ N and S line 28 lks South of corner to sections 4. 5. 8. and 9. from which corner I run S 89° 48' West on a true line between sections 5 and 8. Va 13° 40' E.
39.74½	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.
39.49	The corner to sections 5. 6. 7 and 8. Land gently rolling Soil dry 2nd rate.

T. 4. N. Range 21 W 6th P. M.

chains	
	West on a random line between sections 6 and 7. Va 13° 50' E.
31.00	Ravine course S —
40.00	Set post for temporary 1/4 sec cor.
78.42	Intersect the West Boundary of the Township 20 lks South of corner to sections 6 & 7 from which corner I run S 89° 52' East on a true line between sections 6 and 7. Va 13° 50' E.
38.42	Set post, deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.
78.42	The corner to sections 5 6. 7. and 8 — Land gently rolling Soil dry 2nd rate —

T. 4. N. Range 21 W 6th P. M.

chains	
	North on a true line between sections 5 and 6 — Va 13° 40' E.
40.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor —
83.09	Intersect the 1st Standard Parallel North 11.86 chains East of the 1/4 sec cor — on the South side of section 32 Town 5 N Range 21 W. where I Set post deposited charred stake and raised mound of earth with pits as per instructions for closing corner to sections 5 & 6 — Land gently rolling Soil dry 2nd rate —

June 26th 1864 —

General Description

The S. W. part of this Township is Republican River Bottom. The Balance of the Township is high rolling land. 2d-rate in quality too dry for cultivation. The bottom is of 1st & 2d-rate quality Section 33 is subject to overflow from the Branches running through The Timber consists of Elm Ash Cottonwood and Box Elder —

A List of Names.

A list of names of the individuals employed to assist in running measuring or marking the lines and corners described in the foregoing field notes of Township No. 4 N. Range No. 21 West of the 6th Principal Meridian showing the respective capacities in which they acted —

Wm Rogers. Chainman
John Rogers. Chainman
Chas Woodard Moundman
Saml McDonald Moundman

We hereby certify that we assisted W Scott Plumason Deputy Surveyor in Surveying the subdivision lines of Township No 14 N Range No 21 West of the 6th Principal Meridian. and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions of the Surveyor General —

William Rogers Chainman.
John Rogers Chainman.
Cha Woodard Moundman.
Daniel McDonald Moundman.

Subscribed and Sworn to before me a Justice of the Peace for and within the County of Hall and State of Nebr This 15th day of September 1869.

Wm H. Platt
Justice of the Peace

I W Scott Plumason Deputy Surveyor do solemnly swear that in pursuance of a joint contract wherein W Scott Plumason and Allen J. Lawrance are joint contractors with P. W. Hitchcock United States Surveyor General for the States of Iowa and Nebraska. bearing date the 8th day of August 1868 — I have well faithfully and truly in my own proper person in strict conformity with the instructions of the Surveyor General. The Surveying Manual The Printed Instructions and the Laws of the United States surveyed all those parts or portions of Township No 14 North Range No 21 West of the 6th Principal Meridian in the State of Nebraska. as are described in the foregoing field notes as having been ~~described~~ ~~in the foregoing notes as~~

done under my direction, And I do further solemnly swear that all the corners have been established and perpetuated in strict accordance with the instructions furnished me and that the foregoing are the True and original field notes of such Survey —

W. Scott Humason
Deputy Surveyor

Subscribed and sworn to by the above named W. Scott Humason Deputy Surveyor before me a Notary Public for and within the County of Lafe. and State of Nebraska this 27th day of Oct 1869.

N. H. Erwin

Notary Public —

Surveyor General's Office
Plattsmouth Neb. Nov. 17. 1869

The foregoing field notes of the survey of the subdivision lines of Township No 4 North of the Base Line of Range No 21 West of the 6th Principal Meridian in the State of Nebraska, executed by W. Scott Humason under a joint contract wherein W. Scott Humason and Allen J. Currence are joint contractors bearing date August 8th 1868, in the month of June 1869, having been critically examined, the necessary corrections and explanations made, the said field notes and the surveys they describe are hereby approved.

Robt. R. Simpson
Surveyor General.

General Land Office • Original Field Notes

Book Number

449

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.