General Land Office • Original Field Notes

Book Number

457

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Field Notes
of the
Survey of Subdivision
of
Township No 33 N.
of the
Base Line
of
Range No. 21 West
of the
6th Principal Meridian
in the
State of Nebraska

Executed
by Geo. W. Burton, Deputy
Surveyor under Contract
Contract No. 90. dated
May 18th 1875.

Survey
Commenced June 26th 1875
Completed July 1st

Index Diagram

Of

Township 33 South

of the

Base Line

Range No. 21 West of 6th P. M.



List of Names

A list of the names of the individuals who were employed to assist in surveying and sub-dividing of this Township.

Leslie E. Scott } Chainmen
W. S. B. Spangler }

Adelbert L. Bierce } Axemen
Charles Bowers }

Township 33 South— Range No 21 West 6th P.M.

To determine the proper adjustment of any compass for subdividing this Township I began at corner to Townships 32 and 33 N. of base line of Ranges 20 & 21 West of 6th P. M. and run thence South on a blank line along East boundary of Sec. 36. Var. 13° 45' E.

Chains	
39.96	To ¼ Sec. Cor.
79.92	Corner to Sec 25 & 36.

Therefore any compass #1 in proper adjustment

Found the established corner to Sec 35 and 36 on South boundary of Township I run South— bet Sec 35 and 36

Variation 13° 45' East

40.00	Set Cedar Post 2 in x 3 in x 4 Ft - 12 in deep. Dep'd Chained stake, raise mound of earth - 2 Ft high from pits - 22 in x 22 in. 12 in deep.
80.00	for ¼ Section Corner — Set Cedar Post - 2 in x 3 in x 4 Ft 12 in deep. Dep'd chained stake, raise mound of earth - 2 Ft high from pits 24 in x 24 in 12 in deep. Cor common to Sections 25. 26. 35 and 36.

Surface high, level table land Soil 1st rate

Township 33 North-

Chains	
	East on regular line bet. Secs 23 & 26
	Variation 13° 45' E.
40.00	Set post for temporary ¼ Sec. Cor.
79.48	Intersect E. Boundary of Township at a Spruce 38 links South of corner to Sections 25 and 36. Bears which Corner Bears S 89° 44' West on line bet. Sec. 25 and 36
	Variation 13° 45' E.
39.74	Set Cedar post 3 in x 2 in x 4 ft. 12 in deep. Deposit chained stake. Raise mound of earth 2 ft high. Pits 2 ft in x 2 ft in x 12 in deep for ¼ Sec. Cor.
79.48	Corner to Secs 25. 26. 35 & 36
	Surface high level table land Soil 1st rate.

Range 21 West 6th P.M.

Chains	
	North bet. Secs 25 & 26
	Variation 13° 45' East
40.00	Set Cedar post 3 in x 2 in x 4 ft 12 in deep. Deposit chained stake. raise mound of earth 2 ft high. Pits 2 ft in x 2 ft in x 12 in deep for ¼ Section Corner
79.48	Set Cedar post 3 in x 3 in x 4 ft 12 in deep. Deposit chained stake raise mound of earth 2 ft high. Pits 2 ft in x 2 ft in x 12 in deep for Corner to Secs 23. 24. 25 and 26
	Surface high level table land Soil 1st rate.

Township 33 South

chains	
	East on standard line bet. Secs. 24 & 25
	Variation 13° 45' E
40.00	Set stone for temporary ¼ Section corner -
79.50	Intersect East boundary of Township at a point 36 lks. South of corner to Secs 24 & 25
	from which corner a pine
	bears
	S 89° 45' West one link
	Variation 13° 45' E
39.75	Set cedar post 3 ins x 2 ins x 4 ft. - 12 ins deep,
	Deposit Chained Lake
	range mound Sprinkle
	2 ft high, from which
	pits 2½ ins x 22 ins 12 ins
	deep. Run ¼ Sec Corner
79.50	Chained to Sections
	23 24 25 and 26 -
	Surface high level table land
	Soil 1st rate

Range 21 West 6th P.M.

chains	
	North bet. Secs 23 & 24
	Variation 13° 45' E
40.00	Set Cedar post 3 ins x 2 ins x 4 ft. 12 ins deep.
	Deposit Chained Lake
	range mound Sprinkle
	2 ft high, from which
	2 ins x 2 ins 12 ins
	deep. Run ¼ Section Cor-
80.00	Set Cedar post 3 ins x 3 ins x 4 ft. 12 ins deep
	Deposit Chained Lake
	range mound Sprinkle
	2 ft high, from which
	2 ins x 2 ins 12 ins deep. Cor Corner to Secs 13. 14. 23 and 24
	Surface high level table land
	Soil 1st rate

Township 33 South-

Chains	
	East on random line bet. Sec. 13 and 24
	Variation 13° 45' E-
40.00	Set post for temporary ¼ Section Corner -
79.42	Inclined East - Township ab a Point 36 ch. South - Course to Sec. 13 and 24. From which Corner Bears S 89° 45' West on the line bet. Sec. 13 and 24
	Variation 13° 45' E
37.71	Set Cedar Post 3 in x 2 in x 4 ft - 12 in deep. Deposit Charcoal & Pits, raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep. For ¼ Sec. Cor.
79.42	Same as Corner to Sections 13. 14. 23 and 24.
	Surface high level table land
	Soil 1st rate

Range 21 West 6th P.M.

Chains	
	South bet. Sec. 13 & 14
	Variation 13° 45' E.
40.00	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit charcoal & pits, raise mound of earth 2 ft high from pits 22 in x 22 in x 12 in deep. For ¼ Sec.
47.00	Drain descends to the
79.42	West Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit charcoal & pits, raise mound of earth 2 ft high from pits 22 in x 22 in x 12 in deep. For Corner to Sec. 11. 12. 13 and 14 - and Center Valley S.W.
	Surface high level table land
	Soil 1st rate

Township 33 South

chains	
	East on a random line bch. Sec. 12 and 13
	Variation 13° 45' E
4.00	Set post for temporary ¼ Section Corner -
7.50	Drain descends S.E.
19.34	Intersect East boundary of Township 1 abd a point 34 lks. South of Corner to Sec. 12 and 13
	from which commission S 89° 45' West on true line bch. Sec. 12 and 13
	Variation 13° 45' E
39.67	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chand stake, raise mound of earth 2 ft high. Iron pits 2 2 in x 2 2 in 12 in deep for ¼ Sec. Corner -
79.34	Corner to Sec. 11. 12. 13 and 14
	Surface rolling Soil 2d rate

Range 21 West 6th P.M.

chains	
	South - bch. Sec. 11 and 12
	Variation 13° 55' E
4.00	Set Cedar post 2 in x 3 in x 4 ft - 12 in deep. Deposit chand stake. raise mound of earth - 2 ft high. Iron pits - 2 2 in x 2 2 in - 12 in deep for ¼ Sec. Corner -
61.20	Drain descends S.E.
65.00	Leave Valley N.E. and S.W.
80.00	Set Cedar post 3 in x 3 in x 4 ft - 12 in deep. Deposit chand stake, raise mound of earth - 2 ft high. Iron pits 2 2 in x 2 2 in 12 in deep for Corner to Sec. 11. 12. 11 and 12.
	Surface gently rolling Soil 1st rate -

Township 33 South

Chains	
	East on said one
	line bet. Sec. 1 and 12
	Variation 13° 55' E
30.00	Enter Valley N. and S.
40.00	Set post for temporary
	S.E. corner
5.00	Drain descends N.E.
50.00	Leave Valley N. and S.
79.68	Intersect East boundary
	of Township at a
	post, corner to
	Sections 1 and 12. from
	which I mark
	Pine on one line
	bet. Sec. 1 and 12
	Variation 13° 55' E
39.04	Set Cedar post 3 in x 2 in
	x 4 ft. 12 in deep
	Deposit Chand stake
	raise mound of earth
	2 ft high Iron pits
	22 in x 22 in 12 in
	deep for 4 Sec. cor
79.68	cor to Sections 1. 2. 11. 12
	Surface gently rolling
	Soil 1st rate

Range 21 West of 6th P.M.

Chains	
	South on said one
	line bet. Sec. 1 and 2
	Variation 13° 55' E
30.00	Enter Valley N. 11 and W.
40.00	Set post for temporary
	S.E. cor
79.68	Intersect South boundary
	of Township at a
	point 33 chs. East
	of corner to Sec. 1 and 2
	Found which corner
	I mark
	I 14 East on one line
	bet. Sec. 1 and 2
	Variation 13° 55' E
39.04	Set Cedar post 3 in
	x 2 in x 4 ft. 12 in
	dup. Deposit Chand
	stake, raise mound
	of earth 2 ft high
	Iron pits 22 in x 22 in
	12 in deep for 4 Sec. cor
79.68	Cor to Sec. 1. 2. 11. 12
	Surface Upland & Valley
	~~Soil~~ Valley gently rolling Soil 1st rate
	Upland rolling " 2d "

June 26th

Township 8 S South-

Chains	
	From the established corner to Sections 34 & 35 on the South boundary of the Township I run South bet. Sec. 34 & 35 - Variation 13° 55' E
27.34	to Ozark I. E.
40.00	Set Cedar post 8 in x 2 in x 4 ft - 12 in deep. Deposit chard stake, raise mound of earth 2 ft high from pits 22 in x 22 in - 12 in deep for ¼ Sec. Cor.
80.00	Set Cedar post 3 in x 3 in x 4 ft. 12 - deep. Deposit chard stake, raise mound of earth 2 ft high from pits 24 in x 24 in x 12 in deep. For Corner to Sec. 26. 27. 34 and 35 Surface rolling Land 2nd rate

Range 21 West 6th P. M.

Chains	
	Each on a random line bet. Sec. 26 & 35 - Variation 13° 55' E
40.00	Set post for temporary Section Corner
79.94	Intersect N and S line at a point 20 lks N. of Corner to Sec. 25. 26 35 and 36. From which corner I note S 89° 48' West on line bet. Sec. 26 and 35 - Variation 13° 55' E
399.7	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep Deposit chard and stake and mound ditch dug 2 ft high from pits 22 in x 22 in - 12 in deep. for ¼ Section Corner to Sec. 26. 27. 34 and 35
79.94	Surface high level table land Soil 1st rate

Township 33 North-

Chains	
	North bet. Sec. 26 & 27
	Variation 18° 55' E
40.00	Set Cedar Post 8 in
	x 2 in x 4 ft - 12 in
	deep. Deposit-chamber
	stake, raise mound
	of earth - 2 ft high
	from pit 24 in x 24 in
	12 in. deep. Cor. common
	to Sec. 22. 23. 26. 27
	Surface high level table land
	Soil 1st rate.

Range 21 West 6th P.M.

Chains	
	East on random
	line bet. Sec. 23 and 26
	Variation 18° 55' E
2.00	Set Post for 1/4 Sec.
	& Section Corner.
80.02	Intersect S. and S. line
	at a point 22 lks.
	N. of corner to Sec.
	23. 24. 25 and 26
	from which corner
	Elm
	8 in. 9 in. 51 Hackberry on line
	bears bet. Sec. 23 & 26
	Variation 18° 55' E
40.01	Set Cedar Post 8 in
	x 2 in x 4 ft - 12 in
	deep. Deposit chamber
	stake, raise mound
	of earth 2 ft high
	from pit 22 in. x 22 in
	12 in deep. for 1/4 Sec.
80.02	Corner to Sec. 22.
	23. 26 and 27
	Surface high level table land
	Soil 1st rate

Township 33 North

Chains	
	North bet Sec. 22 & 23
	Variation 13° 55' E
40.00	Set Cedar post 3 in x 2 in
	x 4 ft - 12 in deep.
	Deposit Chained stake
	raise mound of earth
	2 ft high. from pits
	22 yds x 22 yds 12 in
	deep. for 1/4 Sec Cor -
10.00	Set Cedar post 3 in.
	x 3 in x 4 ft - 12 in -
	deep. Deposit chained
	stake. raise mound
	of earth 2 ft high
	from pits 24 yds x 24 yds
	2 ft deep. for
	Corner to Sections
	14. 15. 22 and 23.
	Surface high level tableland
	Soil 1st rate

Range 21 West 6th P.M.

Chains	
	East on random
	line bet. Sec. 14 & 23
	Variation 13° 55' E
40.00	Set post 3/4 temporary
	1/4 Section Corner
12.30	Drain descends North -
8.26	Intersect N. and S. line
	at a point 34 lks W.
	of Corner to Sec. 13. 14
	23 and 24. from which
	Witness Oak
	bears N 45° W 12 links
	Variation 13° 55' E
49.13	Set Cedar post
	3 in x 2 in x 4 ft - 12 in
	deep. Deposit Chained
	stake. raise mound
	of earth 2 ft high
	from pits 22 yds x 22 yds
	2 ft deep. for 1/4 Sec. Cor -
8.26	ner to Sections
	14. 15. 22 and 23
	Surface high level tableland
	Soil 1st rate

18

Township 33 South

Chains	
	North bet Secs 14 & 15
	Variation 13° 55' E
+0.00	Set Post & Cedar 2 in x 3 in
	x 4 ft. 12 in deep
	Deposit Stand & Stake
	raise mound
	of earth 2 ft high
	Iron pits 24 in x 24 in
	12 in deep. For
	Corner to Sec. 10. 11. 14
	& 15.
	Surface 1st class high & level
	Soil 1st rate
	Balance gently rolling
	Soil 1st rate.
80.00	Set Cedar Post
	3 in x 3 in x 4 ft 12 in
	deep. Deposit & Stand
	Stake. raise mound
	of earth 2 ft high
	Iron pits 24 in x 24 in
	12 in deep. For
	Corner to Sec. 10. 11. 14
	& 15.

Range 21 West 6th P.M.

Chains	
	East on random
	line bet. Sec. 11 and 14
	Variation 13° 55' E
40.00	Set post for temporary
	1/4 Section Corner.
57.10	Prairie descends to
60.62	Intercept S. and S. line
	at 2 poor. Corner
	to Sections 11. 12. 13
	and 14 from which
	Corner Brim
	Post 6 in a bur line
	bet. Sec. 11 and 14
	Variation 13° 55' E
40.31	Set Cedar Post 3 in
	x 2 in x 4 ft 12 in
	deep. Deposit Stand
	Stake raise mound
	of earth 2 ft high
	Iron pits 22 in x 22
	in. 12 in. deep. For
	1/4 Sec. Cor.
80.62	Corner to Sec. 10. 11. 14 & 15
	Surface gently rolling
	Soil 1st Rate

Township 33 South—

Chains	
	South bet. Sec. 10 & 11
	Variation 13° 55' E.
40.00	Set Cedar post 3 in × 2 in × 4 ft – 12 in deep, Deposit Chand & stake, mound of earth 2 ft high
	From pits 2 2 in × 2 2 in 12 in deep for ¼ Sec. Cor.
70.00	Leave Valley E. and W.
80.00	Set Cedar post 3 in × 3 in × 4 ft. 12 in deep. Deposit Chand & stake, mound of earth 2 ft high. From pits 2 4 in × 2 4 in 12 in deep for Corner to Sec. 2. 3. 10, 11
	Surface gently rolling
	Soil 1st rate

Range 21 West 6th P.M.

Chains	
	East on regular line bet. Sec. 2 & 11
	Variation 13° 55' E.
40.00	Set post for Temporary ¼ Section Corner
70.28	Intersect N. and S. line at 9 poles 14 lks. South of corner to Sections 1. 2. 11. 12. From which corner Bears S 89° 54' West 9 links Set Cedar post 3 in × 2 in 4 ft – 12 in deep. Deposit Chand & stake, mound of earth 2 ft high. From pits 2 2 in × 2 2 in 12 in deep. for ¼ Sec. Cor.
80.14	Corner to Sec. 2. 3. 10. 11
	Surface gently rolling
	Soil 1st rate

Township 33 North-

Chains	
	North on a random line bet. Sec's 2 and 3 Variation 13° 55' E
4.00	Set post for temporary ¼ Sec. Cor.
14.77	Intersect South boundary of Township at a point 6 44 lks. East of corner to Sec's 2 and 3, from which corner a 4 inch Cotton tree 27 links bears North 27 East Variation 18° 55' E
39.77	Set Cedar post 8 in x 2 in x 4 ft. 12 in deep. Deposit chained stake. Raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep for ¼ Sec. Cor.
79.77	Corner to Sec's 2. 3. 10 11 Surface rolling Soil 2nd rate

June 27th 1875

Range 2 West 6th P.M.

Chains	
	From the established corner to Sections 33 and 34 on South boundary of Township 2 and 3 North bet. Sec's 33 and 34 Variation 13° 55' E
29.00	Drain N. ft.
40.00	Set Cedar post 8 in x 2 in x 4 ft. 12 in deep. Deposit chained stake, raise mound of earth 2 ft high. from pits 22 in x 22 in 12 in deep. for ¼ Sec. Cor.
80.00	Set Cedar post 8 in x 3 in x 4 ft. 12 in deep. Deposit chained stake, raise mound of earth 2 ft high from pits 24 in x 24 in 12 in deep. for Corner to Sec's 2 3. 28. 33 and 34 Surface broken Soil 2nd rate

Township 38 South-

Chains	
	East on random line bet. Sec. 2 & 34 Variation 13° 55' E.
40.00	Set post for temporary ¼ Section corner.
59.60	Intersect S. and S. line at a point 10 lks. S. of corner to Sections 26. 27. 34 and 35 From which corner Quin S 89° 56' West on true line bet. Sec. 2 & 34 Variation 13° 55' E
39.80	Set Cedar post 8 in x 2 in x 4 ft - 12 in deep. Deposit chand stake, raise mound of earth - 2 ft high from pits 22 in x 22 in 12 in deep. for ¼ Sec. Cor
79.60	Corner to Sec. 27. 28. 33. 34 Surface high level table land Soil 1st rate

Range 21 West 6th P.M.

Chains	
	North - bet. Sec. 27 & 28 Variation 13° 55' E
20.50	Quarter N. 6
40.00	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chand stake mound of earth - 2 ft high from pits 22 in x 22 in 12 in deep. for ¼ Section Corner
62.00	Quarter descends hill
80.00	Set Cedar post 3 in x 3 in x 4 ft. 12 in deep. Deposit chand stake, raise mound of earth - 2 ft high from pits 24 in x 24 in 12 in deep. for corner to Sections 21. 22. 27 & 28. Surface high level table land Soil 1st rate.

Township 33 South

Chains	
	East on random line bet. Secs. 22 & 27
	Variation 18° 55' E
40.00	Set Post for Temporary ¼ Section Corner
79.40	Intersect S. and S. line at a point 14 lks. S. of corner to Secs. 22, 23, 26 and 27 from which corner I bear S 89° 54' West on true line bet. Secs. 22 and 27
	Variation 18° 55' E
39.70	Set Cedar Post 8 in. x 2 in. x 4 ft. 12 in. deep. Deposit charcoal stake, raise mound of earth 2 ft. high from pit 22 in. x 22 in. 12 in. deep for ¼ Sec. Cor.
79.40	Corner to Sections 21, 22, 27 and 28
	Surface high level tableland Soil 1st rate

Range 21 West of M.

Chains	
	Initial Point Sec. 21 & 22
	Variation 18° 55' E
40.00	Set Cedar Post 8 in. x 2 in. x 4 ft. 12 in. deep. Deposit charcoal stake, raise mound of earth 2 ft. high from pit 22 in. x 22 in. 12 in. deep for ¼ Section Corner.
80.00	Set Cedar Post 8 in. x 3 in. x 4 ft. 12 in. deep. Deposit charcoal stake, raise mound of earth 2 ft. high from pit 22 in. x 22 in. 12 in. deep for Corner to Secs. 15, 16, 21 and 22
	Surface high level tableland Soil 1st rate

Township 33 North –

chains	
	East on paper on line bet. Sec. 15 and 22 Var. 13° 55' E
4.00	Set post for temporary ¼ Section Corner
7.32	Intersect N. and S. line at a point 12 lks E. of corner to Sec. 14, 15, 22 and 23 from which corner a 10 inch Cotton wood bears N 09° 55' West one link bet. Secs 15 and 22 Var. 13° 55' E
39.66	Set Cedar post 3 in x 2 in x 4 ft. 12 in deep. Deposit Chained stake, raise mound of earth 2 ft high From pits 22 in x 22 in 12 in deep for ¼ Sec. Corner to Sec. 9, 10, 15 and 16 Surface high, level table land Soil 1st rate

Range 21 West 6th P.M.

chains	
	North bet. Sec. 15 and 16 Var. 13° 55' E
4.00	Set Cedar post 3 in x 2 in x 4 ft 12 in deep Deposit Chained stake raise mound of earth 2 ft high From pits 24 in x 24 in 12 in deep. for Corner to Sections 9, 10, 15 and 16, Surface 1st 64 ch. high level table land Soil 1st rate Balance gently rolling Soil 1st Rate
64.00	for Valley. E. ¼ Sec.
8.00	Set Cedar post 3 in x 3 in x 4 ft 12 in deep. Deposit chained stake, raise mound of earth 2 ft high From pits 24 in x 24 in 12 in deep. for Corner to Sections 9, 10, 15 and 16,

Township 38 North-

Chains	
	East on random line bet. Secs. 9 & 15
	Variation 13° 55' E
4,00	Set Post for beginning
	4 Section Corner
79.90	Intersect D. and S. line at a point 30 chs.
	N. & comes to Sec. 10.
	11. 14 and 15. Surveyed which course I run N 89° 47' West on true line bet. Secs. 10 and 15
	Var. 13° 55' E
39.95	Set Cedar post 3 ins x 2 ins x 4 ft. 12 ins deep. Deposit charred stake pair mound of earth - 2 ft high from pits 2 ½ ins x 22 ins 12 ins deep. For ¼ Sec.
79.90	Corner to Secs. 9. 10. 15 & 16
	Surface gently rolling
	Soil 1st rate

Range 2 West of the W

Chains	
	North bet. Secs. 9 & 10
	Variation 13° 55' E
40.00	Set Cedar post. 3 ins x 2 ins x 4 ft. 12 ins deep.
	Deposit charred stake pair mound of earth 2 ft high from pits 2 ½ ins x 22 ins 12 ins deep. For ¼ Sec.
60.00	Cor. to Secs. Valley E. & W.
80.00	Set Cedar post 3 ins x 2 ins x 4 ft. 12 ins deep Deposit charred stake, pair mound of earth 2 ft high from pits 2 ½ ins x 22 ins 12 ins deep. For Cor. to Secs. 3. 4. 9 and 10
	Surface - Valley gently rolling. Upland gently
	Soil Valley 1st rate
	" Upland 2nd "

Township 33 South—

Chains	
	East on random line bet. Sec. 3 & 10
	Variation 13° 55' E
4.00	Set post for temporary ¼ Sec. Cor.
80.18	Intersect N. and S. line at a point 14 lks. S. of corner to Sec. 2. 3. 10. 11
	Down which course
	S 89-44' West on line bet. Sec. 3 & 10
	Variation 13° 55' E
40.09	Set Cedar post 8 in. x 2 in. x 4 ft. 12 in. deep. Deposit chand. stake. raise mound of earth. 2 ft high from pits 22 in. x 22 in. 12 in. deep for ¼ Sec. Cor.
80.18	Corner to Secs. 3. 4. 9 & 10
	Surface gently rolling Soil 1st rate

Range 21 West of 5th M.

Chains	
	South on random line bet. Sec. 3 & 4
	Variation 13° 55' E
4.00	Set post for temporary ¼ Sec. Cor.
79.90	Intersect South Boundary of Township at a point 30 lks West from Section Corner Common to Secs. 3. 4. 33 & 34 — S 13° West
	Variation 13° 55' E
39.90	Set Cedar post 8 in. x 4 ft. 12 in. deep. Deposit chand. stake. raise mound of earth 2 ft high. from pits 2 2 in. x 2 2 in. 12 in. deep. for ¼ Sec. Cor.
79.90	Corner to Secs. 3. 4. 9 & 10
	Surface rolling Soil 2nd rate

June 29th

Township 33 South

Range 21 West 6th P.M.

Chains		Chains	
	From the established corner to Sec. 32 & 33 on South boundary of this Township I run North bet Sec. 32 & 33 Variation 13° 50' E		East on random line bet. Sec. 28 and 33 Variation 13° 45' E
1.50	Grain T.R. and Oak S.E.	40.00	Set post for temporary ¼ Sec. Corner.
14.00	Ravine Pine and Oak S.E.	48.00	Grain 4 lks. wide South
17.00	Spring 3 lks. wide E	79.66	Intersect A. and S. line at post. corner to Secs. 28. 33 and 34 from which corner Grm 8 feet on line bet Sec. 28 and 33
40.00	Set Cedar post 8 in x 2 in x 4 ft. 12 in deep Deposit chained stake, raise mound of earth 2 ft high from pits 2 ft in x 22 in 12 in deep for ¼ Sec Cor		Variation 13° 45' E
80.00	Set Cedar post 3 in x 3 in x 4 ft. 12 in deep Deposit chained stake, raise mound of earth 2 ft high from pits 24 in x 24 in 12 in deep for Corner to Secs. 28, 29, 32 and 33	39.83	Set Cedar post 3 in x 3 in x 4 ft. 12 in deep Deposit chained stake raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep. for ¼ Sec. Cor Corner to Secs. 28, 29, 32 and 33
	Surface broken Soil 2 ft rails	79.66	Surface gently rolling Soil 2 ft Prairie

Township 33 North-

North bet. Sec. 28 & 29
Variation 13° 50' E.
40.00 Set Cedar post 3 in x 2 in x 4 ft - 12 in deep
Deposit chained
stake, raise mound
of earth - 2 ft high
from pits 2 ft x 2 ft
12 in deep. for ¼
Sec. corner -
80.00 Set Cedar post 3 in
x 3 in x 4 ft. 12 in
deep. Deposit chained
stake, raise mound
of earth - 2 ft high
from pits 2 ft x 2 ft
12 in deep. for
Corner to Sec. 20. 21. 28
and 29
Surface high level land
Soil 2nd rate

Range 2 West of the

Chains
Cost on random
line bet. Sec. 21 & 28
Variation 13° 45' E.
14.60 Running S. E.
40.00 Set post for temporary
¼ Sec. Corner
79.72 Intersect N. and S. line
at a point 30 lks South
of corner to Sec. 21 22
28 from which
corner 2 bur
S 89° 45' West one
link bet. Sec.
21 and 28
Variation 13° 45' E
39.80 Set Cedar post 3 in
x 2 in x 4 ft - 12 in
deep - Deposit Chained
stake, raise mound
of earth - 2 ft high
from pits - 2 ft x 2 ft
2 in deep. for ¼ Section
Corner bet Sec. 20. 21, 28
79.80 and 29 -
Surface high level table land
Soil 2nd rate

Township 33. South—

Chains	
	South bet. Secs. 20 & 21
	Variation 13° 35' East
40.00	Set Cedar post 3 in x 2 in x 4 ft — 12 in deep, Depart chand S. 45° E. range mound earth — 2 ft high from pits 2 ft x 2 ft — 12 in deep for ¼ Sec. Cor —
80.00	Set Cedar post 3 in x 3 in x 4 ft. 12 in deep Depart chand S. 45° E. range mound earthy — 2 ft high from pits 2 ft x 2 ft — 12 in deep for Sec. Cor. to Secs. 16. 17. 20 & 21 Surface high level table land Soil 2nd rate

Range 21. West 6th P.M.

Chains	
	East on random line bet. Secs. 16 & 21
	Variation 13° 45' E
40.00	Set post for temporary ¼ Sec. Cor —
79.80	Intersect N. and S. line at a point 10 lks South of corner to Secs. 16. 16. 21 & 22 from which corner Bears S. 89° 56' West on true line bet. Secs. 16 & 21
	Variation 13° 45' E
39.90	Set Cedar post 8 in. x 2 in x 4 ft, 12 in deep, Depart chand E. 45° N. stake, grave mound gauly — 2 ft high from pits 2 ft x 2 ft — 12 in deep for ¼ Sec. Cor.
79.80	Corner to Secs. 16. 17. 20 & 21 Surface high table land Soil 2nd rate

Township 38 South — Range 21 West 6th P.M.

chains		chains	
	North bet. Sec. 16 & 17 Var. 13° 55' E		East on random line bet. Sec. 9 and 16 Variation 13° 45' E
40.00	Set Cedar post 3 in x 2 in x 4 ft. 12 in deep. Deposit chamfered stake raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep. For 1/4 Sec. Cor. to Sec. 8. 9. 16 & 17	40.00	Set post 3 in square 4 faced chamfered Oak and S. 4 Lks South of line at a point 4 Lks South of corner to Sec. 9. 10. 15 and 16. from which corner a pine 8 in dia bears S 89 5' West one link dist. Set Cedar post 3 in x 2 in x 4 ft. 12 in deep. Deposit chamfered stake raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep. For 1/4 Sec. Cor. to Sec. 8. 9. 16 & 17
65.00	Cutting Valley. E. & W.		
80.00	Set Cedar post 3 in x 3 in x 4 ft. 12 in deep Deposit chamfered stake, raise mound of earth 2 ft high from pits 24 in x 24 in - 12 in deep, for Corner to Sec. 8. 9. 16 & 17.	39.94	Variation 13 45 E Set Cedar post 3 in x 2 in x 4 ft. 12 in deep. Deposit chamfered stake raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep. For 1/4 Sec. Cor. to Sec. 8. 9. 16 & 17
	Surface 1st. 64 ch. level latter - land - Soil 2nd rate Balance Valley gently rolling, Soil 1st rate	79.88	Surface gently rolling Soil 1st rate

Traverse 33 North-

Chains	
	North- bet Sec 8 and 9
	Var. 13° 55' E
40.00	Set Cedar Post 3 in x 2 in x 4 Ft. 12 in deep. Deposit chained stake raise mound of earth- 2 Ft high from pits 22 in x 22 in - 12 in deep for ¼ Sec. Corner.
55.00	Leave Valley E and W.
80.00	Set Cedar Post 3 in x 3 in x 4 Ft - 12 in deep. Deposit chained stake, raise mound of earth- 2 Ft high from pits- 24 in x 24 in - 12 in deep. for Corner to Sec 4. 5. 8 and 9
	Surface valley gently rolling
	Soil 1st rate
	Balance upland rolling
	Soil 2d rate

Traverse 21 West (cont'd)

Chains	
	East on random line bet. Sec 4 and 9
	Variation 13° 45' E
40.00	Set post for temporary ¼ Sec Corner
80.20	Intersect N and S line at a point 6 lks South of corner to Sec 3. 4. 9. 10 from which corner Drum S 89-57 West on true line bet. Sec 4 and 9
	Variation 18° 45' E
40.10	Set Cedar Post 3 in x 2 in x 4 Ft 12 in deep, Deposit chained stake, raise mound of earth 2 Ft high from pits 22 in 22 in 12 in deep. for ¼ Sec Corner to Sec 4. 5. 8 and 9
80.20	Surface rolling
	Soil 2d rate

Township 22 South—

Courses	
	North on random line bet. Sec. 4 and 5
	Variation 13° 35' E
40.00	Set post for quarter Section Corner
80.20	Intersect S. boundary of Township abt. 1 Point 42 lks. East of Corner to Secs. 4, 5, 8, 9 From which Corner a pine 18 in. Diam. bears East on true line bet Sec. 4 and 5
	Variation 13° 55' E
40.20	Set Cedar post 8 in x 2 in x 4 ft — 12 in deep. Deposit chained Stake, raise mound of earth 2 ft high from pits 22 lks x 22 in — 12 in deep for ¼ Sec. Cor —
80.20	Corner to Secs. 4, 5, 8, 9 Surface rolling Soil 2nd rate —

Range 2 West of the 6th P.M.

Courses	
	From the established corner to Secs. 31 and 32 on the South boundary of Township 1 North Range 2 West bet. Secs. 31 and 32
	Variation 13° 50' E
40.00	Set Cedar post 3 in x 2 in x 4 ft — 12 in deep. Deposit chained Stake, raise mound of earth 2 ft high from pits 22 lks x 22 in — 12 in deep for ¼ Sec. Cor —
46.10	Eastern pine Canon West
50.00	Leave " " West
71.50	Eastern pine Canon West
80.00	Leave " " and Set a Cedar post 3 in x 2 in x 4 ft — 12 in deep, Deposit chained Stake, raise mound of earth 2 ft high from pits 24 in x 24 in — 12 in deep for Corner to Secs 29, 30, 31 and 32 — Surface broken Soil 2nd rate

Township 33 North-

chains	
	East on random line bet. Sec. 29 & 32
	Variation 13° 45' E
34.00	Enter Cañon S. 2 4 rods
40.00	Set post for temporary ¼ Section Corner
71.00	Oak and pine [illegible]
79.78	Leave South. Intersect ¼ and S. line at a point 25 lks. South of corner to Sec. 28. 29. 32 and 33. from which corner I run S 89° 48' West on true line bet. Secs. 29 & 32
	Variation 13° 45' E
39.89	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit charcoal stake. Raise mound of earth - 2 ft high
79.78	From pits - 2 2 in x 2 2 in x 4 ft - 12 in deep. Set ¼ Sec. Cor. Corner to Secs. 29. 30. 31 & 32. Surface broken. Soil 2nd rate

Range 21 West 6th P. M.

chains	
	West on random line bet. Sec. 30 & 31
	Variation 13° 45' E
30.00	Enter pine Cañon South -
37.00	Leave " " South
40.00	Set post for temporary ¼ Section Corner.
77.50	Intersect West boundary of Township at a point 25 lks. South of corner to Sec. 30 and 31 from which corner I run S 89° 48' East on true line bet. Sec. 30 & 31.
	Variation 13° 45' E
37.50	Set Cedar post 2 in x 2 in x 4 ft - 12 in deep. Deposit charcoal & stake, raise mound of earth - 2 ft high. From pits - 2 2 in x 2 2 in x 4 ft. Sec. Cor. Corner to Secs. 29. 30. 31. & 32. Surface broken. Soil 2nd rate
77.50	June 30th

Township 33 North—

Actual		Chains	
	North bet. Sec. 29 and 30		Cut on random line bet. Sec. 20 and 29
	Variation 13°30E		Variation 13°45E
3.00	Random N. W.		
24.00	Pine Cañon 4 chs. wide West	4000	Set post for temporary station corner —
40.00	Set Cedar post 3 in x 2 in x 4 ft. 12 in deep.	7986	Intersect N. and S. line at a point 20 lks. South of corner to Sec. 20. 21 28 and 29, from which corner I bear S 89° 45' West true line bet. Sec. 20 and 29
	Deposit chained stake, raise mound of earth 2 ft high		Variation 13°45E
40.50	From pit 2 2 in x 22 in 12 in deep. For 4 Sec. corner. West		Set Cedar post
64.50	Pine Cañon 4 chs. wide West	3995	3 in x 2 in x 4 ft. 12 in deep, Deposit chained stake, raise mound of earth 2 ft high, from pits 22 in x 22 in 12 in deep. For corner to Sec. 19. 20. 29. 30
80.00	Set Cedar post 3 in x 2 in x 4 ft 12 in deep. Deposit chained stake, raise mound of earth 2 ft high, from pits 24 in x 24 in - 12 in deep. For corner to Sec. 19. 20. 29. 30	7986	Surface broken Soil 2nd rate
	Surface broken		
	Soil 3rd rate		

Range 21 West 6th P. M.

Township 33 South -

	Section boundaries line between Sec. 19 and 30
	Variation 13° 45' E
31.25	Karnes degrees South -
40.00	Set post for Quarter Sec. corner -
77.12	Intersect Section boundary of Township at a point 42 lks South of corner to Sec. 19 and 30 from which corner Spruce 18 - 42 ; East oak 12 in line between Sec. 19 and 30
	Variation 13° 45' E
37.12	Set Cedar post 8 in x 2 in x 4 ft - 12 in deep Deposit chained stake raise mound of earth 2 ft high. Iron pits - 22 in x 22 in - 12 in deep for 1/4 Sec. (2) -
77.12	Corner to Sec. 19 20 29 and 30. Surface rolling Soil 2nd rate -

Range 21 West 6th Principal

	South between Sec. 19 and 20
	Variation 13° 50' E
40.00	Set Cedar post 3 in x 3 in x 4 ft. 12 in deep. Deposit chained stake, raise mound of earth 2 ft high Iron pits 24 in x 24 in - 12 in deep for Corner to Sec. 17. 18. 19 and 20
	Surface rolling Soil 2nd rate

Township 83 South—

Chains	
	East on a random line bet. Secs. 17 and 20
	Variation 13°45' E
40.00	Set post for temporary ¼ Sec. Cor.
80.24	Intersect N. and S. line at a point 25 lks. N. of corner to Secs. 16 17 20 21 from which corner Bl. Elm N. 89° 49' West one true line bet. Secs. 17 and 20
	Variation 18°45' E
40.12	Set Cedar post 8 in. x 2 in. x 4 ft. - 12 in. dep. Deposit chard stake, raise mound of earth 2 ft. high from pits 22 in. x 22 in. 12 in. deep. for ¼ Sec. Cor. common to Secs. 17. 18. 19 and 20
80.24	Surface lost table land Soil 2nd rate

Range 21 West 6th P.M.

Chains	
	West on a random line bet. Sec. 18 and 19
	Variation 13°45' E
21.25	Range South.
40.00	Set post for temporary ¼ Section Corner.
77.04	Intersect West bound ary of Township at a Bz. tree 24 lks. South of corner to Secs. 18 and 19. from which corner Elm South 89° 50' East one true line bet. Secs. 18 and 19
	Variation 18°45' E
37.04	Set Cedar post 3 in. x 2 in. x 4 ft. - 12 in. deep. Deposit chard stake, raise mound of earth 2 ft. high from pits 22 in. x 22 in. 12 in. deep. for ¼ Sec. Cor. 77.04 common to Secs. 17. 18. 19 and 20
	Surface rolling Soil 2nd rate

Township 32 South—

Chains	
	South bet. Sec. 17 & 18
	Variation 13° 55' E
4.00	Set Cedar post —
	3 in x 2 in x 4 ft —
	12 in deep. Deposit-
	ed hand stake, raise
	mound of earth
	2 ft high. Iron
	pits - 2 2 in x 2 2 4 in
	12 in deep. for 4 Sec.
80.00	Set Cedar post
	3 in x 3 in x 4 ft
	12 in deep.
	Deposit hand
	stake, raise
	mound of earth
	2 ft high. Iron
	pits - 2 4 in x 2 4 in
	12 in deep for
	mng to Sec. 7. 8. 17. 18
	Surface rolling
	Soil 2nd rate

Range 21 West 6th P.M.

Chains	
	East on random line
	bet. Sec. 8 and 17
	Variation 13° 45' E
40.00	Set post for temporary
	1/4 Section corner
80.36	Intersect S. and S.
	line at a point 25 lks
	N. of corner to Sec. 8.
	9. 16 and 17 from which
	corner 2 ins
	N 89 - 45' West on true
	line bet. Sec. 8 and 17
	Variation 13 1/4° E
40.18	Set a stone Std Cedar
	post 3 in x 2 in x 4 ft
	12 in deep. Deposited
	hand stake, raise
	mound of earth 2 ft
	high. Iron pits 2 2 in
	x 2 2 in 12 in deep
	for 1/4 Sec. cor.
80.36	Corner to Sec. 7. 8. 17. 18
	Surface gently rolling valley
	Soil 1st rate

Township 33 North. —

From		
		West on a random line bet. Sec 7 and 18
		Variation 13° 45' East
	40.00	Set Post for temporary ¼ Section Corner.
	76.92	Intersect Westbound-ary of Township at a Point 14 Lks N. of Corner to Sec 7 and 18
		Ground which comes Down
		N 89° 54' East on true line bet. Sec 7 and 18
		Variation 13° 45' E
	36.92	Set Cedar post 3 in x 2 in x 4 Ft - 12 in deep.
		Deposit chained stake
		raise mound of earth - 2 Ft high
		from pits 22 in x 22 in 12 in deep for ¼ Sec. Cor-
	76.92	ner to Sec 7, 8, 17, 18
		Surface rolling
		Soil Sandy 2nd rate

Range 21 West of the

From		
		North bet. Sec 7 and 8
		Variation 13° 55' E
	20.00	Leave Valley N.E. and 8 ft
	40.00	Set Cedar post. 3 in x 2 in x 4 Ft. 12 in deep
		Deposit chained stake
		raise mound of earth - 2 Ft high from pits 22 in x 22 in 12 in deep for Sec.
	80.00	Set Cedar post. 3 in x 4 Ft. 12 in deep
		Deposit chained stake
		raise mound of earth - 2 Ft high from pits 24 in x 24 in 12 in deep for Corner to Sec 7, 8. 5 & 6
		Surface Valley Gently rolling
		Soil 1st rate
		Balance Prairie rolling
		Soil 3rd rate

Township 33 South—

Chains	Links	
		East on random line bet. Sec. 5 and 8
		Variation 13° 45' E
	15.00	Enter Valley N. and S.
34	40.00	Set post for temporary
40		¼ Sec. Corner—
	40.50	Drain South—
7	60.00	Leave Valley N. and S.
	80.60	Intersect B. and S. line
		ab a point Corner to
		Sec. 4. 5. 8 and 9 from
		which corner B. mon
		West on a true line
		bet. Sec. 5 and 8
		Variation 13°-45' E
	40.30	Set Cedar post
		3ni x 2ni x 4 ft. 12 in
		deep. Deposit Chand
		Stake. raise mound
		of earth 2 ft high
		from pits 22 ni x 22 i
		12 ni deep. for ¼ Sec. Cor
	80.60	Corner to Sections
		5. 6. 7. 8
		Surface valley gently rolling
		Soil 1st rate. Balance rolling upland

59

Range 2 West 6th P.M.

Chains	Links	
		West on random line bet Sec. 6 and 7
		Variation 13° 45' E
	40.00	Set post for temporary ¼ Section Corner.
	76.80	Intersect West Boundary of Township at a point 20 lks South of corner to Sec. 6 and 7 from which corner 3 trees Dog 47' East on true line bet. Sec. 6 and 7
		Variation 13° 45' E
	36.80	Set Cedar post 3ni x 2 in x 4 ft. 12 in deep. Deposit Chand & stake. raise mound of earth 2 ft high from pits 22 ni x 22 ni 12 ni deep. for ¼ Sec. Cor.
	76.80	Sections 5. 6. 7 and 8 Surface rolling Soil 2d rate

Township 33 North — Range 21 West 6th PM

Variation	
	North on random line bet Sec 2 3 11 6
	Variation 13° 55 E
22.50	Drain descends East
40.00	Set post for temporary 1/4 Section Corner.
80.46	Intersect North-bound — ary of Township at a point 30 lks West of corner to Sec 5 5 and 6 from which ground drops 2 ft West on true line Set. Sec 5 5 and 6
	Variation 13° 55' E
40.46	Set Cedar post 3 in x 2 in x 4 ft 12 in deep. Le point channel lake, 0 in mound of earth 2 ft high from pits 22 in x 22 in 12 in deep. for 1/4 Sec. Cor common to Sec 5. 6. 7. 8
80.46	Surface rolling Soil 2d rate

July 1st

General Description

In the northern part of this Township is a valley of gently rolling surface - and 1st rate soil - which is drained by the Kyaka Raka River - through this extends a belt of high table land extends from East to West Coal 2nd rate

2 The southern portion of the Township drains into the Niobrara River and is somewhat broken, especially the South Eastern part, which is cut up by deep cañons in which are pine trees.

3 There is a fair average of 2d rate soil in this Township

List of Names

A list of the names of the individuals who were employed to assist in running measuring, or marking the lines and corners described in the foregoing field notes of Township No 13 South of Range No 21 West of the 6th Principal Meridian in Nebraska. Giving the respective capacities in which they acted

Lelii E. Ladd — Chainman
William Spangler — Chainman
Adelbert D. Bierce — Axeman
Charles Bowers — Axeman & flagman

We hereby certify that we
appointed Geo. W. Burton, Deputy
Surveyor in surveying and Sub-
dividing Tom. 13 33 N. R. of the
6th Principal Meridian
and that said Tom. has
been, in all respects, to the
best of our knowledge
and belief, well and faithfully
surveyed and the Boundary
Monuments planted ~~+~~
according to the instructions
~~+ & in accordance with~~
furnished by the Surveyor Gen.
and of dimensions, character
construction and marking
and in the manner as
specifically described in the
Surveyors field notes.

Leslie E. Scott. } Chainmen
William Spangler. }
Adelbert D. Price } Axemen
Charles Boors } Monumenters
and Flagmen

Subscribed and sworn to
before me a Notary
Public in and for the
County of Douglas and
State of Nebraska, this 22d.
day of July 1875.

C. Wiltse
Notary Public

I, Geo. W. Burton, Deputy Surveyor, do solemnly swear that in pursuance of a joint contract, wherein Alexander Hillsee, Geo. W. Burton and Isaac Foorde are joint Contractors with E. E. Cunningham Surveyor Gen. for the State of Iowa and Nebraska beginning date the 18th day of May 1875. I have well faithfully and truly in my several proper person and in strict conformity to the instructions furnished by the Surveyor General, the Surveying Manual and the laws of the United States, surveyed all those parts or subdivisions of Township No 23 N. of the base line & Range No 2 West of the 6th Principal Meridian as are represented by the foregoing field notes as having been subdivided under my direction; & I do further solemnly swear that all the corners of said Survey have been established and perpetuated in accordance with the Surveyors Manual. Printed instructions & Special instructions of the Surveyor General, of December 2nd and 6th, & in the manner specifically described in the foregoing field notes & said that the foregoing are true and original field notes of such survey.

George W. Burton
Deputy Surveyor

Subscribed and sworn to before me a Notary Public in and for the County of Douglas and State of Nebraska this 22d. day of June 1875.

C. Wiltse
Notary Public

Surveyor. Generals Office
Plattsmouth Neb Sept 18th 1875

The foregoing field notes of the survey and subdivision of Township No 33 North of the Base line of Range No 21 West of the 6th P. M. in Nebraska executed by George W. Burton under joint Contract No 90, dated May 18th 1875 in the Months of June and July 1875 having been critically examined the necessary corrections and explanations made the said field notes with the surveys they describe are hereby approved

J. M. Clark
Surveyor General

Field Notes
of the
Survey of Subdivisions
of Township No 34 North
of the
Base Line
of
Range No 21 West
of the
6th Principal Meridian
in the
State of Nebraska

Executed
by Geo W. Burton, deputy
Surveyor, under
Gen'l Contract No 90
dated May 18th 1875

Survey
Commenced July 2nd 1875
Completed July 6th 1875

Index Diagram

Township No 34 South
of the
Base Line
Range No 2 West of the
Fourth Principal



List of Names

A list of the names of the individuals who were employed to assist in subdividing and sub dividing the Township.

Leslie E Scott Chainman
William Springer
Adelbert A. O. Bierce "
Charles Bowers Axeman
Chainman

Township No 34 North — Range 21 West 6th Principal

		Chains	
	To determine the proper adjustment of my compass for sub-dividing this Township I begin at corner to Townships 33 and 34 N. of the 2nd line. Ranges 20 and 21 West of the 6th Prin. Mer. and run North on a blank line along the East boundary of Section 36.		From the established corner to Sections 35 and 36 on South Boundary of the Township, I run North, on true line. bet. Sect. 35 and 36 Variation 13° 45' East
40.01	To ¼ Sec. Cor.	25.50	East part of Pond 1 chain wide — at this point.
80.02	To a point 2 Chs. East of cor to Sec. 25 and 36	40.00	Set Cedar post 3 in x 2 in x 4 ft. 12 in deep. Deposit charred stake, raise mound of earth 2 ft high, post pile 22 in x 22 in - 12 in deep. for ¼ Sec. corner.
	Therefore my compass is in proper adjustment	80.00	Set Cedar post 3 in x 3 in x 4 ft - 12 in deep Deposit charred stake raise mound of earth 2 ft high from which 2 pits 24 in - 12 in deep for corner to Sections 25. 26. 35 and 36. Leave Valley 8 W. and 8 S. Tunacunwitt valley S. 8 E. 1 mile.

Township 34 South -

Chains	
	East on ogundond line bet Sec. 25 and 36
	Variation 13° 45' E -
40.00	Set post for temporary Section Corner
55.00	Slough South. 30 Ch. wide
80.22	Intersect N and S line of Each Township & Township at a point 12 Ch. South of Corner to Sec. 25 and 36 from which corner I run
	S 89° 55' West on true line bet. Sec. 25 and 36
	Variation 13° 45' E
40.11	Set Cedar post 8 in x 2 in x 4 ft - 12 in deep Deposit chand stake raise mound of earth - 2 ft high from pits - 22 in x 22 in - 12 in deep. for ¼ Sec Cor -
80.22	Comm to Sec. 25, 26, 35 and 36
	Surface rolling Soil 2nd rate

Range 21 West 6th Principal

Chains	
	South bet. Sec. 25 - 26
	Variation 13° 45' E -
38.60	Drain descends S.E.
40.00	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chaned stake, raise mound of earth - 2 ft high. from pits - 22 in x 22 in - 12 in deep for - comm to Sec. 23, 24, 25 and 26
64.00	Drain descends East
79.68	Drain descends S.E. to 38.
80.00	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chaned stake, raise mound of earth - 2 ft high. from pits - 24 in x 24 in - 12 in deep for comm to Sec. 23, 24, 25 and 26
	Surface rolling Soil 2nd rate

4 Township 34 North Range 21 West 6th Principal 5

Chains		Chains	
	East on random line bet. Secs. 24 & 25 Variation 13° 45' E		North bet. Secs. 23 and 24 Variation 13° 45' E
30.00	Drain. deicends N.E.	25.30	Drain descends East
40.00	Set pint for temporary ¼ Sec. Corner	40.00	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Depositchand stake, 2 dirt mounds S. earth - 2 ft high from pits 22 in x 22 in - 12 in deep. For ¼ Sec. Corner -
64.13	Slough N.W.	63.85	Drain descends East
80.56	Intersect East bound -ary of Township at a point 28 lks North of Corner to Secs. 24 & 25, from which corner I bear North 89° 48' West on line bet. Secs. 24 & 25 Variation 13° 45' E	80.00	Set Cedar post 3 in x 3 in x 4 ft - 12 in deep. Deposit chand stake, 2 dirt mounds S. earth - 2 ft high from pits 24 in x 24 - 12 in deep. Corner to Secs. 13. 14. 23 & 24.
40.28	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep, Deposit chand stake, 2 dirt mound S. earth - 2 ft high from pits 22 in x 22 - 12 in deep. For ¼ Sec. Corner to Secs. 23. 24. 25 & 26.		Surface rolling Soil 2nd rate
80.56	Surface rolling Soil 2nd rate		

Township 34 South

chains	
	East on random line bet. Sec. 13 and 24
	Variation 13° 45' E
38.50	Stone 7 lks. mdg. Sec. Cor. South
40.20	Slough 20 lks. wide N.W.
80.48	Intersect East boundary of Township at a point 30 lks. South of corner to Sec. 13 and 24, from which corner Cedar N. 89° 47' West on line bet. Secs. 13 and 24
	Variation 13° 45' E
40.24	Set Cedar post 3 in x 2 in x 4 ft. - 12 in deep. Deposit chained stake, raise mound of earth, 2 ft high. From pits 22 in x 22 in 12 in deep. for 1/4 Sec. Cor.
80.48.	Common to Secs 13. 14. 23 and 24
	Surface broken Soil 2nd rate

Range 21 West 6th P. M.

chains	
	South bet. Sec. 13 and 14
	Variation 13° 45' E
40.00	Set post (Cedar) 3 in x 2 in x 4 ft - 12 in deep. Deposit chained stake, raise mound of earth, 2 ft high from pits 22 in x 22 in 12 in deep. for 1/4 Sec. Cor.
54.00	Chain descends E.L.
80.00	Set Cedar post. 3 in x 3 in x 4 ft 12 in deep. Deposit chained stake. raise mound of earth 2 ft. high. from pits - 24 in x 24 in - 12 in deep. for corner to Sections 11. 12. 13 and 14
	Surface broken Soil 2nd rate

8

Township 34 North-

chains	
	East on random line bet. Secs 12 & 13
	Variation 13° 45' E
40.00	Set post for temporary ¼ Section Corner
80.18	Intersect East boundary of Township at a point 36 lks. North of corner to Sections 12 and 13
	from which corner I run
	N. 89° 45' East on true line bet. Secs 6, 12 & 13
	Variation 13° 45' E
40.09	Set Cedar post 8 in. x 2 in. x 4 ft. - 12 in. deep. Dep'd chand stake, rock mound of earth. 2 ft high from pits 22 in. x 22 in. & 12 in. deep for ¼ Sec. Corner.
80.18	Corner to Secs. 11. 12. 13 & 14
	Surface gently rolling Soil 1st rate

9

Range 21 West 6th P.M.

chains	
	North bet. Secs. 11 and 12
	Variation 13° 45' E
40.00	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Dep'd chand stake, rock mound of earth - 2 ft high. from pits - 22 in x 22 in & 12 in deep for ¼ Sec Cor.
80.00	Set Cedar post. 3 in x 3 in x 4 ft - 12 in deep. Dep'd chand stake, rock mound of earth - 2 ft high. from pits - 24 in x 24 in - 12 in deep for corner to Secs. 1, 2, 11 and 12
	Surface rolling Soil 2nd rate

Township 34 North—

Chains	
	East, on random line bet. Sec. 1 and 12
	Variation 13° 45' E
40.00	Set post for temporary ¼ Section Corner
80.38	Intersect East bdry of Township & Gr. Point 14 ch. 38 l. South of corner to Sec. 1 and 12, from which corner Elm 8 links 54° West on line bet. Sec. 1 and 12
	Variation 13° 45' E
40.19	Set Cedar post 3 in. x 2 in. x 4 ft. - 12 in. deep. Deposit chained stake, rain mound of earth - 2 ft. high from pits - 2 in. x 22 in. 12 in. deep. For ¼ Sec. Cor. - Corner to Sections 1. 2. 11 and 12
	Surface gently rolling Soil 1st rate

Range 21 West 6th P.M.

Chains	
	South on random line bet. Sec. 1 and 12
	Variation 13° 45' E
40.00	Set post for temporary ¼ Section Corner -
75.00	Enter bottom of Elm 10.
79.60	Intersect North bound - ary of Township at a point 42 ch. North of corner to Sections 1 and 12, from which corner Elm 8 links 54° West on line bet. Sec. 1 and 12
	Variation 13° 45' E
39.60	Set Cedar post 3 in. x 2 in. x 4 ft. - 12 in. deep. Deposit - chained stake rain mound of earth - 2 ft. high from pits 2½ in. x 2 ½ in. - 12 in. deep. For ¼ Sec. Cor. - Corner to Sec. 1. 2. 11. 12
79.60	Surface gently rolling Soil 1st rate

July 5th

Township 34 South — Range 21 West 6th P.M.

chains		chains	
	From the established corner to Sec. 34 and 35 on South boundary of Township. Iron Stake bet. Sec. 34 & 35 Variation 13° 45' E		Cont on round out line bet. Sec. 26 and 35 Variation 13° 45' E
40.00	Set Cedar Post 3 in x 2 in x 4 ft - 12 in deep. Deposit- ched stake, raise mound of earth 2 ft high. Iron pits 22 in x 22 in - 12 in deep for ¼ Sec. Corner.	40.00	Set post for temporary ¼ Section Corner-
45.00	Enter bottom S.E. & N.W.	79.78	Intersect W. and S. line at a point 14 lks. South of corner to Sec 25. 26. 35 and 36. from which corner bears
80.00	Set Cedar post 3 in x 3 in x 4 ft - 12 in deep Deposit chained stake raise mound of earth 2 ft high from pits 24 in x 24 in - 12 in deep for corner to Sec 25. 26. 35 and 36 —	39.89	S 89° 54' West on line bet. Sec. 26 and 35 — Variation 13° 45' E Set Cedar post 3 in x 2 in x 4 ft - 12 in deep, Deposit chained stake, raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep. for ¼ Section corner to Sec. 26. 27. 34 and 35.
	Surface bottom gently rolling Soil 1st rate	79.78	Surface rolling Soil 2d rate
	Balance Upland rolling. Soil 2d rate		

Township 34 South — Range 21 West 6th P.M.

chains		chains	
	North bet. Sec 26 & 27 Variation 13° 45' E.		East on random line bet. Sec. 23 & 26 Variation 13° 45' E.
40.00	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chard stake, raise mound of earth - 2 ft high from pits 2 2 in x 2 2 in - 12 in deep. for ¼ Section corner.	40.00	Set post for temporary ¼ section corner.
		79.44	Intersect 1st S line at a point 42 lks Southerly from corner to Sections 23, 24, 25 and 26 from which corner a 9 in Elm bears N 29° W dist 42 lks. West on true line bet. Sec. 23 and 26 Variation 13° 45' E.
80.00	Set Cedar post 3 in x 3 in x 4 ft 12 in deep. Deposit chard stake, raise mound of earth 2 ft high. from pits 2 2 in & 2 2 in 12 in deep. for corner to Sec. 22. 23. 26 & 27 Surface gently rolling Soil 2nd rate.	39.72	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep; Deposit chard stake, raise mound of earth - 2 ft high from pits 2 2 in x 2 2 in 12 in deep for ¼ Sec. corner to Sec. 22. 23 26 and 27. Surface rolling Soil 2nd rate
		79.44	

Township 34 North —

Chains	
	North bet. Sec. 22 & 23
	Variation 13° 45' E
40.00	Set Cedar post 3 in x 2 in x 4 ft. 12 in deep. Deposit chained stake. raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep for ¼ Section Corner
80.00	Set Cedar post 3 in x 3 in x 4 ft. 12 in deep Deposit chained stake raise mound of earth 2 ft high. from pits 22 in by 22 in 12 in deep. for corner to Sections 14. 15. 22 & 23
	Surface gently rolling
	Soil 2nd rate

Range 21 West 6th Prin. Meridian

Chains	
	East on random line bet. Sec. 14 & 23
	Variation 13° 45' E
40.00	Set post for temporary ¼ Section Corner
79.86	Intersect N. and S. Line at a point 4 lks. South of corner to Sec. 13. 14. 23 & 24. from which corner I run S 89° 58' West on true line bet. Sec. 14 & 23
	Variation 13° 45' E
39.93	Set Cedar post 3 in x 2 in x 4 ft. 12 in deep. Deposit chained stake. raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep for ¼ Sec. Cor.
79.86	Corner to Sections 14. 15. 22 & 23
	Surface rolling
	Soil 2nd rate

Township 34 North-

chains	
	North bet. Sec. 14 & 15 - Variation 13° 45' E
40.00	Set Cedar post 3 in x 2 in x 4 ft - 12 in dep. Deposit chand stake, raise mound of earth - 2 ft high from pits 2 1/2 in x 22 in - 12 in dep for 1/4 Section. (south -
80.00	Set Cedar post 3 in x 3 in x 4 ft - 12 in dep. Deposit chand stake, raise mound of earth - 2 ft high from pits 2 4 in x 24 in x 12 in deep for corner to Secs. 10. 11. 14 and 15
	Surface rolling Soil 2nd rate

Range 21 West 6th P.M.

chains	
	East on random line bet. Sec. 11 and 14 - Variation 13° 45' E
40.00	Set Post for temporary 1/4 Section Corner
79.92	Intersect N. and S. line at, or point 2 chs North of corner to Secs. 10. 11. 13 and 14 from which corner B. pine N 89° 45' West one link bet. Secs. 11 and 14
	Variation 13° 45' E
39.96	Set Cedar post 3 in x 2 in x 4 ft - 12 in dep. Deposit chand stake, raise mound of earth 2 ft high from pits - 22 in x 22 in x 12 in dep. for 1/4 Sec. Corner to Secs. 10. 11. 14 & 15.
79.92	Surface rolling Soil 2nd rate

Township 34 North-

chains	
	North bet Sec. 9 & 10
	Variation 13° 45' E
40.00	Set Cedar post 3 in x 2 in x 4 Ft - 12 in deep. Deposit chained stake, raise mound of earth 2 Ft high. From post 2 2 in & 2 2 in - 12 in deep. For 1/4 Sec. cor
80.00	Set Cedar post 3 in x 3 in x 4 Ft - 12 in deep. Deposit chained stake raise mound of earth 2 Ft high. From post 2 2 in x 2 4 in 12 in deep. For corner to Sections 2. 3. 10. 11
	Surface rolling Soil 2d rate

Range 21 West 6th P.M.

chains	
	East on random line bet. Secs 2 and 11
	Variation 13° 45' E
40.00	Set Cedar for temporary 1/4 Sec. Corner
79.76	Intersect N. and S. line at a point 2 1/2 Lks N. of corner to Secs 1. 2. 11 and 12 From which corner Bears N 89° 42' West on true line bet. Secs 2 and 11
	Variation 13° 45' E
39.88	Set Cedar post 3 in x 2 in x 4 Ft. 12 in deep. Deposit chained stake, raise ground slightly 2 Ft high From pits 2 2 in x 2 2 in 12 in deep for 1/4 Sec Corner to Sections 2. 3. 10 and 11
79.76	Surface broken Soil 3d rate

Township 34 North

chains	
	North on random line bet. Sec. 2 and 3
	Variation 13° 45' E
40.00	Set post for temporary ¼ Section Corner
45.00	Enter bottom E and W
79.32	Intersect North boundary of Township at Cor. post 38 lks. West of corner to Sections 2 and 3 from which corner a pine 8 in. Dia. bears North 1 link distant
	Run West on true line bet. Sec. 2 and 3
	Variation 13° 45' E
39.32	Set Cedar post 3 in. x 2 in. x 4 ft - 12 in. deep. Deposit chard & stake, raise mound of earth 2 ft high from pits 22 in. x 22 in. 12 in. deep. For ¼ Sec. Cor.
79.32	Corner to Sections 2. 3. 10. 11
July 30	Surface rolling Upland & gently rolling bottom 1st Soil 2" sand - " 1" sand

Range 21 West 6th P. M.

chains	
	From the established corner to Sections 33 and 34 on the South boundary of Township. I run North bet. Sec. 33 and 34
	Variation 13° 45' E.
40.00	Set Cedar Post 8 in. x 2 in. x 4 ft - 12 in. deep. Deposit chard stake. raise mound of earth 2 ft high from pits 22 in. x 22 in. 12 in. deep. For ¼ Sec. Cor.
80.00	Set Cedar Post 8 in. x 3 in. x 4 ft - 12 in. deep Deposit chard & stake dug mound of earth 2 ft high. from pits 24 in. x 24 in. 12 in. deep. for corner to Sections 27. 28. 33 & 34
	Surface gently rolling Soil 2" Sand

Township 34 South—

Chains	
	East on random line bet. Secs 2 & 34
	Variation 13°-45' E
4 34.00	Ecder bottom N.W. 25 L.
40.00	Set post for temporary ¼ Section Corner
80.16	Intersect N. and S. Line at a point 10 Chs South of corner to Secs 26. 27. 34 and 35. Found stone corner Iron S 89° W 36 Links Between line bet. Secs 2 Jan 34,
	Variation 13°45 E
40.08	Set Cedar post 8 in x 2 in x 4 Ft - 12 in deep. Deposit chgned stake, raise mound of earth 2 Ft high, from pits 22 in x 22 in - 12 in deep for ¼ Section Corner
80.16	Corner to Sections 27, 28. 33 and 34 Surface rolling & rolling upland Soil of 1st rate. & upland 2nd rate

Range 21 West 6th P.M.

Chains	
	North bet. Secs 2 & 34
	Variation 13°-45' E
40.00	Set post (Cedar) 3 in x 2 in x 4 Ft - 12 in deep. Deposit chgned stake, raise mound of earth 2 Ft high from pits 2 2 in x 2 2 in - 12 in deep. for ¼ Section
47.10	Enter pond 100 L. & W.
80.00	Set Cedar post 8 in x 3 in x 4 Ft - 12 in deep. Deposit chgned stake, raise mound of earth 2 Ft high from pits 2 2 in x 2 2 in - 12 in deep for corner to Secs 21 22. 27 and 28
Surface	gently rolling bottom and rolling upland & timber
Soil	2nd rate
	bottom 1st rate

Township 3 B North 4 Range 21 West 6th Pm.

ch	chains		chains	
		East on random line bet. Sec. 22 & 27 Variation 13° 45' E		North bet. Sec. 21 & 22 Variation 13° 45' E
34	2.25	Stream 4 lks. wide S.E.	40.00	Set Cedar Post 3 in x 2 in x 4 ft - 12 in deep. Deposit chaned stake, raise mound of earth 2 ft high from pits 22 in x 22 in x 12 in deep
40	5.50	Stream 4 lks. wide N.E.		
	40.00	Set Post for temporary ¼ Sec. Cor.	77.00	Stream N.W.
80	45.00	Leave bottom N. & S.	80.00	Set Cedar post 3 in x 3 in x 4 ft - 12 in deep. Deposit chaned stake, raise mound of earth 2 ft high, from pits 24 in x 24 in - 12 in deep for corner to Sec. 15, 16, 21 and 22
	80.14	Intersect N and S line at a point 14 lks South of corner to Sec. 22. 23. 26 and 27 from which corner Quin Spr. 5 ft West on line bet. Sec. 22 & 27 Variation 13° 45' E		Surface gently rolling bottom Soil 1st rate
40	40.07	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chaned stake, raise mound of earth 2 ft high. From pits 22 in x 22 in - 12 in deep. Pop to Sec. Cor.		
80	80.14	Corner to Sec 20. 21. 27 and 28. Surface gently rolling bottom Soil 1st rate Low upland & Timber bottom

Township 34 South —

Chains	
	East on random line bet. Sec. 15 & 22
	Variation 13° 45' E
32.00	Leave bottom N. W. & S. E.
40.00	Set post for temporary ¼ Section Corner
50.14	Intersect N. & S. line at a point 42 lks. S. of corner to Sec. 14, 15, 22 and 23. From which corner a pine 8 in. 42 links on line bears S. 9° E. Pine on line bet. Sec. 15 & 22
	Variation 13° 45' E —
40.07	Set Cedar post 3 in. x 2 in. x 4 ft — 12 in. deep. Deposit chained stake, raise mound of earth 2 ft high from pits 22 in. x 22 in. 12 in. deep. for ¼ Sec. Corner
80.14	Corner to Sec. 14, 15, 16, 21 and 22
	Surface gently rolling bottom + (rolling uplands) Soil, bottom, Timber, Upland Oak

Range 21 West 6th P.M.

Chains	
	North bet. Sec. 15 and 16
	Variation 13° 45' E
40.00	Set post (Cedar) 3 in. x 2 in. x 4 ft — 12 in. deep Deposit chained stake raise mound of earth 2 ft high from pits 22 in. x 22 in. — 12 in. deep. for ¼ Sec. Cor.
80.00	Set Cedar post 3 in. x 3 in. x 4 ft — 12 in. deep. Deposit chained stake, raise mound of earth 2 ft high from pits 24 in. x 24 in. — 12 in. deep for corner to Sec. 9, 10, 15 and 16
	Surface gently rolling bottom Soil 1st rate

Township 34 South Range 21 West 6th P.M.

Chains		Chains	
	East on regulation line bet. Secs. 10 and 15 Var. 13° 45' E.		North bet. Secs. 9 and 10 Variation 13° 45' E.
35.00	Leave bottom N. W. and S. E.	40.00	Set Cedar post 3 ins. x 2 ins. x 4 ft. - 12 ins. deep. Deposit chand. stake, raise mound of earth 2 ft. high from pits 2 ft. x 2 ins. x 2 ins. x 12 ins. deep. for ¼ Section corner
40.00	Set Cedar post for ¼ Section corner		
80.16	Intersect N. and S. line at a point 40 lks. South of corner to Secs. 10, 11, 14, 15 — From which corner Sur. S. 9 - 43' W. true line bet. Secs. 10 and 15 Variation 13° 45' E.	48.08	Leave bottom N. W. and S. E.
40.08	Set Cedar post 8 ins. x 2 ins. x 4 ft. - 12 ins. deep. Deposit chand. stake, raise mound of earth 2 ft. high from pits 2 ft. x 2 ins. x 2 ins. x 12 ins. deep. for ¼ Section corner	80.16	Set Cedar post 3 ins. x 3 ins. x 4 ft. - 12 ins. deep. Deposit chand. stake raise mound of earth 2 ft. high. from pits 2 ft. x 24 ins. x 12 ins. deep. for corner to Sections 3. 4. 9. 10 Surface broken upland ¼ gr. bottom Soil upland 2 ins. rate bottom 1 rate
80.16	Corner to Secs. 9. 10. 15. 16. Surface gr. bottom and Sr. upland Soil a 1st rate		

Township 34 North-

Chains	
	East on random line bet. Secs. 3 and 10. Variation 13° 45' E
40.00	Set post for temporary ¼ Section Corner
79.82	Intersect N and S line at a point 10 lks. S. of corner to Secs. 2. 3. 10 and 11 from which corner Bears S 89° 56' West true line bet Secs 3 and 10 Variation 13° 45' E
39.96	Set Cedar post 3 in x 2 in x 4 Ft 12 in deep. Deposit chard & stake, raise mound of earth 2 Ft high, from pits 2 2 in x 2 2 in - 12 in deep. for ¼ Section -
79.82	Corner to Secs 3. 4. 9. 10 Surface broken Soil, 2nd rate

Chains	
	North on random line bet. Secs. 3 and 4 Variation 13° 45' E
23.00	Enter bottom E & W.
40.00	Set post for temporary ¼ Section Corner
79.00	Stump. N.E.
79.85	Intersect N and S. line at a point 10 lks West of corner to Secs 3 and 4 from which corner Bears S. West true line bet Secs. 3 and 4 Variation 13° 45' E
39.85	Set Cedar post 3 in x 2 in x 4 Ft - 12 in deep. Deposit chard & stake, raise mound of earth - 2 Ft high from pits - 2 2 in x 2 2 in - 12 in deep for ¼ Sec. Cor
79.85	Corner to Secs. 3. 4. 9 and 10 Surface, broken upland and g. r. bottom Soil upland 2nd rate " 1st rate

July 11 - 12

Township 34 North-

Range 21 West 6th P.M.

chains		chains	
	North bet. Sec. 32nd/33 Variation 13° 45' E		East on random line bet. Sec. 28 and 33 Variation 13° 45' E
40.00	Set Cedar post 3 in x 2 in x 4 Ft - 12 in deep Deposit chained stake, raise mound of earth 2 Ft high from pits 22 in x 22 in 12 in deep. for ¼ Sec. Cor	30.00	Enter Valley N and S.
		40.00	Set Post for Temporary ¼ Section Angle -
		42.35	Down North-
		65.00	Leave Valley N & S.
		79.76	Intersect N. & S. line at 4 points 38 lks. South of corner to Sec. 27. 28. 33 and 34 Point which corner bears S 89° 44' West on true line bet. Sec. 28 and 33 Variation 13° 45' E
80.00	Set Cedar Post 3 in x 3 in x 4 Ft - 12 in deep. Deposit chained stake, raise mound of earth 2 Ft high from pits 24 in x 24 in - 12 in deep for corner to Sec. 28. 29. 32 & 33.	39.88	Set Cedar post 3 in x 2 in x 4 Ft - 12 in deep Deposit chained stake, raise mound of earth 2 Ft high. from pits 22 in x 22 in - 12 in deep for ¼ Sec. Corner
	Surface rolling Soil 1st rate	79.76	Corner to Sec. 28. 29. 32 and 33. Surface rolling Soil 1st rate

Township 84 North Range 21 West 6th Prin. Me.

Chains	
	North bet Secs 28 and 29. Variation 13° 45' E
40.00	Set Cedar post 8 in x 2 in x 4 Ft 12 in deep Deposit chained stake, raise mound of earth 2 Ft high from pits 2 2 in x 2 2 in 12 in deep. for ¼ Sec Corner bottoms S.E. & N.W.
50.00	
71.95	Stream 2 lks wide East
74.05	Stream 2 lks wide East
80.00	Set Cedar post 3 in x 3 in x 4 Ft - 12 in deep Deposit chained stake raise mound of earth - 2 Ft high. from pits - 2 4 in x 2 4 in 12 in deep. for corner to Sec's 20 21. 28 and 29
	Surface gently rolling Soil 1st rate

Chains	
	East on range line bet. Secs 21 and 28 Variation 13° 45' E
40.00	Set post for temporary ¼ Sec Cor
65.10	Stream 6 lks wide North
79.42	Intersect A and S line at a point 26 lks South of corner to Sections 21. 22. 27 and 28 from which corner Quad S 89° 49' West on base line bet. Secs 21 and 28. Var. 13° 45' E
39.71	Set Cedar post 3 in x 2 in x 4 Ft - 12 in deep Deposit chained stake, raise mound of earth 2 Ft high from pits 2 2 in x 2 2 in 12 in deep for ¼ Section Corner - Corner to Sec's 20 21. 28 and 29
79.42	Surface gently rolling bottom Soil 2nd rate

Township 34 North = Range 21 West 6th P.M.

Chains		Chains	
	North - bet. Secs 20 and 21		East on random line bet. Secs 16 and 21
	Variation 13° 45' E		Variation 13° 45' E
26.00	Leave bottom E. and W.	40.00	Set post for temporary ¼ Section Corner.
40.00	Set Cedar post 3 in x 2 in x 4 Ft - 12 in dep. Deposit chard stake, raise mound of earth 2 Ft high. From pits 22 in x 22 in 12 in dep. for corner to Sections 16. 17. 20 and 21	45.00	Enter bottom N. and S.
		74.50	Stream 7 lks. wide Mk.
		79.38	Intersect N and S line at a point 24 lks. North of corner to Secs 15, 16 - 21 and 22 from which corner Down 89° 50' West on true line bet. Secs 16 and 21
	Surface undulating bottom and rolling upland, Soil of bottom 1st rate upland 2nd "		Variation 13° 45' E
80.00	Set Cedar post 3 in x 3 in x 4 Ft - 12 in dep. Deposit chard stake, raise mound of earth - 2 Ft high From pits - 24 in x 24 in - 12 in dep. for corner to Sections 16. 17. 20 and 21	39.69	Set Cedar post 3 in x 2 in x 4 Ft - 12 in dep Deposit chared stake, raise mound of earth 2 Ft high from pits 22 in x 22 in 12 in dep. for ¼ Sec Cor.
	Surface undulating bottom and rolling upland, Soil of bottom 1st rate upland 2nd "	79.30	Corner to Secs 16. 17. 20 and 21 Surface upland rolling - bottom Soil " 2nd rate " 1st rate

Township 34 North—

Chains	
	North bet. Secs 16 & 17 Variation 13° 45' E
22.00	Enter bottom S.E. & S.W.
34.00	Drain descends East
40.00	Set Cedar post 8 in x 2 in x 4 ft — 12 in deep. Deposit chaned stake, raise mound of earth — 2 ft high. From pit 22 in x 22 in 12 in deep. for ¼ Sec. cor.
42.00	Leave bottom E. & W.
80.00	Set cedar post 8 in x 3 in x 4 ft — 12 in deep. Deposit chaned stake, raise mound of earth 2 ft high from pit 24 in x 24 in 12 in deep. for corner to Secs 8. 9. 16 & 17
	Surface Upland rolling, bottom gently rolling
	Soil " 2nd rate " 1st rate

Range 2 West 6th P.M.

Chains	
	East on random line bet Secs. 9 & 16 Variation 18° 45' E
35.00	Enter bottom N. W. & S. W.
40.00	Set post for temporary ¼ Section Corner.
52.00	Creek 8 Lks. wide. North —
80.00	Intersect N. and S. line at a point 5 8 Lks. North — of corner to Secs 9. 10. 15 & 16. from which corner I run
	N 89° 35' West on true line bet. Secs 9 and 16 Variation 13° 45' E
40.00	Set Cedar post 8 in x 2 in x 4 ft — 12 in deep. Deposit chaned stake raise mound of earth 2 ft high from pit 22 in x 22 in x 12 in deep. for ¼ Sec. Cor. — corner to Secs 8. 9. 16 & 17
80.00	Surface gr. bottom and rolling Upland
	Soil " 1st rate " 2nd rate

Township 34 North-

chains	
	North bet. Secs. 8 and 9
	Variation 13° 45' E
40.00	Set Cedar post 3 in x 2 in x 4 Ft — 12 in dep. Deposit chained stake raise mound of earth 2 Ft high. Iron pits 2 2 in x 2 2 in - 12 in deep for ¼ Section Corn-
65.00	Enter bottom N. 88° W. 8 C.
80.00	Set Cedar post 3 in x 3 in x 4 Ft — 12 in dep. Deposit chained stake, raise mound of earth - 2 Ft high from pits 2 ½ in x 2 ½ in x 4 Ft — 12 in deep for corner to Sections 4. 5. 8 and 9
	Surface bottom & upland gently rolling -
	Soil bottom 1st rate balance 2nd rate

Range 21 West 6th P.M.

chains	
	East on random line bet. Secs. 4 and 9
	Variation 13° 45' E
40.00	Set post for temporary ¼ Section corner -
41.70	Creek 8 lks. wide North
65.00	Leave bottom N. 88° W.
80.26	Intersect N. and S. line at a point 10 lks. North of corner to Secs. 3. 4. 9 and 10 from which corner I chain S. 89° E. 6. Rods on true line bet. Secs. 4 and 9.
	Variation 13° 45' E
40.13	Set Cedar post 3 in x 2 in x 4 Ft — 12 in deep. Deposit chained stake, raise mound of earth 2 Ft high. Iron pits - 2 2 in x 2 2 in - 12 in deep for ¼ Section corner to Sections 4. 5. 8 and 9
80.26	Surface bottom, level - Upland rolling Soil 1st rate

Variation 13° 45' E

Township 31 North

Range 21 West 6th Prin

chains				
	North on random line bet. Sect. 4 and 5 Variation 13° 45' E			From the established corner to Sect. 31 and 32 on South boundary of the Township Origin North bet Sect. 31 and 32
20.76	Stream 8 lks. wide East			
40.00	Set post for temporary ¼ Sec. Cor.			
50.00	Leave bottom E & W	Rise Sand	36.60	Drain N.E.
65.00	Leave ridge and Enter Valley	E & W	40.00	Set Cedar post 3 ins x 2 ins x 4 Ft - 12 ins deep. Deposit charred stake raise mound of earth 2 Ft high. From pits 22 ins x 22 ins 12 ins deep.
70.00	Drain S.E.			
79.92	Intersect North Boundary of Township at a point 36 lks West of corner to Sections 4 and 5, from which corner I edar 8 15' West on true line bet. Sections 4 and 5 Var. 13° 45' East			
			8.00	Set Cedar Post 3 ins x 3 ins x 4 Ft 12 ins deep. Deposit charred stake, raise mound of earth 2 Ft high. From pits 24 ins x 24 ins 12 ins deep. For corner to Sections 29. 30. 31 and 32. Surface rolling Soil 2nd rate
87.42	Set Cedar post 3 ins x 2 ins x 4 Ft. 12 ins deep. Deposit charred stake, raise mound of earth 2 Ft high From pits 22 ins x 22 ins 12 ins deep. For ¼ Sec Cor.			
7992	Corner to Sec 4. 5. 8. 9 Surface bottom level. Soil " 1st rate			Stand easily 2 Chs

Township 34 South -

Chains	
	East on random line bet. Sec's 29 and 32
	Variation 13° 45' E
40.00	Set post for temporary ¼ Section Corner —
60.00	Drain Descends South
80.18	Intersect N. and S. line at a point 14 lks. South of corner to Sec's 28. 29. 32 and 33 from which corner Limn
	S 89° 54' West on true line bet. Sec's 29 and 32
	Variation 13° 45' E
40.09	Set Cedar post 8 in x 2 in x 3 in x 4 ft - 12 in deep. Depositd chamd stake, raise mound of earth 2 ft high. Trees 22 in x 22 in - 12 in deep. For ¼ Sec Cor —
80.18	Corner to Sec's 29. 30. 31. 32 —
	Surface rolling Soil 2d rate

Range 2 West 6th P.M.

Chains	
	West on random line bet. Sec's 30 and 31
	Variation 13° 45' E
40.00	Set post for temporary ¼ Section Corner -
76.44	Intersect West Boundary of Township at a point 36 lks. South of corner to Sec's 30 and 31 from which corner Limn
	N 89° 44' East on true line bet. Sec's 30 and 31
	Variation 13° 45' E
36.44	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposited chamd stake, raise mound of earth 2 ft high. Trees 22 in x 22 in - 12 in deep. For ¼ Sec Cor —
76.44	Corner to Sec's 29. 30. 31 and 32.
	Surface rolling Soil 2d rate

Township 34 North-

chains	
	North bet. Sec 29 and 30
	Variation 18° 45' E
10.00	Enter bottom E. and W.
40.00	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep Deposit chand stake raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep for ¼ Sec Cor
71.00	Stream 2 lks wide East
80.00	Set Cedar post 3 in x 3 in x 4 ft 12 in deep Deposit chand stake raise mound of earth 2 ft high from pits 24 in x 24 in 12 in deep for corner to Secs 19. 20. 29. 30
	Surface gen'y bottom and gupland rolling
	Soil of bottom 1st rate
	" " upland 2d "
	July 5th-

Range 21 West 6th Pm

chains	
	East on random line bet. Secs 20 and 29
	Variation 18° 45' E
40.00	Set post for temporary ¼ Section Corner
73.84	Intersect N. and S. line at a point 24 lks South of corner to Secs 20-21-28 and 29 from which corner
	Elm
	S 89° 50' West one mile line bet. Secs 20 and 29.
39.92	Variation 18¼° E Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit chand stake, raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep. for ¼ Sec Cor (and) 30
79.84	Surface undulating Soil 1st rate

Township 34 North—

Chains	
	West on random line bet. Sec. 19 and 30
	Variation 13° 45' E
33.45	Again descends S.E.
40.00	Set post for temporary ¼ Section Corner
60.00	Leave Valley S. and N. bk.
76.45	Intersect West bound ary of Township at a point 48 lks. North of corner to Sec. 19 and 30 from which corner Juniper 18 links diameter bears N. 89° 30' E. Set on true line bet. Sec. 19 and 30
	Variation 13° 45' E
36.45	Set Cedar post 3 ins x 2 ins x 4 ft - 12 ins deep Deposit charred stake, raise mound of earth - 2 ft high from pits - 2 2 ins x 22 ins - 12 ins deep. Jan ¼ Sec'r Corner to Sec. 19. 20. 29 and 30
76.45	Surface g. r. valley & r. upland Soil of 1st rate " 2nd

Range 21 West 6th Principal

Chains	
	North bet. Sec. 19 and 20
	Variation 13° 45' E
8.00	Leave bottom E & N.
40.00	Set Cedar post 3 ins x 2 ins x 4 ft - 12 ins deep. Deposit charred stake, raise mound of earth - 2 ft high from pits - 2 2 ins x 22 ins - 12 ins deep for ¼ Sec. Cor
80.00	Set Cedar post 3 ins x 2 ins x 4 ft - 12 ins deep Deposit charred stake, raise mound of earth - 2 ft high from pits - 2 2 ins x 22 ins - 12 ins deep. Jan Corner to Sec. 19. 20 29 and 30
	Surface level bottom & rolling upland.
	Soil bottom 1st rate " Upland 2d " "

Township 34 North-

Chains	
	East on random line bet. Sec. 17 and 20
	Variation 13° 45' E
40.00	Set post. Intemporary ¼ Section Corner.
79.98	Intersect St and S. line at a point 22 lks South of corner to Sections 16. 17. 20 and 21 from which corner Bears S. 89° 51' West one true line bet. Secs 17 and 20
	Variation 13° 45' E
39.99	Set Cedar post 3 in x 2 in x 4 Ft 12 in deep. Deposit chard stake, raise mound of earth 2 Ft high from pits 22 in x 22 in 12 in deep. for ¼ Sec Cor Corner to Secs 17. 18. 19. 20
79.98	Surface rolling Soil 2nd rate

Range 21 West 6th P.M.

Chains	
	West on random line bet. Sec. 18 and 19
	Variation 13° 45' E
40.00	Set post for temporary ¼ Sec. Cor
76.68	Intersect West Bound ary of Township at a point 18 lks N. of corner to Secs 18 and 19. from which corner Bears N. 89° 52' East on true line bet. Secs 18 and 19
	Variation 13° 45' E
36.68	Set Cedar post 3 in x 2 in x 4 Ft 12 in deep. Deposit chard stake, raise mound of earth 2 Ft high from pits 22 in x 22 in 12 in deep for ¼ Sec Cor
76.68	Corner to Secs. 17. 18. 19. 20 Surface rolling — Soil Sandy 2nd

Township 34 North—

Chains	
	North bet. Sec. 17 & 18
	Variation 13° 45' E
40.00	Set Cedar post
	3 in x 2 in x 4 ft
	12 in deep. Depont
	Chained stake, ran
	mound of earth
	2 ft high. From
	Pits 22 in x 22 in
	12 in deep. For ¼ Sec Co-
80.00	Set Cedar post
	3 in x 3 in x 4 ft
	12 in deep. Depont
	Chained stake, ran
	mound of earth
	2 ft high. From
	Pits 24 in x 24 in
	12 in deep. For
	Corner to Sections
	T. 8. 17 and 18
	Surface rolling
	Soil 2d. rate

Range 21 West 6th Prin

Chains	
	East on random
	line bet. Sec. 8 and 17
	Variation 13° 45' E
40.00	Set post for temporary
	¼ Section corner
80.40	Intercept N. and S. line
	at a point 30 lks.
	South of common
	Sections 8. 9. 16 and 17
	from which corner
	B. runs
	S. 89° 47' West on
	true line bet. Sec.
	8 and 17
	Variation 13° 45' E
40.20	Set Cedar post
	3 in x 2 in x 4 ft
	12 in deep. Depont
	Chained stake, ran
	mound of earth
	2 ft. high from
	Pits 22 in x 22 in 12 in
	deep. For ¼ Sec. Co-
80.40	ners to Sections T. 8, 17, 18
	Surface rolling
	Soil 2d. rate

Township 34 North—

Chains	
	West on random line bet. Secs. 7 & 18
	Variation 13°-45' E
40.00	Set post for temporary ¼ Section Corner—
76.66	Intersect West bound ary of Township at a point 42 lks. N. of corner to Secs. 7 & 18 from which corner a pine—
	N 89-42' East on true line bet. Secs 7 & 18
	Variation 13°-45' E
36.66	Set Cedar post 3 ins x 2 ins x 4 ft— 12 ins deep. Deposit chained stake, raise mound of earth 2 ft high from pits 2 2 ins x 2 2 ft— 12 ins deep for ¼ Sec. Corner to Sections Secs. 7 & 18
76.66	Surface rolling Soil 2nd rate

Range 21 West 6th P.M.

Chains	
	North bet. Secs. 7 & 8
	Variation 13°-45' E
20.00	Enter bottom N.E. cor. Sec. 7
23.50	Drain N.E.
40.00	Set Cedar post 3 ins x 2 ins x 4 ft— 12 ins deep Deposit chained stake raise mound of earth 2 ft high. Iron pits 2 2 ins x 2 2 ins 12 ins deep. for ¼ Sec Corner—
80.00	Set Cedar post 3 ins x 3 ins x 4 ft— 12 ins deep. Deposit chained stake, raise mound of earth 2 ft high Iron pits 24 ins x 24 ins 12 ins deep. for Corner to Secs. 6. 7. & 18—
	Surface rolling Soil 2nd rate

Township 34 North—

Chains	
	East on random line bet. Secs. 5 and 8 Variation 13° 45' E.
14.00	Drain descends North—
38.00	Leave bottom N.E. and S.W.
40.00	Set post for temporary
75.00	Enter bottom N.W. and S.E.
80.38	Intersect N. and S. line at a point 42 lks. South of corner to Secs. 4.5.8 and 9 from which corner Chain S 89° 42' West on true line bet. Secs. 5 and 8 Variation 13° 45' E
40.19	Set Cedar post 3 in x 2 in x 4 Ft. 12 in deep. 2 Pts. chained stake, raise mound of earth 2 ft high from pits 2 1/2 in x 2 1/2 in, 12 in deep, for 1/4 Sec. Cor.
80.38	Camp to Sec. 5.6.7.8 Surface hilly bottom and rolling upland Soil bottom 1st rate — 2nd rate

Range 21 West 6th Pm.

Chains	
	West on random line bet. Secs. 6 and 7 Variation 13° 45' East
15.00	Leave bottom N. and S.
40.00	Set post for temporary 1/4 Section Corner.
76.58 ~~75.00~~	Intersect West bound — any of Township at a point 56 lks. N. of corner to Secs. 6 and 7 from which corner Chain N 89° 35' East on true line bet. Secs. 6 and 7 — Variation 13° 45' E
36.54	Set Cedar post 3 in x 2 in x 4 ft. 12 in deep 2 Pts. chained — stake, raise mound of earth 2 ft high from pits 2 2 in x 2 2 in 12 in deep. for 1/4 Sec. Cor.
76.58	Camp to Sec. 5.6.7.8 Surface broken Soil 2nd rate

Township 34 North

Range 21 West 6th P.M.

Chains	
	North on random line bet. Secs. 5 and 6
	Variation 13° 45' E
40.00	Set Post for temporary ¼ Sec. Corner on marshy drain which descends East
6.00	Leave bottom S.E. and N.W.
80.12	Intersect South bound ary of Township at a point 56 Lks West of corner to Secs. 5 and 6 from which ca. 9 cm 9 in Set Weston brick bet. Secs. 5 and 6
	Variation 13° 45' E
40.12	Set Cedar post 3 in x 2 in x 4 Ft - 12 in deep. 2 Spirit Chained stake, rain mound of earth 2 Ft high. Pits 2½ in x 22 in - 12 in deep. for 4 Sec. Cor.
80.12	Corner to Secs. 5-6-7-8.

Surface — gently rolling
Soil — bottom + rolling uplands
" 1st rate 2nd rate 3rd rate

General Description

The surface of this Township is generally gently rolling and rolling upland. Soil 2nd rate. A Creek runs through the Township from S. to N. in which branches flow from the West in S.W. Cor. of Township, and also in N.W. A broad valley or bottom of 1st rate soil, borders this creek and its branches. The S.E. portion is broken by a Slough into which drains Empty from the West.

List of Names.

A list of the names of individuals who were employed to assist in running, measuring or marking the lines and corners described in the foregoing field-notes of Township No 34 North of the base line of Range 21 West of the 6th P.M. in Nebraska, during the respective periods in which they acted.

Leslie E Scott } Chainmen
Wm. Spangler }

Herbert D. Bruce } Axemen
Charles Bowers } Flagmen

We hereby certify that we appointed Geo W. Benton deputy surveyor, to survey and sub-divide the Township 34 N of the base line of Range 21 West of the 6th Prin Meridian and that said Township has been in all respects so the best of our knowledge and belief well and faithfully surveyed and the bounding moments established according to the instructions furnished by the Surveyor General U.S. of Nebraska character, construction & marks and in the manner as specifically described in the foregoing field notes.

Leslie E. Scott } Chainmen
William Spangler }
Adelbert D Price } Rodmen
Charles S Bates } Axmen & Flagmen

Subscribed and sworn to before me a Notary Public in and for the County of Douglas and State of Nebraska this 22d day of July 1875

C. Wittse
Notary Public

I, Geo. H. Burton, Deputy
Surveyor, do solemnly
swear that in pursuance
of a joint contract, wherein
Clemancy Wilkie, Geo. H.
Burton & Frank Worrell,
are joint contractors with
C. E. Cummingham
Surveyor General for the Dist
of Nebraska & Iowa, bearing
date 18th day of May 1875
I have well, faithfully,
and truly, in my own
proper person, and in
strict conformity to the
instructions furnished
by the Surveyor General
the Surveying Manual
and the Laws of the
United States, surveyed
all those parts or portions
of Township No 34 N. R
the base line of Range
21 West of the 6th Prin
Meridian as are represented
in the foregoing field-notes &

having been surveyed
under my direction;
and do further solemnly
swear that all the corners
of said survey have
been established in
strict accordance with
the Surveying Manual, printed
instructions and Special
instructions of the Surveyor
General, of a permanent
character, constructed
& marking and as the
Law directs as specifically
described in the
foregoing field notes,
and that the foregoing
are the true and original
field notes of such survey.

George H. Burton
Deputy Surveyor

Subscribed and sworn
to before me a Notary
Public in and for the
County of Douglas
and State of Nebraska
this 22d of July 1875

C. Foltze
Notary Public

Surveyor Generals Office

Plattsmouth Neb Sept 6th 1875

The foregoing field Notes
of the Survey and Subdivision
of Township No 34 North of Base
Line of Range No 21 West of
6th Principal Meridian in
Nebraska Executed by Georg
W. Burton under Joint
Contract No 90 dated May
18th 1875 in the Month of July
1875 having been critically
examined the necessary correc=
=tions and explanations made
the said field Notes and the
Surveys they describe are
hereby approved

Jno. C. Clark

Surveyor General

Field Notes
of the
Survey and Subdivision
of Township No 35 North
of the
Base Line
of
Range No 21 West
of the
Principal Meridian
in the
State of Nebraska.

Executed
by Geo. W. Bolton, deputy
Surveyor, under Contract
Contract No 90. dated
May 18th 1875

Survey
Commenced July 7th 1875
Completed July 8th 1875

Index Diagram

Township No. 35 South of the Base Line of Range No. 21 West of the Sixth Principal Meridian



List of Names.

A list of the names of the individuals who were employed to assist in surveying and Subdividing Township No. 35 S. of the Base Line of Range No. 21 West of 6th Prin. Merid.

Leslie E. Scott — Chainmen
Wm. Spangler

Adelbert D. Bice — Axmen
Charles Bowers

Wm. Shaw — Flagsmen

Township 35 South— Range No 21 West 6th P.M.

Chains	
	To determine the proper adjustment of my Compass for Surveying this Township. I began at Corner to Towns. 34 and 35 S.R. 20 and 21 West 6th P.M. Ran. West and run thence South—on a Blank line along the East boundary of Section 36.
	Variation 13°-45'-E
39.98	To a point 4 lks West of ¼ Sec. Cor
80.01	To a point 12 lks West of Corner to Sec. 25 and 36
	Thereafter to retrace this line, or run Parallel thereto my compass must be adjusted to Var. 13°-40' E
	Found the established corner to Sec.s 35 and 36 on the South Boundary of this Township. I found
	South—Set Sec. 35 & 36
	Variation 13°-40 E
2.70	Creek. 10 lks wide. S.E.
5.10	Large Cottonwood S.E.
40.01	Set Pine post 3 in x 3 in 14 Ft-12 in deep. Deposit charred stake. raise mound of earth-2 Ft high. Bore pits 2 & 2 in & 2 in 12 in deep. for ¼ Sec. Corner
80.01	left Pine post 3 in x 3 in x 4 Ft 12 in deep Deposit charred stake raise mound of earth-2 Ft high Bore pits 2 in x 2 in - 12 in deep for Corner to Sec.s 25.26. 35 and 36.
	Surface rolling Soil 2nd rate

Township 35 South

Chains	
	Easterly random line bet. Secs. 25 & 36 Variation 13° 45' E
40.00	Set Post for temporary ¼ Sec. Corner
79.62	Intersect E. bound'y of Township at a point 38 lks S. of corner to Secs. 25 & 36 from which corner Pine S 89° 45' W. 44 lks Set Pine post 8 in. 12 in. x 4 ft. 12 in. deep. Deposit charcoal & stake Pine mound of earth 2 ft. high. Iron Post 12 in. x 12 in. 12 in. deep. for ¼ Sec. Cor. bears N. 26. 24. 35 & 36
79.62	Surface rolling Soil 2nd rate

Range 21 West 6th P.M.

Chains	
	North bet. Secs. 25 & 26 Variation 13° 40' E
40.00	Set Pine post 8 in. x 2 in. x 4 ft. 12 in. deep. Deposit charcoal stake, Pine mound of earth 2 ft. high. Iron Post 12 in. x 12 in. deep. for ¼ Sec. Cor. bears N. 26. 24. 35 & 36
80.00	Set Pine Post 3 in. x 3 in. x 4 ft. 12 in. deep. Deposit charcoal stake, Pine mound of earth 2 ft. high from pit 24 in. x 24 in. 12 in. deep. Iron Corner to Sec. 26. 24. 23 & 26
	Surface rolling Soil 2nd rate

Township 35 North-

Chains	
	East on random line bet. Sec^s. 24 and 25
	Variation 18° 45' E
40.00	Set post for temporary ¼ Section Corner -
79.44	Intersect East boundary of Township at a point 24 lks. South of corner to Sec^s. 24 & 25 - from which corner Pine
	S 89° 30' West on line bet. Sec^s 24 & 25 Va 13° 45' E
39.72	Set Pine post 8 in x 2 in x 3 in x 4 ft. 12 in deep. Deposit charred stakes, raise mound of earth 2 ft high, ground pits 2½ in x 2½ in - ½ in deep. for ¼ Sec. Cor -
79.44	Corner to Sec^s 23. 24. 25 and 26
	Surface rolling
	Soil 2nd rate

Range 21 West 6th P.M.

Chains	
	North bet. Sec^s. 23 & 24
	Variation 13° 40' E
40.00	Set a pine post 3 in x 2 in x 4 ft - 12 in deep. Deposit charred stakes, raise mound of earth 2 ft high. from pits 2½ x 2½ by - ½ in deep for ¼ Sec. Cor -
62.75	Wagon trail E. and W.
80.00	Set Pine post 8 in x 2 in x 4 ft 12 in deep. Deposit charred stakes, raise mound of earth 2 ft high. from pits 2½ in x 2½ in - ½ in deep for Corner to Sec^s. 13. 14. 23 and 24.
	Surface rolling
	Soil 1st rate.

Township 35 South -

Range 21 West 6th P.M.

Chains	
	East on range line bet Sec's 13 and 24
	Variation 13° 45' E
40.00	Set post for temporary ¼ Section Corner -
79.16	Intersect N and S line on East Boundary of Township 14 at a point 14 chs South of corner to Sec's 13 and 24 from which corner Iron 8 89° 54' West on line bet. Sec's 13 and 24
	Variation 13° 45' E
39.58	Set Stone post 3 in x 2 in x 4 ft - 12 in deep Deposit shard & slate stone mound of earth - 2 ft high & from pits 22 lks x 22 in & 12 in deep. for ¼ Sec corner -
79.16	Corner to Sec's 13. 14. 23 and 24
	Surface rolling Soil 1st rate

Chains	
	North bet Sec's 13 and 14
	Variation 13° 40' E
1.43	Intersect North Boundary of Township at a point 2,58 chs West of the 5th mile post. and set a Stone post 8 in x 3 in x 4 ft - 12 in deep. Deposit shard & slate, stone mound of earth - 2 ft high. from pits 2 ft in 24 in - 12 in deep. for a "Closing corner" to Sec's 13 and 14.
	Surface rolling Soil 1st rate

Township 35 North-

chains	
	From the established corner to Sec's 34 & 35 on South boundary of Township, run South bet. Sec's 34 & 35 Variation 13° 40' E
39.30	Creek, 12 Lks. wide S.E.
40.00	Set Pine post 8 in x 2 in x 4 ft - 12 in. deep 2 Deposit Chas'd Stake, raise mound of earth 2 ft high From pit - 2 Pine 8 in x 2 in x 12 in deep for ¼ Sec. Corner.
50.00	Leave bottom S.E. & N.W.
69.00	Drain S.E.
80.00	Set a Pine post - 3 in x 3 in x 4 ft - 12 in deep, Deposit Chas'd Stake, raise mound of earth 2 ft high From pit 2 Pine 8 in x 2 in - 12 in deep for Corner to Sec's 26-27-34 and 35. Surface gently rolling Soil 2nd rate except bottom land

Range 21 West 6th P.M.

chains	
	East on random line bet. Sec's 26 and 35 Variation 13° 45' E
40.00	Set post for ¼ Sec. Cor.
79.68	Intersect North line of Sec. at a point 39 lks South of corner to Sec's 25. 26 35 and 36 from which corner Red Cedar 18 in. diam. bears S 89° 45' West on line bet. Sec's 26 & 35
	Variation 13° 45' E
39.84	Set Cedar post 8 in. x 2 in. x 4 ft - 12 in deep. Deposit Chas'd stake, raise mound of earth 2 ft high From pits 2 - 2 in x 2 in x 12 in deep. for ¼ Sec. Corner to Sec's 26. 27. 34 & 35
79.68	Surface gently rolling Soil 2nd rate

Township 35 North

chains	
	North bet. Secs. 26 and 27
	Variation 13°45' E
4.00	Set Pine post 8 in x 2 in x 4 ft., 12 in deep. Deposit chained stake, raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep. For ¼ Sec. corner to Sections 22. 23. 26 and 27
	Surface gently rolling
8.00	Set Pine post 3 in x 3 in x 4 ft — 12 in deep. Deposit chained stake, from mound of earth - 2 ft high. From pits 24 in x 24 in — 12 in deep For corner to Sections 22. 23. 26 and 27
	Surface gently rolling
	Soil 2nd rate

Range 21 West 6th P.M.

chains	
	Cant on random line bet. Secs. 23 and 26
	Variation 13°45' E
40.00	Set post. For corner ¼ Section Range - Township Cant Stone at a point 40 lks S. of corner to Secs 23 24. 25 and 26 From which corner Sec. bears S 89° 45' West on line bet. Secs. 23 and 26
19.75	
	Variation 13°45' E
39.85	Set Pine post 3 in x 2 in x 4 ft 12 in deep. Deposit chained stake, raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep For ¼ Sec. corner
19.10	Corner to Secs. 22. 23. 26 and 27.
	Surface gently rolling
	Soil 2nd rate

Township 3 South

Chains	
	North bet. Sec. 22 & 23
	Variation 13° 40' E
40.00	Set Line post 3 mi
	x 2 mi x 4 ft - 12 mi
	deep. Deposit. Chained
	stake, raise mound
	of earth 2 ft high
	from pits 2 mi x 2 ft
	12 mi deep. For 4 Sec. Cor
17.50	North Boundary & Black
	Hills Dragon trail
	N. W.
40.00	Set Line post 3 mi x 3 mi
	x 4 ft. 12 in deep
	Deposit chained
	stake, raise mound
	of earth 2 ft high
	from pits 24 in x 24 in
	12 in deep. For corner
	to Sections 13 14. 15.
	23 and 24.
	Surface gently rolling
	Soil 2nd rate

Range 2 West 6th P. M.

Chains	
	East on random
	line bet. Sec. 14 and
	23.
	Variation 13° 45' E
27.08	Set Line post Corner chained
40.00	Left post for quarter Sec.
79.60	Intersect North & S.
	line at a point
	14 chs S. of corner
	to Sections 13. 14. 23 &
	24. from which
	Corner bears
	S 89° 54' West on
	true line bet. Secs.
	14 and 23
	Variation 13° 45' E
39.80	Set Line post 3 mi x 2 in
	x 4 ft - 12 in deep.
	Deposit chained & stake
	raise mound of earth
	2 ft high. from pits
	12 mi x 12 mi - 12 mi
	deep. For 1/4 Sec. Cor.
7.60	between Sec. Nos. 14. 15. 22
	and 23.
	Surface gently rolling
	Soil 2nd rate

Township 35 North—

Chains

North bet Secs.
14 and 15 Variation 13° 40' E

1.65 Intersect North Boundary of Township at a Stone 1.98 ch. W. of 6th mile post. and set a Pine post 3 in x 3 in x 4 ft - 12 in deep Deposit chained & take pine mound of earth 2 ft high. Stone pits - 22 in x 22 in 12 in deep. For "Closing Corner" to Secs. of 14 and 15

Surface gently rolling
Soil 2nd rate

July 7th

Range 21 West 6th P.M.

Chains

Stone the established Corner to Sections 33 and 34 & 4 Sec. North bet. Secs. 33 and 34

Variation 13° 40' E

40.00 Set Pine post 3 in x 2 in x 4 ft - 12 in deep Deposit chained & take pine mound of earth 2 ft high Stone pits 22 in x 22 in 12 in deep. For Sec. & Qr Sec. Leave bet open E and W

54.00 Set Pine post 3 in x 3 in
80.00 x 4 ft - 12 in deep, Deposit chained & take pine mound of earth 2 ft high Stone pits 24 in x 24 in 12 in deep. For corner to Secs 27. 28. 33 and 34

Surface gently rolling to hilly
Soil 2nd rate

Balance Sandy 2nd rate

Township 35 South-

chains	
	East on random line bet. Secs. 27 & 34
	Variation 13° 45' E
40.00	Set post for temporary ¼ Section Corner
79.92	Intersect - N and S line at a point 14 Lks. S. of corner to Secs. 26. 27. 34 and 35, from which corner
	a pine
	S 89° 54' West on line
	line bet. Secs. 27 & 34
	Variation 13° 45' E
39.96	Set Line post 8 in x 2 in x 4 ft - 12 in deep. Deposit chained stake, raise mound of earth 2 ft high from pits 22 in x 22 in. - 12 in deep for ¼ Section Corner
79.92	Corner to Secs. 27. 28. 33 and 34
	Surface rolling Soil sandy - Timber

Range 21 West 6th P.M.

chains	
	North bet. Sect. 27 and 28
	Variation 13° 40' E
40.00	Set Line post 3 in x 2 in x 4 ft - 12 in deep. Deposit chained stake, raise mound of earth 2 ft high from pits 22 in x 22 in. - 12 in deep for ¼ Section Corner
80.00	Set Line post 3 in x 3 in x 4 ft - 12 in deep. Deposit chained stake, raise mound of gully - 2 ft high. From pits 24 in x 24 in 12 in deep. For Corner to Secs. 21. 22. 27 and 28
	Surface rolling Soil sandy - Timber

Township 35 South -

Chains	
	East on random line bet. Secs 22 and 27
	Variation 13° 45' E
40.00	Set post 3 pr temporary ¼ Section Corner -
79.88	Intersect N. and S. line at a point 30 lks S. of corner to Secs 22. 23. 26 and 27 from which corner Locust A 8 9° 45' West on pre line bet. Secs 22 and 27
	Variation 13° 45' E
39.94	Set Pine post 8 in x 2 in x 4 Ft - 12 in deep. Deposit chand stake, raise mound of earth - 2 Ft high from pit - 22 in x 22 - 12 in deep. For ¼ Section Corner to Secs 21. 22. 27 and 28
79.88	Surface rolling Soil 2d rate

Range 2 West 6th P.M.

Chains	
	North bet. Secs 21 and 22
	Variation 13° 45' E
40.00	Set Pine post 8 in x 2 in x 4 Ft - 12 in deep. Deposit chand stake, raise mound of earth - 2 Ft high from pit - 22 in x 22 in - 12 in deep. For ¼ Section Corner
80.00	Set Pine post 8 in x 8 in x 4 Ft - 12 in deep. Deposit chand stake, raise mound of earth - 2 Ft high from pits 24 in x 24 in x 12 in deep for corner to Secs 15, 16, 21 and 22
	Surface rolling Soil 2d rate

Township 36 North—

chains	
	Cash on random line bet. Sec's. 15 and 22
	Variation 13° 45' E
5.00	Dragon trail N.W.
10.00	Set post for temporary ¼ Section Corner
80.04	Intercept N. and S. line at a point 14 lks. South of corner to Sec's 14, 15, 22, 23. from which corner I saw
	S 89 - 54' West on true line bet. Sec's. 15 and 22
	Variation 13° 45' E
40.02	Set Cedar post 3 in x 2 in x 4 ft - 12 in deep. Deposit charcoal 18 lks. pair mounds of earth 2 ft high from pits 22 in x 22 in - 12 in deep for ¼ Section Corner
80.04	Corner to Sections 15, 16, 21 and 22
	Surface rolling
	Soil 2nd rate

Range 21 West 6th Principal

chains	
	North bet. Sec's. 15 and 16
	Variation 18° 40' E
.05	Dragon trail West
1.62	Intersect South boundary of the State and set a post 1.30 ch's. West of 7th mile post. and Set a Pine post 3 in x 3 in x 4 ft 7 12 in deep. For Closing Corner No Sec's. 15 and 16
	Surface rolling
	Soil 2nd rate

Township 35 North-

chains	
	From the established corner to Sec. 32 and 33 on South Boundary of Township. Iron bolt bet. Secs 32 and 33 Variation 13° 35' E
37.00	Leave bottom for rolling Sand Hills. S.W. and N.E.
40.00	Set pine post 8 in x 2 in x 4 Ft - 12 in deep. Deposit charcoal stake. raise mound of earth - 2 Ft high from pits 2 2 in x 2 2 in - 12 in deep.
8.00	Set a pine post 8 in x 3 in x 4 Ft - 12 in deep. Deposit charcoal stake, raise mound of earth - 2 Ft high from pits 2 2 in x 2 2 in - 12 in deep for Corner to Sec. 28 29 32 33
	Surface - bottom land, Valley
	Soil " 1st rate, balance 2d rate

Range 21 West 6th Pm.

chains	
	Cedar on random line bet. Sec. 28 and 33 Variation 13° 45' E
40.00	Set post for temporary Section Corner -
79.30	Intersect S. and S. line at a point 28 links South of corner to Secs. 27. 28. 33 and 34 from which corner Ironwood 30 links dia. S 89° 45' E. set on true line bet. Secs. 28 and 33. Variation 13 45 E
39.65	Set Pine post 3 in x 2 in x 4 Ft - 12 in deep. Deposit charcoal stake, raise mound of earth - 2 Ft high. from pits - 2 2 in x 2 2 in - 12 in deep. for 1/4 Sec. Cor -
19.35	Corner to Sec. 28. 29. 32 and 33
	Surface rolling Sand Hills
	Soil 3d rate

Township 35 North —

chains

Northbet. Sec. 28 & 29
Variation 13° 45' E

20.00 Set Pine post 3 ui x 2 ui x 4 ft 12 ui deep. Deposit chaned stake, raise mound of earth 2 ft high. Iron pits 22 ui x 22 ui x 12 ui deep. For ¼ Section Corner

80.00 Set Pine post 3 ui x 3 ui x 4 ft 12 ui deep. Deposit chaned stake, raise mound of earth 2 ft high Iron pit 24 ui x 24 ui - 12 ui deep for Corner to Sec. 20, 21, 28 and 29.

Surface rolling Sandy hills.

Soil 3rd rate.

— Range 21 West 6th Principal

chains

East on random line bet. Sec. 21 and 28
Variation 13° 45' E

40.00 Set Iron post for temporary ¼ Section Corner

79.92 Intersect S. and S. line at a point 12 lks S. of corner to Secs 21 22 27 and 28 from which corner I run S 89° 55' West on true line bet. Secs 21 and 28

Variation 13° 45' E

39.96 Set Pine post 3 ui x 2 ui x 4 ft - 12 ui deep. Deposit chaned stake raise mound 2 ft earth 2 ft high. Iron pits 2 2 ui x 2 2 ui - 12 ui deep. For ¼ Sec. Cor

79.92 Corner to Sections 20, 21, 28 and 29

Surface rolling and hills

Soil 3rd rate

Township 35 North—

Chains	
	North bet. Sec. 20 & 21
	Variation 13° 40' E
40.00	Set Pine post 3 in x 2 in x 4 ft - 12 in deep. Deposit chand stake raise mound of earth 2 ft high. From pile 22 bears N 22 links x S 22 links 12 in deep. Sec. cor.
55.00	North Boundary 2nd Black Hills Wagon trail N.W.
63.00	Spring drain N.E.
80.00	Set Pine post 3 in x 3 in x 4 ft - 12 in deep. Deposit chand stake, raise mound of earth 2 ft high from pile 24 bears N 24 links 12 in deep. Sec. Corner to Secs 16, 17, 20 & 21
	Surface 1st 1/2 rolling Sand Hills. Soil 3rd rate 2nd 1/2 gently rolling Soil 2nd rate

—Range 21 West 6th P.M.

Chains	
	East on random line bet. Secs. 16 & 21
	Variation 13° 45' E
33.00	Spring drain North
40.00	Set post for temporary ¼ Section Corner —
78.00	Wagon trail S.W.
79.50	Left bank & Sluice at a point 15 lks S. of corner to Secs. 15, 16, 21 & 22 from which corner I run
1	S 89° 54' West on true line bet Secs 16 & 21 Var. 13° 45' E.
39.70	Set Pine post 3 in x 2 in x 4 ft - 12 in deep. Deposit chand stake raise mound of earth 2 ft high. From pile 22 bears N 22 links x S 22 links - 12 in deep S. ¼ Sec. cor.
1981	Corner to Secs. 16, 17, 20 & 21
	Surface gently rolling Soil 2nd rate

Township 35 North—

Chains

North-bet. Sec's. 16 & 17
Variation 13° 40' E

1.52 Intersect North boundary of the State at a point 0.80 Ch's West of 8th Mile post and set a Pine post 3 in x 2 in x 4 ft 12 in deep. Deposit— chained stake. raise mound of earth— 2 ft high. from pits 24 in x 24 in— 12 in deep. for a "Closing Corner" to Sections 16 and 17.

Surface gently rolling
Soil 2d. rate.

July 8th 1875

Range 21 West 6th P.M.

Chains

From the established corner to Sec's. 31 & 32 on South Boundary of Township 1 north
North-bet Sec's. 31 & 32
Variation 13° 40' E

40.00 Set Pine post 3 in x 2 in x 4 ft 12 in deep. Deposit chained stake raise mound of earth 2 ft high from pits 22 in x 22 in x 12 in deep. for ¼ Section Corner

80.00 Set a Pine post 3 in x 3 in x 4 ft 12 in deep. Deposit chained stake raise mound of earth 2 ft high from pits 24 in x 24 in 12 in deep. for Corner to Sections 29. 30. 31 and 32

Surface broken
Soil 2d. rate

Township 35 North —

Chains	
	East on random line bet. Sec. 29 and 32
	Variation 13° 45' E
40.00	Set post for temporary ¼ Section Corner
80.18	Intersect N. and S. line at a point 21. lks. North of corner to Secs. 28. 29. 32 and 33
	From which corner Pine 18 in dia. bears N 89° 51' West on line line bet. Secs. 29 and 32
	Variation 13° 45' E
40.09	Set Pine post 8 in x 2 in x 4 ft. - 12 in deep Deposit Chained stake, raise mound of earth 2 ft high from pits 2½ in x 2½ in 12 in deep for ¼ Sec. Cor.
80.18	Comes to Secs. 29. 30. 31 and 32
	Surface broken Soil 2nd rate

Range 21 West 6th P.M.

Chains	
	West on random line bet. Sec. 30 and 31
	Variation 13° 45' E
40.00	Set post for temporary ¼ Sec. Corner -
76.62	Intersect West bound of Township 14 lks. S. of corner to Secs. 30 and 31
	From which corner Pine 18 in dia. bears S 89° 54' East on line bet. Secs. 30 and 31
	Variation 13° 45' E
36.62	Set Pine post 8 in x 2 in x 4 ft. 12 in deep Deposit Chained stake raise mound of earth 2 ft high - from pits 2½ in x 2½ in 12 in deep. For ¼ Sec. Cor.
76.62	Comes to Secs. 29. 30 31 and 32
	Surface gently rolling Soil 2nd rate

Township 35 North-

chains	
	North bet. Secs. 29 and 30
	Variation 13° 40' E
40.00	Set Pine post 3 in x 2 in x 4 ft - 12 in deep. Deposit chained stake, raise mound of earth 2 ft high. from pits 22 in x 22 in 12 in deep for ¼ Sec. Cor.
80.00	Set Pine post 3 in x 3 in x 4 ft - 12 in deep. Deposit chained stake, raise mound of earth 2 ft high from pits 24 in x 24 in - 12 in deep for corner to Secs. 19, 20, 29 and 30
	Surface rolling
	Soil 2nd rate

Range 21 West 6th Prin. Mer.

chains	
	East on random line bet. Secs. 20 and 29
	Variation 13° 45' E
40.00	Set post for quarter Section corner
79.88	Intersect E. and S. line at a point 4 lks S. of comp to Secs. 20. 29. 28 and 29 from which corner I chain S 89° 54' West on true line bet. Secs. 20 and 29
	Variation 13° 45' E.
39.94	Set Pine post 3 in x 2 in x 4 ft - 12 in deep. Deposit chained stake, raise mound of earth 2 ft high from pits 22 in x 22 in 12 in deep for ¼ Sec. corner to Sec. 19. 20. 29.
79.88	20 Surface rolling
	Soil 2nd rate

Township 35 North-

chains	
	West on random line bet. Sec. 19 and 30
	Variation 13° 45' E
21.00	2 Oaks dec. 8 lks.
40.00	Set post for temporary ¼ Section Corner
76.60	Intersect West boundary of Township at a point 35 lks. N. of corner to Secs. 19 and 30 from which corner bears N 89° 45' East one mile bet. Secs. 19 and 30
	Variation 13° 45' E
36.60	Set Pine post 3 in x 2½ x 4 ft - 12 in deep Deposit chained stake raise mound of earth - 2 ft high from pits - 2½ in x 2½ - 12 in deep. For ¼ Sec. Cor.
76.60	Cor. to Secs. 19. 20. 29. 30 Surface gently rolling Soil 2nd rate

Range 2 West 6th Prin

chains	
	North - bet. Secs. 19 and 20
	Variation 13° 45' E
40.00	Set pine post 3 in x 2 in x 4 ft - 12 in deep. Deposit chained stake, raise mound of earth 2 ft high from pits - 2 2 in x 2 2 in 12 in deep for ¼ Sec.
60.00	Oregon Trail West
80.00	Set pine post 3 in x 3 in x 4 ft - 12 in deep. Deposit chained stake, raise mound of earth - 2 ft high from pits - 2½ in x 2½ in 12 in deep. For corner to Secs. 17. 18. 19. 20 Surface rolling Soil 2nd rate

Township 35 North—

Chains	
	East on random line bet. Secs. 17 & 20
	Variation 18° 45' E
11.00	Drain descends North-
40.00	Set post for temporary ¼ Section Corner
79.32	Intersect N. and S. line at a point 12 lks. S. of corner to Secs. 16. 17. 20 and 21 from which Cognate Juniper S 89° 55' West one true line bet. Secs. 17 & 20
	Variation 18° 45' E
39.66	Set Pine post 3 in x 2 in x 4 ft - 12 in deep Deposit - chained stake, raise mound of earth 2 ft high from pits 2 ft in x 2 ft - 12 in deep. for ¼ Sec. Cor.
79.32	Corner to Secs. 17. 18. 19. 20
	Surface rolling Soil 2nd rate

Range 21 West 6th P.M.

Chains	
	West on random line bet. Secs. 18 and 19.
	Variation 18° 45' E or Spring branch
27.00	Drain descends N
40.00	Set post for temporary ¼ Section Corner.
76.54	Intersect West Boundary of Township at ~~a point~~ ~~lks.~~ ~~of~~ Corner to Secs. 18 and 19. from which Cognate Juniper
	East on true line bet. Secs. 18 and 19
	Variation 18° 45' E
36.54	Set Pine post 3 in x 2 in x 4 ft - 12 in deep. Deposit chained stake raise mound of earth 2 ft high. from pits 2 ft in x 2 ft - 12 in deep. for ¼ Sec. Cor.
76.54	Corner to Secs. 17. 18. 19 and 20
	Surface gently rolling Soil 2nd rate

Township 35 North-

Chains

North bet Sec. 17 and 18

Variation 13 40 E

1.41 Intersect North Boundary of the State at a point 36 lks West of the 9th Mile post. and Set a pine post 3 in x 3 in x 4 ft-12 in deep. Deposit Stones & Stake. Raise mound of earth-2 ft high from pits 24 in x 24 in - 12 in deep for "Closing Corner" to Secs. 17 and 18

Surface rolling

Soil 2nd rate

July 9th.

Range 21 West 6th PM

General Description

This Township has a fair average of good 2d. rate soil. It is generally a dark clay, with a kind of limy sub-soil.

A Creek about 12 lks wide runs through Sections 34 and 35.

This is bordered by quite a broad valley of 1st rate soil, a dark sandy loame. Covered with blue joint grass. The remainder of the Township is hilly & adapted to grazing, having Wabbin Gaut buffalo grass.

List of Names.

A list of the names of the individuals who were employed to assist in running measuring or marking the lines and corners described in the foregoing field notes of Township 85 N. of the base line of Range 21 West of the 6th Prin. Meridian showing the respective capacities in which they acted.

Leslie E. Scott — Chainmen
William L Spangler

Adelbert Pierce — Rodmen and Axemen
Charles Bowen

Flagmen

We hereby certify that we assisted Geo. H. Benton Deputy Surveyor, in surveying and Sub-dividing the Township 35 N. of the base line of Range 21 West of the 6th Prin. Meridian. And that said Township has been in all respects to the best of our knowledge and belief, well and faithfully surveyed and the boundary Monuments planted according to the instructions furnished by the Surveyor General and of dimensions, character construction and marking and in the manner, & specifically described in the foregoing field notes.

Leslie E. Scott } Chainmen
William Spangler }
Adelbert D Pierce } Monumen and
Charles Bowers } Axmen
Flagmen

Subscribed and sworn to before me a Notary Public in and for the County of Douglas and State of Nebraska this 22d day of July 1875.

C. Wiltse
Notary Public

I, Geo. W. Burton, deputy Surveyor, do solemnly swear that in pursuance of a Joint Contract in pursuance of a Joint Contract between Francey Hilton & Frank Crowell and Geo. W. Burton are Joint Contractors, with E. E. Cunningham, Surveyor General for the Dist. of Dora and Nebraska, dated May 18th A.D. 1875. I have well faithfully and truly in my own proper person and in strict conformity to the instructions furnished furnished by the Surveyor General, the Surveying Manual and other laws of the United States Surveyed all those parts or portions of Township No 35 N. of the base line of Range 2 West of the 6th Prin. Mer. in the State of Nebraska, as are represented in the foregoing field notes as having been surveyed under my direction, and do further solemnly swear that all the corners in said Surveys have been established and perpetuated in strict accordance with the Surveying Manual, printed instructions and special instructions of the Surveyor General of Nebraska, as to character construction and marking and in the manner as specifically described in the foregoing field notes, and that the foregoing are the true and original field notes of such Survey.

George W. Burton
Deputy Surveyor

Subscribed and sworn
to before me a Notary
Public in and for the
County of Douglas and
State of Nebraska this
22d of July 1875

C. Hittse
Notary Public

Surveyor Generals Office
Plattsmouth Neb Sept 18th 1875.

The foregoing field notes of
the Survey of Subdivision
of Township 35 N of Base
Line of Range 21 W 6th P.M. in
Nebraska. Executed by Geo.
H. Burton. under Contract
No 90 dated May 18th 1875,
having been critically exam-
ined the necessary corrections
and explanations made the
said field notes and the surveys
thereby describe are hereby
approved

Jno. C. Clark
Surveyor General

General Land Office • Original Field Notes

Book Number

457

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.