General Land Office • Original Field Notes

Book Number

458

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Contract No. 49

Field Notes
of
Subdivisional Lines
of
T. 1 N. R. 22 W.

By
James Slocum
under Contract bearing
date June 16 1871

Town 1. Range 22. W

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

T.W.

I
1 to 4 N
R 22 W.

Survey

Commenced August 5th 1871

Completed August 10th 1871

Field Notes of the Subdivision

Lines of Township 1 N. Range 22 W. of the 6th P. M.

To determine the proper adjustment of my Compass for the subdivision lines of this township.

I commenced on the Base line in Township 1 North, Ranges 21 & 22 West of the 6th P.M. and run North on a blank line along the east boundary of Sec 36.

Variation 13° 30' E

39.97 To a point 4 links West of the 1/4 Sec Cor.

80.02 To a point 1 links west of the Cor. to Sec 25 & 36. I find my Compass to be in proper adjustment

Township 1. N. R 22. W

Chains	
	North between Sec 35 & 36 Va 13° 30' E
20:00	Dry Creek bears N. W. some scattering timber
40:00	Set Sandstone 14 x 10 x 5 for a 1/4 Sec Cor
76:00	A good Spring 4 chains to the right of line.
80:00	Set a Sandstone 12 x 12 x 6 for Corner to Sec 25, 26, 35 & 36.
	Land broken Soil 3rd rate

Township 1. N. R 22. W.

Chains.	
	East on a random line between Sec 25 & 36 Va 13° 30' E
9:00	A Dry Creek bears N. timber 1/2 chain wide
21.00	A Dry Creek drains timber 1 chain wide
40:00	Set Flag for temporary 1/4 Sec cor.
79:94	Intersect the East boundary of the township 3 links South of Cor to Sec 25 & 36. from which corner I run
S. 89° 59'	West on true line between Sec 25 & 36 Va 13° 30' E
39.97	Set a Sandstone 14 x 12 x 4 for a 1/4 Sec Cor.
79.94	The Corner to Sec 25, 26, 35 & 36.
	Land broken Soil 2nd rate

Township 1. N. R 22. W

Chains	North between Sec 25 and 26 Va 13° 30' E.
40:00	Bed of Dry Creek. Set a Sandstone 15×10×6 from which an Elm 10 in in Diameter bears East 12 links, an Ash 6 in in Diameter bears S° 41° West 8 links
64.00	Dry Creek, drains scattering timber.
80:00	Set a Lime Stone 14×12×10 for Corner to Sec 23, 24, 25 and 26
	Land broken Soil 3rd rate

Township 1. N. R 22. W.

Chains	East on a random line between Sec 24 & 25 Va 13° 30' E.
4:00	A Ravine bears N.
40:00	Set Flag for temporary 1/4 Sec Cor.
79.90	Intersect the east boundary of the township 23 links N. of Cor to Sec 24 & 25. from which corner I run North 89° 50' W On a true line bet Sec 24 & 25 Va 13° 30' E
39.95	Set a Lime Stone 12×12×5 for a 1/4 Sec Cor.
79.90	The Cor to Sec 23, 24, 25 and 26.
	Land high & broken 3rd rate Soil

Township 1. N. R. 22. W.

Chains	
	North between Sec 23 and 24 Va 13°30' E.
2:00	Enter Brush bears E. and W.
40:00	Set a Sandstone 10×10×5 for a 1/4 Sec Cor.
70:00	Leave Brush, bears N. W. follow on bank of Dry Creek and enter bottom W.
80:00	Set a Sandstone 12×12×9 for Cor to Sec 13, 14. 23 and 24. from which a Cottonwood 40 in in diameter bears N 83½° W 207 links. to other tree on East bank of Creek
	Land broken 3rd rate Soil

Township 1. N. R 22. W.

Chains	
	East on a random line between Sec 13 and 24. Va 13°30' E
35:00	Leave bottom and enter upland bears N.E. S.W.
40:00	Set Flag for temporary 1/4 Sec Cor
62.00	a Ravine bears North. Good Sandstone Quarries in ravine
80:09	Intersect the east boundary of township at Cor to Sec 13 and 24. from which corner I run West on a true line between Sec 13 & 24 Va 13°30' E
40.04½	Set a Sandstone 16×12×4 for a 1/4 Sec Cor.
80:09	The Set Sandstone for Cor to Sec 13, 14. 23 and 24.
	Land broken Soil 3rd rate

Township 1. N. R 22. W.

Chains	North between Sec 13 & 14. Va 13° 30' E.
8:00	Sappy Creek bears E then N.E.
40:00	Set a Sandstone 12×12×7 for a 1/4 Sec Cor
80:00	Drove charred stake, set post and raised mound of earth as per instructions for Cor to Sec 11, 12, 13 & 14.
	Narrow bottom land fair farming soil

✓

Township 1. N. R 22. W.

Chains	East on a random line between Sec 12 & 13 Va 13° 30' E
40:00	Set Flag for temporary 1/4 Sec Cor
48:00	Sappy Creek 30 links wide, runs N. banks low and muddy, sandy bottom. a belt of timber about 1 Ch^n wide on either bank.
80:16	Intersect the East boundary of the township 8 links North of Cor to Sec 12 & 13. from which corner I run North 89° 57 W On a true line between Sec 12 & 13 Va 13° 30 E
40:08	Set a Sandstone 12×11×7 for a 1/4 Sec Cor.
80:16	The Corner to Sec 11, 12, 13 & 14.
	Land gently rolling. Soil 2nd rate

✓

Township 1. N. R 22. W.

Chains	
	North between Sec 11 and 12. Va 13° 30' E.
20:00	Leave bottom, bears E and enter up land
40:00	Set a Sandstone 10x10x8 for a 1/4 Sec Cor.
80:00	Drove a chared stake, set post and raised mound of earth as per instructions for Cor to Sec 1, 2, 11 and 12.
	Land rolling Soil 3rd rate

Township 1. N. R 22. W.

Chains	
	East on a random line between Sec 1 and 12. Va 13° 30' E.
38.50	Ravine bears South.
40:00	Set Flag for temporary 1/4 Sec Cor
79.98	Intersect the East boundary of township at Cor to Sec 1 and 12. from which corner I run
	West on a true line between Sec 1 and 12. Va 13° 30' E.
39.99	Drove a chared stake, set post & raised mound of Earth as per instructions for 1/4 Sec Cor.
79.98	The Corner to Sec 1, 2, 11 and 12.
	Land broken 3rd rate soil

Township 1 N. R 22. W.

Chains	
	North on a random line between Sec 1 & 2. Va 13° 30' E.
40:00	Set Flag for temporary 1/4 Sec Cor.
80:00	Intersected the north boundary of the township 34 links west of Corner to Sec 1 & 2. from which corner I run South 15' W. on a true line bet Sec 1 + 12 Va 13° 30 E.
40:00	Drove stake, Set post x raised mound of earth as per instructions for 1/4 Sec Cor.
80:00	The Corner to Sec 1, 2, 11 & 12.
	Land rolling Soil 3rd rate
	August 5th 1871

Township 1 N. R 22. W.

Chains.	
	North between Sec 34 & 35. Va 13° 30 E.
15:00	a Ravine bears N. W.
40:00	Set a Sandstone 14x9x7 for a 1/4 Sec Cor.
80:00	Set a Sandstone 15x9x5 for Corner to Sec 26, 27, 34 & 35.
	Land high & broken. Soil 3rd rate

Township 1. N. R 22. W

Chains	
	East on a random line between Sec 26 and 35. Va 13°30' E.
25:00	A Ravine bears N.
40:00	Set Flag for temporary 1/4 Sec Cor.
80.06	I close in like North of Cor. to Sec 25, 26, 35 and 36. from which corner I run North 89° 56' West on a true line between Sec 26 & 35 Va 13°30' E.
40:03	Set a Sandstone 13×9×7 for a 1/4 Sec Cor.
80:06	The Corner to Sec 26, 27, 34 and 35.
	Land high & rolling Soil 3rd rate

Township 1. N. R. 22. W.

Chains.	
	North between Sec 26 and 27 Va 13° 30' E.
40:00	Set a Sandstone 12×10×8 for a 1/4 Sec Cor.
80:00	Set a Sandstone 14×11×6 for Cor to Sec 22, 23, 26 and 27.
	Land rolling Soil 3rd rate

Township 1. N. R 22. W.

Chains.	
	East on a random line between Sec 23 & 26 Va 13° 30' E.
40:00	Set Flag for temporary 1/4 Sec Cor.
55:00	A Ravine bears N. E.
58:00	A Ravine bears N W. with scattering timber up + down Ravine.
80:20	I chase 11. links South of Corner to Sec 23, 24, 25 & 26. from which Corner I run South 89° 55' W. On a true line bet Sec 23 & 26 Va 13° 30' E.
40:10	Set Sandstone 12×12×6 for a 1/4 Cor
80:20	The Corner to Sec 22, 23, 26 & 27. Land broken 3rd rate Soil

Township 1. N. R 22. W.

Chains.	
	North, between Sec 22 & 23. Va 13° 30' E.
40:00	Set a Sandstone 12×12×6 for a 1/4 Sec Cor.
80:00	Set a Sandstone 14×10×8 for Cor to Sec 14, 15, 22 & 23 Land high + rolling 3rd rate Soil

Township 1. N. R 22. W.

Chains	
	East. on a random line between Sec 14 and 23 Va 13° 30' E.
10:00	Leave up land and enter bottom bears S.E. and N.W
40:00	Set Flag for temporary 1/4 Sec Cor
50:00	Sappy Creek 30 links wide runs S. then S.E.
77.60	Same Creek bears N. then N.E. Water 3 feet deep high banks Belt of timber 1 ch. wide along either bank of creek
79.90	I close at the Cor. to Sec. 13.14.23 and 24. from which Corner I run
	West on true line bet Sec 14 & 23 Va 13°30' E
39.95	Set a Sandstone 13×10×6 for 1/4 Sec Cor.
79.90	The Cor to Sec 14.15.22 and 23. Land along creek good farming Upland high & broken fit only for grazing purposes

✓

Township 1. N. 22. W.

Chains	
	North between Sec 14 and 15 Va 13° 30' E.
18:00	Leave up land enter bottom, bears N.W. and S.E.
40:00	Set a Sandstone 12×12×8 for 1/4 Sec Cor
60:00	Sappy Creek 30 links wide. runs East
80:00	Drive a chained stake, Set post & raised mound of earth as per instructions for Cor to Sec 10 & 11. 14 and 15.
	Land level 2nd rate soil

✓

Township 1. N. R 22. W.

Chains.	East on a random line between Sec 11 & 14. Var 13° 30' E.
28.00	Sappy Creek, runs N.
40.00	Set Flag for temporary 1/4 Sec Cor.
76.00	Sappy Creek 30 links wide runs S.
80.00	Closed 9 links N. of corner to Sec 11.12.13 & 14. from which corner I run
	North 89° 56' W.
	On true line bet. Sec 11 & 14 Var 13° 30' E
40.00	Drove chared stake, set post & raised mound of Earth as per instructions for 1/4 Sec Cor.
80.00	The Cor to Sec 10.11.14 & 15.
	Land level 1st & 2nd rate soil

Township 1. N. R. 22. W.

Chains.	North between Sec 10 & 11 Var 13° 30' E.
20.00	Leave bottom bears East W.
40.00	Set a Sandstone 12×11×10 for a 1/4 Sec Cor
80.00	Drove chared stake, set post & raised mound of Earth as per instructions for Cor to Sec 2, 3, 10 & 11.
	Land rolling 2nd rate soil

Township 1 N. R 22. W.

Chains	
	East on a random line between Sec 2 and 11. Va 13° 30' E.
38.00	A Racine bears South.
40:00	Set Flag for temporary 1/4 Sec Cor.
80.08	I closed 9 links South of the Corner to Sec 1. 2. 11 and 12 from which corner I run South 89° 56' W On a true line bet. Sec 2 & 11 Va 13° 30' E
40:04	Drove a chared stake, set post and raised mound of earth as per instructions for a 1/4 Sec Cor.
80.08	The Corner to Sec 2, 3, 10 and 11
	Land broken. 3rd rate Soil

Township 1 N. R 22. W.

Chains.	
	North on a random line bet. Sec 2 and 3 Va 13° 20. E.
40:00	Set Flag for temporary 1/4 Sec Cor.
80:10	Intersected the North boundary of the township at Cor to Sec 2 and 3. from which corner I run South on true line bet. Sec 2 & 3 Va 13° 20' E.
40.10	Drove chared stake, set post & raised mound of Earth as per instructions for a 1/4 Sec Cor.
80.10	The Corner to Sec 2, 3, 10 and 11.
	Land rolling 2nd rate Soil

August 7th 1871

Township 1. N. R 22. W.

Chains.	North between Sec 33 & 34 Va 13° 30' E.
40.00	Set a Sandstone 14x12x6 for a 1/4 Sec Cor.
49.00	Spring Branch 3 links wide runs N.E.
55.00	Same Branch, 15 " " bears N.W.
70:00	Spring Branch 16 links wide bears N.E. Scattering timber large Cottonwood trees.
80:00	Set a Limestone 12x10x9 for Cor to Sec 27. 28. 33 & 34.
	Land broken 2nd rate Soil

Township 1. N. R 22. W.

Chains	East on a random line between Sec 27 & 34. Va 13° 30' E.
9:00	Spring Branch, bears N.E.
9:50	Perpendicular Ledge of Limestone 20 feet high.
40:00	Set Flag for temporary 1/4 Sec Cor.
41:00	Branch of Spring Creek 10 links wide. Limestone quarries along banks of branch. a small belt of timber along Creek, Timber Ash & Elm.
80:42	I closed 15 links north of Cor to Sec 26. 27. 34 & 35 from which corner I run North 89° 54 W. on true line bet. Sec. 27 & 34. Va 13° 30' E.
40:21	Set a Limestone 10x10x9 for a 1/4 Sec Cor.
80.42	The Corner to Sec 27. 28, 33 & 34.
	Land broken 2nd rate Soil

Township 1. N. R. 22. W.

Chains	
	North between Sec 27 & 28 Va 13°25' E.
40:00	Set a Sandstone 13×9×5 for a 1/4 Sec Cor.
80:00	Set a Sandstone 12×12×8 for Corner to Sec 21, 22, 27 & 28.
	Land rolling Soil 2nd rate

Township 1. N. R 22. W.

Chains	
	East on a random line between Sec 22 & 27. Va 13°25' E.
25:00	Spring Creek 10 links wide bears N.
40:00	Set Flag for temporary 1/4 Sec Cor.
80:10	I closed 3 links South of the Corner to Sec 22, 23, 26 & 27. from which corner I run South 89°59' West on a true line between Sec 22 & 27. Va 13°25' E
40:05	Set a Sandstone, 12×9×7 for a 1/4 Sec Cor.
80.10	The Corner to Sec. 21, 22, 27 & 28.
	Narrow bottom good soil

Township 1. N. R 22. W.

Chains	North between Sec 21 & 22 Va 13°.30' E.
40:00	Set a Sandstone 12×10×6 for a 1/4 Sec Cor
58:00	A Ravine bears N.E. & enter bottom S.E.
71:50	Sappy Creek 30 links wide, bears N.E. A belt of timber about 2 Chns wide along banks of Creek
80:00	Drove a chared stake, set post. & raised mound of earth as per instructions for Corner to Sec 15.16, 21 & 22. From which an ash 12 inches in diameter bears. S 72° E. 45 links An Elm 10 in. in diameter bears S° 30° 30 W. 23 links, an Elm 3 in. in diameter bears. N 23° E 15 links.

Timber Elm, Ash & Box Alder
Bottom land good for farming
Upland broken fit only for grazing

Township 1. N. R. 22. W

Chains.	East On a random line between Sec 15 & 22 Va 13°30' E
3.50	Sappy Creek 30 links wide, runs North
4:00	Spring Branch, bears N. 2 Chns to Sappy Creek.
40:00	Set Flag for temporary 1/4 Sec Cor
50:00	Leave bottom & enter up land bears N.E. S.W.
80:15	I closed 9 links South of Corner to Sec 14, 15, 22 & 23. from which corner I run South 89°56 W on a true line bet Sec 15 & 22 Va 13°30' E
40:07½	Set Sandstone. 10×10×6 for a 1/4 Sec Cor.
80:15	The Corner to Sec 15, 16, 21 & 22.

Land along Creek good for farming
Upland broken Soil 3rd rate

Township 1. N. R. 22. W.

Chains.	North. between Sec 15 & 16. Va 13° 20' E.
6:00	Sappy Creek runs N. W.
18:00	Same Creek runs N. E. then S. E.
40:00	Drove, Chared, Stake, set post & raised mound of earth as per instructions for 1/4 Sec Cor.
80:00	Drove a chared stake, set post & raised mound of earth as per instructions for Corner to Sec 9. 10. 15 & 16.
	Land nearly level 2nd rate soil.

Township 1. N. R 22. W.

Chains.	East. On a random line between Sec 10 & 15. Va 13° 30' E
30:00	Sappy Creek 30 links wide bears N. Timber 1 ch^n wide on either bank.
40:00	Set Flag for temporary 1/4 Sec cor.
59:00	Same Creek bears S. E.
79:96	I closed at the Cor to Sec^s 10, 11, 14 & 15. from which corner I run
	West on a true line between Sec 10 & 15. Va 13° 30' E.
39.98	Drove a chared Stake, set post & raised mound of Earth as per instructions for 1/4 Sec Cor.
79.96	The Corner to Sec 9. 10. 15 & 16.
	Bottom land 1st & 2nd rate soil

Township 1. N. R. 22. W.

Chains	North, between Sec 9 and 10. Va 13° 30' E.
40:00	Drove a chared stake, set post & raised mound of Earth as per instructions for 1/4 Sec Cor.
43.00	Leave bottom and enter up land bears N.E. and S.W.
80:00	Drove chared stake, set post & raised mound of earth as per instructions for Cor to Sec 3, 4, 9 and 10.
	Land rolling 2nd rate Soil

✓

Township 1. N. R 22. W.

Chains	East on a random line between Sec 3 and 10. Va 13° 30' E.
40.00	Set a Flag for temporary 1/4 Sec Cor.
80:04	I closed 8 links North of the Corner to Sec 2, 3, 10 and 11. from which corner I run North 89° 54' W. On a true line, bet Sec 3 and 10 Va 13° 30' E
40:02	Drove chared stake, set post & raised mound of earth as per instructions for 1/4 Sec Cor.
80.04	The Corner to Sections 3, 4, 9 and 10.
	Land rolling Prairie Soil 2nd rate

✓

Township 1. N. R 22. W.

Chains.	
	North On a random line between Sec 3 & 4. Va 13° 20' E.
40:00	Set Flag for temporary 1/4 Sec Cor.
45:00	A Ravine bears S.W.
79.82	Intersected the north boundary of the township 10 links East of the Corner to Sec 3 & 4. from which corner I run South 4 chs On a true line bet Sec 3 & 4 Va 13° 20' E
39.82	Drove chared stake, Set post & raised mound of earth as per instructions for 1/4 Sec Cor.
79:82	The Corner to Sec 3, 4, 9 & 10.
	Land rolling Soil 2nd rate
	Aug. 8th

Township 1. N. R 22. W.

Chains.	
	North between Sec 32 & 33. Va 13° 20' E.
15:00	Spring Branch bears N.E. Good Timber along branch.
40:00	Set a Limestone 12x10x6 for a 1/4 Sec Cor.
80:00	Drove chared stake Set post & raised mound of earth as per instructions for Cor to Sec 28, 29, 32 & 33.
	Land rolling. Soil 2nd rate

Township 1. N. R 22. W.

Chains.	
	East on a random line between Sec 28 & 33. Va 13° 30' E.
40:00	Set Flag for temporary 1/4 Sec Cor
80.14	Closed 9 links North of the Corner to Sec 27. 28. 33 & 34 from which Cor I run North 89° 56 W On a true line, bet Sec 28 & 33 Va 13° 30' E.
40.07	Drove Chard Stake, Set Post & raised mound of earth as per instructions for 1/4 Sec Cor.
80.14	The Corner to Sec 28. 29. 32 & 33.
	Land rolling Soil 2nd rate

✓

Township 1. N R 22. W.

Chains.	
	North. between Sec 28 & 29. Va 13° 25' E.
40:00	Drove chard stake, set Post & raised mound of earth as per instructions for 1/4 Sec Cor.
51:00	A Ravine bears N. W.
80:00	Drove chard stake set post and raised mound of earth as per instructions for Cor to Sec 20. 21. 28 & 29.
	Land rolling Soil 2nd rate

✓

Township 1 N. R. 22 W.

Chains.	
	East On a random line between Sec 21 and 28. Va 13° 30' E
40:00	Set Flag for temporary 1/4 Sec Cor.
80:00	I closed 15 links North of the Cor to Sec 21, 22 27 and 28. from which corner I run North 89° 54' W On a true line bet Sec 21 & 28 Va 13° 30' E
40:00	Drove charred stake, set post & raised mound of Earth as per instructions for 1/4 Sec Cor.
80:00	The Corner to Sec 20, 21, 28 and 29.
	Land rolling Soil 2nd rate

✓

Township 1 N. R 22 W.

Chains.	
	North between Sec 20 & 21 Va 13° 30' E
40:00	Drove a charred stake, set post and raised mound of earth as per instructions for a 1/4 Sec Cor.
80:00	Drove charred stake. Set post & raised mound of Earth as per instructions for Corner to Sec 16, 17, 20 and 21.
	Land rolling Soil 2nd rate

✓

Township 1. N. R 22. W.

Chains.	East On a random line between Sec 16 and 21. Va 13° 30' E.
3.00	A Ravine bears N.
30:00	Leave up land and enter bottom bears W. and N.E.
40:00	Set Flag for temporary 1/4 Sec cor.
60:00	Sappy Creek. 30 links wide bears S.E.
79.82	I close 10 links South of the Corner to Sec. 15.16.21 and 22. from which corner I run South 89° 56' W On a true line bet. Sec 16 & 21 Va 13° 30' E
39.91	Drove shared stake. set post & raised mound of earth as per instruction for 1/4 Sec Cor.
79.82	The Corner to Sec 16. 17, 20 and 21

Land level along creek soil 1st rate

✓

Township 1. N. R 22. W.

Chains.	North. between Sec 16 and 17. Va 13° 30' E.
3.00	Leave up land and enter bottom bears E and S.W.
22:00	Sappy Creek 30 links wide. runs S.E. soon turns N.
40:00	Set Sandstone .16x9x7. for 1/4 Sec Cor
80:00	Drove a shared stake, set post & raised mound of Earth as per instructions for Corner to Sec 8. 9. 16 and 17.

Land level along creek Soil 1st rate

✓

Township 1 N. R 22. W.

Chains.	
	East On a random line between Sec 9 and 16 Va 13° 30' E.
10.00	Leave bottom and Enter,
30.00	Leave up land bears. S.W. and N.E.
40.00	Set Flag for temporary 1/4 Sec Cor.
80.10	I stood at the Corner to Sec 9. 10. 15 and 16. from which corner I run West. On true line between Sec 9 & 16. Va 13° 30' E.
40.05	Drove Chared State, set post & raised mound of earth as per instructions for 1/4 Sec Cor.
80.10	The Corner to Sec 8. 9. 16 and 17
	Land rolling Soil 2nd rate

Township 1 N. R 22. W.

Chains.	
	North. between Sec 8 and 9 Va 13° 30' E.
5.00	Leave bottom and Enter upland bears S.W. S.E.
40.00	Drove a chared State, set post & raised mound of earth as per instructions for 1/4 Sec Cor.
80.00	Drove chared state, set post & raised mound of earth as per instructions for Corner to Sec 4. 5. 8 and 9.
	Land rolling Soil 2nd rate

Township 1. N. R 22. W.

Chains.	East On a random line between Sec. 4 and 9. Va 13° 30' E.
40:00	Set Flag for temporary 1/4 Sec Cor.
60:00	Ravine bears S.W.
79.94	I closed 8 links North of the Corner to Sec 3, 4, 9 and 10. from which corner I run
	North 89° 57 W.
	On a true line bet. Sec 4 & 9 Va 13° 30' E.
39.97	Drove chared stake. Set post & raised mound of earth as per instructions for a 1/4 Sec Cor.
79.94	The Corner to Secs 4, 5, 8 and 9.
	Land rolling Soil 2nd rate

Township 1. N. R. 22. W.

Chains.	North. On a random line between Sec. 4 and 5. Va 13° 25. E.
30:00	A Ravine bears E.
40:00	Set Flag for temporary 1/4 Sec Corner
79.80	Intersect the North boundary of the Township 23 links west of the Corner to Sec 4 and 5. from which corner I run
	South 10° W. On a true line bet. Sec 4 & 5. Va 13° 25' E.
39.90	Drove chared stake. Set post & raised mound of earth as per instructions for 1/4 Sec. Cor.
79.80	The Corner to Sec 4, 5, 8 and 9.
	Land rolling Soil 2nd rate

Township 1. N. R 22. W.

Chains.	North, between Sec 31 and 32. Va 13° 30. E.
23:00	A Ravine bears N. W.
40:00	Set a Sandstone 16×10×5 for a 1/4 Sec Cor.
80:00	Set a Sandstone 16×10×4 for Corner to Sec. 29. 30. 31 and 32.
	Land rolling Soil 2nd rate

V

Township 1. N. R 22. W.

Chains	East. On a random line between Sec 29 and 32 Va 13° 30' E.
16:00	A Ravine bears N.
40:00	Set Flag for temporary 1/4 Sec corner
80.10	I closed 10 links North of Corner to Sec 28. 29. 32 and 33. from which corner I run North 89° 56 W. On a true line bet. Sec 29 & 32 Va 13° 30' E.
40:05	Set a Sandstone, 12×10×6 for a 1/4 Sec Cor.
80:10	The Corner to Sec 29. 30. 31 and 32.
	Land rolling Soil 2nd rate

√

Township 1 N. R. 22. W.

Chains.	
	West. On a random line between Sec 30 and 31. Va 13° 40' E.
20:00	A Ravine bears N.
40:00	Set Flag for temporary 1/4 Sec Cor
79.43	Intersect the west boundary of township 6 links south of Cor to Sec 30 and 31. from which corner I run South 89° 57 E. bet. Sec 30 & 31 On a true line Va 13° 40' E
39:43	Set a Sandstone 12×12×6 for a 1/4 Sec Cor.
79.43	The Corner to Sec 29. 30. 31 and 32.
	Land rolling Soil 2nd rate
	August 9th, 1871.

✓

Township 1 N. R. 22. W.

Chains.	
	North between Sec 29 and 30 Va 13° 35 E.
27:00	Ravine bears N. W.
31:00	Ravine bears N. W.
40:00	Set a Sandstone 16×8×5 for a 1/4 Sec. Cor.
73:00	Deep Ravine bears N. W.
78:00	An Elm Tree 7 in in diameter
80:00	Set a Sandstone 12×12×6 for Cor to Sec 19. 20, 29 and 30.
	Land rolling. Soil 2nd rate

✓

Township 1. N. R. 22. W

Chains.	East. On a random line between Sec 20 and 29 Va 13°30' E.
30:00	A Ravine bears N.
40:00	Set Flag for temporary 1/4 Sec Cor.
47:00	Ravine bears N.
70:00	Ravine bears N.
80:23	I lose 23 links North of Corner to Sec 20, 21, 28 and 29. from which corner I run North. 89° 50' W. On a true line bet. Sec 20 & 29 Va 13°30' E.
40.11½	Set a Sandstone 12×11×9 for a 1/4 Sec Cor.
80.23	The Cor to Sec 19. 20. 29 and 30.

Land broken Soil 3rd rate

Township 1. N. R 22. W.

Chains	West On a random line between Sec 19 and 30 Va 13°40' E.
1:00	Ravine bears N. W.
38:00	Ravine bears N.
40:00	Set Flag for temporary 1/4 Sec Cor.
63:00	Ravine bears N. E.
79:51	Intersect west boundary of township, 17 links South of Corner to Sec 19 and 30. from which corner I run South 89°53' E On a true line bet. Sec 19 & 30 Va 13°40 E
39:51	Set Sandstone 15×13×10 for a 1/4 Sec Cor.
79.51	The Corner to Sec 19. 20, 29 and 30

Land rolling Soil 3rd rate

Township 1. N. R. 22. W.

Chains.	
	North, between Sec 19 & 20. Va 13° 40'. E.
40:00	Set Sandstone 10x10x8 for a 1/4 Sec Cor.
66.00	Leave upland and enter bottom bears E. & W.
80:00	Drove a chard stake, set post and raised mound of earth as per instructions for Cor. to Sec 17, 18, 19 & 20. from which a Box Alder 10 inches in diameter bears N. 4° W 144 links - No other trees near on South side of Creek Land rolling Soil 2nd rate

✓

Township 1. N. R. 22. W.

Chains	
	East, On a random line between Sec. 17 & 20. Va. 13° 35. E.
16:00	Deep Ravine bears North.
17:00	Short bend in Saffy Creek North of line
40:00	Set Flag for temporary 1/4 Sec Cor.
70:00	Leave bottom bears N. & S.
80:20	Closed 18 links North of the Cor to Sec 16, 17, 20 & 21 from which corner I run North 89° 52 W Bet. Sec 17 & 20 Va 13° 35' E On a true line
40.10.	Set a Sandstone, 10x10x4 for a 1/4 Sec Cor.
80:20	The Corner to Sec 17, 18, 19 & 20.
	Land rolling Soil 2nd rate

✓

Township 1. N. R. 22. W.

Chains.	West. On a random line between Sec 18 and 19. Va 13°40' E.
7:80	Sappy Creek 30 links wide runs N. E.
28:00	Same Creek runs S.
40:00	Set Flag for temporary qr sect Cor. 1 Chain N of this is the mouth of Dry Creek
78:00	Dry Creek NE 20 links wide
79:60	Intersect the west boundary of the township 22 links North of Corner to Sec 18 and 19. from which corner I run North 89°51 E
	On a true line between Sec 18 and 19 Va 13°40' E
39.60	Drove Chared stake, set post & raised mound of earth as per instructions for a 1/4 Sec Cor.
79.60	The Cor to Sec 17, 18, 19 and 20.
	Land along Creek level Soil 1st rate

Township 1. N. R 22. W.

Chains.	North, between Sec 17 and 18. Va 13°40' E.
2:00	Sappy Creek, 30 links wide runs N. E. Belt of Timber about 1 chain wide on either bank up & down creek
40:00	Drove Chared stake, set post and raised mound of earth as per instructions for 1/4 Sec Cor.
80:00	Drove Chared stake set post & raised mound of earth as per instructions for Cor to Sections 7, 8, 17 and 18.
	Land level. Soil 1st rate

Township 1. N. R. 22. W.

Chains.	
	East. On a random line between Sec 8 and 17. Va 13° 40' E.
20:00	Deep Ravine bears S.
40:00	Set Flag for temporary 1/4 Sec Cor
80.15	Closed at the Cor to Sec 8. 9. 16 and 17. from which corner I run
	West On a true line between Sec. 8 and 17. Va 13° 40' E.
40:07½	Drove chared stake, Set post raised mound of earth as per instructions for Corner to 1/4 Sec
80:15	The Cor to Sec 7, 8, 17 and 18.
	Land rolling Soil 2nd rate

✓

Township 1. N. R 22. W.

Chains.	
	West. On a random line between Sec 7 and 18. Va 13° 45' E.
40:00	Set Flag for temporary 1/4 Sec Cor.
79.40	Intersect the west boundary of the township 6 links North of Corner to Sec 7 and 18. from which corner I run
	North 89° 57 E. On a true line bet. Sec 7 & 18 Va 13° 45' E.
39.40	Drove chared stake, Set post raised mound of Earth as per instructions for a 1/4 Sec Cor.
79.40	The Corner to Sec 7. 8. 17 and 18.
	Land rolling Soil 2nd rate

✓

Township 1. N. R 22. W.

Chains.	
	North between Sec 7 & 8 Va 13°30' E.
20:00	Leave bottom & Enter upland bears E & S.W.
40:00	Drove hard stake set post & raised mound of earth as per instructions for 1/4 Sec. Cor.
45:00	Ravine bears S.E.
80:00	Drove hard stake, set post & raised mound of earth as per instructions for Corner to Sec. 5.6, 7 & 8.
	Land rolling Soil 2nd rate

✓

Township 1. N. R 22. W.

Chains.	
	East. On a random line between Sec 5 & 8. Va 13°35' E.
15:00	Deep Ravine bears S.
40:00	Set Flag for temporary 1/4 Sec Cor.
80:04	I closed 13 links North of Corner to Sec 4. 5, 8 & 9. from which corner I run North 89°54 W On a true line bet. Sec 5 & 8 Va 13°35 E.
40:02	Drove hard stake, set post & raised mound of earth as per instructions for 1/4 Sec Cor.
80:04	The Corner to Sections 5, 6, 7 & 8.
	Land rolling. Soil 2nd rate

✓

Township 1. N. R 22. W

Chains.	
	West. On a random line between Sec 6 and 7 Va 13°45' E.
40:00	Set Flag for temporary 1/4 Sec Cor
79:60	Intersect the west boundary of the township 13 links North of Corner to Sec 6 and 7. from which corner I run North 89°54 E On a true line bet. Sec 6 & 7 Va. 13°45' E
39:60	Drove Stand State Set post & raised mound of earth as per instructions for a 1/4 Sec Cor
79:60	The Corner to Sec 5. 6, 7 and 8. Land rolling Soil 2nd rate

Township 1. N. R 22. W.

Chains.	
	North. On a random line between Sec 5 and 6. Va 13°25' E.
18.00	A Ravine bears S.E.
40:00	Set Flag for temporary 1/4 Sec Cor.
79:86	Intersect the north boundary of the township 27 links West of Corner to Sec 5 and 6 from which corner I run South 12° W On a true line bet. Sec 5 and 6. Va 13°25' E
39.86	~~Drove~~ Stand State, set post & raised mound of earth as per instructions for 1/4 Sec Cor
79.86	The Corner to Sec 5. 6 - 7 and 8 Land rolling Soil 2nd rate August 10th 1871

General Description of Land in this Township.

All Land South of Sappy brook except the bottom lands is Sandy and broken, fit only for

Grazing - The bottom lands are sandy but 2nd rate farming lands. The Land North of the Creek is not so broken, has more clay, 2nd rate farming land.

List of Names

A list of the names of the individuals employed to assist in running. Measuring. or Marking the lines and corners described in the foregoing field notes of Township No 1 North of the base line of Range No 22 West of the 6th Principal Meridian Showing the respective capacities in which they acted.

Aaron Lovett: Chainman
Badock Stephenson: Chainman
James Stephenson } Axeman and
— — — } Mounelman
John B. Lovett: Flagman
James L. Slocum: Compassman

We hereby certify that we assisted James L. Slocum deputy surveyor: in Subdivid=ing Township number one North of the base line of Range Number twenty two West of the 6th Principal Meridian

and that said Township has been in all respects to the best of our knowledge and belief, well and faithfully surveyed and the boundry monuments planted according to the instructions furnished by the Surveyor General

Aaron Lovett Chainman
Zadok Stephenson Chainman
James Stephenson Axeman and Mounelman
J. R. Lovett, Flagman
James L Slocum Compassman

Subscribed and sworn to by the above named persons before me a Notary Public within and for Cass County Nebraska this 18 day of Sept 1871

Lazar D Barnett
Notary Public
Cass County
Nebraska

I James L Slocum Deputy Surveyor do solemnly swear that in pursuance of a Joint Contract No 49 wherein David Stephenson and James L Slocum are Joint Contractors with E E Cunningham United State Surveyor General for the District of Nebraska and Iowa bearing date the 16 day of June AD 1871, I have faithfully and truly in my own propers person and in strict conformity with instructions of the Surveyor General the Surveying Manual and the laws of the United States surveyed all those parts or portions of Township No One (1) North of the Base Line of Range No twenty two (22) West of the 6th principal

meridian in the State of Nebraska as are represented in the foregoing Field Notes as having been surveyed under my direction and I do further solemnly swear that the foregoing are the true and original Field Notes of such survey

James L Slocum
Dept Surveyor

Subscribed by the said James L Slocum Dept Surveyor and sworn to before me a Notary Public within and for Cass County Nebraska this 18th day of September AD 1871

Lloyd D Barrett
Notary Public

This Survey Commenced on the 5th day of August 1871 And Completed August the 10th AD 1871

Surveyor Generals Office
Plattsmouth Neb. Oct. 28th 1871

The forgoing Field Notes of the Survey and subdivision of Township No 1 North of the Base line of Range No 22 West of the 6th Principal Meridian in the State of Nebraska as executed by James L. Slocum Deputy Surveyor under joint Contract No 49 dated June 16th AD 1871 Wherein David V Stephenson and James L. Slocum are Joint Contractors with E. E. Cunningham Surveyor General and in the month of August AD 1871. having been critically examined, the necessary corrections and explanations made, The said Field Notes and the Survey they describe are hereby approved

E. E. Cunningham
Surveyor General

T 2 N., R 22 W



Field Notes
of the

Survey and subdivision of Township No 2 North of the Base Line, Range 22 West of 6th Prin. Mer. Executed by James L. Slocum Deputy Surveyor, under point Contract No 49. dated June 16th 1871. wherein D. V. Stevenson and James L Slocum are point Contractors

Survey Commenced aug 11 1871
Survey Completed " 16 "

Field notes of the Subdivision lines of Township 2. N. of Range 22. West 6th P. M.

To determine the proper adjustment of my compass for Subdividing this Township –

I commenced at the corner to Townships 1 & 2 N Ranges 21 & 22 W. of the 6th P. M. and run North in a blank line along the East boundry of Sec 36. Va: 13° 15' E.

40.02 To a point 12. links east of the 1/4 Sec. cor.

80.06 to a point 27. links East of the corner to Sec 25 & 36

To retrace this line or run paralel thereto my compass must be adjusted to a Va of 13° 27' E.

Township 2. N. Range 22 W. 6th P.M.

Chains	
	North between Sec 35 & 36 Va: 13° 27' E
40.00	Drove a charred Stake Set Post and raised Mound of Earth as per instructions for a 1/4 Sec. Cor.
80.00	Drove charred Stake Set Post & raised Mound of Earth as per instructions for cor to Sec. 25 26. 35 & 36
	Land rolling Soil 2nd rate

Township 2. N. Range 22. W. 6th P.M.

Chains	
	E. on a random line between Sec 25 & 36 Va: 13° 40' E
40.00	Set post & stone for temporary 1/4 Sec Cor.
77.00	Ravine bears N.W. & S.E.
80.04	Intersect E. boundry of the Township 6 links South of the cor to Sec 25 & 36 from which Corner I run S. 89° 57' West On a true line bet. Sec 25 & 36. Va 13° 40' E
40.02	Drove charred Stake, Set Post and raised Mound of earth as per instructions for a 1/4 Sec. Cor.
80.04	The Corner to Sec 25, 26, 35 & 36
	Land rolling Soil 2nd rate

Township 2. N. Range 22. W. 6th P.M.

Chains	
	N. between Sec 25 & 26
	Va: 13° 27' E.
40.00	Drove charred Stake set Post & raised Mound of earth as per instructions for a 1/4 Sec. Cor.
77.00	Ravine bears N.E. to big ravine running N.W.
80.00	Drove charred Stake set Post & raised Mound of Earth as per instructions for Cor. to Sec 23. 24 25 & 26.
	Land rolling Soil 2nd rate

Township 2. N. Range 22. W. 6th P.M.

Chains	
	E. On a random line between Sec 24 & 25
	Va: 13° 40' E
3.00	Ravine bears N. W.
23.00	Ravine bears N. W. & West
40.00	Set ~~Flag~~ post for temporary 1/4 Sec Cor.
80.00	Intersect east Boundry of the Township at the Cor to Sec 24 & 25 from which corner I run West on a true line between Sec 24 & 25 Va 13° 40' E.
40.00	Drove charred Stake set Post & raised Mound of Earth as per instructions for 1/4 Sec Cor.
80.00	The corner to Sec 23. 24. 25 & 26
	Land high & Rolling Soil 2nd rate

Township 2. N. Range 22 W 6th P.M.

Chains	
	N between Sec 23 + 24
	Va: 13° 27' E.
9.00	Ravine bears N. W.
40.00	Drove charred Stake set Post + raised Mound of earth as per instructions for a 1/4 Sec. Cor
80.00	Drove charred Stake set Post + raised Mound of earth as per instructions for Cor to Sections 13.14 23 + 24.
	Land rolling Soil 2nd rate

Township 2 N Range 22. W. 6th P.M.

Chains	
	E. On a Random line between Sec 13 + 24
	Va: 13° 40' E.
20.00	Ravine bears North
40.00	Set post ~~Flag~~ for temporary 1/4 Sec Cor.
47.00	Leave uplands + enter bottom bears S. E + W.
80.10	Intersect the E. boundary of the Township 15 links North of the cor to Sec 13 + 24. from which corner I run
	N 89° 54' West
	On a true line bet. Sec 13 & 24. Va 13° 40' E.
40.05	Drove charred Stake set Post + raised Mound of Earth as per instructions for 1/4 Sec; Cor:
80.10	The corner to Sec 13.14.23 + 24
	Land rolling Soil 2nd rate

Township 2 N. Range 22 W. 6th P.M.

Chains	
	N. between Sec. 13 & 14 Va: 13° 27' E.
10.00	Leave upland & enter bottom bears E. & S.W.
40.00	Drove charred Stake set Post and raised Mound of Earth as per instructions for 1/4 Sec. Cor.
60.00	Beaver creek (runs E & W) 30 links wide water 2 ft deep banks high & Muddy. bottom Sandy, belt of Timber 1 chain wide on either bank
80.00	Drove charred Stake set Post & raised Mound of Earth as per instructions for Cor to Sec 11. 12 13 & 14.

Bottom good farming land
Upland 2nd rate soil better for grazing

Township 2 N. Range 22 W. 6th P.M.

Chains	
	E. on a random line Between Sec: 12 & 13 Va: 13° 40' E.
20.00	Dry branch bears South
30.00	Beaver creek (30 links wide runs) ~~bears~~ N. E.
38.00	Same creek (runs) ~~bears~~ S. E. Water 2 feet Deep & 35 links wide deep Muddy banks bottom Sandy Timber about 1 chain wide on Each bank
40.00	Set ~~Post~~ post for temporary 1/4 Sec Cor.
79.94	Intersect East boundary of the Township 8 links South of the corner to Sections 12 & 13 from which corner I run S. 89° 57' West On a true line Bet. Sec 12 & 13 Va 13° 40' E.
39.97	Set a line "Stone 13 & 12 & 3" for a 1/4 Sec corner
79.94	The corner to Sec 11. 12. 13 & 14

Land gently rolling Soil 1st rate

Township 2. N. Range 22. West 6th P.M.

chains N. between Sec 11 & 12
Va: 13°27' E
38.00 Ravine bears S.E.
40.00 Drove charred Stake set Post & raised Mound of Earth as per instructions for a 1/4 Sec. Cor:
42.00 Leave bottom & enter upland S.E.
80.00 Drove charred Stake set Post & raised Mound of Earth as per instructions for the Corner to Sec 1. 2. 11. & 12
Land rolling Soil 2nd rate

Township 2. N. Range 22 W. 6th P.M.

E. on a Random line between Sec 1 & 12
Va: 13°40' E.
40.00 Set ~~stake~~ post for temporary 1/4 Sec Cor.
79.84 Intersect the East boundry of the Township 4 links South of the Corner to Sec 1 & 12 from which Corner I run
S. 89°58' West On a true line between Sec 1 & 12 Va 13°40' E
39.92 Drove charred Stake set Post & raised Mound of Earth as per instructions for a 1/4 Sec cor:
79.84 The cor. to Sec. 1. 2. 11. & 12
Land rolling Soil 2nd rate

Township 2. N. Range 22. W. 6th P.M.

Chains	
	N. on a Random line between Sec 1. & 2. Va: 13° 27' East
40.00	Set ~~Stake~~ post for temporary 1/4 Sec Cor.
79.96	Intersect North boundry of the Township 8 links East of the corner to Sec 1 & 2. from which corner I run South 3 E. on a true line bet. Sec 1 and 2 Va: 13° 27' E.
39.96	Drove charred Stake set Post and raised mound of Earth as per instructions for a 1/4 Sec Cor
79.96	The corner to Sec 1. 2. 11 & 12
	Land rolling Soil 2nd rate

Township 2. N. Range 22. W. 6th P.M.

Chains	
	N. Between Sec. 34 & 35 Va: 13° 30' E.
40.00	Drove charred Stake set Post & raised mound of Earth as per instructions for a 1/4 Sec. Cor.
80.00	Set Sandstone 12 x 12 x 3 for Corner to Sec 26. 27. 34 & 35
	Land rolling Soil 2nd rate

Township 2. N. Range 22. W. 6th P.M.

Chains	
	E. on a Random line Between Sec 26 & 35 Va: 13°40' E.
0.40	Ravine bears N. W.
40.00	Set ~~Stake~~ post for temporary 1/4 Sec Cor.
79.96	Intersect Sec line 20 links S of Cor to Sec 25. 26. 35 & 36 from which Corner I run S. 89°57' West
	On a true line bet. Sec 26 & 35 Va 13°40'
39.98	Drove charred Stake set Post & raised Mound of Earth as per Instructions for a 1/4 Sec Cor.
79.96	The Corner to Sec 26. 27. 34 & 35
	Land rolling Soil 2nd rate

Township 2. N. Range 22. W. 6th P.M.

Chains	
	N. Between Sec 26. & 27 Va: 13°30' E.
0.60	Ravine bears N. W.
40.00	Drove charred Stake set Post and raised Mound of Earth as per Instructions for a 1/4 Sec Cor:
80.00	Set a Sandstone 14 x 12 x 4 for Corner to Sec 22. 23. 26 & 27
	Land rolling Soil 2nd rate

Township 21 N. Range 22 W. 6th P.M.

Chains

On a random line
Between Sec 23 & 26
Va: 13° 40' E.

9.00 Ravine bears N. W.

40.00 Set ~~Stake~~ post for temporary 1/4 Sec Cor.

80.08 Intersect N. & S. line 8 links South of Cor: to Sec 23, 24, 25, 26 from which corner I run S 89° 57' W.

On a true line bet. Sec 23 & 26
Va: 13° 40' E.

40.04 Set a Sandstone 14 X 10 X 3 for a 1/4 Sec Cor:

80.08 The corner to Sec. 22. 23. 26 & 27.

Land rolling Soil 2nd rate

✓

Township 21 N. Range 22 W. 6th P.M.

Chains

N. Between Sec 22 & 23.
Va: 13° 30' E.

2.50 Ravine bears N. W.

27.00 Leave upland and enter bottom bears N. E. & S. W.

40.00 Set a Sandstone 12 X 10 X 6 for a 1/4 Sec. Cor:

80.00 Drove charred stake set post and raised mound of earth as per instructions for the corner to Sec 14. 15. 22 & 23.

Land rolling Soil 2nd rate

✓

Township 2 N. Range 22 W. 6th P.M.

chains	
	E. on a Random line Between Sec 14 & 23 Va: 13°40' E.
7.00	Leave bottom & enter upland NE¼SE
40.00	Set ~~Flag~~ post for temporary ¼ Sec Cor.
45.00	Ravine bears North
80.16	Intersect at corner to Sec 13, 14, 23 & 24. from which corner I run
	West on a true line bet Sec 14 & 23 Va 13° 40' E.
40.08	Drove charred Stake Set Post & raised Mound of Earth as per instructions for a ¼ Sec. Cor.
80.16	The corner to Sec 14, 15, 22, 23

Land rolling. Soil 2nd rate

✓

Township 2 N. Range 22 W. 6th P.M.

chains	
	N. Between Sec 14 & 15 Va: 13°30' E.
8.00	Enter timber bears E & W.
11.70	Beaver creek 30 links wide rips bears S.E.
12.10	Leave timber bears E & W
38.00	Leave Bottom & Enter upland bears E & West
40.00	Drove charred Stake Set Post & raised Mound of Earth as per instructions for a ¼ Sec. Cor.
80.00	Drove charred Stake Set Post & raised Mound of Earth as per instructions for the Corner to Sec 10, 11, 14 & 15

Bottom fair farming land
Upland broken Soil poor 2nd rate

✓

Township 2. N. Range 22 W. 6th P.M.

Chains	
	E. On a random line Between Sec 11 & 14 Va: 13° 40' E
32.00	Beaver Creek 30 links wide runs ~~bears~~ N.E.
40.00	Set ~~flag~~ post for temporary 1/4 Sec Cor
46.00	Same Creek bears S.E.
80.00	I closed 10 links North the corner to Sec 11.12.13 & 14 from which corner I run N. 89° 56' West
	On a true line bet. Sec 11 & 14 Va 13° 40' E
40.00	Drove charred Stake Set Post and raised Mound of Earth as per instructions for a 1/4 Sec cor:
80.00	The corner to Sec 10.11.14 & 15
	Land rolling Soil 2nd rate
	✓

Township 2. N. Range 22 W. 6th P.M.

Chains	
	N. Between Sec 10 & 11 Va: 13° 30' E.
40.00	Drove charred Stake Set Post & raised mound of Earth as per instructions for a 1/4 Sec corner
80.00	Drove charred Stake Set Post & raised Mound of Earth as per instructions for the corner to Sections 2.3.10 & 11
	Land rolling Soil 2nd rate
	✓

Township 2. N. Range 22. W. 6th P.M.

chains

East On a Random line
Between Sec 2 + 11
Va: 13° 40' E.

40.00 Set ~~Flag~~ post for temporary 1/4 Sec Cor.
57.00 Ravine bears South
79.80 Intersect N + S line 13 links north of the corner to Sec 1. 2. 11. + 12
from which Corner I run
N. 89° 54' West
On a true line bet. Sec 2 + 11
39.90 Drove charred Stake Va 13° 40' E. Set Post + raised Mound of Earth as per instructions for a 1/4 Sec corner:
79.80 The Corner to Sec. 2. 3. 10 + 11

Land rolling Soil 2nd rate

✓

Township 2. N. Range 22. W 6th P.M.

chains

North On a Random line
Between Sec 2 + 3
Va: 13° 30' E.

40.00 Set ~~Flag~~ post for temporary 1/4 Sec Cor.
68.00 Ravine bears S.E.
80.06 Intersect the North boundary of the Township 17 links East of the Corner to Sec 2 + 3. from which corner I run
South 1' E. on a true line
bet. Sec 2 + 3 Va: 13° 30' E.
40.06 Drove charred Stake Stake Set Post + raised Mound of Earth as per instructions for a 1/4 Sec corner:
80.06 The Corner to Sec 2. 3. 10. + 11.
Land rolling Soil 2nd rate

✓

Township 2 N. Range 22 W. 6 P.M.

chains	
	North Between Sec 33 & 34
	Va 13°35' E
40.00	Drove charred Stake Set Post & raised Mound of earth as per instructions for a 1/4 Sec cor:
80.00	Drove charred Stake Set Post & raised mound of earth as per instructions for the cor to Sec 27. 28. 33 & 34
	Land rolling Soil 2nd rate

Township 2 N. Range 22 West 6th P.M.

chains	
	East on a Random line between Sec 27 & 34
	Va: 13°40' E.
40.00	Set ~~Stake~~ Post for temporary 1/4 Sec Cor
43.00	Ravine bears North
80.00	Intersected the N&S Sec line 10 links North of the cor to Sec 26. 27. 34 & 35 from which corner I run N. 89°56' West
	On a true line bet Sec 27 & 34 Va 13°40' E
40.00	Set a Sand Stone 12 x 12 x 5 for a 1/4 Sec cor:
80.00	The corner to Sec 27. 28. 33 & 34
	Land rolling Soil 2nd rate

Township 21 N. Range 22 W. 6th P.M.

Chains	
	N. Between Sec 27 & 28 Va: 13°35' E.
40.00	Drove charred Stake Set Post & raised Mound of earth as per instructions for a 1/4 Sec: Cor.
68.00	Ravine bears N.W.
78.00	Ravine bears N.W.
80.00	Drove charred Stake Set Post and raised Mound of Earth as per instructions for the Cor: to Sec 21. 22. 27 & 28
	Land rolling Soil 2nd rate

Township 21 N. Range 22 W. 6th P.M.

Chains	
	East on a Random line Between Sec 22 & 27. Va: 13°40' E.
39.00	Ravine bears North
40.00	Set ~~Stag~~ Post for temporary 1/4 Sec Corner
80.10	Intersect N & S 1/4 line links north of the cor: to Sec 22. 23. 26 & 27 from which corner I run N 89°54' West
	On a true line bet. Sec 22 & 27 Va 13°40' E
40.05	Set a Sand Stone 14 x 10 x 4 for a 1/4 Sec Cor:
80.10	The Corner to Sec 21. 22. 27 & 28
	Land rolling Soil 2nd rate

Township 21 N. Range 22 W. 6th P.M.

Chains	
	N. Between Sec 21 & 22 Va 13°35' E.
35.00	Leave upland and enter Bottom bears E. & W.
40.00	Drove Charred Stake Set Post & raised Mound of Earth as per instructions for a 1/4 Sec. Cor.
79.00	Ravine bears N.E. then E & Spring Branch
80.00	Drove charred Stake Set Post & raised mound of Earth as per instructions for the Cor to Sec 15, 16, 21, & 22

Upland rolling Soil 2nd rate
Bottom level " 1st "

✓

Township 21 N Range 22 West 6th P.M.

Chains	
	E. on a Random line Between Sec 15 & 22 Va: 13°40' E
30.50	Spring Branch ~~bears~~ runs North good water & timber. bottomwood Elm & Ash.
40.00	Set Post Flag for temporary 1/4 Sec Cor
80.30	Intersect the 1st 20 links North of the cor: to Sec 14, 15, 22 & 23 from which corner I run N 89°51' West
	On a true line Set Sec 15 & 22 Va 13°40' E
40.15	Drove charred Stake Set Post & raised Mound of Earth as per instructions for a 1/4 Sec Cor
80.30	The Cor to Sec 15, 16, 21 & 22

Land broken Soil 2nd rate

✓

Township 2 N. Range 22 West 6th P.M.

Chains	
	N. Between Sec 15 & 16
	Va: 13° 35' E
40.00	Drove charred Stake set Post & raised Mound of Earth as per instructions for a 1/4 Sec Cor:
42.25	Beaver creek ~~bears~~ runs E. Water 40 links wide brush of young timber on banks
76.00	Leave Bottom & Enter Upland E
80.00	Drove charred Stake set Post & raised Mound of Earth as per instructions for the Corner to Sec 9. 10. 15 & 16.
	Land rolling Soil 2nd rate

✓

Township 2 N. Range 22 W. 6th P.M.

Chains	
	E on a random line between Sec 10 & 15
	Va: 13° 40' E.
40.00	Set Post X X & 4 for temporary 1/4 Sec Cor
60.00	Ravine bears S E to Bottom
70.00	Ravine bears South
80.20	Intersect at the Cor to Sec 10. 11. 14 & 15 from which corner I run
	West on a true line bearing Sec 10 & 15 Va 13° 40' E.
40.10	Set a Sand Stone 12 x 12 x 5 for a 1/4 Sec: corner
80.20	The corner to Sec 9. 10. 15 & 16
	Land broken Soil 2nd rate

✓

Township 2 N Range 22 W. 6th P.M.

Chains	
	N. Between Sec 9 & 10 Va: 13° 35' East
40.00	Drove charred Stake set Post & raised Mound of earth as per instructions for a 1/4 Sec Corner
80.00	Drove charred Stake set Post & raised Mound of Earth as per instructions for the cor to Sec 3. 4. 9. & 10
	Land rolling Soil 2nd rate

✓

Township 2 N Range 22 West 6th P.M.

Chains	
	East On a Random line between Sec 3 & 10. Va: 13° 40' E.
13.00	Ravine bears S.E.
40.00	Set Post ~~Stake~~ for temporary 1/4 Sec cor.
63.00	Ravine bears South
80.00	Intersect true line 8 links South of the corner 2. 3. 10 & 11 from which corner I run South 89° 57' West On a true line bet. Sec 3 & 10. Va 13° 40' E
40.00	Drove charred Stake set Post & raised mound of Earth as per instructions for a 1/4 Sec Cor
80.00	The corner to Sec 3. 4. 9 & 10.
	Land broken. Soil 2nd rate

✓

Township 2 N. Range 22 W. 6th P.M.

Chains	
	North on a random line Between Sec 3 & 4 Va: 13°35' E
7.00	Ravine bears East & big ravine which bears S.E.
37.00	Ravine bears S.E.
40.00	Set Flag for temporary 1/4 Sec Cor.
79.94	I intersected the N. boundry of the Township at the corner to Sec 3 & 4 from which corner I run
	South on a true line bet. Sec 3 & 4 Va: 13°35' E
39.94	Drove charred Stake set Post & raised Mound of Earth as per instructions for 1/4 Sec Cor
79.94	The corner to Sec 3.4.9 & 10
	Land rolling Soil 2nd rate

✓

Township 2 N. Range 22 W. 6th P.M.

Chains	
	N. Between Sec 32 & 33 Va: 13°40' E
10	
40.00	Drove charred Stake set Post & raised Mound of earth as per instructions for a 1/4 Sec. Cor:
78.00	Ravine bears N.E.
80.00	Drove charred Stake set Post & raised Mound of Earth as per instructions for the Cor: to Sec 28. 29. 32. & 33.
	Land rolling Soil 2nd rate

✓

Township 2 N. Range 22. W. 6th P.M.

Chains East on a Random line
Between Sec. 28 & 33
Va: 13°40' E

3.00 Ravine bears N.E.

40.00 Set ~~Flag~~ Post for temporary 1/4 Sec Cor

80.00 Intersect N&S line 14 links North of the cor. to Sec 27. 28. 33 & 34 from which corner I run
N. 89°54' W
On a true line bet. Sec 28 & 33. Va 13°40' E

40.00 Drove charred Stake Set Post & raised Mound of earth as per instructions for a 1/4 Sec: Cor:

80.00 The cor to Sec 28. 29. 32 & 33

Land rolling Soil 2nd rate

✓

Township 2. N. Range 22. W. 6th P.M.

Chains N. Between Sec 28 & 29
Va: 13°40' E.

40.00 Drove charred Stake set Post & raised Mound of earth as per instructions for a 1/4 Sec Cor

80.00 Drove charred Stake Set Post and raised Mound of earth as per instructions for the corner to Sec
" 20. 21. 28 & 29

Land rolling Soil 2nd rate

✓

Township 2 N. Range 22 W. 6th P.M.

Chains	
	E. on a Random line between Sec 21 & 28 Va: 13° 40' E.
27.00	Ravine bears North
40.00	Set Post Flag for temporary 1/4 Sec Cor.
80.00	Intersect 1/4 S. at the corner to Sec 21. 22. 27 & 28 from which corner I run West on a true line bet. Sec 21 & 28 Va 13° 40' E.
40.00	Drove Charred Stake Set Post & raised Mound of Earth as per instructions for a 1/4 Sec. Cor:
80.00	The corner to Sec 20. 21. 28 & 29.

Land rolling Soil 2nd rate

Township 2. N. Range 22 W. 6th P.M.

Chains	
	N. Between Sec 20 & 21 Va: 13° 40' E.
40.00	Drove charred Stake Set Post & raised Mound of Earth as per instructions for a 1/4 Sec corner
59.00	Beaver Creek 25 links wide bears N.E. Water 2 ft Deep banks high & Muddy Bottom Sandy
80.00	Drove charred Stake Set Post & raised Mound of Earth as per instructions for the Corner to Sec 16. 17. 20. & 21

Land rolling Soil 2nd rate

Township 2 N. Range 22 W. 6th P.M.

Chains	
	East on a Random line between Sec 16 + 21 Va: 13°40' E.
1.00	Beaver Creek 30 links wide water 2 ft deep runs North
25.00	Leave Bottom + enter upland bears N.
40.00	Set Post for temporary 1/4 Sec Cor.
80.00	Intersect line at the corner to Sec 15.16.21 + 22
	from which corner I run West on a true line bet Sec 16 + 21 Va 13°40' E
40.00	Set a Sand Stone 12 + 11 x 5 for a 1/4 Sec Cor.
80.00	The corner to Sec 16.17.20 + 21

Land rolling Soil 2nd rate

Township 2 N. Range 22 W. 6th P.M.

Chains	
	N. Between Sec 16 + 17 Va: 13°40' E.
8.00	Leave Bottom + enter upland Bottom bears East + West.
39.00	Spring Branch runs S.E. Good Spring 2.50 west of the line + 4 chains North of 1/4 corner
40.00	Set a Sand Stone 12 + 10 x 5 for a 1/4 Sec corner
72.00	Ravine to cars S.E.
80.00	Set a Sand Stone 14 x 9 x 4 for the corner to Sec 8.9.16 + 17

Land rolling Soil 2nd rate

Township 2. N. Range 22. W. 6th P.M.

Chains	
	East on a random line Between Sec 9 & 16
	Va: 13° 40' E.
3.00	Ravine bears S.E.
40.00	Set Post Pitsing for temporary 1/4 Sec Cor
80.00	Intersect N & S line 10 links north of the Cor: to Sec 9. 10. 15 & 16 - from which corner I run
	N. 89° 56 West Va 13° 40' E
	On a true line bet: Sec 9 & 16
40.00	Set a Sand Stone 14 x 12 x 5 for a 1/4 Sec: Cor:
80.00	The corner to Sec. 8. 9. 16 & 17
	Land rolling Soil 2nd rate

Township 2. N. Range 22. W. 6th P.M.

Chains	
	North Between Sec 8 & 9
	Va: 13° 40' E.
5.00	Ravine bears S.E.
40.00	Set a Sand Stone 12 x 11 x 6 for a 1/4 Sec. Cor:
80.00	Drove Charred Stake Set Post & raised Mound of earth as per instructions for the corner to Sec 4. 5. 8 & 9
	Land rolling Soil 2nd rate

Township 2 N. Range 22 W. 6th P.M.

Chains	
	East on a random line between Sec 4 & 9
	Va 13°40' E.
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor
80.10	Intersect the line at the corner to Sec 3. 4. 9 & 10.
	from which corner I run
	West on a true line
40.05	Drove charred Stake set Post & raised Mound of earth as per instructions for a 1/4 Sec cor:
80.10	The corner to Sec 4. 5. 8 & 9
	Land rolling Soil 2nd rate

✓

Township 2 N. Range 22 W. 6th P.M.

Chains	
	North on a random line between Sec 4 & 5
	Va: 13°40' E
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor
79.88	Intersect the North boundry of Township 20 links West of the corner to Sec 4 & 5 from which corner I run.
	South 9' W. on a true line between Sec 4 and 5 Va 13°40' E.
39.88	Drove charred Stake set Post & raised Mound of Earth as per instructions for a 1/4 Sec cor
79.88	The corner to Sec 4. 5. 8 & 9
	Land rolling Soil 2nd rate

✓

Township 2. N. Range 22. W. 6th P.M.

Chains	
	N. Between Sec 31 & 32
	Va: 13°50' E
40.00	Drove charred Stake Set Post & raised Mound of Earth as per instructions for a 1/4 Sec: Cor:
80.00	Drove charred Stake set Post & raised Mound of earth as per instructions for the Cor: to Sec: 29. 30. 31. & 32.

Land rolling Soil 2nd rate

✓

Township 2. N. Range 22. W. 6th P.M.

Chains	
	East on a Random line between Sec 29 & 32
	Va: 13°40' E.
32.00	Ravine bears N. W.
40.00	Set ~~Post~~ Post for temporary 1/4 Sec Cor.
79.70	Intersect ~~N&S~~ line 8 links South of the corner to Sec 28. 29. 32 & 33 from which corner I run S. 89°57' West
	On a true line bet. Sec 29 & 32 Va 13°40' E
39.85	Set Sand Stone 14 x 10 x 4 for a 1/4 Sec corner
79.70	The corner to Sec 29. 30. 31 & 32

Land rolling Soil 2nd rate

✓

Township 2 N. Range 22 W. 6th P.M.

Chains West On a random line between Sec 30 & 31

Va: 13°40' E

12.00 Ravine bears N.W.

40.00 Set Post Flag for temporary 1/4 Sec Cor

79.80 Intersect N & S line 15 links north of the cor to Sec 30 & 31 on west boundry of Township from which corner I run

N. 89°54' E.

On a true line bet Sec 30 & 31

39.80 Set a Sandstone 12 x 12 x 6 for a 1/4 Sec corner Va 13°40' E

79.80 the corner to Sec 29, 30, 31 & 32.

Land rolling Soil 2nd rate

✓

Township 2 N. Range 22 W. 6th P.M.

Chains N. Between Sec 29 & 30

Va: 13°50' E

40.00 Drove charred Stake Set Post & raised Mound of earth as per instructions for 1/4 Sec corner which I set on South bank of ravine bears N.E. to Big ravine bears N.W.

80.00 Drove charred Stake Set Post & raised Mound of Earth as per instructions for corner to Sec 19, 20, 29 & 30 which I set on the South side of a big ravine which bears N.W. & North

Land rolling Soil 2nd rate

✓

Township 2. N. Range 22. West 6th P.M.

Chains	
	East on a random line between Sections 20 + 29
	Va: 13° 40' E.
40.00	Set Post ~~Flag~~ for temporary 1/4 Sec Cor
79.80	Intersect the line 20 links South of the cor to Sec 20. 21. 28 + 29. from which corner I run
	South 89° 51' West
	On a true line bet. Sec 20 + 29 Va 13° 40' E
39.90	Set a Sand Stone 14 x 12 x 3 for a 1/4 Sec. Cor:
79.80	The corner to Sec 19. 20. 29 + 30
	Land rolling Soil 2nd rate

Township 2. N Range 22 W. 6th P.M.

Chains	
	West on a random line between Sec 19 + 30
	Va: 13° 40' E
21.00	Ravine bears N. E.
40.00	Set Post ~~Flag~~ for temporary 1/4 Sec cor.
79.70	Intersected the West boundry of Township 10 links North of the cor. to Sec 19 + 30 - from which corner I run
	N 89° 56' E
	On a true line bet. Sec 19 + 30 Va 13° 40' E
39.70	Set Sand 10 x 10 x 8 for a 1/4 Sec cor
	On top of a High divide
79.70	The corner 19. 20. 29 + 30.
	Land rolling Soil 2nd rate

Township 2. N. Range 22. W. 6th P.M.

Chains	
	North ~~on a Random line~~ Between Sec 19 & 20
	Va 13°50' E
32.00	Leave upland & enter bottom bears E & W.
37.00	Ravine bears E to Beaver creek Scattering timber
40.00	Drove charred Stake Set Post & raised Mound of earth as per instructions for a 1/4 Sec. cor:
44.50	Ravine bears E & SE
53.85	Beaver creek ~~bears~~ runs SE water 2 ft deep 40 links wide & enter timber
60.00	Leave timber and bottom on creek & enter Prairie SE
80.00	Drove charred Stake Set Post & raised Mound of Earth as per instructions for the corner to Sec 17.18.19 & 20

Bottom level 1st rate farming land
Upland rolling Soil 2nd rate

√

Township 2. N. Range 22 West 6th P.M.

Chains	
	East on a Random line Between Sec 17 & 20
	Va: 13° 40' E
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec cor
80.00	Intersect N.S. line at the corner to Sec 16.17.20 & 21. from which corner I run
	West on a true line
40.00	Drove charred Stake Set Post & raised Mound of Earth as per instructions for a 1/4 Sec. cor: between Sec 17 & 20 Va 13° 40' E
80.00	The Corner to Sec 17.18.19 & 20

Land rolling Soil 2nd rate

√

Township 2. N. Range 22. W 6th PM.

Chains	
	West on a Randomline Between Sec 18 & 19 Va 13°40' E
7.00	Leave upland & enter bottom bears N & S E
33.00	Beaver Creek runs S E.
40.00	Set Post Flag for temporary 1/4 Sec Cor
45.00	Ravine at foot of Bluffs bears S.E. where I leave bottom & enter upland N.E.
65.00	Leave Upland & enter Bottom bears N.E. & S ft.
79.78	Intersect the West Boundry of Township 29 links South of the cor to Sec 18 & 19 from which corner I run S 89°48' E On a true line bet. Sec 18 & 19 Va 13°40' E
39.78	Set a Sand stone 16 x 10 x 5 for a 1/4 Sec cor
79.78	the corner to Sec 17.18.19 & 20

Land broken Soil 1st & 2nd rate

Township 2. N. Range 22. W. 6th PM

Chains	
	N. Between Sec 17 & 18 Va: 13°50' E
40.00	Drove charred stake set Post and raised mound of earth as per instructions for a 1/4 Sec Cor
80.00	Drove charred Stake set Post & raised mound of earth as per instructions for the cor to Sec 7.8.17 & 18

Land rolling Soil 2nd rate

Township 2 N. Range 22 W. 6th P.M.

chains	
	East on a Random line Between Sec 8 & 17 Va 13°40' E
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor
80.00	Intersect the line 14 links North of the Cor. to Sec 8.9.16 & 17 from which corner I run N. 89°54' West On a true line bet. Sec 8 and 17 Va 13°40' E
40.00	Drove Charred Stake set Post & raised Mound of earth as per instructions for a 1/4 Sec cor
80.00	The corner to Sec 7.8.17 & 18

Land rolling Soil 2nd rate

Township 2 N. Range 22 W. 6th P.M.

chains	
	West on a random line between Sec. 7 & 18 Va: 13°40' E
15.00	Leave upland and enter Bottom bears N. & South
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor.
79.85	Intersect the West boundary of the Township 10 links South of the corner to Sec 7 & 18. from which corner I run South 89°56' E On a true line bet. Sec 7 and 18 Va 13°40' E
39.85	Drove charred stake set Post & raised Mound of earth as per instructions for a 1/4 Sec corner
79.85	The corner to Sec 7.8.17 & 18

Bottom land level Soil 2nd rate

Township 2. N. Range 22. W. 6th P.M.

Chains	
	North Between Sec 7 & 8 Var: 13° 50' E
32.00	Ravine Bears West to Big ravine
40.00	Drove Charred Stake set Post & raised Mound of earth as per instructions for a 1/4 Sec cor:
79.50	Ravine bears South West
80.00	Drove Charred Stake set Post & raised Mound of earth as per instructions for cor to Sec 5. 6. 7 & 8.

Land rolling Soil 2nd rate

Township 2. N. Range 22. W. 6th P.M.

Chains.	
	East on a random line Between Sec 5 & 8
1.00	Ravine depends S.W. Var: 13° 40' E.
40.00	Set ~~Post~~ Post for temporary 1/4 Sec Cor.
80.00	Intersect N & S line at the corner to Sec 4. 5. 8 & 9. from which corner I run
	West on a true line Bet. Sec 5 & 8 Var 13° 40' E
40.00	Drove Charred Stake set Post & raised Mound of earth as per instructions for a 1/4 Sec Corner
80.00	The corner to Sec 5. 6. 7 & 8

Land rolling Soil 2nd rate

Township 21 N Range 22 W. 6th P.M.

chains	
	West on a random line between Sec 6 & 7
	Va: 13° 40' E
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor.
80.20	Intersected the West boundry of Township 20 links North of the corner to Sec 6 & 7 from which corner I run
	N 89° 51' East
	On a true line bet Sec 6 & 7 Va 13° 40' E
40.20	Set a Sand stone 12 x 12 x 6 for a 1/4 Sec corner
80.20	The corner to Sec 5, 6, 7 & 8

Land rolling Soil 2nd rate

Township 21 N. Range 22 W. 6th P.M.

chains	
	North on a random line Between Sec 5 & 6
	Va 13° 50' E.
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor
80.00	Intersected the North Boundry of Township 15 links West of the corner to Sec 5 & 6.
	from which corner I run
	South 6' W. on a true line between Sections 5 and 6.
	Va: 13° 50' E
40.00	Drove charred stake set Post & raised Mound of earth as per instructions for a 1/4 Sec cor
80.00	The corner to Sec 5, 6, 7 & 8

Land rolling Soil 2nd rate

General Description

The principal part of the Land in this Township is high rolling Prairie:
Soil 2nd rate
Bottoms along Beaver creek are generally level
Soil 1st rate
Timber along the banks of creek from 50 lks to 15-0 lks wide
Ash: Elm: and Box alder

List of Names

A list of the names of the individuals employed to assist in running measuring or marking the lines and corners described in the foregoing field notes of Township No 2. North of the base line of Range No. 22 West of the 6th Principal Meridian. Showing the respective capacities in which they acted

Aaron Lovett: Chainman
Zadock Stephenson: Chainman
James Stephenson } Axeman and
John B. Lovett } Momelman
Flagman
~~James L. Slocum Compassman~~

We hereby certify that we assisted James L. Slocum deputy Surveyor. in Subdividing Township Number two. North of the base line of Range Number twenty two West of the 6th

Principal Meridian: and that said Township has been in all respects to the best of our knowledge and belief well and faithfully Surveyed and the bounding Monuments planted according to the instructions furnished by the Surveyor General

Aaron Jewett Chainman
Zallok Stephenson Chainman
James Stephenson Axeman and Monumentman
J. R. Jewett, Flagman
~~James L Slocum Compassman~~

Subscribed and sworn to by the above named persons before me a Notary Public within and for Cass County Nebraska this 18th day of September 1871

Loyal D Bennett
Notary Public
Cass Co Nebraska

I James L Slocum Deputy Surveyor do solemnly swear that in pursuance of a Joint Contract No 49 wherein David V Stephenson and James L Slocum are Joint Contractors with E E Cunningham United States Surveyor General for the District of Nebraska and Iowa bearing date the Sixteenth day of June A.D. 1871 I have well faithfully and truly in my own proper person and in strict conformity with the instructions of the Surveyor General, the Surveying Manual and the laws of the United States.

Surveyed all those parts or portions of Township two (2) North of the base line of Range No (22) twenty two West of the 6th Principal Meridian in the State of

Nebraska as are represented in the foregoing Field Notes as having been surveyed under my direction and I do further solemnly swear that the foregoing are the true and original Field Notes of such Survey

James L Sloan
Deputy Surveyor

Subscribed by the said James L Sloan Deputy Surveyor and sworn to before me a Notary Public within and for the County of Pass State of Nebraska this 18 day of September 1871

Lloyd D Bennett
Notary Public

Surveyor Generals Office
Washington, Oct. 28th 1871.

The foregoing field Notes of the survey of the subdivision of Township No 2 North of the Base line of Range No 22 West of 6th P.M. in the State of Nebraska as Executed by James L. Sloan Deputy Surveyor under Joint Contract No 49. wherein D. V. Stephenson and James L Sloan are Joint Contractors, dated June 16th 1871. in the Month of August 1871. having been Officially Examined. the necessary Corrections and Explanations made the said field Notes and the Surveys they describe are hereby approved

E. E. Cunningham
Surveyor General

T 3 N., R 22 W

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Subdivision of Township No 3 North of Range No 22 West of the 6th Principal Meridian State of Nebraska

Commenced August 30th 1870

Finished ~~August~~ September 4th 1870

By

William E Daugherty

Deputy Surveyor

Names of Assistants

Henry Lewis } Chainmen
Charles Fitzpatrick

Joseph Kearny } Monumentbuilders
Thomas Daly

Township 3 N R 22 W 6th P M

To determine the course of the East boundary of the Township & commence at the corner of Townships No 2 & 3 North of Ranges No 21 & 22 West of the 6th Principal Meridian State of Nebraska and run thence North on a blank line E. of Sec. 36
Variation 13° East

39.98 Fell 6 links west of 1/4 Sec corner
79.97 Fell 15 links west of Sec corner

From aforesaid Township corner run west on a blank line S. of Sec. 36
Variation 13° 20 East

40.03 Fell 36 links south of 1/4 Sec corner
80.02 Fell 69 links South of Section Corner

Township No. 3 North, Range No. 22 West of 6th Principal Meridian

	"North between Sections 35 & 36.
	Variation 13' East.
40.00	Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.
80.00	Set chased Post in mound of earth with pits as per instructions for corner to Sections 25, 26, 35 & 36
	Surface Rolling — Soil 2nd Rate.

"East	Random between Sections 25 & 36.
	Variation 13' East.
40.00	Set temporary 1/4 Section Corner.
80.00	Intersect Range line 10 links North of Post.
	N. 89°56' W. on true line between Sections 25 & 36.
	Variation 13° East.
40.04	Set chased Post in mound of earth with pits as per instructions for 1/4 Section Corner.
80.08	The corner of Sections 25, 26, 35 & 36.
	Surface rolling Soil 2nd Rate.

Township No. 3 North, Range No.

	North between Sections 25 & 26 Variation 13° East.
40.00	Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner
80.00	Set chased Post in mound of earth with pits as per instructions for corner to Sections 23, 24, 25 & 26 Surface rolling — Soil 2nd Rate.

22 West of 6th Principal Meridian.

East	Random between Sections 24 & 25 Variation 13° East.
14.00	Set temporary 1/4 Section corner.
80.30	Intersect Range line 14 links South of Post.
	S. 87° 54' W. on true line between Sections 24 & 25. Variation 13° East.
140.15	Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.
80.30	The corner of Sections 23, 24, 25 & 26. Surface rolling — Soil 2nd Rate.

Township No. 3 North, Range

	North between Sections 23 & 24 Variation 13° East.
4 40,00	Set chared Post in mound of earth with Pits as per instructions for 1/4 Section corner.
8 80,00	Set chared Post in mound of earth with Pits as per instructions for corner to Sections 13, 14, 23 & 24. Surface rolling Soil 2nd Rate.

No. 22 West of 6th Principal Meridian

East	Random between Sections 13 & 24. Variation 13° East.
35.00	Ravine 2.00 chains wide Bears "S. E."
40.00	Set temporary 1/4 Section Corner
79.90	Intersect Range line 36 links South of Post.
	"S. 89° 45' W." on true line between Sections 13 & 14. Variation 13° East.
39.95	Set chared Post in mound of earth with Pits as per instructions for one-fourth Sections Corner.
79.90	The corner of Sections 13, 14, 23 & 24 Surface Rolling Soil 2nd Rate.

Township No 3 North, Range No.

	"North between Sections 13 & 14 Variation 13° East.
4 41.00	Set chained Post in mound of earth with Pits as per instructions for 1/4 Section corner.
8 44.00	Ravine 2.00 chains wide Bears "N. W."
8.00	Set chained Post in mound of earth with pits as per instructions for corner to Sections 11, 12, 13 & 14. Surface Rolling - Soil 2nd Rate.

22 West of 6th Principal Meridian

East	Random between Sections 12 & 13 Variation 13° East.
32.50	Ravine 2.00 chains wide, Bears North
40.00	Set temporary 1/4 Section Corner.
80.32	Intersect Range line 23 links South of Post.
	"S. 89° 50' W." on true line between Sections 12 & 13. Variation 13° East,
40.16	Set chained Post in mound of earth with pits as per instructions for 1/4 Section Corner.
80.32	The Corner of Sections 11, 12, 13 & 14. Surface Rolling Soil 2nd Rate.

Township No. 3 North, Range No. 22 West of 6th Principal Meridian

North between Sections 11 & 12
Variation 13° East.

4 40.00	Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.
8 48.25	Dry Creek 10 links wide runs "N. E."
80.00	Set chased Post in mound of earth with pits as per instructions for corner to Sections 1, 2, 11 & 12. Surface Rolling - Soil 2nd Rate.

√

East Random between Sections 1 & 12.
Variation 13° East.

21.70	Dry Creek - 10 links wide runs "N. E."
40.00	Set temporary 1/4 Section corner.
79.76	Intersect - Range line 52 links South of Post.
	S. 89° 38' W. on true line between Sections 1 & 12. Variation 13° East.
39.88	Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner
79.76	The corner of Sections 1, 2, 11 & 12 Surface rolling, Soil 2nd Rate.

√

Township No. 3 North, Range No. 22 West of 6th Principal Meridian

North	Random between Sections 1 & 2. Variation 13° East.
44,00	Set temporary 1/4 Section corner.
51,00	Enter Republican river bottom bears East and West.
80,15	Intersect Township line 16 links East of Post. Cor. to prac. Sect. 1 & 2, 35 & 36. "B. 7th E." on true line between Sections 1 & 2. Variation 13° East
40,15	Set chaned Post in mound of earth with pits as per instructions for 1/4 Section corner.
80,15	The corner of Sections 1, 2, 11 & 12. Surface rolling Soil 2nd rate.

August 30th 1870

✓

North	between Sections 34 & 35. Variation 13° 20' East.
40,00	Set chaned Post in mound of earth with pits as per instructions for 1/4 Section corner.
80,00	Set chaned post in mound of earth with pits as per instructions for corner to Sections 26, 27, 34 & 35. Surface rolling Soil 2nd rate.

✓

Township No 3 North, Range No 22 West of 6th Principal Meridian

East	Random between Sections 26 & 35 Variation 18° East.
40.00	Set temporary 1/4 Section corner
57.00	Ravine - bears South
79.80	Intersect North and South line 17 links north of Post.
	N. 89°53' W. on true line between Sections 26 & 35 Variation 13° East.
39.90	Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.
79.80	The corner of Sections 26, 27, 34 & 35. Surface rolling, Soil 2nd rate.

	North between Sections 26 & 27. Variation 13° 25' East.
40.00	Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.
80.00	Set chased Post in mound of earth with pits as per instructions for corner to Sections 22, 23, 26 & 27. Surface rolling - Soil 2nd Rate.

Township No. 3 North, Range No 22 West of 6th Principal Meridian

East	Random between Sections 23 & 26
	Variation 13° East.
40.00	Set temporary 1/4 Section Corner.
62.00	Ravine 2.00 chains wide
	Bears South.
79.92	Intersect North and South line 38 links South of Post.
	"S. 89° 44' W. on true line between Sections 23 & 26.
	Variation 13° East.
39.96	Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.
79.92	The corner of Sections 22, 23, 26 & 27.
	Surface Rolling & Soil 2nd Rate.

	North between Sections 22 & 23
	Variation 13° 20' East.
40.00	Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.
80.00	Set chased Post in mound of earth with pits as per instructions for corner to Sections 14, 15, 22 & 23
	Surface Rolling Soil 2nd Rate.

Township No. 3 North, Range No.

East	Random between Sections 14 & 23. Variation 13°20' East.
22.00	Ravine 2.00 chains wide - bears North.
40.00	Set temporary 1/4 Section Corner.
80.08	Intersect North and South line 14 links North of Post.
	N. 89°54' W. on true line between Sections 14 & 23. Variation 13°20' East.
40.04	Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.
80.08	The corner of sections 14 15 22 & 23 Surface rolling soil 2nd rate

22 West of 6th Principal Meridian

North	between Sections 14 & 15 Variation 13 East.
40.00	Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.
80.00	Set chased Post in mound of earth with pits as per instructions for corner to Sections 10, 11, 14 & 15 Surface Rolling Soil 2nd Rate.

Township No. 3 North, Range No. 22 West of 6th Principal Meridian

	"East	Random between Sections 11 & 14 Variation 13° East.
2	40.00	Set temporary 1/4 Section Corner
	59.50	Ravine 2.50 chains wide — Bears North.
4		
8	80.20	Intersect North and South line 21 links South of Post.
		S. 89° 51' W. on true line between Sections 11 & 14. Variation 13° East.
4	40.10	Set chased Post in mound of earth with Pits as per instructions for 1/4 Section Corner.
	80.20	The corner of Sections 10, 11, 14 & 15.
		Surface Rolling Soil 2nd Rate.

	"North	between Sections 10 & 11 Variation 13° East.
	36.00	Ravine 2.00 chains wide — Bears East.
	40.00	Set chased Post in mound of earth with Pits as per instructions for 1/4 Section Corner.
	80.00	Set chased Post in mound of earth with Pits as per instructions for corner to Sections 2, 3, 10 & 11.
		Surface rolling — Soil 2nd Rate.

Township No 3 North, Range No. 22 West of 6th Principal Meridian

East	Random between Sections 2 & 11.
	Variation 13° East.
40,00	Set temporary 1/4 Section corner.
43,50	Ravine 2,00 chains wide — Bears "S. E."
79,56	Intersect North and South line 61 links North of Post.
	N. 89° 3~~4~~4' W. on true line between Sections 2 & 11.
	Variation 13° East.
39,78	Set chared Post in mound of earth with Pits as per instructions for 1/4 Section corner.
79,56	The corner of Sections 2, 3, 10 & 11.
	Surface Rolling Soil 2nd Rate.

"North	Random between Sections 2 & 3.
	Variation 13° East.
40,00	Set temporary 1/4 Section corner.
68,00	Enter Republican river bottom Bears East and West.
79,35	Intersect Township line 53 links West of Post.
	"S. 23' W. on true line between Sections 2 & 3
	Variation 13° East.
39,35	Set chared Post in mound of earth with Pits as per instruction for 1/4 Section corner.
79,35	The corner of Sections 2, 3, 10 & 11
	Surface rolling — Soil 2nd Rate.
	August 31st 1870

Township No. 3 North, Range No. 22 West of 6th Principal Meridian

E		North between Sections 33 & 34 Variation 13° East.
2	40.00	Set chained Post in mound of earth with Pits as per instructions for 1/4 Section corner
4		
8	80.00	Set chained post in mound of earth with pits as per instructions for corner to Sections 27, 28, 33 & 34
		Surface Rolling — Soil 2nd Rate
4		

East	Random between Sections 27 & 34 Variation 13.75 East.
40.00	Set temporary 1/4 Section corner.
73.00	Ravine 2.00 chains wide Bears South.
79.78	Intersect North and South line 27 links South of Post.
	S. 89° 48' W. on true line between Sections 27 & 34. Variation 13° 15' East.
39.89	Set chained Post in mound of earth with pits as per instructions for 1/4 Section corner.
79.78	The corner of Sections 27, 28, 33 & 34. Surface Rolling — Soil 2nd Rate.

Tour

Township No. 3 North, Range No. 22 West of 6th Principal Meridian

Eas		North between Sections 27 & 28. Variation 13° East.
22,0	40.00	Set hard Post in mound of earth with Pits as per instructions for 1/4 Section corner.
40.0		
80.0	80.00	Set hard Post in mound of earth with Pits as per instructions for corner to Sections 21, 22, 27, & 28.
40.		Surface Rolling - Soil 2nd Rate.
80		

East	Random between Sections 22 & 27. Variation 13° 25' East.
40.00	Set temporary 1/4 Section Corner.
50.00	Raise 3.00 chains wide Bears South.
80.00	Intersect north and south line 26 links North of Post.
	N. 89° 47' W. on a true line between Sections 22 & 27. Variation 13° 25' East.
40.00	Set hard Post in mound of earth with Pits as per instructions for 1/4 Section corner.
80.00	The corner of Sections 21, 22, 27 & 28. Surface Rolling - Soil 2nd rate.

Town

Township No 3 North, Range No. 22 West of 6th Principal Meridian

East		
		North between Sections 21 & 22
		Variation 13° East.
22.00	46.00	Set chased Post in mound
		of earth with pits as per
40.00		instructions for 1/4 Sec-
80.08		tion corner.
	86.00	Set chased Post in mound
		of earth with pits as per
		instructions for corner
		to Sections 15, 16, 21 & 22.
		Surface Rolling — Soil
40.0		2nd Rate.
		✓
80.0		

East	
	Random between Sections 15 & 22
	Variation 13° 20' East
46.00	Set temporary 1/4 Section Cor-
	ner.
80.18	Intersect North and South
	line 4 links North of Post.
	N. 89° 58' W. on true line
	between Sections 15 & 22.
	Variation 13° 20' East.
40.09	Set chased Post in mound
	of earth with pits as per
	instructions for 1/4 Section
	Corner
80.18	The corner of Sections 15,
	16, 21 & 22.
	Surface Rolling — Soil
	2nd Rate.
	✓

Towns

East	
22.00	
40.00	
80.08	
40.04	
80.08	

Township No 3 North, Range No. 22 West of 6th Principal Meridian

	North between Sections 15 & 16. Variation 13 East.
40.00	Set chased Post in mound of earth with pits as per instructions for 1/4 Section Corner.
40.50	Ravine 1.50 chains wide Bears "N. E."
62.00	Ravine 2.00 chains wide bears East.
80.00	Set chared Post in mound of earth with pits as per instructions for corner to Sections 9, 10, 15 & 16
	Surface Rolling Soil 2nd Rate.

East	
	Random between Sections 10 & 15. Variation 13° East.
7.00	Ravine 3.00 chains wide bears "N. E."
40.00	Set temporary 1/4 Section corner.
49.50	Ravine 2.00 chains wide bears North.
80.04	Intersect North and South line 28 links South of Post.
	S. 89° 48' W. on true line between Sections 10 & 15. Variation 13° East.
40.02	Set chared post in mound of earth with pits as per instructions for 1/4 Section corner
80.04	The corner of Sections 9 10 15 and 16
	Surface rolling soil 2nd Rate

Township No 3 North, Range No. 22 West of 6th Principal Meridian

"	North between Sections 9 & 10. Variation 13° East.
40.00	Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner
59.00	Ravine 3.00 chains wide bears N.E.
80.00	Set chased Post in mound of earth with pits as per instructions for corner to Sections 3, 4, 9 & 10. Surface Rolling Soil 2nd Rate.

East	Random between Sections 3 & 10 Variation 13° East.
18.50	Ravine 2.00 chains wide Bears "N. E."
38.50	Ravine 1.50 chains wide Bears North.
40.00	Set temporary 1/4 Section corner.
79.86	Intersect North and South line 18 links South of Post.
	S. 89°52' W. on true line between Sections 3 & 10 Variation 13° East.
39.93	Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner
79.86	The corner of Sections 3, 4, 9, & 10. Surface rolling Soil 2nd rate.

Township No. 3 North, Range No. 22 West of 6th Principal Meridian

North	Random between Sections 3 & 4. Variation 13° East.
40.00	Set temporary 1/4 Section corner.
80.45	Intersect Township line 70 links west of Post.
	S. 39' W. on true line between Sections 3 & 4. Variation 13° East.
40.45	Set chained Post in mound of Earth with pits as per instructions for 1/4 Section corner.
80.45	The corner of Sections 3, 4, 9 & 10. Surface Rolling — Soil 2nd Rate,
	~~August~~ September 1st 1870

"	North between Sections 32 & 33. Variation 13° East.
40.00	Set chained Post in mound of earth with pits as per instructions for 1/4 Section corner.
80.00	Set chained Post in mound of earth with pits as per instructions for corner to Sections 28, 29, 32 & 33. Surface Rolling — Soil 2nd Rate.

Township No. 3 North, Range No. 22 West of the Principal Meridian

East Random between Sections 28 & 33.
Variation 13° East.

40.00 Set temporary 1/4 Section corner.
61.00 Raise 3.00 chains wide - bears South
80.24 Intersect North and South line 50 links South of Post.

S. 89° 39' W. on true line between Sections 28 & 33.
Variation 13° East.

40.12 Set chased Post in mound of earth with Pits as per instructions for 1/4 Section corner.
80.24 The corner of Sections 28, 29, 32 & 33.
Surface rolling, Soil 2nd rate.

North between Sections 28 & 29.
Variation 13° East.

40.00 Set chased Post in mound of earth with Pits as per instructions for 1/4 Section corner.
80.00 Set chased Post in mound of earth with Pits per instructions for corner to Sections 20, 21, 28 & 29.
Surface rolling Soil 2nd rate.

Township No. 3 North, Range No. 22 West of 6th Principal Meridian

East	Random between Sections 21 & 28. Variation 13° East.
40.00	Set temporary 1/4 Section corner in ravine 3.00 chains wide – bears South –
80.32	Intersect North and South line 30 links North of Post. N. 89° 47' W. on true line between Sections 21 & 28. Variation 13° East.
40.16	Set chased post in mound of earth with pits as per instructions for 1/4 Section corner.
80.32	The corner of Sections 20, 21, 28 & 29. Surface rolling – Soil 2nd rate.

North	between Sections 20 & 21 Variation 13° East.
40.00	Set chased post in mound of earth with pits as per instructions for 1/4 Section corner.
80.00	Set chased post in mound of earth with pits as per instructions for corner to Sections 16, 17, 20 & 21. Surface rolling – Soil 2nd rate.

Township No. 3 North, Range No. 22, West of 6th Principal Meridian

"East	Random between Sections 16 & 21
	Variation 13° East.
36.00	Ravine 3.00 chains wide — Bears N. E.
40.00	Set temporary 1/4 Section corner.
79.89	Intersect North and South line at Post.
	West on true line between Sections 16 & 21.
	Variation 13° East.
39.94	Set chared Post in mound of earth with pits as per instructions for 1/4 Section corner.
79.89	The corner of Sections 16, 17, 20 & 21
	Surface rolling — Soil 2nd Rate

	North between Sections 16 & 17.
	Variation 13° East.
40.00	Set chared Post in mound of earth with pits as per instructions for 1/4 Section corner.
73.00	Ravine 3.00 chains wide — Bears N. W.
80.00	Set chared Post in mound of earth with pits as per instructions for corner to Sections 8, 9, 16 & 17.
	Surface rolling — Soil 2nd Rate.

Township No. 3 North, Range No. 22 West of 6th Principal Meridian

East Random between Sections 9 & 16.
Variation 13° East.

33.00 Ravine 3.00 chains wide - bears N. E.

40.00 Set temporary 1/4 Section corner.

49.00 Ravine 3.00 chains wide - bears north.

79.68 Intersect North and South line 24 links North of Post.

N. 89°30' W. on true line between Sections 9 & 16.
Variation 13° East.

39.84 Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner

79.68 The corner of Sections 8, 9, 16, & 17.

Surface Rolling - Soil 2nd Rate.

✓

North between Sections 8 & 9.
Variation 13° East.

46.00 Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.

54.00 Head of ravine 2.00 chains wide bears N. W., in which there is a ledge of soft sandstone 12 feet thick. Said stone contains a mineral substance

80.00 Set chased Post in mound of earth with pits as per instructions for corner to Sections 4, 5, 8 & 9.

Surface Rolling - Soil 2nd Rate.

✓

Township No 3 North, Range No. 22 West of 6th Principal Meridian.

East	Random between Sections 4 & 9. Variation 13° East.
29,50	Ravine 3.00 chains wide – bears North.
40,00	Set temporary 1/4 Section corner.
80.14	Intersect North and South line 21 links South of Post.
	S. 89° ~~57'~~ 51' W. on true line between Sections 4 & 9. Variation 13° East.
40.07	Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.
80 14	The corner of Sections 4, 5, 8 & 9. Surface rolling – Soil 2nd rate.

North	Random between Sections 4 & 5. Variation 13°10' East.
40,00	Set temporary 1/4 Section corner.
80 21	Intersect Township line 17 links West of Post.
	S. 7' W. on true line between Sections 4 & 5 – Variation 13°10' East.
40 21	Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.
80 21	The corner of Sections 4, 5, 8 & 9. Surface rolling – Soil 2nd rate.

September 2nd 1870

Township No. 3 North, Range No. 22 West of 6th Principal Meridian

	North between Sections 31 & 32. Variation 13° East.
40.00	Set chased Post in mound of earth with pits as per instructions for 1/4 Section Corner.
45.50	Ravine 2.50 chains wide - bears 'S. E.'
80.00	Set chased Post in mound of earth with pits as per instructions for corner to Sections 29, 30, 31 & 32,
	Surface Rolling Soil 2nd Rate.

East	Random between Sections 29 & 32, Variation 13° East.
9.50	Ravine 3.00 chains wide bears South,
40.00	Set temporary 1/4 Section corner,
80.10	Intersect North and South line 35 links South of Post.
	S. 89° 45' W. on true line between Sections 29 & 32. Variation 13° East.
40.05	Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner,
80.10	The corner of Sections 29, 30, 31, & 32
	Surface rolling Soil 2nd rate.

Township No 3 North, Range No. 22. West of 6th Principal Meridian

West	Random between Sections 30 & 31. Variation 13° East.
36.00	Ravine 2.50 chains wide Bears "S. E."
40.00	Set temporary 1/4 Section corner.
80.37	Intersect Range line 14 links North of Post.
	~~S~~ N. 89° 34' ~~W~~ E. true line between Sections 30 & 31 Variation 13° East.
40.37	Set chained Post in mound of earth with Pits as per instructions for 1/4 Section corner.
80.37	The corner of Sections 29, 30, 31 & 32. Surface rolling. Soil 2nd rate.

North	between Sections 29 & 30. Variation 13° East.
40.00	Set chained Post in mound of earth with Pits as per instructions for 1/4 Section corner.
44.00	Ravine 3.00 chains wide Bears South 20° East.
80.00	Set chained Post in mound of earth with Pits as per instructions for corner to Sections 19, 20, 29 & 30 Surface rolling. Soil 2nd rate.

Township No 3 North, Range No. 22 West of 6th Principal Meridian

East	Random between Sections 20 & 29. Variation 13° East.
40.00	Set temporary 1/4 Section corner.
79.44	Intersect North and South line 64 links South of Post.
	S. 89° 33' W. on true line between Sections 20 & 29. Variation 13° East.
39.72	Set chained Post in mound of earth with pits as per instructions for 1/4 Section corner.
79.44	The corner of Sections 19, 20, 29 & 30. Surface rolling — Soil 2nd rate.

West	Random between Sections 19 & 30. Variation 13° East.
5.50	Ravine 3.00 chains wide, Bears South.
40.00	Set temporary 1/4 Section corner.
75.00	Ravine 2.00 chains wide — Bears South.
79.42	Intersect Range line 45 links north of Post.
	N 89° 41' E. on true line between Sections 19 & 30. Variation 13° East.
39.42	Set chained Post in mound of earth with pits as per instructions for 1/4 Section corner.
79.42	The corner of Sections 19, 20, 29 & 30. Surface rolling — Soil 2nd rate.

Township No 3 North, Range No 22 West of 6th Principal Meridian.

	North between Sections 19 & 20. Variation 13° East.
75.0	Ravine 2.00 chains wide. Bears S.W.
40.00	Set chained Post in mound of earth with pits as per instructions for 1/4 Section corner.
80.00	Set a Sand Stone 12 inches long, 8 inches wide and 4 inches thick for corner to Sections 17, 18, 19 & 20. Surface rolling — Soil 2nd rate.

East	Random between Sections 17 & 20. Variation 13° East.
40.00	Set temporary 1/4 Section corner.
51.50	Ravine 3.00 chains wide Bears South.
80.00	Intersect North and South line 55 links North of Post.
	N 89° 36' W. on true line between Sections 17 & 20. Variation 13° East.
40.00	Set chained Post in mound of earth with pits as per instructions for 1/4 Sec. corner.
80.00	The corner of 4 Sections 17, 18, 19 & 20. Surface rolling — Soil 2nd Rate.

Township No 3 North Range No. 22 West of 6th Principal Meridian.

	West Random between Sections 18 & 19.
	Variation 13° East
40.00	Set temporary 1/4 Section corner.
48.50	Racine 2.50 chains wide — Bears S. W.
80.17	Intersect Range line at Post.
	East on true line between Sections 18 & 19.
	Variation 13° East.
40.17	Set chaned Post in mound of earth with pits as per instructions for 1/4 Section corner.
80.17	The corner of Sections 17, 18, 19 & 20.
	Surface rolling — Soil 2nd rate.

	North between Sections 17 & 18.
	Variation 13° East.
40.00	Set chaned Post in mound of earth with pits as per instructions for 1/4 Section corner.
80.00	Set chaned Post in mound of earth with pits as per instructions for corner to Sections 7, 8, 17 & 18.
	Surface rolling Soil 2nd rate.

Township No 3 North, Range No. 22 West of 6th Principal Meridian

East	Random between Sections 8 & 17. Variation 13° East.
27.00	Ravine 2.00 chains wide Bears S. E.
40.00	Set temporary 1/4 Section corner.
80.20	Intersect North and South line 36 links North of Post.
	N. 89° 45' West on true line between Sections 8 & 17. Variation 13° East.
40.10	Set chared Post in mound of earth with pits as per instructions, for 1/4 Section corner.
80.20	The corner of Sections 7, 8, 17 & 18. Surface rolling — Soil 2nd rate.

West	Random between Sections 7 & 18 Variation 13° East.
10.00	Ravine 3.00 chains wide — Bears North.
40.00	Set temporary 1/4 Section corner.
80.43	Intersect Range line 40 links North of Post.
	N 89° 43' E. on true line between Sections 7 & 18 Variation 13° East.
40.23	Set chared Post in mound of earth with pits as per instructions for 1/4 Section corner.
80.43	The corner of Sections 7, 8, 17 & 18. Surface Rolling — Soil 2nd rate.

Township No. 3 North, Range No.

	North between Sections 7 & 8. Variation 13° East.
36.00	Ravine 2.00 chains wide — bears N. W.
40.00	Set chared Post in mound of earth with Pits as per instructions for 1/4 Section corner.
80.00	Set chared Post in mound of earth with Pits as per instructions for corner to Sections 5, 6, 7 & 8. Surface Rolling — Soil 2nd rate

22 West of 6th Principal Meridian

East	Random between Sections 5 & 8. Variation 13° East.
13.00	Ravine 3.00 chains wide — bears North.
40.00	Set temporary 1/4 Section corner.
67.00	Ravine 3.00 chains wide — bears North.
77.92	Intersect North and South line 11 links South of Post.
	S. 89°53' W. on true line between Sections 5 & 8. Variation 13° East.
39.96	Set chared Post in mound of earth with Pits as per instructions for 1/4 Section corner.
79.92	The corner of Sections 5, 6, 7 & 8. Surface rolling — Soil 2nd rate.

Township No. 3 North Range No. 22 West of 6th Principal Meridian

West	Random between Sections 6 & 7. Variation 13° East.
16.00	Ravine 3.00 chains wide – bears North.
40.00	Set temporary 1/4 Section corner.
80.09	Intersect Range line 25 links South of Post.
	S 89° 49' ~~W~~ E on true line between Sections 6 & 7. Variation 13° East.
40.09	Set charred post in mound of earth with pits as per instructions for 1/4 Section corner.
80.09	The corner of Sections 5, 6, 7, & 8. Surface rolling – Soil 2nd rate.

North	Random between Sections 5 & 6. Variation 13° East.
26.00	Ravine 3.00 chains wide – Bears N. E.
40.00	Set temporary 1/4 Section corner.
80.40	Intersect Township line 65 links East of Post.
	S. 2 ~~6~~ 8' E on true line between Sections 5 & 6. Variation 13° East.
40.40	Set charred post in mound of earth with pits as per instructions for 1/4 Section
80.40	The corner of Sections 5, 6, 7 & 8. Surface rolling – Soil 2nd rate.

September 3rd 1870

Township No 3 North of Range No 22 West of the 6th Principal Meridian

Meanandies of the Republican river begining at Meander post on the Range line between Ranges 21 & 22 W on Right Bank Thence in Sec 1, up stream

Var 13' East

1 N	86	W	9 50
S	8~~8~~9	W	20 00
N	76	W	10 00 at 3.25 dry creek, descends from ~~bears~~ the South
N	17	W	11 00
N	8	E	12 50
N	5	E	4 34 2 To Meander corner on Township line, Cor. to fr. Sec. 1 & 36

Banks of ~~Lake~~ River high not Subject to inundation Skirted with Cottonwood & Elm Timber

Meanders of the left bank of the Republican River begining at the Meander post on the Range line between Ranges 21 & 22 W

Thence in Section 1, up stream

Var 13' East

4 West			15 50
5 S	82	W	9 50
N	71	W	13 50
N	15	W	6 00
N	20	E	9 50
N	9	E	6 50 6 To Meander post on the Township line, Cor. to frac. Sec. 1 & 36 River bank high & Skirted with Timber

Meanders of the Republican River in Section 2 begining at Meander post & Sec. Corner on Township line on right bank of river

Thence in Section 2 Var 13' East

3 S	27	W	10.50 — Up stream
S	78	W	6 00
N	7~~0~~1	W	~~1800~~ 17.50
N	29	W	5 50 3 To meander post on Township line 4 between Sec. 2 & 35

On the left bank begining at Meander post on Township line, 6.30 chs. W. of Cor. to Secs. 1, 2, 35 & 36 thence up stream — Var 13' East

7 S 29 W 300 — In Sec. 2.

N 68½ W 700 +8 Bank low and subject to inundation + To meander post bet. Secs. 2 & 35 — 14.30 chs. W. of ... September 4th 1870

General Description

The surface of this Township is mostly rolling soil 2nd Rate there is no mining water except Republican river or Timber in the Township except on the margin of the River

We hereby certify that we were employed by William E Daugherty U S Deputy Surveyor in the survey and subdivision of Township No 3 North Range No 22 West of the 6th Principal Meridian in the State of Nebraska and we further swear that we performed our duties in our respective capacities ~~according~~ to the best of our abilities and according to the laws of the United States and the instructions of the Surveyor General

Charles Fitzpatrick Chainmen
Henry Lewis

Joseph Karney Mound builders

Thomas Day

Sworn and subscribed to before me this the 8th day of October 1870 W F Cody Justice Peace

* in and for Lincoln County, Nebraska

Township No 3 North Range No 22 West of the 6th Principal Meridian

Affidavit

I William E Daugherty Deputy Surveyor do solemnly swear that in pursuance of a contract with Robert R Livingston Surveyor General of the United States for the ~~State~~ District of Iowa & Nebraska bearing date the 6th day of August 1870 and that in strict accordance with ~~that~~ said contract, the instructions of the Surveyor General and the laws of the United States I have regularly surveyed and Subdivided Township No 3 North of Range No 22 West of the 6th Principal Meridian State of Nebraska and I do further swear that the foregoing are the true and original field notes of such Survey

William E Daugherty
Deputy Surveyor

Subscribed and sworn to before me at my office in the City of Plattsmouth in the State of Nebraska this 15th day of October 1870

A G Chiller Probate Judge
of Cass County Nebr

Get Child to affix seal

Surveyor General's Office,
Plattsmouth Neb. Dec. 16. 1870.

The foregoing field notes of the survey of the subdivision lines and meanders of Township No. 3 North of the Base Line of Range No. 22 West of the 6th Principal Meridian in the State of Nebraska, executed by William E. Daugherty, under contract No. 41 of the 6th day of August 1870, in the months of August and September 1870 having been critically examined, the necessary corrections and explanations made, the said field notes and the surveys they describe are hereby approved.

Robt. R. Livingston
Surveyor General.

T 4 N., R 22 W.

6	60	5	44	4	33	3	22	2	11	1	
	59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12	
	56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13	
	53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24	
	50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25	
	47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36	

Subdivision of Township No 4 North of Range No 22 West of the 6th Principal Meridian State of Nebraska

Commenced October 6th 1870

Finished October 12th 1870

By

William E Daugherty

Deputy Surveyor

Township No 4 North of Range No 22 West of the 6th Principal Meridian

Names of Assistants

Henry Lewis } Chainmen
Charles Fitzpatrick

Joseph Kearney } Mound builders
Thomas Dagly

To determine the course of the East boundary of the Township I commence at the Corner of Township 3 and 4 North Ranges 21 and 22 West and run thence North on a blank line along the E. Boundary of Sec. 36

Variation 13° East

40.07 fell 39 links west of 1/4 Sec cor
80.11 fell 84 links west of ~~Sec~~ corner to Secs. 25, 30, 31 & 36.

From the aforesaid Township corner I run west on a blank line, S. of Sec. 36 — Variation 13° East

39.69 fell 3 links south of 1/4 Sec corner
79.73 fell 12 links south of ~~Sec~~ corner to Secs. 1, 2, 35 & 36 & meander corner

Township No 4 North, Range No

	North between Sections 35 & 36 Variation 12° 35' East.
19.00	To ~~Left~~ Right bank of Republican river and set chained Post in mound of earth with pits as per instructions for meander corner to fract. Secs. 35 & 36
40.00	Set chained Post in mound of earth with pits as per instructions for 1/4 Section corner.
49.50	~~Left~~ Right bank of Republican river and set chained Post in mound of earth with pits as per instructions for 1 meander corner.
53.10	~~Right~~ Left bank of Republican river and set chained Post in mound of earth with pits as per instructions for meander corner
80.00	Set chained Post in mound of earth with pits as per instructions for corner to Sections 25, 26, 35 & 36. Surface level Soil 2nd rate Cotton wood timber of good quality on South half of line

Distances in rivers found by chaining

22 West of 6th Principal Meridian

	East & Random between Sections 25 & 36 Variation 12° 30' East.
40.00	Set temporary 1/4 Section corner.
79.62	Intersect Range line 33 links South of Post.
	S 89° 46' W. on true line between Sections 25 & 36. Variation 12° 30' East.
39.81	Set chained Post in mound of earth with pits as per instructions for 1/4 Section corner.
79.62	The corner of Sections 25, 26, 35 & 36. Surface level. Soil 2nd Rate

Write all intersections in usual form

Township No. 4 North, Range No

	North between Sections 25 & 26. Variation 12°30' East.
29.50	Leave Republican river bottom, bears East and West
40.00	Set chared Post in mound of earth with pits as per instructions for 1/4 Section corner.
80.00	Set chared Post in mound of earth with pits as per instructions for corner to Sections 23, 24, 25 & 26. Surface rolling Soil 2nd rate.

22 West of 6th Principal Meridian

East	Random between Sections 24 & 25 Variation 13°30' East.
40.00	Set temporary 1/4 Section corner
79.48	Intersect Range line 44 links South of Post.
	S. 89° ~~33'~~ 41' W. on true line between Sections 24 & 25. Variation 13° 30' East
39.74	Set chared Post in mound of earth with pits as per instructions for 1/4 Section corner.
79.48	The corner of Sections 23, 24, 25 & 26, Surface rolling Soil 2nd rate.

Township No. 4 North, Range No.

North between Sections 23 & 24
Variation 13° East.

40.00 Set chared Post in mound of earth with pits as per instructions for 1/4 Section corner.

80.00 Set chared Post in mound of earth with pits as per instructions for corner to Sections 13, 14, 23 & 24.

Surface Rolling — Soil 2nd rate.

22 West of 6th Principal Meridian

East Random between Sections 13 & 24
Variation 13° 30' East.

40.00 Set temporary 1/4 Section corner.

80.14 Intersect Range 40 links North of Post.

N 89° 43' W. on true line between Sections 13 & 24.
Variation 13° 30' East.

40.07 Set chared Post in mound of earth with pits as per instructions for 1/4 Section corner.

80.14 The corner of Sections 13, 14, 23 & 24.

Surface rolling — Soil 2nd rate.

Township No. 4 North, Range No. 22 West of 6th Principal Meridian

North between Sections 13 & 14
Variation 13° East.

40.00 Set chared Post in mound of earth with pits as per instructions for 1/4 Section corner.

80.00 Set chared Post in mound of earth with pits as per instructions for corner to Sections 11, 12, 13 & 14
Surface rolling - Soil 2nd rate.

East Random between Sections 12 & 13.
Variation 13° 25' East.

40.00 Set temporary 1/4 Sec. corner

44.60 Inches Creek 10 links wide, sand S.E.

80.24 Intersect Range line 46 links north of Post.

N. 89° 44' W. on true line between Sections 12 & 13.
Variation 13° 25' East.

40.12 Set chared Post in mound of earth with pits as per instructions for 1/4 Section corner

80.24 The corner of Sections 11, 12, 13 & 14.
Surface Rolling - Soil 2nd rate.

Township No 4 North, Range No.

North between Sections 11 & 12.
Variation 13° East.

40.00 Set chared Post in mound of earth with pits as per instructions for 1/4 Section corner.

80.00 Set chared Post in mound of earth with pits as per instructions for corner to Sections 1, 2, 11 & 12.
Surface Rolling — Soil 2nd Rate

√

22 West of 6th Principal Meridian

East Random between Sections 1 & 12,
Variation 14° East,

29.60 Jumping Creek 15 links wide — runs S. E

40.00 Set temporary 1/4 Section corner.

79.66 Intersect Range line 28 links South of Post.

S. 89° 48' W. on true line between Sections 1 & 12,
Variation 14° East.

39.83 Set chared Post in mound of earth with pits as per instructions for 1/4 Section corner.

79.66 The corner of Sections 1, 2, 11 & 12.
Surface rolling — Soil 2nd rate.

√

Township No. 4 North, Range No.

North between Sections 1 & 2.
Variation 13° 30' East.

7.00 Turkey Creek 15 links wide - runs S. E.

40.00 Set chased Post in mound of earth with pits as per instructions for 1/4 Section Corner.

83.37 Intersect first Standard parallel N. ~~5~~ 1 2.78 chains east of 1/4 Sec. corner ~~to~~ S. of Section ~~35 &~~ 36 of Township No. 5, of Range No. 22 West, and set chased Post in mound of earth with pits as per instructions - for closing corner to Sections 1 & 2. Surface Rolling - Soil 2nd rate.

October 6th 1870

√

22 West of 6th Principal Meridian

North between Sections 34 & 35.
Variation 13° East.

16.21 Right bank of Republican river and set chased Post in mound of earth with pits as per instructions for meander corner.

20.00 Left bank of Republican river, and set chased Post in mound of earth with pits as per instructions for meander corner.

40.00 Set Chased Post in mound of earth with pits as per instructions for 1/4 Section corner.

80.00 Set chased Post in mound of earth with pits as per instructions for corner to Sections 26, 27, 34 & 35. Surface rolling - Soil 1st rate.

√

Width of river found by chaining

Township No. 4 North, Range No. 22, West of 6th Principal Meridian

East	Random between Sections 26 & 35. Variation 13° East.
40.00	Set temporary 1/4 Section corner
80.06	Intersect North and South line 27 links North of Post.
	N. 89° 48' W. on true line between Sections 26 & 35 Variation 13° East.
40.03	Set chained Post in mound of earth with pits as per instruction for 1/4 Section corner.
80.06	The corner of Sections 26, 27, 34 & 35. Surface level — Soil 2nd rate.

	North between Sections 26 & 27. Variation 13° 10 East.
40.00	Set chained Post in mound of earth with pits as per instructions for 1/4 Section corner.
43.50	Leave Republican river bottom; bears East and West.
80.00	Set chained Post in mound of earth with pits as per instructions for corner to Sections 22, 23, 26 & 27. Surface rolling — Soil 2nd rate.

Township No. 4 North, Range No. 22, West of 6th Principal Meridian

East Random between Sections 23 & 26.
Variation 13° 30' East.

40.00 Set temporary 1/4 Section corner.

80.00 Intersect North and South line 18 links South of Post.

N. 88° 52' W. on true line between Sections 23 & 26.
Variation 13° 30' East.

40.00 Set chained Post in mound of earth with pits as per instructions for 1/4 Section corner.

80.00 The corner of Sections 22, 23, 26 & 27
Surface rolling — Soil 2nd rate.

✓

North between Sections 22 & 23.
Variation 13° East.

40.00 Set chained Post in mound of earth with pits as per instructions for 1/4 Section corner.

80.00 Set chained Post in mound of earth with pits as per instructions for corner to Sections 14, 15, 22 & 23.
Surface rolling — Soil 2nd rate.

✓

Township No. 4 North, Range No.

East Random between Sections 14 & 23.
Variation 13° 20' East.
40.00 Set temporary 1/4 Section corner.
80.30 Intersect North and South line at Post.

West ~~East~~ on true line between Sections 14 & 23
Variation 13° 20' East.
40.15 Set charred Post in mound of earth with pits as per instructions for 1/4 Section corner.
80.30 The corner of Sections 14, 15, 22 & 23.
Surface rolling - Soil 2nd rate.

22 West of 6th, Principal Meridian

" North between Sections 14 & 15.
Variation 13° 30' East.
40.00 Set charred Post in mound of earth with pits as per instructions for 1/4 Section corner.
80.00 Set charred Post in mound of earth with pits as per instructions for corner to Sections 10, 11, 14 & 15
Surface rolling - Soil 2nd rate.

Township No. 4 North, Range No. 22 West of 6th Principal Meridian.

East	Random between Sections 11 & 14
	Variation 13° 20' East.
40.00	Set temporary 1/4 Sec. corner.
80.12	Intersect North and South line 34 links North of Post.
	N. 89° 45' W. on true line between Sections 11 & 14.
	Variation 13° 20' East.
40.06	Set charred Post in mound of earth with pits as per instructions for 1/4 Sec. corner.
80.12	The corner of Sections 10, 11, 14 & 15.
	Surface rolling Soil 2nd rate.
	✓

	North between Sections 10 & 11.
	Variation 13° 40' East.
40.00	Set charred Post in mound of earth with pits as per instructions for 1/4 Section corner.
80.00	Set charred Post in mound of earth with pits as per instructions for corner to Sections 2, 3, 10 & 11.
	Surface rolling Soil 2nd rate.
	✓

Township No. 4 North, Range No. 22 West of 6th Principal Meridian

East Random between Sections 2 & 11.
Variation 13° 40' East.

40.00 Set temporary 1/4 Sec. corner.

80.12 Intersect North and South line 14 links North of Post.

N. 89° 54' W. on true line between Sections 2 & 11.
Variation 13° 46' East.

40.06 Set chained Post in mound of earth with Pits as per instructions for 1/4 Section corner.

80.12 The corner of Sections 2, 3, 10 & 11.
Surface rolling - Soil 2nd rate.

North between Sections 2 & 3.
Variation 14° East.

40.00 Set chained Post in mound of earth with Pits as per instructions for 1/4 Section corner.

83.12 Intersect first Standard Parallel N. 1 2.90 chains East of 1/4 Sec. corner ~~to~~ S. of Sections ~~34 &~~ 35 of Township No. 3, North of Range 22 West, and set chained Post in mound of earth with Pits as per instructions for closing corner to Sections 2 & 3.
Surface rolling - Soil 2nd rate.

October 7th 1870

Township No. 4 North, Range No. 22 West of 6th Principal Meridian

	North between Sections 33 & 34
	Variation 13° East
7.00	Enter Republican river bottom Bears East and West.
10.30	Right bank of Republican river, and set chained Post in mound of earth with pits as per instructions for meander corner
14.10	Left bank of Republican river and set chained Post in mound of earth with pits as per instructions for meander corner.
40.00	Set chained Post in mound of earth with pits as per instructions for 1/4 Section corner.
80.00	Set chained Post in mound of earth with pits as per instructions for corner to Sections 27, 28, 33 & 34. Surface level – Soil 2nd rate.
	Width of river found by chaining

East	Random between Sections 27 & 34
	Variation 13° 45' East.
40.00	Set temporary 1/4 Section corner.
79.84	Intersect North and South line 37 links North of Post.
	N. 89° 44' W. on true line between Sections 27 & 34.
	Variation 13° 45' East.
39.92	Set chained Post in mound of earth with pits as per instructions for 1/4 Section corner.
79.84	The corner of Sections 27, 28, 33 & 34. Surface level – Soil 2nd rate.

Township No 4 North, Range No

	"North between Sections 27 & 28.
	Variation 13° 10' East.
40.00	Set chared Post in mound of earth with pits as per instructions for 1/4 Section corner.
80.00	Set chared Post in mound of earth with pits as per instructions for corner to Sections 21, 22, 27 & 28
	"Surface rolling - Soil 2nd rate.
√	

22 West of 6th Principal Meridian

	East Random between Sections 22 & 27.
	Variation 13° 20' East.
3200	Leave River bottom bears NW & SE
40.00	Set temporary 1/4 Section corner.
79.80	Intersect North and South line 18 links South of Post.
	S. 89° 52' W. on true line between Sections 22 & 27.
	Variation 13° 20.' East.
39.90	Set chared Post in mound of earth with pits as per instructions for 1/4 Section corner.
79.80	The corner of Sections 21, 22, 27 & 28.
	Surface rolling - Soil 2nd rate.
√	

Township No. 4 North, Range No. 22 West of 6th Principal Meridian

"	North between Sections 21 & 22. Variation 13° 20' East.
2.50	Leave Republican river bottom, Bears East and West.
40.00	Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.
80.00	Set chased Post in mound of earth with pits as per instructions for corner to Sections 15, 16, 21 & 22. Surface rolling - Soil 2nd rate.

✓

East	Random between Sections 15 & 22. Variation 13° 40' East.
40.00	Set temporary 1/4 Section corner.
79.66	Intersect North and South line 44 links South of Post.
	S. 89° 41' W. on true line between Sections 15 & 22. Variation 13° 40' East.
39.83	Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.
79.66	The corner of Sections 15, 16, 21 & 22. Surface rolling - Soil 2nd rate.

✓

Township No. 4 North, Range No. 22

North between Sections 15 & 16.
Variation 13° 40' East.

46.00	Set chained Post in mound of earth with pits as per instructions for 1/4 Section corner
50.00	Set chained post in mound of earth with pits as per instructions for corner to Sections 9, 10, 15 & 16.
	Surface rolling - Soil 2nd rate.

West of 6th Principal Meridian

East Random between Sections 10 & 15.
Variation 13° 40' East.

46.00	Set temporary 1/4 Section corner
79.82	Intersect North and South line 18 links North of Post.
	N. 89° 52' W. on true line between Sections 10 & 15
	Variation 13° 40' East.
39.91	Set chained Post in mound of earth with pits as per instructions for 1/4 Section corner.
79.82	The corner of Sections 9, 10, 15 & 16.
	Surface rolling - Soil 2nd rate.

Township No. 4 North, Range No. 22 West of 6th Principal Meridian

	North between Sections 9 & 10.
	Variation 13° 40' East.
40.00	Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.
80.00	Set chased Post in mound of earth with pits as per instructions for corner to Sections 3, 4, 9 & 10.
	Surface rolling — Soil 2nd rate.

East	Random between Sections 3 & 10.
	Variation 14° East.
40.00	Set temporary 1/4 Section corner.
80.06	Intersect North and South line 15 links South of Post.
	S 89° 34' W. on true line between Sections 3 & 10.
	Variation 14' East.
40.03	Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.
80.06	The corner of Sections 3, 4, 9 & 10.
	Surface rolling — Soil 2nd rate.

Township No. 4 North, Range No. 22 West of 6th Principal Meridian

"North between Sections 3 & 4.
Variation 13°35' East.

40.00 Set chased post in mound of earth with pits as per instructions for 1/4 Section corner.

82.93 Intersect first Standard Parallel N. 1 53.39 chains East of 1/4 Sec corner ~~to~~ G. of Sections ~~33 &~~ 34, of Township No. 5, North of Range No. 22 West, and set chased post in mound of earth with pits as per instructions for closing corner to Sections 3 & 4.

Surface rolling — soil 2nd rate

October 8th 1870

"North between Sections 32 & 33.
Variation 13° East.

14.50 Enter Republican river bottom

23.00 Right bank of Republican river and set chased post in mound of earth with pits as per instructions for meander corner.

29.10 Left bank of Republican river, and set chased post in mound of earth with pits as per instructions for meander corner.

40.00 Set chased post in mound of earth with pits as per instructions for 1/4 Section corner.

80.00 Set chased post in mound of earth with pits as per instructions for corner to Sections 28, 29, 32 & 33.

Surface Level — Soil 2nd rate.

Width of river found by chaining

Township No. 4 North, Range No. 22 West of 6th Principal Meridian.

East Random between Sections 28 & 33.
Variation 13° 20' East.

40.00 Set temporary 1/4 Section corner.
6845 any creek 25 links 1/4 wide runs South
8010 Intersect North and South line 25 links North of Post.

N. 89° 49' W. on true line between Sections 28 & 33.
Variation 13° 20' East.

4005 Set chared post in mound of earth with pits as per instructions for 1/4 Section corner.

8010 The corner of Sections 28, 29, 32 & 33.
Surface level - Soil 2nd rate

✓

North between Sections 28 & 29.
Variation 13° 30' East.

40.00 Set chared post in mound of earth with pits as per instructions for 1/4 Section corner.

80.00 Set chared post in mound of earth with pits as per instructions for corner to Sections 20, 21, 28 & 29.
Surface Level - Soil 2nd rate.

✓

Township No. 4 North, Range No. 22 West of 6th Principal Meridian.

East	Randems between Sections 21 & 28. Variation 13° 25' East.
39.00	Dry creek 20 links wide, runs South.
40.00	Set temporary 1/4 Section corner.
80.16	Intersect North and South line at Post.
West	~~East~~ on true line between Sections 21 & 28. Variation 13° 25' East.
40.08	Set chased post in mound of earth with pits as per instructions for 1/4 Section corner.
80.16	The corner of Sections 20, 21, 28 & 29. Surface level — Soil 2nd rate.

	~~North between Sections 20 & 21. Variation 13° 30' East.~~
~~39.00~~	~~Dry creek 20 links wide runs South~~
~~40.00~~	~~Set temporary 1/4 Section corner.~~
~~80.16~~	~~Intersect North and South line at Post.~~
	~~East on true line between Sections 20 & 21. Variation~~
	North between Sections 20 & 21. Variation 13° 20' East.
3.00	Leave Republican river bottom, Bears East and West.
41.00	Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.
80.00	Set chased Post in mound of earth with pits as per instructions for corner to Sections 16, 17, 20 & 21 Surface gently rolling — Soil 2nd rate.

Township No. 4 North, Range No. 32 West of 6th Principal Meridian.

East	Random between Sections 16 & 21. Variation 13° 25' East.
31.25	Dry creek 20 links wide - runs South
40.00	Set temporary 1/4 Section corner.
80.16	Intersect North and South line 61 links South of Post.
	S 89° 34' W. on true line between Sections 16 & 21. Variation 13° 25' East.
40.08	Set chained post in mound of earth with pits as per instructions for 1/4 Section corner.
80.16	The corner of Sections 16, 17, 20 & 21. Surface rolling - Soil 2nd rate.

	North between Sections 16 & 17. Variation 13° 30' East.
40.00	Set chained post in mound of earth with pits as per instructions for 1/4 Section corner.
49.00	Ravine 1.50 chains wide Bears East.
80.00	Set chained post in mound of earth with pits as per instructions for corner to Sections 8, 9, 16 & 17. Surface rolling - Soil 2nd rate

Township No. 4 North, Range No. 22 West of 6th Principal Meridian.

East Random between Sections 9 & 16.
Variation 13° 35' East.

16.20 Dry creek 15 links wide Runs South.

40.00 Set temporary 1/4 Section corner.

79.86 Intersect North and South line 26 links South of Post.

S. 89° 59' W. on true line between Sections 9 & 16.
Variation 13° 35' East.

39.93 Set chared post in mound of earth with pits as per instructions for 1/4 Section corner.

79.86 The corner of Sections 8, 9, 16 & 17.
Surface rolling — Soil 2nd rate.

✓

North between Sections 8 & 9.
Variation 13° 30' East.

40.00 Set chared post in mound of earth with pits as per instructions for 1/4 Section corner.

51.35 Dry creek 10 links wide runs S. E.

80.00 Set chared post in mound of earth with pits as per instructions for corner to Sections 4, 5, 8 & 9.
Surface gently rolling Soil 2nd rate.

✓

Township No. 4 North, Range No.

East Random between Sections 4 & 9.
Variation 13° 35' East.

40.00 Set temporary 1/4 Section corner. ~~earth with pits as per instructions for 1/4 Section corner.~~

80.06 Intersect North and South line 83 links South of post

S. 89° 24' W. on true line between Sections 4 & 9.
Variation 13° 35' East.

40.03 Set chased post in mound of earth with pits as per instructions for 1/4 Section corner.

80.06 The corner of Sections 4, 5, 8 & 9.
Surface gently rolling
Soil 2nd rate.

✓

22 West of 6th Principal Meridian

" North between Sections 4 & 5.
Variation 13° 30' East.

38.00 Dry creek 10 links wide-runs S. W.

40.00 Set chased post in mound of earth with pits as per instructions for 1/4 Section corner.

83.67 Intersect first Standard Parallel N. 3.66 chains East of 1/4 Sec corner ~~to~~ S of Section ~~22~~ 33, of Township No. 5 North of Range No. 22 West, and Set chased post in mound of earth with pits as per instructions for closing corner to Sections 4 & 5.
Surface rolling — Soil 2nd rate.

October 9th 1870

✓

Township No. 4 North, Range No. 22 West of 6th Principal Meridian

North between Sections 31 & 32.
Variation 13° East.

33.00 Enter Republican river bottom; Bears East and West.

34.25 Dry creek 15 links wide - bears N. E.

40.00 Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.

80.00 Set chased post in mound of earth with pits as per instructions for corner to Sections 29, 30, 31 & 32.
Surface South of bottom hilly - bottom level, Soil 2nd rate.

East Random between Sections 29 & 32.
Variation 13° 30' East.

9.50 } 14.40 } Set post for temp. meand. Cor to frac. Sec. 29 & 32

40.00 Set temporary 1/4 Section corner 32 ~~29 & 32~~

80.20 Intersect North and South line 10 links North of Post.

N. 89° 56' W. on true line between Sections 29 & 32.
Variation 13° 30' East.

40.10 Set chased post in mound of earth with pits as per instructions for 1/4 Section corner.

65.80 Left bank of Republican river and set chased post in mound of earth with pits as per instructions for meander corner.

70.70 Right bank of Republican river and set chased post in mound of earth with pits as per instruction for meander corner.

80.20 The corner of Sections 29, 30, 31 & 32.
Surface level - Soil 2nd rate.

Width of river found by chaining

Township No. 4 North, Range No. 22 West of 6th Principal Meridian

West Random between Sections 30 & 31.
Variation 13° East.

40.00 Set temporary 1/4 Section corner.

79.65 Intersect Range line 38 links North of Post.

N. 89° 44' E. on true line between Sections 30 & 31.
Variation 13° East

39.65 Set chared post in mound of earth with pits as per instruction for 1/4 Section corner.

79.65 The corner of Sections 29, 30, 31 & 32.
Surface level, Soil 2nd rate.

North between Sections 29 & 30.
Variation 13° East.

10.45 Right bank of Republican river and set chared post in mound of earth with pits as per instructions for meander corner. to fract. Secs 29 & 30

28.70 Left bank of Republican river and set chared post in mound of earth with pits as per instructions for meander corner.

40.00 Set chared post in mound of earth with pits as per instructions for 1/4 Section corner

80.00 Set chared post in mound of earth with pits as per instructions for corner to Sections 19, 20, 29 & 30.
Surface South of bottom hilly bottom level Soil 3rd rate.

Width of river found by chaining, the water being shallow.

Township No. 4 North, Range No. 22 West of 6th Principal Meridian.

East Random between Sections 20 & 29.
Variation 13° 20' East

18.00 Dry creek 15 links wide descends South

40.00 Set temporary 1/4 Section corner.

79.80 Intersect North and South line 42 links South of Post.

S 89° 42' W. on true line between Sections 20 & 29.
Variation 13° 20' East.

39.90 Set chared post in mound of earth with pits as per instructions for 1/4 Section corner.

79.80 The corner of Sections 19, 20, 29 & 30.
Surface level — Soil 2nd rate.

West Random between Sections 19 & 30.
Variation 13° 45' East.

~~18.00 dry creek 15 links wide [illegible] South~~

40.00 Set temporary 1/4 Section corner.

79.31 Intersect Range line 58 links North of Post.

N. 89° 35' ~~W~~ E on true line between Sections 19 & 30.
Variation 13° 45' East.

39.31 Set chared post in mound of earth with pits as per instructions for 1/4 Section corner.

79.31 The corner of Sections 19, 20, 29 & 30
Surface level — Soil 2nd rate

Township No. 4 North, Range No.

	North between Sections 19 & 20. Variation 13° 30' East.
13.00	Leave Republican river bottom, bears East and West.
40.00	Set chared Post in mound of earth with pits as per instructions for 1/4 Section corner.
~~78.30~~	~~Dry Creek 10 links wide~~ ~~This should not be output~~
78.30	Dry Creek 10 links wide, trees S.E.
80.00	Set chared post in mound of earth with pits as per instructions for corner to Sections 17, 18, 19 & 20. Surface rolling - Soil 2nd rate.

22 West of 6th Principal Meridian

East	Random between Sections 17 & 20. Variation 13° 30' East.
40.00	Set temporary 1/4 Section corner.
79.84	Intersect North and South line 36 links South of Post.
	S 89° 45' W on true line between Sections 17 & 20. Variation 13° 30' East.
39.92	Set chared post in mound of earth with pits as per instructions for 1/4 Section corner.
79.84	The corner of Sections 17, 18, 19 & 20. Surface rolling - Soil 2nd rate.

Township No. 4. North, Range No. 22 West of 6th Principal Meridian.

West	Random between Sections 18 & 19. Variation 13° 30' East.
1.75	Dry creek 10 links wide discends S.E.
46.00	Set temporary 1/4 Section corner.
59.50	Ravine 1.50 chains wide - Bears South
~~77.50~~	~~dry creek 10 links wide run S.E.~~
79.14	Intersect Range line 54 links North of post.
	N. 89° 37' E. on true line between Sections 18 & 19. Variation 13° 30. East.
39.14	Set chared post in mound of earth with pits as per instructions for 1/4 Section corner.
79.14	The corner of Sections 17, 18, 19 & 20. Surface rolling - Soil 2nd rate.

√

North	between Sections 17 & 18. Variation 13° 30' East.
46.00	Set chared post in mound of earth with pits as per instructions for 1/4 Section corner.
41.00	Ravine 2.00 chains wide - bears S.E.
80.00	Set chared post in mound of earth with pits as per instructions for corner to Sections 7, 8, 17 & 18. Surface rolling - Soil 2nd rate.

√

Township No. 4 North, Range No. 22 West of 6th Principal Meridian

East	Random between Sections 8 & 17. Variation 13° 45' East.
40.00	Set temporary 1/4 Section corner.
80.10	Intersect North and South line 12 links North of Post.
	N. 89° 55' W. on true line between Sections 8 & 17. Variation 13° 45' East.
41.05	Set hard post in mound of earth with pits as per instructions for 1/4 Section corner.
80.10	The corner of Sections 7, 8, 17 & 18. Surface rolling — Soil 2nd rate.

West	Random between Sections 7 & 18. Variation 13° 45' East.
33.45	Dry creek 10 links wide — runs South.
40.00	Set temporary 1/4 Section corner.
78.68	Intersect Range line 43 links North of Post.
	N. 89° 42' E. on true line between Sections 7 & 18. Variation 13° 45' East.
38.68	Set hard Post in mound of earth with pits as per instructions for 1/4 Section corner.
78.68	The corner of Sections 7, 8, 17 & 18. Surface rolling — Soil 2nd rate.

Township No. 4. North, Range No. 22 West of 6th Principal Meridian.

"	North between Sections 7 & 8. Variation 13° 45' East
40.00	Set chared post in mound of earth with pits as per instructions for 1/4 Section corner
80.00	Set chared post in mound of earth with pits as per instructions for corner to Sections 5, 6, 7 & 8. Surface rolling — Soil 2nd rate.

East	Random between Sections 5 & 8. Variation 13° 45' East.
40.00	Set temporary 1/4 Section corner.
78.15	Dry creek 10 links wide runs South.
80.18	Intersect North and South line 19 links South of post.
	S. 89° 52' W. on true line between Sections 5 & 8. Variation 13° 45' East.
40.09	Set chared post in mound of earth with pits as per instructions for 1/4 Section corner.
80.18	The corner of Sections 5, 6, 7 & 8. Surface rolling — Soil 2nd rate.

Township No. 4 North, Range No. 22 West of 6th Principal Meridian.

West	Random between Sections 6 & 7.
	Variation 13° 45' East.
40.00	Set temporary 1/4 Section corner.
40.25	Dry creek 16 links wide runs South.
78.11	Intersect Range line 82 links North of post.
	N. 89° 24' E. on true line between Sections 6 & 7.
	Variation 13° 45' East.
38.11	Set chained post in mound of earth with pits as per instructions for 1/4 Section corner.
78.11	The corner of Sections 5, 6, 7 & 8.
	Surface rolling — Soil 2nd rate.

	North between Sections 5 & 6.
	Variation 13° 45' East.
40.00	Set chained post in mound of earth with pits as per instructions for 1/4 Section corner.
47.00	Raine 1.50 chains wide Bears East.
82.25	Intersect First Standard Parallel N. 3.10 chains East of Corner of Sections ~~31 & 32~~, of Township No. 5, North of Range No. 22 West, and set chained post in mound of earth with pits as per instructions for closing corner to Sections 5 & 6.
	Surface rolling — Soil 2nd rate.
	October 10th 1870

Township No 4 North Range No 22 West of the 6th Principal Meridian

Meanders of the Republican River beginning at Meander post on S. bound[ry] of Township ~~line~~ on Right bank bet[n] Secs 1 & 36 thence up stream, In Section 36

Variation 12° 30' East

1 N	15 E	740	
N	29 E	700	
N	18 W	1575	
N	75 W	1000	
N	~~49~~ 50 W	1950	
N	69 W	1700 2	To meander post between Sections 35 and 36

thence

In Section 35

N	77 W	825	Variation 12° 30
West		700	
S	30 W	550	
S	18 W	600	
S	35 E	1000	
S	~~42~~ 39 E	1050	
S	54 E	900 3	To meander corner bet Sec 35 and 36 again

Write each bank continuously through the Township

thence In Sec 36 again

S	56 E	1000	
S	19 W	700	Va 12° 30
S	43½ W	915 4	To meander post & cor to to Sect 1, 2, 35 & 36 on Township line

Up Stream, On left bank

12 N	20 E	500	In Section 36
N	26 E	950	Variation 12° 30' East
N	19 W	2000	
N	71 W	1600	
N	42 W	1175	
N	7~~34~~ 2 W	2~~7~~ 2 00 13	To meander post between Sections 35 & 36

thence

~~N~~	~~15 E~~	~~740~~	In Section 35
~~N~~	~~29 E~~	~~700~~	Variation 12° 30' East
~~N~~	~~18 W~~	~~1575~~	
~~N~~	~~73 W~~	~~1000~~	
~~N~~	~~49 W~~	~~1950~~	
~~N~~	~~69 W~~	~~1700~~	~~To meander post~~
N	70 W	800	
S	89 W	1100	
S	29 W	1000	
S	15 W	1050	
S	4~~5~~ 6 E	16~~5~~ 0	
S	30 E	1000	
S	72 E	650	
S	17 E	850	
S	55 W	550	
S	17 W	340 14	To meander post between Sect 2 & 35 ~~Sections~~ on Township line 6.30 chs W of Cor to Sect 1, 2, 35 & 36

Meanders of the Republican River beginning at Meander post on Township line On Right-bank bet. Sect. 2 & 35, thence up stream On Section 35

Variation 13° East

5 N	71 W	450	
N	33 W	450	
N	4 E	500	
N	46 W	1250	
S	~~67~~ 70 W	1450	
N	73 W	450	
S	87 W	1100	
N	80½ W	560	6 To Meander post between Sections 34 & 35

up Stream On Left-bank

On Section 35

Variation 13° East

15 N	68½ W	550	
N	57 W	950	
N	28 W	1100	
N	36 W	1300	
S	76 W	1500	
S	85 W	1400	
N	89 W	800	16 To meander post between Sections 34 & 35

Township No 4 North Range No 22 West of 4th Principal Meridian

Meanders of the right bank of the Republican River beginning at meander post between sections 34 and 35 On Right bank

thence up stream In Section 34

variation 13° East

N	83	W	1250
N	35	W	1500
S	80	W	975
S	20	W	600
S	69	W	1400
S	~~75~~ 68½	W	1550
S	80	W	1150
N	89	W	500

To meander post between sections 33 and 34

up stream, On Left bank

In Section 34

variation 13° East

N	78	W	1100
N	59	W	1000
N	49	W	775
S	83	W	1350
S	34	W	~~17~~ 1050
S	75	W	~~25~~ 1900
S	82	W	1800

To meander post between sections 33 and 34

October 11th 1870

Township No 4 North Range No 22 West of the 6th Principal Meridian

Meanders of the Republican River beginning at Meander post on Section line between sections 33 and 34 on Right bank thence up Stream In Sec 33

variation 13° East

S	86 W	1325	
N	71 W	1450	
N	32 W	600	
N	30 ~~W~~ E	600	
N	34 E	450	
N	~~17~~ 19 E	~~1650~~ 20.00	
N	46 W	700	
S	80 W	1550	
S	7 W	1350	dry creek 25 links wide bears South
S	51 W	1723	
S	80 W	1750	
N.	78 W	1024 8	To meander post between sections 32 and 33

Up Stream On Left-bank In Section 33

variation 13° East

S	85 W	700	
N	61 W	1100	
N	~~7~~ 11 E	2100	
N	28 E	800	
N	45 W	850	dry creek 25 links wide bears North
N	70 W	1050	
S	75 W	1650	
S	23 W	1250	
S	47 W	1630	
S	81 W	1100	
N	81½ W	1140 18	To meander post between sections 32 and 33

Township No 4 North Range No 22 West of 6th Principal Meridian

Meanders of the Republican River beginning at Meander post between Sections 32 x 33 thence in Section 32, up stream
Variation 13° East

N	74 W	1100	On Right bank
S	55 W	1100	
N	75 W	500	
N	55 W	1900	
N	23 W	950	
N	23 E	1800	
N	89 W	1300	dry creek 20 links wide bears south
N	6~~4~~0 W	21~~5~~0	
N	14 W	1185 9	To meander post between sections 29 x 32

Thence In Section 29
Var 13° East

N	15 W	600	
N	~~58~~ 60 W 10	~~890~~ 9.20	To meander post between sections 29 x 30

Up Stream On left bank
In Section 32
Variation 13° East

N	75 W	750	
N	88 W	750	
S	52 W	850	
N	57 W	1600	
N	11 W	850	
N	22 E	1~~4~~5 50	
N	40 W	700	
N	83 W	1450	
N	71 W	1000	
N	42 W	700	
N	20½ W	655 19	To meander post between section 29 x 32

Thence
In Sec 29
Var 13° East

N	10 W	500	
N	10 E	850	
N	1~~4~~6 W	11~~4~~0	dry creek 20 links wide bears north
N	67½ W	1275 20	To meander post between sections 29 and 30

Township No 4 North - Range No 22 West of the 6th P M

Meanders of Republican River beginning at meander post between Sections 29 and 30 thence in Section 30 up Stream, On Right bank

Variation 13° East

N	43 W	1400
N	24 W	2215
N	62 W	1900
N	42 W	750
N	69 W	800
West		1100
S	57 W	1250
S	65 W	1100 " To meander post on Range line, between Sections 25 and 30

Up Stream On left bank In Section 30

Variation 13°

N	55 W	500
N	40 W	2250
N	70 W	1350
N	45 W	1000
N	61½ W	1550
S	75 W	1800
S	55½ W	1423 21 To meander post on Range line, bet. Sec. 25 & 30

October 12th 1870

"

Township No 4 North Range No 22 West of the 6th Principal Meridian

General Description

The surface of this Township except in the Bottom lands of the Republican river are generally rolling with a few Ravines the bottom lands are good for farming ~~lands~~ and well adapted to the raising of Wheat and corn; the grass grows very heavy in many places, which affords excellent opportunities for cutting hay. The Township is watered by the Republican River and by numerous small streams which are tributary thereto; there is considerable timber along the streams and on the river

Township No ~~3~~ 4 North of Range No 22 West of the 6th Principal Meridian

List of Names

A list of the names of the individuals employed to assist in running measuring and marking the lines and corners described in the foregoing field notes of Township No 4 North of Range No 22 West of the 6th Principal Meridian Showing the respective capacities in which they acted

Henry Lewis
Charles Fitzpatrick } Chainmen

Joseph Kearny
Thomas Dayly } Mound builders

We hereby certify that we assisted William E Daugherty Deputy Surveyor in Surveying and Subdividing Township No 4 North of Range No 22 West of the 6th Principal Meridian and that said Township has been in ~~well~~ all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by by the Surveyor General

Henry Lewis
Charles Fitzpatrick } Chainmen

Henry Lewis
Joseph Kearny
Thomas his x mark Dayly } Mound builders

Subscribed & sworn to before me this 19th day of Oct AD 1870
A S Child Probate Judge
of Cass County Nebraska

Seal

William E Daugherty Deputy Surveyor do solemnly swear that in pursuance of a Contract with Robert R Livingston Surveyor General of the United States for the State of Nebraska bearing date the 6th day of August 1870 and in strict Conformity to the laws of the ~~laws of the~~ United States and the instructions of the Surveyor General I have faithfully surveyed and subdivided into sections Township No 4 North of Range No 22 West of the 6th Principal Meridian in the State aforesaid and do further swear that the foregoing are the true & original field notes of such survey

William E Daugherty
Deputy Surveyor

Subscribed and sworn to before me at my office in the city of Plattsmouth Nebraska this 17 day of Oct 1870

Seal A S Chase Probate Judge in and for Cass County, Nebraska

Surveyor Generals Office

Plattsmouth Neb. Dec. 16. 1870.

The foregoing field Notes of the Survey of the Subdivisionlines & meanders of Township No. 4 North of the Base Line, of Range No. 22 West of the Sixth Principal Meridian in the State of Nebraska, executed by William E. Daugherty under his Contract of the Sixth day of August 1870, in the Month of October 1870, having been critically examined, the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved

Robt. R Livingston
Surveyor General.

General Land Office • Original Field Notes

Book Number

458

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.