General Land Office • Original Field Notes

Book Number

459

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Town 5 Range 22W

6	54	5	40	4	30	3	20	2	11	1
53		52		39		29		19		10
7	51	8	39	9	29	10	18	11	9	12
50		49		38		28		18		8
18	49	17	37	16	27	15	17	14	7	13
48		47		36		26		17		6
19	47	20	35	21	25	22	16	23	5	24
46		45		34		24		15		4
30	44	29	33	28	23	27	14	26	3	25
43		42		32		22		13		2
31	41	32	31	33	21	34	12	35	1	36

T 5 - 8 N

Field Notes

of the subdivision lines of Township 5 North of Range 22 West of the 6th Principal Meridian in the State of Nebraska by Philander C. Patterson under his contract No 36 bearing date the 5th day of August 1870

Subdivision commenced August 30th 1870
Subdivision completed September 6th 1870

List of Names

A list of the names of the individuals employed to assist in running measuring or marking the lines and corners described in the following field notes of Township No 5 North of Range No 22 West of the 6th Principal Meridian showing the respective capacities in which they acted

William McCartney } chn mer
John R Polin }
David P. Cole
Walter C. Dryden } Mound mer
Frank Porter flag man

Field Notes of the Subdivision lines in Township 5 North Range 22 West 6th P. M

To determine the proper adjustment of my compass for subdividing this Township I commence at the corner to section 25 and 36 and run South on a blank line along the East Boundary of section 36

Variation 13° East

40 14 To a point 4 lks. West of the 1/4 section corner

80.17 To a point 3 lks. West of the corner to Townships 5 North Ranges 21. and 22 West

To retrace this line or run parallel thereto my compass must be adjusted to a Variation of 13°01' East

Subdivision commenced August 30th 1870

Township 5 N. Range 22 W 6th P. M.

North between sections 35 and 36
Va 13° East

40.00 Drove chared stake and set a post in mound with pit for ¼ sec. cor.

80.00 Drove chared ~~chared~~ stake and set a post in mound with pit for corner to sections 25, 26, 35 and 36.

Land rolling good 2nd Rate

Township 5 N. Range 22 W. 6th P. M.

East on a random line between sections 25 and 36
Va 13° East

19.30 Turkey creek 20 lks. wide runs South

32.00 A dry creek 5 lks. wide runs S. W.

40.00 Set a post for temporary ¼ sec. cor.

79.90 Intersected the East Boundary 15 lks South of the corner to sections 25 and 36, from which corner I run

S 89°54' W on a true line between sections 25 and 36
Va 13° East

39.95 Drove chared stake ~~and~~ set a post in mound with pit for ¼ sec cor

79.90 The corner to sections 25, 26, 35 and 36

Land rolling 2nd Rate

Scattering timber along Turkey creek
Elm, ash, and boxelder

Township 5 N. Range 22 W 6th P. M.

	North between sections 25 and 26
	Va 15° East
7.50	Turkey creek 25 lks. wide runs S. E.
30.54	Same creek 20 lks. wide runs S. W.
40.00	Drove a charred stake and set a post in Mound with pits for ¼ sec. cor.
43.55	Same creek 20 lks. wide runs S. E.
62.20	Same creek 20 lks. wide runs West
63.90	Same creek 30 lks. wide runs S. E.
70.30	Same creek 30 lks. wide runs S. W.
80.00	Set a hand stone 12×12×7 in. for corner to sections 23, 24, 25 and 26
	Land broken 3rd Rate
	Scattering timber along creek
	Elm, ash and boxelder

Township 5 N. Range 22 W 6th P. M.

	East on a random line between sections 24 and 25
	Va 13° 15' East
4.55	Turkey creek 15 lks. wide runs South
40.00	Set a post for temporary ¼ sec. cor.
80.06	Intersected the East boundary 22 lks. South of the corner to sections 24 and 25 from which corner I run
	S 89° 51' W on a true line between sections 24 and 25
	Va 13° 15' East
40.08	Drove charred stake and set a post in Mound with pits for ¼ sec cor
80.06	The corner to sections 23, 24, 25 and 26
	Land rolling 2nd Rate

Township 5 N. Range 22 W 6th P. M.

North between sections 23 and 24
Va 18° East

8.20 A dry creek 10 lks. wide runs East
40,00 Set a sand stone 16 x 10 x 5 in. for 1/4 sec cor
44.65 Turkey creek 35 lks. wide runs S. E.
49.30 Same creek 30 lks. wide runs N. W.
80.00 Set a sand stone 18 x 12 x 8 in. for corner to sections 13, 14, 23 and 24
Land broken 3rd rate
Scattering timber along creek
Elm, ash and hackberry

Township 5 N. Range 22 W. 6th P. M.

East on a random line between sections 13 and 24
Va 18° 30' East

4.60 Turkey creek 40 lks. wide runs South
7.70 Same creek 25 lks. wide runs North
10.10 Same creek 20 lks. wide runs South
40.00 Set a post for temporary 1/4 sec. cor.
80.08 Intersected the East Boundary 26 lks South of the corner to sections 13 and 24 from which corner I run
S 89° 49' W on a true line between sections 13 and 24
Va 13° 30' East
40.04 Drove a charred stake and set a post in mound with pits for 1/4 sec cor.
80.08 The corner to sections 13, 14, 23 and 24
Land broken 3rd rate
Scattering elm, ash and hazelnut along creek

August 30th 1870

Township 5 N. Range 22 W 6th P. M.

	North between sections 13 and 14
	Va 13° East
4.50	Turkey creek 20 lks wide runs East
4.70	Enter timber brs S. E. and N. W.
15.50	Same creek 20 lks wide runs West
18.00	Leave timber bears E. and W.
40.00	Set a sand stone 15 x 11 x 6 in. for ¼ sec. cor.
80.00	Set a sand stone 15 x 12 x 9 in. for corner to sections 11, 12, 13 and 14
	Land broken 3rd rate
	Timber elm, ash and hackberry

Township 5 N. Range 22 W. 6th P. M.

	East on a random line between sections 12 and 13
	Va 13°45' East
21.00	Enter timber bears N. and S.
22.40	Turkey creek 10 lks wide runs South
" "	Leave timber bears S. E. and North
40.00	Set a post for temporary ¼ sec. cor.
79.84	Intersected the East boundary 15 lks. South of the corner to sections 12 and 13 from which corner I run
	S 89°53' W on a true line between sections 12 and 13
	Va 13°45' East
39.92	Drove charred stake and set a post in mound with pits for ¼ sec. cor.
79.84	The corner to sections 11, 12, 13 and 14
	Land broken and gravely 3rd rate

North between sections 11 and 12
Va 13° East

40,00 Set a sand stone 16 x 12 x 6 in for
1/4 sec. cor

80,00 Set a sand stone 14 x 12 x 6 in for
corner to sections 1, 2, 11 and 12
from which
A Cottonwood 12 in. dia. bears
N 53° E 19 lks. dist
Land broken 3rd rate

East on a random line between
sections 1 and 12
Va 14° East

2,90 Turkey creek 30 lks. wide runs South
" " Enter timber bears N. W. and S. E.
6,00 Leave timber bears N. E. and S. E
40,00 Set a post for temporary 1/4 sec. cor.
79,66 Intersected the East Boundary
28 lks South of the corner to
sections 1 and 12 from which
corner S run
S 89° 48' W on a true line between
sections 1 and 12
Va 14° East

39,83 Drove a chared stake and set a
post in Mound with pits
for 1/4 sec. cor.
79,66 The corner to sections 1, 2, 11 and 12
Land broken 3rd rate

Township 5 N. Range 22 W 6th P. M.

	North on a random line between sections 1 and 2
	Var 13° East
3,10	A spring branch 10 lks wide runs S. E.
~~58,20~~	~~A creek 15 lk~~
40,00	Set a post for temporary ¼ sec cor.
58,20	A creek 16 lks, wide runs S. E.
" "	Enter timber bears S. E. and N. W
65,10	Same creek 15 lks wide runs N. W
71,60	Same creek 16 lks. wide runs East
" "	Leave timber bears E and W,
81,82	Intersected the North Boundary 50 lks, West of the corner to sections 1 and 2 from which corner I run
	S 00° 21' W on a true line between sections 1 and 2
	Var 13° East
41,82	Drove a chared stake and set a post in Mound with pits for ¼ sec. cor.
81,82	The corner to sections 1, 2, 11 and 12
	Land broken 3rd Rate
	Timber Elm, Ash, and hackberry
	August 31st 1870

Township 5 N. Range 22 W. 6th P. M.

	North between sections 34 and 35
	Var 13° East
40,00	Drove a chared stake and set a post in a Mound with pits for ¼ sec. cor.
80,00	Drove a chared stake and set a post in a Mound with pits for corner to sections 26, 27, 34 and 35
	Land gently rolling good 2nd Rate

Township 5 N. Range 22 W. 6th P. M.

East on a random line between sections 26 and 35

Va 13° East

40.00 Set a post for temporary ¼ sec. cor

79.40 Intersected N. and S. line 30 lks. North of the corner to sections 25, 26, 35 and 36 from which corner I run

N 89° 47' W on a true line between sections 26 and 35

Va 13° East

39.70 Drove a charred stake and set a post in a mound with pits for ¼ sec. cor,

79.40 The corner to sections 26, 27, 34 and 35

Land broken 3rd Rate

Township 5 N. Range 22 W. 6th P. M.

North between sections 26 and 27

Va 13° East

40.00 Drove a charred stake and set a post in mound with pits for ¼ sec. cor

80.00 Drove a charred stake and set a post in mound with pits for corner to sections 22, 23, 26 and 27

Land Rolling 2nd Rate

Township 5 N. Range 22 W 6th P. M.

	East on a random line between sections 23 and 26
	Va 12°45' East
40.00	Set a post for temporary ¼ sec. cor,
79.54	Intersected N. and S. line 27 lks. North of corner to sections 23, 24, 25 and 26. from which corner S run N 89°48' W on a true line between sections 23 and 26
	Va 12°45' East
39.77	Drove a charred stake and set a post in Mound with pits for ¼ sec. cor,
79.54	The corner to sections 22, 23, 26 and 27
	Land rolling 2nd Rate

Township 5 N. Range 22 W. 6th P. M.

	North between sections 22 and 23
	Va 13°15' East
40.00	Drove a charred stake and set a post in Mound with pits for ¼ sec. cor,
80.00	Drove a charred stake and set a post in Mound with pits for corner to sections 14, 15, 22 and 23
	Land rolling 2nd Rate

Township 5 N. Range 22 W. 6th P. M.

East on a random line between sections 14 and 23

Va 12°45' East

40.00 Set a post for temporary ¼ sec cor
79.76 Intersected N and S line 18 lks. North of the corner to sections 13, 14 23 and 24 from which corner S run N 89°52' W on a true line between section 14 and 23

Va 12°45' East

39.88 Drove a charred stake and set a post in mound with pits for ¼ sec. cor.
79.76 The corner to sections 14, 15, 22 and 23
Land broken 3rd Rate

North between sections 14 and 15

Va 13°15' East

40.00 Drove a charred stake and set a post ~~for~~ in mound with pits for ¼ sec. cor
80.00 Drove charred stake and set a post in mound with pits for corner to sections 10, 11, 14 and 15
Land gently rolling good 2d Rate

Township 5 N Range 22 W. 6th P. M.

East on a random line between sections 11 and 14

Va 12°30' East

40.00 Set a post for temporary ¼ sec. cor.
79.84 Intersected N and S line 16 lks. North of the corner to sections 11, 12, 13 and 14 from which corner S run N 89°58' W on a true line between sections 11 and 14

Va 12°30' East

39.92 Drove a charred stake and set a post in mound with pits for ¼ sec. cor.
79.84 The corner to sections 10, 11, 14 and 15
Land rolling good 2d Rate

North between sections 10 and 11

Va 13° East

40.00 Drove a charred stake and set a post in mound with pits for ¼ sec. cor.
80.00 Drove a charred stake and set a post in mound with pits for corner to sections 2, 3, 10 and 11
Land broken 3rd Rate

Township 5 N. Range 22 W 6th P. M.

East on a random line between
sections 2 and 11
Va 12° 30' East
40.00 Set a post for temporary ¼ sec cor
80.00 Intersected N and S. line 14 lks.
North of the corner to sections
1, 2, 11 and 12 from which corner
S run
N 89° 54' W on a true line between
sections 2 and 11
Va 12° 30' East
40.00 Drove a charred stake and set a post
in mound with pits for ¼ sec. cor
80.00 The corner to sections 2, 3, 10 and 11
Land broken 3rd rate

Township 5 N. Range 22 W. 6th P. M.

North on a random line between
sections 2 and 3
Va 13° East
40.00 Set a post for temporary ¼ sec. cor.
81.47 Intersected the North Boundary
48 lks West of the corner to sections
2 and 3 from which corner S run
S 2½° W on a true line between
sections 2 and 3
Va 13° East
41.47 Drove charred stake and set a post
in mound with pits for ¼ sec. cor.
81.47 The corner to sections 2, 3, 10 and 11
Land rolling 2nd rate

September 1st 1870

Township 5 N. Range 22 W 6 P.M.

North between sections 33 and 34
Va 13° 10' East

40.00 Drove charred stake and set a post in mound with pits for ¼ sec. cor.
42.00 Dry creek 16 lks. wide runs West
80.00 Drove charred stake and set a post in mound with pits for corner to sections 27, 28, 33 and 34
Land broken 3rd Rate

Township 5 N Range 22 W. 6th P.M.

East on a random line between sections 27 and 34
Va 13° East

7.65 Dry creek 12 lks. wide runs South
17.30 Dry creek 16 lks. wide runs South
40.00 Set a post for temporary ¼ sec. cor.
79.20 Intersected N and S. line 13 lks. North of the corner to sections 25, 27, 34 and 35 from which corner I run
N 89° 54' W on a true line between sections 27 and 34
Va 13° East
39.60 Drove a charred stake and set a post in mound with pits for ¼ sec. cor.
79.20 The corner to sections 27, 28, 33 and 34
Land rolling 2d Rate

Township 5 N. Range 22 W. 6th P.M.

North between sections 27 and 28
Va 13° 15' East

40.00 Drove a charred stake and set a post in mound with pits for ¼ sec cor

80.00 Drove charred stake and set a post in mound with pits for corner to sections 21, 22, 27 and 28

Land broken 3rd Rate

Township 5 N. Range 22 W. 6th P.M.

East on a random line between sections 22 and 27
Va 13° East

4.85 Dry creek 15 lks. wide runs South

28.35 Dry creek 17 lks. wide runs South

40.00 Set a post for temporary ¼ sec. cor

79.46 Intersected N and S line 9 lks. North of the corner to sections 22, 23, 26 and 27 from which corner I run
N 89° 56' W on a true line between sections 22 and 27
Va 13° East

39.73 Drove a charred stake and set a post in mound with pits for ¼ sec. cor,

79.46 The corner to sections 21, 22, 27 and 28

Land rolling 2nd Rate

Township 5 N. Range 22 W. 6th P. M.

North between sections 21 and 22
Va 13° 20' East

40.00 Drove chared stake and set a post in mound with pits for ¼ sec. cor
45.50 Dry creek 30 lks wide runs S. E.
80.00 Drove a chared stake and set a post in mound with pits for corner to sections 15, 16, 21 and 22
Land broken 3rd Rate

Township 5 N. Range 22 W. 6th P. M.

East on a random line between sections 15 and 22
Va 13° East

37.65 Dry creek 12 lks wide runs South
40.00 Set a post for temporary ¼ sec. cor.
79.40 Intersected N and S. line at the corner to sections 14, 15, 22 and 23 from which corner I run West on a true line between sections 15 and 22
Va 13° East

39.70 Drove a chared stake and set a post in mound with pits for ¼ sec cor
79.40 The corner to sections 15, 16, 21 and 22
Land rolling 2nd Rate

Township 5 N. Range 22 W 6th P. M.

North between sections 15 and 16
Va 13° 25' East

40,00 Drove a chared stake and set a post ~~for~~ in Mound with pits for ¼ sec. cor.

80,00 Drove a chared stake and set a post in Mound with pits for corner to sections 9, 10, 15 and 16
Land South part broken North part gently rolling good 2nd Rate

Township 5 N. Range 22 W. 6th P. M.

East on a random line between sections 10 and 15
Va 13° East

32,10 Dry creek 15 lks. wide runs South

40,00 Set a post for temporary ¼ sec. cor.

79,42 Intersected N. and S. line at the corner to sections 10, 11, 14 and 15 from which corner I run
West on a true line between sections 10 and 15
Va 13° East

39,71 Drove a chared stake and set a post in Mound with pits for ¼ sec. cor.

79,42 The corner to sections 9, 10, 15 and 16
Land rolling good 2nd Rate

Township 5 N. Range 22 W. 6th P.M.

North between sections 9 and 10
Va 13° East

40.00 Drove a charred stake and set a post in mound with pits for ¼ sec. cor

80.00 Drove a charred stake and set a post in mound with pits for corner to sections 3, 4, 9 and 10
Land gently rolling good 2nd Rate

East on a random line between sections 3 and 10
Va 13° East

11.47 Dry creek 25 lks. which runs N. E.

40.00 Set a post for temporary ¼ sec. cor.

79.46 Intersected N. and S. line at the corner to sections 2, 3, 10 and 11 from which corner I run West on a true line between sections 3 and 10
Va 13° East

39.73 Drove a charred stake and set a post in mound with pits for ¼ sec. cor

79.46 The corner to sections 3, 4, 9 and 10
Land rolling 2nd Rate

Township 5 N. Range 22 W. 6th P.M.

North on a random line between sections 3 and 4
Va 13° 10' East

40.00 Set a post for temporary ¼ sec. cor.

81.36 Intersected the North Boundary 5 lks. west of the corner to sections 3 and 4 from which corner I run S. 3° W. on a true line between sections 3 and 4
Va 13° 10' East

41.36 Drove a charred stake and set a post in a mound with pit for ¼ sec. cor.

81.36 The corner to sections 3, 4, 9 and 10

September 2nd 1870

Township 5 N. Range 22 W. 6th P. M.

North between sections 32 and 33
Va 13° East

40.00 Drove a charred stake and set a post in a mound with pits for ¼ sec cor

70.76 Dry creek 10 lks. wide runs East

80.00 Drove charred stake and set a post in mound with pits for corner to sections 28, 29, 32 and 33

Land rolling 2nd rate

Township 5 N. Range 22 W. 6th P. M.

East on a random line between sections 28 and 33
Va 13° East

11.59 Dry creek 10 lks. wide runs South

40.00 Set a post for temporary ¼ sec cor

79.38 Intersected N. and S. line 20 lks. North of the corner to sections 27, 28, 33 and 34 from which corner I run
N 89° 51' W on a true line between sections 28 and 33
Va 13° East

39.69 Drove a charred stake and set a post in a mound with pits for ¼ sec. cor

79.38 The corner to sections 28, 29, 32 and 33

Land rolling 2nd rate

Township 5 N. Range 22 W. 6th P.M.

North between sections 28 and 29
Va 13° 10' East

40.00 Drove a charred stake and set a post in mound with pits for ¼ sec. cor,

80.00 Drove a charred stake and set a post in mound with pits for corner to sections 20, 21, 28 and 29

Land rolling 2nd rate

Township 5 N. Range 22 W. 6th P.M.

East on a random line between sections 21 and 28
Va 13° East

11.10 Dry creek 20 lks, wide runs S. E

40.00 Set a post for temporary ¼ sec. cor

79.46 Intersected N. and S. line 20 lks North of the corner to sections 21, 22, 27 and 28 from which corner I run
N 89° 51' W on a true line between sections 21 and 28
Va 13° East

39.73 Drove a charred stake and set a post in mound with pits for ¼ sec cor

79.45 The corner to sections 20, 21, 28 and 29

Land rolling 2nd rate

Township 5 N. Range 22 W. 6th P. M.

North between sections 20 and 21
Va 13° 20' East

40.00 Drove a charred stake and set a post in mound with pits for ¼ sec. cor.

69.40 A dry creek 20 lks. wide runs S. E.

75.70 Same dry creek 15 lks. wide runs S. W.

80.00 Drove charred stake and set a post in mound with pits for corner to sections 16, 17, 20 and 21

Land broken 3rd rate.

Township 5 N. Range 22 W. 6th P. M.

East on a random line between sections 16 and 21
Va 13° East

.30 A dry creek 15 lks. wide runs South

40.00 Set a post for temporary ¼ sec. cor

73.26 A dry creek 15 lks. wide runs South

79.46 Intersected N and S line 14 lks. North of the corner to sections 15, 16, 21 and 22 from which corner I run
N 89° 54' W on a true line between sections 16 and 21
Va 18° East

39.73 Drove a charred stake and set a post in mound with pits for ¼ sec. cor.

79.46 The corner to sections 16, 17, 20 and 21

Land rolling 2nd rate

Township 5 N. Range 22 W. 6th P. M.

North between sections 16 and 17
Va 13° 25' East

11.90	A dry creek 15 lks. wide runs S. E.
16.20	Same dry creek 20 lks. wide runs S. W.
18.90	Same dry creek 20 lks. wide runs S. E.
40.00	Drove a charred stake and set a post in mound with pits for ¼ sec cor.
80.00	Drove a charred stake and set a post in mound with pits for corner to sections 8, 9, 16 and 17

Land broken 3rd rate

Township 5 N. Range 22 W. 6th P. M.

East on a random line between sections 9 and 16
Va 13° East

40.00	Set a post for temporary ¼ sec. cor.
50.00	a ravine ⊕ 20 lks wide runs S. E.
79.40	Intersected N. and S. line 10 lks. North of corner to sections 9, 10, 15 and 16 from which corner I run N 89° 56' W on a true between sections 9 and 16
	Va 13° East
39.70	Drove a charred stake and set a post in mound with pits for ¼ sec. cor.
79.40	The corner to sections 8, 9, 16 and 17

Land rolling 2nd rate

⊕ or bed of dry creek

Township 5 N. Range 22 W. 6th P.M.

North between section 8 and 9
Va 15° 15' East

40.00 Drove a charred stake and set a post in mound with pits for ¼ sec. cor.

80.00 Drove a charred stake and set a post in mound with pits for corner to sections 4, 5, 8 and 9

Land rolling 2nd Rate

East on a random line between sections 4 and 9
Va 13° East

27.35 A dry creek 10 lks. wide runs S. E.

40.00 Set a post for temporary ¼ sec. cor.

53.60 A dry creek 12 lks. wide runs South

79.48 Intersected N. and S. line at the corner to sections 3, 4, 9 and 10 from which corner I run West on a true line between sections 4 and 9
Va 13° East

39.74 Drove a charred stake and set a post in mound with pits for ¼ sec cor

79.48 The corner to sections 4, 5, 8 and 9

Land rolling 2nd Rate

Township 5 N. Range 22 W. 6th P.M.

North on a random line between sections 4 and 5
Va 13° 15' East

40.00 Set a post for temporary ¼ sec. cor

75.40 A dry ravine 15 lks. wide runs N. E.

80.93 Intersected the North boundary 15 lks. East of the corner to sections 4 and 5 from which corner I run S 6' E on a true line between sections 4 and 5
Va 13° 15' East

40.93 Drove a charred stake and set a post in mound with pits for ¼ sec. cor.

80.93 The corner to sections 4, 5, 8 and 9

Land rolling 2nd Rate

September 3rd 1870

Township 5 N. Range 22 W. 6th P.M.

North between section 31 and 32
Va 13°10' East

40.00 Drove a charred stake and set a post in mound with pits for ¼ sec. cor.

80.00 Drove a charred stake and set a post in a mound with pits for corner to sections 29, 30, 31 and 32

Land gently rolling good 2nd rate

Township 5 N. Range 22 W. 6th P.M.

East on a random line between sections 29 and 32
Va 13° East

40.00 Set a post for temporary ¼ sec. cor.

75.30 A Slough 20 lks. wide runs South

80.00 Intersected N. and S. line at the corner to sections 28 29, ~~30, 31 and~~ 33 32 from which corner I run West on a true line between sections 29 and 32
Va 13° East

40.00 Drove a charred stake and set a post in mound with pits for ¼ sec. cor.

80.00 The corner to sections 29, 30, 31 and 32

Land rolling good 2nd rate

Township 5 N. Range 22 W. 6th P. M.

West on a random line between
sections 30 and 31
Va 13° East

40.00 Set a post for temporary ¼ sec. cor
59.18 Dry ravine 10 lks. wide runs South
79.90 Intersected the West Boundary 20 lks.
South of the corner to sections 30,
and 31 from which corner I run
S 89° 51' East on a true line between
sections 30 and 31
Va 13° East

39.90 Drove a charred stake and set a
post in mound with pits
for ¼ sec. cor.

79.90 The corner to sections 29, 30, 31 and 32

Land broken 3rd rate

Township 5 N. Range 22 W. 6th P. M.

North between sections 29 and 30
Va 13° 10' East

40.00 Drove a charred stake and set a
post ~~for temp~~ in mound with
pits for ¼ sec. cor.

80.00 Drove a charred stake and set
a post in mound with pits for
corner to sections 19, 20, 29,
and 30

Land rolling 2nd rate

Township 5 N. Range 22 W. 6th P. M.

	East on a random line between sections 20 and 29
	Va 13° East
30.80	A ravine 20 lks. wide runs South
40.00	Set a post for temporary ¼ sec. cor
79.98	Intersected N. and S. line 10 lks North of the corner to sections 20, 21, 28 and 29 from which corner S run
	N 89° 56' West a true line between sections 20 and 29
	Va 13° East
39.99	Drove a charred stake and set a post in a mound with pits for ¼ sec cor
79.98	The corner to sections 19, 20, 29 and 30
	Land broken 3rd rate

Township 5 N. Range 22 W. 6th P. M.

	West on a random line between section 19 and 30
	Va 13° East
40.00	Set a post for temporary ¼ sec. cor
72.70	A slough 30 lks. wide runs S. E.
80.10	Intersected the west Boundary 3 lks. South of the corner to sections 19 and 30 from which corner S run
	S 89° 59' East on a true line between sections 19 and 30
	Va 13° East
40.10	Drove a charred stake and set a post in mound with pits for ¼ sec. cor.
80.10	The corner to sections 19, 20, 29 and 30
	Land broken 3rd Rate

Township 5 N. Range 22 W. 6th P. M.

North between sections 19 and 20
Va 13° 20' East

40,00 Drove a charred stake and set a post
for in mound with pits for 1/4 sec cor
80,00 Drove a charred stake and set a post
in a mound with pits for corner
to sections 17, 18, 19 and 20
Land rolling 2nd Rate

East on a random line between
sections 17 and 20
Va 13° East

40,00 Set a post for temporary 1/4 sec cor
79,98 Intersected N and S. line 20 lks.
North of the corner to sections 16, 17,
20 and 21 from which corner S run
N 89° 57' W on a true line between
section 17 and 20
Va 13° East

39,99 Drove a charred stake and set a post
in a mound with pits for 1/4 sec. cor.
79,98 The corner to sections 17, 18, 19 and 20

Land broken 3rd Rate

Township 5 N. Range 22 W. 6th P. M.

West on a random line between
sections 18 and 19
Va 13° East

40,00 Set a post for temporary 1/4 sec cor
79,97 Intersected the West Boundary 12 lks.
North of the corner to sections 18 and 19
from which corner S run
North 89° 55' E on a true line
between sections 18 and 19
Va 13° East

39,97 Drove a charred stake and set a post
in mound with pits for 1/4 sec. cor.
79,97 The corner to sections 17, 18, 19 and 20

Land rolling 2nd Rate

September 5th 1870

Township 5 N. Range 22 W. 6th P. M.

North between sections 17 and 18
Va 13° 25' East

40.00 Drove a charred stake and set a post in a mound with pits for ¼ sec. cor

80.00 Drove a charred stake and set a post in a mound with pits for corner to sections 7, 8, 17 and 18

Land rolling 2nd Rate

East on a random line between sections 8 and 17
Va 13° East

40.00 Set a post for temporary ¼ sec. cor.

79.90 Intersected N. and S. line 14 lks. North of the corner to sections 8, 9, 16 and 17 from which corner I run
N 89° 54' W on a true line between sections 8 and 17
Va 13° East

39.95 ~~The corner to sections~~ Drove charred stake and set a post in mound with pits for ¼ sec cor

79.90 The corner to sections 7, 8, 17 and 18

Land gently rolling good 2nd Rate

Township 5 N. Range 22 W. 6th P. M.

West on a random line between sections 7 and 18
Va 13° East

40.00 Set a post for temporary ¼ sec. cor

79.45 Intersected the West Boundary 15 lks. North of the corner to sections 7 and 18 from which corner I run
N 89° 53' E on a true line between sections 7 and 18
Va 13° East

39.45 Drove a charred stake and set a post in mound with pits as per instructions for ¼ sec. cor.

79.45 The corner to sections 7, 8, 17 and 18

Land rolling 2nd Rate

Township 5 N. Range 22 W. 6th P.M.

North between section 7 and 8
Va 13°20' East

40.00 Drove a charred stake and set a post in a mound with pits for ¼ sec cor

80.00 Drove a charred stake and set a post in mound with pits for corner to sections 5, 6, 7 and 8

Land rolling 2nd rate

Township 5 N. Range 22 W. 6th P.M.

East on a random line between sections 5 and 8
Va 13° East

40.00 Set a post for temporary ¼ sec. cor

79.92 Intersected N and S. line 12 lks North of the corner to sections 4, 5, 8 and 9 from which corner I run N 89°55' W on a true line between sections 5 and 8
Va 13° East

39.96 Drove a charred stake and set a post ~~for temporary~~ in mound with pits for ¼ sec. cor.

79.92 The corner to sections 5, 6, 7 and 8

Land rolling 2nd rate

Township 5 N. Range 22 W. 6th P. M.

West on a random line between sections 6 and 7

Va 13° East

40.00 Set a post for temporary 1/4 sec. cor,

79.10 Intersected the West Boundary 13 lks. North of the corner to sections 6 and 7 from which corner I run

N. 89° 54' E. on a true line between sections 6 and 7

Va 13° East

39.10 Drove a charred stake and set a post in mound with pits for 1/4 sec cor,

79.10 The corner to sections 5, 6, 7 and 8

Land rolling 2nd Rate

Township 5 N. Range 22 W. 6th P. M.

North ~~between~~ on a random line between sections 5 and 6

Va 13° 20' East

40.00 Set a post for temporary 1/4 sec. cor

80.44 Intersected the North Boundary 12 lks. East of the corner to sections 5 and 6 from which corner I run

S 5' E on a true line between sections 5 and 6

Va 13° 20' East

40.44 Drove a charred stake and set a post in mound with pits for 1/4 sec. cor,

80.44 The corner to sections 5, 6, 7 and 8

Land rolling 2nd Rate

September 6th 1870

General Description

The land in this township is generaly rolling good 2nd rate prairie

Turkey creek runs through the eastern part of the township on which there is considerable timber, principaly, elm, ash, hackberry and boxelder

There are some sand stone along the creek.

The land along the creek is very broken

We hereby certify that we assisted Philander C. Patterson, deputy surveyor in subdividing Township 5 North of Range 22 West of the 5th Principal Meridian, and that said Township has been in all respects to the best of our knowledge and belief, well and faithfully surveyed, and the boundary monuments planted according to the instructions furnished by the Surveyor General

William McCartney
John R. Tolin
David P. Cole
Walter C. Snyder
Frank Porter

Subscribed and sworn to by the above named persons before me a Justice of the Peace for the County of Cass in the State of Nebraska this 21st day of Oct 1870

J. S. Patterson
J. P.

P. Philander C. Patterson deputy surveyor, do solemnly swear that in pursuance of a contract with Robert R. Livingston, surveyor of the public lands of the United States in the State of Nebraska bearing date the 5th day of August 1870, and in strict conformity to the laws of the United States and the instructions furnished by the said Surveyor General, I have faithfully surveyed the subdivision lines in Township 5 North of Range 22 West of the 6th P. M., and do further solemnly swear that the foregoing are the true and original field notes of such Survey.

Philander C. Patterson
Deputy Surveyor

Subscribed by said Philander C Patterson Deputy Surveyor and sworn to before me a Justice of the Peace for Cass County in the State of Nebraska this 21st day of Oct 1870

J. D. Patterson
J. P.

Surveyor General's Office
Plattsmouth Neb. Feb. 1. 1871.

The foregoing field Notes of the Survey of the Subdivision lines of Township No 5 North of the Base Line, of Range No. 22 West of the Sixth Principal Meridian in the State of Nebraska, Executed by Philander C. Patterson under his Contract of the 5th day of August 1870. in the Months of August and September 1870, having been critically examined, the necessary Corrections and Explanations made, the said field notes and the surveys they describe are hereby approved.

Robt R Livingston
Surveyor General.

Subs
Deputy
Justice
State o

Town 6. Range 22 W



Field Notes of the survey of the subdivision lines of Township 6 north of Rang 22 west of 6th Principal Meridian in the State of Nebraska by Philander E. Patterson under his contract No 36 bearing date the 5th day of August 1870

Subdivision commenced August 19th 1870

Subdivision completed August 27th 1870

List of Names

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the following field notes of Township No 6 North of Range No 22 West of the 6th Prin. Mer. showing the respective capacities in which they acted

Walter C. Dryden chn man
William McCartney chn man
David K. Cole Mound man
John K. Polin Mound man
T. T. Porter Flag man

Field notes of the subdivision in Township 6 North Range 22 W 6th P. M.

To determine the proper adjustment of my compass for subdividing this Township I commence at the corner to Townships 5 and 6 North Range 21 and 22 West and run North on a blank line along the East boundary of Section 36

Variation 13° 30' East

40.19 To a point 30 lks West of ¼ sec. cor

80.27 To a point 75 lks West of corner to sections 25 & 36

To retrace this line or run parallell thereto my compass must be adjusted to a variation of 12° 58' East

Subdivision commenced August 19th 1870

Subdivision completed August 27th 1870

Township 6 N. R 22 W 6th P. M.

From the corner to sections 1. 2 35 and 36 on the South Boundary of the Township I run North between sections 35 and 36

Va 13° 10' East

40.00 Drove a chared stake and set a post in Mound with pits as per instructions for ¼ sec. cor

80.00 Drove a chared stake and set a post in a Mound with pits as per instructions for corner to sections 25. 26. 35 and 36

Land broken 3rd Rate

Township 6 N Range 22 W 6th P. M.

East on a random line between sections 25 and 36

Va 12° East

40.00 Set a flag for temporary ¼ sec cor

79.76 Intersected the East Boundary line 6 lks. South of stone corner to sections 25 and 36 from which corner I run

S 89° 57' W on a true line between sections 25 and 36

Va 12° East

39.88 Drove a chared stake and set a post in a Mound with pits as per instructions for ¼ sec. cor

79.76 The corner to sections 25. 26. 36 and 35

Land rolling 2nd Rate

August 19th 1870

Township 6 N. Range 22 W 6th P. M.

North between sections 25 and 26
Va 13°30' East

40.00 Drove a charred stake and set a post in mound with pits as per instructions for ¼ sec. cor

80.00 Drove a charred stake and set a post in mound with pits as per instructions for corner to sections 23, 24, 25 and 26 on the south side of a gully

Land rolling 2nd rate

Township 6 N Range 22 W 6th P. M.

East on a random line between sections 24 and 25
Va 12°15' East

40.00 Set a flag for temporary ¼ sec. cor

79.74 Intersected the East boundary line 10 links North of stone corner to sections 24 and 25 from which corner I run
N 89°56' W on a true line between sections 24 and 25
Va 12°15' East.

39.87 Drove a charred stake and set a post in a mound with pits as per instructions for ¼ sec cor

79.74 The corner to sections 23, 24, 25 and 26

Land broken 3rd rate

Township 6 N. Range 22 W 6th P. M.

North between sections 23 and 24
Va 13° 30' East

40.00 Drove a charred stake and set a post in a mound with pits as per instructions for ¼ sec cor

80.00 Drove a charred stake and set a post in mound with pits as per instructions for corner to sections 13.14.23 and 24

Land broken 3rd Rate

Township 6 N Range 22 W 6th P. M.

East on a random line between sections 13 and 24
Va 12° 15' East

40.00 Set a flag for temporary ¼ sec. cor.

79.80 Intersected the East Boundary line 5 lks. South of stone corner to sections 13 and 24 from which corner I run
S 89° 58' W on a true line between sections 13 and 24
Va 12° 15' East

39.90 Drove a charred stake and set a post in mound with pits as per instructions for ¼ sec. cor

~~79.80~~ The corner to sections 13.14.23 and 24

79.80 Land East ¼ broken West half rolling 2nd rate

Township 6 N. Range 22 W. 6th P. M.

North between sections 13 and 14
Va 14° East

40.00 Drove a charred stake and set a post in mound with pits as per instructions for ¼ sec. cor.

80.00 Drove a charred stake and set a post in a mound with pits as per instructions for corner to sections 11, 12, 13 and 14

Land rolling 2nd rate

Township 6 N. Range 22 W. 6th P. M.

East on a random line between sections 12 and 13
Va 12° 20' East

40.00 Set a post for temporary ¼ sec. cor

79.74 Intersected the East Boundary 14 lks. North of the corner to sections 12 and 13 from which corner I run
N 89° 54' W on a true line between sections 12 and 13
Va 12° 20' East

39.87 Drove a charred stake and set a post in mound with pits as per instructions for ¼ sec. cor

79.74 The corner to sections 11, 12, 13 and 14

Land broken 3rd rate

Township 6 N. Range 22 W 6th P. M.

North between sections 11 and 12
Va 14° 10' East

40,00 Drove a chared stake and set a post in Mound with pits as per instructions for ¼ sec cor

80,00 Drove a chared stake and set a post in Mound with pits as per instructions for corner to sections 1, 2, 11 and 12

Land broken 3rd Rate

Township 6 N. Range 22 W. 6th P. M.

East on a random line between sections 1 and 12
Va 12° 20' East

40,00 Set a post for temporary ¼ sec cor

79,86 Intersected East Boundary 10 lks South of corner to sections 1 and 12 from which corner I run S 89° 56 W on a true line between sections 1 and 12
Va 12° 20' East

39,93 Drove chared stake and set a post in Mound ~~for~~ with pits as per instructions for ¼ sec cor

79,86 The corner to sections 1, 2, 11 and 12

Land broken 3rd Rate

Township 6 Range 22 W of the 6th P. M.

North on a random line between sections 1 and 2

Va 14°10' East

40,00 Set a post for temporary ¼ sec cor

80,44 Intersected the North Boundary 60 lks West of the corner to sections 1 and 2 from which corner I run

So 26' W on a true line between sections 1 and 2

Va 14°10' East

40,44 Drove chared stake and set a post ~~for~~ in Mound with pits as per instructions for ¼ sec cor

80,44 The corner to sections 1, 2, 11 and 12

Land broken 3rd Rate

August 20th 1870

Township 6 N. Range 22 W of the 6th P. M.

North between sections 34 and 35

Va 13°30' East

40,00 Drove a chared stake and set a post in Mound with pits as per instructions for ¼ sec. cor

69,10 A creek 20 lks. wide runs S. E

80,00 Drove a chared stake and set a post in Mound with pits as per instructions for corner to secs 26, 27, 34 and 35

Land rolling 2nd Rate

Scattering timber along creek

Timber Elm, and ash

Township 6 N. Range 22 W. 6th P. M.

East on a random line between
sections 26 and 35
Va 13°30' East
40.00 Set a post for temporary 1/4 sec. cor
79.80 Intersected N and S. line 24 lks
South of the corner to sections
25, 26, 35 and 36 from which
corner I run
S 89°50' W on a true line between
sections 26 and 35
Va 13°30' East
39.90 Drove charred stake and set a post
in mound with pits as per
instructions for 1/4 sec cor.
79.80 The corner to sections 26, 27, 34 and 35
Land rolling 2nd Rate

Township 6 N. Range 22 W. 6th P. M.

North between sections 26 and 27
Va 13°45' East
40.00 Drove a charred stake and set a
post in mound with pits as per
instructions for 1/4 sec. cor
80.00 Drove a charred stake and set a
post in mound with pits as per
instructions for corner to
sections 22, 23, 26 and 27
Land rolling 2nd Rate

Township 6 N. Range 22 W 6th P. M.

East on a random line between sections 23 and 26

Va 13°30' East

40.00 Set a post for temporary ¼ sec. cor.

79.94 Intersected the N and S line 3 lks South of the corner to sections 23, 24, 25 and 26 from which corner S run

S 89°59' W on a true line between sections 23 and 26

Va 13°30' East

39.97 Drove a charred stake and set a post in a mound with pits as per instructions for ¼ sec cor

79.94 The corner to sections 22, 23, 26 and 27

Land rolling 2nd Rate

Township 6 N. Range 22 W. 6th P. M.

North between sections 22 and 23

Va 13°45' East

40.00 Drove a charred stake and set a post in mound with pits as per instructions for ¼ sec. cor

80.00 Drove a charred stake and set a post in a mound with pits as per instructions for ~~¼ sec cor~~ corner to sections 14, 15, 22 and 23

Land broken 3rd Rate

Township 6 N. Range 22 W 6th P.M.

East on a random line between
sections 14 and 23
Va 13° 30' East
40.00 Set a flag for temporary ¼ sec cor
80.02 Intersected N and S line 28 lks
South of the corner to sections
13, 14, 23 and 24 from which
corner I run
S 89° 48' W on a true line between
sections 14 and 23
Va 13° 30' East
40.01 Drove a chared stake ~~and~~ set a post
in a Mound with pits as per
~~80.02~~ instructions for ¼ sec cor
80.02 The corner to sections 14, 15, 22 and 23
Land rolling 2nd Rate

Township 6 N. Range 22 W 6th P.M.

North between sections 14 and 15
Va 14° East
40.00 Drove a chared stake and set a
post in a Mound with pits as per
instructions for ¼ sec cor
80.00 Drove a chared stake and set a
post in Mound with pits as per
instructions for corner to sections
10, 11, 14 and 15
Land broken 2nd Rate

Township 6 N. Range 22 W 6th P. M

East on a random line between
sections 11 and 14
Va 13° 30' East

40.00 Set a flag for temporary ¼ sec cor
80.04 Intersected N and S line 24 lks
South of the corner to sections
11. 12. 13 and 14 from which
corner ⊙ run
S 89° 50' W on a true line between
sections 11 and 14
Va 13° 30' East

40.02 Drove a charred stake and set a post
in Mound with pits as per.
instructions for ¼ sec cor
80.04 The corner to sections 10, 11, 14 and 15
Land broken 3rd rate

August 22nd 1870

Township 6 N. Range 22 W 6th P. M

North between sections 10 and 11
Va 14° 10' East

40.00 Drove a charred stake & set a post
in Mound with pits as per
instructions for ¼ sec. cor
80.00 Drove a charred stake & set a post
in Mound with pits as per
instructions for corner to
sections 2, 3, 10 and 11
Land broken 3rd rate

Township 6 N Range 22 W 6th P.M.

East on a random line between
sections 2 and 11
Va 13°30' East

40.00 Set a post for temporary ¼ sec cor
79.94 Intersected N and S line 24 lks
South of the corner to sections
1, 2, 11 and 12 from which
corner S run
S 89°30' W on a true line between
sections 2 and 11
Va 13°30' East

39.97 Drove a chared stake and set a
post in mound with pits as per
instructions for ¼ sec cor
79.94 The corner to sections 2, 3, 10 and 11
Land broken 3rd rate

Township 6 N. Range 22 W. 6th P.M.

North on a random line between
sections 2 and 3
Va 14°10' East

37.50 A canyon 100 lks wide runs S W
40.00 Set a post for temporary ¼ sec cor
74.10 A canyon 200 lks wide runs West
80.50 Intersected the North Boundary 52 lks
West of the corner to sections 2 and 3
from which corner S run
S 0°24' W on a true line between
sections 2 and 3
Va 14°10' East

40.50 Drove a chared stake and set a
post in mound with pits as per
instructions for ¼ sec cor
80.50 The corner to sections 2, 3, 10 and 11
Land broken 3rd rate

August 23rd 1870

Township 6 N. Range 22 W 6th P.M.

North between sections 33 and 34
Va 13°30' East

40,00 Drove a charred stake and set a post in mound with pits as per instructions for ¼ sec. cor

80,00 Drove a charred stake and set a post ~~for~~ in mound with pits as per instructions for corner to sections 27, 28, 33 and 34
Land rolling 2nd Rate

Township 6 N. Range 22 W 6th P.M.

East on a random line between sections 27 and 34
Va 13°30' East

40,00 Set a post for temporary ¼ sec. cor

66,70 A dry creek 10 lks. wide runs S. E.

80,16 Intersected N. and S. line 27 lks North of corner to sections 26, 27, 34 and 35 from which corner I run N 89°48' W on a true line between sections 27 and 34
Va 13°30' East

40,08 Drove a charred stake and set a post in mound with pits as per instructions for ¼ sec. cor

80,16 The corner to sections 27, 28, 33 and 34
Land broken 3rd Rate

Township 6 N. Range 22 W 6th P.M.

North between sections
27 and 28

Va 13°45' East

40.00 Drove a charred stake and set a post in a mound with pits as per instructions for 1/4 sec cor

45.00 A dry creek 5 lks wide runs East

80.00 Drove a charred stake and set a post in a mound with pits as per instructions for corner to sections 21, 22, 27 and 28

Land broken 3rd Rate

Township 6 N. Range 22 W. 6th P.M.

East on a random line between sections 22 and 27

Va 13°30' East

32.10 A dry creek 15 lks wide runs South

40.00 Set a post for temporary 1/4 sec. cor.

80.10 Intersected N and S. line 17 lks North of the corner to sections 22, 23, 26 and 27 from which corner I run

N 89° 53' W on a true line between sections 22 and 27

Va 13°30' East

40.05 Drove a charred stake and set a post in a mound with pits as per instructions for 1/4 sec. cor

80.10 The corner to sections 21, 22, 27 and 28

Land broken 3rd Rate

Township 6 N. Range 22 W 6th P. M.

North between sections 21 and 22
Va 14° East

40.00 Drove a charred stake and set a post in mound with as per pits as per instructions for 1/4 sec cor

80.00 Drove a charred stake and set a post in mound with pits as per instructions for corner to sections 15, 16, 21 and 22

Land broken 3rd Rate

Township 6 N. Range 22 W 6th P. M.

East on a random line between sections 15 and 22
Va 13°30' East

40.00 Set a flag for temporary 1/4 sec cor

61.10 A dry creek 15 lks. wide runs S. W

80.15 Intersected N and S line 22 lks North of the corner to sections 14, 15, 22 and 23 from which corner I run
N 89°51' W on a true line between sections 15 and 22
Va 13°30' East

40.07½ Drove a charred stake and set a post in a mound with pits as per instructions for 1/4 sec cor

80.15 The corner to sections 15, 16, 21 and 22
Land broken 3rd Rate

Township 6 N. Range 22 W 6th P.M.

North between sections 15 and 16
Va 14° East

40.00 Drove a chared stake and set a post in Mound with pits as per instructions for 1/4 sec cor

80.00 Drove a chared stake and set a post in a Mound with pits as per instructions for corner to sections 9, 10, 15 and 16

Land rolling 2nd rate

Township 6 N. Range 22 W 6th P.M.

East on random line between sections 10 and 15
Va 13°30' East

40.00 Set a post for temporary 1/4 sec cor

66.90 A dry creek 10 lks wide runs South

80.12 Intersected N and S line 13 lks North of corner to sections 10, 11, 14 and 15 from which corner I run N 89°54' W on a true line between sections 10 and 15
Va 13°30' East

40.06 Drove a chared stake and set a post in a Mound with pits as per instructions for 1/4 sec. cor.

80.12 The corner to sections 9, 10, 15 and 16

Land rolling 2nd rate

Township 6 N. Range 22 W 6th P.M.

North between sections
9 and 10
Va 14° 15' East

40,00 Drove a chared stake and set a post in a mound with pits as per instructions for ¼ sec cor
62,00 dry slough 100 lks wide runs East
80,00 Drove a chared stake and set a post in mound with pits as per instructions for corner to sections 3, 4, 9 and 10
Land rolling 2nd rate

Township 6 N. Range 22 W 6th P.M.

East on a random line between sections 3 and 10
Va 13° 30' East

40,00 Set a post for temporary ¼ sec cor
50,80 A slough 25 lks. wide runs South
80,16 Intersected N and S line at the corner to sections 2, 3, 10 and 11 from which corner I run West on a true line between sections 3 and 10
Va 13° 30' East

40,08 Drove a chared stake and set a post in mound with pits as per instructions for ¼ sec cor
80,16 The corner to sections 3, 4, 9 and 10
Land broken 3rd rate

Township 6 N Range 22 W 6th P.M.

North on a random line between section 3 and 4

Va 14°15' East

40,00 Set a post for temporary ¼ sec cor

65,00 A slough 200 lks. wide runs East

80,62 Intersected the North Boundary 49 lks. West of the corner to sections 3 and 4 from which corner I run

So. 21' W on a true line between section 3 and 4.

Va 14°15' East

40.62 Drove a charred stake and set a post in a mound with pits as per instructions for ¼ sec. cor

80.62 The corner to sections 3, 4, 9 and 10

Land broken 3rd rate

August 24th 1870

Township 6 N Range 22 W 6th P.M.

North between section 32 and 33

Va 13°30' East

40,00 Drove a charred stake and set a post ~~for~~ in mound for ¼ sec cor

80,00 Drove a charred stake and set a post in mound with pits as per instruction for corner to sections 28, 29, 32 and 33

Land rolling 2nd rate

East on a random line between
section 28 and 33
Va 13°30' East
40,00 Set a post for temporary ¼ sec cor
80,00 Intersected N and S line 4 lks
North of the corner to sections
27, 28, 33 and 34 from which
corner I run
N 89°58' W on a true line between
sections 28 and 33
Va 13°30' East
40,00 Drove a chared stake and set a
post in mound with pits as per
instructions for ¼ sec cor
80,00 The corner to sections 28, 29, 32
and 33
Land rolling 2nd Rate

North between sections 28 and 29
Va 13°45' East
40,00 Drove a chared stake and set a
post in a mound with pits as
per instructions for ¼ sec. cor
80,00 Drove a chared stake and set a
post in mound with pits as per
instructions for corner to
sections 20, 21, 28 and 29
Land rolling 2nd Rate

Township 6 N. Range 22 W 6th P. M.

East on a random line between sections 21 and 28
Va 13° 30' East

40.00 Set a post for temporary ¼ sec cor
53.00 A slough 30 lks wide runs S. E.
79.90 Intersected N and S line 5 lks North of the corner to sections 21, 22, 27 and 28 from which corner I run
N 89° 58' W on a true line between sections 21 and 28
Va 13° 30' East
39.95 Drove charred stake and set a post in mound with pits as per instructions for ¼ sec. cor.
79.90 The corner to sections 20, 21, 28 and 29
Land broken 3rd Rate

Township 6 N. Range 22 W 6th P. M.

North between sections 20 and 21
Va 14° East
40.00 Drove a charred stake and set a post in mound with pits as per instructions for ¼ sec cor
80.00 Drove a charred stake and set a post in mound with pits as per instructions for Corner to sections 16, 17, 20 and 21
Land rolling 2nd Rate

Township 6 N. Range 22 W 6th P. M.

East on a random line between
sections 16 and 21
Va 13° 30' East
40.00 Set a post for temporary ¼ sec cor
79.96 Intersected N and S line 6 lks
South of the corner to sections
15. 16. 21 and 22 from which
corner S run
S 89° 57' W on a true line between
sections 16 and 21
Va 13° 30' East
39.98 Drove a charred stake and set a
post in mound with pits as per
instruction for ¼ sec cor
79.96 The corner to section 16. 17. 20 and 21
Land broken 3rd rate

Township 6 N. Range 22 W 6th P. M.

North between sections 16 and 17
Va 14° 10' East
40.00 Drove a charred stake and set a post
in a mound with pits as per
instructions for ¼ sec cor
80.00 Drove a charred stake and set a post
in mound with pits as per
instructions for corner to
sections 8. 9. 16 and 17
Land rolling 2nd rate

Township 6 N Range 22 W 6th P.M

East on a random line between sections 9 and 16
Va 13°30' East

40.00 Set a post for temporary 1/4 sec cor

80.06 Intersected N and S line 22 lks North of corner to sections 9, 10, 15 and 16 from which corner I run N 89°51' W on a true line between sections 9 and 16
Va 13°30' East

40.03 Drove a chared stake and set a post in mound with pits as per instruction for 1/4 sec cor

80.06 The corner to sections 8, 9, 16 and 17
Land rolling 2nd rate

Township 6 N. Range 22 W 6th P.M

North between sections 8 and 9
Va 14°10' East

40.00 Drove a chared stake and set a post in mound with pits as per instruction for 1/4 sec cor

80.00 Drove a chared stake and set a post in mound with pits as per instruction for corner to section 4, 5, 8 and 9
Land rolling 2nd rate

Township 6 N. Range 22 W 6th P. M.

East on a random line between
sections 4 and 9

Va 13°30' East

40.00 Set a post for temporary ¼ sec. cor.
44.00 A Slough 200 lks wide runs South
79.90 Intersected N and S line 4 lks
South of the corner to sections
3.4.9 and 10 from which corner I run
S 89°58' W on a true line between
sections 4 and 9

Va 13°30' East

39.95 Drove a charred stake and set a post
in a mound with pits as per
instructions for ¼ sec cor
79.90 The corner to sections 4, 5, 8 and 9
Land broken 3rd Rate

Township 6 N. Range 22 W 6th P. M.

North on a random line between
sections 4 and 5

Va 14°15' East

40.00 Set a post for temporary ¼ sec cor
80.70 Intersected the North Boundary
58 lks. West of the corner to
sections 4 and 5 from which
corner I run
S 00°28' W on a true line between
sections 4 and 5

Va 14°15' East

40.70 Drove a charred stake and set a post
in a mound with pits as per
instructions for ¼ sec cor
80.70 The corner to sections 4, 5, 8 and 9
Land broken 3rd Rate

August 25th 1870

Township 6 N. Range 22 W 6th P. M.

North between sections 31 and 32
Va 13° 30' East

40.00 Drove a charred stake and set a post in Mound with pits as per instructions for ¼ sec. cor

80.00 Drove a charred stake and set a post in Mound with pits as per instructions for corner to sections 29, 30, 31 and 32

Land rolling 2nd Rate

Township 6 N. Range 22 W 6th P. M.

East on a random line between sections 29 and 32
Va 13° 30' East

40.00 Set a post for temporary ¼ sec cor

79.98 Intersected N and S line 16 lks North of the corner to sections 28, 29, 32 and 33 from which corner I run
N 89° 55' W on a true line between sections 29 and 32
Va 13° 30' East

39.99 Drove a charred stake and set a post in Mound with pits as per instructions for ¼ sec. cor

79.98 The corner to sections 29, 30, 31 and 32

Land rolling 2nd Rate

West on a random line between
sections 30 and 31
Va 13°30' East
40.00 Set a post for temporary ¼ sec cor
78.79 Intersected the West boundary line
42 lks. South of the corner to sections
30 and 31 from which corner I run
S 89°42' E on a true line between
sections 30 and 31
Va 13°30' East
38.79 Drove a chared stake and set a post
in mound with pits as per
instructions for ¼ sec cor
78.79 The corner to sections 29, 30, 31 and 32
Land rolling 2nd Rate

North between sections 29 and 30
Va 13°40' East
32.00 A dry creek 10 lks. wide runs West
40.00 Drove a chared stake and set a post
in mound with pits as per
instructions for ¼ sec cor
43.25 Lane creek 15 lks. wide runs S. E
45.90 Lane creek 10 lks. wide runs West
80.00 Drove a chared stake and set a post
in a mound with pits as per
instructions for corner to sections
19, 20, 29 and 30
Land rolling 2nd Rate

Township 6 N. Range 22 W 6th P. M.

East on a random line between sections 20 and 29

Va 13°30' East

20.39 A dry creek 10 lks. wide runs South

40.00 Set a post for temporary ¼ sec cor

80.00 Intersected N and S line 6th North of the corner to sections 20, 21, 28 and 29 from which corner I run N 89°57' W on a true line between sections 20 and 29

Va 13°30' East

40.00 Drove a chared stake and set a post in Mound with pits as per instructions for ¼ sec. cor.

80.00 The corner to sections 19, 20, 29 and 30

Land rolling 2nd Rate

Township 6 N. Range 22 W. 6th P. M.

West on a random line between sections 19 and 30

Va 13°30' East

40.00 Set a post for temporary ¼ sec cor

78.73 Intersected the West Boundary 38 lks. South of the corner to sections 19 and 30 from which corner I run S 89°44' E on a true line between sections 19 and 30

Va 13°30' East

38.73 Drove a chared stake and set a post in a Mound with pits as per instructions for ¼ sec. cor

78.73 The corner to sections 19, 20, 29 and 30

Land rolling 2nd Rate

Township 6 N. Range 22 W 6th P.M.

North between sections 19 and 20
Va 13°45' East

40.00 Drove a charred stake and set a post in mound with pits as per instructions for ¼ sec cor

80.00 Drove a charred stake and set a post in mound with pits as per instructions for corner to sections 17, 18, 19 and 20

Land level good 2nd Rate

Township 6 N. Range 22 W 6th P.M.

East on a random line between section 17 and 20
Va 13°30' East

9.10 A dry creek 15 lks. wide runs S.W

40.00 Set a post for temporary ¼ sec. cor

79.90 Intersected N and S line 30 lks North of corner to section 16, 17, 20 and 21 from which corner I run N 89°47' W on a true line between sections 17 and 20
Va 13°30' East

39.95 Drove a charred stake and set a post in mound with pits as per instructions for ¼ sec cor

79.90 The corner to section 17, 18, 19 and 20

Land rolling 2nd Rate

Township 6 N. Range 22 W. 6th P. M.

West on a random line between
sections 18 and 19

Va 13°30' East

40.00 Set a post for temporary ¼ sec cor
78.54 Intersected the West Boundary 70
lks. South of the corner to sections
18 and 19 from which corner I run
S 89°30' E on a true line between
section 18 and 19

Va 13°30' East

38.54 Drove a charred stake and set a post
~~for~~ in mound with pits as per
instruction for ¼ sec cor
78.54 The corner to sections 17, 18, 19 and 20
Land rolling 2nd rate

Township 6 N. Range 22 W. 6th P. M.

North between sections 17 and 18

Va 14° East

40.00 Drove a charred stake and set a
post in mound with pits as per
instruction for ¼ sec. cor
80.00 Drove a charred stake and set a post
in a mound with pits as per
instructions for corner to
sections 7, 8, 17 and 18
Land rolling 2nd rate

Township 6 N. Range 22 W 6th P.M.

East on a random line between
sections 8 and 17
Va 13°35' E
11.60 A dry creek 10 lks. wide runs South
32.60 A dry creek 10 lks. wide runs South
40.00 Set a post for temporary ¼ sec. cor
79.84 Intersected the N and S. line at the
corner to sections 8, 9, 16 and 17
from which corner I run
West on a true line between
sections 8 and 17
Va 13°35' East
39.92 Drove a chared stake and set a
post in a mound with pits as per
instructions for ¼ sec cor
79.84 The corner to sections 7, 8, 17 and 18
Land rolling 2nd Rate

August 26th 1870

Township 6 N. Range 22 W. 6th P.M.

West on a random line between
sections 7 and 18
Va 13°30' East
40.00 Set a post for temporary ¼ sec cor
68.96 A slough 8 lks. wide runs S. W
78.66 Intersected the West Boundary
36 lks. South of the corner to
sections 7 and 18 from which
corner I run
S 89°45' E on a true line between
sections 7 and 18
Va 13°30' East
38.66 Drove a chared stake and set a post
in a mound with pits as per
instructions for ¼ sec. cor
78.66 The corner to sections 7, 8, 17 and 18
Level rolling good 2nd Rate

Township 6 N. Range 22 W. 6th P.M.

North between sections 7 and 8
Va 14°15' East

40.00 Drove a charred stake and set a post in mound with pits as per instructions for 1/4 sec cor

62.55 A slough 20 lks wide runs S.E.

80.00 Drove a charred stake and set a post in mound with pits as per instructions for corner to sections 5, 6, 7 and 8
Land rolling 2nd rate

Township 6 N. Range 22 W 6th P.M.

East on a random line between sections 5 and 8
Va 13°30' East

40.00 Set a post for temporary 1/4 sec cor

64.20 A slough 10 lks wide runs South

79.86 Intersected N and S line 42 lks South of the corner to sections 4, 5, 8 and 9 from which corner I run
S 89°42' W on a true line between sections 5 and 8
Va 13°30' East

39.93 Drove a charred stake and set a post in mound with pits as per instructions for 1/4 sec cor

79.86 The corner to sections 5, 6, 7 and 8
Land rolling 2nd rate

Township 6 N. Range 22 W 6th P.M.

	West on a random line between sections 6 and 7
	Va 13° 30' East
2.10	A slough 10 lks. wide runs South
40.00	Set a post for temporary ¼ sec cor
78.76	Intersected the West boundary 70 lks. South of the corner to sections 6 and 7 from which corner I run
	S 89° 30' E on a true line between sections 6 and 7
	Va 13° 30' East
38.76	Drove a charred stake and set a post in mound with pits as per instructions for ¼ sec. cor
78.76	The corner to sections 5, 6, 7, and 8
	Land rolling 2nd rate

Township 6 N. Range 22 W 6th P.M.

	North on a random line between sections 5 and 6
	Va 14° 15' East
39.60	A slough 10 lks. wide runs West
40.00	Set a post for temporary ¼ sec cor
81.07	Intersected the North boundary 67 lks. West of the corner to sections 5 and 6 from which corner I run
	S 00° 28' W on a true line between sections 5 and 6
	Va 14° 15' East
41.07	Drove a charred stake and set a post ~~for~~ in a mound with pits as per instructions for ¼ sec cor
81.07	The corner of sections 5, 6, 7 and 8
	Land broken 3rd rate

August 27th 1870

General Description

The land in this Township is high rolling 2nd rate prairie very good for grazing.
Too broken to cultivate. Nearly destitute of timber some scattering elm, ash and boxelder along the creek in sections 27, 34 and 35

We hereby certify that we assisted Philander C. Patterson deputy surveyor in surveying the subdivision lines in Township 6 North of the base line of Range No 22 West of the 6th Principal Meridian, and that said Township has been in all respects to the best of our knowledge and belief, well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General

Walter C. Dryden
William McCarty
David P. Cole
John R. Tolin
Frank Porter

Subscribed and sworn to by the above named persons, before me a Justice of the Peace for the County of Cass in the State of Nebraska this 21st day of October A.D. 1870

P. D. Patterson
J. P.

P. Philander C. Patterson deputy surveyor do solemnly swear that in pursuance of a contract with Robert R. Livingston surveyor of the public lands of the United States in the states of Iowa & Nebraska bearing date the 5th day of August 1870 and in strict conformity to the laws of the United States and the instruction furnished by the said Surveyor General, I have faithfully surveyed the subdivision lines of Township No 6 North of Range No 22 West of the 6th Principal Meridian in the state aforesaid and do further solemnly swear that the foregoing are the true and original field notes of such survey

Philander C. Patterson
Deputy Surveyor

Subscribed by said Philander C. Patterson deputy surveyor and sworn to before me a Justice of the Peace for the County of Cass in the State of Nebraska this 21st day of October 1873

L. D. Patterson
J. P.

Surveyor Generals Office
Nebraska Feb. 1. 1871

The foregoing field notes of the survey of the subdivision lines of Township No 6. North of the Base Line, of Range No 22 West of the 6th. Principal Meridian in the State of Nebraska, executed by Philander P. Patterson, under contract No 36. dated Aug 5. 1870. in the month of August 1870 having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

Robt. R. Simpson
Surveyor Gneral.

Town 7 Range 22 West



Subdivision
of
Township No. 7 North
of
Range No. 22. West
of the
6th Principal Meridian
Nebraska
Commenced September 27th 1869
Finished October 2nd 1869
by James McBride
Deputy Surveyor

Names of Assistants

Henry A Hamilton Chainman
Abner Langworthy Chainman
Andrew Miller } Flagmen &
Edward Racine } Mound builders.

To determine the proper adjustment of my compass for subdividing this Township I commenced at the corner of Township No. 6 & 7 North & Ranges 21 & 22 West of the 4th Principal Meridian & run North on a blank line along east boundary of section thirty six.

Variation 14° 30' E

3.76 Gall twenty eight links West of one fourth section corner

19.68 Gall seventy one links West of corner to sections twenty five & ~~twenty~~ thirty six

Township No. 7 - N. of Range No. 22 West of the 6th Principal Meridian

North between Sections 35 & 36
Variation 14° 22 E

12.00 Ravine runs S. E.
30.00 Ravine runs S. E.
40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner
43.00 head of deep Ravine runs N. E.
57.00 deep ravine runs N. E.
65.50 deep ravine runs S. E
70.00 Ravine runs S. E.
78.00 Ravine deep runs N. E
80.00 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 25. 26. 35 & 36
surface broken soil third rate

~~East~~ on a Random line betwn Sections 25 & 36
S 89° 56' E. Variation 14° 25' E
2.00 deep Ravine runs S. E
6.00 deep Ravine runs S. E.
11.00 deep Ravine runs S. E
22.50 deep Ravine runs S. E
29.50 deep Ravine runs N. E
40.00 set temporary one fourth section post
48.00 deep ravine runs N. E.
59.00 Ravine runs S. E.
80.00 intersect range line at corner to sections 25. 26. 35. & 36.

N. 89° 56' W. on true line between sections 25 & 36.
Variation 14° 25' E
40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner
80.00 corner to sections 25. 26. 35. & 36
surface rolling & third rate

Township No. 4 N. of Range No. 22

North between sections 25 + 26
Variation 14° 26' E

23.00 deep ravine runs N. E.
28.50 deep ravine runs East
38.00 deep ravine runs N. E
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
48.00 ravine runs N. E
52.00 ravine runs S. E
58.50 deep ravine runs East
68.00 deep ravine runs East
75.00 head of deep ravine runs N. E.
80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner sections 23, 24, 25 + 26.
surface broken soil third rate.

West of the 6th P. Principal Meridian

East on a Random line betwn sects 24 + 25
S 89 56' E Variation 14° 26' E

8.00 deep ravine runs N. E
12.00 Ravine runs S. E.
14.00 deep ravine runs N. E
24.00 Main drain runs S. S. E
a few scattering trees.
40.00 set temporary one fourth section post
48.50 deep ravine runs North
79.80 intersect range line at corner to sections 24 + 25
~~on~~

N. 89° 56' W on true line between sections 24 + 25.
Variation 14° 20' E

39.90 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner.
79.80 corner to sections 23, 24, 25 + 26
surface broken soil third rate,

Township No. 7 N. of Range No. 22 West of the 6th Principal Meridian

North between sections 23 + 24
Variation 14° 38' E
27.00 deep Ravine runs S. E.
36.00 deep Ravine runs S. E.
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for our fourth section corner
58.00 Ravine runs S. E.
78.00 Ravine runs S. E.
80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corners ~~23. 24. 25 + 26~~. 13. 14. 23. + 24.
surface broken soil third rate.

~~East~~ on a Random line between Secs 13 + 24
S 89° 56' E Variation 14° 30' E
40.00 set temporary one fourth section post
80.00 intersect section line twelve links north of corner to sections 13 + 24 ~~on~~

N 89° 51' W on true line between sections 13. + 24.
Variation 14° 30' E
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
80.00 corner to sections 13. 14 23. + 24.
Surface rolling soil third rate

Township No. 7 N. of Range No. 22

North between Sections 13 & 14 –
Variation 14° 35' E

31.00 Ravine runs S. W.
13.00 Ravine runs S. W.
32.00 deep ravine runs S. W.
38.00 deep ravine runs S. W.
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
46.00 deep ravine runs S. W.
48.00 deep ravine runs S. W.
52.00 deep ravine runs S. W.
80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 11. 12. 13. & 14.
surface rolling soil second rate

West of the 6th Principal Meridian

~~East~~ on a Random line between Sects 12 & 13.
S 89° 56' E Variation 14° 35' E.
40.00 set temporary, on 4 fourth section post
80.00 intersect range line thirty eight links South of corner to sections 12 & 13.

S 89° 48' W on true line between sections 12 & 13.
Variation 14° 35' E
40.00 set post deposited charred stake raised mound of earth with pits as per instruction for one fourth section corner
80.00 corner to sections 11. 12. 13 & 14.
surface level soil second rate.

Township No. 7 N. of Range No. 22

North between sections 11 + 12 —
Variation 14° 35' E

40.00 set post deposited
charred stake raised
mound of earth with
pits as per instructions
for one fourth section
corner.

80.00 ~~raise~~ set post deposited
charred stake raised ~~pits~~
a mound of earth with
pits as per instructions
for corner to sections 1. 2
11. + 12.

surface level soil
second rate.

West of the 6th Principal Meridian

~~East~~ on a Random line between Sects 1 + 12 —
S. 89° 56' E. Variation 14° 30' E.

32.00 deep Ravine runs N. E.

40.00 set temporary one fourth
section post.

43.00 Ravine runs North

53.00 Ravine runs N. W.

79.90 intersect range line thirty
seven links North of corner
to sections 1. 2. 11. + 12

N 89° 40' W on true line between sec-
tions 1 + 12.
Variation 14° 30' E

39.95 set post deposited charred
stake raised mound of
earth with pits as per in-
structions for one fourth
section corner

79.90 corner to sections 1. 2. 11. + 12
surface rolling soil third
rate

Township No. 7 N. of Range No. 22.

North on a Random line between 1 + 2 —
Variation 14° 20' E

~~79.92~~

40.00 set temporary one fourth section post

52.50 Ravine runs West

79.92 intersect township line at corner to sections 1. + 2.

South on true line between sections 1 + 2
Variation 14° 20' E

39.92 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner

79.92 corner to sections one two eleven + twelve.
surface rolling soil third rate.

September 27th 1869

West of the 6th Principal Meridian

North between sections 34 + 35
Variation 14° 20' E

12.00 Ravine runs S. W.

32.00 Ravine runs S. W.

41.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner

76.00 Ravine runs East

78.50 Ravine runs East

80.00 set post deposited charred stake raised mound of earth with pits as per instructions, for corner to sections 26. 27. 34. + 35
surface broken soil third rate.

Township No. 7 N. of Range No. 22

~~East~~ on a Random line between Sects 26 & 35

S. 89°56' E Variation 14°20' E.

4.00 deep ravine runs S. W.

40.00 set ~~temp~~ temporary one fourth ~~post deposited~~ section post ~~chared~~ stake raised mound of earth with pits ~~as per instructions~~

55.50 deep Ravine runs N. E.

75.00 deep Ravine runs S. E.

80.00 intersect section line eleven links North of corner sections 25 26. ~~27. 34.~~ & 36 35

N. 89°51' W. on true line between sections 26. & 35

Variation 14°20' E

40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner

80.00 corner to sections 26. 27 34. & 35

surface broken soil third rate.

West of the 6th Principal Meridian

North between Sections 26 & 27

Variation 14°30' E

11.00 deep ravine runs. S. W.

23.00 deep ravine runs S. W.

40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner

80.00 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 22. 23. 26. & 27.

surface rolling soil third rate.

Township No. 27 N. of Range No. 22

~~East~~ on a Random line between Sects 23 & 26

S. 89° 56' E. Variation 14° 30' E

27.00 deep ravine runs N. E

40.00 set post for temporary one fourth section corner

42.00 deep ravine runs N. E.

68.00 deep ravine runs N. E.

80.12 intersect section line at corner to sections 23. 24. 25. & 26.

N. 89° 56' W. on true line between sections 23 & 26.

Variation 14° 30' E

40.06 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner

80.12 corner to sections 22. 23. 26. & 27.

surface rolling soil third rate.

West of the 6th Principal Meridian

North between sections 22 & 23.

Variation 14° 37' E

40.00 set post deposite charred stake raised mound of earth with pits as per instructions for one fourth section corner

68.00 deep Ravine runs N. E.

74.00 deep Ravine runs S. E.

80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 14. 15. 22. 23.

surface rolling soil third rate.

Township No. 7 N. of Range No. 22

~~East~~ on a	Random line betwn Sects 14 & 23
S. 89°56' E	Variation 14°30' E
25.50	Ravine runs S. E.
31.50	Ravine runs S. E.
40.00	set temporary one fourth section post
45.50	Ravine runs S. E.
70.00	Ravine runs S. E.
79.00	Ravine runs S. S. W.
80.00	intersect section line nineteen links North of corner to sections 13. 14. 23. & 24.
N 89°48' W.	on true line between sections 14 & 23
	Variation 14°30' E
40.00	set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner
80.00	corner to sections ~~22. 23.~~ 14 & 15. 22 & 23
	surface broken soil third rate.

West of the 6th Principal Meridian

North	between Sections 14 & 15
	Variation 14°20' E
13.00	Ravine runs N. E
18.00	Ravine runs N. E
20.00	Ravine runs N. E.
28.00	Ravine runs S. E
40.00	set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner.
40.10	Ravine Runs N. E.
58.00	Ravine runs N. E.
77.00	Ravine runs N. E
80.00	set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 10. 11. 14. 15.
	surface rolling soil third rate.

Township No. 7 N. of Range No. 22

~~East~~ on a Random line between sects 11 + 14

S 89°56' E Variation 14°30' E

40.00 set temporary one fourth section post

55.00 deep ravine runs S. E

58.00 deep ravine runs S. E

65.50 deep ravine runs S. W

80.46 intersect section line thirty eight links north of corner to sections 11. 12. 13. + 14.

N 89°40' W on true line between sections 11. + 14

Variations 14°30' E

40.23 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner

80.46 corner to sections 10. 11. 14. + 15

surface rolling soil third rate.

West of the 6th Principal Meridian

North between sections 10 + 11

Variation 14°10' E

31.50 Ravine runs S. E.

40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner

70.50 Ravine runs N. W.

80.00 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 2. 3. 10. + 11.

surface level soil second rate

Township No. 27 N. of Range No. 22

~~East~~ on a Random line between Sects. 2 + 11

S. 89° 56' E. Variation 14° 30' E

18.00 Ravine runs N. E.

29.00 Ravine runs N. W.

40.00 set temporary one fourth section post

57.50 Ravine runs S. E.

80.00 Intersect section line at corner to sections 1. 2. ~~3. 10.~~ × 11. + 12

N. 89° 56' W. on true line between sections 2 + 11.

Variation 14° 30' E

40.00 set post deposited chared stake, raised mound of earth with pits as per instructions for 1/4 section corner

80.00 corner to sections 2. 3. 10. + 11.

surface rolling soil second rate.

West of the 6th Principal Meridian

North on a Random line between Sects 2 + 3

Variation 14° 20' E.

31.00 Ravine runs N. W.

40.00 set temporary one fourth section post

50.00 Ravine runs N. E.

80.38 intersect township line forty two links west of corner to sections 2 + 3

S. 18° 15' W. on true line between sections 2 + 3.

Variation 14° 20' E

40.38 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner.

80.38 corner to sections 2. 3 10. + 11.

surface rolling soil third rate.

September 28th 1869

Township No. 7 N. of Range No. 22

North between sections 33 + 34
Variation 14° 10' E
12.20 Raving runs S. E.
40.00 set post deposited
charred stake raised
mound of earth with
pits as per instructions
for one fourth section
corner
62.00 Raving runs S. E.
80.00 set post deposited
charred stake raised
mound of earth with
pits as per instructions
for corner sections 27. 26.
33. + 34.
surface rolling
soil third rate.

West of the 6th Principal Meridian

East on a Random line between Sects 27 + 34
S. 89°56' E Variation 14° 20' E
40.00 set temporary one
fourth section post
47.50 main drain runs S.
79.86 intersect section line
at corner to sections
26. 27. 34 + 35

N. 89°56' W on true line between
sections 27. + 34.
Variation 14° 20' E
39.93 set post deposited
charred stake raised
mound of earth with
pits as per instructions
for one fourth section
corner
79.86 corner to sections 27.
28. 33. + 34
surface broken soil
third rate.

Township No. 7 N. of Range No. 22

North between sections 27 & 28 —
Variation 14° 10' E

4.00 Ravine runs S. W.
34.50 deep ravine runs E.
40.00 set frost deposited chased stake raised mound of earth with pits as per instruction for one fourth section corner
80.00 set frost deposited chased stake raised mound of Earth with pits as per instructions for corner to sections 21, 22. 27. & 28

surface broken soil third rate.

West of the 6th Principal Meridian

~~East~~ on a Random line between Sects 22 & 27.
S. 89° 56' E Variation 14° 20' E.
8.00 Ravine runs S. E.
23.00 Main drain runs South
37.00 Ravine runs S. W.
40.00 set temporary one fourth section frost
43.00 Ravine runs N. W.
51.50 deep Ravine runs S. W.
64.00 Ravine runs N. W.
80.00 intersect section line at corner to sections 22 23. 26. & 27.

N. 89° 56' W. on true line between sections 22 & 27.
Variation 14° 20' E
40.00 set frost deposited chased stake raised mound of earth with pits as per instructions for one fourth section corner
80.00 corner to sections 21. 22. 27. & 28.
surface broken soil third rate

Township No. 7 N. of Range No. 22 West of the 6th Principal Meridian

North between Sections 21 + 22
Variation 14° 30' E

8.00 deep Ravine runs S. W.
12.00 deep Ravine runs S. W.
29.00 Main drain runs S. S. E
40.00 set post deposited
charred stake raised
mound of earth with
pits as per instructions
for our fourth section
corner.
80.00 set post deposited charred
stake raised mound of
earth with pits as per
instructions for corner
to sections 15 & 16. 21. + 22.

surface broken soil
third rate.

East on a Random line between Sects 15 + 22
S 89° 56' E Variation 14° + 20' E
9.50 Ravine runs South
26.00 deep Ravine runs S. W.
40.00 set temporary on fourth
section post.
40.50 Ravine runs South.
50.00 deep ravine runs South
60.00 deep ravine runs South
70.50 deep ravine runs South
80.50 intersect section line at
corner to sections 14. 15
22 + 23.

N 89° 56' W. on true line between
sections 15. + 22.
Variation 14° 20' E
4425 set post deposited charred
stake raised mound of
earth with pits as per
instructions for our fourth
section corner
80.50 corner to sections 15. 16. 21. + 22.
surface broken soil
third rate.

Township No. 7 N. of Range No. 22

North between sections 15 + 16

Variation 14° 25' E

12.00 deep ravine runs S. W.

32.00 Ravine runs S. W.

40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner

68.00 Ravine runs West

77.00 Ravine runs S. W.

80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 9. 10 15. 16.

surface broken soil third rate.

West of the 6th Principal Meridian

East on a Random line between Sects 10 + 15

S 89° 56' E Variation 14° 20' E

2.00 Ravine descends S. W. ~~runs N. W.~~

37.00 Ravine runs N. E

40.00 set temporary one fourth section post

63.00 Ravine runs N. E

65.00 Ravine runs N. E

76.00 deep ravine runs North

80.00 intersect section line at corner to sections 10 11. 14 + 15

N. 89° 56' W on true line between sections 10. + 15

Variation 14° 20 E

40.00 set post deposited charred stake raised mound of earth with pits as per instruction for our fourth section corner

80.00 corner to sections 9. 10. 15. + 16

surface rolling soil third rate.

Township No. 7 N. of Range No. 22

North between Sections 9 + 10 —
Variation 14° 25' E

6.50 Ravine runs S. E.
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
80.00 set post deposited charred stake raised mound of earth with pits as per instructions for ~~corner~~ to sections 3. 4. 9. + 10.

surface rolling soil third rate.

West of the 6th Principal Meridian

~~East~~ on a Random line between Sects 3 + 10 —
S 89° 56' E Variation 14° 20' E

3.00 Ravine runs N. W.
40.00 set temporary one fourth section post
49.50 Ravine runs S. E.
61.00 Ravine runs N. E.
80.12 intersect section line thirty one links North of corner sections 2. 3. 10 + 11.

N. 89° 43' W. on true line between sections 3 + 10
Variation 14° 20' E

40.06 set post deposited charred stake raised mound of earth, with pits as per instructions for one fourth section corner
80.~~00~~ 12 corner to sections 3. 4. 9 + 10.
surface rolling soil third rate.

Township No. 7 N. of Range No. 22

North on a random line between sects 3 & 4
Variation 14° 40' E
20.00 Ravine runs N. E deep.
34.00 deep Ravine runs N. N. W.
40.00 set temporary one fourth section post
66.00 Ravine runs N. E.
80.42 intersect township line twelve links west of corner to sections 3 & 4

S. 5' W. on true line between sections 3 & 4.
Variation 14° 40' E
40.42 set post deposited charred stake raised mound of earth with pits as per instruction for one fourth section post
80.42 corner to sections 3. 4. 9. & 10.
surface rolling soil second rate.
September 29th 1869

West of the 6th Principal Meridian

North between sections 32 & 33
Variation 14° 10' E
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
52.00 deep Ravine runs S. S. E
64.00 deep Ravine runs S. E
80.00 set post deposited charred stake raised mound of earth with pits as per instruction for ~~one~~ fourth ~~section~~ ~~corner~~ corner to section 28. 29. 32. & 33.

surface rolling soil third rate

Township No. 7. N. of Range No. 22

~~East~~ on a Random line between Sects 28 + 33 –
S 89° 56' E. Variation 14° 10' E.
28.50 Ravine runs S.E.
40.00 set temporary one fourth section post
51.00 Ravine runs N.E
70.00 Ravine runs S.E.
75.50 Ravine runs S.W.
80.00 intersect section line at ¼ corner to sections 27. 28. 33. + 34.

N 89° 56' West, on true line between sections 28. + 33.
Variation 14° 10' E
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
80.00 corner to sections 28. 29. 32 + 33.
Surface rolling soil third rate.

West of the 6th Principal Meridian

North between Sections 28 – + 29 –
Variation 14° 10' E.
32.00 Ravine runs S.W.
40.00 set post deposited charred stake raised mound of earth with pits as per instruction for corner to ¼ section
62.00 Ravine runs S.E.
80.00 set post deposited charred stake raised mound of earth with pits as per instruction for corner to sections 20. 21. 28. + 29.

Surface rolling soil second rate.

Township No. 7 N. of Range No. 22

~~East~~ on a Random line between Sects 21 & 28
S 89°56' E Variation 14°20' E
23.00 deep Ravine runs S. E
31.50 deep Ravine runs S. E
37.50 deep Ravine runs S. E
40.00 set temporary one fourth section post
52.00 deep ravine runs N. E.
54.00 deep ravine runs N. E
N. 59.50 deep ravine runs N. E
76.00 deep ravine runs ~~N. E~~ S. W.
80.00 intersect section line at corner to sections 21. 22. 27 & 28

N. 89°56' W on true line between sections 21 & 28
Variation 14°20' E
S. 40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
80.00 corner to sections 20. 21. 28. & 29
surface broken soil third rate

West of the 6th Principal Meridian

North between Sections 20 & 21
Variation 14°20' E.
22.00 Ravine runs S. E
32.00 Ravine runs S. E
40.00 set post deposited charred stake raised mound with pits as per instructions for one fourth section corner
80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 16 17. 20 & 21.
surface rolling soil second rate.

Township No. 7 N. of Range No. 22.

~~East~~ on a Random line between Sects 16 + 21

S. 89°56' E Variation 14°20' E

40.00 set temporary one fourth section post

40.25 Ravine deep, runs S. E.

47.50 Ravine runs S. E

50.00 deep ravine S. E.

66.00 Ravine deep, runs N. E

74.00 Main drain runs Sout

80.10 intersect section line at corner to sections 15. 16. 21. + 22

N. 89°56' W on true line between sections 16. + 21.

Variation 14°20' E

40.05 set post deposited chared stake raised mound of earth with pits as per instructions of one fourth section corner

80.10 cover to sections 16. 17. 20. + 21.

surface broken soil third rate.

West of the 6th Principal Meridian

North between Sections 16 + 17 -

Variation 14°30' E

40.00 set deposited chared stake, raised mound of earth with pits as per instructions for one fourth section corner

80.00 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 8. 9. 16. + 17.

surface rolling soil second rate.

Township No. 7 N. of Range No. 22

~~East~~ on a Random line between Sects 9 + 16
S 89° 56' E Variation 14° 35' E
12.00 Ravine runs N. E.
37.50 deep ravine runs North
40.00 set temporary one fourth section post
80.~~00~~ 46 intersect section line at corner to sections 9. 10. 15 + 16.

N 89° 56' W on true line between sections ~~4 +~~ 9 & 16
Variation 14° 35' E
N. 40.23 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
80.46 corner to sections 8. 9. 16 + 17.
surface rolling soil second rate

West of the 6th Principal Meridian

North between sections 8 + 9
Variation 14° 20' E
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 4. 5. 8. + 9.

surface rolling soil second rate.

Township No. 7 N. of Range No. 22

East on a Random line between Sects 4 + 9
S 89°56' E. Variation 14°30' E.
40.00 set temporary one fourth section post.
80.10 intersect section line at corner to sections 3.4.9.+10

N 89°56' W on true line between sections 4 + 9.
Variation 14°30' E.
40.05 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner.
80.10 corner to sections 4.5.8.+9.
Surface rolling soil second rate.

West of the 6th Principal Meridian

North on a Random line between Sects 4 + 5
Variation 14°30' E
40.00 set temporary one fourth section post
57.00 Ravine runs N. E.
63.00 Ravine deep runs N. E
79.46 intersect township line sixty two links east of corner to sections 4. + 5

S 26' E. on true line between sections 4 + 5.
Variation 14°30' E
39.46 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner.
79.46 corner to sections 4.5.8+9.

Surface rolling soil third rate.

September 30th 1869.

Township No. 7 N. of Range No. 22

North between Sections 31 + 32.—
Variation 14° 35' E

40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner

80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 29. 30. 31. + 32

Surface level soil second rate.

West of the 6th Principal Meridian

~~East~~ on a Random line between Secs 29 + 32.
S 89° 56' E. Variation 14° 10' E.

15.00 Ravine runs S. W.

27.50 Ravine runs S. W.

40.00 set temporary one fourth section post

53.50 Ravine runs S. W.

80.00 intersect section line at corner to sections 28. 29 32. + 33.

N 89° 56' W. on true line between sections 29. + 32.
Variation 14° 10' E.

40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corners.

80.00 corner to sections 29. 30. 31 + 32.

Surface rolling soil third rate.

Township No. 7 N. of Range No. 22

~~West~~ on a Random line between Sects 30 & 31
N 89° 56' W. Variation 14° 40' E.

11.00 Ravine runs S. W.
15.50 Ravine runs S. W.
37.00 Ravine runs South.
40.00 set temporary one fourth section post
79.92 intersect Range line at corner to sections 30 & 31

S. 89° 56' E. on true line between sections 30 & 31.
Variation 14° 10' E
39.92 set post deposite charred stake raised mound of earth with pits as per instructions for one fourth section corner
79.92 corner to sections 29. 30. 31. & 32.

Surface rolling soil third rate.

West of the 6th Principal Meridian

North between sections 29 & 30 —
Variation 14° 39' E
38.00 Ravine runs S. W.
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner.
72.00 Ravine runs S. W.
74.00 Ravine runs S. W.
80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 19. 20. 29 & 30

Surface rolling soil third rate.

Township No. 7 N. of Range No. 22

~~East~~ on a Random line betw Sects 20 + 29
S 89°56' E. Variation 14° East
2.00 Ravine runs S. E.
19.00 Ravine runs E. N. E.
26.50 Ravine runs S. E.
37.00 Ravine runs S. E.
40.00 set temporary one fourth section post
42.00 Ravine runs S. E.
48.00 Ravine runs S. E.
80.52 intersect ~~Range~~ n & s. line fourteen links South of corner to sections 20. 21. 28 + 29.

S 89°58' W. on true line between sections 20 + 29.
~~40.26~~ Variation 14° E
40.26. set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
80.52 corner to sections 19. 20. 29. + 30
surface broken soil third rate

West of the 6th Principal Meridian

~~West~~ on a Random line betwn Sects 19 + 30
N 89°56' W. Variation 14° 30' E
10.00 Ravine runs S. E.
40.00 set temporary 1/4 section post ~~set post deposited charred stake raised mound of earth with pits as p~~
47.00 Ravine runs S. E.
53.50 Ravine runs S. E.
79.40 intersect Range line at corner to sections 19 + 30

S 89°56' E. on true line between sections 19. + 30.
Variation 14° 30' E
39.40 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
79.40 corner to sections 19. 20. 29. + 30
surface rolling soil third rate.

Township No. 7 N. of Range No. 22

North between Sections 19 + 20 —
Variation 14° 20' E

3.00 Ravine runs S. E.
14.00 Ravine runs S. E.
20.50 Ravine runs S. E.
35.00 Ravine runs S. E.
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
43.00 Ravine runs S. E.
48.00 deep Ravine runs S. E.
59.00 Ravine runs S. E.
67.00 deep Ravine runs N. W.
74.50 deep Ravine runs S. E.
80.00 set deposited charred stake raised mound of earth with pits as per instructions for corner to sections 17, 18, 19, + 20

surface broken soil third rate.

West of the 6th Principal Meridian

~~East~~ on a Random line between Sects 17 + 20
S 89° 56' E. Variation 14° 10' E.
17.00 Ravine runs N. E.
32.00 Ravine runs S. E.
40.00 set temporary one fourth section post
80.00 intersect section line thirty eight links South of corner to sections 16, 17, 20, + 21.

S 89° 48' W on true line between sections 17 + 20.
Variation 14° 10' E
40.00 set post deposited charred stake raised mound of earth with earth as per instructions for one fourth section corner
80.00 corner to sections 17, 18, 19 + 20.

surface rolling soil second rate.

~~September 3~~
October 1st, 1869.

Township No. 7. N. of Range No. 22 West of the 6th Principal Meridian

~~West~~ on a Random line between Sects 18 & 19
N. 89° 56' W. Variation 14° 30' E
8.00 Ravine runs S.E.
18.00 Ravine runs S.E.
36.00 Ravine runs South.
40.00 set temporary one fourth section corner
44.00 Ravine runs South
52.00 Ravine runs N.E.
67.00 Ravine deep runs S.E.
79.60 intersect Range line fifty-two links North of corner to sections 18. & 19

N 89° 42' E on true line between sections 18. & 19.
Variation 14° 30' E
39.60 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
79.60 corner to sections 17. 18. 19 & 20
surface broken. soil third rate

North between Sections 17 & 18 —
Variation, 14° 40' E.
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for quarter section corner.
80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 7. 8. 17. & 18.
surface rolling, soil second rate.

Township No. 7 N. of Range No. 22

~~East~~ on a Random line between Sects 8 + 17
S 89°56' E Variation 14°30' E
40.00 set temporary one fourth section post
80.00 intersect section line nineteen links North of corner to sections 8. 9. 16. + 17.

N 89°48' W on true line between sections 8. + 17.
Variation 14°30' E
40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner.
80.00 corner to sections 7. 8. 17. + 18
surface level soil second rate.

West of the 6th Principal Meridian

~~West~~ on a Random line between Sects 7 + 18
N 89°56' W. Variation 14°30' E
40.00 set temporary one fourth section post
79.52 intersect Range line ten links South of corner to sections 7. & 18.

S 89°52' E ~~East~~. on true line between sections 7. + 18
Variation 14°30' E
~~S 89.52'~~ 39.52 set post deposited chared stake raised mound of earth with pits as per instructions for quarter section corner.
79.52 corner to sections 7. 8. 17. + 18.
surface level soil second rate.

Township No. 7 N. of Range No. 22

North between sections 7 + 8 —

Variation 14° 30' E

40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner

80.00 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 5. 6. 7. + 8.

surface level soil second rate.

West of the 6th Principal Meridian

~~East~~ on Random line between sects 5 + 8

S 89° 56' E

Variation 14° 25' E

40.00 set temporary one fourth section post

80.00 intersect section line at corner to sections 4. 5. 8 + 9.

N. 89. 56 W. on true line between sections 5 + 8.

Variation 14° 25' E

40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner

80.00 corner to sections 5. 6. 7 + 8

surface level soil second rate.

Township No. 7 N. of Range No. 22

~~West~~ on a Random line between Sects 6 & 7
N 89° 56' W. Variation 14° 20' E
40.00 set temporary one fourth section post
60.00 deep ravine runs N. E.
78.50 Ravine runs N. E.
79.25 intersect Range line at corner to sections 6 & 7

S
89° 56' E on true line between sections 6 & 7.
Variation 14° 20' E
39.25 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner.
79.25 corner to sections 5.6.7.&8.
Surface level soil second rate

West of the 6th Principal Meridian

North on a Random line between Sects 5 & 6
Variation 14° 20' E
40.00 set temporary one fourth section corner
79.76 intersect township line at corner to sections 5.6.

Southern true line between sections 5 & 6.
Variation 14° 20' E
39.76 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner.
79.76 corner to sections 5.6.7. & 8.

Surface level soil second rate.

October 2nd 1869

General Description

This Township contains but very little land adapted to farming purposes, as the soil is composed of hard clay & extremely dry & cannot be cultivated without irrigation, the Township is extremely full of Gulches which also renders it unfit for farming purposes. Plum Creek runs through the N.E. corner of section 1. water standing in pools, & scattering Ash & Elm trees on margin there ~~is~~ are no improvements in the Township

We hereby certify, that we assisted James McBride deputy Surveyor in subdividing Township No. 7 N. of Range No. 22 West of the 6th Principal Meridian Nebraska & that said Township has been in all respects to the best of our knowledge & belief well & faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General.

Wm. A. Hamilton, Chainman
A. Langworthy, Chainman
[illegible] Flagmen &
Edna Racine Mound builders

The State of Nebraska } Sworn to by the above named persons before
Douglas County } me and by them respectively subscribed
in my presence this 11th day of November 1869
C. A. Baldwin
Notary Public
Douglas County
Nebraska

I James McBride deputy surveyor do solemnly swear that in pursuance of a contract with Robt. R. Livingston Surveyor General of the public lands of the United States in the State of Nebraska bearing date the 21st day of June 1869 & in strict conformity to the laws of the United States & the instructions furnished by the said Surveyor General, I have faithfully surveyed & subdivided into sections Township No. 7 N. of Range No. 22 West of the 6th Principal Meridian Nebraska & do further solemnly swear that the foregoing are the true & original field notes of such Township

James McBride
Deputy

The State of Nebraska
Douglas County ss

Subscribed by said James McBride, deputy surveyor and sworn to before me this 11th day of November 1869.

C. H. Baldwin
Douglas County
Nebraska
Notary Public

Surveyor General's Office
Plattsmouth Neb. March 30th 1870.

The foregoing field notes of the Survey of the Sub-division lines of Township No. 7 North of the Base Line of Range No. 22 West of the 6th Principal Meridian in the State of Nebraska. Executed by James McBride under his Contract No. 26. dated June 21st 1869. in the Months of September & October 1869. having been critically examined the necessary corrections and explanations made the said field notes and the Surveys they describe are hereby approved.

Robt. R. Livingston
Surveyor General.

Subdivision
of
Township No. 8 North
of
Range No. 22 West
of the
6th Principal Meridian
Nebraska

Commenced September 9th 1869
Finished ~~September 19th~~ 1869
by James McBride
Deputy Surveyor

Names of Assistants.

H. A. Hamilton, chainman
Elmore Longworth, chainman
Andrew Miller } Flagmen &
Edward Racine } Mound builders

Town 8. Range 22 W

To determine the proper adjustment of my compass for subdividing this Township, I commenced at the corner of Townships Nos 7 & 8 North, of Ranges 21 & 22, West of the 6th Principal Meridian & run North on a blank line along East boundary of section thirty six.

Variation 14° 30' E

39.80 } all twenty seven links West of one fourth section corner

79.72 } all eighty-seven links West of corner to sections 25 & 36.

Township No. 8. N of Range No. 22 West of the 6th Principal Meridian

North between Sections 35 & 36.
Variation 14° 30' E

25.00 Plum Creek runs N. E.
water standing in holes
scattering timber

40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner.

64.00 Ravine runs N. E

80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 25. 26. 35 & 36.

surface level soil second rate.

East on a Random line between Sects 25 & 36
N 89° 57' E Variation 14° 30' E

40.00 set temporary one fourth section post.

80.00 intersect Range line at corner to sections 25 & 36

S 89° 57' W. on true line between sections 25 & 36.
Variation 14° 30' E

40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner

80.00 corner to sections 25. 26. 35. & 36.

surface level soil second rate.

Township No. 8 N. of Range No. 22

North between sections 25 & 26
Variation 14° 30' E
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 23. 24. 25 & 26.
surface level soil second rate.

East on a Random line btw sects 24 & 25
N. 89° 57' E. Variation 14° 30' E.
11.00 Ravine runs S. E.
22.00 Ravine runs South
36.50 Ravine runs South
40.00 set temporary one fourth section post
53.00 deep Ravine runs S. E.
59.00 deep Ravine runs S. S. E.
72.00 deep Ravine runs South
80.20 intersect Range line seventeen links North of corner to sections 24 & 25

N 89° 56' W. on true line between sections 24 & 25.
Variation 14° 30' E
40.10 set post in mound deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
80.20 corner to sections 23. 24. 25 & 26
surface broken soil third rate

Township No. 8 N. of Range No. 22 West of the 6th Principal Meridian

North between sections 23 & 24
Variation 14° 30' E.

P. 00 deep Ravine runs E. &
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 13.14.23 & 24
surface rolling soil second rate.

East on a Random line bet. to sects 13 & 24
N 89° 45' E Variation 14° 30' E.
1.50 Ravine runs N. W.
38.50 Ravine runs S. W.
40.00 set temporary one fourth section post
51.50 Ravine runs S. W.
69.73 deep Ravine runs S. W.
73.00 deep Ravine runs South
80.20 intersect Range line forty seven links North of corner to sections 13 & 24

N 89° 43' W. on true line between sections 13 & 24
Variation 14° 30' E
40.10 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
80.20 corner to sections 13.14.23 & 24.
Surface broken soil third rate.

Township No. 8 N. of Range No. 22

North between sections 13 & 14
Variation, 14° 30' E
40.00 set post deposited
charred stake raised
mound of earth with pits
as per instructions for
one fourth section corner
80.00 set post deposited
charred stake raised
mound of earth with
pits as per instructions
for corner to sections
11. 12. 13. & 14.
Surface level soil
second rate.

West of the 6th Principal Meridian

East on a Random line btw Sects 12 & 13
N 89° 57' E Variation, 14° 30' E
17.50 deep Ravine runs North
24.00 Ravine runs N. E.
31.00 deep Ravine runs North
40.00 set temporary one fourth
section post
55.50 Ravine runs N. N. W.
61.50 deep Ravine runs N. E.
72.00 deep Ravine runs North
80.10 intersect Range line forty
links North of corner to
sections 12 & 13

N 89° 46' W. on true line between
sections 12 & 13
Variation 14° 30' E
40.05 set post deposited charred
stake raised mound of
earth with pits as per in-
structions for one fourth
section corner
80.10 corner to sections 11. 12. 13 & 14
surface broken soil third
rate.

Township No. 8 N. of Range No. 22

North between sections 11. + 12
Variation 14° 30' E
17.00 deep Ravine runs N. W.
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
80.00 set post deposited charred stake raised mound of earth, with pits as per instructions corner to sections 1. 2. 11. + 12.
Surface rolling soil second rate.

West of the 6th Principal Meridian

~~East~~ on a Random line betw sects 1 + 12.
N 89° 57" E Variation 14° 40' E.
7.50 Ravine runs S. E.
40.00 set temporary one fourth section post
46.00 Ravine runs North
53.50 Ravine runs N. W.
62.00 Ravine runs N. W.
65.50 Ravine runs N. W.
80.00 intersect corner to sections 1 + 12, thirty links North of post.

N 89° 50' W. on true line between sections 1 + 12.
Variation 14° 40' E
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
80.00 corner to sections 1. 2. 11. + 12
surface broken soil third rate.

Township No. 8 N. of Range No. 22

North on a ~~Random~~ true line btwn sects 1 & 2.

Variation, 14° 30' E

40.00 set ~~temporary~~ give corner below ⊕ one fourth section post

85.20 ~~50~~ intersect second standard parallel line ~~twenty eight~~ eleven chains ~~& twelve~~ 88 links ~~West~~ East of ¼ Sec corner ~~to~~ S. of section ~~31 & 36~~ 36 & set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 1 & 2 ~~on~~ T. 8 N. R. 22 W.

~~South on true line between sections 1 & 2.~~

~~Variation 14° 30' E~~

~~45.20~~ ⊕ set post deposited chared stake raised mound of earth with pits as per instructions for quarter section corner (write this corner above)

~~85.20 corner to sections 1. 2. 11. & 12~~

surface rolling soil 2nd rate

[illegible] September 9th 1869

West of the 6th Principal Meridian

North between sections 34 & 35

Variation 14° 30'

2.50 ~~2.50~~ Ravine runs S. W.

40.00 set post deposit chared stake raised mound of earth with pits as per instructions for ~~temporary~~ one fourth section ~~post~~ corner

59.00 Plum Creek runs East dry & scattering timber

80.00 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 26. 27. 34. & 35.

surface rolling soil second rate.

Township No. 8 N. of Range No. 22

~~East~~ on a Random line btwn sects 26. & 35.
N 89° 57' E. Variation 14° 30' E
35.00 Ravine runs S. E.
40.00 set temporary one fourth section post
71.50 Ravine runs South
79.86 intersect section line thirty two links North of corner to sections 25. 26. 35 & 36.

N. 89° 49' W.
~~N 89° 49' W~~ on true line between sections 26. & 35
Variation 14° 30' E
39.93 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner
79.86 corner to sections 26. 27. 34. & 35.
Surface rolling soil second rate.

West of the 6th Principal Meridian

North between sections 26. & 27.
Variation 14° 35' E
40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner
72.50 Ravine runs S. S. W.
80.00 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 22. 23. 26. & 27.
Surface rolling soil second rate.

Township No. 8 N. of Range No. 22

East on a Random line between sects 23 & 26

N 89° 57' E Variation 14° 30' E

6.00 Ravine runs South

40.00 set temporary one fourth section post.

80.00 intersect section line at corner to sections 23. 24. 2~~6~~ 5 & 2~~7~~ 6 25 & 26

S 89° 57' W. on true line between sections 23 & 26.

Variation 14° 30' E

40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section post

80.00 corner to sections 22. 23. 26. & 27.

surface rolling soil second rate.

West of the 6th Principal Meridian

North between sections 22 & 23

Variation 14° 33' E

1.00 deep Ravine runs S. W.

40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner

80.00 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 14. 15. 22 & 23.

surface rolling soil second rate.

Township No. ~~7~~ 8 N. of Range No. 22

East on a Random line btwn sections 14 & 23
N 89°57' E Variation 14° 30' E.
40.00 set temporary one fourth section post
55.00 deep Ravine runs S. E
68.00 deep Ravine runs South
80.00 intersect section line at corner to sections 13. 14. 23 & 24

S. 89°57' W. on true line between sections 14 & 23.
Variation 14° 30' E
40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner
80.00 corner to sections 14. 15. 22. 23.
surface level soil second rate.

West of the 6th Principal Meridian

North between sections 14 & 15
Variation 14° 30' E.
40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner
80.00 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 10. 11. 14. & 15
surface level soil second rate.

Township No. 8 N. of Range No. 22 West of the 6th Principal Meridian

East on a random line sects 11. & 14

N. 89° 57' E. Variation 14° 30' E.

40.00 set temporary one fourth section post

80.60 intersect section line forty links South of corner to sections 11. 12. 13 & 14

S. 89° 40' W. on true line between sections 11. & 14

Variation 14° 30' E.

40.30 set post deposited charcoal stake raised mound of earth with pits as per instructions for one fourth section corner

80.00 corner to sections 10. 11. 14. & 15

Surface level soil second rate.

North. between sections 10 & 11

Variation 14° 20' E.

40.00 set post deposited charcoal stake raised mound of earth with pits as per instructions for one fourth section corner

80.00 set post deposited charcoal stake raised mound of earth with pits as per instructions for corner to sections 2. 3. 10 & 11

Surface rolling soil second rate.

Township No. 8 N. of Range No. 22

East on a Random line btwn sects 2 + 11

N 89° 57' E — Variation 14° 30' E.

2.00 head of Ravine runs N. W.

23.50 Ravine runs North.

33.00 Ravine runs North.

40.00 set temporary one fourth section post

63.00 Ravine runs N. E.

79.80 (.80) intersect section line at corner to sections 1. 2. 11. + 12.

S 89° 57' W. on true line between sections 2 + 11.

Variation 14° 30' E

39.90 set post deposited charcl stake raised mound of earth with pits as per instructions for one fourth section corner

79.80 corner to sections 2. 3. 10. + 11

surface rolling soil third rates.

West of the 6th Principal Meridian

North on a ~~Random~~ true line btwn sects 2 + 3.

Variation 14° 30' E

33.50 Ravine deep runs East

40.00 set give corner below ~~temporary~~ one fourth section corner.

85.00 intersect second standard parallel line N ~~twenty eight~~ Eleven chains + ~~ten~~ ninety links ~~West~~ East of 1/4 corner ~~to~~ S of T 9 N. R. 22 W. sections 35 + ~~36~~ + set post raised mound of earth with pits as per instructions for corner to sections 2 + 3 T. 8 N. R. 22 W.

~~45.00 set post~~

~~South on true line between sections 2 + 3.~~

~~Variation 14° 30' E~~

~~45.00~~ set post deposited charcl stake raised mound of earth with pits as per instructions for one fourth section corner (write this corner above)

~~85.00 corner to sections 2. 3. 10. + 11.~~

~~surface rolling soil second rate.~~ September 16th 1869

Township No. 8 N. of Range No. 22

North	between section 33 & 34
	Variation 14°30' E
22.50	Ravine runs S. W.
40.00	set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner
65.00	Ravine runs West
80.00	set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 27.28.33 & 34
	surface broken soil third rate.

West of the 6th Principal Meridian

East	on a Random line btwn Sect 27 & 34
N89°57'E	Variation 14°35' E
20.00	Ravine runs North
40.00	set temporary one fourth section post
46.00	Plum Creek runs S. E standing water & scattering timber
53.00	Plum Creek runs N. E
58.00	Plum Creek runs S. E & scattering timber
80.00	intersect section line at corner to sections 26.27. 34 & 35
S89°57'W	on true line between sections 27 & 34
	Variation 14°35' E
40.00	set post deposited chared stake raised mound of earth, with pits as per instructions for 1/4 section corner
80.00	corner to sections 27.28.33 & 34 surface rolling soil third rate

Township No. 8 N. of Range No. 22 West of the 6th Principal Meridian

	North	between Sections 27 & 28
		Variation 14° 50' E
	37.00	Plum Creek runs East
		standing water & scattering
		timber on margins
	40.00	set post deposited
		charred stake raised
		mound of earth with
		pits as per instruction
		for one fourth section
		corner.
	77.00	Ravine runs S. W.
	80.00	set post deposited &
	80	charred stake raised mound
		of earth with pits as per
		instructions for corner
		to sections 21. 22. 27 & 28
		surface rolling soil
		second rate.

	Easton a random line down Sects 22 & 27
N. 89° 57' E	Variation 14° 30' E.
2.00	Ravine runs S. E.
24.50	Ravine runs South
30.00	Ravine runs South
40.00	set temporary one fourth
	section post
45.00	Ravine runs South
50.00	Ravine runs South
69.00	Ravine runs S. E.
80.00	intersect section line
80.20	forty links North of corner
	to sections 22. 23. 26. & 27.
N. 89° 46' W.	
S. 89° 46' W.	on true line between
	sections 22 & 27.
	Variation 14° 30' E
40.10	set post deposited charred
	stake raised mound of earth
	with pits as per instructions for
	one fourth section corner
80.20	corner to sections 21. 22. 27. & 28
	surface broken soil
	third rate.

Township No. 8 N. of Range No. 22

North between sections 21. & 22

Variation 14° 30' E

35.50 Ravine runs S. W.

40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner

42.00 deep ravine runs West

80.00 set post deposited chared stake raised mound of earth with pits as per instruction for corner to sections 15. 16. 21. & 22.

surface rolling soil second rate.

West of the 6th Principal Meridian

~~East~~ on a Random line btwn sects 15. & 22

N 89° 57' E Variation 14° 20' E

40.00 set temporary one fourth section post

80.18 intersect section line at corner to sections 14. 15 22 & 23.

S 89° 57' W. on true line between sections 15. & 22.

Variation 14° 20' E

40.09 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner

80.18 corner to sections 15. 16. 21 & 22.

80.18

surface rolling soil second rate.

Township No. 8 N. of Range No. 22

East	North between sections 15. + 16.	
N 89°	Variation 14° 30' E	
6.		
40.	40.00	set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
80.		
S 89° 05'	80.00	Set post, deposit charred stake, raise mound of earth with pits as per instructions for corner to sections 9. 10. 15. + 16.
40.		surface rolling soil second rate.
80.		

West of the 6th Principal Meridian

East	on a random line between sect 10. + 15
N 89° 05' W	Variation 14° 30' E.
40.00	set temporary one fourth section post.
79.90	intersect section line forty links North of corner sections ten eleven fourteen + fifteen
N 89° 46' W.	on true line between sections 10. + 15
	Variation 14° 30' E
39.95	set post deposited charred stake raised mound of earth with pits as per instruction for one fourth section corner.
79.90	corner to sections 9. 10. 15. + 16 surface rolling soil second rate.

Township No. 8 N. of Range No. 22

North between sections 9 & 10.
Variation 14° 10' E

40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner.

80.00 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 3. 4. 9. & 10

Surface rolling soil second rate.

West of the 6th Principal Meridian

~~East~~ on a Random line btwn sects 3 & 10
N 89° 57' E Variation 14° 20' E

2.50 deep ravine runs S. E.
18.00 Ravine runs N. E.
22.50 Ravine runs N. E.
40.00 set temporary one fourth section post.
50.00 Ravine runs N. E.
62.00 Ravine runs N. E.
~~77.00 Ravine runs N. E.~~
80.00 intersect section line at corner to sections two. three ten & eleven,

S 89° 57' W. on true line between sections 3 & 10
Variation 14° 20' E.

40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner.

80.00 corner to sections 3. 4. 9. & 10
Surface rolling soil third rate.

Township No. 8 N. of Range No. 22

North on a ~~Random~~ true line btwn sects 3 & 4.
Variation 14° 20' E.

18.00 Ravine runs N. E.
22.50 Ravine runs N. E.
40.00 set give corner below ⊗ ~~temporary~~ one fourth section post ~~sixty-two chains~~
62.00 Ravine runs N. E.
67.00 Ravine runs N. E.
84.80 intersect second standard parallel line N. ~~twenty eight~~ 12 chains ~~West~~ East of ¼ Sec corner ~~to~~ S. of sections 34 & ~~35~~ T. 9 N. R. 22 W. & set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 3 & 4. T. 8 N. R. 22 W.

~~South on true line btwn sects 3 & 4~~
~~Variation 14° 20' E.~~

~~44.80~~ ⊕ set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner
~~84.80 corner to sections 3. 4. 9. & 10~~ (write this corner above)
surface broken soil third rate.
September 11th 1869

West of the 6th Principal Meridian

North between sections 32 & 33
Variation 14° 20' E

13.00 Ravine runs East
40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner.
43.00 Ravine runs S. E.
54.00 Ravine runs East
70.00 deep ravine runs S. E.
80.00 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 28. 29. 32. & 33.
surface broken soil third rate.

Township No. 8 N. of Range No. 22

East on a Random line btwn sects. 28 & 33

N. ~~S~~ 89°57' E. Variation 14°30' E.

21.50 deep ravine runs S. E.

40.00 set temporary one fourth section post

52.50 Ravine runs North

63.50 Ravine runs North

80.00 intersect section line sixty-two links North of corner to sections 27. 28. 33. & 34

S. 36

~~N~~ 89°36' W. on true line between sections ~~32~~ 28 & 33.

Variation 14°30' E

40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner.

80.00 corner to sections 28. 29. 32. & 33.

surface broken soil third rate.

West of the 6th Principal Meridian

North between sections 28 & 29.

Variation 14° East

40.00 set post deposited chared raised mound of earth with pits as per instructions for one fourth section corner

61.00 Plum Creek runs S. E.

69.00 Plum Creek runs S. W.

77.00 Plum Creek runs S. E.

80.00 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 20. 21. 28. & 29.

Surface rolling soil third rate.

Township No. 8 N. of Range No. 22

East on a Random line btwn Sects 21 & 28	
N. 89° 57' E.	Variation 14° 35' E
38.50	Ravine runs S. E.
40.00	set temporary one fourth section post.
46.50	Ravine runs South
57.00	Ravine runs South
71.00	Ravine runs South
80.00	intersect section line at corner to sections 21. 22. 27. & 28
S. 89° 57' E. NW.	on true line between sections 21 & 28.
	Variation 14° 35' E
40.00	set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner.
80.00 80	corner to sections 20. 21. 28. 29.
	surface broken soil third rate.

West of the 6th Principal Meridian

North	between Sections 20 & 21 —
	Variation 14° 30' E
40.00	set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner
45.50	Ravine runs S. E.
67.00	Ravine runs S. E.
80.00	set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 16. 17. 20. & 21.
	surface broken soil third rate

Township No. 8 N. of Range No. 22

East on a Random line btwn Sects 16 & 21
N. 89° 57' E. Variation 14° 40' E
2.50 Ravine runs S. W.
10.50 head of ravine runs S. W.
40.00 set temporary one fourth section post.
79.80 intersect section line at corner to sections 15. 16. 21. & 22.

S 89° 57' E N
on true line between sections 16 & 21.
Variation 14° 40' E
39.90 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner.
79.80 corner to sections 16. 17. 20 & 21 ~~21. & 22.~~
surface rolling soil second rate

West of the 6th Principal Meridian

North between sections 16. & 17.
Variation 14° 40' E
2.00 Ravine runs S. E.
6.00 Ravine runs S. E.
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner.
80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 8. 9. 16 & 17.
surface rolling soil second rate.

Township No. 8 N. of Range No. 22

East on a Random line thru Sects 9 & 16
N. 89° 57' E. Variation 14° 45' E
40.00 set temporary one fourth section corner
80.00 intersect section line at corner to sections 9. 10. 15. & 16.

S. 89° 57' W. on true line between sections 9 & 16.
Variation 14° 45' E
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section post
39. 80.00 corner to sections 8. 9. 16. & 17.
Surface rolling soil second rate.

West of the 6th Principal Meridian

North between sections 8 & 9.
Variation 14° 35' E
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 4. 5. 8. & 9.
Surface rolling soil second rate.

Township No. 8 N. of Range No. 22

~~East~~ on a Random line btwn Sects 4 & 9

N. 89°57' E. Variation 14°20' E

40.00 set temporary one fourth section post

80.08 intersect section line at corner to sections 3. 4. 9 & 10

S 89°57' W. on true line between sections 4 & 9.

Variation 14°20' E.

40.04 set post deposited chared stake raised mound of earth with pits as per instructions for ¼ Sec. cor.

80.08 corner to sections 4. 5. 8. & 9.

surface rolling soil second rate.

West of the 6th Principal Meridian

North on a ~~Random~~ true line btwn Sects 4 & 5

Variation 14°30' E.

40.00 set ~~temporary~~ give corner below ⊕ one fourth section post

~~4~~ 8 4.50 intersect second standard parallel line ~~twenty eight~~ twelve chains ~~West~~ East of ¼ Sec corner to sections 33 ~~& 34~~ & set post deposited chared stake raised mound of earth with pits as per instruction for ~~one fourth section corner~~ corner to sections 4 & 5 T. 8 N. R. 22 W.

S. of

~~South on true line between sections 4 & 5.~~

~~Variation 14°30' E~~

~~44.50~~ ⊕ ~~set post deposited~~ chared stake raised mound of earth with pits as per instructions for one fourth section corner (write this corner above

~~84.50 corner to sections 4. 5. 8. & 9~~

surface level soil second rate. September 12th 1869

Township No. 8 N. of Range No. 22

North between sections 31 & 32
Variation 14° 10' E

5.00 Ravine runs E. E.
29.00 Ravine runs West
40.00 set post deposited charred stake raised mound of earth with pits as per instruction for one fourth section corner
43.00 Ravine runs ~~North~~ West
50.00 Ravine runs ~~North~~ West
65.00 Ravine runs N. W.
72.00 Ravine runs N. W.
76.00 Ravine runs N. W.
80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 29. 30. 31. & 32.
surface broken soil third rate.

West of the 6th Principal Meridian

East on a Random line between Secs. 29 & 32
N. 89° 57' E. Variation 14° 20' E
2.00 Ravine runs N. E.
18.00 Ravine runs N. W.
15.00 Ravine runs N. W.
30.00 Ravine runs North
37.00 Ravine runs N. W.
40.00 set post for temporary 1/4 section corner ~~deposited charred stake raised mound of earth~~
50.00 Ravine runs North
75.00 deep Ravine runs South.
80.00 intersect section line forty-one links South of corner to sections twenty-eight twenty-nine thirty-one & thirty-two

S 89° 39' W on true line between sections 29 & 32.
Variation 14° 20' E.
40.00 set post deposited charred stake raised mound of earth, with pits as per instructions for one fourth section corner
80.00 corner to sections 29. 30. 31. & 32
surface broken soil third rate.

Township No. 8 N. of Range No. 22

West on a Random line btwn Sects 30 & 31

S. 89° 57' W. Variation 14° 40' E

8.00 Ravine runs North

17.50 Ravine runs North

31.50 Ravine runs North

40.00 set temporary one fourth section post.

47.00 Ravine runs North

55.00 Ravine runs S. E.

79.12 intersect Range line seventeen links South of corner to sections 30. & 31.

S 89° 55' E. on true line between sections 30 & 31.

Variation 14° 40' E

39.12 set post deposited chared stake raised mound of earth with pits as per instruction for one fourth section corner

79.12 corner to sections 29. 30. 31. & 32 surface broken soil third rate.

West of the 6th Principal Meridian

North between Sections 29 & 30.

Variation 14° 25' E

12.00 Ravine runs N. W.

37.50 Main drain runs N. E

40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner

58.00 Ravine runs S. E.

80.00 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 19. 20. 29. & 30.

Surface broken soil third rate

Township No. 8 N. of Range No. 22

East on a Random line btwn Sects 20 & 29

N. 89°57' E. Variation 14°30' E.

13.50 Ravine runs South

26.50 deep ravine runs N.E

40.00 set post for temporary ~~deposit~~ 1/4 section corner

73.50 Plum Creek runs S.E

77.00 Plum Creek runs N.E

78.50 Plum Creek runs S.E

80.30 intersect section line at corner to sections 20.21.28 & 29

20
20, 21, 28 & 29

S 89°57' W on true line between sections 20 & 29.

Variation 14°30' E

40.15 set post deposited charcd stake raised mound of earth with pits as per instructions for one fourth section corner.

80.30 corner to sections 19.20.29. & 30.

surface rolling soil second rate.

West of the 6th Principal Meridian

West on a Random line btwn Sects 19 & 30.

S 89°57' W Variation 14°40' E

12.00 Ravine runs S.E.

40.00 set temporary one fourth section post

50.50 Ravine runs S.E

65.00 Ravine runs S.E

79.00 intersect range line at corner to sections ~~18.~~ & 19 & 30 on true line &c

N. 89.57' E on true line between sections 19 & 30

Variation 14°40' E

39.00 set post deposited charcd stake raised mound of earth with pits as per instructions for one fourth section corner.

79.00 corner to sections 19.20.29. & 30

surface rolling soil third rate.

Township No. 8 N. of Range No. 22 West of the 6th Principal Meridian

North between sections 19 & 20.—
Variation 14° 30' E

3.50 deep Ravine runs East
7.00 deep Ravine runs East
25.00 Ravine runs S. E
32.50 Ravine runs N. E.
37.50 Ravine runs East
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner

55.50 Ravine runs East.
66.50 Ravine runs East.
80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 17. 18. 19 & 20.
surface broken soil third rate.

East on a Random line between Sects 17 & 20
N. 89° 57' E. Variation 14° 30' E
2.00 Plum Creek runs S. E ~~est~~ dry
30.00 Ravine runs South
~~40.00~~ 40. set temporary one fourth section post ~~fifty~~ 8x
56.00 Ravine runs South
62.00 Ravine runs S. W.
69.00 Ravine runs N. W.
75.00 Ravine runs S. E.
80.00 intersect section line eighty two links South of corner to sections 16. 17 20. & 21.

S. 89° 22' W. on true line between sections 17. & 20.
Variation 14° 30' E
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner
80.00 corner to sections 17. 18. 19 & 20
surface broken soil third rate.

Township No. 8. N of Range No. 22

West on a Random line btwn Sects 18 & 19 (9)

S 89°57' W Variation 14°45' E

0.25 Plum Creek runs N. E.

12.00 Plum Creek runs S. E

37.00 Ravine runs N. E.

40.00 set temporary one fourth section corner.

58.50 Ravine runs North

72.00 Ravine runs N. E.

76.48 intersect Range line sixty two links South of corner to sections 18, & 19

S 89°35' E on true line between sections 18 & 19.

Variation 14°45' E

36.48 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner

76.48 corner to sections 17. 18 19 & 20.

surface broken soil third rate.

West of the 6th Principal Meridian

North between Sections 17 & 18

Variation 14°40' E.

0.25 Plum Creek runs N. E dry

40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner.

70.50 Ravine runs N. W.

80.00 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 7. 8. 17. & 18

surface rolling soil third rate.

Township No. 8 N. of Range No. 22

East on a Random line between sects 8 + 17
N 89°57' E Variation 14°40' E
40.00 set temporary one fourth section post
79.96 intersect section line at corner to sections 8. 9. 16 + 17

S 89 S 89°57' W. on true line between sections 8. + 17
Variation 14°40' E
39.9 39.98 set post deposited chard stake raised mound of earth with pits as per instructions for one fourth section corner
79.80 79.96 corner to sections 7. 8. 17. + 18.
surface rolling soil second rate.

West of the 6th Principal Meridian

West on a Random line between sects 7 + 18
S 89°57' W Variation 14°40' E
12.00 Ravine runs S. W.
14.00 Ravine runs S. W.
40.00 set temporary one fourth section post.
64.00 Plum creek runs S. E
66.00 Plum creek runs N. E
76.20 intersect Range line at corner to sections 7 + 18.

N 89°57' E. on true line between sections 7 + 18
Variation 14°40' E
36.20 set post deposited chard stake raised mound of earth with pits as per instructions for 1/4 section corner
76.20 corner to sections 7. 8. 17. + 18
surface broken soil third rate

Township No. 8 N. of Range No. 22

North between Sections 7 & 8
Variation 14°35' E
40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner
80.00 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 5. 6. 7. & 8.
surface level soil second rate.

West of the 6th Principal Meridian

~~East~~ on a Random line between Sects 5 & 8
N 89°57' E Variation 14°30' E
40.00 set temporary one fourth section post.
80.00 intersect section line at corner to sections 4. 5. 8 & 9.

S 89°57' W. on true line between sections 5 & 8
Variation 14°30' E
40.00 set post deposited chared stake raised mound of earth with pits as per instructions for 1 section corner
80.00 corner to sections 5. 6. 7. & 8
surface rolling soil second rate.

Township No. 8. N. of Range No. 22

West on a Random line btwn Sects 6 & 7

S 89°57' W. Variation 14°20' E

40.00 set temporary one fourth section post

71.50 Ravine runs S W.

75.26 intersect Range line at corner to sections 6 & 7.

N 89°57' E on true line between sections 6 & 7.

Variation 14°20' E

35.26 set post deposited charcl stake raised mound of earth with pits as per instructions for one fourth section corner

75.26 corner to sections 5. 6 7 & 8

surface rolling soil second rate.

West of the 6th Principal Meridian

North on a ~~Random~~ true line btwn Sects 5 & 6.

Variation 14°20' E

40.00 set ~~temporary~~ give corner below ⊕ one fourth section post

84.80 intersect second standard parallel line N. ~~twenty eight~~ 12 chains

East ~~west~~ of ¼ Sec corner ~~&~~ S. of section 32 ~~& 33~~ T. 9 N. R. 22 W. & set post deposited charcl stake raised mound of earth ~~with~~ with pits as per instructions for corner to sections 5 & 6 T. 8 N. R. 22 W.

~~South on true line between sections 5 & 6.~~

~~Variation 14°20' E~~

~~44.80~~ ⊕ set post deposited charcl stake raised mound of earth with pits as per instructions for one fourth section corner (write this corner above)

~~84.80 corner to sections 5. 6. 7 & 8.~~

surface level soil second rate. September 13th 1869

General Description.

This Township has no land adapted to farming purposes as the country is high & cannot be cultivated without irrigation & I know of no means whereby it can be done as the country is high & no streams near. ~~as a~~ There is a large number of Canons in the North East & S. W. portions of the Township which render the land worthless. Plum Creek runs through the South Westers part of the Township & has timber all along the margin & in most places standing water, there is no improvement in the township

We hereby certify that we assisted James McBride deputy surveyor in subdividing Township No. 8 North of Range No. 22 West of the 6th Principal Meridian Nebraska & that said Township has been in all respects, to the best of our knowledge & belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General

Henry A Hamilton, Chainman
A. Langorthy — Chainman
~~A Miller~~ Flagmen &
Edw^a Racine Mound builders

The State of Nebraska } Sworn to by the above named persons before
Douglas County } me and by them respectively subscribed in my presence this 11th day of November 1869.

C A Baldwin
Notary Public
Douglas County
N Martin

James McBride, deputy surveyor, do solemnly swear that, in pursuance of a contract with Robt R Livingston surveyor of the public lands of the United States in the State of Nebraska, bearing date the 21st day of June 1869, & in strict conformity to the laws of the United States, & the instructions furnished by the said surveyor General, I have faithfully surveyed & subdivided into sections Township No. 8. North of Range No. 22 West of the 6th Principal Meridian Nebraska, and do further solemnly swear that the foregoing are the true & original field notes of such survey.

James McBride

The State of Nebraska
Douglas County } ss

Subscribed by said James McBride deputy surveyor, and sworn to before me this 15th day of November 1869.

C. E. Baldwin
Notary Public
Douglas County
Nebraska

Surveyor General's Office,
Platts Mouth, Neb. Mar. 30. 1870

The foregoing field notes of the Survey of the sub-division lines of Township No. 8 North of the Base Line, Range No. 22 West of the 6th Principal Meridian in the State of Nebraska. Executed by James McBride, Deputy Surveyor under his Contract No. 26. dated June 11. 1869, in the month of Sept. 1869. having been critically Examined, the necessary corrections and Explanations made the said field notes and the Surveys they describe are hereby approved.

Robt. R. Livingston
Surveyor General.

General Land Office • Original Field Notes

Book Number

459

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.