General Land Office • Original Field Notes

Book Number

463

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Town 21 Range 22 W



By McBroo
No. 2

Field Notes
of
The Survey and subdivision
of
Township 21 N. Range 22 West
of the 6th P.M.
in the
State of Nebraska
Executed
By Dawes L Sloan Deputy Surveyor
under Joint Contract No 73
dated the 14th day of May 1873
Survey
Commenced July 28th 1873
Completed Aug 2nd 1873
List
of the names of the persons
Employed to assist in Surveying
this Township Showing the
respective capacities in which they
acted =

To determine the proper adjustment of my compass for subdividing this Township I commenced at corner to Townships 21 on 5th standard parallel Ranges 21 & 22 west of the Sixth Principal Meridian and corners to secs. 31 & 36 from which corners I run north on a Blank line along East boundary of 36

N. 13° 25' E.

40.06 To a point at the 1/4 sec cor

80.14 To a point at the cor to secs. 25 & 36

Therefore I find my compass is in proper adjustment for retracing this line or running one parallel thereto

Township 21 N. Range 22 W

North Bet. Secs. 35 and 36
va. 13°. 25' E

40,00 Set post 2 x 3 in. x 4 ft. 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for 1/4 Sec. cor.

80,00 Set post 3 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for cor. to Secs. 25. 26. 35. 36

Land sand hills. 3d rate

Township 21 N. Range 22 W.

East on a random line bet. Secs. 25 and 36
va. 13°. 25' E

40,00 Set post for temporary 1/4 Sec. cor.

80,40 intersect East Boundary of Town at cor. to Secs. 25 and 36 – from which cor. I run

West on true line bet Secs. 25 & 36
va. 13°. 25' E

40,20 Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

80,40 Cor. to Secs. 25. 26. 35. 36

Land

Township 21 N. Range 22 W.

North bet. Secs. 25 and 26.
va. 13° 25' E

40,00 Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for 1/4 Sec. cor.

80,00 Set post 3 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for cor. to Secs. 23. 24. 25. 26

Land

Township 21 N. Range 22 W.

East on a random line bet. Secs. 24 and 25
va. 13° 25' E

35,00 Cross sand hills enter large valley

40,00 Set post for temporary 1/4 Sec. cor.

55,00 low bottom

80,14 intersect East boundary of Township 6 chs North of cor. to Secs. 24 and 25 — from which cor. 9 run
N. 89° 57' West on line

line bet. Secs. 24 and 25
va. 13° 25' E

40,07 Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for 1/4 Sec. cor.

80,14 cor. to Secs. 23. 24. 25. 26

Land part sand hills and part valley

2d. rate

Township 21 N. Range 22 W

North Bet. Secs. 23 & 24

va. 13°. 25' E.

18,50 Spring branch 15 lks. wide

Course N. E.

27.36 intersect right bank of Leup

River ~~[illegible]~~ 10.84 chs. wide S. E

Set post 2 x 3 in. x 4 ft. 1 ft. in

ground, deposit charred stake

raise mound of earth 3 ft.

high from pits 12 x 24 in. x 12 in.

deep for a meander cor.

~~37.20~~ to left bank of Leup River

38.20 to North side of Slough close to same river that being the nearest point for permanent M.C. corner

and Set post 2 x 3 in. x 4 ft. - 1 ft.

in ground, deposit charred

stake raise mound of earth

3 ft. high from pits 12 x 24 in.

12 in. deep for ~~1/4~~ a meander.

Cor.

41,00 Set post 2 x 3 in. x 4 ft. - 1 ft. in

ground deposit charred stake

raise mound of earth 3 ft.

high from pits 12 x 24 in. x 12 in.

deep for 1/4 Sec. cor.

66,00 leave valley 2 nter sand hills Earth 3 ft. high

80,00 set post 3 x 3 in. x 4 ft. - 1 ft. in ground deposit charred stake raise mound of

from pits 12 x 24 in. x 12 in. deep for cor. to Secs. 13.14.23.24 = Land mostly valley 2d rate

Township 21 N. Range 22 W.

East on a random line bet.

Secs. 13 and 24

va. 13°. 25' E

40,00 Set post for temporary 1/4 Sec.

cor.

19,85 intersect East Boundary of

Township at cor. to Secs. 13 & 24

— from which cor. 2 run

West on line

line Bet. Secs. 13 and 24

va. 13°. 25' E

39,82½ Set post 2 x 3 in. x 4 ft. - 1 ft. in

ground, deposit charred stake

raise mound of earth 3 ft. high

from pits 12 x 24 in. x 12 in.

deep for 1/4 Sec. cor.

79,85 cor. to Secs. 13.14.23.24

Land Sand hills, 3d rate

Township 21 N. Range 22 W.

North Bet. Secs. 13 and 14
va. 13° 25' E

40.00 Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred Stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

80.00 Set post 3 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred Stoke raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for cor. to Secs. 11.12.13.14

Land Sand hills, 3d rate

Township 21 N. Range 22 W.

East on a random line bet. Secs. 12 and 13
va. 13° 25' E

40.00 Set post for temporary 1/4 Sec. cor.

79.50 intersect East Boundary of Town at cor. to Secs. 12 and 13 — from which cor. I run West on true line bet. Secs. 12 and 13
va. 13° 25' E

39.75 Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

79.50 Cor. to Secs. 11.12.13.14

Land Sand hills, 3d rate

Township 21 N. Range 22 W.

North Bet. Secs. 11 and 12

va. 13°. 25' E

40.00 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

80.00 Set post 3 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor. to 1. 2. 11. 12

Land Sand hills, 3d rate

Township 21 N. Range 22 W.

East on a random line Bet. Secs. 1 and 12

va. 13°. 25' E

5.00 Leave sand hills. Enter valley

Course S.E.

40.00 Set post for temporary 1/4 Sec. cor.

76.00 Leave valley Enter sand hills

79.75 intersect East boundary of Town 10 lks. North of cor. to Secs. 1 and 2 — from which cor. I run N. 89°. 56' West

on true line bet. Secs. 1 and 2

va. 13°. 25' E

39.87 1/2 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

79.75 cor. to Secs. 1. 2. 11. 12

Land valley 2d rate

Township 21 N. Range 22 W

North on random line bet. Secs. 1 and 2

va. 13°. 25' E

5.00 leave Sand hills. Enter valley course S.E.

40.00 Set post for temporary 1/4 Sec. cor.

60.00 leave valley & enter sand hills

79.69 intersect North Boundary of Township 36 lks. East of cor. to Secs. 1 and 2

— from which cor. I run South 15' East

On true line Bet. Secs. 1 and 2

va 13°. 25' E

39.69 Set post 2x3 in. x 4 ft. - 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

79.69 Cor. to Secs. 1.2.11.12

Land Sand hills and valley 2d rate

July 28th 1873

Township 21 N. Range 22 W.

North bet. Secs. 34 and 35

va. 13°. 25' E

40.00 Set post 2x3 in. x 4 ft. - 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

80.00 Set post 3x3 in. x 4 ft. - 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor. to 26. 27. 34. 35

Land Sand hills, 3d rate

Township 21 N. Range 22 W.

East on a random line
bet. Secs. 26 and 35
Va. 13°. 25 E.

4,00 Set post for temporary 1/4 Sec.
cor.

8,00 intersect N. and S. line at cor. to
Secs. 25. 26. 35. 36 = from
which cor. I run
West on true
line bet. Secs. 26 and 35
Va. 13°. 25' E

4,00 Set post 2 x 3 in. x 4 ft. – 1 ft. in
ground, deposit charred stake
raise mound of earth 3 ft. high
from pits 12 x 24 in. x 12 in. deep
for 1/4 Sec. cor.

8,00 cor. to Secs. 26. 27. 34. 35

Land Sand hills, 3rd rate

Township 21 N. Range 22 W.

North bet. Secs. 26 and 27
Va. 13°. 25' E

4,00 Set post 2 x 3 in. x 4 ft. – 1 ft.
in ground, deposit charred
stake raise mound of Earth
3 ft. high from pits 12 x 24 in.
x 12 in. deep for 1/4 Sec. cor.

53,00 dry creek Course N.E.

8,00 Set post 3 x 3 in. x 4 ft. – 1 ft. in
ground, deposit charred stake raise
mound of Earth 3 ft. high
from pits 12 x 24 in. x 12 in. deep
for cor. to Secs. 22. 23. 26. 27

Land Sand hills, 3rd rate

Township 21 N. Range 22 W.

East on random line bet. Sec. 23 and 26

Va. 13°. 25' E

40.00 Set post for temporary 1/4 Sec. cor. & leave sand hills enter valley of Leup

50.00 Spring branch 15 lks. wide N.E.

80.08 intersect N. and S. line 10 lks. South of cor. to Sec. 23. 24. 25, 26 — from which cor. I run S. 89°. 56' West on true line bet. Sec. 23 and 26

Va. 13°. 25 E

40.04 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

80.08 Cor. to Sec. 22. 23. 26. 27

Land East 1/2 valley Wet. 1/2 sand hills

Township 21 N. Range 22 W.

North Bet. Sec. 22, and 23

Va. 13°. 25' E

40.00 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor. and leave sand hills enter Leup valley ~~Leave Bluffs Enter Bottom B.S.E.~~

67.00 intersect Right Bank of Leup River and Set post 2 x 3 in. x 4 ft. — 1 ft. in ground deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for a meander cor.

71.00 to Right Bank of Island in same river and Set post 2 x 3 in. x 4 ft. 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for ~~1/4 Sec. cor.~~ a meander. cor.

72.00 to left Bank of same island and Set post 2 x 3 in. x 4 ft. — 1 ft. in ground deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for a meander cor.

80.00 to Cor. to Sec. 14. 15. 22 & 23 which falls in river and therefore cannot be established

Township 21 N. Range 22 W.

East on a random line
Bet. Sec.s 14 and 23

Va. 13°. 25' E

From the point for cor. to
Sec.s 14. 15. 22. 23 in river I run
East on a random line Bet. Sec.s
14 and 23

Va. 13°. 25' E

1.50 intersect left Bank of Gauge River and
Set temporary meander cor.
40.00 Set post for temporary 1/4 Sec. cor.
42.00 leave valley enter sand hills
80.00 intersect N. & S. line at cor. to Sec.s
13. 14. 23. 24 — from which cor. I run
West on true line bet. Sec.s 14 & 23

Va. 13°. 25' E

40.00 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground
deposit charred stoke raise mound
of earth 3 ft. high from pits 12 x 24 in.
x 12 in. deep for 1/4 Sec. cor.
79.00 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground
deposit charred stoke raise mound
of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep
for a meander cor.
80.00 Set Cor. to Sec.s 14. 15. 22. 23

Land valley and sand hills 3d rate 7 2d

Township 21 N. Range 22 W.

North Bet. Sec.s 14 and 15

Va. 13°. 25' E

From the point for cor. to Sec.s
14. 15. 22. 23. in river I run
North Bet. Sec.s 14 and 15

Va. 13°. 25' E

10.00 intersect left bank of River and
Set post 2 x 3 in. x 4 ft. — 1 ft. in ground
deposit charred stoke raise mound of
earth 3 ft. high from pits 12 x 24 in. x 12 in.
deep for a meander cor.
30.00 leave Stanley enter sand hills
40.00 Set post 2 x 3 in. x 4 ft. — 1 ft. in
ground, deposit charred stoke raise
mound of earth 3 ft. high from pits
12 x 24 in. x 12 in. deep for 1/4 sec. cor.
80.00 Set post 3 x 3 in. x 4 ft. — 1 ft. in
ground, deposit charred stoke raise
mound of earth 3 ft. high from
pits 12 x 24 in. x 12 in. deep for cor.
to Sec.s 10. 11. 14. 15

Land 12 1/2 valley rest sand hills 3d

Township 21 N. Range 22 W.

East on a random line bet. Sec. 11 and 14

Va. 13°. 25' E

40.00 Set post for temporary 1/4 Sec. cor

80.10 intersect North & S. line 14 chs. North of cor. to Secs. 11.12.13.14 — from which cor 3 run

N. 89°. 54 West on true line bet. Sec. 11 and 14

Va. 13°. 25' E

40.05 Set post 2x3 in. x 4 ft. 1 ft. in ground deposit charred stone raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec. cor.

80.10 cor. to Sec. 10.11.14.15

Land Sand hills. 3d. rate

Township 21 N. Range 22 W.

North bet. Sec. 10 and 11

Va. 13°. 25' E

40.00 Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec. cor.

80.00 Set post 3x3 in. x 4 ft. — 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for cor. to Sec. 2.3.10.11

Land Sand hills, 3d. rate

Township 21, N. Range 22 W.

East on random line bet.
Sec. 2 and 11
va. 13°. 25' E

40.00 Set post for temporary 1/4
Sec. cor.

80.28 intersect N. & S. line 16 lks.
North of cor. to Secs. 1. 2. 11. 12 —
from which cor. I run
N. 89°. 53' West
on true line bet. Secs. 2 & 11
va. 13°. 25' E

40.14 Set post 2 x 3 in. x 4 ft. — 1 ft. in
ground, deposit charred & bta
raise mound of earth 3 ft. high
from pits 12 x 24 in. x 12 in. deep for
1/4 Sec. cor.

80.28 Cor. to Secs. 2. 3. 10. 11
Land Sand hills, 3rd rate

Township 21, N. Range 22 W.

On random
North, Bet. Secs. 2 and 3
va. 13°. 25' E

40.00 Set post 2 for temporary 1/4 Sec.
cor.

80.50 intersect North Boundary
of Township 20 lks. East of
cor. to Secs. 2 and 3 — from which
cor. I run
South 9' E on true
line Bet. Secs. 2 and 3
va. 13°. 25' E

40.50 Set post 2 x 3 in. x 4 ft. — 1 ft. in
ground, deposit charred & bta raise
mound of earth 3 ft. high from
pits 12 x 24 in. x 12 in. deep for 1/4 Sec
cor.

80.50 cor. to Secs. 2. 3. 10 & 11
Land Sand hills, 3rd rate
July 29th 1873

Township 21 N. Range 22 W.

North bet. Secs. 33 and 34

va. 13°. 25' E

40.00 Set post 2x3 in. x 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 sec. cor.

80.00 Set post 3x3 in. x 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for cor. to Secs. 27.28.33 & 34

Land sand hills, 3d rate

Township 21 N. Range 22 W.

Eastona, random line bet. Secs. 27 and 34

va. 13°. 25' E

40.00 Set post for temporary 1/4 sec. cor.

79.70 intersect N. & S. line 22 lks. North of cor. to Secs. 26.27.34.35 — from which cor. I run

N. 89°. 51' West

on true line bet. Secs. 27 & 34

va. 13°. 25' E

39.85 Set post 2x3 in. x 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec. cor.

79.70 Cor. to Secs. 27.28.33.34

Land sand hills, 3d rate

Township 21 N. Range 22 W.

North Bet. Secs. 27 and 28
Va. 13°. 25' E

40.00 Set post 2x3 in. x 4 ft. 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12x24 in. 12 in. deep for 1/4 Sec. cor.

54.30 dry creek N E.

80.00 Set post 3x3 in. x 4 ft. - 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for cor. to Secs. 21, 22, 27, 28

Land Sand hills. 3d rule

Township 21 N. Range 22 W.

East on random line bet. Secs. 22 and 27
Va. 13°. 25' E

40.00 Set post for temporary 1/4 Sec. cor.

82.15 intersect N. and S. line at. cor. to Secs. 22, 23, 26 & 27 — from which cor. 9 run

West on true line bet. Secs. 22 and 27
Va. 13°. 25' E

40.07 1/2 Set post 2x3 in. x 4 ft. - 1 ft. in ground deposit charred stone raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec. cor.

80.15 cor. to Secs. 21, 22, 27, 28.

Land sand hills. 3d rule

Township 21 N. Range 22 W.

North Bet. Secs. 21 and 22
va. 13°.25' E

40.00 Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

80.00 Set post 3 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for cor. to Secs.
15.16.21.22 (in edge of valley) Land Sand hills 3d. rate

Township 21 N. Range 22 W.

East on true line bet.
Secs. 15 and 22 knowing that the point for cor. to Secs. 14.15.22.23 falls in river
va. 13°.25' E

40.00 Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

63.00 ~~23.00~~ intersect Right bank of Loup
63.00 River and Set post ~~for~~ 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for a meander cor.

67.00 to right bank of island in same river and Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for a meander cor.

~~71.00~~ to opposit side of same Island and Set
76.50 post 2 x 3 in. x 4 ft. – 1 ft. in ground deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for a meander corner

Township 21 N. Range 22 W.

Township 21 N. Range 22 W.

North Bet. Secs. 15 and 16

va. 13°. 25' E

34,00 intersect Right bank of Leup River Set post 2x3 in. x 4 ft. – 1 ft. in ground deposit charred stoke raise mound of earth 3 ft high from pits 12 x 24 in. x 12 in. deep for a meander cor.

40,00 point for 1/4 Sec. cor. falls in river and cannot therefore be established ~~Therefore I continue North 2 chs.~~

42.00 ~~where~~ I intersect left Bank of Leup river and Set post 2x3 in. x 4 ft. 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for a meander cor.

70,00 leave valley enter sand hills

80.00 Set post 3x3 in. x 4 ft. – 1 ft. in ground. deposit charred stoke raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for cor. to Secs. 9.10.15.16

Land mostly valley 2d. rate

Township 21 N. Range 22 W.

	East on a random line bet. Secs. 10 and 15
	Va. 13°. 25' E
40.00	Set post for temporary 1/4 sec. cor.
79.88	intersect N. and S. line 19 lks. North of cor. to Secs. 10.11.14.15 — — from which cor. I run
	N. 89° 52' West on true line bet. Secs. 10 and 15
	Va. 13°. 25' E
39.94	Set post 2x3 in. x 4 ft. — 18 in. in ground deposit charred & stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. Cor.
79.88	Cor. to Secs. 9.10.15.16
	Land sand hills. 3rd rate

Township 21 N. Range 22 W.

	North. Bet. Secs. 9 and 10
	Va. 13°. 25' E
40.00	Set post 2x3 in. x 4 ft. — 18 in. in ground, deposit charred & stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 sec. cor.
80.00	Set post 3x3 in. x 4 ft. — 18 in. in ground, deposit charred & stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for Cor. to Secs. 3.4.9 and 10
	Land sand hills, 3rd rate

Township 21 N. Range 22 W.

East on random line bet.
Secs. 3 and 10

Va. 13°. 25' E

40,00 Set post for temporary 1/4 Sec. cor.
2 x 3 in. x 4 ft. — 1 ft. in
ground, deposit charred stake

79,69 intersect N. and S. line 12 chs.
North of cor. to Secs. 2.3.10.11
— from which cor. 9 mn
N. 89°. 55' West
on true line bet. Secs. 3 and 10
Va. 13°. 25' E

39,84½ Set post 2 x 3 in. x 4 ft. — 1 ft. in ground
deposit charred stake raise mound
of earth 3 ft. high from pits 12 x 24 in.
12 in. deep for 1/4 Sec. cor.

79,69 Cor. to Sec. 3.4.9.10

Sand hills, 3rd rule

Township 21 N. Range 22 W.

North on random line bet.
Secs. 3 and 4

Va. 13°. 25' E

40,00 Set post for temporary 1/4 Sec.
cor.

80,70 intersect North Boundary of Town.
41 chs. East of cor. to Secs. 3 and 4
— from which cor. 9 mn
South 18' E. on true line bet.
Secs. 3 and 4

Va. 13°. 25' E

40,70 Set post 2 x 3 in. x 4 ft. — 1 ft. in
ground, deposit charred stake
raise mound of earth 3 ft. high
from pits 12 x 24 in. x 12 in. deep for
1/4 Sec. cor.

80,70 Cor. to Secs. 3.4.9.10

Sand hills, 3rd rule

July 30th 1873

Township 21 N. Range 22 W.

North Bet. Secs. 32 and 33

Va. 13°. 25' E

40,00 Set post 2x3 in. x 4 ft. – 16 in. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec. cor.

80,00 Set post 3x3 in. x 4 ft. – 16 in. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for Cor. to Secs.

28. 29. 32, 33

Land Sand hills, 3rd rate

Township 21 N. Range 22 W.

East on a random line bet. Secs. 28 and 33

Va. 13°. 25' E

40,00 Set post for temporary 1/4 sec. cor.

50,30 intersect N. and S. line 28 chs. South of cor. to Secs. 27. 28. 33, 34 – from which cor. run S. 89°. 48' West on true line bet. Secs. 28 and 33

Va. 13°. 25' E

40,15 Set post 2x3 in. x 4 ft. – 16 in. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12x24 in. 12 in. deep for 1/4 sec. cor.

80,30 Cor. to Secs. 28, 29, 32, 33

Land sand hills, 3rd rate

North bet. Secs 28 and 29
Va. 13°. 25' E

25,00 dry creek NE.

40,00 Set post 2 x 3 in. x 4 ft. 1 ft. in ground deposit charred slate raise mound of earth 3 ft. high trim pits 12 x 24 in 12 in. deep for 1/4 Sec. cor.

80,00 Set post 3 x 3 in. x 4 ft. – 1 ft. in ground deposit charred slate raise mound of earth 3 ft. high trim pits 12 x 24 in. x 12 in. deep for ~~1/4~~ sec. cor. to 20. 21. 28. 29

Sand hills. 3rd rate

East on random line bet. Secs 21 and 28
Va. 13°. 25' E

40,00 Set post for temporary 1/4 Sec. cor.

80,60 intersect N. and S. line 20 lks South of cor. to Secs 21, 22, 27, 28 — from which cor. I run
S. 89°. 51' West
on true line bet. Secs 21 and 28
Va. 13°. 25' E

40,30 Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred slate raise mound of earth 3 ft. high trim pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

80,60 Cor. to Secs 20, 21, 28, 29

Sand hills. 3rd rate

Township 21 N. Range 22 W.

North Bet. Secs. 20 and 21
va. 13°. 25' E

41.00 Set post 2 x 3 in. x 4 ft. — 18 in. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

80.00 Set post 3 x 3 in. x 4 ft. — 18 in. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor. to 16. 17. 20 & 21
Land Sand hills, 3d rate

Township 21 N. Range 22 W.

Eastern random line Bet.
Secs. 16 and 21
va. 13°. 25' E

41.00 Set post for temporary 1/4 Sec. cor

80.50 intersect N. and S. line at cor. to Secs. 15. 16. 21. 22 — from which cor. 2 run
Western line
line Bet. Secs. 16 and 21
va. 13°. 25' E

40.25 Set post 2 x 3 in. x 4 ft. — 18 in. in ground deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in 12 in. deep for 1/4 Sec. cor.

80.50 Cor. to Secs. 16. 17. 20. 21
Land Sand hills, 3d rate

Township 21 N. Range 22 W.

North Bet. Secs 16 and 17
Va. 13°. 25' E

40.00 Set post 2x3 in. x 4 ft — 18 ft. in ground deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 deep for 1/4 Sec. cor.

and leave same hills

67.00 intersect Right bank of Lost River Set post 2x3 in. x 4 ft. — 18 ft. in ground deposit charred stake raise mound of earth 3 ft. high from pits 12x 24 in. x 12 in. deep for a meander cor.

74.40 to ~~right~~ left Bank of Lost River and Set post 2x3 in. x 4 ft — 18 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x 24 in. x 12 in. deep for a meander cor.

80.00 Set post 2x3 in. x 4 ft. — 18 ft. in ground deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in x 12 in. deep for. Cor. to Secs 8. 9. 16 & 17

Land 1st 1/2 sand hills, Rest valley 2d & 3d rate

Township 21 N. Range 22 W.

East on random line
Bet. Secs 9 and 16
Va. 13°. 25' E

40.00 Set post for temporary 1/4 Sec. cor.
60.00 leave valley enter sand hills
79.51 intersect N. and S. line 10 chs South of cor. to Secs 9.10.15.16 — from which cor. 2 mn
S. 89°. 56' West

On true line Bet. Secs 9 and 16
Va. 13°. 25' E

39.75 Set post 2x3 in. x 4 ft. — 18 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x 24 in. x 12 in. deep for 1/4 Sec. cor.

79.91 Cor. to Sec. 8. 9. 16. 17

Land ~~Sand~~ mostly valley
2d rate

Township 21 N. Range 22 W.

North Bet. Secs 8 and 9
N. 13° 25' E

25.00 leave valley enter sand hills
40.00 Set post 2x3 in. x 4 ft. 16 in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in deep for 1/4 Sec. cor.

80.00 Set post 3x3 in. x 4 ft. – 16 in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for cor. to Secs. 4. 5. 8. 9
Sand Sand hills, 3d rate

Township 21 N. Range 22 W.

East on a random line Bet. Secs. 4 and 9
N. 13° 25' E

40.00 Set post for temporary 1/4 Sec. cor.
79.78 intersect N. and S. line 28 lks. North of cor. to Secs. 3. 4. 9. 10 – from which cor. 0 run
N. 89° 50' West on true line Bet. Secs 4 and 9
N. 13° 25' E

39.89 Set post 2x3 in. x 4 ft. – 16 in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in deep for 1/4 Sec. cor.
79.78 Cor. to Secs. 4. 5. 8 and 9

Sand Sand hills, 3d rate

Township 21 N. Range 22 W.

North on random Bet. Secs. 4 and 5

Va. 13° 25' E

40,00 Set post for temporary 1/4 Sec cor.

80,58 intersect North Boundary of Township 62 lks. East of cor. to Secs. 4 and 5 — from which cor. I run

South 27' E on true line bet. Secs. 4 and 5

Va. 13° 25' E

40,58 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

80,58 Cor. to Secs. 4. 5. 8 and 9

Land Sand hills. 3d rate

Township 21 N. Range 22 W.

North Bet. Secs. 31 and 32

Va. 13° 25' E

40,00 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

80,00 Set post 3 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for cor. to Secs. 29. 30. 31. 32

Land Sand hills 3d rate

July 31st 1873

Township 21 N. Range 22 W.

East on a random line
Bet. Secs. 29. 32

M. 13°. 25' E

40,00 Set post for temporary 1/4 sec.
cor.

80,21 intersect N. and S. line at
cor. to Secs. 28. 29. 32. 33 — from
which cor. 2 mm

West on true
line bet. Secs. 29 and 32

M. 13°. 25' E

40,10½ Set post post 2 x 3 in. x 4 ft. — 1 ft.
in ground, depression charred & stone
raise mound of earth 3 ft. high
from pits 12 x 24 in. x 12 in. deep for
1/4 Sec. cor.

80,21 Cor. to Secs. 29. 30. 31. 32

Land same hills, 3rd rate

Township 21 N. Range 22 W.

West on random line Bet.
Secs 30 and 31

M. 13°. 25' E

40,00 Set post ~~temporary~~ 1/4 sec. cor.
ground, depression charred & stone
~~raise mound of earth 3 ft. high~~

80,30 intersect West Boundary of Town.
15 chs. North of cor. to Secs 30 & 31
— from which cor. 2 mm At
N. 89° 54' East on true line Bet.
Secs 30 and 31

M. 13°. 25' E

40,30 Set post 2 x 3 in. x 4 ft. — 1 ft. in
ground depression charred & stone
raise mound of earth 3 ft. high
from pits 12 x 24 in. x 12 in. deep
for 1/4 Sec. cor.

80,30 Cor. to Sec. 29. 30. 31. 32

Land same hills, 3rd rate

Township 21 N. Range 22 W.

North Bet. Secs 29 & 30
Va. 13°. 25' E

17,00 dry creek N. E

40,00 Set post 2 x 3 in. x 4 ft. – 1 ft. in
S ground, deposit charred stake
raise mound of earth 3 ft.
high from pits 12 x 24 in. x 12 in. deep
for 1/4 Sec. cor.

80,00 Set post 3 x 3 in. x 4 ft. – 1 ft. in
ground, deposit charred stake
raise mound of earth 3 ft. high
from pits 12 x 24 in. x 12 in. deep for
cor. to Secs. 19. 20. 29. 30
Land Sand hills. 3d rate

Township 21 N. Range 22 W.

East on a random line Bet.
Secs. 20 and 29
Va. 13°. 25' E

40,00 Set post [illegible] for temporary 1/4
1/4 Sec. cor. [illegible]

80,39 intersect N. and S. line 28 lks.
North of cor. to Secs. 20. 21. 28. 29
– from which cor. I run
N. 89°. ~~52'~~ 48' West
On true line Bet. Secs. 20 and 29
Va. 13°. 25' E

40,19 1/2 Set post 2 x 3 in. x 4 ft. – 1 ft. in
ground, deposit charred stake
raise mound of earth 3 ft.
high from pits 12 x 24 in. x 12 in.
deep for 1/4 Sec. cor.

80,39 cor. to Secs. 19. 20. 29. 30
Land sand hills. 3d rate

Township 21 N. Range 22 W.

West on a random line bet.
Secs. 19 and 30

Va. 13°. 25' E

40,00 Set post 2 for temporary
g. 1/4 Sec. cor. charred stake
80,68 intersect West Boundary of
Township 20 lks. North of cor.
to Secs. 19 and 30 — from
which cor. I run

N. 89°. 51' East

On true line Bet. Secs. 19 & 30

Va. 13°. 25' E

40,68 Set post 2 x 3 in. x 4 ft. — 1 ft. in
ground, deposit charred stake
raise mound of earth 3 ft.
high from pits 12 x 24 in. x 12 in.
deep for 1/4 Sec. cor.
80,68 cor. to Secs. 19. 20. 29. 30

Land Sand hills, 3d. rate

Township 21 N. Range 22 W.

North Bet. Secs. 19 and 20

Va. 13°. 25' E

40,00 Set post 2 x 3 in. x 4 ft. — 1 ft. in
ground, deposit charred stake
raise m of earth 3 ft. high
from pits 12 x 24 in. x 12 in. deep
for 1/4 Sec. cor.

80,00 Set post 3 x 3 in. x 4 ft. — 1 ft. in
ground, deposit charred stake
raise mound of earth 3 ft. high
from pits 12 x 24 in. x 12 in. deep
for cor. to Secs. 17. 18. 19. 20

Land Sand hills. 3d. rate

Township 21 N. Range 22 W.

	East on random line bet. Sec. 17 and 20
	va. 13°. 25' E
40,00	Set post for temporary 1/4 Sec. cor.
80,30	intersect N. and S. line at cor. to Sec. 16. 17. 20. 21 = from which cor. 2 run
	West on true line Bet. Sec. 17 and 20
	va. 13 25' E
40,15	Set post 2 x 3 in. x 4 ft. - 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.
80,30	cor. to Sec. 17. 18. 19. 20

Land Sand hills, 3rd rate

Township 21 N. Range 22 W.

	West on a random line Bet. Sec. 18 and 19
	va. 13°. 25' E
40,00	Set post for temporary 1/4 Sec. cor.
80,80	intersect West Boundary of Township 12 lks. North of cor. to Sec. 18 and 19 = from which cor. 2 run
	N. 89°. 55' East on true line Bet. Sec. 18 and 19
	va. 13°. 25' E
40,80	Set post 2 x 3 in. x 4 ft. - 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.
80,80	cor. to Sec. 17. 18. 19. 20

Land Sand hills, 3rd rate

Township 21 N. Range 22 W.

North Bet. Secs. 17 and 18
Va. 13°25' E

40,00 Set post 2 x 3 in. x 4 ft. 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

70,00 leave sand hills enter Loup valley course S.E.

80,00 Set 3 x 3 in. x 4 ft. - 1 ft. in ground; deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor. to 7.8.17.18

Land sand hills, 3rd rate

Township 21 N. Range 22 W.

East end random line bet. Secs. 8 and 17
Va. 13°25' E

12,50 intersect right Bank of Loup River and set post for temporary meander cor.

35,50 to ~~Right~~ left bank of same River and set post for temporary meander cor.

40,00 Set post for temporary 1/4 Sec. cor.

80,25 intersect N. and S. line 21 lks North of cor. to Secs. 8.9.16.17 - from which cor. I run
N. 89° 51' West on true line Bet. Secs. 8 & 17
Va. 13°25' E

40,12½ Set post 2 x 3 in. x 4 ft. - 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

44,75 Set post 2 x 3 in. x 4 ft. - 1 ft. in ground, deposit charred

rth Bet. Sec. 17 and 18
Va. 13°, 25' E
post 2 x 3 in. x 4 ft. 16 in
ond, deposit charred stake
e mound of earth 3 ft.
pits 12 x 24 in. x 12 in
for 1/4 Sec. cor.
Sand hills enter Lake
g course S.E.
3 x 3 in. x 4 ft. – 1 ft. in
ond; deposit charred stake
mound of earth 3 ft.
pits 12 x 24 in. x 12
for 1/4 Sec. cor. to
7. 8. 17. 18
d sand hills, 3d rate

	Eastern random line bet. Sec. 8 and 17 Va. 13°. 25' E
12,50 43	intersect right bank of Lake River and set post for temporary meander cor.
35,50	to ~~right~~ left bank of same River and set post for temporary meander cor.
40,00	Set post for temporary 1/4 Sec. cor.
80,25	intersect N. and S. line 21. 22 North of cor. to Sec. 8. 9. 16. 17 – from which cor. a run N. 89°. 51' West on true line bet. Sec. 8 & 17 Va. 13°. 25' E
40,12½	Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.
44,75	Set post 2 x 3 in. x 4 ft. – 1 ft. in ground. deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for m. c. to fractional 8 and 17
67,75	Set post 2 x 3 in. x 4 ft. – 1 ft. in ground. deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for a m. c. to fractional sec. 8 & 17
80,25	cor. to Sec. 7. 8. 17. 18 Sand valley 2d rate

Township 21 N. R. 22 W.

West on a random line
Bet. Sec. 7 and 18
va. 13° 25' E

40.00 Set post for temporary
114 Sec. cor.

80.44 intersect West Boundary of
Township 18 lks. North of cor.
to Sec. 7 and 18 — from which
cor. I run

N. 89° 52' East on
true line Bet. Sec. 7 and 18
va. 13° 25' E

40.44 Set post 2 x 3 in. x 4 ft. — 1 ft. in
ground, deposit charred stoke
raise mound of earth 3 ft.
high from pits 12 x 24 in. x 12 in.
deep for 1/4 Sec. cor.

80.44 cor. to Sec. 7. 8. 17. 18

Land valley 2d rate

Township 21 N. Range 22 W.

North Bet. Sec. 7 and 8
va. 13° 25' E

7.00 intersect Right bank of
Loup River and Set post 2 x 3 in.
x 4 ft. — 1 ft. in ground deposit
charred stoke raise mound of
earth 3 ft. high from pits 12 x 24
in. x 12 in. deep for a meander
cor. = 940 lks. wide course S. E =

16.40 to left bank of same river and
Set post 2 x 3 in. x 4 ft. — 1 ft. in
ground deposit charred stoke
raise mound of earth 3 ft.
high from pits 12 x 24 in.
12 in. deep for ~~44 Sec. cor.~~ meander
cor.

40.00 Set post 2 x 3 in. x 4 ft. — 1 ft.
in ground, deposit charred stoke
raise mound of earth high
from pits 12 x 24 in. x 12 in. deep
for 1/4 Sec. cor. = + enter sand hills

80.00 Set post 3 x 3 in. x 4 ft. — 1 ft.
in ground, deposit charred

Township 21 N. Range 22 W.

Stoke raise mound of Earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for cor. to Sec. 5. 6. 7 and 8

Land 1st ½ rally rest sand hills. 3d rate

Township 21 N. Range 22 W.

East on a random line Bet. Sec. 5 and 8

Va. 13° 25' E

40.00 Set post for temporary 44 Sec. cor.

80.31 intersect N. and S. line 28 lks. North of cor. to Sec. 4. 5. 8 and 9 from which cor. 2 run

N. 89° 48' West

on true line bet. Sec. 5 and 8

Va. 13° 25' E

40.15½ Set post 2 x 3 in. x 4 ft. - 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 44 Sec. cor.

80.31 cor. to Sec. 5. 6. 7. 8

Land Sand hills. 3d rate

Township 21 N. Range 22 W.

West on random line
Bet. Sec. 6 and 7
va 13° 25' E

40,00 Set post for temporary 1/4
Sec. cor.

80,00 intersect West Boundary of
Town. 34 lks. South of cor. to
Sec. 6 and 7 — from which cor. I
run
S. 89° 45' East on true
line bet. Sec. 6 and 7
va. 13° 25' E

40,00 Set post 2x3 in. x 4 ft. — 1 ft. in
ground deposit charred & stake
raise mound of earth 3 ft.
high from pits 12 x 24 in. x 12 in.
deep for 1/4 Sec cor.

80,00 cor. to Sec. 5. 6. 7 and 8
Land Sand hills, 3d rate

Township 21 N. Range 22 W.

North on a random line
bet. Sec. 5 and 6
va. 13° 25' E

40,00 Set post for temporary 1/4 Sec.
cor.

80,50 intersect North Boundary of
Township 41 lks. East of cor. to
Sec. 5 and 6 — from which cor.
I run
South ~~17~~ 18' E on true
line Bet. Sec. 5 and 6
va 13° 25' E

40,50 Set post 2x3 in. x 4 ft. — 1 ft. in
ground, deposit charred, stake
raise mound of earth 3 ft.
3 ft. high from pits 12 x 24 in. x 12 in.
deep for 1/4 Sec. cor.

80,50 Cor. to Sec. 5. 6. 7. 8
Land Sand hills. 3d rate

Aug 1st 1873

Finished Thank God

Meanders of the Loup river

In Township 21 North range No 22 West of the 6th P.M. Owing to the large amount of Brush and other impediments on the right Bank of this Stream I Begin to meander at the meander Cor. Between Secs 7 and 12 Township 21 N. R 22 & 23 on left Bank thence in Sec 7 Down Stream V A 13° 20' E

Courses	Chains	
S 18° E	9.00	
S 69½ E	13.00	
S 86¾ E	22.00	
	48.00	To meander Cor Between Secs 7 & 8 thence in Sec 8
S 57° E	23.20	To meander Cor Between Secs 8 and 17 thence in Sec 17.
S 71° 30' E	15.90	
S 50° E	11.00	
S 69° E	11.30	
N 79° E	7.40	
N 78½ E	19.00	To meander Cor Between Secs 16 & 17 thence in Sec 16
S 43° E	5.75	

Meanders Continued

Course		Chains	
S 66°	E	24.80	
S 15°	E	9.67	
S 39°	E	4.30	head of an Island
S 81°	E	17.90	
N 65°	E	7.00	
S 76½	E	12.00	
S 77 30'	E	18.00	To meander cor at foot of Island Between Secs 15 and 16. thence in Sec 15.
N 83°	E	4.00	
S 86°	E	4.30	
N 74½	E	11.00	
S 70°	E	30.60	
S 14°	E	8.00	head of meandered Island covered with timber
S 72°	E	23.00	
S 36°	E	14.60	To meander cor Between Secs 14 and 15 thence in Sec 14
S 6°	E	10.00	To meander cor Between Secs 14 and 23 thence in Sec 22
S 21½	E	8.00	
S 32°	E	10.00	

Meanders Continued

Course		Chains	
S 59 30'	E	25.80	
S 56 30'	E	25.70	
N 88¾°	E	27.30	To meander cor Between Secs 23 and 24 thence in Sec 24
S 71°	E	22.00	Small islands covered with
S 83°	E	40.00	willows
S 85°	E	19.60	To the meander cor on the line Between ranges 21 and 22.

Meanders of a large Sloough Island in Secs 15 22 and 23 Beginning at the meander corner on the South Bank of Island Between Secs 22 and 23 I run up the right O Bank in Sec 22

Course		Chains	
N 75½	W	4.75	
N 63°	W	5.50	
N 34	W	6.20	To meander cor between Secs 15 and 22 thence in Sec 15
N 30°	W	5.50	
N 60°	W	7.30	
N 70	W	10.50	
N 60	W	6.75	

Meanders Continued

Courses	Chains	
N 10° W	6,00	
N 14° E	3,50	
S 85° E	2,00	
S 75° E	14,00	
S 70° E	7,75	
S 53½° E	10,00	
S 32° E	4,50	
S 17° E	8,50	To meander on Between Secs 15 and 22 thence in Sec 22
S 24° E	8,90	To meander on Bet Secs 22 and 23. Thence in Sec 23
S 31° E	1,00	
W	,60	To meander on Between Secs 22 and 23 & place of beginning

Aug 2nd 1873

List of Names

A list of the names of the Individuals Employed to assist in running measuring and marking the lines and corners of the foregoing field Notes of Township No 21 North of the Base line of range No 22 West of the 6 Principal Mend Showing the Respective Capacities in which they acted

A M Forbes Chainman
Albert Rowen Chainman
Cyrus Ines axeman & Woodman
John B Black Flagman

We hereby certify that we assisted James L. Slocum Deputy Surveyor in Subdividing and meandering Township No. 21 North of the Base Line Range No. 22 West of the 6th Principal Meridian and that said Township has been in all respects to the best of our knowledge and belief well and faithfully Surveyed and meandered and the Boundary monuments planted according to the instructions of the Surveyor General of Dimensions character construction & marking Eyed in the manner as specifically described in the foregoing Field notes.

A M Forbes
Albert Rowe Chainmen
Cyrus Tuers Moundman
John B. Bloom Flagman

Subscribed and sworn to before me a County Clerk in and Dawson Co. Neb. this 16th day of August A.D. 1873

J H McColl
Co Clerk
Dawson Co. Neb

I James L Slocum Deputy Surveyor do Solemly swear that in pursuance of a joint contract wherein David V Stephenson and James L Slocum are joint with E E Cunningham Surveyor General for the District of Nebraska & Iowa bearing date the 14th day of May 1873. I have well faithfully and Truly in my own proper person and in strict conformity to the instructions furnished by the surveyor General the surveying manual and the laws of the United States surveyed all of those parts and portions of Township No. 21 North of the Base line in Range 22 West of the 6th Principal Meridian as are represented in the foregoing field notes as having been surveyed under my direction and I do further solemly swear that all of the corners of said survey have been established and perpetuated in strict accordance with the surveying manual printed Instructions and special Instructions of the surveyor General, of dimensions and character construction and marking and in the manor as spicificably described in the foregoing field notes and that the foregoing are the true

And Origonal field notes of such Survey James L. Slocum

Deputy Surveyor

Subscribed to by the said James L. Slocum Deputy Surveyor and sworn to before me a County Clerk in and for Dawson Comd. Neb. this 16th day of Aug 1873

J. H. McColl
County Clerk

Surveyor Generals Office
Plattsmouth Neb.
Sept. 1873

The foregoing field notes of the survey of the subdivision lines of Township 21 N. Range 21 West of the 6th Principal meridian Executed by James L. Slocum Deputy Surveyor under joint contract No 73 dated May 14th 1873 in the month of July & August 1873 having been critically Examined the necessary corrections and explanations made the said field notes and the Survey they describe are hereby approved

E. E. Cunningham
Surveyor General

Index to field Notes
of
Town 22 Range 22 W



6	60	5	44	4	33	3	22	2	10	1
59		58		49		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
59		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		34		13		2
31	45	32	34	33	23	34	12	35	1	36

Field Notes

Of the subdivisions of Township 22 North of the Baseline and Range 22 West of 6th principal Meridian in the State of Nebraska Surveyed By George T. Kendall Deputy Surveyor under Joint contract No. 76 bearing date of May 10th 1873 wherein Geo. T. Kendall and Guy C. Barton are Joint contractors with E. E. Cunningham U.S. Surveyor General for the District of Iowa and Nebraska

Survey commenced Aug 27 1873
Survey completed Aug. 30th 1873

A list of Names of Assistants and the capacity in which they acted

John Mangold } Chainmen
Henry Heirb }

David N. Davidson } Moondman
Esau Beldin } Flagman

Township 22. North Range 22. West

To determine the proper Adjustment of my compass for subdividing this Township. I commenced at the cor to Townships 21 & 22 North Ranges 21 & 22. West and ran North on a Blank line along the East boundary of sec 36.

Va 13° 00' E.

40.00 To a point 6. links West of quarter sec. cor.

80.10 To a point 15 links West of corner to Sections 25 & 36.

To retrace this line or run parallel thereto my compass must be adjusted to a

Va 12° 5' 4 E

Subdivision commenced

Aug 27

Township 22. North Range 22. West

I run the cor to Secs 2. 35 & 36 on the South Boundary of this Township I run North Between sections 35 & 36.

Va 12° 5' 4 E

40.00 Set post 2+2 in 4. feet in length. set 12 in deep.

Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per instructions for quarter sec cor.

80.00 Set post 4+4 in 4. feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per Instructions for sec. cor to Sections 25 & 26, 35 & 36.

Land
Gently rolling
3rd row

Township 22. North Range 22. W.

East on random
Between sections 25 & 36
Va 12.54 E.

40.00 set post for temporary quarter sec. cor.

80.20 Inter East Boundary Township 20 links North of post corner to sections 25 & 36.
from which cor. I run
North 89° 52' West on a true line but Sec. 25 & 36 Va 12°54' E

40.10 set post 2 + 2 in 4 feet in length. set 12 in deep.
Deposited charred stake and raised mound of earth 2½ ft high from pits 18 + 18 in and 12 in deep as per instructions for quarter sec. cor.

80.20 To the cor. of sections 25 & 26 35 & 36

Land.
Gently rolling
3rd rate

Township 22. N. Range 23. West

North Between sections 25 & 26.
Va 12°50' E

40.00 set post 2 + 2 in. 4 feet in length. set 12 in deep.
Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 in and 12 in deep as per instructions for quarter sec. cor.

80.00 set post 4 + 4 in 4 feet in length set 12 in deep. Deposited charred stake, and, raised mound of earth. 2½ feet high from pits 18 + 18 in and 12 in deep as per instructions for sec. cor. to sections 23 & 24. 25 & 26

Land
Gently rolling sand hills
3rd rate

Township 22. North Range 22

East on random Between Sections 24 & 25

Va 12°.50' E.

40.00 Set post for temporary quarter sec. cor.

80.10 Intersect East Boundary of Township 10 links North of post corner to sections 24 & 25 from which corner grant North 89°.56 West on a true line but Sec 24 & 25 Va 12°50' E

40.05 Set post 2 + 2 in 4 feet in length set 12 in deep.

Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 in and 12 in deep as per Instructions for quarter sec. cor.

80.10 To the corner of sections 23 & 24. 25 & 26

Land
Gently rolling
3rd rate

Township 22 North Range 22 West

North Between sections 23 & 24.

Va 12°.50' E

40.00 Set post 2 + 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 in and 12 in deep. as per Instructions for quarter sec. cor.

80.00 Set post 4 + 4 in 4 feet in length set 12 in deep.

Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 in and 12 in deep as per Instructions for sec. cor. to sections 13 & 14. 23 & 24

Land
Rolling sand hills
3rd rate

Township 22. North Range 22. West

East on random Between sections 13 & 24.

Va 12°.50' E

40.00 set post for temporary quarter sec. cor.

80.15 Intersect East Boundary of Township 6 links North of post corner to sections 13 & 24 from which cor. I run North 89°.58' West on a line line bet Sec 13 & 24 Va 12°.50' E

40.07½ set post 2 + 2 in. 4 feet in length, set 12 in. deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 in. and 12 in. deep as pr. Instructions for quarter sec. cor.

80.15 To the cor of sections 13 & 14. 23 & 24

Land.
Gently rolling
3rd rate

Township 22. North Range 22. West

North Between sections 13 & 14

Va 12°.50' E

40.00 set post 2 + 2 in. 4 feet in length set 12 in. deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 in. and 12 in. deep. as pr Instructions for quarter sec. cor.

80.00 set post 4 + 4 in. 4 feet in length set 12 in. deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 in. and 12 in. deep as pr Instructions for ~~quarter~~ sec. cor to sections 11 & 12. 13 & 14

Land
Rolling sand hills
3rd rate

Township 22 North Range 22. W.

East on random Between sections 12 & 13.

Va 12°.50'

40.00 Set post for temporary quarter sec. cor.

80.00 Intersect East Boundary of Township 10 links South of post corner to sections 12 & 13 from which cor. I run South 89° 5-6. West on a true line. but sec 12 & 13 Va 12°.50' E

40.05 Set post 2+2 in. 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as pr. Instructions for quarter sec. cor.

80.10 To the corner of sections 11 & 12 13 & 14

Land
Rolling sand hills
3rd rate

Township 22. North. Range 22. West

North Between sections 11 & 12

Va 12°.45' E.

40.00 Set post 2+2 in. 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth. 2 1/2 feet high from pits 18+18 in and 12 in deep as pr. Instructions for quarter sec. cor.

80.00 Set post 4+4 in. 4 feet in length. set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as pr. Instructions for sec. cor. to sections 1 & 2. 11 & 12

Land
Rolling sand hills
3rd rate

Township 22. North Range 22 West

East on random
Between Sections 1 & 12
Va 12°.50' E.

40.00 set post for temporary quarter sec. cor.

80.30 Intersect East Boundary of Township 5 links North of post corner to sections 1 & 12. from which cor. I run North 89.58 West on a true line bet Sec. 1 & 12. Va 12°50' E

40.15 Set post 2 + 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 + 18 in and 12 in deep as per Instructions for quarter sec. cor.

80.30 To the cor. of sections 1 & 2, 11 & 12

Land
Rolling sand hills
3rd rate

Township 22. North Range 22. West

North on random
Between Sections 1 & 2
Va 12°.45' E

40.00 set post for temporary quarter sec. cor.

80.13 Intersect North Boundary of Township 13 links West of post cor to sections 1 & 2. South 00°.16' West on a true line

40.13 Set post 2 + 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 + 18 in and 12 in deep as per Instructions for quarter sec. cor.

80.13 To the corner of sections 1 & 2

Land
Rolling sand hills
3rd rate

Township 22. North Range 22. West

North Between sections 34 & 35.

Va 12°.45' E.

40.00 set post 2+2 in. 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per Instructions for quarter section corner.

80.00 set post 4+4 in and 4 feet in length set 12 in deep.
Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep. As per Instructions, for sec. cor. to sections 26 & 27. 34 & 35.

Land
Rolling sandy
3rd rate

Township 22. North Range 22. West

East on random Between sections 26 & 35.

Va 12°.45' E.

40.00 set post for temporary quarter sec. cor.

80.00 Intersect North and South line 10 links North post corner to sections 35 & 26. 35 & 36. from which cor. 0 1 run
North 89.56 West on a true line bet sec 26 & 35 Va 12°.45' E

40.00 Set post 2+2 in 4. feet in length set 12 in deep. Deposited charred stake and raised mound 2 1/2 feet high from pits 18+18 in and 12 in deep as per Instructions for quarter sec. cor.

80.00 To the corner of sections 26 & 27. 34 & 35.

Land
Rolling sand hills
3rd rate

Township 22. North. Range 22. 4

North. Between sections 26 & 27

Va 12. 45 E

40.00 set post - 2+2 in 4 feet - in length. set 12 in deep
Deposited charred stake and raised mound of earth 2 1/2 feet - high from pits 18+18 in and 12 in deep - as per instructions for quarter sec. cor.

80.00 Set - post - 4+4 in 4 feet - in length. set 12 in deep.
Deposited charred stake and raised mound of 2 1/2 feet - high from pits 18+18 in. and 12 in deep as per instructions for sec. cor. to sections 23 & 23. and 26 & 27.

Land
Gently rolling
3rd rate

Township 22. North Range 22. West

East on random Between sections 23 & 26.

Va 12° 45' E

40.00 set - post for temporary quarter sec. cor.

79.95 Subsect North and south line 15 links North post - corner to sections 23 & 24. 25 & 26 from which cor. 0 1 Erin North 89. 54 West on a true line bet sec. 23 & 26 Va 12° 45' E

39.97 set - post - 2+2 in 4. feet - in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet - high from pits 18+18 in and 12 in deep as per instructions for quarter sec. cor.

79.95 To the corner of sections 22 & 23. 26 & 27.

Land
Gently rolling
3rd rate

Township 22 North. Range 22. West

North Between sections
22 & 23

Va 12°.45'-E.

40.00 set post 2 + 2 in 4 feet in length. set 12 in deep.
Defaced charred stake and raised mound of earth 2 1/2 high from pits 18 + 18 in and 12 in. deep as per Instructions for quarter sec. cor.

80.00 set post 4 + 4 in 4 feet in length set 12 in deep. Defaced charred stake and raised mound of earth. 2 1/2 feet high from pits 18 + 18 in and 12 in deep. as per Instructions for sec. cor. to sections 14 & 15; 22 & 23

Land
Very gently rolling
3rd rate

Township 22 North Range 22. West

East on a random line Between sections
14 & 23.

Va 12°.45' E

40.00 set post for temporary quarter sec. cor.

80.00 Intersect North and south line 10 Links North post corner to sections 13 & 14, 23 & 24 from which, cor. I run North 89°.56 West on a true line bt sec 14 & 23 Va 12°.45'

40.00 set post 2 + 2 in 4 feet in length set 12 in deep.
Defaced. charred stake and raised mound of earth 2 1/2 feet high from pits 18 + 18 in and 12 in deep as per Instructions. for quarter sec. cor.

80.00 To the corner of sections 14 & 15; 22 & 23

Land
Gently rolling
August 27 1879 3rd rate

Township 22. North. Range 22. W.

North Between sections 14 & 15.

Va 12°. 45' E

40.00 Set - post - 2 + 2 in. 4 feet in length. set 12 in. deep.

Deposited charred stake and raised mound of earth 2½ feet - high from pits 18 + 18 in and 12 in deep as per Instructions for Quarter sec. cor.

8.00 Set - post - 4 + 4 in and 4 feet in length. set - 12 in deep.

Deposited charred stake and raised mound of earth 2½ feet - high from pits 18 + 18 in and 12 in deep as per Instructions for sec. cor. to sections 10 & 11. 14 & 15 -

Land
Gently rolling
3rd rate

Township 22. North Range 22. West

East on random line Between sections 11 & 14.

Va 12°. 45' E

40.00 Set post - for temporary quarter sec. cor.

79.90 Intersect - North and South line 10 links South of post - corner to sections 11 & 12. 13 & 14. from which cor. I run South 89.36 West on a true line bet sec. 11 & 14 Va 12°. 45' E

39.95 Set post 2 + 2 in. 4 feet in length set - 12 in. deep: Deposited charred stake and raised mound of earth 2½ feet - high from pits 18 + 18 in and 12 in. deep. as per. Instructions for quarter sec. cor.

79.90 To the corner of sections 10 & 11. 14 & 15 -

Land
Gently rolling
3rd rate

Township 22. North. Range 22. West

North Between sections 10 & 11

Va 12°50' E.

40.00 Set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep. as per Instructions for quarter sec. cor.

80.00 Set post 4+4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per Instructions for sec. cor. to sections. 2 & 3. 10 & 11.

Land.
Gently rolling
3rd rate

Township 22. North Range 22. West

East on random line Between sections 2 & 11

Va 12°50' E

40.00 Set post for temporary quarter sec. cor

80.05 Intersect North and South line 6 Links North of post corner to sections 1 & 2. 11 & 12

from which 0 cor. 0 line

North 89.58 West on a true line bet sec. 2 & 11 Va 12°50' E

40.09 Set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per Instructions for quarter section cor.

80.05 To the corner to sections 2 & 3. 10 & 11

Land
Gently rolling
3rd rate

Township 22. North. Range 22 W

North, on random line Between sections 2 & 3.

Va 12°.50' E.

40.00 set post for temporary quarter sec. cor.

80.25 Intersect North Boundary of Township 10 links East of post corner to sections 2 & 3 from which cor. I run South 0°.0'.0"4 East on a true line Lat Sec. 2 & 3. Va 12°.50' E

40.25 set post 2 + 2 in. 4 feet in length set 12 in. deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 in. and 12 in. deep as per Instructions for quarter sec. cor.

80.25 To the cor of sections 2 & 3. 10 & 11

Land
Gently rolling sand hills
3rd rate

Township 22. North. Range 22. West

North Between sections 33 & 34

Va 12°.50' E.

40.00 set post 2 + 2 in 4. feet in length set 12 in. deep. Deposited charred stake and raised mound of earth. 2½ feet high from pits 18 + 18 in. and 12 in. deep as per Instructions for quarter sec. cor.

80.00 set post 4 + 4 in. 4 feet in length set 12 in. deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 in. and 12 in. deep as per Instructions for sec. cor to sections 27 & 28. 33 & 34.

Land
Rolling sand hills
3rd rate

Township 22. North. Range 22. West

East on random line
Between sections 27 & 34
Va 12°.50 E.

40.00 Set post for temporary quarter sec. cor.

79.90 Intersect North and south line 9 links North of post corner to sections 26 & 27, 34 & 35 from which cor. corner
North 89.56 West on a true line bet Sec 27 & 34 Va 12°.50 E

39.95 Set post 2 + 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 in and 12 in deep. as per Instructions for quarter sec. cor.

79.90 To the corner of sections 27 & 28. 33 & 34.

Land
Rolling Land hills
3rd rate

Township 22. North Range 22. West

North Between sections 27 & 28
Va 12°.50 E

40.00 Set post 2 + 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 in and 12 in deep as per Instructions for quarter sec. cor.

80.00 Set post 4 + 4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 in and 12 in deep as per Instructions for sec. cor. to sections 21 & 22. 27 & 28

Land
Rolling Land hills
3rd rate

Township 22. North. Range 22. West

East on random line
Between sections 22. & 27
Va 12°.50' E

40.00 set post for temporary quarter sec. cor.

79.96. Intersect North and South line 8 links North of post corner to sections 22 & 23. 26 & 27. from which cor. I run North 89°.57' west on a true line bet sec 22 & 27 Va 12°.50' E

39.98 set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep aspr. Instructions for quarter sec. cor.

79.96. To the corner of sections 21 & 22, 27 & 28

Land
Rolling sand hills
3rd rate

Township 22. North Range 22. West

North Between sections 21 & 22
Va 12°.50' E.

40.00 set post 2+2 in 4. feet in length set 12 in deep. Deposited charred stake, and raised mound of earth. 2½ feet high from pits 18+18 in and 12 in deep aspr. Instructions for quarter sec. cor.

80.00 set post 4+4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep aspr. Instructions for sec. cor. to sections 15 & 16. 21 & 22.

Land
Rolling sand hills
3rd rate

Township 22 North Range 22

East on random
Between sections 15 & 22.
Va 12°.5'

40.00 set post for temporary quarter sec. cor.

79.95 Intersect North and South line 9 links North of post corner to sections 14 & 15 22 & 23
North 89°.56' W. on a true line bet sec 15 & 22 Va 12°.50' E

39.97½ set post 2 + 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 in and 12 in deep as per Instructions for quarter section corner.

79.95 To the corner of sections 15 & 16. 21 & 22

Land
Rolling sand hills
3rd rate

Township 22. North Range 22. West

North Between sections 15 & 16
Va 12°.50' E

40.00 set post 2 + 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 in and 12 in deep as per Instructions. for quarter sec. cor.

80.00 set post 4 + 4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 in and 12 in deep as per Instructions for sec. cor. to sections 9 & 10. 15 & 16.

Land.
Rolling sand hills
3rd rate

Township 22 North Range 22

East on random
Between sections 10 & 15
Va 12°.5'

40.00 set post for temporary quarter sec. cor.

80.00 Intersect North and South line. 12 links South of post corner to sections 10 & 11. 14 & 15 from which cor. I run South 89°.55' West on a true line. bet sec. 10 & 15 Va 12°.50' E

40.00 set post 2 + 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 + 18 in and 12 in deep as per instructions for quarter sec. cor.

80.00 To the corner of sections 9 & 10. 15 & 16.

Land
Rolling sand hills
3rd rate

Township 22 North Range 22 West

North Between sections
9 & 10
Va 12°.50' E

40.00 set post 2 + 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 + 18 in and 12 in deep as per instructions for quarter sec. cor.

80.00 set post 4 + 4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 + 18 in and 12 in deep as per instructions for sec. cor. to sections 3 & 4. 9 & 10.

Land
Rolling sand hills
3rd rate

Township 22. North Range 22. W

East on random
Between sections 3 & 10.
Va 12°50' E

40.00 Set post for temporary quarter
sec. cor

79.90 Intersect North and South
line 11. links North of post
corner to sections 2 & 3.
10 & 11 from which cor. I run
North 89°55' West on a
true line bet sec 3 & 10 Va 12°50' E

39.95 Set post 2 + 2 in. 4. feet in length
set 12 in. deep. Deposited
charred stake and raised
mound of earth 2 1/2 feet
high from pits 18 + 18 in.
and 12 in. deep. as per
Instructions for quarter
sec. cor.

79.90 To the corner of sections
3 & 4. 9 & 10

Land
Rolling sand hills
3rd rate

Township 22. North Range 22 West

North on random line
Between sections 3 & 4.
Va 12°50' E

40.00 Set post for temporary quarter
sec. cor.

80.20 Intersect North Boundary
of Township 15 links West
of post corner to sections
3 & 4. from which cor I run
South 00°06 West on a
true line bet sec 3 & 4 Va 12°50' E

40.20 Set post 2 + 2 in. 4 feet in length
set 12 in. deep. Deposited
charred stake and raised
mound of earth 2 1/2 feet
high from pits 18 + 18 in.
and 12 in. deep as per.
Instructions for quarter
sec. cor

80.20 To the corner of sections 3 & 4

Land
Rolling sand hills
3rd rate

August 28th 1873

Township 22. North Range 22 W

North Between sections 32. & 33.

Va 12°.5'

40.00 Set post 2 + 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 + 18 in and 12 in deep. as per Instructions for quarter sec. cor.

80.00 Set post 4 + 4. in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 + 18 in and 12 in deep as per Instructions for sec. cor. to sections 28 & 29. 32. & 33.

Land
Rolling sand hills
3rd rate

Township 22. North Range 22 West

East on random Between sections 28 & 33

Va 12°.5' E

40.00 Set post for temporary quarter sec. cor.

79.96 Intersect North and south line 6 links North of post corner to sections 27 & 28. 33 & 34. from which cor. I run North 89°.57 West on a true line bet sec 28 & 33 Va 12°.50' E

39.98 Set post 2 + 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 + 18 in and 12 in deep as per Instructions for quarter sec. cor.

79.96 To the corner of sections 28 & 29. 32 & 33.

Land rolling sand
hills 3rd rate

Township 22. North Range 22. West

North Between sections 28 & 29

Va 12° 5' E

40.00 set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per Instructions for quarter sec. cor.

80.00 set post 4+4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per Instructions for sec. cor. to sections 20 & 21. 28 & 29

Land
Rolling sand hills
3rd rate

Township 22. North Range 22 W.

East on random
Between sections 21 & 28.
Va 12° 5' E

40.00 set post for temporary quarter sec. cor.

80.00 Intersect North and South line 10 links North of post corner to sections 21 & 22. 27 & 28. from which cor. Run North 89° 56' West on a true line bet sec. 21 & 28 Va 12° 5' E

40.00 set post 2+2 in and 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per Instructions for quarter sec. cor.

80.00 To the corner of sections 20 & 21. 28 & 29

Land
Rolling sand hills
3rd rate

Township 22. North Range 22. W

North Between sections 20 & 21.

Va 12°.50' E.

40.000 set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per Instructions for quarter sec. cor.

80.000 set post 4+4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per Instructions for sec. cor. to sections 16 & 17. 20 & 21.

Land.
Rolling sand hills
3rd rate

Township 22. North Range 22. West

East on random line Between sections 16 & 21

Va 12°.50' E.

40.000 set post for temporary quarter sec. cor.

79.90 Intersect North and South line 12 links South of post corner to sections 15 & 16. 21 & 22. from which cor. I run South 89.55 West on a true line bet sec 16 & 21 Va 12°.50' E

39.95 set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per Instructions for quarter sec. cor.

79.90 To the corner of sections 16 & 17, 20 & 21

Land
Rolling sand hills
3rd rate

Township 22. North Range 22. West

North Between sections 16 & 17

Va 12°.50' E.

40.00 set post 2+2 in. 4 feet in length set 12 deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in. and 12 in. deep as per Instructions for quarter sec. cor.

80.00 set post 4+4 in. 4 feet in length set 12 in. deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in. and 12 in. deep as per Instructions for sec. cor. to sections 8 & 9. 16 & 17.

Land.
Rolling sand hills
3rd rate

Township 22. North Range 22. West

East on random line Between sections 9 & 16.

Va 12°.50' E

40.00 set post for temporary quarter sec. cor.

80.10 Intersect North and south line 10 links South post-corner to sections 9 & 10. 15 & 16 from which coordinate South 89.56 West on a true line bet sec 9 & 16 Va 12°.50' E.

40.05 set post 2+2 in. 4 feet in length set 12 in. deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in. and 12 in. deep as per Instructions for quarter sec. cor.

80.10 To the corner of sections 8 & 9. 16 & 17

Land
Rolling sand hills
3rd rate

Township 22. North Range 22. West

North Between sections 8 & 9.

V a 12° 5' E

40.00 Set post 2 + 2 in. 4 feet in length set 12 in. deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 + 18 in. and 12 in. deep as per Instructions for quarter sec. cor.

80.00 Set post 4 + 4 in. 4 feet in length set 12 in. deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 + 18 in. and 12 in. deep as per Instructions for sec. cor. to sections 4 & 5. 8 & 9.

Land
Rolling sand hills
3rd rate

Township 22. North Range 22. W.

East on random line Between sections 4 & 9.

V a 12° 5' 11 E

40.00 Set post for temporary quarter sec. cor.

80.08 Intersect North and south line 10 links south of post to sections 3 & 4. 9 & 10 from which cor. I run South 89° 56' West on a true line bet sec. 4 & 9. V a 12° 5' E

40.04 Set post 2 + 2 in. 4 feet in length set 12 in. deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 + 18 in. and 12 in. deep as per Instructions for quarter sec. cor.

80.08 To the corner of sections 4 & 5. 8 & 9.

Land
Rolling sand hills
3rd rate

Township 22. North Range 22. West.

North on random line
Between sections 4 & 5 –
Va 12°50' E.

40.00 set post – for temporary quarter sec. cor.

80.10 Intersect North Boundary of Township 20 links East of post – corner to sections 4 & 5 from which cor. I run South 00°08' East on a true line bet sec. 4 & 5. Va 12°50' E

40.10 set post 2 + 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet – high from pits 18 + 18 in and 12 in deep as per Instructions for quarter sec. cor.

80.10 To the corner of sections 4 & 5 – 8 & 9

Land
Rolling sand hills
3rd rate

Township 22 North Range 22 West

North Between sections 31 & 32
Va 12°50' E

40.00 set post – 2 + 2 in 4 feet – in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet – high from pits 18 + 18 in and 12 in deep. as per Instructions for quarter sec. cor.

80.00 Set post 4 + 4 in 4. feet – in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet – high from pits 18 + 18 in and 12 in deep as per Instructions for sec. cor. to sections 29. & 30. 31 & 32

Land
Gently rolling sand hills
3rd rate

Township 22. North Range 22. We

East on random line
Between sections 29 & 32
Va 12.50

40.00 set post for temporary quarter sec. cor.

80.00 Intersect North and south line 10 links South of post corner to sections 28 & 29. 32 & 33 from which cor. bears South 89.36 West on a true line bet sec. 29 & 32 Va 12.50

40.00 set post 2 + 2 in. 4 feet in length set 12 in. deep. Deposited charred stake and raised mound of earth. 2½ feet high from pits 18 + 18 in. and 12 in. deep. as per Instructions for quarter sec. cor.

80.00 To the corner of sections 29 & 30. 31 & 32

Land
Gently rolling
3rd rate

Township 22. North Range 22. West

West on random line
Between sections 30 & 31
Va 12.50 E

40.00 set post for temporary quarter sec. cor.

79.60 West - Boundary of Township 20 links North of post - corner to sections 30 & 31 from which cor. a pine bears North 89.52. East on a true line bet sec 30 & 31 Va 12.50 E

39.60 set post 2 + 2 in. 4 feet in length set 12 in. deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 in. and 12 in. deep as per Instructions for quarter sec. cor.

79.60 To the corner of sections 29. & 30. 31 & 32

Land
Gently rolling
3rd rate

Township 22. North Range 22 W

North Between sections 29 & 30

Va 12°50' E.

40.00 Set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per instructions for quarter sec. cor.

80.00 Set post 4+4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per instructions for sec. cor. to sections 19 & 20. 29 & 30

Land
Gently rolling
3rd rate

Township 22 North Range 22 West

East on random line Between sections 20 & 29

Va 12°50'

40.00 Set post for temporary quarter sec. cor.

80.08 Intersect North and south line 20 links South of post corner to sections 20 & 21. 28 & 29 from which cor. true South 89.52 West on a line line bet sec. 20 & 29 Va 12°50' E

40.04 Set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per instructions for quarter sec cor.

80.08 To the corner of sections 19 & 20. 29 & 30

Land
Rolling sand hills
3rd rate

Township 22. North Range 22 West

West on random line
Between sections 19 & 30
Va 12°.55' E

40.00 set post for temporary quarter sec. cor.

79.68 Intersect West Boundary of Township 16 links North of post-corner to sections 19 & 30. from which cor. I run North 89°.53 East on a true line. bet sec 19 & 30 Va 12°.55'

39.68 set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per Instructions for quarter section corner.

79.68 To the corner of sections 19 & 20. 29 & 30

Land
Rolling sand hills
3rd rate

Township 22 North Range 22. West

North Between sections 19 & 20
Va 12°.50' E

40.00 set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per Instructions for quarter sec cor.

80.00 set post 4+4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as pr. Instructions for sec. cor. to sections 17 & 18, 19 & 20.

Land
Rolling sand hills
3rd rate

Aug 29th 1873

Township 22 North Range 22 West

East on random line Between sections 17 & 20
Va 12°50' E.

40.00 Set post for temporary quarter section corner.

79.95 Intersect North and south line 4 links south of post-corner to sections 16 & 17 20 & 21, from which cor. bears South 8 9.55 West on a true line bet sec. 17 & 20 Va 12°50' E

39.97½ set post 2 + 2 ins 4 feet in length set 12 ins deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 ins and 12 ins deep. as per Instructions for quarter sec. cor

79.95 To the corner of sections 17 & 18. 19 & 20.

Land Rolling land hills 3rd rate

Township 22 North Range 22 West

West on random line Between sections 18 & 19
Va 12°55' E

40.00 Set post for temporary quarter sec. cor.

79.70 Intersect West Boundary of Township 12 links North of post-corner to sections 18 & 19 from which corner bears North 8 9.55 East on a true line bet sec 18 & 19. Va. 12°55' E

39.70 set post 2 + 2 ins 4 feet in length set 12 ins deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 ins and 12 ins deep as per Instructions for quarter section corner.

79.70 To the corner of sections 17 & 18. 19 & 20

Land Rolling land hills 3rd rate

Township 22 North Range 22 W.

North Between sections 17 & 18

Va 12° 50' E

40.00 set post 2 + 2 ins. 4 feet in length set 12 ins. deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 ins. and 12 ins. deep as per Instructions for quarter sec. cor.

8.00 set post 4 + 4 ins. 4 feet in length set 12 ins. deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 ins. and 12 ins. deep as per instructions for sec. cor. to sections 7 & 8. 17 & 18.

Land
Rolling sand hills
3rd rate.

Township 22 North Range 22 W.

East on random line Between sections 8 & 17

Va 12° 50' E.

40.00 set post for temporary quarter section corner.

80.06 Intersect North & south line 12 links North of post corner to sections 8 & 9. 16 & 17. from which, cor. I run North 89° 55' West on a true line bet. sec. 8. & 17. Va 12° 50' E

40.03 set post 2 + 2 ins. 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 ins. and 12 ins. deep as per Instructions for quarter sec. cor.

80.06 To the corner of sections 7 & 8. 17 & 18.

Land
Rolling sand hills
3rd rate

Township 22 North Range 22 West

West on random line
Between sections 7 & 18
Va 12.55

40.00 set post for temporary quarter
sec. cor.

79.74 Intersect West Boundary of
Township & links North
of post corner to sections
7 & 18. from which cor. bears
North 89.57 East on a
true line bet. sec 7 & 18. Va 12.55 E

39.74 set post 2 + 2 ins. 4 feet in length
set 12 ins deep. Deposited
charred stake and raised
mound of earth 2½ feet
high from pits 18 + 18 ins
and 12 ins deep as per
Instructions for quarter
sec. cor.

79.74 To the corner of sections
7 & 8 & 17 & 18

Land
Rolling sand hills
3rd rate

Township 22 North Range 22 West

North Between sections
7 & 8
Va 12.55 E

40.00 set post 2 + 2 ins. 4 feet in length
set 12 in deep. Deposited charred
stake and raised mound
of earth 2½ feet high from
pits 18 + 18 ins and 12 ins deep
as per Instructions for
quarter sec. cor.

80.00 set post 4 + 4 ins 4 feet in length
set 12 ins deep. Deposited charred
stake and raised mound
of earth 2½ feet high from
pits 18 + 18 ins and 12 ins deep
as per Instructions for
sec. cor. to sections
5 & 6. 7 & 8

Land
Rolling sand hills
3rd rate

Township 22. North Range 22 West

East on random line
Between sections 5 & 8
Va 12°50'

40.00 set post for temporary quarter sec. cor.

79.90 Intersect North and South line 8 links South of post corner to sections 4 & 5 & 8 & 9 from which cor. I run South 89°.5 West on a true line bet. sec. 5 & 8. Va 12°50'

39.95 set post 2 + 2 ins. & feet in length set 12 ins. deep Deposited charcoal stake and raised mound of earth 2 1/2 feet high from pits 18 + 18 ins. and 12 ins. deep as per instructions for quarter section corner

79.90 To the corner of sections 5 & 6. 7 & 8

Land
Gently rolling
3rd rate

Township 22 North Range 22 West

West on random line
Between sections 6 & 7
Va 13°00' E

40.00 set post temporary quarter section corner

79.72 Intersect West Boundary of Township 5 links North of post corner to sections 6 & 7 from which cor. I run North 89°.58 East on a true line bet. sec. 6 & 7. Va. 13°00' E.

39.72 set post 2 + 2 ins. & feet in length set 12 ins. deep. Deposited charcoal stake and raised mound of earth 2 1/2 feet high from pits 18 + 18 ins. and 12 ins. deep as per instructions for quarter sec. cor.

79.72 To the corner of sections 5 & 6. 7 & 8.

Land
Rolling land hills
3rd rate

Township 22. North Range 22. West

North {on random line} Between sections 5 & 6.

Va 12°.50' E

40.00 set post for temporary quarter sec. cor.

80.15 Intersect North Boundary of Township 15 links west of post - corner to sections 5 & 6 from which cor. I run South 0°.06' West on a true line bet sec. 5 & 6. Va 12°.50' E

40.15 set post 2+2 in. 4 feet in length set 12 in. deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in. and 12 in. deep. as per Instructions for quarter sec cor.

80.15 To the corner of sections 5 & 6

Land
Rolling sand hills
3rd rate
August 30th 1873

General Description
This Township lying between the Main and North Loop is verry rolling sand hills and afford a small amount of grazing without water or timber

A List of names of the individuals employed to assist in running measuring or marking the lines and corners described in the foregoing field notes of Township 22 North of the base line of Range 22 West of the 6th principal Meridian showing the respective capacities in which they acted

John Mangold } Chainman
Henry Hieb

David W. Davidson } Moundman
Esau Belden Flagman

We hereby certify
that we assisted George T. Kendall
deputy surveyor in surveying
subdividing and meandering of
Township No Twenty two (22) North
of the base line of Range twenty
two (22) west of the 6th Principal
Meridian and that said Township
has been in all respects to the best
of our knowledge and belief well
and faithfully surveyes and
the boundary monuments
planted according to the
instructions furnished by
the Surveyor General and of
dimensions charatter construction
marking and in the manner
as specifically described in the
foregoing Field notes

John Maugh — Chainman
Vincent Hill — Chainman
Dwm Davidson — Moundman
Esau Belden — Flagman

~~The above~~ nam

Subscribed and sworn to by
the above named persons
before me a Clerk in and for
Howard County in the State of
Nebraska this the 16th day of
September A.D. 1873

J. C. Lewis
Clerk Howard
Co Neb

I George T. Kendall Deputy Surveyor do solemnly swear that in pursuance of a joint Contract wherein George T. Kendall and Guy C. Barton are joint Contractors with E. E. Cunningham Surveyor General for the District of Nebraska and Iowa bearing date the 10th day of May 1873. I have well faithfully and truly in my own proper person in strict conformity with the instructions of the Surveyor General the Surveying Manual and the Laws of the United States surveyed all those parts or portions of Township No 22 North of the Base Line of Range No 22 West of the 6th P.M. in Nebraska as are represented in the foregoing field notes as having been surveyed under my direction and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the surveying Manual ~~and~~ printed instructions and special instructions of the Surveyor General of dimension character constructions and marking and in the manner as specifically described in the foregoing field notes and that the foregoing are the true and original field notes of such survey—

George T Kendall
Deputy Surveyor

Subscribed by said George T. Kendall deputy surveyor and ~~sworn to~~ before me a Notary Public in and for Cass Co. Nebraska this 11th day of November 1873.

Thos Pollock
Notary Public

Surveyor General's Office

Plattsmouth 1873

The foregoing field notes of the survey and subdivision of Township No 22. North of the Base Line of Range No 22. West of the 6th P.M. in Nebraska executed by Geo. T. Kendall under joint contract No 76, dated May 10th 1873 wherein George T. Kendall and Guy C. Barton are joint contractors in the month of August 1873. having been critically examined the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved.

E. E. Cunningham
Surveyor General.

Index to Field Notes
of
Town 23 Range 22 W

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Field Notes

of the subdivisions and meanders of North Loop River in Township 23 North of Baseline and Range 22 West of the 6th Principal Meridian in the State of Nebraska, Surveyed by Geo T. Kendall Deputy Surveyor, under Joint contract No. 76. bearing date of May 10th 1873 wherein Geo. T. Kendall and Guy C. Barton are Joint contractors with E. E. Cunningham United States Surveyor General for the District of Iowa and Nebraska

Survey commenced July 31 1873
Survey completed Aug 4th 1873
A list of Names of Assistants and the capacity in which they acted

John Mangold } Chainmen
Henry Heist

David W. Davidson } - Moundman
Evan Beldin } - Flagman

Township 23 North Range 22 West

To determine the proper adjustment of my compass for subdividing this Township I commenced at the corner to Township 22 & 23 N. R. 21 & 22 West. and ran North on a Blank line along the East Boundary of sec 36.

Va 13.00 E.

4 11.12 To a point 10 links west of quarter sec. cor.

8 11.14 To a point 24 links west of corner to sections 25 & 36 To retrace this line or run Parallel thereto my compass must be adjusted to a

Va 12°.50 E.

Subdivision commenced July 31st

Township 23 North Range 22 West

From the corner to sections 1 & 2. 35 & 36 on the South Boundary of this Township I ran North Between sections 35 & 36

Va 12°.50 E.

4 11.11 Set post 2 x 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 x 18 in and 12 in deep as per Instructions for quarter sec. cor.

8 11.11 Set post 4 x 4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 x 18 in and 12 in deep as per Instructions for sec. cor. to sections 25 & 26. 35 & 36.

Land

18 L. Half Gently rolling Sandy 2nd rate
2nd " Level Sandy 2st rate

Township 23 North Range 22 West

East on random line between Sec. 25 & 36

Va 12° 50' E

25.30 Set temporary Post for Meander cor. on Right Bank of North Loop River

33.30 Set temporary Post for meander cor. on Left Bank of River

40.00 Set temporary quarter sec cor.

79.76 Intersect East boundry of Township 25 links North of post cor. to sec. 25 & 36 from which cor. Run North 89° 49' West on a true line between sec 25 & 36 49'

Va 12° 50' E

39.88 Set post 2 x 2 in 4 feet in length set 12 in deep Deposited charred stake and raised mound of earth 2½ feet high from pits 12 x 24 in 12 in deep. as pr Instructions for quarter sec. cor.

46.46 set post 3 x 3 in 4 foot long 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 12 x 24 in 12 in deep as pr Instructions for Meander Cor. on Left Bank of North Loop River to Fractional sections 25 & 36 The River being shallow, the distance across may be more readily and accurately ascertained by chaining than by Triangulation I therefore chain the Distance across the River

54.46 Set post 2 x 2 in 4 feet in length set 12 in deep Deposited charred stake and raised mound of earth 2½ feet high from pits 12 x 24 in 12 in deep. as pr Instructions for meander cor. to Right bank North Loop River

79.76 C. S.E. to cor. of Sec. 25 & 26. 35 & 36.

Land. Gently Rolling bottom 2nd rate

Chained over

Township 23 North Range 22 West

North between Sec. 25 & 26

Va 12° 50' E

13.00 Set post 2 x 2 in 4 feet long 12 in deep Deposited charred stake and raised mound of earth 2½ feet high from pits 12 x 24 in 12 in deep. as pr Instructions for meander cor. to Right Bank No. Loop River ~~C. 65~~

Co. South 65° East.

13.90 To Small Island.

19.45 North channel North Loop River

20.35 Set post 2 x 2 in 4 feet long 12 in deep Deposited charred stake and raised mound of earth 2½ feet high from pits 12 x 24 in 12 in deep. as pr Instructions for meander cor. to Left bank North Loop River

39.00 Enter Sand hills bears N.W. & S.E.

40.00 Set post 2 x 2 in 4 feet long set 12 in deep Deposited charred stake and raised mound of earth 2½ feet high from pits 12 x 24 in 12 in deep as pr. Instructions pr. quarter Sec. cor.

80.00 Set post 4 x 4 in 4 feet in length set 12 in deep Deposited charred stake and raised mound of earth 2½ feet high from pits 18 x 24 in 12 in deep as pr. Instructions for sec. cor. to sections 23 & 24. 25 & 26

Land. Bottom Gently Rolling 2nd rate

Sand hills 3rd rate

Township 23 N. Range 22 West.

~~East on random line between Sections 24 & 25~~

~~Va 12°50' E~~

~~40.00~~ ~~Set post 2 x 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 12 x 24 in 12 deep As pr. Instructions for quarter sec. cor.~~

~~80.00~~

Township 23 North Range 22 West

East on random line between Sec. 24 & 25

Va 12°50' E

40.00 Set temporary quarter Sec. Cor.

80.13 Intersect East boundary of Township 15 links North of post cor. to Sec. 24 & 25 From which cor. 2 mm N. 89°54' West on true line Between sec 24 & 25 Va 12.50 E

40 06½ Set post 2 x 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 12 x 24 in 12" deep. as pr Instructions for quarter Sec Cor.

80 13 To Cor. of Sections 23 & 24. 25 & 26.

Land.

Sand hills 3rd rate

Township 23 North Range 22 West

North between Sec. 23 & 24
Va 12°.50' E

40.00 Set post 2 x 2 in 4 feet in length set 12 in deep Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 12 x 24 in 12 in deep as pr Instructions for quarter Sec. cor.

80.00 Set post 4 x 4 in 4 feet in length set 12 in deep Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 x 24 in 12 in deep as pr. Instructions for Sec cor. to Sec. 13, & 14. 23 & 24.

Land Gently rolling sand hills 3rd rate

Township 23 North Range 22 West

East on random line between Sec. 13 & 24
Va 12°.50' E

40.00 set temporary quarter Sec. Cor.

75.00 Enter bottom, bears. N.W. & S.E.

80.10 Intersect East boundary of Township 20 links North of. Cor. to Sec. 13 & 24

From which cor. I sum North 89° 51' West on a true line Between Sec 13 & 24 Va 12.50

40.05 set post 2 x 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 12 x 24 in 12 in deep. as pr Instructions for quarter Sec cor.

80.10 To Cor. of Sections 13 & 14. 23 & 24

Land

Sand hills 3rd rate

Bottom 2nd rate

Township 23 North Range 22 West

North between 13 & 14

Va. 12°50' E

40.00 Set post 2 x 2 in 4 feet in length set 12 in deep Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 12 x 24 in 12 in deep. as pr Instructions for quarter sec. cor.

44.00 Enter bottom bears N.W. & S.E.

80.00 Set post 4 x 4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 x 24 in 12 in deep as pr Instructions for sec cor. to sec. 11. & 12. 13. & 14.

Land

Sand hills 3rd rate

Bottom 2nd rate

Township 23 North Range 22 West

East on random line

Between Sec. 12 & 13.

Va. 12°50' E

25.00 Drain C. S.E.

40.00 set temporary quarter sec. cor.

80.22 Intersect East boundary of Township 40 links North of cor. to sections 12 & 13 From which cor. Drum North 89°43' West on true line Between secs 12 & 13. Va 12°50' E

40.11 Set post 2 x 2 in 4 feet in length set 12 in deep Deposited charred stake and raised mound of Earth 2 1/2 feet high from pits 12 x 24 in 12 in deep. as pr Instructions for quarter sec. cor.

80.22 To cor. of Sections 11. & 12. 13. & 14.

Land

undulating Bottom

2nd rate

Township 23 North Range 22 West

North between Sections 11 & 12.
Va 12°50' E

40.00 Set post 2 x 2 in 4 feet in length set 12 in deep Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 12 x 24 in 12 in deep. as pr Instructions for quarter Sec. Cor.

80.00 Set post 4 x 4 in 4 feet in length set 12 in deep Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 x 24 in 12 in deep as pr. Instructions for Sec Cor. to Sections 1 & 2. 11 & 12.

Land
Bottom 2nd rate

Township 23 North Range 22 West

East on Random line
Between Sec. 1 & 12
Va 12°50' E

20.00 Drain C. S.E.
40.00 Set temporary quarter Sec. Cor.
52.00 Enter Sand hills bears. N.W. & S.E.
80.35 Intersect East boundary of Township 16 links North of Cor. to Sec. 1 & 12.
From which cor. I run North 89° 53' West on true line
Between Sec 1 & 12 Va 12.50
40 17 1/2 Set post 2 x 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 12 x 24 in 12" deep as pr Instructions for quarter Sec. Cor.
80.35 To Cor. of Sections 1 & 2. 11 & 12.

Land.
Bottom 2nd rate
Sand hills rolling 3rd rate

Township 23 North. Range 22 West

	North Between Sec. 1 & 2. (random line) Va 12°50' E
40.00	Set temporary quarter sec. cor.
78.00	Drain C. S.E.
79.85	Intersect North Boundary of Township 60 links West of cor. to Sec 1 & 2, From
Which cor Drain	Ln 00°26' West on a true line Between secs 1 & 2 Va 12°50' E
39.85	Set post 2 x 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of Earth 2½ feet high from pits 12 x 24 in 12 in deep as pr Instructions to quarter sec. cor.
79.85	To Cor. of Sections 1 & 2. 11 & 12.
	Land.
	Bottom 2nd rate

Township 23 North. Range 22 West

	North Between Sec. 34 & 35 Va 12°50' E
40.00	Set post 2 x 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of Earth 2½ feet high from pits 12 x 24 in 12 in deep as pr Instructions for quarter sec cor.
80.00	Set post 4 x 4 in 4 feet long set 12 in deep Deposited charred stake and raised mound of earth 2½ feet high from pits 18 x 24 in 12 in Deep. as pr Instructions for Sec cor. to sections ~~25 & 26. 35 & 36~~ 26 & 27. 34 & 35
	Land,
	Undulating Bottom 2nd rate

Township 23 North Range 22 West

	East on Random line
	between Sections 26 & 35 Va 12° 50' E
40.00	Set temporary quarter Sec cor.
79.84	Intersect North & South line
	10 links North of post cor. to sec
	25. & 26. 35. & 36. From which cor bears
	North 89° 56' West on boundline
	Between Secs 26 & 35 Va 12° E
39.92	Set post 2 x 2 in 4 feet in length
	set 12 in deep deposited charred
	Stake and raised mound of earth
	2½ feet high from pits 12 x 24 in 12 in
	deep, as pr Instructions for
	Quarter Sec. Cor.
79.84	Fo. Cor. of Sections 26. & 27. 34. & 35.

Land Rolling Bottom
2nd rate

Township 23 North Range 22 West

	North Between Sec. 26. & 27.
	Va 12° 50' E
40.00	Set post 2 x 2 in 4 feet in length
	set 12 in deep deposited charred
	stake and raised mound of earth
	2½ feet high from pits 12 x 24 in
	12 in deep. as pr Instructions for
	quarter Sec cor.
54.00	set post 2 x 2 in 4 feet long, set 12 in deep. deposited charred stake and raised mound of earth 2½ feet high from pits 12 x 24 in 12 in deep as pr Instructions for meander cor. to Right bank
	North Loup River. C. East.
58.90	set post 2 x 2 in 4 feet in length set 12 in deep deposited charred stake and raised mound of earth 2½ feet high from pits 12 x 24 in 12 in deep as pr Instructions for
	Meander cor. on left bank North Loup River
74.00	Leave Bottom. Enter Sand hills N 14° 50' E
80.00	Set post 4 x 4 in 4 feet in length set
	12 in deep. deposited charred stake
	and raised mound of earth 2½ feet
	high from pits 18 x 24 in 12 in deep as pr
	Instructions for sec Cor. to sections
	22. & 23. 26. & 27

Land.
Bottom 2nd rate
Sand hills 3rd rate

Township 23 North Range 21 West

East on random line
Between Sections 23 & 26"
Va 12.50 E

4000 Set temporary quarter Sec. Cor.
79.96 Intersect North & South line 14 links
North of post cor. to sec
23. & 24. 25. & 26. From which cor I run
North 89° 54' West on true line
Between Secs 23 & 26 Va 12.50 E
39.98 Set post 2 x 2" 4 feet in length
set 12" deep Deposited charred stake
and raised mound of earth 2½
feet high from pits 12 x 24" 12" deep
as per Instructions for quarter Sec. Cor.
79.96 To Cor. of Sections 22. & 23. 26. & 27

Land
Land hills 3rd rate

Township 23 North Range 22 West

North Between Sec. 22. & 23.
Va 12.50 E
4000 Set post 2 x 2" 4 feet in length
set 12" deep Deposited charred
stake and raised mound of
earth 2½ feet high from
pits 12 x 24" 12" deep as per
Instructions for quarter Sec. Cor.
8000 Set post 4 x 4" 4 feet in
length set 12" deep Deposited
charred stake and raised mound
of earth 2½ feet high from
pits 18 x 24" 12" deep as per
Instructions for Sec cor. to
Sections 14. & 15. 22. & 23.

Land
Land hills 3rd rate

Township 23 North Range 22 West

East on random line
Between Sections 14 & 23
Va 12° 50' E

4000 set temporary quarter Sec. Cor.
80.14 Intersect North & South line
15 links south of post cor. to sec.
13 & 14, 23, & 24 From which cor. I run
South 89° 54' West on true line
Between Secs 14 & 23 Va 12° 50' E
4007 Set post 2 x 2 4 feet in length
set 12" deep. Deposited charred
stake and raised mound of earth
2½ feet high from pits 12 x 24"
12" deep as per Instructions for
quarter Sec. Cor.
8014 To cor. of Sections 14, 15, 22 & 23.

Land sand hills 3rd rate

July 31 1873

Township 23 North Range 22 West

North Between Sec. 14 & 15
Va 12° 50' E
4000 Set post 2 x 2" 4 feet in length
set 12" deep. Deposited charred
stake and raised mound of
earth 2½ feet high from pits
12 x 24" 12" deep. as pr.
Instructions for quarter Sec. Cor.
8000 Set post 4 x 4" 4 feet in length
set 12" deep. Deposited charred
stake and raised mound of
2½ feet high from pits 18 x 24"
12" deep. as per Instructions
for Sec. cor. to Sections
10, & 11, 14 & 15.

Land.
Sand hills 3rd rate

Township 23 North Range 22 West

East on random line
between Sec. 11. & 14
Va 12°50' E

40.00 set temporary quarter sec. cor.
55.00 Enter Bottom bears N.W. & S.E.
80.18 Intersect North & South line
25 links South of post cor. to sec
11. & 12. 13. & 14. From which cor. from
South 89° 49' West on true line
Between sec 11 & 14 Va 12°50' E
40.09 set post 2 x 2 in 4 feet in length
set 12 in deep Deposited charred
stake and raised mound of earth
2½ feet high from pits 12 x 24 in
12 in deep. as pr Instructions for
quarter sec cor.
80.18 to Cor. of Sections
10. & 11. 14. & 15.

Land
Sand hills 3rd rate
Bottom 2nd rate

Township 23 North Range 22 West

North Between Sections 10 & 11.
Va 12°50' E
40.00 Set post 2 x 2 in 4 feet in length
set 12 in deep Deposited charred
stake and raised mound of earth
2½ feet high from pits 12 x 24 in
12 in deep. as pr Instructions
for quarter sec cor.
64.00 Enter Bottom bears N.W. & S.E.
80.00 Set post 4 x 4 in 4 feet in length
set 12 in Dep. Deposited charred
stake and raised mound of
Earth 2½ feet high from
pits 18 x 24 in 12 in Deep. as pr.
Instructions for Sec. Cor. to
Sections 2. & 3. 10. & 11.

Land
sand hills 3rd rate
Bottom 2nd rate

Township 23 North Range 22 West

East on random line
between Sections 2. & 11.
Va 12°50'E

40.00 Set temporary quarter Sec. Cor.
80.25 Intersect North and South line
42 links South of post cor. to
sections 1. & 2. 11. & 12. From which cor I run
South 89° 42' West on true line
Between Sec 2. & 11. Va 12°50'E
40.12½ Set post 2 + 2" 4 feet in length
set 12" deep. Deposited charred
stake and raised mound of
Earth 2½ feet high from pits
12 + 24" 12" deep as pr. Instructions
for quarter Sec Cor.
80.25 Fd. Cor. of Sections 2. & 3. 10. & 11.
Land
Bottom 2nd rate

Township 23 North Range 22 West

North on random line
between Sections 2. & 3.
Va 12°50'E

40.00 Set temporary quarter sec. cor.
79.65 Intersect North boundary of
Township 38 links East of cor.
to Sec. 2. & 3. From which cor I run
South ~~89°~~ 18' East on true line
Between Secs 2. & 3. Va 12°50'E
39.68 Set post 2 + 2" 4 feet in length
set 12" deep. Deposited charred
stake raised mound of earth
2½ feet high from pits 12 + 24"
12" deep as pr Instructions for
quarter Sec. Cor.
79.65 Fd cor. of Sections 2. & 3. 10. & 11.
Land
Bottom 2nd rate

Township 23 North, Range 22 West

North Between Sec. 33 & 34.
Va 12°50' E

40.00 Set post 2 x 2 in 4 feet in length set 12 in deep Deposited charred stake and raised mound of earth 2½ feet high from pits 12 x 24 in 12 in deep as pr. Instructions for quarter Sec cor.

80.00 Set post 4 x 4 in 4 feet in length set 12 in deep Deposited charred stake and raised mound of earth 2½ feet high from pits 18 x 24 in 12 in deep as pr Instructions for sec cor. to sec. 27 & 28. 33 & 34

Land
Undulating Bottom
2nd rate

Township 23 North Range 22 West

East on random line
Between Sections 27 & 34
Va 12°50' E

40.00 Set temporary quarter sec. cor.

79.80 Intersect North & South line 7 links North of post cor. to sec. 26 & 27. 34 & 35. From which cor. I run North. 89.57 West on true line
Between secs 27 & 34 Va 12°50'

39.90 Set post 2 x 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 12 x 24 in 12 in deep as pr Instructions for quarter sec. cor.

79.80 To cor. of sections 27 & 28. 33 & 34

Land
Undulating Bottom 2nd rate

Township 23 North Range 22 West

North Bet. Sec. 27 & 28.

Va 12°.50' E

40.00 Set post 2 x 2" 4 feet in length set 12" deep Deposited charred stake and raised mound of Earth 2½ feet high from pits 12 x 24" 12" Deep. as pr. Instructions for Quarter Sec cor.

73.75 Set post 2 x 2" 4 feet in length set 12" deep Deposited charred stake and raised mound of earth 2½ feet high from pits 12 x 24" 12" deep as pr Instructions for meander cor. to the Right bank North Loup River

79.00 C. East Set post 2 x 2" 4 feet long set 12" deep. Deposited charred stake and raised mound of Earth 2½ feet high from pits 12 x 24" 12" deep as pr. Instructions for. Meander cor. on left bank North Loup River

80.00 Set post 4 x 4" 4 feet in length set 12" deep Deposited charred stake and raised mound of Earth 2½ feet high from pits 18 x 24" 12" Deep as pr Instructions for Sec Cor. to Sections 21. & 22. 27 & 28.

Land

Bottom gently rolling

2nd rate

Township 23 North Range 22 West

East on random line

Bet. Sec. 22 & 27.

5.00 set temporary post for meander cor on Right Bank Va 12°.50' E

13.40 set temporary post for M.C. on left Bank

40.00 set set temporary quarter sec cor. North Loup River

51.25 ~~set temporary post for meander cor~~ on Right Bank of River

~~set temporary post for M.C.~~ on left Bank

73.00 enter Sand hill

80.22 Intersect North and South line 14 chains North of post cor. to sections 22 & 23. 26 & 27. from which cor North 88 Deg. 54 Min. West true line Va 12°.50' E

Drum 28.97 set post 2 x 2" 4 feet in length set 12" deep Deposited charred stake and raised mound of Earth 2½ feet high from pits 12 x 24" 12" deep as pr Instructions for meander cor. on Left bank of North Loup River

34.22 set post 2 x 2" 4 feet long set 12" deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 12 x 24" 12" deep as pr. Instructions for meander cor. to Right bank North Loup River

C. S 21. 30 East.

40.11 set post 2 x 2" 4 feet in length set 12" deep Deposited charred stake and raised mound of earth 2½ feet high from pits 12 x 24" 12" deep as pr Instructions for ~~quarter sec cor.~~ ~~on left bank of North Loup River~~

66.82 Set post 2 x 2" 4 feet in length set 12" ~~deep~~ Deposited charred stake and raised mound of earth 2½ feet high from pits 12 x 24" 12" deep as pr Instructions for. meander cor. on Right bank of North Loup River

C. S. 39. E

75.22 Set post 2 x 2" 4 feet in length set 12" deep Deposited charred stake and raised mound of earth 2½ feet high from pits 12 x 24" 12" deep as pr. Instructions for. meander cor. on left bank North Loup River

80.22 To Corner of Sections 21, & 22. 27 & 28

Land.

Undulating Bottom

2nd rate

sand hills 3rd rate

Township 23 North Range 22 West

North Bet. Sec. 21 & 22.
Va 12°50'E

40.00 Set post 2 + 2" 4 feet in length set 12" deep Deposited charred stake and raised mound of Earth 2½ feet high from pits 12 + 24" 12" deep as pr. Instructions for quarter Sec cor.

45.00 Enter Bluffs (Bears) N.W. & S.E.

80.00 Set post 4 + 4" 4 feet in length set 12" deep Deposited charred stake and raised mound of Earth 2½ feet high from pits 18 + 24" 12" deep as pr. Instructions for. Sec cor. to sec 15. & 16. 21 & 22

Land

Bottom 2nd rate
Sand hills 3rd rate

Township 23 North Range 22 West

East on random line
Bet. Sec. 15 & 22.
Va 12°50'E

40.00 Set temporary quarter Sec. cor.

80.27 Intersect North & South line 21 links North of post cor. to Sec 14. & 15. 22 & 23 From which cor. from North 89° 51' West on a true line Between sections 15 & 22 Va 12°50'E

40.13½ Set post 2 + 2" 4 feet in length set 12" deep Deposited charred stake and raised mound of Earth 2½ feet high from pits 12 + 24" 12" deep as pr Instructions for quarter Sec cor.

80.27 to Cor. of sections 15. & 16. 21. & 22.

Land sand hills
3rd rate

Township 23 North Range 22 West

North Bet. Sec. 15 & 16"

Va 12°50' E

40.00 Set post 2 + 2" 4 feet in length set 12" deep Deposited charred stake and raised mound of Earth 2½ feet high from pits 12 + 24" 12" deep as pr Instructions for quarter Sec cor.

80.00 Set post 4 + 4" 4 feet in length set 12" deep Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 24" 12" deep. as pr Instructions for Sec cor. to sec 9 & 10. 15. & 16

Land.

Sand hills 3rd rate

Township 23 North Range 22 West

East on random line

Bet. Sec. 10. & 15

Va. 12°50' E

40.00 Set temporary quarter sec cor.

80.20 Intersect North and South line 10 links North of post cor. to Sections 10. & 11. 14. & 15 From which cor I run North 89°56' West on a true line between sections 10 & 15 Va 12°50' E

40.10 Set post 2 + 2" 4 feet long set 12" deep — Deposited charred stake — raised mound of earth 2½ feet high from pits 12 + 24" 12" deep. as pr Instructions for quarter Sec. Cor.

80.20 to Cor. of Sections 9. & 10. 15. & 16

Land.

Gently Rolling sand hills 3rd rate

Township 23 North Range 22 West

North Bet. Sec 9 & 10
Va 12°50' E

40.00 Set post 2 x 2 in 4 feet in length set 12 in deep Deposited charred stake and raised mound of Earth 2½ feet high from pits 12 x 24 in 12" deep. as pr. Instructions for quarter Sec. cor.

66.00 Enter Bottom Bears, N.W. & S.E.

80.00 Set post 4 x 4 in 4 feet in length set 12 in deep Deposited charred stake and raised mound of Earth 2½ feet high from pits 18 x 24 in 12" Deep as pr. Instructions for Sec cor. to sec 3 & 4, 9 & 10

Land.

Sand hills Worthless

Bottom 2nd rate

Township 23 North Range 22 West

East on random line

Bet. Sections 3 & 10
Va 12°50' E

40.00 Set temporary quarter Sec cor.

45.00 Enter Sand hills, Bears, N. & S.

70.00 Leave sand hills – Enter Bottom N & S

80.10 Intersect North & South line 18 links North of post cor. to sections 2 & 3, 10 & 11. From which cor I run North 89°5' West on a true line Between sections 3 & 10 Va 12°50' E

40.05 Set post 2 x 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of Earth 2½ feet high from pits 12 x 24 in 12" deep. as pr. Instructions for quarter sec cor.

80.10 To cor. of Sections 3 & 4, 9 & 10.

Land.

Bottom 2nd rate

Sand hills Gently Rolling 3rd rate

Township 23 North Range 22 West

North on a random line
Bet. Sections 3, & 4.
Va 12°50' E

40.00 set temporary quarter sec cor.
79.60 Intersect North Boundary of
Township 30 links East of cor.
to Sections 3 & 4 From which cor'l run
South ~~00~~ 12' East on true line
Between sec 3 & 4 Va 12°50' E
39.60 set post 2 + 2. 4 feet in length
set 12" deep Deposited charred
stake raised mound of Earth
2½ feet ~~at from~~ pits 12 + 24"
12" deep as pr Instructions
for quarter sec cor.
79.60 To Cor. of Sections 3, & 4. 9, & 10.
Land.
Bottom gently Rolling 3rd rate

Aug 1d 1879

Township 23 North Range 22 West

North Bet Sec. 32. & 33.
Va 12°50' E

40.00 set post 2 + 2. 4 feet in length
set 12" deep. Deposited charred.
Stake and raised mound of Earth
2½ feet high from pits 12 + 24"
~~high~~ 12" deep as pr. Instructions
for quarter Sec. cor.
80.00 Set post 4 + 4" 4 feet in length
set 12" deep Deposited charred.
Stake and raised mound of earth
2½ feet high from pits 18 + 24"
12" deep as pr Instructions for
Sec cor. to Sections 28. & 29 -
32. & 33.
Land.
Undulating Bottom
2nd rate

Township 23 North Range 22 West.

East on random line
Bet. Sections 28 & 33.
Va 12°50' E

40.00 set temporary quarter Sec. cor.
79.80 Intersect North & South Line
12 links North of post cor. to sec.
27 & 28. 33 & 34. From which cor I am
North 89° 55' West
On a true line Between sec 28 & 33. Va 12°50' E
39.90 Set post 2 x 2 in 4 feet in length
set 12 in deep Deposited charred
stake and raised mound of
Earth 2½ feet high from pits
12 x 24 in 12 in deep as pr.
Instructions for quarter Sec. cor.
79.80 To Cor. of Sections
28. & 29. 32. & 33.
Land.
Undulating Bottom
2nd rate

40
55
80
40
8

Township 23 North Range 22 West.

North Bet Sections 28. & 29.
Va 12°50' E
~~40~~
40.00 Set post 2 x 2 in 4 feet in length
set 12 in deep Deposited charred
stake and raised mound of Earth
2½ feet high from pits 12 x 24 in
12 in deep as pr. Instructions for
quarter Sec cor.
80.00 Set post 4 x 4 in 4 feet in
length set 12 in deep Deposited
charred stake and raised mound
2½ feet high from pits 18 x 24 in
12 in deep as pr. Instructions
for Sec cor. to Sections
20. 21. 28 & 29.
Land
Undulating Bottom
2nd rate

Township 23 North Range 22 West

East on random line
Bet Sections 21. & 28

4000 Set temporary 1/4 sec cor Va 12°50' E
63 60 Set temporary post for Meander cor on Right Bank of N Loup Riv
67.10 Set temporary post for meander cor on Left Bank of River
79.95 Intersect North & South line 10 links South of post cor. to Sections 21. & 22. 27. & 28 from which cor. Sirim
South 89°56 West on true line

Between secs 21 & 28 Va 12°50' E

12.85 Set post 2×2 in 4 feet in length set 12 in deep
6210
79.95
Deposited charred stake and raised mound of Earth 2½ feet high from pits 12×24 in 12" deep as pr Instructions for meander cor. for Left bank of North Loup River

16.35 Set post 2×2 in 4 feet in length set 12" deep
6360
79.95
Deposited charred stake and raised mound of Earth 2½ feet high as pr. Instructions for meander cor. on Right bank North Loup River
C. S. 63°.00' East.

3997½ Set post 2×2. 4 feet in length set 12 in deep Deposited charred stake and raised mound of Earth 2½ feet high from pits 12×24 in as pr Instructions for quarter Sec cor.

79.95 To Cor. of Sections 20. & 21. 28. & 29.

Land.

Bottom gently Rolling
2nd rate

Township 23. North Range 22 West.

North Bet Sections 20. & 21
Va 12°50' E

11.35 Set post 2×2 in 4 feet in length set 12 in deep Deposited charred stake and raised mound of earth 2½ feet high from pits 12×24 in 12" deep. as pr. Instructions for meander cor. on Right bank of North Loup. River
C. N. 62°.30' W.

18.10 Set post 2×2. 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 12×24 in 12" deep. as pr. Instructions for meander cor. to Left Bank

40.00 (of North Loup.) — Set post 2×2 4 feet in length set 12 in deep. Deposited charred stake and raised mound of Earth 2½ feet high from pits 12×24 in 12" deep as pr Instructions for quarter sec cor.

80.00 Set post 4×4 in 4 feet in length set 12" deep Deposited charred stake and raised mound 2½ feet high from pits 18×24 in 12" deep as pr Instructions for sec cor. to sec 16. & 17. 20. & 21.

Land. Undulating Bottom
2nd rate

Township 23 North Range 22 West

East on random line bet
Bet Sections 16. & 21
Va 12°50' E

18.00 Enter sand hills Bears N.W. & S.E.
40.00 set temporary quarter Sec. cor.
80.14 Intersect North and south line
18 links North of post cor. to sec.
15 & 16. 21 & 22 From which cor. Arm N. 89° 52' West on true line
Between Sec 16 & 21 Va 12°50' E
40.07 Set post 2 x 2 in 4 feet in length
set 12 in deep Deposited charred
stake and raised mound of earth
2 1/2 feet high from pits 12 x 24 in
12 in deep. as pr. Instructions for
quarter sec. cor.
80.14 To cor. of Sections 16. & 17. 20. & 21
Land
Bottom 2nd rate
Sand hills 3rd rate

Township 23. North. Range 22. West

North Bet. Sections 16. & 17.
Va 12°50' E

20.00 Enter Bluffs. Bears, N.W. & S.E.
40.00 Set post 2 x 2 in 4 feet in length
set 12 in deep Deposited charred
stake and raised mound of earth
2 1/2 feet high from pits 12 x 24 in
12 in deep. as pr Instructions for
quarter sec cor.
80.00 Set post 4 x 4 in 4 feet in length
set 12 in deep Deposited charred
stake and raised mound of earth
2 1/2 feet high from pits 18 x 24 in
12 in deep. as pr Instructions
for. Sec cor. to sections
8 & 9. 16 & 17.
Land.
Bottom Rollies, 2nd rate
Bluffs. Worthless 3rd rate

Township 23 North Range 22 West

East on random line
Bet. Sections 9. & 16.
Va 12°50' E

4000 set temporary quarter sec cor.
80.13 Intersect North & South line
11 links North of post cor. to sec.
9. & 10. 15 & 16 from which cor. run N. 89°55' West
on true line between secs 9 & 16. Va 12°50' E
4006½ Set post. 2 x 2 in 4 feet in length
set 12 in deep. Deposited charred
stake raised mound of earth 2½
feet high from pits 12 x 24 in 12 in deep
as pr Instructions for
quarter sec cor.
8013 To cor. of Sections
8, & 9, 16, & 17
Land
Sand Bluffs. Worthless
3rd rate

Township 23 North Range 22 West

North Bet. Sections 8. & 9.
Va 12°50' E
4000 set post 2 x 2 in 4 feet in length
set 12 in deep Deposited charred
stake and raised mound of
Earth 2½ feet high from pits
12 x 24 in 12 in deep. as pr Instructions
for quarter Sec. cor.
8000 Set post 4 x 4 in 4 feet in length
set 12 in deep Deposited charred
stake and raised mound of earth
2½ feet high from pits 18 x 24
12 in deep as pr Instructions
for. Sec cor. to sec.
4 & 5. 8. & 9.

Land sand hills
3rd rate

Township 23 North Range 22 West.

	East on random line
	Bet. Sections 4 & 9.
	Va. 12°50' E
40.00	set temporary quarter sec. cor.
60.00	Enter Bottom Bears. N.W. & S.E.
79.75	Intersect North & South line 6 links
	North of post cor. to Sections
	3. 4. 9. & 10 From which cor. I run N. 89°57' W. on true line
	Between sec 4 & 9. Va 12°50' E
3987½	set post 2 x 2 in 4 feet in length
	set 12 in deep. Deposited charred
	stake and raised mound 2½ feet
	high from pits 12 x 24 in 12" deep
	as pr Instructions for
	Quarter Sec cor.
79.75	To cor. of Sections
	4. 8. 5. 8. 8. 9.
	Land
	Sand hills 3rd rate
	Bottom 2nd rate

Township 23 North Range 22 West.

	North on random line
	Bet. Sec. 4. & 5
	Va 12°50' E
38.00	Enter Bottom Bears. N.W. & S.E.
40.00	set temporary quarter sec cor.
79.93	Intersect North Boundary of Township
	25 links East of cor. to sections
	4. & 5 From which cor. I run S. 11' E. on true line
39.93	set Between sec 4 & 5. Va 12°50' E
	Post 2 x 2 in 4 feet in length
	set 12 in deep Deposited charred stake
	and raised mound of Earth 2½
	feet high from pits 12 x 24 in 12 in deep
	as pr Instructions for quarter
	Sec cor.
79.93	To cor. of sections
	4. 8. 5. 8. 8. 9.
	Land
	Sand hills 3rd rate
	Bottom 2nd rate

Township 23 North Range 22 West.

North Bet. Sections 31, & 32
Va. 12°50' E

40.00 Set post. 2 x 2 in 4 feet in length set. 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 12 x 24 in 12" deep as pr Instructions for quarter section cor.

80.00 Set post 4 x 4 in 4 feet in length set 12 in deep Deposited charred stake and raised mound of Earth 2½ feet high from pits 18 x 24 in 12 in deep. as pr Instructions for Sec cor. to sec. 29. & 30. 31. & 32.

Land sandy Bluffs
3rd rate

Township 23 North Range 22 West.

East on random line
Bet Sections. 29 & 32.
Va. 12°50' E

37.00 Enter Bottom bears. N.W. & S.E.

40.00 set temporary quarter sec. cor.

80.25 Intersect North & South line 7 links South of post cor. to sections 28. & 29. 32. & 33. from which corner S. 89°59' West on true line Bet. sec 28.32 Va. 12°50' E

40 12½ set post. 2 x 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of Earth 2½ feet high from pits 12 x 24 in 12 in deep. as pr Instructions for quarter sec cor.

80.25 to cor. of 29. & 30. 31. & 32.

Land.

Land Bluffs 3rd rate
Bottom 2nd rate

Township 23 North Range 22 West

West on random line
Bet Sections 30 & 31
Va 12°50' E

40.00 set temporary quarter sec cor.
78.25 Intersect West Boundary of Township
25 links North of cor. to sec 30 & 31
Leonwich corr. North 89°49' East on true line
Between sec 30 & 31 Va 12°50' E
38.25 set post 2 x 2 in 4 feet in length
set 12 in deep. Deposited charred
stake and raised mound of
Earth 2½ feet high from pits
12 x 24 in 12" deep. as pr.
Instructions for quarter sec. cor.
78.25 To Cor. of Sections 29, 8, 30, 31, 8, 32
Land,
Sand hills 3rd rate

Township 23 North Range 22 West

North Bet. Sections 29 & 30.
Va 12°50' E
40.00 set post 2 x 2 in 4 feet in length
set 12 in deep Deposited charred
stake and raised mound of
Earth 2½ feet high from pits
12 x 24 in 12" Dep. as pr Instructions
for quarter sec cor.
55.00 Enter Bottom Bears, N.W. & S.E.
80.00 Set post 4 x 4 in 4 feet in length
set 12 in deep Deposited charred
stake and raised mound of Earth
2½ feet high from pits 18 x 24 in
12" deep. as pr. Instructions
for Sec cor. to sections 19, 8, 20, 29, 8, 30
Land
Sand hills 3rd rate
Bottom 2nd rate

Aug 2d 1873

Township 23 North Range 22 West

East on random line
Bet. Sections 20 & 29.
Va 12°50' E

40,00	set temporary quarter sec. cor,
80,10	Intersect North & South line 10 links South of post cor. to Sections 20.&.21. 28.&.29 From which
Cor. Iron	S. 89° 56' West on true line Between sec 20 & 29 Va 12°50' E
40.05	set post 2 x 2 in 4 feet long set 12 in deep Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 12 x 24 in 12 in deep as pr Instructions for quarter Sec Cor.
80.10	Fr Cor. of Sections 19.&.20. 29.&.30 Land. Bottom 2nd rate

Township 23 North Range 22 West

West on Random line
Bet Sections 19.&.30.
Va 12°50' E

30,00	Enter Bluffs. Bears, N.W.&.S.E.
40,00	Set temporary quarter Sec cor.
78.17	Intersect West boundary of Township 28 links North of cor. to Sec. 19.&.30 From which
Iron	North 89° 49' East on true line Between sec 19 & 30 Va 12°50' E
38.17	set post 2 x 2 in 4 feet in length set 12 in deep Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 12 x 24 in 12 in deep. as pr. Instructions for Quarter Sec cor.
78.17	Fr Cor. of Sections 19.&.20. 29.&.30 B Land Bottom 2nd rate Bluffs 3rd rate

Township 23 North Range 22 West.

North Bet Sec, 19 & 20.
Va 12°.50 E

40.00 set post 2 x 2 in 4 feet in length set 12 in deep Deposited charred stake and raised mound of earth 2½ feet high from pits 12 x 24 in 12 in deep as pr. Instructions for quarter section cor.

51.76 set post 2 x 2 in 4 feet in length set 12 in deep Deposited charred stake and raised mound of earth 2½ feet high from pits 12 x 24 in, 12 in deep as pr Instructions for meander cor. on Right bank North Loup River

56.30 set post 2 x 2 in 4 feet in length set 12 in deep Deposited charred stake and raised mound of earth 2½ feet high from pits 12 x 24 in 12 in deep as pr Instructions for meander cor. on Left bank of North Loup River

80.00 set post 4 x 4 in 4 feet in length set 12 in deep Deposited charred stake and raised mound of earth 2½ feet high from pits 18 x 24 in 12 in deep as pr Instructions for Sec cor. to sec. 17, 18, 19 & 20

Land.

Undulating Bottom
2nd rate

Township 23 North Range 22 West.

East on random line
Bet. Sections 17 & 20
Va 12°.50 E

40.00 set temporary quarter sec cor.

79.88 Intersect North & South line 15 link South of post cor. to sec 16, 17, 20 & 21 upon which cor. I run S. 89° 54' West on true line Bet. sec 17 & 20 Va 12°.50 E

39.94 Set post 2 x 2 in 4 feet in length set 12 in deep Deposited charred stake and raised mound of earth 2½ feet high from pits 12 x 24 in 12 in deep as pr. Instructions for quarter Sec. cor.

79.88 Fo. Cor. of Sections 17, 18, 19 & 20

Land

Undulating Bottom
2nd rate

Township 23 North, Range 22 West

West on random line
Bet Sections 18 & 19.
Va 12°50' E

4000 set temporary quarter Sec Cor.
4700 set temporary [illegible] on left Bank of N Loup River
6100 set temporary [illegible] on Right Bank
78.80 Intersect West Boundary of Township 30 links North of Cor. to Sections 18 & 19. From which cor I [illegible] N. 89° 48' East on true line
Between Sec 18 & 19
Va 12°50' E
17.80 set post 2 x 2 in 4 feet in length set 12 in deep. Deposited ~~12 in deep~~ charred stake and raised mound 2½ feet high from pits 12 x 24 in 12 in deep as pr Instructions for meander cor. on Right bank North Loup River
31.80 Course S. 89° 30' E Set post 2 x 2 in 4 feet in length set 12 in deep Deposited charred stake and raised mound of Earth 2½ feet high from pits 12 x 24 in 12 in deep as pr Instructions for meander cor. on Left bank of North Loup River
38.80 set post 2 x 2 in 4 feet in length set 12 in deep Deposited charred stake and raised mound of Earth 2½ feet high from pits 12 x 24 in 12 in deep as pr Instructions for quarter sec Cor
78.80 To cor of Sections 17, & 18, 19, & 20

Land.
Bottom 2nd rate

Township 23 North Range 22 West.

North Bet Sections 17 & 18.
Va 12°50' E

4000 set post 2 x 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of Earth 2½ feet high from pits 12 x 24 in 12 in deep as pr Instructions for quarter Sec. Cor.
6500 Enter Bluffs. Bear. N.W. & S.E.
8000 set post 4 x 4 in 4 feet in length set 12 in deep Deposited charred stake and raised mound of Earth 2½ feet high from pits 18 x 24 in 12 in deep as pr Instructions for Sec cor. to Sec 9, 8, 8, 17, & 18

Land.
Bottom 2nd rate
Sand hills 3rd rate

Township 23 North Range 22 West

East on random line
Bet Sections 8 & 17.
Va 12°50' E

40.00	Set temporary quarter Sec cor.
80.09	Intersect North and South line 10 links South of post cor. to Sections 8, 5, 9, 16, 8 17 From which cor.
1 rum	S. 89° 54' West on a true line Between sec 8 & 17. Va 12°50' E
40 04½	Set post 2 x 2 in 4 feet in length set 12" deep Deposited Charred state and raised mound of earth 2½ feet high from pits 12 x 24" 12" deep. as pr. Instructions for quarter Sec. cor.
80.09	To cor. of Sections 7, 8, 17, & 18.

Land
Sand hills Worthless

Township 23 North Range 22 West

West on random line
Bet Sections 7 & 18
Va 12°50' E

40.00	Set temporary quarter Sec cor.
60.00	Enter Bottom Bears N.W. & S.E
78.56	Intersect West Boundary of Township 38 links North of cor. to Sec. 7 & 18.
From which cor. 1 rum	N. 89° 45' East on true line Between sec 7 & 18 Va 12°50' E
38.56	Set post 2 x 2 4 feet long set 12" deep Deposited charred state and raised mound of earth 2½ feet high from pits 12 x 24" 12" deep as pr. Instructions for quarter sec cor.
78.56	To cor. of Sections 7, 8, 17, & 18

Land
Sand hills 3rd rate
Bottom 2nd rate

Township 23 North Range 22 West

North Bet Sections 7, & 8.

Va. 12.50

4000 Set post 2+2 in 4 feet in length set 12 in deep Deposited charred stake and raised mound of Earth 2½ feet high from pits 12+24 in 12 in deep as pr. Instructions for quarter Sec cor.

8000 Set post 4+4 in 4 feet in length set 12 in deep Deposited charred stake and raised mound of Earth 2½ feet high from pits 18+24 in 12 in deep as pr Instructions for Sec cor. to Sec 5, & 6, 7, & 8.

Land.

Sand hills 3rd rate

Township 23 North Range 22 West

East on random line Bet. Sec. 5 & 8.

Va 12°50'E.

4000 Set temporary quarter sec cor.

7990 Intersect North & South line 28 links North of cor. to Sec 4 & 5 8 & 9 from which cor. run N. 89°48' West on true line Between sec 5 & 8. Va. 12°50'E

39.95 Set post 2+2 in 4 feet in length set 12 in deep Deposited charred stake and raised mound of Earth 2½ feet high from pits 12+24 in 12 deep as pr Instructions for quarter sec. cor.

79.90 To the cor nr. of Sections 5 & 6. 7 & 8.

Land.

Sand Bluffs worthless

Township 23 North Range 22 West

West on random line
Bet. Sections 6 & 7.
Va 12°50' E

4000 set temporary quarter
sec cor.

7828 Intersect West Boundary
of Township 40 links North
of cor. to Sec 6 & 7. From which cor I run
I run N. 89° 42' East on true line
Between Secs 6 & 7 Va 12°50' E

3828 set post 2 x 2" 4 feet in length
set 12" deep Deposited charcoal
stake and raised mound of
Earth 2 1/2 feet high from
pits 12 x 24" 12" deep. as per
Instructions for quarter sec cor

7828 To cor. of Sections 5, 6, 7, & 8.
Land
Sand hills 3rd rate

Township 23 North Range 22 West

North on random line
Bet Sections 5 & 6.
Va 12°50' E

4000 set temporary quarter sec cor.

7981 Intersect North Boundary
of Township 30 links East
of cor. to Sections 5 & 6 From
which cor I run S. 89° 12' East on true line
Between Sec 5 & 6 Va 12°50' E

3981 set post 2 x 2" 4 feet in length
set 12" deep Deposited charcoal
stake and raised mound of
earth 2 1/2 feet high from
pits 12 x 24" 12" deep as
per Instructions for quarter
7981 sec cor. To cor. of Sections
5, 6, 7, & 8.
Land sand hills
Worthless

Aug 3d 1870

General Description

The bottom lands in the North East of this Township are of first rate quality and good for farming The sand hills running Bearing S. E. & N W are third rate soil only good for grazing the North Saint enters in sec 18 & general course through Township is S 65° E rives leaves Township in sec 36 the bottom land is generaly 2d quality and in S. of rives is from one to 2 miles wide

A List of names of individuals employed to assist in running measuring and marking the lines and corners described in the foregoing field notes of Township 23 North of the base line of Range 22 West of the 6th Principal Meridian showing the respective capacities in which they acted

John Mangold } Chainmen
Henry Hieb }

David W. Davidson, Moundman
Esau Belden Flagman

Meanders of North Loup River

in Township 23 N Range 22 W

From the cor to fractional sec 19 and 18 on the west boundary of Township in section 18 Prun Thence

course	distance	
S 87 E	1000	
S 32½ E ~~S 29 E~~	1480	To cor to fractional sec 18 & 19
	2	Thence in sec 19
S 53 E	1720	
S 77½ E	2350	
S 63½ E ~~S 64 E~~	27.10 ~~2650~~	To cor to fractional sec 19 & 20
	3	Thence in sec 20
S 56½ E	2550	
S 70 E	1320	
S 57½ E	2400	
S 71½ E ~~S 78 E~~	27.90 ~~2400~~	To cor to fractional sec 20 & 21
	4	Thence in sec 21
S 84¼ E	3200	
S 86½ E	2000	
S 59 E ~~S 54½ E~~	1340	To cor to fractional sec 21 & 28
	5	Thence in sec 28
S 51 E	450	
S 78 E	700	
S 71½ E ~~S 65 E~~	8.50 ~~450~~	To cor to fractional sec 27 & 28
	6	

course	distance	
		Thence in sec 27
~~N~~ East	300	
N 60½ E ~~N 58½ E~~	12.00 ~~10.00~~	To cor to fractional sec 22 & 27
	7	Thence in sec 22
N 54½ E	1300	
N 88 E	1500	
S 41 E ~~S 44 E~~	10.80 ~~9.50~~	To cor to fractional sec 22 & 27
	8	thence in sec 27
S 46¾ E	2500	
S 61½ E ~~S 60 E~~	18.00 ~~1800~~	
~~S 63½ E~~	~~690~~	To cor to fractionas sec 26 & 27
	9	Thence in sec 26
N 87 E	1750	
S 74½ E	2000	
S 61½ E	1900	
S 34 E	1580	
S 51½ E ~~S 54½ E~~	22.20 ~~1800~~	To cor to fractional sec 25 & 26
	10	Thence in sec 25
S 68 E	2380	
S 45 E ~~S 28 E~~	5.80 ~~850~~	To cor to fractional sec 25 & 26
	11	~~Thence in sec 26~~ Thence in sec 26
S 31 E	1600	
S 11 E	1500	

(over)

Course	Distance	
S 37 E	29.50	
S 57½ E	35.40	To Cor to fractional sec 31 & 36
~~S 54½ E~~	~~29.40~~	
	12	on the East boundary of Township

(note)

I meandered the right Bank only the average width is 4.00 chs

Aug 4th 1873.

We hereby certify
That we have assisted
George T. Kendall Deputy
Surveyor in surveying and the
Subdivision of Township twenty-
three (23) North of the base line
of Range 22 West of the 6
Principal Meridian and
that said Township has been
in all respects to the best
of our knowledge and belief
well and faithfully surveyed
and the boundary monuments
planted according to the instruc-
tions furnished by the Surveyor
General and of dimensions
character construction and
marking and in the manner
as specifically described
in the foregoing field notes

John W. Maugold Chainman
Heinrich W. Hub Chainman
Dwm Davidson Mound man
Edwin Belden X Flagman

Subscribed and sworn to by
the above named persons
before me a
for the county of Howard in
the State of Nebraska on this
the 16th day of September A.D. 1873
J C Lewis
Clerk of
Howard Co
Neb

I George T. Kendall Deputy Survey-
or do solemnly swear that in
pursuance of a joint contract
wherein George T. Kendall & Guy C
Barton are joint contractors with
E. E. Cunningham Surveyor
General for the District Nebraska
and Iowa bearing date the 1st day
of May A.D. 1873 I have well faithfully
and truly in my own proper
person and in strict conformity
to the Surveyor General Surveying
manual and the laws of the
United States surveyed all

those parts and portions of Townships Twenty ~~three~~ (23) North of the base line and of range Twenty ~~three~~ (23) west of the 6th Principal Meridian as are represented in the foregoing field notes as having been surveyed under my direction and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict conformance with the Surveying Manual & printed instructions and special instructions of the Surveyor General of dimensions character and construction and marking and in the manner described in the foregoing field notes and that the foregoing are the true and original field notes of such survey

Geo. T. Kendall
Deputy Surveyor

Subscribed by Geo. T. Kendall and sworn to before me a Notary Public for Cass County in the State of Nebraska this the 11th day of November 1873

Thos Pollock
Notary Public

Surveyor Generals Office

Plattsmouth Feb 1873

The foregoing field notes of the survey and subdivision of Township No 23 North of the Base Line of Range No 22 West of the 6th P.M. in Nebraska Executed by George T. Kendall under Joint Contract No 76. dated May 10th 1873. Wherein George T. Kendall and Guy C. Barton are joint contractors in the month of July 1873 having been critically examined the necessary corrections and explanations made the said field notes and the survey they describe are hereby approved

E. E. Cunningham
Surveyor General

Index to field Notes
of
Town 24 Range 22 W

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Field Notes

of the subdivisions of Township 24 North of Baseline and Range 22 West of 6" Principal Meridian in the State of Nebraska surveyed by George P. Kendall Deputy Surveyor under Joint contract No. 76 bearing date of May 10" 1873 wherein George T. Kendall and Guy C. Barton are Joint contractors with E. E. Cunningham United States Surveyor General for the district of Iowa and Nebraska.

Survey commenced Aug 5" 1873
Survey completed Aug 8" 1873

A list of Names of Assistants and the capacity in which they acted

John Mangold, Henry Heib } Chainmen

David W. Davidson, Esau Beldin } Moorman Flagman

Field Notes

Of the Subdivision lines of T. 24 North of the Base line of Range 22 West of the 6th principal Meridian

Township 24 N. R. 22 West.

to determine the proper Ajustment of my compass for Subdividing this Township I commenced at the corner to Townships 23 & 24 N. R. 21 & 22 West, and run north on a Blank line along the East boundary of Sec. 36. Va 12° 48' E.

40.03 to a point 4 links east. 1/4 sec. Cor.

80.05 to a point 10 links East of Cor. to Sections 25 and 36. to retrace this line or run parallell there to my Compass must be Ajusted to a

12° Va. of 12° 52" E.

Subdivision Commenced Aug 5th 1879

Township 24 N. R. 22 West

From the cor. to sections
1. 2. 35 and 36. on the south
Boundary of this Township
I run
North Between sec. 35 and
36.
Va. 12° 52"

40.00 Set post 2 + 2 in and 4 feet
in length 12 in deep deposited
Charred stake and raised
mound of Earth 2½ feet
high from pits 12 in + 24 in
12 in deep. as pr. Instructions
for quarter sec. Cor.

80.00 Set post in mound
4 + 4 in 4 feet in length
12 in deep. Deposited
Charred Stake and raised mound
of Earth 3 feet high from pits
15 + 24 in 12 in deep. as per.
Instructions for corner to sec.
35 & 36 - 25 & 26.
Land
Level 2nd Reate

Township 24 North Range 22 West

East on random line
Between sec. 25 & 36.
Va. 12° 52' E

7.00 chains enter sand hills
bears. S.E. & N.W.

40.00 Set temporary 1/4 sec. cor.

79.76 Intersect North corner to sec.
25 & 36. 29 links North
from which cor I run
North 89° 48' West on a true
line bet Sec 25 & 36 Va 12° 52' E

39.88 Set post 2 + 2 in 4 feet in
length set 12 in deep.
Deposited charred stake
and raised mound of earth
2½ feet high from pits
12 + 24 in 12 in deep. as pr. Instructions
for Quarter Sec. Cor.

79.76 To the cor. of sec. 25 & 26. 35 & 36
Land Rolling sand hills
3rd rate.

Township 24 North Range 22 W

North between sections 25 & 26.

Va 12°.50' E.

6.00 Enter bluffs. bears SE & N

40.00 Set post 2 + 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of Earth 2½ feet high from pits 12 + 24 in & 12 in deep. as pr Instructions for quarter. Cor

80.00 Set post 4 + 4 in 4 feet in length set 12 in deep Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 24 & 12 in Deep. as pr Instructions for. cor. to sec. 23 & 24. 25 & 26.

Land Rolling Bluffs.
Soil 3rd rate.

Township 24 North Range 22 West

~~East Between sections~~
East on random line Between Sections 24 & 25

Va 12°.50' E.

40.00 set post for temporary quarter sec. cor.

79.80 Intersect East Boundary of Township 20 links North of post corner to Sec. 24 & 25 from which cor. Erim North 89°.51' West on true line bet sec. 24 & 25 Va 12°.50' E.

39.90 Set post 2 + 2 in 4 feet in length set 12 in Deep. Deposited charred stake and raised mound of Earth 2½ feet high from pits 12 + 24 in 12 in Deep. as pr. Instructions for quarter ~~sec~~ Sec. cor.

79.80 The cor. to sections 23 & 24 25 & 26

Land
Rolling sand hills
3rd rate

Township 24 North Range 22 West

	North between sec 23 & 24
40.00	Va 12°55' E
	set post 2 + 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of Earth 2½ feet high from pits 12 + 24 in & 12 in deep. as per Instructions for quarter sec. cor.
80.00	Set post 4 + 4 in 4 feet in length set 12 in deep. Deposited charred stake & raised mound of Earth 2½ feet high from pits 12 + 24 in & 12 in deep. as pr. Instructions for sec. cor to sec. 13 & 14. 23 & 24.
	Land Rolling sand Bluffs. 3rd rate

Township 24 North Range 22 West

	East on random line Between sec. 13 & 24 Va 12°50' E
40.00	set post for temporary quarter sec. cor.
79.85	Intersect east Boundary of Township 40 links North of post cor. to sec. 13 & 24. from which corner Iron
N 89°44'	West on a true line let Sec 13 & 24 Va 12°50' E
39.92	set post 2 + 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of Earth 2½ feet high from pits 12 + 24 in & 12 in deep. as pr. Instructions for quarter sec. cor.
79.85	to the cor. of sec. 13 & 14. 23 & 24.
	Land Rolling sand hills 3rd rate

Township 24 North Range 22 West

North Between sec. 13 & 14
Va. 12°55' E

40.00 Set post 2 + 2 in 3 feet in length set 12 in deep. Deposited charred stake and raised mound of Earth 2 feet high from pits 12 + 18 in & 12 in deep. as per Instructions for quarter. cor.

80.00 Set post 4 + 4 in 5 feet in length set 12 in deep. Deposited charred stake and raised mound of Earth 3 feet high from pits 18 + 24 in & 12 in deep as per Instructions for sec cor. to sec. 11 & 12. 13 & 14

Land Rolling sand hills
3rd rate

Township 24 North Range 22 West

East on random line Between sec. 12 & 13.
Va 12°55' E.

40.00 Set post for temporary quarter sec. cor.

80.05 Intersect East Boundary Township 56 links North of cor. to sec. to 12 & 13. from township cor. North 89°36' West on a true line set sec 12 & 13 Va 12°50' E

42.02½ Set post 2 + 2 in 4 feet in length set 12 in deep. Deposited charred stake & raised mound of earth 2½ feet high from pits 12 + 24 in & 12 in deep as pr. Instructions for quarter sec. cor.

80.05 to the cor. of sec. 11 & 12. 13 & 14

Land Rolling sand hills 3rd rate.

Township 24 North Range 22 West.

North Between sections 1 & 12
Va. 12° 55' E.

40.00 set post. 2 + 2 in 4 feet in length set 12 in deep. Deposited charred stake & raised mound of earth 2½ feet high from pits 12 + 24 in & 12 in deep. as pr. Instructions for quarter sec. cor.

80.00 set post 4 + 4 in 5 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 22 in & 12 in deep. as pr Instructions for. sec. cor. to sec. 1. & 2. 11 & 12

Land Rolling sand hills 3 rd rate.

Township 24 N. Range 22 West.

East on random line Between sec. 1 & 12.
Va. 12° 50' E

40.00 set post for temporary quarter sec. cor.

80.25 Intersect East Boundry of Township 30 links North of sec. cor. to sec. 1 & 12. from which cor. line North 89° 47' West on a true line between sec 1 & 12 Va 12° 50' E set post 2 + 2. 4 feet in length set 12 in deep. Deposited charred stake & raised mound of earth 2½ feet high from pits 18 + 18 in deep & 12 in deep. as pr Instructions for quarter sec. cor.

80.25 To the corner of sec. 1 & 2. 11. & 12.

Land Rooling sand hills 3 rd rate.

Township 24 North. Range 22 West.

North Between sec. 1 & 2.
Va. 12°55' E.

40.00 set post 2 + 2 in 4 feet in length set 12 in deep Deposited charred stake & raised mound of earth 2½ feet high from pits 12 + 24 in & 12 in deep. as pr Instructions for quarter sec. cor.

73.42 Intersect 6th Standard Parallel 18.50 l West of ~~sec.~~ cor. to sec. 31 & 36 on South Boundry in Townships 25 North and Range set post 3 + 3 in 4 feet in length set 12 in deep. Deposited charred stake & raised mound of earth 2½ feet high from pits 18 + 24 in & 12 in deep. as pr Instructions for closing corner to sec. 1 & 2. Township 24 N. R 22 W.

Land Rolling
sand. hills 3rd rate.

Township 24 North Range. 22 West.

North Between sections 34 & 35
Va. 12°55' E

40.00 Set post 2 + 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 12 + 24 in and 12 in Deep. as pr. Instructions for quarter sec. cor.

80.00 Set post 4 + 4 in 5 feet in length set 12 in Deep. Deposited charred stake and raised mound of earth 3 ft. high from pits 18 + 24 in & 12 in deep. as per. Instructions for Sec. cor. to sections 26 & 27. 34 & 35.

Land.
Level. 2nd rate.

Township 24 North. Range 22 West

East on random line Between
Sec. 26 & 35.
Va. 12°52' E

40.00 Set Temporary quarter sec. cor.
80.00 Intersect North and south line
20 links south of sec cor. to sec.
25 & 26. 35 & 36 from which cor. bears
South 89° 51' West on true line
but Sec 26 & 35 Va 12°52' E
40.00 Set. post. 2 + 2 in 4 feet in length
set 12 in deep. Deposited charred stake
and raised mound of Earth 2½
feet high from pits 18 + 24 in
& 12 in deep. as pr. Instructions
for. quarter sec. cor.
80.00 To the Cor. of sec. ~~25~~ + 26, 27,
34, ~~35 + 36~~

Land.
level 2nd rate

Township 24 North Range 22 West

North between sec. 26. + 27
Va. 12°52' E

40.00 Set post 2 + 2 in 4 feet in length
set 12 in deep. Deposited charred
stake. and raised mound of
Earth 2½ feet high from
pits 18 + 24 in & 12 in deep. as
per. Instructions for. quarter
sec. cor.
80.00 Set. post. 4 + 4 in 4 feet in length
set 12 in deep. Deposited charred
stake and raised mound of
earth 3 feet high from pits 18 + 24 in
and 12 in deep. as per Instructions
for sec. cor. to sec. 22. + 23.
26. + 27

Land.
level 2nd rate.

Township 24 North Range 22 West

East on random line between Sec. 23 & 26

Va. 12°50' E.

30.00 Enter Bluffs. bears. S.E. & N.W.

40.00 set temporary quarter sec. cor.

80.20 Intersect post cor. on North and South line to sections 23 & 24. 25 & 26 from which cor. I run

Go West on true line bet. Sec 23 & 26. Va 12°50' E

40.10 set post 2 + 2 in 4 feet in length set 12 in Deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 12 + 24 in and 12 in deep. as pr. Instructions for. quarter sec cor.

80.20. to the cor. of sec. 22. & 23 26. & 27

Land.

Sand. Bluffs. 3rd rate

Bottom 2nd rate

Township 24 North Range 22 West

North between sections 22 & 23

Va. 12°55' E.

40.00 set post 2 + 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 12 + 24 in 12 in deep. as pr. Instructions for. quarter sec. cor.

65.00 Enter Bluffs. Bears. S.E. & N.W.

80.00 set post 4 + 4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound 2 1/2 feet high from pits 18 + 24 in and 12 in deep. as pr. Instructions for sec. cor. to sec. 14. & 15. 22. & 23.

Bottom Rolling 2nd rate

Bluffs. sandy 3rd rate

Township 24 North Range 22 West

East on random line between sec. 14 & 23.

Va 12° 30' E

40.00 Set temporary quarter sec cor.

79.90 Intersect North & South line at. post. cor. to sections 13 & 14. 23 & 24. from which cor. I run

90° West on true line bet. Sec. 14 & 23

39.95 set post 2 + 2" 4 feet in length Va 12° 50' E set 12" dep. Deposited charred stake and raised mound of earth 2½ feet high from pits 12 + 24 and 12" dep. as per instructions for. quarter sec cor.

79.90 to cor. of sec 14 + 15. 22 & 23.

Land.

Sand hills 3rd rate

Aug 5 1879

Township 24 N. R. 22 West.

North between sections 14 & 15

Va. 12° 55' E

40.00 Set post 2 + 2" 4 feet in length set 12" dep. Deposited charred stake and raised mound of earth 2½ feet high from pits 12 + 24" 12" dep. as per. Instructions for quarter sec cor.

80.00 Set post 4 + 4" 4 feet in length set 12" dep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 24" and 12" dep. as per. Instructions for. Sec cor. to sections 10 & 11. 14 & 15

Land.

Rolling sand hills

3rd rate

Township 24 North Range 22 West

East on random line between Sec. 11. & 14

Va. 12°.50 E

40.00 set temporary quarter sec. cor.

80.10 Intersect ~~North~~ post cor. on North & South line to sec. 11. & 12. 13. & 14 from which cor. ~~24 Rs north~~

N 89°51' West on true line bet Sec 11 & 14 Va 12°50 E

40.05 set post 2 + 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth from pits 12 + 24 in 12 in deep as pr. Instructions for quarter sec. cor.

80.10 To sec cor. to sec. 10 & 11. 14 & 15

Land.

Land hills 3rd rate

Township 24 North Range 22 West

North between sections 10. & 11

Va. 12°.55

40.00 Set post 2 + 2. 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 12 + 24 in and 12 in deep as pr. Instructions for quarter sec. cor.

80.00 Set post 4 + 4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 24 in and 12 in deep as pr. Instructions for Sec. cor. to sec. 2. & 3. 10. & 11.

Land.

Land hills 3rd rate

Township 24 North Range 22 West

East on random line
between sec. 2 & 11

Va. 12°50' E

40.00 set temporary quarter sec. cor.
80.30 Intersect North and South line
10 1/2 N post cor. to sec. 1 & 2
11 & 12 from which cor. I run
N 89°56' West on true line ~~bet~~ Sec
2 & 11
Va 12°50' E
40.15 set post 2 & 2 4 feet in length
set 12" deep. Deposited charred
stake and raised mound of
Earth 2 1/2 feet high from pits
12 & 24" and 12" deep. as pr.
Instructions for quarter sec. cor.
80.30 To sec. cor. to sections
2 & 3. 10 & 11.

Land

Rolling sand hills
3rd rate

Township 24 North Range 22 West

North between sec. 2 & 3.

Va. 12 55 E

40.00 Set post 2 & 2 4 feet in length
set 12" deep. Deposited charred
stake and raised mound of
Earth 2 1/2 feet high from pits
12 & 24" and 12" deep. as pr
Instructions for quarter sec. cor.
74.00 Intersect 6" Standard Parallel
17.72 West of Standard Cor.
sec. 34 & 35
To Township 25 North Range 22 W

Land.

Land hills 3rd rate

Set post 3 cor 3 & 3
12" in ground deposited
charred stake and raised
mound of earth 2 ft high
from pits 18 & 18 & 1 deep
for closing cor to sec 2 & 3
Township 24 N R 22 W.

Township 24 N. Range 22 West.

North between sec. 33 & 34
Va. 12° 35'

40.00 Set post 2 + 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of Earth 2½ feet high from pits 12 + 24 in and 12 in deep. as pr. Instructions for quarter sec. cor.

80.00 Set post 4 + 4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of Earth 2½ feet high from pits 18 + 24 in 12 in deep as pr Instructions for sec cor. to Sec. 27. + 28. 33. & 34.

Land sandy Rolling
2nd rate

Town ship 24 North Range 22 West.

East on random line between sections 27 & 34
Va 12° 30' E

5.00 Enter sand hills bears N.W. & S.E.

215.00 Leave Bluffs. enter Bottom

40.00 Set temporary quarter sec. cor.

79.90 Intersect North and South line 15 links North of post cor. to Sections 26 & 27. 34 & 35 from which

random North 89° 54' West on true line
cor. sec. 27 & 34 Va 12° 30' E

39.95 Set post 2 + 2 in 4 feet in length set 12 in deep Deposited charred stake and raised mound of Earth 2½ feet high from pits 12 + 24 in 12" deep as pr Instructions for quarter sec. cor.

79.90 To cor. of sections 27 & 28 33 & 34

Land
Bottom 2nd rate
sand hills 3rd rate

Township 24 North Range 22 West

North Between Sec. 27 & 28
Va 12°56' E

12.00 Enter sand hills bears N.W. & S.E.

40.00 Set post 2 x 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of Earth 2 1/2 feet high from pits 12 x 24 in 12 in deep as pr Instructions for quarter sec. cor.

47.00 Enter Bottom B N W S E

80.00 set post 2 x 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of Earth 2 1/2 feet high from pits 18 x 24 in 12 in deep as pr Instructions for sec cor. to sections 21 & 22, 27 & 28

Land

Bottom 2nd rate

Sand hills 3rd rate

Township 24 North Range 22 West

East on random line between sections 22 & 27. N
Va 12°50' E

40.00 set temporary quarter cor.

79.90 Intersect North & South line 20 links south of post cor. to sections 22 & 23. 26 & 27 from which

cor. I run South. 89° 51' West. on a true line bet Sec 22 & 27 Va 12°50' E

39.95 Set post, 2 x 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of Earth 2 1/2 feet high from pits 12 x 24 in 12 in Deep. as pr Instructions pr. quarter sec cor.

79.90 To. cor. of sections 21. & 22. 27. & 28.

Land

Bottom, 2nd rate

Township 24 North Range 22 West

North between sec 21.&.22

Va 12°55'E

40.00 Set post 2 + 2 in 4 feet in length set 12 in deep Deposited charred stake and raised mound of Earth 2½ feet high from pits 12 + 24 in 12 in deep as pr Instructions pr. quarter sec cor

80.00 Set post 4 + 4 in 4 feet in length set 12 in deep Deposited charred stake and raised mound of Earth 2½ feet high from pits 18 + 24 in and 12 in deep as pr Instructions for sec cor to sec. 15.&.16.21.&.22.

Land.

Bottom 2nd rate.

Township 24 North Range 22 West

East on random line between sec. 15.&.22.

Va 12°50'E

4000 set temporary quarter cor
8020 intersect N & S line 10 lks Post corner to sec 14.15.22 & 23

16.00 Leave Bottom bears. N.&.S.

31.00 Enter Bottom bears. N.&.S.

40.00 Set post 2 + 2 in 4 feet in length set 12 in Deep. Deposited charred state and raised mound of Earth 2½ feet high from pits 12 + 24 in 12 in Deep as pr. Instructions for quarter sec. Cor

60.00 Leave bottom

80.20 Intersect post cor. on N.&.S. Line

Township 24 North Range 22 West

East on random line between Sec. 15 & 22

Va 12°50' E

16.00 Leave bottom bears. N & S

31.00 Enter bottom bears. N & S

40.00 Set temporary quarter sec cor.

60.00 Leave bottom Bears. N & S

80.10 Intersect post cor. on N & S Line 10 links south of cor. to Sec. 15 & 16. 21 & 22 from which cor

Irun South 89°51' on true line bet Sec. 15 & 22

Va. 12°50' E

40.05 Set post 2 x 2" 4 feet in length set 12" deep Deposited charred stake and raised mound of Earth 2½ feet high from pits 12 x 24" 12" deep. as pr Instructions for quarter Sec. cor.

80.10 To cor of. Sec. 15 & 16. 21 & 22.

Bottom 2nd rate

Sand hills 3rd rate

Township 24 North Range 22 West

North. between sec. 15 & 16

Va 12°55' E

40.00 Set post 2 x 2" 4 feet in length set 12" deep. Deposited charred Stake and raised mound of Earth 2½ feet high from pits 12 x 24" 12" deep. as pr. Instructions for quarter Sec cor.

74.00 leave bottom Enter Sand hills bears. S.E. & N.W.

80.00 set post 4 x 4" 4 feet in length set 12" deep. Deposited charred Stake and raised mound of Earth 2½ feet high from pits 18 x 24" and 12" deep. as pr. Instructions for. Sec. Cor. to Sec. 9. 8. 10. 15. & 16

Sand.

Bottom 2nd rate

Sand hills 3rd rate

Township 24 North Range 22 West

East on random line between
Sec. 10 & 15

Va 12° 50' E

5.70 Enter bottom bears N. & S.
40.00 Set Temporary quarter cor.
70.00 Leave bottom N & S
79.90 Intersect North & South line
12 links north of post cor. to
Sec. 10 & 11. 14 & 15 from which cor. I run
North 89° 55' West on true line
between Sec 10 & 15 Va 12° 50'
39.95 Set post 2 + 2 in 4 feet in length
set 12 in deep. Deposited charred
stake and raised mound of earth
2½ feet high from pits 12 + 24 in
and 12 in deep. as pr. Instructions
for. quarter sec cor.
79.90 Fo. cor. of Sec. 9 + 10. 15 & 16

Land.
Bottom 2nd rate
Sand hills 3rd rate.

Township 24 North Range 22 West

North between Sec. 9 & 10
Va 12° 55'

40.00 Set post 2 + 2 in 4 feet in length
set 12 in deep. Deposited charred
stake and raised mound of earth
2½ feet high from pits 12 + 24 in
12 in deep. as pr. Instructions
for. Quarter sec cor.
62.00 Enter bottom bears. S.E. & N.W.
80.00 Set post 4 + 4 in 4 feet in length
Set 12 in deep. Deposited charred
stake and raised mound of
earth 2½ feet high from pits 12 + 24
and 12 in deep as pr. Instructions for.
Sec cor. to sec. 3. 4. 9. & 10.

Land.
Rolling sand hills 3rd rate
Bottom 2nd rate

Township 24 North Range 22 West

East on random line between Sec. 3 & 10

Va 12° 30' E

38.00 Leave bottom NW & SE

40.00 Set ~~Post~~ Temporary quarter sec cor.

80.11 Intersect North & South line 10 links North of post cor. to sec 2 & 3. 10 & 11. North 89° 56' West on true line bet Sec. 3 & 10 Va 12° 30' E

from which cor. bears

40.05½ set post 2 x 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound, 2½ ft. high from pits 12 x 24 in 12 in deep as pr Instructions for quarter Sec cor.

80.11 To the corner of sections 3 & 4. 9 & 10.

Land.

Bottom Rolling 2nd rate

Sand hills 3rd rate

Township 24 North Range 22 West

North between Sec. 3 & 4.

Va 12° 55' E

40.00 set post 2 x 2. 4 feet in length set 12 in deep Deposited charred stake and raised mound of earth 2½ feet high from pits 12 & 24 in 12 in deep as pr. Instructions for quarter Sec cor.

64.00. Leave bottom bears. NW & SE.

75.00 Intersect 6" Standard Parallel 17 20. West of Standard cor. to Sections 33 & 34 of Township 25 North Range 22 West

Set post 3 cor. 3 & 3 7 & 2 in quad Deposited charred stake and raised mound of earth 2½ ft high from pits 18 & 18 & 12 deep for closing corner to Sec 3 & 4 5, 24 N R 22 W

Land.

Bottom 2nd rate

Sand hills 3rd rate

Aug 6 1873

Township 24 North Range 22 West

North between Sections 32 & 33.

Va. 12.50

~~25.00~~ ~~Enter bottom bears. SW & NE~~

40.00 Set post 2 + 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound 2½ feet from pits 12 + 24 in 12 in deep. as pr. Instructions for quarter sec. cor.

68.00 Leave bottom

80.00 set post 4 + 4 in 4 feet in length set 12 in deep Deposited charred stake and raised mound of Earth 2½ feet high from pits 18 + 24 in and 12 in deep. as pr. Instructions for Sec Cor. to Sections 28 & 29. 32 & 33

Land.

Bottom 2nd rate

Sand hills 3rd rate

Township 24 North Range 22 West.

East on random line between Sections 28 & 33.

Va. 12°30' E

7.00 Enter bottom bears. N. E. & S. W.

40.00 Set Temporary quarter Sec cor.

80.05 Intersect North & South line 20 links North of post cor. to Sections 27. & 28. 33 & 34 from which cor.

I run North 89° 51' West on true line

Va 12.50 E

Set Sec. 28 & 33.

40.02½ set post 2 + 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of Earth 2½ feet high from pits 12 + 24 in 12 in deep. as pr. Instructions for quarter Sec cor.

80.05 To Sec cor. to sections 28 & 29. 32 & 33.

Land.

Sand hills 3rd rate

Bottom 2nd rate

Township 24 North Range 22 West.

North between sections 28 & 29

Va 12°50' E

20.00 Enter bottom bears. N.W. & S.E.

40.00 set post 2 + 2" 4 feet in length set 12" deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 12 + 24" 12" deep. as pr. Instructions for quarter Sec cor.

70.00 Leave bottom N W S E

80.00 set post 4 + 4 in 4 feet in length set 12" deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 24" 12" ~~Dep.~~ Deep. as pr. Instructions for Sec cor. to Sec. 20 & 21. 28 & 29.

Land.

Bottom 2nd rate

Sand hills 3rd rate

Township 24 North Range 22 West.

East on random line between Sections 21 & 28.

Va 12°50' E

31.00 Enter bottom bears N. & S.

40.00 set temporary quarter Sec cor.

79.85 Intersect North & South line 7 links south of post cor. to sections 21 & 22. 27. & 28 from which cor. I run South 89° 57' West. on true line bet Sec 21 & 28 Va 12°50' E

39.92½ set post 2 + 2" 4 feet in length set 12" deep Deposited charred stake and raised mound of earth 2½ feet high from pits 12 + 24" and 12" deep. as pr. Instructions for quarter Sec cor

79.85 To cor. to sections 20 & 21 28 & 29.

Land

Sand hills 3rd rate

Bottom 2nd rate

Township 24 North Range 22 West

	North between Sec 20 & 21.
40.00	~~set post 2 x 2 in~~ 4 Va 12°50'
	set post 2 x 2 in 4 feet in length
	set 12 in deep. Deposited charred
	stake and raised mound
	of Earth 2½ feet high from
	pits 12 x 24 in 12" deep as pr.
	Instructions for quarter sec cor.
46.00	Enter bottom Bears N.W. & S.E.
57.00	Leave bottom enter sand hills
80.00	set post 4 x 4 in 4 feet in length
	set 12 in deep. Deposited charred
	stake and raised mound of
	Earth 2½ feet high from pits
	18 x 24 in 12 in deep. as pr.
	Instructions for sec cor. to sec.
	16 & 17. 20 & 21
	Land.
	Sand hills 3rd rate
	Bottom 2nd rate

Township 24 N. Range 22 West

	East on random line
	between Sections 16 & 21
	Va 12°50' E
40.00	set temporary quarter sec cor.
70.00	Enter bottom, bears N. & S.
80.15	Intersect North and south line
	20 links south of post cor. to
	Sections 15 & 16. 21 & 22. from which
Cor. from	South 89° 57' West on a true
but sec 16 & 21	Va 12°50' E
40.07½	line Set post 2 x 2 in 4 feet
	in length set 12 in deep.
	Deposited charred stake and
	raised mound of earth 2½
	feet high from pits 12 x 24 in
	12 in deep. as pr. Instructions
	for. quarter sec cor.
80.15	To the cor. of sections 16 & 17
	20. & 21.
	Land
	Sand hills 3rd rate
	Bottom 2nd rate

Township 24 North Range 22 West.

North between sec. 16 & 17
Va. 12° 50' E

40.00 Set post 2 + 2in 4 feet in length set 12in dep. Deposited chorn. stake and raised mound of Earth 2½ feet high from pits 12 + 24in 12in dep. as pr. Instructions for quarter sec. cor.

42.00 Enter bottom bears N. W. & S. E

75.00 Leave bottom N W & S E

80.00 Set post 4 + 4in 4 feet in length set 12in dep. Deposited charred stake and raised mound of Earth 2½ feet high from pits 18 + 24in 12in dep. as pr. Instructions for. sec cor. to sec. 8 & 9. 16 & 17.

Land.

Bottom 2nd rate

Sand hills 3rd rate

Township 24 North Range 22 West.

East on random line between Sections 9 & 16.
Va 12° 50' E

40.00 Set temporary quarter sec. cor.

80.10 Intersect North & South line 12 links North of post cor. to sections 9, & 10. 15 & 16 from which cor. bears N 89° 55' West on true line bet. Sec. 9 & 16 Va 12.50 E

40.05 Set post 2 + 2in 4 feet in length set 12in dep. Deposited charred stake and raised mound of Earth 2½ feet high from pits 12 + 24in 12in dep as pr. Instructions for. quarter sec cor.

80.10 To cor of sections 8 + 9. 16 & 17.

Land

Sand hills 3rd rate

Township 24 N. Range 22 West

North between Sec. 8 & 9.
Va 12°35' E

40.00 Set post 2 x 2 in 4 feet in length set 12" deep. Deposited charred stake and raised mound of Earth 2½ feet high from pits 12 x 24 12 in deep. as per. Instructions for quarter sec cor.

80.00 Set post 4 x 4 in 4 feet in length set 12" deep Deposited charred stake and raised mound. 2½ feet high from pits 18 x 24 in and 12" deep. as per Instructions for. sec cor. to sections 4 & 5. 8 & 9.

Land
Sand hills 3rd rate

Township 24 North Range 22 West

East on random line between sections 4 & 9.
Va 12°35' E

30.00 Enter bottom bcos N. W. & S. E.

40.00 Set temporary corner.

79.80 Intersect North & South line 11 links south of post cor. to sec. 3 & 4. 9 & 10. from which cor. I run N. 89° 55' W. on true line bet sections 4 & 9 Va 12°50' E

39.90 Set post 2 x 2 in 4 feet in length 12 in deep Deposited charred stake and raised mound of Earth 2½ feet high from pits 12 x 24 in 12" Deep. as per. Instructions for. quarter sec cor.

79.80 To sec cor. of sec. 4 & 5 8 & 9.

Land.
Sand hills 3rd rate
Bottom 2nd rate

Township 24 North Range 22 West

North between sections 4 & 5
Va 12°.50' E

20.00 Enter bottom bears N.W. & S.E.
40.00 set post 2 x 2 in 4 feet in length set 12 in deep Deposited charred stake and raised mound of Earth 2 1/2 feet high from pits 12 x 24 in 12 in deep. as pr Instructions for quarter sec cor.
60.00 Leave bottom E & W
73.50 Intersect 6" Standard Paralell 16.70 West of Standard cor. to sections 32 & 33 Township 25 North Range 22 West.
Land.
Bottom 2nd rate
Sand hills 3rd rate

set 8 cor post 3 x 3 12 - 2 grove chained stake deposited mound of Earth 2 1/2 feet high from pits 18 x 18 x 12 deep to claim cor. to sec 4 & 5 Township 24 N R 22 West.

Township 24 N. Range 22 West

North. between sections 31 & 32
Va 12°.50' E

40.00 Set post 2 x 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of Earth 2 1/2 feet high from pits 12 x 24 in 12 in deep. as pr Instructions for quarter sec cor.
44.00 Entered bottom bears E. & W.
73.50 Leave bottom E & W
80.00 set post 4 x 4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of Earth 2 1/2 feet high from pits 18 x 24 in 12 in deep as pr. Instructions for sec cor. to sections 29 & 30. 31 & 32.
Land.
Bottom 2nd rate
Sand hills 3rd rate

Township 24 North Range 22 West

East on random line
between Sec. 29 & 32.
Va. 12°50' E

40.00 set temporary quarter
Sec cor.

80.20 Intersect North & South line
5 links South of post cor.
to Sections 28 & 29. 32. & 33 from which
cor. bears South 89°58' West on true line
bet Sec. 29 & 32. Va. 12°50' E

40.10 set post 2 x 2 in 4 feet in length
set 12 in deep. Deposited charcoal
stake and raised mound of
Earth 2½ feet high from
pits 12 x 24 in 12 in deep. as pr
Instructions for quarter sec cor.

80.20 To Sec cor. to sections
29 & 30. 31 & 32.

Land
Land hills 3rd rate

Township 24 North Range 22 West

West on random line
between Sec. 30 & 31
Va. 12°50' E

40.00 set temporary quarter Sec cor

78.80 Intersect West boundary of
Township 15 links North of
Cor. to sections 30 & 31 from which
cor. bears N 89°54' East on true line
bet Sec. 30 & 31 Va. 12°50' E

38.80 set post 2 x 2 in 4 feet in length
set 12 in deep Deposited charcoal
stake and raised mound of
Earth 2½ feet high from pits
12 x 24 in 12 in deep. as pr
Instructions for quarter sec cor

78.80 To Sec cor. to sections
29. & 30. 31 & 32.

Land.
Rolling Sandy 3rd rate

Township 24 North Range 22 West

North between sections 29 & 30
Va 12°30' E

40.00 set post 2 x 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 12 x 24 in 12 in deep. as pr Instructions for quarter sec cor.

80.00 set post 4 x 4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound 2½ feet high from pits 18 x 24 in 12 in deep. as pr Instructions for sec cor. to sections 19 & 20. 29 & 30

Land rolling sand hill 3rd rate

Aug 7th 1873

Township 24 North Range 22 West

East on random line between sections 20 & 29
Va 12°30' E

40.00 set temporary quarter sec cor.

80.15 Intersect North and south line 12 links North of post cor. to sec. 20 & 21. 28 & 29. from which cor. I run N. 89° 55' West on true line bet sec 20 & 29
Va 12°50' E

400 7/2 set post 2 x 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 12 x 24 in 12 in deep. as pr Instructions for quarter sec cor.

80.15 To cor. of sections 19 & 20, 29 & 30

Land sandy hills 3rd rate

Township 24 North Range 22 West

West on random line
Between Sections 19 & 30
Va 12°50' E

40.00 Set temporary quarter sec cor.

79.10 Intersect West boundary of Township 10 links North of cor. to sec. 19 & 30 from which cor.
I run North 89°56' East on true line
bet Sec. 19 & 30
Va 12°50' E

39.10 Set post 2 x 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of Earth 2½ feet high from pits 12 x 24 in 12 in Deep. as pr. Instructions for quarter sec cor.

79.10 To sec cor. to sec. 19 & 20, 29 & 30.

Land
Sand hills 3rd rate

Township 24 North Range 22 West

North between sec. 19 & 20
Va 12°50' E

40.00 Set post 2 x 2 in 4 feet in length set 12 in deep. Deposited charred Stake and raised mound of Earth 2½ feet high from pits 12 x 24 in 12 in Deep as pr. Instructions for quarter Sec cor.

80.00 Set post 4 x 4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of Earth 2½ feet high from pits 18 x 24 in 12 in deep as pr Instructions for sec cor. to Sections 17. & 18. 19. & 20

Land.
Sand hills 3rd rate

Township 24 North Range 22 West

East on random line between sections 17 & 20

Va. 12°50' E

20.00 Enter bottom bears. N. W. & S. E.

40.00 set temporary quarter sec cor.

65.00 Leave bottom N W & S E

80.10 Intersect North & South line 30 links North of post cor. to Sections 16 & 17. 20 & 21 from which

Cor. I run North 89°47' West on true line

Set Sec 17 & 20 Va 12°50' E

40.05 Set post 2 x 2 in 4 feet in length set 12 in deep Deposited charred Stake and raised mound of Earth 2½ feet high from pit 18 x 24 in 12 in deep. as pr. Instructions for quarter sec

80.10 Cor. - To the cor. of sections 17 & 18. 19 & 20

Land sand hills 3rd rate

Bottom 2nd rate

Township 24 North Range 22 West

West on random line between Sections 18 & 19.

Va 12°50' E

39.00 Enter bottom bears. N. & S.

40.00 set temporary quarter sec. cor.

69.00 Leave bottom N & S

78.85 Intersect West Boundary of Township 20 links North of cor. to Sections 18 & 19 from which cor. I run N. 89°51' East on true line

Set Sec. 18 & 19 Va 12°50' E

38.85 Set post 2 x 2 in 4 feet in length set 12 in deep. Deposited Charred stake and raised mound of Earth 2½ feet high from pits 12 x 24 in 12 in deep. as pr Instructions for quarter sec. cor.

78.85 To corner of sections 17. & 18. 19. & 20.

Land.

Sand hills 3rd rate

Bottom rolling 2nd rate

Township 24 North Range 22 West

North between sections 17 & 18.
Va. 12°50' E

11.60 Enter bottom bears. E. & W.
30.00 Leave bottom. E & W
40.00 set post 2 + 2in 4 feet in length set 12in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 12 + 24in 12in deep as pr. Instructions for quarter sec. cor.
66.00 Enter Bottom bears. E. & W.
80.00 Set post 4 + 4in 4 feet in length set 12in deep Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 24in 12in deep as pr. Instructions for sec cor. to Sections 7 & 8. 17. & 18.
Land. Bottom 2nd rate
Sand hills 3rd rate

Township 24 North Range 22 West

East on random line between Sections 8 & 17
Va. 12°50' E

~~3.00 Enter bottom, bears. N. W. & S. E.~~
40.00 set temporary quarter sec. cor.
70.00 Leave bottom
80.08 Intersect North & South line 10 links South of post cor. to Sections 8. & 9. 16. & 17 from which cor
Inm. S. 89°56' West on true line bet sec. 8 + 17 Va. 12.50 E
40.04 set post 2 + 2in 4 feet in length set 12in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 12 + 24in 12in deep as pr Instructions for quarter sec. cor.
80.08 To cor. of Sections 7. & 8. 17. & 18.
Land.
Bottom 2nd rate
Sand hills 3rd rate

Township 24 North Range 22 West

West on random line
between Sec. 7 & 18
Va 12° 30' E

40.00 Set temporary quarter sec cor.
78.30 Intersect West boundary of Township 10 links North of post cor. to sections 7. 8. 18 from which cor. bears North 89° 56' East on true line between Sec. 7 & 18.
38.50 Set post 2 x 2 in 4 feet in length Set 12 in deep Deposited charred stake and raised mound of Earth 2½ feet high from pits 12 x 24 in 12 in deep. Va 12° 50' E
as pr Instructions for quarter sec. cor
78.50 To cor. of sections 7 8 17 & 18

Land Bottom 2nd rate

Township 24 North Range 22 West

North between sec. 7 & 8
Va 12° 30' E

~~15.20 Enter bottom bears N. W. & S. E.~~
40.00 Set post 2 x 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of Earth 2½ feet high from pits 12 x 24 in 12 in deep as pr.
Instructions for quarter sec. cor.
46.00 Leave bottom bears N. W. & S. E.
80.00 Set post 4 x 4 in 4 feet in length Set 12 in deep. Deposited charred stake and raised mound of Earth 2½ feet high from pits 18 x 24 in 12 in Deep as pr. Instructions for. Sec cor. to sections 5. & 6. 7. & 8.

Land.
Bottom 2nd rate
Sand hills 3rd rate

Township 24 North Range 22 West

East on random line
between Sections 5. & 8. Va 12°50' E
40.00 set temporary quarter sec. cor.
79.94 Intersect North & South line
15 links South of post cor. to sec.
4. & 5. 8. & 9. from which cor. I run
South 89° 54' West on true line
bet sec 5 & 8. Va 12°50' E
39.97 set post 2 x 2 in 4 feet in length
set 12 in deep Deposited charred
Stake and raised mound of
Earth 2½ feet high from
pits 12 x 24 in 12 in deep. as pr
Instructions for quarter sec cor.
79.94 To Sec cor. to Sections
5. & 6. 7. & 8.
Land.
Sand hills 3rd rate

Township 24 North Range 22 West

West on random line
between sections 6. & 7.
Va 12°50' E
40.00 Set temporary quarter sec. cor.
78.10 Intersect West boundary of
Township 5 links North of
cor. to Sections 6. & 7 from which
cor. I run North 89° 58' East on true line
bet Sec 6. & 7. Va 12°50' E
38.10 Set post 2 x 2 in 4 feet in length
set 12 in deep Deposited charred
Stake and raised mound of
Earth 2½ feet high from pits
12 x 24 in 12 in deep. as pr.
Instructions for quarter
sec. cor.
78.10 To cor. of Sections
5. & 6. 7. & 8.
Land.
Sand hills 3rd rate

Township 24 North Range 22 West

North, on true line between Sec. 5. & 6.
Va 12°50'E

4000 Set post 2×2 in 4 feet in length set 12 in deep. Deposited charred Stake and raised mound of earth 2½ feet high from pits 12×24 – 12 in deep. as pr Instructions for quarter Sec cor.

46.00 Enter bottom bears. N.W. & S.E.

73.00 Intersect 6" Standard Paralell 16.30 West. of Standard cor. to Sections 32 & 33. Township 25 North Range 22 West.

Let post 3 cor. 3×3 in 12 in gives deposited charred stake and raised mound of earth 2 ft high from pits 18×18×12 deep for closing cor to Sec 5 & 6 T 24 N R 22 W

Land.

Sand hills 3rd rate

Bottom 2nd rate

Aug 8th 1873

General Description

The North East portion of this Township is rolling sand hill only good for grazeing in the central and Western part are some good Bottom lands that afford good grass for hay and are No one for farming purposes water can be obtained in the bottoms at the depth of 12 feet

There is no surface water and no timber in this Township

A List of names of the individuals employes to assist in runing and measuring and marking the Corners described in the foregoing field notes of Township 24 North of the base line of Range 22 West of the 6th Principle Meridian Showing the respective capacities in wich they acted

John Mangold Chainsman
Henry Hieb chainman
David W Davidson Moundman
Esau Belden Flagman

General Land Office • Original Field Notes

Book Number

463

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.