General Land Office • Original Field Notes

Book Number

467

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Field Notes
of
Survey of Subdivisions
of
Township No 1 North
of
Range No 23 West
of the
6th P. M.

Executed by
W. E. Daugherty U S Deputy

Town 1. Range 23 W.

6	63	5	46	4	34	3	23	2	12	1	
	62		61		45		33		22		11
7	60	8	44	9	32	10	21	11	10	12	
	59		58		43		31		20		9
18	57	17	42	16	30	15	19	14	8	13	
	56		55		41		29		18		7
19	54	20	40	21	28	22	17	23	6	24	
	53		52		39		27		16		5
30	51	29	38	28	26	27	15	26	4	25	
	50		49		37		25		14		3
31	48	32	36	33	24	34	13	35	2	36	

Surveyed by
David V. Stephenson
July 1871 under joint
Contract No. 49 dated
June 16th 1871

Field Notes of the Subdivision

Lines of Township 1 N.
Range 23 W. of the 6th P.M.

To determine the Proper
Adjustment of my Compass, for
Subdividing this Township.
I. commence at the Corner to
Township One (1) North. On the
Base Line. Ranges 22 & 23 West
of the 6th P.M.
North. On a Random Line along
the East boundary of Sec 36.
Variation 14° 30' E

39.85 To a Point 10 links East of the
1/4 Sec Corner.

79.94 To a Point 15 links East of
the Corner to Sec 25 & 36.
To retrace this line or run a
line Parallel thereto. my Compass
must be adjusted to a
Va of 14°36' E.

Survey

Commenced July 12. 1871
Completed July 17th 1871

Township 1. N. R 23. W. 6th P M.

Chains	
	From the Corner to Sec 35 & 36 in the South boundary of the Township. I run North between Sec 35 & 36 Va 14° 36' E.
33.00	A Raise mine N. W.
40:00	Drove Stand stake. Set post & mound of Earth as per instructions for 1/4 Sec Cor.
80:00	Drove a Stand stake set post & mound of Earth as per instructions for Cor to Sec 25. 26. 35 & 36.

Land rolling. Soil 2nd rate

Township 1. N. R 23 W. 6th P M

Chains.	
	East On a random line between Sec 25 & 36. Va 13° 30' E.
15.00	Spruce Branch. 2 links wide. a belt of Timber 1 Chain wide along banks of creek.
40:00	Set Flag for temporary 1/4 Sec Corner
80.04	Intersected the East boundary of the Township 8 links S. of Cor to Sec 25 & 36. from which corner I run South 89° 57' W. On a true Line Set Sec 25 & 36 Va 13° 30 E
40.02	Drove Stand Stake Set Post & mound of Earth as per instructions for 1/4. Sec Cor.
80.04	The Corner to Sec 25. 26. 35 & 36.

Land rolling Soil 2nd rate

Township 1. N. R 23. W. 6th P. M.

Chains.	
	North. between Sec 25 & 26 Va 14° 36. E
20.00	Dry Creek Water 3 links wide. a Belt of Timber 1½ Chains wide on either bank. Creek very Crooked. Course at line crossing is N. E.
40:00	Set Sandstone, 10x10x7. for a ¼ Sec Cor.
46:00	Same Creek runs N. W. water 2 links wide.
50:00	Same Creek runs N. E. water 4 links wide. Current sluggish
69:00	Same Creek runs N. W.
80:00	Drove Stake and State set Post & raised mound of Earth as per instructions for Cor. to Sec 23. 24, 25 & 26. Timber. Elm & Ash. Land Broken Soil 3rd

Township 1. N. R 23. W. 6th P. M.

Chains.	
	East On a random line between Sec 24 & 25 Va 13° 30' E.
40:00	Set Flag for temporary ¼ Sec cor.
80:18	Intersect the East boundary of Township, 13 links North of the Corner to Sec 24 & 25. from which corner I run North 89° 54 W. On a true line. bet Sec 24 & 25 Va 13° 30' E.
40:09	Set Sandstone 10x10x7 for a ¼ Sec Cor.
80:18	The Corner to Sec 23. 24, 25 & 26. Land high and rolling, Soil 3rd rate.

Township 1. N. R. 23 W. 6th P M.

Chains	
	North between Sec 23 & 24 Va 14° 36' E.
8:00	Dry Creek. Gms N. Water 4 links wide Muddy. high banks. Current rapid.
40:00	Drove Chard State set post & raised mound of earth as per instructions for 1/4. Sec. Cor.
80:00	Drove Chard state set post & raised mound of earth as per instructions for Corner to Sec 13. 14. 23 & 24.
	Land rolling Soil 2nd rate

Township 1. N. R. 23. W. 6th P M.

Chains	
	East On a random line between Sec 13 & 24. Va 13° 30' E.
40:00	Set Flag for temporary 1/4 Sec Cor
72:00	Dry Creek runs N.
79:80	Intersect the East boundary of the Township at Corner to Sec 13 & 24. from which Corner I run West. On true line Bet. Sec 13 & 24 Va 13°30' E.
39:90	Drove Chard State. Set Post & raised mound of Earth as per instructions for 1/4 Sec Cor
79:80	The Corner to Sec 13, 14, 23 & 24.
	Land rolling, 2nd rate Soil

Township 1. N. R. 23. W. 6th P.M.

Chains.	
	North between Sec 13 & 14. Va 14° 36' E.
40:00	Drove hard Stake set Post & raised mound of earth as per instructions for 1/4 Sec Cor.
45:00	Leave up Land and enter bottom, E & W
64:50	Sappy Creek, runs S. 200 links wide Water 15 feet deep. (High Water) Timber one Chain wide along banks
80:00	Set a Sandstone 14x10x7 for Corner to Sec 11. 12, 13 & 14. This Corner Stands at the foot of the Bluffs bearing S.E. & W.

Bottom land good farming
Upland high & broken 3rd rate soil

Township 1. N. R 23. W. 6th P.M.

Chains.	
	East on a random line between Sec 12 & 13. Va 13° 30' E.
10:00	Deep Ravine, bears S.
40:00	Set Flag for temporary 1/4 Sec Cor.
79:86	Intersect the East boundary of Township 17 links North of Cor to Sec 12 & 13. from which corner I run North 89° 53 W On a true line bet Sec 12 & 13 Va 13° 30' E
39:93	Set Sandstone 10x10x7 for a 1/4 Sec Cor.
79:86	The Corner to Sec 11. 12, 13 & 14.

Bottom Land good farming
Up Land. high and broken unfit for cultivation

Township 1 N. R 23 W. 6th P M.

Chains.	
	North between Sec 11 and 12. Var 14° 36. E
34:00	Ravine bears S.E.
40:00	Drove hard stake, set post & raised mound of Earth as per instructions for 1/4 Sec Cor.
50:00	Dep Ravine runs S.E.
80:00	Drove hard stake, set post & raised mound of earth as per instructions for Cor to Sec 1, 2, 11 and 12.

Land broken Soil 3rd rate

Township 1 N. R 23 W. 6th P M.

Chains.	
	East On a random line between Sec 1 and 12 Var 13° 30' E.
10:00	Ravine bears S.
40:00	Set Flag for temporary 1/4 Sec Cor.
80:10	Intersect the East boundary of Township 13 links N of Cor to Sec 1 and 12. from which Corner S runs North 89° 54' W. On true line bet Sec 1 and 12 Var 13° 30' E.
40:05	Set Sandstone, 12x10x7 for a 1/4 Sec Cor
80:10	The Corner to Sec 1. 2, 11 and 12.

Land broken. 3rd rate Soil.

Township 1 N. R. 23 W. 6th P.M.

Chains	Chains.	
		North. On a random line between Sec 1 & 2. Va 14° 36' E.
34		
40	21:00	Ravine bears. S.E.
	40:00	Set Flag for temporary 1/4 Sec Cor.
	79:90	Intersect the N. boundary of Township 22 links west of
50		
80		Cor to Sec 1 & 2. from which corner I run
		South 9 W. On a true line
		bet. Sec 1 & 2 Va 14° 36' E.
	39.90	Drove a Stake. Set post and raised mound of Earth as per instructions for a 1/4 Sec Cor.
	79:90	The Corner to Sec 1. 2, 11 & 12.
		Land rolling Soil 2nd rate
		July 12th 1871

Township 1 N. R 23 W. 6th P.M.

Chains.	
	North between Sec 34 & 35 Va 14° 27' E
40:00	Drove Stake, Set post & raised mound of earth as per instructions for 1/4 Sec Cor.
80:00	Drove Stake Set post & raised mound of earth as per instructions for Cor to Sec 26. 27. 34 & 35.
	Land high and rolling. Soil 3rd rate.

Township 1. N. R. 23. W. 6th P M.

Chains	East On a random line between Sec. 26 & 35 Va 13° 30' E
40:00	Set Flag for temporary 1/4 Sec Cor.
60:00	Spring Branch 2 links wide runs N. W.
61:50	Same Creek runs S.E.
64:00	Same Creek runs N.W.
68:00	Same Creek runs S.E.
71.50	Same Creek 2 links wide, runs N.E. A Belt of Timber about 1 chain wide along either bank of this Creek
79.98	I fixed at the Corner to Sec 25, 26, 35 & 36. from which Corner I run
	West On a true line between Sec 26 & 35 Va 13° 30' East
39.99	Drove Stake and Stone Set Post & raised mound of Earth as per instructions for 1/4 Sec Cor
79.98	The Corner to Sec 26. 27. 34 & 35. Land rolling. Soil 2nd rate.

Township 1. N. R 23. W. 6th P M.

Chains.	North between Sec 26 & 27 Va 14° 27' E.
40:00	Drove Stake and Stone. Set Post & raised mound of Earth as per instructions for a 1/4 Sec Cor.
80:00	Drove Stake and Stone Set Post & raised mound of Earth as per instructions for Cor to Sec 22, 23, 26 & 27. Land hilly & rolling fit only for Grazing

Township 1. N. R 23. W. 6th P.M.

Chains	
	East On a random line between Sec. 23 & 26. Var 13° 30' E.
40:00	Set Flag for temporary 1/4 Sec Cor.
70 00	Dry Creek 4 lks wide descends N
80:10	I loced 13 links North of Cor to Sec 23, 24, 25 & 26. from which corner I run
	North 89° 54' W.
	On true line Set Sec 23 & 26 Var 13°30' E
40:05	Drove Stake, Set post & raised mound of earth as per instructions for 1/4 Sec Cor.
80:10	The Corner to Sec 22, 23 26 & 27.
	Land rolling Soil 2nd rate

Township 1. N. R 23. W. 6th P.M.

Chains	
	North, between Sec 22 & 23 Var 14° 27' E.
20:00	Leave up Log'd. enter bottom bran N.E. & W.
40:00	Drove Stake, Set Post & raised mound of earth as per instructions for 1/4 Sec Cor.
80:00	Drove Stake Set Post & raised mound of earth as per instructions for Cor to Sec 14, 15, 22 & 23.
	Land gently rolling 2nd rate Soil

Township 1. N. R. 23. W. 6th P. M.

Chains.		East On a random line between Sec 14 and 23 Va 13° 30' E. and leave bottom in E.
40:00		Set Flag for temporary 1/4 Sec Cor.
80:04		I. lost 7 links South of Corner to Sec 13. 14. 23 and 24 from which corner I syn South 89° 57 W. Set Sec 14 & 23 On a true line Va 13° 30' E.
40:02		Drove Stake, Set post & raised mound of earth as per instructions for 1/4 Sec Cor.
80:04		The Cor to Sec 14. 15, 22 and 23

Land gently rolling Prairie
Soil 2nd rate

Township 1. N. R 23. W. 6th P. M.

Chains	North, between Sec 14 and 15 Va 14° 24' E.
3:00	Sappy Creek 40 links wide runs E.
30:00	Leave bottom & enter up Land, bears E and W.
40:00	Set a Sandstone, 10×10×9. for a 1/4 Sec Cor.
80:00	Set Sand Stone. 16×11×4 for Corner to Sec 10. 11. 14 and 15

Land rolling Soil 2nd rate

Township 1. N. R 23. W. 6th P.M.

	Chains.	East On a random line between Sec 11 & 14 Var 13° 30' E.
40	40:00	Set Flag for temporary 1/4 Sec Cor.
80	42:00	Deep Ravine bears South.
	80:12	I closed 9 links South of Corner to Sec 11, 12, 13 and 14. from which corner I run
		South 89° 56' W. On a true line between Sec 11 & 14 Var 13° 30' E.
40	40:06	Set a Sandstone 10x10x8 for a 1/4 Sec Cor.
80	80:12	The Corner to Sec 10. 11, 14 & 15.
		Land broken, 3rd rate Soil Sandstone along edges of Ravine Timber along Creek. Ash & Box Alder.

Township 1. N. R 23. W. 6th P.M.

Chains.	North between Sec 10 & 11 Var 14° 27' E.
40:00	Drove Stand stake set post & mound of Earth as per instructions for 1/4 Sec. Cor.
60:00	A Ravine bears S.E.
80:00	Drove Stand stake. set post & mound of Earth as per instructions for Cor to Sec 2, 3, 10 & 11.
	Land rolling Prairie Soil 2nd rate

16

22.

Township 1. N. R. 23. W. 6th P. M.

	Chains.	East. On a random line between Sec 2 & 11. Va 13° 30' E.
40	40:00	Set Flag for temporary 1/4 Sec Cor.
80	50:00	A Ravine bears S.W.
	80:20	I closed 20 links South of Corner to Sec 1, 2, 11 & 12. from which corner I run South 89° 51' W.
40.		On a true line Set Sec 2 & 11. Va 13° 30' E.
	40:10	Drove Stand Stake, Set Post & raised mound of earth as per instructions for 1/4 Sec Cor.
80.	80:20	The Cor to Sec 2, 3, 10 & 11

Land high and broken,
Soil 3rd rate.

23.

Township 1. N. R 23. W. 6th P. M.

Chains.	North On a random line between Sec 2 & 3. Va 14° 27' E.
40:00	Set Flag for temporary 1/4 Sec Cor.
79:80	Intersected the North boundary of Township 35 links west of Corner to Sec 2 & 3 from which corner I run South 15 M. On true line between Sec 2 & 3 Va 14° 27' E.
39:80	Drove Stand stake, Set Post & raised mound of earth as per instructions for a 1/4 Sec Cor.
79:80	The Cor to Sec 2, 3, 10 & 11.

Land broken 3rd rate Soil
July 13th 1871

24

Township 1. N. R 23. W. 6th P.M.

Chains.	North between Sec 33 & 34 Va 14° 15' E.
25:00	a Ravine bears N. W.
40:00	Drove Chard stake Set Post & raised a mound of Earth as per instructions for 1/4 Sec Cor.
80:00	Drove Chared Stake. Set Post & raised mound of earth as per instructions for Cor to Sec 27. 28, 33 & 34.

Land high & broken Soil 3rd rate

Township 1. N. R. 23. W. 6th P.M.

Chains.	East On a random line between Sec 27 & 34. Va 13° 30' E
20:00	Ravine bears N. W.
40:00	Set Flag for temporary 1/4 Sec Cor
80:06	I closed 15 links North of Cor to Sec 26. 27. 34 & 35. from which corner I run North 89° 54' W. Set Sec 27 & 34 On a true line Va 13° 30' E.
40:03	Drove Chard stake. Set post & raised mound of earth as per instructions for 1/4 Sec Cor.
80:06	The Cor to Sec 27. 28, 33 & 34.

Land high and broken.
Soil 3rd rate

26

Township 1 N. R 23 W. 6th P.M.

Chains	
	North between Sec 27 & 28 Va 14° 15' E.
25.00	Ravine bears N.W.
40.00	Drove hard state set post & raised mound of earth as per instructions for 1/4 Sec Cor.
80.00	Drove hard state, set post & raised mound of earth as per instructions for Cor to Sec 21. 22. 27 & 28. Land rolling Soil 2nd rate

Township 1 N. R 23 W. 6th P.M.

Chains	
	East. On a random line between Sec 22 & 27 Va 13° 30' E.
40.00	Set Flag for temporary 1/4 Sec Cor.
80.12	I closed at the Cor to Sec 22. 23. 26 & 27. from which corner I run West. On a true line between Sec 22 & 27. Va 13° 30' E.
40.06	Drove hard state, set post & raised mound of earth as per instructions for 1/4 Sec Cor.
80.12	The Cor to Sec 21. 22. 27 & 28.

Land gently rolling.
Soil 2nd rate.

Township 1 S. R. 23 W 6th P.M.

Chains	
	North between Sec 21 & 22 Va 14° 15' E.
15.00	Leave up Land & enter bottom N.E.
40.00	Drove Stand Stake, Set post & raised mound of earth as per instructions for 1/4 Sec Cor.
63.00	Sappy Creek bears N.E. water 30 links wide. high & muddy banks
80.00	Drove Stand stake set post & raised mound of earth as per instructions for Corner to Sec 14. 15 21 & 22.

Land level along Creek good farming.

Township 1. S R 23. W. 6th P.M.

Chains	
	East On a random line between Sec 15 & 22. Va 13° 30' E.
13.00	Sappy Creek - 30 links wide N.E.
40.00	Set Flag for temporary 1/4 Sec Cor.
80.10	I closed 8 links North of the Corner to Sec 14. 15. 22 & 23. from which corner I run North 89° 57' W. On a true line Set Sec 15 & 22 Va 13° 30' E
40.05	Drove Stand stake, Set post & raised mound of earth as per instructions for 1/4 Sec Cor.
80.10	The Cor to Sec 15. 16. 21 & 22.

Land 2nd rate good for farming.

Township 1. N. R 23. W. 6th P.M.

Chains	
	North. between Sec 15 & 16 Va 14° 15. E.
30.00	Ravine bears S.E.
40.00	Drove Chain & stake set post & raised mound of Earth as per instructions for 1/4 Sec Cor.
80.00	Drove Chain & stake, set post & raised mound of earth as per instructions for Corner to Sec 9. 10. 15 & 16.
	Land rolling Soil 2nd rate

Township 1. N. R 23 W. 6th P.M.

Chains	
	East On a random line between Sec 10 & 15. Va 13° 30' E.
40.00	Set Flag for temporary 1/4 Sec Cor.
60.00	Ravine bears South
80.20	I closed at the Cor to Sec 10. 11. 14 and 15. from which corner I run West On true line between Sec 10 & 15. Va 13° 30' E.
40.10	Drove Chain & stake, set Post & raised mound of Earth as per instructions for 1/4 Sec Cor.
80.20	The Cor to Sec 9. 10. 15 & 16.
	Land high and broken. Soil 3rd rate.

Township 1. N. R 23. W. 6th P. M.

Chains	
	North between Sec 9 & 10 Var 14° 15' E.
40:00	Drove hard stake, set post & raised mound of earth as per instructions for 1/4 Sec Cor.
44:00	Ravine bears S.E.
80:00	Drove hard stake, set post & raised mound of earth as per instructions for Cor to Sec 3, 4, 9 & 10.

Land rolling — Soil 2nd rate

Township 1. N. R 23. W. 6th P. M.

Chains	
	East On a random line between Sec 3 & 10. Var 13° 30' E.
40:00	Set Flag for temporary 1/4 Sec Cor
55.00	Ravine bears S.E.
80.32	I closed 22 links South of the Cor to Sec 2, 3, 10 & 11. from which corner I run South 89° 51' W.
	On a true line bet. Sec 3 & 10 Var 13° 30' E.
40:16	Drove hard stake, set post & raised mound of earth as per instructions for 1/4 Sec Cor.
80.32	The Cor to Sec 3, 4, 9 & 10.

Land high rolling Prairie.
Soil 2nd rate

Township 1 S. R 23 W. 6th P. M.

Chains	
	North. On a random line between Sec 3 and 4 Var 14° 15' E.
40.00	Set Flag for temporary 1/4 Sec Cor.
80.04	Intersected the north boundary of Township 15 links west of Cor to Sec 3 and 4. from which corner W. I run South. On a true line bet. Sec 3 and 4. Var 14° 15' E.
40.04	Drove stake set post & mound of earth as per instructions for 1/4 Sec Cor.
80.04	The Cor to Sec 3. 4. 9 and 10.
	Land broken & 3rd rate Soil
	July 14th 1871

Township 1 S. R 23 W. 6th P. M.

Chains

Township 1. N. R 23 W. 6th P. M.

Chains	
	North between Sec 32 & 33 Va 14° 10' E.
40.00	Drove Stand stake, set post & mound of earth as per instructions for 1/4 Sec Cor.
70.00	Deep Ravine bears N. W.
80.00	Set Sandstone 14×12×8 for Cor to Sec 28. 29, 32 & 33.
	Land broken Soil 3rd rate

Township 1. N. R 23 W. 6th P. M.

Chains.	
	East On a random line between Sec 28 & 33 Va 13° 30' E.
20.00	Ravine. Rocky Edges. bears N.
40.00	Set Flag for temporary 1/4 Sec Cor
52.00	Ravine bears N.
80.00	I closed at the Cor to Sec 27. 28, 33 & 34. from which Corner I run
	West On a true line between Sections 28 & 33 Va 13° 30' E.
40.00	Set a Sandstone 14×10×7 for 1/4 Sec Cor.
80.00	The Cor to Sec 28. 29. 32 & 33.
	Land. high broken Sand Ridges

Township 1 N. R 23 W. 6th P.M.

Chains	
	North between Sec 28 & 29 Var 14° 10' E
10.00	Leave up land and enter bottom
27.00	Sappy Creek, bears E. Water 50 links wide from 6 to 8 feet deep. had to swim stream high banks & muddy
40.00	Drove hard slate, Set post & raised mound of earth as per instructions for 1/4 Sec Cor.
80.00	Drove hard slate set post & raised mound of earth as per instructions for Cor to Sec 20. 21. 28 & 29.
	Land gently rolling Soil 2nd rate

Township 1 N. R 23 W. 6th P.M.

Chains	
	East. On a random line between Sec 21 & 28 Var 13° 30' E.
35.00	Sappy Creek bears N. E. water from 6 to 8 feet deep. a belt of Timber about 1 chain wide along either bank of creek
40.00	Set Pldg for temporary 1/4 Sec Cor.
80.10	I close 8 links South of Cor. to Sec 21. 22. 27 & 28. from which corner I run South 89° 57' W. On a true line bet. Sec 21 & 28 Var 13° 30' E.
40.05	Set Sandstone 12×10×9 for 1/4 Sec Cor.
80.10	The Cor to Sec 20, 21, 28 and 29.
	Bottom lands good farming, Ups Land rough and broken.

Township 1 N. R. 23 W. 6th P. M.

Chains	
	North between Sec 20 & 21. Var 14° 10' E.
10.00	Leave bottom & enter Upland bears N.E. & S.W.
40.00	Set Sandstone 14×12×8 for 1/4 Sec Cor.
60.00	Ravine bears S.E.
80.00	Set Sandstone 16×15×5 for Corner to Sec 16. 17. 20 & 21.
	Land rolling Soil 2nd rate

Township 1. N. R 23. W. 6th P. M.

Chains	
	East. On a random line between Sec 16 & 21 Var 13° 30' E.
40.00	Set Flag for temporary 1/4 Sec Cor
80.15	I Losld 15 links South of Cor to Sec 15. 16. 21 & 22. from which corner I run South 89° 54' W On a true line Set Sec 16 & 21 Var 13° 30' E.
40.07½	Set Sandstone 13×11×5 for a 1/4 Sec Cor.
80.15	The Cor to Sec 16. 17. 20. & 21.
	Land. bottom good farming upland 2nd rate Soil.

Township 1 N. R 23. W. 6th P. M.

Chains	
	North between Sec 16 and 17 Va 14° 10' E.
40.00	Drove Chard stake, set Post & raised mound of earth as per instructions for 1/4 Sec Cor.
80.00	Drove Chard stake set post & raised mound of earth as per instructions for Corner to Sec 8. 9. 16 and 17.
	Land rolling 2nd & 3rd rate Soil

Township 1 N. R 23. W. 6th P. M.

Chains	
	East. On a random line between Sec 9 and 16. Va 13° 30' E.
20.00	Ravine bears S E.
40.00	Set Flag for temporary 1/4 Sec Cor.
80.20	I closed 4 links N of Cor to Sec, 9. 10, 15 & 16. from which Corner S run North 89° 57 W On true line Set Sec 9 and 16 Va 13° 30' E.
40.10	Drove Chard stake, Set Post & raised mound of Earth as per instructions for 1/4 Sec Cor.
80.20	The Cor to Sec 89. 16 and 17
	Land high rolling Prairie Soil 3rd rate

38

44

Township 1. N. R 23. W. 6th P. M.

Chains	North between Sec 8 & 9 Va 14° 10' E.
40.00	Drove stake, set post & raised mound of earth as per instructions for 1/4 Sec Cor.
60.00	Ravine bears S.E.
80.00	Drove stake, set post & raised mound of earth as per instructions for Cor to Sec 4, 5, 8 & 9.
	Land high & broken Soil 3rd rate

45

Township 1. N. R 23. W. 6th P. M.

Chains.	East. On a random line between Sec 4 & 9 Va 13° 30' E.
20.00	Ravine bears S
40.00	Set Flag for temporary 1/4 Sec Cor.
60.00	Ravine bears S.E.
80.26	I close at the Cor to Sec 3, 4, 9 & 10. from which Corner I run West On a true line between Sec 4 & 9. Va 13° 30' E.
40.13	Drove stake, set post & raised mound of earth as per instructions for 1/4 Sec Cor.
80.26	The Cor to Sec 4, 5. 8 & 9
	Land high & broken fit only for grazing

38

46

Township 1 N. R. 23 W. 6th P. M.

Chains	
	North On a random line between Sec 4 and 5 Var 14° 10' E.
40.00	Set Flag for temporary 1/4 Sec Cor.
80.10	Intersect the North boundary of Township 16 links west of Cor to Sec 4 and 5. from which corner I run South 7' W. On a true line bet. Sec 4 & 5. Var 14° 10' E
40.10	Drove Chared stake, set post & raised mound of Earth as per instructions for a 1/4 Sec Cor.
80.10	The Cor to Sec 4, 5, 8 and 9.

Land rolling Soil 3rd rate

47

Township 1 N. R. 23 W. 6th P. M.

Chains

38

48

Township 1 N. R 23 W. 6th P.M.

North between Sec 31 & 32.
Va 14°. — E

40.00 Drove Chard Stake. Set post & raised mound of earth as per instructions for 1/4 Sec Cor.

80.00 Drove Chard Stake. Set post & raised mound of earth as per instructions for Cor to Sections 29, 30, 31 & 32.

Land rolling 3rd rate Soil

49

Township 1 N. R 23 W. 6th P.M.

East On a random line between Sec 29 & 32
Va 13° 30' E.

40.00 Set Flag for temporary 1/4 Sec Cor.

61.00 Spring Branch 3 links wide N Some scattering Timber

80.10 I close 14 links South of Cor. to Sec 28, 29, 32 & 33. from which corner I run
South 89° 54' W.
On true line between Sec 29 & 32
Va 13° 30' E.

40.05 Drove Chard Stake, Set Post & raised mound of earth as per instructions for 1/4 Sec Cor.

80.10 The Corner to Sec 29, 30 31 & 32.

Land broken and unfit for cultivation

5.0

Township 1. N. R 23 W. 6th P. M.

Chains	
	West. On a random line between Sec 30 and 31 Var 13° 30' E.
18.00	Ravine where I leave upland and enter bottom brush S.W. & N.E.
40.00	Set Flag for temporary 1/4 Sec Cor.
77.00	Sappy Creek, brush N.E. some scattering Timber.
79.78	Intersect the west boundary of the Township 14 links N. of Cor to Sec 30 and 31. From which corner I run North 89° 54 E.
	On a true line Set Sec 30 & 31
39.78	Drive Stand stake Var 13° 30' E. set post & raised mound of earth as per instructions for 1/4 Sec Cor.
79.78	The Corner to Sec 29. 30. 31 & 32.
	Land broken Soil 2nd rate
	July 15th 1871

Township 1. N. R. 23. W. 6th P. M.

Chains	
	North. between Sec 29 and 30. Var 14° E.
40.00	Drive Stand stake, set post & raised mound of earth as per instructions for 1/4 Sec Cor. runs S.W.
45.00	Sappy Creek 40 links wide runs N.
51.00	Leave Creek brush N.E.
80.00	Drive Stand stake set post & raised mound of earth as per instructions for Corner to Sec 19. 20. 29 and 30.

Land broken. Soil 2nd rate

Township 1 N. R 23 W. 6th P.M.

Chains	East. On a random line between Sec 20 & 29. Var 13° 30' E.
2.00	Sappy Creek 40 links wide runs N
40.00	Set Flag for temporary 1/4 Sec Cor.
44.00	Same Creek bears S.E.
80.15	I lose 8 links N of Cor to Sec 20. 21. 28 & 29. from which corner I run North 89° 57 W. On true line bet. Sec 20 & 29 Var 13° 30' E.
40.07½	Drive chased stake. Set post & raised mound of earth as per instructions for 1/4 Sec Cor.
80.15	The Cor to Sec 19. 20. 29 & 30

Land 2nd rate farming

Township 1. N. R 23. W. 6th P.M.

Chains.	West. On a random line between Sec 19 & 30. Var 13° 30' E.
30.00	Sappy Creek bears S. Some scattering timber
40.00	Set Flag for temporary 1/4 Sec Cor.
44.00	Same Creek runs N E.
79.60	Intersect the west boundary of township 7 links South of Cor to Sec 19 & 30. From which corner I run South 89° 57' E On true line bet. Sec 19 & 30 Var 13° 30' E.
39.60	Drive hard stake, Set post & raised mound of earth as per instructions for 1/4 Sec Cor
79.60	The Corner to Sec 19. 20, 29 & 30.

Land rolling Soil 2nd rate

Township 1. N. R. 23. W. 6th P. M.

Chains.	North between Sec 19 and 20 Var 14° E.
40.00	Drove hard stake, set post & raised mound of earth as per instructions for 1/4 Sec Cor.
80.00	Drove hard stake set post & raised mound of earth as per instructions for Corner to Sec 17. 18. 19 and 20.

Land rolling — Soil 2nd rate

Township 1. N. R. 23. W. 6th P. M.

Chains.	East. On a random line between Sec 17. and 20. Var 13° 30' E.
40.00	Set Flag for temporary 1/4 Sec cor.
44.00	Ravine bears South
80.08	I close at the Corner to Sec 16. 17. 20 and 21. from which corner I run West On true line bet. Sec 17 & 20 Var 13° 30' E.
40.04	Drove hard stake, set post & raised mound of earth as per instructions for 1/4 Sec Cor.
80.08	The Corner to Sec 17. 18. 19 and 20. Land gently rolling Soil 2d rate

Township 1 S. R 23 W. 6th P M.

Chains.	West On a random line between Sec 18 & 19 Va 13° 30' E.
40.00	Set Flag for temporary 1/4 Sec Cor.
60.00	Dry Creek runs South
79.50	Intersected the west boundary of Township 7 links South of Cor to Sec 18 & 19 from which corner I ran South 89° 57 E
	On true line bet Sec 18 & 19 Va 13° 30' E.
39.50	Drove chaind stake set post & raised mound of earth as per instructions for a 1/4 Sec Cor.
79.50	The Cor to Sec 17. 18. 19 & 20.
	Land rolling Soil 2nd rate

Township 1. S. R. 23. W. 6th P. M.

Chains	North, between Sec 17 & 18 Va 14° - E.
40.00	Drove chaind stake, set post & raisd mound of earth as per instructions for 1/4 Sec Cor.
80.00	Drove chaind stake set post & raisd mound of Earth as per instructions for Corner to Sec 7. 8. 17 & 18.
	Land rolling Soil 2nd rate

Township 1. N. R 23. W. 6th P. M.

Chains.	East On a random line between Sec 8 and 17 Va 13° 30' E.
25.00	Ravine bears S.
40.00	Set Flag for temporary 1/4 Sec Cor
80.00	I closed 14 links North of Cor to Sec 8. 9. 16 and 17. from which corner I run North 89° 57 W. On true line Set. Sec 8 & 17 Va 13° 30' E.
40.00	Drove Chard Stake Set Post X raised mound of earth as per instructions for 1/4 Sec Cor.
80.00	The corner to Sec 7. 8, 17 and 18.
	Land high & broken Soil 3d rate

Township 1. N. R 23. W. 6th P. M.

Chains.	West. On a random line between Sec 7 and 18 Va 13° 30' E.
30.00	Ravine bears S.W.
40.00	Set Flag for temporary 1/4 Sec Cor.
79.28	Intersect west boundary of Township 7 links South of Cor to Sec 7 and 18. from which corner I run South 89° 57 E. On true line Set. Sec 7 & 18 Va 13° 30' E.
39.28	Drove Chard stake, Set Post & raised mound of earth as per instructions for 1/4 Sec Cor.
79.28	The Cor to Sec 7. 8, 17 and 18.
	Land high & broken unfit for cultivation

Township 1. N. R. 23. W. 6th P.M.

Chains.	North between Sec 7 & 8 Va ~~13° 30'~~ 14° E.
40.00	Drove Chard Stake Set Post & raised mound of earth as per instructions for 1/4 Sec Cor.
45.00	Ravine bears S.E.
80.00	Drove Chard Stake Set Post & raised mound of earth as per instructions for Corner to Sec 5. 6. 7 & 8
	Land broken Soil 3rd rate

Township 1. N. R. 23. W. 6th P.M.

Chains.	East. On a random true line between Sec 5 & 8 Va 13° 30' E.
8.00	Ravine bears South
40.00	Set Flag for temporary 1/4 Sec Cor.
65.00	Ravine bears S.E.
78.88	I closed 8 links South of Cor to Sec 4. 5. 8 & 9. From which corner I run South 89° 57 W.
	On true line bet. Sec 5 & 8 Va 13° 30' E.
39.44 ~~39.44~~	Drove Chard Stake, Set Post & raised mound of earth as per instructions for 1/4 Sec Cor.
78.88	The Cor to Sec 5. 6. 7 & 8.
	Land broken, Soil 3rd rate

Township 1. S. R. 23. W. 6th P. M.

Chains.	West. On a random line between Sec 6 and 7. Va 13° 30' E.
40.00	Set Flag for temporary 1/4 Sec Cor.
60.00	Ravine brazs S. E.
78.50	Intersect the west boundary of Township 14 links north of Cor to Sec 6 and 7. from which corner I run North 89° 54' E On true line Set. Sec 6 & 7 Va 13° 30' E
38.50	Drove chard stake. set Post & raised mound of earth as per instructions for 1/4 Sec Cor.
78.50	The Cor to Sec 5. 6. 7 and 8
	Land broken. Soil 3rd rate

Township 1. S. R. 23. W. 6th P. M.

Chains.	North On a random line between Sec 5 and 6. Va 14° E.
40.00	Set Flag for temporary 1/4 Sec Cor.
79.96	Intersected the North boundary of Township 29 links west of Cor to Sec 5 and 6. from which corner I run South 12 Chains On true line Set. Sec 5 & 6 Va ~~13° 30'~~ 14° E
39.96	Drove chard stake. set Post and raised mound of earth as per instructions for a 1/4 Sec Cor.
79.96	The Cor to Sec 5, 6. 7 and 8
	Land broken. Soil 2nd rate July 17th 1871

List of Names

A list of the Names of the individuals employed to assist in running. Measuring or Marking the lines and corners described in the foregoing field notes of Township No. 1 North of the base line of Range No 23 West of the 6th Principal Meridian Showing the respective capacities in which they acted

Thomas W. Cunningham; Chainman
Benjamin F. Morrow: Chainman
William W. Fitton { Axeman & Monumman
Oliver N. Brown Flagman
David V. Stephenson: Compassman

We hereby certify that we assisted David V. Stephenson: deputy Surveyor. in Subdividing Township number one north of the Base line of Range Number (23) twenty three West of the Sixth Principal Meridian. And that said Township has been in all respects. to the best of our Knowledge and belief well and faithfully surveyed and the boundary Monuments planted according to the instructions furnished by the Surveyor General

J. C. Cunningham Chainman
B. F. Wyatt Chainman
William C. Files Axeman & Monumenter
Chas W. Brown Flagman
David V. Stephenson Compassman

Subscribed and sworn to by the above named persons. before me a Notary Public within & for the County of Cass and State of Nebraska this day of 1871

Floyd D. Bonzon
Notary Public
Cass County
Nebraska

I David V. Stephenson: deputy Surveyor do Solemnly swear that in pursuance of a contract with Ebenezer E. Cunningham Surveyor of the public lands of the United States in the State of Nebraska bearing date June 16th 1871 and in strict conformity to the laws of the United States: and the instructions furnished by the said Surveyor General. I have faithfully surveyed the Subdivision lines of Township Number One North of the Base

(over)

line of Range (23) twenty three
West of the Sixth Principal
Meridian: in the State aforesaid
and do further solemnly swear
that the foregoing are the true and
original field notes of such
Survey

David D Stephenson
Deputy Surveyor

Subscribed by said David D.
Stephenson Deputy Surveyor
and sworn to before me a
Notary Public within and
for Cass County Nebraska
This 16th day of Sept. 1871

Elijah D Bennett
Notary Public
Cass County
Nebraska

I David D Stephenson Deputy
Surveyor do solemnly swear that
in pursuance of a Joint
Contract No 49 Wherein David
D Stephenson and James L. Slocum
are joint Contractors with
E. E. Cunningham United States
Surveyor General for the District
of Nebraska and Iowa bearing
date the Sixteenth day of June
A.D 1871. I have well faithfully
and truly in my own proper
person and in strict conform-
ity with the instructions of
the Surveyor General, the
Surveying Manual and the
laws of the United States
Surveyed all those parts or
portions of Township One (1) North
of the base line of Range (23)
twenty three - west of the
6th Principal Meridian in
the State of
Nebraska as are

represented in the foregoing Field Notes as having been Surveyed under my direction and I do further solemnly swear that the foregoing are the true and original Field Notes of such Survey.

David V Stephenson
Deput Surveyor

Subscribed by said David V. Stephenson Deputy Surveyor & sworn to before me a Notary Public within & for the County of Cass & State of Nebraska this eighteenth day of September 1871

Lloyd D Burnett
Notary Public

Surveyor Generals Office

Plattsmouth, Neb. Oct 28th 1871

The foregoing Field Notes of the Survey and subdivision of Township No 1. North of the Base line of Range No 23 West of the 6th Principal Meridian in the State of Nebraska, as executed by David V. Stephenson Deputy Surveyor under joint Contract No 49 dated June 16th AD 1871 wherein David V. Stephenson and James L. Slocum are joint Contractors with E. E. Cunningham Surveyor General and in the month of July AD 1871. having been critically examined the necessary corrections and explanations made, the said Field Notes and the Survey they describe are hereby approved

E. E. Cunningham
Surveyor General

Surveyed by David L. Stephenson
July 1871

T 2 N., R 23 West

6	62	5	46	4	35	3	24	2	12	1
61		60		45		34		23		11
7	59	8	44	9	33	10	22	11	14	12
58		57		43		32		21		9
18	57	17	42	16	31	15	20	14	8	13
55		54		41		30		19		7
19	53	20	40	21	29	22	18	23	6	24
52		51		39		28		17		5
30	50	29	38	28	27	27	16	26	4	25
49		48		37		26		15		3
31	47	32	36	33	25	34	14	35	2	36

under joint Contract with James L. Alcorn - with Surveyor General
Contract date June 16 1871

Township 2. N. Range 23. W. 6th P.M.

Field notes of the Subdivision Lines of Township No. 2. N. Range 23 West of the 6th P.M.,

To determine the proper adjustment of my Compass for Subdividing this Township: I commenced at the Corner to Townships 1 & 2 N. Ranges 22 & 23. West of the 6th P.M.

Thence N. on a random line along the East boundry of Sec 36

Va: 14° E

39.98 To a point 9 links East of the 1/4 Sec. Cor:

80.08 To a point 27 links East of the Cor: to Sec 25 & 36

To retrace this or run a line parallel thereto my Compass must be adjusted to a

Va: of 14° 12' E

Township 2. N. Range 23. W. 6th P.M.

Chains	
	North Between 35 & 36 Va 14° 12' E
40.00	Drove charred Stake Set Post & raised Mound of Earth as per instructions for a 1/4 Sec. Cor.
80.00	Drove charred Stake Set Post and raised Mound of earth as per instructions for the Corner to Sec 25. 26. 35 & 36

Land rolling Soil 2nd rate

Township 2. N. Range 23. W. 6th P.M.

Chains	
	East on a random line Between Sec 25 & 36 Va: 13° 30' E
15.00	Ravine bears North
40.00	Set Post & Mound for temporary 1/4 Sec Cor.
54.00	Ravine bears North
79.94	Intersect North & South line at the corner to Sec 25 & 36 on East boundry of the Township from which corner I run West on a True line between Sec 25 & 36 Va 13° 30' E
39.97	Drove charred Stake Set Post & raised Mound of earth as per instructions for a 1/4 Sec. Cor.
79.94	The corner to Sec 25. 26. 35 & 36

Land rolling. Soil 2nd rate

Township 2. N Range 23. W 6th P.M.

Chains	N. Between Sec 25 & 26 Va: 14° 12' E
34.00	Ravine bears N.W.
40.00	Set a Sandstone 10 x 10 x 9 for a 1/4 Sec: Cor:
60.00	Deep Ravine bears N E
80.00	Drove Charred Stake Set Post & raised Mound of Earth as per instructions for the corner to Sec 23. 24. 25 & 26

Land high & Rolling Soil 3rd rate

Township 2. N. Range 23. W. 6th P.M.

Chains	E. on a random line Between Sec 24 & 25 Va: 13° 30' E
10.00	Ravine bears N.
40.00	Set Post Flag for temporary 1/4 Sec Cor.
65.00	Enter Small bend in bottom SE
74.00	Ravine bears N.
80.10	Intersect the East boundry of the Township 15 links South of the corner to Sec 24 & 25. from which corner I run S. 89 3/4 West
	On a true line Sec Sec 24 & 25. Va 13° 30' E
40.05	Drove charred Stake Set Post and raised Mound of Earth as per instructions for a 1/4 Sec: Cor:
80.10	The corner to Sec 23. 24. 25 & 26

Land rolling Soil 2nd rate

38

6

Township 2 N. Range 23. W. 6th P.M.

Chains	
	North Between Sec 23 & 24 Var: 14° 12' E
10.00	Leave Broken Ridges & Enter Bottom bears E & W.
	Note There is at this place a camp of about 3,000 Indians on their Grand Summer Hunt for the Grand, Majestic, not very handsome animal commonly called the Buffalo Indians somewhat troublesome though not Hostile: But they say the white man has no business here while they are hunting
33.00	Beaver Creek bears E. then S. E. Water 30 links wide Banks high & muddy Bottom ~~Sandy~~ Timber along both banks 1 chain wide
40.00	Drove charred Stake Set Post & raised Mound of Earth as per instructions for a ¼ Sec Cor:
60.00 80.00	Leave Bottom & enter upland bears N.E. & West Drove Charred Stake Set Post & raised Mound of Earth as per instructions for the corner to Sec 13. 14. 23 & 24

Land rolling Prairie Soil 2nd rate

7

Township 2 N. Range 23. W. 6th P.M.

Chains	
	East on a Random line Between Sec 13 & 24 Va: 13° 30' E
40.00	Set Post for temporary ¼ Sec. Cor.
50.00	Leave Upland and enter Bottom bears N. & S. W.
73.00	Beaver Creek 40 links wide runs N.W. a belt of timber 2 chains wide on each bank
79.86	Intersect the E. Boundry of the Township 24 links North of the Cor to Sec 13 & 24 from which corner I run N. 89° 30' West On a True line bet. Sec. 13 & 24. Va 13° 30' E
39.93	Drove charred Stake Set Post & raised Mound of earth as per instructions for a ¼ Sec. Cor:
79.86	The corner to Sec 13. 14. 23 & 24

Land broken Soil 2nd rate
Narrow bottom along creek good farming land

Township 2. N. Range 23. W. 6th P.M.

Chains	
	North between Sec 13 & 14 Var: 14° 12' E.
40.00	Drove charred Stake Set Post and raised Mound of earth as per instructions for a 1/4 Sec. Cor:
80.00	Drove charred Stake set Post and raised Mound of earth as per instructions for the corner to Sec 11. 12. 13 & 14
	Land rolling Soil 2nd rate

Township 2. N. Range 23. W. 6th P.M.

Chains	
	East on a random line Between Sec 12 & 13 Var: 13° 30' E
8.00	Ravine bears South
40.00	Set POSO for temporary 1/4 Sec Cor.
44.00	Leave M[illegible] land & enter bottom bears N & South
80.00	Intersected the East boundry of Township at the cor to Sec 12 & 13.
	from which corner I run West on a true line Var 13° 30' E
40.00	Dplet Sec 12 & 13. Drove Charred Stake Set Post and raised Mound of earth as per instructions for a 1/4 Sec cor
80.00	The corner to Sec 11. 12. 13 & 14
	Bottom along Creek good farming land Upland Poor Soil 2nd rate

10

Township 2. N. Range 23. W. 6th P.M.

Chains	
	North Between Sec 11 & 12 Var: 14° 12' E.
40.00	Drove charred stake set Post & raised Mound of earth as per instructions for a 1/4 Sec. Cor:
58.00	Ravine bears S.E.
80.00	Drove charred stake set Post & raised Mound of earth as per instructions for the Cor to Sec 1, 2, 11 & 12.

Land rolling Soil 2nd rate

11

Township 2. N. Range 23. W. 6th P.M.

Chains	
	East on a random line between Sec 1 & 12 Var: 13° 30' East
40.00	Set Post for temporary 1/4 Sec. Cor
58.00	Ravine bears South
80.00	Intersect East boundary of the Township at the corner to Sections 1 & 12. from which corner I run West on a True line
40.00	between Sec 1 & 12. Var 13° 30' E. Drove Charred Stake Set Post and raised Mound of earth as per instructions for a 1/4 Sec Corner:
80.00	The corner to Sec 1, 2, 11 & 12

Land rolling Soil 2nd rate

12

Township 2. N. Range 23 W. 6th P.M.

Chains	
	North on a random line between Sections 1 & 2
	Var 14° 12' E
38.00	Ravine bears E & W
40.00	Set Post & Mound for temporary 1/4 Sec Cor
80.00	Intersect the North boundry of the Township 35 links West of the corner to Sec 1 & 2. from which corner I run South 15' W. on a true line
	Set Sec 1 & 2. Va 14. 12' E
40.00	Drove charred Stake set Post and raised Mound of earth as per instructions for a 1/4 Sec corner
80.00	The Corner to Sec 1, 2, 11 & 12
	Land rolling Soil 2nd rate

Township 2. N. Range 23. W 6th P.M.

Chains	North Between Sec 34 & 35 — Var: 14°10' E
40.00	Drove charred Stake Set Post & raised Mound of earth as per instructions for a 1/4 Sec. Cor:
40.50	Ravine bears N. W.
80.00	Drove charred stake set Post & raised Mound of earth as per instructions for the corner to Sec 26. 27. 34 & 35 —

Land rolling Soil 2nd rate

Township 2. N. Range 23. W. 6th P.M.

Chains	East on a Random line between Sec. 26 & 35 — Va: 13°30' E
40.00	Set flag for temporary 1/4 Sec Cor.
42.00	Ravine bears N. W.
80.00	Intersect, line 10 links North of the Cor: to Sec 25 — 26. 35 & 36 — from which corner I run N 89° 56' West On a true line bet. Sec 26 and 35.
40.00	Drove charred Stake Set Post Var 13°30' E and raised Mound of earth as per instructions for a 1/4 Sec. Cor:
80.00	The corner to Sec 26. 27. 34 & 35 —

Land rolling Soil 2nd rate

Township 2. N. Range 23. W. 6th P.M.

Chains	North Between Sec 26 & 27 Var 14° 10' East
40.00	Drove charred Stake set Post & raised Mound of Earth as per instructions for a 1/4 Sec. Cor:
45.00	Leave Upland and enter Bottom bears N. E. & N. W.
80.00	Drove charred Stake set Post & raised Mound of earth as per instructions for the Corner to Secs. 22. 23. 26. & 27

Land rolling Soil 2nd rate

Township 2. N. Range 23. W. 6th P.M.

Chains	East on a random line between Sec 23 & 26 Var: 13° 30' East
25.00	Beaver Creek bears S.E. & N.W.
36.00	Same Creek bears N.E. water 30 links wide 2. feet deep banks high & muddy bottom ~~sandy~~
40.00	Set Post for temporary 1/4 Sec Cor.
43.00	Leave bottom which bears N.E. & S.W. & enter Upland
80.15	Intersect 1st S. line at the Corner to Secs 23. 24. 25. & 26. from which Corner I run West on a true line bet. Sections
40.07½	Set a Sandstone 12 3rd S 26. Var 13° 30' E 14 & 9 & 4 for a 1/4 Sec corner
80.15	The Corner to Sec 22. 23. 26 & 27

Land rolling Soil 2nd rate

Township 2. N. Range 23. W. 6th P.M.

Chains	North Between Sec 22 & 23 Var 14° 10' E
17.00	Dry Branch bears East
17.40	Beaver Creek runs S.E. 40 links wide water 2 ft. Deep Small growth of timber on each bank.
40.00	Drove charred Stake set Post & raised Mound of earth as per instructions for a 1/4 Sec. Cor.
53.00	Ravine bears S.E.
80.00	Drove charred Stake set Post and raised Mound of earth as per instructions for the Cor. to Sec 14. 15. 22 & 23

Land Broken Soil 2nd rate

Township 2. N. Range 23. W. 6th P.M.

Chains	East on a random line between Sec 14 & 23 Var: 13° 30' E.
40.00	Set Post Flag for temporary 1/4 Sec Cor.
78.00	Ravine bears S.E.
80.20	Intersect N. & Sly. 72 links South of the Cor. to Sec 13. 14. 23 & 24 from which a Corner bears S 89° 55' West
	On a true line bet. Sec 14 & 23. Var 13° 30' E
40.10	Drove Charred Stake set Post & raised Mound of Earth as per instructions for a 1/4 Sec corner
80.20	The corner to Sec 14. 15. 22 & 23

Land Broken Soil 2nd rate

Township 2 N. Range 23 W. 6th P.M.

Chains	N. Between Sec 14 & 15 Var: 14° 10' E.
40.00	Drove charred Stake set Post & raised Mound of Earth as per instructions for a 1/4 Sec. Cor:
53.00	Ravine bears S.E.
80.00	Drove charred Stake set Post & raised Mound of Earth as per instructions for the Cor. to Sec 10. 11. 14 & 15

Land rolling Soil 2nd rate

Township 2. N. Range 23. W 6th P.M.

Chains	East on a random line between Sec 11 & 14 Var: 13° 30' E
40.00	Set Post for temporary 1/4 Sec Cor.
44.00	Ravine bears South
80.00	Intersect W and S line at the corner to Sections 11. 12. 13 & 14.
	from which corner I run West on a true line
40.00	Drove charred Stake set Post and raised Mound of earth as per instructions for a 1/4 Sec. Cor. (between Sec 11 and 14 Var 13° 30' E)
80.00	The cor to Sections 10. 11. 14 & 15

Land rolling Soil 2nd rate

Township 2. N. Range 23. W. 6th P.M.

Chains	N. Between Sec 10 & 11 Var: 14° 10' E
40.00	Drove charred Stake set Post & raised Mound of Earth as per instructions for a ¼ Sec: Cor:
80.00	Drove charred Stake set Post & raised Mound of Earth as per instructions for the Cor: to Sec 2. 3. 10 & 11
	Land rolling Soil 2nd rate

Township 2 N. Range 23. W. 6th P.M.

Chains	East on a Random line between Sec 2 & 11 Var: 13° 30' E.
40.00	Set Post Flag for temporary ¼ Sec Cor
67.00	Ravine bears S. E.
76.50	Ravine bears South
80.00	Intersect N & S ¼ Line at the corner to Sec 1. 2. 11 & 12. from which corner I run West on a true line
40.00	Drove charred Stake set Post & raised Mound of earth as per instructions for a ¼ Sec: Cor: between Sec 2 & 11 Var 13° 30' E
80.00	The corner to Sec 2. 3. 10 & 11
	Land Broken Soil 3rd rate

For Township 2. N. Range 23. W. 6th P.M.

Chains	Chains	
		North on a random line Between Sections 2 & 3 Var: 14°10' E.
40.	40.00	Set Post Flag for temporary 1/4 Sec Cor.
80.	80.00	Intersected the North boundry of the Township 15 links West of the corner to Sec 2 & 3. from which corner I run South, 6' W. on a true line Set Sec 2 & 3 Var: 14°10' E.
	40.00	Drove charred Stake set Post & raised Mound of earth as per instructions for a 1/4 Sec. Cor.
	80.00	The corner to Sec 2. 3. 10 & 11

Land high & rolling Soil 3rd rate

" " high & rolling Soil 3rd rate

Township 2. N. Range 23. W. 6th P.M.

Chains	
	North Between Sec 33 & 34 Var: 14°10' E
40.00	Set a Limestone 20 x 14 x 3 for a 1/4 Sec corner
41.00	Ravine bears N. W.
80.00	Drove charred Stake set Post & raised Mound of earth as per instructions for the corner to Sec 27. 28. 33 & 34

Land rolling Soil 3rd rate

Township 2. N. Range 23. W 6th P.M.

Chains	
	East on a Random line Between Sec 27. & 34 Var 13° 30' E.
40.00	Set Post & Mound for temporary 1/4 Sec Cor.
50.00	Ravine bears N.E.
80.00	Intersect 1st and 2nd Guide Meridian 15 links South of the corner to Sec 26. 27. 34. & 35 - from which corner I run S. 89¾ West On a true line Set Sec 27 & 34 Var 13° 30' E
40.00	Drove Charred Stake Set Post & raised Mound of earth as per instructions for a 1/4 Sec. Cor:
80.00	The Cor to Sec 27. 28, 33. & 34

Land rolling Soil 3rd rate

Township 2. N. Range 23. W 6th P.M.

Chains	
	North Between Sec 27 & 28 Var: 14° 10' E.
40.00	Drove charred Stake set Post and raised Mound of earth as per instructions for a 1/4 Sec Cor
60.00	Leave Upland and enter Bottom bears E. & W.
80.00	Drove charred Stake set Post & raised Mound of earth as per instructions for the Corner to Sections 21. 22. 27 & 28

Land rolling Soil 2nd rate

Township 2. N. Range 23. W. 6th P.M.

Chains	
	E, on a random line between Sec 22 & 27 Var: 13° 30' E
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor
70.00	Ravine bears North
79.93	I ~~closed~~ intersect N boundary at the corner to Sec 22. 23. 26 & 27
	From which corner I run, West on a true line between Sec 22 & 27 Var 13° 30' E
39.96½	Drove charred Stake set Post & raised Mound of earth as per instructions for a 1/4 Sec. Cor.
79.93	The corner to Sec 21. 22. 27 & 28

Land rolling Soil 2nd rate

Township 2. N. Range 23. W. 6th P.M.

Chains	
	N. Between Sec 21 & 22 Var: 14° 10' E
39.60	Beaver Creek bears E & water 30 links wide
40.00	Set a Large Red Rock 22 x 18 x 10 for a 1/4 ~~Sec~~ Cor.
80.00	Drove charred Stake set Post & raised Mound of earth as per instructions for the corner to Sec 15. 16. 21 & 22

Bottom gently rolling Soil 1st rate

~~Upland~~ high " ~~2nd~~ rate

Township 2. N. Range 23 West 6th P.M.

Chains	
	East on a random line Between Sec 15 & 22 Var: 13°30' E
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor.
67.00	Ravine bears S.E.
72.00	Ravine bears S.W. (short)
80.13	~~Closed~~ Intersected N&S line 4 links north of the corner to Sec 14, 15, 22, & 23 From which corner I run N. 89°58' West on a true line
40.06½	Between Sec 15 & 22 Var 13°30' E Drove charred Stake set Post & raised Mound of Earth as per instructions for a 1/4 Sec. Cor:
80.13	The Corner to Sec 15, 16, 21 & 22

Land high rolling Prairie Soil 3rd rate

Township 2 N. Range 23 W. 6th P.M.

Chains	
	N. Between Sec 15 & 16 Var: 14°10' E
40.00	Drove charred Stake set Post and raised Mound of Earth as per instructions for a 1/4 Sec. Cor:
80.00	Drove charred Stake set Post and raised Mound of Earth as per instructions for the Cor: to Sec 9, 10, 15 & 16

Land rolling Soil 3rd rate

Township 2 N. Range 23 W. 6th P.M.

Chains	East On a random line Between Sec 10 & 15 Var: 13° 30' E
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor.
50.00	Ravine bears South
72.00	Ravine bears South
80.07	Intersect 1/4 Sec line Closed 10 links North of the corner to Sec 10, 11, 14 & 15 from which corner I run N. 89° 30' West On a true line Set Sec 10 & 15. Va 13° 30' E.
40.03½	Drove Charred Stake Set Post & raised Mound of earth as per instructions for a 1/4 Sec. Cor.
80.07	The corner to Sec 9, 10, 15 & 16

Land high & rolling Soil 3rd rate

Township 2 N. Range 23 W. 6th P.M.

Chains	N. Between Sec 9 & 10 Var: 14° 10' E
40.00	Drove charred Stake Set Post & raised Mound of Earth as per instructions for a 1/4 Sec Cor
62.00	Ravine bears S.E.
80.00	Drove Charred Stake set Post and raised Mound of earth as per instructions for the corner to Sections 3, 4, 9 & 10

Land rolling Soil 3rd rate

34

Township 2. N. Range 23. W. 6th P.M.

Chains	
	East on a Random line Between Sec 3 & 10
	Var: 13° 30' E.
32.00	Ravine bears S.E.
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor.
80.00	~~Closed~~ Intersect N & S line at the corner to Sec
	2. 3. 10 & 11
	From which corner I run
	West on a true line
40.00	Dist: Sec 3rd's 10 Va 13° 30' E. Drove Charred Stake set Post &
	raised Mound of Earth as per
	instructions for a 1/4 Sec: Cor:
80.00	The corner to Sec
	3. 4. 9 & 10
	Land rolling Soil 3rd rate

35

Township 2. N. Range 23. West 6th P.M.

Chains	
	North between Sec 3 & 4
	On a random line
	Va 14° 10' E
40.00	Set ~~Flag~~ Post at Edge of Ravine which
	bears S.E. for temporary 1/4 Sec Cor
80.00	~~Closed~~ Intersect 20 links West of the
	corner to Sec 3 & 4 on the North
	boundry of the Township from
	which corner I run
	West on a true line
	Dist: Sec 3rd's Va: 14° 10' E
40.00	Drove charred Stake set Post and
	raised Mound of Earth as per
	instructions for a 1/4 Sec corner
80.00	The corner to Sec 3. 4. 9 & 10
	Land rolling Soil 2nd rate

Township 2 N. Range 23 W. 6th P.M.

chains	
	North Between Sec 32 & 33 Va: 14° E
40.00	Drove charred Stake set Post & raised Mound of Earth as per instructions for a 1/4 Sec. Cor:
80.00	Drove Charred Stake set Post & raised Mound of earth as per instructions for the Corner to Sec 28. 29. 32 & 33

Land rolling Soil 2nd rate

Township 2. N. Range 23 W. 6th P.M.

chains	
	East On or Random line between Sections 28. & 33 Va: 13°30' E
40.00	Set ~~Stake~~ Post for temporary 1/4 Sec. Cor:
50.00	Ravine bears North
79.86	~~Closed~~ Intersected N & S line 12 links North of the Cor: to Sec 27. 28. 33 & 34 from which corner [illegible] N. 89° 55' West
	On a true line Bet. Sec 28 & 33 Va 13°30' E.
39.93	Drove charred Stake set Post and raised Mound of earth as per instructions for a 1/4 Sec corner
79.86	The Corner to Sec 28. 29. 32 & 33

Land rolling Soil 2nd rate

Township 2 N. Range 23 W. 6th P.M.

Chains	
	N. Between Sections 28 & 29
	Va: 14° E
40.00	Drove charred Stake set Post and raised Mound of Earth as per instructions for a 1/4 Sec. Corner
80.00	Drove charred Stake set Post & raised Mound of Earth as per instructions for the Corner to Sec 20. 21. 28. & 29

Land rolling Soil 2nd rate

Township 2 N. Range 23. W. 6th P.M.

Chains	
	East on a Random line Between Sec 21 & 28
	Va: 13° 30' E
30.00	Underbrush along the right bank of Beaver creek runs SE
33.00	Ravine bears North and leave brush
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor.
60.00	Ravine bears North
79.90	~~Enclosed~~ Inclosed 15 links North of the Cor to Sec 21. 22. 27 & 28 from which corner I run N. 89° 54 West On a true line bet. Sec 21 & 28. Va 13° 30' E
39.95	Drove charred Stake set Post & raised Mound of earth as per instructions for a 1/4 Sec corner
79.90	The Corner to Sec 20. 21. 28 & 29

Bottom Land good farming soil

3. 40

E

Township 2. N. Range 23. W. 6th P.M.

Chains	
	N. Between Sec 20 & 21 Va: 14° E
18.00	Beaver Creek 50 links wide bears S & then N.E.
40.00	Drove Charred Stake set Post and raised Mound of earth as per instructions for a 1/4 Sec corner
80.00	Drove Charred Stake set Post & raised Mound of earth as per instructions for the corner to Sec 16. 17. 20 & 21
	Bottom land good farming land

C

Township 2. N. Range 23. W. 6th P.M.

Chains	
	East on a random line between Sec 16 & 21 Var: 13°30' E
39.00	Ravine bears South
40.00	Set Flag Post for temporary 1/4 Sec Cor
80.02	Impersch Witness ~~Closed~~ 17 links North of the corner to Sec 15. 16. 21 & 22
	From which corner I run N. 89°5-3' West
	On a true line bet. Sec 16 & 21. Va 13°30' E
40.01	Drove Charred Stake set Post & raised Mound of earth as per instructions for a 1/4 Sec Cor
80.02	The corner to Sec 16. 17. 20 & 21
	Land rolling Soil 2nd rate

Township 2 N. Range 23 W. 6th P.M.

Chains	
	N. Between Sec 16 & 17 Va 14° E.
40.00	Drove charred Stake set Post & raised Mound of Earth as per instructions for a 1/4 Sec. Cor.
80.00	Drove charred Stake Set Post & raised Mound of Earth as per instructions for the Cor. to Sec 8. 9. 16 & 17.
	Land rolling Soil 2nd rate

Township 2 N. Range 23 W. 6th P.M.

Chains	
	East on a random line between Sec 9. & 16 Var: 13° 30' E
2.00	Ravine bears South
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor.
79.85	~~Closed~~ Ingraved N & S 20 links North of the corner 9. 10. 15 & 16
	From which corner I gun N. 89° 51 West on true line Set. Sec 9 & 16 Va 13° 30' E
39.92½	Drove Charred Stake Set Post & raised Mound of Earth as per instructions for a 1/4 Sec corner
79.85	The corner to Sec 8. 9. 16 & 17
	Land rolling Soil 2nd rate

44

Township 2 N. Range 23 W. 6th P.M.

Chains	
	N. Between Sec 8 & 9
35.00	Ravine bears S.E. Var: 14° E
40.00	Drove charred Stake set Post and raised Mound of earth as per instructions for a 1/4 Sec cor
80.00	Drove charred Stake set Post and raised Mound of Earth as per instructions for the cor to Sec 4. 5. 8. & 9

Land rolling Soil 2nd rate

Township 2. N. Range 23 W. 6th P.M.

Chains	
	East on a random line between Sec 4 & 9 Var: 13° 30' E
40.00	Set Post Flag for temporary 1/4 Sec Cor
46.00	Enter. Ravine bears E. from N.W
76.00	Deep Ravine bears S.E.
79.80	~~Closed~~ Inclosed at N.W Stone at the cor to Sec 3.4.9 & 10 from which Corner I run West on a true line Set Sec 4 & 9 Var 13° 30' E
39.90	Drove charred Stake set Post and raised Mound of earth as per instructions for a 1/4 Sec cor
79.80	The corner to Sec 4. 5. 8. & 9

Land rolling Soil 2nd rate

46

Township 2. N. Range 23. W. 6th P.M.

Chains	
	North on a Random line between Sec 4 & 5
	Var: 14° E
40.00	Set ~~Post~~ Log for temporary 1/4 Sec Cor.
79.80	& intersected the N boundry of the Township at the Corner to Sec 4. & 5. from which Corner I run
	E. On a true line bet. Sec 4 & 5
	Va: 14° E
39.80	Drove charred Stake set Post & raised Mound of earth as per instructions for a 1/4 Sec. Cor:
79.80	The corner to Sec 4. 5. 8. & 9
	Land rolling Soil 2nd rate

Township 2 N. Range 23. W. 6th P.M.

Chains	
	North Between Sec 31 & 32
	Va: 14° E.
40.00	Drove charred Stake set Post & raised Mound of earth as per instructions for a 1/4 Sec cor
80.00	Set a Sand Stone 12 x 11 x 5 for the Corner to Sec 29, 30, 31 & 32
	Land rolling Soil 2nd rate

48

Township 2 N. Range 23 W. 6th P.M.

3	1	
E	E	
C.	C	Chains East on a random line between Sections 29 & 32 Var: 13°30' E
1		2.00 Ravine bears N.W.
3		40.00 Set ~~flag~~ Post for temporary 1/4 Sec Cor.
4		46.00 Ravine bears N.W.
8		80.07 ~~Closed~~ Intersect N & S line at the corner to Sec 28.29.32 & 33
		From which corner I run West on a true line
		40.03½ Set a Sand Stone 12 x 10 x 4 for a 1/4 Sec. corner Set in Sec 29 and 32. Var 13°30' E.
		80.07 The corner to Sec 29.30.31 & 32
		Land rolling Soil 2nd rate

Township 2 N. Range 23 W. 6th P.M.

Chains	West On a random line Between Sec 30 & 31 Va 13°30' E
20.00	Ravine bears North
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor.
78.85	I intersected the West boundry of the Township at the corner to Sec 30 & 31
	From which corner I run East on a true line
38.85	Set a Land Stone 18 x 11 x 3 for a 1/4 Sec: Cor: Set in Sec 30 & 31. Va 13°30' E.
78.85	The corner to Sec 29.30.31 & 32
	Land rolling Soil 2nd rate

50

Township 2. N. Range 23. W. 6th P.M.

chains	
	N. Between Sec 29 & 30
	Vari: 14° E
7.00	Ravine bears N.W.
40.00	Drove charred Stake set Post & raised Mound of Earth as per instructions for a 1/4 Sec: Cor:
60.00	Leave upland & enter bottom bears E & W.
80.00	Drove charred Stake set Post & raised Mound of earth as per instructions for the corner to Sec 19. 20. 29. & 30.

Land rolling Soil 2nd rate
Bottom land along Creek marly land
Soil 1st rate

51

Township 2. N. Range 23. W. 6th P.M.

chains	
	East on a random line
	Between Sec 20 & 29
	Va 13°30' E
40.00	Set ~~Post~~ for temporary 1/4 Sec Cor.
80.15	~~Closed~~ Surveyed N. & Meander line at the corner to Sec 20. 21. 28 & 29
	From which corner I run West on a true line
40.07½	Dist. Sec 20 & 29 Va 13°30' E Drove Charred Stake Set Post & raised mound of Earth as per instructions for a 1/4 Sec: Cor:
80.15	The corner to Sec 19. 20. 29 & 30

Land rolling Soil 2nd rate

Township 2. N. R 23 W. 6th P.M.

Chains	
	West on a random line between Sections 19 & 30 Va: 13° 30' E
40.00	Set Post flag for temporary 1/4 Sec Cor.
74.00	Timber bears N. E. & West
78.68	Intersect the west boundry of the Township 20 links North of the corner to Sec 19 & 30
	from which corner I run N. 89° 30' East
	At a mile find Cor. Sec 19 & 30. Va. 13° 30' E
38.68	Drove charred Stake set Post & raised Mound of earth as per instructions for a 1/4 Sec: Cor:
78.68	The corner to Sec 19. 20. 29 & 30

Land gently rolling Soil 2nd rate

Township 2. N. R 23 W. 6th P.M.

Chains	
	North between Sec. 19 & 20 Va: 14° E
30.00	Ravine bears E.
40.00	Drove charred Stake set Post & raised Mound of earth as per instructions for a 1/4 Sec. Cor:
44.00	Beaver creek runs East
50.00	Same creek runs West
72.00	Same creek runs S.E. 50 links wide banks High & Muddy bottom ~~Sandy~~: a belt of timber about one chain wide on each bank
80.00	Set a Sandstone 14 x 10 x 7 for the corner to Sections 17. 18. 19 & 20

Land broken Soil 2nd rate

Township 2 N. R. 23 W. 6th P.M.

Chains	East on a random between Sections 17 & 20 Va: 13° 30' E.
3.00	Ravine bears South to creek
40.00	Set Flag Post for temporary ¼ Sec Cor
80.03	~~Intersect N & S line~~ ~~Closed~~ 5 links South of the Cor to Sec 16, 17, 20 & 21
	From which Corner I run S 89° 30' West
	On a true line Set Sec 17 & 20 Va 13° 30' E
40.01½	Set a Sand Stone 10 x 9 x 6 for a ¼ Sec: corner
80.03	The corner to Sec 17, 18, 19 & 20

Land rolling Soil 2nd rate

Township 2 N. R. 23 W. 6th P.M.

Chains	West on a random line between Sections 18 & 19 Va: 13° 30' E
6.00	Beaver Creek 50 links wide bears S. E.
11.00	Same Creek bears N. E.
40.00	Set flag Post for temporary ¼ Sec Cor.
78.30	Intersected the West boundry of Township at the corner to Sec 18 & 19
	From which corner I run East on a true line Set Sec 18 & 19 Va 13° 30' E
38.30	Drove Charred Stake Set Post & raised Mound of earth as per instructions for a ¼ Sec cor:
78.30	The corner to Sec 17, 18, 19 & 20

Land rolling Soil 2nd rate

Township 2 N. Range 23 W. 6th P.M.

Chains	
	North between Sec 17 & 18 Va: 14° E.
40,00	Drove charred Stake set Post & raised Mound of earth as per instructions for a 1/4 Sec: Cor:
80,00	Drove a charred Stake set Post and raised Mound of earth as per instructions for the corner to Sec 7. 8. 17 & 18
	Land rolling Soil 2nd rate

Township 2 N. Range 23 W. 6th P.M.

Chains	
	East on a random line between Sections 8 & 17 13° 30° E.
40,00	Set a ~~flag~~ Post for temporary 1/4 Sec Cor
80,00	Closed 16 links North of the corner to Sec 8. 9. 16 & 17 from which corner I run N. 89° 30' West On a true line bet: Sec 8 and 17 Va 13° 30' E
40,00	Drove charred Stake set Post and raised Mound of earth as per instructions for a 1/4 Sec Cor:
80,00	The corner 7. 8. 17. & 18
	Land rolling : Soil 2nd rate

Township 2. N Range 23. West. 6th P.M.

Chains	
	West on a random line between Sec 7 & 18 Va: 13° 30' E.
13.00	Leave upland and enter bottom bears N & S.
40.00	Set Flag for temporary 1/4 Sec. Cor
60.00	Ravine bears E.
77.96	Intersect the West boundry of the Township 20 links North of the Cor: to Sec 7 & 18 from which corner I run N. 89° 30' East On a true line Set Sec 7th & 18 Va 13° 30' E.
37.96	Drove charred Stake at Post & raised Mound of Earth as per instructions for a 1/4 Sec. Cor:
77.96	The corner to Sec 7. 8. 17 & 18

Land rolling Soil 2nd rate

Township 2. N. Range 23. W. 6th P.M.

Chains	
	N. Between Sec 7 & 8 Va: 14° E.
40.00	Drove charred Stake at Post & raised Mound of earth as per instructions for a 1/4 Sec: Cor:
80.00	Drove charred Stake at Post & raised Mound of earth as per instructions for the cor to Sec 5. 6. 7 & 8

Land rolling Soil 2nd rate

Township 2 N. Range 23 W. 6th P.M.

Chains	
	East on a random line Between Sec. 5 & 8 Va. 13°30' E
40,00	Set ~~Post~~ Flag for temporary 1/4 Sec Cor
57,00	Ravine bears S.E.
79,91	Intersect N. & S. line ~~Closed~~ at the corner to Sec 4. 5. 8 & 9
	From which corner I run West on a true line
39,95½	Set Sec cor 5 & 8 Drove Charred Stake Va 13°30' E Set Post and raised Mound of earth as per instructions for a 1/4 Sec. Cor.
79,91	The cor to Sec 5. 6. 7 & 8.

Land rolling Soil 2nd rate

Township 2 N. Range 23 West 6th P.M.

Chains	
	West On a random line between Sec 6 & 7 Va 13°30' E
40,00	Set ~~Post~~ Flag for temporary 1/4 Sec Cor.
77,57	Intersected the West boundry of the Township at the corner to Sec 6 & 7 from which Corner I run
	East on a true
37,57	Set Sec cor 6 & 7 Va 13°30' E Drove Charred Stake Set Post and raised Mound of Earth as per instructions for a 1/4 Sec Cor
77,57	The corner 5. 6. 7 & 8

Land rolling Soil 2nd rate

Township 2 N. Range 23 W. 6th P.M.

Chains	
	N. on a random line between Sec 5 & 6 Va 14° E
20.00	Ravine Bears S.E.
40.00	Set flag for temporary 1/4 Sec Cor
79.84	Intersect the North boundry of the Township 13 links West of the corner to Sec 5 & 6 from which corner I run South 6' W. on a true line between Sec 5 & 6 Va 14° E.
39.84	Drove charred Stake set Post and raised Mound of Earth as per instructions for a 1/4 Sec. Cor:
79.84	The corner to Sec 5. 6. 7 & 8

Land rolling Soil 2nd rate

List of Names

A list of the names of the individuals employed to assist in running Measuring or marking the lines and corners described in the foregoing field notes of Township No 2 North of the Base line of Range No. 23 West of the 6th Principal Meridian Showing the respective capacities in which they acted

Thomas C. Cunningham: Chainman
Benjamin F. Morrow: Chainman
Wm C. Fitton Axeman &
" " " Monumman
Oliver W. Brown: Flagman
~~David V. Stephenson: Compassman~~

We hereby certify that we Assisted David V. Stephenson deputy Surveyor in Subdividing Township Number 2. North of the base line of Range 23 West of the 6th Principal Meridian. and that said Township has been in all respects to the best of our knowledge and belief. well and faithfully Surveyed and the boundry Monuments planted according to the instructions furnished by the Surveyor General

E C Cunningham Chainman
B F Kenyon Chainman
William L Talbot Axeman & Monumenter
Wm W Brown Flagman
David V Stephenson Compassman

Subscribed and sworn to by the above named persons. before me a notary Public within and for the County of Cass in the State of Nebraska

This 18th day of Sept. A.D. 1871

Lloyd D Bennett
Notary Public
Cass County Nebr

I David V. Stephenson. Deputy Surveyor. do solemnly swear that in pursuance of a contract with Ebenezer E. Cunningham Surveyor of the Public Lands of the United States in the State of Nebraska bearing date the 16th day of June A.D. 1871 and in strict conformity to the laws of the United States and the instructions furnished by the said Surveyor General I have faithfully Surveyed the Subdivision lines of Township Number (2) two North of the base line of Range Number (23) twenty three West of the Sixth Principal Meridian (over)

in the State aforesaid and do further Solemnly swear that the foregoing are the true and original field notes of such Survey

Deputy Surveyor

Subscribed by said David V. Stephenson deputy Surveyor and sworn to before me a Notary Public within and for the County of Cass and State of Nebraska This day of 1871

Notary Public
Cass County Neb.

This Survey was commenced on the 17th day of July and completed on 22d day of July 1871

I David V. Stephenson Deputy Surveyor do Solemnly Swear that in Pursuance of a Joint Contract No 49 wherein David V. Stephenson and James L. Slocum are Joint Contractors with E. E. Cunningham United States Surveyor General for the District of Nebraska and Iowa bearing date the Sixteenth day of June A.D. 1871. I have well, faithfully and truly in my own proper person and in strict conformity with the instructions of the Surveyor Generals the Surveying Manual and the laws of the United States Surveyed all those parts or Portions of Township Five (2) North of the base line

of Range No (23) twenty three
West of the 6th Principal Meridian
in the State of Nebraska
as are represented in the foregoing
Field Notes as having been surveyed
under my direction and I do
further Solemnly Swear that the foregoing
are the true and original Field Notes
of Such Survey.

X David V Stephenson
Deputy Surveyor

Subscribed by said David
V. Stephenson Deputy Surveyor
and sworn before me a Notary
Public within and for the County
of Otoe State of Nebraska
this 18th day of September 1871

Lloyd Bennett
Notary Public

Surveyor Generals Office
Platsmouth Oct. 28th 1871

The foregoing field notes of the
survey and Subdivision of Township
No. 2 North of the Base Line of
Range No. 23 West of the 6th Principal
Meridian in the State of Nebraska
Executed by David V. Stephenson
under joint Contract. No. 49 wherein
David V. Stephenson & J. L. Sloan
are joint Contractors bearing date
the 16th day of June 1871 in the months
of July & 1871. having been critically
examined the necessary corrections
and explanations made, the said
field notes and the survey they
describe are hereby approved

E. E. Cunningham
Surveyor General

General Description

The land in this Township is Generally high rolling Prairie Upland Soil 2nd (r...
Land along Beaver creek (Soil 1st rate) rich bottom is with good timber along the banks
Timber Ash: Elm: and Bot
Alder

Subdivision of Township No 3 North of Range No 25 West of the 6th Principal Meridian State of Nebraska
Commenced September 5th 1870
Finished September 9th 1870

By William E Daugherty
Deputy Surveyor

Township No 3 North of Range No 23

West of the 6th Principal Meridian

Names of Assistants

Henry Lewis, Chainmen
Charles Fitzpatrick, Chainmen

Joseph Kearny, Mound Builders
Thomas Daily, Mound Builders

T 3 N., R 23 West

6	53	5	41	4	30	3	19	2	11	1	
	54		53		40		29		18		10
7	53	8	39	9	28	10	18	11	9	12	
	52		51		38		27		17		9
18	50	17	37	16	26	15	16	14	8	13	
	50		49		36		25		15		8
19	48	20	35	21	24	22	15	23	7	24	
	47		46		34		23		14		7
30	45	29	33	28	22	27	13	26	6	25	
	44		43		32		21		13		5
31	42	32	31	33	20	34	12	35	4	36	

To determine the course of the East boundary of the Township I commence at the Corner of Townships No 2 and 3 North of Ranges 22 and 23 West and run thence North on a blank line along the E. Boundary of Sec. 36

Variation 14° East

39.91 Fell 38 links West of 1/4 Sec corner
80.00 Fell 73 links West of ~~corner~~ Section Corner to Sec. 25, 30, 31 & 36

From aforesaid Township corner I run West on a blank line S. of Sec. 36

Variation 13° 45' East

41.05 Fell 9 links South of 1/4 Sec corner
80.02 Fell 15 links South of ~~Section~~ Corner to Sec. 1, 2, 35 & 36

Township No. 3 North, Range No.

	"North between Sections 35 & 36. Variation 13°30' East.
26.00	Ravine 2.00 chains wide- Bears East.
40.00	Set chased post in mound of earth with pits as per instructions for 1/4 Section corner.
80.00	Set chased post in mound of earth with pits as per instructions for corner to Sections 25, 26, 35 & 36. Surface rolling - Soil 2nd rate.

23 West of 6th Principal Meridian.

East	Random between Sections 25 & 36. Variation 13°30' East.
40.00	Set temporary 1/4 Section corner.
51.00	Ravine 2.00 chains wide bears South.
80.30	Intersect Range line 24 links North of Post. comm to Sec. 25 & 36
	N. 89°50' W. on true line between Sections 25 & 36. Variation 13°30' East. "
40.15	Set chased post in mound of earth with pits as per instructions for 1/4 Section corner.
80.30	The corner of Sections 25, 26, 35 & 36. Surface rolling - Soil 2nd " rate.

Township No. 3 North, Range No. 23 West of 6th Principal Meridian.

North between Sections 25 & 26.
Variation 13° 30' East.

35.00 Raise 2.00 chains wide-
bears East.

"40.00 Set chard post in mound
of earth with pits as per
instructions for 1/4 Section
corner.

80.00 Set chard post in mound
of earth with pits as per
instructions for corner
to Sections 23, 24, 25 &
26.
Surface rolling - Soil
2nd rate

East Random between Sections 24 & 25.
Variation 13° 30' East.

40.00 Set temporary 1/4 Section corner.

80 14 Intersect Range line 19 links
South of Post. cor. to Sec. 24 & 25

S 89° 52' W. on true line be-
tween Sections 24 & 25.
Variation 13° 30' East.

4007 Set chard post in mound of earth
with pits as per instructions for
1/4 Section corner.

80 14 The corner of Sections 23, 24, 25 & 26.
Surface rolling; Soil 2nd rate.

"

North between Sections 23 & 24.
Variation 13° 30' East.

40.00 Set chard post in mound of earth with
pits as per instructions for 1/4 Sec. corner.

80.00 Set chard post in mound of earth
with pits as per instructions for
corner to Sections 13, 14, 23 & 24.
Surface rolling - Soil
2nd rate.

Township No. 3 North, Range No. 23 West of 6th Principal Meridian.

	East & Random between Sections 13 & 24. Variation 13° 30' East.
40.00	Set temporary 1/4 Section corner
80.04	Intersect Range line 53 links South of Post. cor. to Sec. 13 & 24
	S 89° 37' W. on true line between Sections 13 & 24. Variation 13° 30' East.
40.02	Set chained post in mound of earth with pits as per instructions for 1/4 Sec. corner.
80.04	The corner of Sections 13, 14, 23 & 24. Surface rolling - Soil 2nd rate.
	"
	North between Sections 13 & 14. Variation 13° 30' East.
40.00	Set chained post in mound of earth with pits as per instructions for 1/4 Section corner.
80.00	Set chained post in mound of earth with pits as per instructions for corner to Sections 11, 12, 13 & 14. Surface rolling - Soil - 2nd rate

	East & Random between Sections 12 & 13. Variation 13° 30' East.
40.00	Set temporary 1/4 Sections ~~12~~ & 13. Cor.
80.16	Intersect Range line 39 links North of Post. cor. to Sec. 12 & 13
	N. 89° 43' W. on true line between Sections 12 & 13. Variation 13° 30' East.
40.08	Set chained post in mound of earth with pits as per instructions for 1/4 Section corner.
80.16	The corner of Sections 11, 12, 13 & 14. Surface rolling - Soil 2nd rate.
	"
	North between Sections 11 & 12. Variation 13° 30' East.
40.00	Set chained post in mound of earth with pits as per instructions for 1/4 Section corner.
80.00	Set chained post in mound of earth with pits as per instructions for corner to Sections 1, 2, 11 & 12. Surface rolling - Soil 2nd rate.

Township No. 3 North, Range No. 2 West of 6th Principal Meridian.

East Random between Sections 1 & 12.
Variation 13° 30' East.

40.00 Set temporary 1/4 Section corner.
79.98 Intersect Range line 25 links South of Post. cor. to Sec. 1 & 12

S 89° 48½' W. on true line between Sections 1 & 12.
Variation 13° 30' East.

39.99 Set chased post in mound of earth with pits as per instructions for 1/4 Section corner.
79.98 The corner of Sections 1, 2, 11 & 12.
Surface rolling — Soil 2nd rate.

North Random between Sections 1 & 2.
Variation 13° 30' East.

40.00 Set temporary 1/4 Section corner.
80.45 Intersect Township line 29 links East of Post. cor to Sec. 1 & 2

S. 12' E. on true line between Sections 1 & 2.
Variation 13° 30' East.

40.45 Set chased post in mound of earth with pits as per instructions for 1/4 Sec. Corner
80.45 The corner of Sections 1, 2, 11 & 12.
Surface, rolling — Soil 2nd rate.
September 5th 1870

Township No. 3 North, Range 2 No. 23 West of 6th Principal Meridian -

" North between Sections 34 & 35.
Variation 13° 30' East.

40.00 Set chased post in mound of earth with pits as per instructions for 1/4 Section corner.
42.00 Rainy 2.50 chains wide, bears S.E.
80.00 Set chased post in mound of earth with pits as per instructions for corner to Sections 26, 27, 34 & 35
Surface rolling Soil 2nd rate.

East Random between Sections 26 & 35.
Variation 13° 30' East.

40.00 Set temporary 1/4 Section corner.
80.12 Intersect North and South line 38 links South of post. Cor to Secs. 25 26, 35 36
S. 89° 44' W. on true line between Sections 26 & 35.
Variation 13° 30' East.
40.06 Set chased post in mound of earth with pits as per instructions for 1/4 Sec. corner.
80.12 The corner of Sections 26, 27, 34 & 35.
Surface rolling Soil 2nd rate.

"

North between Sections 26 & 27.
Variation 13° 30' East.

40.00 Set chased post in mound of earth with pits as per instructions for 1/4 Sec. corner.
80.00 Set chased post in mound of earth with pits as per instructions for corner to Sections 22, 23, 26 & 27.
Surface rolling; Soil 2nd rate.

Township No. 3 North, Range No. 23 West of 6th Principal Meridian.

East Random between Sections 23 & 26.
Variation 13° East.

46.00	Set temporary 1/4 Section corner.
7992	Intersect North and South line 47 links South of Post. cor. to Secs. 23, 24, 25 & 26
	S. 89° 40' West on true line between Sections 23 & 26.
	Variation 13° East.
39.96	Set chared post in mound of earth with pits as per instructions for 1/4 Section corner.
79.92	The corner of Sections 22, 23, 26 & 27.
	Surface rolling — Soil 2nd rate.

North between Sections 22 & 23.
Variation 13° 30' East.

40.00	Set chared post in mound of earth with pits as per instructions for 1/4 Sec. corner.
80.00	Set chared Post in mound of earth with pits as per instructions for corner to Secs. 14, 15, 22 & 23.
	Surface rolling — Soil 2nd rate.
	"

East Random between Sections 14 & 23.
Variation 13° 30' East.

40.00	Set temporary 1/4 Section corner.
45.00	Raine 2.00 chains wide — bears N. W.
79.96	Intersect North and South line 16 links north of Post. cor. to Sec. 13, 14, 23 & 24
	N. 89° 53' W. on true line between Sections 14 & 23.
	Variation 13° 30' East.
39.98	Set chared Post in mound of earth with pits as per instructions for 1/4 Section corner.
79.96	The corner of Sections 14, 15, 22 & 23.
	Surface rolling — Soil 2nd rate.

Township No. 3 North, Range No.

North between Sections 14 & 15.
Variation 13° 30' East.

40.00 Set chaned Post in mound of earth with pits as per instructions for 1/4 Section corner.

80.00 Set chaned Post with mound of earth with pits as per instructions for corners to Sections 10, 11, 14 & 15.
Surface rolling — Soil 2nd rate.

23 West of 6th Principal Meridian.

East Random between Sections 11 & 14.
Variation 13° East.

40.00 Set temporary 1/4 Section corner.

80.00 Intersect North and South line 2.3 Links North of Post.
Cor. to Sec. 11, 12, 13 & 14

N. 89° 30' W. on true line between Sections 11 & 14.
Variation 13° East.

40.00 Set chaned Post in mound of earth with pits as per instructions for 1/4 Section corner.

80.00 The corner of Sections 10, 11, 14 & 15.
Surface rolling — Soil 2nd rate.

Township No. 3 North, Range No. 2 West of 6th Principal Meridian.

North between Sections 10 & 11.
Variation 13° 30' East.

40.00 Set chared Post in mound of earth with pits as per instructions for 1/4 Section corner.

80.00 Set chared Post in mound of earth with pits as per instructions for corner to Sections 2, 3, 10 & 11

Surface rolling - Soil 2nd rate.

East Random between Sections 2 & 11.
" Variation 13° East.

30.50 Raise 2,00 chains wide - Bears North

40.00 Set Temporary 1/4 Section corner.

80.32 Intersect - North and South line at Post. cor to Sec. 2, 3, 10 & 11

West on true line between Sections 2 & 11
Variation 13° ~~30'~~ East.

40.16 Set chared Post in mound of earth with pits as per instructions for 1/4 Sec. corner.

80.32 The corner of Sections 2, 3, 10 & 11

Surface rolling - Soil 2nd rate.

North Random between Sections 2 & 3.
Variation 13° 30' East.

40.00 Set Temporary 1/4 Section corner.

79.97 Intersect Township line 38 links West of Post. Cor to Sec. 2 & 3

S. 16' W. on true line between Sections 2 & 3.
Variation 13° 30' East.

39.97 Set chared Post in mound of earth with pits as per instructions for 1/4 Section corner.

79.97 The corner of Sections 2, 3, 10 & 11

Surface rolling - Soil 2nd rate.

September 6th 1870

Township No. 3 North, Range No. 23 West of 6th Principal Meridian.

	North between Sections 33 & 34. Variation 13°30' East.
40.00	Set chased post in mound of earth with pits as per instructions for 1/4 Section corner.
40.50	Ravine 1,50 chains wide — Bears N. W. & S. E. drowned S. E.
80.00	Set chased post in mound of earth with pits as per instructions for corner to Sections 27, 28, 33 & 34 Surface rolling — Soil 2nd rate.

	East & Random between Sections 27 & 34. Variation 13°30' East.
40.00	Set temporary 1/4 Section corner.
80.16	Intersect West and South line 89 links North of Post. 11 Cor to Sec'd. 26, 27, 34 & 35
	N. 89° 43' W. on true line between Sections 27 & 34 Variation 13°30' East.
40.08	Set chased post in mound of earth with pits as per instructions for 1/4 Section corner.
80.16	The corner of Sections 27, 28, 33 & 34. Surface rolling — Soil 2nd rate.

Township No. 3 North, Range No.

"North between Sections 27 & 28.
"Variation 13° 30' East.

40.00 Set chased post in mound of earth with pits as per instructions for 1/4 Section corner.

80.00 Set chased post in mound of earth with pits as per instructions for corners to Sections 21, 22, 27 & 28. Surface rolling - Soil 2nd rate.

23 West of 6th Principal Meridian

East & Random between Sections 22 & 27.
"Variation 13½° East.

40.00 Set Temporary 1/4 Section corner

80.28 Intersect North and South line 29 links West of post Cor. to Sec. 22, 23, 26 & 27

N 89° 48' W on true line between Sections 22 and 27
Variation 13° 15' East

40.14 Set chased post in mound of Earth with pits as per instructions for 1/4 Section corner

80.28 The corner of Sections 21 22 27 and 28 Surface rolling soil 2nd Rate

Township No. 3 North, Range No.

"North between Sections 21 & 22.
Variation 13° 20' East.

40.00 Set Chained post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner to Sections 15 16 21 and 22
Surface rolling Soil 2nd Rate

23 West of 6th Principal Meridian

East Random between Sections 15 & 22.
Variation 13° 30' East.

20.00 Ravine 2.50 chains wide - Bears N. W.

40.00 Set temporary 1/4 Section corner.

64.00 Ravine 2.50 chains wide - Bears North.

80.12 Intersect North and South line 25 links North of Post.
Cor to Secs. 14, 15, 22 & 23

N. 89° 49' W. on true line between Sections 15 & 22.
Variation 13° 30' East.

40.06 Set chained post in mound of earth with pits as per instructions for 1/4 Section corner.

80.12 The corner of Sections 15, 16, 21 & 22.
Surface rolling — Soil 2nd rate.

Township No. 3 North, Range No. 23 West of 6th Principal Meridian.

	"North between Sections 15 & 16.
	Variation 13°-30' East.
40.00	Set chard post in mound of earth with pits as per instructions for 1/4 Section corner.
80.00	Set chard post in mound of earth with pits as per instructions for corner to Sections 9, 10, 15 & 16. Surface rolling Soil 2nd rate.

	"East Random between Sections 10 & 15.
	Variation 13°30' East.
33.00	Ravine 3.00 chains wide — Brass North.
40.00	Set Temporary 1/4 Section corner.
80.28	Intersect North and South line 17 links North of Pos. cor to Secs. 10, 11, 14 & 15
	N. 89° ~~14~~ 53' W. on true line between Sections 10 & 15.
	Variation 13°30' East.
40.14	Set chard post in mound of earth with pits as per instructions for 1/4 Section corner.
80.28	The corner of Sections 9, 10, 15 & 16. Surface rolling — Soil 2nd rate.

Township No. 3 North, Range No.

	"North between Sections 9 & 10.
	Variation 13° 30' East.
40.00	Set chased post in mound of earth with pits as per instructions for 1/4 Section corner.
80.00	Set chased post in mound of earth with pits as per instructions for corner to Sections 3, 4, 9 & 10.
	Surface rolling — Soil 2nd rate.

23 West of 6th Principal Meridian

East	Random between Sections 3 & 10.
	Variation 13° 30' East.
40.00	Set temporary 1/4 Section corner in ravine 3.00 chains under Beans N. E.
79.96	Intersect North and South line 13 links North of Post. Cor'ts Sec'd. 2, 3, 10 & 11
	N. 89° 58½' W. on true line between Sections 3 & 10.
	Variation 13° 30' East.
39.98	Set chased post in mound of earth with pits as per instruction for 1/4 Section corner.
79.96	The corner of Sections 3, 4, 9 & 10.
	Surface, rolling — Soil 2nd rate.

Township No. 3 North, Range No.

	"North Random between Sections 3 & 4.
	Variation 13° 30' East.
40.00	Set temporary 1/4 Section corner.
80.39	Intersect Township line 37 links East of Post. cor to Secs. 3&4
	S. 16' East on true line between Sections 3 & 4.
40.39	Set Stone Post in mound of earth with pits as per instructions for 1/4 Section corner.
80.39	The corner of Sections 3, 4, 9, & 10.
	Surface rolling — Soil 2nd rate.
	September 7th 1870

West of 6th Principal Meridian

	"North between Sections 32 & 33.
	Variation 13° 30' East
40.00	Set Stone Post in mound of earth with pits as per instructions for 1/4 Section corner.
80.00	Set Stone Post in mound of earth with pits as per instructions for corner to Sections 28, 29, 32 & 33.
	Surface rolling Soil 2nd rate.

Township No. 3 North, Range No. 23 West of 6th Principal Meridian

East	Random between Sections 28 & 33. Variation 13° 30' East.
36.00	Ravine 2.00 chains wide Bears South
46.00	Set temporary ¼ Section corner.
86.00	Intersect North and South line 23 links North of Post. Cor to Secs. 27, 28, 33 & 34
	N. 89° 30' W. on true line between Sections 28 & 33. Variation 13° 30' East.
46.00	Set hard Post in mound of earth with pits as per instructions for ¼ Section corner.
86.00	The corner of Sections 28, 29, 32 & 33, Surface rolling — Soil 2nd rate.

North	between Sections 28 & 29. Variation 13° 30' East.
46.00	Set hard Post in mound of earth with pits as per instructions for ¼ Section corner.
86.00	Set hard Post in mound of earth with pits as per instructions for corner to Sections 20, 21, 28 & 29. Surface rolling Soil 2nd rate.

Township No. 3 North, Range No. 23 West of 6th Principal Meridian.

"East	Random between Sections 21 & 28.
	Variation 13° 30' East.
40.00	Set temporary 1/4 Section cor.
80.00	Intersect North and South line 16 Links North of post. Cor. to Secs. 21, 22, 27 & 28
	N. 89° 53' W. on true line between Sections 21 & 28.
	Variation 13° 30' East.
46.00	Set a hand post in mound of earth with pits as per instructions for 1/4 Section corner.
80.00	The corner of Sections 20, 21, 28 & 29.
	Surface rolling — Soil 2nd rate

	North between Sections 20 & 21.
	Variation 13° 30' East.
40.00	Set a hand post in mound of earth with pits as per instructions for 1/4 Section corner.
56.25	Ravine 2.00 chains wide — Bears N. 30° W.
86.00	Set a hand post in mound of earth with pits as per instructions for corner to Sections 16, 17, 20 & 21.
	Surface rolling — Soil 2nd rate.

Township No. 3 North, Range No. 23 West of 6th Principal Meridian.

East	Random Line between Sections 16 & 21. Variation 13° 35' East.
40.00	Set temporary 1/4 Section corner
43.50	Ravine 2,00 Chains wide Bears North,
86.00	Intersect North and South 27 Links South of Post. Cor. to Sect 15, 16, 21 & 22
	~~S.~~ N. 89° 45' W. on true line between Sections 16 & 21. Variation 13° 35 East.
46.00	Set chased post in mound of earth with Pits as per instructions for 1/4 Section corner.
80.00	The corner of Sections ~~5, 9,~~ 16 & 17. 20 & 21 Surface rolling — Soil 2nd rate

	" North between Sections 16 & 17. Variation 13° 30' East.
40.00	Set chased post in mound of earth with Pits as per instructions
80.00	Set chased post in mound of earth with Pits as per instructions for corner to Sections 8, 9, 16 & 17. Surface rolling — Soil 2nd rate.

Township No. 3 North, Range No.

East	Random between Sections 9 & 16. Variation 13° 40' East.
14,00	Set temporary ¼ Section corner.
49.50	Raise 3.00 chains wide - Bears North.
80.08	Intersect North and South line 20 links North of Post. X Cor. to Sec. 9, 10, 15 & 16
	N 89° 47' W. on true line between Sections 9 & 16. Variation 13° 40' East.
14,08	Set chased post in mound of earth with pits as per instructions for ¼ Section corner.
80.08	The corner of Sections 8, 9, 16 & 17. Surface rolling - Soil 2nd rate.

Township No. 3 North, Range No. 23 West of 6th Principal Meridian

"	North between Sections 8 & 9. Variation 13° 30' East.
46.00	Set chased post in mound of earth with pits as per instructions for ¼ Section corner.
57,60	Day creek 20 links wide runs East.
80.00	Set chased post in mound of earth with pits as per instructions for corner to Sections 4, 5, 8 & 9. Surface rolling - Soil 2nd rate.

Township No. 3 North, Range No. 23 West of 6th Principal Meridian

East	Random between Sections 4 & 9. Variation 13° 35' East.	North.	Random between Sections 4 & 5. Variation 13° 45' East.
11.00	Set temporary 1/4 Section corner.	40.00	Set temporary 1/4 Section corner.
52.50	Raise 3. 60 Chains wide Dry creek Bears North	80.49	Intersect Township line 33 links East of Post. Cor to Sec. 4&5
79.80	Intersect North and South line 22 Links North of Post. Cor to Sec. 3, 4, 9 & 10		S. 11' E. on true line between Sections 4 & 5. Variation 13° 45' East.
	N. 89° 51' W. on true line between Sections 4 & 9. Variation 13° 35' East.	40.49	Set a hard Post in mound of earth with Pits as per instructions for 1/4 Section corner.
39.90	Set a hard Post in mound of earth with Pits as per instructions for 1/4 Section corner.	80.49	The corner of Sections 4, 5, 8 & 9. Surface rolling — Soil 2nd rate.
79.80	The corner of Sections 4, 5, 8 & 9. Surface rolling — Soil 2nd rate.		September 8th 1870

Township No. 3 North, Range No. 23 West of 6th Principal Meridian:

	North between Sections 31 & 32. Variation 13° 45' East.
40.00	Set chained post in mound of earth with pits as per instructions for 1/4 Section corner.
49.60	Ravine 2.00 chains wide Bears N. 15° W. and S. 15° E. (discends)
80.00	Set chained post pit mound of earth with pits as per instructions for corner to Sections 29, 30, 31 & 32, Surface rolling — Soil 2nd rate

East	Random between Sections 29 & 32, Variation 13° 35' East.
40.00	Set temporary 1/4 Section corner.
43.00	Ravine 2.00 Chains wide — Bears North & discends E.
80.10	Intersect North and South line 38 links South of Post 11 Cor to Sec'd. 28, 29, 32 & 33
	S. 89° 44' W. on true line between Sections 29 & 32, Variation 13° 35' East.
4605	Set chained Post in mound of earth with pits as per instructions for 1/4 Section corner.
80.10	The corner of Sections 29, 30, 31, & 32, Surface rolling — Soil 3rd rate.

Township No. 3 North, Range No. 23 West of 6th Principal Meridian.

	West Random between Sections 30 & 31. Variation 13° 45' East.
36.00	Ravine 2.00 chains wide Bears South.
40.00	Set temporary ¼ Section corner.
78.34	Intersect Range line 24 links South of Post. Cor'd. 30931
	S. 89° 49' E. on true line between Sections 30 & 31. Variation 13° 45' East.
38.34	Set chared Post in mound of earth with pits as per instructions for ¼ Section corner.
78.34	The corner of Sections 29, 30, 31 & 32 Surface rolling Soil 2nd rate.

	North between Sections 29 & 30. Variation 13° 45' East.
14.00	Ravine 1.50 chains wide Bears S.W.
40.00	Set chared Post in mound of earth with pits as per instructions for ¼ Section corner.
78.00	Enter Ravine - Bears N. E. & W.
86.00	Set chared Post in mound of earth with pits as per instructions for corner to Sections 19, 20, 29 & 30, Surface rolling Soil 2nd rate.

Township No. 3 North, Range No. 23 West of 6th Principal Meridian

East	Random between Sections 20 & 29.
	Variation 13° 30' East.
1.50	Lead raise - bears N. E.
+ 45.00	Raise 2.00 chains wide.
	Bears North.
+ 40.00	Set temporary 1/4 Section corner.
80.20	Intersect North and South line at Post. Cor to Sec. 20, 21, 28 & 29
	West on true line between Sections 20 & 29.
	Variation 13° 30' East.
40.10	Set chard post in mound of earth with pits as per instructions for 1/4 Section corner.
80.20	The corner of Sections 19, 20, 29 & 30.
	Surface rolling - Soil 2nd rate.

West	Random between Sections 19 & 30.
	Variation 13° 30' East.
.50	Lead Raise - bears N. E.
40.00	Set temporary 1/4 Section corner.
77.85	Intersect Range line 3 links North of Post. Cor to Sec. 19 & 30
	N. 89° 28' E. on true line between Sections 19 & 30
	Variation 13° 30' East.
37.85	Set chard post in mound of earth with pits as per instructions for 1/4 Section corner.
77.85	The corner of Sections 19, 20, 29 & 30.
	Surface rolling - Soil 2nd rate.

Township No. 3 North, Range No. 23 West of 6th Principal Meridian

	"North between Sections 17 & 20. Variation 13° 30' East.
.50	Leas ravine — Beard N. E.
14.00	Set chased Post in mound of earth with pits as per instructions for 1/4 Section corner.
80.00	Set chased Post in mound of earth with pits as per instructions for corner to Sections 16, 17, 19 & 20. Surface rolling — Soil 2nd rate.

	"East & Random between Sections 17 & 20. Variation 13° 30' East.
40.00	Set temporary 1/4 Section corner.
44.00	Ravine 3.00 chains wide, bears North
80.42	Intersect North and South line 26 Links South of Post. cor to Sec. 16, 17, 20 & 21
	S 89° 49' W. on true line between Sections 17 & 20. Variation 13° 30' East.
40.21	Set chased Post in mound of earth with pits as per instructions for 1/4 Sec. corner.
80.42	The corner of Sec. 17, 18, 19 & 20. Surface rolling — Soil 2nd rate.

Township No. 3 North, Range No. 23 West of 6th Principal Meridian.

"West Random between Sections 18 & 19.
Variation 13° 30' East.

40.00 Set temporary 1/4 Section corner.
78.34 Intersect Range line 24 links South of Post. Cor to Sec. 18 & 19

S. 89° 30' E. on true line between Sections 18 & 19.
Variation 13° 30' East.

38.34 Set chard Post in mound of earth with pits as per instructions for 1/4 Sec. corner
78.34 The corner of Sections 17, 18, 19 & 20
Surface rolling - Soil 2nd rate.

"

"North between Sections 17 & 18.
Variation 13° 30' East

40.00 Set chard Post in mound of earth with pits as per instructions for 1/4 Sec. corner.
47.50 Ravine 2.00 chains wide bears N. E
80.00 Set chared Post in mound of earth pits as per instructions for corner to Sections 7, 8, 17 & 18.
Surface rolling Soil 2nd rate.

"East Random between Sections 8 & 17.
Variation 13° 35' East.

4.00 Ravine 2.00 chains wide bears North.
40.00 Set temporary 1/4 Section corner.
77.35 Dry creek 20 links wide runs North.
80.10 Intersect North and South line 38 links South of Post. Cor to Sec. 8, 9, 16 & 17

S. 89° 45' W. on true line between Sections 8 & 17.
Variation 13° 35' East.

4.005 Set chard Post in mound of earth with pits as per instructions for 1/4 Sec. corner.
80.10 The corner of Sections 7, 8, 17 & 18
Surface rolling Soil 2nd rate.

Township No. 3 North, Range No. 23 West of 6th Principal Meridian

West random between Sections 7 and 18
Variation 13° 20' East

40.00 Set Temporary ¼ Section corner
57.50 Ravine 3 to chains wide bears E &
78.14 Intersect Range line 12 links South of post cor to Sec. 7 & 18

S 89° 55' E on a true line between Sections 7 and 18
Variation 13° 20' East

38.14 Set chaned post in mound of Earth with pits as per instructions for ¼ Section corner
78.14 The corner of Sections 7 8 17 and 18
Surface rolling soil 2nd Rate

East random between Sections

North between Sections 7 & 8
Variation 13° 20' East

40.00 Set Temporary ¼ Section corner ~~chaned post in mound of Earth~~ with pits as per instructions for ¼ Sec corner
80.00 Set chaned post in mound of Earth with pits as per instructions for corner to Sections 5 & 7 and 8
Surface rolling soil 2nd Rate

East random between Sections 5 & 8
Variation 13° 45' East

40.00 Set Temporary ¼ Section corner
43.50 Ravine 3 to chains wide bears North
59.00 Ravine 2 to chains wide bears North
79.80 Intersect North and South line 19 links South of post Cor to Sec. 4, 5, 8 & 9

S 89° 52' W on a true line between Sections 5 and 8
Variation 13° 45' East

39.90 Set chaned post in mound of Earth with pits as per instructions

Township No. 3 North, Range No. 2 West of 6th Principal Meridian.

	for 1/4 Section corner
79.80	The corner of sections 5 6 7 & 8
	Surface rolling soil 2nd Rate
	West random between Sections
	6 and 7
	Variation 13° 20' East
40.00	Set Temporary 1/4 Section corner
48.00	Range 20 chains with bears NW
77.66	Intersect Range line 86 links
	South of post Cor to Sec. 6 & 7
	S 89° ~~30~~ 44' E on a true line between
	Sections 6 and 7
	Variation 13° 20' East
37.66	Set ~~Temporary 1/4 Section corner~~ chained
	post in mound of Earth with pits
	as per instructions for 1/4 Section
	Corner
77.66	The corner of Sections
	5 6 7 and 8
	Surface rolling soil 2nd Rate

	North random between Sections
	5 and 6
	Variation 13° 45' East
40.00	Set Temporary 1/4 Section corner
37.00	Range 256 chains with bears NW
81.24	Intersect Township line 40 links East
	of post Cor to Sec. 5 & 6
	S 1° E on a true line between
	Sections 5 and 6
	Variation 13° 45' East
41.24	Set chained post in mound of Earth
	with pits as per instructions for
	1/4 Section corner
81.24	The corner of Sections
	5 6 7 and 8
	Surface rolling soil 2 Rate

September 9th 1870

General Description
see page 58

Township No. 3 North, Range No.

We hereby Certify that we were employed by William E Daugherty United States Deputy Surveyor to assist in the Survey and subdivision of Township No 3 North Range No 23 West of the 6th principal Meridian in the State of Nebraska and we Solemnly Sworn that we performed our duties in our respective capacities to the best of our ability and according the laws of the United States and the instructions of the Surveyor General

Nebraska

Lincoln County

Charles Fitzpatrick Chainmen
Henry Lewis

Joseph Karney Mound builders
Thomas Daly

Sworn and subscribed to before me this the 8 day of October 1870
H F Cody Justice Peace

23 West of 6th Principal Meridian

Affidavit

I William E Daugherty Deputy Surveyor do solemnly swear that in pursuance of a contract with Robert R Livingston Surveyor General of the United States for the State of Nebraska bearing date the 6th day of August 1870 ~~that~~ said in strict accordance with ~~that~~ said contract I have regularly surveyed and subdivided Township No 3 North Range No 23 West of the 6th Principal Meridian according to the laws of the United States and the instructions of the Surveyor General and I do further Swear that the foregoing are the true and original field notes of such survey

William E Daugherty
Deputy Surveyor

Subscribed and Sworn to before me at my office in the city of Plattsmouth State of Nebraska this 15th day of October 1870

A J Child Probate Judge
of Cass County Nebraska

General Description

The Surface of this Township is generally rolling soil good quality of 2nd rate prairie but not adapted to agricultural purposes on account of there being no facilities for irrigation There is no Timber in this Township

Surveyor Genrals Office
Plattsmouth Neb. Dec 16. 1870.

The foregoing field notes of the Survey of the Subdivisions lines of Township No. 3 North of the Base Line & Range No. 23 West of the 6th Principal Meridian in the State of Nebraska, Executed by William E. Daugherty, Deputy Surveyor, under his Contract of the 6th Day of August 1870 in the month of September 1870 having been critically examined, the necessary corrections and explanations made the said field notes and the Surveys they describe are hereby approved

Robt. R Livingston
Surveyor General

T 4 N., R 23 W



Subdivision of Township No 4 North of Range No 23 ~~East~~ West of ~~the~~ 6th Principal Meridian in the State of Nebraska

Commenced October 19th 1870

Finished October 19th 1870

By

William E Daugherty

Deputy Surveyor

Township No 4 North of Range No

Names of Assistants

Henry Lewis
Charles Fitzpatrick } Chainmen

Joseph Kearny
Thomas Dayly } Mound builders

23 West of the 6th Principal Mer.

To determine the course of the East boundary & commence at the corner of Townships 3 and 4 North of Ranges 22 and 23 West of the 6th P M and run thence North on a blank line, on E. side of Sec. 36

Variation 13° 30' East

39 89	fill 4 links East of 1/4 Sec corner
79 93	fill 3 links West of Section corner

From the aforesaid Township corner I run West on a blank line on S. side of Sec. 36

Variation 13° 30' East

39 96	fill 18 links North of 1/4 Sec corner
79 91	fill 23 links North of Section corner

Township No 4 North of Range No

North between Sections
35 and 36
Variation 13° 30' East

40.00 Set chained post in mound of
Earth with pits as per
instructions for 1/4 Sec. corner

80.00 Set chained post in mound
of Earth with pits as per
instructions for corner to Sections
25 26 35 and 36
Surface rolling soil
2nd Rate

23 West of the 6th Principal Mer

East and on line between
Sections 25 and 36
variation 13° 30' East

6.00 Enter river bottom bears
N W and S E

40.00 Set temporary 1/4 Sec corner

79.82 Intersect Range line 44 links
North of post, cor. to Sec. 25 & 36, from
which corner I run
N 89° 41' W on a true line
between sections 25 and 36
variation 13° 30' East

39.91 Set chained post in mound of
Earth with pits as per
instructions for 1/4 Sec corner

79.82 The corner of sections
25 26 35 and 36
Surface rolling
Soil 2nd Rate—

Township No 4 North Range No 23

North between sections
25 and 26
Variation 13° 30' East

6.00 Eaton river bottom bears N W and S E

40.00 Set chaned post in mound of Earth with pits as per instructions for 1/4 Sec corn

80.00 Set chaned post in mound of Earth with pits as per instructions for corner to sections 23 24 25 and 26
Surface rolling soil 2nd Rate

West of the 6th Principal Mer

East standard between sections
24 and 25
Variation 13° 30' East

33.00 Set stn. Mound. Cor. on Rt. bk of Repub. R. with fram
38.90 " " " left " " "

Township No 4 North Range No 23

North between sections 23 & 24
Variation 13° 30' East

11.63 Right bank of Republican river and Set chaned post in mound of Earth with pits as per instructions for fractional section corner

18.64 Left bank of river (by chaining) and Set chaned post in mound of Earth with pits as per instructions for fractional section corner

40.00 Set chaned post in mound of Earth with pits as per instructions for 1/4 Section corner

61 40 Creek 15 links wide runs S &

80.00 Set chaned post in mound of Earth with pits as per instructions for corner to sections 13 14 23 and 24
Surface level soil 2nd Rate

West of the 6th Principal Meridian

East random between sections 13 and 24
Variation 13° 30' East

40.00 Set temporary 1/4 sec corner

64.00 Leave river bottom bears NW & SE

80.22 Intersect Range line at post

West on a true line between Sections 13 and 24
Variation 13° 30' East

40.71 Set chaned post in mound of Earth with pits as per instructions for 1/4 Section corner

80.22 The corner of sections 13 14 23 and 24
Surface level soil 2nd Rate

Township No 4 North Range No 23 West of the 6th Principal Meridian

North between sections 13 & 14
Variation 13° East

31.00 Leany River Bottom bears N 60 W & S 60 E
40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner of sections 11 12 13 and 14
Surface rolling soil 2nd Rate

East boundary between sections 12 and 13
Variation 13° 30' East

40.00 Set temporary 1/4 sec corner
41.00 Ravine 300 chains wide bears N E and S W (drains)

80.00 Intersect Range line 14 links South of post

S 89° 54' W on a true line between sections 12 and 13
Variation 13° 30' East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner
80.00 The corner of sections 11 12 13 & 14
Surface rolling soil 2nd Rate

Township No 4 North of Range No 23

North between sections 11 & 12
Variation 13° 30' East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner to Sections 1, 2, 11 & 12
Surface rolling soil
2nd Rate

West of the 6th Principal Meridian

East between sections 1 and 12
Variation 13° 30' East

15.00 Ravine 20 chains wide bears South

40.00 Set temporary 1/4 Sec corner

79.86 Intersect Range line 40 links South of post

S 89° 43' W on a true line between sections 1 and 12
Variation 13° 30' East

39.93 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec cor.

79.86 The corner of sections 1, 2, 11 and 12
Surface rolling soil
2nd Rate

Township No 4 North Range No 23 West of the 6th P M

North between sections 1 & 2
Variation 13° 30' East

40.00 Set chaned post w mound of Earth with pits as per instructions for 1/4 Sec corner

83.71 Intersect 1st Standard parallel N. 13.42 chains East of 1/4 Sec corner on South side of Sec 36 Township No 5 North of Range 23 West and Set Chaned post w mound of Earth with pits as per instructions for corner to Sections 1 and 2

Surface rolling soil 2nd Rate

October 13th 1870

North between sections 34 and 35
Variation 13° East

9.05 Creek 15 links wide runs N E

40.00 Set ~~temporary 1/4 Sec corner~~ chaned post w mound of Earth with pits as per instructions for 1/4 Section corner

63.00 Enter river bottom brass East and West

80.00 Set chaned post w mound of Earth with pits as per instructions for corner to sections 26 27 34 and 35

Surface rolling soil 2nd Rate

Township No 4 North Range No 23

East boundary between sections
26 and 35
Variation 13° East

2670 dug creek 15 links wide runs
North East

40.00 Set temporary 1/4 Sec corner
64.50 Beaver River 8 links wide
80.16 Intersect North and South line 38
links North of post

N 89°44' W on a true line between
Sections 26 and 35
Variation 13° East

40.08 Set chaned post in mound of earth
with pits as per instructions
for 1/4 sec corner

80.16 The corner of sections
24 27 34 & 35
Surface rolling soil 2nd Rate

West of the 6th Principal Meridian

North between sections 26 and 27
Variation 13° East

1856 Right bank of republican river and
Set chaned post in mound of Earth
with pits as per instructions for
fractional section corner

24.90 Left bank of river by chaining and Set chaned post
in mound of Earth with pits as
per instructions for fractional corner

40.00 Set 1/4 Sec corner as per instructions
59.54 Left bank of river and set chaned post
in mound of Earth with pits as
per instructions for fractional Sec corner

62.40 Right bank of river by chaining and set chaned
post in mound of Earth with pits
as per instructions for fractional
section ~~Section~~ corner

80.00 Set chaned post in mound of
Earth with pits as per
instructions for corner to sections
22 23 26 and 27
Surface level soil 2nd Rate

+Set pits, depos^d char. stakes & raised m^d of earth
with pits &c.

Township No 4 North Range No 23 West of the 6th Principal Meridian

36.11 Set Corn. Meand. Cor on Rt bk. Repub. R. width found by chaining
41.80 " " " " " Lft " " " " " "
67.28 " " " " " " " " " " " "
72.43 " " " " " " " " " " " "
Place for Temporary 1/4 Section corner in river

East on dand between sections 23 & 24
Variation 13° 30' East

4000 Set
80.23 Intersect North and south line 62 links South of post

S 89° 30' W on a true line between Sections 23 and 26
Variation 13° 30' East

7.80 To Right bank of the Republican river and Set chaned post w mound of Earth with pits as per instructions for fractional Section corner

12.95 Left bank of river and Set chaned post w mound of Earth with pits as per instructions for fractional Sec corner

38.43 To left bank of Republican river and Set chaned post w mound of Earth with pits as per instructions for fractional Sec cor

40.11 1/2 Post for 1/4 Sec Cor. in River

44.12 Right bank of river and Set chaned post w mound of Earth with pits as per instructions for fractional Sec corner

80.23 The corner of sections 22, 23, 26 & 27
Surface level soil 2nd Rate

North between sections 22 and 23
Variation 13° East

2.90 Right bank of Republican river and Set chaned post w mound of Earth with pits as per instructions for fractional section corner

11.60 Left bank of river by chaining and Set chaned post w mound of Earth with pits as per instructions for fractional Section corner

40.00 Set chaned post w mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chaned post w mound of Earth with pits as per instructions for corner to Sections 14, 15, 22 and 23
Surface level soil 2nd Rate

Township No 4 North of Range No 23

Cor

East 2nd corr between sections
14 and 23
Variation 13° 30' East

36.00 Creek 15 links wide runs S E
40.00 Set temporary 1/4 Sec corner
80.20 Intersect North and South line 24 links North of post

N 89° 49' W on a true line between sections 14 and 23
Variation 13° 30 East

40.10 Set chaned post in mound of Earth with pits as per instructions for 1/4 Section corner
80.20 The corner of sections 14. 15. 22 and 23
Surface rolling soil 2nd Rate

West of the 6th Principal Meridian

North between sections 14 and 15
Variation 13° 30' East

40.00 Set chaned post in mound of Earth with pits as per instructions for 1/4 Section corner
46.00 Legan River bottom bears East and West
80.00 Set chaned post in mound of Earth with pits as per instructions for corner to sections 10 11 14 and 15
Surface rolling soil 2nd Rate

Township No 4 North of Range No 23

11 and 14

East random between sections

Variation 13° 30' East

15 00 Creek 15 links wide runs S E

40 00 Set Temporary 1/4 Section corner

79.98 Intersect North and South line 12 links South of post

N 89° 33' W on true line between Sections 11 and 14

Variation 13° 30' East

39.99 Set chard post in mound of Earth with pits as per instructions for 1/4 Section corner

79.98 The corner of sections 10 11 14 and 15

Surface rolling soil 2nd Rate

West of the 6th Principal Meridian

North between sections 10 and 11

Variation 13° 30' East

40 00 Set chard post in mound of Earth with pits as per instructions for 1/4 Section corner

58 00 dig creek 15 links wide runs S E

80 00 Set chard post in mound of Earth with pits as per instructions for corner to sections

2 . 3 . 10 and 11

Surface rolling soil 2nd Rate

Township No 4 North Range No 23

East sandum between sections
2 and 11
Variation 13° 45' East

40.00 Set chased post in mound of Earth
~~with pits as per instructions~~ for
80.30 Intersect North and South line 13 links
South of post

S 89° 54' W on a true line between
Sections 2 and 11
Variation 13° 45' East

40.13 Set chased post in mound of Earth
with pits as per instructions for
1/4 Section corner
80.30 To the corner of sections
2. 3. 10 and 11
Surface rolling and 2nd Rate

West of the 6th Principal Meridian

North between sections 2 and 3
Variation 13° 45' East

40.00 Set chased post in mound of Earth
with pits as per instructions for
1/4 Section corner
83.41 Intersect 1st Standard parallel N.
13.98 chains East of the 1/4 sec
corner on South side of section
35 of Township No 3 North of
Range No 23 West of the 6th P.M.
and Set chased post in mound of
Earth with pits as per instructions
for following corner to sections 2 and 3
Surface rolling and 2nd Rate
October 14th 1870

Township No 4 North of Range No

North between sections
33 and 34
Variation 13° 30 East

40.00 Set chaned post in mound of Earth with pits as per instructions for 1/4 Sec corner

67.00 Enter ~~Ravine~~ river bottom bears East and wes

80.00 Set chaned post in mound of Earth with pits as per instructions for corner to sections 27 28 33 and 34
Surface rolling and 2nd Rate

42.80 Set tim. Meand. Cor on Rt. Bk. Repub. R.
46.32 " " " " " Left " " "
52.77 " " " " " " " " "
56.72 " " " " " Rt " " "
Width of River found by chaining.

23 West of the 6th Principal Mer

East on a due between sections
27 and 34
Variation 13° 30' East

40.00 Set Corner 1/4 Sec corner
80.72 Intersect North and South line 8 links South of post

S 89° 37' W on a true line between sections 27 and 34
Variation 13° 30' East

23.40 Right bank of Republican river and Set chaned post in mound of Earth &c
27.33 for fractional section corner left bank of River and set chaned post in mound of Earth with pits as per instructions for fractional Sec corner
33.80 Set chaned post in mound of Earth with pits as per instructions for ~~fractional Section~~ corner left bank of River
37.32 Right bank of Republican river and Set chaned post in mound of Earth for fractional section corner
40.06 ~~Left bank of river and~~ Set chaned post in mound of Earth with pits as per instructions for ~~fractional~~ 1/4 Sec corner
80.72 The corner of sections 27 28, 33 & 34 Surface level and 2nd Rate

Township No 4 North - Range No 23

North between sections 27 & 28
Variation 13° 30' East

1754 Right bank of Republican River
Set chased post in mound of Earth
with pits as per instructions for
(22.14) fractional Section corner
22.14 Left bank of River
Set chased post in mound of Earth
with pits as per instructions for
~~corner to sections~~ fractional 1/4 corner
~~Surface oblong~~ ~~Set~~ 2nd Rate
40.00 Set chased post in mound of Earth
with pits as per instructions
for 1/4 Section corner
80.00 Set chased post in mound of Earth
with pits as per instructions
for corner to sections
21 22 27 and 28
Surface leveled Soil 2nd Rate

75.30 Set temp. meand. Cor. on left bank Repub. R.
78.82 " " " " "Rt. " " " "
Dist. over found by chaining

West of the 6th Principal Meridian

East and West between sections 22 & 27
Variation 13° 30' East

40.00 Set Temporary 1/4 Sec corner
47.45 Creek 25 links wide runs S E
80.18 Intersect North and South line 17
links North of post

N 89° 33' W on true line between
Sections 22 and 27
Variation 13° 30' East

1.36 To Right bank of Republican river
and Set chased post in mound of
Earth with pits as per instructions
for fractional Section corner
4.88 To Left bank of River and set
chased post in mound of Earth
with pits as per instructions
for fractional Section corner
40.09 Set chased post in mound of
Earth with pits as per
instructions for 1/4 Sec corner
80.18 The corner of sections
21 22 27 & 28
Surface oblong soil 2nd Rate

Township No 4 North of Range No 23 West of the 6th Principal Mer

North between sections 21 & 22

Variation 13° 30' East

40.00 Set chaned post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.00 Set chaned post in mound of Earth with pits as per instructions for corner to sections 15 16 21 & 22 Surface level rolling and 2" Rock

East sandans between sections 15 and 22

Variation 13° 30' East

18.5 creek 20 links wide runs ~~west~~ South

40.00 Set temporary 1/4 section corner

80.26 Intersect North and South line 5 links North of post

N 89° 38' W on true line between sections 15 and 22

Variation 13° 30' East

40.13 Set chaned post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.26 The corner of sections 13 16 21 and 22 Surface level and 2nd Rock

Townships No 4 North of Range

North - between sections 15 & 16
Variation 13° 30 East

39.00 Creek 20 links wide runs S E
40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner
48.00 Leave river bottom - bears East & West
80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections 9, 10, 15 & 16
Surface level soil 2nd Rate

No 23 West of 6th Principal Meridian

East on lines between sections 10 and 15 -
Variation 13° East

40.00 Set temporary 1/4 Sec corner
79.98 Intersect North and South line 12 links South of post

N 89° 33' W on a true line between Sections 10 and 15 -
Variation 13° East

39.99 Set chained post mound of Earth with pits as per instructions for 1/4 Section corner
79.98 The corner of sections 9 10 15 and 16
Surface rolling soil 2nd Rate

Township No 4 North Range 23

North between sections 9 & 10
Variation 13° 35' East

40.00 Set chased post w mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chased post w mound of Earth with pits as per instructions for corner to sections 3. 4. 9 & 10 Surface rolling soil 2nd Rate

West of the 6th Principal Meridian

East random between sections 3 and 10
Variation 13° 35' East

40.00 Set Temporary 1/4 sec corner
80.26 Intersect North and South line 2 links North of post

N 89° 59' W on a true line between sections 3 and 10
Variation 13° 35' East

40.13 Set chased post w mound of Earth with pits as per instructions for 1/4 Section corner
80.26 The corner of sections 3. 4. 9 and 10 Surface rolling soil 2nd Rate

Township No 4 North of Range No 23 West of the 6th Principal Mer

North between sections 3 and 4
Variation 13° 45' East

40.00 Set chaned post mi mound of Earth with pits as per instructions for 1/4 Sec corner

83.30 Intersect - 1st Standard parallel North 13.71 chains East of the 1/4 Section corner on South side of Section 34 T. 5 N. R. 23 W. and Set chaned post mi mound of Earth with pits as per instructions for closing corner to sections 3 and 4

Surface rolling soil 2nd Rate

October 13th 1870

North between sections 32 and 33
Variation 13° 30' East

3.00 Ravine 300 chains wide bears N E

40.00 Set chaned post mi mound of Earth with pits as per instructions for 1/4 Section corner

61.50 Enter river bottom bears N 70 W and S 70 E

80.00 Set chaned post mi mound of Earth with pits as per instructions for corner to sections 28 29 32 and 33

Surface rolling soil 2nd Rate

Township No 4 North Range No 23

East random between sections 28 & 33
Variation 13° 30' East

40.00 Set temporary ¼ Section corner
80.36 Intersect North and South line 13 links South of post

S 89° 54' W on a true line between sections 28 and 33
Variation 13° 30' East

21.64 To right bank of River and set chained post in mound of Earth with pits as per instructions for fractional section corner
27.02 Left bank of Republican river and set chained post in mound of Earth with pits as per instructions for fractional Section corner
38.03 To left bank of Republican river and set chained post in mound of Earth with pits as per instructions for fractional sec corner
42.33 To right bank of river and set chained post in mound of Earth with pits as per instructions for fractional Section corner
80.36 The corner to sections 28 29 32 & 33
Surface level soil 2nd Rate

West of 6th Principal Meridian

North between sections 28 and 29
Variation 13° 30' East

23.98 A cottonwood tree 18 inches diameter
24.30 Right bank of Republican river and set chained post in mound of Earth with pits as per instructions for fractional Section corner
30.40 Left bank of river and set chained post in mound of Earth with pits as per instructions for fractional sec corner
40.00 Set chained post in mound of Earth with pits as per instructions for ¼ Section corner
80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections 20 21 28 and 29
Surface Level soil 2nd Rate

38.03 Set temp. meand Cor. on Rt. bk of Republ R.
42.33 " " " " " left " " " "
53.34 " " " " " " " " "
58.72 " " " " " Rt. " " "
Width of river found by chaining

Township No 4 North Range No

East-dam dem between sections
21 and 28
Variation 13° 30' East

40.00 Set temporary ¼ Sec corner
80.10 Intersect North and south line 7 links
North of post

N 89° 57' W on a true line between
sections 21 and 28
Variation 13° 30' East

40.05 Set chased post in mound of Earth
with pits as per instructions for
¼ Section corner
80.10 The corner of sections
20 21 28 & 29
Surface level soil 2nd Rate

23 West of the 6th Principal Meridian

North between sections 20 and 21
Variation 13° 30' East

40.00 Set chased post in mound of Earth
with pits as per instructions for
¼ Section corner
80.00 Set chased post in mound of Earth
with pits as per instructions for
corner to sections
16 17 20 and 21
Surface level soil 2nd Rate

Township No 4 North Range No 23

West of the 6th Principal Meridian

East Random line between sections
16 and 21
Variation 13° 30' East

40.00 Set temporary 1/4 Sec corner
79.88 Intersect North and South line at post

West on a true line between sections
16 and 21
Variation 13° 30' East

39.94 Set chaned post in mound of Earth
with pits as per instructions for
1/4 Section corner
79.88 The corner of sections
16 17 . 20 and 21
Surface gently rolling soil 2nd Rate

North between sections 16 and 17
Variation 13° 30' East

14.00 Leave river bottom bears East & West
37.00 Creek 20 links wide runs S E
40.00 Set chaned post in mound of
Earth with pits as per instructions
for 1/4 Section corner
80.00 Set chaned post in mound of Earth
with pits as per instructions for
corner to sections
8 9 . 16 and 17
Surface rolling soil 2nd Rate

Township No 4 North of Range No

East on lines between sections
9 and 16
Variation 13° 35' East

40.00 Set temporary 1/4 Sec corner
79.80 Intersect North and south line 14 links North of post

N 89° 54' W on the line between
Sections 9 and 16
Variation 13° 35' East

39.90 Set chaned post mound of Earth with pits as per instructions for 1/4 Section corner
79.80 The corner of sections
8 9 16 and 17
Surface oblong sod 2 Rails

23 West of the 6th Principal Mer

North between sections 8 and 9
Variation 13° 30' East

40.00 Set chaned post mound of Earth with pits as per instructions for 1/4 Sec corner
80.00 Set chaned post mound of Earth with pits as per instructions for corner to sections 4 5 8 and 9
Surface oblong sod 2 Rails

Township No 4 North Range No 23

East Vandews between sections
4 and 9
Variation 13° 35' East

40.00 Set temprary 1/4 Sec corner
80.00 Intersect North and South line 28
links South of post

S 89° 48' W on a true line between
Sections 4 and 9
Variation 13° 35' East

40.00 Set chaned post in mound of Earth
with pits as per instructions for
1/4 Section corner

80.00 The corner of sections
4 5 8 and 9
Surface rolling soil 2nd Rate

West of the 6th Principal Meridian

North between sections 4 and 5
Variation 13° 45' East

40.00 Set chaned post in mound of Earth
with pits as per instructions for
1/4 Section corner

83.33 Intersect the 1st Standard parallel
North 13.60 chains East of the 1/4
Section corner on South side of
Section 33 T. 5 N. R. 23 W.
and Set chaned post
in mound of Earth with pits
as per instructions for corner to
Sections 4 and 5

Surface rolling soil 2nd Rate
October 16th 1870

Township No 4 North of Range No 23

North between sections 31 and 32
Variation 13° 30' East

40.00 Set chaned post w' mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chaned post w' mound of Earth with pits as per instructions for corner to sections 29, 30, 31 & 32
Surface rolling and 2nd Rate

West of the 6th Principal Meridian

East random between sections
29 and 32
Variation 13° 30' East

40.00 Set ~~chaned post w' mound Earth with pits as per instructions for 1/4~~ Temporary 1/4 Sec corner

59.30 Enter ~~river bottom~~ bears N W & S E

80.00 Intersect North and South line 4 links North of post

N 89° 58 W on a true line between sections 29 and 32
Variation 13° 30' East

40.00 Set chaned post w' mound of Earth with pits as per instructions for 1/4 Section corner

80.00 The corner of sections
29 30 31 and 32
Surface rolling and 2nd Rate

Township No 4 North of Range No 23

West of the 6th Principal Meridian

West boundary between sections
30 and 31
Variation 13° 30' East

14.00 ~~Leave~~ Enter river bottom bears N E & S W
40.00 Set Temporary 1/4 section corner
40.90 dry creek 15 links wide, runs N W
x Enter
Crops creek bottom bears N E & S W
57.00 Leave River bottom bears N W & S E
76.74 Intersect Range line 32 links
North of post

N 89° 46' E on a true line between
Sections 30 and 31
Variation 13° 30 East

36.74 Set chased post in mound of Earth
with pits as per instructions for 1/4
Section corner
76.74 The corner of sections
29 30. 31 and 32
Surface rolling and 2nd Rate

North between sections 29 and 30
Variation 13° 30' East

9.00 Enter river bottom bears East & West
40.00 Set chased post in mound of Earth
with pits as per instructions for
1/4 Section corner
57.00 Right bank of Republican river
and set chased post in mound of
Earth with pits as per instructions
for fractional section corner
60.70 Left bank of river and set chased
post in mound of Earth with
pits as per instructions for
fractional section corner
80.00 Set chased post in mound of Earth
with pits as per instructions for
corner to sections
19. 20. 29 and 30
Surface ~~rolling~~ level
Soil 2nd Rate

Township No 4 North - Range No 23 West of the 6th Principal Meridian

East random between sections 20 and 29
Variation 13° 30' East

20.78 — Set temp. Mean. Cor on left bk. Republ. R.
30.00 — " " " Rt. " " width of R. by chs.
40.00 — Set temporary 1/4 Sec corner
Geo on 73.68 — Set temp. mean. Cor. Rt bk. Republ. R. width to bound by chs. ms
80.14 — Intersect North and South line 14 links South of post

S 89° 53' W on a true line between sections 20 and 29
Variation 13° 30' East

6.43 — To left bank of Republican river and set chased post in mound of Earth with pits as per instructions for fractional section corner
20.14 — Right bank of river and set chased post in mound of Earth with pits as per instructions for fractional section corner
40.07 — Set chased post in mound of Earth with pits as per instructions for 1/4 Section corner
50.14 — Right bank of Republican river and set chased post in mound of Earth with pits as per instructions for fractional section corner
57.36 — Left bank of river and set chased post in mound of Earth with pits as per instructions for fractional sec corner
80.14 — The corner of Section 19 20 29 & 30
Surface level Soil 2nd Rate

West on a true line between Sections 19 and 30
Variation 13° 45' East

19.00 — To left bank of Republican river and set chased post in mound of Earth with pits as per instructions for fractional sec corner
23.12 — Right bank of river and set chased post in mound of Earth with pits as per instructions for fractional sec corner
40.00 — Set chased post in mound of Earth with pits as per instructions for 1/4 Section corner
53.60 — To right bank of Republican river and set chased post in mound of Earth with pits as per instructions for fractional sec corner
58.23 — Left bank of river and set chased post in mound of Earth with pits as per instructions for fractional section corner
65.68 — To left bank of the Republican river and set chased post in mound of Earth with pits as per instructions for fractional section corner
& remainder of line in river
Section corner
Surface level Soil 2nd Rate

Township No 4 North of Range No 23

North between sections 19 and 20
Variation 13° 30' East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections 17, 18, 19 and 20
Surface level soil 2nd Rate

West of the 6th Principal Meridian

East random between sections 17 and 20
Variation 13° East

40.00 Set temporary 1/4 section corner

80.04 Intersect North and South line at post

West on a true line between sections 17 and 20
Variation 13° East

40.02 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

80.04 The corner of sections 17, 18, 19 and 20
Surface level soil 2nd Rate

Township No 4 North of Range No 23

West of the 6th Principal Meridian

West boundary between sections
~~Variation~~ 18 and 19
Variation 13' East

40.00 Set temporary 1/4 section corner
73.67 Inland Range line 19 links South of post

S 89° 32' ~~W~~ E on true line between sections 18 and 19
Variation 13' East

35.67 Set chained post in mound of Earth with pits as per instructions for 1/4 section corner
73.67 The corner of sections 17. 18. 19 and 20
Surface level soil 2nd Rate

North between sections
17 and 18
Variation 13' 30' East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 section corner
80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections 7 8 17 and 18
Surface level soil 2nd Rate

Township No 4 North - Range No 23

East of the 6th Principal Meridian

East boundary between sections
8 and 17

Leave
~~Indep~~ Run between beg 1/4 N 89° E
Variation 13' 30" East

40.00 2 Pos Set temporary 1/4 Section corner
46.00 Creek 20 links wide runs S E
80.06 6 Intersect North and South line 18 links
North of post

N 89° 57' 2 W on a true line between
Sections 8 and 17
Variation 13' 30" East

40.03 Set chased post in mound of earth
with pits as per instructions for
1/4 Section corner
80.06 6 The corner of sections
7 8 17 and 18
Surface rolling Soil 2nd Rate

West boundary between sections
7 and 18
Variation 13° 30' East

~~2 Pos Indep Run between beg N W & S E~~
40.00 Set temporary 1/4 Sec corner
75.74 Intersect Range line 14 links
North of post

N 89° 54' E on a true line
between sections 7 and 18
Variation 13' 30" East

35.74 Set chased post in mound of
Earth with pits as per instructions
for 1/4 Section corner
75.74 The corner of sections
7 8 17 and 18
Surface level Soil 2nd Rate

Township No 4 North - Range No 2 West of the 6th Principal Meridian

North between sections 7 & 8
Variation 13° East

14.00 Leave river bottom bears East & West
34.00 Creek 20 links wide runs S E
40.00 Set chaned post in mound of Earth with pits as per instructions for 1/4 Section corner
80.00 Set chaned post in mound of Earth with pits as per instructions for corner to sections
5 6 7 and 8
Surface rolling soil 2nd Rate

East bandons between sections 5 and 8
Variation 13° 45' East

40.00 Set temporary 1/4 Sec corner
80.20 Intersect North and South line 34 links South of post

S 89° 45' W on a true line between sections 5 and 8
Variation 13° 45' East
40.10 Set chaned post in mound of Earth with pits as per instructions for 1/4 Section corner
80.20 The corner of sections 5 6 7 and 8
Surface rolling soil 2nd Rate

Township No 4 North of Range No 23

West ran down between sections
6 and 7
Variation 13° 45' East

11.20 Creek 20 links wide runs S E
40.00 Set chained post in mound of Earth ~~temporary 1/4 Sec corner~~
~~with pits as per instns~~
76.19 Intersect Range line 21 links
North of post

N 89° 57' E on a true line between
sections 6 and 7
Variation 13° 45' East
36.19 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Section corner
76.19 The corner of sections
5 6 7 and 8

Surface rolling part West

West of the 6th Principal Meridian

North between sections 5 and 6
Variation 14° East

13.00 Creek 20 links wide runs S W
40.00 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Section corner
~~8000 Set chained post~~
57.20 Creek 20 links wide runs S E
82.92 Intersect 1st Standard parallel
North 13.75 chains East of 1/4
Section corner on South side of
Section 37 of Township 5 North
of Range 23 West
and set chained post in mound of
Earth with pits as per instructions
for closing corner of sections 5 and 6
Surface rolling soil 2nd Rate

October 17th 1870

Township No 4 North of Range No 23 West of the 6th Principal Meridian

Meanders of the Republican river beginning at the Meander corner on Range line bet. Sect 25 & 30, on E. bound of T.
Thence up stream in Section 25

Right bank

1	S	65 W	469
	S	69 W	900
	S	63 W	630
	N	75 W	850
	N	47 W	1780
	N	31 W	1450
	N	5 E	600
2	N	8 W	800

To meander just between Sec 24 & 23

Thence

	N	15 W	833 In Sec 24
	N	35 W	830 Ben 13° 30' East
	N	36 W	1000 ~~at 440 cr. & 20 links to bank~~
	S	73 W	1000
3	S	55 W	1100

To meander just between Sec 23 & 24

Thence

	S	32 W	400 In Sec 23
	S	81 W	500 Ben 13° 30' East
	S	5 E	400
4	S	3 W	450

To meander just between Sections 23 and 24

Write each bank continuously from S to N

Left bank, beginning at cor to frac. Sect 25 & 30 on E. bound of T. thence up stream

22	S	66 W	1400 In Section 25
	S	75 W	750 Bearing 13° 30' East
	N	57 W	1400
	N	2 E	225
	N	60 W	375
	N	28 W	1350
23	North		900 To meander just between sections 24 and 25

Thence

	N	10 W	550 In Sec 24
	N	20 W	825 Ben 13° 30' East
	N	30 W	900
	N	60 W	1150 at 450 cr. & 20 links each bank NW
	S	86 W	1300
24	S	48½ W	1050 To meander just bet Sections 23 & 24

Thence

	S	49 W	550
	S	77 W	550 In Sec 23
5.50	S	54 48 W	600 Ben 13° 30' East
	S	17 E	300
25	S	6 W	361 To meander just between Sec 23 & 24

Township No 4 North of Range No 23

Meanders of the Right-bank of Republican river beginning at meander West between sections 23 and 24, 17.80 chs. W. of Sec. Cor.

S	6½ W	700	thence up stream in Sec. 24 bar 13° 30' East
S	18 W	12.00 1130	
S	71½ W	800	crk 25 links wide, comes from S.W.
N	83 W	1000	
N	38 W	825	
N	30 W	625	
N	13 W	1130 5	To meander just between sections 23 and 24
			thence
N	15 W	430	In Sec 23
N	43 W	730	bar 13° 30' East
S	87½ W	1430	
S	63½ W	930 6	To meander just between sections 22 and 23

West of the 6th Principal Meridian

On Left-bank from Mean'd Cor bet. Sec'd. 23 & 24, 12.95 chs W. of Sec. Cor, thence up stream in Sec 24 bearing 13° 30' East

S	12 W	600	
S	20 W	800	
S	76 W	500	
N	70 W	800	
N	49 W	1000 51	
N	17 W	600 24	To meander just between sections 23 and 24
			thence
N	17 W	600	In Section 23
N	3 E	400	bearing 13° 30' East
N	34½ W	1030	
N	76 W	1130	
S	76 W	1030 7	To meander just
S	64½ W	1130 27	between sections 22 & 23

Townships No 4 North - Range No 23 West of 6th Principal Meridian

Meanders of the Republican river beginning at Meander post between Sections 22 and 23 thence up stream

In Section 22
On Right bank
Bear 13° 30' East

S 27 W 34 1/2 To meander post between sections 22 and 27

thence

S 8 W 850 In sections 27
S 8 E 825 Bear 13° 30' East
S 63 E 13 5/8 To meander post between sections 26 & 27

thence

S 79 1/2 E 650 In Section 26
S 50 E 1250 Bear 13° 30' East
S 10 E 1350
S 3 1/2 W 1250
S 49 W 950
S 79 W 650
S 69 1/2 W 40 9 To meander post between sections 26 and 27

Up stream on Left bank from cor. to prec. Sec. 22 & 23
Bear 13° 30' East

S 63 W 380
S 70 1/4 W 9 30 28 To meander post between sections 22 and 27

thence

S 7 W 300 In Section 27
S 15 W 500 Bear 13° 30' East
S 19 & W 550 crik 20 links wide known
S 2 4 E 5 75 from W
S 70 E 675 29 To meander post between sections 26 and 27

Thence

S 67 E 411 In Section 26
S 40 E 930 Bear 13° 30' East
S 10 E 1000
S 21 W 625
S 12 W 630
S 65 W 870 30 To meander post between sections 26 and 27

Township No 4 North Range No 23 West 6th Principal Meridian

Meanders of Republican river beginning at Meander post between Sections 26 and 27 On right bank thence up stream In Section 27 bearing 13° 30' East

S 66 9/10 W 10 50
S 57 W 8 50
S 37 W 5 75
S 17 W 6 50 To meander post between Sections 27 and 34

Thence In Sec 34

S 6 W 2 50 bearing 13° 30' East
S 47 W 3 00
S 78 W 4 00
S 62 1/2 W 6 05
N 46 W 4 28 11/100 To meander post between Sections 27 and 34

Thence In Section 27

N 35 W 4 50 bearing 13° 30' East
N 39 W 7 00
N 3 E 7 00
N 19 E 10 50
N 25 W 7 00
N 42 W 9 00 For rest of meandr in Sec 27 See 2 pages forward

Up stream On Left bank In Sec 27 from cor. to pr. Sec. 26 & 27 bearing 13° 30' East

S 75 W 4 00
S 62 3/10 W 14 50
S 48 W 10 50
S 19 W 8 00
S 11 W 2 69 31/100 To meander post between Sections 27 and 34

Thence In Section 34

S 48 W 1 90 Var 13° 30' East
N 76 W 5 87 32/100 To meander post between Sections 27 and 34

Thence In Sec 27 bearing 13° 30' East

N 41 W 4 00
N 22 1/2 W 8 50
N 10 E 6 00
N 11 E 8 50
N 13 W 8 00
N 38 W 10 50
N 72 W 14 00 See 2 pages forward For rest of meandr in Sec 27

October 18th 1870

Township No 4 North Range No 23 West of 6th Principal Meridian

On ~~the~~ up Right-bank in Sec 27

⊕ West 8.75 continued

S ~~41~~ 39 W 12.50 13.00

S 21 W 9.00

S 60 W 4.50

S 83½ W 6.82 12 To meander post between Sections 27 and 28

Thence In Section 28

S 76 W 3.00 Var 13° 30' East

S 52½ W 12.50

S 45 W 13.00 13 To meander post between sections 28 and 33

Thence In Section 33

S 59 W 4.00 Var 13° 30' East

S 48 W 4.00

S 80 W 6.50

N 52 4 W 10.20 00 14 To meander post between sections 28 and 33

On up Left-bank in Sec 27

⊕ S 48 7 W 13.50 14 continued

S 20 W 13.00

S 79 W 6.91 33 To meander post between sections 27 and 28

Thence In Section 28

S 73 W 6.75

S 55 W 14.50 Variation 13° 30' East

S 39 7 W 14.50 34 To meander post between sections 28 and 33

Thence In Section 33 Va 13° 30' East

S 60 W 4.00

S 82 W 3.00

N 65 W 3.50 00 35 To meander post between sections 28 and 33

Township No 4 North. Range No 23 West 6th Principal Meridian

On Right bank in Section 28, from Cor to fr. Sec. 28 N33, up stream Variation - 13°30' E

N	49 W	3.00	
N	26 W	5.00	
N	3 E	9.00	
N	~~12~~ 11 W	12.00	
N	35 W	6.00	
N	60 W	6.00	
S	75 W	6.50	
S	48 W	10.50	
S	72 W	5.00	
N	87 W	5.32 15	To meander post between Sections 28 and 29
N	77 W	7.50	Thence In Section 29
N	50 W	8.50	bea 13°30' East
N	27 W	10.50	
N	11 E	6.00	
N	29 W	13.50	
N	10½ E	2.31 16	To meander post between Sections 20 and 29

On Left bank in Section 28, from Cor to fr. Sec. 28 N33, up stream Variation 13°30 East

N	32 W	7.00	
N	10 E	10.00	
N	18½ W	17.00	
N	35 W	4.50	
N	~~33¼~~ 64 W	9.50	
N	88 W	4.00	
N	79 W	7.00	
S	40 W	14.75	
West		33.36	To meander post between Sections 28 and 29
N	62 W	9.50	Thence In Section 29
N	37 W	7.25	bea 13°30' East
N	12 E	7.00	
N	30 W	13.00	
N	12 W	4.25	
N	59 E	4.00	
S	35 E	3.25	
~~N~~	~~44 E~~		
N	35 E	3.50	
N	11½ E	15.43 37	To meander post between Sections 20 and 29

Township No 4 North - Range 23 West

Up Right-bank

In Section 20			
			bea 13° 30' East
N 9	E	4 00	
N 5	W	7 50	
N 27	W	4 00	
N 63	W	7 50	
S 75	W	6 50	
S 44 ~~50~~	W	8 00	
S 32	W	7 50	
S 51	W	7 55 17	
To meander post between sections 20 and 29			
Thence In Sec 29			bea 13° 30' East
S 40 ~~1~~	W	18 ~~52~~ 00	
S 36	W	11 00	
S 65	W	3 00	
N 87	W	3 50	
N 66	W	4 15 18	
To meander post between sections 29 x 30			

Up Left-bank

In Section 20			
			bea 13° 30' East
North		4 00	
N 32 W		10 30	
N 65 W		8 50	
N 60 W		10 50	
S 64 W		~~15.50~~ 15 00	
S 35 W		12 30	
S 38 W		11 30 38	
To meander post between sections 20 x 29			
Thence In Section 29			bea 13° 30' East
S 40 ~~39~~ W		11 ~~75~~ 8	
S 20 W		9 00	
S 65 W		7 00	
N 72 W		4 00 39	
To meander post between sections 29 and 30			

# of 6th Principal Meridian

Up Right Bank

In Section 30			
			bea 13° 30' East
N 69	W	4 00	
N 60	W	5 00	
N 81	W	6 00	
N 42	W	5 75	
N 27	W	7 00	
N 20	W	8 ~~50~~ 75 To meander post between sections 19 and 30	
Thence In Section 19			
N 8	W	5 50	
N 12	E	9 00	
N 33	E	6 00	
N 22	W	4 50	
S 82	W	7 00	
S 37	W	10 ~~50~~ 00	
S 74	W	10 50	
S 42	W	8 50	
S 17	W	7 65 20 To meander post between sec 19 and 30	
Thence In Sec 30			bea 13° 30'
South		1 50	
S 53	W	4 50	
N 8 ~~6~~ 9	W	7 50	
N 64	W	6 00	
N 82	W	3 00	
S 50	W	29 5 21 To meander post ~~between~~ on Range line between Sec. 25 & 30	

Up Left-bank

In Sec 30			
			bea 13° 30
N 58	W	3 50	
N 69	W	8 00	
N 34	W	8 50	
N 19 ~~50~~ 40	W	6 30 70	
meander post between Sections 19 and 30			
Thence In Section 19			bea 13° 30' East
N 12	W	5 00	
N 18	E	11 00	
N 27	E	5 00	
N 16 ~~5~~	W	4 50	
N 30	W	6 00	
S 81	W	10 00	
S 60	W	9 00	
S 67 3	W	13 00	
S 43	W	11 00	
S 10	W	8 00 To meander post between 41 sec 19 x 30 3	
Thence In Sec 30			bea 13° 30
S 57	W	4 00	
N ~~6~~ 4	W	4 ~~7~~ 76 To meander post between 42 sec 19 x 30	
Thence In Sec 19 again			bea 13° 30' East
N 33 ~~5~~	W	4 50	
N ~~44~~ 34	W	9 ~~50~~ 20	
S 35	W	2 50 To meander post on Range line between Sec. 19 & 24 43	

October 19th 1870

Township No 4 North Range No 23 West of the 6th Principal Meridian

List of Names

A list of the names of the individuals employed to assist in running measuring and marking the lines and corners described in the foregoing field notes of Township No 4 North of Range No 23 West of the 6th Principal Meridian Showing the respective capacities in which they acted

Henry Lewis
Charles Fitzpatrick } Chainmen

Joseph Kearny
Thomas his X mark Daly } Mound builders

We hereby Certify that we assisted William E Dangherty Deputy Surveyor in Surveying ~~The~~ and Subdividing ~~the~~ Township No 4 North of Range No 23 West of the 6th Principal Meridian and that said Township has been in all respects well and faithfully Surveyed and the boundary monuments planted according to the instructions of the Surveyor General

Henry Lewis } Chainmen
Charles Fitzpatrick

Joseph Kearny } Mound builders
Thomas Daly

Subscribed and sworn to before me at my office in the City of Plattsmouth in State of Nebraska this 19 day of October 1870

A S Chiles Probate
Judge of Cass County
Nebraska

Seal

I William E Daugherty Deputy Surveyor do solemnly swear that in pursuance of a contract with Robert R Livingston Surveyor General of The United States for the State of Nebraska bearing date the 6th day of August 1870 and in strict conformity to the laws of The United States and the instructions furnished by the Surveyor General I have faithfully surveyed and subdivided Township No 4 North of Range No 23 West of the 6th Principal Meridian in the State aforesaid and do further swear That the foregoing are The True and original field notes of such survey

William E Daugherty
Deputy Surveyor

Subscribed and sworn to before me at my office in Epworth Dubuque Co State of Iowa This 25 day of November 1870

O J Metcalf
Notary Public
in and for said County

Surveyor Generals Office
Fallmond Neb. Dec. 16. 1870

The foregoing field Notes of the survey of the Subdivision lines and meanders of Township No 4 North of the Base Line of Range No 23 West of the 6th Principal Meridian in the State of Nebraska. Executed by William E. Daugherty under his contract of the 6th day of August 1870 in the Month of October 1870. having been critically examined the necessary corrections and explanations made the said field notes and the Surveys they describe are hereby approved.

Robt. R Livingston
Surveyor General

General Land Office • Original Field Notes

Book Number

467

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.