General Land Office • Original Field Notes

Book Number

468

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

T 5 - 8 N
R. 23. W

T. 5-8 N.

R. 23 W.

34
468

T 5. N., R 23. West



Field Notes

Of the subdivision lines in Township 5 North of Range 23 West of the 6th Principal Meridian in the State of Nebraska, ~~under~~ by Philander C. Patterson deputy Surveyor under his contract No 36 bearing date the 5th day of August 1870,

Subdivision commenced September 7th 1870 and completed September 15th 1870

List of Names

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the following field notes of Township 5 North of Range 23 West of the 6th Principal Meridian showing the respective capacities in which they acted.

William McCartney	chain man
John R. Tolin	chain man
David P. Cole	Mound man
Walter C. Dryden	Mound man
Frank. Porter	flag man

Field Notes of the Subdivision lines in

Township 5 N. R. 23 W. 6th P. M.

To determine the proper adjustment of my compass for subdividing this Township. I commence at the corner to sections 25 and 36 and run South along the East boundary of section 36

Va 13°10' East

40.07 To a point 22 lks. West of the ¼ sec. cor
80.14 To a point 46 lks. West of the corner to Townships 5 North of Ranges 22 and 23 West

To retrace this line or run parallel thereto my compass must be adjusted to a Variation of 13°30' East

Subdivision commenced September 7th 1870

Township 5 N. Range 23 W. 6th P. M.

North between sections 35 and 36
Va 13° 30' East

40,00 Drove a charred stake and set a post in mound with pits for 1/4 sec. cor.

80,00 Drove a charred stake and set a post in mound with pits for corner to sections 25, 26, 35 and 36

Land gently rolling good 2nd Rate

Township 5 N Range 23 W. 6th P. M.

East on a random line between sections 25 and 36
Va 13° 30' East

40,00 Set a post for temporary 1/4 sec. cor.

79,86 Intersected the East Boundary 16 lks, South of the corner to sections 25 and 36 from which corner I run
S 89° 58' W on a true line between section 25 and 36
Va 13° 30' East

39,93 Drove a charred stake and set a post in a mound with pits for 1/4 sec. cor.

79,86 The corner to sections 25, 26, 35 and 36

Land rolling 2nd Rate

Township 5 N. Range 23 W. 6th P.M.

North between sections 25 and 26
Va 13° 30' East

40.00 Drove a charred stake and set a post in mound with pits for ¼ sec. cor.

80.00 Drove a charred stake and set a post in mound with pits for corner to sections 23, 24, 25 and 26
Land rolling 2nd Rate

East on a random line between sections 24 and 25
Va 13° 30' East

40.00 Set a post for temporary ¼ sec. cor;

79.64 Intersected the East Boundary 28 lks. South of the corner to sections 24 and 25 from which corner I run S 89° 43' W on a true line between sections 24 and 25
Va 13° 30' East

39.82 Drove a charred stake and set a post in mound with pits for ¼ sec. cor.

79.64 The corner to sections 23, 24, 25 and 26
Land rolling 2nd Rate

Township 5 N. Range 23 W. 6th P.M.

North between sections 23 and 24
Va 13° 30' East

40.00 Drove a charred stake and set a post in mound with pits for ¼ sec. cor.

80.00 Drove a charred stake and set a post in mound with pits for corner to sections 13, 14, 23 and 24
Land rolling 2nd Rate
September 7th 1870

East on a random line between sections 13 and 24
Va 13° 30' East

40.00 Set a post for temporary ¼ sec. cor.

79.64 Intersected the East Boundary 42 lks. South of the corner to sections 13 and 24 from which corner I run S 89° 42' W on a true line between sections 13 and 24
Va 13° 30' East

39.82 Drove a charred stake and set a post in mound with pits for ¼ sec. cor.

79.64 The corner to sections 13, 14, 23 and 24
Land rolling 2nd Rate

Township 5 N. Range 23 W. 6th P. M.

North between sections 13 and 14
Va 13°30' East

15,00 Enter timber bears E and W,
15,50 A creek 15 lks. wide runs S. W.
16,00 Leave timber bearing E and W,
40,00 Drove a charred stake and set a post in a mound with pits for ¼ sec. cor
80,00 Drove a charred stake and set a post in mound with pits for corner to sections 11, 12, 13 and 14
Land broken 3rd Rate
Timber along creek elm, ash and cottonwood

Township 5 N. Range 23 W. 6th P. M.

East on a random line between sections 12 and 13
Va 13°30' East

1,50 Ravine 70 lks. wide runs S. E.
28,50 Enter timber bears N and S
30,40 A creek 15 lks wide runs South
31,00 Leave timber bears N and S
40,00 Set a post for temporary ¼ sec. cor
79,96 Intersected the East boundary 32 lks South of the corner to sections 12 and 13 from which corner I run
S 89°45' W on a true line between sections 12 and 13
Va 13°30' East
39,98 Drove a charred stake and set a post in mound with pits for ¼ sec cor
79,96 The corner to sections 11, 12, 13 and 14
Land rolling 2nd Rate
Timber along creek elm, ash and hackberry

Township 5 N. Range 23 W. 6th P. M.

North between sections 11 and 12
Va 13°20' East

8,00 A slough 150 lks. wide runs S. E.
40,00 Drove a charred stake and set a post in Mound with pits for ¼ sec. cor.
80,00 Drove a charred stake and set a post in a Mound with pits for corner to sections 1, 2, 11 and 12
Land rolling 2nd Rate

East on a random line between sections 1 and 12
Va 13°30' E.

39,50 A creek 20 lks. wide runs South
40,00 Set a post for temporary ¼ sec. cor.
80,08 Intersected the East Boundary 38 lks. South of the corner to sections 1 and 12 from which corner I run
S 89°44' W on a true line between sections 1 and 12
Va 13°30' East
40,04 Drove a charred stake and set a post in Mound with pits for ¼ sec. cor
80,08 The corner to sections 1, 2, 11 and 12
Land rolling 2nd Rate

Township 5 N. Range 23 W. 6th P. M.

North on a random line between section 1 and 2
Va 13°30' East

40,00 Set a post for temporary ¼ sec. cor
80,70 Intersected the North Boundary 30 lks. West of the corner to sections 1 and 2 from which corner I run
S 13' W on a true line between sections 1 and 2
Va 13°30' East
40,70 Drove a charred stake and set a post in Mound with pits for ¼ sec. cor,
80,70 The corner to sections 1, 2, 11 and 12
Land gently rolling good 2nd Rate
September 8th 1870

Township 5 N. Range 23 W. 6th P.M.

North between sections 34 and 35
Va 13°20' East

17.30 A ravine 10 lks. wide runs East

40.00 Drove a charred stake and set a post in a mound with pits for 1/4 sec. cor

80.00 Drove a charred stake and set a post in mound with pits for corner to sections 26, 27, 34 and 35

Land rolling 2nd Rate

Township 5 N. Range 23 W. 6th P.M.

East on a random line between sections 26 and 35
Va 12°30' East

6.85 A ravine 10 lks. wide runs South

33.90 A creek 10 lks. wide runs South scattering timber along the creek

40.00 Set a post for temporary 1/4 sec. cor

80.82 Intersected N and S. line 3 lks. North of the corner to sections 25, 26, 35 and 36 from which corner I run
N 89°59' W on a true line between sections 26 and 35
Va 12°30' East

40.41 Drove a charred stake and set a post in mound with pits for 1/4 sec. cor.

80.82 The corner to sections 26, 27, 34 and 35

Land rolling 2nd Rate

Township 5 N. Range 23 W. 6th P. M.

North between sections 25 and 27
Va 13°20' East

40.00 Drove a charred stake and set a post in Mound with pits for ¼ sec. cor.

57.10 A ravine 20 lks. wide runs S. E.

71.55 Same ravine comes from the North & drains S.W. the line follows up the ravine

80.00 Drove a charred stake and set a post in a Mound with pits for corner to sections 22, 23, 26 and 27

Land broken 3rd rate.

Township 5 N. Range 23 W. 6th P. M.

East on a random line between sections 23 and 26
Va 12°30' East

40.00 Set a post for temporary ¼ sec. cor.

43.40 Enter timber bears N. and S.

43.90 A creek 25 lks. wide runs South

46.70 Same creek 25 lks. wide runs N. W.

48.35 Same creek 20 lks. wide runs S. E.

79.00 Leave timber bears N and S.

80.48 Intersected the N and S. line 12 lks. South of the corner to sections 23, 24, 25 and 26 from which corner I run
S 89°55' W on a true line between sections 23 and 26
Va 12°30' East

40.24 Drove a charred stake and set a post in Mound with pits for ¼ sec. cor.

80.48 Via corner to sections 22, 23, 26 and 27

Land rolling 2nd rate

Timber along creek elm, cottonwood and ash.

Township 5 N. Range 23 W. 6th P.M.

North between sections 22 and 23
Va 13°20' East

7.20 Leave ravine comes from N.E.
40.00 Drove a chared stake and set a post in mound with pits for ¼ sec. cor
80.00 Drove a chared stake and set a post in a mound with pits for corner to section 14, 15, 22 and 23
Land rolling 2nd Rate

Township 5 N. Range 23 W 6th P.M.

East on a random line between sections 14 and 23
Va 12°30' East

15.66 A ravine 20 lks. wide runs South
40.00 Set a post for temporary ¼ sec. cor.
69.15 A creek 20 lks. wide runs South deadening timber along creek
79.74 Intersected N and S. line 10 lks. North of the corner to section 13, 14, 23 and 24 from which corner S. run
N 89°56' W on a true line between sections 14 and 23
Va 12°30' East
39.97 Drove a chared stake and set a post in a mound with pits for ¼ sec cor
79.94 The corner to sections 14, 15, 22 and 23
Land rolling 2nd Rate

Township 5 N. Range 23 W. 6th P.M.

North between sections 14 and 15
Va 13°20' East

40.00 Drove a charred stake and set a post in mound with pits for 1/4 sec. cor.

80.00 Drove a charred stake and set a post in mound with pits for corner to sections 10, 11, 14 and 15

Land rolling 2nd rate

Township 5 N. Range 23 W. 6th P.M.

East on a random line between sections 11 and 14
Va 12°30' East

11.94 A ravine 20 lks. wide runs South

40.00 Set a post for temporary 1/4 sec. cor.

79.70 Intersected N and S. line 12 lks. South of the corner to sections 11, 12, 13 and 14 from which corner I run
N 89°55' W. on a true line between sections 11 and 14
Va 12°30' East

39.85 Drove a charred stake and set a post for temporary 1/4 sec. cor.

79.70 The corner to sections 10, 11, 14 and 15
Land rolling 2nd Rate

Township 5 N. Range 23 W. 6th P.M.

North between sections 10 and 11
Va 13°20' East

40.00 Drove a charred stake and set a post in Mound with pits for ¼ sec. cor

80.00 Drove a charred stake and set a post in Mound with pits for corner to sections 2, 3, 10 and 11

Land rolling 2nd rate

Township 5 N. Range 23 W. 6th P.M.

East on a random line between sections 2 and 11
Va 12°40' East

12.00 A ravine 15 lks, wide runs South

40.00 Set a post for temporary ¼ sec. cor.

79.66 Intersected N and S. line at the corner to sections 1, 2, 11 and 12 from which corner
S. run
West on a true line between sections 2 and 11
Va 12°40' East

80.83 Drove a charred stake and set a post in a Mound with pits for ¼ sec cor

79.66 The corner to sections 2, 3, 10 and 11

Land rolling 2nd rate

Township 5 N. Range 23 W. 6th P. M.

North on a random line between sections 2 and 3
Va 13°20' East

40.00 Set a post for temporary ¼ sec. cor.

79.58 Intersected the North Boundary 10 lks. East of the corner to sections 2 and 3 from which corner I run

S 4' E on a true line between sections 2 and 3
Va 13°20' East

39.58 Drove a charred stake and set a post in mound with pits for ¼ sec. cor.

79.58 The corner to sections 2, 3, 10 and 11
Land rolling 2nd rate

September 9th 1870

Township 5 N. Range 23 W. 6th P. M.

North between sections 33 and 34
Va 13°20' East

40.00 Drove a charred stake and set a post in mound with pits for ¼ sec. cor.

80.00 Drove charred stake and set a post in mound with pits for corner to sections 27, 28, 33 and 34
Land gently rolling good 2nd rate

East on a random line between sections 27 and 34
Va 12°40' East

40.00 Set a post for temporary ¼ sec. cor.

79.50 Intersected N and S line 4 lks. North of the corner to sections 26, 27, 34 and 35 from which corner I run

N 39.58' W on a true line between sections 27 and 34
Va 12°40' East

39.75 Drove a charred stake and set a post in a mound with pits for ¼ sec cor.

79.50 The corner to sections 27, 28, 33 and 34
Land rolling good 2nd rate

Township 5 N. Range 23 W. 6th P. M.

	North between section 27 and 28
	Va 13° 20' East
40.00	Drove a charred stake and set a post in mound with pits for ¼ sec. cor.
80.00	Drove a charred stake and set a post in a mound with pits for corner to sections 21, 22, 27 and 28
	Land rolling 2nd Rate
	East on a random line between sections 22 and 27
	Va 12° 40' East
40.00	Set a post for temporary ¼ sec. cor.
79.62	Intersected N and S line 32 lks. North of the corner to sections 22, 23, 26 and 27 from which corner S run
	N 89° 45' W on a true line between sections 22 and 27
	Va 12° 40' East
39.81	Drove a charred stake and set a post in mound with pits for ¼ sec. cor.
79.62	The corner to sections 21, 22, 27 and 28
	Land rolling 2nd Rate

Township 5 N. Range 23 W. 6th P. M.

	North between section 21 and 22
	Va 13° 20' East
40.00	Drove a charred stake and set a post for in mound with pits for ¼ sec. cor.
80.00	Drove a charred stake and set a post in a mound with pits for corner to sections 15, 16, 21 and 22
	Land rolling 2nd Rate
	East on a random line between section 15 and 22
	Va 12° 40' East
40.00	Set a post for temporary ¼ sec. cor.
79.58	Intersected N and S line 34 lks. North of the corner to sections 14, 15, 22 and 23 from which corner S run
	N 89° 45' W on a true line between sections 15 and 22
	Va 12° 40' East
39.79	Drove a charred stake and set a post in mound with pits for ¼ sec. cor.
79.58	The corner to sections 15, 16, 21 and 22
	Land rolling 2nd Rate

Township 5 N. Range 23 W. 6th P.M.

North between sections 15 and 16
Va 13°20' East

40,00 Drove a charred stake and set a post in a mound with pits for ¼ sec. cor.

80,00 Drove a charred stake and set a post in mound with pits for corner to sections 9, 10, 15 and 16
Land rolling 2nd rate

East on a random line between sections 10 and 15
Va 12°30' East

40,00 Set a post for temporary ¼ sec. cor.

79,96 Intersected N and S. line at the corner to sections 10, 11, 14 and 15 from which corner S. run West on a true line between sections 10 and 15
Va 12°30' East

39,98 Drove a charred stake and set a post for in mound with pits for ¼ sec. cor.

79,96 The corner to sections 9, 10, 15 and 16
Land rolling good 2nd rate

Township 5 N. Range 23 W. 6th P.M.

North between sections 9 and 10
Va 13°20' East

40,00 Drove a charred stake and set a post in a mound with pits for ¼ sec. cor.

80,00 Drove a charred stake and set a post in mound with pits for corner to sections 3, 4, 9 and 10
Land broken 3rd rate

East on a random line between sections 3 and 10
Va 12°30' East

40,00 Set a post for temporary ¼ sec. cor.

79,90 Intersected N and S. line 14 lks. South of the corner to sections 2, 3, 10 and 11 from which corner S. run S 39°54' W. on a true line between sections 3 and 10
Va 12°30' East

39,95 Drove a charred stake and set a post in mound with pits for ¼ sec. cor.

79,90 The corner to sections 3, 4, 9 and 10
Land rolling good 2nd rate

Township 5 N. Range 23 W. 6th P.M.

	North on a random line between sections 3 and 4 Va 13°30' East
40,00	Set a post for temporary ¼ sec. cor.
79,08	Intersected the North Boundary 12 lks. West of the corner to sections 3 and 4 from which corner I run
	S 5' W on a true line between sections 3 and 4 Va 13°30' East
39,08	Drove a charred stake and set a post in a mound with pits for ¼ sec. cor.
79,08	The corner to sections 3, 4, 9 and 10
	Land gently rolling good 2nd rate

September 10th 1870

Township 5 N. Range 23 W. 6th P.M.

	North between sections 32 and 33 Va 13°20' East
40,00	Drove a charred stake and set a post in mound with pits for ¼ sec. cor.
80,00	Drove a charred stake and set a post in a mound with pits for corner to sections 28, 29, 32 and 33
	Land gently rolling good 2nd rate

Township 5 N. Range 23 W. 6th P.M.

East on a random line between sections 28 and 33

Va 13°30' East

40.00 Set a post for temporary ¼ sec cor,

79.54 Intersected N and S. line 14 lks. South of the corner to sections 27, 28, 33 and 34 from which corner I run

S 89°54 W on a true line between sections 28 and 33

Va 13°30' East

39.77 Drove a charred stake and set a post in mound with pits for ¼ sec cor,

79.54 The corner to sections 28, 29, 32 and 33

Land rolling 2nd rate

Township 5 N. Range 23 W. 6th P.M.

North between sections 28 and 29

Va 13°20' East

40.00 Drove a charred stake and set a post in a mound with pits for ¼ sec. cor.

80.00 Drove a charred stake and set a post in a mound with pits for corner to sections 20, 21, 28 and 29

Land rolling 2nd rate

East on a random line between
sections 21 and 28
Va 13°30' East
40,00 Set a post for temporary ¼ sec. cor.
79,56 Intersected N and S. line 28 lks
South of the corner to sections
21. 22. 27 and 28 from which
corner I run
S 89°48' W on a true line between
sections 21 and 28
Va 13°30' East
39,78 Drove a charred stake and set a
post in mound with pits for
¼ sec. cor.
79,56 The corner to sections 20. 21. 28
and 29

Land rolling 2nd Rate

North between sections 20 and 21
Va 13°20' East
40,00 Drove a charred stake and set a
post in mound with pits for
¼ sec. cor.
80,00 Drove a charred stake and set a
post in a mound with pits
for corner to sections 16. 17. 20
and 21

Land rolling 2nd Rate

Township 5 N. Range 23 W. 6th P.M.

East on a random between
sections 16 and 21
Va 13°30' East
40,00 Set a post for temporary ¼ sec. cor,
79.48 Intersected N and S. line 14 lks,
South of the corner to sections
15, 16, 21 and 22 from which
corner I run
S 89°54' W on a true line between
sections 16 and 21
Va 13°30' East
39.74 Drove a charred stake and set
a post in mound with pits
for ¼ sec. cor
79.48 The corner to sections 15, 17, 20 and 21
Land gently rolling good 2nd rate

Township 5 N. Range 23 W. 6th P.M.

North between sections 16 and 17
Va 13°20' East
40,00 Drove a charred stake and set a
post in mound with pits for
¼ sec. cor,
80,00 Drove a charred stake and set a
post in mound with pits for
corner to sections 8, 9, 16 and 17

Land rolling 2nd rate

Township 5 N. Range 23 W. 6th P. M.

East on a random line between
sections 9 and 16
Va 13° 30' East
40.00 Set a post for temporary 1/4 sec. cor.
79.50 Intersected N. and S. line 10 lks.
North of the corner to sections
9, 10, 15 and 16 from which
corner I run
N. 89° 56' W. on a true line between
sections 9 and 16
Va 13° 30' East
39.75 Drove a charred stake and set a
post in mound with pits for
1/4 sec. cor
79.50 The corner to sections 8, 9, 16 and 17
Land rolling good 2nd rate

Township 5 N. Range 23 W. 6th P. M.

North between sections 8 and 9
Va 13° 30' East
40.00 Drove a charred stake and
set a post in a mound
with pits for 1/4 sec. cor.
80.00 Drove a charred stake and
set a post in a mound with
pits for corner to sections
4, 5, 8 and 9
Land broken 3rd rate

Township 5 N. Range 23 W. 6th P.M.

X	East on a random line between sections 4 and 9
	Va 13°30' East
40,00	Set a post for temporary ¼ sec cor
79,60	Intersected N and S line 10 lks North of the corner to sections 3, 4, 9 and 10 from which corner I run
	N 89°55' W on a true line between sections 4 and 9
	Va 13°30' East
39,80	Drove a chared stake and set a post in a mound with pits for ¼ sec. cor,
79,60	The corner to sections 4, 5, 8 and 9
	Land gently rolling good 2nd kat

Township 5 N. Range 23 W. 6th P.M.

	North on a random line between sections 4 and 5
	Va 13°30' East
40,00	Set a post for temporary ¼ sec. cor,
44,24	A dry creek 24 lks. wide runs S. W
47,52	Same creek 15 lks. wide runs S. E.
57,80	Same creek 12 lks. wide runs West
65,50	Same creek 10 lks. wide runs East
79,92	Intersected the North Boundary 8 lks West of the corner to sections 4 and 5 from which corner I run
	S 3' W on a true line between sections 4 and 5
	Va 13°30' East
39,92	Drove a chared stake and set a post in mound with pits for ¼ sec cor. from which a Cottonwood 15 in. dia. bears S 72° W 16 lks. dist.
79,92	The corner to sections 4, 5, 8 and 9
	Land broken 3rd kat
	Scattering timber along the creek
	September 12th 1870

Township 5 N. Range 23 W. 6th P.M.

North between sections 31 and 32
Va 13°20' East

22,40 A ravine 10 lks. which runs East
40,00 Drove a charred stake and set a post in a mound with pits for 1/4 sec. cor.
55,70 A ravine 15 lks. which runs East
80,00 Drove a charred stake and set a post in a mound with pits for corner to sections 29, 30, 31 and 32
Land rolling 2nd rate

Township 5 N. Range 23 W. 6th P.M.

East on a random line between sections 29 and 32
Va 13°20' East

13,00 Enter timber bears N and S.
13,80 A creek 25 lks. which runs South
14,50 Leave timber bears N and S.
40,00 Set a post for temporary 1/4 sec cor.
52,00 A creek 20 lks. which runs South
80,00 Intersected N and S. line 20 lks. South of the corner to sections 28, 29, 32 and 33 from which corner I run
S 89°54' W on a true line between sections 29 and 32
Va 13°20' East

40,00 Drove a charred stake and set a post in a mound with pits for 1/4 sec. cor.
80,00 The corner to sections 29, 30, 31 and 32
Land broken 3rd rate
Timber on creeks elm and cottonwood

Township 5 N. Range 23 W. 6th P.M.

West on a random line between sections 30 and 31
Va 13°20' East

40.00 Set a post for temporary ¼ sec. cor.
79.88 Intersected the West Boundary 14 lks. South of the corner to sections 30 and 31 from which corner I run
S 89°54' E on a true line between sections 30 and 31
Va 13°20' East

39.88 Drew a charred stake and set a post in a mound with pits for ¼ sec. cor.
79.88 The corner to sections 29. 30. 31 and 32
Land rolling good 2nd rate

Township 5 N. Range 23 W. 6th P.M.

North between sections 29 and 30
Va 13°20' East

22.00 Enter scattering timber bears East and West
25.60 A creek 30 lks. wide runs East
27.00 Leave timber bears E. and W.
40.00 Drew a charred stake and set a post in mound with pits for ¼ sec. cor.
79.20 Enter timber bears E. and W.
79.60 A creek 20 lks. wide runs S. W.
80.00 Set a post for corner to sections 19, 20, 29 and 30 from which
An elm 6 in. dia bears S. 68° E. 15 lks. dist.
An elm 6 in. dia. bears N 34¾° E. 22 lks. dist.
An ash 8 in. dia bears N 53° W. 30 lks. dist
A hopelder 5 in. dia. bears S 13° W. 31 lks. dist
Land broken 3rd rate
Timber elm, ash, hackberry, hopelder and cottonwood.

Township 5 N. Range 23 W. 6th P. M.

East on a random line between
sections 20 and 29
Va 13°20' East

.65 A creek 15 lks. which runs South
Leave timber bears N. and S.

36.00 A creek 30 lks. which runs South
scattering timber along creek.

40.00 Set a post for temporary ¼ sec. cor.

79.98 Intersected N and S. line 21 lks.
South of the corner to sections
20, 21, 28 and 29 from which
corner I run
S 89°51' W on a true line between
sections 20 and 29
Va 13°20' East

39.99 Drove a charred stake and set a
post in a mound with pits for
¼ sec. cor.

79.98 The corner to sections 19, 20, 29 and 30
Land broken 3rd rate

Township 5 N. Range 23 W. 6th P. M.

West on a random line between
sections 19 and 30
Va 13°20' East

2.00 Leave timber bears S. W. and N. E.

40.00 Set a post for temporary ¼ sec. cor.

43.10 A creek 30 lks. which runs S. E. scattering
timber along the creek

79.64 Intersected the west boundary 42 lks.
South of the corner to sections 19
and 30 from which corner I run
S 89°42' E on a true line between
sections 19 and 30
Va 13°20' East

39.64 Drove a charred stake and set a post
in mound with pits for ¼ sec. cor.

79.64 The corner to sections 19, 20, 29 and 30
Land broken 3rd rate

September 13th 1870

Township 5 N. Range 23 W. 6th P.M.

	North between sections 19 and 20
	Va 13°20' East
2.34	A creek 20 lks. which runs S. E.
7.20	Same creek 20 lks. which runs West
18.50	Same creek 12 lks. which runs N. E.
24.66	A cottonwood 20 in. dia.
27.20	Same creek 25 lks. which runs S. W.
28.55	Same creek 30 lks. which runs S. E.
40.00	Set a post in a Mound from which
	An Elm 12 in. dia. bears S. 80° W. 83 lks. dist
52.70	Same creek 22 lks. which runs S. W.
55.10	Same creek 20 lks. which runs S. E.
66.10	Same creek 12 lks. which runs S. W.
69.74	Same creek 16 lks. which runs S. E.
70.00	Leave scattering timber bears S. E. and N. W.
80.00	Set a post in a Mound with pits
	for corner to sections 17, 18, 19 and 20
	from which A cottonwood
	30 in. dia bears N. 41° W. 96 lks. dist.
	A cottonwood 35 in. dia. bears
	S. 41° W. 180 lks. distant
	Land broken 3rd rate
	Timber Elm. cottonwood and ash

Township 5 N. Range 23 W. 6th P.M.

	East on a random line between
	sections 17 and 20
	Va 13°20' East
40.00	Set a post for temporary 1/4 sec. cor.
44.70	A creek 20 lks. which runs S. E. scattering
	timber along the creek.
79.92	Intersected the N. and S. line 18 lks.
	South of the corner to sections
	16. 17. 20 and 21 from which
	corner I run
	S. 89°52' W on a true line between
	sections 17 and 20
	Va 13°20' East
39.96	Drove a chained stake and set a post
	in a Mound with pits for 1/4 sec. cor.
79.92	The corner to sections 17, 18, 19 and 20
	Land broken 3rd rate

Township 5 N. Range 23 W. 6th P. M.

West on a random line between sections 18 and 19
Va 13° East

1.10 A creek 5 lks. wide runs South

40.00 Set a post for temporary ¼ sec. cor.

79.80 Intersected the West Boundary 8 lks. South of the corner to sections 18 and 19 from which corner S run
S 89° 57' E on a true line between sections 18 and 19
Va 13° East

39.80 Drove a charred stake and set a post in a mound with pits for ¼ sec cor

79.80 The corner to sections 17, 18, 19 and 20
Land rolling good 2nd Rate

Township 5 N. Range 23 W. 6th P. M.

North between sections 17 and 18
Va 13° 20' East

40.00 Drove a charred stake and set a post in a mound with pits for ¼ sec. cor.

80.00 Drove a charred stake and set a post in a mound with pits for corner to sections 7, 8, 17 and 18
Land gently rolling good 2nd Rate

Township 5 N. Range 23 W. 6th P.M.

East on a random line between sections 8 and 17
Va 13° 20' East

40.00 Set a post for temporary ¼ sec. cor.
48.74 A creek 15 lks, which runs South
79.82 Intersected N and S. line 26 lks, South of the corner to sections 8, 9, 16 and 17 from which corner I run
S 89° 49' W on a true line between sections 8 and 17
Va 13° 20' East
39.91 Drove a charred stake and set a post in a mound with pits for ¼ sec. cor,
79.82 The corner to sections 7, 8, 17 and 18
Land rolling 2nd Rate

Township 5 N. Range 23 W. 6th P.M.

West on a random line between section 7 and 18
Va 13° East
10.80 A dry creek 6 lks, which runs South
40.00 Set a post for temporary ¼ sec. cor.
79.14 Intersected the West boundary 14 lks South of the corner to sections 7 and 18 from which corner I run
S 89° 54' E on a true line between sections 7 and 18
Va 13° East
39.14 Drove a charred stake and set a post in a mound with pits for ¼ sec. cor,
79.14 The corner to sections 7, 8, 17 and 18
Land rolling 2nd Rate

Township 5 N. Range 23 W. 6th P.M.

North between sections 7 and 8
Va 13°20' East

40,00 Drove a charred stake and set a post in a Mound with pits for 1/4 sec. cor.

80,00 Drove a charred stake and set a post in a Mound with pits for corner to sections 5, 6, 7 and 8

Land gently rolling good 2nd rate

Township 5 N. Range 23 W. 6th P.M.

East on a random line between sections 5 and 8
Va 13°20' East

30,00 A creek 20 lks. wide runs South

32,40 Same creek 20 lks. wide runs North

35,80 Same creek 20 lks. wide runs South

40,00 Set a post for temporary 1/4 sec. cor.

63,30 A dry creek 15 lks. wide runs South

79,80 Intersected N and S. line 21 lks. South of the corner to sections 4, 5, 8 and 9 from which corner S run
S 89°54' W on a true line between sections 5 and 8
Va 13°20' East

39,93 Drove a charred stake and set a post in a Mound with pits for 1/4 sec. cor.

79,80 The corner to sections 5, 6, 7 and 8
Land broken 3rd rate

September 14th 1870

Township 5 N. Range 23 W. 6th P. M.

	West on a random line between sections 6 and 7
	Va 12°45' East
39.52	A dry creek 20 lks. wide runs S. W.
40.00	Set a post for temporary ¼ sec. cor.
79.20	Intersected the West Boundary at the corner to sections 6 and 7 from which corner I run East on a true line between sections 6 and 7
	Va 12°45' East
39.20	Drove a charred stake and set a post in a Mound with pits for ¼ sec. cor.
79.20	The corner to sections 5, 6, 7 and 8
	Land broken 3rd Rate

Township 5 N. Range 23 W. 6th P. M.

	North on a random line between sections 5 and 6
	Va 13°30' East
40.00	Set a post for temporary ¼ sec. cor.
79.89	A ravine 10 lks. wide runs East
80.40	Intersected the North Boundary 10 lks. West of the corner to sections 5 and 6 from which corner I run
	S 4' W on a true line between sections 5 and 6
	Va 13°30' East
40.45	Drove a charred stake and set a post in a Mound with pits for ¼ sec. cor.
80.45	The corner to sections 5, 6, 7 and 8
	Land rolling 2nd Rate

September 15th 1870

General Description

The land in this Township is generaly high rolling good 2nd Rate prairie. Except along the creeks, where the land is very broken.

There are three creeks running South through the township that have a considerable amount of timber along the banks. such as Elm. Ash. Hackberry Cottonwood and boxelder

We hereby certify that we assisted Philander C. Patterson deputy Surveyor in subdividing Township No 5 North of Range 23 West of the 6th Principal Meridian. and that said Township has been in all respects to the best of our knowledge and beleif well and faithfuly surveyed. and the boundary monuments planted according to the instructions furnished by the Surveyor General,

William McCartney
John R. Tolin
David P. Cole
Walter C. Dryden
Frank Porter

Subscribed and sworn to by the above named persons. before me a Justice of the Peace for the County of Cass in the State of Nebraska this 21 day of October 1870

J. D. Patterson
J. P.

I, Philander C. Patterson deputy surveyor do solemnly swear that in pursuance of a contract with Robert R. Livingston Surveyor of the public lands of the United States in the State of Nebraska bearing date the 5th day of August 1870. and in strict conformity to the laws of the United States and the instructions furnished by the said Surveyor General I have faithfully surveyed the subdivision line of Township No 5 North of the base line of Range No 23 West of the 6th Principal Meridian, and do further solemnly swear that the foregoing are the true and original field notes of such survey.

Philander C. Patterson

Deputy Surveyor

Subscribed by said Philander C. Patterson deputy surveyor and sworn to before me a Justice of the Peace for Cass County in the State of Nebraska this 21 day of October 1870

J. D. Patterson
J. P.

Surveyor General's Office
Plattsmouth Neb. Feb. 1. 1871

The foregoing field notes of the survey of the sub-division lines of Township No 5 North of the Base Line, of Range No. 23 West of the 6th Principal Meridian in the State of Nebraska, Executed by Philander C. Patterson under his Contract of the 5th day of August 1870. in the month of September 1870, having been critically examined, the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved.

Robt R Livingston
Surveyor General.

T 6 N., R 23 West

6	54	5	39	4	28	3	22	2	11	1	
	53		52		38		27		21		10
7	51	8	37	9	27	10	20	11	9	12	
	50		49		36		26		19		8
18	49	17	35	16	26	15	18	14	7	13	
	48		47		34		25		17		6
19	46	20	33	21	25	22	16	23	5	24	
	45		44		32		24		15		4
30	43	29	31	28	24	27	14	26	3	25	
	42		41		30		23		13		2
31	40	32	29	33	23	34	12	35	1	36	

Field Notes

of the subdivision lines in Township 6 N. R. 23 W of the 6th Principal Meridian, in the State of Nebraska, by Philander C. Patterson, deputy Surveyor under his contract No 36, bearing date the 5th day of August 1870.

Subdivision commenced September 16th 1870

Subdivision completed September 28th 1870

List of Names

A list of the names of the individuals employed to assist in running, measuring or ~~and~~ marking the lines and corners described in the following field notes of Township 6 North of the base line of Range 23 West of the 6th Principal Meridian showing the respective capacities in which they acted:

6	William McCartney	Chain Men
53	John R. Rolin	
7	David A. Cole	Mound Men
50	Walter C. Dryden	
18	Frank Porter	flag man
48		
19		
45		
30		

Field Notes of the subdivision lines in Township 6 N. Range 23 W 6th P. M.

To determine the proper adjustment of my compass for subdividing this Township I commence at the corner to sections 25 and 36 T 6 N. R 23 W. and run.

South on a blank line along the East Boundary of section 36

Variation 13°45' East

40.32. To a point 18 lks. East of the quarter section corner

80.35 To a point 30 lks. East of the corner to ~~sections~~ Townships 5 and 6 North Ranges 22 and 23 West

To retrace this line or run parallel thereto my compass must be adjusted to a variation of 13°32' East

Township 6 N. Range 23 W. 6th P. M.

From the corner to sections 1, 2, 35 and 36 on the South Boundary of the Township I run North between sections 35 and 36
Va 13° 30' East

40,00 Drove a charred stake and set a post in Mound with pits for ¼ sec cor

80,00 Drove a charred stake and set a post in a Mound with pits for the corner to sections 25. 26. 35 and 36

Land gently rolling good 2nd Rate

Township 6 N. Range 23 W. 6th P. M.

East on a random line between sections 25 and 36
Va 13° 10' East

40,00 Set a post for temporary ¼ sec. cor.

58,70 A dry creek 20 lks. wide runs South scattering timber along creek

79,94 Intersected East Boundary 11 lks. North of the corner to sections 25. and 36 from which corner I run N 89° 55' W on a true line between sections 25 and 36
Va 13° 10' East

39,97 Drove a charred stake and set a post in a Mound with pits for ¼ sec cor

79,94 The corner to sections 25, 26. 35 and 36

Land rolling 2nd Rate

Township 6 N. Range 23 W. 6th P. M.

	North between sections 25 and 26
	Va 13°30' East
40.00	Drove a charred stake and set a post in Mound with pits for 1/4 sec. cor
80.00	Drove charred stake and set a post in Mound with pits for corner to sections 23.24.25 and 26
	Land rolling 2d Rate
	September 16th 1870

Township 6 N. Range 23 W. 6th P. M.

	East on a random line between sections 24 and 25
	Va 13°30' East
31.30	A dry creek 20 lks. wide runs South traversing timber along creek
40.00	Set a post for temporary 1/4 sec. cor.
55.35	A dry creek 5 lks. wide runs South
79.98	Intersected East Boundary 28 lks. South of the corner to sections 24 and 25 from which corner I run
	S 89°48' W on a true line between sections 24 and 25
	Va 13°30' East
39.99	Drove a charred stake and set a post in Mound with pits for 1/4 sec. cor
79.98	The corner to sections 23.24.25 and 26
	Land rolling 2nd Rate

Township 6 N. Range 23 W. 6th P. M.

North between sections 23 and 24
Va 14° East

39.05 A dry creek 10 lks. wide runs East
40.00 Drove a charred stake and set a post in Mound with pits for 1/4 sec. cor.
80.00 Drove charred stake and set a post in Mound with pits for corner to sections 13, 14, 23 and 24

Land rolling 2nd Rate

Township 6 N. Range 23 W. 6th P. M.

East on a random line between sections 13 and 24
Va 14° East

35.85 A Slough 15 lks. wide runs South
40.00 Set a post for temporary 1/4 sec. cor.
74.15 A Slough 10 lks. wide runs South
80.02 Intersected East Boundary 11 lks South of the corner to sections 13 and 24 from which corner I run S 89°55' W on a true line between sections 13 and 24
Va 14° East

40.01 Drove charred stake and set a post in Mound with pits for 1/4 sec. cor
80.02 The corner to sections 13, 14, 23 and 24

Land rolling good 2nd Rate

Township 6 N. Range 23 W. 6th P.M.

North between sections 13 and 14
Va 14° East

40.00 Drove charred stake and set a post in Mound with pits for ¼ sec. cor.

80.00 Drove charred stake and set a post in Mound With pits for corner to section 11, 12, 13 and 14

Land gently rolling good 2nd Rate

Township 6 N. Range 23 W. 6th P.M.

East on a random line between sections 12 and 13
Va 14° 15' East

33.60 A slough 12 lks. wide runs South

40.00 Set a post for temporary ¼ sec cor.

79.88 Intersected East Boundary 21 lks. South of the corner to sections 12 and 13 from which corner I run S 89° 51' W on a true line between sections 12 and 13
Va 14° 15' East

39.94 Drove charred stake and set a post in Mound with pits for ¼ sec. cor.

79.88 The corner to sections 11, 12, 13 and 14

Land rolling good 2nd Rate

Township 6 N Range 23 W. 6th P. M.

North between sections 11 and 12
Va 14° 05' East

40,00 Drove charred stake and set a post in mound with pits for 1/4 sec. cor

80,00 Drove charred stake and set a post in mound with pits for corner to sections 1, 2, 11 and 12

Land rolling 2nd rate

Township 6 N. Range 23 W. 6th P. M.

East on a random line between sections 1 and 12
Va 15° East

3.15 A slough 10 lks. wide runs South

37,85 A slough 12 lks. wide runs N. W.

40,00 Set a post for temporary 1/4 sec. cor.

80,00 Intersected East Boundary 36 lks South of the corner to sections 1 and 12 from which corner a run S 89° 45' W on a true line between sections 1 and 12
Va 15° East

40,00 Drove a charred stake and set a post in mound with pits for 1/4 sec cor

80,00 The corner to sections 1. 2. 11 and 12

Land rolling 2nd rate

Township 6 N. Range 23 W. 6th P. M.

North on a random line between sections 1 and 2

Va. 14°10' East

40,00 Set a post for temporary ¼ sec cor.

82,37 Intersected the North Boundary 33 lks. West of the corner to sections 1 and 2 from which corner I run S 14' W on a true line between sections 1 and 2

Va 14°10' East

42,37 Drove chared stake and set a post in a mound with pits for ¼ sec. cor.

82,37 The corner to sections 1. 2, 11 and 12

Land broken 3rd Rate

There is an excess of measurement on the E boundary of this Township

September 17th 1870

Township 6 N. Range 23 W. 6th P. M.

North between sections 34 and 35

Va 13°30' East

31,10 A slough 25 lks. wide runs East

40,00 Drove chared stake and set a post in mound with pits for ¼ sec. cor.

72,24 Same slough 30 lks. wide runs S. W.

80,00 Drove chared stake and set a post in mound with pits for corner to sections 26. 27. 34 and 35

Land broken 3rd Rate

Township 6 N. Range 23 W. 6th P. M.

East on a random line between
sections 26 and 35
Va 13° 30' East

1.75 A slough 15 lks. wide runs South
40.00 Set a post for temporary ¼ sec. cor
43.60 A slough 8 lks. wide runs S. W.
79.82 Intersected N and S. line 20 lks
South of the corner to sections
25, 26, 35 and 36 from which
corner I run
S 89° 51' W on a true line between
sections 26 and 35
Va 13° 30' East

39.91 Drove charred stake and set a
post in mound with pits
for ¼ sec. cor.
79.82 The corner to sections 26, 27, 34
and 35

Land broken 3rd Rate

Township 6 N. Range 23 W. 6th P. M.

North between sections 26 and 27
Va 13° 45' East

11.70 A Slough 20 lks. wide runs S. E.
18.00 Same slough 100 lks. wide runs S. W.
31.60 Same slough 160 lks. wide runs S. E.
38.00 Same slough 70 lks. wide runs S. W.
40.00 Drove charred stake and set a post
in mound with pits for
¼ sec. cor.
44.65 Same slough 30 lks. wide runs S. E.
80.00 Drove charred stake and set a
post in mound with pits
for corner to sections 22, 23,
26 and 27

Land broken 3rd Rate

September 19th 1870

Township 6 N. Range 23 W 6th P.M.

East on a random line between
sections 23 and 26
Va 13°45' East
8.30 A slough 10 lks. wide runs South
40.00 Set a post for temporary 1/4 sec. cor.
79.82 Intersected N and S. line 25 lks.
South of corner to sections
23.24.25 and 26 from which
corner S run
S 89.49' W on a true line between
sections 23 and 26
Va 13°45' East
39.91 Drove charred stake and set
a post for 1/4 sec. cor.
79.82 The corner to section 22.23.26
and 27

Land rolling 2nd rate

Township 6 N. Range 23 W. 6th P.M.

North between section 22 and 23
Va 14°05' East
40.00 Drove charred stake and set a
post in mound with pits
for 1/4 sec. cor.
80.00 Drove charred stake and set a
post in mound with pits
for corner to sections 14, 15,
22 and 23

Land rolling 2nd rate

Township 6 N. Range 23 W 6th P.M.

East on a random line between
sections 14 and 23
Va 14° 20' East

40.00 Set a post for temporary ¼ sec cor,
54.56 A dry creek 10 lks, wide runs South
scattering timber along creek
79.66 Intersected N and S. line 14 lks.
North of the corner to sections
13, 14, 23 and 24 from which
corner S. run
N 87° 34' W on a true line between
sections 14 and 23
Va 14° 20' East
39.83 Drove charred stake and set a
post in mound with pits
for ¼ sec. cor.
79.66 The corner to sections 14, 15, 22 and 23

Land rolling 2nd rate

Township 6 N. Range 23 W. 6 P. M.

North between sections 14 and 15
Va 14° 15' East
40.00 Drove charred stake and set a
post in mound with pits
for ¼ sec cor,
80.00 Drove charred stake and set a
post in mound with pits
for corner to sections 10, 11, 14
and 15

Land broken 3rd rate

Township 6 N. Range 23 W. 6th P.M.

East on a random line between
sections 11 and 14
Va 14° 25' East (cor. in sight)
39.60 Dry creek 14 lks. wide runs South
scattering timber along creek
40.00 Set a post for temporary 1/4 sec. cor.
80.02 Intersected N and S. line at the
corner to sections 11, 12, 13 and 14
from which corner I run
West on a true line between
sections 11 and 14
Va 14° 25' East
40.01 Drove charred stake and set a
post in mound with pits
for 1/4 sec. cor.
80.02 The corner to section 10, 11, 14 and 15

Land rolling 2nd rate

Township 6 N. Range 23 W. 6th P.M.

North between sections 10 and 11
Va 14° 25' East
40.00 Drove charred stake and set a
post in mound with pits
for 1/4 sec. cor.
80.00 Drove charred stake and set a
post in mound with pits
for corner to section 2, 3, 10
and 11

Land broken 3rd rate

Township 6 N. Range 23 W. 6th P.M.

East on a random line between sections 2 and 11
Va 14° 30' East

20.52 A dry creek 10 lks. wide runs N. E.
40.00 Set a post for temporary 1/4 sec. cor
80.08 Intersected N and S. line 15 lks. South of the corner to sections 1, 2, 11 and 12 from which corner I run
S 89° 53' W on a true line between sections 2 and 11
Va 14° 30' East

40.04 Drove charred stake and set a post in mound with pits for 1/4 sec. cor
80.08 The corner to sections 2, 3, 10 and 11

Land rolling 2nd rate

Township 6 N. Range 23 W. 6th P.M.

North on a random line between sections 2 and 3
Va 14° 10' East

40.00 Set a post for temporary 1/4 sec. cor.
64.50 A slough 10 lks. wide runs S. E
82.84 Intersected the North Boundary 36 lks. West of the corner to sections 2 and 3 from which corner I run
S 15' W on a true line between sections 2 and 3
Va 14° 10' East

42.84 Drove charred stake and set a post in mound with pits for 1/4 sec. cor.
82.84 The corner to sections 2, 3, 10 and 11

Land rolling 2nd rate

September 21st 1870

Township 5 N. Range 23 W. 6th P. M.

North between sections 33 and 34
Va 13° 35' East

40,00 Drove chared stake and set a post in mound with pits for 1/4 sec cor

80,00 Drove chared stake and set a post in mound with pits for corner to sections 27, 28, 33 and 34
Land gently rolling good 2nd Rate

East on a random line between sections 27 and 34
Va 13° 45' East

40,00 Set a post for temporary 1/4 sec. cor

79,50 Intersected the N and S line 34 lks South of the corner to sections 26, 27, 34 and 35 from which corner S run S 89° 45' W on a true line between sections 27 and 34
Va 13° 45' East

39,75 Drove chared stake and set a post in mound with pits for 1/4 sec cor

79,50 The corner to sections 27, 28, 33 and 34

Land rolling 2nd Rate

Township 6 N. Range 23 W. 6th P. M.

North between sections 27 and 28
Va 13° 30' East

40,00 Drove chared stake and set a post in mound with pits for 1/4 sec. cor

80,00 Drove chared stake and set a post in mound with pits for corner to sections 21, 22, 27 and 28
Land gently rolling good 2nd Rate

East on a random line between sections 22 and 27
Va 14° 15' East

40,00 Set a post for temporary 1/4 sec. cor

60,80 ~~79,62~~ A slough 15 lks. wide runs South

79,62 Intersected N and S. line 16 lks. North of the corner to sections 22, 23, 26 and 27 from which corner S run N 89,53' W on a true line between sections 22 and 27
Va 14° 15' East

39,81 Drove chared stake and set a post in mound with pits for 1/4 sec. cor

79,62 The corner to sections 21, 22, 27 and 28
Land rolling 2nd Rate

Township 6 N. Range 23 W. 6th P.M.

North between sections 21 and 22
Va 14° 15' East

40.00 Drove chared stake and set a post in mound with pits for ¼ sec. cor,

80.00 Drove chared stake and set a post in mound with pits for corner to sections 15, 16, 21 and 22
Land gently rolling good 2nd rate

East on a random line between sections 15 and 22
Va 14° 15' East

3 40.00 Set a post for temporary ¼ sec. cor

7 79.58 Intersected N and S. line 18 lks, South of the corner to sections 14, 15, 22 and 23 from which corner S run S 89° 52' W on a true line between sections 15 and 22
Va 14° 15' East

39.84 Drove chared stake and set a post in mound with pits for ¼ sec. cor

79.68 The corner to sections 15, 16, 21 and 22
Land rolling 2nd rate
September 23rd 1870

Township 6 N. Range 23 W. 6th P.M.

North between sections 15 and 16
Va 14° 15' East.

40.00 Drove chared stake and set a post in mound with pits for ¼ sec cor

80.00 Drove chared stake and set a post in mound with pits for corner to sections 9, 10, 15 and 16
Land rolling good 2nd rate

East on a random line between sections 10 and 15
Va 14° 25' East

40.00 Set a post for temporary ¼ sec. cor.

79.70 Intersected N and S. line 18 lks, North of the corner to sections 10, 11, 14 and 15 from which corner S run N 89° 52' W on a true line between sections 10 and 15
Va 14° 25' East

39.85 Drove chared stake and set a post in mound with pits for ¼ sec. cor

79.70 The corner to sections 9, 10, 15 and 16
Land rolling good 2nd rate

Township 6 N. Range 23 W. 6th P. M.

North between sections 9 and 10
Va 14° 25' East

40.00 Drove chared stake and set a post in mound with pits for 1/4 sec. cor

80.00 Drove chared stake and set a post in mound with pits for corner to sections 3, 4, 9 and 10

Land rolling good 2nd Rate

East on a random line between sections 3 and 10
Va 14° 20' East

40.00 Set a post for temporary 1/4 sec cor

79.80 Intersected N and S. line 25 lks. North of the corner to sections 2, 3 10 and 11 from which corner I run N 89° 49' W on a true line between sections 3 and 10
Va 14° 20' East

39.90 Drove chared stake and set a post in mound with pits for 1/4 sec cor

79.80 The corner to sections 3, 4, 9 and 10

Land rolling 2nd Rate

Township 6 N. Range 23 W. 6th P. M.

North on a random line between sections 3 and 4
Va 14° 10' East

40.00 Set a post for temporary 1/4 sec. cor

82.64 Intersected the North Boundary 24 lks West of the corner to sections 3 and 4 from which corner I run S 10' W on a true line between sections 3 and 4
Va 14° 10' East

42.64 Drove a chared stake and set a post in mound with pits for 1/4 sec cor

82.64 The corner to sections 3, 4, 9 and 10

Land rolling 2nd Rate

Township 6 N. Range 23 W. 6th P. M.

North between sections 32 and 33
Va 13°35' East

17.90 A dry creek 35 lks. which runs S. W.
24.18 A dry branch 10 lks. which runs West
16.00 Same branch 10 lks. which runs East
28.45 Same creek 10 lks. which runs S. E
40.00 Drove charred stake and set a post in mound with pit for ¼ sec. cor.
49.00 Same dry creek 25 lks. which runs N. W
60.40 Same creek 15 lks which runs East
80.00 Drove charred stake and set a post in mound with pit for corner to sections 28, 29, 32 and 33

Land rolling good 2nd rate

Township 6 N. Range 23 W. 6th P. M.

East on a random line between sections 28 and 33
Va 13°45' East

11.30 Along a 20 lks. which runs South
40.00 Set a post for temporary ¼ sec. cor
79.62 Intersected N and S. line 15 lks. North of the corner to sections 27, 28, 33 and 34 from which corner I run
N 89°54' W on a true line between sections 28 and 33
Va 13°45" East
39.81 Drove charred stake and set a post in mound with pit for ¼ sec. cor
79.62 The corner to sections 28, 29, 32 and 33

Land rolling good 2nd rate

Township 6 N. Range 23 W. 6th P. M.

North between sections 28 and 29
Va 13°45' East

40.00 Drove a charred stake and set a post in Mound with pits for ¼ sec cor
41.83 Slough 10 lks. which runs West
80.00 Drove charred stake and set a post in Mound with pits for corner to sections 20. 21. 28 and 29

Land rolling 2nd Rate

Township 6 N. Range 23 W. 6th P. M.

East on a random line between sections 21 and 28
Va 14° East

11.00 Slough 16 lks which runs South
40.00 Set a post for temporary ¼ sec. cor.
79.56 Intersected N and S. line 23 lks. North of the corner to sections 21. 22. 27 and 28 from which corner S run
N 89°50' W on a true line between sections 21 and 28
Va 14° East

39.78 Drove charred stake and set a post in Mound with pits for ¼ sec. cor.
79.56 The corner to sections 20. 21. 28 and 29

Land gently rolling good 2nd Rate

September 24th 1870

Township 6 N. Range 23 W. 6th P.M.

North between sections 20 and 21
on 14° 20' East

40.00 Drove charred stake and set a post in mound with pits for 1/4 sec. cor.

80.00 Drove charred stake and set a post in mound with pits for corner to sections 16, 17 20 and 21

Land gently rolling good 2nd rate

Township 6 N. Range 23 W. 6th P.M.

East on a random line between sections 16 and 21
on 14° 20' East

39.82 Slough 18 lks. trees runs S. W.

40.00 Set a post for temporary 1/4 sec. cor.

79.48 Intersected N and S. line 26 lks. North of the corner to sections 15, 16, 21 and 22 from which corner Brass
N 89° 49' W on a true line between sections 16 and 21
on 14° 20' East

39.74 Drove charred stake and set a post in mound with pits for 1/4 sec. cor.

79.48 The corner to sections 16, 17, 20 and 21

Land rolling 2nd rate

Township 6 N. Range 23 W. 6th P.M.

North between section 16 and 17
Va 14° 30' East

40.00 Drove chared stake and set a post in Mound with pits for 1/4 sec cor

71.80 Slough 20 lks. wide runs N. W.

80.00 Drove chared stake and set a post in Mound with pits for corner to sections 8. 9. 16 and 17

Land rolling 2nd Rate

Township 6 N. Range 23 W. 6th P.M.

East on a random line between sections 9 and 16
Va 14° 20' East

6.95 Slough 15 lks. wide runs South

40.00 Set a post for temporary 1/4 sec. cor.

62.60 Slough 40 lks. wide runs South

79.60 Intersected N and S. line 20 lks. North of the corner to sections 8. 10. 15 and 16 from which corner I run N 89° 54' W on a true line between sections 9 and 16
Va 14° 20' East

39.80 Drove chared stake and set a post in Mound with pits for 1/4 sec. cor.

79.60 The corner to sections 8. 9. 16 and 17

Land broken 3rd Rate

Township 6 N. Range 23 W. 6th P. M.

North between sections 8 and 9
Va 14°40' East

40.00 Drove charred stake and set a post in mound with pits for ¼ sec. cor.

80.00 Drove charred stake and set a post in mound with pits for corner to sections 4, 5, 8 and 9

Land rolling 2nd rate

Township 6 N. Range 23 W. 6th P. M.

East on a random line between sections 4 and 9
Va 14°10' East

30.20 Slough 10 lks. side runs South

40.00 Set a post for temporary ¼ sec. cor

79.74 Intersected N and S line 12 lks. North of the corner to sections 3, 4, 9 and 10 from which corner S run
N 89°55' W on a true line between sections 4 and 9
Va 14°40' East

39.87 Drove a charred stake and set a post in mound with pits for ¼ sec. cor.

79.74 The corner to sections 4, 5, 8 and 9

Land rolling 2nd rate

Township 6 N. Range 23 W. 6th P.M.

North on a random line between
Sections 4 and 5
Va 14° 30' East

40.00 Set a post for temporary 1/4 sec cor.
82.30 Intersected the North Boundary
13 lks. West of the corner to
Sections 4 and 5 from which
corner S run
S 6' W on a true line between
Sections 4 and 5
Va 14° 30' East

3 42.30 Drove charred stake and set a post
in Mound with pits for 1/4 sec. cor.
7 82.30 The corner to Sections 4, 5, 8 and 9

Land rolling 2nd rate

September 26th 1870

Township 6 N. Range 23 W. 6th P.M.

North between Sections 31 and 32
Va 13° 35' East

16.10 Noby creek 15 lks. which runs S. E
17.75 Same creek 10 lks. which runs West
30.94 Same creek 15 lks. which runs East
38.20 Same creek 10 lks. which runs West
40.00 Drove charred stake and set a
post in mound with pits for
1/4 sec. cor.
44.90 Same creek 10 lks which runs East
80.00 Drove charred stake and set a
post in mound with pits for
corner to Sections 29. 30. 31
and 32
Land rolling good 2nd rate
Scattering timber along creek
Elm, boxelder and cottonwood

Township 6 N. Range 23 W. 6th P.M.

East on a random line between sections 29 and 32

Va 13°45' East

40.00 Set a post for temporary ¼ sec. cor
64.00 A dry creek 20 lks. which runs S. E.
67.80 Same creek 30 lks. which runs S. E
76.60 Same creek 10 lks. which runs South
79.44 Intersected N and S. line 15 lks. North of the corner to sections 28. 29. 32 and 33 from which corner I run

N 89°54' W on a true line between sections 29 and 32

Va 13°45' East

39.72 Drove charred stake and set a post in mound with pits for ¼ sec. cor
79.44 The corner to sections 29. 30. 31 and 32

Land rolling good 2nd rate

Township 6 N. Range 23 W. 6th P.M.

West on a random line between sections 30 and 31

Va 13°30' East

22.25 A dry creek 20 lks. which runs South
40.00 Set a post for temporary ¼ sec. cor
79.19 Intersected the West Boundary 24 lks. South of the corner to sections 30 and 31 from which corner I run

S 89°30' E on a true line between sections 30 and 31

Va 13°30' East

39.19 Drove charred stake and set a post in mound with pits for ¼ sec cor
79.19 The corner to sections 29. 30. 31 and 32

Land rolling good 2nd rate
Creek skirted with timber

Township 6 N, Range 23 W, 6th P. M.

North between sections 29 and 30
Va 13°40' East

40.00 Drove charred stake and set a post in mound with pits for 1/4 sec. cor.

80.00 Drove charred stake and set a post in mound with pits for corner to sections 19, 20, 29 and 30

Land gently rolling good 2nd rate

Township 6 N, Range 23 W, 6th P. M.

East on a random line between sections 20 and 29
Va 13°40' East

40.00 Set a post for temporary 1/4 sec cor

44.66 Slough 12 lks. wide runs N. & S.

79.48 Intersected N and S line 7 lks. North of the corner to sections 20, 21, 28 and 29 from which corner I run
N 89°57' W on a true line between sections 20 and 29
Va 13°40' East

39.74 Drove charred stake and set a post in mound with pits for 1/4 sec cor.

79.48 The corner to sections 19, 20, 29 and 30

Land rolling good 2nd rate

Township 6 N. Range 23 W. 6th P.M.

West on a random line between sections 19 and 30
Va 13°15' East

27.40 A dry creek 15 lks. wide runs S. E.
40.00 Set a post for temporary ¼ sec. cor.
79.90 Intersected the West Boundary 4 lks. North of the corner to sections 19 and 30 from which corner I run
N 89°58' E on a true line between sections 19 and 30
Va 13°15' East

39.90 Drove charred stake and set a post in mound with pits for ¼ sec. cor.
79.90 The corner to sections 19, 20, 29 and 30

Land rolling good 2nd Rate

Township 6 N. Range 23 W. 6th P.M.

North between sections 19 and 20
Va 14° East

40.00 Drove a charred stake and set a post in mound with pits for ¼ sec. cor.
80.00 Drove charred stake and set a post in mound with pits for corner to sections 17, 18, 19 and 20

Land gently rolling good 2nd Rate

Township 6 N. Range 23 W. 6th P.M.

East on a random line between
sections 17 and 20
Va 14° East

40,00 Set a post for temporary ¼ sec. cor.
49,20 Slough 20 lks. wide runs South
77,44 Intersected N and S. line 18 lks.
North of the corner to sections
16, 17, 20 and 21 from which
corner B run
N 89° 52' W on a true line between
sections 17 and 20
Va 14° East

39,72 Drove a charred stake and set a
post in mound with pits for
¼ sec. cor.
77,44 The corner to sections 17, 18, 19 and 20

Land rolling good 2nd rate

Township 6 N. Range 23 W. 6th P.M.

West on a random line between
sections 18 and 19
Va 13° 30' East

32,20 Selzy creek 20 lks. wide runs South
40,00 Set a post for temporary ¼ sec. cor.
80,04 Intersected the West Boundary
19 lks. South of the corner to
sections 18 and 19 from which
corner B run
S 89° 57' East on a true line
between sections 18 and 19
Va 13° 30' East

40,04 Drove charred stake and set a
post in mound with pits
for ¼ sec. cor.
80,04 The corner to sections 17, 18, 19
and 20

Land rolling good 2nd rate

September 27th 1870

Township 6 N. Range 23 W. 6th P.M.

North between sections 17 and 18
Va 14°35' East

40.00 Drove charred stake and set a post in mound with pits for 1/4 sec. cor.

80.00 Drove charred stake and set a post in mound with pits for corner to sections 7, 8, 17 and 18

Land rolling 2nd rate

East on a random line between sections 8 and 17
Va 14°05' East

40.00 Set a post for temporary 1/4 sec. cor.

79.60 Intersected N and S. line 15 lks. North of the corner to sections 8, 9 16 and 17 from which corner S run N 89°54' W on a true line between sections 8 and 17
Va 14°05' East

39.80 Drove charred stake and set a post in mound with pits for 1/4 sec cor

79.60 The corner to sections 7, 8, 17 and 18

Land gently rolling and 2nd rate

Township 6 N. Range 23 W. 6th P.M.

West on a random line between sections 7 and 18
Va 13°30' East

27.65 A slough 10 lks wide runs South

40.00 Set a post for temporary 1/4 sec. cor.

79.96 Intersected the West Boundary 14 lks. South of the corner to sections 7 and 18 from which corner S run S 89°54' E on a true line between sections 7 and 18
Va 13°30' East

39.96 Drove charred stake and set a post in mound with pits for 1/4 sec. cor

79.96 The corner to sections 7, 8, 17 and 18

Land rolling 2nd rate

Township 6 N. Range 23 W. 6th P. M.

North between sections 7 and 8
Va 14° 40' East

40,00 Drove charred stake and set a post in mound with pits for 1/4 sec. cor

80,00 Drove charred stake and set a post in mound with pits for corner to sections 5, 6, 7 and 8

Land rolling good 2nd rate

Township 6 N. Range 23 W. 6th P. M.

East on a random line between sections 5 and 8
Va 14° East

40,00 Set a post for temporary 1/4 sec cor

79,68 Intersected the N and S. line 5 lks. North of the corner to sections 4, 5, 8 and 9 from which corner I run N 89° 58 W on a true line between sections 5 and 8
Va 14° East

39,84 Drove charred stake and set a post in mound with pits for 1/4 sec. cor

79,68 the corner to sections 5, 6, 7 and 8

Land gently rolling good 2nd rate

Township 6 N. Range 23 W. 5th P.M.

West on a random line between sections 6 and 7
Va 13°30' East

35.00 A slough 10 lks. wide runs South
36.95 A slough 15 lks. wide runs South
40.00 Set a post for temporary ¼ sec. cor.
79.84 Intersected the West Boundary 15 lks. South of the corner to sections 6 and 7 from which corner I run
S 89°55' E on a true line between sections 6 and 7
Va 13°30' East
39.84 Drove charred stake and set a post in mound with pits for ¼ sec. cor
79.84 The corner to sections 5, 6, 7 and 8

Land rolling 2nd Rate

Township 6 N. Range 23 W. 5th P.M.

North on a random line between sections 5 and 6
Va 14°30' East

40.00 Set a post for temporary ¼ sec. cor
81.03 Intersected the North Boundary 37 lks. West of the corner to sections 5 and 6 from which corner I run
S 13' W on a true line between sections 5 and 6
Va 14°30' East
41.03 Drove charred stake and set a post in mound with pits for ¼ sec. cor.
81.03 The corner to sections 5, 6, 7 and 8

Land broken 3rd Rate

September 28th 1870

General Description

The land in this Township is generaly high rolling good 2nd rate prairie

There are several dry creeks and sloughs running south through the Township, with some scattering elm and hackberry trees along them in the south part of the Township

We hereby certify that we assisted Whitaker C. Patterson deputy surveyor in subdividing Township 5 N. Range 23 W. 6th Principal Meridian and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed, and the boundary Monuments planted according to the instructions furnished by the Surveyor General

William McCartney
John R. Tolin
David P. Cole
Walter C. Dwyden
Frank Porter

Subscribed and sworn to by the above named persons before me a justice of the Peace for the county of Cass in the State of Nebraska this 27th day of October 1870

J. D. Pattersen
Justice of the Peace

I, Philander C. Patterson deputy surveyor do solemnly swear that in pursuance of a contract with Robert R. Livingston surveyor of the public lands of the United States in the state of Nebraska bearing date the 5th day of August, 1870. and in strict conformity to the laws of the United States and the instructions furnished by the said Surveyor General I have faithfully surveyed the subdivision lines of Township 6 N. Range 23 W. of the 6th Principal Meridian in the State aforesaid, and do further solemnly swear that the foregoing are the true and original field notes of such survey

Philander C. Patterson
Deputy Surveyor

Subscribed by said Philander C. Patterson deputy surveyor and sworn to before me a Justice of the Peace for Cass County in the State of Nebraska this 21st day of October 1870

J. S. Patterson
Justice of the Peace

Surveyor General's Office,
Plattsmouth Neb. Feb. 1. 1871

The foregoing field notes of the survey of the subdivision lines of Township No. 6. North of the Base Line. of Range No. 23 West of the 6th. Principal Meridian in the State of Nebraska, executed by Philander C. Patterson, under contract No. 36. dated August 5. 1870, in the month of September 1870. having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

Robt R Livingston
Surveyor General.

Subdivision

of

Township No. 7. North

of

Range No. 23 West

of the

6th Principal Meridian

Nebraska.

Commenced October 3rd 1869
Finished October 8th 1869
by James McBride
Deputy Surveyor

Names of Assistants

C. A. Hamilton Chainman,
Ashmore Langworthy Chainman,
Andrew Müller, } Flagmen &
Edward Racine, } Mound Builders.

To determine the proper adjustment of my compass for subdividing this Township, I commenced at the corner of Townships No. 6. & 7 North of Ranges 22. & 23 West of the 6th Principal & run North on a blank line along East boundary of section 36

Variation 14° East

39.70 fall nine links West of one fourth section corner

79.68 fall thirty-one links West of corner, to sections 25. & 36

T 7 N., R 23 W

6	60	5	44	4	33	3	22	2	11	1	
	59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12	
	56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13	
	53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24	
	50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25	
	47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36	

Township No. 7 N of Range No. 23 West of the 6th Principal Meridian

North between Sections 35 + 36
Variation 14° 10' E

3.50 Ravine runs S. E.
11.00 Ravine runs S. E.
17.00 Ravine runs S. E.
39.00 Ravine runs S. E.
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner.
51.00 Ravine runs S. E.
60.50 Ravine runs S. E.
77.50 Ravine runs S. E.
80.00 set post deposited charred stake, raised mound of earth with pits as per instructions for corner 25.26.35.+36.

Surface broken soil third rate.

East on a Random line between Secs 25+36
N. 89° 59' E. Variation 14° East
10.00 Ravine runs South
26.50 Ravine runs S. W.
33.00 Ravine runs S. W.
40.00 set temporary one fourth section post
80.00 intersect Range line thirteen links North of corner to sections 25.+36

N 89° 55' W on true line between sections 25+36.
Variation 14° East
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
80.00 corner to sections 25.26. 35.+36.
surface rolling soil second rate.

Township No. 7 N. of Range No. 23 West of the 6th Principal Meridian

North between Sections 25 & 26
Variation 14° 20' E.

8.00 Ravine runs S. E.
20.00 Ravine runs S. E
36.50 Ravine runs S. E
40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner

62.00 Ravine runs S. E.
76.50 Ravine runs N. W.
80.00 set post deposited chared stake. raised mound of earth with pits as per instructions for corner to sections 23.24 25. & 26

surface broken soil third rate.

East on a Random line betw sect 24 & 25
N. 89°59' E Variation 14° 20' E.

25.00 Ravine runs S. E
30.00 Ravine runs S. E.
36.00 Ravine runs S. E.
40.00 set temporary one fourth section post.
49.00 deep Ravine runs S. E scattering trees
72.00 Ravine runs N. W.
79.86 intersect Range line 27 links North of corner to sections 24. & 25.

N. 89° 49' W on true line between sections 24 & 25
Variation 14° 20' E

39.93 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.
79.86 corner to sections 23. 24. 25. & 26.

surface broken soil third rate.

Township No. 7 N. of Range No. 23

North between Sections 23 + 24 –
Variation 14° 20' E
12.00 Ravine runs West
25.50 Ravine runs S. W.
30.00 Ravine runs S. W.
40.00 set post deposited
charred stake raised
mound of earth with
pits, as per instructions
for the fourth section
corner
56.50 Ravine runs S. W.
62.00 Ravine runs S. W.
70.00 Ravine runs S. W.
80.00 set post deposited
charred stake raised
mound of earth with
pits as instructions for
corner to sections 13. 14
23. + 24.
surface broken soil
third rate.

West of the 6th Principal Meridian

~~East~~ on a Random line betw Sects 13 + 24
N. 89° 59' E Variation 14° 30' E
10.00 deep Ravine runs S. W.
16.00 deep Ravine runs S. W.
40.00 set temporary one fourth
section post
55.00 deep Ravine runs S. W.
60.00 Ravine runs S. W.
80.00 intersect Range line
at corner to sections 13. +
24

S. 89° 59' W. on true line between
sections 13. + 24.
Variation 14° 30' E
40.00 set post deposited charred
stake raised mound of
earth with pits as per in-
structions for one fourth
section corner.
80.00 corner to sections 13. 14. 23.
+ 24.
surface broken soil third
rate.

Township No. 7 N. of Range No. 23 West of the 6th Principal Meridian

North between Sections 13 & 14
Variation 14° 30' E
4.00 Ravine runs West
21.00 Ravine runs West
39.00 Ravine runs S. W.
40.00 set post deposited
chated stake raised
mound of earth with pits
as per instructions for
one fourth section cor-
ner
70.00 Ravine runs S. W.
80.00 set post corner to sec-
tions 11. 12. 13. & 14.
surface broken
soil third rate.

~~East~~ on a Random line betw Sects 12 & 13
N 89° 59' E Variation 14° 20' E
6.00 Ravine runs S. W.
17.00 Ravine runs S. W.
40.00 ~~set post deposited~~
~~chained stake raised~~
~~mound of earth with~~
~~pits as per~~
set temporary one fourth
section post
80.24 intersect Range line
80.24 forty eight links south
of corner to sections 12 &
13

S 89° 38' W on true line between
89° 38' sections 12 & 13.
Variation 14° 20' E
40.12 set post raised mound
12 of earth with pits as per
instructions for one fourth
section corner.
80.24 corner to sections 11. 12. 13 & 14
surface rolling soil second
rate.

Township No. 7 N. of Range No. 23

North between Sections 11 & 12

Variation 14° 20' E

4.00 deep Ravine runs S. W.
17.00 deep Ravine runs S. W.
32.50 deep Ravine runs S. W.
36.50 deep Ravine runs S. W.
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
42.00 Ravine Runs S. W.
52.00 Main drain runs S. W.
80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 1. 2. 11. & 12.

Surface broken soil third rate.

West of the 6th Principal Meridian

East on a Random line betw Sects. 1 & 12.

N. 89° 59' E. Variation 14° 20' E.
5.00 Ravine runs S. W.
19.00 Ravine runs S. W.
23.50 Ravine runs S. W.
31.00 Ravine runs S. W.
37.00 Ravine runs S. W.
40.00 set temporary over fourth section post
80.00 intersect Range line 42. links North of corner to sections 1. & 12.

N. 89° 43' W. on true line between sections 1. & 12

Variation 14° 20' E.
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner.
80.00 corner to sections 1. 2. 11. & 12

surface broken soil third rate.

Township No. 7 N. of Range No. 23

Northoua Random line betw Sects 1 & 2

Variation 14° 20' E.

11.00 Ravine runs S. E.
21.00 Ravine runs S. W.
40.00 set temporary one fourth sect post
40.50 Ravine runs S. W.
50.00 Ravine runs S. W.
72.00 deep Ravine runs S. S. W.
79.82 Intersect township line 38 links west of corner to sections 1 & 2

S. 16' W. on true line between section 1 & 2.

Variation 14° 20' E

39.82 Rear set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner.
79.82 corner to sections 1. 2. 11 & 12

surface rolling soil third rate

October 3rd 1869

West of the 6th Principal Meridian

North between Sections 34 & 35

Variation. 14° E.

28.50 main drain runs S. E.
34.50 main drain runs S. W.
40.00 set post deposited chared stake raised mound of earth with pits as per instruction for one fourth section corner
80.00 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 26. 27. 34. & 35.

surface rolling soil second rate.

Township No. 7 N. of Range No. 23

~~East~~ on a Random line betw Sects 26 + 35

N. 89° 59' E Variation 14° 10' E

5.50 Main drain runs South

40.00 set temporary one fourth section post

80.00 intersect section line at corner to sections 25. 26. 35. + 36.

S. 89° 59' W. on true line between sections 26. + 35.

Variation 14° 10' E

40.00 set post deposited chard stake raised mound of earth with pits as per instructions for one fourth section corner.

80.00 corner to sections 26. 27. 34. + 35.

surface rolling soil second rate.

West of the 6th Principal Meridian

North between Sections 26 + 27

Variation 14° E

2.50 Ravine runs S. E

34.00 Ravine runs S. E

40.00 set post deposited chared stake raised mound of earth with pits as per instruction for one fourth section corner.

43.50 Ravine runs S. E

65.50 Ravine runs N. E

68.50 Ravine runs S. E

80.00 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 22. 23. 26. + 27.

surface broken soil third rate.

Township No. 7 N. of Range No. 23

East on a Random line betw Sects 23 & 26

N. 89°59' E Variation 14° 10' E

16.00 Ravine runs S. W.

40.00 set temporary one fourth section post

40.50 main drain runs South

52.00 Ravine runs E. W.

57.50 Ravine runs E. & W.

80.00 intersect section line 23 links North of corner to sections 23. 24. 25. & 26.

N. 89° 59' W on true line between sections 23 & 26.

Variation 14° 10' E

40.00 set post deposited charred stake raised mound of earth with pits as per instruction for one fourth section corner

80.00 corner to sections 22. 23. 26. & 27 surface rolling soil third rate.

West of the 6th Principal Meridian

North between sections 22 & 23

Variation 14° 8' E

28.50 Ravine runs S. E.

40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner

62.00 Ravine runs E. W.

78.50 Ravine runs E. W.

80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections. 14. 15. 22. & 23.

surface broken soil third rate.

Township No. 7 N. of Range No. 23

East on a Random line betw Sects 14 + 23

N. 89°59' E. Variation 14° E

10.00 Ravine runs S. W.

39.00 Ravine runs S. E

40.00 set temporary 1/4 section post

51.00 Ravine runs S. E.

62.00 Ravine runs S. E

68.00 Main drain runs South

80.00 intersect section line 40 links South of 4 corner to sections 13. 14. 23 + 24.

S 89° 42' W on true line between sections 14. + 23.

Variation 14° East

40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner

80.00 corner to sections ~~13.14.23.~~ 14.15.22+23 + 24

Surface rolling soil second rate

West of the 6th Principal Meridian

North between sections 14 + 15

Variation 14° 30' E

8.50 Ravine runs N. W.

40.00 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner to ~~sections~~

48.50 head of deep Ravine runs N. E.

55.00 deep Ravine runs West

63.00 deep Ravine runs West

75.00 Ravine runs West

80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 10. 11. 14 + 15.

Surface broken soil third rate.

Township No. 8 N of Range No. 23

~~East~~ on a Random line betw sects 11 + 14

N 89° 59' E Variation 14° 30' E

3.00 Ravine runs ~~N~~ S. E.

13.50 Ravine runs S. E.

26.50 Ravine runs S. W.

35.50 Ravine runs South

40.00 set temporary one fourth section post

53.00 Ravine runs S. E.

64.00 Maine drain runs S. W.

79.82 intersect section line at corner to sections 11. 12. 13. + 14

S. 89° 59' W. on true line between sections 11. + 14

Variation 14° 30' E

39.91 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner

79.82 corner to sections 10. 11. 14. + 15 surface broken ~~surface~~ soil third rate.

West of the 6th Principal Meridian

North between sections 10 + 11

Variation 14° 20' E.

0.50 Ravine runs S. E.

5.00 Ravine runs S. E.

16.50 Ravine runs S. E.

35.00 main drain runs S. S. E.

40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner.

50.00 Ravine runs S. W.

67.00 Ravine runs S. W.

80.00 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 2. 3. 10 + 11.

surface broken soil third rate.

Township No. 7 N. of Range No. 23

East on a Random line betw Sects 2 + 11

N 89° 59' E. Variation 14° 29' E

5.50 Ravine Runs S.-W.

15.50 Ravine Runs S.-W.

40.00 set temporary one fourth section post.

42.50 Ravine runs South

53.00 Ravine runs S.-W.

79.70 intersect section line 19 links North of corner to sections 1. 2. 11. & 12.

N 89° 43' E. on true line between sections 2 + 11.

Variation 14° 20' E.

39.85 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner.

79.70 corner to sections 2. 3. 10 + 11. surface broken soil third rate.

West of the 6th Principal Meridian

North on a Random line betw Sects 2 + 3

Variation 14° 30' E

9.60 Ravine runs West

17.50 Ravine runs S.-W.

40.00 set temporary one fourth section post.

79.62 intersect township line 48 links West of corner to sections 2 + 3.

S 21' W. on true line between sections 2 + 3.

Variation 14° 30' E

39.62 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner

79.62 corner to sections 2. 3. 10. & 11 surface rolling soil third rate.

~~September~~

October 4th 1869

Township No. 7 N. of Range No. 23

North between Sections 33 + 34
Variation 14° 10' E
31.00 Ravine runs S. W.
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner.
74.00 Ravine runs West.
80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 27. 28. 33 + 34.
surface rolling soil third rate.

West of the 6th Principal Meridian

~~East~~ on a Random line betw Sects 27 + 34
N. 89° 59' E Variation 14° 10' E
6.00 Ravine runs S. W.
40.00 set temporary one fourth section post
79.86 intersect section line at corner to sections 26. 27. 34. + 35.

S. 89° 59' W. on true line between sections 27 + 34.
Variation 14° 10' E
39.93 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner.
79.86. corner to sections 27. 28. 33 + 34
surface rolling soil second rate

Township No. 7 N. of Range No. 23 West of the 6th Principal Meridian

North between Sections 27 & 28 —
Variation 14° 20' E

5.00 Ravine runs West.
20.50 Ravine runs West.
28.00 Ravine runs West.
33.00 Ravine runs West.
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
46.00 Ravine runs S. W.
56.00 Ravine runs S. W.
66.50 main drain runs S. W.
80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 21. 22. 27. & 28

Surface broken soil third rate.

~~East~~ on a Random line between Sects 22 & 27
N. 8° 39' E. Variation 14° East
4.00 Ravine runs S. W.
40.00 set temporary one fourth section post
61.50 Ravine runs S. E
71.50 Ravine runs S. E.
80.00 intersect section line at corner to sections 22. 23. 26 & 27.

S 89° 59' W. on true line between sections 22 & 27
Variation 14° East
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
80.00 corner to sections 21. 22. 27 & 28.

Surface rolling soil third rate.

Township No. 7 N. of Range No. 23

North between sections 21 + 22.
Variation 14° E.

30.00 Ravine runs East.
40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner
49.00 Ravine runs East.
57.50 Ravine runs S. E
63.00 Ravine runs S. E
70.00 Ravine runs S. E
80.00 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 15, 16. 21. + 22.

surface broken, soil third rate.

West of the 6th Principal Meridian.

~~East~~ on a Random line between sects 15 + 22
N 89°05' E. Variation 14° 10' E.
15.00 Ravine runs South
17.50 Ravine runs N. W.
40.00 set temporary one fourth section post.
56.00 Ravine runs S. W.
80.00 intersect section line 32 links South of corner to sections 14. 15. 22. + 23

S 89°45' W on true line between sections 15. + 22.
Variation 14° 10' E
40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner.
80.00 corner to sections 15. 16. 21. + 22.

surface broken soil third rate.

Township No. 7 N. of Range No. 23 West of the 6th Principal Meridian

North between sections 15 + 16 —
Variation 14° 20' E

82.00 Ravine runs East.

40.00 set post deposited charcoal stake raised mound of earth with pits as per instructions for one fourth section corner

52.00 Ravine runs West

68.00 Ravine runs West

75.00 Ravine runs West

80.00 set post deposited charcoal stake raised mound of earth with pits as per instructions for corner to sections 9. 10. 15. + 16

surface broken soil third rate.

East on a Random line between Sects 10 + 15
N. 89° 59' E Variation 14° 30' E.

27.50 Ravine runs South

40.00 set post for temporary one fourth section corner

55.00 deep ravine runs S. E.

80.10 intersect section line at corner to sections 10. 11. 14 15.

S. 89° 59' W. on true line between sections 10. + 15.
Variation 14° 30' E

40.05 set post deposited charcoal stake raised mound of earth with pits as per instructions for one fourth section corner.

80.10 corner to sections 9. 10. 15. + 16

surface rolling soil third rate.

Township No. 7 N. of Range No. 23

North between sections 9 + 10 —
Variation 14° 30' E.
9.00 Ravine runs S. W.
15.00 Ravine runs S. W.
23.00 Ravine runs S. W.
40.00 set post deposited charred stake raised mound of earth, with pits as per instructions for cor 1/4 section corner
41.50 Ravine runs N. E
52.00 Ravine runs N. E
80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 4. 5. 9. + 10
31 surface broken soil third rate.

West of the 6th Principal Meridian

~~East~~ on a Random line between Sects 3 + 10
N. 89.89 E. Variation 14° 30' E
3.30 Ravine runs S. E
18.00 Ravine runs S. E.
40.00 set temporary one fourth section post.
62.00 deep ravine runs South
72.00 deep ravine runs S. W.
80.40 intersect section line 86 links North of corner to sections 2. 3. 10 + 11

N 89 ~~22~~ 24' W. on true line between sections 3 + 10
Variation 14° 30' E
40.20 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner.
80.40 corner to sections 3. 4. 9. + 10
surface broken soil third rate.

Township No. 7 N. of Range No. 23

North on a Random line between Secs 3 + 4
Variation 14° 20' E

4.00 Ravine runs S. E.
12.00 Ravine runs S. E.
22.00 Ravine runs S. E.
37.00 Ravine runs N. E.
40.00 set temporary one fourth section post
42.50 Gulch 100 feet deep runs N. E.
80.40 intersect township line at corner to sections 3 & 4

South on true line between sections 3 & 4
Variation 14° 20' E.

40.40 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner.
80.40 corner to sections 3. 4. 9 + 10 surface broken soil third rate. October 5th 1869.

West of the 6th Principal Meridian

North between Sections 32 + 33
Variation 14° 10' E

3.00 Ravine runs East
8.50 Ravine runs S. E.
13.50 Ravine runs S. S. W.
22.00 Ravine runs S. S. E.
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner.
80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corners to sections 28. 29. 32 + 33.

surface rolling soil second rate.

Township No. 7 N. of Range No. 23

East on a Random line betwn Sects 28 & 33

N. 89° 59' E Variation 14° E.

4.00 head of Ravine runs N. W.

14.00 Ravine runs S. E.

40.00 set temporary one fourth section post

76.00 main drain runs South

80.10 intersect section line 11 links south of corner to sections 27. 28. 33 & 34

S 89° 54' W on true line between sections 28. & 33.

Variation 14° E

40.05 set post deposited chard stake raised mound of earth with pits as per instructions for one fourth section corner.

80.10 corner to sections 28. 29. 32. & 33.

surface rolling soil second rate.

West of the 6th Principal Meridian

North between Sections 28 & 29

Variation 14° E.

4.50 Ravine runs N. W.

37.00 Ravine runs N. W.

40.00 set post deposited chard stake raised mound of earth with pits as per instructions for one fourth section corner.

80.00 set post deposited chard stake raised mound of earth with pits as per instructions for corner to sections 20. 21. 28. & 29.

surface rolling soil second rate.

Township No. 7 N. of Range No. 23

East on a random line between Sects 21 + 28
N 89°59' E Variation 14° 10' E
14.00 Ravine runs S. W.
24.00 deep Ravine runs south
29.00 deep Ravine runs S. S. W.
40.00 set temporary one fourth section post
68.00 Ravine runs S. E
80.00 intersect section line at corner to sections 21. 22. 27. + 28

N 89°59' W on true line between sections 21. + 28.
Variation 14° 10' E
40.00 set post deposited chard stake raised mound of earth with pits as per instructions for one fourth section corner.
80.00 corner to sections 20. 21. 28. + 29.
surface rolling soil second rate.

West of the 6th Principal Meridian

North between sections 20 + 21
Variation 14° 10' E
3.00 Ravine runs S. W.
25.50 Ravine runs S. W.
29.50 Ravine runs S. W.
38.00 Ravine runs S. W.
40.00 set post deposited chard stake raised mound of earth with pits as per instructions for one fourth section corner
56.00 Ravine runs N. W.
64.00 Ravine runs N. W.
73.00 Ravine runs N. W.
80.00 set post deposited chard stake raised mound of earth with pits as per instructions for corner to sections 16. 17. 20 + 21.
surface rolling soil third rate.

Township No. 7 N. of Range No. 23

East on a Random line between Sects 16 + 21

N. 89°59' E Variation 14° 15' E

5.00 Ravine runs N. W.

12.50 Ravine runs N. W.

17.00 Ravine runs N. W.

23.00 Ravine runs N. W.

36.00 deep Ravine runs S. W.

39.50 deep Ravine runs S. W.

40.00 set temporary one fourth section post.

51

87.00 Ravine runs S. W.

80.00 intersect section line 22 links North of corner to sections 15. 16. 21. & 22

52 W

N. 89° 52' E on true line between sections 16 & 21.

Variation 14° 15' E.

40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner.

80.00 corner to sections 16. 17. 20 & 21 surface broken soil third rate

West of the 6th Principal Meridian

North between Sections 16 + 17

Variation 14° 0' E

6.00 Ravine runs S. W.

15.00 Ravine runs S. W.

20.00 Ravine runs S. W.

31.00 Ravine runs S. W.

38.00 Ravine runs West

40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner.

52.00 Ravine runs N. W.

80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 8. 9. 16. & 17.

surface broken soil third rate.

Township No. 7 N. of Range No. 23

~~East~~ on a Random line betwn Sects 9 + 16
N 89°59' E Variation 14° 20' E
11.00 Ravine runs N. W.
14
17.50 Ravine runs N. W.
38.00 Ravine runs South
40.00 set temporary one
4
fourth section post
65.00 Ravine runs S. W.
72.00 Ravine runs S. W.
80.00 intersect section line 19 links
3
south of corner to sections 9. 10. 15. + 16.

S 89°51' W. on true line between sections 9. + 16.
Variation 14° 20' E
40.15 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
80.30 corner to sections 8. 9. 16. + 17.
8
Surface broken soil 3rd rate.

West of the 6th Principal Meridian

North between Sections 8 + 9
Variation 14° 30' E
20.00 main drain runs S. E. & W.
32.00 Ravine runs S. E.
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
80.00 set post deposit charred stake raised mound of earth with pits as per instructions for corner to sections 4. 5. 8 + 9.
Surface broken soil third rate.

Township No. 7 N. of Range No. 23

~~East~~ on a Random line between Sects 4 + 9
N 89° 59' E Variation 14° 30' E
4.00 Ravine runs North.
23.50 Ravine runs S. E.
30.00 Ravine runs S. S. W.
40.00 set temporary one fourth section post
64.00 Ravine runs N. E.
80.00 intersect section line forty two links South of corner to section 3. 4. 9 + 10.

S 89° 41' W on true line between sections 4 + 9.
Variation 14° 30' E
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
80.00 corner to sections 4. 5. 8, + 9.
Surface broken soil third rate.

West of the 6th Principal Meridian

North on a Random line between Sects 4 + 5
Variation 14° 30' E
3.00 Ravine runs N. W.
8.50 Ravine runs N. W.
19.50 Ravine runs N. W.
34.00 Main drain runs S. W.
40.00 set temporary one fourth section post
59.00 Ravine runs S. S. W.
70.00 Ravine runs S. W.
79.80 intersect township line 27 links East of corner to sections 4 + 5.

S 12° E on true line between sections 4 + 5,
Variation 14° 30' E
39.80 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
79.80 corner to sections 4. 5. 8 + 9.
October 6th 1869 surface broken soil third rate

Township No. 7 N. of Range No. 23

North between Sections 31 & 32
Variation 14°20' E
8.00 main drain runs S. S. W.
14.50 Ravine runs S. E.
40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner.
68.00 Ravine runs S. E.
80.00 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections, 29. 30. 31. & 32.
Surface rolling soil second rate.

West of the 6th Principal Meridian

~~East~~ on a Random line between Sects 29 & 32
N. 89°59' E. Variation 14°25' E
4.00 Ravine runs South
9.00 Main drain runs N. E.
12.00 Main drain runs S. E.
17.50 Ravine runs S. W.
30.50 Ravine runs S. W.
40.00 set temporary one fourth section post
80.00 intersect section line at corner to sections 28. 29. ~~22 & 23.~~ 32 & 33

S. 89°59' W. on true line btwn sects 29. & 32.
Variation 14°25' E
40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner
80.00 ~~set post deposited chared stake raised mound of earth~~ The ~~at~~ corner to sections 29. 30. 31. & 32
surface rolling soil second rate

Township No. 7 N. of Range No. 23

West on a Random line between Sects 30 & 31.

S 89° 59' W Variation 14° 30' E

40.00 set temporary one fourth section post

80.40 intersect Range line at corner to sections 30. & 31.

S. 89° 59' E. on true line between sections 30 & 31.

Variation 14° 30' E

40.40 set post deposited charred stake raised mound of earth & with pits as per instructions for one fourth section corner.

80.40 corner to sections 29. 30. 31. & 32.

surface rolling soil third rate.

West of the 6th Principal Meridian

North between Sections 29 & 30

Variation 14° 30' E

8.00 Ravine runs S.E.

18.00 Ravine runs East.

22.50 Ravine runs East.

40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner

63.00 Ravine runs East.

79.00 Ravine runs East.

80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 19. 20. 29. & 30.

surface broken soil third rate.

Township No. 7 N. of Range No. 23

~~East~~ on a Random line between Sects 20 + 29
N 89° 59' E. Variation 14° 30' E
20.00 main drain runs South.
30.50 Ravine runs S. W.
40.00 set temporary one fourth section post
80.20 intersect section line 62 links South of corner to sections 20. 21. 28 + 29.

S 89° 32' W on true line between sections 20. + 29.
Variation 14° 30' E
40.10 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner.
80.20 corner to sections 19. 20 29. + 30.
surface rolling soil second rate.

West of the 6th Principal Meridian

~~West~~ on a Random line between Sects 19 + 30
S 89° 59' W. Variation 14° 30' E
40.00 set temporary one fourth section post
50.50 Ravine runs S. E.
79.75 intersect Range line 38 links North of corner to sections 19. + 30.

N 89° 43' E on true line between sections 19. + 30
Variation 14° 30' E.
39.75 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
79.75 corner to sections 19. 20. 29. + 30.
surface rolling soil second rate.

Township No. 7 N. of Range No. 23

North between Sections 19 + 20

Variation 14° 30' E

22.50 Ravine runs S. E.

31.50 Ravine runs S. E.

40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner.

40.50 Ravine runs S. E.

48.00 Ravine runs S. E.

67.50 Ravine runs S. E.

80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 17. 18. 19. + 20

surface rolling soil third rate.

West of the 6th Principal Meridian

~~East~~ on a Random line between Sects 17 + 20

N. 89° 59' W.

Variation 14° 15' E

16.50 Ravine runs S. E.

28.50 Ravine runs S. E.

40.00 set temporary one fourth section post

48.00 Ravine runs S. W.

75.00 Ravine runs S. W.

80.08 intersect section line at corner to sections 16. 17 20. + 21.

S. 89° 59' W. on true line between sections 17. + 20.

Variation 14° 15'

40.04 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner.

80.08 corner to sections 17. 18. 19 + 20.

surface broken soil third rate.

Oct 1st 1869

Township No. 7 N. of Range No. 23

West on a Random line between Sects 18 + 19

S. 89°59' W. Variation 14° 20' E

9.00 Ravine runs S. E.

17.00 Ravine runs S. E.

33.00 Ravine runs S. E.

40.00 set temporary one fourth section post.

43.00 Ravine runs N. E.

62.00 Ravine runs N. E.

79.90 intersect Range line at corner to sections 18. + 19.

N. 89°59' W. on true line between section 18 + 19.

Variation 14° 20' E

39.90 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner.

79.90 corner to sections 17. 18. 19. + 20.

surface broken soil third rate.

West of the 6th Principal Meridian

North between Sections 17 + 18

Variation. 14° 30' E

7.50 Ravine runs S. E.

32.00 main drain runs S. S. E.

40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner

80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 7. 8. 17 + 18

surface rolling soil second rate.

Township No. 7 N. of Range No. 23

~~East~~ on a Random line between Sects 8 + 17

N. 89°59' E. Variation 14° 30' E.

24.00 Ravine runs S. E.

29.00 main drain runs South

40.00 set temporary one fourth section post

47.00 Ravine runs S. W.

73.00 main drain runs S. E.

80.08 intersect section line 36 Links North of corner to sections 8. 9. 16. + 17.

N 89° 46' 46" W. on true line between sections 8. + 17.

Variation 14° 30' E

40.04 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner.

80.08 corner to sections 7. 8. 17. + 18.

surface broken soil hill vale.

West of the 6th Principal Meridian

~~West~~ on a Random line between Sects 7 + 18

S 89° 59' W. Variation 14° 30' E.

33.00 Ravine runs S. E.

40.00 set temporary one fourth section post

73.00 Ravine runs S. W.

79.92 intersect Range line 68 links South of corner to sections 7. + 18

S 89° 32' 32" E on true line between sections 7. + 18.

Variation 14° 30' E.

39.92 set deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner.

79.92 corner to sections 7. 8. 17. + 18.

surface rolling soil second rate.

Township No. 7 N. of Range No. 23

North between sections 7 & 8 —
Variation 14° E.
11.00 Ravine runs S. E.
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner.
63.00 Ravine runs S. E.
68.00 Ravine runs S. E.
74.50 Ravine runs S. E.
80.00 set post deposited charred stake corner to sections 5, 6, 7 & 8. raised mound of earth with pits as per instruct. surface rolling soil third rate.
~~surface rolling soil third rate.~~

West of the 6th Principal Meridian

~~East~~ on a Random line between Sects 5 & 8
N 89 59 W Variation 14° 30' E
32.00 main drain runs South
40.00 set temporary one fourth section post
51.50 Ravine runs S. W.
56.50 Ravine runs S. E.
59.00 main drain runs S. S. W.
65.00 Ravine runs S. W.
80.00 intersect section line at corner to sections 4. 5. 8. & 9

S 89 59 W on true line between sections 5 & 8
Variation 14° 30' E
40.00 set post deposited charred stake raised mound of earth with pits as per instruction for one fourth section corner.
80.00 corner to sections 5. 6. 7. & 8
surface broken soil third rate.

Township No. 7 N. of Range No. 23 West of the 6th Principal Meridian

West on a Random line below Sects 6 + 7 -
S. 89° 59' W. Variation 14° 40' E.

4.00 Ravine runs S. W.
21.50 Ravine runs S. W.
34.00 main drain runs South
40.00 set temporary one fourth section post
47.00 Ravine runs S. E.
72.50 Ravine runs S. W.
79.56 intersect Range line 42 links North of corner to sections 6. + 7

N. 89° 41' E. on true line between sections 6 + 7.
Variation 14° 40' E.

39.56 set post deposited charcoal stake raised mound of earth with pits as per instructions for one fourth section corner.
79.56 corner to sections 5. 6. 7. + 8.

surface rolling soil third rate.

North on a Random line below Sects 5 + 6
Variation 14° 30' E

13.50 Ravine runs S. E.
23.00 Ravine runs S. E
35.50 Ravine runs N. N. W.
40.00 set temporary one fourth section post
46.50 Ravine runs S. E.
53.00 Ravine runs S. E.
80.42 intersect township line 42 links West of corner to sections 6 + 7

S. 18' W. on true line between sections 5 + 6.
Variation 14° 30' E

40.42 set post deposited charcoal stake raised mound of earth with pits as per instructions for one fourth section corner
80.42 corner to sections 5. 6. 7 + 8.

surface broken, soil third rate. Oct 8th 1864

General Description

This Township contains but very little land, adapted to farming purposes, as the soil is composed of hard clay & extremely dry & cannot be cultivated without irrigation, the Township is extremely full of deep Gulshes which also render it unfit for cultivation there is neither water nor timber in the township & no improvements

We hereby certify that we assisted James McBride deputy surveyor in subdividing Township No. 7 North of Range No. 23 West of the 6th Principal Meridian Nebraska & that said Township has been in all respects, to the best of our knowledge & belief, well & faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General

Hy. A Hamilton Chainman
A Langworthy Chainman
A Miller Flagmen and
Edw Racine Mound builders

The State of Nebraska } Sworn to by the above named persons before
Douglas County } me and by them respectively subscribed in
my presence this 11th day of November 1869

C A Baldwin
Notary Public
Douglas County
Nebraska

I James McBride deputy surveyor, do solemnly swear that in pursuance of a contract with Robt. R. Livingston Surveyor of the public lands of the United States in the State of Nebraska bearing date the 21st day of June 1869 in strict conformity to the laws of the United States & the instructions furnished by the said Surveyor General, I have faithfully surveyed & subdivided into sections Township No. 7 N. of Range No. 23 West of the 6th Principal Meridian Nebraska & do further solemnly swear that the foregoing are the true & original field notes of such Township.

James McBride

The State of Nebraska
Douglas County } ss

Subscribed by said James McBride, deputy surveyor and sworn to before me this 11th day of November 1869.

C. A. Buggin
Notary Public
Douglas County
Nebraska

Surveyor Generals Office
Plattsmouth Nebraska March 30th 1870.

The foregoing field notes of the survey of the subdivision lines of Township No. 7 North of the Base Line of Range No. 23. West of the 6th Principal Meridian in the State of Nebraska, executed by James McBride, under his contract No 26. dated June 21st 1869. in the months of October 1869. having been critically examined, the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved.

Robt. R. Simpson
Surveyor General.

— Subdivision —

of

Township No. 8 North

of

Range No. 2 3, West

of the

6th Principal Meridian

— Nebraska —

commenced September 14th 1869

finished September 18th 1869

by James McBride

Deputy Surveyor

Names of Assistants

Henry A. Hamilton - Chainman
Ashmore Langworthy Chainman
Andrew Müller } Flagmen +
Edward Racine } Mound builders

To determine the proper adjustment of my compass for subdividing this Township I commence at the corner of Townships N°s 7 + 8 N. Ranges 22 + 23 West of the 6th Principal Meridian + run North on a blank line along the East boundary of section 36.

Variation 14° 45' E

39.62 chains fifty eight links West of quarter section corner
79.62 chains eighty-six links West of corner ~~to~~ sections 25 + 36

T 8 N., R 23 W.

6	60	5	44	4	33	3	22	2	11	1	
	59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12	
	56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13	
	53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24	
	50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25	
	47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36	

Township No. 8 N. of Range No. 23 West of the 6th Principal Meridian

North between sections 35 + 36
Variation 4° 40' E.

10 0	leave ravine, bears North West
7 00	ravine bears N. W.
8 50	ravine bears N. W.
20.00	ravine bears N. W.
40,00	deposite charge stake set post raised mound of earth with pits, as per instructions, for one fourth section corner
78.00	ravine bears, E.
80,00	deposite charge stake, set post raised mound of earth with pits, as pro instruction for ~~section~~ corner to sect. 25, 26, 35 + 36 surface broken soil second rate

~~East~~ on a Random line between Sects. 25 + 36
N 89° 59' E Variation 14° 40' E.

7 00	deep ravine bears N. E.
21 00	deep ravine bears N.
40 00	set temporary one fourth section post,
58.50	ravine bears N.
68,00	ravine bears N.
80.00	intersect Range line seventeen links North of corner of sections No. 25 + 36. from which Found West on a true line, between sections 25 + 36

N 89° 54' W. on true line between sections 25 + 36.
Variation 14° 40' E.

40.00	set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
80.00	corner to sections 25. 26. 35. + 36. surface rolling soil third rate.

Township No. 8 N. of Range No. 23

North between Sections 25 + 26 —
Variation 14° 35' E —

14.00 ravine bears N. E —

19.00 ravine bears E. N. E

40.00 deposite charge stake set post in mound with pits as per instructions for one fourth section corner

80.00 deposite charcd stake set post in mound of earth with pits as per instructions for ~~section~~ corner to Sect. 23, 24, 25 & 26 surface level soil second rate

West of the 6th Principal Meridian

East on a Random line between Sect. 24 + 25
N. 89° 59' E. Variation 14° 45' E
~~N. 89° 59' E~~

34.00 head of deep ravine bears S. E

40.00 set temporary one fourth section post

113.50 ravine bears S. E —

79.90 intersect range line twelve links North of corner, to sections 24 + 25.

N 89° 56' West, on true line between sections 24 + 25
Variation 14° 45' E.

39.95 deposite charcd stake set post in mound of earth with pits as per instructions for one fourth section corner

79.90 ~~Section~~ The corner to Sect. 23, 24, 25 & 26 surface rolling soil third rate.

Township No. 8 N. of Range No. 23

North between Sections 23 & 24
Variation 14° 40' E.

35.50 deep ravine bears N. N. W.
4000 deposite chared stake raised mound of earth with pits as per instructions for one fourth section corner
52.50 deep ravine bears N. N. W.
60.00 ravine bears W.
62.50 ravine bears W.
70.00 ravine bears W.
77.50 ravine bears W.
80.00 deposite chared stake set post raised mound of earth with pits as per instructions for ~~section~~ corner to Secs. 13, 14, 23 & 24 surface broken soil third rate.

West of the 6th Principal Meridian

~~East~~ on a Random line betw Sects 13 & 24
N 89° 59' E Variation 14° 40' E.
~~N. 89° 59' E~~
4000 set temporary one fourth section post
80.00 intersect range line at post

S 89° 59' West, on true line between sections 13 & 24
Variation 14° 40' E

S ~~89° 59' W~~
4000 deposite chared stake set post raised mound of earth with pits as per instructions for one fourth section corner
8000 ~~section~~ The corner to Sect. 13, 14, 23 & 24 surface rolling soil second rate.

Township No. 9 N. of Range No. 23

North between Sections 13 + 14
Variation 14° 40' E

40.00 Deposite chared stake, set post in mound with pits as per instructions, for 1/4 sec. corner ~~to sections 11. 12. 13 + 14.~~
~~surface rolling~~
54.00 ravine bears N. W.
59.00 ravine bears N. W.
79.00 ravine bears N. E.
80.00 deposite chared stake set post raised mound of earth with pits as per instructions for corner to sections 11. 12. 13 + 14 surface rolling second rate

West of the 6th Principal Meridian

~~East~~ on a Random line between Secs. 12 + 13
N 89° 59' E Variation 14° 45' E
~~N 89° 59' E.~~
1.50 ravine runs North.
16.50 ravine runs North.
22.50 ravine runs North.
40.00 set temporary over fourth section post.
60.50 ravine runs North. East
64.50 ravine runs North.
76.00 Plum Creek runs S. E dry with scatering timber
Cor to Secs. 7, 12, 13 & 18
80.00 intersect range line at post.

S 89° 59' ~~W~~ East, on a true line between Sections 12 + 13
~~N 89° 59' W~~ Variation 14° 45' E.
40.00 deposite chared stake set post raised mound of earth with pits as per instructions for 1/4 Sec Corner
80.00 The Corner to Secs. 11, 12, 13 & 14 surface rolling soil third rate.

Township No. 8 N. of Range No. 23 West of the 6th Principal Meridian

North between Sections 11. + 12
Variation 14° 25'

39.00 Plum Creek runs East dry with scattering timber

40.00 deposit charred stake set post raised mound of earth with pits as per instructions for one fourth section corner

46.00 ravine runs S. E.

54.00 ravine runs S. E.

60.00 ravine runs N. W.

80.00 deposite charred stake set post raised mound of earth with pits as per instructions for corner to sections 1. 2. 11. + 12
surface broken. soil third rate.

East on a Random line between Sects 1 + 12
Variation 14° 35'

N. 89° 59' E.

100 Ravine runs South.

5.50 ravine runs South.

14.00 ravine runs S. W.

18.00 ravine runs South

22.00 ravine runs South

33.00 deep ravine runs S. W.

40.00 set temporary one fourth section post

48.00 ravine runs S. E.

59.00 ravine runs S. E.

64.00 ravine runs S. W.

77.00 ravine runs South

79.80 intersect range line thirty one links North of section corner

N 89° 48' West, on true line btw Sect. 1 + 12
Variation 14° 35'

39.90 deposit charred stake set post raised mound of earth with pits as per instructions for one fourth section corner

79.80 ~~section~~ The corner to Sect. 1, 2, 11 + 12
surface broken soil third rate.

Township No. 8 N. of Range No. 23

North on a ~~Random~~ true line between Sects 1 & 2
Variation 14° 30' E.

~~0.00 leaves marsh, bears N. W. & S. E.~~

30.00 ravine bears S. E.

40.00 set ~~temporary~~ quarter corner below ⊗, one fourth section post

52.00 ravine runs S. E.

60.00 head of ravine runs S. W.

78.00 enter marsh, wet, bears N. W. & S. E.

84.20 intersect second standard parallel North, ~~twelve~~ sixteen chains & twenty five links East of one fourth section post between 2 & 36 & set post deposit charred stake raised mound of earth with pits as per instructions for corner to sections. 1 & 2 T. 8 N. R. 23 W. ~~South on a true line between Sects 1 & 2~~

~~Variation 14° 30' E.~~

~~44.24~~ ⊗ deposite charred stake set post in mound with pits as per instructions

~~84.20 corner to sections 1. 2. 11. & 12~~

September 14th 1869

Surface rolling soil second rate.

West of the 6th Principal Meridian

North between Sections 34 & 35
Variation 14° 40' E.

40.00 deposite charred stake set post raised mound of earth with pits as per instructions one fourth section corner

80.00 deposite charred stake set post raised mound of earth with pits as per instructions for corner to sections 26. 27. 34 & 35.

surface level soil second rate

Township No. 8 N. of Range No. 23

~~East~~ on a Random line between Sects 26 & 35
N 89° 59' E
~~N 89° 59' E~~
Variation 14° 40' E.

40.00 set temporary one fourth section post ~~on~~
80.12 intersect section line at post, cor. to Secs. 25, 26, 35 & 36

S 89° 59' West on true line between Sects 26 & 35
Variation 14° 40' E
40.06 deposit charred stake set first, raised mound of earth with pits, as per instructions for one fourth section corner
80.12 corner to sections 26, 27, 34, & 35
surface level soil second rate.

West of the 6th Principal Meridian

North between sections 26 & 27
Variation 14° 40' E.
40.00 deposit charred stake set post raised mound of earth with pits as per instructions for one fourth section corner
76.00 ravine runs N. W.
80.00 deposit charred stake raised mound of earth with pits as per instructions for corner to sections 22, 23, 26, & 27.
surface rolling soil second rate.

Township No. 8 N of Range No. 23

~~East~~ on a Random line between Sects 23 + 26

N. 89° 59' E. — Variation 14° 40' E

40.00 set temporary one fourth section post

69.00 deep ravine runs N. E.

80.00 intersect section line at corner to sections 23, 24, 25 + 26

S. 89° 59' W. West on true line between sections 23 + 26

Variation 14° 40' E.

40.00 deposit chared stake set post, raised mound of earth with pits as per instructions for one fourth section corner

80.00 corner to sections 22, 23, 26 + 27

surface rolling soil second rate.

West of the 6th Principal Meridian

North between sections 22 + 23 —

Variation 14° 35' E —

8.00 ravine runs N. W.

18.00 ravine runs S. W.

40.00 deposit chared stake set post, raised mound of earth with pits, as per instructions, for one fourth section corner

56.50 ravine runs S. W.

80.00 deposit chared stake set post raised mound of earth with pits as per instructions for corner to sections 14, 15, 22, + 23

surface level soil second rate.

Township No. 8 N. of Range No. 23

East on a Random line between Sects 14 + 23
N. 89° 59' E. Variation 14° 35' E.

22.50 Ravine runs North
25.50 ravine runs North
40.00 set temporary one fourth section post.
43.00 ravine runs North
54.50 ravine runs N. E.
68.00 ravine runs North
80.36 intersect section line thirty five links South of corner to sections 13. 14. 23 + 24

S 89° 44' West, on true line between sections 14. + 23 – V. 14° 35' E.
40.18 deposit chared stake set post raised mound of earth, with pits as per instructions for one fourth section corner
18
80.36 corner to sections 14. 15. 22. + 23

surface broken soil third rate.

West of the 6th Principal Meridian

North between sections 14 & 15 –
~~N. 89° 59' E.~~ Variation 14° 25' E.

~~2.00 deep ravine runs N. E.~~
8.00 ravine runs North.
24.00 ravine runs North.
32.00 ravine runs North
40.00 set temporary ~~one fourth~~ section post
40.50 ravine runs N. E.
55.00 ravine runs N. E.
63.50 ravine runs North
65.50 ravine runs North
~~80.00 intersect section line~~

13.50 head of ravine runs N. E.
28.50 ravine runs ~~North~~ N. E
40.00 deposit chared stake set post raised mound of earth with pits as per instructions for one fourth section corner
79.00 ravine runs N. E.
80.00 deposite chared stake set post, raised mound of earth with pits as per instructions for ~~section~~ corner to Sect. 10, 11, 14 & 15
surface rolling soil second rate.

Township No. 8 N. of Range No. 23

East on a Random between Secs 11 + 14
N. 89° 59' E. Variation 14° 40' E.

2.00 deep ravine runs N. E
8.00 ravine runs North
24.00 ravine runs North
32.00 ravine runs North
40.00 set temporary one fourth section post
40.50 ravine runs S. E.
55.00 ravine runs N. E.
63.50 ravine runs North.
65.50 ravine runs North.
80.00 intersect section line at corner to sections 11. 12. 13 + 14.

S 89° 59' W. West on base line between sections 11 + 14
Variation 14° 40' E.

4.00 deposite charred stake set post raised mound of earth with pits, as per instructions, for one fourth sect corner
8.00 corner to sections 10. 11. 14 + 15, surface rolling soil third rate.

West of the 6th Principal Meridian

North between sections 10 + 11 —
Variation 14° 40' E.

5.00 ravine N. E.
9.50 ravine runs N. E.
13.50 ravine runs N. E.
20.00 ravine runs N. E
25.00 ravine runs N. E.
40.00 deposite charred stake set post raised mound of earth with pits as per instructions of one fourth section corner
49.00 Plum Creek runs East dry with scattering timber
80.00 deposite charred stake set post raised mound of earth with pits as per instructions for corner to sections 2. 3. 10. + 11 ?
surface broken soil third rate.

Township No. 8 N. of Range No. 23

~~East~~ on a Random line between Sects 2 + 11
N. 89° 59' E. Variation 14° 40' E.
2.00 Ravine runs S. E.
23.50 ravine runs South
40.00 set temporary one fourth section post.
53.00 ravine runs S. E.
60.50 ravine runs South
64.30 ravine runs South
70.00 ravine runs S. E.
74.50 ravine runs S. E.
80.14 intersect section line thirty five links North of corner to sections 1. 2. 11. + 12.

West on true line between
N 89° 46' sections 2 + 11.
Variation 14° 40'
40.07 deposite chared stake set post in mound with pits as per instructions
80.14 corner to sections 2. 3. 11. + 12.
surface rolling soil second rate.

West of the 6th Principal Meridian

North on a ~~Random~~ true line between Sects 2 + 3 —
Variation 14° 45' E.
2.00 ravine runs S. E.
28.00 ravine runs S. W.
40.00 set ~~temporary~~ gin corner below ⊕ one fourth section post
46.00 head of ravine runs S. W.
84.~~65~~ 50 intersect second standard parallel line North ~~twenty four~~ sixteen chains
~~24.00~~ ~~West~~ East of ¼ Sec corner ~~sections 35 + 36~~ S. of Sec. 35 T. 9 N. R. 23 W.
+ set post, deposited chared stake, raised mound of earth with pits as per instructions for corner sections 2 + 3 T. 8 N. R. 23 W.

~~South on true line between Sects 2 + 3~~
~~Variation 14° 45' E.~~
~~44.50~~ deposite chared stake set post raised mound of earth with pits as per instructions for one fourth section corner
~~84.50 corner to sections 2. 3. 10. + 11.~~ write this corner above
surface rolling soil second rate.
September 15th 1869

Township No. 8 N. of Range No. 23

North between sections 33 + 34
Variation 14° 40' E.

12.00 Ravine runs N. E.

40.00 deposite chared stake set post, raised mound of earth, with pits as per instructions for one fourth section corner.

80.00 deposit chared stake, set post raised mound of earth with pits as per instructions for corner for sections 27. 28. 33 + 34.

surface rolling, soil second rate.

West of the 6th Principal Meridian

~~East~~ on a Random line between sects 27 + 34
N. 89° 59' E. Variation 14° 35' E.

3.50 Ravine runs N. E.

12.00 ravine runs N. W.

18.50 ravine runs N. W.

40.00 set temporary one fourth section post

80.00 intersect section line at post corner to sections 26. 27. 34. + 35

S. 89° 59' W. West on true line between sections 27 + 34 — Var. 14° 35' E.

40.00 deposite chared stake set post, raised mound of earth with pits as per instructions for one fourth section corner

80.00 corner to sections 27. 28. 33 + 34

surface rolling soil second rate.

Township No. 8 N. of Range No. 23

North between sections 27 & 28
Variation 14° 30' E.

40.00 deposit charred stake set post raised mound of earth with pits as per instructions for one fourth section corner

80.00 deposit charred stake set post raised mound of earth with pits as per instructions for corner to sections 21. 22. 27. & 28.

surface rolling, soil second rate.

West of the 6th Principal Meridian

East on a Random line between Sects 22 & 27
N 89° 59' E. Variation 14° 45' E.

12.00 ravine runs N. E.
31.50 ravine runs N. W.
40.00 set temporary one fourth section post
52.00 ravine runs N. W.
59.00 ravine runs North.
79.25 deep ravine runs N. W.
79.80 intersect section line twenty six links North of corner to sections 22. 23. 26. & 27

N 89° 50' West, on true line between sections 22 & 27
Variation 14° 45' E.

39.90 deposit charred stake set post raised mound of earth, with pits as per instructions for one fourth section corner

79.80 corner to sections 21. 22. 27. & 28
surface rolling, soil second rate.

Township No. 8 N. of Range No. 23

North between Sections 21 & 22 —
Variation 14° 40' E.

20.00 Ravine runs N. W.
40.00 deposite charred stake set post, raised mound of earth with pits as per instructions for one fourth section corner
52.00 ravine runs N. E.
55.00 ravine runs East.
77.00 ravine runs East.
80.00 deposited charred stake set post, raised mound of earth, with pits as per instructions for corner to sections 15. 16. 21. + 22.,
surface rolling, soil third rate.

West of the 6th Principal Meridian

~~East~~ on a Random line between Sects 15 + 22
~~N 89° 9' E.~~ Variation 14° 40' E.

6.00 Ravine runs North
22.00 Ravine runs North
40.00 set temporary one fourth section post
65.00 ravine runs S. W.
80.08 intersect section line thirty two links south of corner to sections 14. 15. 22. + 23

S 89° 45' West on true line between sections, 15 + 22. Var. 14° 40' E.
40.04 set post deposit charred stake raised mound of earth with pits as per instructions for one fourth section corner.
80.08 corner to sections 15. 16. 21. + 22.
surface rolling, soil third rate.

Township No. 8. N. of Range No. 23

North between Sections 15 + 16 —
Variation 14° 40' E.

2,50 Ravine runs East.
29.00 ravine runs East.
40.00 set post deposit, chared stake raised mound of earth, with pits as per instructions for one fourth section corner
51.00 ravine runs East
71.00 ravine runs N. E.
80.00 set post, deposit chared stake raised mound of earth, with pits, as per instructions for corner to sections. 9. 10. 15. + 16 surface broken soil second rate.

West of the 6th Principal Meridian

~~East~~ on a Random line between Sects 10 + 15
N. 89° 59' E. Variation 14° 40' E.
~~N. 89° 59' E. on true line~~
3.00 ravine runs N. E.
8.00 ravine runs N. W.
30.00 ravine runs N. W.
40.00 set temporary, one fourth section post;
64.00 ravine runs N. E.
80.00 intersect section line nineteen links south of corner to sections 10. 11. 14 + 15.

S 89° 51' West on true line between sections 10. + 15
Variations 14° 40' E
40.00 set post deposit chared stake raised mound of earth with pits as per instructions for one fourth section corner
80.00 corner to sections 9. 10. 15. + 16, surface broken, soil third rate.

Township No. 8. N. of Range No. 23

North between Sections 9 + 10
Variation 14° 36' E.

28.00 ravine runs N. E.

40.00 set post deposit chared stake raised mound of earth with pits as per instructions for one fourth section corner

76.00 Plum Creek runs East dry + no timber

80.00 set post deposite chared stake, raised mound of earth with pits as per instructions, for corner to sections 3. 4. 9. + 10.
surface rolling soil second rate.

West of the 6th Principal Meridian

East on a Randome line between Sects 3 + 10
N. 89° 59' E. Variation 14° 25' E.

40.00 set temporary one fourth section post

63.00 ravine runs S. E.

72.50 ravine runs N. W.

80.00 intersect section line forty one links south of corner to sections 2 3. 10. + 11

89° 41' West on true line between sections 3 + 10

40.00 set post deposit. chared stake, raised mound of earth with pits as per instructions for one fourth section corner

80.00 corner to sections 3. 4. 9. + 10.
surface rolling soil second rate.

Township No. 8 N. of Range No. 23

North on a ~~Random~~ true line between Sects 3 + 4

Variation 14° 30' E.

19.00 ravine runs S. E.

22.00 ravine runs S. W.

38.50 ravine runs S. W.

40.00 set post, deposit charred stake, raise mound of earth, with pits as per instructions, for ~~temporary~~ one fourth section ~~post~~ corner

43.00 ravine runs S. W.

84.20 intersects second standard parallel North ~~twenty four~~ sixteen chains

East ~~West~~ of ¼ Sec. Cor corner S. of to section 34. ~~N 35~~ T.9 N. R.23 W. + set post deposit charred stake raised mound of earth, with pits as per instructions for corner to sections 3 + 4. T.8 N. R.23 W.

~~on true line between sections 3 + 4~~

~~44.20 set post in mound.~~

~~84.20 corner to sections 3.4.9 + 10.~~

surface rolling soil second rate September 16th 64

West of the 6th Principal Meridian

North between Sections 32 + 33 –

~~N 89° 59' E.~~ Variation 14° 40' E.

4000 set post deposite charred stake raised mound of earth with pits as per instructions for one fourth section post

76.00 deep ravine runs S. W.

80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corners to sections 28, 29 32. + 33.

Surface rolling, soil third rate.

Township No. 8 N. of Range No. 23

East on a Random line between Sects 28 + 33
N 89° 59' E Variation 14° 40' E.

21.00 Ravine runs North
40.00 set temporary one fourth section post
42.00 main drain runs North
50.00 ravine runs N. W.
71.00 ravine runs North
80.10 intersect section line forty two links North of corner to sections 28. 29. 32 + 33

N 89° 43' W. on true line between sections 28. + 33.
Variation 14° 40' E.

40.05 set post in mound deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner.
80.10 corner to sections 28. 29. 32 + 33.

Surface broken soil third rate.

West of the 6th Principal Meridian

North between sections 28 + 29
Variation 14° 45' E.

13.00 deep ravine runs S. W.
21.00 deep ravine runs S. W.
32.00 ravine runs N. E
40.00 set post deposited charred stake, raised mound of earth with pits as per instructions for one fourth section corner
64.00 ravine runs N. E.
80.00 set post in Mound, deposited charred stake raised mound of earth with pits as per instructions, for corner to sections 20, 21. 28. + 29

Surface broken soil third rate.

Township No. 8 N. of Range No. 23

East on a Random line betwn Sects 21 + 28
N. 89° 59' E. Variation 14° 30' E.

60 ravine runs S. E.
40.00 set temporary one fourth section post.
44.00 ravine runs North
50.00 ravine runs N. W.
79.96 intersect section line at corner to sections 21. 22. 27 + 28,

S 89° 59' W. on true line between sections 21. + 28
Variation 14° 30' E.
39.98 set post deposited charred stake raised mound of earth, with pits as per instructions for one fourth section corner.
79.96 corner to sections 20. 21. 28 + 29.
surface broken soil third rate.

West of the 6th Principal Meridian

North between Sections 20 + 21 —
~~N. 89° 59' E.~~ ~~Variation 14° 48' E.~~
~~4000 set~~
Variation 14° 48' E
7.00 ravine runs S. E.
26.00 ravine runs West.
38.00 ravine runs West.
40.00 set post deposited charred stake, raised mound of earth with pits as per instructions for one fourth section corner
45.00 ravine runs S. W.
80.00 set post, deposited charred stake raised mound of earth with pits as per instructions for corner to sections 16. 17. 20. + 21
surface rolling soil third rate

Township No. 8 N. of Range No. 23

East on a Random line between Sects 16 + 21
N. 89° 59' E. Variation 14° 45' E.
27.00 deep ravine runs N. W.
40.00 set temporary one fourth section post
80.30 intersect section line fifty two links North of corner to sections 15. 16. 21. + 22.

N 89° 34½' on true line between sections 16. + 21.
Variation 14° 45' E
40.15 set post raised mound of earth with pits as per instructions for one fourth section post
80.30 corner to sections 16. 17. 20. + 21
surface rolling soil third rate.

West of the 6th Principal Meridian

North between sections 16 + 17
Variation 14° 45' E
23.50 ravine runs N. N. W.
38.00 ravine runs N. W.
40.00 set post deposited charred stake, raised mound of earth with pits as per instructions for one fourth section corner
64.00 ravine runs West
80.00 set post, deposited charred stake, raised mound of earth with pits as per instruction for corner, to sections 8. 9. 16. + 17.
surface rolling soil second rate.

Township No. 8. N. of Range No. 23

East on a Random line between Sects 9 + 16
N. 89° 59' E. Variation 14° 40' E.

35.00 ravine runs North
40.00 set temporary one fourth section post
45.00 ravine runs N. E.
49.00 ravine runs North
57.25 ravine runs N. E.
80.00 intersect section line ninety two links South of corner to sections 9. 10. 15 + 16.

S 89° 20' W. on true line between sections 9. + 16.
Variation 14° 40' E.

40.00 set post deposited charred stake raised mound of earth, with pits as per instructions for one fourth section corner
80.00 corner to sections 8. 9. 16. + 17
surface broken soil third rate.

West of the 6th Principal Meridian

North between sections 8 + 9 –
Variation 14° 40' E.

40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
56.00 Plum Creek dry, runs N. E.
80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections, 4. 5. 8 + 9.
surface rolling, soil third rate.

Township No. 8 N. of Range No. 23

~~East~~ on a Random line between Sects 4 & 9
N. 89°59' E. Variation 14° 40' E.

40.00 set temporary one fourth section post

58.00 Plum Creek runs N. E.

67.00 Plum Creek runs S. E. dry, with scattering timber

80.12 intersect section line forty seven links North of corner to sections 3. 4. 9. & 10

N 89° 41' W on true line between sections 4 & 9
Variation 14° 40' E.

40.06 set post deposited chared stake raised mound of earth with pits as per instructions, for one fourth section corner

80.12 Corner to sections 4. 5. 8. & 9.
surface rolling soil third rate.

West of the 6th Principal Meridian

North on a ~~Random~~ true line between Sects 4 & 5
Variation 14° 40' E.

25.00 ravine runs S. E.

40.00 set ~~temporary~~ give corner below ⊕ one fourth section post

83.00 intersect second standard parallel North fifteen ~~twenty four~~ chains & ~~ten~~ ninety links East ~~West~~ of ¼ Sec. corner South of ~~to~~ section ~~#~~ 33 ~~#~~ T. 9 N. R. 23 W.
~~34~~ & set post in mound of earth, with charred stake & pits as per instruct. for Cor. to Sect. 4 & 5, T. 8 N. R. 23 W.

~~South on true line between sections 4 & 5~~
~~Variation 14° 40' E~~

~~43.00~~ ⊕ set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section post,

~~83.00 corner to sections 4. 5. 8 & 9~~
surface rolling soil third rate.

September 1st 1869.

Township No. 8 N of Range No. 23

North between Sections 31 + 32
Variation 14° 30' E.

40,00 set post, deposited charred stake raised mound of earth as per instructions of one quarter section corner

52,00 ravine runs S. E.

80,00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 29. 30. 31. + 32.
Surface rolling soil second rate.

West of the 6th Principal Meridian

~~East~~ on a Random line between Sects 29 + 32
N. 89° 59' E Variation 14° 50' E.

40,00 set temporary one fourth section post

1460 ravine runs S. E.

1760 ravine runs S. W.

80,00 intersect section line at corner to sections 28. 29. 32. + 33

S 89° 59' W. on true line between sections 29 + 32
Variations 14° 50' E

40.00 set post deposited charred stake raised mound of Earth, with pits as per instructions for one fourth section corner

80.00 corner to sections, 29. 30. 31. + 32,
Surface rolling, soil second rate.

Township No. 8 N. of Range No. 23

West on a Random line between Sects 30 & 31
S. 89° 59' W. Variation 14° 33' E.
21.50 ravine runs N. E
40.00 set temporary one fourth section post
65.50 ravine runs north
79.42 intersect range line at corner to sections 25, 30, 31 & 36.

~~Sec. 30 & 31 – Var. 14° 35' E.~~

N. 89° 59' E. on true line between
39.42 set post deposite charred stake raised mound of earth with pits as per instructions for one fourth section corner
79.42 corner to sections 29, 30, ~~29.80~~ 31 & 32,
surface rolling, soil second rate

West of the 6th Principal Meridian

North between Sections 29 & 30 –
Variation 14° 30' E.
12.00 ravine runs East. –
40.00 set post set post deposited charred stake, raised mound, with pits as per instructions for one fourth section corner
80.00 set post, deposit charred stake raised mound of earth, with pits as per instructions for corner to sections 19, 20, 29, & 30
surface rolling, soil third rate.

Township No. 8 N. of Range No. 23 West of the 6th Principal Meridian

~~East~~ on a Random line between Sects 20 + 29
N 89° 59' E. Variation 14° 30' E.
4.00 set temporary one fourth section post
48.00 ravine runs N. E.
76.00 ravine runs N. E.
80.08 intersect section line twenty one links North of corners to sections 20. 21. 28 + 29.

N 89° 52' W on true line between sections 20 + 29
Variation 14° 30' E.
40.04 set post deposited charred stake raised mound of earth with pits as per instructions, for one fourth section corner
80.08 corner to sections 19. 20. 29 + 30.
surface broken soil third rate.

~~West~~ on a Random line between Sects 19 + 30
S 89° 59' W. Variation 14° 30' E.
5.00 Plum Creek runs N. E
16.50 Plum Creek runs South.
24.50 Plum Creek runs N. E.
29.56 Plum Creek runs South
37.50 Plum Creek runs N. E.
40.00 set temporary one fourth section post
55.50 Plum Creek runs S. E.
79.52 intersect range line forty six links North of corner to sections 19 + 30.
N 89° 39' E on true line between sections 19 + 30.
Variation 14° 30' E.
39.52 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
79.52 corner to sections 19. 20. 29 + 30.
surface rolling, soil third rate
scattering timber on margin
water standing in holes

Township No. 8 N. of Range No. 23

North between Sections 19 + 20
Variation 14° 30' E.

3.00 Plum Creek runs N. E. dry with a few scattering trees

34.00 ravine runs S. W.

40.00 set post deposited charred stake, raised mound of earth with pits as per instructions for one fourth section corner

80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 17. 18. 19 + 20.

surface rolling soil second rate.

West of the 6th Principal Meridian

East on a Random line between Sects 17 + 20
N 89° 59' E Variation 14° 45' E.

40.00 set temporary one fourth section post

59.00 Plum Creek runs North, dry no timber

76.00 ravine runs N. N. W.

80.12 intersect section line at corner to sections 16. 17. 20. + 21.

S 89° 59' W. on true line between Sections 17. + 20
Variation 14° 45' E.

40.06 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner

80.12 corner to sections 17. 18 19. + 20.

surface rolling soil third rate.

Township No. 8 N. of Range No. 23

West on a Random line between Sects 18 + 19
S. 89° 59' W. Variation 14° 40' E
40.00 set temporary one fourth section post
57.00 ravine runs S. E.
67.00 ravine runs S. E.
79.12 intersect range line seventeen links South of corner to sections 18. + 19

S 89° 54' E on true line between sections 18 + 19
Variation 14° 40' E.
39.12 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
79.12 corner to sections 17. 18. 19. + 20.
surface level soil second rate.

West of the 6th Principal Meridian

North between sections 17 + 18
Variation 14° 36' E.
3.00 ravine runs N. E.
8.00 ravine runs East
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
80.00 set post deposited charred stake raised mound of earth with pits as per instruction for corner to sections 7. 8. 17. + 18
surface rolling soil second rate.

Township No. 8 N. of Range No. 23

~~East~~ on a Random line btwn Sects 8 + 17
N. 89° 59' E. Variation 14° 40' E.
17.50 ravine runs N. E.
40.00 set temporary one fourth section post.
59.00 Plum Creek runs N. N. E. dry + no timber
79.92 intersect section line forty-seven links North of corner to sections. 8. 9. 16. + 17

N. 89° 41' W. on true line between 8 + 17
Variation 14° 40' E
39.96 set post deposited chared stake, raised mound of earth with pits as per instructions for one fourth section corner.
79.92 corner to sections 7. 8. 17. + 18.
surface broken soil third rate

West of the 6th Principal Meridian

~~West~~ on a Random line btwn Sects 7 + 18
S. 89° 59' W. Variation 14° East
19.00 ravine runs S. E.
22.00 ravine runs S. E.
40.00 set temporary one fourth section corner
79.10 intersect range line sixty two links South of corner to sections 7. + 18

S 89° 34' E
S. 89° 34' E. On true line between sections 7 + 18
Variation 14° East
39.10 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner
79.10 corner to sections 7. 8. 17. + 18
surface broken soil second rate.

Township No. 8 N. of Range No. 23

North between sections 7 + 8
Variation 14° 40' E.

10.00 head of ravine runs N. E.
15.00 ravine runs East
20.00 ravine runs East
40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner
41.00 head of ravine runs N. E.
50.00 ravine runs S. E.
73.50 head of ravine runs S. E.
80.00 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 5. 6. 7 + 8
surface rolling soil second rate.

West of the 6th Principal Meridian

~~East~~ on a Random line between Sects 5 + 8
N. 89° 59' E. Variation 14° 40' E.
39.00 ravine runs S. E.
40.00 set temporary one fourth section post
67.50 ravine runs S. E.
80.00 intersect section line sixty two links North of corner to sections 4. 5. 8. + 9

N 89° 34' W. on true line between sections 5 + 8
Variation 14° 40' E
40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner
80.00 corner to sections 5. 6. 7. + 8
Surface rolling soil second rate.

Township No. 8 N. of Range No. 23

West on a Random line btwn Sects 6 + 7

~~N. 89° 57' E.~~ (Variation, 14° E.

S. 89° 59' W.

40.00 set temporary one fourth section post

78.12 intersect range line seventy two links South of corner to sections 6 + 7.

S 89° 30' E. on true line between sections 6 + 7

Variation 14° E

38.12 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner

78.12 corner to sections 5. 6. 7. 8. Surface level soil second rate.

West of the 6th Principal Meridian

North on a ~~Random~~ true line btwn Sects 5 + 6 –

Variation 14° 46' E.

40.00 set ~~temporary~~ give corner below ⊗ one fourth section post

50.50 Ravine runs East

82.60 intersect second standard parallel North ~~twenty four~~ sixteen chains ~~West~~ East of ¼ Sec. corner ~~to~~ South of sections 32 ~~+ 33~~ T. 9 N. R. 23 W. set post deposited chared stake raised mound of earth with pits as per instruction for corner to sections 5 + 6 T. 8 N. R. 23 W.

~~South on true line between sections 5 + 6~~

~~Variation 14° 46' E~~

~~42.60~~ ⊗ set post deposited chared stake raised mound of earth as per instructions for one fourth section corner

~~82.60 corner to sections 5. 6. 7. + 8~~

Surface level soil

Sole

Dec 1869

General Description
This Township contains no land adapted to farming purposes as the country is high and cannot be cultivated without irrigation & I know of no means whereby it can be done, as the country is high and no streams near as there is a large number of Cannonians in the North East & S. W. portions of the Township which renders the land for farming purposes worthless. Plum Creek runs through the township, the margin of which is lined with timber & has standing water in most places no improvements in the Township. — Surface level, Soil 2d rate Sept 18. 1869

Name signed here by mistake

We hereby certify that we assisted James McBride deputy surveyor in subdividing Township No. 8 North of Range No. 23. West of the 6th Principal Meridian Nebraska & that said Township has been in all respects, to the best of our knowledge & belief well & faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General

Hy. A. Hamilton, Chairman
A. Langworthy, Chairman
Flagmen & Mound builders.
[illegible]
Edwd Racine

The State of Nebraska
Douglas County Ss

Sworn to by the above named persons before me and by them respectively subscribed in my presence this 11th day of November 1869

C. A. Baldwin
Notary Public
Douglas County
Nebraska

I James McBride deputy surveyor do solemnley swear, that, in pursuance of a contract with Robt R. Livingston surveyor of the public lands of the United States in the State of Nebraska, bearing date the 21st day of June 1869 & in strict conformity to the laws of the United States & the instructions furnished by the said surveyor General, I have faithfully surveyed & subdivided into sections Township No. 8 North of Range No. 23 West of the 6th Principal Meridian, Nebraska, and do further solemnly swear that the foregoing are the true & original field notes of such survey

James McBride
Dep Sur

The State of Nebraska
Douglas County ss

Subscribed by said James McBride, deputy surveyor and sworn to before me this 11th day of November 1869

C. C. Baldwin
Notary Public
Douglas County
Nebraska

Surveyor General's Office.

Plattsmouth Neb March 30th 1870.

The foregoing field notes of the survey of the subdivision lines of Township No. 8 North of the Base line of Range No 23 West of the 6th Principal Meridian in the State of Nebraska executed by James McBride, under his contract No. 26. dated June 21st 1869. in the month of September 1869. having been critically examined, the necessary corrections and explanations made, the said field notes and the surveys they describe are hereby approved.

Robt. R. Simpson
Surveyor General.

General Land Office • Original Field Notes

Book Number

468

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.